



Open Source Used In DNAC SDA and Switching Automation Hulk_Patch_3

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1938377852

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1938377852

Contents

- 1.1 objenesis 1.2**
 - 1.1.1 Available under license
- 1.2 velocity 1.7**
 - 1.2.1 Available under license
- 1.3 hibernate-core 3.6.9.Final**
 - 1.3.1 Available under license
- 1.4 hibernate-entitymanager 3.6.7.Final**
 - 1.4.1 Available under license
- 1.5 commons-beanutils 1.8.3**
 - 1.5.1 Available under license
- 1.6 httpmime 4.2.3**
 - 1.6.1 Available under license
- 1.7 json4s-core 3.2.5**
- 1.8 json4s-ext 3.2.5**
- 1.9 json4s-jackson 3.2.5**
- 1.10 json4s-ast 3.2.5**
- 1.11 json4s-native 3.2.5**
- 1.12 metrics-core 3.1.0**
 - 1.12.1 Available under license
- 1.13 commons-pool 2.2**
 - 1.13.1 Available under license
- 1.14 mute-stream 0.0.4**
 - 1.14.1 Available under license
- 1.15 commons-cli 1.2**
 - 1.15.1 Available under license
- 1.16 httpclient 4.4.1**

- 1.16.1 Available under license
- 1.17 httpmime 4.3.6**
 - 1.17.1 Available under license
- 1.18 joda-time 2.7**
 - 1.18.1 Available under license
- 1.19 commons-logging 1.2**
 - 1.19.1 Available under license
- 1.20 ansi-regexp 1.1.1**
 - 1.20.1 Available under license
- 1.21 strip-ansi 2.0.1**
 - 1.21.1 Available under license
- 1.22 minimatch 2.0.10**
 - 1.22.1 Available under license
- 1.23 lodash-basetostring 3.0.1**
 - 1.23.1 Available under license
- 1.24 commons-collections 3.2.2**
 - 1.24.1 Available under license
- 1.25 httpcore 4.4.1**
 - 1.25.1 Available under license
- 1.26 metrics-json 3.1.0**
 - 1.26.1 Available under license
- 1.27 metrics-jvm 3.1.0**
 - 1.27.1 Available under license
- 1.28 commons-io 2.4**
 - 1.28.1 Available under license
- 1.29 babel-runtime 6.26.0**
- 1.30 through2 0.6.5**
 - 1.30.1 Available under license
- 1.31 rechoir 0.6.2**
 - 1.31.1 Available under license
- 1.32 min-document 2.19.0**
 - 1.32.1 Available under license
- 1.33 joda-convert 1.2**
 - 1.33.1 Available under license
- 1.34 hoek 2.16.3**
 - 1.34.1 Available under license
- 1.35 path-to-regexp 0.1.7**
 - 1.35.1 Available under license
- 1.36 ansi-cyan 0.1.1**

- 1.36.1 Available under license
- 1.37 ansi-gray 0.1.1**
 - 1.37.1 Available under license
- 1.38 ansi-red 0.1.1**
 - 1.38.1 Available under license
- 1.39 ansi-wrap 0.1.0**
 - 1.39.1 Available under license
- 1.40 array-each 1.0.1**
 - 1.40.1 Available under license
- 1.41 array-slice 1.1.0**
 - 1.41.1 Available under license
- 1.42 beeper 1.1.1**
 - 1.42.1 Available under license
- 1.43 clone-stats 0.0.1**
 - 1.43.1 Available under license
- 1.44 color-name 1.1.3**
 - 1.44.1 Available under license
- 1.45 date-format 2.2.0**
 - 1.45.1 Available under license
- 1.46 detect-file 1.0.0**
 - 1.46.1 Available under license
- 1.47 duplexer2 0.0.2**
 - 1.47.1 Available under license
- 1.48 expand-tilde 2.0.2**
 - 1.48.1 Available under license
- 1.49 findup-sync 2.0.0**
 - 1.49.1 Available under license
- 1.50 global-modules 1.0.0**
 - 1.50.1 Available under license
- 1.51 global-prefix 1.0.2**
 - 1.51.1 Available under license
- 1.52 gulp-util 3.0.8**
 - 1.52.1 Available under license
- 1.53 gulplog 1.0.0**
 - 1.53.1 Available under license
- 1.54 has-gulplog 0.1.0**
 - 1.54.1 Available under license
- 1.55 is-absolute 1.0.0**
 - 1.55.1 Available under license

1.56 is-relative 1.0.0

1.56.1 Available under license

1.57 is-unc-path 1.0.0

1.57.1 Available under license

1.58 lodash-basevalues 3.0.0

1.58.1 Available under license

1.59 lodash-reescape 3.0.0

1.59.1 Available under license

1.60 lodash-reevaluate 3.0.0

1.60.1 Available under license

1.61 lodash-reinterpolate 3.0.0

1.61.1 Available under license

1.62 lodash-root 3.0.1

1.62.1 Available under license

1.63 lodash-escape 3.2.0

1.63.1 Available under license

1.64 lodash-template 3.6.2

1.64.1 Available under license

1.65 lodash-templatesettings 3.1.1

1.65.1 Available under license

1.66 multipipe 0.1.2

1.66.1 Available under license

1.67 object-defaults 1.1.0

1.67.1 Available under license

1.68 object-map 1.0.1

1.68.1 Available under license

1.69 parse-filepath 1.0.2

1.69.1 Available under license

1.70 parse-passwd 1.0.0

1.70.1 Available under license

1.71 path-root 0.1.1

1.71.1 Available under license

1.72 path-root-regex 0.1.2

1.72.1 Available under license

1.73 plugin-error 0.1.2

1.73.1 Available under license

1.74 redux 3.7.2

1.74.1 Available under license

1.75 resolve-dir 1.0.1

1.75.1 Available under license

1.76 time-stamp 1.1.0

1.76.1 Available under license

1.77 unc-path-regex 0.1.2

1.77.1 Available under license

1.78 vinyl 0.5.3

1.78.1 Available under license

1.79 clone-buffer 1.0.0

1.79.1 Available under license

1.80 array-differ 1.0.0

1.81 is-arrayish 0.2.1

1.81.1 Available under license

1.82 antlr-runtime 4.5.1

1.82.1 Available under license

1.83 copy-concurrently 1.0.5

1.83.1 Available under license

1.84 from2 2.3.0

1.84.1 Available under license

1.85 fs-write-stream-atomic 1.0.10

1.85.1 Available under license

1.86 iferr 0.1.5

1.86.1 Available under license

1.87 move-concurrently 1.0.1

1.87.1 Available under license

1.88 run-queue 1.0.3

1.88.1 Available under license

1.89 commons-net 3.0

1.89.1 Available under license

1.90 javax-servlet-api 3.1.0

1.90.1 Available under license

1.91 hibernate-validator 5.0.0.Final

1.92 netty-codec-http 4.1.17.Final

1.92.1 Available under license

1.93 netty-transport 4.1.17.Final

1.93.1 Available under license

1.94 netty-resolver 4.1.17.Final

1.94.1 Available under license

1.95 netty-codec 4.1.17.Final

1.95.1 Available under license

- 1.96 netty-buffer 4.1.17.Final**
 - 1.96.1 Available under license
- 1.97 netty-handler 4.1.17.Final**
 - 1.97.1 Available under license
- 1.98 netty-codec-socks 4.1.17.Final**
 - 1.98.1 Available under license
- 1.99 netty-handler-proxy 4.1.17.Final**
 - 1.99.1 Available under license
- 1.100 coffee-script 1.12.7**
 - 1.100.1 Available under license
- 1.101 spring-boot-autoconfigure 1.5.12.RELEASE**
 - 1.101.1 Available under license
- 1.102 spring-boot 1.5.12.RELEASE**
 - 1.102.1 Available under license
- 1.103 html-loader 0.5.5**
 - 1.103.1 Available under license
- 1.104 ansi-colors 1.1.0**
 - 1.104.1 Available under license
- 1.105 make-iterator 1.0.1**
 - 1.105.1 Available under license
- 1.106 stylis-rule-sheet 0.0.10**
- 1.107 hoist-non-react-statics 2.5.5**
 - 1.107.1 Available under license
- 1.108 randomatic 3.1.1**
 - 1.108.1 Available under license
- 1.109 commons-validator 1.4.1**
 - 1.109.1 Available under license
- 1.110 array-slice 0.2.3**
 - 1.110.1 Available under license
- 1.111 filesize 3.6.1**
 - 1.111.1 Available under license
- 1.112 frac 1.1.2**
 - 1.112.1 Available under license
- 1.113 import-cwd 2.1.0**
 - 1.113.1 Available under license
- 1.114 import-from 2.1.0**
 - 1.114.1 Available under license
- 1.115 printj 1.1.2**
 - 1.115.1 Available under license

- 1.116 schema-utils 0.4.7**
 - 1.116.1 Available under license
- 1.117 tryer 1.0.1**
 - 1.117.1 Available under license
- 1.118 javax-annotation-api 1.3.2**
 - 1.118.1 Available under license
- 1.119 color-convert 1.9.3**
 - 1.119.1 Available under license
- 1.120 he 1.2.0**
 - 1.120.1 Available under license
- 1.121 merge 1.2.1**
 - 1.121.1 Available under license
- 1.122 nth-check 1.0.2**
 - 1.122.1 Available under license
- 1.123 stylis 3.5.4**
 - 1.123.1 Available under license
- 1.124 ajv-errors 1.0.1**
 - 1.124.1 Available under license
- 1.125 hoopy 0.1.4**
 - 1.125.1 Available under license
- 1.126 mississippi 3.0.0**
 - 1.126.1 Available under license
- 1.127 postcss-loader 3.0.0**
 - 1.127.1 Available under license
- 1.128 schema-utils 1.0.0**
 - 1.128.1 Available under license
- 1.129 stream-each 1.2.3**
 - 1.129.1 Available under license
- 1.130 webpack-log 2.0.0**
 - 1.130.1 Available under license
- 1.131 rw 1.3.3**
 - 1.131.1 Available under license
- 1.132 loader-utils 1.2.3**
- 1.133 stax-ex 1.8**
- 1.134 coffee-loader 0.7.3**
 - 1.134.1 Available under license
- 1.135 worker-loader 2.0.0**
 - 1.135.1 Available under license
- 1.136 1to2 1.0.0**

- 1.136.1 Available under license
- 1.137 css-what 2.1.3**
 - 1.137.1 Available under license
- 1.138 httpcore-nio 4.4.1**
 - 1.138.1 Available under license
- 1.139 commons-collections 4.1**
 - 1.139.1 Available under license
- 1.140 httpasyncclient 4.1**
 - 1.140.1 Available under license
- 1.141 commons-configuration 1.10**
 - 1.141.1 Available under license
- 1.142 recompose 0.30.0**
 - 1.142.1 Available under license
- 1.143 ansi-colors 3.2.4**
 - 1.143.1 Available under license
- 1.144 eslint-scope 4.0.3**
 - 1.144.1 Available under license
- 1.145 flush-write-stream 1.1.1**
 - 1.145.1 Available under license
- 1.146 homedir-polyfill 1.0.3**
 - 1.146.1 Available under license
- 1.147 commons-codec 1.9**
 - 1.147.1 Available under license
- 1.148 commons-fileupload 1.4**
 - 1.148.1 Available under license
- 1.149 commons-digester 1.8.1**
 - 1.149.1 Available under license
- 1.150 bfj 6.1.2**
 - 1.150.1 Available under license
- 1.151 xmlsec 1.5.7**
 - 1.151.1 Available under license
- 1.152 reflections 0.9.11**
 - 1.152.1 Available under license
- 1.153 resourcelocator 1.0.1**
 - 1.153.1 Available under license
- 1.154 stax-api 1.0-2**
- 1.155 grpc-context 1.9.0**
- 1.156 opentracing-noop 0.31.0**
 - 1.156.1 Available under license

1.157 grpc-protobuf-lite 1.9.0
1.158 opencensus-api 0.10.0
1.159 opencensus-contrib-grpc-metrics 0.10.0
1.160 c3p0 0.9.1.1
 1.160.1 Available under license
1.161 okio 1.15.0
1.162 scalap 2.10.0
1.163 velocity 1.7
 1.163.1 Available under license
1.164 okio 1.12.0
1.165 txw2 2.3.1
1.166 joda-convert 1.2
 1.166.1 Available under license
1.167 opentracing-web-servlet-filter 0.1.0
 1.167.1 Available under license
1.168 reflectasm 1.07
1.169 opentracing-util 0.31.0
 1.169.1 Available under license
1.170 javaip 0.16
 1.170.1 Available under license
1.171 javax.activation.api 1.2.0
 1.171.1 Available under license
1.172 objenesis 1.2
 1.172.1 Available under license
1.173 bson4jackson 2.7.0
1.174 jtoml 1.0.0
1.175 wsdl4j 1.6.2
 1.175.1 Available under license
1.176 classmate 0.8.0
1.177 jzlib 1.0.7
1.178 jeromq 0.3.2
 1.178.1 Available under license
1.179 typetools 0.3.1
1.180 paranamer 2.5.6
1.181 redline 1.2.6
1.182 okhttp 2.5.0
1.183 diffutils 1.2.1
 1.183.1 Available under license
1.184 jakarta.xml.bind.api 2.3.2

1.184.1 Available under license

1.185 jakarta activation api 1.2.1

1.185.1 Available under license

1.186 apiguardian-api 1.0.0

1.187 minio 4.0.0

1.188 animal-sniffer-annotation 1.14

1.189 jcip-annotation 1.0

1.189.1 Available under license

1.190 jcip-annotation 1.0-1

1.191 commons-pool 1.6

1.191.1 Available under license

1.192 javax-inject 1

1.192.1 Available under license

1.193 commons-io 2.4

1.193.1 Available under license

1.194 commons-logging 1.2

1.194.1 Available under license

1.195 jctools-core 2.1.1

1.195.1 Available under license

1.196 jackson-mapper-asl 1.9.13

1.196.1 Available under license

1.197 tiger-types 1.4

1.197.1 Available under license

1.198 qdox 1.12

1.199 xpp 1.1.4c

1.200 hamcrest-all 1.3

1.201 javax-ws-rs-api 2.0.1

1.201.1 Available under license

1.202 asm 5.0.4

1.202.1 Available under license

1.203 annotations 3.0.1

1.204 jcl-over-slf4j 1.7.21

1.205 asm 4.0

1.206 commons-dbcp 1.4

1.206.1 Available under license

1.207 jaxb-api 2.3.0

1.207.1 Available under license

1.208 antlr 2.7.6

1.209 protobuf-java 3.5.1

1.209.1 Available under license
1.210 commons-beanutils 1.8.3
1.210.1 Available under license
1.211 commons-collections 4.1
1.211.1 Available under license
1.212 geronimo-javamail 1.7.1
1.212.1 Available under license
1.213 commons-validator 1.4.1
1.213.1 Available under license
1.214 antlr-runtime 4.5.1
1.215 jaxb-core 2.2.11
1.215.1 Available under license
1.216 commons-configuration 1.10
1.216.1 Available under license
1.217 json-simple 1.1.1
1.217.1 Available under license
1.218 checker-compat-qual 2.0.0
1.218.1 Available under license
1.219 metrics-json 3.1.0
1.220 protobuf-java-util 3.5.1
1.221 minimal-json 0.9.4
1.222 grpc-core 1.9.0
1.223 instrumentation-api 0.4.3
1.224 joda-time 2.7
1.224.1 Available under license
1.225 slf4j 1.7.21
1.225.1 Available under license
1.226 hazelcast-client-protocol 1.4.1
1.226.1 Available under license
1.227 scala-compiler 2.10.0
1.227.1 Available under license
1.228 jaxen 1.1.6
1.228.1 Available under license
1.229 httpcore-nio 4.4.1
1.229.1 Available under license
1.230 scala-reflect 2.10.4
1.231 mime-pull 1.9.3
1.232 httpasyncclient 4.1
1.232.1 Available under license

1.233 swagger-annotations 1.3.12
1.234 swagger-jersey2-jaxrs 1.5.0
1.235 commons-compiler 2.6.1
1.236 metrics-jvm 3.1.0
1.237 proto-google-common-protos 1.0.0
1.238 javax-xml-soap-api 1.4.0
 1.238.1 Available under license
1.239 jaxb-runtime 2.3.1
1.240 minlog 1.2
1.241 jax-ws-api 2.3.0
1.242 hazelcast 3.8.9
 1.242.1 Available under license
1.243 hazelcast-client 3.8.9
1.244 unirest-java 1.4.5
 1.244.1 Available under license
1.245 jul-to-slf4j 1.7.21
 1.245.1 Available under license
1.246 javax-activation 1.2.0
 1.246.1 Available under license
1.247 open-csv 4.1
1.248 asm-util 4.0
1.249 not-yet-commons-ssl 0.3.11
 1.249.1 Available under license
1.250 asm-tree 4.0
1.251 commons-pool 2.2
 1.251.1 Available under license
1.252 castor-core 1.3.1
 1.252.1 Available under license
1.253 quartz 2.2.1
1.254 commons-pool 1.5.3
 1.254.1 Available under license
1.255 quartz 1.6.0
1.256 woodstox-core-asl 4.1.4
 1.256.1 Available under license
1.257 jersey-bean-validation 2.5.1
1.258 cxf-rt-frontend-jaxrs 2.7.3
 1.258.1 Available under license
1.259 jersey-media-jaxb 2.24.1
1.260 javax-el 2.2.4

1.261 cas-client-core 3.2.1
1.262 swagger-springmvc 0.8.8
1.263 castor-xml 1.3.1
 1.263.1 Available under license
1.264 swagger-models 0.8.8
1.265 config 1.0.2
1.266 jersey-client 2.5.1
1.267 cxf-rt-transport-http 2.7.3
 1.267.1 Available under license
1.268 javax-el-api 2.2.4
1.269 jersey-container-servlet-core 2.5.1
1.270 freemarker 2.3.23
1.271 jersey-media-multipart 2.5.1
1.272 cassandra-driver-core 2.1.0
1.273 jersey-common 2.24.1
1.274 jline 2.9
1.275 commons-net 3.0
 1.275.1 Available under license
1.276 cxf-rt-core 2.7.3
 1.276.1 Available under license
1.277 jersey-server 2.5.1
1.278 cassandra-driver-mapping 2.1.0
1.279 jersey-guava 2.24.1
1.280 cglib-nodep 3.1
 1.280.1 Available under license
1.281 cxf-rt-bindings-xml 2.7.3
 1.281.1 Available under license
1.282 ant 1.7.1
1.283 jersey-server 2.24.1
1.284 snmp-4j 1.11
 1.284.1 Available under license
1.285 gson 2.2.3
1.286 jersey-client 2.24.1
1.287 jersey-common 2.5.1
1.288 jersey-container-servlet 2.5.1
1.289 easymock 3.1
 1.289.1 Available under license
1.290 cxf-api 2.7.3
 1.290.1 Available under license

- 1.291 avro 1.7.5**
 - 1.291.1 Available under license
- 1.292 bcpq-jdk15on 1.50**
- 1.293 ant-launcher 1.7.1**
 - 1.293.1 Available under license
- 1.294 jetty-http-spi 9.3.27.v20190418**
- 1.295 websocket-servlet 9.3.27.v20190418**
- 1.296 websocket-common 9.3.27.v20190418**
- 1.297 websocket-api 9.3.27.v20190418**
- 1.298 websocket-client 9.3.27.v20190418**
- 1.299 websocket-server 9.3.27.v20190418**
- 1.300 java-concurrent-hash-trie-map 0.2.23**
- 1.301 xstream 1.2.2**
- 1.302 jsr305 3.0.1**
- 1.303 hibernatejpa2.0api 1.0.1.Final**
 - 1.303.1 Available under license
- 1.304 profiler 1.0.2**
- 1.305 swagger-annotations 1.5.22**
 - 1.305.1 Available under license
- 1.306 jedis 2.10.2**
- 1.307 icu4j 63.1**
 - 1.307.1 Available under license
- 1.308 jetty-xml 9.4.18.v20190429**
 - 1.308.1 Available under license
- 1.309 jetty-continuation 9.4.18.v20190429**
 - 1.309.1 Available under license
- 1.310 jetty-webapp 9.4.18.v20190429**
 - 1.310.1 Available under license
- 1.311 jetty-util 9.4.18.v20190429**
 - 1.311.1 Available under license
- 1.312 jetty 9.4.18.v20190429**
 - 1.312.1 Available under license
- 1.313 jetty-servlets 9.4.18.v20190429**
 - 1.313.1 Available under license
- 1.314 jetty-security 9.4.18.v20190429**
 - 1.314.1 Available under license
- 1.315 jetty-client 9.4.18.v20190429**
 - 1.315.1 Available under license
- 1.316 swagger-core 1.5.22**

- 1.317 swagger-jaxrs 1.5.22**
- 1.318 opentracing-spring-web-autoconfigure 0.3.2**
 - 1.318.1 Available under license
- 1.319 opentracing-api 0.31.0**
 - 1.319.1 Available under license
- 1.320 commons-dbcp 2.0.1**
 - 1.320.1 Available under license
- 1.321 opentracing-tracerresolver 0.1.4**
 - 1.321.1 Available under license
- 1.322 opentracing-spring-web 0.3.2**
 - 1.322.1 Available under license
- 1.323 metrics-servlets 4.1.0**
- 1.324 metrics-health-checks 4.1.0**
- 1.325 metrics-jetty 4.1.0**
- 1.326 esprima 3.1.3**
 - 1.326.1 Available under license
- 1.327 grpc-okhttp 1.9.0**
 - 1.327.1 Available under license
- 1.328 postcss 6.0.23**
 - 1.328.1 Available under license
- 1.329 c3p0 0.9.1.1**
 - 1.329.1 Available under license
- 1.330 isorelax 20090621**
 - 1.330.1 Available under license
- 1.331 history 4.10.1**
 - 1.331.1 Available under license
- 1.332 jsqlparser 2.1**
 - 1.332.1 Available under license
- 1.333 java-jwt 3.8.3**
 - 1.333.1 Available under license
- 1.334 javax-json 1.1.4**
 - 1.334.1 Available under license
- 1.335 justify 0.17.0**
 - 1.335.1 Available under license
- 1.336 jsesc 0.5.0**
 - 1.336.1 Available under license
- 1.337 gulp 4.0.2**
 - 1.337.1 Available under license
- 1.338 mongo-jackson-codec 3.2.2__0.5**

- 1.338.1 Available under license
- 1.339 jtop 1.0.0**
 - 1.339.1 Available under license
- 1.340 commons-lang3 3.9**
 - 1.340.1 Available under license
- 1.341 junit-platform-commons 1.1.0**
 - 1.341.1 Available under license
- 1.342 junit-jupiter-api 5.1.0**
 - 1.342.1 Available under license
- 1.343 swagger-models 1.5.22**
 - 1.343.1 Available under license
- 1.344 http-signature 1.2.0**
 - 1.344.1 Available under license
- 1.345 commons-compress 1.20**
 - 1.345.1 Available under license
- 1.346 ejs 2.7.4**
 - 1.346.1 Available under license
- 1.347 merge-anything 2.4.4**
 - 1.347.1 Available under license
- 1.348 xerces 2.9.1**
 - 1.348.1 Available under license
- 1.349 google-http-client-xml 1.20.0**
 - 1.349.1 Available under license
- 1.350 nimbus-jose-jwt 8.9**
 - 1.350.1 Available under license
- 1.351 vavr 0.10.2**
 - 1.351.1 Available under license
- 1.352 vavr-match 0.10.2**
 - 1.352.1 Available under license
- 1.353 @emotion/memoize 0.7.4**
 - 1.353.1 Available under license
- 1.354 commons-lang3 2.6**
 - 1.354.1 Available under license
- 1.355 commons-lang3 2.6**
 - 1.355.1 Available under license
- 1.356 commons-compress 1.20**
 - 1.356.1 Available under license
- 1.357 request 2.88.2**
 - 1.357.1 Available under license

1.358 commons-lang3 2.4.0

1.358.1 Available under license

1.359 dbcp 1.2.2.osgi

1.359.1 Available under license

1.360 jms 1.1.0

1.360.1 Available under license

1.361 servlet 2.5.0

1.361.1 Available under license

1.362 commons-lang3 3.9

1.362.1 Available under license

1.363 javax-servlet-api 2.5.0

1.363.1 Available under license

1.364 global 4.4.0

1.364.1 Available under license

1.365 spring-retry 1.2.5.RELEASE

1.365.1 Available under license

1.366 netty-tcnative 2.0.9.Final

1.366.1 Available under license

1.367 fast-deep-equal 3.1.3

1.367.1 Available under license

1.368 spring-framework 4.3.20.RELEASE

1.368.1 Available under license

1.369 google-http-client 1.15.0-rc

1.369.1 Available under license

1.370 sizeof-agent 1.0.1

1.370.1 Available under license

1.371 spring-expression 4.3.20.RELEASE

1.371.1 Available under license

1.372 spring-orm 4.3.20.RELEASE

1.372.1 Available under license

1.373 spring-aop 4.3.20.RELEASE

1.373.1 Available under license

1.374 spring-context 4.3.20.RELEASE

1.374.1 Available under license

1.375 spring-aspects 4.3.20.RELEASE

1.375.1 Available under license

1.376 spring-tx 4.3.20.RELEASE

1.376.1 Available under license

1.377 spring-beans 4.3.20.RELEASE

1.377.1 Available under license
1.378 spring-web 4.3.20.RELEASE
1.378.1 Available under license
1.379 spring-jdbc 4.3.20.RELEASE
1.379.1 Available under license
1.380 spring-jms 4.3.20.RELEASE
1.380.1 Available under license
1.381 sass-loader 8.0.2
1.381.1 Available under license
1.382 lodash.restparam 3.6.1
1.382.1 Available under license
1.383 lodash._getnative 3.9.1
1.383.1 Available under license
1.384 lodash-root 3.0.1
1.384.1 Available under license
1.385 lodash.isplainobject 4.0.6
1.385.1 Available under license
1.386 lodash.keys 3.1.2
1.386.1 Available under license
1.387 lodash.isarguments 3.1.0
1.387.1 Available under license
1.388 lodash-escape 3.2.0
1.388.1 Available under license
1.389 lodash._isiterateecall 3.0.9
1.389.1 Available under license
1.390 lodash-templatesettings 3.1.1
1.390.1 Available under license
1.391 lodash-basevalues 3.0.0
1.391.1 Available under license
1.392 lodash.isarray 3.0.4
1.392.1 Available under license
1.393 lodash-template 3.6.2
1.393.1 Available under license
1.394 lodash-reescape 3.0.0
1.394.1 Available under license
1.395 lodash-basetostring 3.0.1
1.395.1 Available under license
1.396 lodash._basecopy 3.0.1
1.396.1 Available under license

- 1.397 lodash-reevaluate 3.0.0**
 - 1.397.1 Available under license
- 1.398 lodash-reinterpolate 3.0.0**
 - 1.398.1 Available under license
- 1.399 lodash.get 4.4.2**
 - 1.399.1 Available under license
- 1.400 lodash.debounce 4.0.8**
 - 1.400.1 Available under license
- 1.401 @emotion/is-prop-valid 0.8.8**
 - 1.401.1 Available under license
- 1.402 bson 3.12.4**
 - 1.402.1 Available under license
- 1.403 mongodb-driver 3.12.4**
 - 1.403.1 Available under license
- 1.404 mongodb-driver-core 3.12.4**
 - 1.404.1 Available under license
- 1.405 spring-web-mvc 4.3.20.RELEASE**
 - 1.405.1 Available under license
- 1.406 lodash.isplainobject 4.0.6**
 - 1.406.1 Available under license
- 1.407 lodash.get 4.4.2**
 - 1.407.1 Available under license
- 1.408 netty 4.1.17.Final**
 - 1.408.1 Available under license
- 1.409 messageformat 0.1.2**
 - 1.409.1 Available under license
- 1.410 babel-plugin-transform-remove-strict-mode 0.0.2**
 - 1.410.1 Available under license
- 1.411 redux-mock-store 1.5.4**
 - 1.411.1 Available under license
- 1.412 react-is 16.13.1**
 - 1.412.1 Available under license
- 1.413 redux-logger 4.0.0**
 - 1.413.1 Available under license
- 1.414 babel-eslint 10.1.0**
 - 1.414.1 Available under license
- 1.415 hoist-non-react-statics 3.3.2**
 - 1.415.1 Available under license
- 1.416 change-emitter 0.1.6**

- 1.416.1 Available under license
- 1.417 camel-core 2.15.2**
 - 1.417.1 Available under license
- 1.418 commons-dbcp 1.4**
 - 1.418.1 Available under license
- 1.419 shiro-crypto-cipher 1.6.0**
 - 1.419.1 Available under license
- 1.420 shiro-crypto-hash 1.6.0**
 - 1.420.1 Available under license
- 1.421 shiro-cache 1.6.0**
 - 1.421.1 Available under license
- 1.422 shiro-crypto-core 1.6.0**
 - 1.422.1 Available under license
- 1.423 shiro-config-core 1.6.0**
 - 1.423.1 Available under license
- 1.424 shiro-event 1.6.0**
 - 1.424.1 Available under license
- 1.425 shiro-lang 1.6.0**
 - 1.425.1 Available under license
- 1.426 shiro-config-ogdl 1.6.0**
 - 1.426.1 Available under license
- 1.427 colors.js 1.4.0**
 - 1.427.1 Available under license
- 1.428 opentest4j 1.0.0**
 - 1.428.1 Available under license
- 1.429 scss-tokenizer 0.2.3**
 - 1.429.1 Available under license
- 1.430 tiny-warning 1.0.3**
 - 1.430.1 Available under license
- 1.431 fresh 0.5.2**
 - 1.431.1 Available under license
- 1.432 fstream 1.0.12**
 - 1.432.1 Available under license
- 1.433 asn1.js 4.10.1**
 - 1.433.1 Available under license
- 1.434 cookie-signature 1.0.6**
 - 1.434.1 Available under license
- 1.435 css-what 2.1.3**
 - 1.435.1 Available under license

1.436 decamelize 1.2.0

1.436.1 Available under license

1.437 ms 2.1.2

1.437.1 Available under license

1.438 trim-newlines 1.0.0

1.438.1 Available under license

1.439 lru-cache 5.1.1

1.439.1 Available under license

1.440 cache-base 1.0.1

1.440.1 Available under license

1.441 tweetnacl 0.14.5

1.441.1 Available under license

1.442 through 2.3.8

1.442.1 Available under license

1.443 extend 3.0.2

1.443.1 Available under license

1.444 netty 3.10.5.Final

1.444.1 Available under license

1.445 javax-servlet-api 3.1.0

1.445.1 Available under license

1.446 hibernate-commons-annotations 3.2.0.Final

1.446.1 Available under license

1.447 guava 25.0-jre

1.447.1 Available under license

1.448 resolve-pathname 3.0.0

1.448.1 Available under license

1.449 value-equal 1.0.1

1.449.1 Available under license

1.450 netty 4.1.17.Final

1.450.1 Available under license

1.451 netty-codec-http 4.1.17.Final

1.451.1 Available under license

1.452 metrics-core 3.1.0

1.452.1 Available under license

1.453 jackson-core-asl 1.9.13

1.453.1 Available under license

1.454 javassist 3.12.0.GA

1.454.1 Available under license

1.455 bean-validation-api 1.0.0.GA

- 1.455.1 Available under license
- 1.456 xml-commons 1.3.4**
 - 1.456.1 Available under license
- 1.457 springsourceapachexmlresolver 1.2.0**
 - 1.457.1 Available under license
- 1.458 springsource-org-apache-xerces 2.9.1**
 - 1.458.1 Available under license
- 1.459 apache-log4j 1.2.15**
 - 1.459.1 Available under license
- 1.460 httpcore 4.4.5**
 - 1.460.1 Available under license
- 1.461 httpmime 4.3.6**
 - 1.461.1 Available under license
- 1.462 commons-fileupload 1.4**
 - 1.462.1 Available under license
- 1.463 commons-collections 3.2.2**
 - 1.463.1 Available under license
- 1.464 httpcore 4.4.1**
 - 1.464.1 Available under license
- 1.465 istack-commons-runtime 2.21**
 - 1.465.1 Available under license
- 1.466 jboss-logging 3.1.1.GA**
 - 1.466.1 Available under license
- 1.467 hk2-api 2.5.0-b05**
 - 1.467.1 Available under license
- 1.468 aopalliance-repackaged 2.5.0-b05**
 - 1.468.1 Available under license
- 1.469 javax-inject 2.5.0-b05**
 - 1.469.1 Available under license
- 1.470 hk2-utils 2.5.0-b05**
 - 1.470.1 Available under license
- 1.471 hk2-locator 2.5.0-b05**
 - 1.471.1 Available under license
- 1.472 hibernate-validator 5.0.0.Final**
 - 1.472.1 Available under license
- 1.473 css-to-react-native 2.3.2**
 - 1.473.1 Available under license
- 1.474 jsesc 2.5.2**
 - 1.474.1 Available under license

- 1.475 ehcache-core 2.6.5**
 - 1.475.1 Available under license
- 1.476 json4s-ext 3.2.5**
 - 1.476.1 Available under license
- 1.477 json4s-jackson 3.2.5**
 - 1.477.1 Available under license
- 1.478 jackson-module-scala 2.1.5**
 - 1.478.1 Available under license
- 1.479 json4s-native 3.2.5**
 - 1.479.1 Available under license
- 1.480 json4s-ast 3.2.5**
 - 1.480.1 Available under license
- 1.481 swagger-core 1.3.5**
 - 1.481.1 Available under license
- 1.482 json4s-core 3.2.5**
 - 1.482.1 Available under license
- 1.483 chownr 1.1.4**
 - 1.483.1 Available under license
- 1.484 xml-schema-core 2.0.3**
 - 1.484.1 Available under license
- 1.485 jetty-server 9.4.18.v20190429**
 - 1.485.1 Available under license
- 1.486 libthrift 0.9.2**
 - 1.486.1 Available under license
- 1.487 less-loader 5.0.0**
 - 1.487.1 Available under license
- 1.488 raw-loader 3.1.0**
 - 1.488.1 Available under license
- 1.489 spring-boot-autoconfigure 1.5.12.RELEASE**
 - 1.489.1 Available under license
- 1.490 spring-boot 1.5.12.RELEASE**
 - 1.490.1 Available under license
- 1.491 cglib 2.2.0-b21**
 - 1.491.1 Available under license
- 1.492 javax-inject 2.2.0-b21**
 - 1.492.1 Available under license
- 1.493 hk2-utils 2.2.0-b21**
 - 1.493.1 Available under license
- 1.494 hk2-api 2.2.0-b21**

1.494.1 Available under license
1.495 hk2-locator 2.2.0-b21
1.495.1 Available under license
1.496 asm-all-repackaged 2.2.0-b21
1.496.1 Available under license
1.497 netty-codec-socks 4.1.17.Final
1.497.1 Available under license
1.498 netty-resolver 4.1.17.Final
1.498.1 Available under license
1.499 netty-handler-proxy 4.1.17.Final
1.499.1 Available under license
1.500 netty-buffer 4.1.17.Final
1.500.1 Available under license
1.501 netty-transport 4.1.17.Final
1.501.1 Available under license
1.502 netty-handler 4.1.17.Final
1.502.1 Available under license
1.503 netty-codec 4.1.17.Final
1.503.1 Available under license
1.504 math-random 1.0.4
1.504.1 Available under license
1.505 lodash._getnative 3.9.1
1.505.1 Available under license
1.506 lodash.restparam 3.6.1
1.506.1 Available under license
1.507 lodash 3.10.1
1.507.1 Available under license
1.508 transform-runtime 0.0.0
1.508.1 Available under license
1.509 lodash._basecopy 3.0.1
1.509.1 Available under license
1.510 lodash.isarray 3.0.4
1.510.1 Available under license
1.511 lodash._isiterateecall 3.0.9
1.511.1 Available under license
1.512 lodash.keys 3.1.2
1.512.1 Available under license
1.513 ystack-commons-runtime 3.0.7
1.513.1 Available under license

- 1.514 okhttp 3.12.1**
 - 1.514.1 Available under license
- 1.515 xmlsec 1.5.7**
 - 1.515.1 Available under license
- 1.516 spring-security-cas 3.2.4.RELEASE**
 - 1.516.1 Available under license
- 1.517 xmltooling 1.4.4**
 - 1.517.1 Available under license
- 1.518 yang-common 0.8.4-Beryllium-SR4**
 - 1.518.1 Available under license
- 1.519 mibble-commercial-mibs 2.9.3**
 - 1.519.1 Available under license
- 1.520 json 20090211**
 - 1.520.1 Available under license
- 1.521 yang-parser-api 0.8.4-Beryllium-SR4**
 - 1.521.1 Available under license
- 1.522 javassist 3.17.1-GA**
 - 1.522.1 Available under license
- 1.523 commons-http-client 3.0.1**
 - 1.523.1 Available under license
- 1.524 spring-security-taglibs 3.2.4.RELEASE**
 - 1.524.1 Available under license
- 1.525 scala-library 2.10.4**
 - 1.525.1 Available under license
- 1.526 concepts 0.8.4-Beryllium-SR4**
 - 1.526.1 Available under license
- 1.527 spring-security-web 3.2.4.RELEASE**
 - 1.527.1 Available under license
- 1.528 object-cache-api 0.8.4-Beryllium-SR4**
 - 1.528.1 Available under license
- 1.529 hibernate-entitymanager 3.6.7.Final**
 - 1.529.1 Available under license
- 1.530 spring-security-core 3.2.4.RELEASE**
 - 1.530.1 Available under license
- 1.531 yang-parser-impl 0.8.4-Beryllium-SR4**
 - 1.531.1 Available under license
- 1.532 spring-security-config 3.2.4.RELEASE**
 - 1.532.1 Available under license
- 1.533 util 0.8.4-Beryllium-SR4**

- 1.533.1 Available under license
- 1.534 mibble-commercial-parser 2.9.3**
 - 1.534.1 Available under license
- 1.535 springsource-javax-jms 1.1.0**
 - 1.535.1 Available under license
- 1.536 yang-model-api 0.8.4-Beryllium-SR4**
 - 1.536.1 Available under license
- 1.537 spring-security-acl 3.2.4.RELEASE**
 - 1.537.1 Available under license
- 1.538 httpmime 4.2.3**
 - 1.538.1 Available under license
- 1.539 springsourcehibernatevalidator 4.1.0.GA**
 - 1.539.1 Available under license
- 1.540 yang-model-util 0.8.4-Beryllium-SR4**
 - 1.540.1 Available under license
- 1.541 hibernate-core 3.6.9.Final**
 - 1.541.1 Available under license
- 1.542 jakarta-json-api 1.1.5**
 - 1.542.1 Available under license
- 1.543 bean-validation-api 1.1.0.Final**
 - 1.543.1 Available under license
- 1.544 jta 1.1**
 - 1.544.1 Available under license
- 1.545 jms 1.1**
 - 1.545.1 Available under license
- 1.546 core-js 2.6.12**
 - 1.546.1 Available under license
- 1.547 aspectj-tools 1.9.6**
 - 1.547.1 Available under license
- 1.548 aop-alliance 1.0**
 - 1.548.1 Available under license
- 1.549 stream-exhaust 1.0.2**
 - 1.549.1 Available under license
- 1.550 tapable 1.1.3**
 - 1.550.1 Available under license
- 1.551 fancy-log 1.3.3**
 - 1.551.1 Available under license
- 1.552 memory-fs 0.5.0**
 - 1.552.1 Available under license

1.553 glob-watcher 5.0.5

1.553.1 Available under license

1.554 is-negated-glob 1.0.0

1.554.1 Available under license

1.555 async-done 1.3.2

1.555.1 Available under license

1.556 acorn 6.4.2

1.556.1 Available under license

1.557 undertaker-registry 1.0.1

1.557.1 Available under license

1.558 semver-greatest-satisfied-range 1.1.0

1.558.1 Available under license

1.559 vinyl-sourcemap 1.1.0

1.559.1 Available under license

1.560 undertaker 1.3.0

1.560.1 Available under license

1.561 postcss-load-config 2.1.2

1.561.1 Available under license

1.562 to-through 2.0.0

1.562.1 Available under license

1.563 term-size 2.2.1

1.563.1 Available under license

1.564 resolve-options 1.1.0

1.564.1 Available under license

1.565 cacache 12.0.4

1.565.1 Available under license

1.566 collection-map 1.0.0

1.566.1 Available under license

1.567 fs-mkdirp-stream 1.0.0

1.567.1 Available under license

1.568 global-dirs 2.1.0

1.568.1 Available under license

1.569 figgy-pudding 3.5.2

1.569.1 Available under license

1.570 array-initial 1.1.0

1.570.1 Available under license

1.571 last-run 1.1.1

1.571.1 Available under license

1.572 arr-map 2.0.2

1.572.1 Available under license
1.573 append-buffer 1.0.2
1.573.1 Available under license
1.574 async-settle 1.0.0
1.574.1 Available under license
1.575 sparkles 1.0.1
1.575.1 Available under license
1.576 arr-filter 1.1.2
1.576.1 Available under license
1.577 default-compare 1.0.0
1.577.1 Available under license
1.578 is-installed-globally 0.3.2
1.578.1 Available under license
1.579 each-props 1.3.2
1.579.1 Available under license
1.580 replace-homedir 1.0.0
1.580.1 Available under license
1.581 parallel-transform 1.2.0
1.581.1 Available under license
1.582 worker-farm 1.7.0
1.582.1 Available under license
1.583 mute-stdout 1.0.1
1.583.1 Available under license
1.584 sver-compatible 1.5.0
1.584.1 Available under license
1.585 remove-bom-buffer 3.0.0
1.585.1 Available under license
1.586 lead 1.0.0
1.586.1 Available under license
1.587 object-reduce 1.0.1
1.587.1 Available under license
1.588 bach 1.2.0
1.588.1 Available under license
1.589 cloneable-readable 1.1.3
1.589.1 Available under license
1.590 boxen 4.2.0
1.590.1 Available under license
1.591 through2-filter 3.0.0
1.591.1 Available under license

- 1.592 flagged-respawn 1.0.1**
 - 1.592.1 Available under license
- 1.593 is-valid-glob 1.0.0**
 - 1.593.1 Available under license
- 1.594 value-or-function 3.0.0**
 - 1.594.1 Available under license
- 1.595 default-resolution 2.0.0**
 - 1.595.1 Available under license
- 1.596 to-absolute-glob 2.0.2**
 - 1.596.1 Available under license
- 1.597 array-sort 1.0.0**
 - 1.597.1 Available under license
- 1.598 now-and-later 2.0.1**
 - 1.598.1 Available under license
- 1.599 array-last 1.3.0**
 - 1.599.1 Available under license
- 1.600 remove-bom-stream 1.2.0**
 - 1.600.1 Available under license
- 1.601 glogg 1.0.2**
 - 1.601.1 Available under license
- 1.602 fined 1.2.0**
 - 1.602.1 Available under license
- 1.603 matchdep 2.0.0**
 - 1.603.1 Available under license
- 1.604 spring-messaging 4.3.30.RELEASE**
 - 1.604.1 Available under license
- 1.605 tough-cookie 2.5.0**
 - 1.605.1 Available under license
- 1.606 springsource-javax-validation 1.0.0.GA**
 - 1.606.1 Available under license
- 1.607 shiro-core 1.6.0**
 - 1.607.1 Available under license
- 1.608 diff 1.4.0**
 - 1.608.1 Available under license
- 1.609 tr46 0.0.3**
 - 1.609.1 Available under license
- 1.610 webidl-conversions 3.0.1**
 - 1.610.1 Available under license
- 1.611 braces 3.0.2**

1.611.1 Available under license

1.612 braces 1.8.5

1.612.1 Available under license

1.613 minimatch 2.0.10

1.613.1 Available under license

1.614 uri-js 4.4.1

1.614.1 Available under license

1.615 xpp3-min 1.1.4c

1.615.1 Available under license

1.616 commons-digester 1.8.1

1.616.1 Available under license

1.617 commons-codec 1.9

1.617.1 Available under license

1.618 commons-lang3 2.4

1.618.1 Available under license

1.619 cli-width 1.1.1

1.619.1 Available under license

1.620 gulp-conflict 0.4.0

1.620.1 Available under license

1.621 inquirer 0.8.5

1.621.1 Available under license

1.622 node-localstorage 0.6.0

1.622.1 Available under license

1.623 react-proxy 1.1.8

1.623.1 Available under license

1.624 react-transform-catch-errors 1.0.2

1.624.1 Available under license

1.625 randomatic 3.1.1

1.625.1 Available under license

1.626 react-transform-hmr 1.0.4

1.626.1 Available under license

1.627 react-deep-force-update 1.1.2

1.627.1 Available under license

1.628 readline2 0.1.1

1.628.1 Available under license

1.629 rx 2.5.3

1.629.1 Available under license

1.630 string-template 1.0.0

1.630.1 Available under license

1.631 transform-loader 0.2.4

1.631.1 Available under license

1.632 vorpal 1.12.0

1.632.1 Available under license

1.633 commons-dbcp 2.0.1

1.633.1 Available under license

1.634 kryo 2.17

1.634.1 Available under license

1.635 woodstox-core 6.2.4

1.635.1 Available under license

1.636 lodash 4.17.21

1.636.1 Available under license

1.637 vinyl-fs 3.0.3

1.637.1 Available under license

1.638 findup-sync 3.0.0

1.638.1 Available under license

1.639 ordered-read-streams 1.0.1

1.639.1 Available under license

1.640 clone-stats 1.0.0

1.640.1 Available under license

1.641 fast-levenshtein 1.1.4

1.641.1 Available under license

1.642 v8flags 3.2.0

1.642.1 Available under license

1.643 vinyl 2.2.1

1.643.1 Available under license

1.644 liftoff 3.1.0

1.644.1 Available under license

1.645 glob-stream 6.1.0

1.645.1 Available under license

1.646 unique-stream 2.3.1

1.646.1 Available under license

1.647 replace-ext 1.0.1

1.647.1 Available under license

1.648 gulp 4.0.2

1.648.1 Available under license

1.649 error_prone_annotations 2.1.3

1.649.1 Available under license

1.650 j2objc-annotations 1.1

- 1.650.1 Available under license
- 1.651 jsr305 1.3.9**
 - 1.651.1 Available under license
- 1.652 log4j-over-slf4j 1.7.21**
 - 1.652.1 Available under license
- 1.653 spring-binding 2.5.1.RELEASE**
 - 1.653.1 Available under license
- 1.654 spring-webmvc-portlet 4.3.19.RELEASE**
 - 1.654.1 Available under license
- 1.655 spring-oxm 4.3.19.RELEASE**
 - 1.655.1 Available under license
- 1.656 spring-context-support 4.3.19.RELEASE**
 - 1.656.1 Available under license
- 1.657 commons-dbcp 1.2.2.osgi**
 - 1.657.1 Available under license
- 1.658 commons-logging 1.1.1**
 - 1.658.1 Available under license
- 1.659 commons-cli 1.2**
 - 1.659.1 Available under license
- 1.660 dom4j 1.6.1**
 - 1.660.1 Available under license
- 1.661 httpclient 4.4.1**
 - 1.661.1 Available under license
- 1.662 jaxb-runtime 2.2.11**
 - 1.662.1 Available under license
- 1.663 txw2 2.2.11**
 - 1.663.1 Available under license
- 1.664 react 17.0.2**
 - 1.664.1 Available under license
- 1.665 y18n 3.2.2**
 - 1.665.1 Available under license
- 1.666 event-emitter 0.3.5**
 - 1.666.1 Available under license
- 1.667 dot-prop 4.2.1**
 - 1.667.1 Available under license
- 1.668 aspectj-weaver 1.9.6**
 - 1.668.1 Available under license
- 1.669 escalade 3.1.1**
 - 1.669.1 Available under license

1.670 cisco-velocity 1.7c

1.670.1 Available under license

1.671 postcss-modules-values 3.0.0

1.671.1 Available under license

1.672 string_decoder 1.1.1

1.672.1 Available under license

1.673 normalize-range 0.1.2

1.673.1 Available under license

1.674 camel-case 3.0.0

1.674.1 Available under license

1.675 pump 3.0.0

1.675.1 Available under license

1.676 strip-json-comments 2.0.1

1.676.1 Available under license

1.677 pinkie-promise 2.0.1

1.677.1 Available under license

1.678 onetime 1.1.0

1.678.1 Available under license

1.679 object.pick 1.3.0

1.679.1 Available under license

1.680 end-of-stream 1.4.4

1.680.1 Available under license

1.681 chalk 3.0.0

1.681.1 Available under license

1.682 cipher-base 1.0.4

1.682.1 Available under license

1.683 amdefine 1.0.1

1.683.1 Available under license

1.684 asap 2.0.6

1.684.1 Available under license

1.685 cli-cursor 1.0.2

1.685.1 Available under license

1.686 etag 1.8.1

1.686.1 Available under license

1.687 fast-json-stable-stringify 2.1.0

1.687.1 Available under license

1.688 object-visit 1.0.1

1.688.1 Available under license

1.689 commander 2.17.1

- 1.689.1 Available under license
- 1.690 source-map 0.5.7**
 - 1.690.1 Available under license
- 1.691 encodeurl 1.0.2**
 - 1.691.1 Available under license
- 1.692 commander 2.20.3**
 - 1.692.1 Available under license
- 1.693 source-map 0.6.1**
 - 1.693.1 Available under license
- 1.694 ansi-escapes 1.4.0**
 - 1.694.1 Available under license
- 1.695 boolbase 1.0.0**
 - 1.695.1 Available under license
- 1.696 define-property 0.2.5**
 - 1.696.1 Available under license
- 1.697 @babel/plugin-syntax-object-rest-spread 7.8.3**
 - 1.697.1 Available under license
- 1.698 split-on-first 1.1.0**
 - 1.698.1 Available under license
- 1.699 chalk 1.1.3**
 - 1.699.1 Available under license
- 1.700 remove-trailing-separator 1.1.0**
 - 1.700.1 Available under license
- 1.701 braces 2.3.2**
 - 1.701.1 Available under license
- 1.702 snapdragon 0.8.2**
 - 1.702.1 Available under license
- 1.703 is-fullwidth-code-point 1.0.0**
 - 1.703.1 Available under license
- 1.704 get-stream 4.1.0**
 - 1.704.1 Available under license
- 1.705 normalize-path 2.1.1**
 - 1.705.1 Available under license
- 1.706 path-to-regexp 1.8.0**
 - 1.706.1 Available under license
- 1.707 has-ansi 2.0.0**
 - 1.707.1 Available under license
- 1.708 xtend 4.0.2**
 - 1.708.1 Available under license

- 1.709 read-pkg 1.1.0**
 - 1.709.1 Available under license
- 1.710 cache-base 1.0.1**
 - 1.710.1 Available under license
- 1.711 strip-bom 2.0.0**
 - 1.711.1 Available under license
- 1.712 globals 11.12.0**
 - 1.712.1 Available under license
- 1.713 function-bind 1.1.1**
 - 1.713.1 Available under license
- 1.714 node-fetch 1.7.3**
 - 1.714.1 Available under license
- 1.715 upper-case 1.1.3**
 - 1.715.1 Available under license
- 1.716 color-convert 2.0.1**
 - 1.716.1 Available under license
- 1.717 find-up 1.1.2**
 - 1.717.1 Available under license
- 1.718 which-boxed-primitive 1.0.2**
 - 1.718.1 Available under license
- 1.719 ansi-regex 2.1.1**
 - 1.719.1 Available under license
- 1.720 define-property 1.0.0**
 - 1.720.1 Available under license
- 1.721 jsbn 0.1.1**
 - 1.721.1 Available under license
- 1.722 is-wsl 1.1.0**
 - 1.722.1 Available under license
- 1.723 is-directory 0.3.1**
 - 1.723.1 Available under license
- 1.724 safe-regex 1.1.0**
 - 1.724.1 Available under license
- 1.725 gaze 1.1.3**
 - 1.725.1 Available under license
- 1.726 ee-first 1.1.1**
 - 1.726.1 Available under license
- 1.727 nopt 3.0.6**
 - 1.727.1 Available under license
- 1.728 require-main-filename 2.0.0**

1.728.1 Available under license
1.729 has-flag 3.0.0
1.729.1 Available under license
1.730 http-signature 1.2.0
1.730.1 Available under license
1.731 gauge 2.7.4
1.731.1 Available under license
1.732 tty-browserify 0.0.0
1.732.1 Available under license
1.733 camelcase 3.0.0
1.733.1 Available under license
1.734 kind-of 6.0.3
1.734.1 Available under license
1.735 get-caller-file 1.0.3
1.735.1 Available under license
1.736 readable-stream 1.0.34
1.736.1 Available under license
1.737 tunnel-agent 0.6.0
1.737.1 Available under license
1.738 clone 1.0.4
1.738.1 Available under license
1.739 domain-browser 1.2.0
1.739.1 Available under license
1.740 require-main-filename 1.0.1
1.740.1 Available under license
1.741 is-accessor-descriptor 0.1.6
1.741.1 Available under license
1.742 wrap-ansi 2.1.0
1.742.1 Available under license
1.743 core-js 1.2.7
1.743.1 Available under license
1.744 delayed-stream 1.0.0
1.744.1 Available under license
1.745 is-fullwidth-code-point 2.0.0
1.745.1 Available under license
1.746 component-emitter 1.3.0
1.746.1 Available under license
1.747 pseudomap 1.0.2
1.747.1 Available under license

1.748 rc 1.2.8

1.748.1 Available under license

1.749 slash 2.0.0

1.749.1 Available under license

1.750 pify 2.3.0

1.750.1 Available under license

1.751 resolve-from 3.0.0

1.751.1 Available under license

1.752 define-property 2.0.2

1.752.1 Available under license

1.753 base 0.11.2

1.753.1 Available under license

1.754 has-unicode 2.0.1

1.754.1 Available under license

1.755 kind-of 4.0.0

1.755.1 Available under license

1.756 vary 1.1.2

1.756.1 Available under license

1.757 constants-browserify 1.0.0

1.757.1 Available under license

1.758 rimraf 2.7.1

1.758.1 Available under license

1.759 set-blocking 2.0.0

1.759.1 Available under license

1.760 path-is-absolute 1.0.1

1.760.1 Available under license

1.761 isomorphic-fetch 2.2.1

1.761.1 Available under license

1.762 es-to-primitive 1.2.1

1.762.1 Available under license

1.763 fragment-cache 0.2.1

1.763.1 Available under license

1.764 yallist 2.1.2

1.764.1 Available under license

1.765 union-value 1.0.1

1.765.1 Available under license

1.766 kind-of 5.1.0

1.766.1 Available under license

1.767 lodash.debounce 4.0.8

1.767.1 Available under license
1.768 is-accessor-descriptor 1.0.0
1.768.1 Available under license
1.769 util-deprecate 1.0.2
1.769.1 Available under license
1.770 wrappy 1.0.2
1.770.1 Available under license
1.771 rx-lite 3.1.2
1.771.1 Available under license
1.772 object-assign 4.1.1
1.772.1 Available under license
1.773 copy-descriptor 0.1.1
1.773.1 Available under license
1.774 safe-buffer 5.1.2
1.774.1 Available under license
1.775 har-schema 2.0.0
1.775.1 Available under license
1.776 loose-envify 1.4.0
1.776.1 Available under license
1.777 concat-map 0.0.1
1.777.1 Available under license
1.778 utils-merge 1.0.1
1.778.1 Available under license
1.779 isobject 2.1.0
1.779.1 Available under license
1.780 encoding 0.1.13
1.780.1 Available under license
1.781 to-arraybuffer 1.0.1
1.781.1 Available under license
1.782 pinkie 2.0.4
1.782.1 Available under license
1.783 pify 4.0.1
1.783.1 Available under license
1.784 acorn 7.4.1
1.784.1 Available under license
1.785 assign-symbols 1.0.0
1.785.1 Available under license
1.786 base64-js 1.5.1
1.786.1 Available under license

1.787 fs.realpath 1.0.0

1.787.1 Available under license

1.788 has-values 0.1.4

1.788.1 Available under license

1.789 is-number 2.1.0

1.789.1 Available under license

1.790 babel-plugin-syntax-nullish-coalescing-operator 7.8.3

1.790.1 Available under license

1.791 no-case 2.3.2

1.791.1 Available under license

1.792 @babel/plugin-syntax-dynamic-import 7.8.3

1.792.1 Available under license

1.793 miller-rabin 4.0.1

1.793.1 Available under license

1.794 is-number 4.0.0

1.794.1 Available under license

1.795 color-name 1.1.4

1.795.1 Available under license

1.796 is-obj 1.0.1

1.796.1 Available under license

1.797 jsesc 2.5.2

1.797.1 Available under license

1.798 json-loader 0.5.7

1.798.1 Available under license

1.799 mixin-deep 1.3.2

1.799.1 Available under license

1.800 brace-expansion 1.1.11

1.800.1 Available under license

1.801 setimmediate 1.0.5

1.801.1 Available under license

1.802 urix 0.1.0

1.802.1 Available under license

1.803 array-flatten 1.1.1

1.803.1 Available under license

1.804 map-cache 0.2.2

1.804.1 Available under license

1.805 param-case 2.1.1

1.805.1 Available under license

1.806 ci-info 2.0.0

- 1.806.1 Available under license
- 1.807 esprima 4.0.1**
 - 1.807.1 Available under license
- 1.808 ms 2.0.0**
 - 1.808.1 Available under license
- 1.809 os-homedir 1.0.2**
 - 1.809.1 Available under license
- 1.810 has-value 0.3.1**
 - 1.810.1 Available under license
- 1.811 json-stable-stringify-without-jsonify 1.0.1**
 - 1.811.1 Available under license
- 1.812 regenerator-runtime 0.11.1**
 - 1.812.1 Available under license
- 1.813 is-utf8 0.2.1**
 - 1.813.1 Available under license
- 1.814 caller-callsite 2.0.0**
 - 1.814.1 Available under license
- 1.815 fsevents 1.2.13**
 - 1.815.1 Available under license
- 1.816 normalize-package-data 2.5.0**
 - 1.816.1 Available under license
- 1.817 inflight 1.0.6**
 - 1.817.1 Available under license
- 1.818 @babel/plugin-syntax-export-namespace-from 7.8.3**
 - 1.818.1 Available under license
- 1.819 har-validator 5.1.5**
 - 1.819.1 Available under license
- 1.820 ecc-jsbn 0.1.2**
 - 1.820.1 Available under license
- 1.821 ieee754 1.2.1**
 - 1.821.1 Available under license
- 1.822 callsites 2.0.0**
 - 1.822.1 Available under license
- 1.823 nanomatch 1.2.13**
 - 1.823.1 Available under license
- 1.824 find-cache-dir 2.1.0**
 - 1.824.1 Available under license
- 1.825 commander 2.19.0**
 - 1.825.1 Available under license

- 1.826 concat-stream 1.6.2**
 - 1.826.1 Available under license
- 1.827 pkg-dir 3.0.0**
 - 1.827.1 Available under license
- 1.828 inherits 2.0.4**
 - 1.828.1 Available under license
- 1.829 typedarray 0.0.6**
 - 1.829.1 Available under license
- 1.830 make-dir 2.1.0**
 - 1.830.1 Available under license
- 1.831 merge-descriptors 1.0.1**
 - 1.831.1 Available under license
- 1.832 private 0.1.8**
 - 1.832.1 Available under license
- 1.833 array-unique 0.3.2**
 - 1.833.1 Available under license
- 1.834 form-data 2.3.3**
 - 1.834.1 Available under license
- 1.835 anymatch 2.0.0**
 - 1.835.1 Available under license
- 1.836 lru-cache 4.1.5**
 - 1.836.1 Available under license
- 1.837 validate-npm-package-license 3.0.4**
 - 1.837.1 Available under license
- 1.838 iconv-lite 0.4.24**
 - 1.838.1 Available under license
- 1.839 get-caller-file 2.0.5**
 - 1.839.1 Available under license
- 1.840 js-yaml 3.14.1**
 - 1.840.1 Available under license
- 1.841 source-map-url 0.4.1**
 - 1.841.1 Available under license
- 1.842 lcid 1.0.0**
 - 1.842.1 Available under license
- 1.843 repeat-string 1.6.1**
 - 1.843.1 Available under license
- 1.844 performance-now 2.1.0**
 - 1.844.1 Available under license
- 1.845 is-ci 2.0.0**

1.845.1 Available under license

1.846 invert-kv 1.0.0

1.846.1 Available under license

1.847 oauth-sign 0.9.0

1.847.1 Available under license

1.848 esrecurse 4.3.0

1.848.1 Available under license

1.849 comondir 1.0.1

1.849.1 Available under license

1.850 is-data-descriptor 1.0.0

1.850.1 Available under license

1.851 wordwrap 1.0.0

1.851.1 Available under license

1.852 growly 1.3.0

1.852.1 Available under license

1.853 extsprintf 1.3.0

1.853.1 Available under license

1.854 debounce 1.2.1

1.854.1 Available under license

1.855 mime 1.6.0

1.855.1 Available under license

1.856 set-value 2.0.1

1.856.1 Available under license

1.857 glob-parent 3.1.0

1.857.1 Available under license

1.858 cliui 3.2.0

1.858.1 Available under license

1.859 call-bind 1.0.2

1.859.1 Available under license

1.860 safer-buffer 2.1.2

1.860.1 Available under license

1.861 object-copy 0.1.0

1.861.1 Available under license

1.862 @babel/plugin-syntax-optional-catch-binding 7.8.3

1.862.1 Available under license

1.863 spdx-expression-parse 3.0.1

1.863.1 Available under license

1.864 kind-of 3.2.2

1.864.1 Available under license

1.865 cosmiconfig 5.2.1
1.865.1 Available under license

1.866 array-uniq 1.0.3
1.866.1 Available under license

1.867 brorand 1.1.0
1.867.1 Available under license

1.868 atob 2.1.2
1.868.1 Available under license

1.869 figures 1.7.0
1.869.1 Available under license

1.870 eslint-visitor-keys 1.3.0
1.870.1 Available under license

1.871 color-support 1.1.3
1.871.1 Available under license

1.872 path-type 1.1.0
1.872.1 Available under license

1.873 locate-path 3.0.0
1.873.1 Available under license

1.874 cookie-signature 1.0.6
1.874.1 Available under license

1.875 once 1.4.0
1.875.1 Available under license

1.876 isarray 1.0.0
1.876.1 Available under license

1.877 resolve-url 0.2.1
1.877.1 Available under license

1.878 map-obj 1.0.1
1.878.1 Available under license

1.879 core-util-is 1.0.2
1.879.1 Available under license

1.880 is-extglob 2.1.1
1.880.1 Available under license

1.881 isarray 0.0.1
1.881.1 Available under license

1.882 string-width 1.0.2
1.882.1 Available under license

1.883 hmac-drbg 1.0.1
1.883.1 Available under license

1.884 run-async 0.1.0

1.884.1 Available under license

1.885 exit-hook 1.1.1

1.885.1 Available under license

1.886 os-locale 1.4.0

1.886.1 Available under license

1.887 json-parse-better-errors 1.0.2

1.887.1 Available under license

1.888 bindings 1.5.0

1.888.1 Available under license

1.889 builtin-status-codes 3.0.0

1.889.1 Available under license

1.890 fill-range 2.2.4

1.890.1 Available under license

1.891 collection-visit 1.0.0

1.891.1 Available under license

1.892 extend-shallow 2.0.1

1.892.1 Available under license

1.893 lower-case 1.1.4

1.893.1 Available under license

1.894 type-detect 4.0.8

1.894.1 Available under license

1.895 to-object-path 0.3.0

1.895.1 Available under license

1.896 is-svg 2.1.0

1.896.1 Available under license

1.897 prr 1.0.1

1.897.1 Available under license

1.898 process 0.11.10

1.898.1 Available under license

1.899 esutils 2.0.3

1.899.1 Available under license

1.900 which 1.3.1

1.900.1 Available under license

1.901 punycode 1.4.1

1.901.1 Available under license

1.902 estraverse 4.3.0

1.902.1 Available under license

1.903 ansi-styles 4.3.0

1.903.1 Available under license

1.904 side-channel 1.0.4

1.904.1 Available under license

1.905 dashdash 1.14.1

1.905.1 Available under license

1.906 posix-character-classes 0.1.1

1.906.1 Available under license

1.907 upath 1.2.0

1.907.1 Available under license

1.908 jsesc 0.5.0

1.908.1 Available under license

1.909 chalk 2.4.2

1.909.1 Available under license

1.910 promise 7.3.1

1.910.1 Available under license

1.911 aproba 1.2.0

1.911.1 Available under license

1.912 to-regex-range 2.1.1

1.912.1 Available under license

1.913 braces 1.8.5

1.913.1 Available under license

1.914 @babel/plugin-syntax-json-strings 7.8.3

1.914.1 Available under license

1.915 process-nextick-args 2.0.1

1.915.1 Available under license

1.916 map-visit 1.0.0

1.916.1 Available under license

1.917 expand-range 1.8.2

1.917.1 Available under license

1.918 use 3.1.1

1.918.1 Available under license

1.919 fill-range 4.0.0

1.919.1 Available under license

1.920 request 2.88.2

1.920.1 Available under license

1.921 regex-not 1.0.2

1.921.1 Available under license

1.922 tslib 1.14.1

1.922.1 Available under license

1.923 arr-flatten 1.1.0

- 1.923.1 Available under license
- 1.924 is-binary-path 1.0.1**
 - 1.924.1 Available under license
- 1.925 strict-uri-encode 2.0.0**
 - 1.925.1 Available under license
- 1.926 argparse 1.0.10**
 - 1.926.1 Available under license
- 1.927 isstream 0.1.2**
 - 1.927.1 Available under license
- 1.928 forever-agent 0.6.1**
 - 1.928.1 Available under license
- 1.929 normalize-path 3.0.0**
 - 1.929.1 Available under license
- 1.930 get-value 2.0.6**
 - 1.930.1 Available under license
- 1.931 is-glob 3.1.0**
 - 1.931.1 Available under license
- 1.932 regenerator-runtime 0.10.5**
 - 1.932.1 Available under license
- 1.933 object-keys 1.1.1**
 - 1.933.1 Available under license
- 1.934 babel-plugin-syntax-optional-chaining 7.8.3**
 - 1.934.1 Available under license
- 1.935 osenv 0.1.5**
 - 1.935.1 Available under license
- 1.936 debug 2.6.9**
 - 1.936.1 Available under license
- 1.937 unpipe 1.0.0**
 - 1.937.1 Available under license
- 1.938 isobject 3.0.1**
 - 1.938.1 Available under license
- 1.939 code-point-at 1.1.0**
 - 1.939.1 Available under license
- 1.940 binary-extensions 2.2.0**
 - 1.940.1 Available under license
- 1.941 has 1.0.3**
 - 1.941.1 Available under license
- 1.942 react-lifecycles-compat 3.0.4**
 - 1.942.1 Available under license

1.943 emoji-regex 8.0.0

1.943.1 Available under license

1.944 parse-json 4.0.0

1.944.1 Available under license

1.945 path-exists 3.0.0

1.945.1 Available under license

1.946 is-binary-path 2.1.0

1.946.1 Available under license

1.947 emojis-list 2.1.0

1.947.1 Available under license

1.948 npmlog 4.1.2

1.948.1 Available under license

1.949 caseless 0.12.0

1.949.1 Available under license

1.950 has-values 1.0.0

1.950.1 Available under license

1.951 parseurl 1.3.3

1.951.1 Available under license

1.952 is-windows 1.0.2

1.952.1 Available under license

1.953 arr-union 3.1.0

1.953.1 Available under license

1.954 minimalistic-crypto-utils 1.0.1

1.954.1 Available under license

1.955 import-fresh 2.0.0

1.955.1 Available under license

1.956 is-extendable 1.0.1

1.956.1 Available under license

1.957 async-limiter 1.0.1

1.957.1 Available under license

1.958 to-regex 3.0.2

1.958.1 Available under license

1.959 tweetnacl 0.14.5

1.959.1 Available under license

1.960 static-extend 0.1.2

1.960.1 Available under license

1.961 sprintf-js 1.0.3

1.961.1 Available under license

1.962 mute-stream 0.0.5

1.962.1 Available under license
1.963 micromatch 3.1.10
1.963.1 Available under license
1.964 pascalcase 0.1.1
1.964.1 Available under license
1.965 ret 0.1.15
1.965.1 Available under license
1.966 ansi-styles 3.2.1
1.966.1 Available under license
1.967 is-buffer 1.1.6
1.967.1 Available under license
1.968 is-data-descriptor 0.1.4
1.968.1 Available under license
1.969 for-in 1.0.2
1.969.1 Available under license
1.970 glob-parent 5.1.2
1.970.1 Available under license
1.971 arr-diff 4.0.0
1.971.1 Available under license
1.972 class-utils 0.3.6
1.972.1 Available under license
1.973 parse-json 2.2.0
1.973.1 Available under license
1.974 strip-ansi 3.0.1
1.974.1 Available under license
1.975 universalify 0.1.2
1.975.1 Available under license
1.976 console-control-strings 1.1.0
1.976.1 Available under license
1.977 snapdragon-util 3.0.1
1.977.1 Available under license
1.978 postcss 6.0.23
1.978.1 Available under license
1.979 tough-cookie 2.5.0
1.979.1 Available under license
1.980 buffer-xor 1.0.3
1.980.1 Available under license
1.981 block-stream 0.0.9
1.981.1 Available under license

- 1.982 supports-color 7.2.0**
 - 1.982.1 Available under license
- 1.983 is-stream 1.1.0**
 - 1.983.1 Available under license
- 1.984 load-json-file 1.1.0**
 - 1.984.1 Available under license
- 1.985 gensync 1.0.0-beta.2**
 - 1.985.1 Available under license
- 1.986 to-fast-properties 2.0.0**
 - 1.986.1 Available under license
- 1.987 babel-polyfill 6.26.0**
 - 1.987.1 Available under license
- 1.988 number-is-nan 1.0.1**
 - 1.988.1 Available under license
- 1.989 file-uri-to-path 1.0.0**
 - 1.989.1 Available under license
- 1.990 util 0.10.4**
 - 1.990.1 Available under license
- 1.991 @babel/plugin-syntax-numeric-separator 7.10.4**
 - 1.991.1 Available under license
- 1.992 has-flag 4.0.0**
 - 1.992.1 Available under license
- 1.993 readdirp 2.2.1**
 - 1.993.1 Available under license
- 1.994 is-plain-object 2.0.4**
 - 1.994.1 Available under license
- 1.995 esprima 3.1.3**
 - 1.995.1 Available under license
- 1.996 shellwords 0.1.1**
 - 1.996.1 Available under license
- 1.997 supports-color 5.5.0**
 - 1.997.1 Available under license
- 1.998 @babel/plugin-syntax-class-properties 7.12.13**
 - 1.998.1 Available under license
- 1.999 repeating 2.0.1**
 - 1.999.1 Available under license
- 1.1000 extend-shallow 3.0.2**
 - 1.1000.1 Available under license
- 1.1001 os-tmpdir 1.0.2**

1.1001.1 Available under license
1.1002 has-value 1.0.0
1.1002.1 Available under license
1.1003 imurmurhash 0.1.4
1.1003.1 Available under license
1.1004 abbrev 1.1.1
1.1004.1 Available under license
1.1005 source-map 0.4.4
1.1005.1 Available under license
1.1006 escape-string-regexp 1.0.5
1.1006.1 Available under license
1.1007 for-each 0.3.3
1.1007.1 Available under license
1.1008 unset-value 1.0.0
1.1008.1 Available under license
1.1009 range-parser 1.2.1
1.1009.1 Available under license
1.1010 isexe 2.0.0
1.1010.1 Available under license
1.1011 camelcase 5.3.1
1.1011.1 Available under license
1.1012 source-map-resolve 0.5.3
1.1012.1 Available under license
1.1013 mkdirp 0.5.5
1.1013.1 Available under license
1.1014 escape-html 1.0.3
1.1014.1 Available under license
1.1015 asynckit 0.4.0
1.1015.1 Available under license
1.1016 @babel/plugin-syntax-async-generators 7.8.4
1.1016.1 Available under license
1.1017 is-typedarray 1.0.0
1.1017.1 Available under license
1.1018 expand-brackets 2.1.4
1.1018.1 Available under license
1.1019 is-extendable 0.1.1
1.1019.1 Available under license
1.1020 require-directory 2.1.1
1.1020.1 Available under license

- 1.1021 escalade 3.1.1**
 - 1.1021.1 Available under license
- 1.1022 inherits 2.0.3**
 - 1.1022.1 Available under license
- 1.1023 which-module 1.0.0**
 - 1.1023.1 Available under license
- 1.1024 color-string 0.3.0**
 - 1.1024.1 Available under license
- 1.1025 snapdragon-node 2.1.1**
 - 1.1025.1 Available under license
- 1.1026 media-typer 0.3.0**
 - 1.1026.1 Available under license
- 1.1027 readable-stream 1.1.14**
 - 1.1027.1 Available under license
- 1.1028 memory-fs 0.4.1**
 - 1.1028.1 Available under license
- 1.1029 requires-port 1.0.0**
 - 1.1029.1 Available under license
- 1.1030 bcrypt-pbkdf 1.0.2**
 - 1.1030.1 Available under license
- 1.1031 path-exists 2.1.0**
 - 1.1031.1 Available under license
- 1.1032 ajv 6.12.6**
 - 1.1032.1 Available under license
- 1.1033 verror 1.10.0**
 - 1.1033.1 Available under license
- 1.1034 json-schema-traverse 0.4.1**
 - 1.1034.1 Available under license
- 1.1035 preserve 0.2.0**
 - 1.1035.1 Available under license
- 1.1036 read-pkg-up 1.0.1**
 - 1.1036.1 Available under license
- 1.1037 deep-extend 0.6.0**
 - 1.1037.1 Available under license
- 1.1038 js-tokens 4.0.0**
 - 1.1038.1 Available under license
- 1.1039 assert-plus 1.0.0**
 - 1.1039.1 Available under license
- 1.1040 ansi-styles 2.2.1**

- 1.1040.1 Available under license
- 1.1041 is-descriptor 0.1.6**
 - 1.1041.1 Available under license
- 1.1042 @babel/plugin-syntax-logical-assignment-operators 7.10.4**
 - 1.1042.1 Available under license
- 1.1043 filter-obj 1.1.0**
 - 1.1043.1 Available under license
- 1.1044 parse-node-version 1.0.1**
 - 1.1044.1 Available under license
- 1.1045 regenerate 1.4.2**
 - 1.1045.1 Available under license
- 1.1046 aws-sign2 0.7.0**
 - 1.1046.1 Available under license
- 1.1047 extglob 2.0.4**
 - 1.1047.1 Available under license
- 1.1048 extend 3.0.2**
 - 1.1048.1 Available under license
- 1.1049 path-dirname 1.0.2**
 - 1.1049.1 Available under license
- 1.1050 split-string 3.1.0**
 - 1.1050.1 Available under license
- 1.1051 getpass 0.1.7**
 - 1.1051.1 Available under license
- 1.1052 through 2.3.8**
 - 1.1052.1 Available under license
- 1.1053 relateurl 0.2.7**
 - 1.1053.1 Available under license
- 1.1054 caller-path 2.0.0**
 - 1.1054.1 Available under license
- 1.1055 decamelize 1.2.0**
 - 1.1055.1 Available under license
- 1.1056 methods 1.1.2**
 - 1.1056.1 Available under license
- 1.1057 supports-color 2.0.0**
 - 1.1057.1 Available under license
- 1.1058 error-ex 1.3.2**
 - 1.1058.1 Available under license
- 1.1059 json-stringify-safe 5.0.1**
 - 1.1059.1 Available under license

- 1.1060 restore-cursor 1.0.1**
 - 1.1060.1 Available under license
- 1.1061 spdx-exceptions 2.3.0**
 - 1.1061.1 Available under license
- 1.1062 is-fullwidth-code-point 3.0.0**
 - 1.1062.1 Available under license
- 1.1063 fs-readdir-recursive 1.1.0**
 - 1.1063.1 Available under license
- 1.1064 is-descriptor 1.0.2**
 - 1.1064.1 Available under license
- 1.1065 is-number 3.0.0**
 - 1.1065.1 Available under license
- 1.1066 array-find-index 1.0.2**
 - 1.1066.1 Available under license
- 1.1067 fresh 0.5.2**
 - 1.1067.1 Available under license
- 1.1068 combined-stream 1.0.8**
 - 1.1068.1 Available under license
- 1.1069 delegates 1.0.0**
 - 1.1069.1 Available under license
- 1.1070 through2 2.0.5**
 - 1.1070.1 Available under license
- 1.1071 uri-js 4.4.1**
 - 1.1071.1 Available under license
- 1.1072 scheduler 0.20.2**
 - 1.1072.1 Available under license
- 1.1073 jta 1.1.0**
 - 1.1073.1 Available under license
- 1.1074 webpack-bundle-analyzer 3.9.0**
 - 1.1074.1 Available under license
- 1.1075 glob-parent 5.1.2**
 - 1.1075.1 Available under license
- 1.1076 check-types 8.0.3**
 - 1.1076.1 Available under license
- 1.1077 gzip-size 5.1.1**
 - 1.1077.1 Available under license
- 1.1078 types-hoist-non-react-statics 3.3.1**
 - 1.1078.1 Available under license
- 1.1079 babel-plugin-add-module-exports 1.0.4**

1.1079.1 Available under license
1.1080 lz4 1.2.0
1.1080.1 Available under license
1.1081 normalize-url 4.5.1
1.1081.1 Available under license
1.1082 unique-slug 2.0.2
1.1082.1 Available under license
1.1083 create-hmac 1.1.7
1.1083.1 Available under license
1.1084 yallist 3.1.1
1.1084.1 Available under license
1.1085 node-libs-browser 2.2.1
1.1085.1 Available under license
1.1086 loader-runner 2.4.0
1.1086.1 Available under license
1.1087 find-up 4.1.0
1.1087.1 Available under license
1.1088 lru-cache 5.1.1
1.1088.1 Available under license
1.1089 typedarray-to-buffer 3.1.5
1.1089.1 Available under license
1.1090 symbol-observable 1.2.0
1.1090.1 Available under license
1.1091 find-up 3.0.0
1.1091.1 Available under license
1.1092 browserify-des 1.0.2
1.1092.1 Available under license
1.1093 repeat-element 1.1.4
1.1093.1 Available under license
1.1094 util 0.11.1
1.1094.1 Available under license
1.1095 is-symbol 1.0.4
1.1095.1 Available under license
1.1096 binary-extensions 1.13.1
1.1096.1 Available under license
1.1097 infer-owner 1.0.4
1.1097.1 Available under license
1.1098 hosted-git-info 2.8.9
1.1098.1 Available under license

- 1.1099 public-encrypt 4.0.3**
 - 1.1099.1 Available under license
- 1.1100 create-hash 1.2.0**
 - 1.1100.1 Available under license
- 1.1101 cliui 5.0.0**
 - 1.1101.1 Available under license
- 1.1102 jsonfile 4.0.0**
 - 1.1102.1 Available under license
- 1.1103 emoji-regex 7.0.3**
 - 1.1103.1 Available under license
- 1.1104 path-exists 4.0.0**
 - 1.1104.1 Available under license
- 1.1105 wrap-ansi 5.1.0**
 - 1.1105.1 Available under license
- 1.1106 @babel/plugin-syntax-import-meta 7.10.4**
 - 1.1106.1 Available under license
- 1.1107 minimalistic-assert 1.0.1**
 - 1.1107.1 Available under license
- 1.1108 pumpify 1.5.1**
 - 1.1108.1 Available under license
- 1.1109 p-locate 3.0.0**
 - 1.1109.1 Available under license
- 1.1110 https-browserify 1.0.0**
 - 1.1110.1 Available under license
- 1.1111 balanced-match 1.0.2**
 - 1.1111.1 Available under license
- 1.1112 browserify-aes 1.2.0**
 - 1.1112.1 Available under license
- 1.1113 pkg-dir 4.2.0**
 - 1.1113.1 Available under license
- 1.1114 randomfill 1.0.4**
 - 1.1114.1 Available under license
- 1.1115 @xtuc/ieee754 1.2.0**
 - 1.1115.1 Available under license
- 1.1116 ms 2.1.2**
 - 1.1116.1 Available under license
- 1.1117 promise-inflight 1.0.1**
 - 1.1117.1 Available under license
- 1.1118 duplexify 3.7.1**

1.1118.1 Available under license
1.1119 webpack-sources 1.4.3
1.1119.1 Available under license
1.1120 buffer 4.9.2
1.1120.1 Available under license
1.1121 prepend-http 2.0.0
1.1121.1 Available under license
1.1122 stream-http 2.8.3
1.1122.1 Available under license
1.1123 os-browserify 0.3.0
1.1123.1 Available under license
1.1124 locate-path 5.0.0
1.1124.1 Available under license
1.1125 diffie-hellman 5.0.3
1.1125.1 Available under license
1.1126 unique-filename 1.1.1
1.1126.1 Available under license
1.1127 stream-browserify 2.0.2
1.1127.1 Available under license
1.1128 vm-browserify 1.1.2
1.1128.1 Available under license
1.1129 fs-extra 7.0.1
1.1129.1 Available under license
1.1130 pump 2.0.1
1.1130.1 Available under license
1.1131 shallow-clone 3.0.1
1.1131.1 Available under license
1.1132 strip-ansi 5.2.0
1.1132.1 Available under license
1.1133 lodash 4.17.21
1.1133.1 Available under license
1.1134 y18n 4.0.3
1.1134.1 Available under license
1.1135 console-browserify 1.2.0
1.1135.1 Available under license
1.1136 chokidar 2.1.8
1.1136.1 Available under license
1.1137 p-try 2.2.0
1.1137.1 Available under license

- 1.1138 write-file-atomic 3.0.3**
 - 1.1138.1 Available under license
- 1.1139 clone-deep 4.0.1**
 - 1.1139.1 Available under license
- 1.1140 @xtuc/long 4.2.2**
 - 1.1140.1 Available under license
- 1.1141 bluebird 3.7.2**
 - 1.1141.1 Available under license
- 1.1142 d 1.0.1**
 - 1.1142.1 Available under license
- 1.1143 isarray 2.0.5**
 - 1.1143.1 Available under license
- 1.1144 crypto-browserify 3.12.0**
 - 1.1144.1 Available under license
- 1.1145 randombytes 2.1.0**
 - 1.1145.1 Available under license
- 1.1146 p-locate 4.1.0**
 - 1.1146.1 Available under license
- 1.1147 stream-shift 1.0.1**
 - 1.1147.1 Available under license
- 1.1148 source-list-map 2.0.1**
 - 1.1148.1 Available under license
- 1.1149 path-browserify 0.0.1**
 - 1.1149.1 Available under license
- 1.1150 glob 7.1.7**
 - 1.1150.1 Available under license
- 1.1151 browserify-cipher 1.0.1**
 - 1.1151.1 Available under license
- 1.1152 browserify-zlib 0.2.0**
 - 1.1152.1 Available under license
- 1.1153 string-width 3.1.0**
 - 1.1153.1 Available under license
- 1.1154 log4j-rolling-appender 20131024-2017**
 - 1.1154.1 Available under license
- 1.1155 forwarded 0.2.0**
 - 1.1155.1 Available under license
- 1.1156 @sinonjs/fake-timers 7.1.2**
 - 1.1156.1 Available under license
- 1.1157 cisco-serializer 2.7.2b**

1.1157.1 Available under license
1.1158 cisco-xalan 2.7.2b
1.1158.1 Available under license
1.1159 path-parse 1.0.7
1.1159.1 Available under license
1.1160 p-limit 2.3.0
1.1160.1 Available under license
1.1161 uuid 3.4.0
1.1161.1 Available under license
1.1162 iconv-lite 0.6.3
1.1162.1 Available under license
1.1163 fstream 1.0.12
1.1163.1 Available under license
1.1164 pako 1.0.11
1.1164.1 Available under license
1.1165 exit-on-epipe 1.0.1
1.1165.1 Available under license
1.1166 rimraf 3.0.2
1.1166.1 Available under license
1.1167 uuid 8.3.2
1.1167.1 Available under license
1.1168 camelcase 2.1.1
1.1168.1 Available under license
1.1169 tar 2.2.2
1.1169.1 Available under license
1.1170 ast-types 0.9.6
1.1170.1 Available under license
1.1171 hash.js 1.1.7
1.1171.1 Available under license
1.1172 redent 1.0.0
1.1172.1 Available under license
1.1173 true-case-path 1.0.3
1.1173.1 Available under license
1.1174 lowercase-keys 1.0.1
1.1174.1 Available under license
1.1175 md5.js 1.3.5
1.1175.1 Available under license
1.1176 get-stdin 4.0.1
1.1176.1 Available under license

1.1177 strip-indent 1.0.1
1.1177.1 Available under license

1.1178 trim-newlines 1.0.0
1.1178.1 Available under license

1.1179 sha.js 2.4.11
1.1179.1 Available under license

1.1180 recast 0.11.23
1.1180.1 Available under license

1.1181 fastparse 1.1.2
1.1181.1 Available under license

1.1182 es6-templates 0.2.3
1.1182.1 Available under license

1.1183 stdout-stream 1.4.1
1.1183.1 Available under license

1.1184 scss-tokenizer 0.2.3
1.1184.1 Available under license

1.1185 type 1.2.0
1.1185.1 Available under license

1.1186 semver 5.3.0
1.1186.1 Available under license

1.1187 async-foreach 0.1.3
1.1187.1 Available under license

1.1188 cross-spawn 3.0.1
1.1188.1 Available under license

1.1189 es6-weak-map 2.0.3
1.1189.1 Available under license

1.1190 num2fraction 1.2.2
1.1190.1 Available under license

1.1191 es6-iterator 2.0.3
1.1191.1 Available under license

1.1192 html-comment-regex 1.1.2
1.1192.1 Available under license

1.1193 ripemd160 2.0.2
1.1193.1 Available under license

1.1194 big.js 5.2.2
1.1194.1 Available under license

1.1195 html-minifier 3.5.21
1.1195.1 Available under license

1.1196 meow 3.7.0

1.1196.1 Available under license
1.1197 import-lazy 2.1.0
1.1197.1 Available under license
1.1198 currently-unhandled 0.4.1
1.1198.1 Available under license
1.1199 readline2 1.0.1
1.1199.1 Available under license
1.1200 indent-string 2.1.0
1.1200.1 Available under license
1.1201 node-gyp 3.8.0
1.1201.1 Available under license
1.1202 postcss-value-parser 3.3.1
1.1202.1 Available under license
1.1203 camelcase-keys 2.1.0
1.1203.1 Available under license
1.1204 type-is 1.6.18
1.1204.1 Available under license
1.1205 es6-symbol 3.1.3
1.1205.1 Available under license
1.1206 querystring-es3 0.2.1
1.1206.1 Available under license
1.1207 uglify-js 3.4.10
1.1207.1 Available under license
1.1208 loud-rejection 1.6.0
1.1208.1 Available under license
1.1209 for-own 1.0.0
1.1209.1 Available under license
1.1210 evp_bytestokey 1.0.3
1.1210.1 Available under license
1.1211 events 3.3.0
1.1211.1 Available under license
1.1212 cors 2.8.5
1.1212.1 Available under license
1.1213 yargs 13.3.2
1.1213.1 Available under license
1.1214 safe-buffer 5.2.1
1.1214.1 Available under license
1.1215 lowercase-keys 2.0.0
1.1215.1 Available under license

- 1.1216 get-stream 5.2.0**
 - 1.1216.1 Available under license
- 1.1217 next-tick 1.1.0**
 - 1.1217.1 Available under license
- 1.1218 stack-trace 0.0.10**
 - 1.1218.1 Available under license
- 1.1219 neo-async 2.6.2**
 - 1.1219.1 Available under license
- 1.1220 yargs-parser 13.1.2**
 - 1.1220.1 Available under license
- 1.1221 ini 1.3.8**
 - 1.1221.1 Available under license
- 1.1222 debug 3.2.7**
 - 1.1222.1 Available under license
- 1.1223 mimic-response 1.0.1**
 - 1.1223.1 Available under license
- 1.1224 chownr 1.1.4**
 - 1.1224.1 Available under license
- 1.1225 is-number 7.0.0**
 - 1.1225.1 Available under license
- 1.1226 fill-range 7.0.1**
 - 1.1226.1 Available under license
- 1.1227 braces 3.0.2**
 - 1.1227.1 Available under license
- 1.1228 is-path-inside 3.0.3**
 - 1.1228.1 Available under license
- 1.1229 to-regexp-range 5.0.1**
 - 1.1229.1 Available under license
- 1.1230 escape-goat 2.1.1**
 - 1.1230.1 Available under license
- 1.1231 crypto-random-string 2.0.0**
 - 1.1231.1 Available under license
- 1.1232 semver-diff 3.1.1**
 - 1.1232.1 Available under license
- 1.1233 szmarczak-http-timer 1.1.2**
 - 1.1233.1 Available under license
- 1.1234 pupa 2.1.1**
 - 1.1234.1 Available under license
- 1.1235 xdg-basedir 4.0.0**

1.1235.1 Available under license
1.1236 sindresorhus-is 0.14.0
1.1236.1 Available under license
1.1237 cssesc 3.0.0
1.1237.1 Available under license
1.1238 got 9.6.0
1.1238.1 Available under license
1.1239 ajv-keywords 3.5.2
1.1239.1 Available under license
1.1240 ipaddr.js 1.9.1
1.1240.1 Available under license
1.1241 duplexer 0.1.2
1.1241.1 Available under license
1.1242 keyv 3.1.0
1.1242.1 Available under license
1.1243 url-parse-lax 3.0.0
1.1243.1 Available under license
1.1244 string_decoder 0.10.31
1.1244.1 Available under license
1.1245 watchpack-chokidar 2.0.1
1.1245.1 Available under license
1.1246 acorn-walk 7.2.0
1.1246.1 Available under license
1.1247 emojis-list 3.0.0
1.1247.1 Available under license
1.1248 latest-version 5.1.0
1.1248.1 Available under license
1.1249 responselike 1.0.2
1.1249.1 Available under license
1.1250 widest-line 3.1.0
1.1250.1 Available under license
1.1251 asn1.js 5.4.1
1.1251.1 Available under license
1.1252 json-buffer 3.0.0
1.1252.1 Available under license
1.1253 dot-prop 5.3.0
1.1253.1 Available under license
1.1254 watchpack 1.7.5
1.1254.1 Available under license

1.1255 is-yarn-global 0.3.0

1.1255.1 Available under license

1.1256 type-fest 0.8.1

1.1256.1 Available under license

1.1257 package-json 6.5.0

1.1257.1 Available under license

1.1258 commander 4.1.1

1.1258.1 Available under license

1.1259 has-yarn 2.1.0

1.1259.1 Available under license

1.1260 parse-asn1 5.1.6

1.1260.1 Available under license

1.1261 timers-browserify 2.0.12

1.1261.1 Available under license

1.1262 p-cancelable 1.1.0

1.1262.1 Available under license

1.1263 cacheable-request 6.1.0

1.1263.1 Available under license

1.1264 registry-url 5.1.0

1.1264.1 Available under license

1.1265 hash-base 3.1.0

1.1265.1 Available under license

1.1266 is-obj 2.0.0

1.1266.1 Available under license

1.1267 to-readable-stream 1.0.0

1.1267.1 Available under license

1.1268 defer-to-connect 1.1.3

1.1268.1 Available under license

1.1269 interpret 1.4.0

1.1269.1 Available under license

1.1270 unique-string 2.0.0

1.1270.1 Available under license

1.1271 decompress-response 3.3.0

1.1271.1 Available under license

1.1272 create-ecdh 4.0.4

1.1272.1 Available under license

1.1273 browserify-rsa 4.1.0

1.1273.1 Available under license

1.1274 serialize-javascript 4.0.0

1.1274.1 Available under license
1.1275 make-dir 3.1.0
1.1275.1 Available under license
1.1276 browserify-sign 4.2.1
1.1276.1 Available under license
1.1277 cli-boxes 2.2.1
1.1277.1 Available under license
1.1278 opener 1.5.2
1.1278.1 Available under license
1.1279 archy 1.0.0
1.1279.1 Available under license
1.1280 configstore 5.0.1
1.1280.1 Available under license
1.1281 es6-promise 4.2.8
1.1281.1 Available under license
1.1282 http-proxy 1.18.1
1.1282.1 Available under license
1.1283 errno 0.1.8
1.1283.1 Available under license
1.1284 ms 2.1.3
1.1284.1 Available under license
1.1285 eventemitter3 4.0.7
1.1285.1 Available under license
1.1286 @emotion/unitless 0.7.5
1.1286.1 Available under license
1.1287 lodash-es 4.17.21
1.1287.1 Available under license
1.1288 react-dom 17.0.2
1.1288.1 Available under license
1.1289 is-what 3.14.1
1.1289.1 Available under license
1.1290 is-finite 1.1.0
1.1290.1 Available under license
1.1291 bn.js 4.12.0
1.1291.1 Available under license
1.1292 react 17.0.2
1.1292.1 Available under license
1.1293 react-is 17.0.2
1.1293.1 Available under license

1.1294 deep-diff 0.3.8

1.1294.1 Available under license

1.1295 chrome-trace-event 1.0.3

1.1295.1 Available under license

1.1296 elliptic 6.5.4

1.1296.1 Available under license

1.1297 image-size 0.5.5

1.1297.1 Available under license

1.1298 clone 2.1.2

1.1298.1 Available under license

1.1299 ini 1.3.7

1.1299.1 Available under license

1.1300 is-npm 4.0.0

1.1300.1 Available under license

1.1301 hosted-git-info 2.8.9

1.1301.1 Available under license

1.1302 update-notifier 4.1.3

1.1302.1 Available under license

1.1303 ws 6.2.2

1.1303.1 Available under license

1.1304 enhanced-resolve 4.5.0

1.1304.1 Available under license

1.1305 d3-color 2.0.0

1.1305.1 Available under license

1.1306 d3-interpolate 2.0.1

1.1306.1 Available under license

1.1307 d3-transition 2.0.0

1.1307.1 Available under license

1.1308 d3-path 2.0.0

1.1308.1 Available under license

1.1309 d3-contour 2.0.0

1.1309.1 Available under license

1.1310 d3-time-format 3.0.0

1.1310.1 Available under license

1.1311 d3-zoom 2.0.0

1.1311.1 Available under license

1.1312 d3-delaunay 5.3.0

1.1312.1 Available under license

1.1313 d3-fetch 2.0.0

- 1.1313.1 Available under license
- 1.1314 d3-format 2.0.0**
 - 1.1314.1 Available under license
- 1.1315 d3-drag 2.0.0**
 - 1.1315.1 Available under license
- 1.1316 d3-brush 2.1.0**
 - 1.1316.1 Available under license
- 1.1317 d3-dispatch 2.0.0**
 - 1.1317.1 Available under license
- 1.1318 d3-quadtrees 2.0.0**
 - 1.1318.1 Available under license
- 1.1319 d3-polygon 2.0.0**
 - 1.1319.1 Available under license
- 1.1320 d3-timer 2.0.0**
 - 1.1320.1 Available under license
- 1.1321 d3-selection 2.0.0**
 - 1.1321.1 Available under license
- 1.1322 d3-random 2.2.2**
 - 1.1322.1 Available under license
- 1.1323 d3-hierarchy 2.0.0**
 - 1.1323.1 Available under license
- 1.1324 d3-ease 2.0.0**
 - 1.1324.1 Available under license
- 1.1325 d3-force 2.1.1**
 - 1.1325.1 Available under license
- 1.1326 d3-dsv 2.0.0**
 - 1.1326.1 Available under license
- 1.1327 d3-scale-chromatic 2.0.0**
 - 1.1327.1 Available under license
- 1.1328 d3-chord 2.0.0**
 - 1.1328.1 Available under license
- 1.1329 delaunator 4.0.1**
 - 1.1329.1 Available under license
- 1.1330 file-loader 4.3.0**
 - 1.1330.1 Available under license
- 1.1331 postcss-modules-local-by-default 3.0.3**
 - 1.1331.1 Available under license
- 1.1332 css-loader 3.6.0**
 - 1.1332.1 Available under license

- 1.1333 style-loader 1.3.0**
 - 1.1333.1 Available under license
- 1.1334 accessors-smart 1.2**
 - 1.1334.1 Available under license
- 1.1335 xsdlib 2013.6.1**
 - 1.1335.1 Available under license
- 1.1336 cglib 3.0**
 - 1.1336.1 Available under license
- 1.1337 json-smart 2.3**
 - 1.1337.1 Available under license
- 1.1338 d3-shape 2.1.0**
 - 1.1338.1 Available under license
- 1.1339 d3-geo 2.0.2**
 - 1.1339.1 Available under license
- 1.1340 d3-time 2.1.1**
 - 1.1340.1 Available under license
- 1.1341 d3-scale 3.3.0**
 - 1.1341.1 Available under license
- 1.1342 d3-array 2.12.1**
 - 1.1342.1 Available under license
- 1.1343 internmap 1.0.1**
 - 1.1343.1 Available under license
- 1.1344 d3 6.7.0**
 - 1.1344.1 Available under license
- 1.1345 d3-axis 2.1.0**
 - 1.1345.1 Available under license
- 1.1346 babel-plugin-syntax-top-level-await 7.14.5**
 - 1.1346.1 Available under license
- 1.1347 @babel/plugin-syntax-private-property-in-object 7.14.5**
 - 1.1347.1 Available under license
- 1.1348 @babel/plugin-syntax-class-static-block 7.14.5**
 - 1.1348.1 Available under license
- 1.1349 url-loader 2.3.0**
 - 1.1349.1 Available under license
- 1.1350 webpack-manifest-plugin 2.2.0**
 - 1.1350.1 Available under license
- 1.1351 node-notifier 5.4.5**
 - 1.1351.1 Available under license
- 1.1352 sinon 11.1.2**

1.1352.1 Available under license
1.1353 httpclient 3.10.0
1.1353.1 Available under license
1.1354 groovy 3.0.8
1.1354.1 Available under license
1.1355 groovy-json 3.0.8
1.1355.1 Available under license
1.1356 is-date-object 1.0.5
1.1356.1 Available under license
1.1357 is-regex 1.1.4
1.1357.1 Available under license
1.1358 buffer-from 1.1.2
1.1358.1 Available under license
1.1359 is-string 1.0.7
1.1359.1 Available under license
1.1360 is-bigint 1.0.4
1.1360.1 Available under license
1.1361 has-tostringtag 1.0.0
1.1361.1 Available under license
1.1362 is-boolean-object 1.1.2
1.1362.1 Available under license
1.1363 available-typed-arrays 1.0.5
1.1363.1 Available under license
1.1364 get-symbol-description 1.0.0
1.1364.1 Available under license
1.1365 log-update 1.0.2
1.1365.1 Available under license
1.1366 gulp-template 5.0.0
1.1366.1 Available under license
1.1367 just-debounce 1.1.0
1.1367.1 Available under license
1.1368 prepend 1.0.2
1.1368.1 Available under license
1.1369 webpack-inject-plugin 1.5.5
1.1369.1 Available under license
1.1370 whatwg-url 5.0.0
1.1370.1 Available under license
1.1371 ip-address 5.3.3
1.1371.1 Available under license

1.1372 slf4j 1.5.8-PATCHED

1.1372.1 Available under license

1.1373 xz 1.4

1.1373.1 Available under license

1.1374 ehcache-core 2.6.10

1.1374.1 Available under license

1.1375 netty-all 4.1.49.Final

1.1375.1 Available under license

1.1376 picocolors 0.2.1

1.1376.1 Available under license

1.1377 wide-align 1.1.5

1.1377.1 Available under license

1.1378 ansi-regex 5.0.1

1.1378.1 Available under license

1.1379 string-width 4.2.3

1.1379.1 Available under license

1.1380 lodash.isarguments 3.1.0

1.1380.1 Available under license

1.1381 are-we-there-yet 1.1.7

1.1381.1 Available under license

1.1382 strip-ansi 6.0.1

1.1382.1 Available under license

1.1383 forwarded 0.2.0

1.1383.1 Available under license

1.1384 is-plain-object 5.0.0

1.1384.1 Available under license

1.1385 readdirp 3.6.0

1.1385.1 Available under license

1.1386 proxy-addr 2.0.7

1.1386.1 Available under license

1.1387 ws 6.2.2

1.1387.1 Available under license

1.1388 unicode-match-property-ecmascript 2.0.0

1.1388.1 Available under license

1.1389 core-util-is 1.0.3

1.1389.1 Available under license

1.1390 pbkdf2 3.1.2

1.1390.1 Available under license

1.1391 is-glob 4.0.3

- 1.1391.1 Available under license
- 1.1392 find-cache-dir 3.3.2**
 - 1.1392.1 Available under license
- 1.1393 unicode-canonical-property-names-ecmascript 2.0.0**
 - 1.1393.1 Available under license
- 1.1394 pretty-hrtime 1.0.3**
 - 1.1394.1 Available under license
- 1.1395 memoize-one 5.2.1**
 - 1.1395.1 Available under license
- 1.1396 ansi-html-community 0.0.8**
 - 1.1396.1 Available under license
- 1.1397 normalize-url 4.5.1**
 - 1.1397.1 Available under license
- 1.1398 depd 2.0.0**
 - 1.1398.1 Available under license
- 1.1399 setprototypeof 1.2.0**
 - 1.1399.1 Available under license
- 1.1400 fbjs 0.8.18**
 - 1.1400.1 Available under license
- 1.1401 mime 2.6.0**
 - 1.1401.1 Available under license
- 1.1402 picocolors 1.0.0**
 - 1.1402.1 Available under license
- 1.1403 postcss 7.0.39**
 - 1.1403.1 Available under license
- 1.1404 binary-extensions 2.3.0**
 - 1.1404.1 Available under license
- 1.1405 source-map-support 0.5.21**
 - 1.1405.1 Available under license
- 1.1406 postcss 7.0.39**
 - 1.1406.1 Available under license
- 1.1407 rc 1.2.8**
 - 1.1407.1 Available under license
- 1.1408 http-proxy 1.18.1**
 - 1.1408.1 Available under license
- 1.1409 mixin-deep 1.3.2**
 - 1.1409.1 Available under license
- 1.1410 kind-of 6.0.3**
 - 1.1410.1 Available under license

1.1411 js-yaml 3.14.1

1.1411.1 Available under license

1.1412 mime 1.6.0

1.1412.1 Available under license

1.1413 set-value 2.0.1

1.1413.1 Available under license

1.1414 ini 1.3.8

1.1414.1 Available under license

1.1415 nth-check 1.0.2

1.1415.1 Available under license

1.1416 util 0.11.1

1.1416.1 Available under license

1.1417 cssesc 3.0.0

1.1417.1 Available under license

1.1418 glob-parent 3.1.0

1.1418.1 Available under license

1.1419 pinkie 2.0.4

1.1419.1 Available under license

1.1420 shallowequal 1.1.0

1.1420.1 Available under license

1.1421 no-case 2.3.2

1.1421.1 Available under license

1.1422 yargs-parser 13.1.2

1.1422.1 Available under license

1.1423 got 9.6.0

1.1423.1 Available under license

1.1424 dot-prop 5.3.0

1.1424.1 Available under license

1.1425 @babel/polyfill 7.12.1

1.1425.1 Available under license

1.1426 @webassemblyjs/helper-wasm-section 1.9.0

1.1426.1 Available under license

1.1427 @webassemblyjs/helper-code-frame 1.9.0

1.1427.1 Available under license

1.1428 @webassemblyjs/wasm-parser 1.9.0

1.1428.1 Available under license

1.1429 @webassemblyjs/helper-module-context 1.9.0

1.1429.1 Available under license

1.1430 @webassemblyjs/wasm-opt 1.9.0

- 1.1430.1 Available under license
- 1.1431 @webassemblyjs/leb128 1.9.0**
 - 1.1431.1 Available under license
- 1.1432 postcss-modules-extract-imports 2.0.0**
 - 1.1432.1 Available under license
- 1.1433 @webassemblyjs/wast-printer 1.9.0**
 - 1.1433.1 Available under license
- 1.1434 serialize-javascript 4.0.0**
 - 1.1434.1 Available under license
- 1.1435 @webassemblyjs/wasm-gen 1.9.0**
 - 1.1435.1 Available under license
- 1.1436 @webassemblyjs/utf8 1.9.0**
 - 1.1436.1 Available under license
- 1.1437 @webassemblyjs/helper-wasm-bytecode 1.9.0**
 - 1.1437.1 Available under license
- 1.1438 @webassemblyjs/wast-parser 1.9.0**
 - 1.1438.1 Available under license
- 1.1439 icss-utils 4.1.1**
 - 1.1439.1 Available under license
- 1.1440 @webassemblyjs/helper-fsm 1.9.0**
 - 1.1440.1 Available under license
- 1.1441 @webassemblyjs/ast 1.9.0**
 - 1.1441.1 Available under license
- 1.1442 webpack-dev-middleware 3.7.3**
 - 1.1442.1 Available under license
- 1.1443 elliptic 6.5.4**
 - 1.1443.1 Available under license
- 1.1444 @webassemblyjs/floating-point-hex-parser 1.9.0**
 - 1.1444.1 Available under license
- 1.1445 postcss-modules-scope 2.2.0**
 - 1.1445.1 Available under license
- 1.1446 terser-webpack-plugin 1.4.5**
 - 1.1446.1 Available under license
- 1.1447 @webassemblyjs/ieee754 1.9.0**
 - 1.1447.1 Available under license
- 1.1448 @webassemblyjs/wasm-edit 1.9.0**
 - 1.1448.1 Available under license
- 1.1449 @webassemblyjs/helper-api-error 1.9.0**
 - 1.1449.1 Available under license

1.1450 @webassemblyjs/helper-buffer 1.9.0

1.1450.1 Available under license

1.1451 @emotion/stylis 0.8.5

1.1451.1 Available under license

1.1452 just-extend 4.2.1

1.1452.1 Available under license

1.1453 path-parse 1.0.7

1.1453.1 Available under license

1.1454 ansi-regex 5.0.1

1.1454.1 Available under license

1.1455 xtend 4.0.2

1.1455.1 Available under license

1.1456 ssri 6.0.2

1.1456.1 Available under license

1.1457 dom-walk 0.1.2

1.1457.1 Available under license

1.1458 global 4.4.0

1.1458.1 Available under license

1.1459 tslib 1.14.1

1.1459.1 Available under license

1.1460 snake-yaml 1.21

1.1460.1 Available under license

1.1461 log4j-api 2.17.1

1.1461.1 Available under license

1.1462 apache-log4j 2.17.1

1.1462.1 Available under license

1.1463 log4j-api 2.17.1

1.1463.1 Available under license

1.1464 apache-log4j 2.17.1

1.1464.1 Available under license

1.1465 log4j-slf4j-impl 2.17.1

1.1465.1 Available under license

1.1466 picomatch 2.3.1

1.1466.1 Available under license

1.1467 css-color-keywords 1.0.0

1.1467.1 Available under license

1.1468 toidentifier 1.0.1

1.1468.1 Available under license

1.1469 supports-preserve-symlinks-flag 1.0.0

1.1469.1 Available under license

1.1470 json-schema 0.4.0

1.1470.1 Available under license

1.1471 jsprim 1.4.2

1.1471.1 Available under license

1.1472 postcss-value-parser 4.2.0

1.1472.1 Available under license

1.1473 stax-api 4.2.1

1.1473.1 Available under license

1.1474 ramda 0.27.2

1.1474.1 Available under license

1.1475 reflectasm:shaded shaded:1.07

1.1475.1 Available under license

1.1476 bcprov-jdk15on 1.50

1.1476.1 Available under license

1.1477 springsource-org-quartz 1.6.0

1.1477.1 Available under license

1.1478 springframework-core 3.1.3.RELEASE

1.1478.1 Available under license

1.1479 springframework-asm 3.1.3.RELEASE

1.1479.1 Available under license

1.1480 springframework-jdbc 3.1.3.RELEASE

1.1480.1 Available under license

1.1481 spring-framework-beans 3.1.3.RELEASE

1.1481.1 Available under license

1.1482 springframework-transaction 3.1.3.RELEASE

1.1482.1 Available under license

1.1483 negotiator 0.6.3

1.1483.1 Available under license

1.1484 dot-prop 4.2.1

1.1484.1 Available under license

1.1485 netmask 2.0.2

1.1485.1 Available under license

1.1486 @nicolo-ribaudo/chokidar-2 2.1.8-no-fsevents.3

1.1486.1 Available under license

1.1487 json-path 2.7.0

1.1487.1 Available under license

1.1488 minimatch 3.1.2

1.1488.1 Available under license

1.1489 cookie 0.4.2
1.1489.1 Available under license

1.1490 loadash 1.0.0
1.1490.1 Available under license

1.1491 log4j-slf4j-impl 2.17.1
1.1491.1 Available under license

1.1492 javax-annotation-api 1.3.2
1.1492.1 Available under license

1.1493 react-merge-refs 1.1.0
1.1493.1 Available under license

1.1494 ansi-regex 4.1.1
1.1494.1 Available under license

1.1495 has-symbols 1.0.3
1.1495.1 Available under license

1.1496 accepts 1.3.8
1.1496.1 Available under license

1.1497 signal-exit 3.0.7
1.1497.1 Available under license

1.1498 minimatch 3.1.2
1.1498.1 Available under license

1.1499 negotiator 0.6.3
1.1499.1 Available under license

1.1500 node-sass 4.14.1
1.1500.1 Available under license

1.1501 debug 4.3.4
1.1501.1 Available under license

1.1502 sshpk 1.17.0
1.1502.1 Available under license

1.1503 metrics-servlets 4.1.0
1.1503.1 Available under license

1.1504 metrics-jetty 4.1.0
1.1504.1 Available under license

1.1505 metrics-health-checks 4.1.0
1.1505.1 Available under license

1.1506 crc-32 1.2.2
1.1506.1 Available under license

1.1507 mime-types 2.1.35
1.1507.1 Available under license

1.1508 mime-db 1.52.0

1.1508.1 Available under license
1.1509 http-errors 2.0.0
1.1509.1 Available under license
1.1510 debug 4.3.4
1.1510.1 Available under license
1.1511 @types/prop-types 15.7.5
1.1511.1 Available under license
1.1512 send 0.18.0
1.1512.1 Available under license
1.1513 has-property-descriptors 1.0.0
1.1513.1 Available under license
1.1514 on-finished 2.4.1
1.1514.1 Available under license
1.1515 statuses 2.0.1
1.1515.1 Available under license
1.1516 finalhandler 1.2.0
1.1516.1 Available under license
1.1517 serve-static 1.15.0
1.1517.1 Available under license
1.1518 destroy 1.2.0
1.1518.1 Available under license
1.1519 send 0.18.0
1.1519.1 Available under license
1.1520 serve-static 1.15.0
1.1520.1 Available under license
1.1521 fast-ify 1.2.15
1.1521.1 Available under license
1.1522 cookie 0.4.2
1.1522.1 Available under license
1.1523 cookie 0.5.0
1.1523.1 Available under license
1.1524 just-extend 4.2.1
1.1524.1 Available under license
1.1525 diff 5.1.0
1.1525.1 Available under license
1.1526 source-map-js 1.0.2
1.1526.1 Available under license
1.1527 is-weakref 1.0.2
1.1527.1 Available under license

1.1528 ansi-regex 4.1.1
1.1528.1 Available under license

1.1529 sshpk 1.17.0
1.1529.1 Available under license

1.1530 minimatch 3.0.8
1.1530.1 Available under license

1.1531 clean-css 4.2.4
1.1531.1 Available under license

1.1532 content-disposition 0.5.4
1.1532.1 Available under license

1.1533 bytes 3.1.2
1.1533.1 Available under license

1.1534 asn1 0.2.6
1.1534.1 Available under license

1.1535 chokidar 3.5.3
1.1535.1 Available under license

1.1536 qs 6.5.3
1.1536.1 Available under license

1.1537 sass-graph 2.2.5
1.1537.1 Available under license

1.1538 is-negative-zero 2.0.2
1.1538.1 Available under license

1.1539 js-base64 2.6.4
1.1539.1 Available under license

1.1540 y18n 3.2.2
1.1540.1 Available under license

1.1541 in-publish 2.0.1
1.1541.1 Available under license

1.1542 raw-body 2.5.1
1.1542.1 Available under license

1.1543 estraverse 5.3.0
1.1543.1 Available under license

1.1544 glob 7.2.3
1.1544.1 Available under license

1.1545 bn.js 5.2.1
1.1545.1 Available under license

1.1546 async 3.2.4
1.1546.1 Available under license

1.1547 async 3.2.4

- 1.1547.1 Available under license
- 1.1548 resilience4j-circuitbreaker 1.7.1**
 - 1.1548.1 Available under license
- 1.1549 resilience4j-core 1.7.1**
 - 1.1549.1 Available under license
- 1.1550 jaeger-thrift 0.28.0**
 - 1.1550.1 Available under license
- 1.1551 jaeger-core 0.28.0**
 - 1.1551.1 Available under license
- 1.1552 jackson-datatype-hibernate 2.12.7**
 - 1.1552.1 Available under license
- 1.1553 qs 6.11.0**
 - 1.1553.1 Available under license
- 1.1554 lazystream 1.0.1**
 - 1.1554.1 Available under license
- 1.1555 crc-32 1.2.2**
 - 1.1555.1 Available under license
- 1.1556 globule 1.3.4**
 - 1.1556.1 Available under license
- 1.1557 prop-types 15.8.1**
 - 1.1557.1 Available under license
- 1.1558 @sinonjs/text-encoding 0.7.2**
 - 1.1558.1 Available under license
- 1.1559 qs 6.11.0**
 - 1.1559.1 Available under license
- 1.1560 @babel/plugin-proposal-class-properties 7.18.6**
 - 1.1560.1 Available under license
- 1.1561 babel-plugin-proposal-nullish-coalescing-operator 7.18.6**
 - 1.1561.1 Available under license
- 1.1562 @babel/plugin-proposal-numeric-separator 7.18.6**
 - 1.1562.1 Available under license
- 1.1563 @jridgewell/set-array 1.1.2**
 - 1.1563.1 Available under license
- 1.1564 jackson-annotations 2.12.7**
 - 1.1564.1 Available under license
- 1.1565 jackson-dataformat-yaml 2.12.7**
 - 1.1565.1 Available under license
- 1.1566 jackson-dataformat-smile 2.12.7**
 - 1.1566.1 Available under license

- 1.1567 jackson-jaxrs 2.12.7**
 - 1.1567.1 Available under license
- 1.1568 jackson-dataformat-xml 2.12.7**
 - 1.1568.1 Available under license
- 1.1569 jackson-module-jsonschema 2.12.7**
 - 1.1569.1 Available under license
- 1.1570 jackson-xc 2.12.7**
 - 1.1570.1 Available under license
- 1.1571 jackson-jaxrs-base 2.12.7**
 - 1.1571.1 Available under license
- 1.1572 follow-redirects 1.15.2**
 - 1.1572.1 Available under license
- 1.1573 spring-instrument 4.3.20.RELEASE**
 - 1.1573.1 Available under license
- 1.1574 logback-core 1.2.9**
 - 1.1574.1 Available under license
- 1.1575 logback-classic 1.2.9**
 - 1.1575.1 Available under license
- 1.1576 object.assign 4.1.4**
 - 1.1576.1 Available under license
- 1.1577 follow-redirects 1.15.2**
 - 1.1577.1 Available under license
- 1.1578 underscore 1.13.6**
 - 1.1578.1 Available under license
- 1.1579 unbox-primitive 1.0.2**
 - 1.1579.1 Available under license
- 1.1580 has-bigints 1.0.2**
 - 1.1580.1 Available under license
- 1.1581 is-shared-array-buffer 1.0.2**
 - 1.1581.1 Available under license
- 1.1582 ip 2.0.0**
 - 1.1582.1 Available under license
- 1.1583 underscore 1.13.6**
 - 1.1583.1 Available under license
- 1.1584 he 1.2.0**
 - 1.1584.1 Available under license
- 1.1585 emoji-regex 8.0.0**
 - 1.1585.1 Available under license
- 1.1586 d3-interpolate 2.0.1**

1.1586.1 Available under license
1.1587 d3-color 2.0.0
1.1587.1 Available under license
1.1588 d3-array 2.12.1
1.1588.1 Available under license
1.1589 react-dom 17.0.2
1.1589.1 Available under license
1.1590 d3-shape 2.1.0
1.1590.1 Available under license
1.1591 d3-scale-chromatic 2.0.0
1.1591.1 Available under license
1.1592 d3-time 2.1.1
1.1592.1 Available under license
1.1593 coffee-script 1.12.7
1.1593.1 Available under license
1.1594 filesize 3.6.1
1.1594.1 Available under license
1.1595 d3-scale 3.3.0
1.1595.1 Available under license
1.1596 d3-time-format 3.0.0
1.1596.1 Available under license
1.1597 d3-path 2.0.0
1.1597.1 Available under license
1.1598 lodash-es 4.17.21
1.1598.1 Available under license
1.1599 redux 3.7.2
1.1599.1 Available under license
1.1600 camelize 1.0.1
1.1600.1 Available under license
1.1601 unicode-property-aliases-ecmascript 2.1.0
1.1601.1 Available under license
1.1602 regjsparser 0.9.1
1.1602.1 Available under license
1.1603 react-redux 7.2.9
1.1603.1 Available under license
1.1604 convert-source-map 1.9.0
1.1604.1 Available under license
1.1605 codepage 1.15.0
1.1605.1 Available under license

1.1606 adler-32 1.2.0

1.1606.1 Available under license

1.1607 cfb 1.2.2

1.1607.1 Available under license

1.1608 frac 1.1.2

1.1608.1 Available under license

1.1609 buffer-equal 1.0.1

1.1609.1 Available under license

1.1610 react-list 0.8.17

1.1610.1 Available under license

1.1611 d3-force 2.1.1

1.1611.1 Available under license

1.1612 d3-timer 2.0.0

1.1612.1 Available under license

1.1613 d3-dispatch 2.0.0

1.1613.1 Available under license

1.1614 d3-quadtree 2.0.0

1.1614.1 Available under license

1.1615 @sinonjs/samsam 6.1.3

1.1615.1 Available under license

1.1616 apache-commons-text 1.10.0

1.1616.1 Available under license

1.1617 xlsx 0.17.5

1.1617.1 Available under license

1.1618 d3-fetch 2.0.0

1.1618.1 Available under license

1.1619 d3-zoom 2.0.0

1.1619.1 Available under license

1.1620 d3-brush 2.1.0

1.1620.1 Available under license

1.1621 d3-hierarchy 2.0.0

1.1621.1 Available under license

1.1622 d3-random 2.2.2

1.1622.1 Available under license

1.1623 d3-selection 2.0.0

1.1623.1 Available under license

1.1624 d3-transition 2.0.0

1.1624.1 Available under license

1.1625 d3-polygon 2.0.0

- 1.1625.1 Available under license
- 1.1626 d3-axis 2.1.0**
 - 1.1626.1 Available under license
- 1.1627 d3-geo 2.0.2**
 - 1.1627.1 Available under license
- 1.1628 d3-dsv 2.0.0**
 - 1.1628.1 Available under license
- 1.1629 d3 6.7.0**
 - 1.1629.1 Available under license
- 1.1630 d3-chord 2.0.0**
 - 1.1630.1 Available under license
- 1.1631 d3-ease 2.0.0**
 - 1.1631.1 Available under license
- 1.1632 d3-drag 2.0.0**
 - 1.1632.1 Available under license
- 1.1633 d3-contour 2.0.0**
 - 1.1633.1 Available under license
- 1.1634 d3-format 2.0.0**
 - 1.1634.1 Available under license
- 1.1635 loader-utils 1.4.2**
 - 1.1635.1 Available under license
- 1.1636 gopd 1.0.1**
 - 1.1636.1 Available under license
- 1.1637 is-callable 1.2.7**
 - 1.1637.1 Available under license
- 1.1638 @sinonjs/commons 1.8.6**
 - 1.1638.1 Available under license
- 1.1639 regenerator-runtime 0.13.11**
 - 1.1639.1 Available under license
- 1.1640 @sinonjs/commons 2.0.0**
 - 1.1640.1 Available under license
- 1.1641 body-parser 1.20.1**
 - 1.1641.1 Available under license
- 1.1642 anymatch 3.1.3**
 - 1.1642.1 Available under license
- 1.1643 unicode-match-property-ecmascript 2.1.0**
 - 1.1643.1 Available under license
- 1.1644 loader-utils 1.4.2**
 - 1.1644.1 Available under license

1.1645 loader-utils 2.0.4

1.1645.1 Available under license

1.1646 decode-uri-component 0.2.2

1.1646.1 Available under license

1.1647 styled-components 4.4.1

1.1647.1 Available under license

1.1648 harbor-elements-utils 0.0.7

1.1648.1 Available under license

1.1649 yargs 7.1.2

1.1649.1 Available under license

1.1650 less 3.13.1

1.1650.1 Available under license

1.1651 jackson-databind 2.12.7.1

1.1651.1 Available under license

1.1652 stax-ex 1.8

1.1652.1 Available under license

1.1653 json5 2.2.3

1.1653.1 Available under license

1.1654 regenerate 1.4.2

1.1654.1 Available under license

1.1655 typedarray-to-buffer 3.1.5

1.1655.1 Available under license

1.1656 react-is 16.13.1

1.1656.1 Available under license

1.1657 scheduler 0.20.2

1.1657.1 Available under license

1.1658 @babel/plugin-proposal-logical-assignment-operators 7.20.7

1.1658.1 Available under license

1.1659 camel-api 3.8.0

1.1659.1 Available under license

1.1660 camel-base 3.8.0

1.1660.1 Available under license

1.1661 camel-base-engine 3.8.0

1.1661.1 Available under license

1.1662 camel-core-engine 3.8.0

1.1662.1 Available under license

1.1663 camel-core-model 3.8.0

1.1663.1 Available under license

1.1664 camel-core-processor 3.8.0

- 1.1664.1 Available under license
- 1.1665 camel-core-reifier 3.8.0**
 - 1.1665.1 Available under license
- 1.1666 camel-endpointdsl 3.8.0**
 - 1.1666.1 Available under license
- 1.1667 camel-management-api 3.8.0**
 - 1.1667.1 Available under license
- 1.1668 camel-rabbitmq 3.8.0**
 - 1.1668.1 Available under license
- 1.1669 camel-support 3.8.0**
 - 1.1669.1 Available under license
- 1.1670 camel-util 3.8.0**
 - 1.1670.1 Available under license
- 1.1671 printj 1.1.2**
 - 1.1671.1 Available under license
- 1.1672 punycode 2.3.0**
 - 1.1672.1 Available under license
- 1.1673 http-cache-semantics 4.1.1**
 - 1.1673.1 Available under license
- 1.1674 nise 5.1.4**
 - 1.1674.1 Available under license
- 1.1675 jackson-datatype-jsr310 2.12.7**
 - 1.1675.1 Available under license
- 1.1676 ssf 0.11.2**
 - 1.1676.1 Available under license
- 1.1677 wmf 1.0.2**
 - 1.1677.1 Available under license
- 1.1678 minimist 1.2.8**
 - 1.1678.1 Available under license
- 1.1679 async-each 1.0.6**
 - 1.1679.1 Available under license
- 1.1680 body-parser 1.20.2**
 - 1.1680.1 Available under license
- 1.1681 raw-body 2.5.2**
 - 1.1681.1 Available under license
- 1.1682 css-to-react-native 3.2.0**
 - 1.1682.1 Available under license
- 1.1683 classmate 1.0.0**
 - 1.1683.1 Available under license

- 1.1684 checker-qual 3.31.0**
 - 1.1684.1 Available under license
- 1.1685 regexpu-core 5.3.2**
 - 1.1685.1 Available under license
- 1.1686 @babel/plugin-proposal-json-strings 7.18.6**
 - 1.1686.1 Available under license
- 1.1687 @babel/plugin-proposal-private-methods 7.18.6**
 - 1.1687.1 Available under license
- 1.1688 @babel/plugin-proposal-export-namespace-from 7.18.9**
 - 1.1688.1 Available under license
- 1.1689 registry-auth-token 4.2.2**
 - 1.1689.1 Available under license
- 1.1690 spdx-license-ids 3.0.13**
 - 1.1690.1 Available under license
- 1.1691 aws4 1.12.0**
 - 1.1691.1 Available under license
- 1.1692 netty-tcnative 2.0.9.Final**
 - 1.1692.1 Available under license
- 1.1693 grpc-protobuf 1.9.0**
 - 1.1693.1 Available under license
- 1.1694 redux 4.2.1**
 - 1.1694.1 Available under license
- 1.1695 grpc-netty 1.9.0**
 - 1.1695.1 Available under license
- 1.1696 uuid-creator 5.2.0**
 - 1.1696.1 Available under license
- 1.1697 xml-apis 1.4.01**
 - 1.1697.1 Available under license
- 1.1698 immutability-helper 3.1.1**
 - 1.1698.1 Available under license
- 1.1699 grpc-stub 1.9.0**
 - 1.1699.1 Available under license
- 1.1700 date-fns 2.30.0**
 - 1.1700.1 Available under license
- 1.1701 cyclist 1.0.2**
 - 1.1701.1 Available under license
- 1.1702 des.js 1.1.0**
 - 1.1702.1 Available under license
- 1.1703 postgresql 42.6.0**

- 1.1703.1 Available under license
- 1.1704 resilience4j-ratelimiter 1.7.1**
 - 1.1704.1 Available under license
- 1.1705 @babel/plugin-syntax-export-default-from 7.22.5**
 - 1.1705.1 Available under license
- 1.1706 @babel/plugin-proposal-private-property-in-object 7.21.11**
 - 1.1706.1 Available under license
- 1.1707 @babel/helper-function-name 7.22.5**
 - 1.1707.1 Available under license
- 1.1708 @babel/helper-environment-visitor 7.22.5**
 - 1.1708.1 Available under license
- 1.1709 update-browserslist-db 1.0.11**
 - 1.1709.1 Available under license
- 1.1710 node-releases 2.0.13**
 - 1.1710.1 Available under license
- 1.1711 semver 5.7.2**
 - 1.1711.1 Available under license
- 1.1712 react-router 5.3.4**
 - 1.1712.1 Available under license
- 1.1713 react-router-dom 5.3.4**
 - 1.1713.1 Available under license
- 1.1714 babel-plugin-styled-components 2.1.4**
 - 1.1714.1 Available under license
- 1.1715 styled-components 5.3.11**
 - 1.1715.1 Available under license
- 1.1716 @babel/helper-replace-supers 7.22.9**
 - 1.1716.1 Available under license
- 1.1717 semver 6.3.1**
 - 1.1717.1 Available under license
- 1.1718 @babel/compat-data 7.22.9**
 - 1.1718.1 Available under license
- 1.1719 which-typed-array 1.1.11**
 - 1.1719.1 Available under license
- 1.1720 browserslist 4.21.10**
 - 1.1720.1 Available under license
- 1.1721 figlet 1.6.0**
 - 1.1721.1 Available under license
- 1.1722 browserslist 4.21.10**
 - 1.1722.1 Available under license

- 1.1723 @jridgewell/trace-mapping 0.3.19**
 - 1.1723.1 Available under license
- 1.1724 handlebarsjs 4.7.8**
 - 1.1724.1 Available under license
- 1.1725 @types/react 18.2.21**
 - 1.1725.1 Available under license
- 1.1726 @babel/plugin-transform-modules-systemjs 7.22.11**
 - 1.1726.1 Available under license
- 1.1727 @babel/code-frame 7.22.13**
 - 1.1727.1 Available under license
- 1.1728 @babel/highlight 7.22.13**
 - 1.1728.1 Available under license
- 1.1729 @babel/plugin-transform-destructuring 7.22.15**
 - 1.1729.1 Available under license
- 1.1730 @babel/plugin-transform-optional-chaining 7.22.15**
 - 1.1730.1 Available under license
- 1.1731 @babel/plugin-transform-block-scoping 7.22.15**
 - 1.1731.1 Available under license
- 1.1732 babel-plugin-proposal-decorators 7.22.15**
 - 1.1732.1 Available under license
- 1.1733 babel-plugin-transform-runtime 7.22.15**
 - 1.1733.1 Available under license
- 1.1734 @babel/preset-env 7.22.15**
 - 1.1734.1 Available under license
- 1.1735 @babel/plugin-transform-async-generator-functions 7.22.15**
 - 1.1735.1 Available under license
- 1.1736 immutable 4.3.4**
 - 1.1736.1 Available under license
- 1.1737 jackson-core 2.12.7**
 - 1.1737.1 Available under license
- 1.1738 swagger-annotations 2.2.9**
 - 1.1738.1 Available under license
- 1.1739 jackson-annotations 2.12.7**
 - 1.1739.1 Available under license
- 1.1740 node-fetch 1.7.3**
 - 1.1740.1 Available under license
- 1.1741 @babel/helper-define-polyfill-provider 0.4.2**
 - 1.1741.1 Available under license
- 1.1742 @babel/plugin-transform-modules-amd 7.22.5**

- 1.1742.1 Available under license
- 1.1743 whatwg-fetch 3.6.19**
 - 1.1743.1 Available under license
- 1.1744 caniuse-lite 1.0.30001534**
 - 1.1744.1 Available under license
- 1.1745 @babel/helper-validator-identifier 7.22.19**
 - 1.1745.1 Available under license
- 1.1746 @babel/core 7.22.19**
 - 1.1746.1 Available under license
- 1.1747 @babel/traverse 7.22.19**
 - 1.1747.1 Available under license
- 1.1748 @babel/helper-module-transforms 7.22.19**
 - 1.1748.1 Available under license
- 1.1749 resolve 1.22.5**
 - 1.1749.1 Available under license
- 1.1750 @babel/cli 7.22.15**
 - 1.1750.1 Available under license
- 1.1751 core-js-compat 3.32.2**
 - 1.1751.1 Available under license
- 1.1752 @babel/plugin-proposal-export-default-from 7.22.17**
 - 1.1752.1 Available under license
- 1.1753 @babel/helper-remap-async-to-generator 7.22.17**
 - 1.1753.1 Available under license
- 1.1754 @babel/helper-wrap-function 7.22.17**
 - 1.1754.1 Available under license
- 1.1755 electron-to-chromium 1.4.523**
 - 1.1755.1 Available under license
- 1.1756 @babel/helper-member-expression-to-functions 7.22.15**
 - 1.1756.1 Available under license
- 1.1757 @babel/helpers 7.22.15**
 - 1.1757.1 Available under license
- 1.1758 babel-helper-compilation-targets 7.22.15**
 - 1.1758.1 Available under license
- 1.1759 @babel/runtime 7.22.15**
 - 1.1759.1 Available under license
- 1.1760 @babel/generator 7.22.15**
 - 1.1760.1 Available under license
- 1.1761 @babel/plugin-transform-modules-commonjs 7.22.15**
 - 1.1761.1 Available under license

- 1.1762 types-json-schema 7.0.13**
 - 1.1762.1 Available under license
- 1.1763 define-data-property 1.1.0**
 - 1.1763.1 Available under license
- 1.1764 @babel/helper-validator-option 7.22.15**
 - 1.1764.1 Available under license
- 1.1765 @babel/types 7.22.19**
 - 1.1765.1 Available under license
- 1.1766 @babel/parser 7.22.16**
 - 1.1766.1 Available under license
- 1.1767 babel-preset-typescript 7.22.15**
 - 1.1767.1 Available under license
- 1.1768 sass 1.67.0**
 - 1.1768.1 Available under license
- 1.1769 qs 6.11.2**
 - 1.1769.1 Available under license
- 1.1770 @babel/helper-remap-async-to-generator 7.22.20**
 - 1.1770.1 Available under license
- 1.1771 @babel/helper-member-expression-to-functions 7.23.0**
 - 1.1771.1 Available under license
- 1.1772 @babel/helper-wrap-function 7.22.20**
 - 1.1772.1 Available under license
- 1.1773 assert 1.5.1**
 - 1.1773.1 Available under license
- 1.1774 stax-api 4.2.1**
 - 1.1774.1 Available under license
- 1.1775 and 0.0.3**
 - 1.1775.1 Available under license
- 1.1776 resolve 1.22.8**
 - 1.1776.1 Available under license
- 1.1777 atob 2.1.2**
 - 1.1777.1 Available under license
- 1.1778 ajv 6.12.6**
 - 1.1778.1 Available under license
- 1.1779 express 4.18.2**
 - 1.1779.1 Available under license
- 1.1780 node-fetch 2.7.0**
 - 1.1780.1 Available under license
- 1.1781 ramda 0.28.0**

- 1.1781.1 Available under license
- 1.1782 types-react-redux 7.1.26**
 - 1.1782.1 Available under license
- 1.1783 webpack 4.47.0**
 - 1.1783.1 Available under license
- 1.1784 merge 1.2.1**
 - 1.1784.1 Available under license
- 1.1785 y18n 4.0.3**
 - 1.1785.1 Available under license
- 1.1786 terser 4.8.1**
 - 1.1786.1 Available under license
- 1.1787 netmask 2.0.2**
 - 1.1787.1 Available under license
- 1.1788 hoek 2.16.3**
 - 1.1788.1 Available under license
- 1.1789 @babel/plugin-syntax-do-expressions 7.22.5**
 - 1.1789.1 Available under license
- 1.1790 @babel/plugin-proposal-function-sent 7.22.5**
 - 1.1790.1 Available under license
- 1.1791 @babel/plugin-proposal-do-expressions 7.22.5**
 - 1.1791.1 Available under license
- 1.1792 @babel/plugin-syntax-function-sent 7.22.5**
 - 1.1792.1 Available under license
- 1.1793 html-minifier 3.5.21**
 - 1.1793.1 Available under license
- 1.1794 is-svg 2.1.0**
 - 1.1794.1 Available under license
- 1.1795 color-string 0.3.0**
 - 1.1795.1 Available under license
- 1.1796 is-core-module 2.13.1**
 - 1.1796.1 Available under license
- 1.1797 @babel/helper-validator-identifier 7.22.20**
 - 1.1797.1 Available under license
- 1.1798 @babel/helper-environment-visitor 7.22.20**
 - 1.1798.1 Available under license
- 1.1799 update-browserslist-db 1.0.13**
 - 1.1799.1 Available under license
- 1.1800 @babel/helper-function-name 7.23.0**
 - 1.1800.1 Available under license

- 1.1801 convert-source-map 2.0.0**
 - 1.1801.1 Available under license
- 1.1802 word 0.3.0**
 - 1.1802.1 Available under license
- 1.1803 @types/scheduler 0.16.3**
 - 1.1803.1 Available under license
- 1.1804 ua-parser-js 0.7.36**
 - 1.1804.1 Available under license
- 1.1805 @emotion/memoize 0.8.1**
 - 1.1805.1 Available under license
- 1.1806 function-bind 1.1.2**
 - 1.1806.1 Available under license
- 1.1807 janino 2.6.1**
 - 1.1807.1 Available under license
- 1.1808 is-accessor-descriptor 1.0.1**
 - 1.1808.1 Available under license
- 1.1809 is-data-descriptor 1.0.1**
 - 1.1809.1 Available under license
- 1.1810 is-descriptor 0.1.7**
 - 1.1810.1 Available under license
- 1.1811 punycode 2.3.1**
 - 1.1811.1 Available under license
- 1.1812 jackson-jaxrs-xml-provider 2.12.7**
 - 1.1812.1 Available under license
- 1.1813 amqp-client 4.12.0**
 - 1.1813.1 Available under license
- 1.1814 resolver 1.2.0**
 - 1.1814.1 Available under license
- 1.1815 spring-amqp 1.7.15.RELEASE**
 - 1.1815.1 Available under license
- 1.1816 spring-rabbit 1.7.15.RELEASE**
 - 1.1816.1 Available under license
- 1.1817 transaction 1.1.0**
 - 1.1817.1 Available under license
- 1.1818 jackson-jaxrs-base 2.12.7**
 - 1.1818.1 Available under license
- 1.1819 node-sass 4.14.1**
 - 1.1819.1 Available under license
- 1.1820 copy-props 2.0.5**

- 1.1820.1 Available under license
- 1.1821 json-schema 0.2.5**
 - 1.1821.1 Available under license
- 1.1822 yargs-parser 5.0.1**
 - 1.1822.1 Available under license
- 1.1823 types-json-schema 7.0.15**
 - 1.1823.1 Available under license
- 1.1824 async 3.2.5**
 - 1.1824.1 Available under license
- 1.1825 @babel/helper-module-transforms 7.23.3**
 - 1.1825.1 Available under license
- 1.1826 component-emitter 1.3.1**
 - 1.1826.1 Available under license
- 1.1827 react-window 1.8.10**
 - 1.1827.1 Available under license
- 1.1828 postgres-sql 42.6.0**
 - 1.1828.1 Available under license
- 1.1829 @babel/plugin-transform-react-jsx 7.23.4**
 - 1.1829.1 Available under license
- 1.1830 validation 1.0.0.GA**
 - 1.1830.1 Available under license
- 1.1831 @babel/helper-validator-option 7.23.5**
 - 1.1831.1 Available under license
- 1.1832 jackson-jaxrs-xml-provider 2.12.7**
 - 1.1832.1 Available under license
- 1.1833 jackson-jaxrs 2.12.7**
 - 1.1833.1 Available under license
- 1.1834 object.assign 4.1.5**
 - 1.1834.1 Available under license
- 1.1835 node-releases 2.0.14**
 - 1.1835.1 Available under license
- 1.1836 jackson-databind 2.12.7.1**
 - 1.1836.1 Available under license
- 1.1837 ua-parser-js 0.7.37**
 - 1.1837.1 Available under license
- 1.1838 @babel/plugin-syntax-throw-expressions 7.22.5**
 - 1.1838.1 Available under license
- 1.1839 @babel/plugin-proposal-function-bind 7.22.5**
 - 1.1839.1 Available under license

- 1.1840 figlet 1.7.0**
 - 1.1840.1 Available under license
- 1.1841 @babel/plugin-proposal-throw-expressions 7.22.5**
 - 1.1841.1 Available under license
- 1.1842 @babel/plugin-proposal-pipeline-operator 7.22.15**
 - 1.1842.1 Available under license
- 1.1843 @babel/plugin-syntax-function-bind 7.22.5**
 - 1.1843.1 Available under license
- 1.1844 @babel/plugin-syntax-pipeline-operator 7.22.5**
 - 1.1844.1 Available under license
- 1.1845 babel-helper-compilation-targets 7.23.6**
 - 1.1845.1 Available under license
- 1.1846 whatwg-fetch 3.6.20**
 - 1.1846.1 Available under license
- 1.1847 regenerator-runtime 0.14.1**
 - 1.1847.1 Available under license
- 1.1848 moment 2.30.1**
 - 1.1848.1 Available under license
- 1.1849 semver 6.3.1**
 - 1.1849.1 Available under license
- 1.1850 @babel/plugin-syntax-unicode-sets-regex 7.18.6**
 - 1.1850.1 Available under license
- 1.1851 query-string 7.1.3**
 - 1.1851.1 Available under license
- 1.1852 babel-plugin-styled-components 2.1.4**
 - 1.1852.1 Available under license
- 1.1853 has-proto 1.0.1**
 - 1.1853.1 Available under license
- 1.1854 babel-plugin-proposal-optional-chaining 7.21.0**
 - 1.1854.1 Available under license
- 1.1855 @jridgewell/sourcemap-codec 1.4.15**
 - 1.1855.1 Available under license
- 1.1856 decode-uri-component 0.2.2**
 - 1.1856.1 Available under license
- 1.1857 @babel/helper-module-imports 7.22.15**
 - 1.1857.1 Available under license
- 1.1858 fsevents 2.3.3**
 - 1.1858.1 Available under license
- 1.1859 readable-stream 3.6.2**

- 1.1859.1 Available under license
- 1.1860 json5 2.2.3**
 - 1.1860.1 Available under license
- 1.1861 @babel/template 7.22.15**
 - 1.1861.1 Available under license
- 1.1862 @babel/helper-simple-access 7.22.5**
 - 1.1862.1 Available under license
- 1.1863 @babel/helper-skip-transparent-expression-wrappers 7.22.5**
 - 1.1863.1 Available under license
- 1.1864 @babel/helper-optimise-call-expression 7.22.5**
 - 1.1864.1 Available under license
- 1.1865 regenerator-transform 0.15.2**
 - 1.1865.1 Available under license
- 1.1866 @sinonjs/fake-timers 10.3.0**
 - 1.1866.1 Available under license
- 1.1867 semver 5.7.2**
 - 1.1867.1 Available under license
- 1.1868 @babel/preset-modules 0.1.6-no-external-plugins**
 - 1.1868.1 Available under license
- 1.1869 @babel/helper-builder-binary-assignment-operator-visitor 7.22.15**
 - 1.1869.1 Available under license
- 1.1870 minimist 1.2.8**
 - 1.1870.1 Available under license
- 1.1871 babel-helper-create-regexp-features-plugin 7.22.15**
 - 1.1871.1 Available under license
- 1.1872 graceful-fs 4.2.11**
 - 1.1872.1 Available under license
- 1.1873 @babel/plugin-proposal-private-property-in-object 7.21.0-placeholder-for-preset-env.2**
 - 1.1873.1 Available under license
- 1.1874 @babel/helper-annotate-as-pure 7.22.5**
 - 1.1874.1 Available under license
- 1.1875 @jridgewell/gen-mapping 0.3.3**
 - 1.1875.1 Available under license
- 1.1876 which-module 2.0.1**
 - 1.1876.1 Available under license
- 1.1877 url 0.11.3**
 - 1.1877.1 Available under license
- 1.1878 is-typed-array 1.1.12**

- 1.1878.1 Available under license
- 1.1879 regenerate-unicode-properties 10.1.1**
 - 1.1879.1 Available under license
- 1.1880 @babel/plugin-transform-react-jsx-development 7.22.5**
 - 1.1880.1 Available under license
- 1.1881 @jridgewell/resolve-uri 3.1.1**
 - 1.1881.1 Available under license
- 1.1882 @babel/helper-hoist-variables 7.22.5**
 - 1.1882.1 Available under license
- 1.1883 @ampproject/remapping 2.2.1**
 - 1.1883.1 Available under license
- 1.1884 http-cache-semantics 4.1.1**
 - 1.1884.1 Available under license
- 1.1885 @babel/helper-split-export-declaration 7.22.6**
 - 1.1885.1 Available under license
- 1.1886 @babel/plugin-transform-named-capturing-groups-regex 7.22.5**
 - 1.1886.1 Available under license
- 1.1887 @babel/regjsgen 0.8.0**
 - 1.1887.1 Available under license
- 1.1888 @babel/helper-plugin-utils 7.22.5**
 - 1.1888.1 Available under license
- 1.1889 @sinonjs/commons 3.0.0**
 - 1.1889.1 Available under license
- 1.1890 regexpu-core 5.3.2**
 - 1.1890.1 Available under license
- 1.1891 readable-stream 2.3.8**
 - 1.1891.1 Available under license
- 1.1892 cookie 0.6.0**
 - 1.1892.1 Available under license
- 1.1893 immutable 4.3.5**
 - 1.1893.1 Available under license
- 1.1894 stream-shift 1.0.3**
 - 1.1894.1 Available under license
- 1.1895 es-errors 1.3.0**
 - 1.1895.1 Available under license
- 1.1896 get-intrinsic 1.2.4**
 - 1.1896.1 Available under license
- 1.1897 escalade 3.1.2**
 - 1.1897.1 Available under license

- 1.1898 webpack-hot-middleware 2.26.1**
 - 1.1898.1 Available under license
- 1.1899 babel-plugin-polyfill-corejs2 0.4.5**
 - 1.1899.1 Available under license
- 1.1900 babel-plugin-polyfill-corejs3 0.8.3**
 - 1.1900.1 Available under license
- 1.1901 babel-plugin-polyfill-regenerator 0.5.2**
 - 1.1901.1 Available under license
- 1.1902 browserify-sign 4.2.1**
 - 1.1902.1 Available under license
- 1.1903 has-property-descriptors 1.0.2**
 - 1.1903.1 Available under license
- 1.1904 call-bind 1.0.7**
 - 1.1904.1 Available under license
- 1.1905 es-define-property 1.0.0**
 - 1.1905.1 Available under license
- 1.1906 spdx-license-ids 3.0.17**
 - 1.1906.1 Available under license
- 1.1907 define-data-property 1.1.4**
 - 1.1907.1 Available under license
- 1.1908 @jridgewell/resolve-uri 3.1.2**
 - 1.1908.1 Available under license
- 1.1909 browserslist 4.23.0**
 - 1.1909.1 Available under license
- 1.1910 spdx-exceptions 2.5.0**
 - 1.1910.1 Available under license
- 1.1911 jackson-core 2.12.7**
 - 1.1911.1 Available under license
- 1.1912 istack-commons-runtime 3.0.7**
 - 1.1912.1 Available under license
- 1.1913 esniff 2.0.1**
 - 1.1913.1 Available under license
- 1.1914 @babel/types 7.24.0**
 - 1.1914.1 Available under license
- 1.1915 @babel/template 7.24.0**
 - 1.1915.1 Available under license
- 1.1916 @emotion/is-prop-valid 1.2.2**
 - 1.1916.1 Available under license
- 1.1917 side-channel 1.0.6**

- 1.1917.1 Available under license
- 1.1918 @ampproject/remapping 2.3.0**
 - 1.1918.1 Available under license
- 1.1919 @babel/helper-plugin-utils 7.24.0**
 - 1.1919.1 Available under license
- 1.1920 @jridgewell/gen-mapping 0.3.5**
 - 1.1920.1 Available under license
- 1.1921 @jridgewell/set-array 1.2.1**
 - 1.1921.1 Available under license
- 1.1922 @jridgewell/trace-mapping 0.3.25**
 - 1.1922.1 Available under license
- 1.1923 spdx-correct 3.2.0**
 - 1.1923.1 Available under license
- 1.1924 ext 1.7.0**
 - 1.1924.1 Available under license
- 1.1925 uglify-js 3.17.4**
 - 1.1925.1 Available under license
- 1.1926 handlebarsjs 4.7.8**
 - 1.1926.1 Available under license
- 1.1927 nan 2.18.0**
 - 1.1927.1 Available under license
- 1.1928 psl 1.9.0**
 - 1.1928.1 Available under license
- 1.1929 es5-ext 0.10.62**
 - 1.1929.1 Available under license
- 1.1930 type 2.7.2**
 - 1.1930.1 Available under license
- 1.1931 punycode 2.3.0**
 - 1.1931.1 Available under license
- 1.1932 typed-array-buffer 1.0.0**
 - 1.1932.1 Available under license
- 1.1933 functions-have-names 1.2.3**
 - 1.1933.1 Available under license
- 1.1934 string-prototype-trimend 1.0.7**
 - 1.1934.1 Available under license
- 1.1935 is-array-buffer 3.0.2**
 - 1.1935.1 Available under license
- 1.1936 html-entities 2.4.0**
 - 1.1936.1 Available under license

- 1.1937 safe-array-concat 1.0.1**
 - 1.1937.1 Available under license
- 1.1938 json5 1.0.2**
 - 1.1938.1 Available under license
- 1.1939 content-type 1.0.5**
 - 1.1939.1 Available under license
- 1.1940 is-number-object 1.0.7**
 - 1.1940.1 Available under license
- 1.1941 object.entries 1.1.7**
 - 1.1941.1 Available under license
- 1.1942 regexp-prototype-flags 1.5.1**
 - 1.1942.1 Available under license
- 1.1943 define-properties 1.2.1**
 - 1.1943.1 Available under license
- 1.1944 string-prototype-trim 1.2.8**
 - 1.1944.1 Available under license
- 1.1945 typed-array-byte-length 1.0.0**
 - 1.1945.1 Available under license
- 1.1946 globalthis 1.0.3**
 - 1.1946.1 Available under license
- 1.1947 copy-anything 2.0.6**
 - 1.1947.1 Available under license
- 1.1948 set-function-name 2.0.1**
 - 1.1948.1 Available under license
- 1.1949 clone-response 1.0.3**
 - 1.1949.1 Available under license
- 1.1950 typed-array-length 1.0.4**
 - 1.1950.1 Available under license
- 1.1951 arraybuffer.prototype.slice 1.0.2**
 - 1.1951.1 Available under license
- 1.1952 string-prototype-trimstart 1.0.7**
 - 1.1952.1 Available under license
- 1.1953 function.prototype.name 1.1.6**
 - 1.1953.1 Available under license
- 1.1954 safe-regex-test 1.0.0**
 - 1.1954.1 Available under license
- 1.1955 typed-array-byte-offset 1.0.0**
 - 1.1955.1 Available under license
- 1.1956 array-buffer-byte-length 1.0.0**

- 1.1956.1 Available under license
- 1.1957 immutable 4.3.4**
 - 1.1957.1 Available under license
- 1.1958 express 4.18.2**
 - 1.1958.1 Available under license
- 1.1959 postcss-selector-parser 6.0.13**
 - 1.1959.1 Available under license
- 1.1960 @babel/plugin-transform-react-pure-annotations 7.22.5**
 - 1.1960.1 Available under license
- 1.1961 @babel/plugin-transform-private-methods 7.22.5**
 - 1.1961.1 Available under license
- 1.1962 @babel/plugin-transform-duplicate-keys 7.22.5**
 - 1.1962.1 Available under license
- 1.1963 @babel/plugin-bugfix-safari-id-destructuring-collision-in-function-expression 7.22.15**
 - 1.1963.1 Available under license
- 1.1964 @babel/plugin-transform-nullish-coalescing-operator 7.22.11**
 - 1.1964.1 Available under license
- 1.1965 @babel/plugin-transform-regenerator 7.22.10**
 - 1.1965.1 Available under license
- 1.1966 @babel/plugin-transform-dotall-regex 7.22.5**
 - 1.1966.1 Available under license
- 1.1967 babel-plugin-syntax-flow 7.22.5**
 - 1.1967.1 Available under license
- 1.1968 @babel/plugin-transform-class-properties 7.22.5**
 - 1.1968.1 Available under license
- 1.1969 @babel/plugin-transform-react-display-name 7.22.5**
 - 1.1969.1 Available under license
- 1.1970 @babel/plugin-transform-unicode-regex 7.22.5**
 - 1.1970.1 Available under license
- 1.1971 @babel/plugin-transform-arrow-functions 7.22.5**
 - 1.1971.1 Available under license
- 1.1972 babel-plugin-transform-flow-strip-types 7.22.5**
 - 1.1972.1 Available under license
- 1.1973 @babel/preset-react 7.22.15**
 - 1.1973.1 Available under license
- 1.1974 @babel/plugin-transform-export-namespace-from 7.22.11**
 - 1.1974.1 Available under license
- 1.1975 @babel/plugin-transform-private-property-in-object 7.22.11**

- 1.1975.1 Available under license
- 1.1976 @babel/plugin-transform-unicode-escapes 7.22.10**
 - 1.1976.1 Available under license
- 1.1977 @babel/plugin-transform-computed-properties 7.22.5**
 - 1.1977.1 Available under license
- 1.1978 @babel/plugin-transform-shorthand-properties 7.22.5**
 - 1.1978.1 Available under license
- 1.1979 babel-plugin-syntax-decorators 7.22.10**
 - 1.1979.1 Available under license
- 1.1980 babel-plugin-transform-member-expression-literals 7.22.5**
 - 1.1980.1 Available under license
- 1.1981 @babel/plugin-transform-react-jsx 7.22.15**
 - 1.1981.1 Available under license
- 1.1982 regenerator-runtime 0.14.0**
 - 1.1982.1 Available under license
- 1.1983 @babel/plugin-transform-template-literals 7.22.5**
 - 1.1983.1 Available under license
- 1.1984 @babel/plugin-syntax-import-assertions 7.22.5**
 - 1.1984.1 Available under license
- 1.1985 @babel/plugin-transform-class-static-block 7.22.11**
 - 1.1985.1 Available under license
- 1.1986 ansi-align 3.0.1**
 - 1.1986.1 Available under license
- 1.1987 @babel/plugin-transform-block-scoped-functions 7.22.5**
 - 1.1987.1 Available under license
- 1.1988 babel-helper-create-class-features-plugin 7.22.15**
 - 1.1988.1 Available under license
- 1.1989 redux-thunk 2.4.2**
 - 1.1989.1 Available under license
- 1.1990 @babel/plugin-transform-typeof-symbol 7.22.5**
 - 1.1990.1 Available under license
- 1.1991 @babel/plugin-transform-unicode-sets-regex 7.22.5**
 - 1.1991.1 Available under license
- 1.1992 tiny-invariant 1.3.1**
 - 1.1992.1 Available under license
- 1.1993 @babel/plugin-transform-exponentiation-operator 7.22.5**
 - 1.1993.1 Available under license
- 1.1994 babel-plugin-transform-property-literals 7.22.5**
 - 1.1994.1 Available under license

- 1.1995 @babel/plugin-syntax-import-attributes 7.22.5**
 - 1.1995.1 Available under license
- 1.1996 @babel/plugin-transform-literals 7.22.5**
 - 1.1996.1 Available under license
- 1.1997 @babel/plugin-transform-function-name 7.22.5**
 - 1.1997.1 Available under license
- 1.1998 @babel/plugin-transform-numeric-separator 7.22.11**
 - 1.1998.1 Available under license
- 1.1999 @babel/plugin-transform-modules-umd 7.22.5**
 - 1.1999.1 Available under license
- 1.2000 babel-plugin-transform-typescript 7.22.15**
 - 1.2000.1 Available under license
- 1.2001 @babel/plugin-transform-optional-catch-binding 7.22.11**
 - 1.2001.1 Available under license
- 1.2002 @babel/plugin-transform-async-to-generator 7.22.5**
 - 1.2002.1 Available under license
- 1.2003 @babel/plugin-transform-sticky-regex 7.22.5**
 - 1.2003.1 Available under license
- 1.2004 babel-plugin-transform-reserved-words 7.22.5**
 - 1.2004.1 Available under license
- 1.2005 @babel/plugin-transform-dynamic-import 7.22.11**
 - 1.2005.1 Available under license
- 1.2006 @babel/plugin-transform-parameters 7.22.15**
 - 1.2006.1 Available under license
- 1.2007 @babel/plugin-transform-json-strings 7.22.11**
 - 1.2007.1 Available under license
- 1.2008 @babel/plugin-transform-spread 7.22.5**
 - 1.2008.1 Available under license
- 1.2009 @babel/plugin-syntax-jsx 7.22.5**
 - 1.2009.1 Available under license
- 1.2010 @babel/plugin-transform-new-target 7.22.5**
 - 1.2010.1 Available under license
- 1.2011 @babel/plugin-transform-logical-assignment-operators 7.22.11**
 - 1.2011.1 Available under license
- 1.2012 @babel/plugin-transform-object-rest-spread 7.22.15**
 - 1.2012.1 Available under license
- 1.2013 @babel/plugin-transform-classes 7.22.15**
 - 1.2013.1 Available under license
- 1.2014 @babel/plugin-transform-object-super 7.22.5**

- 1.2014.1 Available under license
- 1.2015 @babel/plugin-transform-unicode-property-regex 7.22.5**
 - 1.2015.1 Available under license
- 1.2016 @babel/plugin-transform-for-of 7.22.15**
 - 1.2016.1 Available under license
- 1.2017 @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining 7.22.15**
 - 1.2017.1 Available under license
- 1.2018 babel-plugin-syntax-typescript 7.22.5**
 - 1.2018.1 Available under license
- 1.2019 internal-slot 1.0.5**
 - 1.2019.1 Available under license
- 1.2020 object-inspect 1.12.3**
 - 1.2020.1 Available under license
- 1.2021 csstype 3.1.2**
 - 1.2021.1 Available under license
- 1.2022 is-core-module 2.13.0**
 - 1.2022.1 Available under license
- 1.2023 @babel/helper-string-parser 7.22.5**
 - 1.2023.1 Available under license
- 1.2024 es-set-tostringtag 2.0.1**
 - 1.2024.1 Available under license
- 1.2025 es-abstract 1.22.2**
 - 1.2025.1 Available under license
- 1.2026 get-intrinsic 1.2.1**
 - 1.2026.1 Available under license
- 1.2027 fast-infoset 1.2.15**
 - 1.2027.1 Available under license
- 1.2028 txw2 2.3.1**
 - 1.2028.1 Available under license
- 1.2029 jaxb-runtime 2.3.1**
 - 1.2029.1 Available under license
- 1.2030 es5-ext 0.10.64**
 - 1.2030.1 Available under license
- 1.2031 es6-symbol 3.1.4**
 - 1.2031.1 Available under license
- 1.2032 d 1.0.2**
 - 1.2032.1 Available under license
- 1.2033 browserify-sign 4.2.3**
 - 1.2033.1 Available under license

1.2034 html-entities 2.5.2

1.2034.1 Available under license

1.2035 parse-asn1 5.1.7

1.2035.1 Available under license

1.2036 elliptic 6.5.5

1.2036.1 Available under license

1.2037 javax.activation.api 1.2.0

1.2037.1 Available under license

1.2038 hasown 2.0.2

1.2038.1 Available under license

1.2039 set-function-length 1.2.2

1.2039.1 Available under license

1.2040 follow-redirects 1.15.6

1.2040.1 Available under license

1.2041 sass 1.72.0

1.2041.1 Available under license

1.2042 postcss-selector-parser 6.0.16

1.2042.1 Available under license

1.2043 @babel/helper-define-polyfill-provider 0.6.1

1.2043.1 Available under license

1.2044 babel-plugin-polyfill-corejs2 0.4.10

1.2044.1 Available under license

1.2045 itu 1.8.0

1.2045.1 Available under license

1.2046 jakarta.activation.api 1.2.1

1.2046.1 Available under license

1.2047 json-schema-validator 1.3.3

1.2047.1 Available under license

1.2048 resilience4j-timelimiter 1.7.1

1.2048.1 Available under license

1.2049 resilience4j-bulkhead 1.7.1

1.2049.1 Available under license

1.2050 resilience4j-retry 1.7.1

1.2050.1 Available under license

1.2051 squiggly-filter-jackson 1.3.18

1.2051.1 Available under license

1.2052 resilience4j-framework-common 1.7.1

1.2052.1 Available under license

1.2053 aspectjrt 1.9.6

- 1.2053.1 Available under license
- 1.2054 jackson-dataformat-yaml 2.12.7**
 - 1.2054.1 Available under license
- 1.2055 woodstox-core 6.2.4**
 - 1.2055.1 Available under license
- 1.2056 jackson-datatype-jsr310 2.12.7**
 - 1.2056.1 Available under license
- 1.2057 jackson-dataformat-xml 2.12.7**
 - 1.2057.1 Available under license
- 1.2058 jackson-xc 2.12.7**
 - 1.2058.1 Available under license
- 1.2059 jackson-datatype-hibernate 2.12.7**
 - 1.2059.1 Available under license
- 1.2060 jackson-dataformat-smile 2.12.7**
 - 1.2060.1 Available under license
- 1.2061 jackson-module-jsonschema 2.12.7**
 - 1.2061.1 Available under license
- 1.2062 bcpq-jdk15on 1.50**
 - 1.2062.1 Available under license
- 1.2063 bcprov-jdk15on 1.50**
 - 1.2063.1 Available under license
- 1.2064 collections 3.2.2**
 - 1.2064.1 Available under license
- 1.2065 cas-client-core 3.2.1**
 - 1.2065.1 Available under license
- 1.2066 google-http-client-xml 1.20.0**
 - 1.2066.1 Available under license
- 1.2067 easymock 3.1**
 - 1.2067.1 Available under license
- 1.2068 hazelcast-client 3.8.9**
 - 1.2068.1 Available under license
- 1.2069 hazelcast 3.8.9**
 - 1.2069.1 Available under license
- 1.2070 icu4j 63.1**
 - 1.2070.1 Available under license
- 1.2071 javax-activation 1.2.0**
 - 1.2071.1 Available under license
- 1.2072 jaxb-api 2.3.0**
 - 1.2072.1 Available under license

- 1.2073 jaxb-core 2.2.11**
 - 1.2073.1 Available under license
- 1.2074 javax-xml-soap-api 1.4.0**
 - 1.2074.1 Available under license
- 1.2075 jboss-logging 3.1.1.GA**
 - 1.2075.1 Available under license
- 1.2076 jaxb-runtime 2.2.11**
 - 1.2076.1 Available under license
- 1.2077 jax-ws-api 2.3.0**
 - 1.2077.1 Available under license
- 1.2078 mime-pull 1.9.3**
 - 1.2078.1 Available under license
- 1.2079 logging 1.1.1**
 - 1.2079.1 Available under license
- 1.2080 lang 2.4.0**
 - 1.2080.1 Available under license
- 1.2081 netty-all 4.1.49.Final**
 - 1.2081.1 Available under license
- 1.2082 nimbus-jose-jwt 8.9**
 - 1.2082.1 Available under license
- 1.2083 pool 1.5.3**
 - 1.2083.1 Available under license
- 1.2084 shiro-config-ogdl 1.6.0**
 - 1.2084.1 Available under license
- 1.2085 shiro-cache 1.6.0**
 - 1.2085.1 Available under license
- 1.2086 shiro-core 1.6.0**
 - 1.2086.1 Available under license
- 1.2087 shiro-config-core 1.6.0**
 - 1.2087.1 Available under license
- 1.2088 shiro-crypto-hash 1.6.0**
 - 1.2088.1 Available under license
- 1.2089 shiro-event 1.6.0**
 - 1.2089.1 Available under license
- 1.2090 shiro-crypto-cipher 1.6.0**
 - 1.2090.1 Available under license
- 1.2091 shiro-lang 1.6.0**
 - 1.2091.1 Available under license
- 1.2092 shiro-crypto-core 1.6.0**

1.2092.1 Available under license
1.2093 camel-jackson 2.15.2
1.2093.1 Available under license
1.2094 log4javascript 1.4.16
1.2094.1 Available under license
1.2095 object-inspect 1.13.1
1.2095.1 Available under license
1.2096 has-proto 1.0.3
1.2096.1 Available under license
1.2097 ip-address 9.0.5
1.2097.1 Available under license
1.2098 duplexer3 0.1.5
1.2098.1 Available under license
1.2099 autoprefixer 9.8.8
1.2099.1 Available under license
1.2100 express-http-proxy 1.6.3
1.2100.1 Available under license
1.2101 readdirp 3.2.0
1.2101.1 Available under license
1.2102 babel-loader 8.3.0
1.2102.1 Available under license
1.2103 webpack-hot-middleware 2.25.4
1.2103.1 Available under license
1.2104 amdi18n-loader 0.9.4
1.2104.1 Available under license
1.2105 less 3.13.1
1.2105.1 Available under license
1.2106 handlebars-loader 1.7.3
1.2106.1 Available under license
1.2107 chokidar 3.3.0
1.2107.1 Available under license
1.2108 schema-utils 2.7.1
1.2108.1 Available under license
1.2109 @babel/preset-react 7.24.1
1.2109.1 Available under license
1.2110 @babel/plugin-transform-object-rest-spread 7.24.1
1.2110.1 Available under license
1.2111 @babel/highlight 7.24.2
1.2111.1 Available under license

- 1.2112 @babel/plugin-transform-unicode-escapes 7.24.1**
 - 1.2112.1 Available under license
- 1.2113 @babel/plugin-transform-json-strings 7.24.1**
 - 1.2113.1 Available under license
- 1.2114 @babel/plugin-transform-destructuring 7.24.1**
 - 1.2114.1 Available under license
- 1.2115 @babel/plugin-transform-private-methods 7.24.1**
 - 1.2115.1 Available under license
- 1.2116 @babel/plugin-transform-dotall-regex 7.24.1**
 - 1.2116.1 Available under license
- 1.2117 @babel/compat-data 7.24.1**
 - 1.2117.1 Available under license
- 1.2118 @babel/plugin-transform-export-namespace-from 7.24.1**
 - 1.2118.1 Available under license
- 1.2119 @babel/plugin-bugfix-v8-static-class-fields-redefine-readonly 7.24.1**
 - 1.2119.1 Available under license
- 1.2120 @babel/plugin-transform-classes 7.24.1**
 - 1.2120.1 Available under license
- 1.2121 babel-plugin-transform-member-expression-literals 7.24.1**
 - 1.2121.1 Available under license
- 1.2122 @babel/plugin-transform-typeof-symbol 7.24.1**
 - 1.2122.1 Available under license
- 1.2123 @babel/plugin-transform-sticky-regex 7.24.1**
 - 1.2123.1 Available under license
- 1.2124 @babel/plugin-transform-modules-commonjs 7.24.1**
 - 1.2124.1 Available under license
- 1.2125 @babel/plugin-transform-regenerator 7.24.1**
 - 1.2125.1 Available under license
- 1.2126 @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining 7.24.1**
 - 1.2126.1 Available under license
- 1.2127 @babel/plugin-transform-shorthand-properties 7.24.1**
 - 1.2127.1 Available under license
- 1.2128 core-js-compat 3.36.1**
 - 1.2128.1 Available under license
- 1.2129 @babel/helpers 7.24.1**
 - 1.2129.1 Available under license
- 1.2130 babel-plugin-transform-typescript 7.24.1**
 - 1.2130.1 Available under license
- 1.2131 @babel/plugin-transform-arrow-functions 7.24.1**

- 1.2131.1 Available under license
- 1.2132 @babel/plugin-transform-private-property-in-object 7.24.1**
 - 1.2132.1 Available under license
- 1.2133 @babel/plugin-transform-unicode-sets-regex 7.24.1**
 - 1.2133.1 Available under license
- 1.2134 @babel/runtime 7.24.1**
 - 1.2134.1 Available under license
- 1.2135 @babel/plugin-transform-async-to-generator 7.24.1**
 - 1.2135.1 Available under license
- 1.2136 @babel/plugin-transform-modules-systemjs 7.24.1**
 - 1.2136.1 Available under license
- 1.2137 @babel/plugin-transform-computed-properties 7.24.1**
 - 1.2137.1 Available under license
- 1.2138 @babel/plugin-transform-spread 7.24.1**
 - 1.2138.1 Available under license
- 1.2139 @babel/plugin-syntax-import-attributes 7.24.1**
 - 1.2139.1 Available under license
- 1.2140 @babel/plugin-transform-template-literals 7.24.1**
 - 1.2140.1 Available under license
- 1.2141 @babel/plugin-transform-numeric-separator 7.24.1**
 - 1.2141.1 Available under license
- 1.2142 @babel/plugin-transform-literals 7.24.1**
 - 1.2142.1 Available under license
- 1.2143 @babel/plugin-transform-unicode-regex 7.24.1**
 - 1.2143.1 Available under license
- 1.2144 @babel/plugin-transform-dynamic-import 7.24.1**
 - 1.2144.1 Available under license
- 1.2145 @babel/plugin-transform-unicode-property-regex 7.24.1**
 - 1.2145.1 Available under license
- 1.2146 @babel/code-frame 7.24.2**
 - 1.2146.1 Available under license
- 1.2147 @babel/plugin-bugfix-safari-id-destructuring-collision-in-function-expression 7.24.1**
 - 1.2147.1 Available under license
- 1.2148 @babel/plugin-transform-optional-chaining 7.24.1**
 - 1.2148.1 Available under license
- 1.2149 babel-plugin-transform-property-literals 7.24.1**
 - 1.2149.1 Available under license
- 1.2150 @babel/plugin-transform-nullish-coalescing-operator 7.24.1**

- 1.2150.1 Available under license
- 1.2151 babel-helper-create-class-features-plugin 7.24.1**
 - 1.2151.1 Available under license
- 1.2152 @babel/plugin-transform-logical-assignment-operators 7.24.1**
 - 1.2152.1 Available under license
- 1.2153 @babel/plugin-transform-parameters 7.24.1**
 - 1.2153.1 Available under license
- 1.2154 @babel/helper-string-parser 7.24.1**
 - 1.2154.1 Available under license
- 1.2155 @babel/plugin-transform-new-target 7.24.1**
 - 1.2155.1 Available under license
- 1.2156 @babel/plugin-transform-object-super 7.24.1**
 - 1.2156.1 Available under license
- 1.2157 babel-plugin-syntax-typescript 7.24.1**
 - 1.2157.1 Available under license
- 1.2158 @babel/generator 7.24.1**
 - 1.2158.1 Available under license
- 1.2159 @babel/plugin-transform-modules-amd 7.24.1**
 - 1.2159.1 Available under license
- 1.2160 @babel/plugin-transform-block-scoping 7.24.1**
 - 1.2160.1 Available under license
- 1.2161 @babel/plugin-transform-duplicate-keys 7.24.1**
 - 1.2161.1 Available under license
- 1.2162 @babel/plugin-transform-function-name 7.24.1**
 - 1.2162.1 Available under license
- 1.2163 @babel/plugin-transform-block-scoped-functions 7.24.1**
 - 1.2163.1 Available under license
- 1.2164 @babel/plugin-transform-exponentiation-operator 7.24.1**
 - 1.2164.1 Available under license
- 1.2165 @babel/plugin-transform-for-of 7.24.1**
 - 1.2165.1 Available under license
- 1.2166 babel-plugin-transform-reserved-words 7.24.1**
 - 1.2166.1 Available under license
- 1.2167 @babel/helper-replace-supers 7.24.1**
 - 1.2167.1 Available under license
- 1.2168 @babel/plugin-syntax-import-assertions 7.24.1**
 - 1.2168.1 Available under license
- 1.2169 @babel/plugin-transform-optional-catch-binding 7.24.1**
 - 1.2169.1 Available under license

- 1.2170 @babel/parser 7.24.1**
 - 1.2170.1 Available under license
- 1.2171 @babel/plugin-transform-modules-umd 7.24.1**
 - 1.2171.1 Available under license
- 1.2172 @babel/plugin-transform-class-properties 7.24.1**
 - 1.2172.1 Available under license
- 1.2173 @babel/traverse 7.24.1**
 - 1.2173.1 Available under license
- 1.2174 @babel/plugin-transform-class-static-block 7.24.1**
 - 1.2174.1 Available under license
- 1.2175 @babel/core 7.24.3**
 - 1.2175.1 Available under license
- 1.2176 @babel/preset-env 7.24.3**
 - 1.2176.1 Available under license
- 1.2177 express 4.19.1**
 - 1.2177.1 Available under license
- 1.2178 @babel/plugin-transform-async-generator-functions 7.24.3**
 - 1.2178.1 Available under license
- 1.2179 @babel/helper-module-imports 7.24.3**
 - 1.2179.1 Available under license
- 1.2180 source-map-js 1.2.0**
 - 1.2180.1 Available under license
- 1.2181 webpack 4.47.0**
 - 1.2181.1 Available under license
- 1.2182 babel-plugin-polyfill-regenerator 0.5.2**
 - 1.2182.1 Available under license
- 1.2183 codepage 1.15.0**
 - 1.2183.1 Available under license
- 1.2184 arr-union 2.1.0**
 - 1.2184.1 Available under license
- 1.2185 styled-components 4.4.1**
 - 1.2185.1 Available under license
- 1.2186 gulp-cli 2.3.0**
 - 1.2186.1 Available under license
- 1.2187 jsbn 1.1.0**
 - 1.2187.1 Available under license
- 1.2188 wmf 1.0.2**
 - 1.2188.1 Available under license
- 1.2189 xlsx 0.17.5**

1.2189.1 Available under license
1.2190 word 0.3.0
1.2190.1 Available under license
1.2191 ssf 0.11.2
1.2191.1 Available under license
1.2192 native-request 1.1.0
1.2192.1 Available under license
1.2193 test 1.0.0
1.2193.1 Available under license
1.2194 adler-32 1.3.1
1.2194.1 Available under license
1.2195 extend-shallow 1.1.4
1.2195.1 Available under license
1.2196 babel-plugin-polyfill-corejs3 0.8.3
1.2196.1 Available under license
1.2197 babel-plugin-polyfill-corejs2 0.4.5
1.2197.1 Available under license
1.2198 object-assign 3.0.0
1.2198.1 Available under license
1.2199 yargs 7.1.2
1.2199.1 Available under license
1.2200 replace-ext 0.0.1
1.2200.1 Available under license
1.2201 copy-props 2.0.5
1.2201.1 Available under license
1.2202 ramda 0.27.2
1.2202.1 Available under license
1.2203 arr-diff 1.1.0
1.2203.1 Available under license
1.2204 ssri 6.0.2
1.2204.1 Available under license
1.2205 ejs 2.7.4
1.2205.1 Available under license
1.2206 cfb 1.2.2
1.2206.1 Available under license
1.2207 ua-parser-js 0.7.36
1.2207.1 Available under license
1.2208 node-notifier 5.4.5
1.2208.1 Available under license

1.2209 fsevents 2.1.3

1.2209.1 Available under license

1.2210 sprintf-js 1.1.3

1.2210.1 Available under license

1.2211 terser 4.8.1

1.2211.1 Available under license

1.2212 Adler-32 1.2.0

1.2212.1 Available under license

1.2213 kind-of 1.1.0

1.2213.1 Available under license

1.2214 json-schema 0.2.5

1.2214.1 Available under license

1.2215 sinon 11.1.2

1.2215.1 Available under license

1.2216 inquirer 0.11.0

1.2216.1 Available under license

1.2217 yargs-parser 5.0.1

1.2217.1 Available under license

1.2218 babel-preset-typescript 7.24.1

1.2218.1 Available under license

1.2219 react-vtree 3.0.0-beta.3

1.2219.1 Available under license

1.2220 es-object-atoms 1.0.0

1.2220.1 Available under license

1.2221 babel-plugin-polyfill-regenerator 0.6.1

1.2221.1 Available under license

1.2222 @babel/plugin-syntax-jsx 7.24.1

1.2222.1 Available under license

1.2223 @babel/plugin-transform-react-display-name 7.24.1

1.2223.1 Available under license

1.2224 @babel/plugin-transform-react-pure-annotations 7.24.1

1.2224.1 Available under license

1.2225 object.entries 1.1.8

1.2225.1 Available under license

1.2226 caniuse-lite 1.0.30001600

1.2226.1 Available under license

1.2227 electron-to-chromium 1.4.715

1.2227.1 Available under license

1.2228 babel-plugin-polyfill-corejs3 0.10.4

1.1 objenesis 1.2

1.1.1 Available under license :

```
/**
 * Copyright 2006-2009 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Objenesis
// -----
```

Objenesis
Copyright 2006-2009 Joe Walnes, Henri Tremblay, Leonardo Mesquita

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.2 velocity 1.7

1.2.1 Available under license :

Apache Velocity

Copyright (C) 2000-2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such
entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as

required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.3 hibernate-core 3.6.9.Final

1.3.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be

introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language.

(Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does

and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably

considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not

compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library".

The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one

of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally

accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other

library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you

do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms

of the ordinary General Public License).

To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,

MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

* Hibernate, Relational Persistence for Idiomatic Java

*

* Copyright (c) 2010, Red Hat Inc. or third-party contributors as

* indicated by the @author tags or express copyright attribution

* statements applied by the authors. All third-party contributions are

- * distributed under license by Red Hat Inc.
- *
- * This copyrighted material is made available to anyone wishing to use, modify,
- * copy, or redistribute it subject to the terms and conditions of the GNU
- * Lesser General Public License, as published by the Free Software Foundation.
- *
- * This program is distributed in the hope that it will be useful,
- * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
- * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
- * for more details.
- *
- * You should have received a copy of the GNU Lesser General Public License
- * along with this distribution; if not, write to:
- * Free Software Foundation, Inc.
- * 51 Franklin
- Street, Fifth Floor
- * Boston, MA 02110-1301 USA

1.4 hibernate-entitymanager 3.6.7.Final

1.4.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations

below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those

libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language.

(Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library

with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library".

The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the

Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply,

and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,

MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.5 commons-beanutils 1.8.3

1.5.1 Available under license :

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons BeanUtils
Copyright 2000-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.6 httpmime 4.2.3

1.6.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
Apache HttpComponents HttpMime
Copyright 1999-2013 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.7 json4s-core 3.2.5

1.8 json4s-ext 3.2.5

1.9 json4s-jackson 3.2.5

1.10 json4s-ast 3.2.5

1.11 json4s-native 3.2.5

1.12 metrics-core 3.1.0

1.12.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole,

an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- You must give any other recipients of the Work or Derivative Works a copy of this License; and
- You must cause any modified files to carry prominent notices stating that You changed the files; and
- You must retain, in the Source form of any Derivative Works that

You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute,

alongside or

as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.13 commons-pool 2.2

1.13.1 Available under license :

Apache Commons Pool
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

The LinkedBlockingDeque implementation is based on an implementation written by
Doug Lea with assistance from members of JCP JSR-166 Expert Group and released
to the public domain, as explained at
<http://creativecommons.org/licenses/publicdomain>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.14 mute-stream 0.0.4

1.14.1 Available under license :

Copyright (c) Isaac Z. Schlueter ("Author")
All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE

GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.15 commons-cli 1.2

1.15.1 Available under license :

Apache Commons CLI

Copyright 2001-2009 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.16 httpclient 4.4.1

1.16.1 Available under license :

Apache HttpComponents Client
Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor

Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For

purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each

Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in

a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

* * * * *

* 6. Disclaimer

of Warranty

* ----- *

* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

* ----- *

* Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation

shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2.

Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/*

* =====

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.

* =====

*

* This software consists of voluntary
* contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

*

*/

1.17 httpmime 4.3.6

1.17.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache HttpClient Mime
Copyright 1999-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.18 joda-time 2.7

1.18.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<http://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.19 commons-logging 1.2

1.19.1 Available under license :

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Logging

Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

1.20 ansi-regex 1.1.1

1.20.1 Available under license :

```
# ansi-regex [![Build Status](https://travis-ci.org/sindresorhus/ansi-regex.svg?branch=master)](https://travis-ci.org/sindresorhus/ansi-regex)
```

> Regular expression for matching [ANSI escape codes](http://en.wikipedia.org/wiki/ANSI_escape_code)

```
## Install
```

```
```sh
```

```
$ npm install --save ansi-regex
```

```
```
```

```
## Usage
```

```
```js
```

```
var ansiRegex = require('ansi-regex');
```

```
ansiRegex().test('\u001b[4mcake\u001b[0m');
```

```
//=> true
```

```
ansiRegex().test('cake');
```

```
//=> false
```

```
\u001b[4mcake\u001b[0m'.match(ansiRegex());
```

```
//=> ['\u001b[4m', '\u001b[0m']
```

```
```
```

It's a function so you can create multiple instances. Regexes with the global flag will have the `.lastIndex` property changed for each call to methods on the instance. Therefore reusing the instance with multiple calls will not work as expected for .test()`.`

```
## License
```

1.21 strip-ansi 2.0.1

1.21.1 Available under license :

strip-ansi [![Build Status](https://travis-ci.org/sindresorhus/strip-ansi.svg?branch=master)](https://travis-ci.org/sindresorhus/strip-ansi)

> Strip [ANSI escape codes](http://en.wikipedia.org/wiki/ANSI_escape_code)

Install

```
``sh
$ npm install --save strip-ansi
``
```

Usage

```
``js
var stripAnsi = require('strip-ansi');

stripAnsi('\u001b[4mcake\u001b[0m');
//=> 'cake'
``
```

CLI

```
``sh
$ npm install --global strip-ansi
``
```

```
``sh
$ strip-ansi --help
```

Usage

```
strip-ansi <input-file> > <output-file>
cat <input-file> | strip-ansi > <output-file>
```

Example

```
strip-ansi unicorn.txt > unicorn-stripped.txt
``
```

License

1.22 minimatch 2.0.10

1.22.1 Available under license :

```
{
  "author": "Isaac Z. Schlueter <i@izs.me> (http://blog.izs.me)",
  "name": "minimatch",
  "description": "a glob matcher in javascript",
  "version": "2.0.10",
  "repository": {
    "type": "git",
    "url": "git://github.com/isaacs/minimatch.git"
  },
  "main": "minimatch.js",
  "scripts": {
    "posttest": "standard minimatch.js test/*.js",
    "test": "tap test/*.js",
    "prepublish": "browserify -o browser.js -e minimatch.js -s minimatch --bare"
  },
  "engines": {
    "node": "*"
  },
  "dependencies": {
    "brace-expansion": "^1.0.0"
  },
  "devDependencies": {
    "browserify": "^9.0.3",
    "standard": "^3.7.2",
    "tap": "^1.2.0"
  },
  "license": "ISC",
  "files": [
    "minimatch.js",
    "browser.js"
  ]
}
```

1.23 Iodash-basetostring 3.0.1

1.23.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js, copyright 2009-2015 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.24 commons-collections 3.2.2

1.24.1 Available under license :

Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.25 httpcore 4.4.1

1.25.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

This project contains annotations in the package org.apache.http.annotation which are derived from JCIP-ANNOTATIONS
Copyright (c) 2005 Brian Goetz and Tim Peierls.
See <http://www.jcip.net> and the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.5>)
Full text: <http://creativecommons.org/licenses/by/2.5/legalcode>

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent

works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation,

or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-representation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2.

Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media

and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE

USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Apache HttpCore

Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This project contains annotations derived from JCIP-ANNOTATIONS
Copyright (c) 2005 Brian Goetz and Tim Peierls. See <http://www.jcip.net>

1.26 metrics-json 3.1.0

1.26.1 Available under license :

Apache License 2.0

<http://www.apache.org/licenses/LICENSE-2.0.html>

1.27 metrics-jvm 3.1.0

1.27.1 Available under license :

Apache License 2.0

<http://www.apache.org/licenses/LICENSE-2.0.html>

1.28 commons-io 2.4

1.28.1 Available under license :

Apache Commons IO

Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.29 babel-runtime 6.26.0

1.30 through2 0.6.5

1.30.1 Available under license :

Copyright 2013, Rod Vagg (the "Original Author")
All rights reserved.

MIT +no-false-attribs License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Distributions of all or part of the Software intended to be used by the recipients as they would use the unmodified Software, containing modifications that substantially alter, remove, or disable functionality of the Software, outside of the documented configuration mechanisms provided by the Software, shall be modified such that the Original Author's bug reporting email addresses and urls are either replaced with the contact information of the parties responsible for the changes, or removed entirely.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except where noted, this license applies to any and all software programs and associated documentation files created by the Original Author, when distributed with the Software.

1.31 rechoir 0.6.2

1.31.1 Available under license :

Copyright (c) 2015 Tyler Kellen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.32 min-document 2.19.0

1.32.1 Available under license :

Copyright (c) 2013 Colingo.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE

OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.33 joda-convert 1.2

1.33.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<http://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.34 hoek 2.16.3

1.34.1 Available under license :

Copyright (c) 2011-2014, Walmart and other contributors.

Copyright (c) 2011, Yahoo Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of any contributors may not be used to endorse or promote

products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* * *

The complete list of contributors can be found at: <https://github.com/hapijs/hapi/graphs/contributors>
Portions of this project were initially based on the Yahoo! Inc. Postmile project, published at <https://github.com/yahoo/postmile>.

1.35 path-to-regexp 0.1.7

1.35.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.36 ansi-cyan 0.1.1

1.36.1 Available under license :

The MIT License (MIT)

Copyright (c) <%= year() %>, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.37 ansi-gray 0.1.1

1.37.1 Available under license :

The MIT License (MIT)

Copyright (c) <%= year() %>, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.38 ansi-red 0.1.1

1.38.1 Available under license :

The MIT License (MIT)

Copyright (c) <%= year() %>, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.39 ansi-wrap 0.1.0

1.39.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.40 array-each 1.0.1

1.40.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.41 array-slice 1.1.0

1.41.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.42 beeper 1.1.1

1.42.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.43 clone-stats 0.0.1

1.43.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Hugh Kennedy

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.44 color-name 1.1.3

1.44.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

1.45 date-format 2.2.0

1.45.1 Available under license :

(c) 2007-2009 Steven Levithan <stevenlevithan.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.46 detect-file 1.0.0

1.46.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2017, Brian Woodward.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.47 duplexer2 0.0.2

1.47.1 Available under license :

Copyright (c) 2013, Deoxxa Development

=====
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of Deoxxa Development nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY DEOXXA DEVELOPMENT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL DEOXXA DEVELOPMENT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.48 expand-tilde 2.0.2

1.48.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.49 findup-sync 2.0.0

1.49.1 Available under license :

No license file was found, but licenses were detected in source scan.

Released under the MIT license

Found in path(s):

* /opt/cola/permits/172933705_1695318676.4473944/0/1641-findup-sync-2-0-0-tgz/package/README.md

1.50 global-modules 1.0.0

1.50.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.51 global-prefix 1.0.2

1.51.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 gulp-util 3.0.8

1.52.1 Available under license :

Copyright (c) 2014 Fractal <contact@wearefractal.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.53 gulplog 1.0.0

1.53.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.54 has-gulplog 0.1.0

1.54.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 gulp

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.55 is-absolute 1.0.0

1.55.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Copyright (c) 2009-2014, TJ Holowaychuk

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.56 is-relative 1.0.0

1.56.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.57 is-unc-path 1.0.0

1.57.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.58 Iodash-basevalues 3.0.0

1.58.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.59 Iodash-reescape 3.0.0

1.59.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.60 Iodash-reevaluate 3.0.0

1.60.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.61 Iodash-reinterpolate 3.0.0

1.61.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.62 Iodash-root 3.0.1

1.62.1 Available under license :

The MIT License (MIT)

Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.63 Iodash-escape 3.2.0

1.63.1 Available under license :

Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.64 Iodash-template 3.6.2

1.64.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>
Based on Underscore.js, copyright 2009-2015 Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.65 Iodash-templatesettings 3.1.1

1.65.1 Available under license :

Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.66 multipipe 0.1.2

1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal to use, copy, modify, merge, publish, distribute, sublicense, and/or sell furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

* /opt/cola/permits/172952920_1695319225.6493478/0/multipipe-0-1-2-tgz/package/Readme.md

1.67 object-defaults 1.1.0

1.67.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.68 object-map 1.0.1

1.68.1 Available under license :

Copyright (c) 2014-2017, Jon Schlinkert, contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.69 parse-filepath 1.0.2

1.69.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.70 parse-passwd 1.0.0

1.70.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Brian Woodward

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.71 path-root 0.1.1

1.71.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.72 path-root-regex 0.1.2

1.72.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.73 plugin-error 0.1.2

1.73.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.74 redux 3.7.2

1.74.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.75 resolve-dir 1.0.1

1.75.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.76 time-stamp 1.1.0

1.76.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.77 unc-path-regex 0.1.2

1.77.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.78 vinyl 0.5.3

1.78.1 Available under license :

Copyright (c) 2013 Fractal <contact@wearefractal.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.79 clone-buffer 1.0.0

1.79.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.80 array-differ 1.0.0

1.81 is-arrayish 0.2.1

1.81.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 JD Ballard

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.82 antlr-runtime 4.5.1

1.82.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2013 Terence Parr
 * Copyright (c) 2013 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
 * THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ATNSimulator.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerActionExecutor.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ATNDeserializer.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerChannelAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerTypeAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerIndexedCustomAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerPopModeAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerMoreAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerPushModeAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerModeAction.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerSkipAction.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ATNDeserializationOptions.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerActionType.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ATNType.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ProfilingATNSimulator.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerCustomAction.java
No license file was found, but licenses were detected in source scan.

/*

- * [The "BSD license"]
- * Copyright (c) 2013 Terence Parr
- * Copyright (c) 2013 Sam Harwell
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. The name of the author may not be used to endorse or promote products
- * derived from this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/pattern/RuleTagToken.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/pattern/TokenTagToken.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/InterpreterRuleContext.java
- *
- /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/pattern/Chunk.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/pattern/ParseTreePattern.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/pattern/ParseTreeMatch.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/pattern/ParseTreePatternMatcher.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/ParserInterpreter.java
- * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-

jar/org/antlr/v4/runtime/tree/pattern/TagChunk.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/pattern/TextChunk.java
No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2014 Terence Parr
 * Copyright (c) 2014 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
 * THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

Found in path(s):

```
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-  
jar/org/antlr/v4/runtime/atn/DecisionInfo.java  
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-  
jar/org/antlr/v4/runtime/atn/ParseInfo.java  
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-  
jar/org/antlr/v4/runtime/atn/PredicateEvalInfo.java  
*  
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-  
jar/org/antlr/v4/runtime/RuntimeMetaData.java  
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-  
jar/org/antlr/v4/runtime/atn/DecisionEventInfo.java
```

* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/ErrorInfo.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/VocabularyImpl.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/AmbiguityInfo.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/Vocabulary.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/ContextSensitivityInfo.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/LookaheadEventInfo.java

No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2012 Terence Parr

* Copyright (c) 2012 Sam Harwell

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products

* derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/BasicBlockStartState.java

* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/NotSetTransition.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/ParseCancellationException.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/FailedPredicateException.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/ConsoleErrorListener.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/ATNSerializer.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/ObjectEqualityComparator.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/dfa/DFASState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/Pair.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/EmptyPredictionContext.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/RangeTransition.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/RuleTransition.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/BasicState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/Utils.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/RuleStartState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/DiagnosticErrorListener.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/FlexibleHashMap.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/PredictionMode.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/PlusBlockStartState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/ANTLRErrorStrategy.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/BlockEndState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/DefaultErrorStrategy.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/Array2DHashSet.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-

```

jar/org/antlr/v4/runtime/ParserRuleContext.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/BlockStartState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/Triple.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/ParseTreeVisitor.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/IntegerStack.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/NotNull.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LoopEndState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/SyntaxTree.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LexerATNSimulator.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ATNConfig.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/dfa/DFA.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/PredictionContextCache.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/LL1Analyzer.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/Recognizer.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/UnbufferedCharStream.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/AbstractEqualityComparator.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/ErrorNode.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/BaseErrorListener.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/AbstractParseTreeVisitor.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ParserATNSimulator.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ArrayPredictionContext.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/Trees.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/RuleNode.java

```

* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/TokenSource.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/StarBlockStartState.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/ATNConfigSet.java
 *
 /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/BailErrorStrategy.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/misc/EqualityComparator.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/tree/Tree.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/ActionTransition.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/LexerATNConfig.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/InputMismatchException.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/Parser.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/StarLoopEntryState.java
 *
 /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/TokenStream.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/PrecedencePredicateTransition.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/SetTransition.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/LexerNoViableAltException.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/RuleContext.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/misc/MurmurHash.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/SingletonPredictionContext.java
 *
 /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/ANTLRFileStream.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/tree/ParseTreeWalker.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/RecognitionException.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
 jar/org/antlr/v4/runtime/atn/RuleStopState.java
 * /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-

```

jar/org/antlr/v4/runtime/atn/ATN.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/MultiMap.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/CharStream.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/TokenStreamRewriter.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/IntStream.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/IntSet.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/LogManager.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/dfa/DFASerializer.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/TerminalNodeImpl.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/StarLoopbackState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/IntervalSet.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/AtomTransition.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/CommonTokenFactory.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/ATNState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/TokenFactory.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/Token.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/NoViableAltException.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/CommonTokenStream.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/ANTLRInputStream.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/ANTLRErrorListener.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/misc/IntegerList.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/PredictionContext.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/SemanticContext.java

```

* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/dfa/LexerDFASerializer.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/ParseTreeListener.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/TreeNode.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/TreeNodeImpl.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/PlusLoopbackState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/WritableToken.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/OrderedHashSet.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/DecisionState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/tree/ParseTree.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/TokensStartState.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/EpsilonTransition.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/UnbufferedTokenStream.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/ProxyErrorListener.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/PredicateTransition.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/BufferedTokenStream.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/CommonToken.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/OrderedATNConfigSet.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/LexerInterpreter.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/AbstractPredicateTransition.java
*
/opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/Lexer.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/atn/Transition.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-jar/org/antlr/v4/runtime/misc/DoubleKeyMap.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-


```
jar/org/antlr/v4/runtime/misc/Interval.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/tree/ParseTreeProperty.java
* /opt/cola/permits/173665427_1695321519.1830516/0/antlr4-runtime-4-5-1-sources-2-
jar/org/antlr/v4/runtime/atn/WildcardTransition.java
```

1.83 copy-concurrently 1.0.5

1.83.1 Available under license :

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.84 from2 2.3.0

1.84.1 Available under license :

```
## The MIT License (MIT) ##
```

Copyright (c) 2014 Hugh Kennedy

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.85 fs-write-stream-atomic 1.0.10

1.85.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.86 iferr 0.1.5

1.86.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Nadav Ivgi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.87 move-concurrently 1.0.1

1.87.1 Available under license :

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.88 run-queue 1.0.3

1.88.1 Available under license :

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.89 commons-net 3.0

1.89.1 Available under license :

Apache Commons Net

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

1.90 javax-servlet-api 3.1.0

1.90.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing

Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification.

You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone,

and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO

THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial

computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based

on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified

files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply

to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution

medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under

the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed

only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts

as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute

the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it

is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each

version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER
PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE
QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE
DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY

COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items- whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH"
EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.91 hibernate-validator 5.0.0.Final

1.92 netty-codec-http 4.1.17.Final

1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017 The Netty Project  
*
```

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java
*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java
*
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java
*
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java
*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-

jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
*/

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

// (BSD License: <http://www.opensource.org/licenses/bsd-license>)

// All rights reserved.

// Redistribution and use in source and binary forms, with or

// * Redistributions of source code must retain the above

// copyright notice, this list of conditions and the

// following disclaimer.

// * Redistributions

in binary form must reproduce the above

// following disclaimer in the documentation and/or other

// * Neither the name of the Webbit nor the names of

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

/*

* Adaptation of <http://bjoern.hoehrmann.de/utf-8/decoder/dfa/>
*
* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to deal
* in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute,
* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all copies or
* substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING
* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
* PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
* FOR ANY CLAIM,
* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
* ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

```

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderNames.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyProtocolException.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpChunkedInput.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/ClientCookieEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderValues.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpMessageUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.j
ava
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpStatusClass.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-

```

```

jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.
java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-

```

jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version
 * 2.0 (the "License"); you may not use this file except in compliance with the
 * License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cors/CorsHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cors/CorsConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
```

```

jar/io/netty/handler/codec/http/cookie/CookieUtil.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/EmptyHttpHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/CookieEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/CookieDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpScheme.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/CookieUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/Cookie.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/CombinedHttpHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java
*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/Cookie.java
*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpServerCodec.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpResponseStatus.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpResponse.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpObjectAggregator.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpRequestEncoder.java

```

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpData.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpClientCodec.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpRequestDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpRequest.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpContentEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpMessage.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
*

```

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpResponseEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/MixedAttribute.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpObject.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpContent.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-


```

jar/io/netty/handler/codec/http/DefaultHttpRequest.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpVersion.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaders.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/Attribute.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java

```

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/spdy/SpdySession.java

*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/CookieDecoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java

*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/QueryStringDecoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpHeaderDateFormat.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/HttpContentDecoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java

*

/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java

* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java

*

```
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/multipart/package-info.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpContentDecompressor.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpContentCompressor.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/DefaultCookie.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/LastHttpContent.java
*
/opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpObjectEncoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpResponseDecoder.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java
* /opt/cola/permits/177812252_1695328159.98281/0/netty-codec-http-4-1-17-final-sources-
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java
```

1.93 netty-transport 4.1.17.Final

1.93.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/bootstrap/ServerBootstrapConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/PreferHeapByteBufAllocator.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/VoidChannelGroupFuture.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelOutboundInvoker.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultSelectStrategy.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/DuplexChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/bootstrap/BootstrapConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultSelectStrategyFactory.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/WriteBufferWaterMark.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelInboundInvoker.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
```

jar/io/netty/bootstrap/AbstractBootstrapConfig.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/SelectStrategy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

/**

* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in

* its { @link ChannelPipeline }.

*

* <h3>Sub-types</h3>

* <p>

* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its subtypes:

*

* { @link

ChannelInboundHandler } to handle inbound I/O events, and

* { @link ChannelOutboundHandler } to handle outbound I/O operations.

*

* </p>

* <p>

* Alternatively, the following adapter classes are provided for your convenience:

*

* { @link ChannelInboundHandlerAdapter } to handle inbound I/O events,

* { @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and

* { @link ChannelDuplexHandler } to handle both inbound and outbound events

*

* </p>

* <p>

* For more information, please refer to the documentation of each subtype.

* </p>

*

* <h3>The context object</h3>

* <p>

* A [{@link ChannelHandler}](#) is provided with a [{@link ChannelHandlerContext}](#) object. A [{@link ChannelHandler}](#) is supposed to interact with the [{@link ChannelPipeline}](#) it belongs to via a context object. Using the context object, the [{@link ChannelHandler}](#) can pass events upstream or downstream, modify the pipeline dynamically, or store the information (using [{@link AttributeKey}](#)s) which is specific to the handler.

*

* <h3>State management</h3>

*

* A [{@link ChannelHandler}](#) often needs to store some stateful information.

* The simplest and recommended approach is to use member variables:

* <pre>

```
* public interface Message {
```

```
*     // your methods here
```

```
* }
```

*

```
* public class DataServerHandler extends {@link SimpleChannelInboundHandler}<Message> {
```

*

```
*     <b>private boolean loggedIn;</b>
```

*

```
*     {@code @Override}
```

```
*     public void channelRead0({@link ChannelHandlerContext} ctx, Message message) {
```

```
*         {@link Channel} ch = e.getChannel();
```

```
*         if (message instanceof LoginMessage) {
```

```
*             authenticate((LoginMessage) message);
```

```
*             <b>loggedIn = true;</b>
```

```
*         } else (message instanceof GetDataMessage) {
```

```
*             if (<b>loggedIn</b>) {
```

```
*                 ch.write(fetchSecret((GetDataMessage) message));
```

```
*             } else {
```

*

```
                fail();
```

```
*             }
```

```
*         }
```

```
*     }
```

```
*     ...
```

```
* }
```

```
* </pre>
```

* Because the handler instance has a state variable which is dedicated to

* one connection, you have to create a new handler instance for each new

* channel to avoid a race condition where an unauthenticated client can get

* the confidential information:

* <pre>

```
* // Create a new handler instance per channel.
```

```
* // See {@link ChannelInitializer#initChannel\(Channel\)}.
```

```
* public class DataServerInitializer extends {@link ChannelInitializer}<{@link Channel}> {
```

```
*     {@code @Override}
```

```

* public void initChannel({ @link Channel} channel) {
*     channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);
* }
* }
*
* </pre>
*
* <h4>Using { @link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use { @link AttributeKey}s which
* is provided by
* { @link ChannelHandlerContext}:
* <pre>
* public interface Message {
*     // your methods here
* }
*
* { @code @Sharable}
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}&lt;Message&gt; {
*     private final { @link AttributeKey}&lt;Boolean&gt; auth =
*         { @link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
*     { @code @Override}
*     public void channelRead({ @link ChannelHandlerContext} ctx, Message message) {
*         { @link Attribute}&lt;Boolean&gt; attr = ctx.attr(auth);
*         { @link Channel} ch = ctx.channel();
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) o);
*             <b>attr.set(true)</b>;
*         } else (message instanceof GetDataMessage) {
*             if (<b>Boolean.TRUE.equals(attr.get())</b>) {
*                 ch.write(fetchSecret((GetDataMessage) o));
*             } else {
*                 fail();
*             }
*         }
*     }
* }
* ...
* }
* </pre>
*
* Now that the state of the handler is attached to the { @link ChannelHandlerContext}, you can add the
* same handler instance to different pipelines:
* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer}&lt;Channel&gt; {
*

```

```

* private static final DataServerHandler <b>SHARED</b> = new DataServerHandler();
*
* { @code @Override }
* public void initChannel({ @link Channel } channel) {
*     channel.pipeline().addLast("handler", <b>SHARED</b>);
* }
* }
* </pre>

```

* <h4>The { @code @Sharable } annotation</h4>

* <p>

* In the example above which used an { @link AttributeKey },
 * you might have noticed the { @code @Sharable } annotation.

* <p>

* If a { @link ChannelHandler } is annotated with the { @code @Sharable }
 * annotation, it means you can create an instance of the handler just once and
 * add it to one or more { @link ChannelPipeline }s multiple times without
 * a race
 * condition.

* <p>

* If this annotation is not specified, you have to create a new handler
 * instance every time you add it to a pipeline because it has unshared state
 * such as member variables.

* <p>

* This annotation is provided for documentation purpose, just like
 * the JCIP annotations.

*

* <h3>Additional resources worth reading</h3>

* <p>

* Please refer to the { @link ChannelHandler }, and
 * { @link ChannelPipeline } to find out more about inbound and outbound operations,
 * what fundamental differences they have, how they flow in a pipeline, and how to handle
 * the operation in your application.

*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
 jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/ChannelPool.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/package-info.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/pool/ChannelPoolHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

*/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/AbstractCoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

*/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/embedded/EmbeddedChannelId.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ReflectiveChannelFactory.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ChannelFactory.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/PendingWriteQueue.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/AbstractEventLoop.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultChannelHandlerContext.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelPromiseAggregator.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelFuture.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultFileRegion.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/package-info.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/MultithreadEventLoopGroup.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/FileRegion.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelFlushPromiseNotifier.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ServerChannel.java

```

*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/DatagramChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/nio/package-info.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ThreadPerChannelEventLoop.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/Channel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelOutboundHandler.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelOption.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/ChannelGroupFuture.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/ServerSocketChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/embedded/EmbeddedChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/oio/AbstractOioByteChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/DefaultChannelGroupFuture.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/embedded/EmbeddedEventLoop.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/oio/OioDatagramChannel.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/oio/package-info.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/embedded/package-info.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelDuplexHandler.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/bootstrap/package-info.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelInboundHandler.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultChannelPromise.java
*

```

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/oio/OioEventLoopGroup.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/InternetProtocolFamily.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/SocketChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/nio/NioDatagramChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/oio/AbstractOioMessageChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/DefaultEventLoopGroup.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/FixedRecvByteBufAllocator.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/local/LocalServerChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/VoidChannelPromise.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/CompleteChannelFuture.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/AbstractNioMessageChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ChannelFutureListener.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/AbstractNioByteChannel.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/FailedChannelFuture.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/ServerSocketChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/NioEventLoop.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/AbstractNioChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/CombinedChannelDuplexHandler.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/local/LocalChannelRegistry.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/EventLoop.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/group/package-info.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

```

jar/io/netty/bootstrap/ServerBootstrap.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/local/LocalEventLoopGroup.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/RecvByteBufAllocator.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/local/LocalChannel.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelPromiseNotifier.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/SucceededChannelFuture.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/SingleThreadEventLoop.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultEventLoop.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/EventLoopGroup.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/DatagramChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/AbstractChannelHandlerContext.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelException.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelPipelineException.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelHandlerContext.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelPromise.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/bootstrap/AbstractBootstrap.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultChannelPipeline.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/DatagramPacket.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/nio/NioEventLoopGroup.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/CombinedIterator.java

```

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/group/ChannelGroupFutureListener.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/AbstractChannel.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/AbstractServerChannel.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/bootstrap/Bootstrap.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/local/LocalAddress.java
 *
 /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/EventLoopException.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/SocketChannelConfig.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ChannelInboundHandlerAdapter.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/oio/AbstractOioChannel.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/NioTask.java
 *
 /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/DefaultSocketChannelConfig.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/local/package-info.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/oio/package-info.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannel.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/package-info.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ChannelPipeline.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/package-info.java
 *
 /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/ChannelInitializer.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/embedded/EmbeddedSocketAddress.java
 * /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/ChannelMetadata.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/socket/nio/NioSocketChannel.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/AddressedEnvelope.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/bootstrap/ChannelFactory.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/ChannelOutboundBuffer.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/group/ChannelGroup.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/ChannelProgressiveFutureListener.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/DefaultAddressedEnvelope.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/DefaultMessageSizeEstimator.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/ChannelProgressiveFuture.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/MessageSizeEstimator.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/nio/SelectedSelectionKeySet.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-

jar/io/netty/channel/DefaultChannelId.java

```
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelId.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/ChannelMatchers.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelProgressivePromise.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ChannelHandlerAdapter.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/SimpleChannelInboundHandler.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/ChannelGroupException.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/ConnectTimeoutException.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/DefaultChannelProgressivePromise.java
*
/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/DefaultChannelGroup.java
* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-
jar/io/netty/channel/group/ChannelMatcher.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/oio/OioByteStreamChannel.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java

*

/opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/PendingBytesTracker.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownException.java

* /opt/cola/permits/177813072_1695327878.3707163/0/netty-transport-4-1-17-final-sources-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java

1.94 netty-resolver 4.1.17.Final

1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/HostsFileEntriesResolver.java
*
/opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/CompositeNameResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/InetNameResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/DefaultAddressResolverGroup.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/HostsFileEntries.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/NoopAddressResolverGroup.java

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/SimpleNameResolver.java

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/NoopAddressResolver.java

*

/* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/AddressResolverGroup.java

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/package-info.java

* /opt/cola/permits/177814057_1695328176.8724873/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/NameResolver.java

1.95 netty-codec 4.1.17.Final

1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.

*/
 /**

* A decoder that splits the received { @link ByteBuffer}s dynamically by the
 * value of the length field in the message. It is particularly useful when you
 * decode a binary message which has an integer header field that represents the
 * length of the message body or the whole message.

*

<p>

* { @link LengthFieldBasedFrameDecoder } has many configuration parameters so
 * that it can decode any message with a length field, which is often seen in
 * proprietary client-server protocols. Here are some example that will give
 * you the basic idea on which option does what.

*

* <h3>2 bytes length field at offset 0, do not strip header</h3>

*

* The value of the length field in this example is <tt>12 (0x0C)</tt> which
 * represents the length of "HELLO, WORLD". By default, the decoder assumes
 * that the length field represents the number of the bytes that follows the
 * length field. Therefore, it can be decoded with the simplistic parameter
 * combination.

* <pre>

* lengthFieldOffset = 0

* lengthFieldLength = 2

* lengthAdjustment = 0

* initialBytesToStrip = 0 (= do not strip header)

*

* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)

* +-----+-----+ +-----+-----+

* | Length | Actual Content

|---->| Length | Actual Content |

* | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |

* +-----+-----+ +-----+-----+

* </pre>

*

* <h3>2 bytes length field at offset 0, strip header</h3>

*

* Because we can get the length of the content by calling

* { @link ByteBuffer#readableBytes() }, you might want to strip the length

```

* field by specifying <tt>initialBytesToStrip</tt>. In this example, we
* specified <tt>2</tt>, that is same with the length of the length field, to
* strip the first two bytes.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" |   | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
* represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples. However, in some protocols, the
* length field represents the length of the whole message, including the
* message header. In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>. Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual
* Content |
* | 0x000E | "HELLO, WORLD" |   | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into
* account during frame length calculation.
* <pre>
* <b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)

```



```

* <b>lengthFieldLength</b> = <b>3</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" |    |
*   0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" |    | 0x00000C | 0xCAFE | "HELLO,
*   WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame. If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)
* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 + LEN)

```

```

*
* BEFORE DECODE (16 bytes)                AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b>3</b>
*
* BEFORE DECODE (16 bytes)                AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright 2012 The Netty Project

```

```

*

```

```

* The Netty Project licenses this file to you under the Apache License,

```

```

* version 2.0 (the "License"); you may not use this file except in compliance

```

```

* with the License. You may obtain a copy of the License at:

```

```

*

```

```

* http://www.apache.org/licenses/LICENSE-2.0

```

```

*

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/
/*

* Written by Robert Harder and released to the public domain, as explained at
* <http://creativecommons.org/licenses/publicdomain>

*/
/**

* Utility class for { @link ByteBuf } that encodes and decodes to and from
* [Base64](http://en.wikipedia.org/wiki/Base64) notation.

* <p>
*

The encoding and decoding algorithm in this class has been derived from
* [Robert Harder's Public Domain](http://iharder.sourceforge.net/current/java/base64/)
* Base64 Encoder/Decoder.

*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/Base64.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/
/*

* Written by Robert Harder and released to the public domain, as explained at
* <http://creativecommons.org/licenses/publicdomain>

*/
/**

* Enumeration of supported Base64 dialects.

* <p>

* The internal lookup tables in this class has been derived from

* Robert
Harder's Public Domain
* Base64 Encoder/Decoder.
*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/Base64Dialect.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageToMessageDecoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/Delimiters.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/package-info.java

*

/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/ZlibEncoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/bytes/package-info.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/MarshallerProvider.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/ZlibDecoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java

```

*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageAggregator.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/CorruptedFrameException.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageToByteEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/CompressionException.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/ZlibWrapper.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/string/StringDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/ZlibUtil.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/ObjectEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/string/StringEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/ClassResolver.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibEncoder.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/CachingClassResolver.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/Base64Decoder.java

```

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/MessageToMessageEncoder.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/marshalling/package-info.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/compression/package-info.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/protobuf/package-info.java
 *
 /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/serialization/WeakReferenceMap.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/UnsupportedMessageTypeException.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/compression/DecompressionException.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/MessageToMessageCodec.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/LineBasedFrameDecoder.java
 *
 /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/serialization/SoftReferenceMap.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/ByteToMessageDecoder.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/DecoderException.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/string/package-info.java
 *
 /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/compression/JZlibEncoder.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
 jar/io/netty/handler/codec/compression/JZlibDecoder.java
 * /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-

```

jar/io/netty/handler/codec/TooLongFrameException.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/ByteToMessageCodec.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/ObjectDecoder.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/package-info.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/EncoderException.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/CodecException.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/ReferenceMap.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/LengthFieldPrepender.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/Base64Encoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Snappy.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/ClassResolvers.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/PrematureChannelClosureException.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java

```

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ValueConverter.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/CharSequenceValueConverter.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/DefaultHeadersImpl.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/Headers.java


```
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/EmptyHeaders.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DefaultHeaders.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Crc32c.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/CodecOutputList.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/CompressionUtil.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/string/LineSeparator.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/ByteBufChecksum.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/string/LineEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DateFormatter.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DatagramPacketEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DatagramPacketDecoder.java
```

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

```
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/META-
INF/maven/io.netty.netty-codec/pom.xml
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/UnsupportedValueConverter.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ProtocolDetectionState.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ProtocolDetectionResult.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/HeadersUtils.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/AsciiHeadersEncoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/MessageAggregationException.java

*

/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/FastLz.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2Constants.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Crc32.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java

*

/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/json/package-info.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/DecoderResultProvider.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2Decoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java

*

/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitReader.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/json/JsonObjectDecoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java

```

* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Encoder.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/LzfEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Rand.java
* /opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java
*
/opt/cola/permits/177815164_1695328330.9301789/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/LzfDecoder.java

```

1.96 netty-buffer 4.1.17.Final

1.96.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ByteBufAllocatorMetric.java

```

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufAllocatorMetricProvider.java

*

/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledByteBufAllocatorMetric.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnsafeHeapSwappedByteBuf.java

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnsafeDirectSwappedByteBuf.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-

```
jar/io/netty/buffer/AbstractUnsafeSwappedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolSubpageMetric.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolChunkListMetric.java
*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/HeapByteBufUtil.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolArenaMetric.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolChunkMetric.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledUnsafeHeapByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledDuplicatedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnsafeByteBufUtil.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledSlicedByteBuf.java
*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledUnsafeHeapByteBuf.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

```
Found in path(s):
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/META-
INF/maven/io.netty/netty-buffer/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
```

*
* The Netty Project licenses this file to the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledHeapByteBuf.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufProcessor.java

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufHolder.java

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ReadOnlyByteBufferBuf.java

*

/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/DefaultByteBufHolder.java

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ReadOnlyUnsafeDirectByteBuf.java

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/SimpleLeakAwareByteBuf.java

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-

jar/io/netty/buffer/AbstractReferenceCountedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AdvancedLeakAwareByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/EmptyByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledUnsafeDirectByteBuf.java
*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnreleasableByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/FixedCompositeByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AbstractDerivedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/WrappedByteBuf.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AdvancedLeakAwareCompositeByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledUnsafeNoCleanerDirectByteBuf.java
*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledSlicedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/WrappedCompositeByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledDuplicatedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AbstractPooledDerivedByteBuf.java

```
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/WrappedUnpooledUnsafeDirectByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/SimpleLeakAwareCompositeByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AbstractUnpooledSlicedByteBuf.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/SlicedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/DuplicatedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ByteBufUtil.java
*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ReadOnlyByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/Unpooled.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AbstractByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolSubpage.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/package-info.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/SwappedByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledHeapByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ByteBufInputStream.java
```

```

*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolChunkList.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/CompositeByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolChunk.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ByteBufAllocator.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/AbstractByteBufAllocator.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledByteBufAllocator.java
*
/opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/ByteBufOutputStream.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledDirectByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolThreadCache.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/UnpooledUnsafeDirectByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PoolArena.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledDirectByteBuf.java
* /opt/cola/permits/177815324_1695327894.7875328/0/netty-buffer-4-1-17-final-sources-
jar/io/netty/buffer/PooledByteBufAllocator.java

```

1.97 netty-handler 4.1.17.Final

1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ClientAuth.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java
*

/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/SslContextBuilder.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/OpenSslJavaxX509Certificate.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNames.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ocsp/package-info.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java

```
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/OptionalSslHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/AbstractSniHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/Java9SslEngine.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/Java9SslUtils.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/SslCompletionEvent.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/Conscrypt.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/traffic/TrafficCounter.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java

*

/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/traffic/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

// Try the OpenJDK's proprietary implementation.

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-handler/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io.netty.handler.ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/flow/package-info.java

*

/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/flush/package-info.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/PemEncoded.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslExtendedKeyMaterialManager.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java

*

/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/PemValue.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java
- *
- /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkSslEngine.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslEngine.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/SslUtils.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/CipherSuiteFilter.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/SslProvider.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkSslServerContext.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSsl.java
- *
- /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslContext.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/SslContext.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
- * /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
- *

/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ipfilter/UniqueIpFilter.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/SniHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ipfilter/IpFilterRuleType.java
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/PemReader.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkSslClientContext.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslClientContext.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslEngineMap.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ipfilter/IpFilterRule.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ipfilter/package-info.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslSessionContext.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/OpenSslServerContext.java
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-jar/io/netty/handler/ssl/Java7SslParametersUtils.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-

jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolConfig.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionStats.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/CipherSuiteConverter.java
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/JdkSslContext.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/OpenSslX509Certificate.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/JettyNpnSslEngine.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version

* 2.0 (the "License"); you may not use this file except in compliance with the

* License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/ChunkedInput.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/package-info.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/ChunkedStream.java

*

/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/IdleState.java

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/logging/package-info.java

```

* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/WriteTimeoutException.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/ChunkedNioFile.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/IdleStateHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/TimeoutException.java
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/logging/LoggingHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/IdleStateEvent.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/package-info.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/ReadTimeoutException.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/NotSslRecordException.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/util/package-info.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/ChunkedNioStream.java
*
/opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/package-info.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/ssl/SslHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/stream/ChunkedFile.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/ReadTimeoutHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/timeout/WriteTimeoutHandler.java
* /opt/cola/permits/177817459_1695327911.2007577/0/netty-handler-4-1-17-final-sources-
jar/io/netty/handler/logging/LogLevel.java

```

1.98 netty-codec-socks 4.1.17.Final

1.98.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2012 The Netty Project
*

```

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java
*
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java
*
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java
*

/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java
*
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java
*
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java
*
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-

jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/package-info.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/SocksProtocolVersion.java
*
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socksx/SocksVersion.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/SocksMessageType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-
jar/io/netty/handler/codec/socks/SocksAuthScheme.java
*

/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksAddressType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socks/SocksRequestType.java
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java
No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ http://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java
 - *
 - /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/package-info.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java
 - *
 - /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java
 - *
 - /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v4/package-info.java
 - * /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java
- No license file was found, but licenses were detected in source scan.
- /*
 - * Copyright 2015 The Netty Project
 - *

```
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java  
* /opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java  
*  
/opt/cola/permits/177819436_1695327921.4857454/0/netty-codec-socks-4-1-17-final-sources-  
jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java
```

1.99 netty-handler-proxy 4.1.17.Final

1.99.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-  
jar/io/netty/handler/proxy/package-info.java  
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-
```

```
jar/io/netty/handler/proxy/Socks4ProxyHandler.java
*
/opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-
jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-
jar/io/netty/handler/proxy/HttpProxyHandler.java
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-
jar/io/netty/handler/proxy/ProxyConnectionEvent.java
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-
jar/io/netty/handler/proxy/ProxyConnectException.java
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-
jar/io/netty/handler/proxy/ProxyHandler.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

```
Found in path(s):
* /opt/cola/permits/177821001_1695327924.204742/0/netty-handler-proxy-4-1-17-final-sources-jar/META-
INF/maven/io.netty/netty-handler-proxy/pom.xml
```

1.100 coffee-script 1.12.7

1.100.1 Available under license :

Copyright (c) 2009-2017 Jeremy Ashkenas

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.101 spring-boot-autoconfigure

1.5.12.RELEASE

1.101.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/AuthenticationManagerConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/elasticsearch/jest/HttpClientConfigBuilderCustomizer.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/AbstractDatabaseInitializer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastAutoConfiguration.java
```

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisConnectionFactoryFactory.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/PrincipalExtractor.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/thymeleaf/AbstractThymeleafViewResolverConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/redis/RedisProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/JdbcTemplateAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/GuavaCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/domain/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/GenericCacheConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/groovy/template/GroovyTemplateAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/InfinispanCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/WebMvcRegistrations.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadataProvidersConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/jta/JndiJtaConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/SpringSocialTokenServices.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/FallbackWebSecurityAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnMissingClass.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/logging/AutoConfigurationReportLoggingInitializer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/DefaultErrorViewResolver.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/JmsAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/websocket/WebSocketContainerCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/integration/IntegrationAutoConfigurationScanRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnProperty.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/domain/EntityScanner.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mongo/MongoAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/jta/JtaProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/HttpEncodingProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/elasticsearch/jest/JestAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/solr/SolrRepositoriesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/HashMapSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/kafka/KafkaAnnotationDrivenConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cassandra/ClusterBuilderCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnJndiCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/redis/RedisRepositoriesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mobile/DeviceDelegatingViewResolverFactory.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnWebApplicationCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2SsoCustomConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/HazelcastSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/TwitterAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/liquibase/LiquibaseDataSource.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/HttpEncodingAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/websocket/WebSocketAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/aop/AopAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/EhCacheCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/sendgrid/SendGridProperties.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/SocialProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/HttpMessageConverters.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/redis/RedisRepositoriesAutoConfigureRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/FixedPrincipalExtractor.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnCloudPlatform.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/CommonsDbcDataSourcePoolMetadata.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/neo4j/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/WebMvcRegistrationsAdapter.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/DispatcherServletAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ResourceCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/FacebookAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/EmbeddedDataSourceConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/UserInfoRestTemplateCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/JspTemplateAvailabilityProvider.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/HttpMessageConvertersAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/SpringBootCouchbaseDataConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/h2/H2ConsoleAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jackson/JacksonProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnExpression.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/websocket/WebSocketMessagingAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/logging/ConditionEvaluationReportMessage.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cassandra/CassandraProperties.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/SpringBootCouchbaseConfigurer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jRepositoriesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/NoOpSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/template/TemplateAvailabilityProviders.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mustache/MustacheAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseRepositoriesRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastConfigResourceCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnExpressionCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/BackgroundPreinitializer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/JdbcSessionDatabaseInitializer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/thymeleaf/AbstractTemplateResolverConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mongo/embedded/EmbeddedMongoProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/XADataSourceAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/validation/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/HikariDriverConfigurationFailureAnalyzer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/template/AbstractViewResolverProperties.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CacheConfigurations.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnJavaCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/LinkedInAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/integration/IntegrationAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceBeanCreationFailureAnalyzer.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/SharedMetadataReaderFactoryContextInitializer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/webservices/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/HazelcastInstanceConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisEmbeddedConfigurationFactory.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/AbstractNestedCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/rest/RepositoryRestMvcAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/SsoSecurityConfigurer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/MultipartAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/batch/JobLauncherCommandLineRunner.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cassandra/CassandraAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AbstractDependsOnBeanFactoryPostProcessor.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/domain/EntityScanPackages.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/JdbcSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/kafka/KafkaAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CacheManagerCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/mongo/MongoRepositoriesAutoConfigureRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/couchbase/CouchbaseProperties.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/SocialAutoConfigurerAdapter.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/thymeleaf/ThymeleafAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/StoreType.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/PlatformTransactionManagerCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnCloudPlatformCondition.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ConditionalOnEnabledResourceChain.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/IndiConnectionFactoryAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/sendgrid/SendGridAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/SessionStoreMappings.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ErrorMvcAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/elasticsearch/jest/package-info.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/batch/BatchDatabaseInitializer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jackson/Jackson2ObjectMapperBuilderCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/hateoas/HypermediaAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/couchbase/OnBootstrapHostsCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/domain/EntityScan.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mail/MailSenderAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/RedisCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jRepositoriesAutoConfigureRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/info/ProjectInfoAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jackson/JacksonAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/DefaultJmsListenerContainerFactoryConfigurer.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/orm/jpa/HibernateVersion.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseConfigurerAdapterConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mail/MailSenderValidatorAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2SsoDefaultConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastJpaDependencyAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mail/JndiSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/WebClientAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseRepositoriesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionOutcome.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/AbstractDataSourcePoolMetadata.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseDataAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/webservices/WebServicesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/SecurityFilterAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/kafka/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ExceptionHandler.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisEmbeddedServerConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jersey/ResourceConfigCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/jta/JtaAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnWebApplication.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/kafka/ConcurrentKafkaListenerContainerFactoryConfigurer.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/JmsAnnotationDrivenConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/IgnoredRequestCustomizer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mobile/DeviceDelegatingViewResolverAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionEvaluationReport.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/FixedAuthoritiesExtractor.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/jpa/JpaRepositoriesAutoConfigureRegistrar.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/freemarker/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/MongoSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CaffeineCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceBuilder.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/HazelcastCacheConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseDataProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/cassandra/CassandraRepositoriesAutoConfigureRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/diagnostics/analyzer/NoSuchBeanDefinitionFailureAnalyzer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jersey/JerseyAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/JmsProperties.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CacheAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/kafka/KafkaProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/SimpleCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnResourceCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mobile/DeviceResolverAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/couchbase/package-info.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/amqp/RabbitAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigurationExcludeFilter.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mustache/web/MustacheViewResolver.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/OAuth2AutoConfiguration.java

```
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mobile/SitePreferenceAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/transaction/jta/AtomikosJtaConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/solr/SolrAutoConfiguration.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jooq/JooqAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/cache/CacheProperties.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mustache/MustacheCompilerFactoryBean.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnBean.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/batch/BasicBatchConfigurer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/web/EmbeddedServletContainerAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/UserInfoRestTemplateFactory.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnClass.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/AllNestedConditions.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/transaction/TransactionProperties.java
```

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/authserver/AuthorizationServerProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/LinkedInProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigurationMetadata.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/SessionProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/TransactionManagerCustomizers.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/jta/BitronixJtaConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/Http401AuthenticationEntryPoint.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/JCachePropertiesCustomizer.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2SsoProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jooq/JooqExceptionTranslator.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/ImportAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/ldap/LdapRepositoriesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnSingleCandidate.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jDataAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/TwitterProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigurationImportListener.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/dao/PersistenceExceptionTranslationAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/authserver/OAuth2AuthorizationServerConfiguration.java

ava

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/MultipartProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchDataAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-

jar/org/springframework/boot/autoconfigure/transaction/jta/NarayanaJtaConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mobile/DeviceDelegatingViewResolverProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/liquibase/LiquibaseAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/AutoConfigurationImportFilter.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/DefaultUserInfoRestTemplateFactory.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQConnectionFactoryConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/ldap/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/web/OnEnabledResourceChainCondition.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/JndiDataSourceAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/social/SocialWebAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/mongo/MongoDataAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/ldap/embedded/EmbeddedLdapAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/orm/jpa/HibernateJpaAutoConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/elasticsearch/jest/JestProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/ldap/LdapProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jersey/JerseyProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceTransactionManagerAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/amqp/RabbitAnnotationDrivenConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/OAuth2ResourceServerConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/ResourceServerProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-


```

jar/org/springframework/boot/autoconfigure/cache/HazelcastJCacheCustomizationConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/method/OAuth2MethodSecurityConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/AutoConfigurationImportEvent.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/freemarker/FreeMarkerTemplateAvailabilityProvider.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceInitializer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/AutoConfigurationPackages.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/hateoas/HypermediaHttpMessageConverterConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/ImportAutoConfigurationImportSelector.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/validation/ValidationAutoConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/NoneNestedConditions.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/amqp/RabbitProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/EnableAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/validation/PrimaryDefaultValidatorPostProcessor.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/JwtAccessTokenConverterRestTemplateCusto
mizer.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/cache/CacheManagerCustomizers.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/SpringBootWebSecurityConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/orm/jpa/DatabaseLookup.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/AutoConfigurationSorter.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/template/PathBasedTemplateAvailabilityProvider.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQXAConnectionFactoryConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/OnClassCondition.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/amqp/SimpleRabbitListenerContainerFactoryConfigurer.java

```

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/ldap/LdapDataAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/WebMvcProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionEvaluationReportAutoConfigurationImportListener.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/SpringBootApplication.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/flyway/FlywayProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/JCacheCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/ldap/LdapRepositoriesRegistrar.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/ResourceServerTokenServicesConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/groovy/template/GroovyTemplateAvailabilityProvider.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnMissingBean.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/SpringBootCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/h2/H2ConsoleProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQConnectionFactoryCustomizer.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionMessage.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/orm/jpa/DataSourceInitializedPublisher.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/thymeleaf/ThymeleafProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mongo/MongoProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/admin/SpringApplicationAdminJmxAutoConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/context/PropertyPlaceholderAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceProperties.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/liquibase/LiquibaseProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/orm/jpa/JpaProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mongo/embedded/EmbeddedMongoAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/UserInfoTokenServices.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/TransactionAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigurationMetadataLoader.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mustache/MustacheProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/FacebookProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/PropertyPlaceholderAutoConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/batch/BatchProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/rest/SpringBootRepositoryRestConfigurer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/ldap/LdapAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/freemarker/FreeMarkerAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/WebMvcValidator.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/EnableAutoConfigurationImportSelector.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/OAuth2ClientProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/rest/RepositoryRestProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/couchbase/CouchbaseAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/info/ProjectInfoProperties.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/ldap/embedded/EmbeddedLdapProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/mongo/MongoRepositoriesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/ldap/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2ProtectedResourceDetailsConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/MessageSourceAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/orm/jpa/JpaBaseConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/AnyNestedCondition.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigurationImportSelector.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/webservices/WebServicesProperties.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/EmbeddedDatabaseConnection.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/SecurityProperties.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ResourceProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CacheCondition.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/cassandra/CassandraDataAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/RedisSessionConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/SessionAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ServerProperties.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/BasicErrorController.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2RestOperationsConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/WebMvcAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/EnableOAuth2SsoCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/session/SessionCondition.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisXAConnectionFactoryConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/BeanTypeRegistry.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/AbstractErrorController.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CacheType.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/SearchStrategy.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQConnectionFactoryFactory.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/flyway/FlywayAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnPropertyCondition.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/redis/RedisAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/context/MessageSourceAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/CouchbaseCacheConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/batch/BatchAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ServerPropertiesAutoConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/OnBeanCondition.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mustache/MustacheTemplateAvailabilityProvider.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/package-info.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisConfigurationCustomizer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/thymeleaf/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/web/NonRecursivePropertyPlaceholderHelper.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/websocket/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisNoOpBindingRegistry.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/freemarker/FreeMarkerProperties.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/admin/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/solr/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/AutoConfigureOrder.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchProperties.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/groovy/template/package-info.java
```

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jmx/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/mongo/MongoClientDependsOnBeanFactoryPostProcessor.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/NoOpCacheConfiguration.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cache/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/dao/package-info.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadataProvider.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigurationPackage.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/DefaultErrorAttributes.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/jpa/EntityManagerFactoryDependsOnPostProcessor.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/logging/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnResource.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnJava.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/TomcatDataSourcePoolMetadata.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/JwtAccessTokenConverterConfigurer.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/GsonHttpMessageConvertersConfiguration.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/flyway/FlywayMigrationStrategy.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/gson/package-info.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/thymeleaf/ThymeleafTemplateAvailabilityProvider.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jooq/SpringTransactionProvider.java

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cloud/package-info.java

*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/web/SpringDataWebAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisMode.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/jpa/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jooq/JooqProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cassandra/package-info.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ErrorProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/flyway/FlywayMigrationInitializer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/ErrorAttributes.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/CommonsDbcp2DataSourcePoolMetadata.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/rest/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisConnectionFactoryConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/solr/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/jta/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/liquibase/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/SecurityDataConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/oauth2/client/EnableOAuth2Sso.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/groovy/template/GroovyTemplateProperties.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/mongo/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jmx/ParentAwareNamingStrategy.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/transaction/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mustache/MustacheEnvironmentCollector.java
*

/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jms/artemis/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/cloud/CloudAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigureAfter.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/aop/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mustache/web/MustacheView.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/reactor/ReactorAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/reactor/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadataProviders.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/security/SecurityAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jersey/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/social/package-info.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/mustache/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/hateoas/HateoasProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadata.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/web/JacksonHttpMessageConvertersConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/data/elasticsearch/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnJndi.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/jooq/SpringTransaction.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/hazelcast/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-jar/org/springframework/boot/autoconfigure/AutoConfigureBefore.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-

```

jar/org/springframework/boot/autoconfigure/cache/JCacheManagerCustomizer.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/orm/jpa/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/web/ErrorHandler.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/activemq/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/SecurityAuthorizeMode.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jms/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/hateoas/package-info.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/batch/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mail/MailProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/context/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/template/AbstractTemplateViewResolverProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jooq/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/cassandra/CassandraRepositoriesAutoConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mobile/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mustache/MustacheResourceTemplateLoader.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/web/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/context/ConfigurationPropertiesAutoConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/template/TemplateAvailabilityProvider.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/template/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mongo/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/amqp/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-

```

jar/org/springframework/boot/autoconfigure/jmx/JmxAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/cassandra/package-info.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mail/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/flyway/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/redis/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/mustache/web/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jackson/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/flyway/FlywayDataSource.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/integration/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/AuthoritiesExtractor.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastInstanceFactory.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/BootGlobalAuthenticationConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/AbstractRepositoryConfigurationSourceSupport.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012-2014 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceInitializerPostProcessor.java

```
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/template/TemplateLocation.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchRepositoriesAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/gson/GsonAutoConfiguration.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/websocket/JettyWebSocketContainerCustomizer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchRepositoriesRegistrar.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/websocket/UndertowWebSocketContainerCustomizer.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/data/solr/SolrRepositoriesRegistrar.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceInitializedEvent.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/package-info.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/websocket/TomcatWebSocketContainerCustomizer.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/solr/SolrProperties.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/jdbc/metadata/HikariDataSourcePoolMetadata.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/security/SecurityPrerequisite.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
```

```
jar/org/springframework/boot/autoconfigure/data/jpa/JpaRepositoriesAutoConfiguration.java
*
/opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnNotWebApplication.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/batch/JobExecutionExitCodeGenerator.java
* /opt/cola/permits/179477831_1695330482.805969/0/spring-boot-autoconfigure-1-5-12-release-sources-
jar/org/springframework/boot/autoconfigure/batch/JobExecutionEvent.java
```

1.102 spring-boot 1.5.12.RELEASE

1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/LazySessionIdGenerator.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/LoggingFailureAnalysisReporter.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/java/JavaLoggingSystem.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/FailureAnalysisReporter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/narayana/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/hibernate/SpringPhysicalNamingStrategy.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/PortInUseException.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
```

jar/org/springframework/boot/type/classreading/ConcurrentReferenceCachingMetadataReaderFactory.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ExitCodeExceptionMapper.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/client/RootUriTemplateHandler.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/YamlJavaBeanPropertyConstructor.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/analyzer/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/RandomValuePropertySource.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/analyzer/NoUniqueBeanDefinitionFailureAnalyzer.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletContextInitializer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/RelaxedPropertyResolver.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/FailureAnalysis.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ExitCodeEvent.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/SpringApplicationBannerPrinter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/filter/OrderedCharacterEncodingFilter.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/AbstractFilterRegistrationBean.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jackson/JsonComponent.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/filter/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/LocalServerPort.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/analyzer/ConnectorStartFailureAnalyzer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/info/BuildProperties.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/AbstractConfigurableEmbeddedServletContainer.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/SpringBootExceptionHandler.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

jar/org/springframework/boot/context/embedded/ConfigurableEmbeddedServletContainer.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/servlet/WebServletHandler.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/servlet/WebListenerHandler.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/Slf4JLoggingSystem.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/narayana/NarayanaXAConnectionFactoryWrapper.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/diagnostics/analyzer/AbstractInjectionFailureAnalyzer.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/lang/UsesUnsafeJava.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/bitronix/PoolingDataSourceBean.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/bind/PropertySourceUtils.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/ResourceBanner.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/SpringApplicationRunListeners.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/diagnostics/analyzer/ValidationExceptionFailureAnalyzer.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/ClasspathLoggingApplicationListener.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/tomcat/TldSkipPatterns.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/servlet/ErrorHandlerRegistrar.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/JspServlet.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/narayana/NarayanaDataSourceBean.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/SpringBootConfiguration.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/Ssl.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/bitronix/PoolingConnectionFactoryBean.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/logback/LevelRemappingAppender.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/narayana/NarayanaXADataSourceWrapper.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/servlet/FilterRegistrationBean.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/analyzer/BeanNotOfRequiredTypeFailureAnalyzer.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/SslStoreProvider.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/SslStoreProviderUrlStreamHandlerFactory.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatStarter.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/EmbeddedWebApplicationContext.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/EnvironmentPostProcessor.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/servlet/ServletComponentHandler.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/LoggingSystemProperties.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/filter/OrderedHttpPutFormContentFilter.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ExitCodeGenerators.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/SpringApplicationRunListener.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatErrorPage.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/DefaultApplicationArguments.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/event/ApplicationStartingEvent.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jackson/package-info.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ImageBanner.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/system/SystemProperties.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedContext.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/PropertiesPropertySourceLoader.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/FailureAnalyzer.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/InitParameterConfiguringServletContextInitializer.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/orm/jpa/hibernate/SpringImplicitNamingStrategy.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/MimeMappings.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/BeanDefinitionLoader.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/servlet/DelegatingFilterProxyRegistrationBean.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/Compression.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/AbstractFailureAnalyzer.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/RelaxedDataBinder.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/LogFile.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/ContextIdApplicationContextInitializer.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/info/InfoProperties.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/analyzer/PortInUseFailureAnalyzer.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/admin/SpringApplicationAdminMXBeanRegistrar.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/EmbeddedServletContainerFactory.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/FileSessionPersistence.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/YamlPropertySourceLoader.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/client/RestTemplateCustomizer.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/orm/jpa/hibernate/SpringJtaPlatform.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/config/ResourceNotFoundException.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/servlet/ErrorMessageRegistry.java

*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/jetty/ServletContextInitializerConfiguration.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jackson/JsonObjectSerializer.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/narayana/DataSourceXAResourceRecoveryHelper.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/GsonJsonParser.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

```

jar/org/springframework/boot/web/servlet/ServletComponentScan.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/event/ApplicationStartedEvent.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/WebFilterHandler.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/ServerPortInfoApplicationContextInitializer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JasperInitializer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/narayana/NarayanaBeanFactoryPostProcessor.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ClearCachesApplicationListener.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/EnableConfigurationPropertiesImportSelector.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/hibernate/SpringNamingStrategy.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertySourcesBinder.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/log4j2/SpringBootConfigurationFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/DefaultLogbackConfiguration.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiColors.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/SpringPropertyAction.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/system/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/FileEncodingApplicationListener.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/filter/OrderedHiddenHttpMethodFilter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/ConnectorStartFailedException.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/EntityManagerFactoryBuilder.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletRegistrationBean.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LoggingSystem.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

```

```
jar/org/springframework/boot/web/filter/OrderedRequestContextFilter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiElement.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ApplicationHome.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/RegistrationBean.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletListenerRegistrationBean.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/narayana/NarayanaConfigurationBean.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/ConfigurationPropertiesBindingPostProcessorRegistrar.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/DelegatingApplicationContextInitializer.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/java/SimpleFormatter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/WhitespaceThrowableProxyConverter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/TomcatContextCustomizer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/TomcatConnectorCustomizer.java
```

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/package-info.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/logback/ExtendedWhitespaceThrowableProxyConverter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/YamlJsonParser.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/LogLevel.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/EmbeddedServletContainerException.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/WebApplicationContextServletContextAwareProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/RelaxedNames.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jdbc/DatabaseDriver.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/RelaxedConversionService.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/client/RestTemplateBuilder.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/BasicJsonParser.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedServletContainerFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/UndertowEmbeddedServletContainerFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

```

jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedServletContainer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/ConfigurationPropertiesBindingPostProcessor.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jackson/JsonObjectDeserializer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/MultipartConfigFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedServletContainer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletComponentScanRegistrar.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/TomcatResources.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/env/PropertySourcesLoader.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertiesConfigurationFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedServletContainerFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/AbstractEmbeddedServletContainerFactory.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertySourcesPropertyValues.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiOutput.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LoggingApplicationListener.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/system/ApplicationPidFileWriter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/support/ErrorHandler.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/liquibase/LiquibaseServiceLocatorApplicationListener.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/filter/ApplicationContextHeaderFilter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/AnsiOutputApplicationListener.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/system/EmbeddedServerPortFileWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/ConfigurationWarningsApplicationContextInitializer.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/servlet/ErrorResponse.java
- *
- /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/log4j2/ColorConverter.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/analyzer/BeanCurrentlyInCreationFailureAnalyzer.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/config/ConfigFileApplicationListener.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/TypeExcludeFilter.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ansi/AnsiPropertySource.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/cloud/CloudFoundryVcapEnvironmentPostProcessor.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/atomikos/AtomikosProperties.java
- *
- /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ExitCodeGenerator.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/UndertowEmbeddedServletContainer.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/admin/SpringApplicationAdminMxBean.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/CompositeResourceManager.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/AbstractLoggingSystem.java
- * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/builder/SpringApplicationBuilder.java
- *
- /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/event/EventPublishingRunListener.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/narayana/NarayanaRecoveryManagerBean.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/logback/ColorConverter.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/annotation/package-info.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/support/ErrorHandlerConfiguration.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/builder/ParentContextApplicationContextInitializer.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/undertow/JarResourceManager.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/json/JacksonJsonParser.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/diagnostics/FailureAnalyzers.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/properties/ConfigurationProperties.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/LoggerConfigurationComparator.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/config/DelegatingApplicationListener.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/EnvironmentConverter.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/bind/YamlConfigurationFactory.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/log4j2/Log4J2LoggingSystem.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/support/ServletContextApplicationContextInitializer.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/narayana/NarayanaProperties.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/tomcat/SkipPatternJarScanner.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedWebappClassLoader.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/LoggerConfiguration.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/servlet/ServletContextInitializerBeans.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/yaml/SpringProfileDocumentMatcher.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/web/support/SpringBootServletInitializer.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

```
jar/org/springframework/boot/SpringApplication.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/validation/MessageInterpolatorFactory.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/validation/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/NestedConfigurationProperty.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/annotation/DeterminableImports.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/diagnostics/analyzer/BindFailureAnalyzer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/EmbeddedServletContainerCustomizerBeanPostProcessor.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/LogbackLoggingSystem.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ErrorHandlerRegistrarBeanPostProcessor.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/info/GitProperties.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedErrorHandler.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletComponentRegisteringPostProcessor.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jackson/JsonComponentModule.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ApplicationPid.java
```


* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/EmbeddedServletContainerCustomizer.java
*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/liquibase/ CommonsLoggingLiquibaseLogger.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/log4j2/ExtendedWhitespaceThrowablePatternConverter.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/PropertyOrigin.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/bitronix/package-info.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/atomikos/package-info.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/properties/DeprecatedConfigurationProperty.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/cloud/CloudPlatform.java
*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ApplicationArguments.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/event/ApplicationReadyEvent.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/event/package-info.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/properties/ConfigurationPropertiesBinding.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/JsonParser.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/OriginCapablePropertyValue.java
*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ApplicationTemp.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/PropertySourceLoader.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/JsonJsonParser.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/atomikos/AtomikosConnectionFactoryBean.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/orm/jpa/hibernate/package-info.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/JsonParserFactory.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/properties/ConfigurationBeanFactoryMetaData.java
*

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/XAConnectionFactoryWrapper.java

* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/AnnotationConfigEmbeddedWebApplicationContext.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/ansi/AnsiBackground.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/admin/package-info.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/SpringBootBanner.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/logback/SpringBootJoranConfigurator.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/cloud/package-info.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/bind/RelaxedBindingNotWritablePropertyException.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/SpringBootVersion.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/EmbeddedServletContainer.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/atomikos/AtomikosDataSourceBean.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/properties/EnableConfigurationProperties.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/lang/package-info.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/event/ApplicationFailedEvent.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/env/SpringApplicationJsonEnvironmentPostProcessor.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/ApplicationRunner.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/DeferredLog.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/bind/InetAddressEditor.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/logging/log4j2/WhitespaceThrowablePatternConverter.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/ansi/AnsiStyle.java
 *
 /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/context/embedded/XmlEmbeddedWebApplicationContext.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/builder/ParentContextCloserApplicationListener.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
 jar/org/springframework/boot/jta/XADataSourceWrapper.java
 * /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

```
jar/org/springframework/boot/logging/LoggingInitializationContext.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/CommandLineRunner.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiColor.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/SpringProfileAction.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/DefaultPropertyNamePatternsMatcher.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/package-info.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/bitronix/BitronixXADataSourceWrapper.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/undertow/UndertowBuilderCustomizer.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/AtomikosDependsOnBeanFactoryPostProcessor.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/yaml/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/JsonSimpleJsonParser.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/java/package-info.java
*
```

```

/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/env/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/liquibase/SpringPackageScanClassResolver.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/env/EnumerableCompositePropertySource.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/bitronix/BitronixXAConnectionFactoryWrapper.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/event/ApplicationPreparedEvent.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyServerCustomizer.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/LogbackConfigurator.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/bitronix/BitronixDependentBeanFactoryPostProcessor.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PatternPropertyNamePatternsMatcher.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertyNamePatternsMatcher.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/log4j2/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/AtomikosXADataSourceWrapper.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/event/SpringApplicationEvent.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/liquibase/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/undertow/UndertowDeploymentInfoCustomizer.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/Banner.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-

```

jar/org/springframework/boot/context/event/ApplicationEnvironmentPreparedEvent.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedWebAppContext.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/builder/package-info.java
*
/opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/StringToCharArrayConverter.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/AtomikosXAConnectionFactoryWrapper.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/StartupInfoLogger.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/undertow/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/package-info.java
* /opt/cola/permits/179482990_1695330631.7608247/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/EmbeddedServletContainerInitializedEvent.java

1.103 html-loader 0.5.5

1.103.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.104 ansi-colors 1.1.0

1.104.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Brian Woodward.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.105 make-iterator 1.0.1

1.105.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.106 stylis-rule-sheet 0.0.10

1.107 hoist-non-react-statics 2.5.5

1.107.1 Available under license :

Software License Agreement (BSD License)

=====

Copyright (c) 2015, Yahoo! Inc. All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Yahoo! Inc. nor the names of YUI's contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.108 randomatic 3.1.1

1.108.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.109 commons-validator 1.4.1

1.109.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.
Apache Commons Validator
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.110 array-slice 0.2.3

1.110.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert. Copyright (c) 2012-2015, The Dojo Foundation. copyright (c) 2009-2015, Jeremy Ashkenas.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.111 filesize 3.6.1

1.111.1 Available under license :

Copyright (c) 2018, Jason Mulligan
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of filesize nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.112 frac 1.1.2

1.112.1 Available under license :

Copyright (C) 2012-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.113 import-cwd 2.1.0

1.113.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.114 import-from 2.1.0

1.114.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.115 printj 1.1.2

1.115.1 Available under license :

Copyright (C) 2016-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.116 schema-utils 0.4.7

1.116.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.117 tryer 1.0.1

1.117.1 Available under license :

Copyright 2013, 2017 Phil Booth

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.118 javax-annotation-api 1.3.2

1.118.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is

addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.119 color-convert 1.9.3

1.119.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.120 he 1.2.0

1.120.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.121 merge 1.2.1

1.121.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.122 nth-check 1.0.2

1.122.1 Available under license :

The 2-Clause BSD License

SPDX short identifier: BSD-2-Clause

Note: This license has also been called the "Simplified BSD License" and the "FreeBSD License". See also the 3-clause BSD License.

Copyright <YEAR> <COPYRIGHT HOLDER>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.123 stylis 3.5.4

1.123.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.124 ajv-errors 1.0.1

1.124.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.125 hoopy 0.1.4

1.125.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.126 mississippi 3.0.0

1.126.1 Available under license :

The 2-Clause BSD License

SPDX short identifier: BSD-2-Clause

Note: This license has also been called the "Simplified BSD License" and the "FreeBSD License". See also the 3-clause BSD License.

Copyright <YEAR> <COPYRIGHT HOLDER>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.127 postcss-loader 3.0.0

1.127.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.128 schema-utils 1.0.0

1.128.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.129 stream-each 1.2.3

1.129.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.130 webpack-log 2.0.0

1.130.1 Available under license :

MIT License

SPDX short identifier: MIT

Copyright <YEAR> <COPYRIGHT HOLDER>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.131 rw 1.3.3

1.131.1 Available under license :

Copyright (c) 2014-2016, Michael Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* The name Michael Bostock may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL MICHAEL BOSTOCK BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.132 loader-utils 1.2.3

1.133 stax-ex 1.8

1.134 coffee-loader 0.7.3

1.134.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.135 worker-loader 2.0.0

1.135.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.136 1to2 1.0.0

1.136.1 Available under license :

MIT

1.137 css-what 2.1.3

1.137.1 Available under license :

Copyright (c) Felix Böhm
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.138 httpcore-nio 4.4.1

1.138.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache HttpCore NIO
Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.139 commons-collections 4.1

1.139.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.140 httpasyncclient 4.1

1.140.1 Available under license :

Apache HttpAsyncClient

Copyright 2010-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.141 commons-configuration 1.10

1.141.1 Available under license :

Apache Commons Configuration
Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.142 recompose 0.30.0

1.142.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2018 Andrew Clark

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.143 ansi-colors 3.2.4

1.143.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present, Brian Woodward.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.144 eslint-scope 4.0.3

1.144.1 Available under license :

Copyright JS Foundation and other contributors, <https://js.foundation>

Copyright (C) 2012-2013 Yusuke Suzuki (twitter: @Constellation) and other contributors.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.145 flush-write-stream 1.1.1

1.145.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.146 homedir-polyfill 1.0.3

1.146.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Brian Woodward

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.147 commons-codec 1.9

1.147.1 Available under license :

Apache Commons Codec

Copyright 2002-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.148 commons-fileupload 1.4

1.148.1 Available under license :

Apache Commons FileUpload
Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.149 commons-digester 1.8.1

1.149.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Digester
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.150 bfj 6.1.2

1.150.1 Available under license :

Copyright 2015, 2016 Phil Booth

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.151 xmlsec 1.5.7

1.151.1 Available under license :

Apache XML Security for Java
Copyright 2000-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.152 reflections 0.9.11

1.152.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>The New BSD License</name>

Found in path(s):

* /opt/cola/permits/1000000666_1646171445.29/0/reflections-0-9-11-sources-jar/META-INF/maven/org.reflections/reflections/pom.xml

1.153 resourcelocator 1.0.1

1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright 2009 Sun Microsystems, Inc. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can obtain

* a copy of the License at <https://glassfish.dev.java.net/public/CDDL+GPL.html>

* or glassfish/bootstrap/legal/LICENSE.txt. See the License for the specific

- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at glassfish/bootstrap/legal/LICENSE.txt.
- * Sun designates this particular file as subject to the "Classpath" exception
- * as provided by Sun in the GPL Version
- 2 section of the License file that
- * accompanied this code. If applicable, add the following below the License
- * Header, with the fields enclosed by brackets [] replaced by your own
- * identifying information: "Portions Copyrighted [year]
- * [name of copyright owner]"
- *
- * Contributor(s):
- *
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject to such option by the copyright
- * holder.
- */

Found

in path(s):

- * /opt/cola/permits/1000000713_1654022962.973248/0/osgi-resource-locator-1-0-1-sources-jar/org/glassfish/hk2/osgiresourcelocator/ResourceFinderImpl.java
- * /opt/cola/permits/1000000713_1654022962.973248/0/osgi-resource-locator-1-0-1-sources-jar/org/glassfish/hk2/osgiresourcelocator/ServiceLoaderImpl.java
- * /opt/cola/permits/1000000713_1654022962.973248/0/osgi-resource-locator-1-0-1-sources-jar/org/glassfish/hk2/osgiresourcelocator/Activator.java
- * /opt/cola/permits/1000000713_1654022962.973248/0/osgi-resource-locator-1-0-1-sources-jar/org/glassfish/hk2/osgiresourcelocator/ServiceLoader.java
- * /opt/cola/permits/1000000713_1654022962.973248/0/osgi-resource-locator-1-0-1-sources-jar/org/glassfish/hk2/osgiresourcelocator/ResourceFinder.java

1.154 stax-api 1.0-2

1.155 grpc-context 1.9.0

1.156 opentracing-noop 0.31.0

1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016-2018 The OpenTracing Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-
jar/io/opentracing/noop/NoopTracer.java

* /opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-
jar/io/opentracing/noop/NoopSpan.java

* /opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-
jar/io/opentracing/noop/NoopSpanContext.java

*

/opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-
jar/io/opentracing/noop/NoopSpanBuilder.java

* /opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-
jar/io/opentracing/noop/NoopScopeManager.java

* /opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-
jar/io/opentracing/noop/NoopTracerFactory.java

No license file was found, but licenses were detected in source scan.

2018 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License

is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1000002513_1646171449.18/0/opentracing-noop-0-31-0-sources-jar/META-INF/maven/io.opentracing/opentracing-noop/pom.xml

1.157 grpc-protobuf-lite 1.9.0

1.158 opencensus-api 0.10.0

1.159 opencensus-contrib-grpc-metrics 0.10.0

1.160 c3p0 0.9.1.1

1.160.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software

packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The

former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code"

for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution
of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it

contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided

that the separate distribution of the work based on the Library and of the other library facilities is otherwise

permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library

subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly

through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to
distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but
may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.161 okio 1.15.0

1.162 scalap 2.10.0

1.163 velocity 1.7

1.163.1 Available under license :

Apache Velocity

Copyright (C) 2000-2007 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.164 okio 1.12.0

1.165 txw2 2.3.1

1.166 joda-convert 1.2

1.166.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<http://www.joda.org/>).

1.167 opentracing-web-servlet-filter 0.1.0

1.167.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such

license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or

otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless
required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.168 reflectasm 1.07

1.169 opentracing-util 0.31.0

1.169.1 Available under license :

No license file was found, but licenses were detected in source scan.

2018 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1000099241_1646171463.16/0/opentracing-util-0-31-0-sources-jar/META-INF/maven/io.opentracing/opentracing-util/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016-2018 The OpenTracing Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1000099241_1646171463.16/0/opentracing-util-0-31-0-sources-jar/io/opentracing/util/AutoFinishScopeManager.java

* /opt/cola/permits/1000099241_1646171463.16/0/opentracing-util-0-31-0-sources-jar/io/opentracing/util/ThreadLocalScope.java

* /opt/cola/permits/1000099241_1646171463.16/0/opentracing-util-0-31-0-sources-jar/io/opentracing/util/ThreadLocalScopeManager.java

*

/opt/cola/permits/1000099241_1646171463.16/0/opentracing-util-0-31-0-sources-jar/io/opentracing/util/GlobalTracer.java

* /opt/cola/permits/1000099241_1646171463.16/0/opentracing-util-0-31-0-sources-

1.170 javaip 0.16

1.170.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Java IPv6

Copyright 2013 Jan Van Besien

1.171 javax activation api 1.2.0

1.171.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than

Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial

ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling

of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not

remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED

HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF

COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You

agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free

Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means

either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control

compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would

not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the

author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you

permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.172 objenesis 1.2

1.172.1 Available under license :

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for Objenesis  
// -----
```

Objenesis

Copyright 2006-2009 Joe Walnes, Henri Tremblay, Leonardo Mesquita

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.173 bson4jackson 2.7.0

1.174 jtoml 1.0.0

1.175 wsdl4j 1.6.2

1.175.1 Available under license :

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and

fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any

related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such

Recipient

under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.176 classmate 0.8.0

1.177 jzlib 1.0.7

1.178 jeromq 0.3.2

1.178.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the
GNU General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the
Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse

engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

1.179 typetools 0.3.1

1.180 paranamer 2.5.6

1.181 redline 1.2.6

1.182 okhttp 2.5.0

1.183 diffutils 1.2.1

1.183.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the

Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text

file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by

brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.184 jakarta xml bind api 2.3.2

1.184.1 Available under license :

Notices for Eclipse Project for JAXB

This content is produced and maintained by the Eclipse Project for JAXB project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

Trademarks

Eclipse Project for JAXB is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0 which is available
at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaxb-api>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software.

The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.185 jakarta activation api 1.2.1

1.185.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notices for Eclipse Project for JAF

This content is produced and maintained by the Eclipse Project for JAF project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

Copyright

All content is the property of the respective authors or their employers. For

more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaf>

Third-party Content

This project leverages the following third party content.

JUnit (4.12)

* License: Eclipse Public License
Eclipse Distribution License - v 1.0
Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
/*
 * Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Distribution License v. 1.0, which is available at
 * http://www.eclipse.org/org/documents/edl-v10.php.
 *
 * SPDX-License-Identifier: BSD-3-Clause
 */
```

1.186 apiguardian-api 1.0.0

1.187 minio 4.0.0

1.188 animal-sniffer-annotation 1.14

1.189 jcip-annotation 1.0

1.189.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2005 Brian Goetz and Tim Peierls
 * Released under the Creative Commons Attribution License
 * (http://creativecommons.org/licenses/by/2.5)
 * Official home: http://www.jcip.net
 *
 * Any republication or derived work distributed in source code form
 * must include this copyright and license notice.
 */
```

Found in path(s):

```
* /opt/cola/permits/1000738273_1646171487.72/0/jcip-annotations-1-0-sources-
jar/net/jcip/annotations/ThreadSafe.java
* /opt/cola/permits/1000738273_1646171487.72/0/jcip-annotations-1-0-sources-
jar/net/jcip/annotations/NotThreadSafe.java
* /opt/cola/permits/1000738273_1646171487.72/0/jcip-annotations-1-0-sources-
jar/net/jcip/annotations/Immutable.java
* /opt/cola/permits/1000738273_1646171487.72/0/jcip-annotations-1-0-sources-
```

jar/net/jcip/annotations/GuardedBy.java

No license file was found, but licenses were detected in source scan.

<html>

<body>

<p>

Class, field, and method level annotations for describing thread-safety policies.

</p>

<p>

Three class-level annotations describe the *intended* thread-safety promises of a class:

`@Immutable`, `@ThreadSafe`, and `@NotThreadSafe`.

`@Immutable` means that the class is immutable, and implies `@ThreadSafe`.

`@NotThreadSafe` is optional;

if a class is not annotated as thread-safe, it should be presumed not to be thread-safe, but if you want to make it extra clear, use

`@NotThreadSafe`.

</p>

<p>

These annotations are relatively unintrusive and are beneficial to both users and maintainers. Users can see immediately whether a class is thread-safe, and maintainers can see immediately whether thread-safety guarantees must be preserved. Annotations are also useful to a third

constituency: tools. Static code-analysis tools may be able to verify that the code complies with the contract indicated by the annotation, such as verifying that a class annotated with `@Immutable` actually is immutable.

</p>

Field and method annotations

<p>

The class-level annotations above are part of the public documentation for the class. Other aspects of a class's thread-safety strategy are entirely for maintainers and are not part of its public documentation.

</p>

<p>

Classes that use locking should document which state variables are guarded with which locks, and which locks are used to guard those variables. A common source of inadvertent non-thread-safety is when a thread-safe class consistently uses locking to guard its state, but is later modified to add either new state variables that are not adequately guarded by locking, or new methods that do not use locking properly to guard the existing state variables.

Documenting which variables are guarded by which locks can help prevent both types of omissions.

The `@GuardedBy(lock)` annotation documents that a field or method should be accessed only with a specific lock held.

Copyright and license

This software is copyright (c) 2005 Brian Goetz and Tim Peierls and is released under the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.5>). The official home for this software is <http://www.jcip.net>. Any republication or derived work distributed in source code form must include the copyright and license notice.

Found in path(s):
* /opt/cola/permits/1000738273_1646171487.72/0/jcip-annotations-1-0-sources-jar/net/jcip/annotations/package.html

1.190 jcip-annotation 1.0-1

1.191 commons-pool 1.6

1.191.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Pool

Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.192 javax-inject 1

1.192.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2009 The JSR-330 Expert Group  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/Singleton.java  
* /opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/Inject.java  
* /opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/Scope.java  
*  
/opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/Qualifier.java  
* /opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/Named.java  
* /opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/Provider.java  
* /opt/cola/permits/1000738314_1646171489.14/0/javax-inject-1-sources-jar/javax/inject/package-info.java
```

1.193 commons-io 2.4

1.193.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons IO

Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.194 commons-logging 1.2

1.194.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Logging
Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.195 jctools-core 2.1.1

1.195.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.196 jackson-mapper-asl 1.9.13

1.196.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Jackson JSON-processor.

*

* Copyright (c) 2007- Tatu Saloranta, tatu.saloranta@iki.fi

*

* Licensed under the License specified in file LICENSE, included with

* the source code and binary code bundles.

- * You may not use this file except in compliance with the License.
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1000738824_1646171490.29/0/jackson-mapper-asl-1-9-13-sources-jar/org/codehaus/jackson/map/MappingJsonFactory.java

1.197 tiger-types 1.4

1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

- ```

/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):

```



\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1000738750\_1654022966.462261/0/tiger-types-1-4-sources-  
jar/org/jvnet/tiger\_types/WildcardTypeImpl.java  
\* /opt/cola/permits/1000738750\_1654022966.462261/0/tiger-types-1-4-sources-  
jar/org/jvnet/tiger\_types/TypeVisitor.java  
\* /opt/cola/permits/1000738750\_1654022966.462261/0/tiger-types-1-4-sources-jar/org/jvnet/tiger\_types/Lister.java  
\* /opt/cola/permits/1000738750\_1654022966.462261/0/tiger-types-1-4-sources-jar/org/jvnet/tiger\_types/Types.java  
\* /opt/cola/permits/1000738750\_1654022966.462261/0/tiger-types-1-4-sources-  
jar/org/jvnet/tiger\_types/ParameterizedTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject  
to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1000738750\_1654022966.462261/0/tiger-types-1-4-sources-  
jar/org/jvnet/tiger\_types/GenericArrayTypeImpl.java

## 1.198 qdox 1.12

## 1.199 xpp 1.1.4c

## 1.200 hamcrest-all 1.3

## 1.201 javax-ws-rs-api 2.0.1

### 1.201.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and

the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,  
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,

INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses



granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and

venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject  
\* to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/ext/FactoryFinder.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/core/Request.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/GET.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/MatrixParam.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/OPTIONS.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/core/UriInfo.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/ext/RuntimeDelegate.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/CookieParam.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/ext/MessageBodyReader.java  
\*  
/opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/HEAD.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/core/NewCookie.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/core/UriBuilder.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/POST.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/DefaultValue.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/ApplicationPath.java  
\* /opt/cola/permits/1000741842\_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/DELETE.java

```

* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/package-
info.java
*
/opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/core/Application.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/QueryParam.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/PathParam.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-jar/javax/ws/rs/PUT.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/core/Cookie.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/core/Variant.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/Consumes.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/client/FactoryFinder.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/core/HttpHeaders.java
*
/opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/FormParam.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/core/EntityTag.java
* /opt/cola/permits/1000741842_1654022862.0826519/0/javax-ws-rs-api-2-0-1-sources-
jar/javax/ws/rs/Produces.java

```

## 1.202 asm 5.0.4

### 1.202.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/****

```

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its

```

* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Constructs a new {@link ClassNode}. Subclasses must not use this
 * constructor. Instead, they must use the {@link #ClassNode(int)}
 * version.
 *
 * @throws IllegalStateException
 * If a subclass calls this constructor.
 */

```

Found in path(s):

`/opt/cola/permits/1000741800_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/ClassNode.java`

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED

```

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/package.html  
No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2013 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/TypePath.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/TypeReference.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-

jar/org/objectweb/asm/signature/package.html

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/package.html

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/package.html

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-

jar/org/objectweb/asm/tree/analysis/package.html

\*

/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/commons/package.html

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/package.html

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
 \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/Textifiable.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/ASMifiable.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
 \* Copyright (c) 2000-2011 INRIA, France Telecom  
 \* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS



"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new JSRInliner. *<i>Subclasses must not use this  
\* constructor</i>. Instead, they must use the  
\* { @link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}*  
\* version.

\*

\* @param mv

\*

the `MethodVisitor` to send the resulting inlined

\* method code to (use `null` for none).

\* @param access

\* the method's access flags (see { @link Opcodes}). This  
\* parameter also indicates if the method is synthetic and/or  
\* deprecated.

\* @param name

\* the method's name.

\* @param desc

\* the method's descriptor (see { @link Type}).

\* @param signature

\* the method's signature. May be `null`.

\* @param exceptions

\* the internal names of the method's exception classes (see  
\* { @link Type#getInternalName() getInternalName}). May be  
\* `null`.

\* @throws IllegalStateException

\* If a subclass calls this constructor.

\*/

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/IntInsnNode.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/FrameNode.java
- \*
- /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/commons/TableSwitchGenerator.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/tree/FieldInsnNode.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/FieldWriter.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/commons/SimpleRemapper.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-
- jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
- \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Attribute.java

\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/AnnotationNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/ClassOptimizer.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/CheckSignatureAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/CheckClassAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/CheckFieldAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/VarInsnNode.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/LabelNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/Value.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/BasicValue.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/ASMifier.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/SmallSet.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/TraceFieldVisitor.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/commons/RemappingClassAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-

jar/org/objectweb/asm/optimizer/Constant.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/AnnotationVisitor.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/JumpInsnNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/commons/RemappingFieldAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/commons/Method.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Frame.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/commons/StaticInitMerger.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/TypeInsnNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/MethodNode.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/ParameterNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/util/TraceSignatureVisitor.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/TypeAnnotationNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/analysis/Subroutine.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/optimizer/NameMapping.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Context.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/util/CheckMethodAdapter.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/tree/analysis/SourceValue.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Item.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/optimizer/ConstantPool.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Handler.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/optimizer/MethodOptimizer.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
jar/org/objectweb/asm/optimizer/JarOptimizer.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/signature/SignatureVisitor.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Label.java  
 \*  
 /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/ByteVector.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/signature/SignatureReader.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/InnerClassNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Handle.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/InsnNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/analysis/Analyzer.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/util/TraceClassVisitor.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java  
 \*  
 /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/MethodInsnNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/FieldNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/AnnotationWriter.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/TableSwitchInsnNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/analysis/Interpreter.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/LocalVariableNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/InsnList.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/analysis/Frame.java  
 \*  
 /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/commons/Remapper.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/Printer.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/AbstractInsnNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/optimizer/Shrinker.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/InsnNode.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/commons/InstructionAdapter.java  
 \* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-  
 jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/ClassVisitor.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/LineNumberNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/MethodWriter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/LdcInsnNode.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/commons/LocalVariablesSorter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/ClassReader.java  
\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Edge.java  
\*  
/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/Opcodes.java  
No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

## THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/asm-xml.dtd  
No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link LocalVariableAnnotationNode}. <i>Subclasses must

\* not use this constructor</i>. Instead, they must use the

\* {@link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String)}

\* version.

\*

\* @param typeRef

\* a reference to the annotated type. See {@link TypeReference}.

\* @param typePath

\* the path to the annotated type argument, wildcard bound, array

\* element type, or static inner type within 'typeRef'. May be

```

* <tt>null</tt> if the annotation targets 'typeRef' as a whole.
* @param start
* the first instructions corresponding to the continuous ranges
* that make the scope of this local variable (inclusive).
* @param end
* the last instructions corresponding to the continuous ranges
* that make the scope of this local variable (exclusive). This
* array must have the same size as the 'start' array.
* @param index
* the local variable's index in each range. This array must have
* the same size as the 'start' array.
* @param desc
* the class descriptor of
the annotation class.
*/

```

Found in path(s):

```

* /opt/cola/permits/1000741800_1646171538.12/0/asm-5-0-4-sources-
jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java

```

No license file was found, but licenses were detected in source scan.

```

/****

```

```

* ASM XML Adapter
* Copyright (c) 2004-2011, Eugene Kuleshov
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

```



\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/Processor.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/SAXFieldAdapter.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/ASMContentHandler.java

\*

/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/SAXClassAdapter.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/SAXCodeAdapter.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/SAXAdapter.java

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

```

* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Creates a new {@link AnalyzerAdapter}. <i>Subclasses must not use this
 * constructor</i>. Instead, they must use the
 * {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
 * version.
 *
 * @param owner
 *
 * the owner's class name.
 * @param access
 * the method's access flags (see {@link Opcodes}).
 * @param name
 * the method's name.
 * @param desc
 * the method's descriptor (see {@link Type Type}).
 * @param mv
 * the method visitor to which this adapter delegates calls. May
 * be <tt>null</tt>.
 * @throws IllegalStateException
 * If a subclass calls this constructor.
 */

```

Found in path(s):

```

* /opt/cola/permits/1000741800_1646171538.12/0/asm-5-0-4-sources-
jar/org/objectweb/asm/commons/AnalyzerAdapter.java

```

No license file was found, but licenses were detected in source scan.

```

/**
 * ASM: a very small and fast Java bytecode manipulation framework
 * Copyright (c) 2000-2011 INRIA, France Telecom
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the copyright holders nor the names of its
 * contributors may be used to endorse or promote products derived from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

```

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new { @link Textifier}. <i>Subclasses must not use this  
\* constructor</i>. Instead, they must use the { @link #Textifier(int)}  
\* version.  
\*  
\* @throws IllegalStateException  
\* If a subclass calls this constructor.  
\*/

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without  
#modification, are permitted provided that the following conditions  
#are met:

#1. Redistributions of source code must retain the above copyright  
# notice, this list of conditions and the following disclaimer.  
#2. Redistributions in binary form must reproduce the above copyright  
# notice, this list of conditions and the following disclaimer in the  
# documentation and/or other materials provided with the distribution.  
#3. Neither the name of the copyright holders nor the names of its  
# this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/shrink-resize.properties

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/shrink.properties

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/shrink-signatures.properties

\*

/opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/shrink-writer.properties

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/shrink-

frames.properties

\* /opt/cola/permits/1000741800\_1646171538.12/0/asm-5-0-4-sources-jar/org/objectweb/asm/optimizer/shrink-annotations.properties

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new { @link GeneratorAdapter}. *Subclasses must not use this*

\* constructor*.* Instead, they must use the

\* { @link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

\* version.

\*

\* @param mv

\* the

method visitor to which this adapter delegates calls.

\* @param access

\* the method's access flags (see { @link Opcodes}).

\* @param name

\* the method's name.

```
* @param desc
* the method's descriptor (see {@link Type Type}).
* @throws IllegalStateException
* If a subclass calls this constructor.
*/
```

Found in path(s):

```
* /opt/cola/permits/1000741800_1646171538.12/0/asm-5-0-4-sources-
jar/org/objectweb/asm/commons/GeneratorAdapter.java
```

## 1.203 annotations 3.0.1

## 1.204 jcl-over-slf4j 1.7.21

## 1.205 asm 4.0

## 1.206 commons-dbcp 1.4

### 1.206.1 Available under license :

Apache Commons DBCP

Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.



8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.207 jaxb-api 2.3.0

### 1.207.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable

by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof);

and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED

SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND

LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with

the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such



program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE

STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name  
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision

comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2003-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

- \* and Distribution License("CDDL") (collectively, the "License"). You
- \* may not use this file except in compliance with the License. You can
- \* obtain a copy of the License at
- \* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>
- \* or LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception as provided by Oracle in the GPL Version 2 section of the License
- \* file that accompanied this code.
- \*
- \*
- Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.
- \*/

## 1.208 antlr 2.7.6

## 1.209 protobuf-java 3.5.1

### 1.209.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
```

```
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/LongArrayList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/api.proto
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/Service.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/Descriptors.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ServiceException.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/com/google/protobuf/Utf8.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ExtensionLite.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/type.proto
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ProtobufArrayList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ExtensionRegistryLite.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/TextFormatEscaper.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/TextFormatParseLocation.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/LazyFieldLite.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/struct.proto
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/CodedInputStream.java
```

```

* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/FloatArrayList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/empty.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/duration.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MapEntry.java
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/LazyField.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/LazyStringList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/RopeByteString.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/UnmodifiableLazyStringList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/InvalidProtocolBufferException.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/any.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/Extension.java
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/NioByteString.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MessageOrBuilder.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/GeneratedMessageV3.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ByteBufferWriter.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/AbstractMessageLite.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/SmallSortedMap.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MapField.java
*

```



/opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/MapEntryLite.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/UnsafeByteOperations.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/AbstractMessage.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/ByteOutput.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/ExtensionRegistryFactory.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/UnknownFieldSetLite.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/RpcUtil.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/MapFieldLite.java  
 \*  
 /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/wrappers.proto  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/DynamicMessage.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/BlockingRpcChannel.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/PrimitiveNonBoxingCollection.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/ExperimentalApi.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/ProtocolMessageEnum.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/GeneratedMessageLite.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/BlockingService.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/RepeatedFieldBuilder.java  
 \*  
 /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/TextFormatParseInfoTree.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/WireFormat.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/google/protobuf/compiler/plugin.proto  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/ProtocolStringList.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/MessageLiteOrBuilder.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-  
 jar/com/google/protobuf/BooleanArrayList.java  
 \* /opt/cola/permits/1000765326\_1651084665.81/0/protobuf-java-3-5-1-sources-

```

jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/DiscardUnknownFieldsParser.java
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/RpcChannel.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/LazyStringArrayList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/DoubleArrayList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/RepeatedFieldBuilderV3.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/AbstractProtobufList.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/SingleFieldBuilderV3.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/RpcCallback.java
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/FieldSet.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MutabilityOracle.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/Message.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/UnsafeUtil.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/IntArrayList.java
*
/opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1000765326_1651084665.81/0/protobuf-java-3-5-1-sources-
jar/com/google/protobuf/GeneratedMessage.java

```

## 1.210 commons-beanutils 1.8.3

## 1.210.1 Available under license :

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
  - \* contributor license agreements. See the NOTICE file distributed with
  - \* this work for additional information regarding copyright ownership.
  - \* The ASF licenses this file to You under the Apache License, Version 2.0
  - \* (the "License"); you may not use this file except in compliance with
  - \* the License. You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons BeanUtils

Copyright 2000-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.211 commons-collections 4.1

## 1.211.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain



separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.212 geronimo-javamail 1.7.1

### 1.212.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



JavaMail 1.4  
Copyright 2003-2010 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.213 commons-validator 1.4.1

## 1.213.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Validator

Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.214 antlr-runtime 4.5.1

## 1.215 jaxb-core 2.2.11

### 1.215.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2006-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2004-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2004-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2003-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '# Copyright (c) 2003-2013 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2003-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2003-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General

Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2004-2013 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

# 1.216 commons-configuration 1.10

## 1.216.1 Available under license :

Apache Commons Configuration

Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of



this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.217 json-simple 1.1.1

### 1.217.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the

NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work

(and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless  
required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.218 checker-compat-qual 2.0.0

## 1.218.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, “this License” refers to version 3 of the GNU Lesser General Public License, and the “GNU GPL” refers to version 3 of the GNU General Public License.

“The Library” refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An “Application” is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A “Combined Work” is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the “Linked Version”.

The “Minimal Corresponding Source” for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The “Corresponding Application Code” for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library,  
and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified

version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
  - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

### 5. Combined Libraries.



You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

## 1.219 metrics-json 3.1.0

## 1.220 protobuf-java-util 3.5.1

## 1.221 minimal-json 0.9.4

## 1.222 grpc-core 1.9.0

# 1.223 instrumentation-api 0.4.3

## 1.224 joda-time 2.7

### 1.224.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<http://www.joda.org/>).

# 1.225 slf4j 1.7.21

## 1.225.1 Available under license :

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable



(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2013 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2014 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.226 hazelcast-client-protocol 1.4.1

### 1.226.1 Available under license :

/\*

\* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

package com.hazelcast.security.permission;



```

import java.security.Permission;
import java.security.PermissionCollection;
import java.util.Enumeration;

public final class AllPermissions extends ClusterPermission {

 public AllPermissions() {
 super("<all permissions>");
 }

 @Override
 public boolean implies(Permission permission) {
 return true;
 }

 @Override
 public String getActions() {
 return "<all actions>";
 }

 @Override
 public PermissionCollection newPermissionCollection() {
 return new AllPermissionsCollection();
 }

 @Override
 public String toString() {
 return "<allow all permissions>";
 }

 @Override
 public boolean equals(Object obj) {
 return obj instanceof AllPermissions;
 }

 @Override
 public int hashCode() {
 return 111;
 }

 public static final class AllPermissionsCollection extends PermissionCollection {
 private static final AllPermissions ALL_PERMISSIONS = new AllPermissions();
 private boolean all;

 public AllPermissionsCollection() {
 }
 }
}

```

```

public AllPermissionsCollection(boolean all) {
 this.all = all;
}

@Override
public void add(Permission permission) {
 if (permission instanceof AllPermissions) {
 all = true;
 }
}

@Override
public boolean implies(Permission permission) {
 return all;
}

@Override
public Enumeration<Permission> elements() {
 return new Enumeration<Permission>() {
 boolean more = all;

 @Override
 public boolean hasMoreElements() {
 return more;
 }

 @Override
 public Permission nextElement() {
 more = false;
 return ALL_PERMISSIONS;
 }
 };
}

@Override
public int hashCode() {
 return all ? 13 : -13;
}

@Override
public boolean equals(Object obj) {
 if (this == obj) {
 return true;
 }
 if (obj == null) {
 return false;
 }
}

```

```

 if (getClass() != obj.getClass()) {
 return false;
 }
 AllPermissionsCollection other = (AllPermissionsCollection) obj;
 return all == other.all;
}

@Override
public String toString() {
 return "<allow all permissions>";
}
}
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

public class QueuePermission extends InstancePermission {

 private static final int ADD = 4;
 private static final int READ = 8;
 private static final int REMOVE = 16;
 private static final int LISTEN = 32;
 private static final int ALL = ADD | REMOVE | READ | CREATE | DESTROY | LISTEN;

 public QueuePermission(String
name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {
 int mask = NONE;

```

```

for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_ADD.equals(action)) {
 mask |= ADD;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_REMOVE.equals(action)) {
 mask |= REMOVE;
 } else if (ActionConstants.ACTION_LISTEN.equals(action)) {
 mask |= LISTEN;
 }
}
return mask;
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

public class ReplicatedMapPermission extends InstancePermission {

 private static final int PUT = 4;
 private static final int REMOVE = 8;
 private static final int READ = 16;
 private static final int LISTEN = 32;
 private static final int LOCK = 64;
 private static final int INDEX = 128;

```

```

private static final
int INTERCEPT = 256;
private static final int ALL = CREATE | DESTROY | PUT | REMOVE | READ | LISTEN | LOCK | INDEX |
INTERCEPT;

public ReplicatedMapPermission(String name, String... actions) {
 super(name, actions);
}

@Override
protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_PUT.equals(action)) {
 mask |= PUT;
 } else if (ActionConstants.ACTION_REMOVE.equals(action)) {
 mask |= REMOVE;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_LISTEN.equals(action))
 {
 mask |= LISTEN;
 } else if (ActionConstants.ACTION_LOCK.equals(action)) {
 mask |= LOCK;
 } else if (ActionConstants.ACTION_INDEX.equals(action)) {
 mask |= INDEX;
 } else if (ActionConstants.ACTION_INTERCEPT.equals(action)) {
 mask |= INTERCEPT;
 }
 }
 return mask;
}
}
/*
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

```

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
package com.hazelcast.security.permission;
```

```
public class AtomicReferencePermission extends InstancePermission {
```

```
 private static final int READ = 4;
```

```
 private static final int MODIFY = 8;
```

```
 private static final int ALL = READ | MODIFY | CREATE | DESTROY;
```

```
 public AtomicReferencePermission(String name, String... actions) {
```

```
 super(name, actions);
```

```
 }
```

```
 @Override
```

```
 protected int initMask(String[] actions) {
```

```
 int mask = NONE;
```

```
 for (String action : actions) {
```

```
 if (ActionConstants.ACTION_ALL.equals(action)) {
```

```
 return ALL;
```

```
 }
```

```
 if (ActionConstants.ACTION_CREATE.equals(action)) {
```

```
 mask |= CREATE;
```

```
 } else if (ActionConstants.ACTION_READ.equals(action)) {
```

```
 mask |= READ;
```

```
 } else if (ActionConstants.ACTION_MODIFY.equals(action)) {
```

```
 mask |= MODIFY;
```

```
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
```

```
 mask |= DESTROY;
```

```
 }
```

```
 }
```

```
 return mask;
```

```
 }
```

```
}
```

```
/*
```

```
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
package com.hazelcast.security.permission;
```

```
import com.hazelcast.config.matcher.WildcardConfigPatternMatcher;
```

```
import java.security.Permission;
```

```
/**
```

```
 * TODO: Object Permission
```

```
*/
```

```
public abstract class InstancePermission extends ClusterPermission {
```

```
 protected static final int NONE = 0;
```

```
 protected static final int CREATE = 1;
```

```
 protected static final int DESTROY =
```

```
 2;
```

```
 private static final WildcardConfigPatternMatcher CONFIG_PATTERN_MATCHER = new
 WildcardConfigPatternMatcher();
```

```
 protected final int mask;
```

```
 protected final String actions;
```

```
 public InstancePermission(String name, String... actions) {
```

```
 super(name);
```

```
 if (name == null || "".equals(name)) {
```

```
 throw new IllegalArgumentException("Permission name is mandatory!");
```

```
 }
```

```
 mask = initMask(actions);
```

```
 final StringBuilder s = new StringBuilder();
```

```
 for (String action : actions) {
```

```
 s.append(action).append(" ");
```

```
 }
```

```
 this.actions = s.toString();
```

```
 }
```

```

/**
 * init mask
 */
protected abstract int initMask(String[] actions);

@Override
public boolean implies(Permission permission) {
 if (this.getClass() != permission.getClass()) {
 return false;
 }

 InstancePermission that = (InstancePermission) permission;

 boolean maskTest = ((this.mask & that.mask)
== that.mask);
 if (!maskTest) {
 return false;
 }

 return CONFIG_PATTERN_MATCHER.matches(getName(), that.getName());
}

@Override
public String getActions() {
 return actions;
}

@Override
public int hashCode() {
 int result = super.hashCode();
 result = 31 * result + mask;
 result = 31 * result + actions.hashCode();
 return result;
}

@Override
public boolean equals(Object obj) {
 if (this == obj) {
 return true;
 }
 if (obj == null) {
 return false;
 }
 if (getClass() != obj.getClass()) {
 return false;
 }
 InstancePermission other = (InstancePermission) obj;
 if (getName() == null && other.getName() != null) {

```



```

 return false;
 }
 if (!getName().equals(other.getName())) {
 return false;
 }
 if (mask != other.mask) {
 return false;
 }
 return true;
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

public class MapPermission extends InstancePermission {

 private static final int PUT = 4;
 private static final int REMOVE = 8;
 private static final int READ = 16;
 private static final int LISTEN = 32;
 private static final int LOCK = 64;
 private static final int INDEX = 128;
 private static final int INTERCEPT
= 256;
 private static final int ALL = CREATE | DESTROY | PUT | REMOVE | READ | LISTEN | LOCK | INDEX |
INTERCEPT;

 public MapPermission(String name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {

```

```

int mask = NONE;
for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_PUT.equals(action)) {
 mask |= PUT;
 } else if (ActionConstants.ACTION_REMOVE.equals(action)) {
 mask |= REMOVE;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_LISTEN.equals(action))
{
 mask |= LISTEN;
 } else if (ActionConstants.ACTION_LOCK.equals(action)) {
 mask |= LOCK;
 } else if (ActionConstants.ACTION_INDEX.equals(action)) {
 mask |= INDEX;
 } else if (ActionConstants.ACTION_INTERCEPT.equals(action)) {
 mask |= INTERCEPT;
 }
}
return mask;
}
}
/*
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

package com.hazelcast.security.permission;

```

```

public class CachePermission extends InstancePermission {

 private static final int PUT = 4;
 private static final int REMOVE = 8;
 private static final int READ = 16;
 private static final int LISTEN = 32;
 private static final int ALL = CREATE | DESTROY | PUT | REMOVE | READ | LISTEN;

 public CachePermission(String
name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_PUT.equals(action)) {
 mask |= PUT;
 } else if (ActionConstants.ACTION_REMOVE.equals(action)) {
 mask |= REMOVE;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_LISTEN.equals(action)) {
 mask |= LISTEN;
 }
 }
 return mask;
 }
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software

```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

```
package com.hazelcast.security.permission;
```

```
public class CardinalityEstimatorPermission extends InstancePermission {
```

```
 private static final int READ = 4;
```

```
 private static final int MODIFY = 8;
```

```
 private static final int ALL = READ | MODIFY | CREATE | DESTROY;
```

```
 public CardinalityEstimatorPermission(String name, String... actions) {
 super(name, actions);
 }
}
```

```
@Override
```

```
protected int initMask(String[] actions) {
```

```
 int mask = NONE;
```

```
 for (String action : actions) {
```

```
 if (ActionConstants.ACTION_ALL.equals(action)) {
```

```
 return ALL;
```

```
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
```

```
 mask |= CREATE;
```

```
 } else if (ActionConstants.ACTION_READ.equals(action)) {
```

```
 mask |= READ;
```

```
 } else if (ActionConstants.ACTION_MODIFY.equals(action)) {
```

```
 mask |= MODIFY;
```

```
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
```

```
 mask |= DESTROY;
```

```
 }
 }
 return mask;
}
```

```
 }
 /*
```

```
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
```

```
 *
```

```
 * Licensed under the Apache License, Version 2.0 (the "License");
```

```
 * you may not use this file except in compliance with the License.
```

```
 * You may obtain a copy of the License at
```

```
 *
```

```
 * http://www.apache.org/licenses/LICENSE-2.0
```

```
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
package com.hazelcast.security.permission;
```

```
public class ListPermission extends InstancePermission {

 private static final int ADD = 4;
 private static final int READ = 8;
 private static final int REMOVE = 16;
 private static final int LISTEN = 32;
 private static final int ALL = ADD | REMOVE | READ | CREATE | DESTROY | LISTEN;

 public ListPermission(String
name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_ADD.equals(action)) {
 mask |= ADD;
 } else if (ActionConstants.ACTION_REMOVE.equals(action)) {
 mask |= REMOVE;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_LISTEN.equals(action)) {
 mask |= LISTEN;
 }
 }
 return mask;
 }
}
```

```
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
package com.hazelcast.security.permission;
```

```
public class TopicPermission extends InstancePermission {

 private static final int PUBLISH = 4;
 private static final int LISTEN = 8;
 private static final int ALL = CREATE | DESTROY | LISTEN | PUBLISH;

 public TopicPermission(String name, String... actions) {
 super(name, actions);
 }

 @Override

 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_PUBLISH.equals(action)) {
 mask |= PUBLISH;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_LISTEN.equals(action)) {
 mask |= LISTEN;
 }
 }
 return mask;
 }
}
```

```

 }
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

```
package com.hazelcast.security.permission;
```

```
public class ExecutorServicePermission extends InstancePermission {
```

```
 private static final int ALL = CREATE | DESTROY;
```

```
 public ExecutorServicePermission(String name, String... actions) {
 super(name, actions);
 }

```

```
 @Override
```

```
 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String
action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 }
 }
 return mask;
 }
}

```

```
/*
```

```
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

```
package com.hazelcast.security.permission;
```

```
import com.hazelcast.cache.impl.CacheService;
import com.hazelcast.cardinality.impl.CardinalityEstimatorService;
import com.hazelcast.collection.impl.list.ListService;
import com.hazelcast.collection.impl.queue.QueueService;
import com.hazelcast.collection.impl.set.SetService;
import com.hazelcast.concurrent.atomiclong.AtomicLongService;
import
 com.hazelcast.concurrent.atomicreference.AtomicReferenceService;
import com.hazelcast.concurrent.countdownlatch.CountDownLatchService;
import com.hazelcast.concurrent.idgen.IdGeneratorService;
import com.hazelcast.concurrent.lock.LockService;
import com.hazelcast.concurrent.semaphore.SemaphoreService;
import com.hazelcast.durableexecutor.impl.DistributedDurableExecutorService;
import com.hazelcast.executor.impl.DistributedExecutorService;
import com.hazelcast.map.impl.MapService;
import com.hazelcast.mapreduce.impl.MapReduceService;
import com.hazelcast.multimap.impl.MultiMapService;
import com.hazelcast.replicatedmap.impl.ReplicatedMapService;
import com.hazelcast.ringbuffer.impl.RingbufferService;
import com.hazelcast.topic.impl.TopicService;
```

```
import java.security.Permission;
import java.util.HashMap;
import java.util.Map;
```

```
public final class ActionConstants {
```

```
 public static final String ACTION_ALL = "all";
 public static final String ACTION_CREATE = "create";
 public static final String ACTION_DESTROY = "destroy";
 public static final String ACTION_MODIFY = "modify";
 public static final String ACTION_READ = "read";
```



```

public static final String ACTION_REMOVE = "remove";
public static final String ACTION_LOCK = "lock";
public static final String ACTION_LISTEN = "listen";
public static final String ACTION_RELEASE = "release";
public static final String ACTION_ACQUIRE = "acquire";
public static final String ACTION_PUT = "put";
public static final String ACTION_ADD = "add";
public static final String ACTION_INDEX = "index";
public static final String ACTION_INTERCEPT = "intercept";
public static final String ACTION_PUBLISH = "publish";
public static final String ACTION_AGGREGATE = "aggregate";
public static final String ACTION_PROJECTION = "projection";

public static final String LISTENER_INSTANCE = "instance";
public static final String LISTENER_MEMBER = "member";
public static
final String LISTENER_MIGRATION = "migration";

private static final Map<String, PermissionFactory> PERMISSION_FACTORY_MAP = new HashMap<String,
PermissionFactory>();

static {
 PERMISSION_FACTORY_MAP.put(QueueService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new QueuePermission(name, actions);
 }
 });
 PERMISSION_FACTORY_MAP.put(MapService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new MapPermission(name, actions);
 }
 });
 PERMISSION_FACTORY_MAP.put(MultiMapService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new MultiMapPermission(name, actions);
 }
 });
 PERMISSION_FACTORY_MAP.put(ListService.SERVICE_NAME,
new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new ListPermission(name, actions);
 }
 });
 PERMISSION_FACTORY_MAP.put(SetService.SERVICE_NAME, new PermissionFactory() {

```

```

@Override
public Permission create(String name, String... actions) {
 return new SetPermission(name, actions);
}
});
PERMISSION_FACTORY_MAP.put(AtomicLongService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new AtomicLongPermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(CountDownLatchService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return
new CountdownLatchPermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(SemaphoreService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new SemaphorePermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(TopicService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new TopicPermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(LockService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new LockPermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(DistributedExecutorService.SERVICE_NAME, new
PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new ExecutorServicePermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(IdGeneratorService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new AtomicLongPermission(IdGeneratorService.ATOMIC_LONG_NAME + name, actions);
 }
}

```

```

});
PERMISSION_FACTORY_MAP.put(MapReduceService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new MapReducePermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(ReplicatedMapService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new ReplicatedMapPermission(name,
actions);
 }
});
PERMISSION_FACTORY_MAP.put(AtomicReferenceService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new AtomicReferencePermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(CacheService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new CachePermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(RingbufferService.SERVICE_NAME, new PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new RingBufferPermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(DistributedDurableExecutorService.SERVICE_NAME, new
PermissionFactory() {
 @Override

 public Permission create(String name, String... actions) {
 return new DurableExecutorServicePermission(name, actions);
 }
});
PERMISSION_FACTORY_MAP.put(CardinalityEstimatorService.SERVICE_NAME, new
PermissionFactory() {
 @Override
 public Permission create(String name, String... actions) {
 return new CardinalityEstimatorPermission(name, actions);
 }
});
}

```

```

private ActionConstants() {
}

private interface PermissionFactory {
 Permission create(String name, String... actions);
}

/**
 * Creates a permission
 *
 * @param name
 * @param serviceName
 * @param actions
 * @return the created Permission
 * @throws java.lang.IllegalArgumentException if there is no service found with the given serviceName.
 */
public static Permission getPermission(String name, String serviceName, String... actions) {
 PermissionFactory
permissionFactory = PERMISSION_FACTORY_MAP.get(serviceName);
 if (permissionFactory == null) {
 throw new IllegalArgumentException("No permissions found for service: " + serviceName);
 }

 return permissionFactory.create(name, actions);
}

}

/**
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

public class RingBufferPermission extends InstancePermission {

```

```

private static final int PUT = 4;
private static final int READ = 8;
private static final int ALL = PUT | READ;

public RingBufferPermission(String name, String... actions) {
 super(name, actions);
}

@Override
protected int initMask(String[]
actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_PUT.equals(action)) {
 mask |= PUT;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 }
 }
 return mask;
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

```

```

import java.security.Permission;
import java.security.PermissionCollection;
import java.util.Collections;
import java.util.Enumeration;
import java.util.HashSet;
import java.util.Iterator;
import java.util.Set;

public class ClusterPermissionCollection extends PermissionCollection {

 final Set<Permission> perms = new HashSet<Permission>();
 final Class<? extends Permission> permClass;

 public ClusterPermissionCollection() {
 permClass = null;
 }

 public ClusterPermissionCollection(Class<? extends Permission> permClass) {
 this.permClass = permClass;
 }

 @Override
 public void add(Permission permission) {
 if (isReadOnly()) {
 throw new SecurityException("ClusterPermissionCollection is read-only!");
 }
 boolean shouldAdd = (permClass != null && permClass.equals(permission.getClass()))
 || (permission instanceof ClusterPermission);

 if (shouldAdd && !implies(permission)) {
 perms.add(permission);
 }
 }

 public void add(PermissionCollection permissions) {
 if (isReadOnly()) {
 throw new SecurityException("ClusterPermissionCollection is read-only!");
 }
 if (permissions instanceof ClusterPermissionCollection) {
 for (Permission p : ((ClusterPermissionCollection)
permissions).perms) {
 add(p);
 }
 }
 }

 @Override
 public boolean implies(Permission permission) {

```

```

 for (Permission p : perms) {
 if (p.implies(permission)) {
 return true;
 }
 }
 return false;
}

public void compact() {
 if (isReadOnly()) {
 throw new SecurityException("ClusterPermissionCollection is read-only!");
 }
 final Iterator<Permission> iter = perms.iterator();
 while (iter.hasNext()) {
 final Permission perm = iter.next();
 boolean implies = false;
 for (Permission p : perms) {
 if (p != perm && p.implies(perm)) {
 implies = true;
 break;
 }
 }
 if (implies) {
 iter.remove();
 }
 }
 setReadOnly();
}

@Override
public Enumeration<Permission> elements()
{
 return Collections.enumeration(perms);
}

public Set<Permission> getPermissions() {
 return Collections.unmodifiableSet(perms);
}

@Override
public String toString() {
 return "ClusterPermissionCollection [permClass=" + permClass + "]";
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");

```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

```
package com.hazelcast.security.permission;
```

```
public class SemaphorePermission extends InstancePermission {
```

```
 private static final int ACQUIRE = 4;
```

```
 private static final int RELEASE = 8;
```

```
 private static final int READ = 16;
```

```
 private static final int ALL = CREATE | DESTROY | ACQUIRE | RELEASE | READ;
```

```
 public SemaphorePermission(String name, String... actions) {
```

```
 super(name, actions);
```

```
 }
```

```
 @Override
```

```
 protected int initMask(String[] actions) {
```

```
 int mask = NONE;
```

```
 for (String action : actions) {
```

```
 if (ActionConstants.ACTION_ALL.equals(action)) {
```

```
 return ALL;
```

```
 }
```

```
 if (ActionConstants.ACTION_CREATE.equals(action)) {
```

```
 mask |= CREATE;
```

```
 } else if (ActionConstants.ACTION_ACQUIRE.equals(action)) {
```

```
 mask |= ACQUIRE;
```

```
 } else if (ActionConstants.ACTION_RELEASE.equals(action)) {
```

```
 mask |= RELEASE;
```

```
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
```

```
 mask |= DESTROY;
```

```
 } else if (ActionConstants.ACTION_READ.equals(action)) {
```

```
 mask |= READ;
```

```
 }
```

```
 }
```

```
 return mask;
```

```
 }
```



```
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
package com.hazelcast.security.permission;
```

```
public class MultiMapPermission extends MapPermission {
```

```
 public MultiMapPermission(String name, String... actions) {
 super(name, actions);
 }
```

```
}
```

```
}
```

```
/*
```

```
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
package com.hazelcast.security.permission;
```

```
public class AtomicLongPermission extends InstancePermission {
```

```
 private static final int READ = 4;
 private static final int MODIFY = 8;
```

```

private static final int ALL = READ | MODIFY | CREATE | DESTROY;

public AtomicLongPermission(String name, String... actions) {
 super(name, actions);
}

@Override
protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_MODIFY.equals(action)) {
 mask |= MODIFY;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 }
 }
 return mask;
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

import java.security.Permission;
import java.security.PermissionCollection;
import java.util.Enumeration;

```

```

public class DenyAllPermissionCollection extends PermissionCollection {

 public DenyAllPermissionCollection() {
 }

 @Override
 public void add(Permission permission) {
 }

 @Override
 public boolean implies(Permission
permission) {
 return false;
 }

 @Override
 public Enumeration<Permission> elements() {
 return new Enumeration<Permission>() {
 @Override
 public boolean hasMoreElements() {
 return false;
 }

 @Override
 public Permission nextElement() {
 return null;
 }
 };
 }

 @Override
 public int hashCode() {
 return 37;
 }

 @Override
 public String toString() {
 return "<deny all permissions>";
 }

 @Override
 public boolean equals(Object obj) {
 return obj instanceof DenyAllPermissionCollection;
 }
}
/*
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.

```

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
package com.hazelcast.security.permission;
```

```
public class SetPermission extends ListPermission {
```

```
 public SetPermission(String name, String... actions) {
 super(name, actions);
 }
}
```

```
/*
```

```
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
```

```
*/
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
package com.hazelcast.security.permission;
```

```
import java.security.Permission;
```

```
public class TransactionPermission extends ClusterPermission {
```

```
 public TransactionPermission() {
 super("<transaction>");
 }
}
```

```

@Override
public boolean implies(Permission permission) {
 return getClass() == permission.getClass();
}

@Override
public String
getActions() {
 return "transaction";
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

import java.security.Permission;
import java.security.PermissionCollection;

public abstract class ClusterPermission extends Permission {

 private int hashCode;

 public ClusterPermission(String name) {
 super(name);
 }

 @Override
 public PermissionCollection newPermissionCollection() {
 return new
ClusterPermissionCollection(getClass());
 }

 @Override
 public int hashCode() {

```

```

if (hashCode == 0) {
 final int prime = 31;
 int result = 1;
 if (getName() == null) {
 result = prime * result + 13;
 } else {
 result = prime * result + getName().hashCode();
 }
 hashCode = result;
}
return hashCode;
}

```

@Override

```

public boolean equals(Object obj) {
 if (this == obj) {
 return true;
 }
 if (obj == null) {
 return false;
 }
 if (getClass() != obj.getClass()) {
 return false;
 }
 ClusterPermission other = (ClusterPermission) obj;
 if (getName() == null && other.getName() != null) {
 return false;
 }
 if (!getName().equals(other.getName())) {
 return false;
 }
 return true;
}
}

```

/\*

\* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

```

*/

package com.hazelcast.security.permission;

public class ScheduledExecutorPermission
 extends InstancePermission {

 private static final int READ = 4;
 private static final int MODIFY = 8;

 private static final int ALL = READ | MODIFY | CREATE | DESTROY;

 public ScheduledExecutorPermission(String name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_MODIFY.equals(action)) {
 mask |= MODIFY;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 }
 }
 return mask;
 }
}
/*
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

```

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

```
package com.hazelcast.security.permission;
```

```
public class LockPermission extends InstancePermission {

 private static final int LOCK = 4;
 private static final int READ = 8;
 private static final int ALL = CREATE | DESTROY | LOCK | READ;

 public LockPermission(String key, String... actions) {
 super(key, actions);
 }

 @Override
 protected
 int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_LOCK.equals(action)) {
 mask |= LOCK;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 }
 }
 return mask;
 }
}
/*
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
*/
```



\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

```
package com.hazelcast.security.permission;
```

```
public class CountdownLatchPermission extends InstancePermission {

 private static final int READ = 4;
 private static final int MODIFY = 8;
 private static final int ALL = CREATE | DESTROY | READ | MODIFY;

 public CountdownLatchPermission(String name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 } else if (ActionConstants.ACTION_READ.equals(action)) {
 mask |= READ;
 } else if (ActionConstants.ACTION_MODIFY.equals(action)) {
 mask |= MODIFY;
 }
 }
 return mask;
 }
}
/*
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
/**
```

```
* Contains all the security permissions
```

```
*/
```

```
package com.hazelcast.security.permission;
```

```
/*
```

```
* Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
package com.hazelcast.security.permission;
```

```
/**
```

```
* To be able to map-reduce from a client in a secure environment
```

```
*/
```

```
public class MapReducePermission extends InstancePermission {
```

```
 private static final int ALL = CREATE | DESTROY;
```

```
 public MapReducePermission(String name, String... actions) {
```

```
 super(name, actions);
```

```
 }
```

```
 @Override
```

```
 protected int initMask(String[]
```

```
actions) {
```

```
 int mask = NONE;
```

```
 for (String action : actions) {
```

```
 if (ActionConstants.ACTION_ALL.equals(action)) {
```

```
 return ALL;
```

```

 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {
 mask |= DESTROY;
 }
}
return mask;
}
}
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

package com.hazelcast.security.permission;

public class DurableExecutorServicePermission extends InstancePermission {

 private static final int ALL = CREATE | DESTROY;

 public DurableExecutorServicePermission(String name, String... actions) {
 super(name, actions);
 }

 @Override
 protected int initMask(String[] actions) {
 int mask = NONE;
 for (String action : actions) {
 if (ActionConstants.ACTION_ALL.equals(action)) {
 return ALL;
 }

 if (ActionConstants.ACTION_CREATE.equals(action)) {
 mask |= CREATE;
 } else if (ActionConstants.ACTION_DESTROY.equals(action)) {

```

```

 mask |= DESTROY;
 }
}
return mask;
}
}

```

## 1.227 scala-compiler 2.10.0

### 1.227.1 Available under license :

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.228 jaxen 1.1.6

### 1.228.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * $Header$
 * $Revision: 1128 $
 * $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:

```

\*  
 \* \* Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
 \* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.  
 \*  
 \* \$Id: DefaultMultiplicativeExpr.java 1128 2006-02-05 21:49:04Z elharo \$  
 \*/

Found in path(s):  
 \* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
 jar/org/jaxen/expr/DefaultMultiplicativeExpr.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1161 \$  
 \* \$Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) \$  
 \*  
 \* =====  
 \*

```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathSyntaxException.java 1161 2006-06-03 20:36:00Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/XPathSyntaxException.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$

```

```

* $Revision: 1255 $
* $Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AncestorAxisIterator.java 1255 2006-11-09 18:20:12Z elharo $
*/

```

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/AncestorAxisIterator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1235 \$

\* \$Date: 2006-11-08 09:02:21 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.



\*  
\* \$Id: LocationPath.java 1235 2006-11-08 17:02:21Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/LocationPath.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many



```
* =====
* This software consists of voluntary contributions made by many
* individuals on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>.
* For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/base/Verifier.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* $Header$
* $Revision: 1222 $
* $Date: 2006-11-08 05:59:38 -0800 (Wed, 08 Nov 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
```

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: XPathFunctionContext.java 1222 2006-11-08 13:59:38Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/XPathFunctionContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: XPathHandler.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/XPathHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived

\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: NoNodeTest.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/NoNodeTest.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1261 \$  
\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: DefaultPathExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultPathExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1326 \$  
\* \$Date: 2008-04-26 18:56:10 -0700 (Sat, 26 Apr 2008) \$

\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are

```

* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FilterExpr.java 1326 2008-04-27 01:56:10Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/FilterExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1128 $
* $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
*
* =====
*

```



```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLogicalExpr.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultLogicalExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$

```

\* \$Revision: 1157 \$  
\* \$Date: 2006-06-03 13:07:37 -0700 (Sat, 03 Jun 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2005 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: Navigator.java 1157 2006-06-03 20:07:37Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/Navigator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1335 \$

\* \$Date: 2008-11-30 06:20:38 -0800 (Sun, 30 Nov 2008) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultTruthExpr.java 1335 2008-11-30 14:20:38Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultTruthExpr.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1261 $
 * $Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====

```

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: DefaultOrExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultOrExpr.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: StartsWithFunction.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/StartsWithFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultAbsolutePath.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultAbsolutePath.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1226 \$

\* \$Date: 2006-11-08 07:44:33 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: ProcessingInstructionNodeStep.java 1226 2006-11-08 15:44:33Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/ProcessingInstructionNodeStep.java  
No license file was found, but licenses were detected in source scan.

/\*  
\$Id: XPath.java 1304 2007-05-02 15:00:13Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
  
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.



\* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/XPath.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultNavigator.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/DefaultNavigator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultNumberExpr.java 1261 2006-11-30 18:49:27Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultNumberExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

```

*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: LocaleFunctionSupport.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

```

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/function/ext/LocaleFunctionSupport.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1345 $
* $Date: 2009-10-22 07:25:23 -0400 (Thu, 22 Oct 2009) $
*
* =====
*

```

```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLocationPath.java 1345 2009-10-22 11:25:23Z elharo $
*/

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultLocationPath.java
No license file was found, but licenses were detected in source scan.

/*

```

```

* $Header$
* $Revision: 1321 $
* $Date: 2008-04-26 17:30:06 -0700 (Sat, 26 Apr 2008) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
* on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: BaseXPath.java 1321 2008-04-27 00:30:06Z elharo $
*/

```

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/BaseXPath.java

No license file was found, but licenses were detected in source scan.

/\*

\$Id: NamedAccessNavigator.java 1128 2006-02-05 21:49:04Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/NamedAccessNavigator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

```
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultRelationalExpr.java 1128 2006-02-05 21:49:04Z elharo $
*/
```

Found in path(s):

```
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/expr/DefaultRelationalExpr.java
```



No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1366 $
 * $Date: 2012-05-05 12:17:35 -0400 (Sat, 05 May 2012) $
 *
 * =====
 *
 * Copyright 2000-2004 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
```

\*  
\* \$Id: DefaultFunctionCallExpr.java 1366 2012-05-05 16:17:35Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultFunctionCallExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1161 \$

\* \$Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: JaxenException.java 1161 2006-06-03 20:36:00Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/JaxenException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1337 \$

\* \$Date: 2008-12-02 17:58:10 -0800 (Tue, 02 Dec 2008) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: XPathFactory.java 1337 2008-12-03 01:58:10Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/XPathFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*

\* =====  
\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultXPathHandler.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/saxpath/helpers/DefaultXPathHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: NameFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/NameFunction.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1162 \$  
\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: Dom4jXPath.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/dom4j/Dom4jXPath.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1300 \$  
\* \$Date: 2007-05-02 07:27:46 -0700 (Wed, 02 May 2007) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: Predicate.java 1300 2007-05-02 14:27:46Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/Predicate.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====



```

*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: NotFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/NotFunction.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

\* \$Header\$  
\* \$Revision\$  
\* \$Date\$  
\*  
\* =====  
\*  
\* Copyright 2005 Elliotte Rusty Harold.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from this software without specific prior written permission.  
\*  
\* THIS  
\* SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Jaxen Project and was originally  
\* created  
\* by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id\$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/NodeComparator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: FloorFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/FloorFunction.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1302 $
 * $Date: 2007-05-02 07:33:29 -0700 (Wed, 02 May 2007) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====

```

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: SelfAxisIterator.java 1302 2007-05-02 14:33:29Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/SelfAxisIterator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1279 \$

\* \$Date: 2007-01-06 04:21:12 -0800 (Sat, 06 Jan 2007) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultProcessingInstructionNodeStep.java 1279 2007-01-06 12:21:12Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultProcessingInstructionNodeStep.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: IterableSelfAxis.java 1162 2006-06-03 20:52:26Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/iter/IterableSelfAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1332 \$

\* \$Date: 2008-10-18 06:29:28 -0700 (Sat, 18 Oct 2008) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived

```

* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultEqualityExpr.java 1332 2008-10-18 13:29:28Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultEqualityExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1162 $
* $Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright

```



\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DOMXPath.java 1162 2006-06-03 20:52:26Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/dom/DOMXPath.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*  
 \* \* Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: IterableNamespaceAxis.java 1162 2006-06-03 20:52:26Z elharo \$  
 \*/

Found in path(s):  
 \* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
 jar/org/jaxen/expr/iter/IterableNamespaceAxis.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1306 \$  
 \* \$Date: 2007-05-02 08:04:46 -0700 (Wed, 02 May 2007) \$  
 \*  
 \* =====  
 \*

```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathExpr.java 1306 2007-05-02 15:04:46Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/XPathExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$

```

\* \$Revision: 1261 \$  
\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultUnaryExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultUnaryExpr.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: IterablePrecedingAxis.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/iter/IterablePrecedingAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultXPathExpr.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultXPathExpr.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultGreaterThanOrEqualExpr.java 1261 2006-11-30 18:49:27Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultGreaterThanOrEqualExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1334 \$

\* \$Date: 2008-11-29 09:58:48 -0800 (Sat, 29 Nov 2008) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS



\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: XPathLexer.java 1334 2008-11-29 17:58:48Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/base/XPathLexer.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1255 \$

\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2005 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: DescendantOrSelfAxisIterator.java 1255 2006-11-09 18:20:12Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/util/DescendantOrSelfAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: SubstringAfterFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
 \*/

Found in path(s):  
 \* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
 jar/org/jaxen/function/SubstringAfterFunction.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1128 \$  
 \* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
 \*  
 \* =====

\*  
 \* Copyright 2000-2002 bob mcwhirter & James Strachan.  
 \* All rights reserved.

\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: PositionFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/PositionFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\$Id: IterableAxis.java 1128 2006-02-05 21:49:04Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/iter/IterableAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

```

*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultArithExpr.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

```

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultArithExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1171 $
* $Date: 2006-07-03 06:17:30 -0700 (Mon, 03 Jul 2006) $
*
* =====
*
* Copyright 2000-2005 bob mcwhirter & James Strachan.

```

```

* All rights reserved.
*
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DocumentNavigator.java 1171 2006-07-03 13:17:30Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/dom4j/DocumentNavigator.java

```

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: LastFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/



Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/LastFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1396 \$

\* \$Date: 2013-01-13 07:22:49 -0500 (Sun, 13 Jan 2013) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultEqualsExpr.java 1396 2013-01-13 12:22:49Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultEqualsExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultExpr.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultExpr.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: NormalizeSpaceFunction.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/NormalizeSpaceFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1396 \$

\* \$Date: 2013-01-13 07:22:49 -0500 (Sun, 13 Jan 2013) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultGreaterThanExpr.java 1396 2013-01-13 12:22:49Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultGreaterThanExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1133 \$

\* \$Date: 2006-03-30 05:56:36 -0800 (Thu, 30 Mar 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: Axis.java 1133 2006-03-30 13:56:36Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/Axis.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1255 \$  
\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$

\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: SingleObjectIterator.java 1255 2006-11-09 18:20:12Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/SingleObjectIterator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1162 \$  
\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without

```

* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableDescendantAxis.java 1162 2006-06-03 20:52:26Z elharo $
*/

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/expr/iter/IterableDescendantAxis.java
No license file was found, but licenses were detected in source scan.

/*
* $Header$
* $Revision: 1128 $
* $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
*

```



\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: Operator.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/Operator.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1128 $
 * $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
 *
```

\* \$Id: SumFunction.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/SumFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultPlusExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultPlusExpr.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultStep.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultStep.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1386 \$

\* \$Date: 2012-07-29 09:29:13 -0400 (Sun, 29 Jul 2012) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: NumberFunction.java 1386 2012-07-29 13:29:13Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/NumberFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: XPathReader.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/XPathReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: LocalNameFunction.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/LocalNameFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are

\* met:



\*  
 \* \* Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: SubstringBeforeFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
 \*/

Found in path(s):  
 \* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
 jar/org/jaxen/function/SubstringBeforeFunction.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1128 \$  
 \* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
 \*  
 \* =====  
 \*

```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: TrueFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/TrueFunction.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$

```

```

* $Revision: 1162 $
* $Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableAncestorAxis.java 1162 2006-06-03 20:52:26Z elharo $
*/

```

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/iter/IterableAncestorAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: PatternParser.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/PatternParser.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\*

```
* =====
* This software consists of voluntary contributions made by many
* individuals
* on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultAdditiveExpr.java 1128 2006-02-05 21:49:04Z elharo $
*/
```

Found in path(s):

```
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultAdditiveExpr.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* $Header$
* $Revision: 1252 $
* $Date: 2006-11-09 08:21:05 -0800 (Thu, 09 Nov 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
```

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: BinaryExpr.java 1252 2006-11-09 16:21:05Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/BinaryExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1396 \$  
\* \$Date: 2013-01-13 07:22:49 -0500 (Sun, 13 Jan 2013) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultLessThanEqualExpr.java 1396 2013-01-13 12:22:49Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultLessThanEqualExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1251 \$

\* \$Date: 2006-11-09 08:11:38 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*



\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: DefaultXPathFactory.java 1251 2006-11-09 16:11:38Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultXPathFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1162 \$  
\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: IterableFollowingAxis.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/iter/IterableFollowingAxis.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1261 \$  
\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultMinusExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultMinusExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1253 \$

\* \$Date: 2006-11-09 08:39:19 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: SingletonList.java 1253 2006-11-09 16:39:19Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/SingletonList.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1261 $
 * $Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
 *
```

\* \$Id: DefaultTextNodeStep.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultTextNodeStep.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1252 \$

\* \$Date: 2006-11-09 08:21:05 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: RelationalExpr.java 1252 2006-11-09 16:21:05Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/RelationalExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1162 \$  
\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: IterableFollowingSiblingAxis.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/iter/IterableFollowingSiblingAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\$Id: DocumentNavigator.java 1161 2006-06-03 20:36:00Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF



LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/javabean/DocumentNavigator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultModExpr.java 1261 2006-11-30 18:49:27Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultModExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: IdFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/IdFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1261 \$  
\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultCommentNodeStep.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultCommentNodeStep.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1159 \$  
\* \$Date: 2006-06-03 13:25:34 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: SimpleNamespaceContext.java 1159 2006-06-03 20:25:34Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/SimpleNamespaceContext.java

No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1268 \$  
\* \$Date: 2006-12-10 07:32:14 -0800 (Sun, 10 Dec 2006) \$  
\*

\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*

```

* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: Step.java 1268 2006-12-10 15:32:14Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/Step.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

```

$Id: IterableChildAxis.java 1162 2006-06-03 20:52:26Z elharo $

```

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/iter/IterableChildAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1255 \$

\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: FollowingSiblingAxisIterator.java 1255 2006-11-09 18:20:12Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/util/FollowingSiblingAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without



\* modification, are permitted provided that the following conditions are  
 \* met:  
 \*  
 \* \* Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* =====  
 \* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.  
 \*  
 \* \$Id: NameTest.java 1128 2006-02-05 21:49:04Z elharo \$  
 \*/

Found in path(s):  
 \* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/NameTest.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1300 \$  
 \* \$Date: 2007-05-02 07:27:46 -0700 (Wed, 02 May 2007) \$  
 \*  
 \* =====

```

*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: PathExpr.java 1300 2007-05-02 14:27:46Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/PathExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: RoundFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/RoundFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: IterableDescendantOrSelfAxis.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):

\*/opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/iter/IterableDescendantOrSelfAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

```
* =====
* This software consists of voluntary contributions made by many
* individuals
* on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: IterableParentAxis.java 1162 2006-06-03 20:52:26Z elharo $
*/
```

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/iter/IterableParentAxis.java  
No license file was found, but licenses were detected in source scan.

```
/*
* $Header$
* $Revision: 1128 $
* $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
*
* =====
```

```
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
```

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: NodeTypeTest.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/NodeTypeTest.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1193 \$

\* \$Date: 2006-09-15 13:41:38 -0700 (Fri, 15 Sep 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: XPathReaderFactory.java 1193 2006-09-15 20:41:38Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/saxpath/helpers/XPathReaderFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.



\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: TranslateFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/TranslateFunction.java

No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*

\* \* Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
 \* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.  
 \*  
 \* \$Id: AnyChildNodeTest.java 1128 2006-02-05 21:49:04Z elharo \$  
 \*/

Found in path(s):  
 \* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
 jar/org/jaxen/pattern/AnyChildNodeTest.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1273 \$  
 \* \$Date: 2007-01-03 12:47:42 -0800 (Wed, 03 Jan 2007) \$  
 \*  
 \* =====  
 \*  
 \* Copyright 2000-2002 bob mcwhirter & James Strachan.

```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultLiteralExpr.java 1273 2007-01-03 20:47:42Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultLiteralExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1255 $

```

\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: LinkedIterator.java 1255 2006-11-09 18:20:12Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/LinkedIterator.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1261 $
 * $Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
 *
```

\* \$Id: DefaultFilterExpr.java 1261 2006-11-30 18:49:27Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultFilterExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultDivExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultDivExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\$Id: DefaultNameStep.java 1290 2007-04-17 01:26:35Z bewins \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultNameStep.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.



\*  
\* \$Id: CountFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/CountFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1232 \$  
\* \$Date: 2006-11-08 08:37:59 -0800 (Wed, 08 Nov 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many

\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: FunctionCallExpr.java 1232 2006-11-08 16:37:59Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/FunctionCallExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1255 \$  
\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2005 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: FollowingAxisIterator.java 1255 2006-11-09 18:20:12Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/util/FollowingAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\$Id: ContextSupport.java 1157 2006-06-03 20:07:37Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/ContextSupport.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*
* =====
* This software consists of voluntary contributions made by many
* individuals
* on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: ConcatFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/
```

Found in path(s):

```
*/opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/ConcatFunction.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* $Header$
* $Revision: 1396 $
* $Date: 2013-01-13 07:22:49 -0500 (Sun, 13 Jan 2013) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
```

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultLessThanExpr.java 1396 2013-01-13 12:22:49Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultLessThanExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: NamespaceUriFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/NamespaceUriFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1134 \$  
\* \$Date: 2006-04-07 10:11:52 -0700 (Fri, 07 Apr 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: Pattern.java 1134 2006-04-07 17:11:52Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/Pattern.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1161 \$  
\* \$Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\*



\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: XPathSyntaxException.java 1161 2006-06-03 20:36:00Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/saxpath/XPathSyntaxException.java

No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====

\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.

```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: StringFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/StringFunction.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1261 $

```

```
* $Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
* on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultMultiplyExpr.java 1261 2006-11-30 18:49:27Z elharo $
*/
```

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultMultiplyExpr.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1257 \$

\* \$Date: 2006-11-13 14:10:09 -0800 (Mon, 13 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: PrecedingSiblingAxisIterator.java 1257 2006-11-13 22:10:09Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/util/PrecedingSiblingAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: LangFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/LangFunction.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1257 \$

\* \$Date: 2006-11-13 14:10:09 -0800 (Mon, 13 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2005 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: PrecedingAxisIterator.java 1257 2006-11-13 22:10:09Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/PrecedingAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\$Id\$

Copyright 2005 Elliotte Rusty Harold. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/IdentitySet.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1161 \$

\* \$Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: JavaBeanXPath.java 1161 2006-06-03 20:36:00Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/javabean/JavaBeanXPath.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: UnionPattern.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/UnionPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: CeilingFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/CeilingFunction.java  
No license file was found, but licenses were detected in source scan.

/\*

\$Id: Context.java 1219 2006-10-15 21:08:16Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/Context.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1241 \$

\* \$Date: 2006-11-08 10:07:25 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: Predicated.java 1241 2006-11-08 18:07:25Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/Predicated.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: Token.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/base/Token.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1160 \$

\* \$Date: 2006-06-03 13:26:02 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: UnsupportedAxisException.java 1160 2006-06-03 20:26:02Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/UnsupportedAxisException.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1234 \$

\* \$Date: 2006-11-08 08:47:30 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are

\* met:

\*  
 \* \* Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* \* Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* \* Neither the name of the Jaxen Project nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from  
 this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
 \* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
 \* individuals  
 on behalf of the Jaxen Project and was originally  
 \* created by bob mcwhirter <bob@werken.com> and  
 \* James Strachan <jstrachan@apache.org>. For more information on the  
 \* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: LiteralExpr.java 1234 2006-11-08 16:47:30Z elharo \$  
 \*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/LiteralExpr.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header\$  
 \* \$Revision: 1247 \$  
 \* \$Date: 2006-11-08 11:06:30 -0800 (Wed, 08 Nov 2006) \$  
 \*  
 \* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.



```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnaryExpr.java 1247 2006-11-08 19:06:30Z elharo $
*/

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/UnaryExpr.java
No license file was found, but licenses were detected in source scan.

/*
* $Header$
* $Revision: 1128 $

```

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: PatternHandler.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/PatternHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1159 $
 * $Date: 2006-06-03 13:25:34 -0700 (Sat, 03 Jun 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
 *
```

\* \$Id: UnresolvableException.java 1159 2006-06-03 20:25:34Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/UnresolvableException.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1225 \$

\* \$Date: 2006-11-08 07:42:39 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: CommentNodeStep.java 1225 2006-11-08 15:42:39Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/CommentNodeStep.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1198 \$  
\* \$Date: 2006-09-21 04:48:05 -0700 (Thu, 21 Sep 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2005 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DocumentNavigator.java 1198 2006-09-21 11:48:05Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/jdom/DocumentNavigator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultAllNodeStep.java 1261 2006-11-30 18:49:27Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultAllNodeStep.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1159 \$

\* \$Date: 2006-06-03 13:25:34 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: SimpleVariableContext.java 1159 2006-06-03 20:25:34Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/SimpleVariableContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1325 \$

\* \$Date: 2008-04-26 18:55:05 -0700 (Sat, 26 Apr 2008) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the



\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: MultiplicativeExpr.java 1325 2008-04-27 01:55:05Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/MultiplicativeExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

```

*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
*/

```

```

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/function/SubstringFunction.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1154 $
* $Date: 2006-06-01 06:19:30 -0700 (Thu, 01 Jun 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.

```

```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: QualifiedName.java 1154 2006-06-01 13:19:30Z elharo $
*/

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/QualifiedName.java
No license file was found, but licenses were detected in source scan.

/*
* $Header$
* $Revision: 1179 $

```

\* \$Date: 2006-07-16 04:07:25 -0700 (Sun, 16 Jul 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: FunctionCallException.java 1179 2006-07-16 11:07:25Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/FunctionCallException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1248 $
 * $Date: 2006-11-08 11:20:29 -0800 (Wed, 08 Nov 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
 *
```

\* \$Id: VariableReferenceExpr.java 1248 2006-11-08 19:20:29Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/VariableReferenceExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1252 \$

\* \$Date: 2006-11-09 08:21:05 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: EqualityExpr.java 1252 2006-11-09 16:21:05Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/EqualityExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1162 \$  
\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: IterableAncestorOrSelfAxis.java 1162 2006-06-03 20:52:26Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/iter/IterableAncestorOrSelfAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1370 \$

\* \$Date: 2012-05-06 19:52:12 -0400 (Sun, 06 May 2012) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A



\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: NamespaceNode.java 1370 2012-05-06 23:52:12Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/dom/NamespaceNode.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1252 \$

\* \$Date: 2006-11-09 08:21:05 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: LogicalExpr.java 1252 2006-11-09 16:21:05Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/LogicalExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1162 \$

\* \$Date: 2006-06-03 13:52:26 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: IterablePrecedingSiblingAxis.java 1162 2006-06-03 20:52:26Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/iter/IterablePrecedingSiblingAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are

\* met:

```

*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

```

* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: BooleanFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

```

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/BooleanFunction.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1128 $
* $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.

```

\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: NamespaceTest.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/NamespaceTest.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1396 \$

\* \$Date: 2013-01-13 07:22:49 -0500 (Sun, 13 Jan 2013) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultNotEqualsExpr.java 1396 2013-01-13 12:22:49Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-

jar/org/jaxen/expr/DefaultNotEqualsExpr.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1261 $
 * $Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
```

\*  
\* \$Id: Expr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\*/opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/Expr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1261 \$  
\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$  
\*  
\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
\* This software consists of voluntary contributions made by many



\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultAndExpr.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultAndExpr.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: AnyNodeTest.java 1128 2006-02-05 21:49:04Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/AnyNodeTest.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultRelativeLocationPath.java 1261 2006-11-30 18:49:27Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/expr/DefaultRelativeLocationPath.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived

```

* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: SAXPathEventSource.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/saxpath/SAXPathEventSource.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header$
* $Revision: 1161 $
* $Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) $
*
* =====
*
* Copyright 2000-2003 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
*/

```

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: XOMXPath.java 1161 2006-06-03 20:36:00Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/xom/XOMXPath.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are

```

* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: FalseFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/FalseFunction.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1245 $
* $Date: 2006-11-08 10:52:02 -0800 (Wed, 08 Nov 2006) $
*
* =====
*

```

```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: TextNodeStep.java 1245 2006-11-08 18:52:02Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/TextNodeStep.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$

```

```
* $Revision: 1128 $
* $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
* on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: StackedIterator.java 1128 2006-02-05 21:49:04Z elharo $
*/
```

Found in path(s):



\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/util/StackedIterator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1132 \$

\* \$Date: 2006-03-30 05:53:11 -0800 (Thu, 30 Mar 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: JaxenHandler.java 1132 2006-03-30 13:53:11Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/JaxenHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many

\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: TextNodeTest.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/pattern/TextNodeTest.java  
No license file was found, but licenses were detected in source scan.

/\*

\$Id: IterableAttributeAxis.java 1162 2006-06-03 20:52:26Z elharo \$

Copyright 2003 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/iter/IterableAttributeAxis.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1255 \$

\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2005 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: AncestorOrSelfAxisIterator.java 1255 2006-11-09 18:20:12Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/util/AncestorOrSelfAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: LocationPathPattern.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/path/pattern/LocationPathPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1255 \$

\* \$Date: 2006-11-09 10:20:12 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2005 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DescendantAxisIterator.java 1255 2006-11-09 18:20:12Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/util/DescendantAxisIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*

\* \$Id: LowerFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/ext/LowerFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*

\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.



\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: SimpleFunctionContext.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/SimpleFunctionContext.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1261 \$  
\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$  
\*  
\* =====

\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without

```

* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultUnionExpr.java 1261 2006-11-30 18:49:27Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultUnionExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1367 $
* $Date: 2012-05-05 12:31:33 -0400 (Sat, 05 May 2012) $
*
* =====

```

```

*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: DefaultVariableReferenceExpr.java 1367 2012-05-05 16:31:33Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/expr/DefaultVariableReferenceExpr.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1128 $
 * $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
 *
 * $Id: EvaluateFunction.java 1128 2006-02-05 21:49:04Z elharo $
 */
```

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/function/ext/EvaluateFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals

on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DocumentFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/xslt/DocumentFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1156 \$

\* \$Date: 2006-06-03 13:04:05 -0700 (Sat, 03 Jun 2006) \$

\*

\* =====

\*

\* Copyright 2000-2003 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DocumentNavigator.java 1156 2006-06-03 20:04:05Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/xom/DocumentNavigator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1258 \$

\* \$Date: 2006-11-13 14:38:17 -0800 (Mon, 13 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: PredicateSet.java 1258 2006-11-13 22:38:17Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/PredicateSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: \$

\* \$Revision: \$

\* \$Date: \$

\*

\* =====

\*

\* Copyright 2000-2005 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its





\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: StringLengthFunction.java 1324 2008-04-27 01:48:59Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/StringLengthFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1252 \$

\* \$Date: 2006-11-09 08:21:05 -0800 (Thu, 09 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

```

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: AdditiveExpr.java 1252 2006-11-09 16:21:05Z elharo $
*/

```

```

Found in path(s):
* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/AdditiveExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1334 $
* $Date: 2008-11-29 09:58:48 -0800 (Sat, 29 Nov 2008) $
*

```

\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\* \$Id: XPathReader.java 1334 2008-11-29 17:58:48Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/saxpath/base/XPathReader.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1161 $
 * $Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====
 * This software consists of voluntary contributions made by many
 * individuals
 * on behalf of the Jaxen Project and was originally
 * created by bob mcwhirter <bob@werken.com> and
 * James Strachan <jstrachan@apache.org>. For more information on the
 * Jaxen Project, please see <http://www.jaxen.org/>.
```

\*  
\* \$Id: SAXPathException.java 1161 2006-06-03 20:36:00Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/saxpath/SAXPathException.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*  
\* \$Id: Function.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/Function.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1168 \$

\* \$Date: 2006-07-03 04:58:31 -0700 (Mon, 03 Jul 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: NamespaceContext.java 1168 2006-07-03 11:58:31Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/NamespaceContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1237 \$

\* \$Date: 2006-11-08 09:17:32 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED



\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: NumberExpr.java 1237 2006-11-08 17:17:32Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/NumberExpr.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1228 \$

\* \$Date: 2006-11-08 08:00:22 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived

```

* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: UnionExpr.java 1228 2006-11-08 16:00:22Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/UnionExpr.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header$
* $Revision: 1168 $
* $Date: 2006-07-03 04:58:31 -0700 (Mon, 03 Jul 2006) $
*
* =====
*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright

```

\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
\* on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: VariableContext.java 1168 2006-07-03 11:58:31Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/VariableContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: ContainsFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):  
\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/ContainsFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*

```

* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: EndsWithFunction.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-
jar/org/jaxen/function/ext/EndsWithFunction.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

\* \$Header\$  
\* \$Revision: 1128 \$  
\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: FunctionContext.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/FunctionContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1277 \$

\* \$Date: 2007-01-05 10:25:43 -0800 (Fri, 05 Jan 2007) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived

\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many

\* individuals

on behalf of the Jaxen Project and was originally

\* created by bob mcwhirter <bob@werken.com> and

\* James Strachan <jstrachan@apache.org>. For more information on the

\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: DefaultBinaryExpr.java 1277 2007-01-05 18:25:43Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultBinaryExpr.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1128 $
 * $Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) $
 *
 * =====
 *
 * Copyright 2000-2002 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 *
 * =====

```



\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: UpperFunction.java 1128 2006-02-05 21:49:04Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-  
jar/org/jaxen/function/ext/UpperFunction.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header$
 * $Revision: 1364 $
 * $Date: 2011-07-30 05:46:45 -0400 (Sat, 30 Jul 2011) $
 *
 * =====
 *
 * Copyright 2000-2005 bob mcwhirter & James Strachan.
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * * Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * * Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * * Neither the name of the Jaxen Project nor the names of its
 * contributors may be used to endorse or promote products derived
 * from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 * PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
 * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
```

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DocumentNavigator.java 1364 2011-07-30 09:46:45Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/dom/DocumentNavigator.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1261 \$

\* \$Date: 2006-11-30 10:49:27 -0800 (Thu, 30 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: DefaultPredicate.java 1261 2006-11-30 18:49:27Z elharo \$  
\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/DefaultPredicate.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1225 \$

\* \$Date: 2006-11-08 07:42:39 -0800 (Wed, 08 Nov 2006) \$

\*

\* =====

\*

\* Copyright 2000-2002 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\*

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its

\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*

\* \$Id: AllNodeStep.java 1225 2006-11-08 15:42:39Z elharo \$\br/>\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/AllNodeStep.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$\br/>\* \$Revision: 1236 \$\br/>\* \$Date: 2006-11-08 09:10:02 -0800 (Wed, 08 Nov 2006) \$\br/>\*

\* =====

\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:

\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*

\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*

\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: NameStep.java 1236 2006-11-08 17:10:02Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/expr/NameStep.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1334 \$

\* \$Date: 2008-11-29 09:58:48 -0800 (Sat, 29 Nov 2008) \$

\*

\* =====

\*

\* Copyright 2000-2004 bob mcwhirter & James Strachan.

\* All rights reserved.

\*

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\*

\* \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* =====

\* This software consists of voluntary contributions made by many individuals on behalf of the Jaxen Project and was originally created by bob mcwhirter <bob@werken.com> and James Strachan <jstrachan@apache.org>. For more information on the Jaxen Project, please see <<http://www.jaxen.org/>>.

\*

\* \$Id: TokenType.java 1334 2008-11-29 17:58:48Z elharo \$

\*/

Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/saxpath/base/TokenType.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header\$

\* \$Revision: 1128 \$

\* \$Date: 2006-02-05 13:49:04 -0800 (Sun, 05 Feb 2006) \$

\*

\* =====

```

*
* Copyright 2000-2002 bob mcwhirter & James Strachan.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
* * Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* * Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* * Neither the name of the Jaxen Project nor the names of its
* contributors may be used to endorse or promote products derived
* from
this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
* This software consists of voluntary contributions made by many
* individuals
on behalf of the Jaxen Project and was originally
* created by bob mcwhirter <bob@werken.com> and
* James Strachan <jstrachan@apache.org>. For more information on the
* Jaxen Project, please see <http://www.jaxen.org/>.
*
* $Id: XPathNamespace.java 1128 2006-02-05 21:49:04Z elharo $
*/

```

Found in path(s):

```

* /opt/cola/permits/1000966325_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/jdom/XPathNamespace.java
No license file was found, but licenses were detected in source scan.

```

/\*

\* \$Header\$  
\* \$Revision: 1161 \$  
\* \$Date: 2006-06-03 13:36:00 -0700 (Sat, 03 Jun 2006) \$  
\*  
\* =====  
\*  
\* Copyright 2000-2002 bob mcwhirter & James Strachan.  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* \* Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* \* Neither the name of the Jaxen Project nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from  
this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER  
\* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* =====  
\* This software consists of voluntary contributions made by many  
\* individuals  
on behalf of the Jaxen Project and was originally  
\* created by bob mcwhirter <bob@werken.com> and  
\* James Strachan <jstrachan@apache.org>. For more information on the  
\* Jaxen Project, please see <<http://www.jaxen.org/>>.  
\*  
\* \$Id: JDOMXPath.java 1161 2006-06-03 20:36:00Z elharo \$  
\*/



Found in path(s):

\* /opt/cola/permits/1000966325\_1646171545.57/0/jaxen-1-1-6-sources-jar/org/jaxen/jdom/JDOMXPath.java

# 1.229 httpcore-nio 4.4.1

## 1.229.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache HttpCore NIO  
Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.230 scala-reflect 2.10.4

## 1.231 mime-pull 1.9.3

## 1.232 httpasyncclient 4.1

### 1.232.1 Available under license :

Apache HttpAsyncClient  
Copyright 2010-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.



Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## **1.233 swagger-annotations 1.3.12**

## **1.234 swagger-jersey2-jaxrs 1.5.0**

## **1.235 commons-compiler 2.6.1**

## **1.236 metrics-jvm 3.1.0**

## **1.237 proto-google-common-protos 1.0.0**

# 1.238 javax-xml-soap-api 1.4.0

## 1.238.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms

herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the

Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.



To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear

what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program

is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.239 jaxb-runtime 2.3.1

## 1.240 minlog 1.2

## 1.241 jax-ws-api 2.3.0

## 1.242 hazelcast 3.8.9

### 1.242.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Viktor Gamov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2013, 2014 EclipseSource

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,



and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*\*

\*\* NOTICE file corresponding to the section 4 (d) of the Apache License,

\*\* Version 2.0, in this case for the Hazelcast distribution.

\*\*

The end-user documentation included with a redistribution, if any, must include the following acknowledgement:

"This product includes software developed by the Hazelcast Project (<http://www.hazelcast.com>)."

Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

The name "Hazelcast" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [talip@hazelcast.com](mailto:talip@hazelcast.com) or [fuad@hazelcast.com](mailto:fuad@hazelcast.com)

Copyright (c) 2008-2016 Hazelcast Inc. All rights reserved.

## 1.243 hazelcast-client 3.8.9

## 1.244 unirest-java 1.4.5

### 1.244.1 Available under license :

/\*

The MIT License

Copyright (c) 2013 Mashape (<http://mashape.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

//Copyright 2003-2010 Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland

//www.source-code.biz, www.inventec.ch/chdh

//

//This module is multi-licensed and may be used under the terms

//of any of the following licenses:

//

//EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal>

//LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html>

//GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html>

//AL, Apache License, V2.0 or later, <http://www.apache.org/licenses>

//BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php>

//MIT, MIT License, <http://www.opensource.org/licenses/MIT>

//

//Please contact the author if you need another license.

//This module is provided "as is", without warranties of any kind.

## 1.245 jul-to-slf4j 1.7.21

### 1.245.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

# 1.246 javax-activation 1.2.0

## 1.246.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available

under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this

License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.



### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your

choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to

a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer

software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy

and distribute

such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative  
or  
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:



a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software Foundation

may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version

69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then

distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

<html>

<head>

<title>Specification License</title>

</head>

<body>

Specification: JSR-925 JavaBeans Activation Framework ("Specification")

<br/>

Version: 1.2

<br/>

Status: Maintenance Release

<br/>

Specification Lead: Oracle America, Inc. ("Specification Lead")

<br/>

Release: July 2017

<br/>

<br/>

Copyright © 2017 Oracle America, Inc. All rights reserved.

<br/>

<p>

#### LIMITED LICENSE GRANTS

<br/>

1. License for Evaluation Purposes. Specification Lead hereby grants you a fully-paid, non-exclusive, non-transferable, worldwide, limited license (without the right to sublicense), under Specification Lead's applicable intellectual property rights to view, download, use and reproduce the Specification only for the purpose of internal evaluation. This includes (i) developing applications intended to run on an implementation of the Specification, provided that such applications do not themselves implement any portion(s) of the Specification, and (ii) discussing the Specification with any third party; and (iii) excerpting brief portions of the Specification in oral or written communications which discuss the Specification provided that such excerpts do not in the aggregate constitute a significant portion of the Specification.

</p>

<p>

2. License for the Distribution of Compliant Implementations. Specification Lead also grants you a perpetual, non-exclusive, non-transferable, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights or, subject to the provisions of subsection 4 below, patent rights it may have covering the Specification to create and/or distribute an Independent Implementation of the Specification that: (a) fully implements the Specification including all its required interfaces and functionality; (b) does not modify, subset, superset or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented; and (c) passes the Technology Compatibility Kit (including satisfying the requirements of the applicable TCK Users Guide) for such Specification ("Compliant Implementation"). In addition, the foregoing license is expressly conditioned on your not acting outside its scope. No license is granted hereunder for any other purpose (including, for example, modifying the Specification, other than to the extent of your fair use rights, or distributing the Specification to third parties). Also, no right, title, or interest in or to any trademarks, service marks, or trade names of Specification Lead or Specification Lead's licensors is granted hereunder. Java, and Java-related logos, marks and names are

trademarks or registered trademarks of Oracle America, Inc. in the U.S. and other countries.

</p>

<p>

3. Pass-through Conditions. You need not include limitations (a)-(c) from the previous paragraph or any other particular "pass through" requirements in any license You grant concerning the use of your Independent Implementation or products derived from it. However, except with respect to Independent Implementations (and products derived from them) that satisfy limitations (a)-(c) from the previous paragraph, You may neither: (a) grant or otherwise pass through to your licensees any licenses under Specification Lead's applicable intellectual property rights; nor (b) authorize your licensees to make any claims concerning their implementation's compliance with the Specification in question.

</p>

<p>

4. Reciprocity Concerning Patent Licenses.

<br/>

a. With respect to any patent claims covered by the license granted under subparagraph 2 above that would be infringed by all technically feasible implementations of the Specification, such license is conditioned upon your offering on fair, reasonable and non-discriminatory terms, to any party seeking it from You, a perpetual, non-exclusive, non-transferable, worldwide license under Your patent rights which are or would be infringed by all technically feasible implementations of the Specification to develop, distribute and use a Compliant Implementation.

<br/>

b. With respect to any patent claims owned by Specification Lead and covered by the license granted under subparagraph 2, whether or not their infringement can be avoided in a technically feasible manner when implementing the Specification, such license shall terminate with respect to such claims if You initiate a claim against Specification Lead that it has, in the course of performing its responsibilities as the Specification Lead, induced any other entity to infringe Your patent rights.

<br/>

c. Also with respect to any patent claims owned by Specification Lead and covered by the license granted under subparagraph 2 above, where the infringement of such claims can be avoided in a technically feasible manner when implementing the Specification such license, with respect to such claims, shall terminate if You initiate a claim against Specification Lead that its making, having made, using, offering to sell, selling or importing a Compliant Implementation infringes Your



patent rights.

</p>

<p>

5. Definitions. For the purposes of this Agreement: "Independent Implementation" shall mean an implementation of the Specification that neither derives from any of Specification Lead's source code or binary code materials nor, except with an appropriate and separate license from Specification Lead, includes any of Specification Lead's source code or binary code materials; "Licensor Name Space" shall mean the public class or interface declarations whose names begin with "java", "javax", "com.oracle", "com.sun" or their equivalents in any subsequent naming convention adopted by Oracle America, Inc. through the Java Community Process, or any recognized successors or replacements thereof; and "Technology Compatibility Kit" or "TCK" shall mean the test

suite and accompanying TCK User's Guide provided by Specification Lead which corresponds to the Specification and that was available either (i) from Specification Lead 120 days before the first release of Your Independent Implementation that allows its use for commercial purposes, or (ii) more recently than 120 days from such release but against which You elect to test Your implementation of the Specification.

</p>

<p>

This Agreement will terminate immediately without notice from Specification Lead if you breach the Agreement or act outside the scope of the licenses granted above.

</p>

<p>

#### DISCLAIMER OF WARRANTIES

<br/>

THE SPECIFICATION IS PROVIDED "AS IS". SPECIFICATION LEAD MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT (INCLUDING AS A CONSEQUENCE OF ANY PRACTICE OR IMPLEMENTATION OF THE SPECIFICATION), OR THAT THE CONTENTS OF THE SPECIFICATION

ARE SUITABLE FOR ANY PURPOSE. This document does not represent any commitment to release or implement any portion of the Specification in any product. In addition, the Specification could include technical inaccuracies or typographical errors.

</p>

<p>

#### LIMITATION OF LIABILITY

<br/>

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SPECIFICATION LEAD OR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUE, PROFITS OR DATA, OR FOR SPECIAL, INDIRECT,

CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED IN ANY WAY TO YOUR HAVING, IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION, EVEN IF SPECIFICATION LEAD AND/OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. You will indemnify, hold harmless, and defend Specification Lead and its licensors from any claims arising or resulting from: (i) your use of the Specification; (ii) the use or distribution of your Java application, applet and/or implementation; and/or (iii) any claims that later versions or releases of any Specification furnished to you are incompatible with the Specification provided to you under this license.

</p>

<p>

#### RESTRICTED RIGHTS LEGEND

<br/>

U.S. Government: If this Specification is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in the Software and accompanying documentation shall be only as set forth in this license; this is in accordance with 48 C.F.R. 227.7201 through 227.7202-4 (for Department of Defense (DoD) acquisitions) and with 48 C.F.R. 2.101 and 12.212 (for non-DoD acquisitions).

</p>

<p>

#### REPORT

<br/>

If you provide Specification Lead with any comments or suggestions concerning the Specification ("Feedback"), you hereby: (i) agree that such Feedback is provided on a non-proprietary and non-confidential basis, and (ii) grant Specification Lead a perpetual, non-exclusive, worldwide, fully paid-up, irrevocable license, with the right to sublicense through multiple levels of sublicensees, to incorporate, disclose, and use without limitation the Feedback for any purpose.

</p>

<p>

#### GENERAL TERMS

<br/>

Any action related to this Agreement will be governed by California law and controlling U.S. federal law. The U.N. Convention for the International Sale of Goods and the choice of law rules of any jurisdiction will not apply.

</p>

<p>

The Specification is subject to U.S. export control laws and may be subject to export or import regulations in other countries. Licensee agrees to comply strictly with all such laws and regulations and

acknowledges that it has the responsibility to obtain such licenses to export, re-export or import as may be required after delivery to Licensee.

</p>

<p>

This Agreement is the parties' entire agreement relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals,

conditions, representations and warranties

and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification to this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

</p>

</body>

</html>

## 1.247 open-csv 4.1

## 1.248 asm-util 4.0

## 1.249 not-yet-commons-ssl 0.3.11

### 1.249.1 Available under license :

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

The PKCS12 key derivation function was developed by BouncyCastle  
([bouncycastle.org](http://bouncycastle.org)). (Look for the "pkcs12()" method inside PKCS8.java).

Some of this software was originally developed by  
Credit Union Central of British Columbia (<http://www.cucbc.com/>).  
The CUCBC code was licensed to the Apache Software Foundation on  
August 23rd, 2006.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.250 asm-tree 4.0

## 1.251 commons-pool 2.2

### 1.251.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Pool

Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The LinkedBlockingDeque implementation is based on an implementation written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/licenses/publicdomain>



# 1.252 castor-core 1.3.1

## 1.252.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as  
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 1999-2004 (C) Intalio Inc., and others. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "ExoLab" must not be used to endorse or promote products derived from this Software without prior written permission of Intalio Inc. For written permission, please contact [info@exolab.org](mailto:info@exolab.org).
4. Products derived from this Software may not be called "Castor" nor may "Castor" appear in their names without prior written permission of Intalio Inc. Exolab,

Castor and Intalio are  
trademarks of Intalio Inc.

5. Due credit should be given to the ExoLab Project  
(<http://www.exolab.org/>).

THIS SOFTWARE IS PROVIDED BY INTALIO AND CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTALIO OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.253 quartz 2.2.1

## 1.254 commons-pool 1.5.3

### 1.254.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed



as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Pool

Copyright 1999-2009 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.255 quartz 1.6.0

## 1.256 woodstox-core-asl 4.1.4

### 1.256.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Woodstox XML processor
*
* Copyright (c) 2005 Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1001157969_1646171599.34/0/woodstox-core-asl-4-1-4-sources-
jar/com/ctc/wstx/sw/OutputElementBase.java
* /opt/cola/permits/1001157969_1646171599.34/0/woodstox-core-asl-4-1-4-sources-
jar/com/ctc/wstx/util/BijectiveNsMap.java
* /opt/cola/permits/1001157969_1646171599.34/0/woodstox-core-asl-4-1-4-sources-
jar/com/ctc/wstx/sw/SimpleOutputElement.java
```

No license file was found, but licenses were detected in source scan.

```
/* Woodstox XML processor
*
* Copyright (c) 2004 Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in the file LICENSE which is
* included with the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/dtd/DFASState.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/dtd/ContentSpec.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/dtd/DFAValidator.java  
\*  
/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/dtd/StructValidator.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*  
\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi  
\*  
\* Licensed under the License specified in the file LICENSE,  
\* included with the source code.  
\* You may not use this file except in compliance with the License.  
\*  
\* Unless required by applicable law or agreed to in writing, softwar  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sw/RepairingNsStreamWriter.java  
No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*  
\* Copyright (c) 2004 Tatu Saloranta, tatu.saloranta@iki.fi  
\*  
\* Licensed under the License specified in file LICENSE, included with  
\* the source code.  
\* You may not use this file except in compliance with the License.  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/util/PrefixName.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/AsciiReader.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/evt/BaseStartElement.java

\*

/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/EBCDICCodec.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/UTF32Reader.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/exc/WstxException.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/exc/WstxLazyException.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/evt/DefaultEventAllocator.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/PrefixNameSet.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/UTF8Reader.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/stax/WstxEventFactory.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/ent/EntityDecl.java

\*

/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/WstxInputLocation.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/WstxInputData.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/util/BaseNsContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with

\* the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sax/WstxSAXParser.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sax/WstxSAXParserFactory.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sax/SAXProperty.java  
\*  
/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sax/SAXFeature.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sax/WrappedSaxException.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*  
\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi  
\*  
\* Licensed under the License specified in the file LICENSE,  
\* included with the source code.  
\* You may not use this file except in compliance with the License.  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sw/BaseNsStreamWriter.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-  
jar/com/ctc/wstx/sw/SimpleNsStreamWriter.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*  
\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi  
\*  
\* Licensed under the License specified in the file LICENSE which is  
\* included with the source code.  
\* You may not use this file except in compliance with the License.  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/GenericMsvValidator.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDSchemaFactory.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/stax/WstxOutputFactory.java
- \*
- /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/BaseSchemaFactory.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDElement.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DefaultAttrValue.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDAtribute.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/RelaxNGSchema.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/RelaxNGSchemaFactory.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/NonNsStreamWriter.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/util/SymbolTable.java
- \*
- /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/stax/WstxInputFactory.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDSubset.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDId.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/ValidatingStreamReader.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/W3CSchema.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/W3CSchemaFactory.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/msv/AttributeProxy.java
- \* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/evt/WstxEventReader.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/util/ElementIdMap.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*

\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with  
\* the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDValidatorBase.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/AttributeCollector.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/TypedStreamReader.java

\*

/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/XmlWriter.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDValidator.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/BasicStreamReader.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/EncodingXmlWriter.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDEventListener.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/TypedStreamWriter.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/AsciiXmlWriter.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/InputElementStack.java

\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDSubsetImpl.java

\*

/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/StreamScanner.java



\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/ISOLatin1XmlWriter.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/Element.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/XmlWriterWrapper.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/NsDefaultProvider.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/FullDTDReader.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/BufferingXmlWriter.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/ReaderBootstrapper.java  
\*  
/opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/MinimalDTDReader.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/ISOLatinReader.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sr/Attribute.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/io/WstxInputSource.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/sw/BaseStreamWriter.java  
\* /opt/cola/permits/1001157969\_1646171599.34/0/woodstox-core-asl-4-1-4-sources-jar/com/ctc/wstx/dtd/DTDDTypingNonValidator.java

## 1.257 jersey-bean-validation 2.5.1

## 1.258 cxf-rt-frontend-jaxrs 2.7.3

### 1.258.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.259 jersey-media-jaxb 2.24.1

## 1.260 javax-el 2.2.4

## 1.261 cas-client-core 3.2.1

## 1.262 swagger-springmvc 0.8.8

## 1.263 castor-xml 1.3.1

### 1.263.1 Available under license :

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 1999-2003 (C) Intalio Inc. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "ExoLab" must not be used to endorse or promote products derived from this Software without prior written permission of Intalio Inc. For written permission, please contact [info@exolab.org](mailto:info@exolab.org).
4. Products derived from this Software may not be called "Castor" nor may "Castor" appear in their names without prior written permission of Intalio Inc. Exolab, Castor and Intalio are trademarks of Intalio Inc.
5. Due credit should be given to the ExoLab Project (<http://www.exolab.org/>).

THIS SOFTWARE IS PROVIDED BY INTALIO AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTALIO OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.264 swagger-models 0.8.8

# 1.265 config 1.0.2

# 1.266 jersey-client 2.5.1

# 1.267 cxf-rt-transports-http 2.7.3

## 1.267.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.268 javax-el-api 2.2.4

## 1.269 jersey-container-servlet-core 2.5.1

## 1.270 freemarker 2.3.23

## 1.271 jersey-media-multipart 2.5.1

## 1.272 cassandra-driver-core 2.1.0

## 1.273 jersey-common 2.24.1

## 1.274 jline 2.9

## 1.275 commons-net 3.0

### 1.275.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)  
the Work and for which the  
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to  
communication  
on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,



whether in tort (including negligence), contract, or otherwise,  
unless required by applicable law  
(such as deliberate and grossly  
negligent acts) or agreed to in writing, shall any Contributor be  
liable to You for damages, including any direct, indirect, special,  
incidental, or consequential damages of any character arising as a  
result of this License or out of the use or inability to use the  
Work (including but not limited to damages for loss of goodwill,  
work stoppage, computer failure or malfunction, or any and all  
other commercial damages or losses), even if such Contributor  
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing  
the Work or Derivative Works thereof, You may choose to offer,  
and charge a fee for, acceptance of support, warranty, indemnity,  
or other liability obligations and/or rights consistent with this  
License. However, in accepting such obligations, You may act only  
on Your own behalf and on Your  
sole responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following  
boilerplate notice, with the fields enclosed by brackets "[]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Net

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

# 1.276 cxf-rt-core 2.7.3

## 1.276.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.277 jersey-server 2.5.1

## 1.278 cassandra-driver-mapping 2.1.0

# 1.279 jersey-guava 2.24.1

## 1.280 cglib-nodep 3.1

### 1.280.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Ant distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :

- the W3C consortium (<http://www.w3c.org>) ,
- the SAX project (<http://www.saxproject.org>)

Please read the different LICENSE files present in the root directory of  
this distribution.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0//EN">
<HTML>
<HEAD>
<TITLE>Common Public License - v 1.0</TITLE>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</HEAD>
```

```
<BODY BGCOLOR="#FFFFFF" VLINK="#800000">
```

```
<P ALIGN="CENTER">Common Public License - v 1.0
```

```
<P>
```

```
<P>THE ACCOMPANYING PROGRAM IS PROVIDED
UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE,
REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE
OF THIS AGREEMENT.
```

```
<P>
```

```
<P>1. DEFINITIONS
```

```
<P>"Contribution" means:
```

<UL><FONT SIZE="2">a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and<BR CLEAR="LEFT">

b) in the case of each subsequent Contributor:</FONT></UL>

<UL><FONT SIZE="2">i) changes to the Program, and</FONT></UL>

<UL><FONT

SIZE="2">ii) additions to the Program;</FONT></UL>

<UL><FONT SIZE="2">where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. </FONT><FONT SIZE="2">A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. </FONT><FONT SIZE="2">Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program. </FONT></UL>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2">"Contributor" means any person or entity that distributes the Program.</FONT>

<P><FONT SIZE="2"></FONT><FONT SIZE="2"></FONT>

<P><FONT SIZE="2">"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program. </FONT>

<P><FONT SIZE="2"></FONT><FONT SIZE="2"></FONT>

<P><FONT SIZE="2"></FONT><FONT SIZE="2">"Program" means the Contributions distributed in accordance with this Agreement.</FONT>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2">"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.</FONT>

<P><FONT SIZE="2"><B></B></FONT>

<P><FONT SIZE="2"><B>2. GRANT OF RIGHTS</B></FONT>

<UL><FONT SIZE="2"></FONT><FONT SIZE="2">a) </FONT><FONT SIZE="2">Subject to the terms of this Agreement, each Contributor hereby grants</FONT><FONT SIZE="2"> Recipient a non-exclusive, worldwide, royalty-free copyright license to</FONT><FONT SIZE="2" COLOR="#FF0000"> </FONT><FONT SIZE="2">reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.</FONT></UL>

<UL><FONT SIZE="2"></FONT></UL>

<UL><FONT

SIZE="2"></FONT><FONT SIZE="2">b) Subject to the terms of this Agreement, each Contributor hereby grants

</FONT><FONT SIZE="2">Recipient a non-exclusive, worldwide,</FONT><FONT SIZE="2"



COLOR="#008000"> </FONT><FONT SIZE="2">royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder. </FONT></UL>

<UL><FONT SIZE="2"></FONT></UL>

<UL><FONT SIZE="2">c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth

herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.</FONT></UL>

<UL><FONT SIZE="2"></FONT></UL>

<UL><FONT SIZE="2">d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement. </FONT></UL>

<UL><FONT SIZE="2"></FONT></UL>

<P><FONT SIZE="2"><B>3. REQUIREMENTS</B></FONT>

<P><FONT SIZE="2"><B></B>A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:</FONT>

<UL><FONT SIZE="2">a) it complies with the terms and conditions of this Agreement; and</FONT></UL>

<UL><FONT SIZE="2">b) its license agreement:</FONT></UL>

<UL><FONT SIZE="2">i) effectively disclaims</FONT><FONT SIZE="2"> on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose; </FONT></UL>

<UL><FONT SIZE="2">ii) effectively excludes on behalf of all Contributors all liability for damages, including

direct, indirect, special, incidental and consequential damages, such as lost profits; </FONT></UL>

<UL><FONT SIZE="2">iii</FONT><FONT SIZE="2"> states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and</FONT></UL>

<UL><FONT SIZE="2">iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.</FONT><FONT SIZE="2" COLOR="#0000FF"> </FONT><FONT SIZE="2" COLOR="#FF0000"></FONT></UL>

<UL><FONT SIZE="2" COLOR="#FF0000"></FONT><FONT SIZE="2"></FONT></UL>

<P><FONT SIZE="2">When the Program is made available in source code form:</FONT>

<UL><FONT SIZE="2">a) it must be made available under this Agreement; and </FONT></UL>

<UL><FONT SIZE="2">b) a copy of this Agreement must be included with each copy of the Program.</FONT></UL>

<P><FONT SIZE="2"></FONT><FONT SIZE="2" COLOR="#0000FF"><STRIKE></STRIKE></FONT>  
<P><FONT SIZE="2" COLOR="#0000FF"><STRIKE></STRIKE></FONT><FONT SIZE="2">Contributors may not remove or alter any copyright notices contained within the Program. </FONT>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2">Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution. </FONT>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2"><B>4. COMMERCIAL DISTRIBUTION</B></FONT>

<P><FONT SIZE="2">Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.</FONT>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2">For example, a Contributor might include the Program in a commercial product offering,

Product X. That Contributor

is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

**5. NO WARRANTY**

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

**6. DISCLAIMER OF LIABILITY**

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

**7. GENERAL**

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim

in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program

as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive. </FONT><FONT SIZE="2"></FONT>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2"></FONT><FONT SIZE="2">Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to <FONT><FONT SIZE="2">publish new versions (including revisions) of this Agreement from time to </FONT><FONT SIZE="2">time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. </FONT><FONT SIZE="2">Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may

always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new <FONT><FONT SIZE="2">version. </FONT><FONT SIZE="2">Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, <FONT><FONT SIZE="2">by implication, estoppel or otherwise</FONT><FONT SIZE="2">.</FONT><FONT SIZE="2"> All rights in the Program not expressly granted under this Agreement are reserved.</FONT>

<P><FONT SIZE="2"></FONT>

<P><FONT SIZE="2">This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party

waives its rights to a jury trial in any resulting litigation.</FONT>

<P><FONT SIZE="2"></FONT><FONT SIZE="2"></FONT>

<P><FONT SIZE="2"></FONT>

</BODY>

</HTML>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and



limitations under the License.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>

\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the

\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.

\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.

\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.

\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).

\*

\* "Derivative Works" shall mean any work, whether in Source or Object

\*

form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain

\* separable from, or merely link (or bind by name) to the interfaces of,  
 \* the Work and Derivative Works thereof.  
 \*

\* "Contribution" shall mean any work of authorship, including  
 \* the original version of the Work and any modifications or additions  
 \* to that Work or Derivative Works thereof, that is intentionally  
 \* submitted to Licensor for inclusion in the Work by the copyright owner  
 \* or by an individual or Legal Entity authorized to submit on behalf of  
 \* the copyright owner. For the purposes of this definition, "submitted"  
 \* means any form of electronic, verbal, or written communication sent  
 \* to the Licensor or its representatives,  
 including but not limited to  
 \* communication on electronic mailing lists, source code control systems,  
 \* and issue tracking systems that are managed by, or on behalf of, the  
 \* Licensor for the purpose of discussing and improving the Work, but  
 \* excluding communication that is conspicuously marked or otherwise  
 \* designated in writing by the copyright owner as "Not a Contribution."  
 \*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
 \* on behalf of whom a Contribution has been received by Licensor and  
 \* subsequently incorporated within the Work.  
 \*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
 \* copyright license to reproduce, prepare Derivative Works of,  
 \* publicly display, publicly perform, sublicense, and distribute the  
 \*  
 Work and such Derivative Works in Source or Object form.  
 \*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
 \* (except as stated in this section) patent license to make, have made,  
 \* use, offer to sell, sell, import, and otherwise transfer the Work,  
 \* where such license applies only to those patent claims licensable  
 \* by such Contributor that are necessarily infringed by their  
 \* Contribution(s) alone or by combination of their Contribution(s)  
 \* with the Work to which such Contribution(s) was submitted. If You  
 \* institute patent litigation against any entity (including a  
 \* cross-claim or counterclaim in a lawsuit) alleging that the Work  
 \* or a Contribution incorporated within the Work constitutes direct  
 \* or contributory patent infringement, then any patent licenses  
 \* granted to You under this License for that Work shall terminate  
 \* as of the date such litigation is filed.  
 \*

\* 4. Redistribution. You may reproduce and distribute copies of the  
 \* Work or Derivative Works thereof in any medium, with or without

- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:
- \*
- \* (a) You must give any other recipients of the Work or
- \* Derivative Works a copy of this License; and
- \*
- \* (b) You must cause any modified files to carry prominent notices
- \* stating that You changed the files; and
- \*
- \* (c) You must retain, in the Source form of any Derivative Works
- \* that You distribute, all copyright, patent, trademark, and
- \* attribution notices from the Source form of the Work,
- \* excluding those notices that do not pertain to any part of
- \* the Derivative Works; and
- \*
- \* (d) If the Work includes a "NOTICE"
- text file as part of its
- \* distribution, then any Derivative Works that You distribute must
- \* include a readable copy of the attribution notices contained
- \* within such NOTICE file, excluding those notices that do not
- \* pertain to any part of the Derivative Works, in at least one
- \* of the following places: within a NOTICE text file distributed
- \* as part of the Derivative Works; within the Source form or
- \* documentation, if provided along with the Derivative Works; or,
- \* within a display generated by the Derivative Works, if and
- \* wherever such third-party notices normally appear. The contents
- \* of the NOTICE file are for informational purposes only and
- \* do not modify the License. You may add Your own attribution
- \* notices within Derivative Works that You distribute, alongside
- \* or as an addendum to the NOTICE text from the Work, provided
- \* that
- such additional attribution notices cannot be construed
- \* as modifying the License.
- \*
- \* You may add Your own copyright statement to Your modifications and
- \* may provide additional or different license terms and conditions
- \* for use, reproduction, or distribution of Your modifications, or
- \* for any such Derivative Works as a whole, provided Your use,
- \* reproduction, and distribution of the Work otherwise complies with
- \* the conditions stated in this License.
- \*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
- \* any Contribution intentionally submitted for inclusion in the Work
- \* by You to the Licensor shall be under the terms and conditions of
- \* this License, without any additional terms or conditions.
- \* Notwithstanding the above, nothing herein shall supersede or modify
- \* the terms of any separate license agreement you may have executed
- \* with Licensor regarding such Contributions.

- \* 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- \* 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
- \* 8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

- \* 9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\* APPENDIX: How to apply the Apache License to your work.

\* To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

```

* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
.
'Q
RS &T &U &V
RW
&X &Y
'Z
[\
R]^
R_
\
Ra
Rb
`cdedfg
Qhi
j
kldm
no
Qp
qrs
tu
vxy
classNameLjava/lang/String;nameactionStringactionsLjava/util/Set;<init>()VCodeLineNumberTableLocalVariable
Tablethis
PermissionInnerClasses3Lorg/apache/tools/ant/types/Permissions$Permission;setClass(Ljava/lang/String;)VaClassg
etClassName(Ljava/lang/String;setNameaNamegetName
setActions
getActionsmatches(Ljava/security/Permission;)ZpermLjava/security/Permission;assizeIparseActions#(Ljava/lang/St

```

```

ring;)Ljava/util/Set;resulttkLjava/util/StringTokenizer;itemtoString
SourceFilePermissions.java./z{;()*+)}|HI,-
~>;*@;F}java/util/HashSetjava/util/StringTokenizer,.;java/lang/StringBufferPermission: ("",
""N;1org/apache/tools/ant/types/Permissions$Permissionjava/lang/Objectjava/lang/Stringtrimlength()IgetClass()Lja
va/lang/Class;java/lang/Classequals(Ljava/lang/Object;)ZendsWith(Ljava/lang/String;)Zjava/security/Permission
substring(I)Ljava/lang/String;
startsWith
java/util/Set removeAll(Ljava/util/Collection;)Z'(Ljava/lang/String;Ljava/lang/String;)V nextTokenadd
hasMoreTokens()Zappend,(Ljava/lang/String;)Ljava/lang/StringBuffer;,(Ljava/lang/Object;)Ljava/lang/StringBuffer
;&org/apache/tools/ant/types/Permissions!&'()*+),-
./0/*1236780A *+1
2 36 9);;0/*1236<80A *+1
2 36 =>;0/*1236?80V*++**+1236,)@;0/*1236AB0*+
<
+**d*+***+M,>,*W,1>&ACQ S%Z&c'j(u)+/2*36CDcE-jFGHI0;YMY+N-:,W-,1"789;:<299?24;36;,)3J-
(KLM)N;0^4Y * ! * " *#$ % 1F2436OP5
&w4

```

ASM: a very small and fast Java bytecode manipulation framework  
 Copyright (c) 2000,2002,2003 INRIA, France Telecom  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.281 cxf-rt-bindings-xml 2.7.3

## 1.281.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.282 ant 1.7.1

## 1.283 jersey-server 2.24.1

## 1.284 snmp-4j 1.11

### 1.284.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - UsmUserTable.java
_##
```

```
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/UsmUserTable.java
```

No license file was found, but licenses were detected in source scan.

```
/* _#####
_##
_## SNMP4J - PDUv1.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/PDUv1.java
```

No license file was found, but licenses were detected in source scan.

```
/* _#####
_##
_## SNMP4J - ReadonlyVariableCallback.java
```

```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*
/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/ReadOnlyVariableCallback.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - Address.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Address.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
```

```
_##
_## SNMP4J - DefaultPDUFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/DefaultPDUFactory.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - DefaultUdpTransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/DefaultUdpTransportMapping.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - OctetString.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/OctetString.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - BEROutputStream.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-

jar/org/snmp4j/asn1/BEROutputStream.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AssignableFromByteArray.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\*

/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/AssignableFromByteArray.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - UsmUserEntry.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```



Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/UsmUserEntry.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - UsmUser.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/UsmUser.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MultiThreadedTrapReceiver.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
```

#####\*/

Found in path(s):

\*

/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/test/MultiThreadedTrapReceiver.java

No license file was found, but licenses were detected in source scan.

/\*#####\*/

\_##

\_## SNMP4J - CommonTimer.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\_## See the License for the specific language governing permissions and

\_## limitations under the License.

\_##

#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/CommonTimer.java

No license file was found, but licenses were detected in source scan.

/\*#####\*/

\_##

\_## SNMP4J - ResponseEvent.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-  
jar/org/snmp4j/event/ResponseEvent.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TransportListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-  
jar/org/snmp4j/transport/TransportListener.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AuthenticationProtocol.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
```

```
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*
/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/AuthenticationProtocol.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####*
_##
_## SNMP4J - ByteArrayWindow.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/ByteArrayWindow.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####*
_##
_## SNMP4J - TransportIpAddress.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
```

```
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/TransportIpAddress.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - SmpConfigurator.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/SmpConfigurator.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - DefaultTcpTransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
```

```
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/transport/DefaultTcpTransportMapping.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - WorkerTask.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/WorkerTask.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SecurityLevel.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
```

```
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/SecurityLevel.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SecurityProtocols.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/SecurityProtocols.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Snmp.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
```

```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/Snmp.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Integer32.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Integer32.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TableListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
```



```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TableListener.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - StateReference.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/StateReference.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MPv3.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
```

```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/MPv3.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MessageDispatcherImpl.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/MessageDispatcherImpl.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AssignableFromArray.java
_##
```

```
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/AssignableFromArray.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - USM.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/USM.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - MutableStateReference.java
```

```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/mp/MutableStateReference.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - ArgumentParser.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/ArgumentParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
```

```

_##
_## SNMP4J - UsmTimeTable.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/

```

Found in path(s):

```

*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/UsmTimeTable.java

```

No license file was found, but licenses were detected in source scan.

```

/*_#####*/
_##
_## SNMP4J - TransportStateListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/

```

Found in path(s):

```

*
/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/transport/TransportStateListener.java

```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AuthenticationFailureEvent.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/event/AuthenticationFailureEvent.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SecurityParameters.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/SecurityParameters.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AssignableFromInteger.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/AssignableFromInteger.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - RetrievalEvent.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/RetrievalEvent.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SMIAddress.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/SMIAddress.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - User.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```



Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/User.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PrivAES256.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/PrivAES256.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - UsmTimeEntry.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
```

#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/UsmTimeEntry.java

No license file was found, but licenses were detected in source scan.

```
/* #####*/
_##
_## SNMP4J - UnsignedInteger32.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/UnsignedInteger32.java

No license file was found, but licenses were detected in source scan.

```
/* #####*/
_##
_## SNMP4J - BER.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
```

```
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/asn1/BER.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - TimerFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TimerFactory.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - TransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
```

\_## limitations under the License.

\_##

\_#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/TransportMapping.java

No license file was found, but licenses were detected in source scan.

/\*\_#####\*/

\_##

\_## SNMP4J - Null.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\_## See the License for the specific language governing permissions and

\_## limitations under the License.

\_##

\_#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Null.java

No license file was found, but licenses were detected in source scan.

/\*\_#####\*/

\_##

\_## SNMP4J - ResponseListener.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\_## See the License for the specific language governing permissions and

```
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/event/ResponseListener.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SimpleOIDTextFormat.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/SimpleOIDTextFormat.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - ThreadFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
```

```
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/ThreadFactory.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - LogProxy.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/LogProxy.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - EnumerationIterator.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
```

```
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/EnumerationIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - TransportMappings.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/transport/TransportMappings.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - UsmUserListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_#####*/
```

```
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/event/UsmUserListener.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - CommandResponder.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/CommandResponder.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SecurityProtocol.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_#####*/
```



```
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/SecurityProtocol.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - AbstractVariable.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/AbstractVariable.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - UdpTransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
```

```
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/transport/UdpTransportMapping.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AbstractTarget.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/AbstractTarget.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - VariantVariable.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
```

```
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/VariantVariable.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TcpAddress.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/TcpAddress.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MessageProcessingModel.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
```

```
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/mp/MessageProcessingModel.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - LogLevel.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/LogLevel.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - ScopedPDU.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
```

```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/ScopedPDU.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SecurityStateReference.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\*  
/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/SecurityStateReference.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - GenericAddress.java
```

```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/GenericAddress.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Counter32.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Counter32.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
```

```

_## SNMP4J - TreeListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/

```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TreeListener.java  
No license file was found, but licenses were detected in source scan.

```

/*_#####*/
_##
_## SNMP4J - AuthGeneric.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/

```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/AuthGeneric.java  
No license file was found, but licenses were detected in source scan.

```

/*_#####*/

```

```
_##
_## SNMP4J - Log4jLogFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/log/Log4jLogFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - TreeUtils.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TreeUtils.java
```

No license file was found, but licenses were detected in source scan.



```
/*_#####
_##
_## SNMP4J - UdpAddress.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/UdpAddress.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - DefaultCounterListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\*

/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-

jar/org/snmp4j/mp/DefaultCounterListener.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - DefaultTimerFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/DefaultTimerFactory.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - CounterSupport.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/CounterSupport.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - VariableBinding.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/VariableBinding.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TableUtils.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TableUtils.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AbstractSnmpUtility.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/AbstractSnmpUtility.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PrivAES192.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
```

\_\*#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/PrivAES192.java

No license file was found, but licenses were detected in source scan.

```
/*#####*
_##
_## SNMP4J - LogAdapter.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/LogAdapter.java  
No license file was found, but licenses were detected in source scan.

```
/*#####*
_##
_## SNMP4J - MessageLengthDecoder.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

```
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/MessageLengthDecoder.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Opaque.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Opaque.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - CommunityTarget.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
```

\_## limitations under the License.

\_##

\_#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/CommunityTarget.java

No license file was found, but licenses were detected in source scan.

/\*\_#####\*/

\_##

\_## SNMP4J - UsmUserEvent.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\_## See the License for the specific language governing permissions and

\_## limitations under the License.

\_##

\_#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/event/UsmUserEvent.java

No license file was found, but licenses were detected in source scan.

/\*\_#####\*/

\_##

\_## SNMP4J - LogControl.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/tools/console/LogControl.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - OIDTextFormat.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/OIDTextFormat.java
```

No license file was found, but licenses were detected in source scan.

2004 Frank Fock and Jochen Katz (SNMP4J.org)

```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE
2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
```



\_## limitations under the License.

\_##

\_#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/event/package.html  
\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/package.html  
\*

/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/package.html  
\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/asn1/package.html  
\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/package.html  
\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/package.html  
\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/package.html  
\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/package.html

No license file was found, but licenses were detected in source scan.

/\*\_#####\*/

\_##

\_## SNMP4J - Priv3DES.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

\_## You may obtain a copy of the License at

\_##

\_## <http://www.apache.org/licenses/LICENSE-2.0>

\_##

\_## Unless required by applicable law or agreed to in writing, software

\_## distributed under the License is distributed on an "AS IS" BASIS,

\_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\_## See the License for the specific language governing permissions and

\_## limitations under the License.

\_##

\_#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/Priv3DES.java

No license file was found, but licenses were detected in source scan.

/\*\_#####\*/

\_##

\_## SNMP4J - PrivAES128.java

\_##

\_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)

\_##

\_## Licensed under the Apache License, Version 2.0 (the "License");

\_## you may not use this file except in compliance with the License.

```
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/PrivAES128.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - CounterListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/event/CounterListener.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PrivAES.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
```

```

_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/

```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/PrivAES.java  
No license file was found, but licenses were detected in source scan.

```

/*_#####*/
_##
_## SNMP4J - ThreadPool.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/

```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/ThreadPool.java  
No license file was found, but licenses were detected in source scan.

```

/*_#####*/
_##
_## SNMP4J - StatusInformation.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##

```

```
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/mp/StatusInformation.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - BitString.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/BitString.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Target.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
```

```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/Target.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - JavaLogAdapter.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/JavaLogAdapter.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TimeoutModel.java
_##
```

```
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/TimeoutModel.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - JavaLogFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/JavaLogFactory.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - CounterEvent.java
```

```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/event/CounterEvent.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TcpTransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/transport/TcpTransportMapping.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
```

```
_##
_## SNMP4J - SecurityModels.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/SecurityModels.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - VariantVariableCallback.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*
/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/VariantVariableCallback.java
```



No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Gauge32.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Gauge32.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - ConsoleLogFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-

jar/org/snmp4j/log/ConsoleLogFactory.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SnmpEngineListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-

jar/org/snmp4j/event/SnmpEngineListener.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PDU.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/PDU.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Session.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/Session.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - BERSerializable.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/asn1/BERSerializable.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PduHandleCallback.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/PduHandleCallback.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AssignableFromString.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
```

#####\*/

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/AssignableFromString.java

No license file was found, but licenses were detected in source scan.

```
/*#####*/
_##
_## SNMP4J - PrivacyProtocol.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/PrivacyProtocol.java

No license file was found, but licenses were detected in source scan.

```
/*#####*/
_##
_## SNMP4J - VersionInfo.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
```

```
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\*/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/version/VersionInfo.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AbstractTransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\*
/opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/AbstractTransportMapping.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MutablePDU.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
```

```
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/MutablePDU.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - SimpleVariableTextFormat.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/SimpleVariableTextFormat.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - TableEvent.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
```

```
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TableEvent.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - SecurityModel.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/SecurityModel.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - Salt.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
```



```
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/Salt.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - DecryptParams.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/DecryptParams.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SecureTarget.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
```

```
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/SecureTarget.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - Log4jLogAdapter.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/Log4jLogAdapter.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - UsmSecurityParameters.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
```

```
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/UsmSecurityParameters.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SchedulerTask.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/SchedulerTask.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AssignableFromLong.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
```

```
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/smi/AssignableFromLong.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MessageDispatcher.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/MessageDispatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - DefaultThreadFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
```

```
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/DefaultThreadFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - MPv1.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/MPv1.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SmpConstants.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
```

```
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/SnmpConstants.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PrivDES.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/PrivDES.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TreeEvent.java
_##
```

```
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TreeEvent.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - SMIConstants.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/SMIConstants.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - MessageException.java
_##
```

```
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/MessageException.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - SnmpEngineEvent.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/event/SnmpEngineEvent.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - IpAddress.java
```



```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/IpAddress.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - OID.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/OID.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AuthMD5.java
```

```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/AuthMD5.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PduHandle.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/PduHandle.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - UsmSecurityStateReference.java
```

```
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*
/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/security/UsmSecurityStateReference.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####
_##
_## SNMP4J - UnsupportedAddressClassException.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
*
/opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/transport/UnsupportedAddressClassException.java
```

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - SnmpRequest.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/tools/console/SnmpRequest.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - Variable.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Variable.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - PDUFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/PDUFactory.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TaskScheduler.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/TaskScheduler.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AuthenticationFailureListener.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-

jar/org/snmp4j/event/AuthenticationFailureListener.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - DefaultTimeoutModel.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/DefaultTimeoutModel.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - AuthSHA.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/security/AuthSHA.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - BERInputStream.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/asn1/BERInputStream.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - UserTarget.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/UserTarget.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - ConnectionOrientedTransportMapping.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
```



#####\*/

Found in

path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/ConnectionOrientedTransportMapping.java

No license file was found, but licenses were detected in source scan.

```
/* #####*/
_##
_## SNMP4J - VariableTextFormat.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/VariableTextFormat.java

No license file was found, but licenses were detected in source scan.

```
/* #####*/
_##
_## SNMP4J - CommandResponderEvent.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/CommandResponderEvent.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - TransportStateEvent.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/TransportStateEvent.java

No license file was found, but licenses were detected in source scan.

```
/*_#####
_##
_## SNMP4J - LogFactory.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
```

```
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/LogFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####*
_##
_## SNMP4J - MultiThreadedMessageDispatcher.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

```
* /opt/cola/permits/1001073649_1610467014.22/0/snmp4j-1-11-3-sources-2-
jar/org/snmp4j/util/MultiThreadedMessageDispatcher.java
No license file was found, but licenses were detected in source scan.
```

```
/*_#####*
_##
_## SNMP4J - WorkerPool.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
```

```
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/util/WorkerPool.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - SNMP4JSettings.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/SNMP4JSettings.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - Counter64.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
```

```
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/Counter64.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - MPv2c.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/mp/MPv2c.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*/
_##
_## SNMP4J - TimeTicks.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_#####*/
```

```
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/smi/TimeTicks.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - ConsoleLogAdapter.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/ConsoleLogAdapter.java

No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - NoLogger.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
```

```
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/log/NoLogger.java  
No license file was found, but licenses were detected in source scan.

```
/*_#####*
_##
_## SNMP4J - MessageLength.java
_##
_## Copyright (C) 2003-2009 Frank Fock and Jochen Katz (SNMP4J.org)
_##
_## Licensed under the Apache License, Version 2.0 (the "License");
_## you may not use this file except in compliance with the License.
_## You may obtain a copy of the License at
_##
_## http://www.apache.org/licenses/LICENSE-2.0
_##
_## Unless required by applicable law or agreed to in writing, software
_## distributed under the License is distributed on an "AS IS" BASIS,
_## WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
_## See the License for the specific language governing permissions and
_## limitations under the License.
_##
_#####*/
```

Found in path(s):

\* /opt/cola/permits/1001073649\_1610467014.22/0/snmp4j-1-11-3-sources-2-jar/org/snmp4j/transport/MessageLength.java

## 1.285 gson 2.2.3

## 1.286 jersey-client 2.24.1

# 1.287 jersey-common 2.5.1

# 1.288 jersey-container-servlet 2.5.1

# 1.289 easymock 3.1

## 1.289.1 Available under license :

```
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for EasyMock
// -----
```

EasyMock  
Copyright 2001-2011 OFFIS, Tammo Freese, Henri Tremblay

This product includes/uses software(s) developed by 'an unknown organization'  
- Code Generation Library (<http://cglib.sourceforge.net/>)

This product includes/uses software(s) developed by 'Joe Walnes, Henri Tremblay, Leonardo Mesquita'  
- Objenesis (<http://objenesis.googlecode.com/svn/docs/index.html>)

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the



direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.290 cxf-api 2.7.3

## 1.290.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this  
License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.291 avro 1.7.5

### 1.291.1 Available under license :

Apache Avro  
Copyright 2009-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.292 bcpjg-jdk15on 1.50

## 1.293 ant-launcher 1.7.1

### 1.293.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix

below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS



## APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.294 jetty-http-spi 9.3.27.v20190418

**1.295 websocket-servlet 9.3.27.v20190418**

**1.296 websocket-common 9.3.27.v20190418**

**1.297 websocket-api 9.3.27.v20190418**

**1.298 websocket-client 9.3.27.v20190418**

**1.299 websocket-server 9.3.27.v20190418**

**1.300 java-concurrent-hash-trie-map 0.2.23**

**1.301 xstream 1.2.2**

**1.302 jsr305 3.0.1**

**1.303 hibernatejpa2.0api 1.0.1.Final**

**1.303.1 Available under license :**

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.304 profiler 1.0.2

## 1.305 swagger-annotations 1.5.22

### 1.305.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and  
You must cause any modified files to carry prominent notices stating that You changed the files; and  
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf

and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

/\*\*

\* Copyright 2016 SmartBear Software

\* <p>

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\* <p>

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* <p>

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

package io.swagger.annotations;

import java.lang.annotation.ElementType;

import java.lang.annotation.Retention;

import java.lang.annotation.RetentionPolicy;

import java.lang.annotation.Target;

/\*\*

\* License metadata available within the info section of a Swagger definition, see

\* <https://github.com/OAI/OpenAPI-Specification/blob/master/versions/2.0.md#licenseObject>

\*

\* @since 1.5.0

\*/

@Target(ElementType.ANNOTATION\_TYPE)

@Retention(RetentionPolicy.RUNTIME)

public @interface License {

/\*\*

\* The name of the license.

\*

\* @return the name of the license

\*/

String name();

/\*\*

\* An optional URL for the license.

```
*
* @return an optional URL for the license.
*/
String url() default "";
}
```

## 1.306 jedis 2.10.2

## 1.307 icu4j 63.1

### 1.307.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

## Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

### 1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

### 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)



```
The Google Chrome software developed by Google is licensed under
the BSD license. Other software included in this distribution is
provided under other licenses, as set forth below.
#
The BSD License
http://opensource.org/licenses/bsd-license.php
Copyright (C) 2006-2008, Google Inc.
#
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with
the distribution.
Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#
The word list in cjdict.txt are generated by combining three word lists
listed below with further processing for compound word breaking. The
frequency is generated with an iterative training against Google web
corpora.
#
* Libtabe (Chinese)
- https://sourceforge.net/project/?group_id=1519
- Its license terms and conditions are shown below.
#
```

```

* IPADIC (Japanese)
- http://chasen.aist-nara.ac.jp/chasen/distribution.html
- Its license terms and conditions are shown below.
#
-----COPYING.libtabe ---- BEGIN-----
#
/*
* Copyright (c) 1999 TaBE Project.
* Copyright (c) 1999 Pai-Hsiang Hsiao.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the TaBE Project nor the names of its
* contributors may be used to endorse or promote products derived
* from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
/*
* Copyright (c) 1999 Computer Systems and Communication Lab,
* Institute
* of Information Science, Academia
* Sinica. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions

```

```

* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the Computer Systems and Communication Lab
* nor the names of its contributors may be used to endorse or
* promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
University of Illinois
c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
-----COPYING.libtabe-----END-----
#
#
-----COPYING.ipadic-----BEGIN-----
#
Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
and Technology. All Rights Reserved.
#
Use, reproduction, and distribution of this software is permitted.
Any copy of this software, whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.
#
Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and

```

# fitness, in no event shall NAIST be liable for  
# any special, indirect or consequential damages or any damages  
# whatsoever resulting from loss of use, data or profits, whether in an  
# action of contract, negligence or other tortuous action, arising out  
# of or in connection with the use or performance of this software.  
#  
# A large portion of the dictionary entries  
# originate from ICOT  
Free Software. The following conditions for ICOT  
# Free Software applies to the current dictionary as well.  
#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.  
#  
# NO WARRANTY  
#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program is provided without any warranty whatsoever, whether express,  
# implied,  
# statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special, incidental  
# and consequential damages, arising out of or otherwise in  
# connection  
# with the use or inability to use the program or any product, material  
# or result produced or otherwise obtained by using the program,  
# regardless of whether they have been advised of, or otherwise had

```
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the
production of secondary products from the program.
#
In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from
and not be held liable to the user for any such damages as noted
above as far as the program is concerned.
#
-----COPYING.ipadic-----END-----
```

### 3. Lao Word Break Dictionary Data (laodict.txt)

```
Copyright (c) 2013 International Business Machines Corporation
and others. All Rights Reserved.
#
Project: http://code.google.com/p/lao-dictionary/
Dictionary: http://lao-dictionary.googlecode.com/git/Lao-Dictionary.txt
License: http://lao-dictionary.googlecode.com/git/Lao-Dictionary-LICENSE.txt
(copied below)
#
This file is derived from the above dictionary, with slight
modifications.

Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification,
are permitted provided that the following conditions are met:
#
#
Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer. Redistributions in
binary form must reproduce the above copyright notice, this list of
conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
```

# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS  
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
# STRICT LIABILITY, OR  
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
# OF THE POSSIBILITY OF SUCH DAMAGE.  
# -----

#### 4. Burmese Word Break Dictionary Data (burmesedict.txt)

# Copyright (c) 2014 International Business Machines Corporation  
# and others. All Rights Reserved.

#

# This list is part of a project hosted at:

# [github.com/kanyawtech/myanmar-karen-word-lists](https://github.com/kanyawtech/myanmar-karen-word-lists)

#

# -----

# Copyright (c) 2013, LeRoy Benjamin Sharon

# All rights reserved.

#

# Redistribution and use in source and binary forms, with or without  
# modification, are permitted provided that the following conditions  
# are met: Redistributions of source code must retain the above  
# copyright notice, this list of conditions and the following  
# disclaimer. Redistributions in binary form must reproduce the  
# above copyright

notice, this list of conditions and the following

# disclaimer in the documentation and/or other materials provided

# with the distribution.

#

# Neither the name Myanmar Karen Word Lists, nor the names of its

# contributors may be used to endorse or promote products derived

# from this software without specific prior written permission.

#

# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND  
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS  
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED  
# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR  
# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
# SUCH DAMAGE.  
# -----

## 5. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

### # 7. Database Ownership

#  
# The TZ database itself is not an IETF Contribution or an IETF  
# document. Rather it is a pre-existing and regularly updated work  
# that is in the public domain, and is intended to remain in the  
# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do  
# not apply to the TZ Database or contributions that individuals make  
# to it. Should any claims be made and substantiated against the TZ  
# Database, the organization that is providing  
the IANA  
# Considerations defined in this RFC, under the memorandum of  
# understanding with the IETF, currently ICANN, may act in accordance  
# with all competent court orders. No ownership claims will be made  
# by ICANN or the IETF Trust on the database or the code. Any person  
# making a contribution to the database or code waives all rights to  
# future claims in that contribution or in the TZ Database.

## 6. Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.308 jetty-xml 9.4.18.v20190429

### 1.308.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.



"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,

distribute and sublicense the Contribution of such Contributor,

if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial

product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under

applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate



comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit;org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit;javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

## MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

## Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

## Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.309 jetty-continuation 9.4.18.v20190429

## 1.309.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

### 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to

- reproduce, prepare derivative works of, publicly display, publicly perform,  
distribute and sublicense the Contribution of such Contributor,  
if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,  
no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate,

Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.



"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

## Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

## OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

## Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

## MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.310 jetty-webapp 9.4.18.v20190429

### 1.310.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,



no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.  
Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of

operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the

Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>



and

- \* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javac.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javac.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.311 jetty-util 9.4.18.v20190429

### 1.311.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims

or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

## MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

## Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

## Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.312 jetty 9.4.18.v20190429

## 1.312.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

### 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to

- reproduce, prepare derivative works of, publicly display, publicly perform,  
distribute and sublicense the Contribution of such Contributor,  
if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,  
no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and



iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate,

Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.



1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing

party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the

software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source

code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit



geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to

achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Java Authentication SPI for Containers  
Copyright 2003-2009 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl



These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.313 jetty-servlets 9.4.18.v20190429

### 1.313.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are

distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute

the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses



granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is

granted provided that the copyright notice appears in all copies.

# 1.314 jetty-security 9.4.18.v20190429

## 1.314.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or

conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,



a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp



org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.315 jetty-client 9.4.18.v20190429

### 1.315.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such

combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program

in object code form under

its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a

medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

a) promptly notify the Commercial Contributor in writing of such claim, and  
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining

the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution



notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with

classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.316 swagger-core 1.5.22

## 1.317 swagger-jaxrs 1.5.22

## 1.318 opentracing-spring-web-autoconfigure 0.3.2

### 1.318.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or

indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date

such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of

the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.



# 1.319 opentracing-api 0.31.0

## 1.319.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.320 commons-dbcp 2.0.1

### 1.320.1 Available under license :

Apache Commons DBCP  
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]



Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.321 opentracing-tracerresolver 0.1.4

### 1.321.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form  
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices

that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.322 opentracing-spring-web 0.3.2

### 1.322.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such

Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work

(and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.323 metrics-servlets 4.1.0

## 1.324 metrics-health-checks 4.1.0

## 1.325 metrics-jetty 4.1.0

## 1.326 esprima 3.1.3

### 1.326.1 Available under license :

Copyright JS Foundation and other contributors, <https://js.foundation/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE



IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.327 grpc-okhttp 1.9.0

### 1.327.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that

remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices

normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and

description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.328 postcss 6.0.23

## 1.328.1 Available under license :

The MIT License (MIT)

Copyright 2013 Andrey Sitnik <[andrey@sitnik.ru](mailto:andrey@sitnik.ru)>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.329 c3p0 0.9.1.1

## 1.329.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software  
packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do  
these things.

To protect your rights, we need to make restrictions that forbid  
distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for  
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis  
or for a fee, you must give the recipients all the rights that we gave  
you. You must make sure that they, too, receive or can get the source

code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the

reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is

included without limitation in the term "modification".)

"Source code"

for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,



in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library

subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR

REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

# 1.330 isorelax 20090621

## 1.330.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form



shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or

rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.331 history 4.10.1

## 1.331.1 Available under license :

MIT License

Copyright (c) React Training 2016-2018

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.332 jsqlparser 2.1

### 1.332.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who  
decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do

these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General

Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices

stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,



instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline

functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute

the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany

the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate

properly with a modified version of the library, if

the user installs one, as long as the modified version is

interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or

distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,

MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable



by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
/*-
 * #%L
 * JSQLParser library
 * %%
 * Copyright (C) 2004 - 2019 JSQLParser
 * %%
 * Dual licensed under GNU LGPL 2.1 or Apache License 2.0
 * #L%
 */
```

## 1.333 java-jwt 3.8.3

## 1.333.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.334 javax-json 1.1.4

### 1.334.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)  
Version 1.0

\*

#### 1. Definitions.

o

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

o

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

o

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

o

1.4. "Executable" means the Covered Software in any form other than Source Code.

o

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

o

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

o

1.7. "License" means this document.

o

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

o

1.9. "Modifications" means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed or otherwise made available under the terms of this License.

o

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control"

means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

\*

## 2. License Grants.

o

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

\*

### 3. Distribution Obligations.

o

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

o

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor.

You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

\*

## 4. Versions of the License.

o

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

### 4.3. Modified Versions.



When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

\*

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

\*

## 6. TERMINATION.

o

### 6.1. This

License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

\*

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

\*

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48

C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

\*

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

\*

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of

liability.

# 1.335 justify 0.17.0

## 1.335.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written

communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works

as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.336 jsesc 0.5.0

### 1.336.1 Available under license :

Copyright Mathias Bynens <<http://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.337 gulp 4.0.2

### 1.337.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018 Blaine Bublitz <[blaine.bublitz@gmail.com](mailto:blaine.bublitz@gmail.com)>, Eric Schoffstall <[yo@contra.io](mailto:yo@contra.io)> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.338 mongo-jackson-codec 3.2.2\_\_0.5

### 1.338.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.



3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2014 Yann Le Moigne

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.339 jtop 1.0.0

### 1.339.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

- (1) assert copyright on the software, and
- (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying,

distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source

includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your



work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the

Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

#### 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the

Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the

patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

## 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM



IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to

do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: jtop

Upstream-Contact: Michael Jones <mj@mikejonesey.co.uk>

Source: <https://github.com/mikejonesey/jtop>

Disclaimer: jtop is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

Comment: optional.

License: GNU General Public License 2.0

/usr/share/common-licenses/GPL-2

Copyright: Copyright 2018 Michael Jones

# 1.340 commons-lang3 3.9

## 1.340.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang

Copyright 2001-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.341 junit-platform-commons 1.1.0

### 1.341.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

- \* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- \* \*\*b)\*\* in the case of each subsequent Contributor:
  - \* \*\*i)\*\* changes to the Program, and
  - \* \*\*j)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself

or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.



**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

\* **\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* **\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

\* **\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

\* **\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental

and consequential damages, such as lost profits;

\* **\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

\* **\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2)\*\*** When the Program is Distributed as Source Code:

\* **\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

\* **\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3)\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)

contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here }.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location

(such as a LICENSE file in a relevant directory)  
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.342 junit-jupiter-api 5.1.0

### 1.342.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

- \* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- \* \*\*b)\*\* in the case of each subsequent Contributor:
  - \* \*\*i)\*\* changes to the Program, and
  - \* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the

Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental

and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2\*\*** When the Program is Distributed as Source Code:

**\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

**\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)

contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property

infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.



# 1.343 swagger-models 1.5.22

## 1.343.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
package io.swagger.models;

import com.fasterxml.jackson.annotation.JsonAnyGetter;
import com.fasterxml.jackson.annotation.JsonAnySetter;

import java.util.LinkedHashMap;
import java.util.Map;

public class License {
 private Map<String, Object> vendorExtensions = new LinkedHashMap<String, Object>();
 private String name;
 private String url;

 public License name(String name) {
 setName(name);
 return this;
 }

 public License url(String url) {
 setUrl(url);
 return this;
 }

 public String getName() {
 return name;
 }

 public void setName(String name) {
 this.name = name;
 }

 public String getUrl() {
 return url;
 }

 public void setUrl(String url) {
 this.url = url;
 }

 @JsonAnyGetter
 public Map<String, Object> getVendorExtensions() {
 return vendorExtensions;
 }
}
```

```

}

@JsonAnySetter
public void
setVendorExtension(String name, Object value) {
 if (name.startsWith("x-")) {
 vendorExtensions.put(name, value);
 }
}

public void setVendorExtensions(Map<String, Object> vendorExtensions) {
 this.vendorExtensions = vendorExtensions;
}

@Override
public int hashCode() {
 final int prime = 31;
 int result = 1;
 result = prime * result + ((name == null) ? 0 : name.hashCode());
 result = prime * result + ((url == null) ? 0 : url.hashCode());
 result = prime * result + ((vendorExtensions == null) ? 0 : vendorExtensions.hashCode());
 return result;
}

@Override
public boolean equals(Object obj) {
 if (this == obj) {
 return true;
 }
 if (obj == null) {
 return false;
 }
 if (getClass() != obj.getClass()) {
 return false;
 }
 License other = (License) obj;
 if (name == null) {
 if (other.name
!= null) {
 return false;
 }
 } else if (!name.equals(other.name)) {
 return false;
 }
 if (url == null) {
 if (other.url != null) {
 return false;
 }
 }
}

```

```

 } else if (!url.equals(other.url)) {
 return false;
 }
 if (vendorExtensions == null) {
 if (other.vendorExtensions != null) {
 return false;
 }
 } else if (!vendorExtensions.equals(other.vendorExtensions)) {
 return false;
 }
 return true;
}
}

```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1019872321\_1594205453.91/0/swagger-models-1-5-22-sources-jar/io/swagger/models/License.java

No license file was found, but licenses were detected in source scan.

```
package io.swagger.models;
```

```
import com.fasterxml.jackson.annotation.JsonAnyGetter;
import com.fasterxml.jackson.annotation.JsonAnySetter;
```

```
import java.util.LinkedHashMap;
import java.util.Map;
```

```
public class Info {
 private String description;
 private String version;
 private String title;
 private String termsOfService;
 private Contact contact;
 private License license;
 private Map<String, Object> vendorExtensions = new LinkedHashMap<String, Object>();

```

```

 public Info version(String version) {
 this.setVersion(version);
 return this;
 }

```

```

 public Info title(String title) {
 this.setTitle(title);
 return this;
 }

```

```

 public Info description(String description) {
 this.setDescription(description);
 }

```

```

 return this;
}

public Info termsOfService(String termsOfService) {
 this.setTermsOfService(termsOfService);
 return this;
}

public Info contact(Contact contact) {
 this.setContact(contact);
 return this;
}

public Info license(License license) {
 this.setLicense(license);
 return this;
}

public String getDescription() {
 return description;
}

public void setDescription(String description) {
 this.description = description;
}

public String getVersion() {
 return version;
}

public void setVersion(String version) {
 this.version = version;
}

public String getTitle() {
 return title;
}

public void setTitle(String title) {
 this.title = title;
}

public String getTermsOfService() {
 return termsOfService;
}

public void setTermsOfService(String termsOfService) {

```

```

 this.termsOfService = termsOfService;
}

public Contact getContact() {
 return contact;
}

public void setContact(Contact contact) {
 this.contact = contact;
}

public License getLicense() {
 return license;
}

public void setLicense(License license) {
 this.license = license;
}

public Info mergeWith(Info info) {
 if (info != null) {
 if (this.description == null) {
 this.description = info.description;
 }
 if (this.version == null) {
 this.version = info.version;
 }
 if (this.title == null) {
 this.title = info.title;
 }
 if (this.termsOfService == null) {
 this.termsOfService = info.termsOfService;
 }
 if (this.contact == null) {
 this.contact = info.contact;
 }
 if (this.license == null) {
 this.license = info.license;
 }
 if (this.vendorExtensions == null) {
 this.vendorExtensions = info.vendorExtensions;
 }
 }
 return this;
}

```

```

@JsonAnyGetter
public Map<String, Object> getVendorExtensions() {

```

```

 return vendorExtensions;
}

@JsonAnySetter
public void setVendorExtension(String name, Object value) {
 if (name.startsWith("x-")) {
 vendorExtensions.put(name, value);
 }
}

public void setVendorExtensions(Map<String, Object> vendorExtensions) {
 this.vendorExtensions = vendorExtensions;
}

@Override
public int hashCode() {
 final int prime = 31;
 int result = 1;
 result = prime * result + ((contact == null) ? 0 : contact.hashCode());
 result = prime * result
 + ((description == null) ? 0 : description.hashCode());
 result = prime * result + ((license == null) ? 0 : license.hashCode());
 result = prime * result
 + ((termsOfService == null) ? 0 : termsOfService.hashCode());
 result = prime * result + ((title == null) ? 0 : title.hashCode());
 result
= prime * result
 + ((vendorExtensions == null) ? 0 : vendorExtensions.hashCode());
 result = prime * result + ((version == null) ? 0 : version.hashCode());
 return result;
}

@Override
public boolean equals(Object obj) {
 if (this == obj) {
 return true;
 }
 if (obj == null) {
 return false;
 }
 if (getClass() != obj.getClass()) {
 return false;
 }
 Info other = (Info) obj;
 if (contact == null) {
 if (other.contact != null) {
 return false;
 }
 }
}

```

```

 } else if (!contact.equals(other.contact)) {
 return false;
 }
 if (description == null) {
 if (other.description != null) {
 return false;
 }
 } else if (!description.equals(other.description)) {
 return false;
 }
 if (license == null) {
 if (other.license != null) {
 return false;
 }
 } else if (!license.equals(other.license)) {
 return false;
 }
 if (termsOfService == null) {
 if (other.termsOfService != null) {
 return false;
 }
 } else if (!termsOfService.equals(other.termsOfService)) {
 return false;
 }
 if (title == null) {
 if (other.title != null) {
 return false;
 }
 } else if (!title.equals(other.title)) {
 return false;
 }
 if (vendorExtensions == null) {
 if (other.vendorExtensions != null) {
 return false;
 }
 } else if (!vendorExtensions.equals(other.vendorExtensions)) {
 return false;
 }
 if (version == null) {
 if (other.version != null) {
 return false;
 }
 } else if (!version.equals(other.version)) {
 return false;
 }
 return true;
}
}

```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1019872321\_1594205453.91/0/swagger-models-1-5-22-sources-jar/io/swagger/models/Info.java

## 1.344 http-signature 1.2.0

### 1.344.1 Available under license :

Copyright Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.345 commons-compress 1.20

### 1.345.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all



other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Compress

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---

The files in the package org.apache.commons.compress.archivers.sevenz were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/), which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file lbzip2\_32767.bz2 has been copied from libbzip2's source repository:

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@acm.org](mailto:jseward@acm.org)

# 1.346 ejs 2.7.4

## 1.346.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.



You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.347 merge-anything 2.4.4

## 1.347.1 Available under license :

MIT License

Copyright (c) 2018 Luca Ban - Mesqueeb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.348 xerces 2.9.1

### 1.348.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2001 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE.
* See W3C License http://www.w3.org/Consortium/Legal/ for more details.
*/
```

Found in path(s):

```
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/DocumentAS.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/DocumentEditAS.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/DOMASBuilder.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/ASObject.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom3/as/ElementEditAS.java
```

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASDataType.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASContentModel.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMASException.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java  
\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASElementDeclaration.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASModel.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMImplementationAS.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASObjectList.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/NodeEditAS.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMASWriter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/validation/ValidationManager.java  
\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/io/ASCIIReader.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/opti/TextImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/SecuritySupport.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLPostfieldElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLOptgroupElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/XML11Char.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLNoopElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/ObjectFactory.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DocumentTypeImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/UnionDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLFontElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLDoElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xpath/regex/BMPattern.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xs/LSInputList.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLNoopElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/SAXMessageFormatter.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/SecurityManager.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSModelGroupDefinition.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/EncodingMap.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/DOMParserImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/NodeIteratorImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DOMStringListImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSFacet.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/XSSimpleType.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dtd/models/CMUniOp.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/DefaultText.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSNamespaceItemList.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/PSVIElementNSImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/StandardParserConfiguration.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLFrameElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xml/serialize/EncodingInfo.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLStyleElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSSDescription.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/PSVIProvider.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/XMLDTDHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLGoElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTableCellElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSNamespaceItem.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLHeadElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLEntityDescription.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/util/ByteListImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLOptionElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/datatypes/XSFloat.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/SAXLocatorWrapper.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/SecuritySupport.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/ElementPSVI.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/TextSerializer.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/SimpleLocator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLOptgroupElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLAnchorElement.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/Method.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLEmElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/XMLNamespaceBinder.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/NSItemListImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/XMLEntityManager.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/EntityResolverWrapper.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSNamedMap.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLTrElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xpath/regex/Token.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/datatypes/ObjectList.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/EntityImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/BasicParserConfiguration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/models/CMNode.java

```



\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DOMNormalizer.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xinclude/XIncludeHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/ParseException.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLEmElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/IntStack.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLDOMImplementationImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xml/serialize/ObjectFactory.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/TextImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/SynchronizedSymbolTable.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/XML11EntityScanner.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLAreaElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLOneventElement.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/identity/FieldActivator.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLHeadingElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/DefaultElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSTerm.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/XMLStringBuffer.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/ElementPSVImpl.java  
 \*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/AbstractSAXParser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/ElementNSImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLComponentManager.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/ObjectFactory.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDSources.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/XMLString.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/PSVIDocumentImpl.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/opti/NodeImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/XML11Configurable.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLDocumentImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/RangeImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xs/datatypes/XSDateTime.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xinclude/XInclude11TextReader.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/XMLLocatorWrapper.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLTrElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/HTTPInputSource.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/SchemaGrammar.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLTableColElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/validation/EntityState.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLInputElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DOMImplementationImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLHRElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/ValidationContext.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DeferredCommentImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLPElementImpl.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSParticle.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/ErrorHandlerProxy.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/XMLErrorCode.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/CoreDocumentImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLBuilder.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/xs/XSIDCDefinition.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredNode.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/XMLSerializer.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSConstants.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/XMLLocator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/XMLDocumentParser.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/ParentNode.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/XHTMLSerializer.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/parser/XMLDTDFilter.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLMetaElementImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLOptionElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLDirectoryElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/NodeImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLCardElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/XMLSymbols.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/opti/ElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/identity/ValueStore.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLAElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/OutputFormat.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-

```

```

jar/org/apache/xerces/xs/XSNotationDeclaration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSComplexTypeDefinition.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/ElementState.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLImageElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLBodyElementImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLAccessElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/LocatorProxy.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/io/Latin1Reader.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLBrElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLStrongElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLUElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSElementDeclaration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/ASModelImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLPElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/XMLAttributesImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLBaseElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/XMLGrammarPoolImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java

```

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLLinkElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredAttrImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLConfigurationException.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xml/serialize/HTMLSerializer.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLLegendElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLDocument.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/NameNodeListImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLAnchorElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/XMLChar.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/JAXPConstants.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/AttributesProxy.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSLoader.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTableRowElementImpl.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLFrameSetElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLModElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/IntegerDV.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLPrevElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/ElementDefinitionImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/TypeValidator.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java

\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/XMLAttributes.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DeferredElementNSImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xml/serialize/SerializerFactory.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xpath/XPath.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/XMLGrammarParser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLIsIndexElementImpl.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLBigElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLBElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xml/serialize/LineSeparator.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/models/CMAny.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLDOMImplementation.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLSmallElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLEntityResolver.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/XMLParser.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/SAXParser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentSource.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLCardElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xpointer/XPointerPart.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/xni/parser/XMLDTDContentModelFilter.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/StringList.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSElementDecl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/CachingParserPool.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredAttrNSImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLLIElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/HTMLdtd.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xpath/XPathException.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSObjectList.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xpointer/XPointerErrorHandler.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XMLElementDecl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/models/DFAContentModel.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLButtonElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/ItemPSVI.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java

```



\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSAttributeDeclaration.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLPrevElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/IDDV.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/StringDV.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/NamespaceSupport.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLStrongElement.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/NotationImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DeferredElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/SymbolTable.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/events/EventImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLMetaElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLHtmlElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/TreeWalkerImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/DoubleDV.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/wml/WMLMetaElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DOMConfigurationImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/parser/XMLParseException.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/EntityDV.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSImplementation.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DOMInputImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/ShortList.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/NonValidatingConfiguration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLTemplateElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DeepNodeListImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DOMMessageFormatter.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/DOMInputSource.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/grammars/Grammar.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLIFrameElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/XMLCatalogResolver.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/ParserConfigurationSettings.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLTdElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLCollectionImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xinclude/ObjectFactory.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xml/serialize/Printer.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/XMLSimpleType.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xpointer/XPointerProcessor.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xs/datatypes/XSDDecimal.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xs/XSAttributeUse.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/ElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/DOMEntityResolverWrapper.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLBrElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLPreElementImpl.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLLOListElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/SAXParserImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xml/serialize/DOMSerializerImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DeferredTextImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/QNameDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DOMErrorImpl.java  
\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/datatype/DurationImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/datatypes/XSDouble.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLMapElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLInputElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLBigElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredDocumentImpl.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/DatatypeException.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DocumentImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLDOMImplementationImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/util/StringListImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSModel.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTitleElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/DefaultErrorHandler.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/CMBuilder.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/AttributePSVImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/AttributePSVI.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/XMLVersionDetector.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLAnchorElementImpl.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xpointer/ShortHandPointer.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLSetvarElement.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/XML11Configuration.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLTdElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/MessageFormatter.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/XML11DTDConfiguration.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/parsers/DOMASBuilderImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLParagraphElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/ExternalSubsetResolver.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/Op.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLHeadElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/util/XIntPool.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/AttributeMap.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/validation/ValidationState.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/REUtil.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/AttrNSImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLTableElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLSelectElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSAnnotation.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSGrammarBucket.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLUElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/LCount.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/Util.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/IndentPrinter.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLDListElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/XMLEntityHandler.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/IDREFDV.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLDoElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/DatatypeValidator.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java

```

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLBaseFontElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/FloatDV.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/RevalidationHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLRefreshElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSWildcardDecl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLObjectElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/DatatypeMessageFormatter.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/ASDOMImplementationImpl.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLWmlElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xml/serialize/SerializerFactoryImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/AbstractDOMParser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/XNIException.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLFormElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/XSAllCM.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLTableElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/XSFacets.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLErrorReporter.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLAppletElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/datatypes/ByteList.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/DTDDVFactory.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/SymbolHash.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/DVFactoryException.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/PSVIAttrNSImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLErrorHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XMLGrammarPreparser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xml/serialize/SecuritySupport.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/BooleanDV.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xml/serialize/BaseMarkupSerializer.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLSmallElementImpl.java  
 \*



/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DOMOutputImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/util/HexBin.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSLoaderImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xpath/regex/RegexParser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/util/Base64.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLFormControl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xml/serialize/XML11Serializer.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLImgElementImpl.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLQuoteElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLGoElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDScanner.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLBRElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DocumentFragmentImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLInputSource.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLComponent.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSImplementationImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/XMLDTDScannerImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/CharacterDataImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/ChildNode.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/html/dom/HTMLScriptElementImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xni/Augmentations.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLInputElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/SoftReferenceSymbolTable.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/dom/WMLTimerElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLLabelElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/SAXInputSource.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLSelectElement.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xml/serialize/Serializer.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/SchemaSymbols.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/Match.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/io/UCSReader.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLAccessElement.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xpointer/ElementSchemePointer.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xs/XSException.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/XMLSchemaException.java

\*

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/ListDV.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/DOMLocatorImpl.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/parsers/DOMParser.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xinclude/XIncludeTextReader.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/dom/WMLOneventElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/opti/AttrImpl.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/CommentImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/Version.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/DTDCConfiguration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/Constants.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/CDATASectionImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSDeclarationPool.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSNotationDecl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLFieldsetElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/DecimalDV.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLOptGroupElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLULListElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLSelectElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/events/MouseEventImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/util/DOMUtil.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/wml/WMLIElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLRefreshElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLDocumentImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/xni/QName.java

```

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/RangeExceptionImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLContentSpec.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/SecuritySupport.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/EntityResolver2Wrapper.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSParticleDecl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSGroupDecl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSModelGroup.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/ObjectFactory.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSObject.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xpointer/XPointerHandler.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/AugmentationsImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/grammars/XSGrammar.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSWildcard.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/DTDParse.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/events/MutationEventImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

```

jar/org/apache/xerces/xni/XMLResourceIdentifier.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xml/serialize/DOMSerializer.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredNotationImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/XMLDocumentHandler.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/parsers/SecurityConfiguration.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/xni/NamespaceContext.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/identity/KeyRef.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/html/dom/HTMLMenuElementImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/EntityReferenceImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/wml/WMLOptionElement.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/models/CMStateSet.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java
*
/opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/util/URI.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/io/UTF8Reader.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/XInt.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/NamedNodeMapImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/ObjectFactory.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/dom/ProcessingInstructionImpl.java
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java
*

```

/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XML11NamespaceBinder.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLTemplateElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/ShadowedSymbolTable.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLBElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTextAreaElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSModelImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/XMLSchema.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLWmlElement.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLFieldsetElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLDivElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/DTDGrammar.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/identity/Field.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSMultiValueFacet.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xml/serialize/Encodings.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTableElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTableSectionElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xni/XMLDTDContentModelHandler.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLParamElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/identity/Selector.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/DefaultNode.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSTypeDefinition.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/AttrImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLTimerElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLEntityScanner.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLScanner.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/models/CMBinOp.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/xinclude/SecuritySupport.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/util/ErrorHandlerWrapper.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLSetvarElementImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/events/UIEventImpl.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java  
 \*  
 /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/wml/WMLImgElement.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/impl/xpath/regex/RangeToken.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XPointerParserConfiguration.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
 jar/org/apache/xerces/dom/NodeListCache.java  
 \* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-

jar/org/apache/wml/WMLAElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/ValidatedInfo.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/SchemaDVFactory.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/WMLPostfieldElement.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeDecl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSMessagesFormatter.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xs/datatypes/XSQName.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/SecuritySupport.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/wml/dom/WMLIElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2000 World Wide Web Consortium,  
\* (Massachusetts Institute of Technology, Institut National de  
\* Recherche en Informatique et en Automatique, Keio University). All  
\* Rights Reserved. This program is distributed under the W3C's Software  
\* Intellectual Property License. This program is distributed in the  
\* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
\* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
\* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more  
\* details.

\*/

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/w3c/dom/html/HTMLDOMImplementation.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0



\* (the "License"); you may not use this file except in compliance with  
 \* the License. You may obtain a copy of the License at  
 \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/  
 /\*\*  
 \* DOM Level 3 LS CR - Experimental.  
 \* Create a new `LSParser`. The newly constructed parser may  
 \*  
 then be configured by means of its `DOMConfiguration`  
 \* object, and used to parse documents by means of its `parse`  
 \* method.  
 \* @param mode The `mode` argument is either  
 \* `MODE_SYNCHRONOUS` or `MODE_ASYNCHRONOUS`, if  
 \* `mode` is `MODE_SYNCHRONOUS` then the  
 \* `LSParser` that is created will operate in synchronous  
 \* mode, if it's `MODE_ASYNCHRONOUS` then the  
 \* `LSParser` that is created will operate in asynchronous  
 \* mode.  
 \* @param schemaType An absolute URI representing the type of the schema  
 \* language used during the load of a `Document` using the  
 \* newly created `LSParser`. Note that no lexical checking  
 \* is done on the absolute URI. In order to create a  
 \* `LSParser` for any kind of schema types (i.e. the  
 \* `LSParser` will be free to use any schema  
 found), use the value  
 \* `null`.  
 \* 

<b>Note:</b> For W3C XML Schema [[XML Schema Part 1](http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/)]  
 \* , applications must use the value  
 \* `"http://www.w3.org/2001/XMLSchema"`. For XML DTD [[XML 1.0](http://www.w3.org/TR/2000/REC-xml-20001006/)],  
 \* applications must use the value  
 \* `"http://www.w3.org/TR/REC-xml"`. Other Schema languages  
 \* are outside the scope of the W3C and therefore should recommend an  
 \* absolute URI in order to use this method.  
 \* @return The newly created `LSParser` object. This  
 \* `LSParser` is either synchronous or asynchronous  
 \* depending on the value of the `mode` argument.  
 \* 

<b>Note:</b> By default, the newly created `LSParser`  
 \* does not contain a `DOMErrorHandler`, i.e. the value of  
 \* the "[---

Open Source Used In DNAC SDA and Switching Automation Hulk\\_Patch\\_3 1405](http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-</a></p></p></div>
<div data-bbox=)

handler'>

- \* error-handler</a>" configuration parameter is <code>>null</code>. However, implementations
  - \* may provide a default error handler at creation time. In that case,
  - \* the initial value of the <code>"error-handler"</code> configuration
  - \* parameter on the new created <code>LSParser</code> contains a
  - \* reference to the default error handler.
  - \* @exception DOMException
  - \* NOT\_SUPPORTED\_ERR: Raised if the requested mode or schema type is
  - \* not supported.
- \*/

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
  - \* contributor license agreements. See the NOTICE file distributed with
  - \* this work for additional information regarding copyright ownership.
  - \* The ASF licenses this file to You under the Apache License, Version 2.0
  - \* (the "License"); you may not use this file except in compliance with
  - \* the License. You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

/\*\*

- \* used to check the 3 constraints against each complex type
  - \* (should be each model group):
  - \* Unique Particle
  - Attribution, Particle Derivation (Restriction),
  - \* Element Declrations Consistent.
- \*/

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSConstraints.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
// Unique Particle Attribution

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/models/XSDFACM.java

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more  
contributor license agreements. See the NOTICE file distributed with  
this work for additional information regarding copyright ownership.  
The ASF licenses this file to You under the Apache License, Version 2.0  
(the "License"); you may not use this file except in compliance with  
the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/xs/datatypes/package.html

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/DateDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/DayDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java  
\*  
/opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/YearDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/DurationDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/TimeDV.java  
\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/dom/DOMImplementationListImpl.java

No license file was found, but licenses were detected in source scan.

cos-nonambig = cos-nonambig: {0} and {1} (or elements from their substitution group) violate "Unique Particle Attribution". During validation against this schema, ambiguity would be created for those two particles.

Found in path(s):

\* /opt/cola/permits/1026855996\_1611866310.39/0/xercesimpl-2-9-1-sources-  
jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

```
/**
 * Checks if this content model has had its min/maxOccurs values reduced for
 * purposes of speeding up UPA. If
so, this content model should not be used
 * for any purpose other than checking unique particle attribution
 *
 * @return a boolean that says whether this content has been compacted for UPA
 */
```

Found in path(s):

```
* /opt/cola/permits/1026855996_1611866310.39/0/xercesimpl-2-9-1-sources-
jar/org/apache/xerces/impl/xs/models/XSCMValidator.java
```

# 1.349 google-http-client-xml 1.20.0

## 1.349.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices

that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.350 nimbus-jose-jwt 8.9

### 1.350.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* nimbus-jose-jwt
*
```

\* Copyright 2012-2016, Connect2id Ltd and contributors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use  
\* this file except in compliance with the License. You may obtain a copy of the  
\* License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed  
\* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/Container.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/CriticalHeaderParamsDeferral.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/PEMEncodedKeyParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/ECDSAProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/CipherHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/BoundedInputStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/AlgorithmSupportMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/RSASSAProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/AESCryptoProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/AlgorithmParametersHelper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/LegacyConcatKDF.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/OctetKeyPair.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/DefaultJOSEObjectTypeVerifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/EdDSAProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/BaseJWSProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-

jar/com/nimbusds/jose/crypto/impl/AAD.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/AESGCMKW.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/BaseJWEProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/IOUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/CompositeKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JWKSecurityContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/KeyUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/ECDSA.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/ConcatKDF.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/gen/ECKeyGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/source/JWKSetCache.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/PRFParams.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/ECChecks.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/CurveBasedJWK.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/ContentCryptoProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/AESCBC.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/gen/JWKGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/HMAC.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/proc/JWTClaimsSetAwareJWSKeySelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/gen/RSAKeyGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/impl/ConstantTimeUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/gen/OctetSequenceKeyGenerator.java

```

* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/gen/package-info.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/PasswordBasedCryptoProvider.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/AESKW.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/MACProvider.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/Curve.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/AESEncrypter.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/PBKDF2.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/RSA_OAEP_256.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/AESGCM.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/LegacyAESGCM.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/ECDH.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/package-info.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/DeflateHelper.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/RSAKeyUtils.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/RSA_OAEP.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/DirectCryptoProvider.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/RSA1_5.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/AuthenticatedCipherText.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/RSASSA.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/util/IntegerOverflowException.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/PasswordLookup.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/source/DefaultJWKSetCache.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-

```

jar/com/nimbusds/jose/crypto/impl/RSACryptoProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/KeyUseAndOpsConsistency.java  
No license file was found, but licenses were detected in source scan.

```
/*
* nimbus-jose-jwt
*
* Copyright 2012-2016, Connect2id Ltd.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use
* this file except in compliance with the License. You may obtain a copy of the
* License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed
* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/JWK.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jwt/proc/JWTClaimsVerifier.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/util/ArrayUtils.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/JWECryptoParts.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/KeyTypeException.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/proc/AbstractJWKSelectorWithSource.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/proc/BadJWSEception.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/source/ImmutableJWKSet.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/source/package-info.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/JWSObject.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jwt/proc/JWTClaimsSetVerifier.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
```

jar/com/nimbusds/jose/jca/JCAContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/JWEAlgorithm.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/JOSEException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/DefaultResourceRetriever.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/RSASSAVerifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/SecurityContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/BigIntegerUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/SignedJWT.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/JWSHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/JOSEObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/KeyType.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/X509CertUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/MACVerifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/proc/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jca/JCAAware.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/Resource.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/KeyException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/PlainHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/proc/DefaultJWTClaimsVerifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/DirectDecrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JOSEMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/bc/package-info.java  
\*

/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/ECPParameterTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/proc/BadJWTException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/JWEHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/JWTClaimsSetTransformer.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/JWSKeySelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/JWSVerifierFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jca/JWEJCAContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/factories/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/StandardCharset.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/factories/DefaultJWSVerifierFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/ECDSAVerifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/DeflateUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/JWEEncrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/AbstractRestrictedResourceRetriever.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/ECDSASigner.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/proc/JWTProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/JWEDecrypterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/bc/BouncyCastleProviderSingleton.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/JWKMetadata.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/AlgorithmFamily.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/JWSVerifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/KeySourceException.java

\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/RSASSASigner.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/EncryptionMethod.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/Base64URL.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/KeyLengthException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/X25519Encrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/proc/ClockSkewAware.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/ResourceRetriever.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/KeyUse.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/RSAAEncrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/SimpleSecurityContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/AESDecrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/JWEDecrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/JWTClaimsSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/ConfigurableJOSEProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jca/package-info.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/CompressionAlgorithm.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/KeyOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/util/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/ByteUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/PlainJWT.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/JWEObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-



jar/com/nimbusds/jose/jwk/source/ImmutableSecret.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/Header.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JWEKeySelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/ECDHDecrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/RestrictedResourceRetriever.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/DateUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/PayloadTransformer.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/Requirement.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/factories/DefaultJWEDecrypterFactory.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/BadJWEException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/AsymmetricJWK.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/CommonSEHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/proc/JWTProcessorConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/util/X509CertChainUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/MACSigner.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/JWEProvider.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/util/DateUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/RSADecrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JOSEProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/DirectEncrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/JOSEProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/KeyConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/EncryptedJWT.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/CriticalHeaderParamsAware.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/source/RemoteJWKSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/proc/ConfigurableJWTProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/BadJOSEException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/Algorithm.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/RemoteKeySourceException.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/RSAPublicKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jca/JCASupport.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/JWSAlgorithm.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/PasswordBasedDecrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/Payload.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/JSONObjectUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/ECKEY.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/SecretJWK.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/PlainObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jwt/JWT.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/OctetSequenceKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/JWKSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/Base64.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/PasswordBasedEncrypter.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-

```
jar/com/nimbusds/jose/jwk/ThumbprintUtils.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/JOSEObjectType.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jwt/package-info.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/JWSProvider.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/source/JWKSource.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/JWSSigner.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/util/IntegerUtils.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jwt/JWTParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* nimbus-jose-jwt
*
* Copyright 2012-2019, Connect2id Ltd and contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use
* this file except in compliance with the License. You may obtain a copy of the
* License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed
* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/crypto/impl/ECDHCCryptoProvider.java
* /opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/proc/JOSEObjectTypeVerifier.java
*
/opt/ws_local/PERMITS_SQL/1028436227_1594249084.99/0/nimbus-jose-jwt-8-9-sources-
jar/com/nimbusds/jose/jwk/source/JWKSecurityContextJWKSet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* nimbus-jose-jwt
*
```

\* Copyright 2012-2018, Connect2id Ltd and contributors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use  
\* this file except in compliance with the License. You may obtain a copy of the  
\* License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed  
\* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/jwk/gen/OctetKeyPairGenerator.java

No license file was found, but licenses were detected in source scan.

/\*

\* nimbus-jose-jwt

\*

\* Copyright 2012-2019, Connect2id Ltd.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use  
\* this file except in compliance with the License. You may obtain a copy of the  
\* License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed  
\* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jwt/proc/DefaultJWTProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JWEDecryptionKeySelector.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JWSAlgorithmFamilyJWSKeySelector.java

\*

/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/crypto/ECDHEncrypter.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-  
jar/com/nimbusds/jose/proc/JWSVerificationKeySelector.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/JOSEProcessorConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/JWKMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/proc/DefaultJOSEProcessor.java

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/META-INF/maven/com.nimbusds/nimbus-jose-jwt/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* nimbus-jose-jwt

\*

\* Copyright 2012-2018, Connect2id Ltd.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use

\* this file except in compliance with the License. You may obtain a copy of the

\* License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed

\* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the

\* specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/jwk/JWKSet.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/Ed25519Signer.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/util/Base64Codec.java

\*

/opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/Ed25519Verifier.java

\* /opt/ws\_local/PERMITS\_SQL/1028436227\_1594249084.99/0/nimbus-jose-jwt-8-9-sources-jar/com/nimbusds/jose/crypto/X25519Decrypter.java

# 1.351 vavr 0.10.2

## 1.351.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously

marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for

inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.352 vavr-match 0.10.2

### 1.352.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the

License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within

third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.353 @emotion/memoize 0.7.4

### 1.353.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.354 commons-lang3 2.6

### 1.354.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.355 commons-lang3 2.6

## 1.355.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as  
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Commons Lang

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.356 commons-compress 1.20

### 1.356.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and



(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Compress

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---

The files in the package org.apache.commons.compress.archivers.sevenz were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/), which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file lbzip2\_32767.bz2 has been copied from libbzip2's source repository:

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@acm.org](mailto:jseward@acm.org)

# 1.357 request 2.88.2

## 1.357.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark,

and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall

any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

# 1.358 commons-lang3 2.4.0

## 1.358.1 Available under license :

Apache Commons Lang  
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a



cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.359 dbcp 1.2.2.osgi

## 1.359.1 Available under license :

Apache Jakarta Commons DBCP  
Copyright 1999-2007 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.360 jms 1.1.0

### 1.360.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership



of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.361 servlet 2.5.0

## 1.361.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1035925682_1589244620.81/0/groovy-servlet-2-5-0-sources-
jar/groovy/servlet/ServletCategory.java
*
```

```
/opt/ws_local/PERMITS_SQL/1035925682_1589244620.81/0/groovy-servlet-2-5-0-sources-
jar/groovy/servlet/GroovyServlet.java
```

```
* /opt/ws_local/PERMITS_SQL/1035925682_1589244620.81/0/groovy-servlet-2-5-0-sources-
jar/groovy/servlet/TemplateServlet.java
```

```
* /opt/ws_local/PERMITS_SQL/1035925682_1589244620.81/0/groovy-servlet-2-5-0-sources-
jar/groovy/servlet/ServletBinding.java
```

```
* /opt/ws_local/PERMITS_SQL/1035925682_1589244620.81/0/groovy-servlet-2-5-0-sources-
jar/groovy/servlet/AbstractHttpServlet.java
```

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1035925682\_1589244620.81/0/groovy-servlet-2-5-0-sources-jar/groovy/servlet/package.html

## 1.362 commons-lang3 3.9

### 1.362.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.



You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang

Copyright 2001-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.363 javax-servlet-api 2.5.0

## 1.363.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/j2ee\_1\_4.xsd

\*

/opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/xml.xsd

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/j2ee\_web\_services\_client\_1\_1.xsd

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/web-app\_2\_5.xsd

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/j2ee\_web\_services\_1\_1.xsd

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/web-app\_2\_4.xsd

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

2001 Sun Microsystems, Inc. 901 San Antonio Road,

Palo Alto, CA 94303, U.S.A. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or documentation may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any.

Third party software, including font technology, is copyrighted and licensed from Sun suppliers.

Sun, Sun Microsystems, the Sun Logo, Solaris, Java, JavaServer Pages, Java Naming and Directory Interface, JDBC, JDK, JavaMail and Enterprise JavaBeans, are trademarks or registered trademarks of Sun Microsystems, Inc in the U.S. and other countries.

All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

PostScript is a registered trademark of Adobe Systems, Inc.

Federal Acquisitions: Commercial Software  
guarantee element specifies that the communication between client and server should be NONE, INTEGRAL, or CONFIDENTIAL. NONE means that the application does not require any transport guarantees. A value of INTEGRAL means that the application requires that the data sent between the client and server be sent in such a way that it can't be changed in transit. CONFIDENTIAL means that the application requires that the data be transmitted in a fashion that prevents other entities from observing the contents of the transmission. In most cases, the presence of the INTEGRAL or CONFIDENTIAL flag will indicate that the use of SSL is required.

Used in: user

Found in path(s):

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/web-app\_2\_3.dtd

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0

(the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

guarantee element specifies that the communication between client and server should be NONE, INTEGRAL, or CONFIDENTIAL. NONE means that the application does not require any transport guarantees. A value of INTEGRAL means that the application requires that the data sent between the client and server be sent in such a way that it can't be changed in transit. CONFIDENTIAL means that the application requires that the data be transmitted in a fashion that prevents other entities from observing the contents of the transmission. In most cases, the presence of the INTEGRAL or CONFIDENTIAL flag will indicate that the use of SSL is required.

Found in path(s):

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/web-app\_2\_2.dtd

No license file was found, but licenses were detected in source scan.

# The ASF licenses this file to You under the Apache License, Version 2.0  
# (the "License"); you may not use this file except in compliance with  
# the License. You may obtain a copy of the License at  
# <http://www.apache.org/licenses/LICENSE-2.0>  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/http/LocalStrings.properties

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/LocalStrings.properties

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1038793138\_1675961441.3874598/0/com-springsource-javax-servlet-2-5-0-jar/javax/servlet/resources/datatypes.dtd

## 1.364 global 4.4.0

### 1.364.1 Available under license :

Copyright (c) 2012 Colingo.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.365 spring-retry 1.2.5.RELEASE

### 1.365.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2006-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/annotation/Classifier.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/SleepingBackOffPolicy.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/NoBackOffPolicy.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/StatelessBackOffPolicy.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/ClassifierSupport.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/MethodInvocationRecoverer.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/BackOffInterruptedException.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/BackOffContext.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryState.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/MapRetryContextCache.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryListener.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/RetryContextCache.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/listener/RetryListenerSupport.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/NewMethodArgumentsIdentifier.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/ExhaustedRetryException.java
- \* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/Classifier.java
- \*

/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/TimeoutRetryPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryStatistics.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/support/RetrySimulation.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/RetryCacheCapacityExceededException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryException.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RetryOperations.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/NeverRetryPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/BackOffPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/support/DefaultRetryState.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/TerminatedRetryException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/MethodArgumentsKeyGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/ClassifierAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/Sleeper.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/support/RetrySynchronizationManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/ExceptionClassifierRetryPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/RecoveryCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/CompositeRetryPolicy.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/AlwaysRetryPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/ObjectWaitSleeper.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-



jar/org/springframework/classify/PatternMatchingClassifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/support/RetrySimulator.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/policy/SoftReferenceMapRetryContextCache.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/classify/BackToBackPatternClassifier.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/classify/PatternMatcher.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2006-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/backoff/UniformRandomBackOffPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/context/RetryContextSupport.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/support/RetryTemplate.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/backoff/ExponentialBackOffPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/backoff/FixedBackOffPolicy.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2006-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/StatefulRetryOperationsInterceptor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2006-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/backoff/ExponentialRandomBackOffPolicy.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2006-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the

\* specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/RetryOperationsInterceptor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/Backoff.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/Recover.java

\*

/\*  
\*/

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/util/MethodInvokerUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/CircuitBreaker.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/Retryable.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-

jar/org/springframework/retry/backoff/ThreadWaitSleeper.java

\*

/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/RetryConfiguration.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/util/SimpleMethodInvoker.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/RetryInterceptorBuilder.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/interceptor/Retryable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2006-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/SimpleRetryPolicy.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/SubclassClassifier.java

\*

/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/BinaryExceptionClassifier.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2015 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/MutableRetryStatistics.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/ExponentialAverageRetryStatistics.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/StatisticsRepository.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/DefaultStatisticsRepository.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/RetryStatisticsFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/DefaultRetryStatisticsFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/DefaultRetryStatistics.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/stats/StatisticsListener.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/interceptor/FixedKeyGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-  
jar/org/springframework/retry/policy/CircuitBreakerRetryPolicy.java  
\*

/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/policy/ExpressionRetryPolicy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/AnnotationAwareRetryOperationsInterceptor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/util/MethodInvoker.java

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/util/AnnotationMethodResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/classify/util/MethodResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1063935130\_1593103235.71/0/spring-retry-1-2-5-release-sources-jar/org/springframework/retry/annotation/RecoverAnnotationRecoveryHandler.java

## 1.366 netty-tcnative 2.0.9.Final

### 1.366.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-



jar/io/netty/internal/tcnative/SniHostNameMatcher.java

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-

jar/io/netty/internal/tcnative/NativeStaticallyReferencedJniMethods.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-

jar/io/netty/internal/tcnative/SessionTicketKey.java

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-

jar/io/netty/internal/tcnative/CertificateRequestedCallback.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-jar/io/netty/internal/tcnative/SSLContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-jar/io/netty/internal/tcnative/SSL.java  
\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-jar/io/netty/internal/tcnative/Buffer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-jar/io/netty/internal/tcnative/Library.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-jar/io/netty/internal/tcnative/CertificateVerifier.java

No license file was found, but licenses were detected in source scan.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0>

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1068790237\_1594430319.78/0/netty-tcnative-2-0-9-final-sources-1-jar/META-

# 1.367 fast-deep-equal 3.1.3

## 1.367.1 Available under license :

MIT License

Copyright (c) 2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.368 spring-framework 4.3.20.RELEASE

## 1.368.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/serializer/Deserializer.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/convert/support/NumberToCharacterConverter.java
*
/opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/serializer/Serializer.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/SpringVersion.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/PathMatcher.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/style/DefaultToStringStyler.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/InfrastructureProxy.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/io/DescriptiveResource.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/io/WritableResource.java
*
/opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/ErrorHandler.java
```

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/task/SyncTaskExecutor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/comparator/InvertibleComparator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/comparator/NullSafeComparator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/comparator/BooleanComparator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/convert/support/CharacterToNumberFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/task/TaskRejectedException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/CommonsLogWriter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/ConstantException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/convert/support/StringToBooleanConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/style/StylerUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/task/TaskTimeoutException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/AttributeAccessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/xml/SimpleTransformErrorListener.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/convert/support/StringToArrayConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/style/DefaultValueStyler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/ExceptionDepthComparator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/MultiValueMap.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/io/FileSystemResourceLoader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/util/xml/SimpleSaxErrorHandler.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/convert/support/StringToPropertiesConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/style/ToStringStyler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
 jar/org/springframework/core/task/TaskExecutor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-

```
jar/org/springframework/core/task/support/ConcurrentExecutorAdapter.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/type/classreading/MetadataReaderFactory.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/SmartClassLoader.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/comparator/ComparableComparator.java
*
/opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/ParameterNameDiscoverer.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/io/ClassRelativeResourceLoader.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/serializer/support/SerializationFailedException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/Log4jConfigurer.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/lang/UsesSunHttpServer.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/cglib/SpringCglibInfo.java
*
/opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/type/filter/AspectJTypeFilter.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/CompositeIterator.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/ExceptionTypeFilter.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/type/filter/AbstractTypeHierarchyTraversingFilter.java
```

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/ResourceArrayPropertyEditor.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/backoff/BackOffExecution.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/RecursiveAnnotationArrayVisitor.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/StaxUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ArrayToCollectionConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/filter/AssignableTypeFilter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/StaxStreamHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/converter/ConditionalConverter.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/NestedIOException.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ObjectToArrayConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/PropertiesPropertySource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/lang/UsesJava8.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/XmlValidationModeDetector.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToCollectionConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/IdToEntityConverter.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ArrayToStringConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/CustomizableThreadCreator.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ConversionServiceFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/SerializationUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/MapToMapConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/filter/AbstractClassTestingTypeFilter.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/backoff/BackOff.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/PropertiesToStringConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ZoneIdToTimeZoneConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/lang/UsesJava7.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/cglib/core/SpringNamingPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ObjectToCollectionConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ObjectToStringConverter.java  
\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ArrayToObjectConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ZonedDateTimeToCalendarConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/CollectionToCollectionConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ArrayToArrayConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/MapPropertySource.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/PropertySourcesPropertyResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.



\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ParameterizedTypeReference.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/NamedThreadLocal.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/NamedInheritableThreadLocal.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/type/classreading/MetadataReader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/type/classreading/SimpleMetadataReader.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/env/StandardEnvironment.java
*
/opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/task/AsyncListenableTaskExecutor.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/SystemPropertyUtils.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/util/xml/DomUtils.java
* /opt/ws_local/PERMITS_SQL/1070667560_1594726323.29/0/spring-core-4-3-20-release-sources-
jar/org/springframework/core/task/AsyncTaskExecutor.java
No license file was found, but licenses were detected in source scan.
```

```
/**
```

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/FieldVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Label.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Item.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Frame.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/ClassReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/AnnotationVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/ModuleWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Context.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/MethodVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Edge.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Type.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Attribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/MethodWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Handler.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/CurrentFrame.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Handle.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/ModuleVisitor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/Opcodes.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/ClassWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/ByteVector.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/ClassVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/FieldWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/AnnotationWriter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/AlternativeJdkIdGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/PatternMatchUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/AnnotationMetadata.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/VfsResource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/AnnotatedTypeMetadata.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/SynthesizedAnnotation.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AnnotationConfigurationException.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/SystemEnvironmentPropertySource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/JdkVersion.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/comparator/InstanceComparator.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/converter/GenericConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/serializer/DefaultSerializer.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/AliasRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/converter/ConditionalGenericConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToCurrencyConverter.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StreamConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/ResourcePropertySource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/SynthesizedAnnotationInvocationHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/serializer/support/SerializationDelegate.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToTimeZoneConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/serializer/support/SerializingConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/IdGenerator.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/serializer/support/DeserializingConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/objenesis/SpringObjenesis.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToLocaleConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/UpdateMessageDigestInputStream.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/MethodMetadata.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/Ordered.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/FallbackObjectToStringConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/InputStreamResource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AliasFor.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/StandardMethodMetadata.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/SimpleNamespaceContext.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/JdkIdGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToCharsetConverter.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/DefaultParameterNameDiscoverer.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/SimpleIdGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/PriorityOrdered.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/EnumerablePropertySource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/AnnotationMetadataReadingVisitor.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/serializer/DefaultDeserializer.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/converter/Converter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/ResizableByteArrayOutputStream.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToUUIDConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/backoff/FixedBackOff.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/PropertiesPersister.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/NumberToNumberConverterFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/EnumToStringConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AnnotationAttributeExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/EncodedResource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/DecoratingProxy.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/SocketUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/PropertySourceFactory.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/CollectionUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/CommandLinePropertySource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ObjectToObjectConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-

jar/org/springframework/core/task/TaskDecorator.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/OverridingClassLoader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/StringValueResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/InstanceFilter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/DecoratingClassLoader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/concurrent/ListenableFutureCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/env/Environment.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/concurrent/SuccessCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/ConverterNotFoundException.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/ConversionFailedException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/StopWatch.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/type/classreading/RecursiveAnnotationAttributesVisitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/io/support/ResourceRegion.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/task/support/TaskExecutorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/io/DefaultResourceLoader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/GenericConversionService.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/OrderComparator.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/annotation/SynthesizingMethodParameter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/env/ConfigurablePropertyResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/DigestUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/LinkedMultiValueMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/xml/AbstractXMLReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/annotation/DefaultAnnotationAttributeExtractor.java



\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/ResourcePatternUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/concurrent/ListenableFutureAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/MapAnnotationAttributeExtractor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/converter/ConverterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/lang/UsesSunMisc.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/CollectionToStringConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/ConversionService.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/backoff/ExponentialBackOff.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/PropertyResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/CachingMetadataReaderFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/DefaultPropertySourceFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/PropertiesLoaderUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/AutoPopulatingList.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/NumberUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/concurrent/FailureCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/MethodIntrospector.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/DefaultPropertiesPersister.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/ProtocolResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/converter/ConverterRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/style/ToStringCreator.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ConfigurableObjectInputStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/FileSystemResource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/OrderUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/SpringProperties.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/IntegerToEnumConverterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AbstractAliasAwareAnnotationAttributeExtractor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/EnumToIntegerConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/ResourceLoader.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2010 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/ConversionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/VfsPatternUtils.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/ClassMetadataReadingVisitor.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/AbstractConditionalEnumConverter.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/GenericCollectionTypeResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/StandardReflectionParameterNameDiscoverer.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/task/SimpleAsyncTaskExecutor.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/StringToNumberConverterFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ResolvableTypeProvider.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/FileCopyUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/NestedRuntimeException.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/NestedExceptionUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/PathMatchingResourcePatternResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/VfsUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/FastByteArrayOutputStream.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/Resource.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/MissingRequiredPropertiesException.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AnnotationAttributes.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/CollectionFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/ClassPathResource.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/concurrent/FutureAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/AnnotationReadingVisitorUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/WeakReferenceMonitor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/ReadOnlySystemAttributesMap.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/concurrent/ListenableFutureTask.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/UrlResource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/StreamUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ControlFlowFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/AbstractRecursiveAnnotationVisitor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/Conventions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/comparator/CompoundComparator.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/ResourceEditor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/MethodMetadataReadingVisitor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/AbstractStaxHandler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ControlFlow.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/ConcurrencyThrottleSupport.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/SpringAsmInfo.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/concurrent/CompletableToListenableFutureAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/StaxStreamXMLReader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/StandardClassMetadata.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/PropertySource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ErrorCode.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/MethodClassKey.java  
 \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-

jar/org/springframework/util/TypeUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/AntPathMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/CollectionToObjectConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/env/CompositePropertySource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/StringToCharacterConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/annotation/Order.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/ObjectUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/env/EnvironmentCapable.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/io/InputStreamSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/ByteBufferConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/concurrent/SettableListenableFuture.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/MethodInvoker.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/io/ByteArrayResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/CollectionToArrayConverter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/DefaultConversionService.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/io/support/PropertiesLoaderSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/LinkedCaseInsensitiveMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/LocalVariableTableParameterNameDiscoverer.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/InvalidMimeTypeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/type/StandardAnnotationMetadata.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/xml/StaxResult.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/concurrent/ListenableFuture.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-

jar/org/springframework/util/xml/StaxSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/PrioritizedParameterNameDiscoverer.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/Base64Utils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/ResourceUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/converter/ConvertingComparator.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/NestedCheckedException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/PropertyPlaceholderHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/type/ClassMetadata.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/StringToEnumConverterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/Assert.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/util/FileSystemUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/env/AbstractPropertyResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/convert/support/ObjectToOptionalConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/Constants.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-  
jar/org/springframework/core/env/MutablePropertySources.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/filter/RegexPatternTypeFilter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/filter/TypeFilter.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/ContextResource.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/style/ValueStyler.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/ResourcePatternResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ConvertingPropertyEditorAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/SimpleCommandLineArgsParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ConfigurableConversionService.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/PropertySources.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/CommandLineArgs.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AnnotationUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/AbstractEnvironment.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/DomContentHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/StaxEventXMLReader.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/SimpleAliasRegistry.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/LocalizedResourceHelper.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/support/SpringFactoriesLoader.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/AbstractXMLStreamReader.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/SimpleCommandLinePropertySource.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/BridgeMethodResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/TransformerUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/task/support/ExecutorServiceAdapter.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/filter/AnnotationTypeFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/AnnotationAttributesReadingVisitor.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/ClassUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/JOptCommandLinePropertySource.java



\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/XMLStreamWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/TypeDescriptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/StringUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/AbstractResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/type/classreading/SimpleMetadataReaderFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/ReflectionUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/GenericTypeResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/ResolvableType.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/AbstractFileResolvingResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/concurrent/ListenableFutureCallbackRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/AbstractStaxXMLReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/StaxEventHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/MimeType.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/ConcurrentReferenceHashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/io/PathResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/AttributeAccessorSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/env/ConfigurableEnvironment.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AnnotatedElementUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/annotation/AnnotationAwareOrderComparator.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/support/ConversionUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/MimeTypeUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/convert/Property.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/util/xml/XMLStreamReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/SerializableTypeWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/core/MethodParameter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2013 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/TypePath.java

\* /opt/ws\_local/PERMITS\_SQL/1070667560\_1594726323.29/0/spring-core-4-3-20-release-sources-jar/org/springframework/asm/TypeReference.java

# 1.369 google-http-client 1.15.0-rc

## 1.369.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2012 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/LoggingInputStream.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/StreamingContent.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/ByteCountingOutputStream.java
*
/opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/testing/http/javanet/MockURLConnection.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/testing/http/FixedClock.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/EmptyContent.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/JsonObjectParser.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/webtoken/JsonWebSignature.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/testing/http/json/MockJsonFactory.java
*
/opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/HttpEncoding.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/LoggingByteArrayOutputStream.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/webtoken/JsonWebToken.java
```

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/LogRecordingHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/http/json/MockJsonGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/LoggingOutputStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/ByteArrayStreamingContent.java  
\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/IOUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/http/json/MockJsonParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/ObjectParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/SslUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Base64.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/StringUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpMediaType.java  
\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Clock.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/http/javanet/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/GZipEncoding.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpEncodingStreamingContent.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2013 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/http/apache/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/TestableByteArrayInputStream.java

\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpBackOffIOExceptionHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/http/apache/MockHttpClient.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Sets.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/MockBackOff.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Joiner.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/TestableByteArrayOutputStream.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Maps.java

\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Beta.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Collections2.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpBackOffUnsuccessfulResponseHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/Strings.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/json/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/json/MockJsonParser.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/SecurityTestUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/SecurityUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/apache/SSLSocketFactoryExtension.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/json/MockJsonGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/util/MockSleeper.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-

jar/com/google/api/client/util/Lists.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/MultipartContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Sleeper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/BackOffUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/testing/json/MockJsonFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Objects.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Charsets.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/HttpIOExceptionHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Throwables.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/json/webtoken/package-info.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Preconditions.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/ByteStreams.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/NanoClock.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/PemReader.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2010 Google Inc.J

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-

jar/com/google/api/client/json/JsonFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/testing/http/MockHttpUnsuccessfulResponseHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/ExponentialBackOff.java

\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/AbstractHttpContent.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/BackOff.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Types.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/ArrayValueMap.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/testing/http/json/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/BasicAuthentication.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/NullValue.java

\*

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/HttpStatusCodes.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/json/JsonString.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Value.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/ExponentialBackOffPolicy.java

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-

jar/com/google/api/client/http/HttpRequestInitializer.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/xml/atom/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/ByteArrayContent.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/testing/http/HttpTesting.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/xml/atom/AtomContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/testing/http/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/AbstractInputStreamContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/util/Data.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/BackOffPolicy.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/FileContent.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/UriTemplate.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/HttpRequestFactory.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/apache/HttpExtensionMethod.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/HttpMethods.java  
No license file was found, but licenses were detected in source scan.

/\*



\* Copyright (c) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/json/rpc2/JsonRpcRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/LoggingStreamingContent.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/GenericData.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/FieldInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/apache/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/xml/atom/Atom.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/UrlEncodedContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpExecuteInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/xml/package-info.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/DateTime.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/DataMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/ClassInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/xml/Xml.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpResponseInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-

```

jar/com/google/api/client/testing/http/MockLowLevelHttpResponse.java
*
/opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/apache/ApacheHttpResponse.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/HttpResponseException.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/testing/http/MockLowLevelHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/escape/package-info.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/escape/CharEscapers.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/GenericJson.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/Key.java
*
/opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/escape/Escaper.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/Json.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/package-info.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/testing/http/MockHttpTransport.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/xml/XmlObjectParser.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/json/rpc2/package-info.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/escape/PercentEscaper.java
*
/opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/package-info.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/xml/XmlHttpContent.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/HttpContent.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/json/package-info.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/http/javanet/NetHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/xml/XmlNamespaceDictionary.java
* /opt/ws_local/PERMITS_SQL/1071204643_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-
jar/com/google/api/client/util/escape/UnicodeEscaper.java
*

```

/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/LogLevelHttpResponse.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/InputStreamContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpTransport.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/javanet/NetHttpTransport.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/json/CustomizeJsonParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/javanet/NetHttpResponse.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpUnsuccessfulResponseHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpHeaders.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/GenericUrl.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/xml/atom/AtomFeedParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/UrlEncodedParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/xml/AbstractXmlHttpContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/HttpResponse.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/escape/Platform.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/util/ArrayMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/javanet/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/xml/atom/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/http/apache/ContentEntity.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/xml/atom/AbstractAtomFeedParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/json/JsonToken.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/testing/http/MockHttpContent.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-jar/com/google/api/client/json/JsonParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-

jar/com/google/api/client/json/JsonGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/xml/GenericXml.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/LowLevelHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/apache/ApacheHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/json/JsonHttpContent.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/xml/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/apache/ApacheHttpTransport.java  
\* /opt/ws\_local/PERMITS\_SQL/1071204643\_1594893854.39/0/google-http-client-1-15-0-rc-sources-1-  
jar/com/google/api/client/http/package-info.java

# 1.370 sizeof-agent 1.0.1

## 1.370.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.371 spring-expression 4.3.20.RELEASE

## 1.371.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2009 the original author or authors.



\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/ExpressionParser.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/ConstructorResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/BooleanTypedValue.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/ParserContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/MethodResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/TypeLocator.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/ExpressionInvocationTargetException.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/common/TemplateParserContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/ConstructorExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/Operation.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/MethodExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/MethodFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/TypeConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/TypeComparator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/spel/ast/OpDivide.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/spel/ast/Selection.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/spel/ast/OpMinus.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/spel/ast/OpModulus.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-  
jar/org/springframework/expression/spel/ast/OpMultiply.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/common/TemplateAwareExpressionParser.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/OpDec.java
*
/opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/BeanReference.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/PropertyOrFieldReference.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/Expression.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/common/CompositeStringExpression.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/standard/SpelCompiler.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ExpressionState.java
*
/opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/Ternary.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/SpelParserConfiguration.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/OpInc.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/NullLiteral.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/standard/InternalSpelExpressionParser.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/AccessException.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
```

jar/org/springframework/expression/spel/support/ReflectionHelper.java

\*

/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/ast/OperatorInstanceof.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/support/StandardTypeConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/common/LiteralExpression.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/ast/CompoundExpression.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/support/ReflectiveMethodExecutor.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/ast/Projection.java

\*

/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/ast/OpAnd.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/OperatorOverloader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/support/StandardOperatorOverloader.java

\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

jar/org/springframework/expression/spel/InternalParseException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/EvaluationException.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/standard/TokenKind.java
  - \*
  - /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/BooleanLiteral.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/SpelParseException.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OpNE.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/FloatLiteral.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/ExpressionException.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/LongLiteral.java
  - \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/IntLiteral.java
  - \*
  - /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/ParseException.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2002-2014 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/standard/SpelExpressionParser.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/SpelCompilerMode.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OpLT.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/QualifiedIdentifier.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/RealLiteral.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/PropertyAccessor.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/CompilablePropertyAccessor.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OpLE.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OpOr.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/VariableReference.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/standard/Token.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/InlineList.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/InlineMap.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/AstUtils.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/SpelNode.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/ReflectiveConstructorResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/TypedValue.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OperatorNot.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/Identifier.java
- \* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-

```
jar/org/springframework/expression/spel/CompiledExpression.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/support/StandardTypeLocator.java
*
/opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/OperatorPower.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/OpGE.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/support/StandardTypeComparator.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/common/ExpressionUtils.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/Assign.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/OperatorBetween.java
*
/opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/OpGT.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/Literal.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/support/ReflectiveConstructorExecutor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/TypeCode.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/Indexer.java
*
```

/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/SpelEvaluationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/ReflectivePropertyAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OpEQ.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/SpelNodeImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/ReflectiveMethodResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/standard/Tokenizer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/EvaluationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/ValueRef.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/ConstructorReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/CodeFlow.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/Operator.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/OperatorMatches.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/FormatHelper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/Elvis.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/MethodReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/StandardEvaluationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/SimpleEvaluationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/TypeReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/DataBindingMethodResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/standard/SpelExpression.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/ast/FunctionReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-jar/org/springframework/expression/spel/support/DataBindingPropertyAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1072978489\_1595247651.25/0/spring-expression-4-3-20-release-sources-1-



```
jar/org/springframework/expression/spel/ast/OpPlus.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/ast/StringLiteral.java
* /opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/spel/SpelMessage.java
*
/opt/ws_local/PERMITS_SQL/1072978489_1595247651.25/0/spring-expression-4-3-20-release-sources-1-
jar/org/springframework/expression/BeanResolver.java
```

# 1.372 spring-orm 4.3.20.RELEASE

## 1.372.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/support/PersistenceAnnotationBeanPostProcessor.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/persistenceunit/ClassFileTransformerAdapter.java
*
/opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/HibernateCallback.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/persistenceunit/PersistenceUnitReader.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/JpaSystemException.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate4/HibernateTransactionManager.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate4/HibernateCallback.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/support/OpenSessionInViewInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/JpaDialect.java
*
/opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate4/ConfigurableJtaPlatform.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/vendor/OpenJpaDialect.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/persistenceunit/SmartPersistenceUnitInfo.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/HibernateAccessor.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate4/LocalSessionFactoryBuilder.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/LocalSessionFactoryBean.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/jpa/DefaultJpaDialect.java
*
/opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate4/SpringFlushSynchronization.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/support/OpenSessionInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/HibernateInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
jar/org/springframework/orm/hibernate3/HibernateOperations.java
* /opt/ws_local/PERMITS_SQL/1073028550_1595254033.72/0/spring-orm-4-3-20-release-sources-1-
```

jar/org/springframework/orm/hibernate4/LocalSessionFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/vendor/SpringHibernateEjbPersistenceProvider.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/support/HibernateDaoSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/EntityManagerFactoryAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/vendor/EclipseLinkJpaDialect.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate4/support/OpenSessionInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate4/support/HibernateDaoSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/annotation/AnnotationSessionFactoryBean.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/LocalEntityManagerFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/SessionFactoryUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/JpaTransactionManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate4/HibernateOperations.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate4/SpringSessionContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/vendor/OpenJpaVendorAdapter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate4/SessionFactoryUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/HibernateTransactionManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jdo/JdoTransactionManager.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\*/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/support/StandardPersistenceManagerProxyBean.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*\*  
\* Create a transactional EntityManager proxy for the given EntityManagerFactory.  
\* @param emf the EntityManagerFactory to obtain EntityManagers from as needed  
\* @param properties the properties to be passed into the  
\* { @code createEntityManager } call (may be { @code null })  
\* @param entityManagerInterfaces  
the interfaces to be implemented by the  
\* EntityManager. Allows the addition or specification of proprietary interfaces.  
\* @return a shareable transactional EntityManager proxy  
\*/

Found in path(s):

\*/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/SharedEntityManagerCreator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/support/SpringPersistenceManagerProxyBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/persistenceunit/SpringPersistenceUnitInfo.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/TransactionAwarePersistenceManagerFactoryProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/LocalRegionFactoryProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/LocalPersistenceManagerFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/FilterDefinitionFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/DefaultJdoDialect.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/support/OpenPersistenceManagerInViewInterceptor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/PersistenceManagerFactoryUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/JdoDialect.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/HibernateOptimisticLockingFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/HibernateOptimisticLockingFailureException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/vendor/SpringHibernateJpaPersistenceProvider.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/HibernateTemplate.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/support/OpenEntityManagerInViewFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/support/AsyncRequestInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/SpringSessionSynchronization.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/support/OpenEntityManagerInViewInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/OpenSessionInViewFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/AsyncRequestInterceptor.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/HibernateTemplate.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/support/OpenSessionInViewFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/support/OpenPersistenceManagerInViewFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/support/AsyncRequestInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/persistenceunit/MutablePersistenceUnitInfo.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2017 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/EntityManagerFactoryUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/vendor/HibernateJpaDialect.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/ObjectOptimisticLockingFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/vendor/HibernateJpaSessionFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/support/SharedEntityManagerBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/LocalContainerEntityManagerFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/support/OpenSessionInViewInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/JpaVendorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/ObjectRetrievalFailureException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/AbstractEntityManagerFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-

jar/org/springframework/orm/jpa/vendor/EclipseLinkJpaVendorAdapter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/persistenceunit/DefaultPersistenceUnitManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/vendor/AbstractJpaVendorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/vendor/HibernateJpaVendorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/ExtendedEntityManagerCreator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/HibernateSystemException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jpa/EntityManagerFactoryInfo.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/LocalDataSourceConnectionProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/LocalJtaDataSourceConnectionProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/support/BlobStringType.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/SpringTransactionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate3/support/ScopedBeanInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/jdo/JdoSystemException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-  
jar/org/springframework/orm/hibernate4/HibernateExceptionTranslator.java



\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/BlobSerializableType.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/AbstractLobType.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/SpringJtaSessionContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/SpringSessionContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/BlobByteArrayType.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/SessionHolder.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/JpaObjectRetrievalFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/HibernateExceptionTranslator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/HibernateQueryException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/persistenceunit/PersistenceUnitManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/SpringSessionSynchronization.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/JpaOptimisticLockingFailureException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/HibernateJdbcException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/IdTransferringMergeEventListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/JdoObjectRetrievalFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/EntityManagerProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/HibernateSystemException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/SessionHolder.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/vendor/Database.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/HibernateJdbcException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/support/ClobStringType.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/TypeDefinitionBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/persistenceunit/PersistenceUnitPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/AbstractSessionFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/JdoResourceFailureException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/JdoUsageException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/TransactionAwareDataSourceConnectionProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate4/HibernateObjectRetrievalFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/HibernateQueryException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/HibernateObjectRetrievalFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/hibernate3/LocalTransactionManagerLookup.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/JdoOptimisticLockingFailureException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/EntityManagerHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028550\_1595254033.72/0/spring-orm-4-3-20-release-sources-1-jar/org/springframework/orm/jdo/PersistenceManagerHolder.java

# 1.373 spring-aop 4.3.20.RELEASE

## 1.373.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/config/AdvisorComponentDefinition.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/scope/ScopedObject.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/target/dynamic/BeanFactoryRefreshableTargetSource.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/support/DynamicMethodMatcherPointcut.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/adaptor/DefaultAdvisorAdapterRegistry.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/interceptor/ConcurrencyThrottleInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/AspectJAopUtils.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/config/ConfigBeanDefinitionParser.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/PointcutAdvisor.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/target/PoolingConfig.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/support/StaticMethodMatcherPointcut.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
```

jar/org/springframework/aop/target/HotSwappableTargetSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/config/AspectJAutoProxyBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/framework/autoproxy/TargetSourceCreator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/config/PointcutComponentDefinition.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/support/DelegatePerTargetObjectIntroductionInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/interceptor/DebugInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/support/AbstractGenericPointcutAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/framework/autoproxy/ProxyCreationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/framework/AopProxyFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/framework/autoproxy/InfrastructureAdvisorAutoProxyCreator.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/support/JdkRegexpMethodPointcut.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/aspectj/AspectInstanceFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/config/AdviceEntry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/support/AbstractPointcutAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/config/MethodLocatingFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/support/DefaultPointcutAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/DynamicIntroductionAdvice.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/AopInvocationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/aspectj/annotation/NotAnAtAspectException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/aspectj/AspectJProxyUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/IntroductionInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/target/LazyInitTargetSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-  
jar/org/springframework/aop/framework/AopConfigException.java

```

*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/AopContext.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/target/SingletonTargetSource.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/MethodBeforeAdvice.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceAdapter.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/adapter/ThrowsAdviceAdapter.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/config/SpringConfiguredBeanDefinitionParser.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/AfterReturningAdvice.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/interceptor/ExposeBeanNameAdvisors.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/config/PointcutEntry.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/ProxyConfig.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/adapter/UnknownAdviceTypeException.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/adapter/AdvisorAdapter.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/adapter/AfterReturningAdviceAdapter.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/TruePointcut.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/target/ThreadLocalTargetSourceStats.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/config/AdvisorEntry.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/scope/DefaultScopedObject.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/IntroductionAdvisor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/AopProxy.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/support/DefaultBeanFactoryPointcutAdvisor.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/support/DelegatingIntroductionInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/target/dynamic/Refreshable.java

```

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/TrueClassFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/AbstractExpressionPointcut.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/Pointcut.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/EmptyTargetSource.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/AbstractLazyCreationTargetSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/ScopedProxyBeanDefinitionDecorator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/adapter/GlobalAdvisorAdapterRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistrationManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/SimpleBeanTargetSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/Advisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/AopNamespaceHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJWeaverMessageHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/RuntimeTestWalker.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/annotation/AnnotationMethodMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/IntroductionAwareMethodMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/ClassFilters.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/annotation/AnnotationClassFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/autoproxy/AspectJAwareAdvisorAutoProxyCreator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/ControlFlowPointcut.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/scope/ScopedProxyUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/ComposablePointcut.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/JamonPerformanceMonitorInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/NameMatchMethodPointcut.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/AbstractTraceInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/AbstractAdvisorAutoProxyCreator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/SimpleBeanFactoryAwareAspectInstanceFactory.java

```

*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/AspectJAdviceParameterNameDiscoverer.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/support/annotation/AnnotationMatchingPointcut.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/interceptor/PerformanceMonitorInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/interceptor/CustomizableTraceInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/AspectJPointcutAdvisor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/ProxyFactoryBean.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/interceptor/SimpleTraceInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/TypePatternClassFilter.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/interceptor/AbstractMonitoringInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/framework/AopProxyUtils.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/TrueMethodMatcher.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/target/CommonsPool2TargetSource.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/AspectJAfterAdvice.java

```



\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/ObjenesisCglibAopProxy.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/Advised.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/AbstractPoolingTargetSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/autoproxy/AspectJPrecedenceComparator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/target/QuickTargetSourceCreator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/ReflectiveMethodInvocation.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJMethodBeforeAdvice.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/AbstractSingletonProxyFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/MethodMatchers.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJAroundAdvice.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/AspectJAdvisorFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/AbstractBeanFactoryAwareAdvisingPostProcessor.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/CommonsPoolTargetSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/PrototypeAspectInstanceFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJAfterThrowingAdvice.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/SingletonAspectInstanceFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/ProxyMethodInvocation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/AutoProxyUtils.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/DefaultAopProxyFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/Pointcuts.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/TargetClassAware.java  
 No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/DefaultIntroductionAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AbstractAspectJAdvice.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/InstantiationModelAwarePointcutAdvisorImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/ProxyCreatorSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/scope/ScopedProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/RootClassFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/AdvisedSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/adapter/ThrowsAdviceInterceptor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/BeanFactoryAdvisorRetrievalHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/AbstractAspectJAdvisorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/AspectJProxyFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/AbstractPrototypeBasedTargetSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/SimpleAsyncUncaughtExceptionHandler.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/AopConfigUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/target/AbstractBeanFactoryBasedTargetSourceCreator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/DeclareParentsAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/ReflectiveAspectJAdvisorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/ProxyProcessorSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/MethodInvocationProceedingJoinPoint.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/DynamicMethodMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/SimpleAspectInstanceFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/AopNamespaceUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/IntroductionInfoSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/StaticMethodMatcherPointcutAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/CglibAopProxy.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/AbstractAdvisingBeanPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/AbstractRegexpMethodPointcut.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/AbstractBeanFactoryBasedTargetSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/AbstractAutoProxyCreator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/StaticMethodMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/adapter/AfterReturningAdviceInterceptor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/MethodMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/DefaultAdvisorChainFactory.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/BeforeAdvice.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/RawTargetAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/AspectEntry.java  
\*  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/AopInfrastructureBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/IntroductionInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/InterceptorAndDynamicMethodMatcher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/SpringProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/ClassFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/AdvisedSupportListener.java  
\*  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/AfterAdvice.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/config/AspectComponentDefinition.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/ThrowsAdvice.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/AsyncUncaughtExceptionHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoprox/target/LazyInitTargetSourceCreator.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/RegexpMethodPointcutAdvisor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/NameMatchMethodPointcutAdvisor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/ExposeInvocationInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/PrototypeTargetSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoprox/BeanNameAutoProxyCreator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/AdvisorChainFactory.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/ThreadLocalTargetSource.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2006 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/ExpressionPointcut.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/InstantiationModelAwarePointcutAdvisor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJPrecedenceInformation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectInstanceFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/autoproxy/DefaultAdvisorAutoProxyCreator.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/target/dynamic/AbstractRefreshableTargetSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/AopUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/MetadataAwareAspectInstanceFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/intercept/Interceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/intercept/MethodInvocation.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/intercept/MethodInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/intercept/Invocation.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJExpressionPointcutAdvisor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/LazySingletonAspectInstanceFactoryDecorator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/intercept/Joinpoint.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectJAdvisorsBuilder.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/ProxyFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/intercept/ConstructorInterceptor.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/AspectJAfterReturningAdvice.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/interceptor/AsyncExecutionInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/framework/JdkDynamicAopProxy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/AspectMetadata.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/support/AbstractBeanFactoryPointcutAdvisor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/aopalliance/aop/Advice.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027926\_1595253997.27/0/spring-aop-4-3-20-release-sources-1-jar/org/springframework/aop/aspectj/annotation/SingletonMetadataAwareAspectInstanceFactory.java

```
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/annotation/SimpleMetadataAwareAspectInstanceFactory.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/aopalliance/aop/AspectException.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/config/AbstractInterceptorDrivenBeanDefinitionDecorator.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/AspectJExpressionPointcut.java
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/aspectj/annotation/AnnotationAwareAspectJAutoProxyCreator.java
*
/opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/aopalliance/intercept/ConstructorInvocation.java
No license file was found, but licenses were detected in source scan.
```

```
/*<
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027926_1595253997.27/0/spring-aop-4-3-20-release-sources-1-
jar/org/springframework/aop/TargetSource.java
```

# 1.374 spring-context 4.3.20.RELEASE

## 1.374.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*
```



\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ScopedProxyCreator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/LifecycleProcessor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/MBeanExportOperations.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/metadata/ManagedOperation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/Cacheable.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jndi/JndiLocatorDelegate.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/expression/MethodBasedEvaluationContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/Schedules.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/weblogic/WebLogicLoadTimeWeaver.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ClassPathBeanDefinitionScanner.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ComponentScan.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/config/PropertyPlaceholderBeanDefinitionParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/AbstractResourceBasedMessageSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheEvaluationContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/config/PropertyOverrideBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/CommonAnnotationBeanPostProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/TaskExecutorFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/ReflectiveLoadTimeWeaver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/ConnectorServerFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/config/LoadTimeWeaverBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/EmbeddedValueResolverAware.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/ApplicationContextAwareProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/Cache.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/TriggerTask.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ConfigurationClass.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/concurrent/ConcurrentMapCacheManager.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/EnableScheduling.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/groovy/GroovyScriptEvaluator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/support/StandardScriptFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Primary.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AspectJAutoProxyRegistrar.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/support/FormatterPropertyEditorAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/GenericApplicationContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/DateTimeFormatterRegistrar.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/i18n/LocaleContextHolder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ParserStrategyUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/SchedulingConfiguration.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/AnnotationAsyncExecutionInterceptor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/CachePut.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/Jsrf310DateTimeFormatAnnotationFormatterFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/config/ScriptingDefaultsParser.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/ assembler/MethodNameBasedMBeanInfoAssembler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/EnableLoadTimeWeaving.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/Async.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/InstantFormatter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AnnotationScopeMetadataResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/ScheduledTaskRegistrar.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/groovy/GroovyScriptFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/Caching.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/ExecutorBeanDefinitionParser.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/LiveBeansView.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/CacheEvict.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/annotation/AnnotationJmxAttributeSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/AsyncAnnotationBeanPostProcessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/joda/JodaTimeContextHolder.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/AsyncResult.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/EventListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/GenericXmlApplicationContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/DateFormatterRegistrar.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheableOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/config/ScriptBeanDefinitionParser.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/annotation/ManagedNotifications.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/weaving/AspectJWeavingEnabler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ConcurrentTaskExecutor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/DateTimeContextHolder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AnnotatedBeanDefinitionReader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/context/annotation/LoadTimeWeavingConfiguration.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scripting/bsh/BshScriptFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/AbstractPropertyBindingResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/config/AbstractPropertyLoadingBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/CachePutOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/expression/CachedExpressionEvaluator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/SimpleKey.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/ImportRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/ConfigurationCondition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jndi/JndiPropertySource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/support/ConversionServiceFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/config/ScheduledTask.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/support/FormattingConversionService.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/Import.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/CacheEvictOperation.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

```

*/
/**
 * {@link FactoryBean} that obtains a WebSphere {@link javax.management.MBeanServer}
 * reference through WebSphere's proprietary {@code AdminServiceFactory} API,
 * available on WebSphere 5.1 and higher.
 *
 * <p>Exposes the {@code MBeanServer} for bean references.
 * This FactoryBean is a direct alternative
 * to {@link MBeanServerFactoryBean},
 * which uses standard JMX 1.2 API to access the platform's MBeanServer.
 *
 * <p>See the javadocs for WebSphere's
 * {@code AdminServiceFactory}
 * and {@code MBeanFactory}.
 *
 * @author Juergen Hoeller
 * @author Rob Harrop
 * @since 2.0.3
 * @see javax.management.MBeanServer
 * @see MBeanServerFactoryBean
 */

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/support/WebSphereMBeanServerFactoryBean.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/CacheManager.java

```

```

* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/config/CacheManagementConfigUtils.java

```

\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/MessageSourceResourceBundleLocator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/metadata/ManagedNotification.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AnnotationConfigRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/ContextLifecycleScheduledTaskRegistrar.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/BasicOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheErrorHandler.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/joda/JodaTimeConverters.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/RemoteInvocation.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/TemporalAccessorParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/annotation/Validated.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/support/CompositeCacheManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/support/FormattingConversionServiceFactoryBean.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/AbstractRefreshableConfigApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/RemoteInvocationResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/joda/JodaDateTimeFormatAnnotationFormatterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/GenericGroovyApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/PropertySources.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/SimpleThrowawayClassLoader.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/SimpleCacheErrorHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/ContextTypeMatchClassLoader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AnnotationBeanNameGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/DateTimeContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/DateTimeFormatAnnotationFormatterFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/SimpleCacheResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/FormatterRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ConditionEvaluator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/AsyncConfigurerSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/EmbeddedValueResolutionSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ForkJoinPoolFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheOperationInvocationContext.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/SimpleHttpServerFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/AsyncConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/TemporalAccessorPrinter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/ValidationUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/expression/BeanFactoryAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/DefaultKeyGenerator.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/SimpleInstrumentableClassLoader.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/ApplicationContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ScannedGenericBeanDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/SimpleKeyGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/TaskManagementConfigUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/ assembler/MethodExclusionMBeanInfoAssembler.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/AnnotationFormatterFactory.java

No license file was found, but licenses were detected in source scan.



```
/*
 * Copyright 2002-2007 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/export/SpringModelMBean.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/export/metadata/AbstractJmxAttribute.java
 *
 /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jndi/JndiAccessor.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/instrument/classloading/WeavingTransformer.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/remoting/support/RemoteInvocationFactory.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/remoting/support/RemoteInvocationExecutor.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scripting/config/LangNamespaceUtils.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/export/metadata/ManagedAttribute.java
 * /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/export/metadata/ManagedOperationParameter.java
 *
 /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/ejb/config/AbstractJndiLocatingBeanDefinitionParser.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *
```

```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Indicates that a component is only eligible for registration when all
* { @linkplain #value specified conditions } match.
*
* <p>A condition is any state that can be determined programmatically
* before the bean definition is due to be registered (see { @link Condition } for details).
*
* <p>The
{ @code @Conditional } annotation may be used in any of the following ways:
*
* as a type-level annotation on any class directly or indirectly annotated with
* { @code @Component }, including { @link Configuration @Configuration } classes
* as a meta-annotation, for the purpose of composing custom stereotype
* annotations
* as a method-level annotation on any { @link Bean @Bean } method
*
*
* <p>If a { @code @Configuration } class is marked with { @code @Conditional },
* all of the { @code @Bean } methods, { @link Import @Import } annotations, and
* { @link ComponentScan @ComponentScan } annotations associated with that
* class will be subject to the conditions.
*
* <p>NOTE: Inheritance of { @code @Conditional } annotations
* is not supported; any conditions from superclasses or from overridden
* methods will not be considered. In order to enforce these semantics,
* { @code @Conditional } itself is not declared as
* { @link java.lang.annotation.Inherited
@Inherited }; furthermore, any
* custom composed annotation that is meta-annotated with
* { @code @Conditional } must not be declared as { @code @Inherited }.
*
* @author Phillip Webb
* @author Sam Brannen
* @since 4.0
* @see Condition
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/Conditional.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/format/datetime/joda/DurationFormatter.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/annotation/AbstractAsyncConfiguration.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/ApplicationListener.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scripting/support/StandardScriptUtils.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/format/number/money/MonetaryAmountFormatter.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jndi/support/SimpleJndiBeanFactory.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/support/CronTrigger.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/remoting/RemoteTimeoutException.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/annotation/ProxyAsyncConfiguration.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/ApplicationEvent.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/access/ConnectorDelegate.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/format/number/money/CurrencyUnitFormatter.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/export/annotation/ManagedAttribute.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
```

jar/org/springframework/format/number/PercentFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/datetime/standard/YearMonthFormatter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/ComponentScans.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/ApplicationEventPublisher.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/support/BindingAwareModelMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/datetime/joda/YearMonthFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/annotation/ManagedOperationParameters.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/datetime/standard/PeriodFormatter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/config/AnnotationDrivenBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/number/CurrencyFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/event/EventExpressionRootObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/support/DefaultFormattingConversionService.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scripting/ScriptEvaluator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scripting/support/StandardScriptEvalException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/number/PercentStyleFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/number/money/Jsr354NumberFormatAnnotationFormatterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/number/NumberFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/support/AbstractCacheManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/datetime/joda/PeriodFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jndi/JndiObjectFactoryBean.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/instrument/classloading/jboss/JBossLoadTimeWeaver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/beanvalidation/SpringConstraintValidatorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/jmx/export/annotation/ManagedResource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scripting/bsh/BshScriptEvaluator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/annotation/ManagedOperationParameter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/annotation/ImportResource.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/ui/context/support/ResourceBundleThemeSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/concurrent/ScheduledExecutorFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scripting/config/LangNamespaceHandler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/annotation/ManagedMetric.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/standard/DateTimeConverters.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/MonthDayFormatter.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/annotation/AbstractCachingConfiguration.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/support/NoOpCacheManager.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/annotation/CacheConfig.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/standard/MonthDayFormatter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/event/SourceFilteringListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/concurrent/DefaultManagedAwareThreadFactory.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/annotation/ManagedNotification.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/PayloadApplicationEvent.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/standard/DurationFormatter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/event/EventListenerFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/annotation/ManagedOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scripting/support/StandardScriptEvaluator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scripting/ScriptCompilationException.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Role.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ui/ExtendedModelMap.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2006 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/MapBindingResult.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/DefaultManagedTaskExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

```

jar/org/springframework/context/support/StaticApplicationContext.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scripting/support/ResourceScriptSource.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/ejb/interceptor/SpringBeanAutowiringInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/remoting/rmi/RmiRegistryFactoryBean.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/i18n/SimpleTimeZoneAwareLocaleContext.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/concurrent/DefaultManagedTaskScheduler.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/config/CronTask.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scripting/bsh/BshScriptUtils.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/format/datetime/joda/LocalDateTimeParser.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/config/IntervalTask.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/support/AbstractRefreshableApplicationContext.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/support/MethodInvokingRunnable.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/ImportSelector.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/DeferredImportSelector.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/format/datetime/joda/LocalDateParser.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/Condition.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/remoting/rmi/JndiRmiClientInterceptor.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/config/ScheduledTasksBeanDefinitionParser.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/ImportBeanDefinitionRegistrar.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/format/datetime/joda/ReadableInstantPrinter.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/ui/ModelMap.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/scheduling/SchedulingTaskExecutor.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-

```

jar/org/springframework/context/annotation/ScopedProxyMode.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/i18n/LocaleContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/instrument/classloading/jboss/JBossMCAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/interceptor/CacheExpressionRootObject.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/DateTimeFormatterFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/interceptor/KeyGenerator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/remoting/rmi/RmiClientInterceptorUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/annotation/ConfigurationMethod.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/ReadablePartialPrinter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/LocalTimeParser.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/annotation/Description.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/DateTimeParser.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/annotation/FilterType.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/annotation/Lazy.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/support/SimpleTriggerContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/MillisecondInstantPrinter.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scripting/ScriptFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/expression/EnvironmentAccessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/i18n/SimpleLocaleContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/JodaTimeContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/i18n/TimeZoneAwareLocaleContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/support/TaskUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/concurrent/CustomizableThreadFactory.java



\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/joda/DateTimeFormatterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ProfileCondition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/MessageSourceResourceBundle.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/OptionalValidatorFactoryBean.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*\*  
\* Abstract the invocation of a cache operation.  
\*  
\* <p>Does not provide a way to transmit checked exceptions but  
\* provide a special exception that should be used to wrap any  
\* exception that was thrown by the underlying invocation.  
\* Callers are expected to handle this issue type specifically.  
\*  
\* @author Stephane Nicoll  
\* @since 4.1  
\*/

Found in path(s):  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheOperationInvoker.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/notification/ModelMBeanNotificationPublisher.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/DefaultRemoteInvocationExecutor.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/TaskScheduler.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/RmiClientInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/RmiInvocationWrapper.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/MBeanExportException.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/config/ContextNamespaceHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/BeanValidationPostProcessor.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ui/context/ThemeSource.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Jsr330ScopeMetadataResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ui/context/Theme.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/access/NotificationListenerRegistrar.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/RmiInvocationHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ScopeMetadataResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/naming/IdentityNamingStrategy.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jndi/IndiObjectLocator.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/cache/support/SimpleValueWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/support/ApplicationObjectSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/CacheInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/config/SchedulerBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/Parser.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/support/ObjectNameManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/event/ApplicationContextEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ui/context/support/DelegatingThemeSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jndi/JndiTemplate.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/NoSuchMessageException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ejb/access/SimpleRemoteSlsbInvokerInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/RemoteProxyFailureException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/MessageSourceResolvable.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/naming/ObjectNamingStrategy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/AbstractBindingResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/annotation/SchedulingConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/JmxException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ui/context/support/SimpleTheme.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/expression/BeanExpressionContextAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/Errors.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/concurrent/ConcurrentMapCacheFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/support/UrlBasedRemoteAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/ApplicationContextAware.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ejb/access/EjbAccessException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/TaskNamespaceHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/access/MBeanInfoRetrievalException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/Printer.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/RmiProxyFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/number/AbstractNumberFormatter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/BindingResultUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheOperationSourcePointcut.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/support/StaticScriptSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ScopeMetadata.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/RmiBasedExporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/Phased.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jndi/JndiLookupFailureException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/InstrumentationLoadTimeWeaver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AnnotationConfigBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/AbstractXmlApplicationContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/access/MBeanConnectFailureException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/BeanFactoryCacheOperationSourceAdvisor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/LocaleContextMessageInterpolator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/MBeanServerFactoryBean.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/ScriptSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jndi/JndiObjectTargetSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/MBeanExporterListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/LoadTimeWeaver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/RemoteAccessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/RemoteConnectFailureException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/DefaultRemoteInvocationFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/metadata/ManagedResource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/assembly/MBeanInfoAssembler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/support/RefreshableScriptTargetSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/config/MBeanExportBeanDefinitionParser.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/notification/NotificationPublisher.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/UnableToRegisterMBeanException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/ContextStoppedEvent.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/RegistrationPolicy.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/SchedulingException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/BindingErrorProcessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/SmartValidator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/access/ContextBeanFactoryReference.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/ContextClosedEvent.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ejb/access/LocalStatelessSessionProxyFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/JndiRmiProxyFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ui/Model.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/annotation/AnnotationMBeanExporter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/scheduling/TriggerContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/ assembler/ SimpleReflectiveMBeanInfoAssembler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/RemoteLookupFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/access/InvocationFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/ assembler/ AutodetectCapableMBeanInfoAssembler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/access/MBeanProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/ naming/ MetadataNamingStrategy.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/SchedulingAwareRunnable.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ui/context/support/UiApplicationContextUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/rmi/CodebaseAwareObjectInputStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ejb/access/LocalSlsbInvokerInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/format/Formatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/NameMatchCacheOperationSource.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/rmi/JndiRmiServiceExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ejb/config/RemoteStatelessSessionBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/support/RemoteInvocationUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/event/ContextRefreshedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/event/ContextStartedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/support/ScheduledMethodRunnable.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ejb/config/JeeNamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/BindException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/ assembler/ AbstractMBeanInfoAssembler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/jmx/access/InvalidInvocationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/instrument/classloading/ResourceOverridingShadowingClassLoader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/support/RemoteInvocationBasedAccessor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jndi/JndiCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/instrument/classloading/SimpleLoadTimeWeaver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/CacheOperationSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/DependsOn.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/ResourceLoaderAware.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/metadata/JmxAttributeSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/MBeanServerNotFoundException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/access/ContextSingletonBeanFactoryLocator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/support/DelegatingErrorHandlingRunnable.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/soap/SoapFaultException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/NotificationListenerBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/ejb/config/LocalStatelessSessionBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/weaving/LoadTimeWeaverAwareProcessor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/access/ContextJndiBeanFactoryLocator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/HierarchicalMessageSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jndi/JndiTemplateEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/ApplicationContextException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/jmx/export/naming/SelfNaming.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/config/SpringConfiguredBeanDefinitionParser.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/config/Task.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/CustomValidatorBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CompositeCacheOperationSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/Validator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/groovy/GroovyObjectCustomizer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ejb/access/AbstractRemoteSlsbInvokerInterceptor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/MessageCodesResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ejb/config/JndiLookupBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/EnableMBeanExport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/FormatterRegistrar.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ui/context/HierarchicalThemeSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/RemoteInvocationFailureException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/RemotingSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/access/DefaultLocatorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/DelegatingMessageSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/ejb/access/SimpleRemoteStatelessSessionProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/support/RemoteInvocationTraceInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ReschedulingRunnable.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/LoadTimeWeavingConfigurer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/metadata/InvalidMetadataException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/LiveBeansViewMBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/notification/UnableToSendNotificationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-



jar/org/springframework/jmx/support/MBeanServerConnectionFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/Trigger.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/weaving/LoadTimeWeaverAware.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2011 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/ConflictingBeanDefinitionException.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/MessageSourceAware.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/ApplicationContextInitializer.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/instrument/classloading/jboss/JBossClassLoaderAdapter.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/ApplicationEventPublisherAware.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/ImportAware.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/jmx/export/notification/NotificationPublisherAware.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/BeanMethod.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jndi/JndiLocatorSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/StaticMessageSource.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/FileSystemXmlApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/ClassPathXmlApplicationContext.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/assembly/MetadataMBeanInfoAssembler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/ApplicationListenerDetector.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/config/CacheNamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/validation/DefaultMessageCodesResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/event/EventExpressionEvaluator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/event/ApplicationListenerMethodAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/interceptor/CacheOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/annotation/EnableCaching.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/stereotype/Service.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/naming/KeyNamingStrategy.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/standard/DateTimeFormatterFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/support/AbstractApplicationContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/instrument/classloading/tomcat/TomcatLoadTimeWeaver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/metadata/ManagedMetric.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/support/NullValue.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/annotation/MBeanExportConfiguration.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/annotation/AsyncAnnotationAdvisor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/context/support/SimpleThreadScope.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/remoting/support/RemoteExporter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/ assembler/InterfaceBasedMBeanInfoAssembler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/datetime/joda/JodaTimeFormatterRegistrar.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/format/number/NumberFormatAnnotationFormatterFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/support/CronSequenceGenerator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/cache/config/CacheAdviceParser.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/scheduling/concurrent/ConcurrentTaskScheduler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
 jar/org/springframework/jmx/export/metadata/JmxMetadataUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ComponentScanAnnotationParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/AbstractCacheInvoker.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/stereotype/Repository.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/jboss/JBossModulesAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jndi/TypeMismatchNamingException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/rmi/RemoteInvocationSerializingExporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ScheduledExecutorTask.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/annotation/NumberFormat.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/websphere/WebSphereClassPreDefinePlugin.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Profile.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/stereotype/Component.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/websphere/WebSphereClassLoaderAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/stereotype/Controller.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ConditionContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/weblogic/WebLogicClassLoaderAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/expression/AnnotatedElementKey.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/jruby/JRubyScriptFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/MethodValidationPostProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/number/CurrencyStyleFormatter.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Bean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/ShadowingClassLoader.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Configuration.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/GenericApplicationListenerAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/standard/DateTimeFormatterFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/annotation/DateTimeFormat.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/NotificationListenerHolder.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/CacheOperationExpressionEvaluator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/access/MBeanClientInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/support/SimpleCacheManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/ApplicationEventMulticaster.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/MessageSourceAccessor.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/EventPublicationInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/MetricType.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/weblogic/WebLogicClassPreProcessorAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/MessageSourceSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/PostProcessorRegistrationDelegate.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/number/NumberStyleFormatter.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/NamedCacheResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/expression/MapAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/EnvironmentAware.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/format/datetime/DateFormatter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/MessageSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/glassfish/GlassFishLoadTimeWeaver.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ContextAnnotationAutowireCandidateResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ClassPathScanningCandidateComponentProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/support/PeriodicTrigger.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/jruby/JRubyScriptUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/websphere/WebSphereLoadTimeWeaver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/support/NoOpCache.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/instrument/classloading/jboss/JBossMCTranslatorAdapter.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ThreadPoolTaskScheduler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/remoting/RemoteAccessException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/config/MBeanServerBeanDefinitionParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/assembler/AbstractConfigurableMBeanInfoAssembler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/SpringValidatorAdapter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/ assembler/AbstractReflectiveMBeanInfoAssembler.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ConfigurationClassPostProcessor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/MethodValidationInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/expression/StandardBeanExpressionResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/support/DefaultMessageSourceResolvable.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/AnnotationCacheOperationSource.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/EnableAsync.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scripting/support/ScriptFactoryPostProcessor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/DirectFieldBindingResult.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/DataBinder.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/AbstractErrors.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/EnableAspectJAutoProxy.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/EventListenerMethodProcessor.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/CacheAnnotationParser.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/beanvalidation/LocalValidatorFactoryBean.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-

jar/org/springframework/ejb/access/AbstractSlsbInvokerInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/CacheResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/Lifecycle.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/support/ReloadableResourceBundleMessageSource.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/FieldError.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/event/SimpleApplicationEventMulticaster.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/CacheProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/event/GenericApplicationListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/BindingResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/interceptor/AbstractCacheResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/DefaultBindingErrorProcessor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/ComponentScanBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/validation/MessageCodeFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/support/RemoteInvocationBasedExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/support/AbstractValueAdaptingCache.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/AnnotationConfigApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/cache/annotation/CachingConfigurerSupport.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/scheduling/concurrent/ThreadPoolTaskExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/remoting/rmi/RmiServiceExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/ConfigurationClassUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/support/DefaultLifecycleProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/annotation/BeanAnnotationHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-  
jar/org/springframework/context/support/AbstractMessageSource.java



\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AdviceMode.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/event/AbstractApplicationEventMulticaster.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/Scope.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/expression/BeanFactoryResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AdviceModeImportSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/ConfigurableApplicationContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/export/MBeanExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/AsyncConfigurationSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/AbstractFallbackCacheOperationSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/SpringCacheAnnotationParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/ScheduledAnnotationBeanPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/annotation/Scheduled.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/annotation/CachingConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/AutoProxyRegistrar.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/ObjectError.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/context/annotation/ConfigurationClassBeanDefinitionReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/MBeanRegistrationSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/validation/BeanPropertyBindingResult.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/cache/interceptor/VariableNotAvailableException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ExecutorConfigurationSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/jmx/support/JmxUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028723\_1595254109.1/0/spring-context-4-3-20-release-sources-1-jar/org/springframework/scheduling/concurrent/ThreadPoolExecutorFactoryBean.java

```

* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/event/DefaultEventListenerFactory.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/event/SmartApplicationListener.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/weaving/DefaultContextLoadTimeWeaver.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/AnnotationConfigUtils.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/ConfigurationClassEnhancer.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/interceptor/CacheAspectSupport.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/SmartLifecycle.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/support/PropertySourcesPlaceholderConfigurer.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/ConfigurationClassParser.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/annotation/PropertySource.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/annotation/CachingConfigurationSelector.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/config/AnnotationDrivenCacheBeanDefinitionParser.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/context/support/ResourceBundleMessageSource.java
* /opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/concurrent/ConcurrentMapCache.java
*
/opt/ws_local/PERMITS_SQL/1073028723_1595254109.1/0/spring-context-4-3-20-release-sources-1-
jar/org/springframework/cache/annotation/ProxyCachingConfiguration.java

```

# 1.375 spring-aspects 4.3.20.RELEASE

## 1.375.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/context/annotation/aspectj/SpringConfiguredConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/transaction/aspectj/JtaAnnotationTransactionAspect.aj  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/cache/aspectj/AnyThrow.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/transaction/aspectj/AnnotationTransactionAspect.aj  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/beans/factory/aspectj/GenericInterfaceDrivenDependencyInjectionAspect.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/transaction/aspectj/AbstractTransactionAspect.aj  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/cache/aspectj/AnnotationCacheAspect.aj  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2018 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/cache/aspectj/AspectJCCachingConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/cache/aspectj/AspectJCCacheConfiguration.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/scheduling/aspectj/AnnotationAsyncExecutionAspect.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/scheduling/aspectj/AbstractAsyncExecutionAspect.aj

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/transaction/aspectj/AspectJTransactionManagementConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/beans/factory/aspectj/AbstractInterfaceDrivenDependencyInjectionAspect.aj  
\*  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/mock/staticmock/AbstractMethodMockingControl.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/cache/aspectj/AbstractCacheAspect.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/scheduling/aspectj/AspectJAsyncConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/mock/staticmock/AnnotationDrivenStaticEntityMockingControl.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/cache/aspectj/JCacheCacheAspect.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/beans/factory/aspectj/AnnotationBeanConfigurerAspect.aj  
\*  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/orm/jpa/aspectj/JpaExceptionTranslatorAspect.aj  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/mock/staticmock/MockStaticEntityMethods.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/beans/factory/aspectj/AbstractDependencyInjectionAspect.aj  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/context/annotation/aspectj/EnableSpringConfigured.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027464\_1595254215.39/0/spring-aspects-4-3-20-release-sources-1-jar/org/springframework/beans/factory/aspectj/ConfigurableObject.java

# 1.376 spring-tx 4.3.20.RELEASE

## 1.376.1 Available under license :

No license file was found, but licenses were detected in source scan.

- ```

/*
 * Copyright 2002-2008 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

- * /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/CciOperations.java
- * /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/ResourceHolder.java

No license file was found, but licenses were detected in source scan.

- ```

/*
 * Copyright 2002-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at

```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/config/AnnotationDrivenBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionalProxy.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/config/TransactionManagementConfigUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/Propagation.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/annotation/PersistenceExceptionTranslationPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/RollbackRuleAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/AbstractTransactionManagementConfiguration.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/ProxyTransactionManagementConfiguration.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionSynchronization.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionInterceptor.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/config/JtaTransactionManagerFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/config/JtaTransactionManagerBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/SavepointManager.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/InvalidResultSetAccessException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionOperations.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/context/ResourceAdapterApplicationContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/DelegatingTransactionDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/TransactionTimedOutException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/NoRollbackRuleAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-



```

jar/org/springframework/dao/support/ChainedPersistenceExceptionTranslator.java
*
/opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/interceptor/TransactionAttributeSourceAdvisor.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/DataIntegrityViolationException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/InvalidDataAccessResourceUsageException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/interceptor/DelegatingTransactionAttribute.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/RecoverableDataAccessException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/IncorrectResultSizeDataAccessException.java
*
/opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/jca/cci/core/CciTemplate.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/support/ResourceHolderSynchronization.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/DataAccessResourceFailureException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/TransactionUsageException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/InvalidDataAccessApiUsageException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/jta/UserTransactionAdapter.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/jca/cci/connection/TransactionAwareConnectionFactoryProxy.java
*
/opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/TransactionSuspensionNotSupportedException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/ConcurrencyFailureException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/jca/cci/CciOperationNotSupportedException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/dao/CleanupFailureDataAccessException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/UnexpectedRollbackException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/transaction/NestedTransactionNotSupportedException.java
*
/opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/jca/work/DelegatingWork.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-
jar/org/springframework/jca/cci/RecordTypeNotSupportedException.java
* /opt/ws_local/PERMITS_SQL/1073027884_1595253972.07/0/spring-tx-4-3-20-release-sources-1-

```

jar/org/springframework/dao/PessimisticLockingFailureException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/support/ResourceTransactionManager.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/cci/CannotCreateRecordException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/IllegalTransactionStateException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/support/LocalConnectionFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/interceptor/CompositeTransactionAttributeSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/InvalidIsolationLevelException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/cci/connection/ConnectionFactoryUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/cci/CannotGetCciConnectionException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/support/SimpleBootstrapContext.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/annotation/Isolation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/PlatformTransactionManager.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/TransactionException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/interceptor/TransactionAttributeSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/NoTransactionException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/interceptor/BeanFactoryTransactionAttributeSourceAdvisor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/cci/connection/ConnectionHolder.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/dao/CannotSerializeTransactionException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/dao/OptimisticLockingFailureException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/dao/NonTransientDataAccessResourceException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/jca/cci/object/MappingRecordOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/transaction/interceptor/RuleBasedTransactionAttribute.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
 jar/org/springframework/dao/DataAccessException.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/connection/SingleConnectionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/UncategorizedDataAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/work/SimpleTaskWorkManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/object/SimpleRecordOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/DuplicateKeyException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/connection/NotSupportedRecordFactory.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/SpringJtaSynchronizationAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/context/BootstrapContextAware.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/IncorrectUpdateSemanticsDataAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/EmptyResultDataAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/CannotCreateTransactionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/HeuristicCompletionException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/ManagedTransactionAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/TransientDataAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/JtaAfterCompletionSynchronization.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionSynchronizationAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/connection/DelegatingConnectionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/TypeMismatchDataAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/TransactionFactory.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/SimpleTransactionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/config/TxNamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/RecordCreator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/object/MappingCommAreaOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/MethodMapTransactionAttributeSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/NonTransientDataAccessException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/support/DaoSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/support/CciDaoSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/QueryTimeoutException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/PermissionDeniedDataAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/TransactionSystemException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/CannotAcquireLockException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/InvalidTimeoutException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/TransientDataAccessResourceException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/annotation/PersistenceExceptionTranslationAdvisor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionAttributeSourceEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionAttributeEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/DataRetrievalFailureException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/RecordExtractor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/support/PersistenceExceptionTranslator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/context/BootstrapContextAwareProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionSynchronizationUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/CallbackPreferringPlatformTransactionManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/DeadlockLoserDataAccessException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/JtaTransactionObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/InteractionCallback.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/ConnectionCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/TransactionManagementConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/SimpleTransactionScope.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/work/WorkManagerTaskExecutor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/connection/CciLocalTransactionManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/connection/ConnectionSpecConnectionFactoryAdapter.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/event/TransactionalEventListener.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionAspectSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/WebSphereUowTransactionManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionSynchronizationManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/support/ResourceAdapterFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/EnableTransactionManagement.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/TransactionDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/event/ApplicationListenerMethodTransactionalAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/event/TransactionPhase.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/object/EisOperation.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/ResourceHolderSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/cci/core/support/CommAreaRecord.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/TransactionAttributeSourcePointcut.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionCallbackWithoutResult.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/dao/support/DataAccessUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/Transactional.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/Ejb3TransactionAnnotationParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/TransactionAnnotationParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/endpoint/AbstractMessageEndpointFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/endpoint/GenericMessageEndpointFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/TransactionStatus.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/AnnotationTransactionAttributeSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/jca/endpoint/GenericMessageEndpointManager.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/TransactionManagementConfigurationSelector.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/annotation/SpringTransactionAnnotationParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/DefaultTransactionAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/AbstractTransactionStatus.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/SimpleTransactionStatus.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/jta/JtaTransactionManager.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/TransactionTemplate.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/interceptor/AbstractFallbackTransactionAttributeSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-jar/org/springframework/transaction/support/DefaultTransactionStatus.java

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-

jar/org/springframework/transaction/annotation/JtaTransactionAnnotationParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/support/DefaultTransactionDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/event/TransactionalEventListenerFactory.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/support/AbstractPlatformTransactionManager.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/config/TxAdviceBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/jca/work/jboss/JBossWorkManagerUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/interceptor/NameMatchTransactionAttributeSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/support/SmartTransactionObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/jca/context/SpringContextResourceAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/jta/WebLogicJtaTransactionManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/jca/work/glassfish/GlassFishWorkManagerTaskExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/dao/support/PersistenceExceptionTranslationInterceptor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-  
jar/org/springframework/transaction/interceptor/MatchAlwaysTransactionAttributeSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027884\_1595253972.07/0/spring-tx-4-3-20-release-sources-1-



# 1.377 spring-beans 4.3.20.RELEASE

## 1.377.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/BeanCurrentlyInCreationException.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/propertyeditors/PropertiesEditor.java
*
/opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/propertyeditors/InputSourceEditor.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/HierarchicalBeanFactory.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/parsing/EmptyReaderEventListener.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/parsing/PassThroughSourceExtractor.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/xml/XmlBeanFactory.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/MethodInvocationException.java
*
/opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/BeanMetadataAttributeAccessor.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/propertyeditors/CurrencyEditor.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
```

jar/org/springframework/beans/factory/support/AutowiredCandidateQualifier.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/config/RuntimeBeanNameReference.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/xml/DocumentLoader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/support/BeanDefinitionValidationException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/wiring/ClassNameBeanWiringInfoResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/config/DeprecatedBeanWarner.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/config/ObjectFactoryCreatingFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/BeanFactoryAware.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/propertyeditors/StringArrayPropertyEditor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/propertyeditors/ClassEditor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/support/ManagedMap.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/ConversionNotSupportedException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/PropertyBatchUpdateException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/support/ManagedSet.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/config/ProviderCreatingFactoryBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/parsing/AbstractComponentDefinition.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/support/SimpleBeanDefinitionRegistry.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/xml/NamespaceHandlerSupport.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/BeanClassLoaderAware.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/support/ArgumentConvertingMethodInvoker.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/annotation/CustomAutowiredConfigurer.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/parsing/ImportDefinition.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
 jar/org/springframework/beans/factory/access/BeanFactoryLocator.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/PropertyPathFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/CustomNumberEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/BeanReference.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/NamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/SimpleSecurityContextProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/InvalidPropertyException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/ProblemReporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/SmartInstantiationAwareBeanPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/CustomDateEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/BeanExpressionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/LocaleEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/Required.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/BeansException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/AbstractSingleBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/StringTrimmerEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/AnnotationBeanWiringInfoResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/PreferencesPlaceholderConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/UUIDEditor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/PropertyResourceConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/SimplePropertyNamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/Value.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/support/PropertyComparator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/ResourceEntityResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/ComponentDefinition.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/BeanMetadataAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/RuntimeBeanReference.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/NullSourceExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/ClassArrayEditor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/BeanDefinitionParsingException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/BeanDefinitionResource.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyEditorRegistrar.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/support/MutableSortDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/BeanDefinitionHolder.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/SmartFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/BeanFactoryPostProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/BeanCreationNotAllowedException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/CharsetEditor.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/FactoryBeanNotInitializedException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyAccessorUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/support/SortDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/ParseState.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/BeanIsAbstractException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/NamespaceHandlerResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/DocumentDefaultsDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/QualifierEntry.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/PatternEditor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/SourceExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/BeanDefinitionDecorator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/FatalBeanException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyValues.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/Configurable.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/access/SingletonBeanFactoryLocator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/SecurityContextProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/ManagedList.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/CompositeComponentDefinition.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/BeanIsNotAFactoryException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/DefaultDocumentLoader.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/DefaultBeanNameGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/MethodReplacer.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/access/BootstrapException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyEditorRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/XmlBeanDefinitionStoreException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/wiring/BeanWiringInfoResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/DelegatingEntityResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/Location.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/FailFastProblemReporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-

jar/org/springframework/beans/factory/parsing/ConstructorArgumentEntry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/parsing/PropertyEntry.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/parsing/AliasDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/wiring/BeanWiringInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/NotWritablePropertyException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/ManagedArray.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/BeanMetadataElement.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/ManagedProperties.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/BeanNameGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/serviceloader/ServiceFactoryBean.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/parsing/ReaderEventListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/serviceloader/AbstractServiceLoaderBasedFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/parsing/DefaultsDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/PropertyValuesEditor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/serviceloader/ServiceLoaderFactoryBean.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyAccessorFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/BeanExpressionResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/serviceloader/ServiceListFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/access/el/SimpleSpringBeanELResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/PropertyOverrideConfigurer.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/AbstractBeanDefinitionReader.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/AutowiredCandidateResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/groovy/GroovyDynamicElementReader.groovy
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/wiring/BeanConfigurerSupport.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/TypeConverter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/CustomEditorConfigurer.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/ExtendedBeanInfoFactory.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/SimpleTypeConverter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/BeanInfoFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/BeanDefinitionReader.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/PropertiesBeanDefinitionReader.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/TimeZoneEditor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/TypedStringValue.java
- \* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/access/BeanFactoryReference.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2011 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and



\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/Qualifier.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/BeanDefinitionParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/BeanDefinitionVisitor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/BeanNameAware.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/NotReadablePropertyException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyDescriptorUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/LookupOverride.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/InstantiationStrategy.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/ConfigurablePropertyAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/MethodOverride.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/AnnotatedBeanDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-

jar/org/springframework/beans/factory/config/MethodInvokingBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/AnnotatedGenericBeanDefinition.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/access/el/SpringBeanELResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/ZoneIdEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/BeanDefinitionValueResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/SmartInitializingSingleton.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/xml/AbstractSimpleBeanDefinitionParser.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/AbstractPropertyAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/CharacterEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/ReplaceOverride.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/xml/XmlReaderContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/xml/SimpleConstructorNamespaceHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2009 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/BeanExpressionContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/Autowired.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2006 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/propertyeditors/ByteArrayPropertyEditor.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/parsing/BeanEntry.java
*
```

```
/opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/propertyeditors/CharArrayPropertyEditor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/ExtendedBeanInfo.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
```

jar/org/springframework/beans/factory/xml/BeansDtdResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/PropertyEditorRegistrySupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/GenericTypeAwarePropertyDescriptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/xml/BeanDefinitionDocumentReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/ConfigurableListableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/BeanPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/InitDestroyAnnotationBeanPostProcessor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/Lookup.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/CustomBooleanEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/annotation/AnnotationBeanUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/SingletonBeanRegistry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/GenericBeanDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/CustomMapEditor.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyValue.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/ObjectProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/DefaultBeanDefinitionDocumentReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/YamlMapFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/RootBeanDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/NamedBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/FactoryBean.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/MethodOverrides.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/PropertyPlaceholderConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/PlaceholderConfigurerSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/ReaderEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/MergedBeanDefinitionPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/UnsatisfiedDependencyException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/TypeConverterSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/CglibSubclassingInstantiationStrategy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/DisposableBeanAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/BeanNotOfRequiredTypeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/NoUniqueBeanDefinitionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/FileEditor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/EmbeddedValueResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/NamedBeanHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/UtilNamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-

jar/org/springframework/beans/factory/config/ConfigurableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/PathEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/CustomCollectionEditor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/ChildBeanDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/FieldRetrievingFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/AutowiredUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/BeanCreationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/YamlPropertiesFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/ConstructorArgumentValues.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/InputStreamEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/NoSuchBeanDefinitionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/ListableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/BeanDefinitionReaderUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/SimpleInstantiationStrategy.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/propertyeditors/URLEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/BeanInitializationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/AutowiredCapableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/ConstructorResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/support/ResourceEditorRegistrar.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/PropertiesFactoryBean.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/BeanWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-

jar/org/springframework/beans/factory/annotation/BeanFactoryAnnotationUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/NullValueInNestedPathException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/BeanInstantiationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/AbstractBeanDefinition.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/Scope.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/AbstractFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/Autowired.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/InjectionMetadata.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/xml/ParserContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/YamlProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/config/DestructionAwareBeanPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/BeanDefinitionStoreException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/groovy/GroovyBeanDefinitionWrapper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/DirectFieldAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/DependencyDescriptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/AbstractBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/support/PagedListHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/DefaultListableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/InitializingBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/Mergeable.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/TypeMismatchException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/DefaultNamespaceHandlerResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/MutablePropertyValues.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/annotation/QualifierAnnotationAutowireCandidateResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/BeanWrapperImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/BeanUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/PluggableSchemaResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/FactoryBeanRegistrySupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/StaticListableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/XmlBeanDefinitionReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/URIEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/DefaultSingletonBeanRegistry.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/DisposableBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/AbstractAutowireCapableBeanFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyMatches.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/BeanDefinitionRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-



jar/org/springframework/beans/factory/groovy/GroovyBeanDefinitionReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/BeanFactoryUtils.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/Aware.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/AutowiredAnnotationBeanPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/TypeConverterDelegate.java  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/annotation/RequiredAnnotationBeanPostProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2010 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-  
jar/org/springframework/beans/factory/support/BeanDefinitionRegistryPostProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/MapFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/ListFactoryBean.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyAccessException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/CannotLoadBeanClassException.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/BeanDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/MethodInvokingFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/SimpleAutowireCandidateResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/ServiceLocatorFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/CustomScopeConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/BeanComponentDefinition.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/ObjectFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/parsing/Problem.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/PropertyAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/BeanDefinitionDefaults.java

\*

/opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/support/BeanDefinitionBuilder.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/AbstractNestablePropertyAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/config/SetFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/propertyeditors/ResourceBundleEditor.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-jar/org/springframework/beans/factory/xml/AbstractBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1073028410\_1595254201.88/0/spring-beans-4-3-20-release-sources-1-

```
jar/org/springframework/beans/factory/xml/BeanDefinitionParserDelegate.java
*
/opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/InjectionPoint.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/BeanFactory.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/support/GenericTypeAwareAutowireCandidateResolver.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/factory/parsing/ReaderContext.java
* /opt/ws_local/PERMITS_SQL/1073028410_1595254201.88/0/spring-beans-4-3-20-release-sources-1-
jar/org/springframework/beans/CachedIntrospectionResults.java
```

# 1.378 spring-web 4.3.20.RELEASE

## 1.378.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/converter/ActivationMediaTypeFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/HttpMediaTypeNotSupportedException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/jaxws/JaxWsPortClientInterceptor.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/jsf/el/SpringBeanFacesELResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/InvalidMediaTypeException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/HessianProxyFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/XmlAwareFormHttpMessageConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/ServletContextPropertyUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/server/ServerHttpResponse.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/RequestAttributes.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/BurlapServiceExporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/StandardServletEnvironment.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/BurlapExporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/HttpMediaTypeException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/BurlapClientInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/BurlapProxyFactoryBean.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/AbstractRefreshableWebApplicationContext.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/HessianServiceExporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/caucho/HessianClientInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/AsyncRequestCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/ServletContextAwareProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/HttpMessageNotReadableException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/async/NoSupportAsyncWebRequest.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/MultipartResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/ExceptionHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/HttpEntity.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/ServletContextResourcePatternResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/cors/UrlBasedCorsConfigurationSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/DestructionCallbackBindingListener.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/ContextLoaderListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/async/DeferredResultProcessingInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RequestHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-

jar/org/springframework/http/converter/HttpMessageNotWritableException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/RequestContextListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/bind/annotation/SessionAttributes.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/method/annotation/MethodArgumentConversionNotSupportedException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/client/AbstractClientHttpRequestFactoryWrapper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/method/support/CompositeUriComponentsContributor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/method/annotation/RequestHeaderMethodArgumentResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/async/CallableProcessingInterceptorAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/multipart/MaxUploadSizeExceededException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/util/ContentCachingResponseWrapper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/support/WebApplicationObjectSupport.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/converter/json/GsonBuilderUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/async/DeferredResultInterceptorChain.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/async/StandardServletAsyncWebRequest.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/bind/annotation/CookieValue.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/bind/support/DefaultDataBinderFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/method/annotation/MethodArgumentTypeMismatchException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/filter/OncePerRequestFilter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/accept/FixedContentNegotiationStrategy.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/filter/RequestContextFilter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/HttpMessage.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/async/CallableInterceptorChain.java  
 \*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/json/MappingJacksonInputMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/MatrixVariable.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/async/DeferredResultProcessingInterceptorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/support/HandlerMethodResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/cors/CorsUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/RequestParamMapMethodArgumentResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/support/SpringWebConstraintValidatorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/HttpInvokerRequestExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/HttpSessionMutexListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/HttpMessageConversionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/HandlerMethodSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/FacesWebRequest.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/support/AsyncHandlerMethodReturnValueHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RequestParam.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/support/ProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RequestMethod.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/BufferingClientHttpRequestWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/CommonsRequestLoggingFilter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/support/HttpRequestWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/BufferingClientHttpResponseWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/OpaqueUriComponents.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/AbstractRequestAttributes.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/ContextExposingHttpServletRequest.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/support/ByteArrayMultipartFileEditor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/Log4jNestedDiagnosticContextFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/GenericHttpMessageConverter.java

No license file was found, but licenses were detected in source scan.



```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/HttpRequestHandler.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/annotation/SessionStatusMethodArgumentResolver.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/bind/annotation/ResponseBody.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/filter/CompositeFilter.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/annotation/ExpressionValueMethodArgumentResolver.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/multipart/support/DefaultMultipartHttpServletRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/remoting/caucho/SimpleHessianServiceExporter.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/context/support/ServletRequestHandledEvent.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/context/support/ServletConfigPropertySource.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/support/HandlerMethodReturnValueHandler.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/ClientHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/annotation/ModelMethodProcessor.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/AbstractClientHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/annotation/MapMethodProcessor.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
```

jar/org/springframework/web/util/Log4jWebConfigurer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/ConfigurableWebApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/method/support/HandlerMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/remoting/caucho/SimpleBurlapServiceExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/GenericWebApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/method/annotation/ErrorsMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/AsyncClientHttpRequest.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/jsf/FacesContextUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/converter/feed/AtomFeedHttpMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/AsyncClientHttpRequestFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/XmlWebApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/server/ServerHttpAsyncRequestControl.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/request/async/WebAsyncTask.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/remoting/jaxws/AbstractJaxWsServiceExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/ServletContextPropertySource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/remoting/jaxws/LocalJaxWsServiceFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/StaticWebApplicationContext.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2018 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/RelativeRedirectFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/Jaxb2CollectionHttpMessageConverter.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/ClientHttpRequestInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/SessionAttributesHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/ModelFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/json/MappingJackson2HttpMessageConverter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/AnnotationConfigWebApplicationContext.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/UriComponentsBuilder.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/CrossOrigin.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/commons/CommonsMultipartResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/PathVariable.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/json/GsonHttpMessageConverter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/FormHttpMessageConverter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RequestMapping.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/server/ServletServerHttpRequest.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/support/ModelAndViewContainer.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/ServletWebRequest.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/ShallowEtagHeaderFilter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/protobuf/ExtensionRegistryInitializer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/async/WebAsyncManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/jaxws/SimpleHttpServerJaxWsServiceExporter.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/AbstractHttpMessageConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/support/StandardMultipartHttpServletRequest.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/cors/CorsProcessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/cors/CorsConfiguration.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/HttpInputMessage.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/CacheControl.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/HiddenHttpMethodFilter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/RelativeRedirectResponseWrapper.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/InitBinderDataBinderFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/ContentNegotiationManagerFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RequestBody.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/SimpleBufferingClientHttpRequest.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/AbstractXmlHttpMessageConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/json/AbstractJackson2HttpMessageConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/UriPathHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/MessageBodyClientHttpResponseWrapper.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/SimpleClientHttpResponse.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/HttpRequest.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/BufferingClientHttpRequestFactory.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/Netty4ClientHttpRequest.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/OkHttp3ClientHttpRequestFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/support/StandardServletMultipartResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/HttpMethod.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/support/HandlerMethodInvoker.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/Jaxb2RootElementHttpMessageConverter.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/DefaultResponseErrorHandler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/HttpHeaders.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/support/AbstractMultipartHttpServletRequest.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/WebUtils.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/GroovyWebApplicationContext.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/MissingPathVariableException.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/MappingMediaTypeFileExtensionResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/SimpleHttpInvokerRequestExecutor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/HttpPutFormContentFilter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/HtmlCharacterEntityReferences.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/StreamingHttpOutputMessage.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/AbstractJaxb2HttpMessageConverter.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/jsf/el/WebApplicationContextFacesELResolver.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/json/MappingJacksonValue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/AbstractWebArgumentResolverAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/support/InvocableHandlerMethod.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/MediaType.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-

jar/org/springframework/http/client/SimpleBufferingAsyncClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/util/HierarchicalUriComponents.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/converter/BufferedImageHttpMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/HttpRange.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/HttpComponentsClientHttpRequestFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/filter/ForwardedHeaderFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/HttpOutputMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/InterceptingClientHttpRequest.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/client/support/RestGatewaySupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/client/RequestCallback.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/client/ResponseExtractor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/ClientHttpRequestFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/annotation/Mapping.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/context/support/ServletContextResourceLoader.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/util/UriTemplateHandler.java
```

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/bind/annotation/SessionAttribute.java
```

```
*
```

```
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/converter/xml/SourceHttpMessageConverter.java
```

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/accept/MediaTypeFileExtensionResolver.java
```

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
```

jar/org/springframework/http/converter/json/Jackson2ObjectMapperFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/remoting/caucho/HessianExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/request/async/TimeoutCallableProcessingInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/client/HttpServerErrorException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/annotation/PostMapping.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/client/HttpStatusCodeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/AsyncClientHttpRequestInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/method/annotation/RequestParamMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/HttpComponentsClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/OkHttpClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/RequestEntity.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/request/async/DeferredResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/OkHttp3AsyncClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/annotation/GetMapping.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/client/RestClientResponseException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/client/OkHttp3ClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/request/WebRequest.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/annotation/PutMapping.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/converter/json/Jackson2ObjectMapperBuilder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/converter/protobuf/ProtobufHttpMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/request/async/TimeoutDeferredResultProcessingInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/support/WebRequestDataBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/util/HtmlUtils.java



```

*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/ControllerAdviceBean.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/bind/annotation/DeleteMapping.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/HttpSessionRequiredException.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/server/ServletServerHttpResponse.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/SimpleStreamingClientHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/HttpComponentsAsyncClientHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/annotation/AbstractCookieValueMethodArgumentResolver.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/support/HttpAccessor.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/bind/annotation/RestControllerAdvice.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/context/request/async/AsyncRequestTimeoutException.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/method/annotation/RequestHeaderMapMethodArgumentResolver.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/converter/ByteArrayHttpMessageConverter.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/cors/DefaultCorsProcessor.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/context/request/FacesRequestAttributes.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/bind/annotation/RequestPart.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/SpringServletContainerInitializer.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/client/RestOperations.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/multipart/support/RequestPartServletServerHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/web/client/HttpClientErrorException.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/ClientHttpRequestExecution.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/converter/json/SpringHandlerInstantiator.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
jar/org/springframework/http/client/Netty4ClientHttpRequestFactory.java

```

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/ModelAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/HeaderContentNegotiationStrategy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/support/MissingServletRequestPartException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/AsyncClientHttpRequestExecution.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/ParameterContentNegotiationStrategy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/ServletRequestAttributes.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/support/BasicAuthorizationInterceptor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/support/MultipartFilter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/AsyncRestOperations.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/PatchMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/OkHttpClientHttpResponse.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/Netty4ClientHttpResponse.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/support/InterceptingAsyncHttpAccessor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/jaxws/SimpleJaxWsServiceExporter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/HttpInvokerProxyFactoryBean.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/ContentNegotiationStrategy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/AbstractUriTemplateHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/CorsFilter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/support/HandlerMethodReturnValueHandlerComposite.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/annotation/ApplicationScope.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/OkHttpClientHttpRequestFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/SimpleStreamingAsyncClientHttpRequest.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/HttpComponentsAsyncClientHttpResponse.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/cors/CorsConfigurationSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/AbstractAsyncClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/HttpComponentsClientHttpResponse.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/DefaultUriTemplateHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/AbstractBufferingClientHttpRequest.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/annotation/SessionScope.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/support/HandlerMethodArgumentResolverComposite.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/WebApplicationContextUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/MarshallingHttpMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/AbstractBufferingAsyncClientHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/OkHttpAsyncClientHttpRequest.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RequestAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/ServletContextResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/InterceptingAsyncClientHttpRequestFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/annotation/RequestScope.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/ObjectToStringHttpMessageConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/MultipartHttpServletRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/server/ServerHttpRequest.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/support/InterceptingHttpAccessor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2005 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/ServletContextRequestLoggingFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,



/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/IntrospectorCleanupListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/ValueConstants.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/ResourceAccessException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/HttpInvokerClientConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/async/AsyncWebRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/MethodArgumentNotValidException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/WebAppRootListener.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/ServletRequestBindingException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/RequestScope.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/NestedServletException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/WebApplicationInitializer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/SpringBeanAutowiringSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/jsf/DecoratingNavigationHandler.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/ServletRequestDataBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/RequestContextHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/Log4jConfigListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/jaxws/JaxWsPortProxyFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/Log4jNestedDiagnosticContextInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/support/SimpleSessionStatus.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/ServletContextAttributeFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/SessionScope.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/WebRequestInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-

jar/org/springframework/web/multipart/MultipartException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/util/TagUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/remoting/jaxws/LocalJaxWsServiceFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/RequestHandledEvent.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/WebApplicationContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/jsf/DelegatingPhaseListenerMulticaster.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/ServletContextLiveBeansView.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/ServletConfigAware.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/support/SessionAttributeStore.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/http/MediaTypeEditor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/annotation/InitBinder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/ContextCleanupListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/annotation/support/HandlerMethodInvocationException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/HttpRequestHandlerServlet.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/multipart/support/StringMultipartFileEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/jsf/DelegatingNavigationHandlerProxy.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/HttpMediaTypeNotAcceptableException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/multipart/MultipartRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/ServletContextParameterFactoryBean.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/bind/support/WebDataBinderFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/ServletContextAware.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
jar/org/springframework/web/context/support/ServletContextScope.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/ConfigurableWebEnvironment.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/AsyncWebRequestInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/ServletRequestUtils.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/ResourceHttpMessageConverter.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/EscapedErrors.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/json/GsonFactoryBean.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/InterceptingAsyncClientHttpRequest.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/ResponseEntity.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/SimpleHttpInvokerServiceExporter.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/support/UriComponentsContributor.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/HandlerMethod.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/UnknownHttpStatusCodeException.java
*
/opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/UriTemplate.java
* /opt/ws_local/PERMITS_SQL/1073027565_1595253782.91/0/spring-web-4-3-20-release-sources-1-
```



jar/org/springframework/http/server/ServletServerHttpAsyncRequestControl.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/bind/annotation/ResponseStatus.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/util/ContentCachingRequestWrapper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/util/CookieGenerator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/client/RestTemplate.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/bind/UnsatisfiedServletRequestParameterException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/bind/WebDataBinder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/ContextLoader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/client/support/AsyncHttpAccessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/remoting/httpinvoker/HttpInvokerClientInterceptor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/filter/GenericFilterBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/HttpStatus.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/multipart/support/MultipartResolutionDelegate.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/accept/AbstractMappingContentNegotiationStrategy.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/client/HttpComponentsAsyncClientHttpRequestFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/async/CallableProcessingInterceptor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/method/annotation/ModelAttributeMethodProcessor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/converter/AbstractGenericHttpMessageConverter.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/multipart/commons/CommonsFileUploadSupport.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/converter/ResourceRegionHttpMessageConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/filter/AbstractRequestLoggingFilter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/http/converter/feed/RssChannelHttpMessageConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-  
 jar/org/springframework/web/context/request/NativeWebRequest.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/HttpRequestMethodNotSupportedException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/ClientHttpResponse.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/ControllerAdvice.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/AsyncRestTemplate.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/HtmlCharacterEntityDecoder.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/commons/CommonsMultipartFile.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/AbstractRequestAttributesScope.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/UriComponents.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/xml/MappingJackson2XmlHttpMessageConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/AbstractHttpInvokerRequestExecutor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/SimpleClientHttpRequestFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/CharacterEncodingFilter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/InterceptingClientHttpRequestFactory.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/ServletPathExtensionContentNegotiationStrategy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/HttpMessageConverter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/UriUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/ContentNegotiationManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/HttpComponentsStreamingClientHttpRequest.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/ServletContextAttributeExporter.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/HttpMessageConverterExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/support/LiveBeansViewServlet.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/client/OkHttp3ClientHttpResponse.java

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/feed/AbstractWireFeedHttpMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/request/async/WebAsyncUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/HttpComponentsHttpInvokerRequestExecutor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/bind/annotation/RestController.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/AbstractNamedValueMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/multipart/MultipartFile.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/support/AllEncompassingFormHttpMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/util/JavaScriptUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/accept/PathExtensionContentNegotiationStrategy.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/remoting/httpinvoker/HttpInvokerServiceExporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/client/ResponseErrorHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/filter/DelegatingFilterProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/method/annotation/ExceptionHandlerMethodResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/http/converter/StringHttpMessageConverter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027565\_1595253782.91/0/spring-web-4-3-20-release-sources-1-jar/org/springframework/web/context/AbstractContextLoaderInitializer.java

# 1.379 spring-jdbc 4.3.20.RELEASE

## 1.379.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/ParameterizedPreparedStatementSetter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/HsqlMaxValueIncrementer.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/MapSqlParameterSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/AbstractColumnMaxValueIncrementer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/SQLStateSQLExceptionTranslator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/rowset/SqlRowSetMetaData.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/SqlServerMaxValueIncrementer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/SQLExceptionSubclassTranslator.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/init/ScriptParseException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-

```
jar/org/springframework/jdbc/datasource/init/DatabasePopulator.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/incrementer/AbstractIdentityColumnMaxValueIncrementer.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseFactoryBean.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/rowset/ResultSetWrappingSqlRowSetMetaData.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/embedded/DataSourceFactory.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/embedded/ConnectionProperties.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/CustomSQLExceptionCodesTranslation.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/init/UncategorizedScriptException.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/init/CannotReadScriptException.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/rowset/ResultSetWrappingSqlRowSet.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/init/ScriptException.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/StoredProcedure.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/incrementer/DerbyMaxValueIncrementer.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/lob/DefaultLobHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2002-2016 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* {@link LobHandler} implementation for Oracle databases. Uses proprietary API
```

\* to create `{ @code oracle.sql.BLOB }` and `{ @code oracle.sql.CLOB }` instances, as necessary when working with Oracle's JDBC driver.

\* Note that this LobHandler requires Oracle JDBC driver 9i or higher!

\*

\* `<p>`While most databases are able to work with `{ @link DefaultLobHandler }`,

\* Oracle 9i (or more specifically, the Oracle 9i JDBC driver) just accepts Blob/Clob instances created via its own proprietary BLOB/CLOB API, and additionally doesn't accept large streams for PreparedStatement's corresponding setter methods. Therefore, you need to use a strategy like this LobHandler implementation, or upgrade to the Oracle 10g/11g driver (which still supports access to Oracle 9i databases).

\*

\* `<p><b>`NOTE: As of Oracle 10.2, `{ @link DefaultLobHandler }` should work equally well out of the box. On Oracle 11g, JDBC 4.0 based options such as `{ @link DefaultLobHandler#setStreamAsLob }` and `{ @link DefaultLobHandler#setCreateTemporaryLob }` are available as well, rendering this proprietary OracleLobHandler obsolete.`</b>`

\* Also, consider upgrading to a new driver even when accessing an older database.

\* See the `{ @link LobHandler }` interface javadoc for a summary of recommendations.

\*

\* `<p>`Needs to work on a native JDBC Connection, to be able to cast it to `{ @code oracle.jdbc.OracleConnection }`. If you pass in Connections from a connection pool (the usual case in a Java EE environment), you need to set an appropriate `{ @link org.springframework.jdbc.support.nativejdbc.NativeJdbcExtractor }` to allow for automatic retrieval of the underlying native JDBC Connection. LobHandler and NativeJdbcExtractor are separate concerns, therefore they are represented by separate strategy interfaces.

\*

\* `<p>`Coded via reflection to avoid dependencies on Oracle classes.

\* Even reads in Oracle constants via reflection because of different Oracle drivers (classes12, ojdbc14, ojdbc5, ojdbc6) having different constant values!

\* As this LobHandler initializes Oracle classes on instantiation, do not define this as eager-initializing singleton if you do not want to depend on the Oracle JAR being in the class path: use "lazy-init=true" to avoid this issue.

\*

\* @author Juergen Hoeller

\* @author Thomas Risberg

\* @since 04.12.2003

\* @see DefaultLobHandler

\* @see #setNativeJdbcExtractor

\* @deprecated in favor of `{ @link DefaultLobHandler }` for the Oracle 10g driver and higher. Consider using the 10g/11g driver even against an Oracle 9i database!

\* `{ @link DefaultLobHandler#setCreateTemporaryLob }` is the direct equivalent of this OracleLobHandler's implementation strategy, just using standard JDBC 4.0 API.

\* That said, in most cases, regular DefaultLobHandler setup will work fine as well.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/lob/OracleLobHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/RowMapper.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/DataSourceUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/init/DataSourceInitializer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/NamedParameterJdbcOperations.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/DataSourceTransactionManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/DatabaseStartupValidator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/BeanPropertyRowMapper.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/JdbcTransactionObjectSupport.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/NamedParameterBatchUpdateUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/SqlParameterValue.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/BatchUpdateUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/CallMetaDataProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/SqlOutParameter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/init/DatabasePopulatorUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/MySQLMaxValueIncrementer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/SimpleDriverDataSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/simple/SimpleJdbcInsert.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/object/RdbmsOperation.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/JdbcTemplate.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/simple/SimpleJdbcInsertOperations.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/PostgresCallMetaDataProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/SqlLobValue.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/ConnectionProxy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/JdbcBeanDefinitionReader.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/init/ResourceDatabasePopulator.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/ParameterDisposer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/SqlParameterSourceUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/OracleCallMetaDataProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/RowCountCallbackHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/TransactionAwareDataSourceProxy.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/JdbcOperations.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/SingleConnectionDataSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/TableMetaDataProvider.java



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/UserCredentialsDataSourceAdapter.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/ConnectionHolder.java
*
 /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/StatementCallback.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/SQLExceptionCodes.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/config/DatabasePopulatorConfigUtils.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/ConnectionCallback.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/AbstractDriverBasedDataSource.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/PreparedStatementCallback.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/ConnectionHandle.java
*
 /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/DatabaseMetaDataCallback.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/init/CompositeDatabasePopulator.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/GenericSqlQuery.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/nativejdbc/WebSphereNativeJdbcExtractor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/nativejdbc/WebLogicNativeJdbcExtractor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/EmptySqlParameterSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/AbstractLobCreatingPreparedStatementCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/lob/AbstractLobHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/CannotGetJdbcConnectionException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*\*  
\* Implement this interface when parameters need to be customized based

```

* on the connection. We might need to do this to make use of proprietary
* features, available only with a specific Connection type.
*
* @author Rod Johnson
* @author Thomas Risberg
* @see CallableStatementCreatorFactory#newCallableStatementCreator(ParameterMapper)
* @see org.springframework.jdbc.object.StoredProcedure#execute(ParameterMapper)
*/
/**
* Create a Map of input parameters, keyed by name.
* @param con JDBC connection. This is useful (and the purpose of this interface)
* if we need to do something RDBMS-specific with a proprietary Connection
* implementation class. This class conceals such proprietary details. However,
* it is best to avoid using such proprietary RDBMS features if possible.
* @throws SQLException if a SQLException is encountered setting
* parameter values (that is, there's no need to catch SQLException)
* @return Map of input parameters, keyed by name (never { @code null})
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/ParameterMapper.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2002-2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/xml/SqlXmlValue.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/MappingSqlQuery.java
*

```

```

/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/DisposableSqlTypeValue.java

```

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/namedparam/ParsedSql.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/incrementer/DB2SequenceMaxValueIncrementer.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/incrementer/DB2MainframeSequenceMaxValueIncrementer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2002-2007 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/SqlServerCallMetaDataProvider.java
```

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/SybaseCallMetaDataProvider.java
```

```
*
```

```
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/incrementer/DataFieldMaxValueIncrementer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2018 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
/**
 * Strategy interface for translating between {@link SQLException SQLExceptions}
 * and Spring's data access strategy-agnostic {@link DataAccessException}
 * hierarchy.
 *
 * <p>Implementations can be generic (for example, using
 * {@link java.sql.SQLException#getSQLState() SQLState} codes for JDBC) or wholly
 * proprietary (for example, using Oracle error codes) for greater precision.
 *
 * @author Rod Johnson
 * @author Juergen Hoeller
 * @see org.springframework.dao.DataAccessException
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/SQLExceptionTranslator.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
```

```
* Close this LobCreator session and free its temporarily created BLOBs and CLOBs.
 * Will not need to do anything if using PreparedStatement's standard methods,
 * but might be necessary to free database resources if using proprietary means.
 * <p>NOTE</p>: Needs to be invoked after the involved
PreparedStatement have
 * been executed or the affected O/R mapping sessions have been flushed.
 * Otherwise, the database resources for the temporary BLOBs might stay allocated.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/lob/LobCreator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/lookup/IsolationLevelDataSourceRouter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/GenericTableMetaDataProvider.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/BatchSqlUpdate.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/embedded/DerbyEmbeddedDatabaseConfigurer.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
```

jar/org/springframework/jdbc/support/incrementer/PostgreSQLSequenceMax ValueIncrementer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/SQLExceptionCodesFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/lob/TemporaryLobCreator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/datasource/embedded/H2EmbeddedDatabaseConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/incrementer/Db2MainframeMax ValueIncrementer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/PreparedStatementCreatorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/ColumnMapRowMapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/KeyHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/CallableStatementCreatorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/incrementer/Db2LuwMax ValueIncrementer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/ArgumentTypePreparedStatementSetter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/StatementCreatorUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/namedparam/NamedParameterUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/namedparam/BeanPropertySqlParameterSource.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/datasource/WebSphereDataSourceAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/metadata/CallParameterMetaData.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/metadata/CallMetaDataProviderFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/metadata/PostgresTableMetaDataProvider.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseConfigurerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/namedparam/NamedParameterJdbcTemplate.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/core/metadata/TableMetaDataContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/JdbcAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
jar/org/springframework/jdbc/support/incrementer/OracleSequenceMax ValueIncrementer.java

\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/LazyConnectionDataSourceProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/simple/SimpleJdbcCall.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/SQLErrorCodeSQLExceptionTranslator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/PostgresSequenceMaxValueIncrementer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/OracleTableMetaDataProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/CallMetaDataContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/HsqlSequenceMaxValueIncrementer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/rowset/SqlRowSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/HanaCallMetaDataProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/init/ScriptUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/AbstractFallbackSQLExceptionTranslator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/H2SequenceMaxValueIncrementer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/TableMetaDataProviderFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/ArgumentPreparedStatementSetter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/SqlReturnResultSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/DerbyCallMetaDataProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/HsqlEmbeddedDatabaseConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/SqlParameter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/SybaseMaxValueIncrementer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/metadata/TableParameterMetaData.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/HanaSequenceMaxValueIncrementer.java



```

* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/ResultSetSupportingSqlParameter.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/GeneratedKeyHolder.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/simple/AbstractJdbcCall.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/JdbcUtils.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/Db2CallMetaDataProvider.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/DerbyTableMetaDataProvider.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/GenericCallMetaDataProvider.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/simple/AbstractJdbcInsert.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/SqlInOutParameter.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/metadata/HsqlTableMetaDataProvider.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/SqlReturnUpdateCount.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/incrementer/SybaseAnywhereMaxValueIncrementer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Abstraction for handling large binary fields and large text fields in
* specific databases, no matter if represented as simple types or Large Objects.
* Its main purpose is to isolate Oracle 9i's peculiar handling of LOBs in
* {@link OracleLobHandler}; most other databases should be able to work

```

\*  
with the provided { @link DefaultLobHandler }.

\*  
\* <p>Provides accessor methods for BLOBs and CLOBs, and acts as factory for  
\* LobCreator instances, to be used as sessions for creating BLOBs or CLOBs.  
\* LobCreators are typically instantiated for each statement execution or for  
\* each transaction; they are not thread-safe because they might track  
\* allocated database resources in order to free them after execution.

\*  
\* <p>Most databases/drivers should be able to work with { @link DefaultLobHandler },  
\* which by default delegates to JDBC's direct accessor methods, avoiding the  
\* { @code java.sql.Blob } and { @code java.sql.Clob } API completely.  
\* { @link DefaultLobHandler } can also be configured to access LOBs using  
\* { @code PreparedStatement.setBlob/setClob } (e.g. for PostgreSQL), through  
\* setting the { @link DefaultLobHandler#setWrapAsLob "wrapAsLob" } property.

\*  
\* <p>Unfortunately, Oracle 9i just accepts Blob/Clob instances created via its own  
\* proprietary BLOB/CLOB API, and  
additionally doesn't accept large streams for  
\* PreparedStatement's corresponding setter methods. Therefore, you need to use  
\* { @link OracleLobHandler } there, which uses Oracle's BLOB/CLOB API for both types  
\* of access. The Oracle 10g+ JDBC driver will work with { @link DefaultLobHandler }  
\* as well, with some limitations in terms of LOB sizes depending on DBMS setup;  
\* as of Oracle 11g (or actually, using the 11g driver even against older databases),  
\* there should be no need to use { @link OracleLobHandler } at all anymore.

\*  
\* <p>Of course, you need to declare different field types for each database.  
\* In Oracle, any binary content needs to go into a BLOB, and all character content  
\* beyond 4000 bytes needs to go into a CLOB. In MySQL, there is no notion of a  
\* CLOB type but rather a LONGTEXT type that behaves like a VARCHAR. For complete  
\* portability, use a LobHandler for fields that might typically require LOBs on  
\* some database because of the field size (take Oracle's  
numbers as a guideline).

\*  
\* <p><b>Summarizing the recommended options (for actual LOB fields):</b>

\* <ul>

\* <li><b>JDBC 4.0 driver (including Oracle 11g driver):</b> Use { @link DefaultLobHandler },  
\* potentially with { @code streamAsLob=true } if your database driver requires that  
\* hint when populating a LOB field. Fall back to { @code createTemporaryLob=true }  
\* if you happen to run into LOB size limitations with your (Oracle) database setup.

\* <li><b>Oracle 10g driver:</b> Use { @link DefaultLobHandler } with standard setup.  
\* On Oracle 10.1, set the "SetBigStringTryClob" connection property; as of Oracle 10.2,  
\* DefaultLobHandler should work with standard setup out of the box. Alternatively,  
\* consider using the proprietary { @link OracleLobHandler } (see below).

\* <li><b>Oracle 9i driver:</b> Use { @link OracleLobHandler } with a connection-pool-specific  
\* { @link OracleLobHandler#setNativeJdbcExtractor NativeJdbcExtractor }.

\* <li><b>PostgreSQL:</b> Configure { @link DefaultLobHandler }

```

with { @code wrapAsLob=true },
* and use that LobHandler to access OID columns (but not BYTEA) in your database tables.
* For all other database drivers (and for non-LOB fields that might potentially
* turn into LOBs on some databases): Simply use a plain { @link DefaultLobHandler }.
*
*
* @author Juergen Hoeller
* @since 23.12.2003
* @see DefaultLobHandler
* @see OracleLobHandler
* @see java.sql.ResultSet#getBlob
* @see java.sql.ResultSet#getClob
* @see java.sql.ResultSet#getBytes
* @see java.sql.ResultSet#getBinaryStream
* @see java.sql.ResultSet#getString
* @see java.sql.ResultSet#getAsciiStream
* @see java.sql.ResultSet#getCharacterStream
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/lob/LobHandler.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/IsolationLevelDataSourceAdapter.java

```

```

* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/LobRetrievalFailureException.java

```

```

*
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/ResultSetExtractor.java

```

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/nativejdbc/C3P0NativeJdbcExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/RowMapperResultSetExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/lookup/AbstractRoutingDataSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/XmlBinaryStreamProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/SqlXmlObjectMappingHandler.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/object/SqlFunction.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/XmlCharacterStreamProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/lob/JtaLobCreatorSynchronization.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/IncorrectResultSetColumnCountException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/AbstractLobStreamingResultSetExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/SqlParameterSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/AbstractSequenceMaxValueIncrementer.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/SqlXmlFeatureNotImplementedException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/AbstractSqlTypeValue.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/lookup/JndiDataSourceLookup.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/incrementer/AbstractDataFieldMaxValueIncrementer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/JdbcDaoSupport.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/InterruptibleBatchPreparedStatementSetter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/JdbcUpdateAffectedIncorrectNumberOfRowsException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/support/AbstractInterruptibleBatchPreparedStatementSetter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/namedparam/AbstractSqlParameterSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/XmlResultProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-

```

jar/org/springframework/jdbc/datasource/embedded/OutputStreamFactory.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/BatchPreparedStatementSetter.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/lookup/MapDataSourceLookup.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/SqlReturnTypes.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/lob/LobCreatorUtils.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/config/SortedResourcesFactoryBean.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/BadSqlGrammarException.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/lob/PassThroughBlob.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/nativejdbc/OracleJdbc4NativeJdbcExtractor.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/lob/PassThroughClob.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/CustomSQLExceptionTranslatorRegistrar.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/SqlQuery.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/lookup/SingleDataSourceLookup.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/SqlProvider.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/nativejdbc/Jdbc4NativeJdbcExtractor.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/SQLWarningException.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/GenericStoredProcedure.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/support/SqlValue.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/SqlTypeValue.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/object/UpdatableSqlQuery.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/lookup/DataSourceLookup.java
*
/opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/PreparedStatementSetter.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-

```

jar/org/springframework/jdbc/core/PreparedStatementCreator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/InvalidResultSetAccessException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/support/CustomSQLExceptionTranslatorRegistry.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/datasource/DelegatingDataSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/core/namedparam/NamedParameterJdbcDaoSupport.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/datasource/SmartDataSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/datasource/lookup/DataSourceLookupFailureException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/object/MappingSqlQueryWithParameters.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/object/SqlUpdate.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/config/JdbcNamespaceHandler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/core/CallableStatementCallback.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/object/SqlCall.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/UncategorizedSQLException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/core/CallableStatementCreator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/support/nativejdbc/NativeJdbcExtractorAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/datasource/AbstractDataSource.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseType.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/core/RowCallbackHandler.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/support/lob/SpringLobCreatorSynchronization.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/datasource/lookup/BeanFactoryDataSourceLookup.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/support/nativejdbc/JBossNativeJdbcExtractor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/object/SqlOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-  
 jar/org/springframework/jdbc/support/MetaDataAccessException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/SimpleDriverDataSourceFactory.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/SimpleConnectionHandle.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/config/InitializeDatabaseBeanDefinitionParser.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* The classes in this package make JDBC easier to use and

\* reduce the likelihood of common errors. In particular, they:

\* <ul>

\* <li>Simplify error handling, avoiding the need for try/catch/finally

\* blocks in application code.

\* <li>Present exceptions to application code in a generic hierarchy of

\* unchecked exceptions, enabling applications to catch data access

\* exceptions without being dependent on JDBC, and to ignore fatal

\* exceptions there is no value in catching.

\* <li>Allow the implementation of error handling to be modified

\* to target different RDBMSes without introducing proprietary

\* dependencies into application code.

\* </ul>

\*

\* <p>This package and related packages are discussed in Chapter 9 of

\* <a href="http://www.amazon.com/exec/obidos/tg/detail/-/0764543857/">Expert One-On-One J2EE Design and Development</a>

\* by Rod Johnson (Wrox, 2002).

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/nativejdbc/CommonsDbcNativeJdbcExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabase.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/nativejdbc/SimpleNativeJdbcExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/AbstractEmbeddedDatabaseConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/nativejdbc/NativeJdbcExtractor.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseBuilder.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/Jdbc4SqlXmlHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/config/EmbeddedDatabaseBeanDefinitionParser.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/datasource/DriverManagerDataSource.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/core/SingleColumnRowMapper.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-jar/org/springframework/jdbc/support/xml/SqlXmlHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1073027450\_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-



```
jar/org/springframework/jdbc/core/SqlRowSetResultSetExtractor.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/datasource/init/ScriptStatementFailedException.java
* /opt/ws_local/PERMITS_SQL/1073027450_1595253963.23/0/spring-jdbc-4-3-20-release-sources-1-
jar/org/springframework/jdbc/core/simple/SimpleJdbcCallOperations.java
```

# 1.380 spring-jms 4.3.20.RELEASE

## 1.380.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1073027580_1595254133.12/0/spring-jms-4-3-20-release-sources-1-
jar/org/springframework/jms/support/converter/MessageType.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2006 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/destination/CachingDestinationResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/JmsUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/adapters/ListenerExecutionFailedException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/ChainedExceptionListener.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/destination/JndiDestinationResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/UserCredentialsConnectionFactoryAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/IllegalStateException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/InvalidDestinationException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/remoting/JmsInvokerProxyFactoryBean.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/MessageEOFException.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/ResourceAllocationException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/JmsException.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-

jar/org/springframework/jms/MessageNotWriteableException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/MessageFormatException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/JmsSecurityException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/MessageNotReadableException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/SynchedLocalTransactionFailedException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/support/destination/DestinationResolutionException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/SessionProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/core/support/JmsGatewaySupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/TransactionInProgressException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/core/MessageCreator.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/remoting/JmsInvokerServiceExporter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/TransactionRolledBackException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/SmartConnectionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/InvalidClientIDException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/InvalidSelectorException.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/listener/SessionAwareMessageListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/support/converter/MessageConversionException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/support/destination/DestinationResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/CachedMessageConsumer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/JcaListenerContainerParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/JmsTemplate.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/adaptor/MessageListenerAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/converter/SmartMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/converter/MappingJackson2MessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/adaptor/MessagingMessageListenerAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/annotation/JmsListeners.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/converter/MessagingMessageConverter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/destination/JmsDestinationAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/UncategorizedJmsException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/MessagePostProcessor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/JmsMessagingTemplate.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/AbstractMessageListenerContainer.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/AbstractPollingMessageListenerContainer.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/JmsListenerEndpointRegistrar.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/JmsTransactionManager.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/ProducerCallback.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/JmsResourceHolder.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/BrowserCallback.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/JmsHeaders.java

\*

/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/adaptor/AbstractAdaptableMessageListener.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-

jar/org/springframework/jms/support/destination/BeanFactoryDestinationResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/core/SessionCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/ConnectionFactoryUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/listener/endpoint/StandardJmsActivationSpecFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/config/AbstractJmsListenerEndpoint.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/support/destination/DynamicDestinationResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/annotation/JmsListenerConfigurer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/config/JmsNamespaceHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/config/SimpleJmsListenerContainerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/config/DefaultJmsListenerContainerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/config/SimpleJmsListenerEndpoint.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/DelegatingConnectionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/listener/adapter/ReplyFailureException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/config/JmsListenerEndpoint.java

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/JmsMessageOperations.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/DefaultJcaListenerContainerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/JmsListenerContainerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/core/JmsOperations.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/JmsListenerConfigUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/endpoint/DefaultJmsActivationSpecFactory.java  
\*

/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/converter/MarshallingMessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/AnnotationDrivenJmsBeanDefinitionParser.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/endpoint/JmsMessageEndpointManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/remoting/JmsInvokerClientInterceptor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/annotation/JmsBootstrapConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/SimpleMessageListenerContainer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/JmsAccessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-

jar/org/springframework/jms/listener/MessageListenerContainer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/listener/endpoint/JmsActivationSpecConfig.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/connection/CachedMessageProducer.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/listener/adaptor/JmsResponse.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2007 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/support/converter/MessageConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-  
jar/org/springframework/jms/listener/endpoint/JmsActivationSpecFactory.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```



Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/annotation/JmsListenerAnnotationBeanPostProcessor.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/SimpleJmsHeaderMapper.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/converter/SimpleMessageConverter.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/AbstractListenerContainerParser.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/AbstractJmsListenerContainerFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/JmsListenerContainerParser.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/MethodJmsListenerEndpoint.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/DefaultMessageListenerContainer.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/JmsHeaderMapper.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/CachingConnectionFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/TransactionAwareConnectionFactoryProxy.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/annotation/EnableJms.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/config/JmsListenerEndpointRegistry.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/AbstractJmsListeningContainer.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/support/JmsMessageHeaderAccessor.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/endpoint/JmsMessageEndpointFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/connection/SingleConnectionFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/annotation/JmsListener.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2008 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

- \*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*
- \* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/SubscriptionNameProvider.java
- \* /opt/ws\_local/PERMITS\_SQL/1073027580\_1595254133.12/0/spring-jms-4-3-20-release-sources-1-jar/org/springframework/jms/listener/LocallyExposedJmsResourceHolder.java

## 1.381 sass-loader 8.0.2

### 1.381.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.382 lodash.restparam 3.6.1

## 1.382.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.6.1 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1078202330_1597270881.42/0/fis-components-lodash-restparam-3-6-1-0-g4b84b80-tar-gz/fis-components-lodash.restparam-3692f6f/index.js
```

## 1.383 lodash.\_getnative 3.9.1

### 1.383.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.9.1 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1078202442_1597270786.77/0/fis-components-lodash-getnative-3-9-1-0-g99a6587-tar-gz/fis-components-lodash._getnative-20042e8/index.js
```

## 1.384 lodash-root 3.0.1

### 1.384.1 Available under license :

The MIT License (MIT)

Copyright 2012-2016 The Dojo Foundation <http://dojofoundation.org/>  
Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.385 lodash.isplainobject 4.0.6

### 1.385.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

=====

Files located in the `node_modules` and `vendor` directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.386 lodash.keys 3.1.2

### 1.386.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.1.2 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
/**
 * Creates an array of the own enumerable property names of `object`.
 *
 * **Note:** Non-object values are coerced to objects. See the
 * [ES spec](http://ecma-international.org/ecma-262/6.0/#sec-object.keys)
 * for more details.
 *
 * @static
 * @memberOf _
 * @category Object
 * @param {Object} object The object to query.
 * @returns {Array} Returns the array of property names.
 * @example
```

```

*
* function Foo() {
* this.a = 1;
* this.b = 2;
* }
*
* Foo.prototype.c = 3;
*
* _.keys(new Foo);
* // => ['a',
 'b'] (iteration order is not guaranteed)
*
* _.keys('hi');
* // => ['0', '1']
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1078269328_1597281956.57/0/fis-components-lodash-keys-3-1-2-0-gc47407a-tar-
gz/fis-components-lodash.keys-9efd785/index.js

```

No license file was found, but licenses were detected in source scan.

# lodash v4.5.1

The [lodash](https://lodash.com/) library exported as a [UMD](https://github.com/umdjs/umd) module.

Generated using [lodash-cli](https://www.npmjs.com/package/lodash-cli):

```

```bash
$ npm run build
$ lodash -o ./dist/lodash.js
$ lodash core -o ./dist/lodash.core.js
```

```

## Community

[![Gitter](https://badges.gitter.im/lodash/lodash.svg)](https://gitter.im/lodash/lodash)

## Documentation

```

* [API Documentation](https://lodash.com/docs)
* [FP Guide](https://github.com/lodash/lodash/wiki/FP-Guide)

```

## Download

Lodash is released under the [MIT license](https://raw.githubusercontent.com/lodash/lodash/4.5.1/LICENSE) & supports [modern environments](#support).<br>

Review the [build differences](https://github.com/lodash/lodash/wiki/build-differences) & pick one thatâ€™s right for you.

- \* [Core build](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.core.js) ([~4 kB gzipped](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.core.min.js))
- \* [Full build](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.js) ([~21 kB gzipped](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.min.js))
- \* [CDN copies](https://www.jsdelivr.com/projects/lodash)

## ## Why Lodash?

Lodash makes JavaScript easier by taking the hassle out of working with arrays, numbers, objects, strings, etc. Lodash's modular methods are great for:

- \* Iterating arrays, objects, & strings
- \* Manipulating & testing values
- \* Creating composite functions

## ## Module Formats

Lodash is available in a [variety of builds](https://lodash.com/custom-builds) & module formats.

- \* [lodash](https://www.npmjs.com/package/lodash) & [per method packages](https://www.npmjs.com/browse/keyword/lodash-modularized)
- \* [lodash-amd](https://www.npmjs.com/package/lodash-amd)
- \* [lodash-es](https://www.npmjs.com/package/lodash-es) & [babel-plugin-lodash](https://www.npmjs.com/package/babel-plugin-lodash)
- \* [lodash/fp](https://github.com/lodash/lodash/tree/4.5.1-npm/fp)

## ## Further Reading

- \* [Contributing](https://github.com/lodash/lodash/blob/4.5.1/.github/CONTRIBUTING.md)
- \* [Release Notes](https://github.com/lodash/lodash/releases/tag/4.0.0)
- \* [Wiki (Changelog, Roadmap, etc.)](https://github.com/lodash/lodash/wiki)

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1078269328\_1597281956.57/0/fis-components-lodash-keys-3-1-2-0-gc47407a-tar-gz/fis-components-lodash.keys-9efd785/README.md

# 1.387 lodash.isarguments 3.1.0

## 1.387.1 Available under license :

Copyright jQuery Foundation and other contributors <https://jquery.org/>

Based on Underscore.js, copyright Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.388 Iodash-escape 3.2.0

### 1.388.1 Available under license :

Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.389 lodash.\_isiterateecall 3.0.9

### 1.389.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.0.9 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1078269300_1597282637.87/0/fis-components-lodash-isiterateecall-3-0-9-0-g7360657-tar-gz/fis-components-lodash._isiterateecall-7f1d9ce/index.js
```

## 1.390 lodash-templatesettings 3.1.1

### 1.390.1 Available under license :

Copyright 2012-2016 The Dojo Foundation <http://dojofoundation.org/>

Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.391 Iodash-basevalues 3.0.0

### 1.391.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>  
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.392 lodash.isarray 3.0.4

## 1.392.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.0.4 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1078269711_1597282742.91/0/fis-components-lodash-isarray-3-0-4-0-gbfe7f4f-
tar-gz/fis-components-lodash.isarray-e18427d/index.js
```

# 1.393 lodash-template 3.6.2

## 1.393.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>  
Based on Underscore.js, copyright 2009-2015 Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.394 Iodash-reescape 3.0.0

## 1.394.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.395 Iodash-basetostring 3.0.1

## 1.395.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js, copyright 2009-2015 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.396 lodash.\_basecopy 3.0.1

### 1.396.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.0.1 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1078269486_1597282921.59/0/fis-components-lodash-basecopy-3-0-1-0-gf3b51bf-tar-gz/fis-components-lodash._basecopy-8843e24/index.js
```

## 1.397 lodash-reevaluate 3.0.0

### 1.397.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>  
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.398 lodash-reinterpolate 3.0.0

### 1.398.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>  
Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.399 lodash.get 4.4.2

### 1.399.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.400 Iodash.debounce 4.0.8

### 1.400.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.



# 1.401 @emotion/is-prop-valid 0.8.8

## 1.401.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.402 bson 3.12.4

## 1.402.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright (c) 2008-2014 Atlassian Pty Ltd

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/util/AbstractCopyOnWriteMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/util/CopyOnWriteMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/assertions/Assertions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonRegularExpression.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonNullCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonDocumentWrapperCodec.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonInt32Converter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/annotations/BsonDiscriminator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/MapPropertyCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/UuidRepresentation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/FloatCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/internal/UuidHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-

jar/org/bson/codecs/ObjectIdGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/JsonStringBuffer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonDocumentWrapper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/LazyPojoCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/RawBsonDocument.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/types/CodeWScope.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/NoOpFieldNameValidator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/DocumentCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/PojoCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/ShellObjectIdConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/OverridableUuidRepresentationCodec.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/JsonDoubleConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/DiscriminatorLookup.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/Converter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/AutomaticPojoCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/PropertyCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/PropertyCodecRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/AbstractBsonWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonBinaryReader.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BSONObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/configuration/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/PropertySerialization.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/JsonStringConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-

```

jar/org/bson/internal/CodecCache.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/LazyBSONObject.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BasicBSONEncoder.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BSONEncoder.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonTypeCodecMap.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/package-
info.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonRegularExpressionCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/annotations/BsonIgnore.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/LazyMissingCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ShellTimestampConverter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/jsr310/DateTimeBasedCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/Code.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonUndefinedCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/package-
info.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BasicBSONDecoder.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonWriter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonDoubleCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/internal/Base64.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonMinKeyCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/ConventionUseGettersAsSettersImpl.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/DecoderContext.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ExtendedJsonMaxKeyConverter.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ExtendedJsonTimestampConverter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/JsonStreamBuffer.java

```

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/UuidCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/MinKeyCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PropertyMetadata.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/io/BsonInputMark.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/Binary.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonInt64Converter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/StringCodec.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/RelaxedExtendedJsonDoubleConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonBinaryCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BSONCallbackAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonJavaScriptCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/SymbolCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/annotations/BsonProperty.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/util/ComputingMap.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PropertyReflectionUtils.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PropertyModel.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BooleanCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/configuration/CodecRegistry.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonScanner.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/IdGenerator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonMinKeyConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/io/package-info.java

```

* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/types/ObjectId.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/util/package-
info.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/EmptyBSONCallback.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ShellMaxKeyConverter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/internal/LazyCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/ByteBuf.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ShellBinaryConverter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ExtendedJsonRegularExpressionConverter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/configuration/CodecConfigurationException.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/PojoBuilderHelper.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/InstanceCreatorFactoryImpl.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonDocumentCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonDBPointerCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/FieldNameValidator.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/ClassModel.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/Transformer.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/TypeWithTypeParameters.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BsonJavaScriptWithScope.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/ObjectIdCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/diagnostics/Logger.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/Decimal128Codec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BigDecimalCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonTypeClassMap.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-

```

jar/org/bson/io/BsonOutput.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/diagnostics/SLF4JLogger.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/ExtendedJsonInt32Converter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/conversions/Bson.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/LazyBSONCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/JsonWriterSettings.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonInt32.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonDocument.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/EnumPropertyCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/ConventionSetPrivateFieldImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/RawBsonValueHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/CreatorExecutable.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonTimestamp.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/Convention.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/io/BasicOutputBuffer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/JsonBuffer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonMaximumSizeExceededException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/FallbackPropertyCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/jsr310/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/PropertyAccessor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/ByteArrayCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/internal/CycleDetectingCodecRegistry.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/conversions/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-

jar/org/bson/json/ShellInt64Converter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/MapCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/StrictCharacterStreamJsonWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/ShellDateTimeConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonBinary.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/ShellMinKeyConverter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/RelaxedExtendedJsonDateTimeConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/AtomicLongCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/BsonValueCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/DoubleCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/BsonObjectIdCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/LazyBSONDecoder.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/LazyBSONList.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/BsonDecimal128Codec.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/ExtendedJsonUndefinedConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/pojo/PropertyAccessorImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/json/JsonNullConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonUndefined.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/BsonInt32Codec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/BsonDbPointer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/util/Function.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/types/BSONTimestamp.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
jar/org/bson/codecs/LongCodec.java  
\*



/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/MapCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BSONException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PropertyCodecRegistryImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonNumber.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/Decoder.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/Document.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/configuration/CodecRegistries.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonBooleanConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/AtomicIntegerCodec.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonJavaScriptConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/DateTimeFormatter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/MinKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BasicBSONCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/io/ByteBufferBsonInput.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/ConventionDefaultsImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonDouble.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/IterableCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/UuidCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/UuidCodecHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/assertions/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonDateTime.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/LegacyExtendedJsonDateTimeConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/InstanceCreatorFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/CollectibleCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonTokenType.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/MaxKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonString.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ShellRegularExpressionConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/Conventions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PojoCodecImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonType.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonMaxKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/BasicBSONList.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/Encoder.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonMinKey.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/NumberCodecHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonDocumentWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonWriterSettings.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PropertyModelSerializationImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonMaxKeyCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/EncoderContext.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonReader.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonBinaryConverter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonDoubleConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BSON.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/ShortCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonSymbolCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonToken.java

```

* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BSONDecoder.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/internal/CodecRegistryHelper.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/DateCodec.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BsonSerializationException.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BsonContextType.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BsonReaderMark.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/StrictCharacterStreamJsonWriterSettings.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/internal/OverridableUuidRepresentationCodecRegistry.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/CodeWithScopeCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/CharacterCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BasicBSONObject.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BsonBoolean.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonArray.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/pojo/ClassModelBuilder.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/JsonParseException.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/util/ClassMap.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonDateTimeCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/LegacyExtendedJsonBinaryConverter.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/MaxKeyCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/json/ShellUndefinedConverter.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/BsonBinaryWriterSettings.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/RawBsonDocumentCodec.java
* /opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/BsonTimestampCodec.java

```

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/annotations/BsonId.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/IntegerCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/Decimal128.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonWriter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PojoCodecProvider.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonDecimal128Converter.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonObjectIdConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonJavaScriptWithScopeCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonReader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonNull.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonBinarySubType.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/LegacyExtendedJsonRegularExpressionConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonInvalidOperationException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonJavaScript.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/Symbol.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonSymbol.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/annotations/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/RawBsonArray.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/configuration/CodecProvider.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/ConventionAnnotationImpl.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/PropertyModelBuilder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/PatternCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/ExtendedJsonDateTimeConverter.java  
 \*

/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/BsonBooleanCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/util/ClassAncestry.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/json/StrictJsonWriter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/IterableCodecProvider.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/DocumentCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/diagnostics/Loggers.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/BsonInt64Codec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/internal/ProvidersCodecRegistry.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/json/ShellDecimal128Converter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/ByteCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/BsonDocumentReader.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/internal/Optional.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/internal/ChildCodecRegistry.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/configuration/MapOfCodecsProvider.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/io/BsonInput.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/BsonElement.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/BsonStringCodec.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/io/Bits.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/json/JsonSymbolConverter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/types/StringRangeSet.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/BinaryCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonInt64.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/codecs/BsonValueCodecProvider.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-  
 jar/org/bson/BSONCallback.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/RelaxedExtendedJsonInt64Converter.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonDecimal128.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/annotations/BsonCreator.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/InstanceCreator.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/AtomicBooleanCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/InstanceCreatorImpl.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/OverridableUuidRepresentationUuidCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/types/CodeWithScope.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/ValueCodecProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/json/JsonMode.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/TypeParameterMap.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonBinaryWriter.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/TypeData.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/CodeCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/CollectionPropertyCodecProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/io/OutputBuffer.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/diagnostics/JULLogger.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/diagnostics/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/StringUtils.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/AbstractBsonReader.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonArrayCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/BsonValue.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/ByteBufNIO.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-

jar/org/bson/BsonObjectId.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/Codec.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/IdGenerators.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/IdGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/IdPropertyModelHolder.java

\*

/\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/pojo/ConventionObjectIdGeneratorsImpl.java

\* /opt/ws\_local/PERMITS\_SQL/1084247314\_1598436438.69/0/bson-3-12-4-sources-jar/org/bson/codecs/BsonCodecProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright 2010 The Guava Authors

\* Copyright 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/internal/UnsignedLongs.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2008-present MongoDB, Inc.
* Copyright 2018 Cezary Bartosiak
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/jsr310/Jsr310CodecProvider.java
*/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/jsr310/InstantCodec.java
*/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/jsr310/LocalDateTimeCodec.java
*
/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/jsr310/LocalDateCodec.java
*/opt/ws_local/PERMITS_SQL/1084247314_1598436438.69/0/bson-3-12-4-sources-
jar/org/bson/codecs/jsr310/LocalTimeCodec.java
```

## 1.403 mongodb-driver 3.12.4



## 1.403.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008-present MongoDB, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/Java8ChangeStreamIterableImpl.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/MongoIterables.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/ClientSessionImpl.java
*
/opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/ClientSessionClock.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/MongoIterableFactory.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/Java8AggregateIterableImpl.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/FallbackMongoIterableFactory.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/ClientSession.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/Java8ListDatabasesIterableImpl.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/Java8ListCollectionsIterableImpl.java
*
/opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/TransactionBody.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/Java8ForEachHelper.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/Java8FindIterableImpl.java
```

\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/Java8MapReduceIterableImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/Java8MongoIterableFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/Java8ListIndexesIterableImpl.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/Java8DistinctIterableImpl.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2008-present MongoDB, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/util/JSONCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/MongoClientImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/MapReduceOutput.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/Crypts.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/MongoClients.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/MongoChangeStreamCursorImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/MongoClient.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/model/DBCcollectionCountOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-

jar/com/mongodb/client/model/DBCcollectionUpdateOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/BulkWriteException.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/MongoClientDelegate.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/ListCollectionsIterableImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/WriteResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/InsertOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/gridfs/GridFSFindIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/CommandMarker.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/Mongo.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/MongoChangeStreamCursor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/DefaultDBDecoder.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/MongoOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/gridfs/GridFSDownloadStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/util/JSONSerializers.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/gridfs/GridFSDownloadStreamImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/MongoCursorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/OperationExecutor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/LazyDBCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/util/AbstractObjectSerializer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/ParallelScanOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/MongoIterableImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/WriteConcernError.java

\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/BulkWriteError.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/MongoDatabase.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/gridfs/GridFSDBFile.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/BulkWriteRequestBuilder.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/MongoClientOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/BulkWriteUpsert.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/DBCollectionObjectFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/LazyDBObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/ClientEncryptionImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/AggregationOutput.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/model/DBCreateViewOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/QueryOperators.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/BulkWriteHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/DistinctIterableImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/FindIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/Cursor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/AcknowledgedBulkWriteResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/DBObjectCollationHelper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/MappingIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/ListCollectionsIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/model/DBCollectionFindAndModifyOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-jar/com/mongodb/client/internal/CollectionInfoRetriever.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-

```

jar/com/mongodb/UpdateRequest.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/util/Util.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/ListIndexesIterableImpl.java
*
/opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/MongoIterable.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/DBCollection.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/MapReduceIterableImpl.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/GroupCommand.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/BulkUpdateRequestBuilder.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/MongoClientFactory.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/ReflectionDBObject.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/util/package-info.java
*
/opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/DBDecoder.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/DBCallback.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/FindIterableImpl.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/CompoundDBObjectCodec.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/gridfs/GridFSFindIterableImpl.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/gridfs/GridFSBucket.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/QueryBuilder.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/MongoCursor.java
*
/opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/MongoBatchCursorAdapter.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/BulkWriteResult.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/DBObjects.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/util/JSONParseException.java

```

\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBEncoderAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/model/DBCcollectionFindOptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/gridfs/GridFSFile.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/gridfs/GridFS.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/MongoCollection.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/InsertRequest.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/MongoDatabaseImpl.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/jndi/MongoClientFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/ChangeStreamIterableImpl.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBCursor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DefaultDBCcallback.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/Crypt.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DefaultDBEncoder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/ListDatabasesIterableImpl.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/RemoveRequest.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/DistinctIterable.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/gridfs/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/MongoURI.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/ListDatabasesIterable.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/AggregationOptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/gridfs/GridFSUploadStreamImpl.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBDecoderFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-

jar/com/mongodb/MongoClientURI.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/ListIndexesIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/gridfs/GridFSInputFile.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/MapReduceCommand.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/AggregateIterableImpl.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/Bytes.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/KeyManagementService.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/vault/ClientEncryptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/ReplaceRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/gridfs/GridFSBucketImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/SimpleMongoClients.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/DBEncoderFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/ClientSessionBinding.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/gridfs/GridFSBuckets.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/WriteRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/CryptConnection.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/ReplicaSetStatus.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/internal/CryptBinding.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/CommandResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/UnacknowledgedBulkWriteResult.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/model/DBCcollectionDistinctOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/ChangeStreamIterable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
jar/com/mongodb/client/jndi/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/util/JSON.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/util/ObjectSerializer.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/SimpleMongoClient.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBAddress.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/MapReduceIterable.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/KeyRetriever.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/vault/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/AggregateIterable.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/internal/MongoMappingCursor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBDecoderAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/vault/ClientEncryption.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/MongoClient.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DB.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/util/ClassMapBasedObjectSerializer.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBEncoderFactoryAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/BulkWriteOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/DBEncoder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/LazyDBList.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/gridfs/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/LazyDBDecoder.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/model/DBCcollectionRemoveOptions.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-  
 jar/com/mongodb/client/gridfs/GridFSUploadStream.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247322\_1598436419.43/0/mongodb-driver-3-12-4-sources-



```
jar/com/mongodb/gridfs/CLI.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/LazyDBEncoder.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/DBCallbackFactory.java
* /opt/ws_local/PERMITS_SQL/1084247322_1598436419.43/0/mongodb-driver-3-12-4-sources-
jar/com/mongodb/client/internal/MongoCollectionImpl.java
```

## 1.404 mongodb-driver-core 3.12.4

### 1.404.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2008-present MongoDB, Inc.
* Copyright (c) 2008-2014 Atlassian Pty Ltd
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/assertions/Assertions.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/AggregationLevel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original Work: MIT License, Copyright (c) [2015-2018] all contributors

\* <https://github.com/marianobarrios/tls-channel>

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/TlsChannelFlowControlException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferSet.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/WouldBlockException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ExtendedAsynchronousByteChannel.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/NeedsWriteException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/ClientTlsChannel.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannelGroup.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/BufferAllocator.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/util/TlsChannelCallbackException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/TlsChannelBuilder.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/NeedsTaskException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/impl/BufferHolder.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/TrackingAllocator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/impl/TlsChannelImpl.java  
\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/util/Util.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/async/AsynchronousTlsChannel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/NeedsReadException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/tlschannel/impl/ByteBufferUtil.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright 2017 Tom Bentley

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/authentication/SaslPrep.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008-present MongoDB, Inc.

\* Copyright 2012 The Netty Project

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/netty/ReadTimeoutHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/AsyncConnection.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/UsageTrackingInternalConnection.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/FsyncUnlockOperation.java
*
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/WriteProtocol.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoClientException.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
```

jar/com/mongodb/connection/ClusterType.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/gejson/codecs/GeometryEncoderHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/async/AsyncAggregateResponseBatchCursor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/SnappyCompressor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/event/ServerMonitorListenerMulticaster.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/BsonDocumentWrapperHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/netty/NettyStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/CommandSucceededEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/InsertManyOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/gejson/codecs/MultiPointCodec.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/gejson/codecs/GeoJsonCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/ClusterClock.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/ValidationLevel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/CommandReadOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/GetMoreProtocol.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/WriteError.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/session/BaseClientSessionImpl.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/ChangeEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/ValidationAction.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/WriteConcernResult.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/BucketGranularity.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/CommandResultArrayCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/selector/ServerAddressSelector.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/DBRefCodec.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/AggregateOperation.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/CommandFailedEvent.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/async/SingleResultCallback.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DefaultClusterableServerFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ClusterListener.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/SplittablePayloadBsonWriter.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/bulk/InsertRequest.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/CoordinateReferenceSystemType.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/InternalConnectionFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/MessageSettings.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/bulk/IndexRequest.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/FindOneAndReplaceOptions.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/UpdateMessage.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionPoolWaitQueueEnteredEvent.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/MultiPolygon.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/AsyncQueryBatchCursor.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/ClusterConnectionMode.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/Authenticator.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/ConnectionId.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/result/DeleteResult.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

jar/com/mongodb/internal/connection/ZlibCompressor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/SocketStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/ReplaceOneModel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/Tag.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoQueryException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/DecimalFormatHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoSocketWriteException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/IndexMap.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/client/model/CountStrategy.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/Time.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/ServerHeartbeatFailedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/MapReduceWithInlineResultsOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/management/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/SocketSettings.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/FieldTrackingBsonWriter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/Field.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/Compressor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/CommandResultBaseCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/ClusterFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/selector/PrimaryServerSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/ClusterDescription.java  
\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/changestream/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DefaultAuthenticator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/ReadOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/BucketAutoOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/MergeOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/StreamFactoryFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/AsyncClusterBinding.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoClientSettings.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/UpdateUserOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/gejson/codecs/MultiLineStringCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/operation/Operations.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/BucketOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/UpdateOneModel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoServerException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionListener.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ServerHeartbeatStartedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/DeleteOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/netty/NettyStreamFactoryFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionPoolEventMulticaster.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/ClusterBinding.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/ReadWriteBinding.java  
\*



/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/Sorts.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/FindAndModifyHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionPoolClosedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionAddedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/ExplainVerbosity.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/codecs/PolygonCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/event/EventListenerHelper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoGridFSException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/ExplainHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/ServerDescription.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/IndexOptionDefaults.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/gridfs/model/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/codecs/GeometryCollectionCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/UpdateOperation.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/ServerCursor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/ClientSessionOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/Filters.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/UserExistsOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/MapReduceBatchCursor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DefaultConnectionFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ServerAddressHelper.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoExecutionTimeoutException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

jar/com/mongodb/client/model/geojson/LineString.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/CountOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/MapReduceAsyncBatchCursor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoSecurityException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/dns/DnsResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/binding/AsyncConnectionSource.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/DefaultServerMonitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/CollationMaxVariable.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/bulk/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/UnwindOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/CompressedHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/RenameCollectionOptions.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/BSONTimestampCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/Aggregates.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/MongoWriteConcernWithResponseException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/ListDatabasesOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/DBRef.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/AutoEncryptionSettings.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/AsynchronousSocketChannelStreamFactoryFactory.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/geojson/codecs/GeometryCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/management/NullMBeanServer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/event/CommandListenerMulticaster.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/AsynchronousSocketChannelStream.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/ErrorCategory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/Pool.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ConnectionCheckedInEvent.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/SaslAuthenticator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ServerEventMulticaster.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/BatchCursor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/MapReduceHelper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/Updates.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/connection/ServerSettings.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/connection/netty/NettyStreamFactory.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/DefaultServerMonitorFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/DBObjectCodec.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ServerMonitorEventMulticaster.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/ExponentiallyWeightedMovingAverage.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/InternalStreamConnection.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/AbstractByteBufferBsonDocument.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/PushOptions.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/IndexOptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/gejson/CoordinateReferenceSystem.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ServerMonitorListenerAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ServerListenerAdapter.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

```

jar/com/mongodb/event/ConnectionPoolOpenedEvent.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/CollationStrength.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/async/package-info.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/binding/AsyncClusterAwareReadWriteBinding.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/ReadConcern.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/codex/PointCodec.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/changestream/UpdateDescription.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/ReplaceOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/Stream.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/BuildersHelper.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/ValidationOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoInternalException.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/DefaultServer.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/bulk/BulkWriteUpsert.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/Block.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/authentication/NativeAuthenticationHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/session/ServerSession.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/CommandMessage.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/Point.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/CommandResultDocumentCodec.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/BaseFindAndModifyOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/FutureAsyncCompletionHandler.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/SslSettings.java

```

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/bulk/BulkWriteError.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ClusterableServer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ElementExtendingBsonWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/BaseCluster.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/SendMessageCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/ReferenceCounted.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoSocketClosedException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/MapReduceInlineResultsCursor.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DefaultConnectionPool.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ZstdCompressor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/changestream/ChangeStreamDocument.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/ChangeStreamBatchCursorHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ResponseCallback.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/NoOpCommandEventSender.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/ChangeStreamOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/CommandListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/LoggingCommandEventSender.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/QueryMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/KillCursorProtocol.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/StreamFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/CreateIndexOptions.java  
\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/selector/ReadPreferenceServerSelector.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/gridfs/model/GridFSUploadOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/SplittablePayload.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ServerMonitorListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/LegacyMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ServerListener.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/CommandResultCallback.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/AsyncWriteOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/CommandOperationHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ServerHeartbeatSucceededEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/DBObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/AggregateResponseBatchCursor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionCheckedOutEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/UpdateProtocol.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/ParallelCollectionScanOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/InternalStreamConnectionInitializer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/gejson/codecs/LineStringCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DnsSrvRecordMonitorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ServerOpeningEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/bulk/BulkWriteResult.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/DeleteManyModel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/bulk/WriteRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

jar/com/mongodb/internal/connection/CommandProtocolImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/ServerClosedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/OperationExecutor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/binding/AsyncSingleServerBinding.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/vault/DataKeyOptions.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/TlsChannelStreamFactoryFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/ListCollectionsOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/GraphLookupOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/DnsSrvRecordInitializer.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/diagnostics/logging/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/CommandResultCodecProvider.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/PowerOfTwoBufferPool.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/ConnectionPoolSettings.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/ConnectionDescription.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/TagSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/ConnectionPoolListenerAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/ReturnDocument.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/QueryBatchCursor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/ConnectionOpenedEvent.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/BulkWriteOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/AbstractReferenceCounted.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/FindAndReplaceOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/UserOperationHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/WriteConcernException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/validator/MappedFieldNameValidator.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ClusterEventMulticaster.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/changestream/FullDocument.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DeleteMessage.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionRemovedEvent.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/operation/IndexHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/binding/ClusterAwareReadWriteBinding.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/CompositeByteBuf.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/FindOneAndDeleteOptions.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/BsonWriterDecorator.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/OrderBy.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoInterruptedException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/AsyncSingleConnectionReadBinding.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/ServerConnectionState.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/GetMoreMessage.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/AsyncWriteBinding.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/Collation.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ConnectionMessagesSentEvent.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/DefaultClusterFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/changestream/OperationTypeCodec.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-



```

jar/com/mongodb/operation/MapReduceInlineResultsAsyncCursor.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/PolygonCoordinates.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/DropIndexOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ConnectionPool.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/QueryProtocol.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/binding/ReadBinding.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/BsonWriterHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/InternalConnection.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/changestream/ChangeStreamDocumentCodec.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/GeoJsonObjectType.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/GeometryCollection.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoDriverInformation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/DeleteOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/CursorHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/vault/EncryptOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/DBRefCodecProvider.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/TaggableReadPreference.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoNamespace.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/LegacyProtocol.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/DefaultDnsSrvRecordMonitor.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoTimeoutException.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/QueryHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/WriteOperation.java

```

```

*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/Variable.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/gridfs/model/GridFSDownloadOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/codecs/GeometryDecoderHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/CreateCollectionOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/Java8SniSslHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/UpdateOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/vault/package-info.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/EstimatedDocumentCountOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ConcurrentPool.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/annotations/package-info.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/result/package-info.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/bulk/UpdateRequest.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ClusterableServerFactory.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/FindOptions.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/DDBObjectCodecProvider.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ClientMetadataHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ClusterClockAdvancingSessionContext.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/ServerVersion.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/binding/AsyncReadWriteBinding.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/CursorType.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoSocketOpenException.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/InsertOneModel.java

```

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/ByteBufferBsonOutput.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/HexUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/management/MBeanServer.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoCommandException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoChangeStreamException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/Facet.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/MongoCredentialWithCache.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/event/ClusterListenerAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ProtocolExecutor.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/gridfs/model/GridFSFile.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/AbstractMultiServerCluster.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/MultiServerCluster.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/BasicDBObjectBuilder.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DefaultServerConnection.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/AuthenticationMechanism.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/BulkWriteBatch.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoSocketReadException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/CreateIndexesOperation.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/NamedCoordinateReferenceSystem.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/management/MBeanServerFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ServerMonitor.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

jar/com/mongodb/operation/AggregateExplainOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/BasicDBList.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoCompressor.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/diagnostics/logging/Logger.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/NoOpSessionContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/validator/CollectibleDocumentFieldNameValidator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/CommandEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/CommandWriteOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoSocketException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/dns/DefaultDnsResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/UnixSocketChannelStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/DropCollectionOperation.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/binding/WriteBinding.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/BasicDBObjectFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/UpdateManyModel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/FindOneAndUpdateOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/geojson/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoSocketReadTimeoutException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/AsynchronousChannelStream.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/geojson/MultiLineString.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/assertions/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/X509Authenticator.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/MapReduceAction.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/ReadPreference.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/bulk/WriteConcernError.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/CreateViewOptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/AsyncChangeStreamBatchCursor.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ConnectionPoolListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/DropDatabaseOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/CommandHelper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/management/ConnectionPoolStatisticsMBean.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/CommandListenerMulticaster.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ServerDescriptionChangedEvent.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/async/AsyncBatchCursor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/management/jmx/JMXMBeanServer.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/connection/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/event/ConnectionPoolListenerMulticaster.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/selector/CompositeServerSelector.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/AsyncWritableByteChannel.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/ReplyHeader.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/ConnectionString.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/OperationHelper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/MapReduceToCollectionOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/SocketStreamHelper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/bulk/DeleteRequest.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

```

jar/com/mongodb/internal/connection/InsertProtocol.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/InternalStreamConnectionFactory.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/codecs/MultiPolygonCodec.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/event/ServerListenerMulticaster.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/FindAndUpdateOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/event/CommandStartedEvent.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/changestream/ChangeStreamLevel.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoWaitQueueFullException.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/session/ServerSessionPool.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/CreateCollectionOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/ServerType.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/ServerAddress.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/AggregateToCollectionOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ScramShaAuthenticator.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ByteBufferBsonDocument.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/InternalConnectionInitializer.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/result/UpdateResult.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/SniSslHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/event/ConnectionPoolWaitQueueExitedEvent.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoNotPrimaryException.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/LevelCountingBsonWriter.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/PlainAuthenticator.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/changestream/OperationType.java

```

\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/codecs/NamedCoordinateReferenceSystemCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoWriteException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/BaseWriteOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/KillCursorsMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/DropIndexOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/gridfs/model/GridFSDownloadByNameOptions.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/operation/SyncOperations.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/CommandEventSender.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/MessageHeader.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/Server.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/Geometry.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/CompressedMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/async/ErrorHandlingResultCallback.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/SimpleExpression.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/ReadConcernLevel.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/DuplicateKeyException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/DnsMultiServerCluster.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoWriteConcernException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/BsonArrayWrapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/CreateViewOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/Cluster.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/BasicDBObject.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/DistinctOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/AsyncReadOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/connection/BufferProvider.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/selector/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/MongoConfigurationException.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/ChangeStreamBatchCursor.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/validator/UpdateFieldNameValidator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/GSSAPIAuthenticator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/CountOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/RequestMessage.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/SingleServerCluster.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/connection/SocketStreamFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/DBObjectFactory.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/CollationAlternate.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/MongoCredential.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/ProtocolHelper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ClusterOpeningEvent.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/IndexModel.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/connection/netty/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/InsertMessage.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/TextSearchOptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/binding/AbstractReferenceCounted.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-



jar/com/mongodb/internal/connection/NativeAuthenticator.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/ListIndexesOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/management/JMXConnectionPoolListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/FindOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/DescriptionHelper.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/MapReduceStatistics.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/client/model/CountOptionsHelper.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/event/ConnectionMessageReceivedEvent.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/RenameCollectionOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/ParallelCollectionScanOptions.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/DnsSrvRecordMonitor.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/diagnostics/logging/Loggers.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/DocumentToDBRefTransformer.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/Projections.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/ConnectionFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/session/ClientSession.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/InsertOperation.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/UnixServerAddress.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/operation/AggregateOperationImpl.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/connection/ChangeListener.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/client/model/Accumulators.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/diagnostics/logging/JULLogger.java  
 \* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
 jar/com/mongodb/internal/operation/AsyncOperations.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/management/ConnectionPoolStatistics.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/ConnectionSource.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/selector/LatencyMinimizingServerSelector.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/netty/NettyByteBuf.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/SingleServerBinding.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/CreateUserOperation.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/DocumentHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/Position.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoIncompatibleDriverException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/Indexes.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/binding/AsyncReadBinding.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/AsyncCompletionHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoBulkWriteException.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/session/ClientSessionContext.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/selector/WritableServerSelector.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/WriteModel.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/MongoException.java

\*

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/QueryResult.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/connection/netty/NettyBufferProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/gridfs/codecs/GridFSFileCodecProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/selector/ServerSelector.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/client/model/geojson/MultiPoint.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-

jar/com/mongodb/internal/connection/BaseQueryMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/gridfs/codecs/package-info.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/ReplyMessage.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/capi/MongoCryptHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/MixedBulkWriteOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/connection/ClusterId.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/FindAndDeleteOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/geojson/codecs/AbstractGeometryCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/CommandProtocol.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/diagnostics/logging/SLF4JLogger.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/CollationCaseFirst.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/geojson/codecs/package-info.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/CommandEventMulticaster.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/ServerMonitorFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/operation/DropUserOperation.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/session/SessionContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/gridfs/codecs/GridFSFileCodec.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/InsertOneOptions.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/event/ClusterClosedEvent.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/connection/DeleteProtocol.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/internal/thread/DaemonThreadFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/MongoNodeIsRecoveringException.java  
\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-  
jar/com/mongodb/client/model/DeleteOneModel.java

```

*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/geojson/Polygon.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/Function.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/AsyncSingleBatchQueryCursor.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/event/ClusterListenerMulticaster.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/AsyncOperationExecutor.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/ServerId.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/MongoCursorNotFoundException.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/session/package-info.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/CurrentOpOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/validator/NoOpFieldNameValidator.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/binding/SingleConnectionReadBinding.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/WriteConcern.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/event/ClusterDescriptionChangedEvent.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/client/model/BsonField.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/event/ConnectionClosedEvent.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/ClusterSettings.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/GroupOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ResponseBuffers.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/BulkWriteBatchCombiner.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/SslHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/connection/Connection.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/OpCode.java
*

```

/opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/ClientEncryptionSettings.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (c) 2005 Brian Goetz and Tim Peierls
- \* Released under the Creative Commons Attribution License
- \* (<http://creativecommons.org/licenses/by/2.5>)
- \* Official home: <http://www.jcip.net>
- \*
- \* Any republication or derived work distributed in source code form
- \* must include this copyright and license notice.
- \*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/annotations/NotThreadSafe.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/annotations/Immutable.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/annotations/ThreadSafe.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2008-present MongoDB, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/operation/OperationReadConcernHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/internal/connection/ReadConcernHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1084247307\_1598436429.19/0/mongodb-driver-core-3-12-4-sources-jar/com/mongodb/lang/package-info.java

\*

```
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/AbortTransactionOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/operation/WriteConcernHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/CommitTransactionOperation.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/lang/NonNull.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/operation/ServerVersionHelper.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/lang/NonNullApi.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/operation/TransactionOperation.java
*
/opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ReadConcernAwareNoOpSessionContext.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/TransactionOptions.java
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/lang/Nullable.java
No license file was found, but licenses were detected in source scan.
```

/\*

```
* Copyright 2008-present MongoDB, Inc.
* Copyright 2010 The Guava Authors
* Copyright 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/annotations/Beta.java
No license file was found, but licenses were detected in source scan.
```

/\*

```
* Copyright 2008-present MongoDB, Inc.
```

```

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/
/**
 * Returns an array containing all of the elements in this deque, in
 * proper sequence (from first to last element).
 *
 * <p>The returned array will be "safe" in that no references to it are
 * maintained by this deque. (In other words, this method must allocate
 * a new array). The caller is thus free to modify the returned array.
 *
 * <p>This method acts as bridge between array-based and collection-based
 * APIs.
 *
 * @return an array containing all of the elements in this deque
 */

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1084247307_1598436429.19/0/mongodb-driver-core-3-12-4-sources-
jar/com/mongodb/internal/connection/ConcurrentLinkedDeque.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2008-present MongoDB, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

```

```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original Work: MIT License, Copyright (c) [2015-2018] all contributors
* https://github.com/marianobarrios/tls-channel
*/
/**
 * Writes a sequence of bytesProduced to this channel from a subsequence of the
 * given buffers.
 *
 * <p>
 * See { @link GatheringByteChannel#write(ByteBuffer[], int, int) } for
more
 * details of the meaning of this signature.
 *
 * <p>
 * This method behaves slightly different than the interface specification,
 * with respect to non-blocking responses, see { @link #write(ByteBuffer) }
 * for more details.
 *
 * @param srcs The buffers from which bytesProduced are to be retrieved
 * @param offset The offset within the buffer array of the first buffer from
 * which bytesProduced are to be retrieved; must be non-negative and no
 * larger than <tt>srcs.length</tt>
 * @param length The maximum number of buffers to be accessed; must be
 * non-negative and no larger than <tt>srcs.length</tt>
 * <tt>offset</tt>
 * @return The number of bytesProduced written, contrary to the behavior specified
 * in { @link ByteChannel }, this method never returns 0, but throws
 * { @link WouldBlockException }
 * @throws IndexOutOfBoundsException If
the preconditions on the <tt>offset</tt> and
 * <tt>length</tt> parameters do not hold
 * @throws WouldBlockException if the channel is in non-blocking mode and the IO operation
 * cannot be completed immediately
 * @throws NeedsTaskException if the channel is not configured to run tasks automatically
 * and a task needs to be executed to complete the operation
 * @throws SSLException if the { @link SSLEngine } throws a SSLException
 * @throws IOException if the underlying channel throws an IOException
 */
/**
 * Reads a sequence of bytesProduced from this channel into a subsequence of the
 * given buffers.
 *
 * <p>
 * See { @link ScatteringByteChannel#read(ByteBuffer[], int, int) } for more

```





- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/InternalResourceViewResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/ResourceTransformerChain.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/ArgumentAware.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/annotation/AnnotationMethodHandlerAdapter.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/VersionPathStrategy.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/document/AbstractXlsxStreamingView.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/ResourceResolverChain.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/ViewControllerRegistration.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/script/ScriptTemplateConfig.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/AbstractTemplateView.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/DefaultServletHttpRequestHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/CallableMethodReturnValueHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/AbstractResourceResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/annotation/AnnotationMethodHandlerExceptionResolver.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/CachingResourceResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/script/ScriptTemplateViewResolver.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/jasperreports/JasperReportsMultiFormatView.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/AsyncTaskMethodReturnValueHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/mvc/method/annotation/StreamingResponseBody.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/ViewRendererServlet.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/document/AbstractExcelView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/ResourceResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/CorsBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/ViewNameMethodReturnValueHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/MvcNamespaceHandler.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/NoHandlerFoundException.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestBodyAdvice.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/i18n/LocaleChangeInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/annotation/ModelAndViewResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/ParamTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/SimpleUrlHandlerMapping.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/EncodedResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/FlashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/ResourceUrlProviderExposingInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/document/AbstractXlsxView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupConfig.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/support/AbstractDispatcherServletInitializer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/DefaultResourceTransformerChain.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/condition/PatternsRequestCondition.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/jasperreports/JasperReportsXlsxView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/support/RequestContextUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestBodyAdviceAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/annotation/DefaultAnnotationHandlerMapping.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/ServletForwardingController.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/VersionStrategy.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupViewResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/TransformedResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/TransformTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/HtmlEscapingAwareTag.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/JsonViewRequestBodyAdvice.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/multiaction/MultiActionController.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/script/ScriptTemplateConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/ArgumentTag.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/InterceptorsBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/HandlerAdapter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/i18n/AbstractLocaleContextResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/i18n/AbstractLocaleResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/AbstractHtmlInputElementTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/ThemeResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/document/AbstractJExcelView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/velocity/VelocityView.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/JstlUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/theme/ThemeChangeInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/AbstractFormTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/ThemeTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/HtmlEscapeTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/i18n/FixedLocaleResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/BindTag.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/theme/CookieThemeResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/theme/FixedThemeResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/BindErrorsTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/LocaleContextResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/theme/SessionThemeResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/AbstractCachingViewResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/HiddenInputTag.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/support/AbstractAnnotationConfigDispatcherServletInitializer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/velocity/VelocityToolboxView.java
*/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/handler/DispatcherServletWebRequest.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2011 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestDataBinderFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitterAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/RedirectView.java  
\*  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/AbstractController.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ServletCookieValueMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/EnableWebMvc.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/AbstractMediaTypeExpression.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/resource/DefaultResourceResolverChain.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurer.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestResponseBodyMethodProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/ModelAttributeMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/ResourceServlet.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/AsyncHandlerInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/SimpleServletPostProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/MatrixVariableMethodArgumentResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/annotation/ResourceChainRegistration.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/annotation/DelegatingWebMvcConfiguration.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/AbstractHandlerMethodExceptionResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/ListenableFutureReturnValueHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/DeferredResultAdapter.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/condition/AbstractRequestCondition.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurerAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/AbstractVersionStrategy.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/jasperreports/AbstractJasperReportsView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurerComposite.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/HandlerInterceptorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/condition/RequestMethodRequestCondition.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/condition/RequestCondition.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-



jar/org/springframework/web/servlet/LocaleResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/ServletWrappingController.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/RequestMatchResult.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/HandlerInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/CompletionStageReturnValueHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/CssLinkResourceTransformer.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/tiles3/TilesConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/annotation/ServletAnnotationMappingUtils.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/BeanNameUrlHandlerMapping.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/form/AbstractHtmlElementBodyTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/DefaultRequestToViewNameTranslator.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/VersionedResource.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/ResourceUrlEncodingFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/PathVariableMethodArgumentResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/JsonViewResponseBodyAdvice.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/ResourceTransformer.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/SessionAttributeMethodArgumentResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/handler/MatchableHandlerMapping.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/tiles3/SpringLocaleResolver.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

- \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
    - \* Unless required by applicable law or agreed to in writing, software
    - \* distributed under the License is distributed on an "AS IS" BASIS,
    - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
    - \* See the License for the specific language governing permissions and
    - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/json/AbstractJackson2View.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/HandlerMappingIntrospector.java
- \*
  - /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/AnnotationDrivenBeanDefinitionParser.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/MatrixVariableMapMethodArgumentResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/HandlerExceptionResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/BeanNameViewResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/UrlBasedViewResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/SelectTag.java
- \*
  - /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/ButtonTag.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/VersionResourceResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/ResourceBundleViewResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ExceptionHandlerExceptionResolver.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/ProducesRequestCondition.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/RequestMappingHandlerAdapter.java
- \*
  - /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/ResourcesBeanDefinitionParser.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitter.java
  - \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/FormTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/MvcUriComponentsBuilder.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/document/AbstractPdfView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/AbstractDataBoundFormElementTag.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/RequestMappingHandlerMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/TagWriter.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/ResourceHandlerRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/DefaultHandlerExceptionResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/ResourceHttpRequestHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/AbstractHtmlElementTag.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/AbstractHandlerMethodAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/CorsRegistration.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/UrlTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/WebContentGenerator.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/xml/MappingJackson2XmlView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/AbstractHandlerMapping.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/ConsumesRequestCondition.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/AbstractView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/LabelTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/AbstractJsonpResponseBodyAdvice.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/OptionTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/SimpleMappingExceptionResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/OptionsTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/annotation/ResponseStatusExceptionHandlerResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/RequestMappingInfoHandlerMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/AbstractHandlerExceptionHandlerResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/document/AbstractPdfStamperView.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/XmlViewResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/TilesConfigurerBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseEntityExceptionHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/GzipResourceResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/ServletUriComponentsBuilder.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/View.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/json/MappingJackson2JsonView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/CheckboxTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/TextareaTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/CheckboxesTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurationSupport.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/InterceptorRegistration.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/ScriptTemplateConfigurerBeanDefinitionParser.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/BindStatus.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/CompositeRequestCondition.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/i18n/AcceptHeaderLocaleResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/InputTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/FrameworkServlet.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/HttpEntityMethodProcessor.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/PathResourceResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/FreeMarkerConfigurerBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/MappedInterceptor.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/ControllerTypePredicate.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
/**
* XSLT-driven View that allows for response context to be rendered as the
```

\* result of an XSLT transformation.

\*

\* <p>The XSLT Source object is supplied as a parameter in the model and then

\* { @link #locateSource detected} during response rendering. Users can either specify

\* a specific entry in the

model via the { @link #setSourceKey sourceKey} property or

\* have Spring locate the Source object. This class also provides basic conversion

\* of objects into Source implementations. See { @link #getSourceTypes() here }

\* for more details.

\*

\* <p>All model parameters are passed to the XSLT Transformer as parameters.

\* In addition the user can configure { @link #setOutputProperties output properties }

\* to be passed to the Transformer.

\*

\* @author Rob Harrop

\* @author Juergen Hoeller

\* @since 2.0

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/xslt/XsltView.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2009 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerViewResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles2/SpringLocaleResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles2/SpringBeanPreparerFactory.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/UrlFilenameViewController.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/method/RequestMappingInfoHandlerMethodMappingNamingStrategy.jav
a
*
/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/support/AbstractControllerUrlHandlerMapping.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/tiles3/TilesViewResolver.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/method/annotation/RedirectAttributesMethodArgumentResolver.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/jasperreports/JasperReportsCsvView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/handler/UserRoleAuthorizationInterceptor.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/xslt/XsltViewResolver.java
*
/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/tags/EvalTag.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/InternalResourceView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/method/annotation/ModelAndViewResolverMethodReturnValueHandler.j
ava
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/jasperreports/JasperReportsPdfView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
```

```

jar/org/springframework/web/servlet/view/jasperreports/JasperReportsViewResolver.java
*
/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/multiaction/ParameterMethodNameResolver.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/handler/HandlerMethodMappingNamingStrategy.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/feed/AbstractAtomFeedView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/jasperreports/JasperReportsHtmlView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/tiles2/TilesView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/tiles3/SpringWildcardServletTilesApplicationContext.java
*
/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/jasperreports/ConfigurableJasperReportsView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/FlashMapManager.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/support/SessionFlashMapManager.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/ViewResolverComposite.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/condition/RequestConditionHolder.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/config/GroovyMarkupConfigurerBeanDefinitionParser.java
*
/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/jasperreports/AbstractJasperReportsSingleFormatView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/config/VelocityConfigurerBeanDefinitionParser.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/resource/CachingResourceTransformer.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/ParameterizableViewController.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/Controller.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/tiles2/TilesConfigurer.java
*
/opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/tiles3/TilesView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMappingJacksonResponseBodyAdvice.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-
jar/org/springframework/web/servlet/view/jasperreports/JasperReportsXlsView.java
* /opt/ws_local/PERMITS_SQL/1088475779_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

```



jar/org/springframework/web/servlet/config/annotation/UrlBasedViewResolverRegistration.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/form/PasswordInputTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/PathVariableMapMethodArgumentResolver.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/tiles2/TilesViewResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/xml/MarshallingView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/feed/AbstractFeedView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/ViewMethodReturnValueHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/tiles2/SpringWildcardServletTilesApplicationContext.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestMethodArgumentResolver.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/FixedVersionStrategy.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/resource/ContentVersionStrategy.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/ParamsRequestCondition.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/DispatcherServlet.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitterReturnValueHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/ContentNegotiationConfigurer.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/ViewControllerRegistry.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/ViewResolversBeanDefinitionParser.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/AppCacheManifestTransformer.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/ViewControllerBeanDefinitionParser.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/Param.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerConfig.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/NameValueExpression.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/WebContentInterceptor.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ModelAndViewMethodReturnValueHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ServletModelAttributeMethodProcessor.java
- \*
- /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/RequestMappingInfo.java
- \* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/RequestResponseBodyAdviceChain.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/i18n/SessionLocaleResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/HttpHeadersReturnValueHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/HeadersRequestCondition.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/RedirectViewControllerRegistration.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/RequestContext.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ServletInvocableHandlerMethod.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/PathMatchConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/HttpServletBean.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/script/ScriptTemplateView.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/groovy/GroovyMarkupConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/HandlerExceptionResolverComposite.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/SseEmitter.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/SelectedValueComparator.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/DefaultServletHandlerConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/i18n/CookieLocaleResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestMethodArgumentResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/StreamingResponseBodyReturnValueHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/MessageTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/CorsRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/ViewResolverRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/ResourceTransformerSupport.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/AbstractFlashMapManager.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/resource/WebJarsResourceResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/ResourceHandlerRegistration.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/AbstractHandlerMethodMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/ModelAndView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/document/AbstractXlsView.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/AsyncSupportConfigurer.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMessageConverterMethodArgumentResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/RequestPartMethodArgumentResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/JspAwareRequestContext.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerView.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/EscapeBodyTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/AbstractUrlHandlerMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/AbstractNameValueExpression.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/DeferredResultMethodReturnValueHandler.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/MvcNamespaceUtils.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/HandlerExecutionChain.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/ContentNegotiatingViewResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyAdvice.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/RedirectAttributesModelMap.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/UriComponentsBuilderMethodArgumentResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/config/annotation/InterceptorRegistry.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMessageConverterMethodProcessor.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/view/feed/AbstractRssFeedView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/resource/ResourceUrlProvider.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/view/AbstractUrlBasedView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/mvc/method/annotation/ExtendedServletRequestDataBinder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/view/AbstractTemplateViewResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/theme/AbstractThemeResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/ErrorsTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/velocity/VelocityConfigurer.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/JstlView.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/RequestToViewNameTranslator.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/RedirectAttributes.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/multiaction/PropertiesMethodNameResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/AbstractMultiCheckedElementTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/multiaction/InternalPathMethodNameResolver.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/velocity/VelocityViewResolver.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/AnnotationControllerTypePredicate.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles2/SimpleSpringPreparerFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/AbstractUrlViewController.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/AbstractDetectingUrlHandlerMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/LastModified.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/ControllerBeanNameHandlerMapping.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/OptionWriter.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/EditorAwareTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/SimpleServletHandlerAdapter.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/NestedPathTag.java

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/ConversionServiceExposingInterceptor.java

\*

/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/method/annotation/ServletWebArgumentResolverAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/condition/MediaTypeExpression.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/SmartView.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/TagIdGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/multiaction/AbstractUrlMethodNameResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles3/AbstractSpringPreparerFactory.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/RequestContextAwareTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/ViewResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/handler/WebRequestHandlerInterceptorAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/multiaction/NoSuchRequestHandlingMethodException.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/support/ControllerClassNameHandlerMapping.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/RadioButtonTag.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/AbstractSingleCheckedElementTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles3/SimpleSpringPreparerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles3/SpringBeanPreparerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/multiaction/MethodNameResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/velocity/VelocityLayoutViewResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/ParamAware.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/mvc/SimpleControllerHandlerAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerConfigurer.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/view/tiles2/AbstractSpringPreparerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/tags/form/RadioButtonsTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-

jar/org/springframework/web/servlet/config/DefaultServletHandlerBeanDefinitionParser.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/velocity/VelocityLayoutView.java  
\*  
/opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/view/velocity/VelocityConfig.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/form/AbstractCheckedElementTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/ModelAndViewDefiningException.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/mvc/HttpRequestHandlerAdapter.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/HandlerMapping.java  
\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-  
jar/org/springframework/web/servlet/tags/form/ValueFormatter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* A contract for inspecting and potentially modifying request data values such

\* as URL query parameters or form field values before they are rendered by a

\* view or before a redirect.

\*

\* <p>Implementations may use this contract for example as part of a solution

\* to provide data integrity, confidentiality,

protection against cross-site

\* request forgery (CSRF), and others or for other tasks such as automatically

\* adding a hidden field to all forms and URLs.

\*

\* <p>View technologies that support this contract can obtain an instance to

\* delegate to via { @link RequestContext#getRequestDataValueProcessor() }.

\*

\* @author Rossen Stoyanchev



\* @since 3.1

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088475779\_1599790082.98/0/spring-webmvc-4-3-20-release-sources-1-jar/org/springframework/web/servlet/support/RequestDataValueProcessor.java

# 1.406 lodash.isplainobject 4.0.6

## 1.406.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample

code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.407 lodash.get 4.4.2

### 1.407.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.408 netty 4.1.17.Final

### 1.408.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Example

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.example

Implementation-Version: 4.1.17.Final

Built-By: root

Bnd-LastModified: 1510181477202

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <http://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: com.barchart.udt;version="[2.3,3)",com.google.protobuf;version="[2.6,3)",io.netty.bootstrap;version="[4.1,5)",io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.channel.group;version="[4.1,5)",io.netty.channel.local;version="[4.1,5)",io.netty.channel.nio;version="[4.1,5)",io.netty.channel.oio;version="[4.1,5)",io.netty.channel.rxtx;version="[4.1,5)",io.netty.channel.sctp;version="[4.1,5)",io.netty.channel.sctp.nio;version="[4.1,5)",io.netty.channel.socket;version="[4.1,5)",io.netty.channel.socket.nio;version="[4.1,5)",io.netty.channel.udt;version="[4.1,5)",io.netty.channel.udt.nio;version="[4.1,5)",io.netty.handler.codec,io.netty.handler.codec.compression;version="[4.1,5)",io.netty.handler.codec.http;version

="[4.1,5)",io.netty.handler.codec.http.cookie;version="[4.1,5)",io.netty.handler.codec.http.cors;version="[4.1,5)",io.netty.handler.codec.http.multipart;version="[4.1,5)",io.netty.handler.codec.http.websocketx;version="[4.1,5)",io.netty.handler.codec.http.websocketx.extensions.compression;version="[4.1,5)",io.netty.handler.codec.http2;version="[4.1,5)",io.netty.handler.codec.memcache.binary;version="[4.1,5)",io.netty.handler.codec.protobuf;version="[4.1,5)",io.netty.handler.codec.redis;version="[4.1,5)",io.netty.handler.codec.serialization;version="[4.1,5)",io.netty.handler.codec.socksx;version="[4.1,5)",io.netty.handler.codec.socksx.v4;version="[4.1,5)",io.netty.handler.codec.socksx.v5;version="[4.1,5)",io.netty.handler.codec.spdy;version="[4.1,5)",io.netty.handler.codec.stomp;version="[4.1,5)",io.netty.handler.codec.string;version="[4.1,5)",io.netty.handler.logging;version="[4.1,5)",io.netty.handler.ssl;version="[4.1,5)",io.netty.handler.ssl.ocsp;version="[4.1,5)",io.netty.handler.ssl.util;version="[4.1,5)",io.netty.handler.stream;version="[4.1,5)",io.netty.handler.timeout;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",javax.activation,javax.net.ssl,javax.security.cert,org.bouncycastle.asn1;version="[1.54,2)",org.bouncycastle.asn1.ocsp;version="[1.54,2)",org.bouncycastle.asn1.oiw;version="[1.54,2)",org.bouncycastle.asn1.x509;version="[1.54,2)",org.bouncycastle.cert;version="[1.54,2)",org.bouncycastle.cert.jcajce;version="[1.54,2)",org.bouncycastle.cert.ocsp;version="[1.54,2)",org.bouncycastle.crypto;version="[1.54,2)",org.bouncycastle.crypto.digests;version="[1.54,2)",org.bouncycastle.crypto.io;version="[1.54,2)",org.bouncycastle.jce.provider;version="[1.54,2)",org.bouncycastle.openssl;version="[1.54,2)",org.bouncycastle.operator;version="[1.54,2)",org.bouncycastle.x509.extension;version="[1.54,2)",org.slf4j;version="[1.7,2)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter:=(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.example.discard;uses:="io.netty.channel";version="4.1.17",io.netty.example.echo;uses:="io.netty.channel";version="4.1.17",io.netty.example.factorial;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.codec,io.netty.handler.ssl";version="4.1.17",io.netty.example.file;uses:="io.netty.channel";version="4.1.17",io.netty.example.http.cors;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.file;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.helloworld;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.snoop;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.exempl

e.http.upload;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.websocketx.benchmarkserver;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.websocketx.client;uses:="io.netty.channel,io.netty.handler.codec.http.websocketx";version="4.1.17",io.netty.example.http.websocketx.server;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.codec.http.websocketx,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2;uses:="io.netty.buffer,io.netty.handler.codec.http";version="4.1.17",io.netty.example.http2.helloworld.client;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.codec.http2,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.helloworld.frame.server;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.helloworld.multiplex.server;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.helloworld.server;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.codec.http2,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.tiles;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.localecho;uses:="io.netty.channel";version="4.1.17",io.netty.example.memcache.binary;uses:="io.netty.channel";version="4.1.17",io.netty.example.objectecho;uses:="io.netty.channel";version="4.1.17",io.netty.example.ocsp;uses:="org.bouncycastle.asn1.x509,org.bouncycastle.cert.ocsp,org.bouncycastle.operator";version="4.1.17",io.netty.example.portunification;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.ssl";version="4.1.17",io.netty.example.proxy;uses:="io.netty.channel,io.netty.channel.socket";version="4.1.17",io.netty.example.qotm;uses:="io.netty.channel,io.netty.channel.socket";version="4.1.17",io.netty.example.redis;uses:="io.netty.channel";version="4.1.17",io.netty.example.rxtx;uses:="io.netty.channel";version="4.1.17",io.netty.example.sctp;uses:="io.netty.channel";version="4.1.17",io.netty.example.sctp.multipathing;version="4.1.17",io.netty.example.securechat;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.socksproxy;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.socksx,io.netty.util.concurrent";version="4.1.17",io.netty.example.spdy.client;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl,io.netty.util.internal.logging";version="4.1.17",io.netty.example.spdy.server;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.stomp;uses:="io.netty.channel,io.netty.handler.codec.stomp";version="4.1.17",io.netty.example.telnet;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.udt.echo.bytes;uses:="io.netty.buffer,io.netty.channel";version="4.1.17",io.netty.example.udt.echo.message;uses:="io.netty.channel,io.netty.

channel.udt";version="4.1.17",io.netty.example.udt.echo.rendezvous;uses:="io.netty.channel,io.netty.channel.udt";version="4.1.17",io.netty.example.udt.echo.rendezvousBytes;uses:="io.netty.buffer,io.netty.channel";version="4.1.17",io.netty.example.uptime;uses:="io.netty.channel";version="4.1.17",io.netty.example.worldclock;uses:="com.google.protobuf,io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17"

Bundle-Name: Netty/Example

Bundle-Version: 4.1.17.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_151

Implementation-URL: <http://netty.io/netty-example/>

Found in path(s):

\* /opt/cola/permits/1093595572\_1611511795.16/0/netty-example-4-1-17-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1093595572\_1611511795.16/0/netty-example-4-1-17-final-jar/META-INF/maven/io.netty/netty-example/pom.xml

## 1.409 messageformat 0.1.2

### 1.409.1 Available under license :

Found license 'Eclipse Public License 1.0' in '<name>Eclipse Public License</name>'

Found license 'Eclipse Public License 1.0' in ':license { :name "Eclipse Public License"'

Found license 'Eclipse Public License 1.0' in 'Distributed under the Eclipse Public License either version 1.0 or (at your option) any later version.'

# 1.410 babel-plugin-transform-remove-strict-mode 0.0.2

## 1.410.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 genify

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.411 redux-mock-store 1.5.4

## 1.411.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Arnaud Benard

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.412 react-is 16.13.1

### 1.412.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.413 redux-logger 4.0.0

### 1.413.1 Available under license :

Copyright (c) 2016 Eugene Rodionov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.414 babel-eslint 10.1.0

### 1.414.1 Available under license :

Copyright (c) 2014-2016 Sebastian McKenzie <sebmck@gmail.com>

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.415 hoist-non-react-statics 3.3.2

### 1.415.1 Available under license :

Software License Agreement (BSD License)

=====

Copyright (c) 2015, Yahoo! Inc. All rights reserved.

-----

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Yahoo! Inc. nor the names of YUI's contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.416 change-emitter 0.1.6

### 1.416.1 Available under license :

MIT license

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE

# 1.417 camel-core 2.15.2

## 1.417.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Camel :: Core  
Copyright 2007-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.418 commons-dbcp 1.4

## 1.418.1 Available under license :

Apache Commons DBCP  
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object



form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.419 shiro-crypto-cipher 1.6.0

### 1.419.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



Apache Shiro  
Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based  
on initial ideas from Dr. Heinz Kabutz's publicly posted version  
available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source  
code for this product was copied for simplicity and to reduce  
dependencies from the source code developed by the Spring Framework  
Project (<http://www.springframework.org>).

# 1.420 shiro-crypto-hash 1.6.0

## 1.420.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.421 shiro-cache 1.6.0

## 1.421.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with



the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.422 shiro-crypto-core 1.6.0

## 1.422.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org/>).

## 1.423 shiro-config-core 1.6.0

### 1.423.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner



or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based  
on initial ideas from Dr. Heinz Kabutz's publicly posted version  
available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source  
code for this product was copied for simplicity and to reduce  
dependencies from the source code developed by the Spring Framework  
Project (<http://www.springframework.org>).

# 1.424 shiro-event 1.6.0

## 1.424.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.



See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.425 shiro-lang 1.6.0

## 1.425.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for org.apache.shiro.util.SoftHashMap is based on initial ideas from Dr. Heinz Kabutz's publicly posted version

available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.426 shiro-config-ogdl 1.6.0

## 1.426.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions



for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.427 colors.js 1.4.0

## 1.427.1 Available under license :

MIT License

Original Library

- Copyright (c) Marak Squires

Additional Functionality

- Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.428 opentest4j 1.0.0

## 1.428.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1110636580\_1606842477.0/0/opentest4j-1-0-0-sources-1-jar/org/opentest4j/TestSkippedException.java
- \* /opt/cola/permits/1110636580\_1606842477.0/0/opentest4j-1-0-0-sources-1-jar/org/opentest4j/ValueWrapper.java
- \* /opt/cola/permits/1110636580\_1606842477.0/0/opentest4j-1-0-0-sources-1-jar/org/opentest4j/MultipleFailuresError.java
- \*
- /opt/cola/permits/1110636580\_1606842477.0/0/opentest4j-1-0-0-sources-1-jar/org/opentest4j/AssertionFailedError.java
- \* /opt/cola/permits/1110636580\_1606842477.0/0/opentest4j-1-0-0-sources-1-jar/org/opentest4j/TestAbortedException.java
- \* /opt/cola/permits/1110636580\_1606842477.0/0/opentest4j-1-0-0-sources-1-jar/org/opentest4j/IncompleteExecutionException.java

## 1.429 scss-tokenizer 0.2.3

### 1.429.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 sasstools

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.430 tiny-warning 1.0.3

## 1.430.1 Available under license :

MIT License

Copyright (c) 2019 Alexander Reardon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.431 fresh 0.5.2

## 1.431.1 Available under license :

(The MIT License)

Copyright (c) 2012 TJ Holwaychuk <tj@vision-media.ca>

Copyright (c) 2016-2017 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.432 fstream 1.0.12

### 1.432.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.433 asn1.js 4.10.1

### 1.433.1 Available under license :

No license file was found, but licenses were detected in source scan.

This software is licensed under the MIT License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1110636163\_1607050752.7/0/asn1-js-4-10-1-4-tgz/package/README.md

# 1.434 cookie-signature 1.0.6

## 1.434.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
cookie-signature
```

Sign and unsign cookies.

```
Example
```

```
```js
```

```
var cookie = require('cookie-signature');
```

```
var val = cookie.sign('hello', 'tobiiscool');
```

```
val.should.equal('hello.DGDUkGIikCzPz+C0B064FNgHdEjox7ch8tOBGslZ5QI');
```

```
var val = cookie.sign('hello', 'tobiiscool');
```

```
cookie.unsign(val, 'tobiiscool').should.equal('hello');
```

```
cookie.unsign(val, 'luna').should.be.false;
```

```
```
```

```
License
```

(The MIT License)

Copyright (c) 2012 LearnBoost <tj@learnboost.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1110631391\_1606919057.82/0/cookie-signature-1-0-6-5-tgz/package/Readme.md

## 1.435 css-what 2.1.3

### 1.435.1 Available under license :

Copyright (c) Felix Bhm

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;

OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.436 decamelize 1.2.0

### 1.436.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in



all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.437 ms 2.1.2

### 1.437.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.438 trim-newlines 1.0.0

### 1.438.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.439 Iru-cache 5.1.1

### 1.439.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.440 cache-base 1.0.1

### 1.440.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.441 tweetnacl 0.14.5

### 1.441.1 Available under license :

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org>>

# 1.442 through 2.3.8

## 1.442.1 Available under license :

The MIT License

Copyright (c) 2011 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License, Version 2.0

Copyright (c) 2011 Dominic Tarr

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.443 extend 3.0.2

## 1.443.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Stefan Thomas

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.444 netty 3.10.5.Final

## 1.444.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too,

but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot

effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run

that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC  
LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately



publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this

License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must

be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined

library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed

under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying

or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices.

Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General

Public License from time to time.

Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free

programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright"

line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, 5th Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You

should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

The Netty Project

=====

Please visit the Netty web site for more information:

\* <http://netty.io/>

Copyright 2011 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

- \* LICENSE:
  - \* license/LICENSE.jsr166y.txt (Public Domain)
- \* HOMEPAGE:
  - \* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>
  - \* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.base64.txt (Public Domain)
- \* HOMEPAGE:
  - \* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified version of 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jzlib.txt (BSD Style License)
- \* HOMEPAGE:
  - \* <http://www.jcraft.com/jzlib/>

This product contains a modified version of 'Webbit', a Java event based WebSocket and HTTP server:

- \* LICENSE:
  - \* license/LICENSE.webbit.txt (BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/joewalnes/webbit>

This product optionally depends on 'Protocol Buffers', Google's data

interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)
- \* HOMEPAGE:
  - \* <http://code.google.com/p/protobuf/>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.bouncycastle.txt (MIT License)
- \* HOMEPAGE:
  - \* <http://www.bouncycastle.org/>

This product optionally depends on 'SLF4J', a simple logging facade for Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.slf4j.txt (MIT License)
- \* HOMEPAGE:
  - \* <http://www.slf4j.org/>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-logging.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <http://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <http://logging.apache.org/log4j/>

This product optionally depends on 'JBoss Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jboss-logging.txt (GNU LGPL 2.1)
- \* HOMEPAGE:
  - \* <http://anonsvn.jboss.org/repos/common/common-logging-spi/>

This product optionally depends on 'Apache Felix', an open source OSGi framework implementation, which can be obtained at:

\* LICENSE:

\* license/LICENSE.felix.txt (Apache License 2.0)

\* HOMEPAGE:

\* <http://felix.apache.org/>

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.  
(<http://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT



OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

(BSD License: <http://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesøy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,  
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE  
BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,  
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.445 javax-servlet-api 3.1.0

### 1.445.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. **Contributor.** means each individual or entity that creates or contributes to the creation of Modifications.

1.2. **Contributor Version.** means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. **Covered Software.** means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. **Executable.** means the Covered Software in any form other than Source Code.

1.5. **Initial Developer.** means the individual or entity that first makes Original Software available under this License.

1.6. **Larger Work.** means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or



otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR

MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives

a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY



11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and
you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that
accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.446 hibernate-commons-annotations

## 3.2.0.Final

### 1.446.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Hibernate, Relational Persistence for Idiomatic Java
 *
 * Copyright (c) 2008, Red Hat Middleware LLC or third-party contributors as
 * indicated by the @author tags or express copyright attribution
 * statements applied by the authors. All third-party contributions are
 * distributed under license by Red Hat Middleware LLC.
 *
 * This copyrighted material is made available to anyone wishing to use, modify,
 * copy, or redistribute it subject to the terms and conditions of the GNU
 * Lesser General Public License, as published by the Free Software Foundation.
 *
 * This program is distributed in the hope that it will be useful,
 * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
 * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License
 * for more details.
 *
 * You should have received a copy of the GNU Lesser General Public License
 * along with this distribution;
 * if not, write to:
 * Free Software Foundation, Inc.
 * 51 Franklin Street, Fifth Floor
 * Boston, MA 02110-1301 USA
 */
```

Found in path(s):

```
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/XMember.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/SimpleTypeEnvironment.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/annotationfactory/AnnotationProxy.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/CompoundTypeEnvironment.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/XClass.java
*
/opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXProperty.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
```

```

jar/org/hibernate/annotations/common/reflection/java/generics/TypeFactory.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/AnnotationReader.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXAnnotatedElement.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/XProperty.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/XMethod.java
*
/opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXArrayType.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXSimpleType.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXPackage.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXMethod.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/TypeEnvironment.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/annotationfactory/AnnotationDescriptor.java
*
/opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/XPackage.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/Pair.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/IdentityTypeEnvironment.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXCollectionType.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/TypeSwitch.java
*
/opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/ReflectionUtil.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/ApproximatingTypeEnvironment.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/annotationfactory/AnnotationFactory.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/ReflectionManager.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXClass.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/TypeUtils.java
*

```

```

/opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/generics/TypeEnvironmentFactory.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXMember.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaReflectionManager.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaAnnotationReader.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/AssertionFailure.java
*
/opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/java/JavaXType.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/Filter.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/util/StringHelper.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/Version.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/util/ReflectHelper.java
* /opt/cola/permits/1110676380_1654022832.3629677/0/hibernate-commons-annotations-3-2-0-final-sources-2-
jar/org/hibernate/annotations/common/reflection/XAnnotatedElement.java

```

## 1.447 guava 25.0-jre

### 1.447.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-

```

jar/com/google/common/collect/ImmutableTable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/SingletonImmutableList.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ArrayTable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/AbstractIndexedListIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ComparisonChain.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableSetMultimap.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableEnumSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/EmptyImmutableSetMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RegularImmutableSortedSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableClassToInstanceMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/DiscreteDomain.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableSortedMap.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
 * key. Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated Pass a key of type {@code Comparable}
 to use {@link
 * ImmutableSortedMap#of(Comparable, Object)}.
 */

```

Found in path(s):

```

* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ComparatorOrdering.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/AbstractMultiset.java

```

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingSortedMap.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/UsingToStringOrdering.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingConcurrentMap.java



\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/EnumHashBiMap.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableList.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-

```
jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingQueue.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Sets.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Lists.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/EnumBiMap.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ReverseOrdering.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims
copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/base/SmallCharMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/AtomicLongMap.java
```

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/WellBehavedMap.java
```

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/GwtTransient.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/io/MoreFiles.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ImmutableMapEntry.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/MultimapBuilder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
```

jar/com/google/common/hash/LittleEndianByteArray.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/CombinedFuture.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/AggregateFutureState.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/Platform.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/JdkBackedImmutableMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/JdkBackedImmutableBiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/IndexedImmutableSet.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/EmptyContiguousSet.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-

jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/RemovalCause.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/BoundType.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/AsyncFunction.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/cache/LoadingCache.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/PrimitiveSink.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/Uninterruptibles.java  
 \*  
 /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/cache/CacheStats.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/math/package-info.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/Funnel.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/cache/ForwardingCache.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/cache/package-info.java  
 \*  
 /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/math/DoubleUtils.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/Funnels.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/Crc32cHashFunction.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/AbstractStreamingHasher.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/UnsignedInts.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/math/IntMath.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/reflect/TypeParameter.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/FutureCallback.java  
 \*  
 /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/AbstractHasher.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/cache/RemovalListeners.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/Hasher.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-



jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/CacheBuilderSpec.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/ForwardingCheckedFuture.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RegularContiguousSet.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/MessageDigestHashFunction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/AtomicDoubleArray.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/LongAdder.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/LongAdder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/math/Quantiles.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/SubscriberRegistry.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/Subscriber.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/Dispatcher.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ListenerCallQueue.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/MoreObjects.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/Count.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingSortedMultiset.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableSortedMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain  
\* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available  
\* under GWT but with a slightly different signature.

\*  
\* <p>We can't use { @code PartiallyGwtIncompatible } because then the GWT compiler  
wouldn't recognize  
\* it as a { @code GwtIncompatible } annotation. And for { @code Futures.catching }, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/ImmediateFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/escape/CharEscaperBuilder.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/AggregateFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/annotations/VisibleForTesting.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/PatternFilenameFilter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/FakeTimeLimiter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/FluentFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/escape/CharEscaper.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/CaseFormat.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/CollectionFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/TimeLimiter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/reflect/TypeToken.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/AbstractTransformFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/TimeoutFuture.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/AppendableWriter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/Futures.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for extra methods of {`@code Objects`} only in web. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/UnmodifiableListIterator.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RowSortedTable.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-

```
jar/com/google/common/collect/AbstractSequentialIterator.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/SortedMapDifference.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingListMultimap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned
array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ObjectArrays.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/primitives/package-info.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/base/Equivalence.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/base/Strings.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/net/package-
info.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/Atomics.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/annotations/Beta.java
```



\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Ascii.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/ImmutableLongArray.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/ImmutableDoubleArray.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/AbstractHashFunction.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ForwardingLock.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ForwardingCondition.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/ImmutableIntArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/PatternCompiler.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/CommonPattern.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/CommonMatcher.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/CharSequenceReader.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Utf8.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/SubscriberExceptionContext.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Verify.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/SubscriberExceptionHandler.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractTable.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-

jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/VerifyException.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/TypeVisitor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableSortedAsList.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Primitives.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/LineReader.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Predicates.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Objects.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Function.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Defaults.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/package-info.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/AsyncEventBus.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/Subscribe.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/ByteStreams.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/EnumMultiset.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/LittleEndianDataInputStream.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Predicate.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/package-info.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/CountingOutputStream.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/MultiInputStream.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/FinalizableReference.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/FinalizableReferenceQueue.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/Resources.java  
 \*  
 /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ListenableFuture.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Interners.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Supplier.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/LineBuffer.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/FinalizableSoftReference.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/Closeables.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/AbstractFuture.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/Flushables.java  
 \*  
 /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/CharStreams.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Suppliers.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/LittleEndianDataOutputStream.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/AbstractIterator.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Functions.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Throwables.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/package-info.java  
 \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/DeadEvent.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ExecutionList.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/CountingInputStream.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/FinalizableWeakReference.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/RecursiveDeleteOption.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/PredecessorsFunction.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/InsecureRecursiveDeleteException.java

\*

```
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/Network.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/Graph.java
*
```

```
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/graph/Graphs.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/*
```

```
* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
```

```
* and released to the public domain, as explained at
```

```
* http://creativecommons.org/licenses/publicdomain
```

```
*
```

```
* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
```

```
* java.util.HashMap
```

```
class.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/Striped.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/JdkBackedImmutableMultiset.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/ImmutableSupplier.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/JdkBackedImmutableSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/graph/BaseGraph.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/graph/AbstractBaseGraph.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-



jar/com/google/common/graph/Traverser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/CollectSpliterators.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/package-info.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby  
disclaims copyright to this source code.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/PairedStats.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/RateLimiter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableRangeMap.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/TypeToInstanceMap.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/PairedStatsAccumulator.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/StatsAccumulator.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/Parameter.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/SipHashFunction.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/AbstractInvocationHandler.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/ByteSource.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-

jar/com/google/common/reflect/ClassPath.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/Element.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/package-info.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/escape/package-info.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/xml/package-  
info.java

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/Closer.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/hash/LongAddables.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/SortedMultiset.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*  
\* This following method is a modified version of one found in  
\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>  
\* which contained the following notice:  
\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\*  
the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/MoreExecutors.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/annotations/GwtCompatible.java  
\*

```

/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/net/HostSpecifier.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/primitives/UnsignedBytes.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/html/HtmlEscapers.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/JdkFutureAdapters.java

```

```

* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/AbstractService.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/base/Platform.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/cache/ReferenceEntry.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/xml/XmlEscapers.java
*
/opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/escape/Platform.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMapKeySet.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Tables.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/RegularImmutableMap.java
- \*
- /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/EmptyImmutableListMultimap.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMapEntrySet.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMultiset.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableEntry.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/CollectPreconditions.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/StandardTable.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/HashBasedTable.java
- \*
- /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableCollection.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/UnmodifiableIterator.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMultimap.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/PeekingIterator.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Range.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/TreeBasedTable.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Serialization.java
- \*
- /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMapValues.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableSortedSet.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMap.java



\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/StandardRowSortedTable.java

\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Table.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Shorts.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/escape/UnicodeEscaper.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/AbstractCheckedFuture.java  
\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/CheckedFuture.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/net/PercentEscaper.java  
\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/primitives/Floats.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/NetworkBuilder.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/MoreCollectors.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/AbstractValueGraph.java
- \*
- /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ConfigurableMutableNetwork.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ElementOrder.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ValueGraph.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/GraphConnections.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ConfigurableMutableValueGraph.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/MutableValueGraph.java
- \*
- /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/MapRetrievalCache.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ConfigurableNetwork.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ImmutableValueGraph.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/DirectedGraphConnections.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
- \* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
- \*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ConfigurableValueGraph.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/ConfigurableMutableGraph.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/UndirectedNetworkConnections.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/Comparators.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/UndirectedGraphConnections.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/graph/DirectedMultiNetworkConnections.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractNavigableMap.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/EvictingQueue.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/FilteredEntryMultimap.java

\*

/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/UnmodifiableSortedMultiset.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/FilteredMultimap.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/CompactHashSet.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/TreeRangeMap.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/ForwardingDeque.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-jar/com/google/common/collect/TransformedIterator.java

\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-

jar/com/google/common/collect/CompactLinkedHashMap.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RangeMap.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/FilteredKeyListMultimap.java  
\*  
/opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1110675684\_1606843710.64/0/guava-25-0-jre-sources-4-  
jar/com/google/common/collect/FilteredKeySetMultimap.java

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/ForwardingNavigableMap.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2015 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you
```

```
* may not use this file except in compliance with the License. You may
```

```
* obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
```

```
* implied. See the License for the specific language governing
```

```
* permissions and limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1110675684_1606843710.64/0/guava-25-0-jre-sources-4-
jar/com/google/common/collect/Streams.java
```

## 1.448 resolve-pathname 3.0.0

### 1.448.1 Available under license :

MIT License

Copyright (c) Michael Jackson 2016-2018

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.449 value-equal 1.0.1

### 1.449.1 Available under license :

MIT License

Copyright (c) Michael Jackson 2016-2018

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.450 netty 4.1.17.Final

### 1.450.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Example

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.example

Implementation-Version: 4.1.17.Final

Built-By: root

Bnd-LastModified: 1510181477202

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty



Bundle-DocURL: <http://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: com.barchart.udt;version="[2.3,3)",com.google.protobuf;version="[2.6,3)",io.netty.bootstrap;version="[4.1,5)",io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.channel.group;version="[4.1,5)",io.netty.channel.local;version="[4.1,5)",io.netty.channel.nio;version="[4.1,5)",io.netty.channel.oio;version="[4.1,5)",io.netty.channel.rxtx;version="[4.1,5)",io.netty.channel.sctp;version="[4.1,5)",io.netty.channel.sctp.nio;version="[4.1,5)",io.netty.channel.socket;version="[4.1,5)",io.netty.channel.socket.nio;version="[4.1,5)",io.netty.channel.udt;version="[4.1,5)",io.netty.channel.udt.nio;version="[4.1,5)",io.netty.handler.codec,io.netty.handler.codec.compression;version="[4.1,5)",io.netty.handler.codec.http;version="[4.1,5)",io.netty.handler.codec.http.cookie;version="[4.1,5)",io.netty.handler.codec.http.cors;version="[4.1,5)",io.netty.handler.codec.http.multipart;version="[4.1,5)",io.netty.handler.codec.http.websocketx;version="[4.1,5)",io.netty.handler.codec.http.websocketx.extensions.compression;version="[4.1,5)",io.netty.handler.codec.http2;version="[4.1,5)",io.netty.handler.codec.memcache.binary;version="[4.1,5)",io.netty.handler.codec.protobuf;version="[4.1,5)",io.netty.handler.codec.redis;version="[4.1,5)",io.netty.handler.codec.serialization;version="[4.1,5)",io.netty.handler.codec.socksx;version="[4.1,5)",io.netty.handler.codec.socksx.v4;version="[4.1,5)",io.netty.handler.codec.socksx.v5;version="[4.1,5)",io.netty.handler.codec.spdy;version="[4.1,5)",io.netty.handler.codec.stomp;version="[4.1,5)",io.netty.handler.codec.string;version="[4.1,5)",io.netty.handler.logging;version="[4.1,5)",io.netty.handler.ssl;version="[4.1,5)",io.netty.handler.ssl.ocsp;version="[4.1,5)",io.netty.handler.ssl.util;version="[4.1,5)",io.netty.handler.stream;version="[4.1,5)",io.netty.handler.timeout;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",javax.activation,javax.net.ssl,javax.security.cert,org.bouncycastle.asn1;version="[1.54,2)",org.bouncycastle.asn1.ocsp;version="[1.54,2)",org.bouncycastle.asn1.oiw;version="[1.54,2)",org.bouncycastle.asn1.x509;version="[1.54,2)",org.bouncycastle.cert;version="[1.54,2)",org.bouncycastle.cert.jcajce;version="[1.54,2)",org.bouncycastle.cert.ocsp;version="[1.54,2)",org.bouncycastle.crypto;version="[1.54,2)",org.bouncycastle.crypto.digests;version="[1.54,2)",org.bouncycastle.crypto.io;version="[1.54,2)",org.bouncycastle.jce.provider;version="[1.54,2)",org.bouncycastle.openssl;version="[1.54,2)",org.bouncycastle.operator;version="[1.54,2)",org.bouncycastle.x509.extension;version="[1.54,2)",org.slf4j;version="[1.7,2)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project

Export-Package: io.netty.example.discard;uses:="io.netty.channel";version="4.1.17",io.netty.example.echo;uses:="io.netty.channel";version="4.1.17",io.netty.example.factorial;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.codec,io.netty.handler.ssl";version="4.1.17",io.netty.example.file;uses:="io.netty.channel";version="4.1.17",io.netty.example.http.cors;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.file;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.helloworld;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.snoop;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.upload;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.websocketx.benchmarkserver;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http.websocketx.client;uses:="io.netty.channel,io.netty.handler.codec.http.websocketx";version="4.1.17",io.netty.example.http.websocketx.server;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.codec.http.websocketx,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2;uses:="io.netty.buffer,io.netty.handler.codec.http";version="4.1.17",io.netty.example.http2.helloworld.client;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.codec.http2,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.helloworld.frame.server;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.helloworld.multiplex.server;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.helloworld.server;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.codec.http2,io.netty.handler.ssl";version="4.1.17",io.netty.example.http2.tiles;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec.http,io.netty.handler.ssl";version="4.1.17",io.netty.example.localecho;uses:="io.netty.channel";version="4.1.17",io.netty.example.memcache.binary;uses:="io.netty.channel";version="4.1.17",io.netty.example.objectecho;uses:="io.netty.channel";version="4.1.17",io.netty.example.ocsp;uses:="org.bouncycastle.asn1.x509,org.bouncycastle.cert.ocsp,org.bouncycastle.operator";version="4.1.17",io.netty.example.portunification;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.ssl";version="4.1.17",io.netty.example.proxy;uses:="io.netty.channel,io.netty.channel.socket";version="4.1.17",io.netty.example.qotm;uses:="io.netty.channel,io.netty.channel.socket";version="4.1.17",io.netty.example.redis;uses:="io.netty.channel";version="4.1.17",io.netty.example.rxtx;uses:="io.netty.channel";version="4.1.17",io.netty.example.sctp;uses:="io.netty.channel";version="4.1.17",io.netty.example.sctp.multihoming;version="4.1.17",io.netty.example.sec

urechat;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.socksproxy;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.socksx,io.netty.util.concurrent";version="4.1.17",io.netty.example.spdy.client;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.codec.http,io.netty.handler.ssl,io.netty.util.internal.logging";version="4.1.17",io.netty.example.spdy.server;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.stomp;uses:="io.netty.channel,io.netty.handler.codec.stomp";version="4.1.17",io.netty.example.telnet;uses:="io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17",io.netty.example.udt.echo.bytes;uses:="io.netty.buffer,io.netty.channel";version="4.1.17",io.netty.example.udt.echo.message;uses:="io.netty.channel,io.netty.channel.udt";version="4.1.17",io.netty.example.udt.echo.rendezvous;uses:="io.netty.channel,io.netty.channel.udt";version="4.1.17",io.netty.example.udt.echo.rendezvousBytes;uses:="io.netty.buffer,io.netty.channel";version="4.1.17",io.netty.example.uptime;uses:="io.netty.channel";version="4.1.17",io.netty.example.worldclock;uses:="com.google.protobuf,io.netty.channel,io.netty.channel.socket,io.netty.handler.ssl";version="4.1.17"

Bundle-Name: Netty/Example

Bundle-Version: 4.1.17.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_151

Implementation-URL: <http://netty.io/netty-example/>

Found in path(s):

\* /opt/cola/permits/1110827297\_1609785714.1/0/netty-example-4-1-17-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1110827297\_1609785714.1/0/netty-example-4-1-17-final-jar/META-INF/maven/io.netty/netty-example/pom.xml

# 1.451 netty-codec-http 4.1.17.Final

## 1.451.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/ClientCookieEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpHeaderValues.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
```

```

* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpMessageUtil.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.j
ava
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.
java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpHeaderNames.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpStatusClass.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-

```

jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java  
\*  
/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpChunkedInput.java  
\*  
/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/ServerCookieEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/CookieUtil.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/CookieUtil.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpUtil.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpScheme.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/EmptyHttpHeaders.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/Cookie.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/CookieDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
```

```
jar/io/netty/handler/codec/http/cookie/CookieEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/CombinedHttpHeaders.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspDecoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: http://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
```



jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java  
No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <http://www.apache.org/licenses/LICENSE>

2.0

~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java

\*  
/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*  
\* Adaptation of <http://bjoern.hoehrmann.de/utf-8/decoder/dfa/>  
\*  
\* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to deal  
\* in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute,  
\* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or  
\* substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING  
\* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
\* PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE  
\* FOR ANY CLAIM,  
\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
\* ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/cors/CorsConfig.java

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/cors/CorsHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyVersion.java

```

*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java

```

```

* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaders.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/FullHttpMessage.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/CookieDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpContentDecompressor.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/QueryStringDecoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpContentDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
```

```

jar/io/netty/handler/codec/http/HttpRequest.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpObject.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpConstants.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/Cookie.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpMessage.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpResponseEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpObjectDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspHeaders.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java

```

```

*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpRequestEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpData.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/Attribute.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspMethods.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpMessage.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java

```



```

* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HTTPHeaderDateFormat.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpContentEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpObjectEncoder.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpClientCodec.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpRequest.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultCookie.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/HttpVersion.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
*
/opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-
jar/io/netty/handler/codec/http/multipart/package-info.java
* /opt/cola/permits/1110856971_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-

```

jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java  
\*  
/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/multipart/InternalAttribute.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpResponseStatus.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java  
\*  
/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpMethod.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpHeaders.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpServerCodec.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdySession.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/LastHttpContent.java  
\*  
/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpResponseDecoder.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/multipart/MixedAttribute.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpContent.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpResponse.java  
\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-  
jar/io/netty/handler/codec/http/HttpContentCompressor.java

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/HttpObjectAggregator.java

\*

/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/HttpRequestDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java

\*

/opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110856971\_1606860291.0/0/netty-codec-http-4-1-17-final-sources-1-jar/io/netty/handler/codecs/http/cors/CorsConfigBuilder.java

## 1.452 metrics-core 3.1.0

### 1.452.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* [http://gee.cs.oswego.edu/cgi-](http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup)

[bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup](http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup)

\*/

Found in path(s):

\* /opt/cola/permits/1110910156\_1607377654.02/0/metrics-core-3-1-0-sources-jar/com/codahale/metrics/ThreadLocalRandom.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.8&view=markup>

\*/

Found in path(s):

\* /opt/cola/permits/1110910156\_1607377654.02/0/metrics-core-3-1-0-sources-jar/com/codahale/metrics/Striped64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/LongAdder.java?revision=1.14&view=markup>

\*/

Found in path(s):

\* /opt/cola/permits/1110910156\_1607377654.02/0/metrics-core-3-1-0-sources-jar/com/codahale/metrics/LongAdder.java

## 1.453 jackson-core-asl 1.9.13

### 1.453.1 Available under license :

This product currently only contains code developed by authors of specific components, as identified by the source code files; if such notes are missing files have been created by Tatu Saloranta.

For additional credits (generally to people who reported problems) see CREDITS file.

This copy of Jackson JSON processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"

## 1.454 javassist 3.12.0.GA

### 1.454.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2007 Shigeru Chiba. All Rights Reserved. \* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later. \* Software distributed under the License is distributed on an "AS IS" basis, + " All Rights Reserved.");'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 2004 Bill Burke. All Rights Reserved. \* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later. \* Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2009 Shigeru Chiba. All Rights Reserved. \* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later. \* Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2010 Shigeru Chiba. All Rights Reserved. \* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later. \* Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2007 Shigeru Chiba, and others. All Rights Reserved. \* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later. \* Software distributed under the License is distributed on an "AS IS" basis,'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2007 Shigeru Chiba. All Rights Reserved. \* The contents of this file are subject to the Mozilla Public License Version \* 1.1 (the "License"); you may not use this file except in compliance with \* the License. Alternatively, the contents of this file may be used under \* the terms of the GNU Lesser General Public License Version 2.1 or later. \* Software distributed under the License is distributed on an "AS IS" basis,'

## 1.455 bean-validation-api 1.0.0.GA

### 1.455.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* JBoss, Home of Professional Open Source  
\* Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors  
\* by the @authors tag. See the copyright.txt in the distribution for a  
\* full listing of individual contributors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/GroupSequence.java

No license file was found, but licenses were detected in source scan.

/\*

\* JBoss, Home of Professional Open Source  
\* Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors  
\* by the @authors tag. See the copyright.txt in the distribution for a

- \* full listing of individual contributors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/constraints/Size.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/constraints/AssertFalse.java
- \*
- /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/ConstraintValidatorContext.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/Constraint.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/metadata/BeanDescriptor.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/UnexpectedTypeException.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/ConstraintValidatorFactory.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/ConstraintDeclarationException.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/constraints/AssertTrue.java
- \*
- /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/Configuration.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/ConstraintValidator.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/constraints/Digits.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/Path.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/GroupDefinitionException.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/groups/package-info.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/Payload.java
- \* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-

jar/javax/validation/TraversableResolver.java  
\*  
/opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/NotNull.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ValidationException.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ReportAsSingleViolation.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/Max.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/Past.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/MessageInterpolator.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/Pattern.java  
\*  
/opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/Null.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/Validation.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/groups/Default.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/metadata/ElementDescriptor.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/metadata/Scope.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/spi/BootstrapState.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ValidatorFactory.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/spi/ConfigurationState.java  
\*  
/opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-jar/javax/validation/Valid.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/DecimalMax.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/OverridesAttribute.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/DecimalMin.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/Min.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ConstraintViolationException.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-



jar/javax/validation/metadata/PropertyDescriptor.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ValidatorContext.java  
\*  
/opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ConstraintDefinitionException.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/spi/ValidationProvider.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ConstraintViolation.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/Validator.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/bootstrap/GenericBootstrap.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/ValidationProviderResolver.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/constraints/Future.java  
\* /opt/cola/permits/1110910680\_1606872045.75/0/validation-api-1-0-0-ga-sources-1-  
jar/javax/validation/metadata/ConstraintDescriptor.java

## 1.456 xml-commons 1.3.4

### 1.456.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source"

form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and  
You must cause any modified files to carry prominent notices stating that You changed the files; and  
You must retain, in the Source form of any Derivative Works that You distribute,  
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and  
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend,

and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless  
required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.457 springsourceapachexmlresolver 1.2.0

## 1.457.1 Available under license :

Apache XML Commons Resolver  
Copyright 2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the  
public domain by Arbortext on 10 Apr 2000. See:  
[http://www.arbortext.com/customer\\_support/updates\\_and\\_technical\\_notes/catalogs/docs/README.htm](http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm)

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]



Licensed  
under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.458 springsource-org-apache-xerces 2.9.1

## 1.458.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/DayDV.java
```

```
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
```

jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/TimeDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/DurationDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/YearDV.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/DateDV.java  
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xs/datatypes/package.html

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
/**
 * Checks if this content model has had its min/maxOccurs values reduced for
 * purposes of speeding up UPA. If
so, this content model should not be used
 * for any purpose other than checking unique particle attribution
 *
 * @return a boolean that says whether this content has been compacted for UPA
 */
```

Found in path(s):

```
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/models/XSCMValidator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
/**
 * used to check the 3 constraints against each complex type
 * (should be each model group):
 * Unique Particle
Attribution, Particle Derivation (Restriction),
 * Element Declrations Consistent.
 */
```

Found in path(s):

```
*/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSConstraints.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DOMImplementationListImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/
- /\*\*
- \* DOM Level 3 LS CR - Experimental.
- \* Create a new `LSParser`. The newly constructed parser may
- \* then be configured by means of its `DOMConfiguration`
- \* object, and used to parse documents by means of its `parse`
- \* method.
- \* @param mode The `mode` argument is either
- \* `MODE_SYNCHRONOUS` or `MODE_ASYNCHRONOUS`, if
- \* `mode` is `MODE_SYNCHRONOUS` then the
- \* `LSParser` that is created will operate in synchronous
- \* mode, if it's `MODE_ASYNCHRONOUS` then the
- \* `LSParser` that is created will operate in asynchronous
- \* mode.
- \* @param schemaType An absolute URI representing the type of the schema
- \* language used during the load of a `Document` using the
- \* newly created `LSParser`. Note that no lexical checking
- \* is done on the absolute URI. In order to create a
- \* `LSParser` for any kind of schema types (i.e. the
- \* `LSParser` will be free to use any schema
- found), use the value
- \* `null`.
- \* 

<b>Note:</b> For W3C XML Schema [
- \* , applications must use the value
- \* `"http://www.w3.org/2001/XMLSchema"`. For XML DTD [[- \\* applications must use the value
- \\* `"http://www.w3.org/TR/REC-xml"`. Other Schema languages
- \\* are outside the scope of the W3C and therefore should recommend an
- \\* absolute URI in order to use this method.
- \\* @return The newly created `LSParser` object. This
- \\* `LSParser` is either synchronous or asynchronous
- \\* depending on the value of the `mode` argument.
- \\* 

<b>Note:</b> By default, the newly created `LSParser`
- \\* does not contain a `DOMErrorHandler`, i.e. the value of
- \\* the "\[- \\\* `error-handler`" configuration parameter is `null`. However, implementations
- \\\* may provide a default error handler at creation time. In that case,
- \\\* the initial value of the `"error-handler"` configuration
- \\\* parameter on the new created `LSParser` contains a
- \\\* reference to the default error handler.
- \\\* @exception DOMException
- \\\* NOT\\\_SUPPORTED\\\_ERR: Raised if the requested mode or schema type is\]\(http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler\)](http://www.w3.org/TR/2000/REC-xml-20001006/)

\* not supported.

\*/

Found in path(s):

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLDocumentImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLTableSectionElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSAttributeDecl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLSimpleType.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/AttrImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/SAXInputSource.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLMenuElementImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/validation/EntityState.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLFontElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLOneventElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/RangeExceptionImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/NotationImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLTableElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLBElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/datatypes/XSDateTime.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/PSVIProvider.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/LocatorProxy.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLDoElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLSelectElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/models/CMBuilder.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/html/dom/HTMLFrameElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/XSFacets.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/DeferredAttrNSImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLFieldSetElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSImplementationImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/AbstractDOMParser.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/PSVIDocumentImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/io/UCSReader.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLEmElement.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLPElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xs/XSNamespaceItem.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xml/serialize/SerializerFactory.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLHeadElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/DeferredTextImpl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/XMLDocumentParser.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSLoaderImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLBodyElementImpl.java



\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/AttrNSImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/models/DFAContentModel.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/SecurityConfiguration.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLOptionElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/identity/Field.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/DTDDVFactory.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/XMLSerializer.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/DOMEntityResolverWrapper.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/XMLScanner.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/NamedNodeMapImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/StandardParserConfiguration.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSMessageFormatter.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/TypeValidator.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XMLSymbols.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLDoElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLBRElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLOptgroupElement.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/Util.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSComplexTypeDefinition.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/DVFactoryException.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/HTTPInputSource.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/AbstractSAXParser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/NamespaceSupport.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLIsIndexElementImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSModel.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLRefreshElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLTableElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/identity/KeyRef.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/Augmentations.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/SAXParser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLTrElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/datatypes/XSDecimal.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

```

jar/org/apache/xerces/dom/DOMLocatorImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/BasicParserConfiguration.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/XMLErrorReporter.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/grammars/XSGrammar.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredNode.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLTitleElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xinclude/XInclude11TextReader.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLTableCellElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xs/XSIDCDefinition.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/XMLString.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/SimpleLocator.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/XML11Configurable.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/ValidatedInfo.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLHeadElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/EntityResolverWrapper.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/AttributePSVImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLBigElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/AttributesProxy.java

```

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DeepNodeListImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DocumentTypeImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DOMErrorImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSDDescription.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/XML11NamespaceBinder.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLMapElementImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/Version.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/DOMSerializerImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/events/MutationEventImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLAccessElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DocumentImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/SchemaDVFactory.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/SAXParserImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xpath/XPathException.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/DTDParse.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/util/HexBin.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/PSVIElementNSImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/TextSerializer.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLDocumentImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/ExternalSubsetResolver.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/IDDV.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XML11Char.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLMetaElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xinclude/XIncludeTextReader.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/XML11EntityScanner.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/ProcessingInstructionImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLAreaElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/AttrImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/XML11Configuration.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLStrongElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/parser/XMLParseException.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/events/EventImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XMLGrammarPoolImpl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLIElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLDListElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/xerces/xs/StringList.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xpath/XPath.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLBuilder.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLBaseFontElementImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLAppletElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/ValidationContext.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLGoElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLTdElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSElementDeclaration.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/RangeImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/io/Latin1Reader.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLPrevElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/UnionDV.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLAnchorElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLBaseElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xml/serialize/DOMSerializer.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/AttributeMap.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XML11DTDCfiguration.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/EncodingInfo.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLInputElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XMLAttributesImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/ErrorHandlerProxy.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/util/StringListImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/REUtil.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DOMStringListImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/SecuritySupport.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSParticleDecl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLCardElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DOMOutputImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DOMInputImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/HTMLdtd.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/XMLDTDCContentModelHandler.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/HTMLSerializer.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

```

jar/org/apache/html/dom/HTMLInputElementImpl.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLObjectElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/XInt.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/dom/WMLSelectElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xs/XSObjectList.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLOptionElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/XMLEntityHandler.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLDOMImplementation.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/SchemaSymbols.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xs/datatypes/XSDDouble.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XSModelImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/CDATASectionImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/dom/WMLSetvarElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/IntStack.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/opti/DefaultNode.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xpointer/ShortHandPointer.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

```



jar/org/apache/wml/dom/WMLAElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/io/ASCIIReader.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLDocument.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/parsers/CachingParserPool.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DOMNormalizer.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLHeadingElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xpath/regex/ParseException.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/CharacterDataImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/XSAllCM.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLErrorHandler.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DOMConfigurationImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/XMLCatalogResolver.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/SAXLocatorWrapper.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLPElementImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLUElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/AugmentationsImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/TextImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSAttributeDeclaration.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/models/CMNode.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLTextAreaElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/SchemaGrammar.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/ElementDefinitionImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLIFrameElementImpl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSNamespaceItemList.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLSmallElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/SecuritySupport.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/parser/XMLDocumentSource.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/EntityReferenceImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/xerces/dom/LCount.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/dom/WMLWmlElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xs/ItemPSVI.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLComponent.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/DOMMessageFormatter.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/XSElementDecl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/CommentImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/ObjectFactory.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLPrevElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/XMLDocumentHandler.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/PSVIAttrNSImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xs/datatypes/XSQName.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDSscanner.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/util/DefaultErrorHandler.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/dom/WMLPostfieldElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/dom/WMLAccessElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/XMLDTDSscannerImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xml/serialize/IndentPrinter.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLGoElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/opti/DefaultElement.java  
\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLStrongElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xpointer/ElementSchemePointer.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/SynchronizedSymbolTable.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/XMLChar.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLVersionDetector.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLEntityScanner.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/events/UIEventImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/XNIException.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/ErrorHandlerWrapper.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLMetaElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/util/ShortListImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSNotationDecl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/URI.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLLIElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLSmallElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLListElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xml/serialize/Serializer.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLAElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredElementNSImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/wml/dom/WMLUElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSGroupDecl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/util/ByteListImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSException.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/LSInputList.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLOptgroupElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSGrammarBucket.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLInputSource.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/QName.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/DatatypeException.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLSetvarElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLDTDFilter.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/identity/Selector.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSNotationDeclaration.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLCollectionImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/datatypes/ByteList.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLContentSpec.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/NameNodeListImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSConstants.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/DecimalDV.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/SymbolTable.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLDivElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLQuoteElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/models/CMAny.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLEntityDescription.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/ShortList.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLNoopElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xpointer/XPointerPart.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredNotationImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLModElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/ObjectFactory.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/html/dom/HTMLHRElementImpl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/DOMImplementationImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/dom/WMLBElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xml/serialize/ElementState.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/xpath/regex/BMPattern.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/DTDGrammar.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLMetaElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/NodeIteratorImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/grammars/Grammar.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/XSSimpleType.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/ChildNode.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLTableElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/DOMParser.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xinclude/XIncludeHandler.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xml/serialize/XHTMLSerializer.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/xerces/impl/dv/xs/FloatDV.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/TextImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/parsers/SecuritySupport.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLTemplateElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLEntityManager.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSLoader.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xml/serialize/Printer.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xpointer/XPointerErrorHandler.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLNoopElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLTimerElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSModelGroupDefinition.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLTimerElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/RevalidationHandler.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLTableRowElementImpl.java



\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/StringDV.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/NodeImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/MessageFormatter.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSNamedMap.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/XMLNamespaceBinder.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLImgElement.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/Token.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/EntityImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/SymbolHash.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/datatypes/XSFloat.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/identity/ValueStore.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/NonValidatingConfiguration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

```

jar/org/apache/xerces/xni/parser/XMLComponentManager.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLElementImpl.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/ParentNode.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLIElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/SecurityManager.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLBrElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/XMLGrammarPreparser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/XMLSchemaException.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLPostfieldElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredDocumentImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/XPointerParserConfiguration.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/XMLLocator.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/ElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/SoftReferenceSymbolTable.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xinclude/SecuritySupport.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xpath/regex/Op.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/IDREFDV.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/models/CMBinOp.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/opti/ElementImpl.java
*

```

```

/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/ListDV.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/dom/WMLInputElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/XMLErrorCode.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/models/CMUniOp.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/XMLAttributes.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xml/serialize/LineSeparator.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xs/XSModelGroup.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xinclude/ObjectFactory.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/ParserConfigurationSettings.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLPreElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/DOMASBuilderImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DocumentFragmentImpl.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLScriptElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLUListElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/models/CMStateSet.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xpath/regex/RangeToken.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xml/serialize/Encodings.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/NamespaceContext.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xpath/regex/RegexParser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

```

```

jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/DOMInputSource.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLFormElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLDOMImplementationImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xs/XSMultiValueFacet.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/XMLResourceIdentifier.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/dom/WMLEmElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/NSItemListImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/WMLOneventElement.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/wml/dom/WMLDOMImplementationImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xml/serialize/ObjectFactory.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/parsers/DOMParserImpl.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/Constants.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/opti/NodeImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/events/MouseEventImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/util/XIntPool.java

```

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/datatypes/ObjectList.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/DoubleDV.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/ASModelImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSParticle.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLButtonElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/datatype/DurationImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/EntityResolver2Wrapper.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/ElementPSVI.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLLegendElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/io/UTF8Reader.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLSelectElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xpath/regex/Match.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xml/serialize/SecuritySupport.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/DeferredElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSTypeDefinition.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/xerces/xs/XSWildcard.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/dom/WMLTrElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLConfigurationException.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/util/ShadowedSymbolTable.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLFieldsetElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLTemplateElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLLabelElementImpl.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/jaxp/JAXPConstants.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDSources.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/xs/XSImplementation.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLLinkElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/WMLOptionElement.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/jaxp/validation/XMLSchema.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/impl/dv/xs/EntityDV.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/wml/dom/WMLImageElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLFormControl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/XMLParser.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/dom/ElementNSImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/html/dom/HTMLHtmlElementImpl.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/parsers/DTDCConfiguration.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
jar/org/apache/xerces/util/DatatypeMessageFormatter.java  
\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/ASDOMImplementationImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/opti/DefaultText.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xml/serialize/XML11Serializer.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/ObjectFactory.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/util/Base64.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredCommentImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLAnchorElementImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLBrElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/util/DOMUtil.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/validation/ValidationManager.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLDirectoryElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/QNameDV.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSObject.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/DatatypeValidator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLParagraphElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/xerces/impl/xs/identity/FieldActivator.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xs/XSFacet.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLOptGroupElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/ElementPSVImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/CoreDocumentImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xni/parser/XMLDTDCContentModelFilter.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xml/serialize/BaseMarkupSerializer.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLParamElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/xpointer/XPointerHandler.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/xs/XSWildcardDecl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLWmlElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/WMLRefreshElement.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLAnchorElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/wml/dom/WMLFieldsetElementImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dv/xs/IntegerDV.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredAttrImpl.java  
 \*  
 /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/dom/SecuritySupport.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/parsers/XMLGrammarParser.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java  
 \* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-  
 jar/org/apache/html/dom/HTMLStyleElementImpl.java



\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xni/XMLDTDHandler.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/XMLStringBuffer.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLFrameSetElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom/NodeListCache.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSAnnotation.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/AttributePSVI.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSTerm.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLTdElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/XSDeclarationPool.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/WMLCardElement.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/validation/ValidationState.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xs/XSAttributeUse.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/ObjectFactory.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/html/dom/HTMLImageElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/util/SAXMessageFormatter.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/wml/dom/WMLBigElementImpl.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/xpointer/XPointerProcessor.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

```
jar/org/apache/xerces/util/XMLLocatorWrapper.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dtd/XMLElementDecl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/util/EncodingMap.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/html/dom/HTMLTableColElementImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xml/serialize/OutputFormat.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java
*
/opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xml/serialize/SerializerFactoryImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/TreeWalkerImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java
* /opt/cola/permits/1110916671_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-
jar/org/apache/xml/serialize/Method.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
// Unique Particle Attribution
```

Found in path(s):

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/xs/models/XSDFACM.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2001 World Wide Web Consortium,  
\* (Massachusetts Institute of Technology, Institut National de  
\* Recherche en Informatique et en Automatique, Keio University). All  
\* Rights Reserved. This program is distributed under the W3C's Software  
\* Intellectual Property License. This program is distributed in the  
\* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
\* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
\* PURPOSE.  
\* See W3C License <http://www.w3.org/Consortium/Legal/> for more details.  
\*/

Found in path(s):

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMASBuilder.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMASWriter.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMASException.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASObjectList.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/DOMImplementationAS.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASContentModel.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java

\*

/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ElementEditAS.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/NodeEditAS.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASDataType.java

\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-

jar/org/apache/xerces/dom3/as/DocumentAS.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASObject.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASElementDeclaration.java  
\*  
/opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/DocumentEditAS.java  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/dom3/as/ASModel.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2000 World Wide Web Consortium,  
\* (Massachusetts Institute of Technology, Institut National de  
\* Recherche en Informatique et en Automatique, Keio University). All  
\* Rights Reserved. This program is distributed under the W3C's Software  
\* Intellectual Property License. This program is distributed in the  
\* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
\* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
\* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more  
\* details.  
\*/

Found in path(s):  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/w3c/dom/html/HTMLDOMImplementation.java  
No license file was found, but licenses were detected in source scan.

cos-nonambig = cos-nonambig: {0} and {1} (or elements from their substitution group) violate "Unique Particle Attribution". During validation against this schema, ambiguity would be created for those two particles.

Found in path(s):  
\* /opt/cola/permits/1110916671\_1633387514.07/0/com-springsource-org-apache-xerces-2-9-1-sources-jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties

# 1.459 apache-log4j 1.2.15

## 1.459.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation



Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache log4j  
Copyright 2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.460 httpcore 4.4.5

## 1.460.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
This project contains annotations in the package org.apache.http.annotation which are derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls.  
See <http://www.jcip.net> and the Creative Commons Attribution License

(<http://creativecommons.org/licenses/by/2.5>)

Full text: <http://creativecommons.org/licenses/by/2.5/legalcode>

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

## 1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation,

or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-representation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

## 2.

Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly

by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

**Performance Royalties Under Blanket Licenses.** Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

**Mechanical Rights and Statutory Royalties.** Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

**Webcasting Rights and Statutory Royalties.** For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing

information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the

case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE

OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

#### 8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are



no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Apache HttpCore  
Copyright 2005-2016 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This project contains annotations derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls. See <http://www.jcip.net>

# 1.461 httpmime 4.3.6

## 1.461.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache HttpClient Mime  
Copyright 1999-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.462 commons-fileupload 1.4

## 1.462.1 Available under license :

Apache Commons FileUpload  
Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work



by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.463 commons-collections 3.2.2

## 1.463.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2003-2005 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/BlockingBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/AbstractHashMap.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/TransformedSortedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/TransformedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/ListOrderedSet.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2005 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/DefaultedMap.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 1999-2004 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/UnmodifiableIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/SingletonListIterator.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/UnmodifiableOrderedMapIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ObjectArrayListIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ArrayIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ArrayListIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/LoopingIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EnumerationIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/UniqueFilterIterator.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/comparators/ComparatorChain.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ObjectArrayIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/CollatingIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/UnmodifiableListIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/FilterListIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/SingletonIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ProxyIterator.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ProxyListIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/IteratorEnumeration.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/TransformIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/UnmodifiableMapIterator.java  
No license file was found, but licenses were detected in source scan.

2006 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2005 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/LRUMap.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/list/NodeCachingLinkedList.java

\*

/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/CollectionUtils.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/MapUtils.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bidimap/TreeBidiMap.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/AbstractLinkedList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/FastArrayList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/SetUniqueList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BeanMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/MultiValueMap.java  
No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/package.html  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/keyvalue/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/overview.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/package.html  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-

jar/org/apache/commons/collections/comparators/package.html  
No license file was found, but licenses were detected in source scan.

2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/functors/package.html  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2005-2006 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/list/GrowthList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/buffer/BoundedBuffer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2003-2004 The Apache Software Foundation

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/AbstractSortedMapDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/TypedList.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/TypedBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/UnmodifiableOrderedBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/AbstractDualBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/PredicatedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/AbstractOrderedBidiMapDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BoundedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/SortedBidiMap.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/SynchronizedList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/DualHashBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/AbstractBagDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/DualTreeBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/UnmodifiableBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/AbstractLinkedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-



jar/org/apache/commons/collections/bag/PredicatedBag.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/set/PredicatedSortedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/UnmodifiableMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/TransformedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/iterators/AbstractIteratorDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/FixedSizeSortedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/set/CompositeSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/AbstractOrderedMapDecorator.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/OrderedIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/ResettableIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/TransformedSortedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/PredicatedSortedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/buffer/TransformedBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/collection/UnmodifiableCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/TypedSortedMap.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/set/AbstractSetDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bidimap/AbstractBidiMapDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/list/AbstractListDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/SynchronizedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/HashMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/list/FixedSizeList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/KeyValue.java  
\*

/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/LazySortedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/OrderedBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/PredicatedSortedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/AbstractListIteratorDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/PredicatedCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/TransformedSortedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/TypedCollection.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/ResettableListIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/SynchronizedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/MapIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/SynchronizedCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/TypedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/UnmodifiableList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/UnmodifiableEntrySet.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/TransformedList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/PredicatedList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/TypedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/AbstractBufferDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/LinkedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/UnmodifiableSortedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/AbstractMapDecorator.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/UnmodifiableBoundedCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-

jar/org/apache/commons/collections/comparators/BooleanComparator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/set/TransformedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/UnmodifiableSortedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/FixedSizeMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/list/LazyList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/UnmodifiableBag.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/keyvalue/MultiKey.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/buffer/CircularFifoBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/BidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/PredicatedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/LazyMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/AbstractSortedBagDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/SingletonMap.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/Flat3Map.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/IdentityMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/UnmodifiableSortedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/set/UnmodifiableSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bidimap/UnmodifiableSortedBidiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/map/UnmodifiableOrderedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/IterableMap.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/bag/TypedSortedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/set/SynchronizedSortedSet.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/iterators/AbstractOrderedMapIteratorDecorator.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/TransformedCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/EnumerationUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/AbstractSortedSetDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/TypedSortedSet.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/AbstractMapIteratorDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/SynchronizedBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/AbstractCollectionDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/Unmodifiable.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/TypedBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/CompositeMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/SynchronizedSortedBag.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/UnmodifiableBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bidimap/AbstractSortedBidiMapDecorator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/PredicatedBuffer.java  
No license file was found, but licenses were detected in source scan.

Copyright 2006 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 1999-2004,2006 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/FilterIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 1999-2005 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/IteratorChain.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004 The Apache Software Foundation

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/FastTreeMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/ClosureTransformer.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/UniquePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/FactoryTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/TruePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/PrototypeFactory.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/SynchronizedPriorityQueue.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/NotNullPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/PriorityBuffer.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/FalsePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EntrySetMapIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/WhileClosure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/OrderedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/InstantiateFactory.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/MapTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-

jar/org/apache/commons/collections/FuncorException.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/ChainedTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/ExceptionPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/FastHashMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/TransformerClosure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/NOPClosure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/Closure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/ExceptionClosure.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/OrderedMapIterator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/comparators/ComparableComparator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/comparators/TransformingComparator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/NullPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/TransformedPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/comparators/NullComparator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/InstanceofPredicate.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/OrPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/InvokerTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/LRUMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/ListUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/comparators/FixedOrderComparator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/Transformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/funcors/ChainedClosure.java  
\*

/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/TransformerPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/EqualPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/AndPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/MultiMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/Bag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/ExceptionTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/ReferenceMap.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/ConstantTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/NullIsFalsePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/DefaultMapEntry.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BinaryHeap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/ForClosure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/PredicateTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/NullIsExceptionPredicate.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/Predicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/IdentityPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/ConstantFactory.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/PriorityQueue.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/comparators/ReverseComparator.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/CompositeCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/CloneTransformer.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/NotPredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-



jar/org/apache/commons/collections/functors/NullIsTruePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/functors/SwitchClosure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/ArrayStack.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/functors/ExceptionFactory.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/functors/NOPTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/functors/InstantiateTransformer.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 1999-2006 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-  
jar/org/apache/commons/collections/iterators/ListIteratorWrapper.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/AbstractReferenceMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/AbstractMapBag.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/FactoryUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/DefaultMapBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/DoubleOrderedMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/SequencedHashMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BufferUnderflowException.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BoundedCollection.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/TransformerUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BufferOverflowException.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/SetUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/CursorableLinkedList.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/Factory.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BagUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/ReferenceMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/Buffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/ComparatorUtils.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/UnboundedFifoBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/TreeBag.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BoundedFifoBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/HashBag.java

```
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/SortedBag.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/IteratorUtils.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/ProxyMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2003-2006 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/keyvalue/AbstractMapEntryDecorator.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/keyvalue/TiedMapEntry.java
*
/opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/keyvalue/AbstractMapEntry.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/keyvalue/UnmodifiableMapEntry.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/keyvalue/AbstractKeyValue.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/keyvalue/DefaultKeyValue.java
* /opt/cola/permits/1110923526_1606872995.34/0/commons-collections-3-2-sources-2-
jar/org/apache/commons/collections/map/ListOrderedMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2001-2006 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/MultiHashMap.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/keyvalue/DefaultMapEntry.java  
\*  
/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/StringValueTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/ExtendedProperties.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2004-2005 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/AbstractInputCheckedMapDecorator.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2002-2004,2006 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/PredicateUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/ClosureUtils.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2006 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/BoundedFifoBuffer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/buffer/UnboundedFifoBuffer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2004 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*/

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/AbstractSerializableSetDecorator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ObjectGraphIterator.java
  - \*
  - /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/collection/AbstractSerializableCollectionDecorator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EmptyOrderedMapIterator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/AbstractEmptyIterator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/AbstractSerializableListDecorator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/PredicateDecorator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EmptyIterator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EmptyOrderedIterator.java
  - \*
  - /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EmptyListIterator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/LoopingListIterator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/set/MapBackedSet.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/CaseInsensitiveMap.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/EmptyMapIterator.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/MultiKeyMap.java
  - \* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/ReferenceIdentityMap.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2001-2004,2006 The Apache Software Foundation

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/NonePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/AnyPredicate.java  
\*

/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/SwitchTransformer.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/OnePredicate.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/IfClosure.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/FunctorUtils.java  
\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/functors/AllPredicate.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2004-2006 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/TreeList.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2005 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/StaticBucketMap.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/TreeBag.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/bag/HashBag.java

\*

/opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/list/CursorableLinkedList.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/map/StaticBucketMap.java

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/BufferUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2006 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,



- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1110923526\_1606872995.34/0/commons-collections-3-2-sources-2-jar/org/apache/commons/collections/iterators/ReverseListIterator.java

# 1.464 httpcore 4.4.1

## 1.464.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

This project contains annotations in the package org.apache.http.annotation which are derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls.  
See <http://www.jcip.net> and the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.5>)  
Full text: <http://creativecommons.org/licenses/by/2.5/legalcode>

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

## 1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation,

or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-representation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

## 2.

Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE

## PRESENCE

OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Apache HttpCore

Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).



This project contains annotations derived from JCIP-ANNOTATIONS  
Copyright (c) 2005 Brian Goetz and Tim Peierls. See <http://www.jcip.net>

## 1.465 istack-commons-runtime 2.21

### 1.465.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.466 jboss-logging 3.1.1.GA

### 1.466.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who  
decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better

strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those

libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").

Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into

another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file

that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.



b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301  
USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

## 1.467 hk2-api 2.5.0-b05

### 1.467.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved. \*  
The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL")  
or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use  
this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the  
"Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights  
reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2  
only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as  
subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights  
reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2  
only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as  
subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. \*  
The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL")  
or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use  
this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the  
"Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2016 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.468 aopalliance-repackaged 2.5.0-b05

## 1.468.1 Available under license :

No license file was found, but licenses were detected in source scan.

2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

Found in path(s):

\*

`/opt/cola/permits/1111264394_1607991879.98/0/aopalliance-repackaged-2-5-0-b05-sources-1-jar/pom.xml`

# 1.469 javax-inject 2.5.0-b05

## 1.469.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The JSR-330 Expert Group
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/Provider.java
* /opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/Named.java
* /opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/Scope.java
*
/opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/Qualifier.java
* /opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/Singleton.java
* /opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/Inject.java
* /opt/cola/permits/1111264994_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/javax/inject/package-
info.java
```

No license file was found, but licenses were detected in source scan.

2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:  
Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

**Modifications:**

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

**Contributor(s):**

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

**Found in path(s):**

\*

/opt/cola/permits/1111264994\_1606891737.13/0/javax-inject-2-5-0-b05-sources-2-jar/pom.xml

## 1.470 hk2-utils 2.5.0-b05

### 1.470.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General



Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.471 hk2-locator 2.5.0-b05

### 1.471.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle

designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.472 hibernate-validator 5.0.0.Final

### 1.472.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* This is free software; you can redistribute it and/or modify it \* under the terms of the GNU Lesser General Public License as \* published by the Free Software Foundation; either version 2.1 of \* the License, or (at your option) any later version. \* This software is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. \* You should have received a copy of the GNU Lesser General Public \* Expert Group and released to the public domain, as explained at'

## 1.473 css-to-react-native 2.3.2

### 1.473.1 Available under license :

MIT License

Copyright (c) 2016 Jacob Parker and Maximilian Stoiber

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.474 jsesc 2.5.2

### 1.474.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.475 ehcache-core 2.6.5

## 1.475.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2006 Thomas Hawtin
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/lang/VicariousThreadLocal.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright Terracotta, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
* Returns a list of all element keys in the cache, whether or not they are expired.
* <p/>
* The returned keys are unique and can almost be considered a set. See { @link net.sf.ehcache.store.CacheKeySet
CacheKeySet} for
* more details.
```

```

* <p/>
* The List returned is not live. It is a copy.
* <p/>
* The time taken is O(n). On a single CPU 1.8Ghz P4, approximately 8ms is required
* for each 1000 entries.
*
* @return a list of { @link Object } keys
* @throws IllegalStateException if the cache is not { @link Status#STATUS_ALIVE }
* @see net.sf.ehcache.store.CacheKeySet
*/

```

Found in path(s):

```

* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/Cache.java
No license file was found, but licenses were detected in source scan.

```

```

/**
 * Copyright Terracotta, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/InvalidConfigurationException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/PreferTCCLObjectInputStream.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehindManager.java
*
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/NotificationScope.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/TerracottaCacheEventReplication.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledRateCounter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/NullLiveCacheStatisticsData.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

```

jar/net/sf/ehcache/writer/writebehind/WriteBehind.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/BaseEmitterBean.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/AlwaysMatch.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/ccs/EhcacheReadOnlyCache.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/NonstopCacheEventListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/EhcacheXAException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/ReadWriteEhcacheEntityRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatisticsWrapper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/aggregator/Aggregators.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/FactoryConfigurationElement.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/CircularLossyQueue.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/TerracottaConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/ResultsImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/AtomikosSelector.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NonstopTimeoutBehaviorStoreResolver.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/BitronixSelector.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/ClusterOperationCallable.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/LessThan.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/XMLGeneratorVisitor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/EhcacheJtaTransactionManagerLookup.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/CacheReplicator.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/TransactionalEhcacheCollectionRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/Status.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/pool/impl/AbstractBalancedAccessEvictor.java  
\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/management/sampled/ComprehensiveCacheSampler.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/management/provider/NullMBeanRegistrationProvider.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/util/PropertyUtil.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/config/generator/model/elements/PersistenceConfigurationElement.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/util/ratestatistics/UnlockedRateStatistic.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/NonstopExecutorService.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderException.java  
\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/search/aggregator/Aggregator.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/search/attribute/JavaBeanAttributeExtractor.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/distribution/RMICacheManagerPeerListener.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/pool/sizeof/ReflectionSizeOf.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/hibernate/nonstop/NonstopAwareCollectionRegionAccessStrategy.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/writer/writebehind/OperationConverter.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/search/expression/ComparableValue.java  
\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/config/MemoryUnit.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/cluster/CacheCluster.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/management/ResourceClassLoader.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/terracotta/TerracottaCacheCluster.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/DiskStorePathManager.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/search/expression/Criteria.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/CacheManagerExecutorServiceFactory.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
jar/net/sf/ehcache/pool/impl/BalancedAccessOnHeapPoolEvictor.java

```

*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/NonstopSync.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/SingleOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/AtomicPoolAccessor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/AbstractSoftLockManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/ConfigurationGenerator.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/AbstractCacheWriter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/CacheSamplerImpl.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/ConfigurationHelper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/NonStrictReadWriteEhcacheEntityRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/ClusterOperationCallableImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/CacheEventListenerFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/AggregateCacheRegionStats.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/ReadOnlyEhcacheEntityRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMICacheManagerPeerProviderFactory.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/NonstopConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/CounterConfig.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/ObjectExistsException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/MaxDepthExceededException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/AgentLoader.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/CachePeer.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/AbstractDepthFirstVisitor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/AggregateOnlyResult.java
*

```



```

/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaBootstrapCacheLoaderFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/cluster/ClusterSchemeNotAvailableException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/ManagementService.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/NonstopConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatisticsImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/CopyStrategyConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/SearchAttribute.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/CacheTransactionHelper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/ClassLoaderUtil.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/Decision.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/ConfigurableRMIClientSocketFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/CacheConfigurationListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/aggregator/Sum.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/CacheConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/CacheManagerPeerListener.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/local/JtaLocalTransactionStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatistics.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/Cache.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/Selector.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/EhcacheAccessStrategyFactoryImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/cluster/ClusterNode.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/AbstractReadWriteEhcacheAccessStrategy.java
*

```

```

/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/SoftLockFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/blocking/BlockingCache.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/TerracottaClientConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/CacheManagerPeerListenerFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/CoalesceKeysFilter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/ThrowTimeoutException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/CounterManager.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/CacheManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/PersistenceConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/classloader/InternalClassLoaderAwareCache.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/provider/MBeanRegistrationProvider.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/attribute/KeyObjectAttributeExtractor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/SerializableXid.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/EhCache.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/ExceptionOnTimeoutStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/EhcacheCoreInit.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/MimeTypeByteArray.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopTimeoutBehaviorFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/DiskSizeOfEngine.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/DiskStoreConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/TierableStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/TransactionManagerLookup.java

```

\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/CacheStatistics.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/generator/model/elements/TimeoutBehaviorConfigurationElement.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/store/Store.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/constructs/nonstop/store/NoOpOnTimeoutStore.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/TransactionException.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/pool/sizeof/JvmInformation.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/statistics/sampled/NullSampledCacheStatistics.java  
\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/strategy/AbstractEhcacheAccessStrategy.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/TransactionIDNotFoundException.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/regions/EhcacheQueryResultsRegion.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/sampled/SampledCache.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/xa/XidTransactionIDImpl.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/store/compound/ImmutableValueElementCopyStrategy.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/distribution/CacheManagerPeerProvider.java  
\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/xa/XidTransactionID.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/manager/selector/NullSelector.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/util/counter/sampled/TimeStampedCounterValue.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/util/LongSequence.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/pool/impl/FromLargestCacheOnDiskPoolEvictor.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/Attribute.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderImpl.java  
\*  
/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/writer/writebehind/CastingOperationConverter.java  
\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/exceptionhandler/CacheExceptionHandlerFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/XAExecutionListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/PayloadUtil.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/SingleOperationType.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/DefaultTransactionManagerLookup.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/extension/CacheExtensionFactory.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/SimpleNodeElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheGeneralDataRegion.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/ClusteredInstanceFactoryWrapper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDSerializedForm.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/bootstrap/BootstrapCacheLoader.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/DefaultCacheConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/DefaultSizeOfEngine.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/TransactionalEhcacheEntityRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledCounterImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/LruMemoryStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/ExplicitLockingContext.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/FindBugsSuppressWarnings.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/ccs/EhcacheNonstrictReadWriteCache.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/DiskStoreConfigurationElement.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/nonstop/NonstopAwareEntityRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/Timestamper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopThread.java

```

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/bootstrap/BootstrapCacheLoaderFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/expression/Or.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/ReadCommittedSoftLockImpl.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/expression/BaseCriteria.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/management/impl/BeanUtils.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/TerracottaConfiguration.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/aggregator/Min.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/distribution/RMIAynchronousCacheReplicator.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/Result.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/transaction/manager/selector/IndiSelector.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/distribution/RMICacheReplicatorFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/CacheConfigError.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/aggregator/AggregatorInstance.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/expression/GreaterThanOrEqual.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/store/compound/ReadWriteSerializationCopyStrategy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/SizeOfPolicyConfiguration.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/CacheMBean.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/expression/NotILike.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/constructs/blocking/UpdatingSelfPopulatingCache.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/constructs/blocking/SelfPopulatingCache.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/constructs/EhcacheDecoratorAdapter.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernateMBeanRegistrationImpl.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/store/ElementValueComparator.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/DynamicSearchListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionInterruptedException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/strategy/ReadWriteEhcacheCollectionRegionAccessStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/ClusterOperation.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/commands/Command.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/CombinationSizeOfFilter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/XidTransactionIDSerializedForm.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/sampled/SampledCacheStatistics.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehindQueueManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/AbstractStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/MemoryStoreEvictionPolicy.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/commands/AbstractStoreCommand.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/FrontEndCacheTier.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/AbstractTransactionIDFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/SearchManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/CacheSampler.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/SampledMBeanRegistrationProvider.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/CacheUsageListener.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/AbstractWriteBehindQueue.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/CacheEntry.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/RegisteredEventListeners.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionID.java

```

```

* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/CacheManagerPeerProviderFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/SearchException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/TerracottaStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/ClassSelector.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/EhcacheXAResourceImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/PassThroughFilter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/HibernateUtil.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/SampledEhcacheMBeans.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/BalancedAccessOnDiskPoolEvictor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/local/TransactionListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/CollectionStats.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/Segment.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/KeyBasedOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/CacheWriterConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/SearchableConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/LoaderTimeoutException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/WeakIdentityConcurrentMap.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/AbstractPool.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/attribute/AttributeExtractor.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/KeySnapshotter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/concurrent/LockType.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/WriteOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

```

jar/net/sf/ehcache/hibernate/management/impl/NullHibernateStats.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/MemorySizeParser.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/exceptionhandler/ExceptionHandlingDynamicCacheProxy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/CacheEventListenerAdapter.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/pool/Size.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/attribute/ReflectionAttributeExtractor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledCounter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/cluster/NoopCacheCluster.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/NodeAttribute.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMICacheManagerPeerListenerFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/InternalEhcache.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledCounterConfig.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/loader/CacheLoaderFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/concurrent/Sync.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/TerracottaCacheEventReplicationFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledRateCounterImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/DefaultElementValueComparator.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/AbstractTransactionStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NonstopStoreImpl.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/StoreQuery.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/CacheConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/SoftLockManagerImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/CacheWriterFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```



jar/net/sf/ehcache/hibernate/management/impl/EntityStats.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/InvalidLockStateAfterRejoinException.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/attribute/ValueObjectAttributeExtractor.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/Direction.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/disk/DiskStore.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/blocking/LockTimeoutException.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/Policy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/FifoPolicy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/management/CacheStatisticsMBean.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/CacheStoreHelper.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/distribution/TransactionalRMICachePeer.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/aggregator/Max.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/management/CacheConfigurationMBean.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/management/api/HibernateStats.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/EhCacheRegionFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/util/counter/CounterManagerImpl.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/TerracottaConfigConfigurationElement.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/ExpiredTransactionIDImpl.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/impl/BaseQueryInterpreter.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/AbstractPolicy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/util/ratestatistics/AbstractRateStatistic.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/NotifyingMemoryStore.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/concurrent/ReadWriteLockSync.java

```

* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/UnboundedPool.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/web/ShutdownListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/MulticastKeepaliveHeartbeatReceiver.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/ResourceSizeOfFilter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/OrderComparator.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/SampledCacheManagerMBean.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/Results.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/CacheOperationUnderExplicitLockCallable.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMIBootstrapCacheLoader.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/concurrent/ConcurrencyUtil.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDFactoryImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/GroupedResultImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/ccs/AbstractEhcacheConcurrencyStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/ComprehensiveCacheSamplerImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/ReadCommittedSoftLockFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/ExpiredXidTransactionIDImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/ods/RegionSet.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/NullStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/commands/StoreRemoveCommand.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernateMbeanNames.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/ConfigError.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMICachePeer.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

```

jar/net/sf/ehcache/management/ManagementServer.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/CacheManagerMBean.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/AbstractNodeElement.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopExecutorServiceFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/DisconnectedClusterNode.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/attribute/AttributeType.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/CacheQuery.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/WriteAllOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/DeleteOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMICacheManagerPeerProvider.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/CacheException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/CounterImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/chm/SelectableConcurrentHashMap.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/attribute/AttributeExtractorException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/GlassfishSelector.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/CacheWriterManagerException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/FailSafeTimer.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionAwareAttributeExtractor.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/ElementValueComparatorConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledRateCounterConfig.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/LargeCollection.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/MulticastKeepaliveHeartbeatSender.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/Disposable.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/constructs/nonstop/concurrency/ExplicitLockingClusterOperation.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/pool/sizeof/UnsafeSizeOf.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/EhcacheInit.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/management/api/EhcacheStats.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/manager/selector/FactorySelector.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/TimeoutBehaviorConfiguration.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/ManagementRESTServiceConfiguration.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/model/NodeElementVisitor.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/store/RejoinAwareBlockingOperation.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/exceptionhandler/CacheExceptionHandler.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/writer/writebehind/OperationsFilter.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/disk/ods/FileAllocationTree.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/pool/PoolableStore.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/strategy/ReadOnlyEhcacheCollectionRegionAccessStrategy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/pool/PoolEvictor.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/StoreListener.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/ManagementRESTServiceConfigurationElement.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/expression/EqualTo.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/xa/processor/XAThreadPool.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/DelegatingTransactionIDFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/Configuration.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/util/ratestatistics/AtomicRateStatistic.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/pool/impl/AbstractFromLargestCachePoolEvictor.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/util/MergedEnumeration.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/commands/StorePutCommand.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/DeadLockException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopExecutorServiceImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/LegacyEventMessage.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/SingletonEhCacheRegionFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/compound/CopyStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/CacheWriterConfiguration.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/FromLargestCacheOnHeapPoolEvictor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/SimpleNodeAttribute.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/CacheManagerEventListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/DiskStorageFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/PrimitiveType.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/StoreUpdateException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMISynchronousCacheReplicator.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/FlyweightType.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/XATransactionContext.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/event/CacheManagerEventListenerFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/DiskStoreBootstrapCacheLoader.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/ElementIdAssigningStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/ConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/EventMessage.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/ratestatistics/package-info.java

```

```

*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/sampled/SampledCacheStatisticsWrapper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/annotations/IgnoreSizeOf.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/CacheRegionStats.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RMIBootstrapCacheLoaderFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/local/LocalTransactionStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/CacheManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/AnnotationProxyFactory.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/EhCacheProvider.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatisticsData.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopThreadPool.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/PinningConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RmiEventMessage.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/sampled/CacheManagerSamplerImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheTimestampsRegion.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/TransactionController.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/blocking/UpdatingCacheEntryFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/sampled/SampledCacheStatisticsImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/local/LocalTransactionContext.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonStopCacheException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/LfuPolicy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/XATransactionStore.java
*

```

```

/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/aggregator/Average.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/Ehcache.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/concurrent/StripedReadWriteLockSync.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaNotRunningException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/ManagementServerLoader.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaClusteredInstanceHelper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/ratestatistics/RateStatistic.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/DiskStoreBootstrapCacheLoaderFactory.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/LibraryInit.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/LegacyStoreWrapper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/Between.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/SizeOf.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/DeleteAllOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/LockOperationTimedOutNonstopException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/UpdateChecker.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/BatchOperation.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/NullResults.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/counter/Counter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehindQueue.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/compound/SerializationCopyStrategy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/concurrent/CacheLockProvider.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/LessThanOrEqual.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/CacheWriter.java
*

```

/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/strategy/EhcacheAccessStrategyFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/ConfigurationSource.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/terracotta/TerracottaBootstrapCacheLoader.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/compound/ReadWriteCopyStrategy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/management/sampled/SampledCacheMBean.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/Element.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/ExplicitLockingContextThreadLocal.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/TransactionTimeoutException.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/ElementEvictionData.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/pool/sizeof/filter/AnnotationSizeOfFilter.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/AbstractCacheConfigurationListener.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/NonstopThreadUniqueIdProvider.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/DefaultElementEvictionData.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/xa/processor/XARequestProcessor.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/expression/GreaterThan.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/store/TransactionalExecutorServiceStore.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/event/CacheEventListener.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/loader/CacheLoader.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/terracotta/TerracottaClient.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/pool/impl/StrictlyBoundedPool.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/classloader/ClassLoaderAwareCache.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/ConfigurationFactory.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/PinningConfigurationElement.java



\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/store/StripedReadWriteLockProvider.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/pool/impl/BoundedPool.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/ElementValueComparatorConfiguration.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/aggregator/AggregatorException.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/constructs/nonstop/store/RejoinAwareNonstopStore.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderFactoryImpl.java

\*

/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/search/expression/NotEqualTo.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/concurrent/StripedReadWriteLock.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/generator/model/elements/SizeOfPolicyConfigurationElement.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/util/TimeProviderLoader.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/AbstractEhcacheProvider.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/config/generator/model/NodeElement.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/sampled/CacheManagerSampler.java

\*

/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/regions/EhcacheTransactionalDataRegion.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/pool/sizeof/AgentSizeOf.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/store/MemoryStore.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/management/sampled/Utils.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/constructs/blocking/CacheEntryFactory.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/util/ProductInfo.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/distribution/MulticastRMICacheManagerPeerProvider.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/terracotta/TerracottaClientRejoinListener.java

\*

/opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/hibernate/ccs/EhcacheReadWriteCache.java

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/event/CacheManagerEventListenerRegistry.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/ResultImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NonstopStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/cluster/ClusterTopologyListener.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/BaseResult.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/FeaturesManager.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/ExecutorServiceStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/aggregator/Count.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/nonstop/HibernateNonstopCacheExceptionHandler.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/ProviderMBeanRegistrationHelper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/MemoryEfficientByteArrayOutputStream.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/Query.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/cluster/ClusterScheme.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/compound/LegacyCopyStrategyAdapter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/CacheInitializationHelper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/ods/Region.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/ClusteredInstanceFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/GenericJndiSelector.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/CacheDecoratorFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/Searchable.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopActiveDelegateHolder.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/statistics/sampled/CacheStatisticsSampler.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/Store.java

```

\* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/NonstopCacheLockProvider.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/util/AggregateIterator.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/management/sampled/SampledCacheManager.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/CacheKeySet.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/disk/ods/AATreeSet.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/extension/CacheExtension.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/store/disk/ElementSubstituteFilter.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/terracotta/SerializationHelper.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/util/NamedThreadFactory.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/strategy/NonStrictReadWriteEhcacheCollectionRegionAccessStrategy.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/BeanHandler.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/NonStopCacheKeySet.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/search/expression/And.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/ConfigurationUtil.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/management/impl/QueryStats.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/xa/processor/XARequest.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/xa/OptimisticLockFailureException.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/hibernate/management/impl/EhcacheStatsImpl.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/util/SlewClock.java  
 \*  
 /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/transaction/manager/selector/WeblogicSelector.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/CacheConfigurationElement.java  
 \* /opt/cola/permits/1111500833\_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

jar/net/sf/ehcache/transaction/SoftLock.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/AtomicLongSequence.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/nonstop/NonstopAccessStrategyFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/TaskNotSubmittedTimeoutException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/pool/Pool.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/util/OverrideCheck.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/MemoryOnlyStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/InCollection.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/xa/EhcacheXAResource.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/RemoteCacheException.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/ElementIdHelper.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/impl/DynamicSearchChecker.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/SetAsList.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/SoftLockManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/management/ManagedCacheManagerPeerProvider.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/Not.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/disk/HashEntry.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/MemoryLimitedCacheLoader.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/PoolAccessor.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/FactoryConfiguration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/distribution/ManualRMICacheManagerPeerProvider.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/SingletonEhCacheProvider.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernate.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

```

jar/net/sf/ehcache/hibernate/regions/EhcacheCollectionRegion.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/TimeUtil.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/AbstractEhcacheRegionFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/DiskBackedMemoryStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/api/EhcacheHibernateMBean.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-jar/net/sf/ehcache/Statistics.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheEntityRegion.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/LruPolicy.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernateMBeanRegistration.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/CacheRegionUtils.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/util/CountingThreadFactory.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/SoftLockID.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/store/compound/NullReadWriteCopyStrategy.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/CacheWriterManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/writer/writethrough/WriteThroughManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheDataRegion.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/LocalReadsOnTimeoutStore.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/transaction/local/LocalRecoveryManager.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/HibernateStatsImpl.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/AbstractPoolAccessor.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/expression/ILike.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/CopyStrategyConfigurationElement.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/VmUtils.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-

```

```
jar/net/sf/ehcache/pool/sizeof/ObjectGraphWalker.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/util/LargeSet.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/terracotta/RotatingSnapshotFile.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/SizeOfEngine.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/impl/LockedPoolAccessor.java
*
/opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/SizeOfFilter.java
* /opt/cola/permits/1111500833_1606929582.87/0/ehcache-core-2-6-5-sources-1-
jar/net/sf/ehcache/search/attribute/DynamicAttributesExtractor.java
```

## 1.476 json4s-ext 3.2.5

### 1.476.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2006-2010 WorldWide Conferencing, LLC
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112015975_1607033487.84/0/json4s-ext-2-10-3-2-5-sources-1-
jar/org/json4s/ext/JodaTimeSerializers.scala
* /opt/cola/permits/1112015975_1607033487.84/0/json4s-ext-2-10-3-2-5-sources-1-
jar/org/json4s/ext/EnumSerializer.scala
```

## 1.477 json4s-jackson 3.2.5

## 1.477.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.478 jackson-module-scala 2.1.5

## 1.478.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
import AssemblyKeys._
import PgpKeys._
import ReleaseKeys._
import sbtrelease._
import ReleaseStateTransformations._

// Basic facts
name := "jackson-module-scala"

organization := "com.fasterxml.jackson.module"

crossScalaVersions := Seq("2.9.1", "2.9.2", "2.10.0")

libraryDependencies <+= (version) { (v) => Seq(
 // These are "provided" so that sbt-assembly doesn't include them (we'll fix the pom later)
 "com.fasterxml.jackson.core" % "jackson-core" % v % "provided",
 "com.fasterxml.jackson.core" % "jackson-annotations" % v % "provided",
 "com.fasterxml.jackson.core" % "jackson-databind" % v % "provided"
) }

libraryDependencies += Seq(
 // saying this is intransitive prevents the deps from being included in the jar
 "com.fasterxml.jackson.module" %% "scalabeans" % "0.4-SNAPSHOT" intransitive(),
 // but now we need to add scalabeans deps explicitly (also as "provided")
 "com.thoughtworks.paranamer"
% "paranamer" % "2.3" % "provided",
 "com.google.guava" % "guava" % "13.0.1" % "provided",
 // test dependencies
 "org.scalatest" %% "scalatest" % "2.0.M5" % "test" cross CrossVersion.binaryMapped {
 case "2.10" => "2.10.0"
 case x => x
 },
 "junit" % "junit" % "4.11" % "test",
 "com.fasterxml.jackson.datatype" % "jackson-datatype-joda" % "2.1.2" % "test"
)

// Another scalabeans dependency, for 2.10 only
libraryDependencies <+= (scalaBinaryVersion, scalaVersion) { (sbv,sv) => sbv match {
 // again, "provided" so that it is not included in the jar
 case "2.10" => Seq("org.scala-lang" % "scala-reflect" % sv % "provided")
 case _ => Seq()
} }

// Change the classifier of the main jar
artifact in (Compile, packageBin) ~= { (art: Artifact) =>
```

```

art.copy(`classifier` = Some("base"))
}

// Disable publishing the main jar
publishArtifact in (Compile, packageBin) := false

// setup sbt-assembly settings
assemblySettings

// don't assembly the scala
dependency
assembleArtifact in packageScala := false

// don't add "assembly" to the jar name
jarName in assembly <<= (name, version, scalaBinaryVersion) { (name, version, sbv) =>
 name + "_" + sbv + "-" + version + ".jar"
}

// place the assembly in the versioned path
outputPath in assembly <<= (target in assembly, jarName in assembly, scalaBinaryVersion) { (t,s,v) =>
 t / ("scala-" + v) / s
}

// don't have a classifier on the assembly
artifact in (Compile, assembly) ~= { (art: Artifact) =>
 art.copy(`classifier` = None)
}

// add the assembly as an artifact
addArtifact(artifact in (Compile, assembly), assembly)

// add the assembly signature as an artifact
packagedArtifacts <<= (packagedArtifacts, pgpSigner, skip in pgpSigner, streams) map { (artifacts,r,skipZ,s) =>
 if (!skipZ) {
 artifacts flatMap {
 // This works because the assembly has already been declared with no classifier
 case (art @ Artifact(_, "jar", "jar", None, _, _, _), file) =>
 Seq(art
 -> file,
 art.copy(extension = art.extension + ".asc") -> r.sign(file, new File(file.getAbsolutePath + ".asc"), s))
 case (art, file) => Seq(art -> file)
 }
 } else artifacts
}

// pom re-writing:
// * remove the scalabeans dependency, as it's included
// * remove the 'provided' annotation on others, as they're not

```

```

pomPostProcess := {
 import xml.transform._
 new RuleTransformer(new RewriteRule {
 override def transform(node: xml.Node) = node match {
 case n if ((n \ "artifactId").text.startsWith("scalabeans")) => xml.NodeSeq.Empty
 case n @ <scope>{_*}</scope> if n.text == "provided" => xml.NodeSeq.Empty
 case _ => node
 }
 })
}

// publishing
publishMavenStyle := true

publishTo <<= version { v =>
 val nexus = "https://oss.sonatype.org/"
 if (v.trim.endsWith("SNAPSHOT"))
 Some("snapshots" at nexus + "content/repositories/snapshots")
 else
 Some("releases" at nexus +
 "service/local/staging/deploy/maven2")
}

publishArtifact in Test := false

pomIncludeRepository := { _ => false }

pomExtra := {
<url>http://wiki.fasterxml.com/JacksonModuleScala</url>
<licenses>
 <license>
 <name>The Apache Software License, Version 2.0</name>
 <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
 <distribution>repo</distribution>
 </license>
</licenses>
<scm>
 <connection>scm:git:git@github.com:FasterXML/jackson-module-scala.git</connection>
 <developerConnection>scm:git:git@github.com:FasterXML/jackson-module-scala.git</developerConnection>
 <url>http://github.com/FasterXML/jackson-module-scala</url>
</scm>
<developers>
 <developer>
 <id>tatu</id>
 <name>Tatu Saloranta</name>
 <email>tatu@fasterxml.com</email>
 </developer>
 <developer>

```

```

 <id>christopher</id>
 <name>Christopher Currie</name>
 <email>christopher@currie.com</email>
 </developer>
</developers>
<contributors>
 <contributor>
 <name>Nathaniel Bauernfeind</name>
 </contributor>
 <contributor>
 <name>Anton Panasenko</name>
 </contributor>
</contributors>
}

// credentials
credentials += Credentials(Path.userHome / ".ivy2" / ".credentials")

// release
releaseSettings

// bump bugfix on release
nextVersion := { ver => Version(ver).map(_._bumpBugfix.asSnapshot.string).getOrElse(versionFormatError) }

// use maven style tag name
tagName <<= (name, version in ThisBuild) map { (n,v) => n + "-" + v }

// don't publish on release, it doesn't work with cross version publishing
// TODO: see about defining multiple release processes, to do prepare/perform
// split processes similar to the Maven release plugin
releaseProcess := Seq(
 // TODO remove when scalbeans isn't a custom build
 // checkSnapshotDependencies,
 inquireVersions,
 runTest,
 setReleaseVersion,
 commitReleaseVersion,
 tagRelease,
 setNextVersion,
 commitNextVersion
)

Found in path(s):
* /opt/cola/permits/1112016056_1612266516.32/0/jackson-module-scala-2-1-5-zip/jackson-module-scala-jackson-
module-scala-2.1.5/build.sbt

```

# 1.479 json4s-native 3.2.5

## 1.479.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2009-2010 WorldWide Conferencing, LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112015934_1607033280.0/0/json4s-native-2-10-3-2-5-sources-1-
jar/org/json4s/native/Serialization.scala
* /opt/cola/permits/1112015934_1607033280.0/0/json4s-native-2-10-3-2-5-sources-1-
jar/org/json4s/native/JsonParser.scala
```

# 1.480 json4s-ast 3.2.5

## 1.480.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2009-2011 WorldWide Conferencing, LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

\*/

Found in path(s):

\* /opt/cola/permits/1112015951\_1607033975.99/0/json4s-ast-2-10-3-2-5-sources-1-jar/org/json4s/JsonAST.scala

\* /opt/cola/permits/1112015951\_1607033975.99/0/json4s-ast-2-10-3-2-5-sources-1-jar/org/json4s/JsonDSL.scala

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2009-2010 WorldWide Conferencing, LLC

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112015951\_1607033975.99/0/json4s-ast-2-10-3-2-5-sources-1-jar/org/json4s/Diff.scala

\* /opt/cola/permits/1112015951\_1607033975.99/0/json4s-ast-2-10-3-2-5-sources-1-jar/org/json4s/Merge.scala

# 1.481 swagger-core 1.3.5

## 1.481.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2013 Wordnik, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/



Found in path(s):

- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/core/util/JsonSerializer.scala
- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/core/filter/SpecFilter.scala
- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/model/AuthorizationModels.scala
- \*
- /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/core/util/ReaderUtil.scala
- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/core/util/ModelUtil.scala
- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/core/util/TypeUtil.scala
- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/core/util/JsonUtil.scala
- \* /opt/cola/permits/1112015812\_1607033965.08/0/swagger-core-2-10-1-3-5-sources-1-jar/com/wordnik/swagger/model/SwaggerModels.scala

# 1.482 json4s-core 3.2.5

## 1.482.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2009-2010 WorldWide Conferencing, LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1112016236\_1607033403.5/0/json4s-core-2-10-3-2-5-sources-1-jar/org/json4s/Formats.scala
- \* /opt/cola/permits/1112016236\_1607033403.5/0/json4s-core-2-10-3-2-5-sources-1-jar/org/json4s/package.scala
- \* /opt/cola/permits/1112016236\_1607033403.5/0/json4s-core-2-10-3-2-5-sources-1-jar/org/json4s/XML.scala
- \*

# 1.483 chownr 1.1.4

## 1.483.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.484 xml-schema-core 2.0.3

## 1.484.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache WebServices - XmlSchema

Copyright 2004-2012 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions Copyright 2006 International Business Machines Corp.

Portions Copyright (C) World Wide Web Consortium 2006, 2007 and licensed under the  
three-part BSD license.

# 1.485 jetty-server 9.4.18.v20190429

## 1.485.1 Available under license :

This program and the accompanying materials are made available under the  
terms of the Eclipse Public License 2.0 which is available at  
<http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License  
2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC  
LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM  
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation  
distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are  
distributed by that particular Contributor. A Contribution 'originates'  
from a Contributor if it was added to the Program by such  
Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not  
include additions to the Program which: (i) are separate modules of  
software distributed in conjunction with the Program under their own  
license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program



in object code form under  
its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property

infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
//
// =====
// Copyright (c) 1995-2019 Mort Bay Consulting Pty. Ltd.
// -----
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
//
// The Eclipse Public License is available at
// http://www.eclipse.org/legal/epl-v10.html
//
// The Apache License v2.0 is available at
// http://www.opensource.org/licenses/apache2.0.php
//
// You may elect to redistribute this code under either of these licenses.
// =====
//
```

```
=====
```

Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

```
=====
```

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>



and

- \* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.486 libthrift 0.9.2

### 1.486.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.487 less-loader 5.0.0

## 1.487.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.488 raw-loader 3.1.0

### 1.488.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.489 spring-boot-autoconfigure

### 1.5.12.RELEASE

#### 1.489.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2018 the original author or authors.



\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/BasicErrorController.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisXAConnectionFactoryConfiguration.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/CouchbaseCacheConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/WebMvcAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/SessionAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/SearchStrategy.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQConnectionFactoryFactory.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/client/EnableOAuth2SsoCondition.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/OnBeanCondition.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/SessionCondition.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/BeanTypeRegistry.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/AbstractErrorController.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/redis/RedisAutoConfiguration.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/RedisSessionConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/flyway/FlywayAutoConfiguration.java

```
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/CacheCondition.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/SecurityProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/EmbeddedDatabaseConnection.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/context/MessageSourceAutoConfiguration.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/ResourceProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/batch/BatchAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2RestOperationsConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/OnPropertyCondition.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/ServerPropertiesAutoConfiguration.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/ServerProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/cassandra/CassandraDataAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/CacheType.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/rest/SpringBootRepositoryRestConfigurer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
```

```

jar/org/springframework/boot/autoconfigure/jooq/JooqExceptionTranslator.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/orm/jpa/JpaBaseConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/liquibase/LiquibaseAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/ldap/LdapRepositoriesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/EmbeddedServletContainerAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jooq/JooqAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/session/SessionProperties.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/JCachePropertiesCustomizer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/admin/SpringApplicationAdminJmxAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigurationMetadataLoader.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/authserver/AuthorizationServerProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigurationImportListener.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/couchbase/CouchbaseAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/context/PropertyPlaceholderAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/dao/PersistenceExceptionTranslationAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/orm/jpa/DataSourceInitializedPublisher.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mongo/embedded/EmbeddedMongoAutoConfiguration.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceInitializer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/OnClassCondition.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/authserver/OAuth2AuthorizationServerConfiguration.j
ava
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/amqp/RabbitProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/TwitterProperties.java

```

```

* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mongo/MongoProperties.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/SpringBootWebSecurityConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQConnectionFactoryCustomizer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2SsoProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/AnyNestedCondition.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigurationImportEvent.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/EnableAutoConfigurationImportSelector.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/amqp/SimpleRabbitListenerContainerFactoryConfigurer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/SocialWebAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnClass.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/Http401AuthenticationEntryPoint.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/MultipartProperties.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/validation/PrimaryDefaultValidatorPostProcessor.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/ldap/LdapRepositoriesRegistrar.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/hateoas/HypermediaHttpMessageConverterConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/ldap/LdapProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/amqp/RabbitAnnotationDrivenConfiguration.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/mongo/MongoDataAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/elasticsearch/jest/JestProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceTransactionManagerAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/PropertyPlaceholderAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/groovy/template/GroovyTemplateAvailabilityProvider.java

```

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/transaction/TransactionManagerCustomizers.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mustache/MustacheProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/freemarker/FreeMarkerTemplateAvailabilityProvider.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/OAuth2ResourceServerConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/freemarker/FreeMarkerAutoConfiguration.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/ldap/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQConnectionFactoryConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/EnableAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/ResourceServerTokenServicesConfiguration.java  
ava  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/ldap/embedded/EmbeddedLdapProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnMissingBean.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/orm/jpa/HibernateJpaAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/social/FacebookProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/AutoConfigurationPackages.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQXAConnectionFactoryConfiguration.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/batch/BasicBatchConfigurer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/mongo/MongoRepositoriesAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/validation/ValidationAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mobile/DeviceDelegatingViewResolverProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-

```

jar/org/springframework/boot/autoconfigure/AutoConfigurationImportFilter.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/DefaultUserInfoRestTemplateFactory.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/ldap/embedded/EmbeddedLdapAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/transaction/TransactionProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionMessage.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigurationImportSelector.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/JCacheCacheConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/transaction/TransactionAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/method/OAuth2MethodSecurityConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnBean.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2ProtectedResourceDetailsConfiguration.j
ava
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/transaction/jta/BitronixJtaConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/DataSourceConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/LinkedInProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/template/PathBasedTemplateAvailabilityProvider.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/h2/H2ConsoleProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/liquibase/LiquibaseProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/NoneNestedConditions.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnSingleCandidate.java

```

```

* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/batch/BatchProperties.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigurationSorter.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/ldap/LdapDataAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/info/ProjectInfoProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/JndiDataSourceAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/SpringBootApplication.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/ImportAutoConfigurationImportSelector.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jersey/JerseyProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/orm/jpa/DatabaseLookup.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/transaction/jta/NarayanaJtaConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/ldap/LdapAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/CacheProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/UserInfoRestTemplateFactory.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/ldap/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/flyway/FlywayProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mustache/MustacheCompilerFactoryBean.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/rest/RepositoryRestProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/ResourceServerProperties.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/OnEnabledResourceChainCondition.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionEvaluationReportAutoConfigurationImportListener
.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/OAuth2ClientProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-

```

jar/org/springframework/boot/autoconfigure/AutoConfigurationMetadata.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/condition/AllNestedConditions.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/MessageSourceAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchDataAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/JwtAccessTokenConverterRestTemplateCusto  
mizer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/cache/CacheManagerCustomizers.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jDataAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/orm/jpa/JpaProperties.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/ImportAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/thymeleaf/ThymeleafProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/UserInfoTokenServices.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/cache/HazelcastJCacheCustomizationConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/condition/SpringBootCondition.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/web/WebMvcProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/web/WebMvcValidator.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/webservices/WebServicesProperties.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,



- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/package-info.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/metadata/HikariDataSourcePoolMetadata.java
  - \*
  - /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/solr/SolrRepositoriesRegistrar.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/websocket/JettyWebSocketContainerCustomizer.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceInitializedEvent.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/solr/SolrProperties.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/gson/GsonAutoConfiguration.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/websocket/TomcatWebSocketContainerCustomizer.java
  - \*
  - /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceInitializerPostProcessor.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/websocket/UndertowWebSocketContainerCustomizer.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/template/TemplateLocation.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchRepositoriesAutoConfiguration.java
  - \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchRepositoriesRegistrar.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2012-2016 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jackson/JacksonAutoConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/JndiConnectionFactoryAutoConfiguration.java
- \*
- /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/redis/RedisRepositoriesAutoConfigureRegistrar.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jersey/ResourceConfigCustomizer.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/ErrorMvcAutoConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/transaction/PlatformTransactionManagerCustomizer.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/AutoConfigurationExcludeFilter.java
- \*
- /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/kafka/KafkaProperties.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mail/JndiSessionConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/XADataSourceAutoConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceBeanCreationFailureAnalyzer.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2SsoDefaultConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mustache/web/MustacheViewResolver.java
- \*
- /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnCloudPlatform.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/SecurityFilterAutoConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/JmsAutoConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cassandra/CassandraProperties.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mobile/DeviceResolverAutoConfiguration.java
- \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/freemarker/package-info.java
- \*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mobile/DeviceDelegatingViewResolverAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/JdbcSessionConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/HttpEncodingAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/transaction/jta/JtaProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/JspTemplateAvailabilityProvider.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/BackgroundPreinitializer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ResourceCondition.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/aop/AopAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/kafka/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/h2/H2ConsoleAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/client/OAuth2SsoCustomConfiguration.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/FixedPrincipalExtractor.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/social/FacebookAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cassandra/CassandraAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/AbstractNestedCondition.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/domain/package-info.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mustache/MustacheAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/OnWebApplicationCondition.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastConfigResourceCondition.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/GenericCacheConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/WebClientAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/batch/JobLauncherCommandLineRunner.java  
\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/domain/EntityScanPackages.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/logging/ConditionEvaluationReportMessage.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseRepositoriesRegistrar.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/couchbase/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/webservices/package-info.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/kafka/ConcurrentKafkaListenerContainerFactoryConfigurer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/integration/IntegrationAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/EhCacheCacheConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseDataAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/redis/RedisProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnProperty.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnMissingClass.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/UserInfoRestTemplateCustomizer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/SpringSocialTokenServices.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionOutcome.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/template/AbstractViewResolverProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/DefaultJmsListenerContainerFactoryConfigurer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/SharedMetadataReaderFactoryContextInitializer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/OnResourceCondition.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/thymeleaf/ThymeleafAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/integration/IntegrationAutoConfigurationScanRegistrar.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/diagnostics/analyzer/NoSuchBeanDefinitionFailureAnalyzer.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/StoreType.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/OnJavaCondition.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/social/SocialProperties.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/HttpMessageConverters.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/sendgrid/SendGridProperties.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mobile/SitePreferenceAutoConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/HazelcastSessionConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseConfigurerAdapterConfiguration.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/HashMapSessionConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mongo/embedded/EmbeddedMongoProperties.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/PrincipalExtractor.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/CacheAutoConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/AuthenticationManagerConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/HazelcastCacheConfiguration.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/InfinispanCacheConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/thymeleaf/AbstractThymeleafViewResolverConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/couchbase/OnBootstrapHostsCondition.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/jpa/JpaRepositoriesAutoConfigureRegistrar.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/couchbase/CouchbaseProperties.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadataProvidersConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/transaction/jta/JndiJtaConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/GuavaCacheConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/domain/EntityScan.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/transaction/jta/AtomikosJtaConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/DispatcherServletAutoConfiguration.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/websocket/WebSocketAutoConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/NoOpSessionConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/metadata/AbstractDataSourcePoolMetadata.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jackson/JacksonProperties.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/CacheManagerCustomizer.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jersey/JerseyAutoConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/elasticsearch/jest/JestAutoConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/transaction/jta/JtaAutoConfiguration.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/DataSourceBuilder.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/couchbase/package-info.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/HttpEncodingProperties.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/FixedAuthoritiesExtractor.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jackson/Jackson2ObjectMapperBuilderCustomizer.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/domain/EntityScanner.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/liquibase/LiquibaseDataSource.java  
 \* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/package-info.java  
 \*  
 /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/batch/BatchDatabaseInitializer.java

```

* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/RedisCacheConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/websocket/WebSocketMessagingAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/redis/RedisRepositoriesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/solr/SolrRepositoriesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/OnCloudPlatformCondition.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/TwitterAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastJpaDependencyAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/amqp/RabbitAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/thymeleaf/AbstractTemplateResolverConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/cassandra/CassandraRepositoriesAutoConfigureRegistrar.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/elasticsearch/jest/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jRepositoriesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/LinkedInAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionEvaluationReport.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/WebMvcRegistrationsAdapter.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/SocialAutoConfigurerAdapter.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/solr/SolrAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseDataProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/sendgrid/SendGridAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/DefaultErrorViewResolver.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/neo4j/Neo4jRepositoriesAutoConfigureRegistrar.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/JdbcTemplateAutoConfiguration.java

```

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/info/ProjectInfoAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/IgnoredRequestCustomizer.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/HazelcastInstanceConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/metadata/CommonsDbcDataSourcePoolMetadata.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/CacheConfigurations.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/neo4j/package-info.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/EmbeddedDataSourceConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/OAuth2AutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/AbstractDependsOnBeanFactoryPostProcessor.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/AbstractDatabaseInitializer.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnExpression.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/kafka/KafkaAnnotationDrivenConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/WebMvcRegistrations.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/CaffeineCacheConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/FallbackWebSecurityAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/mongo/MongoRepositoriesAutoConfigurationRegistrar.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/ExceptionHandler.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisConnectionFactoryFactory.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mail/MailSenderValidatorAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/webservices/WebServicesAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/groovy/template/GroovyTemplateAutoConfiguration.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/logging/AutoConfigurationReportLoggingInitializer.java



\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/couchbase/SpringBootCouchbaseDataConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/OnExpressionCondition.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mongo/MongoAutoConfiguration.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/ConditionalOnEnabledResourceChain.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/rest/RepositoryRestMvcAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/MultipartAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisEmbeddedServerConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/kafka/KafkaAutoConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/MongoSessionConfiguration.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/JmsAnnotationDrivenConfiguration.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cassandra/ClusterBuilderCustomizer.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/orm/jpa/HibernateVersion.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/template/TemplateAvailabilityProviders.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/SessionStoreMappings.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/validation/package-info.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/websocket/WebSocketContainerCustomizer.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/session/JdbcSessionDatabaseInitializer.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/client/SsoSecurityConfigurer.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/JmsProperties.java

\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/HttpMessageConvertersAutoConfiguration.java

\*

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/mobile/DeviceDelegatingViewResolverFactory.java

```
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/couchbase/CouchbaseRepositoriesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisEmbeddedConfigurationFactory.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/couchbase/SpringBootCouchbaseConfigurer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/OnJndiCondition.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mail/MailSenderAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/elasticsearch/jest/HttpClientConfigBuilderCustomizer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/HikariDriverConfigurationFailureAnalyzer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnWebApplication.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/SimpleCacheConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/hateoas/HypermediaAutoConfiguration.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/flyway/FlywayMigrationInitializer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/metadata/CommonsDbcp2DataSourcePoolMetadata.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
```

```

jar/org/springframework/boot/autoconfigure/mail/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/hazelcast/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mustache/MustacheEnvironmentCollector.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cassandra/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/solr/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/websocket/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mustache/web/MustacheView.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/artemis/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/groovy/template/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/reactor/ReactorAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/SecurityAuthorizeMode.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mustache/web/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mustache/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/metadata/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/admin/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisMode.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/thymeleaf/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/solr/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigureBefore.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/JCacheManagerCustomizer.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadataProvider.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/elasticsearch/ElasticsearchProperties.java
*

```

/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnJava.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisConfigurationCustomizer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/jpa/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/aop/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/activemq/ActiveMQAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/ErrorProperties.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/cassandra/CassandraRepositoriesAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jms/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/BootGlobalAuthenticationConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/web/JacksonHttpMessageConvertersConfiguration.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/oauth2/resource/JwtAccessTokenConverterConfigurer.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/security/SecurityDataConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cloud/CloudAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/condition/ConditionalOnJndi.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/batch/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/cache/package-info.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/data/jpa/EntityManagerFactoryDependsOnPostProcessor.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/gson/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/hateoas/HateoasProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadataProviders.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-jar/org/springframework/boot/autoconfigure/flyway/FlywayMigrationStrategy.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-

jar/org/springframework/boot/autoconfigure/data/cassandra/package-info.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisAutoConfiguration.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/mail/MailProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/web/NonRecursivePropertyPlaceholderHelper.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/integration/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/data/rest/package-info.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/freemarker/FreeMarkerProperties.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/data/AbstractRepositoryConfigurationSourceSupport.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/jersey/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/AutoConfigurationPackage.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/AutoConfigureOrder.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/security/oauth2/resource/AuthoritiesExtractor.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/logging/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/liquibase/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/jooq/SpringTransactionProvider.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/jackson/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnResource.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/jooq/package-info.java  
\*  
/opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/jmx/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/transaction/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/cloud/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/reactor/package-info.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-

```

jar/org/springframework/boot/autoconfigure/jdbc/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/redis/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/GsonHttpMessageConvertersConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/cache/NoOpCacheConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/amqp/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisConnectionFactoryConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/flyway/FlywayDataSource.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/template/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/artemis/ArtemisNoOpBindingRegistry.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/dao/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/social/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jooq/SpringTransaction.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/template/TemplateAvailabilityProvider.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/oauth2/client/EnableOAuth2Sso.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/context/ConfigurationPropertiesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/groovy/template/GroovyTemplateProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/template/AbstractTemplateViewResolverProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/hazelcast/HazelcastInstanceFactory.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/mongo/MongoClientDependsOnBeanFactoryPostProcessor.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jmx/ParentAwareNamingStrategy.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/DefaultErrorAttributes.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-

```

```

jar/org/springframework/boot/autoconfigure/mustache/MustacheResourceTemplateLoader.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/web/ErrorController.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/flyway/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jms/activemq/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/transaction/jta/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jooq/JooqProperties.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/mongo/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/metadata/TomcatDataSourcePoolMetadata.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/hateoas/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/elasticsearch/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/thymeleaf/ThymeleafTemplateAvailabilityProvider.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/SecurityAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mongo/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mustache/MustacheTemplateAvailabilityProvider.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/web/SpringDataWebAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jdbc/metadata/DataSourcePoolMetadata.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/web/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/orm/jpa/package-info.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/mobile/package-info.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/jmx/JmxAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/AutoConfigureAfter.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-

```

jar/org/springframework/boot/autoconfigure/web/ErrorAttributes.java  
\* /opt/cola/permits/1112362173\_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-  
jar/org/springframework/boot/autoconfigure/context/package-info.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/security/SecurityPrerequisite.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/batch/JobExecutionExitCodeGenerator.java
*
/opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/condition/ConditionalOnNotWebApplication.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/data/jpa/JpaRepositoriesAutoConfiguration.java
* /opt/cola/permits/1112362173_1607072356.14/0/spring-boot-autoconfigure-1-5-12-release-sources-1-
jar/org/springframework/boot/autoconfigure/batch/JobExecutionEvent.java
```

# 1.490 spring-boot 1.5.12.RELEASE

## 1.490.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```



- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/orm/jpa/hibernate/SpringJtaPlatform.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/java/JavaLoggingSystem.java
- \*
- /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/RelaxedPropertyResolver.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/MimeMappings.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/package-info.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/EnvironmentPostProcessor.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/servlet/ServletRegistrationBean.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/filter/OrderedRequestContextFilter.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/FileSessionPersistence.java
- \*
- /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/analyzer/ValidationExceptionFailureAnalyzer.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/orm/jpa/hibernate/SpringNamingStrategy.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/BeanDefinitionLoader.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/AbstractConfigurableEmbeddedServletContainer.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedContext.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/diagnostics/analyzer/PortInUseFailureAnalyzer.java
- \*
- /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/narayana/DataSourceXAResourceRecoveryHelper.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jackson/JsonComponent.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/Compression.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/diagnostics/analyzer/ConnectorStartFailureAnalyzer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/narayana/NarayanaXADataSourceWrapper.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/diagnostics/analyzer/package-info.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/SpringApplicationBannerPrinter.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ExitCodeExceptionMapper.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ResourceBanner.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/bind/RelaxedDataBinder.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/log4j2/SpringBootConfigurationFactory.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/info/BuildProperties.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/narayana/NarayanaDataSourceBean.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/ServletComponentScan.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/tomcat/TomcatStarter.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/DefaultApplicationArguments.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ExitCodeEvent.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/diagnostics/analyzer/BeanNotOfRequiredTypeFailureAnalyzer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/tomcat/TomcatErrorPage.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/system/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/narayana/NarayanaXAConnectionFactoryWrapper.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/EmbeddedWebApplicationContext.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/properties/EnableConfigurationPropertiesImportSelector.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/ContextIdApplicationContextInitializer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-

jar/org/springframework/boot/SpringBootExceptionHandler.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/event/ApplicationStartedEvent.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/SpringApplicationRunListener.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/client/RestTemplateCustomizer.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/client/RootUriTemplateHandler.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/diagnostics/LoggingFailureAnalysisReporter.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/env/PropertiesPropertySourceLoader.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/diagnostics/FailureAnalysisReporter.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/ApplicationHome.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/tomcat/SslStoreProviderUrlStreamHandlerFactory.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/diagnostics/FailureAnalyzer.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/bind/PropertySourceUtils.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/jta/narayana/NarayanaConfigurationBean.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/lang/UsesUnsafeJava.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/jetty/JasperInitializer.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/tomcat/TldSkipPatterns.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/InitParameterConfiguringServletContextInitializer.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/admin/SpringApplicationAdminMXBeanRegistrar.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/info/InfoProperties.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/tomcat/ConnectorStartFailedException.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/filter/package-info.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/SslStoreProvider.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-

jar/org/springframework/boot/diagnostics/analyzer/AbstractInjectionFailureAnalyzer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jackson/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/type/classreading/ConcurrentReferenceCachingMetadataReaderFactory.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ImageBanner.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/ConfigurableEmbeddedServletContainer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/JspServlet.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jackson/JsonObjectSerializer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ansi/AnsiColors.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/WebListenerHandler.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/SpringApplicationRunListeners.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/EmbeddedServletContainerFactory.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/logback/SpringPropertyAction.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/env/YamlPropertySourceLoader.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/config/ResourceNotFoundException.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/LocalServerPort.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/bind/YamlJavaBeanPropertyConstructor.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/Ssl.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/ServletComponentHandler.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/SpringBootConfiguration.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/DelegatingFilterProxyRegistrationBean.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/ServletContextInitializer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/FileEncodingApplicationListener.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/ClasspathLoggingApplicationListener.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/jetty/ServletContextInitializerConfiguration.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/ServletListenerRegistrationBean.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/orm/jpa/hibernate/SpringImplicitNamingStrategy.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/filter/OrderedCharacterEncodingFilter.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/filter/OrderedHiddenHttpMethodFilter.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/event/ApplicationStartingEvent.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/tomcat/LazySessionIdGenerator.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/bind/PropertySourcesBinder.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/diagnostics/AbstractFailureAnalyzer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/AbstractFilterRegistrationBean.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/bitronix/PoolingConnectionFactoryBean.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/bitronix/PoolingDataSourceBean.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/LogFile.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/system/SystemProperties.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/json/GsonJsonParser.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/diagnostics/analyzer/NoUniqueBeanDefinitionFailureAnalyzer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/Slf4JLoggingSystem.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/diagnostics/FailureAnalysis.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/logback/LevelRemappingAppender.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/narayana/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/web/servlet/WebFilterHandler.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-

```
jar/org/springframework/boot/web/servlet/FilterRegistrationBean.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/hibernate/SpringPhysicalNamingStrategy.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiElement.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/PortInUseException.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/EntityManagerFactoryBuilder.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/DefaultLogbackConfiguration.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/RandomValuePropertySource.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/narayana/NarayanaBeanFactoryPostProcessor.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LoggingSystem.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ExitCodeGenerators.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/ServerPortInfoApplicationContextInitializer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ErrorPageRegistry.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/WebServletHandler.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ClearCachesApplicationListener.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/filter/OrderedHttpPutFormContentFilter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LoggingSystemProperties.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/RegistrationBean.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ErrorPageRegistrar.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/system/EmbeddedServerPortFileWriter.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedServletContainerFactory.java
- \*
- /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jackson/JsonObjectDeserializer.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedServletContainer.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/liquibase/LiquibaseServiceLocatorApplicationListener.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/system/ApplicationPidFileWriter.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/RelaxedNames.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/RelaxedConversionService.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/UndertowEmbeddedServletContainerFactory.java
- \*
- /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jdbc/DatabaseDriver.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedServletContainerFactory.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/PropertiesConfigurationFactory.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/tomcat/TomcatResources.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/ansi/AnsiOutput.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/servlet/ServletComponentScanRegistrar.java
- \*
- /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/web/support/ErrorHandlerFilter.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/properties/ConfigurationPropertiesBindingPostProcessor.java
- \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/PropertySourcesLoader.java

```
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/BasicJsonParser.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/client/RestTemplateBuilder.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/MultipartConfigFactory.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertySourcesPropertyValues.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedServletContainer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/filter/ApplicationContextHeaderFilter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/AnsiOutputApplicationListener.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/AbstractEmbeddedServletContainerFactory.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LoggingApplicationListener.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/cloud/CloudPlatform.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/SpringBootJoranConfigurator.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/SpringBootVersion.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/JsonJsonParser.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
```



```

jar/org/springframework/boot/ApplicationPid.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiStyle.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/SpringProfileAction.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/ConfigurationPropertiesBinding.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/EmbeddedServletContainerCustomizer.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/XmlEmbeddedWebApplicationContext.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/liquibase/CommonsLoggingLiquibaseLogger.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/lang/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/JsonParserFactory.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertyOrigin.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/AtomikosConnectionFactoryBean.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/event/ApplicationFailedEvent.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ApplicationRunner.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/XAConnectionFactoryWrapper.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/XADataSourceWrapper.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/builder/ParentContextCloserApplicationListener.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LoggingInitializationContext.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/AnsiColor.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/env/PropertySourceLoader.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/SpringBootBanner.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/RelaxedBindingNotWritablePropertyException.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/event/package-info.java

```

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/properties/EnableConfigurationProperties.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/json/JsonParser.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/env/SpringApplicationJsonEnvironmentPostProcessor.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/CommandLineRunner.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/bind/InetAddressEditor.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/EmbeddedServletContainer.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/admin/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ansi/AnsiBackground.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/orm/jpa/hibernate/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/log4j2/WhitespaceThrowablePatternConverter.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/bind/OriginCapablePropertyValue.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/cloud/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/atomikos/AtomikosDataSourceBean.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/embedded/AnnotationConfigEmbeddedWebApplicationContext.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/DeferredLog.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/properties/DeprecatedConfigurationProperty.java  
 \*  
 /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ApplicationArguments.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/jta/bitronix/package-info.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/event/ApplicationReadyEvent.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/context/properties/ConfigurationBeanFactoryMetaData.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/ApplicationTemp.java  
 \* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
 jar/org/springframework/boot/logging/log4j2/ExtendedWhitespaceThrowablePatternConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2013 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/YamlJsonParser.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/package-info.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/WebApplicationContextServletContextAwareProcessor.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/DelegatingApplicationContextInitializer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/TomcatConnectorCustomizer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/ConfigurationPropertiesBindingPostProcessorRegistrar.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/java/SimpleFormatter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/LogLevel.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/package-info.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/EmbeddedServletContainerException.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/ExtendedWhitespaceThrowableProxyConverter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/WhitespaceThrowableProxyConverter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/tomcat/TomcatContextCustomizer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ExitCodeGenerator.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/narayana/NarayanaRecoveryManagerBean.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/NestedConfigurationProperty.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletComponentRegisteringPostProcessor.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/builder/ParentContextApplicationContextInitializer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/ColorConverter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/AtomikosProperties.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/servlet/ServletContextInitializerBeans.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/web/support/SpringBootServletInitializer.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/config/ConfigFileApplicationListener.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/undertow/UndertowEmbeddedServletContainer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/yaml/SpringProfileDocumentMatcher.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/logback/LogbackLoggingSystem.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
```

jar/org/springframework/boot/context/embedded/undertow/CompositeResourceManager.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/diagnostics/analyzer/BindFailureAnalyzer.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/jta/narayana/NarayanaProperties.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/config/DelegatingApplicationListener.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/properties/ConfigurationProperties.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/undertow/JarResourceManager.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/bind/YamlConfigurationFactory.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/servlet/ErrorMessage.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/builder/SpringApplicationBuilder.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/diagnostics/analyzer/BeanCurrentlyInCreationFailureAnalyzer.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/jackson/JsonComponentModule.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/TypeExcludeFilter.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/EmbeddedServletContainerCustomizerBeanPostProcessor.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/event/EventPublishingRunListener.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/support/ServletContextApplicationContextInitializer.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedErrorHandler.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/SpringApplication.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/cloud/CloudFoundryVcapEnvironmentPostProcessor.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/servlet/ErrorMessageRegistrarBeanPostProcessor.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/ConfigurationWarningsApplicationContextInitializer.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/ansi/AnsiPropertySource.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/admin/SpringApplicationAdminMXBean.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-

jar/org/springframework/boot/context/embedded/tomcat/SkipPatternJarScanner.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/info/GitProperties.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/validation/MessageInterpolatorFactory.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/annotation/DeterminableImports.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/logging/LoggerConfigurationComparator.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/logging/log4j2/ColorConverter.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/logging/LoggerConfiguration.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/EnvironmentConverter.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/web/support/ErrorHandlerConfiguration.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/logging/log4j2/Log4J2LoggingSystem.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/validation/package-info.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/embedded/tomcat/TomcatEmbeddedWebappClassLoader.java  
\*  
/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/context/annotation/package-info.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/logging/AbstractLoggingSystem.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/json/JacksonJsonParser.java  
\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-  
jar/org/springframework/boot/diagnostics/FailureAnalyzers.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2012-2014 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/event/ApplicationPreparedEvent.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/package-info.java

\*

/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/PatternPropertyNamePatternsMatcher.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/package-info.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/logback/package-info.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/logback/LogbackConfigurator.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/event/ApplicationEnvironmentPreparedEvent.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/builder/package-info.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/atomikos/AtomikosXADataSourceWrapper.java

\*

/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/json/JsonSimpleJsonParser.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/bind/package-info.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/config/package-info.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/bitronix/BitronixXAConnectionFactoryWrapper.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/context/embedded/undertow/UndertowDeploymentInfoCustomizer.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/env/EnumerableCompositePropertySource.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/logging/java/package-info.java

\*

/opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/atomikos/AtomikosDependsOnBeanFactoryPostProcessor.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/StartupInfoLogger.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/yaml/package-info.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-jar/org/springframework/boot/jta/bitronix/BitronixXADataSourceWrapper.java

\* /opt/cola/permits/1112362180\_1607072345.87/0/spring-boot-1-5-12-release-sources-

```

jar/org/springframework/boot/Banner.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/EmbeddedServletContainerInitializedEvent.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyServerCustomizer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/liquibase/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/undertow/UndertowBuilderCustomizer.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/json/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/StringToCharArrayConverter.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/ansi/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/package-info.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/bitronix/BitronixDependentBeanFactoryPostProcessor.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/PropertyNamePatternsMatcher.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/jta/atomikos/AtomikosXAConnectionFactoryWrapper.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/logging/log4j2/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/liquibase/SpringPackageScanClassResolver.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/embedded/jetty/JettyEmbeddedWebApplicationContext.java
*
/opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/env/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/properties/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/bind/DefaultPropertyNamePatternsMatcher.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/package-info.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/context/event/SpringApplicationEvent.java
* /opt/cola/permits/1112362180_1607072345.87/0/spring-boot-1-5-12-release-sources-
jar/org/springframework/boot/orm/jpa/package-info.java

```



# 1.491 cglib 2.2.0-b21

## 1.491.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002,2003 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/UndeclaredThrowableException.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/MethodInterceptor.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/Factory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2003,2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
```

```

jar/net/sf/cglib/transform/ClassFilterTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/DefaultNamingPolicy.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/InvocationHandlerGenerator.java
*
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/CallbackGenerator.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/reflect/FastMethod.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/Mixin.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/ClassTransformerChain.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/AddStaticInitTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ReflectUtils.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/beans/BeanCopier.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/beans/BeanMapEmitter.java
*
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/VisibilityPredicate.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/beans/ImmutableBean.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/CallbackFilter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/reflect/MulticastDelegate.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/MethodProxy.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/AbstractClassLoader.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/reflect/FastClass.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/FixedValueGenerator.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/TypeUtils.java
*
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/MixinEmitter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/CollectionUtils.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/EmitUtils.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/LazyLoaderGenerator.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/CodeEmitter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/MethodInterceptorGenerator.java

```

\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/MethodWrapper.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/DispatcherGenerator.java  
\*  
/opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/NoOpGenerator.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/beans/BulkBeanEmitter.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/AbstractClassGenerator.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/Proxy.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/beans/BeanMap.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/reflect/MethodDelegate.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/reflect/FastClassEmitter.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/KeyFactory.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/DebuggingClassWriter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2003,2004 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/AbstractTransformTask.java  
No license file was found, but licenses were detected in source scan.

2012 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You

may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or packager/legal/LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

Found in path(s):

\*

/opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/pom.xml

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2005 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-  
jar/net/sf/cglib/core/LocalVariablesSorter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2003 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Customizer.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-  
jar/net/sf/cglib/reflect/FastMember.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-  
jar/net/sf/cglib/transform/ClassTransformerTee.java  
\*

```

/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/ClassGenerator.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/InvocationHandler.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/ProcessArrayCallback.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Local.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/util/StringSwitcher.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/Dispatcher.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/AddDelegateTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/AbstractProcessTask.java
*
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/FieldProviderTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/NoOp.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/beans/BulkBeanException.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/UndeclaredThrowableTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/TransformingClassGenerator.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/AddPropertyTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/ClassVisitorTee.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/MethodFilter.java
*
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/UndeclaredThrowableStrategy.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/InterceptFieldTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/FieldVisitorTee.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/util/ParallelSorterEmitter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/AccessFieldTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/ProxyRefDispatcher.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/DefaultGeneratorStrategy.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Constants.java
*

```

/opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/beans/FixedKeySet.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/TinyBitSet.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Signature.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/util/SorterTemplate.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ProcessSwitchCallback.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/AbstractClassTransformer.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/NamingPolicy.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ClassNameReader.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/ClassTransformerFactory.java  
\*  
/opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/LazyLoader.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/MethodVisitorTee.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/beans/BulkBean.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/ClassEmitterTransformer.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/reflect/FastConstructor.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/impl/FieldProvider.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/MixinBeanEmitter.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/DuplicatesPredicate.java  
\*  
/opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/reflect/ConstructorDelegate.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ClassEmitter.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/MethodFilterTransformer.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/ClassTransformer.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/transform/ClassFilter.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/GeneratorStrategy.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ObjectSwitchCallback.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/beans/BeanGenerator.java  
\* /opt/cola/permits/1112466733\_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/Callback.java  
\*

```
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/TransformingClassLoader.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/InterceptFieldFilter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/InterceptFieldCallback.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ClassesKey.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/AnnotationVisitorTee.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Transformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/ClassReaderGenerator.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/CodeGenerationException.java
*
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/InterceptFieldEnabled.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/FixedValue.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Predicate.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/util/ParallelSorter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Block.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/Converter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/MethodInfo.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/RejectModifierPredicate.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/InterfaceMaker.java
*
```



```
/opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/AddInitTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/CallbackInfo.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/MixinEverythingEmitter.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/AbstractClassFilterTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/transform/impl/AbstractInterceptFieldCallback.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/proxy/CallbackHelper.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-
jar/net/sf/cglib/core/MethodInfoTransformer.java
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/core/ClassInfo.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002,2003,2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112466733_1607091817.23/0/cglib-2-2-0-b21-sources-1-jar/net/sf/cglib/proxy/Enhancer.java
```

## 1.492 javax-inject 2.2.0-b21

### 1.492.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The JSR-330 Expert Group
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/Named.java  
\* /opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/Inject.java  
\* /opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/Qualifier.java  
\*  
/opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/Singleton.java  
\* /opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/Scope.java  
\* /opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/package-  
info.java  
\* /opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/javax/inject/Provider.java  
No license file was found, but licenses were detected in source scan.

2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU  
General Public License Version 2 only ("GPL") or the Common Development  
and Distribution License("CDDL") (collectively, the "License"). You  
may not use this file except in compliance with the License. You can  
obtain a copy of the License at  
[https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
or `packager/legal/LICENSE.txt`. See the License for the specific  
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each  
file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the GPL Version 2 section of the License  
file that  
accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields  
enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

Found in path(s):

\*

/opt/cola/permits/1112466749\_1607091827.32/0/javax-inject-2-2-0-b21-sources-1-jar/pom.xml

## 1.493 hk2-utils 2.2.0-b21

### 1.493.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2011 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use

this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.494 hk2-api 2.2.0-b21

### 1.494.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2011 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2011 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '# Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2007-2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.495 hk2-locator 2.2.0-b21

### 1.495.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2010-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.496 asm-all-repackaged 2.2.0-b21

### 1.496.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2005 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/commons/InstructionAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM XML Adapter  
\* Copyright (c) 2004, Eugene Kuleshov  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/ASMContentHandler.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/SAXClassAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/SAXCodeAdapter.java  
\*

/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/SAXAdapter.java

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/Processor.java

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-  
jar/org/objectweb/asm/xml/SAXFieldAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2007 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/ASMifierClassVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/AnnotationVisitor.java  
\*  
/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/LocalVariablesSorter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/Subroutine.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/GeneratorAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/CheckFieldAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/ASMifierAnnotationVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/AnnotationNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/Item.java  
\*  
/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/ClassNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/CheckMethodAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/AbstractInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/ClassAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/MethodInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/Frame.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/Frame.java  
\*



/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/LdcInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/AnnotationWriter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/TraceSignatureVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/BasicValue.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/signature/SignatureReader.java  
\*  
/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/MethodNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/FieldNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/EmptyVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/ASMifierMethodVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/MemberNode.java  
\*  
/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/AnalyzerAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/MethodAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/LineNumberNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/AdviceAdapter.java

```

*
/opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/CheckClassAdapter.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/TraceMethodVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/tree/JumpInsnNode.java
*
/opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/tree/InnerClassNode.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/AbstractVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/ASMifierFieldVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/tree/analysis/Value.java
*
/opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/TraceAbstractVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/TraceClassVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/commons/RemappingClassAdapter.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/util/ASMifierAbstractVisitor.java
* /opt/cola/permits/1112466724_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-
jar/org/objectweb/asm/Handler.java
*

```

/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/MethodWriter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/TypeInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/SimpleRemapper.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/TableSwitchGenerator.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/VarInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/Method.java  
\*  
/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/Interpreter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/Remapper.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/InsnList.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/IntInsnNode.java  
\*  
/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/ClassReader.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/SmallSet.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
\*

/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/SourceValue.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/CheckSignatureAdapter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/Analyzer.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/FieldInsnNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/StaticInitMerger.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/ByteVector.java  
\*

/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/FrameNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/LabelNode.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/signature/SignatureVisitor.java  
\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/LocalVariableNode.java

No license file was found, but licenses were detected in source scan.

2005 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/analysis/package.html
- \* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/commons/package.html
- \* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/package.html
- \*
- /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/tree/package.html
- \* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/signature/package.html
- \* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/package.html
- \* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/attrs/package.html

No license file was found, but licenses were detected in source scan.

ASM XML Adapter

Copyright (c) 2004, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2007 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/Traceable.java

\* /opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/util/ASMifiable.java

No license file was found, but licenses were detected in source scan.

2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

Found in path(s):

\*

/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/pom.xml

No license file was found, but licenses were detected in source scan.

\* ASM XML Adapter

\* Copyright (c) 2004, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

- \* are met:
- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\*/opt/cola/permits/1112466724\_1607091823.13/0/asm-all-repackaged-2-2-0-b21-sources-2-jar/org/objectweb/asm/xml/package.html

## 1.497 netty-codec-socks 4.1.17.Final

### 1.497.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

```



Found in path(s):

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java

\*

/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java

\*

/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdRequest.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java

\*

/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksInitRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/SocksMessage.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksInitResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-

jar/io/netty/handler/codec/socks/SocksMessage.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/package-info.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCommonUtils.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/package-info.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java  
No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/package-info.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java  
\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java  
\*  
/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/package-info.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/SocksVersion.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthScheme.java

\*

/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdType.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthStatus.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksMessageType.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java

\*

/opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdStatus.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java

\* /opt/cola/permits/1112470227\_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-

```
jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
* /opt/cola/permits/1112470227_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-
jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1112470227_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-
jar/io/netty/handler/codec/socks/SocksAddressType.java
* /opt/cola/permits/1112470227_1607093047.17/0/netty-codec-socks-4-1-17-final-sources-1-
jar/io/netty/handler/codec/socks/SocksRequestType.java
```

# 1.498 netty-resolver 4.1.17.Final

## 1.498.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112470210_1607093040.86/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1112470210_1607093040.86/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/package-
info.java
* /opt/cola/permits/1112470210_1607093040.86/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/AddressResolverGroup.java
*
/opt/cola/permits/1112470210_1607093040.86/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/NameResolver.java
* /opt/cola/permits/1112470210_1607093040.86/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/NoopAddressResolverGroup.java
* /opt/cola/permits/1112470210_1607093040.86/0/netty-resolver-4-1-17-final-sources-
jar/io/netty/resolver/NoopAddressResolver.java
```

No license file was found, but licenses were detected in source scan.

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <http://www.apache.org/licenses/LICENSE>

2.0

~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/HostsFileEntries.java

\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/HostsFileEntriesResolver.java  
\*

/opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/DefaultAddressResolverGroup.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/InetAddressResolver.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/AbstractAddressResolver.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/AddressResolver.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/CompositeNameResolver.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/HostsFileParser.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/InetSocketAddressResolver.java  
\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-  
jar/io/netty/resolver/DefaultNameResolver.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/



Found in path(s):

\* /opt/cola/permits/1112470210\_1607093040.86/0/netty-resolver-4-1-17-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java

# 1.499 netty-handler-proxy 4.1.17.Final

## 1.499.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1112470233\_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java  
\* /opt/cola/permits/1112470233\_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java  
\*

```
/opt/cola/permits/1112470233_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1112470233_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/Socks4ProxyHandler.java
* /opt/cola/permits/1112470233_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1112470233_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/ProxyHandler.java
* /opt/cola/permits/1112470233_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/io/netty/handler/proxy/HttpProxyHandler.java
```

No license file was found, but licenses were detected in source scan.

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <http://www.apache.org/licenses/LICENSE>  
2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1112470233\_1607093033.11/0/netty-handler-proxy-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml

# 1.500 netty-buffer 4.1.17.Final

## 1.500.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnsafeByteBufUtil.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledUnsafeHeapByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/HeapByteBufUtil.java  
\*  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnpooledUnsafeHeapByteBuf.java

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/AbstractUnsafeSwappedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnpooledDuplicatedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolArenaMetric.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolChunkMetric.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolSubpageMetric.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolChunkListMetric.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnpooledSlicedByteBuf.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnsafeDirectSwappedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnsafeHeapSwappedByteBuf.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/WrappedCompositeByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/UnpooledUnsafeNoCleanerDirectByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/AbstractPooledDerivedByteBuf.java  
\*  
/opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/WrappedUnpooledUnsafeDirectByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/PooledSlicedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/AbstractUnpooledSlicedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/PooledDuplicatedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/SimpleLeakAwareCompositeByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/AdvancedLeakAwareCompositeByteBuf.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/ByteBufUtil.java

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/SlicedByteBuf.java  
\*  
/opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolChunkList.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/CompositeByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolSubpage.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/package-info.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufOutputStream.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolThreadCache.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledDirectByteBuf.java  
\*  
/opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/AbstractByteBufAllocator.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolChunk.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufAllocator.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PoolArena.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/AbstractByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ReadOnlyByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnpooledByteBufAllocator.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/SwappedByteBuf.java  
\*  
/opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledByteBufAllocator.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/DuplicatedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnpooledHeapByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufInputStream.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-

jar/io/netty/buffer/UnpooledUnsafeDirectByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/Unpooled.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/UnpooledDirectByteBuf.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledHeapByteBuf.java  
No license file was found, but licenses were detected in source scan.

```
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

Found in path(s):  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-buffer/pom.xml  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
```

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/PooledUnsafeDirectByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/AbstractDerivedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/FixedCompositeByteBuf.java  
\*  
/opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/ReadOnlyUnsafeDirectByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/AbstractReferenceCountedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/SimpleLeakAwareByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/ByteBufHolder.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/DefaultByteBufHolder.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/ByteBufProcessor.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/EmptyByteBuf.java  
\*  
/opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/WrappedByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/AdvancedLeakAwareByteBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/ReadOnlyByteBufferBuf.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-  
jar/io/netty/buffer/UnreleasableByteBuf.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufAllocatorMetric.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/PooledByteBufAllocatorMetric.java  
\* /opt/cola/permits/1112470209\_1612183930.61/0/netty-buffer-4-1-17-final-sources-jar/io/netty/buffer/ByteBufAllocatorMetricProvider.java

## 1.501 netty-transport 4.1.17.Final

### 1.501.1 Available under license :

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <http://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/META-INF/maven/io.netty/netty-transport/pom.xml



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
 * its { @link ChannelPipeline }.
 *
 * <h3>Sub-types</h3>
 * <p>
 * { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its
 * subtypes:
 *
 * { @link
 * ChannelInboundHandler } to handle inbound I/O events, and
 * { @link ChannelOutboundHandler } to handle outbound I/O operations.
 *
 * </p>
 * <p>
 * Alternatively, the following adapter classes are provided for your convenience:
 *
 * { @link ChannelInboundHandlerAdapter } to handle inbound I/O events,
 * { @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and
 * { @link ChannelDuplexHandler } to handle both inbound and outbound events
 *
 * </p>
 * <p>
 * For more information, please refer to the documentation of each subtype.
 * </p>
 *
 * <h3>The context object</h3>
 * <p>
 * A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }
 * object. A { @link ChannelHandler } is supposed to interact with the
 * { @link ChannelPipeline } it belongs to via a context object. Using the
```

\* context object, the { @link ChannelHandler } can pass events upstream or  
\* downstream, modify the pipeline dynamically,  
or store the information  
\* (using { @link AttributeKey }s) which is specific to the handler.

\*

\* <h3>State management</h3>

\*

\* A { @link ChannelHandler } often needs to store some stateful information.

\* The simplest and recommended approach is to use member variables:

\* <pre>

\* public interface Message {

\* // your methods here

\* }

\*

\* public class DataServerHandler extends { @link SimpleChannelInboundHandler } &lt; Message &gt; {

\*

\* <b>private boolean loggedIn;</b>

\*

\* { @code @Override }

\* public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {

\* { @link Channel } ch = e.getChannel();

\* if (message instanceof LoginMessage) {

\* authenticate((LoginMessage) message);

\* <b>loggedIn = true;</b>

\* } else (message instanceof GetDataMessage) {

\* if (<b>loggedIn</b>) {

\* ch.write(fetchSecret((GetDataMessage) message));

\* } else {

\*

fail();

\* }

\* }

\* }

\* ...

\* }

\* </pre>

\* Because the handler instance has a state variable which is dedicated to

\* one connection, you have to create a new handler instance for each new

\* channel to avoid a race condition where a unauthenticated client can get

\* the confidential information:

\* <pre>

\* // Create a new handler instance per channel.

\* // See { @link ChannelInitializer#initChannel(Channel) }.

\* public class DataServerInitializer extends { @link ChannelInitializer } &lt; { @link Channel } &gt; {

\* { @code @Override }

\* public void initChannel({ @link Channel } channel) {

\* channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);

\* }

```

* }
*
* </pre>
*
* <h4>Using { @link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use { @link AttributeKey}s which
* is provided by
* { @link ChannelHandlerContext}:
* <pre>
* public interface Message {
* // your methods here
* }
*
* { @code @Sharable}
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}<Message> {
* private final { @link AttributeKey}<{ @link Boolean}>; auth =
* { @link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
* { @code @Override}
* public void channelRead({ @link ChannelHandlerContext} ctx, Message message) {
* { @link Attribute}<{ @link Boolean}>; attr = ctx.attr(auth);
* { @link Channel} ch = ctx.channel();
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) o);
* attr.set(true);
* } else (message instanceof GetDataMessage) {
* if (Boolean.TRUE.equals(attr.get())) {
* ch.write(fetchSecret((GetDataMessage) o));
* } else {
* fail();
* }
* }
* }
* }
* ...
* }
* </pre>

```

\* Now that the state of the handler is attached to the { @link ChannelHandlerContext}, you can add the same handler instance to different pipelines:

```

* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer}<{ @link Channel}> {
*
* private static final DataServerHandler SHARED = new DataServerHandler();
*
* { @code @Override}

```

```

* public void initChannel({ @link Channel} channel) {
* channel.pipeline().addLast("handler", SHARED);
* }
* }
* </pre>
*
*
* <h4>The { @code @Sharable} annotation</h4>
* <p>
* In the example above which used an { @link AttributeKey},
* you might have noticed the { @code @Sharable} annotation.
* <p>
* If a { @link ChannelHandler} is annotated with the { @code @Sharable}
* annotation, it means you can create an instance of the handler just once and
* add it to one or more { @link ChannelPipeline}s multiple times without
* a race
* condition.
* <p>
* If this annotation is not specified, you have to create a new handler
* instance every time you add it to a pipeline because it has unshared state
* such as member variables.
* <p>
* This annotation is provided for documentation purpose, just like
* the JCIP annotations.
*
* <h3>Additional resources worth reading</h3>
* <p>
* Please refer to the { @link ChannelHandler}, and
* { @link ChannelPipeline} to find out more about inbound and outbound operations,
* what fundamental differences they have, how they flow in a pipeline, and how to handle
* the operation in your application.
*/

```

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultEventLoopGroup.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultChannelPromise.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/FixedRecvByteBufAllocator.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/nio/NioServerSocketChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/embedded/package-info.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/MultithreadEventLoopGroup.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/ChannelGroupFuture.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/local/LocalServerChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/nio/AbstractNioByteChannel.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/local/LocalChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/EventLoopException.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrap.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/DatagramPacket.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/local/LocalEventLoopGroup.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultFileRegion.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelHandlerContext.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ThreadPerChannelEventLoop.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/package-info.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/bootstrap/Bootstrap.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/oio/AbstractOioByteChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/package-info.java  
 \*  
 /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelPipeline.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/ChannelGroupFutureListener.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelOutboundHandlerAdapter.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/oio/OioEventLoopGroup.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/Channel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/DatagramChannelConfig.java  
 \*  
 /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/CombinedIterator.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/oio/package-info.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/AbstractServerChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ServerChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultChannelPipeline.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/CombinedChannelDuplexHandler.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java  
 \*  
 /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/nio/package-info.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/InternetProtocolFamily.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-

jar/io/netty/channel/CompleteChannelFuture.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/ChannelFlushPromiseNotifier.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/oio/OioDatagramChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/oio/AbstractOioChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/EventLoopGroup.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/bootstrap/package-info.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/DefaultSocketChannelConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/nio/NioSocketChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/ChannelInboundHandler.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/DefaultChannelConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/ChannelMetadata.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/bootstrap/ServerBootstrap.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/embedded/EmbeddedChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/ChannelFuture.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/ChannelDuplexHandler.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/embedded/EmbeddedSocketAddress.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/nio/AbstractNioMessageChannel.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/EventLoop.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/socket/ServerSocketChannel.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/SucceededChannelFuture.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/oio/AbstractOioMessageChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelPromise.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/VoidChannelPromise.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java  
 \*  
 /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/SingleThreadEventLoop.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/AbstractChannelHandlerContext.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/FileRegion.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/DefaultChannelGroupFuture.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/local/LocalChannelRegistry.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/local/package-info.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/FailedChannelFuture.java  
 \*  
 /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/SocketChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelOption.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelPromiseNotifier.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/nio/NioEventLoop.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/DatagramChannel.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelFutureListener.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelOutboundHandler.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
 \*  
 /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelPipelineException.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelPromiseAggregator.java  
 \* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-



```
jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/group/package-info.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/nio/NioTask.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/ChannelInitializer.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/embedded/EmbeddedEventLoop.java
*
/opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/oio/package-info.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/nio/NioEventLoopGroup.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/local/LocalAddress.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/DefaultEventLoop.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/AbstractChannel.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/nio/package-info.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/socket/SocketChannelConfig.java
*
/opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/RecvByteBufAllocator.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/nio/AbstractNioChannel.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/embedded/EmbeddedChannelId.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ReflectiveChannelFactory.java

\*

/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelFactory.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/AbstractEventLoop.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/PendingWriteQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultChannelHandlerContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/AbstractChannelPoolMap.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/SimpleChannelPool.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/ChannelPoolMap.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/ChannelHealthChecker.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/ChannelPool.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/ChannelPoolHandler.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/package-info.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/pool/FixedChannelPool.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelProgressiveFutureListener.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultChannelId.java

\*

/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/ChannelMatcher.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/bootstrap/ChannelFactory.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/DefaultChannelGroup.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelProgressiveFuture.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/ChannelGroupException.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelProgressivePromise.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/ChannelGroup.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java

\*

```
/opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/ChannelHandlerAdapter.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/AddressedEnvelope.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/SimpleChannelInboundHandler.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/ConnectTimeoutException.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/DefaultMessageSizeEstimator.java
*
/opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/ChannelId.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/DefaultChannelProgressivePromise.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/group/ChannelMatchers.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/MessageSizeEstimator.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/DefaultAddressedEnvelope.java
*
/opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/nio/SelectedSelectionKeySet.java
* /opt/cola/permits/1112470221_1607093049.81/0/netty-transport-4-1-17-final-sources-1-
jar/io/netty/channel/ChannelOutboundBuffer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrapConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultSelectStrategyFactory.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/group/VoidChannelGroupFuture.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/bootstrap/BootstrapConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/SelectStrategyFactory.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DefaultSelectStrategy.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/bootstrap/ServerBootstrapConfig.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelInboundInvoker.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/PreferHeapByteBufAllocator.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/WriteBufferWaterMark.java  
\*  
/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/ChannelOutboundInvoker.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/SelectStrategy.java  
\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/DuplexChannel.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/AbstractCoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java

\*

/opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/PendingBytesTracker.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470221\_1607093049.81/0/netty-transport-4-1-17-final-sources-1-  
jar/io/netty/channel/oio/OioByteStreamChannel.java

## 1.502 netty-handler 4.1.17.Final

### 1.502.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2011 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance



\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionContext.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/JdkSslContext.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java

\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ipfilter/IpFilterRuleType.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslServerContext.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/CipherSuiteFilter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/SniHandler.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/PemReader.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionStats.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/JdkSslClientContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/SslUtils.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ipfilter/UniqueIpFilter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ipfilter/IpFilterRule.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslClientContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/JdkSslServerContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-

jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/JettyNpnSslEngine.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/OpenSslContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/OpenSslEngineMap.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/SslContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/OpenSslX509Certificate.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/JdkSslEngine.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/CipherSuiteConverter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/OpenSslServerSessionContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ipfilter/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/OpenSslEngine.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/SslProvider.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/OptionalSslHandler.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
*
 /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/Java9SslEngine.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/ocsp/package-info.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/AbstractSniHandler.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/Java9SslUtils.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/Conscrypt.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/ssl/SslCompletionEvent.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/SslContextBuilder.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java

\*

/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ClientAuth.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNames.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslJavaxX509Certificate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/timeout/IdleStateHandler.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/SslHandler.java

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-

jar/io/netty/handler/timeout/IdleState.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/ReadTimeoutHandler.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/ReadTimeoutException.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/ChunkedFile.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/util/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/ChunkedWriteHandler.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/logging/package-info.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/ChunkedInput.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/ChunkedNioStream.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/ChunkedStream.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/NotSslRecordException.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/WriteTimeoutException.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/stream/ChunkedNioFile.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/logging/LoggingHandler.java  
\*  
/opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/WriteTimeoutHandler.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/IdleStateEvent.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/timeout/TimeoutException.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/logging/LogLevel.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2016 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/PemPrivateKey.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslCertificateException.java  
\*  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/PemEncoded.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/flush/FlushConsolidationHandler.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/Java8SslUtils.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/PemValue.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/DelegatingSslContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/PemX509Certificate.java  
\*  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslExtendedKeyMaterialManager.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/flush/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/flow/package-info.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-

jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java  
\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-  
jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
*
/opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/traffic/TrafficCounter.java
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-
jar/io/netty/handler/traffic/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```



Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

// Try the OpenJDK's proprietary implementation.

Found in path(s):

\* /opt/cola/permits/1112470239\_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java

No license file was found, but licenses were detected in source scan.

```
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

Found in path(s):

```
* /opt/cola/permits/1112470239_1607093029.74/0/netty-handler-4-1-17-final-sources-1-jar/META-
INF/maven/io.netty/netty-handler/pom.xml
```

## 1.503 netty-codec 4.1.17.Final

### 1.503.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/ValueConverter.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/CharSequenceValueConverter.java
```

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/DefaultHeadersImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/UnsupportedValueConverter.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java

\*

/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ProtocolDetectionState.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ProtocolDetectionResult.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/HeadersUtils.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/string/LineEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/DatagramPacketEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/CompressionUtil.java

\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/DateFormatter.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/ByteBufChecksum.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/string/LineSeparator.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/CodecOutputList.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/DatagramPacketDecoder.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*

```
* Written by Robert Harder and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*/
/**
* Enumeration of supported Base64 dialects.
* <p>
* The internal lookup tables in this class has been derived from
* Robert
 Harder's Public Domain
* Base64 Encoder/Decoder.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/Base64Dialect.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
/*
* Written by Robert Harder and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*/
/**
* Utility class for { @link ByteBuf} that encodes and decodes to and from
* Base64 notation.
* <p>
*
 The encoding and decoding algorithm in this class has been derived from
* Robert Harder's Public Domain
* Base64 Encoder/Decoder.
*/
```

Found in path(s):

```
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
```

jar/io/netty/handler/codec/base64/Base64.java

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <http://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/DefaultHeaders.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/EmptyHeaders.java

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/Headers.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java
*
/opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/FastLz.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java
*
/opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/LzfDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DecoderResultProvider.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageAggregationException.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
```

jar/io/netty/handler/codec/AsciiHeadersEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Constants.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Crc32.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Decoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/json/package-info.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT



\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 \* License for the specific language governing permissions and limitations  
 \* under the License.

\*/  
 /\*\*

\* A decoder that splits the received { @link ByteBuf}s dynamically by the  
 \* value of the length field in the message. It is particularly useful when you  
 \* decode a binary message which has an integer header field that represents the  
 \* length of the message body or the whole message.

\*

<p>

\* { @link LengthFieldBasedFrameDecoder } has many configuration parameters so  
 \* that it can decode any message with a length field, which is often seen in  
 \* proprietary client-server protocols. Here are some example that will give  
 \* you the basic idea on which option does what.

\*

\* <h3>2 bytes length field at offset 0, do not strip header</h3>

\*

\* The value of the length field in this example is <tt>12 (0x0C)</tt> which  
 \* represents the length of "HELLO, WORLD". By default, the decoder assumes  
 \* that the length field represents the number of the bytes that follows the  
 \* length field. Therefore, it can be decoded with the simplistic parameter  
 \* combination.

\* <pre>

\* <b>lengthFieldOffset</b> = <b>0</b>

\* <b>lengthFieldLength</b> = <b>2</b>

\* lengthAdjustment = 0

\* initialBytesToStrip = 0 (= do not strip header)

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)

\* +-----+-----+      +-----+-----+

\* | Length | Actual Content

\* |---->| Length | Actual Content |

\* | 0x000C | "HELLO, WORLD" |    | 0x000C | "HELLO, WORLD" |

\* +-----+-----+      +-----+-----+

\* </pre>

\*

\* <h3>2 bytes length field at offset 0, strip header</h3>

\*

\* Because we can get the length of the content by calling  
 \* { @link ByteBuf#readableBytes() }, you might want to strip the length  
 \* field by specifying <tt>initialBytesToStrip</tt>. In this example, we  
 \* specified <tt>2</tt>, that is same with the length of the length field, to  
 \* strip the first two bytes.

\* <pre>

\* lengthFieldOffset = 0

\* lengthFieldLength = 2

\* lengthAdjustment = 0

\* `<b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)`

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (12 bytes)

\* +-----+-----+      +-----+-----+

\* | Length | Actual Content |---->| Actual Content |

\* | 0x000C | "HELLO, WORLD" |      | "HELLO, WORLD" |

\* +-----+-----+      +-----+-----+

\* `</pre>`

\*

\* `<h3>`2 bytes length field at offset 0, do not strip header, the length field

\* represents the length of the whole message`</h3>`

\*

\* In most cases, the length field represents the length of the message body

\* only, as shown in the previous examples. However, in some protocols, the

\* length field represents the length of the whole message, including the

\* message header. In such a case, we specify a non-zero

\* `<tt>lengthAdjustment</tt>`. Because the length value in this example message

\* is always greater than the body length by `<tt>2</tt>`, we specify `<tt>-2</tt>`

\* as `<tt>lengthAdjustment</tt>` for compensation.

\* `<pre>`

\* `lengthFieldOffset = 0`

\* `lengthFieldLength = 2`

\* `<b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)`

\* `initialBytesToStrip = 0`

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)

\* +-----+-----+      +-----+-----+

\* | Length | Actual Content |---->| Length | Actual

Content |

\* | 0x000E | "HELLO, WORLD" |      | 0x000E | "HELLO, WORLD" |

\* +-----+-----+      +-----+-----+

\* `</pre>`

\*

\* `<h3>`3 bytes length field at the end of 5 bytes header, do not strip header`</h3>`

\*

\* The following message is a simple variation of the first example. An extra

\* header value is prepended to the message. `<tt>lengthAdjustment</tt>` is zero

\* again because the decoder always takes the length of the prepended data into

\* account during frame length calculation.

\* `<pre>`

\* `<b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)`

\* `<b>lengthFieldLength</b> = <b>3</b>`

\* `lengthAdjustment = 0`

\* `initialBytesToStrip = 0`

\*

\* BEFORE DECODE (17 bytes)      AFTER DECODE (17 bytes)

\* +-----+-----+-----+      +-----+-----+-----+

\* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |

```

* | 0xCAFE | 0x00000C | "HELLO, WORLD" | |
 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+ +-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* lengthAdjustment = 2 (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+ +-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO,
 WORLD" |
* +-----+-----+-----+ +-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame. If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* lengthAdjustment = 1 (= the length of HDR2)
* initialBytesToStrip = 3 (= the length of HDR1 + LEN)
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+ +-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+ +-----+-----+-----+
* </pre>
*

```

```

* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* lengthAdjustment = -3 (= the length of HDR1 + LEN, negative)
* initialBytesToStrip = 3
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/ClassResolver.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/ZlibUtil.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/string/StringEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/ZlibDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/ZlibWrapper.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/CorruptedFrameException.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ByteToMessageDecoder.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/CodecException.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/ZlibEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/CachingClassResolver.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/EncoderException.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/MessageToByteEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/ReferenceMap.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/DecoderException.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/package-info.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-

jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/DecompressionException.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/string/package-info.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/PrematureChannelClosureException.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/protobuf/package-info.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/LengthFieldPrepender.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/marshalling/package-info.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/string/StringDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java  
\*  
/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/MessageToMessageDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/serialization/ClassResolvers.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/base64/Base64Decoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/serialization/SoftReferenceMap.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/compression/JZlibDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-  
jar/io/netty/handler/codec/Delimiters.java

```

*
/opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/LineBasedFrameDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/JZlibEncoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibEncoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/UnsupportedMessageTypeException.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java
*
/opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/ByteToMessageCodec.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/TooLongFrameException.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/bytes/package-info.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageToMessageCodec.java
*
/opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageAggregator.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/Base64Encoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/MessageToMessageEncoder.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1112470191_1607093044.21/0/netty-codec-4-1-17-final-sources-
jar/io/netty/handler/codec/base64/package-info.java
*

```

/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/CompressionException.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Snappy.java  
\*

/opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/package-info.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/JdkZlibDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/xml/XMLFrameDecoder.java  
\* /opt/cola/permits/1112470191\_1607093044.21/0/netty-codec-4-1-17-final-sources-jar/io/netty/handler/codec/compression/Crc32c.java



# 1.504 math-random 1.0.4

## 1.504.1 Available under license :

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.505 lodash.\_getnative 3.9.1

## 1.505.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.9.1 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o ./`
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/cola/permits/1112546582_1607111492.32/0/fis-components-lodash-getnative-3-9-1-0-g99a6587-1-tar-gz/fis-components-lodash._getnative-20042e8/index.js
```

# 1.506 lodash.restparam 3.6.1

## 1.506.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* lodash 3.6.1 (Custom Build) <https://lodash.com/>
* Build: `lodash modern modularize exports="npm" -o .`
* Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
* Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
* Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
* Available under MIT license <https://lodash.com/license>
*/
```

Found in path(s):

```
* /opt/cola/permits/1112546401_1607111327.89/0/fis-components-lodash-restparam-3-6-1-0-g4b84b80-1-tar-gz/fis-components-lodash.restparam-3692f6f/index.js
```

## 1.507 lodash 3.10.1

### 1.507.1 Available under license :

Copyright OpenJS Foundation and other contributors <https://openjsf.org/>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

```
====
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

MIT

## 1.508 transform-runtime 0.0.0

### 1.508.1 Available under license :

ISC

## 1.509 lodash.\_basecopy 3.0.1

### 1.509.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* lodash 3.0.1 (Custom Build) <https://lodash.com/>
* Build: `lodash modern modularize exports="npm" -o .`
* Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
* Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
* Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
* Available under MIT license <https://lodash.com/license>
*/
```

Found in path(s):

```
* /opt/cola/permits/1112920915_1607362217.73/0/fis-components-lodash-basecopy-3-0-1-0-gf3b51bf-1-tar-gz/fis-components-lodash._basecopy-8843e24/index.js
```

# 1.510 lodash.isarray 3.0.4

## 1.510.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.0.4 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o .^
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/cola/permits/1112920208_1607362287.19/0/fis-components-lodash-isarray-3-0-4-0-gbfe7f4f-1-tar-gz/fis-components-lodash.isarray-e18427d/index.js
```

# 1.511 lodash.\_isiterateecall 3.0.9

## 1.511.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * lodash 3.0.9 (Custom Build) <https://lodash.com/>
 * Build: `lodash modern modularize exports="npm" -o .^
 * Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>
 * Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>
 * Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
 * Available under MIT license <https://lodash.com/license>
 */
```

Found in path(s):

```
* /opt/cola/permits/1112920166_1607362299.15/0/fis-components-lodash-isiterateecall-3-0-9-0-g7360657-1-tar-gz/fis-components-lodash._isiterateecall-7f1d9ce/index.js
```

# 1.512 lodash.keys 3.1.2

## 1.512.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
lodash v4.5.1
```

The [lodash](https://lodash.com/) library exported as a [UMD](https://github.com/umdjs/umd) module.

Generated using [lodash-cli](https://www.npmjs.com/package/lodash-cli):

```
```bash
$ npm run build
$ lodash -o ./dist/lodash.js
$ lodash core -o ./dist/lodash.core.js
```
```

## ## Community

[![Gitter](https://badges.gitter.im/lodash/lodash.svg)](https://gitter.im/lodash/lodash)

## ## Documentation

- \* [API Documentation](https://lodash.com/docs)
- \* [FP Guide](https://github.com/lodash/lodash/wiki/FP-Guide)

## ## Download

Lodash is released under the [MIT license](https://raw.githubusercontent.com/lodash/lodash/4.5.1/LICENSE) & supports [modern environments](#support).<br>Review the [build differences](https://github.com/lodash/lodash/wiki/build-differences) & pick one thatâ€™s right for you.

- \* [Core build](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.core.js) ([~4 kB gzipped](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.core.min.js))
- \* [Full build](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.js) ([~21 kB gzipped](https://raw.githubusercontent.com/lodash/lodash/4.5.1/dist/lodash.min.js))
- \* [CDN copies](https://www.jsdelivr.com/projects/lodash)

## ## Why Lodash?

Lodash makes JavaScript easier by taking the hassle out of working with arrays,<br>numbers, objects, strings, etc. Lodashâ€™s modular methods are great for:

- \* Iterating arrays, objects, & strings
- \* Manipulating & testing values
- \* Creating composite functions

## ## Module Formats

Lodash is available in a [variety of builds](https://lodash.com/custom-builds) & module formats.

- \* [lodash](https://www.npmjs.com/package/lodash) & [per method packages](https://www.npmjs.com/browse/keyword/lodash-modularized)
- \* [lodash-amd](https://www.npmjs.com/package/lodash-amd)
- \* [lodash-es](https://www.npmjs.com/package/lodash-es) & [babel-plugin-lodash](https://www.npmjs.com/package/babel-plugin-lodash)

\* [lodash/fp](https://github.com/lodash/lodash/tree/4.5.1-npm/fp)

## ## Further Reading

\* [Contributing](https://github.com/lodash/lodash/blob/4.5.1/.github/CONTRIBUTING.md)

\* [Release Notes](https://github.com/lodash/lodash/releases/tag/4.0.0)

\* [Wiki (Changelog, Roadmap, etc.)](https://github.com/lodash/lodash/wiki)

Found in path(s):

\* /opt/cola/permits/1112920220\_1607362302.95/0/fis-components-lodash-keys-3-1-2-0-gc47407a-1-tar-gz/fis-components-lodash.keys-9efd785/README.md

No license file was found, but licenses were detected in source scan.

/\*\*

\* lodash 3.1.2 (Custom Build) <https://lodash.com/>

\* Build: `lodash modern modularize exports="npm" -o ./`

\* Copyright 2012-2015 The Dojo Foundation <http://dojofoundation.org/>

\* Based on Underscore.js 1.8.3 <http://underscorejs.org/LICENSE>

\* Copyright 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors

\* Available under MIT license <https://lodash.com/license>

\*/

/\*\*

\* Creates an array of the own enumerable property names of `object`.

\*

\* **Note:** Non-object values are coerced to objects. See the

\* [ES spec](http://ecma-international.org/ecma-262/6.0/#sec-object.keys)

\* for more details.

\*

\* @static

\* @memberOf \_

\* @category Object

\* @param {Object} object The object to query.

\* @returns {Array} Returns the array of property names.

\* @example

\*

```
* function Foo() {
```

```
 * this.a = 1;
```

```
 * this.b = 2;
```

```
 * }
```

\*

```
* Foo.prototype.c = 3;
```

\*

```
* _.keys(new Foo);
```

```
* // => ['a',
```

```
 'b'] (iteration order is not guaranteed)
```

\*

```
* _.keys('hi');
```

```
* // => ['0', '1']
```

\*/

Found in path(s):

\* /opt/cola/permits/1112920220\_1607362302.95/0/fis-components-lodash-keys-3-1-2-0-gc47407a-1-tar-gz/fis-components-lodash.keys-9efd785/index.js

## 1.513 istack-commons-runtime 3.0.7

### 1.513.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2016 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2015 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only

("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

# 1.514 okhttp 3.12.1

## 1.514.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/annotations/EverythingIsNonNull.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/proxy/NullProxySelector.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```



Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/publicsuffix/PublicSuffixDatabase.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/EventListener.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/RetryAndFollowUpInterceptor.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/ConnectionShutdownException.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/StreamResetException.java

\*

\*/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache2/FileOperator.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/ws/RealWebSocket.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/platform/Jdk9Platform.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/WebSocketListener.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/tls/TrustRootIndex.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/CallServerInterceptor.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/tls/BasicCertificateChainCleaner.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/platform/JdkWithJettyBootPlatform.java

\*

/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/RealInterceptorChain.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/UnrepeatableRequestBody.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/WebSocket.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/platform/AndroidPlatform.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/tls/BasicTrustRootIndex.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache2/Relay.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/RequestLine.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Http2.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/ErrorCode.java  
\*  
/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Response.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Handshake.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Route.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/StatusLine.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/RouteDatabase.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache/InternalCache.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache/CacheStrategy.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Request.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Dispatcher.java  
\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-

jar/okhttp3/internal/NamedRunnable.java

\*

/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/MediaType.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Hpack.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache/DiskLruCache.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Http2Reader.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Http2Connection.java

\*

/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Http2Stream.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/HttpDate.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Http2Writer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Square, Inc.

\* Copyright (C) 2012 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/platform/Platform.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/RealConnection.java

\*

/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/ConnectionPool.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Headers.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/tls/DistinguishedNameParser.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/tls/OkHostnameVerifier.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/tls/CertificateChainCleaner.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/platform/OptionalMethod.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/ConnectInterceptor.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/BridgeInterceptor.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Connection.java

\*

/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache/CacheInterceptor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Twitter, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Huffman.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/MultipartBody.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-

jar/okhttp3/internal/http2/PushObserver.java

\* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/ResponseBody.java

\*

/opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-

jar/okhttp3/internal/cache/CacheRequest.java

```

* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Challenge.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Call.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/CertificatePinner.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Header.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/ws/WebSocketReader.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Credentials.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Protocol.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/ws/WebSocketProtocol.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/RealCall.java
*
/opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/ConnectionSpec.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/http/RealResponseBody.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/Version.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/FormBody.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Interceptor.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/TlsVersion.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/CipherSuite.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Callback.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/http/HttpMethod.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/Internal.java
*
/opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/ws/WebSocketWriter.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/RequestBody.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/platform/ConscryptPlatform.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/io/FileSystem.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/CookieJar.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/StreamAllocation.java
- \*
- /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/ConnectionSpecSelector.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/cache/FaultHidingSink.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Authenticator.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Cookie.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/HttpUrl.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/RouteException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Dns.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http2/Settings.java
- \* /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/connection/RouteSelector.java
- \*

  /opt/cola/permits/1113081426\_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/OkHttpClient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/Util.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/http/HttpHeaders.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Address.java
*
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/http2/Http2Codec.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-
jar/okhttp3/internal/http1/Http1Codec.java
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/internal/http/HttpCodec.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1113081426_1607374231.22/0/okhttp-3-12-1-sources-1-jar/okhttp3/Cache.java
```

## 1.515 xmlsec 1.5.7



## 1.515.1 Available under license :

Apache XML Security for Java  
Copyright 2000-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.516 spring-security-cas 3.2.4.RELEASE

## 1.516.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2013 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1114224931\_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/SpringCacheBasedTicketCache.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright 2004 Acegi Technology Pty Limited

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1114224931\_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/StatelessTicketCache.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1114224931\_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/web/authentication/ServiceAuthenticationDetails.java  
\* /opt/cola/permits/1114224931\_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/web/authentication/ServiceAuthenticationDetailsSource.java  
\*

/opt/cola/permits/1114224931\_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/web/authentication/DefaultServiceAuthenticationDetails.java  
No license file was found, but licenses were detected in source scan.

```
/* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/EhCacheBasedTicketCache.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/web/CasAuthenticationFilter.java
*
/opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/SamlServiceProperties.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/ServiceProperties.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/NullStatelessTicketCache.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/userdetails/GrantedAuthorityFromAssertionAttributesUserDetailsService.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/CasAuthenticationProvider.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/web/CasAuthenticationEntryPoint.java
*
/opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/userdetails/AbstractCasAssertionUserDetailsService.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/CasAuthenticationToken.java
* /opt/cola/permits/1114224931_1607455138.74/0/spring-security-cas-3-2-4-release-sources-jar/org/springframework/security/cas/authentication/CasAssertionAuthenticationToken.java
```

# 1.517 xmltooling 1.4.4

## 1.517.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the University Corporation for Advanced Internet Development,
 * Inc. (UCAID) under one or more contributor license agreements. See the
 * NOTICE file distributed with this work for additional information regarding
 * copyright ownership. The UCAID licenses this file to You under the Apache
 * License, Version 2.0 (the "License"); you may not use this file except in
 * compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Encodes and decodes to and from Base64 notation.
 *
 * <p>
 * Change Log:
 *
 * </p>
 *
 * v2.1 - Cleaned up javadoc comments and unused variables and methods. Added some convenience methods
 for reading
 * and writing to and from files.
 * v2.0.2 - Now specifies UTF-8 encoding in places where the code fails on systems with other encodings (like
 * EBCDIC).
 * v2.0.1 - Fixed an error when decoding a single byte, that is, when the encoded data was a single byte.
 * v2.0 - I got rid of methods that used booleans to set options. Now everything is more consolidated and cleaner.
 * The code now detects when data that's being decoded is gzip-compressed and will decompress it automatically.
 * Generally things are cleaner. You'll probably have to change some method calls that you were making to support
 the
 * new options format (<tt>int</tt>s that you "OR" together).
 * v1.5.1 - Fixed bug when decompressing and decoding to a byte[] using
 * <tt>decode(String s, boolean gzipCompressed)</tt>. Added the ability to "suspend" encoding
 in the Output Stream
 * so you can turn on and off the encoding if you need to embed base64 data in an otherwise "normal" stream (like an
 XML
 * file).
 * v1.5 - Output stream pases on flush() command but doesn't do anything itself. This helps when using GZIP
```



- \* streams. Added the ability to GZip-compress objects before encoding them.</li>
- \* <li>v1.4 - Added helper methods to read/write files.</li>
- \* <li>v1.3.6 - Fixed OutputStream.flush() so that 'position' is reset.</li>
- \* <li>v1.3.5 - Added flag to turn on and off line breaks. Fixed bug in input stream where last buffer being read, if not completely full, was not returned.</li>
- \* <li>v1.3.4 - Fixed when "improperly padded stream" error was thrown at the wrong time.</li>
- \* <li>v1.3.3 - Fixed I/O streams which were totally messed up.</li>

</ul>

\*

<p>

\* I am placing this code in the Public Domain. Do with it as you will. This software comes with no guarantees or warranties but with plenty of well-wishing instead! Please visit <a href="http://iharder.net/base64">http://iharder.net/base64</a> periodically to check for updates or to contribute improvements.

</p>

\*

\* @author Robert Harder

\* @author rob@iharder.net

\* @version 2.1

\*/

Found in path(s):

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/Base64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the University Corporation for Advanced Internet Development, Inc. (UCAID) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The UCAID licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/NamespaceManager.java

\*

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/X509SKI.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/X509CredentialNameEvaluator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptedTypeImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/criteria/EvaluableEntityIDCredentialCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/Resolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/OriginatorKeyInfo.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/TransformMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionPropertyMarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/io/UnmarshallerFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/LazyList.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/X509DigestCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/AbstractElementExtensibleXMLObjectMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Exponent.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/IndexingObjectStore.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/io/BaseXMLObjectMarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/validator/KeyInfoReferenceSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/UsageType.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509CertificateBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/StaticKeyInfoGenerator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DigestMethodBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/parse/XMLParserException.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SPKISexpBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptedTypeMarshaller.java

\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/DataReferenceImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/X509IssuerSerial.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/SignatureTrustEngine.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/XMLObjectBuilderFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/InlineEncryptedKeyResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/KANonce.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/NamedCurveImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/TransformsUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/RecipientKeyInfoBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/PgenCounter.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/XMLObjectHelper.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/PGPKeyPacketImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/Pair.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/EncryptionMethod.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/criteria/EntityIDCriteria.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/SecurityHelper.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/validator/PGPDataSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/CollectionCredentialResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/RecipientKeyInfoImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/DataReference.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/KeySizeBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/URIContentReference.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/RecipientKeyInfoMarshaller.java

```

*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/ReferenceListImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/criteria/EvaluableKeyAlgorithmCredentialCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/util/XMLObjectChildrenList.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/PGPKeyPacketBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/DigestMethod.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/keyinfo/KeyInfoCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/XMLConfigurator.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/Version.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/EncryptionProperties.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/CipherReferenceMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/util/DatatypeHelper.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/KeyInfoReferenceMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/ExplicitKeySignatureTrustEngine.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/validator/X509IssuerSerialSchemaValidator.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/XSInteger.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/PImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/PublicKeyImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/JImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/validator/CryptoBinarySchemaValidator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/DHKeyValueBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/DigestMethodUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/trust/ExplicitX509CertificateTrustEngine.java
*

```

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSSStringBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/X500DNHandler.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/StaticCredentialResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/CriteriaSet.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/XMLConstants.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/X509SubjectKeyIdentifierCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509CRLBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DigestMethodImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/AbstractSimpleSingletonFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSBooleanUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/KeyInfoCredentialResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/AbstractXMLEncryptionUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/SecurityConfiguration.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyInfoTypeImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyValueImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/KeyInfoHelper.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/io/AbstractXMLObjectMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/AgreementMethodSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/KeyInfoProvider.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSBooleanBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionMethodImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/criteria/EvaluableX509SubjectKeyIdentifierCredentialCriteria.java  
\*

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Modulus.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/XMLEncryptionBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/validator/RetrievalMethodSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionPropertiesBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/TransformsImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/LazySet.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionPropertyUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/namespace/namespace/NameSpace.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/ECPublicKeyImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/TransformsMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/SPKIData.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSURIImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/trust/ExplicitX509CertificateTrustEvaluator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/SignatureConstants.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/LocalKeyInfoCredentialResolver.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptedKeyBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionMethodUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SPKIDataImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Transforms.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Signer.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/OriginatorKeyInfoMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/ExponentBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/PKIXTrustEvaluator.java

```

*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/SeedImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/PGPDataUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/X509SerialNumberMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/KeyReferenceImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/EncryptedDataImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/SignatureException.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/EncryptedType.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/CredentialContextSet.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/KANonceBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/impl/XSURIUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/DEREncodedKeyValue.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/SignableXMLObject.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/QBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/AbstractExtensibleXMLObjectUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/X509SerialNumberImpl.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/util/AbstractSingletonFactory.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/AbstractCredentialResolver.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/XSDateTime.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/validator/XSIntegerSchemaValidator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/parse/LoggingErrorHandler.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/x509/X509IssuerSerialCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/RecipientKeyInfo.java
*

```

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSDateTimeUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509IssuerSerialUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSQNameImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/XPathImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Signature.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/BasicX509CredentialNameEvaluator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/ReferenceListMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/NamedCurveBuilder.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSIntegerMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DEREncodedKeyValueBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/EncryptedTypeSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/io/UnmarshallingException.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509SubjectNameImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/RSAKeyValueUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/CredentialResolver.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionPropertiesMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/SimpleRetrievalMethodEncryptedKeyResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/TransformBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/X509KeyManagerX509CredentialAdapter.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/criteria/EvaluableX509DigestCredentialCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509IssuerSerialMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/tls/StrictHostnameVerifier.java  
\*



/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/Criteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/TransformsMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/CertPathPKIXValidationOptions.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/ReferenceListSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/P.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/AbstractElementExtensibleXMLObject.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/CipherDataSchemaValidator.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyInfoTypeMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSAnyMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/AttributeMap.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/CipherValue.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SignatureUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/NamedCurveUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/KeyInfoGeneratorManager.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/OAEPparamsImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/CipherReferenceImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/CarriedKeyNameImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/IdBearing.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509CertificateImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/parse/StaticBasicParserPool.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyNameBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/PGPDataImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/PKIXValidationInformationResolver.java

```

*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/OriginatorKeyInfoBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/Transforms.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/keyinfo/provider/KeyInfoReferenceProvider.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/EncryptedKeyImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/X509SubjectNameBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/validation/Validator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/SeedBuilder.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/PublicKey.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/validator/TransformsSchemaValidator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/EncryptionMethodMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/X509Certificate.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/EncryptionProperty.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/X509CRLImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/FilesystemCredentialResolver.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/KeySizeImpl.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/AgreementMethodBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/CipherReferenceUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/BasicSecurityConfiguration.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/KeyReferenceBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/validator/KeyInfoTypeSchemaValidator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/SeedImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/PGPDataMarshaller.java
*

```

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/EncryptedData.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyInfoUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/Encrypter.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/IPAddressHelper.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSBooleanImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/AbstractElementExtensibleXMLObjectUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509DigestImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/PgenCounterImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/PublicBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/StaticKeyInfoCredentialResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/EncryptionPropertySchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSStringMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/DecryptionException.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/ReferenceTypeMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/PgenCounterBuilder.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/PKIXValidationOptions.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/criteria/KeyLengthCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DSAKeyValueMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptedKeyUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/ModulusBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSStringImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/BasicCredential.java  
\*

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Y.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/GeneratorBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/PgenCounterBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyInfoTypeUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/PGPData.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/XMLSignatureBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/KeyInfoGeneratorFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/NamedKeyInfoGeneratorManager.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/EncryptionPropertiesSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/LazyMap.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/YBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/KeyEncryptionParameters.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/ReferenceType.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/CredentialContext.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509SerialNumberUnmarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/SigningUtil.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/DHKeyValueMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSSStringUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/EncryptionConstants.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/CriteriaFilteringIterable.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DSAKeyValueUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/MgmtData.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/ReferenceTypeUnmarshaller.java

```

*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/keyinfo/KeyInfoCredentialContext.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/EncryptedDataMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/criteria/EvaluableCredentialCriteriaRegistry.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/criteria/KeyAlgorithmCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/criteria/KeyNameCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/impl/XSURIBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/AbstractXMLObjectBuilder.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/QImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/KeyValueMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/GeneratorImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/KeyReference.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/KeyInfo.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/XSString.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/RSAPublicKeyMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/KeyValueUnmarshaller.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/RSAPublicKeyImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/PGPKeyIDBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/XPathBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/x509/CertPathPKIXTrustEvaluator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/EncryptionException.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/criteria/PeerEntityIDCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/impl/XSIntegerUnmarshaller.java
*

```

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/security/x509/PKIXValidationInformation.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/encryption/validator/CipherReferenceSchemaValidator.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/validator/ECKeyValueSchemaValidator.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/X509SKIImpl.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/KeyInfoReference.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/encryption/DHKeyValue.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/schema/XSAny.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/security/credential/AbstractCriteriaFilteringCredentialResolver.java  
 \*  
 /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/security/x509/PKIXX509CredentialTrustEngine.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/security/keyinfo/provider/AbstractKeyInfoProvider.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/encryption/ReferenceList.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/security/x509/StaticPKIXValidationInformationResolver.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/KeyValueBuilder.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/encryption/CipherReference.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/JBuilder.java  
 \*  
 /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/CryptoBinaryMarshaller.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/encryption/impl/CipherDataMarshaller.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/validation/ValidationException.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/encryption/impl/CipherValueBuilder.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/SPKISexpImpl.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/ExponentImpl.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/io/MarshallingException.java  
 \* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
 jar/org/opensaml/xml/signature/impl/RetrievalMethodImpl.java

```

*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/util/XMLAttributeHelper.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/KeyInfoMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/TransformsUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/ContentReference.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/X509Data.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/EncryptedKeyMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/KeyInfoType.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/J.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/validation/AbstractValidatingXMLObject.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/PGPKeyID.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/impl/XSURIMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/RetrievalMethodMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/PKIXSignatureTrustEngine.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/util/ValueTypeIndexedMap.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/criteria/EvaluablePublicKeyCredentialCriteria.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/DSAKeyValueImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/ReferenceTypeImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/criteria/EvaluableCredentialCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/X509IssuerNameImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/KeyReferenceMarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/X509IssuerSerialImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/SPKISexp.java
*

```

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/validator/X509DigestSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509IssuerSerialBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/ConfigurationException.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Transform.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DSAKeyValueBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/TransformsBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSDDateUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/validation/ValidatorSuite.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/CipherDataUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/CryptoBinaryUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/parse/BasicParserPool.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/P.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/EncryptionPropertiesUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/KeyInfoGenerator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/criteria/UsageCriteria.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/SecurityTestHelper.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/XMLHelper.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SignatureImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/XMLObjectBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DEREncodedKeyValueImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/SchemaBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/io/Unmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509DataImpl.java



\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/trust/ExplicitKeyTrustEvaluator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSAnyUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/PImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/OAEPparamsBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/AgreementMethodImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/DHKeyValueImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/credential/KeyStoreCredentialResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/DHKeyValueUnmarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/TransformSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/LangBearing.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSDateTimeImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/AbstractExtensibleXMLObjectMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/ApacheXMLSecurityConstants.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSIntegerBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/X509DataSchemaValidator.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/CipherDataBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/ECPintType.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/KeyNameImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/EncryptionPropertyBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSQNameMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/TransformsBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/SignatureValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-

jar/org/opensaml/xml/signature/impl/ModulusImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/validator/XSStringSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/EncryptionMethodBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/KeyInfoImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/Decrypter.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/XSURI.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/RecipientKeyInfoUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/Configuration.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/SeedBuilder.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/ECKKeyValueUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/KeySize.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/AgreementMethodUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/EncryptionPropertiesImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/credential/ChainingCredentialResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/BasicPKIXValidationInformation.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/credential/criteria/EvaluableKeyLengthCredentialCriteria.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/CipherDataImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/CryptoBinaryImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/TransformImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/AbstractXMLObject.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/credential/criteria/EvaluableUsageCredentialCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/QBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/X509DigestUnmarshaller.java

\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/SecurityException.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/criteria/EvaluableX509IssuerSerialCredentialCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/G.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/validator/XSDDateTimeSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/OriginatorKeyInfoImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/EvaluableCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/KeyInfoBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSBase64BinaryMarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/MgmtDataImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/ECKeyValueImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/X509Digest.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/XPath.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509SerialNumberBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/validator/XSBase64BinarySchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/trust/ExplicitKeyTrustEngine.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509DataMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/RetrievalMethod.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Q.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/io/MarshallerFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/YImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/ReferenceListUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/OAEPparams.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-

jar/org/opensaml/xml/encryption/impl/EncryptedDataUnmarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSAnyBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/util/ClassIndexedSet.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/EncryptionPropertyImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/validation/ValidatingXMLObject.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/X509DigestBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/InternalX500DNHandler.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/AbstractEncryptedKeyResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/PgenCounterImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/AgreementMethodMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/ECKeyValueMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/AbstractXMLEncryptionMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/X509DataUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/XMLObject.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/ChainingSignatureTrustEngine.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/Generator.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/RetrievalMethodBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/validator/ReferenceTypeSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/parse/ParserPool.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/BaseSignatureTrustEngine.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/X509SubjectNameCriteria.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/EncryptedTypeUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/keyinfo/provider/InlineX509DataProvider.java

\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/DataReferenceBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/EncryptedKey.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509DataBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/CriteriaFilteringIterator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/x509/KeyStoreX509CredentialAdapter.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/PGPDataBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/ChainingEncryptedKeyResolver.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/AbstractXMLSignatureUnmarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/SingletonFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/DEREncodedKeyValueUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/trust/TrustEngine.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509IssuerNameBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/X509IssuerName.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/PublicImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/EncryptedKeyResolver.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/ECKeyValue.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/Credential.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SignatureMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/SpaceBearing.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/util/IDIndex.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/X509SKIBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSAnyImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-

jar/org/opensaml/xml/security/keyinfo/provider/DSAKeyValueProvider.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSQNameUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/io/BaseXMLObjectUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/CryptoBinaryBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/KeyValueSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/ECKeyValueBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/X509DigestMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/GBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/X509KeyInfoGeneratorFactory.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/credential/AbstractCredential.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/EncryptionParameters.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/NamedCurveSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/validator/EncryptionMethodSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/OriginatorKeyInfoUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSIntegerImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/DigestMethodMarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/io/Marshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/XMLRuntimeException.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/PublicKeyBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/keyinfo/provider/DEREncodedKeyValueProvider.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/TransformsImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/AbstractExtensibleXMLObject.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/DocumentInternalIDContentReference.java

```

*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/CipherValueImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/RSAKeyValue.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/parse/ClasspathResolver.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/CipherReferenceBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/credential/criteria/EvaluableX509CertSelectorCredentialCriteria.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/CarriedKeyNameBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/KANonceImpl.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/util/AbstractWrappedSingletonFactory.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/NamedCurve.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/impl/XSBase64BinaryUnmarshaller.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/EncryptedDataBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/X509CRL.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/impl/ReferenceListBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/ElementExtensibleXMLObject.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/schema/XSBoolean.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/encryption/CarriedKeyName.java
*
/opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/security/keyinfo/KeyInfoResolutionContext.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/validator/DSAKeyValueSchemaValidator.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/RSAKeyValueBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/X509SerialNumber.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/impl/SignatureBuilder.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-
jar/org/opensaml/xml/signature/DSAKeyValue.java
* /opt/cola/permits/1114224941_1607455166.13/0/xmltooling-1-4-4-sources-2-

```

jar/org/opensaml/xml/AttributeExtensibleXMLObject.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSDateTimeBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/DataReferenceMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/DefaultSecurityConfigurationBootstrap.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/SPKIDataSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/X509Util.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/Q.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/keyinfo/CollectionKeyInfoCredentialResolver.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/PKIXTrustEngine.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/impl/KeyReferenceUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/KeyInfoReferenceImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSBase64BinaryBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/PgenCounter.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/AbstractSignableXMLObject.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSBooleanMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/io/AbstractXMLObjectUnmarshaller.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/PGPKeyIDImpl.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/AgreementMethod.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/MgmtDataBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/X509SubjectName.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/X509SerialNumberSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/X509Credential.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/Public.java



\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/PBuilder.java

\*

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/criteria/PublicKeyCriteria.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/schema/impl/XSQNameBuilder.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/validator/SignatureSchemaValidator.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/Seed.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/RetrievalMethodUnmarshaller.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/provider/RSAPublicKeyProvider.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/SimpleKeyInfoReferenceEncryptedKeyResolver.java

\*

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SPKIDataMarshaller.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/GImpl.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/SPKIDataUnmarshaller.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/QImpl.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/impl/DataReferenceUnmarshaller.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/impl/PBuilder.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/signature/CryptoBinary.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/AbstractValidatingSignableXMLObject.java

\*

/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/credential/criteria/EvaluableX509SubjectNameCredentialCriteria.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/BaseBearing.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/trust/ChainingTrustEngine.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/security/keyinfo/BasicProviderKeyInfoCredentialResolver.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/Seed.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/org/opensaml/xml/encryption/validator/KeySizeSchemaValidator.java

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-

jar/org/opensaml/xml/security/credential/criteria/EvaluableKeyNameCredentialCriteria.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/KeyName.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/XSQName.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/XMLSignatureCredentialContext.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/DEREncodedKeyValueMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/AbstractXMLSignatureMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/KeyInfoReferenceUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/impl/XSBase64BinaryImpl.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/x509/BasicX509Credential.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/XSBase64Binary.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/encryption/CipherData.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/PGPKeyPacket.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/credential/BasicKeyInfoGeneratorFactory.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/TransformUnmarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/KeyValue.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/util/IndexedXMLObjectChildrenList.java  
\*  
/opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/KeyInfoReferenceBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/RSAKeyValueSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/validator/TransformsSchemaValidator.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/SPKIDataBuilder.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/security/trust/TrustedCredentialTrustEngine.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/signature/impl/NamedCurveMarshaller.java  
\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-  
jar/org/opensaml/xml/schema/XSBooleanValue.java

No license file was found, but licenses were detected in source scan.

#### Schema for XML Signatures

<http://www.w3.org/2000/09/xmldsig#>

\$Revision: 1.2 \$ on \$Date: 2005/06/03 03:09:54 \$ by \$Author: cantor \$

Copyright 2001 The Internet Society and W3C (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This document is governed by the W3C Software License [1] as described in the FAQ [2].

[1] <http://www.w3.org/Consortium/Legal/copyright>

Found in path(s):

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/schema/xmldsig-core-schema.xsd

No license file was found, but licenses were detected in source scan.

#

# Copyright ©[2011] World Wide Web Consortium

# (Massachusetts Institute of Technology,

# European Research Consortium for Informatics and Mathematics,

# Keio University). All Rights Reserved.

# This work is distributed under the W3C® Software License [1] in the

# hope that it will be useful, but WITHOUT ANY WARRANTY; without even

# the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR

# PURPOSE.

# [1] <http://www.w3.org/Consortium/Legal/2002/copyright>

Found in path(s):

\* /opt/cola/permits/1114224941\_1607455166.13/0/xmltooling-1-4-4-sources-2-jar/schema/xenc11-schema.xsd

## 1.518 yang-common 0.8.4-Beryllium-SR4

### 1.518.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2015 Cisco Systems, Inc. and others. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2014 Brocade Communications Systems, Inc. and others. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v1.0 which accompanies this distribution,'

# 1.519 mibble-commercial-mibs 2.9.3

## 1.519.1 Available under license :

No license file was found, but licenses were detected in source scan.

SNA-NAU-MIB DEFINITIONS ::= BEGIN

-- This MIB module contains objects necessary  
-- for management of the following SNA devices: PU types 1.0, 2.0, 2.1  
-- and LU types 0, 1, 2, 3, 4, 7. It also contains generic objects  
-- which can be used to manage LU 6.2.

-- Naming conventions in this document:  
-- The following names are used in object descriptors according to  
-- SNA conventions.  
-- The name 'PU' or 'Node' is used to describe Node type 1.0, 2.0 or  
-- 2.1.  
-- The name 'LU' is used to describe Logical Unit of type 0,1,2,3,  
-- 4,7 or 6.2.

IMPORTS

DisplayString, RowStatus, TimeStamp, InstancePointer  
FROM SNMPv2-TC

Counter32, Gauge32, Integer32, mib-2,  
OBJECT-TYPE, MODULE-IDENTITY, NOTIFICATION-TYPE  
FROM SNMPv2-SMI

MODULE-COMPLIANCE, OBJECT-GROUP  
FROM SNMPv2-CONF;

snanauMIB MODULE-IDENTITY

LAST-UPDATED "9405120900Z"

ORGANIZATION "IETF SNA NAU MIB Working Group"

CONTACT-INFO

" Zbigniew Kielczewski  
Eicon Technology Inc.  
2196 32nd Avenue  
Lachine, Que H8T 3H7

Canada  
Tel: 1 514 631 2592  
E-mail: zbig@eicon.qc.ca

Deirdre Kostick  
Bellcore  
331 Newman Springs Road  
Red Bank, NJ 07701  
Tel: 1 908 758 2642  
E-mail: dck2@mail.bellcore.com

Kitty Shih (editor)  
Novell  
890 Ross Drive  
Sunnyvale, CA 94089  
Tel: 1 408 747 4305  
E-mail: kmshih@novell.com"

DESCRIPTION

"This is the MIB module for objects used to  
manage

SNA devices."

::= { mib-2 34 }

- The SNANAU MIB module contains an objects part and a conformance part.
- Objects are organized into the following groups:
- (1)snaNode group,
- (2)snaLU group,
- (3)snaMgtTools group.

snanauObjects OBJECT IDENTIFIER ::= { snanauMIB 1 }

snaNode OBJECT IDENTIFIER ::= { snanauObjects 1 }

snaLu OBJECT IDENTIFIER ::= { snanauObjects 2 }

snaMgtTools OBJECT IDENTIFIER ::= { snanauObjects 3 }

-- \*\*\*\*\*

-- snaNode group

--

- It contains Managed Objects related to any type of Node and
- some specific objects for Node Type 2.0.

-- \*\*\*\*\*

-- \*\*\*\*\*

- The following table contains generic Node configuration
- parameters.

-- \*\*\*\*\*

snaNodeAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains objects which describe the configuration parameters for an SNA Node. Link specific configuration objects are contained in a separate MIB module (e.g., SNA DLC MIB) corresponding to the link type.

The table snaNodeAdminLinkTable contains objects which identify the relationship between node instances and link instances.

The entries (i.e., rows) in this table can be created by either an Agent or a Management Station. The Management Station can do this through setting the appropriate value in the snaNodeAdminRowStatus.

The snaNodeAdminRowStatus object describes the status of an entry and is used to change the status of an entry. The entry is deleted

by an Agent based

on the value of the snaNodeAdminRowStatus.

The snaNodeAdminState object describes the desired operational state of a Node and is used to change the operational state of a Node. For example, such information may be obtained from a configuration file.

How an Agent or a Management Station obtains the initial value of each object at creation time is an implementation specific issue.

For each entry in this table, there is a corresponding entry in the snaNodeOperTable.

While the objects in this table describe the desired or configured operational values of the SNA Node, the actual runtime values are contained in snaNodeOperTable."

::= { snaNode 1 }

snaNodeAdminEntry OBJECT-TYPE

SYNTAX SnaNodeAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry contains the configuration parameters for one SNA Node instance. The objects in the entry have read-create access.

An entry can be created, modified or deleted. The object snaNodeAdminRowStatus is used (i.e., set) to create or delete a row entry."

```
INDEX { snaNodeAdminIndex }
::= { snaNodeAdminTable 1 }
```

```
SnaNodeAdminEntry ::= SEQUENCE {
```

```
 snaNodeAdminIndex
 Integer32,
 snaNodeAdminName
 DisplayString,
 snaNodeAdminType
 INTEGER,
 snaNodeAdminXidFormat
 INTEGER,
 snaNodeAdminBlockNum
 DisplayString,
 snaNodeAdminIdNum
 DisplayString,
 snaNodeAdminEnablingMethod
 INTEGER,
 snaNodeAdminLuTermDefault
 INTEGER,
 snaNodeAdminMaxLu
```

```
Integer32,
 snaNodeAdminHostDescription
 DisplayString,
 snaNodeAdminStopMethod
 INTEGER,
 snaNodeAdminState
 INTEGER,
 snaNodeAdminRowStatus
 RowStatus
}
```

```
snaNodeAdminIndex OBJECT-TYPE
```

```
SYNTAX Integer32
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
```

"Index used to uniquely identify each Node instance.

If an Agent creates the entry, then it will assign this number otherwise a Management Station generates a random number when it reserves the

entry for creation."  
::= { snaNodeAdminEntry 1 }

snaNodeAdminName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..17))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired name of the Node for use during Node activation.

In Type 2.1 networks, this is a fully-qualified name, meaning that the Node name is preceded by the NetId (if present) with a period as the delimiter.

A write operation to this object will not change the operational value reflected in snaNodeOperName until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 2 }

snaNodeAdminType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

pu10(2),

pu20(3),

t21len(4),

endNode(5),

networkNode(6)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the type of SNA Node.

A write operation to this object will not change the operational value reflected

in snaNodeOperType until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 3 }

snaNodeAdminXidFormat OBJECT-TYPE

SYNTAX INTEGER {

format0(1),

format1(2),



```
format3(3)
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "The value indicates the type of XID format used for
 this Node. Note that there is no format type 2.

 A write operation to this object will
 not change the operational value reflected
 in snaNodeOperAdminXidFormat until the Node has
 been re-activated (e.g., after the next initialization
 of the SNA services)."
::= { snaNodeAdminEntry 4 }
```

```
snaNodeAdminBlockNum OBJECT-TYPE
 SYNTAX DisplayString (SIZE(3))
 MAX-ACCESS read-create
 STATUS
current
DESCRIPTION
 "The value indicates the block number for this Node
 instance. It is the first 3 hexadecimal digits of the
 SNA Node id.

 A write operation to this object will
 not change the operational value reflected
 in snaNodeOperBlockNum until the Node has
 been re-activated (e.g., after the next initialization
 of the SNA services)."
::= { snaNodeAdminEntry 5 }
```

```
snaNodeAdminIdNum OBJECT-TYPE
 SYNTAX DisplayString (SIZE(5))
 MAX-ACCESS read-create
 STATUS current
DESCRIPTION
 "The value indicates the ID number for this Node
 instance. This is the last 5 hexadecimal digits of
 the SNA Node id.

 A write operation to this object will
 not change the operational value reflected
 in snaNodeOperIdNum until the Node has
 been re-activated (e.g., after the next initialization
 of the SNA services)."
::= { snaNodeAdminEntry 6 }
```

snaNodeAdminEnablingMethod OBJECT-TYPE

SYNTAX INTEGER {

other (1),  
startup (2),  
demand (3),  
onlyMS (4)  
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates how the Node should be activated for the first time.

The values have the following meanings:

other (1) - may be used for proprietary methods not listed in this enumeration,  
startup (2) - at SNA services' initialization time (this is the default),  
demand (3) - only when LU is requested by application,  
or  
onlyMS (4) - by a Management Station only.

A write operation

to this object may immediately

change the operational value reflected in snaNodeOperEnablingMethod depending on the Agent implementation. If the Agent implementation accepts immediate changes, then the behavior of the Node changes immediately and not only after the next system startup of the SNA services.

An immediate change may only apply when the current value 'demand (3)' is changed to 'onlyMS (4)' and vice versa."

::= { snaNodeAdminEntry 7 }

snaNodeAdminLuTermDefault OBJECT-TYPE

SYNTAX INTEGER {

unbind (1),  
termself (2),  
rshutd (3),  
poweroff(4)  
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired default method used to deactivate LUs for this Node

For LU6.2s, 'unbind(1)' is the only valid value.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF (Terminate Self) request on the SSCP-LU session. The SSCP will inform the remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU

session or an SNA NOTIFY request on

the SSCP-LU session indicating that the LU has been powered off. Sending both is also acceptable. The result should be that the remote session LU partner will send an UNBIND to terminate the session.

The default behavior indicated by the value of this object may be overridden for an LU instance. The override is performed by setting the snaLuAdminTerm object instance in the snaLuAdminTable to the desired value.

A write operation to this object may immediately change the operational value reflected in snaNodeOperLuTermDefault depending on the Agent implementation."

```
::= { snaNodeAdminEntry 8 }
```

snaNodeAdminMaxLu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of LUs that may be activated for this Node. For PU2.1, this object refers to the number of dependent LUs.

A write operation to this object will not change the operational value reflected in snaNodeOperMaxLu until the Node has

been re-activated (e.g., after the next initialization of the SNA services)."  
 ::= { snaNodeAdminEntry 9 }

snaNodeAdminHostDescription OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..128))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value identifies the remote host associated with this Node.

Since SSCP Id's may not be unique across hosts, the host description is required to uniquely identify the SSCP.

This object

is only applicable to PU2.0 type

Nodes. If the remote host is unknown, then the value is the null string.

A write operation to this object may immediately change the operational value reflected in snaNodeOperHostDescription depending on the Agent implementation."

::= { snaNodeAdminEntry 10 }

snaNodeAdminStopMethod OBJECT-TYPE

SYNTAX INTEGER {

other (1),

normal (2),

immed (3),

force (4)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired method to be used by the Agent to stop a Node (i.e., change the Node's operational state to inactive(1)).

The values have the following meaning:

other (1) - used for proprietary

methods not listed in this enumeration.

normal(2) - deactivate only when there is no more activity on this Node (i.e., all data flows have been completed and all sessions have been terminated).

immed(3) - deactivate immediately regardless of

current activities on this Node. Wait for deactivation responses (from remote Node) before changing the Node state to inactive.  
force(4) - deactivate immediately regardless of current activities on this Node. Do not wait for deactivation responses (from remote Node) before changing the Node state to inactive.

A write operation to this object may immediately change the operational value reflected in snaNodeOperStopMethod

depending

on the Agent implementation."

::= { snaNodeAdminEntry 11 }

snaNodeAdminState OBJECT-TYPE

SYNTAX INTEGER {

inactive (1),

active (2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired operational state of the SNA Node. This object is used by the Management Station to activate or deactivate the Node.

If the current value in snaNodeOperState is 'active (2)', then setting this object to 'inactive (1)' will initiate the Node shutdown process using the method indicated by snaNodeOperStopMethod.

If the current value in snaNodeOperState is 'inactive (1)', then setting this object to 'active (2)'

will initiate the

Node's activation.

A Management Station can always set this object to 'active (2)' irrespective of the value in the snaOperEnablingMethod."

::= { snaNodeAdminEntry 12 }

snaNodeAdminRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by a Management Station to create or delete the row entry in the snaNodeAdminTable following the RowStatus textual convention.

Upon successful creation of the row, an Agent automatically creates a corresponding entry in the snaNodeOperTable with snaNodeOperState equal to 'inactive (1)'.

Row deletion can be Management Station or Agent initiated:

(a) The Management

Station can set the value to

'destroy (6)' only when the value of snaNodeOperState of this Node instance is 'inactive (1)'. The Agent will then delete the rows corresponding to this Node instance from the snaNodeAdminTable and the snaNodeOperTable.

(b) The Agent detects that a row is in the 'notReady (3)' state for greater than a default period of 5 minutes.

(c) All rows with the snaNodeAdminRowStatus object's value of 'notReady (3)' will be removed upon the next initialization of the SNA services."

::= { snaNodeAdminEntry 13 }

```
-- *****
-- The following object is updated when there is a change to
-- the value of any object in the snaNodeAdminTable.
-- *****
```

snaNodeAdminTableLastChange

OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the timestamp (e.g., the Agent's sysUpTime value) of the last change made to any object in the snaNodeAdminTable, including row deletions/additions (e.g., changes to snaNodeAdminRowStatus values).

This object can be used to reduce frequent

retrievals of the snaNodeAdminTable by a Management Station. It is expected that a Management Station will periodically poll this object and compare its current value with the previous one. A difference indicates that some Node configuration information has been changed. Only then will the Management Station retrieve the entire table."

```
::= { snaNode
2 }
```

```
-- *****
```

```
-- The following table contains Node operational parameters.
```

```
-- *****
```

snaNodeOperTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the dynamic parameters which have read-only access. These objects reflect the actual status of the Node. The entries in this table cannot be created or modified by a Management Station.

This table augments the snaNodeAdminTable."

```
::= { snaNode 3 }
```

snaNodeOperEntry OBJECT-TYPE

SYNTAX SnaNodeOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The entry contains parameters which describe the state of

one Node. The entries are created by the

Agent. They have read-only access."

AUGMENTS { snaNodeAdminEntry }

```
::= { snaNodeOperTable 1 }
```

SnaNodeOperEntry ::= SEQUENCE {

snaNodeOperName

DisplayString,

snaNodeOperType

INTEGER,

snaNodeOperXidFormat

INTEGER,

snaNodeOperBlockNum

```

 DisplayString,
snaNodeOperIdNum
 DisplayString,
snaNodeOperEnablingMethod
 INTEGER,
snaNodeOperLuTermDefault
 INTEGER,
snaNodeOperMaxLu
 Integer32,
snaNodeOperHostDescription
 DisplayString,
snaNodeOperStopMethod
 INTEGER,
snaNodeOperState
 INTEGER,
snaNodeOperHostSscpId
 OCTET STRING,
snaNodeOperStartTime
 TimeStamp,
snaNodeOperLastStateChange
 TimeStamp,
snaNodeOperActFailures
 Counter32,
snaNodeOperActFailureReason
 INTEGER
 }

```

snaNodeOperName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..17))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the current name of the Node.

In Type 2.1 networks, this

is a fully-qualified name, meaning that the Node name

is preceded by the NetId (if present) with a period

as the delimiter."

::= { snaNodeOperEntry 1 }

snaNodeOperType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

pu10(2),

pu20(3),

t21LEN(4),

endNode(5),

networkNode(6)

}



MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the current type of the Node."  
::= { snaNodeOperEntry 2 }

snaNodeOperXidFormat OBJECT-TYPE

SYNTAX INTEGER {  
    format0 (1),  
    format1 (2),  
    format3 (3)  
}  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the type of XID format currently  
    used for this Node.  
    Note that there is no format type 2."  
::= { snaNodeOperEntry 3 }

snaNodeOperBlockNum OBJECT-TYPE

SYNTAX DisplayString (SIZE(3))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the block number for this Node  
    instance. It is the first 3 hexadecimal digits  
    of the SNA Node id."  
::= { snaNodeOperEntry 4 }

snaNodeOperIdNum OBJECT-TYPE

SYNTAX DisplayString (SIZE(5))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the ID number for this Node  
    instance. This is the last 5 hexadecimal digits of  
    the SNA Node id."  
::= { snaNodeOperEntry 5 }

snaNodeOperEnablingMethod OBJECT-TYPE

SYNTAX INTEGER {  
    other (1),  
    startup (2),  
    demand (3),  
    onlyMS (4)  
}  
MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates how the Node is activated for the first time.

The values have the following meanings:

other (1) - not at boot time, LU activation  
or by a Management Station;  
startup (2) - at SNA services' initialization  
time (this is the default),

demand (3) - only when LU is requested by  
application,  
onlyMS (4) - by a network Management Station  
only."

::= { snaNodeOperEntry 6 }

snaNodeOperLuTermDefault OBJECT-TYPE

SYNTAX INTEGER {

unbind (1),  
termself (2),  
rshutd (3),  
poweroff (4)  
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the default method used to deactivate LUs for this Node.

For LU6.2s, 'unbind(1)' is the only valid value.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF (Terminate Self) request on the SSCP-LU session. The SSCP will inform

the

remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU session or an SNA NOTIFY request on the SSCP-LU session indicating that the LU has been powered off. Sending both is also

acceptable. The result should be that the remote session LU partner will send an UNBIND to terminate the session.

This object describes the default behavior for this Node; however, it is possible that for a specific LU the behavior indicated by the snaLuOperTerm object is different."  
::= { snaNodeOperEntry 7 }

snaNodeOperMaxLu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the current, maximum number of LUs that are activated for this Node. For PU2.1, this object refers to the number of dependent LUs."

::= { snaNodeOperEntry 8 }

snaNodeOperHostDescription OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..128))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the remote host currently associated with this Node.

Since SSCP Id's may not be unique across hosts, the

host description

is required to uniquely identify the SSCP."

::= { snaNodeOperEntry 9 }

snaNodeOperStopMethod OBJECT-TYPE

SYNTAX INTEGER {

other (1),

normal (2),

immed (3),

force (4)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the current Node shutdown method to be used by the Agent to stop the Node.

When the Agent changes the Node's state to 'inactive (1)', the Agent must use the shutdown method

indicated by this object.

The values have the following meaning:

other (1) - proprietary method not listed in this enumeration

normal(2) - deactivate only when there is no more activity on this Node (i.e., all

data flows

have been completed and all sessions have been terminated).

immed(3) - deactivate immediately regardless of current activities on this Node. Wait for deactivation responses (from remote Node) before changing the Node state to inactive.

force(4) - deactivate immediately regardless of current activities on this Node. Do not wait for deactivation responses (from remote Node) before changing the Node state to inactive.

Note that a write operation to `snaNodeAdminOperStopMethod` may immediately change the value of `snaNodeOperStopMethod` depending on the Agent implementation."

```
::= { snaNodeOperEntry 10 }
```

`snaNodeOperState` OBJECT-TYPE

SYNTAX INTEGER {

inactive (1),

active (2),

waiting (3),

stopping (4)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current state of the Node.

The values have the following meanings:

inactive (1), a row representing the Node has been created in the AdminTable and, the Node is ready for activation -or- an active Node has been stopped -or- a waiting Node has returned to the inactive state.

waiting (3), a request to have the Node activated has been issued, and the Node is pending activation.

active (2), the Node is ready and operating.  
stopping (4), the request to stop the Node has  
been  
issued while the StopMethod normal  
or immediate is used."  
::= { snaNodeOperEntry 11 }

snaNodeOperHostSscpId OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..6))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the current SSCP Id  
associated with the Node. This object is only  
applicable to PU 2.0s. If the Node  
is not a PU 2.0 type, then this object contains a  
zero length string."

::= { snaNodeOperEntry 12 }

snaNodeOperStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g, the Agent's sysUpTime value)  
at the Node activation."

::= { snaNodeOperEntry 13 }

snaNodeOperLastStateChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value)  
at the last state change of the Node."

::= { snaNodeOperEntry 14 }

snaNodeOperActFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the number of failed Node  
activation attempts."

::= { snaNodeOperEntry 15 }

snaNodeOperActFailureReason OBJECT-TYPE

```
SYNTAX INTEGER {
 other (1),
 linkFailure (2),
 noResources (3),
 badConfiguration (4),
 internalError (5)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the reason for the activation failure. The value 'other (1)' indicates a reason not

listed in the enumeration. This object

will be sent in the trap snaNodeActFailTrap."

::= { snaNodeOperEntry 16 }

-- \*\*\*\*\*

-- The following object is updated when there is a change to  
-- the value of snaNodeOperState in any row or a row is  
-- added/deleted from the snaNodeOperTable via the snaNodeAdminTable.

-- \*\*\*\*\*

snaNodeOperTableLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value) at the last change made to any object in the snaNodeOperTable, including row deletions/additions made as a result of changes to the snaNodeAdminRowStatus object.

This object can be used to reduce frequent retrievals

of the snaNodeOperTable by a Management

Station. It is expected that a Management Station will periodically poll this object and compare its current value with the previous one. A difference indicates that some Node operational information has been changed. Only then will the Management Station retrieve the entire table."

::= { snaNode 4 }

-- \*\*\*\*\*

-- The following table contains PU 2.0 statistics dynamic parameters.

-- \*\*\*\*\*

snaPu20StatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaPu20StatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the dynamic parameters which have read-only access. The entries in this table correspond

to PU 2.0 entries in the snaNodeOperTable

and cannot be created by a Management Station."

::= { snaNode 5 }

snaPu20StatsEntry OBJECT-TYPE

SYNTAX SnaPu20StatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The entry contains parameters which describe the statistics for one PU 2.0. They have read-only access.

The counters represent traffic for all kinds of sessions: LU-LU, SSCP-PU, SSCP-LU.

Each Node of PU Type 2.0 from the snaNodeAdminTable has one entry in this table and the index used here has the same value as snaNodeAdminIndex of that PU. The entry is created by the Agent."

INDEX { snaNodeAdminIndex }

::= { snaPu20StatsTable 1 }

SnaPu20StatsEntry ::= SEQUENCE {

snaPu20StatsSentBytes

Counter32,

snaPu20StatsReceivedBytes

Counter32,

snaPu20StatsSentPius

Counter32,

snaPu20StatsReceivedPius

Counter32,

snaPu20StatsSentNegativeResps

Counter32,

snaPu20StatsReceivedNegativeResps

Counter32,

snaPu20StatsActLus

Gauge32,

```
snaPu20StatsInActLus
 Gauge32,
snaPu20StatsBindLus
 Gauge32
}
```

```
snaPu20StatsSentBytes OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of bytes sent by this Node."
 ::= { snaPu20StatsEntry 1 }
```

```
snaPu20StatsReceivedBytes OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of bytes received by this Node."
 ::= { snaPu20StatsEntry
2 }
```

```
snaPu20StatsSentPius OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of PIUs sent by this Node."
 ::= { snaPu20StatsEntry 3 }
```

```
snaPu20StatsReceivedPius OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of PIUs received by this Node."
 ::= { snaPu20StatsEntry 4 }
```

```
snaPu20StatsSentNegativeResps OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of negative responses sent
 by this Node."
 ::= { snaPu20StatsEntry 5 }
```



snaPu20StatsReceivedNegativeResps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of negative responses received

by this Node."

::= { snaPu20StatsEntry 6 }

snaPu20StatsActLus OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of LUs on this PU which have received and responded to ACTLU from the host."

::= { snaPu20StatsEntry 7 }

snaPu20StatsInActLus OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of LUs on this PU which have not received an ACTLU from the host. This is possible if the number of configured LUs exceeds that on the host."

::= { snaPu20StatsEntry 8 }

snaPu20StatsBindLus OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of LUs on this PU which have received and acknowledged

a BIND request from the host."

::= { snaPu20StatsEntry 9 }

-- \*\*\*\*\*

-- The following table contains the association between Nodes and

-- link identifiers.

-- It is used for configuration purposes.

-- \*\*\*\*\*

snaNodeLinkAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeLinkAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the references to link specific tables. If a Node is configured for multiple links, then the Node will have multiple entries in this table.

The entries in this table can be generated initially, after initialization of SNA service, by the Agent which uses information from Node configuration file.

Subsequent modifications of parameters, creation of new Nodes link entries and deletion of entries is possible.

The modification to this table can be saved in the Node configuration file for the next initialization of SNA service, but the mechanism for this function is not defined here."

::= { snaNode 6 }

snaNodeLinkAdminEntry OBJECT-TYPE

SYNTAX SnaNodeLinkAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entry contains the configuration information that associates a Node instance to one link instance.

The objects in the entry have read-create access.

Entry can be created, modified or deleted.

The object snaNodeLinkAdminRowStatus is used (set) to create or delete an entry.

The object

snaNodeLinkAdminSpecific can be set

later, after the entry has been created."

INDEX { snaNodeAdminIndex,  
snaNodeLinkAdminIndex }

::= { snaNodeLinkAdminTable 1 }

SnaNodeLinkAdminEntry ::= SEQUENCE {

snaNodeLinkAdminIndex

Integer32,

snaNodeLinkAdminSpecific

InstancePointer,

snaNodeLinkAdminMaxPiu

Integer32,

snaNodeLinkAdminRowStatus

RowStatus  
}

snaNodeLinkAdminIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This value is used to index the instances of objects.  
If an Agent creates the entry, then it will assign  
this number otherwise a Management Station  
generates a random number when it reserves the  
entry for creation."

::=

{ snaNodeLinkAdminEntry 1 }

snaNodeLinkAdminSpecific OBJECT-TYPE

SYNTAX InstancePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value points to the row in the table  
containing information on the link instance.  
(e.g., the sdlcLSAdminTable of  
the SNA DLC MIB module)."

::= { snaNodeLinkAdminEntry 2 }

snaNodeLinkAdminMaxPiu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the maximum number of octets  
that can be exchanged by this Node in one  
Path Information Unit (PIU)."

::= { snaNodeLinkAdminEntry 3 }

snaNodeLinkAdminRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by a  
Management Station to  
create or delete the row entry in the  
snaNodeLinkAdminTable.  
To activate a row, a Management Station sets the value  
to 'active (1)' or 'notReady (3)'. Upon successful

creation of the row, the Agent automatically creates a corresponding entry in the snaNodeLinkOperTable.

Row deletion can be Management Station or Agent initiated:

(a) The Management Station can set the value to 'destroy (6)' only when the value of snaNodeLinkOperState of this Link instance is 'inactive (1)'. The Agent will then delete the row corresponding to this Link instance from snaNodeLinkOperTable and from snaNodeLinkAdminTable.

(b) The Agent detects that a row is in the 'notReady (3)' state for greater than a

default period of 5 minutes.

(c) The Agent will not include a row with RowStatus='notReady (3)', after SNA system re-initialization (e.g., reboot)."

::= { snaNodeLinkAdminEntry 4 }

```
-- *****
-- The following object is updated when there is a change to
-- the value of any object in the snaNodeLinkAdminTable.
-- *****
```

#### snaNodeLinkAdminTableLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value) at the last change made to any object in the snaNodeLinkAdminTable, including row deletions/additions (i.e., changes to the snaNodeLinkAdminRowStatus object).

This object can be used to reduce frequent

retrievals of the snaNodeLinkAdminTable by a Management Station. It is expected that a Management Station will periodically poll this object and compare its current value with the previous one.

A difference indicates that some Node operational information has been changed. Only then will the Management Station retrieve the entire table."

::= { snaNode 7 }

-- \*\*\*\*\*  
-- The following table contains the association between  
-- Nodes and link identifiers.  
-- It provides the current status.  
-- \*\*\*\*\*

snaNodeLinkOperTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeLinkOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains all references

to link

specific tables for operational parameters.

If a Node is configured for multiple links,

then the Node will have multiple entries in

this table. This table augments the

snaNodeLinkAdminTable."

::= { snaNode 8 }

snaNodeLinkOperEntry OBJECT-TYPE

SYNTAX SnaNodeLinkOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entry contains all current parameters for one

Node link. The objects in the entry have

read-only access."

AUGMENTS { snaNodeLinkAdminEntry }

::= { snaNodeLinkOperTable 1 }

SnaNodeLinkOperEntry ::= SEQUENCE {

snaNodeLinkOperSpecific

InstancePointer,

snaNodeLinkOperMaxPiu

Integer32

}

snaNodeLinkOperSpecific OBJECT-TYPE

SYNTAX InstancePointer

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"This value points to the row in the table

containing information on the link instance.  
(e.g., the sdlcLSOperTable of  
the SNA DLC MIB module)."  
 ::= { snaNodeLinkOperEntry 1 }

snaNodeLinkOperMaxPiu OBJECT-TYPE

SYNTAX Integer32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"Maximum number of octets that can  
be exchanged by this Node in one Path  
Information Unit (PIU)."  
 ::= { snaNodeLinkOperEntry 2 }

-- \*\*\*\*\*  
-- The following object is updated when a row is added/deleted  
-- from the snaNodeLinkOperTable.  
-- \*\*\*\*\*

snaNodeLinkOperTableLastChange OBJECT-TYPE

SYNTAX TimeStamp  
MAX-ACCESS read-only

STATUS current

DESCRIPTION  
"The timestamp of the last  
change made to any object in the snaNodeLinkOperTable,  
including row deletions/additions.

This object can be used to reduce frequent  
retrievals of the snaNodeLinkOperTable by a  
Management Station. It is expected that a  
Management Station will periodically poll this  
object and compare its current value with the  
previous one.

A difference indicates that some Node operational  
information has been changed. Only then will the  
Management Station retrieve the entire table."

::= { snaNode 9 }

-- \*\*\*\*\*  
-- Traps  
-- \*\*\*\*\*

snaNodeTraps OBJECT IDENTIFIER ::= { snaNode 10 }

snaNodeStateChangeTrap

NOTIFICATION-TYPE

OBJECTS { snaNodeOperName,  
          snaNodeOperState }

STATUS current

DESCRIPTION

"This trap indicates that the operational state  
(i.e., value of the snaNodeOperState object) of a Node  
has changed. The following variables are returned:  
snaNodeOperName - current name of the Node,  
                  with the instance identifying the Node; and,  
snaNodeOperState - current state after  
                  the change."

::= { snaNodeTraps 1 }

snaNodeActFailTrap NOTIFICATION-TYPE

OBJECTS { snaNodeOperName,  
          snaNodeOperState,  
          snaNodeOperActFailureReason }

STATUS current

DESCRIPTION

"This trap indicates a Node activation failure.  
The value of snaNodeOperState indicates the current  
state after the activation attempt.  
The value of snaNodeOperActFailureReason indicates  
the failure reason."

::= { snaNodeTraps 2 }

-- \*\*\*\*\*

-- snaLu group

--

-- It contains Managed Objects related to LUs in general and some  
-- specific for LUs of type 0, 1, 2, 3.

-- \*\*\*\*\*

-- \*\*\*\*\*

-- The following table contains LU configuration parameters.

-- \*\*\*\*\*

snaLuAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains LU configuration information.  
The rows in this table can be created and deleted

by a Management Station.

Only objects which are common to all types of LUs

are included in this table."

::= { snaLu 1 }

snaLuAdminEntry OBJECT-TYPE

SYNTAX SnaLuAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains configuration variables for an LU."

INDEX { snaNodeAdminIndex, snaLuAdminLuIndex }

::= { snaLuAdminTable 1 }

SnaLuAdminEntry ::= SEQUENCE {

snaLuAdminLuIndex

Integer32,

snaLuAdminName

DisplayString,

snaLuAdminSnaName

DisplayString,

snaLuAdminType

INTEGER,

snaLuAdminDepType

INTEGER,

snaLuAdminLocalAddress

OCTET STRING,

snaLuAdminDisplayModel

INTEGER,

snaLuAdminTerm

INTEGER,

snaLuAdminRowStatus

RowStatus

}

snaLuAdminLuIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This value identifies the unique index for an

LU instance within a Node."

::= { snaLuAdminEntry 1 }

snaLuAdminName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..48))

MAX-ACCESS read-create



STATUS current

DESCRIPTION

"This value identifies the user configurable name for this LU. If a name is not assigned to the LU, then this object contains a zero length string.

A write operation to this object will not change the operational value reflected in snaLuOperName until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaLuAdminEntry 2 }

snaLuAdminSnaName OBJECT-TYPE

SYNTAX DisplayString (SIZE(1..17))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the SNA LU name used in exchange of SNA data.

A write operation to this object will not change the operational value reflected in snaLuOperSnaName until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaLuAdminEntry 3 }

snaLuAdminType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

lu0(2),

lu1(3),

lu2(4),

lu3(5),

lu4(6),

lu62(7),

lu7(8)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the LU type.

A write operation to this object will not change the operational value reflected in snaLuOperAdminType until the Node has

been re-activated (e.g., after the next initialization of the SNA services)."  
::= { snaLuAdminEntry 4 }

snaLuAdminDepType OBJECT-TYPE

SYNTAX INTEGER {  
dependent(1),  
independent(2)  
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies whether the LU is dependent or independent.

A write operation to this object will not change the operational value reflected in snaLuOperDepType until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaLuAdminEntry 5 }

snaLuAdminLocalAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The local address for this LU is a byte with a value ranging from 0 to 254. For dependent LUs, this value ranges from 1 to 254 and for independent LUs this value is always 0.

A write operation to this object will not change the operational value reflected in snaLuOperLocalAddress until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaLuAdminEntry 6 }

snaLuAdminDisplayModel OBJECT-TYPE

SYNTAX INTEGER {  
invalid(1),  
model2A(2),  
model2B(3),  
model3A(4),  
model3B(5),  
model4A(6),  
model4B(7),  
model5A(8),

```

 model5B(9),
 dynamic(10)
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "The value of this object identifies the model type
 and screen size of the terminal connected to the host.
 This
is only valid for LU Type 2. The values have
the following meaning:

 model2A(2) - Model 2 (24 rows x 80 cols) with base
 attributes
 model2B(3) - Model 2 (24 rows x 80 cols) with
 extended attributes
 model3A(4) - Model 3 (32 rows x 80 cols) with base
 attributes
 model3B(5) - Model 3 (32 rows x 80 cols) with extended
 attributes
 model4A(6) - Model 4 (43 rows x 80 cols) with base
 attributes
 model4B(7) - Model 4 (43 rows x 80 cols) with extended
 attributes
 model5A(8) - Model 5 (27 rows x 132 cols) with base
 attributes
 model5B(9) - Model 5 (27 rows x 132 cols) with
 extended attributes
 dynamic(10) - Screen size determine with
BIND and Read
 Partition Query.

```

In case this LU is not Type 2, then this object should contain the invalid(1) value."

```
::= { snaLuAdminEntry 7 }
```

snaLuAdminTerm OBJECT-TYPE

```

SYNTAX INTEGER {
 unbind (1),
 termself (2),
 rshutd (3),
 poweroff (4)
}

```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the desired method for deactivation of this LU. This value overrides the

default method (snaNodeOperLuTermDefault) for this Node. For LU 6.2, only the value 'unbind (1)' applies.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF

(Terminate Self) request on

the SSCP-LU session. The SSCP will inform the remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU session or an SNA NOTIFY request on the SSCP-LU session indicating that the LU has been powered off. Sending both is also acceptable. The result should be that the remote session LU partner

will send an UNBIND

to terminate the session.

A write operation to this object may immediately change the operational value reflected in snaLuOperTerm depending on the Agent implementation."

::= { snaLuAdminEntry 8 }

snaLuAdminRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by a Management Station to create or delete the row entry in the snaLuAdminTable.

To activate a row, the Management Station sets the value to 'active (1)' or 'notReady (3)'.  
Upon successful creation of the row, the Agent automatically creates a corresponding entry in the snaLuOperTable with snaLuOperState equal to 'inactive (1)'.  
Row deletion can be Management Station

or Agent

initiated:

(a) The Management Station can set the value to 'destroy (6)' only when the value of snaLuOperState of this LU instance is 'inactive (1)'. The Agent will then delete the row corresponding to this LU instance from snaLuAdminTable and from snaLuOperTable.

(b) The Agent detects that a row is in the 'notReady (3)' state for greater than a default period of 5 minutes.

(c) The Agent will not create a row with RowStatus equal to 'notReady (3)', after SNA system re-initialization (e.g., reboot)."

::= { snaLuAdminEntry 9 }

-- \*\*\*\*\*  
-- The following table contains LU state dynamic parameters.  
-- \*\*\*\*\*

snaLuOperTable OBJECT-TYPE

SYNTAX

SEQUENCE OF SnaLuOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains dynamic runtime information and control variables relating to LUs.

Only objects which are common to all types of LUs are included in this table. This table augments the snaLuAdminTable."

::= { snaLu 2 }

snaLuOperEntry OBJECT-TYPE

SYNTAX SnaLuOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains objects reflecting current information for an LU.

Each entry is created by the Agent. All entries have read-only access."

AUGMENTS { snaLuAdminEntry }

::= { snaLuOperTable 1 }

SnaLuOperEntry ::= SEQUENCE {

snaLuOperName

DisplayString,  
snaLuOperSnaName  
DisplayString,  
snaLuOperType

INTEGER,  
snaLuOperDepType  
INTEGER,  
snaLuOperLocalAddress  
OCTET STRING,  
snaLuOperDisplayModel  
INTEGER,  
snaLuOperTerm  
INTEGER,  
snaLuOperState  
INTEGER,  
snaLuOperSessnCount  
Gauge32  
}

snaLuOperName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..48))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"User configurable name for this LU. If a name  
is not assigned, then this object contains a  
zero length string."

::= { snaLuOperEntry 1 }

snaLuOperSnaName OBJECT-TYPE

SYNTAX DisplayString (SIZE(1..17))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the current SNA LU name."

::= { snaLuOperEntry 2 }

snaLuOperType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

lu0(2),

lu1(3),

lu2(4),

lu3(5),

lu4(6),

lu62(7),

lu7(8)

```
 }
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The value identifies the current LU type."
 ::= { snaLuOperEntry 3 }
```

```
snaLuOperDepType OBJECT-TYPE
 SYNTAX INTEGER {
 dependent(1),
 independent(2)
 }
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The value identifies whether the LU is currently
 dependent or independent.

 A write operation to this object will
 not change the operational value reflected
 in snaLuOperDepType until the Node has
 been re-activated (e.g., after the next
 initialization of the SNA services)."
```

```
 ::= { snaLuOperEntry 4 }
```

```
snaLuOperLocalAddress
OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE(1))
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The local address for this LU is a byte with a value
 ranging from 0 to 254. For dependent LUs, this value
 ranges from 1 to 254; for independent LUs this value
 is always 0.

 A write operation to this object will
 not change the operational value reflected
 in snaLuOperLocalAddress until the Node has
 been re-activated (e.g., after the next
 initialization of the SNA services)."
```

```
 ::= { snaLuOperEntry 5 }
```

```
snaLuOperDisplayModel OBJECT-TYPE
 SYNTAX INTEGER {
 invalid(1),
 model2A(2),
 model2B(3),
```

```
model3A(4),
model3B(5),
model4A(6),
model4B(7),
model5A(8),
model5B(9),
dynamic(10)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The screen model type of the terminal connected to the host. If this LU is not Type 2, then this object should contain the 'invalid(1)' value."

::= { snaLuOperEntry 6 }

snaLuOperTerm OBJECT-TYPE

SYNTAX INTEGER {

```
unbind (1),
termself (2),
rshutd (3),
poweroff (4)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the current method for deactivation of this LU. This value overrides the default method (snaNodeOperLuTermDefault) for this Node. For LU 6.2, only the value 'unbind (1)' applies.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF (Terminate Self) request on the SSCP-LU session. The SSCP will inform the remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU session or an SNA NOTIFY request on the SSCP-LU session indicating that the LU has



been powered off. Sending both is also

acceptable. The result should be that the remote session LU partner will send an UNBIND to terminate the session."

::= { snaLuOperEntry 7 }

snaLuOperState OBJECT-TYPE

SYNTAX INTEGER {

inactive (1),

active (2)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the current operational state of this LU.

It has different meanings for dependent and independent LUs.

For dependent LUs the values indicate the following:

inactive (1) - LU didn't receive ACTLU, or it received DACTLU, or received ACTLU and sent negative response.

active (2) - LU received ACTLU and acknowledged positively.

For independent LUs the values

indicate the following:

active (2) - the LU is defined and is able to send and receive BIND.

inactive (1) - the LU has a session count equal to 0."

::= { snaLuOperEntry 8 }

snaLuOperSessnCount OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of currently active LU-LU sessions of this LU.

For the independent LU, if this object has value 0, it indicates that LU is inactive."

::= { snaLuOperEntry 9 }

-- \*\*\*\*\*

-- The following table contains LU session status parameters.

snaLuSessnTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuSessnEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This is a table containing objects which describe the operational state of LU sessions. Only objects which are common to all types of LU sessions are included in this table.

When a session's snaLuSessnOperState value changes to 'pendingBind (2)', then the corresponding entry in the session table is created by the Agent.

When the session's snaLuSessnOperState value changes to 'unbound (1)', then the session will be removed from the session table by the Agent."

::= { snaLu 3 }

snaLuSessnEntry OBJECT-TYPE

SYNTAX SnaLuSessnEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry contains dynamic parameters for an LU-LU session.

The indices identify the Node, local LU, and remote LU for this session."

INDEX { snaNodeAdminIndex,  
snaLuAdminLuIndex,  
snaLuSessnRluIndex,  
snaLuSessnIndex }

::= { snaLuSessnTable 1 }

SnaLuSessnEntry ::= SEQUENCE {

snaLuSessnRluIndex

Integer32,

snaLuSessnIndex

Integer32,

snaLuSessnLocalApplName

DisplayString,

snaLuSessnRemoteLuName

DisplayString,

snaLuSessnMaxSndRuSize

INTEGER,

```

snaLuSessnMaxRcvRuSize
 INTEGER,
snaLuSessnSndPacingSize
 INTEGER,
snaLuSessnRcvPacingSize
 INTEGER,
snaLuSessnActiveTime
 TimeStamp,
snaLuSessnAdminState
 INTEGER,
snaLuSessnOperState
 INTEGER,
snaLuSessnSenseData
 OCTET STRING,
snaLuSessnTerminationRu
 INTEGER,
snaLuSessnUnbindType
 OCTET STRING,
snaLuSessnLinkIndex
 Integer32
}

```

snaLuSessnRluIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value may be used to identify information about the session partner LU in a table of information about remote LUs. Such a table is not defined in this document. If a table of remote LU information is not implemented, or if the table is implemented but it does not contain information about the partner LU for a particular session (as for dependent LU-LU sessions) then this object will have a value of zero."

::= { snaLuSessnEntry 1 }

snaLuSessnIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the unique index of the session.

It is recommended

that an Agent should not reuse the

index of a deactivated session for a significant period of time (e.g., one week)."

::= { snaLuSessnEntry 2 }

snaLuSessnLocalApplName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..48))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The name of the local application using this LU.  
If the local application is unknown, then this object  
contains a zero length string."

::= { snaLuSessnEntry 3 }

snaLuSessnRemoteLuName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..17))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"For dependent LUs which are indicated by the  
snaLuOperDepType object containing the value  
'dependent (1)', this object contains the Primary  
LU (PLU) name. For independent LUs,  
this object contains the fully-qualified

remote LU

name of this 6.2 session.

A fully qualified name is an SNA NAU entity name  
preceded by the NetId and a period as the delimiter."

::= { snaLuSessnEntry 4 }

snaLuSessnMaxSndRuSize OBJECT-TYPE

SYNTAX INTEGER (1..8192)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum RU size used on this session for sending  
RUs."

::= { snaLuSessnEntry 5 }

snaLuSessnMaxRcvRuSize OBJECT-TYPE

SYNTAX INTEGER (1..8192)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum RU size used on this session for  
receiving RUs."

::= { snaLuSessnEntry 6 }

snaLuSessnSndPacingSize OBJECT-TYPE

SYNTAX INTEGER (1..63)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The size of the send pacing window on this session."

::= {

snaLuSessnEntry 7 }

snaLuSessnRcvPacingSize OBJECT-TYPE

SYNTAX INTEGER (1..63)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The size of the receive pacing window on this session."

::= { snaLuSessnEntry 8 }

snaLuSessnActiveTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value) when this session becomes active."

::= { snaLuSessnEntry 9 }

snaLuSessnAdminState OBJECT-TYPE

SYNTAX INTEGER {

unbound (1),

bound (3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The value indicates the desired operational state of the session. This object is used to change the operational state of the session.

A Management Station

can only change the operational

state of the session to 'unbound (1)'.

Session deactivation:

If a session is in the operational state 'bound (3)' then setting the value of this object to 'unbound (1)' will initiate the session shutdown.

If a session is in the operational state 'pendingBind (2)' then setting the value of this object to 'unbound (1)' will initiate the session

shutdown.

If a session is in the operational state 'pendingUnbind (4)' for an abnormally long period of time (e.g., three minutes) then setting the value of this object to 'unbound (1)' will change the session operational state to 'unbound (1)'.

Note: for dependent LUs, deactivating the session is the same as deactivating

the LU."

```
::= { snaLuSessnEntry 10 }
```

snaLuSessnOperState OBJECT-TYPE

SYNTAX INTEGER {

unbound (1),

pendingBind (2),

bound (3),

pendingUnbind (4)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the current operational state of the session.

'unbound (1)' - session has been unbound;  
in this state it will be removed from the session table by the Agent.

'pendingBind (2)' - this state has different meanings for dependent and independent LUs; for dependent LU - waiting for BIND from the host, for independent LU - waiting for BIND response. When a session enters this state, the corresponding entry in the

session table is created by the Agent.

'bound (3)' - session has been successfully bound.

'pendingUnbind (4)' - session enters this state when an UNBIND is sent and before the rsp(UNBIND) is received."

```
::= { snaLuSessnEntry 11 }
```

snaLuSessnSenseData OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..8))

MAX-ACCESS read-only

STATUS current  
DESCRIPTION  
"The value identifies the sense code when there is a BIND failure. It is taken from the negative BIND response or UNBIND request.  
This is displayed as 8 hexadecimal digits."  
::= { snaLuSessnEntry 12 }

snaLuSessnTerminationRu OBJECT-TYPE  
SYNTAX INTEGER {  
    other (1),  
    bindFailure (2),  
    unbind (3)  
}  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The value identifies the SNA RU that terminated the session.  
If the session is not in the unbound state, this object has a value of 'other (1)'."  
::= { snaLuSessnEntry 13 }

snaLuSessnUnbindType OBJECT-TYPE  
SYNTAX OCTET STRING (SIZE(0..1))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"If the session is in the unbound state, and it was terminated by an UNBIND, then this object contains the UNBIND type value (byte 1 of the UNBIND RU); otherwise the string is null."  
::= { snaLuSessnEntry 14 }

snaLuSessnLinkIndex OBJECT-TYPE  
SYNTAX Integer32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"This value identifies the link over which the session passes. It is an index into snaNodeLinkAdminTable.  
If the index value is not known,  
the value of this  
    object shall be zero."  
::= { snaLuSessnEntry 15 }

```
-- *****
-- The following table contains LU sessions statistics dynamic
-- parameters.
-- *****
```

snaLuSessnStatsTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF SnaLuSessnStatsEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "This table contains dynamic statistics information
 relating to LU sessions.
 The entries in this table augment the entries in
 the snaLuSessnTable and cannot be created by
 a Management Station."
 ::= { snaLu 4 }
```

snaLuSessnStatsEntry OBJECT-TYPE

```
SYNTAX SnaLuSessnStatsEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "Contains statistics information for an LU session.
```

Each entry is created by the Agent.

Objects in this table have read-only access.

Each session from snaLuSessnTable  
has one entry in this table."

```
AUGMENTS { snaLuSessnEntry }
 ::= { snaLuSessnStatsTable 1 }
```

SnaLuSessnStatsEntry ::= SEQUENCE {

```
snaLuSessnStatsSentBytes
 Counter32,
snaLuSessnStatsReceivedBytes
 Counter32,
snaLuSessnStatsSentRus
 Counter32,
snaLuSessnStatsReceivedRus
 Counter32,
snaLuSessnStatsSentNegativeResps
 Counter32,
snaLuSessnStatsReceivedNegativeResps
 Counter32
}
```

snaLuSessnStatsSentBytes OBJECT-TYPE

```
SYNTAX Counter32
```



MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The number of bytes sent by the local LU."  
::= { snaLuSessnStatsEntry 1 }

snaLuSessnStatsReceivedBytes OBJECT-TYPE  
    SYNTAX  
    Counter32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The number of bytes received by the local LU."  
    ::= { snaLuSessnStatsEntry 2 }

snaLuSessnStatsSentRus OBJECT-TYPE  
    SYNTAX Counter32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The number of RUs sent by the local LU."  
    ::= { snaLuSessnStatsEntry 3 }

snaLuSessnStatsReceivedRus OBJECT-TYPE  
    SYNTAX Counter32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The number of RUs received by the local LU."  
    ::= { snaLuSessnStatsEntry 4 }

snaLuSessnStatsSentNegativeResps OBJECT-TYPE  
    SYNTAX Counter32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The number of negative responses sent by the  
        local LU."  
    ::= { snaLuSessnStatsEntry 5 }

snaLuSessnStatsReceivedNegativeResps OBJECT-TYPE  
    SYNTAX  
    Counter32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The number of negative responses received by the  
        local LU."

::= { snaLuSessnStatsEntry 6 }

-- \*\*\*\*\*  
-- Traps  
-- \*\*\*\*\*

snaLuTraps OBJECT IDENTIFIER ::= { snaLu 5 }

snaLuStateChangeTrap NOTIFICATION-TYPE

OBJECTS { snaLuOperName,  
          snaLuOperSnaName,  
          snaLuOperState }

STATUS current

DESCRIPTION

"This trap indicates that the operational state  
(i.e., snaLuOperState value) of the LU has changed.  
The value of snaLuOperName indicates the name of the  
LU.  
The value of snaLuOperSnaName indicates the SNA name  
of LU.  
The value of snaLuOperState indicates the current  
state after

change."

::= { snaLuTraps 1 }

snaLuSessnBindFailTrap NOTIFICATION-TYPE

OBJECTS { snaLuSessnLocalApplName,  
          snaLuSessnRemoteLuName,  
          snaLuSessnOperState,  
          snaLuSessnSenseData }

STATUS current

DESCRIPTION

"This trap indicates the failure of a BIND.  
The value of snaLuSessnLocalApplName indicates the local  
application name.  
The value of snaLuSessnPartnerName indicates the partner  
name.  
The value of snaLuSessnOperState indicates the current  
state after change.  
The value of snaLuSessnBindFailureReason  
indicates the failure reason.  
The Agent should not generate more than 1 trap of this  
type per minute to minimize the level of management  
traffic on the network."

::= { snaLuTraps 2 }

-- \*\*\*\*\*

```

--
snaMgtTools group
--
-- Currently this group contains only one table.
-- *****

-- *****

-- The following table contains Response Time Monitoring (RTM)
-- configuration information and statistics for LU Type 2s.
-- RTM supports the capability to measure and report end-user
-- response times for dependent LUs. When the RTM state of an LU
-- is 'on', response times for each LU transaction are monitored.
-- A set of ranges is defined (e.g., Range 1 includes the number of
-- transactions with response times less than 1 second) using the
-- "boundary" definitions (e.g., boundary #2 is defined as 3 seconds).
-- A set of counters (one per range) identifies
-- the number of transactions within each response time range.
-- *****

```

snaLuRtmTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuRtmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains Response Time Monitoring (RTM) information relating to an LU (Type 2). Each entry corresponds to an LU 2 entry in snaLuAdminTable."

::= { snaMgtTools 1 }

snaLuRtmEntry OBJECT-TYPE

SYNTAX SnaLuRtmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains RTM information for an LU (Type 2). Each entry is created by the Agent."

INDEX { snaLuRtmPuIndex, snaLuRtmLuIndex }

::= { snaLuRtmTable 1 }

SnaLuRtmEntry ::= SEQUENCE {

snaLuRtmPuIndex

Integer32,

snaLuRtmLuIndex

Integer32,

snaLuRtmState

INTEGER,

```

snaLuRtmStateTime
 TimeStamp,
snaLuRtmDef
 INTEGER,
snaLuRtmBoundary1
 Integer32,
snaLuRtmBoundary2
 Integer32,
snaLuRtmBoundary3
 Integer32,
snaLuRtmBoundary4
 Integer32,
snaLuRtmCounter1
 Counter32,
snaLuRtmCounter2
 Counter32,
snaLuRtmCounter3
 Counter32,
snaLuRtmCounter4
 Counter32,
snaLuRtmOverFlows
 Counter32,
snaLuRtmObjPercent
 Integer32,
snaLuRtmObjRange
 INTEGER,
snaLuRtmNumTrans
 Integer32,
snaLuRtmLastRspTime
 Integer32,
snaLuRtmAvgRspTime
 Integer32
}

```

snaLuRtmPuIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The value identifies the PU 2.0 with which this LU is associated."

::= { snaLuRtmEntry 1 }

snaLuRtmLuIndex OBJECT-TYPE

SYNTAX

Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The value uniquely identifies an LU in a PU 2.0."

::= { snaLuRtmEntry 2 }

snaLuRtmState OBJECT-TYPE

SYNTAX INTEGER {

off(1),

on(2)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the current RTM state of an LU."

::= { snaLuRtmEntry 3 }

snaLuRtmStateTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value) when this session's RTM state (e.g., snaLuRtmState) changes value."

::= { snaLuRtmEntry 4 }

snaLuRtmDef OBJECT-TYPE

SYNTAX INTEGER {

firstChar(1),

kb(2),

cdeb(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the mode of measurement for this RTM request. The values have following meaning:

firstChar(1) - time to first character on screen

kb(2) - time to keyboard usable by operator

cdeb(3) - time to Change Direction/End Bracket."

::= { snaLuRtmEntry 5 }

snaLuRtmBoundary1 OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the value of the first boundary

in units of 1/10th of a second."  
::= { snaLuRtmEntry 6 }

snaLuRtmBoundary2 OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the value of the second boundary  
in units of 1/10th of a second."

::= { snaLuRtmEntry 7 }

snaLuRtmBoundary3 OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the value of the third boundary  
in units of 1/10th of a second."

::= { snaLuRtmEntry 8 }

snaLuRtmBoundary4 OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the value of the fourth boundary  
in units of 1/10th of a second."

::= { snaLuRtmEntry 9 }

snaLuRtmCounter1 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which  
fall in the range specified by the first boundary."

::= { snaLuRtmEntry 10 }

snaLuRtmCounter2 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates  
the number of transactions which  
fall in the range specified by the second boundary."

::= { snaLuRtmEntry 11 }

snaLuRtmCounter3 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which fall in the range specified by the third boundary."

::= { snaLuRtmEntry 12 }

snaLuRtmCounter4 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which fall in the range specified by the fourth boundary."

::= { snaLuRtmEntry 13 }

snaLuRtmOverFlows OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which exceed the highest range specified by

the

boundaries."

::= { snaLuRtmEntry 14 }

snaLuRtmObjPercent OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the desired percentage of transactions which should be under a designated boundary range indicated by snaLuRtmObjRange."

::= { snaLuRtmEntry 15 }

snaLuRtmObjRange OBJECT-TYPE

SYNTAX INTEGER {

other(1),

range1(2),

range2(3),

range3(4),

range4(5),

range5(6)

```

 }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "This value indicates the designated boundary range to
 which the snaLuRtmObject refers.
 The values have the following meanings:
 other(1) - not specified
 range1(2) - less than boundary
1
 range2(3) - between boundary 1 and 2
 range3(4) - between boundary 2 and 3
 range4(5) - between boundary 3 and 4
 range5(6) - greater than boundary 4."
 ::= { snaLuRtmEntry 16 }

snaLuRtmNumTrans OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "This value indicates the total number of transactions
 executed since the RTM monitoring began (i.e.,
 snaLuRtmState changed to 'on(2)') for this LU."
 ::= { snaLuRtmEntry 17 }

snaLuRtmLastRspTime OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "This value indicates the response time for the last
 transaction in units of 1/10th of a second."
 ::= { snaLuRtmEntry 18 }

snaLuRtmAvgRspTime OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "This value indicates the average response time for all
 transactions in units of 1/10th of a second."
 ::= { snaLuRtmEntry 19 }

-- *****
-- Conformance information
-- *****

```



```

snanauConformance OBJECT IDENTIFIER ::= { snanauMIB 2 }

snanauCompliances OBJECT IDENTIFIER ::= { snanauConformance 1 }
snanauGroups OBJECT IDENTIFIER ::= { snanauConformance 2 }

-- Compliance statements
snanauCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION
 "The compliance statement for the SNMPv2 entities
 which implement the snanau MIB."
 MODULE -- this module

-- Unconditionally mandatory groups
 MANDATORY-GROUPS { snaNodeGroup,
 snaLuGroup,
 snaSessionGroup
 }

-- Conditionally mandatory groups
 GROUP snaPu20Group
 DESCRIPTION
 "The snaPu20Group is mandatory only for those
 entities which implement PU type 2.0"
 GROUP snaMgtToolsRtmGroup
 DESCRIPTION
 "The snaMgtToolsGroup is mandatory only for
 those entities which implement LU type 2
 and RTM."

-- Refinement of requirements for objects access.
-- The Agent which does not implement row creation for
-- snaNodeAdminTable, snaNodeLinkAdminTable and
-- snaLuAdminTable must at least accept
-- objects modification (read-write access instead of
-- read-create).

 OBJECT snaNodeAdminName
 MIN-ACCESS read-write
 DESCRIPTION
 "An Agent is required to implement read-write
 access to this object."

 OBJECT snaNodeAdminType
 MIN-ACCESS read-write
 DESCRIPTION
 "An Agent is required to implement read-write

```

access to this object."

OBJECT snaNodeAdminXidFormat

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminBlockNum

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminIdNum

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminEnablingMethod

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminLuTermDefault

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminMaxLu

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminHostDescription

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaNodeAdminStopMethod

MIN-ACCESS read-write

DESCRIPTION

"An

Agent is required to implement read-write  
access to this object."

OBJECT snaNodeAdminState  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this object."

OBJECT snaNodeLinkAdminSpecific  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this object."

OBJECT snaNodeLinkAdminMaxPiu  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this object."

OBJECT snaLuAdminName  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this  
object."

OBJECT snaLuAdminSnaName  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this object."

OBJECT snaLuAdminType  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this object."

OBJECT snaLuAdminDepType  
MIN-ACCESS read-write  
DESCRIPTION  
"An Agent is required to implement read-write  
access to this object."

OBJECT snaLuAdminLocalAddress  
MIN-ACCESS read-write  
DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaLuAdminDisplayModel

MIN-ACCESS

read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

OBJECT snaLuAdminTerm

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write access to this object."

::= {snanauCompliances 1 }

-- Units of conformance

snaNodeGroup OBJECT-GROUP

OBJECTS { snaNodeAdminName,  
snaNodeAdminType,  
snaNodeAdminXidFormat,  
snaNodeAdminBlockNum,  
snaNodeAdminIdNum,  
snaNodeAdminEnablingMethod,  
snaNodeAdminLuTermDefault,  
snaNodeAdminMaxLu,  
snaNodeAdminHostDescription,  
snaNodeAdminStopMethod,  
snaNodeAdminState,  
snaNodeAdminRowStatus,  
snaNodeAdminTableLastChange,  
snaNodeOperName,  
snaNodeOperType,  
snaNodeOperXidFormat,  
snaNodeOperBlockNum,  
snaNodeOperIdNum,  
snaNodeOperEnablingMethod,  
snaNodeOperLuTermDefault,  
snaNodeOperMaxLu,  
snaNodeOperHostDescription,  
snaNodeOperStopMethod,  
snaNodeOperState,  
snaNodeOperHostSscpId,  
snaNodeOperStartTime,

```

snaNodeOperLastStateChange,
snaNodeOperActFailures,
snaNodeOperActFailureReason,
snaNodeOperTableLastChange,
snaNodeLinkAdminSpecific,
snaNodeLinkAdminMaxPiu,
snaNodeLinkAdminRowStatus,
snaNodeLinkAdminTableLastChange,
snaNodeLinkOperSpecific,
snaNodeLinkOperMaxPiu,
snaNodeLinkOperTableLastChange }
STATUS current
DESCRIPTION

```

```

"A collection of objects providing the
instrumentation of SNA nodes."
::= { snanauGroups 1 }

```

```

snaLuGroup OBJECT-GROUP
OBJECTS { snaLuAdminName,
snaLuAdminSnaName,
snaLuAdminType,
snaLuAdminDepType,
snaLuAdminLocalAddress,
snaLuAdminDisplayModel,
snaLuAdminTerm,
snaLuAdminRowStatus,
snaLuOperName,
snaLuOperSnaName,
snaLuOperType,
snaLuOperDepType,
snaLuOperLocalAddress,
snaLuOperDisplayModel,
snaLuOperTerm,
snaLuOperState,
snaLuOperSessnCount }

```

```

STATUS current
DESCRIPTION
"A collection of objects providing the
instrumentation of SNA LUs."
::= { snanauGroups 2 }

```

```

snaSessionGroup OBJECT-GROUP
OBJECTS { snaLuSessnRluIndex,

snaLuSessnIndex,
snaLuSessnLocalAppName,
snaLuSessnRemoteLuName,

```

snaLuSessnMaxSndRuSize,  
snaLuSessnMaxRcvRuSize,  
snaLuSessnSndPacingSize,  
snaLuSessnRcvPacingSize,  
snaLuSessnActiveTime,  
snaLuSessnAdminState,  
snaLuSessnOperState,  
snaLuSessnSenseData,  
snaLuSessnTerminationRu,  
snaLuSessnUnbindType,  
snaLuSessnLinkIndex,  
snaLuSessnStatsSentBytes,  
snaLuSessnStatsReceivedBytes,  
snaLuSessnStatsSentRus,  
snaLuSessnStatsReceivedRus,  
snaLuSessnStatsSentNegativeResps,  
snaLuSessnStatsReceivedNegativeResps }

STATUS current

DESCRIPTION

"A collection of objects providing the instrumentation of SNA sessions."

::= { snanauGroups 3 }

snaPu20Group

OBJECT-GROUP

OBJECTS { snaPu20StatsSentBytes,  
snaPu20StatsReceivedBytes,  
snaPu20StatsSentPius,  
snaPu20StatsReceivedPius,  
snaPu20StatsSentNegativeResps,  
snaPu20StatsReceivedNegativeResps,  
snaPu20StatsActLus,  
snaPu20StatsInActLus,  
snaPu20StatsBindLus }

STATUS current

DESCRIPTION

"A collection of objects providing the instrumentation of PU 2.0."

::= { snanauGroups 4 }

snaMgtToolsRtmGroup OBJECT-GROUP

OBJECTS { snaLuRtmState,  
snaLuRtmStateTime,  
snaLuRtmDef,  
snaLuRtmBoundary1,  
snaLuRtmBoundary2,  
snaLuRtmBoundary3,  
snaLuRtmBoundary4,

```

 snaLuRtmCounter1,
 snaLuRtmCounter2,
 snaLuRtmCounter3,
 snaLuRtmCounter4,
 snaLuRtmOverFlows,
 snaLuRtmObjPercent,
 snaLuRtmObjRange,
 snaLuRtmNumTrans,
 snaLuRtmLastRspTime,
 snaLuRtmAvgRspTime }
STATUS current
DESCRIPTION
 "A collection of objects providing the
 instrumentation of RTM for SNA LU 2.0."
 ::= { snanauGroups 5 }

-- end of conformance statement

END

Found in path(s):
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNA-NAU-
MIB
No license file was found, but licenses were detected in source scan.

DOT3-OAM-MIB DEFINITIONS ::= BEGIN

IMPORTS
MODULE-IDENTITY, mib-2, OBJECT-TYPE, Counter32, Unsigned32,
 Integer32, NOTIFICATION-TYPE
FROM SNMPv2-SMI
-- from [RFC2578]
TEXTUAL-CONVENTION, MacAddress, TimeStamp, TruthValue

FROM SNMPv2-TC
-- from [RFC2579]
CounterBasedGauge64
FROM HCNM-TC
-- from [RFC2856]
ifIndex
FROM IF-MIB
-- from [RFC2863]
MODULE-COMPLIANCE, OBJECT-GROUP, NOTIFICATION-GROUP
FROM SNMPv2-CONF;

```

-- from [RFC2580]

dot3OamMIB MODULE-IDENTITY

LAST-UPDATED "200706140000Z" -- June 14,2007"

ORGANIZATION

"IETF Ethernet Interfaces and Hub MIB Working Group"

CONTACT-INFO

"WG Charter:

<http://www.ietf.org/html.charters/hubmib-charter.html>

Mailing lists:

General Discussion: [hubmib@ietf.org](mailto:hubmib@ietf.org)

To Subscribe: [hubmib-requests@ietf.org](mailto:hubmib-requests@ietf.org)

In Body: subscribe your\_email\_address

Chair: Bert Wijnen

Alcatel-Lucent

Email: [bwijnen at alcatel-lucent dot com](mailto:bwijnen@alcatel-lucent.com)

Editor: Matt Squire

Hatteras Networks

E-mail: [msquire at hatterasnetworks dot com](mailto:msquire@hatterasnetworks.com)

"

DESCRIPTION

"The MIB module for managing the new Ethernet OAM features introduced by the Ethernet in the First Mile taskforce (IEEE 802.3ah). The functionality presented here is based on IEEE 802.3ah [802.3ah], released in October, 2004. [802.3ah] was prepared as an addendum to the standing version of IEEE 802.3 [802.3-2002]. Since then, [802.3ah] has been merged into the base IEEE 802.3 specification in [802.3-2005].

In particular, this MIB focuses on the new OAM functions introduced in Clause 57 of [802.3ah]. The OAM functionality of Clause 57 is controlled by new management attributes introduced in Clause 30 of [802.3ah]. The OAM functions are not specific to any particular Ethernet

physical layer, and

can be generically applied to any Ethernet interface of [802.3-2002].

An Ethernet OAM protocol data unit is a valid Ethernet frame with a destination MAC address equal to the reserved MAC address for Slow Protocols (See 43B of [802.3ah]), a lengthOrType field equal to the reserved type for Slow Protocols, and a Slow Protocols subtype equal to that of the subtype reserved for Ethernet OAM. OAMPDU is used throughout this document as an abbreviation for Ethernet OAM protocol data unit.

The following reference is used throughout this MIB module:



[802.3ah] refers to:

IEEE Std 802.3ah-2004: 'Draft amendment to -  
Information technology - Telecommunications and  
information exchange between systems - Local and  
metropolitan area networks - Specific requirements - Part  
3: Carrier sense multiple access with collision detection  
(CSMA/CD) access method and physical layer specifications  
- Media Access Control Parameters, Physical Layers and  
Management Parameters for subscriber access networks',  
October 2004.

[802.3-2002] refers to:

IEEE Std 802.3-2002:  
'Information technology - Telecommunications and  
information exchange between systems - Local and  
metropolitan area networks - Specific requirements - Part  
3: Carrier sense multiple access with collision detection  
(CSMA/CD) access method and physical layer specifications  
- Media Access Control Parameters, Physical Layers and  
Management Parameters for subscriber access networks',  
March 2002.

[802.3-2005] refers to:

IEEE Std 802.3-2005:  
'Information technology - Telecommunications and  
information exchange between systems - Local and  
metropolitan area networks  
- Specific requirements - Part  
3: Carrier sense multiple access with collision detection  
(CSMA/CD) access method and physical layer specifications  
- Media Access Control Parameters, Physical Layers and  
Management Parameters for subscriber access networks',  
December 2005.

[802-2001] refers to:

'IEEE Standard for LAN/MAN (Local Area  
Network/Metropolitan Area Network): Overview and  
Architecture', IEEE 802, June 2001.

Copyright (c) The IETF Trust (2007). This version of  
this MIB module is part of RFC 4878; See the RFC itself for  
full legal notices. "

REVISION "200706140000Z" -- June 14, 2007"

```

DESCRIPTION "Initial version, published as RFC 4878."
 ::= { mib-2 158 }

--
-- Sections of the Ethernet OAM MIB

--
dot3OamNotifications OBJECT IDENTIFIER ::= { dot3OamMIB 0 }
dot3OamObjects OBJECT IDENTIFIER ::= { dot3OamMIB 1 }

dot3OamConformance OBJECT IDENTIFIER ::= { dot3OamMIB 2 }

--
-- Textual conventions for the OAM MIB
--
EightOTwoOui ::= TEXTUAL-CONVENTION
 STATUS current
 DESCRIPTION
 "24-bit Organizationally Unique Identifier. Information on
 OUIs can be found in IEEE 802-2001 [802-2001], Clause 9."
 SYNTAX OCTET STRING(SIZE(3))

-- *****
--
-- Ethernet OAM Control group
--

dot3OamTable OBJECT-TYPE
 SYNTAX SEQUENCE OF Dot3OamEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "This table contains the primary controls and status for the
 OAM capabilities of an Ethernet-like interface. There will be
 one row in this table for each Ethernet-like interface in the
 system that supports the OAM functions defined in [802.3ah].
 "
 ::= { dot3OamObjects 1 }

dot3OamEntry OBJECT-TYPE
 SYNTAX Dot3OamEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "An entry in the table that contains information on the
 Ethernet OAM function for a single Ethernet like interface.

```

Entries in the table are created automatically for each interface supporting Ethernet OAM. The status of the row entry can be determined from dot3OamOperStatus.

A dot3OamEntry is indexed in the dot3OamTable by the ifIndex object of the Interfaces MIB.

"

```
INDEX { ifIndex }
::= { dot3OamTable 1 }
```

```
Dot3OamEntry ::=
SEQUENCE {
 dot3OamAdminState INTEGER,
 dot3OamOperStatus INTEGER,
 dot3OamMode INTEGER,
 dot3OamMaxOamPduSize Unsigned32,
 dot3OamConfigRevision Unsigned32,
 dot3OamFunctionsSupported BITS
}
```

dot3OamAdminState OBJECT-TYPE

```
SYNTAX INTEGER {
 enabled(1),
 disabled(2)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object is used to provision the default administrative OAM mode for this interface. This object represents the desired state of OAM for this interface.

The dot3OamAdminState always starts in the disabled(2) state until an explicit management action or configuration information retained by the system causes a transition to the enabled(1) state. When enabled(1), Ethernet OAM will attempt to operate over this interface.

"

REFERENCE "[802.3ah], 30.3.6.1.2"

```
::= { dot3OamEntry 1 }
```

dot3OamOperStatus OBJECT-TYPE

```
SYNTAX INTEGER {
 disabled(1),
 linkFault(2),
 passiveWait(3),
}
```

```

 activeSendLocal(4),
 sendLocalAndRemote(5),
 sendLocalAndRemoteOk(6),
 oamPeeringLocallyRejected(7),
 oamPeeringRemotelyRejected(8),
 operational(9),
 nonOperHalfDuplex(10)
}

```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At initialization and failure conditions, two OAM entities on

the same full-duplex Ethernet link begin a discovery phase to determine what OAM capabilities may be used on that link. The progress of this initialization is controlled by the OAM sublayer.

This value is always disabled(1) if OAM is disabled on this interface via the dot3OamAdminState.

If the link has detected a fault and is transmitting OAMPDUs with a link fault indication, the value is linkFault(2).

Also, if the interface is not operational (ifOperStatus is not up(1)), linkFault(2) is returned. Note that the object ifOperStatus may not be up(1) as a result of link failure or administrative

action (ifAdminState being down(2) or testing(3)).

The passiveWait(3) state is returned only by OAM entities in passive mode (dot3OamMode) and reflects the state in which the OAM entity is waiting to see if the peer device is OAM capable. The activeSendLocal(4) value is used by active mode devices (dot3OamMode) and reflects the OAM entity actively trying to discover whether the peer has OAM capability but has not yet made that determination.

The state sendLocalAndRemote(5) reflects that the local OAM entity has discovered the peer but has not yet accepted or rejected the configuration of the peer. The local device can, for whatever reason, decide that the peer device is unacceptable and decline OAM peering. If the local OAM entity rejects the peer OAM entity, the state becomes oamPeeringLocallyRejected(7). If the OAM peering is allowed by the local device, the state moves

to

sendLocalAndRemoteOk(6). Note that both the sendLocalAndRemote(5) and oamPeeringLocallyRejected(7) states fall within the state SEND\_LOCAL\_REMOTE of the Discovery state diagram [802.3ah, Figure 57-5], with the difference being whether the local OAM client has actively rejected the peering or has just not indicated any decision yet. Whether a peering decision has been made is indicated via the local flags field in the OAMPDU (reflected in the aOAMLocalFlagsField of 30.3.6.1.10).

If the remote OAM entity rejects the peering, the state becomes oamPeeringRemotelyRejected(8). Note that both the sendLocalAndRemoteOk(6) and oamPeeringRemotelyRejected(8) states fall within the state SEND\_LOCAL\_REMOTE\_OK of the Discovery state diagram [802.3ah, Figure 57-5], with the difference being whether the remote OAM client has rejected

the peering or has just not yet decided. This is indicated

via the remote flags field in the OAMPDU (reflected in the aOAMRemoteFlagsField of 30.3.6.1.11).

When the local OAM entity learns that both it and the remote OAM entity have accepted the peering, the state moves to operational(9) corresponding to the SEND\_ANY state of the Discovery state diagram [802.3ah, Figure 57-5].

Since Ethernet OAM functions are not designed to work completely over half-duplex interfaces, the value nonOperHalfDuplex(10) is returned whenever Ethernet OAM is enabled (dot3OamAdminState is enabled(1)), but the interface is in half-duplex operation.

"

REFERENCE "[802.3ah], 30.3.6.1.4, 30.3.6.1.10, 30.3.6.1.11"  
::= { dot3OamEntry 2 }

dot3OamMode OBJECT-TYPE

SYNTAX INTEGER {  
    passive(1),  
    active(2)  
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object configures

the mode of OAM operation for this

Ethernet-like interface. OAM on Ethernet interfaces may be in 'active' mode or 'passive' mode. These two modes differ in that active mode provides additional capabilities to initiate monitoring activities with the remote OAM peer entity, while passive mode generally waits for the peer to initiate OAM actions with it. As an example, an active OAM entity can put the remote OAM entity in a loopback state, where a passive OAM entity cannot.

The default value of dot3OamMode is dependent on the type of system on which this Ethernet-like interface resides. The default value should be 'active(2)' unless it is known that this system should take on a subservient role to the other device connected over this interface.

Changing this value results in incrementing the configuration revision field of locally generated OAMPDUs (30.3.6.1.12) and potentially re-doing the OAM discovery process if the dot3OamOperStatus was already operational(9).

"

REFERENCE "[802.3ah], 30.3.6.1.3"

::= { dot3OamEntry 3 }

dot3OamMaxOamPduSize OBJECT-TYPE

SYNTAX Unsigned32 (64..1518)

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The largest OAMPDU that the OAM entity supports. OAM entities exchange maximum OAMPDU sizes and negotiate to use the smaller of the two maximum OAMPDU sizes between the peers. This value is determined by the local implementation.

"

REFERENCE "[802.3ah], 30.3.6.1.8"

::= { dot3OamEntry 4 }

dot3OamConfigRevision OBJECT-TYPE

SYNTAX Unsigned32(0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The configuration revision of the OAM entity as reflected in

the latest OAMPDU sent by the OAM entity. The config revision is used by OAM entities to indicate that configuration changes have occurred, which might require the peer OAM entity to re-evaluate whether OAM peering is allowed.

"

REFERENCE "[802.3ah], 30.3.6.1.12"

::= { dot3OamEntry 5 }

dot3OamFunctionsSupported OBJECT-TYPE

SYNTAX BITS {  
    unidirectionalSupport(0),  
    loopbackSupport(1),  
    eventSupport(2),  
    variableSupport(3)  
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The OAM functions supported on this Ethernet-like interface. OAM consists of separate functional sets beyond the basic discovery process that is always required. These functional groups can be supported independently by any implementation. These values are communicated to the peer via the local configuration field of Information OAMPDUs.

Setting 'unidirectionalSupport(0)' indicates that the OA

entity supports the transmission of OAMPDUs on links that are operating in unidirectional mode (traffic flowing in one direction only). Setting 'loopbackSupport(1)' indicates that the OAM entity can initiate and respond to loopback commands. Setting 'eventSupport(2)' indicates that the OAM entity can send and receive Event Notification OAMPDUs. Setting 'variableSupport(3)' indicates that the OAM entity can send and receive Variable Request and Response OAMPDUs.

"

REFERENCE "[802.3ah], 30.3.6.1.6"

::= { dot3OamEntry 6 }

-- \*\*\*\*\*  
--  
-- Ethernet OAM Peer group  
--

dot3OamPeerTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamPeerEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains information about the OAM peer for a particular Ethernet-like interface. OAM entities communicate with a single OAM peer entity on Ethernet links on which OAM is enabled and operating properly. There is one entry in this table for each entry in the dot3OamTable for which information on the peer OAM entity is available.

"

::= { dot3OamObjects 2 }

dot3OamPeerEntry OBJECT-TYPE

SYNTAX Dot3OamPeerEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the table containing information on the peer OAM entity for a single Ethernet-like interface.

Note that there is at most one OAM peer for each Ethernet-like interface. Entries are automatically created when information about the OAM peer entity becomes available, and automatically deleted when the OAM peer entity is no longer in communication. Peer information is not available when dot3OamOperStatus is disabled(1), linkFault(2), passiveWait(3), activeSendLocal(4), or nonOperHalfDuplex(10).

"

INDEX { ifIndex }

::= { dot3OamPeerTable 1 }

Dot3OamPeerEntry ::=

SEQUENCE {

dot3OamPeerMacAddress        MacAddress,  
dot3OamPeerVendorOui        EightOTwoOui,  
dot3OamPeerVendorInfo        Unsigned32,  
dot3OamPeerMode                INTEGER,  
dot3OamPeerMaxOamPduSize     Unsigned32,  
dot3OamPeerConfigRevision     Unsigned32,  
dot3OamPeerFunctionsSupported    BITS

}

dot3OamPeerMacAddress OBJECT-TYPE



SYNTAX MacAddress  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The MAC address of the peer OAM entity. The MAC address is derived from the most recently received OAMPDU."  
"  
REFERENCE "[802.3ah], 30.3.6.1.5."  
::= { dot3OamPeerEntry 1 }

dot3OamPeerVendorOui OBJECT-TYPE  
SYNTAX EightOTwoOui  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The  
OUI of the OAM peer as reflected in the latest  
Information OAMPDU received with a Local Information TLV. The  
OUI can be used to identify the vendor of the remote OA  
entity. This value is initialized to three octets of zero  
before any Local Information TLV is received."  
"  
REFERENCE "[802.3ah], 30.3.6.1.16."  
::= { dot3OamPeerEntry 2 }

dot3OamPeerVendorInfo OBJECT-TYPE  
SYNTAX Unsigned32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The Vendor Info of the OAM peer as reflected in the latest  
Information OAMPDU received with a Local Information TLV.  
The semantics of the Vendor Information field is proprietary  
and specific to the vendor (identified by the  
dot3OamPeerVendorOui). This information could, for example,

be used to identify a specific product or product family.  
This value is initialized to zero before any Local  
Information TLV is received.

"  
REFERENCE "[802.3ah], 30.3.6.1.17."  
::= { dot3OamPeerEntry 3 }

dot3OamPeerMode OBJECT-TYPE  
SYNTAX INTEGER {  
passive(1),

```
 active(2),
 unknown(3)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The mode of the OAM peer as reflected in the latest Information OAMPDU received with a Local Information TLV. The mode of the peer can be determined from the Configuration field in the Local Information TLV of the last Information OAMPDU received from the peer. The value is unknown(3) whenever no Local Information TLV has been received. The values of active(2) and passive(1) are returned when a Local Information TLV has been received indicating that the peer is in active or passive mode, respectively.  
"

REFERENCE "[802.3ah], 30.3.6.1.7."

::= { dot3OamPeerEntry 4 }

dot3OamPeerMaxOamPduSize

OBJECT-TYPE

SYNTAX Unsigned32 (0 | 64..1518)

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum size of OAMPDU supported by the peer as reflected in the latest Information OAMPDU received with a Local Information TLV. Ethernet OAM on this interface must not use OAMPDUs that exceed this size. The maximum OAMPDU size can be determined from the PDU Configuration field of the Local Information TLV of the last Information OAMPDU received from the peer. A value of zero is returned if no Local Information TLV has been received. Otherwise, the value of the OAM peer's maximum OAMPDU size is returned in this value.  
"

REFERENCE "[802.3ah], 30.3.6.1.9."

::= { dot3OamPeerEntry 5 }

dot3OamPeerConfigRevision OBJECT-TYPE

SYNTAX Unsigned32(0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The

configuration revision of the OAM peer as reflected in the latest OAMPDU. This attribute is changed by the peer whenever it has a local configuration change for Ethernet OA on this interface. The configuration revision can be determined from the Revision field of the Local Information TLV of the most recently received Information OAMPDU with a Local Information TLV. A value of zero is returned if no Local Information TLV has been received.

"

REFERENCE "[802.3ah], 30.3.6.1.13."

::= { dot3OamPeerEntry 6 }

dot3OamPeerFunctionsSupported OBJECT-TYPE

```
SYNTAX BITS {
 unidirectionalSupport(0),
 loopbackSupport(1),
 eventSupport(2),
 variableSupport(3)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The OAM functions supported on this Ethernet-like interface.

OAM consists of separate functionality

sets above the basic

discovery process. This value indicates the capabilities of the peer OAM entity with respect to these functions. This value is initialized so all bits are clear.

If unidirectionalSupport(0) is set, then the peer OAM entity supports sending OAM frames on Ethernet interfaces when the receive path is known to be inoperable. If loopbackSupport(1) is set, then the peer OAM entity can send and receive OAM loopback commands. If eventSupport(2) is set, then the peer OAM entity can send and receive event OAMPDUs to signal various error conditions. If variableSupport(3) is set, then the peer OAM entity can send and receive variable requests to monitor the attribute value as described in Clause 57 of [802.3ah].

The capabilities of the OAM peer can be determined from the configuration field of the Local Information TLV of the most recently received

Information OAMPDU with a Local Information

TLV. All zeros are returned if no Local Information TLV has

```

yet been received.
"
REFERENCE "[802.3ah], REFERENCE 30.3.6.1.7."
::= { dot3OamPeerEntry 7 }

-- *****
--
-- Ethernet OAM Loopback group
--

dot3OamLoopbackTable OBJECT-TYPE
SYNTAX SEQUENCE OF Dot3OamLoopbackEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "This table contains controls for the loopback state of the
 local link as well as indicates the status of the loopback
 function. There is one entry in this table for each entry in
 dot3OamTable that supports loopback functionality (where
 dot3OamFunctionsSupported includes the loopbackSupport bit
 set).

 Loopback can be used to place the remote OAM entity in a state
 where every received frame (except OAMPDUs) is echoed back

 over the same interface on which they were received. In this
 state, at the remote entity, 'normal' traffic is disabled as
 only the looped back frames are transmitted on the interface.
 Loopback is thus an intrusive operation that prohibits normal
 data flow and should be used accordingly.
 "
::= { dot3OamObjects 3 }

dot3OamLoopbackEntry OBJECT-TYPE
SYNTAX Dot3OamLoopbackEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "An entry in the table, containing information on the loopback
 status for a single Ethernet-like interface. Entries in the
 table are automatically created whenever the local OAM entity
 supports loopback capabilities. The loopback status on the
 interface can be determined from the dot3OamLoopbackStatus
 object.
 "
INDEX { ifIndex }
::= { dot3OamLoopbackTable 1 }

```

Dot3OamLoopbackEntry ::=

```
SEQUENCE {
 dot3OamLoopbackStatus
 INTEGER,
 dot3OamLoopbackIgnoreRx INTEGER
}
```

dot3OamLoopbackStatus OBJECT-TYPE

```
SYNTAX INTEGER {
 -- all values, except where noted, can be read
 -- but cannot be written
 noLoopback (1),

 -- initiatingLoopback can be read or written
 initiatingLoopback (2),
 remoteLoopback (3),

 -- terminatingLoopback can be read or written
 terminatingLoopback (4),
 localLoopback (5),
 unknown (6)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The loopback status of the OAM entity. This status is determined by a combination of the local parser and multiplexer states, the remote parser and multiplexer states, as well as by the actions of the local OAM client. When operating in normal mode with no loopback in progress, the status reads noLoopback(1).

The values initiatingLoopback(2) and terminatingLoopback(4) can be read or written. The other values can only be read - they can never be written. Writing initiatingLoopback causes the local OAM entity to start the loopback process with its peer. This value can only be written when the status is noLoopback(1). Writing the value initiatingLoopback(2) in any other state has no effect. When in remoteLoopback(3), writing terminatingLoopback(4) causes the local OAM entity to initiate the termination of the loopback state. Writing terminatingLoopback(4) in any other state has no effect.

If the OAM client initiates a loopback and has sent a

Loopback OAMPDU and is waiting for a response, where the local parser and multiplexer states are DISCARD (see [802.3ah, 57.2.11.1]), the status is 'initiatingLoopback'. In this

case, the local OAM entity has yet to receive any acknowledgment that the remote OAM entity has received its loopback command request.

If the local OAM client knows that the remote OAM entity is in loopback mode (via the remote state information as described in [802.3ah, 57.2.11.1, 30.3.6.1.15]), the status is remoteLoopback(3). If the local OAM client is in the process of terminating the remote loopback [802.3ah, 57.2.11.3, 30.3.6.1.14] with its local multiplexer and parser states in DISCARD, the status is terminatingLoopback(4). If the remote OAM client has put the local OAM entity in loopback mode as indicated by its local parser state, the status is localLoopback(5).

The unknown(6) status indicates that the parser and multiplexer combination is unexpected. This status may be returned if the OAM loopback is in a transition state but should not persist.

The values of this attribute correspond to the following values of the local and remote parser and multiplexer states.

| value         | LclPrsr | LclMux                | RmtPrsr | RmtMux  |
|---------------|---------|-----------------------|---------|---------|
| noLoopback    | FWD     | FWD                   | FWD     | FWD     |
| initLoopback  | DISCARD | DISCARD               | FWD     | FWD     |
| rmtLoopback   | DISCARD | FWD                   | LPBK    | DISCARD |
| tmtngLoopback | DISCARD | DISCARD               | LPBK    | DISCARD |
| lclLoopback   | LPBK    | DISCARD               | DISCARD | FWD     |
| unknown       | ***     | any other combination | ***     | ***     |

REFERENCE "[802.3ah], REFERENCE 57.2.11, 30.3.6.1.14, 30.3.6.1.15"

::= { dot3OamLoopbackEntry 1 }

dot3OamLoopbackIgnoreRx OBJECT-TYPE

SYNTAX INTEGER { ignore(1), process(2) }

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Since OAM loopback is a disruptive operation (user traffic does not pass), this attribute provides a mechanism to provide controls over whether received OAM loopback commands are processed or ignored. When the value is ignore(1), received loopback commands are ignored. When the value is process(2), OAM loopback commands are processed. The default value is to ignore loopback commands (ignore(1))."

REFERENCE "[802.3ah], REFERENCE 57.2.11, 30.3.61.14, 30.3.6.1.15"

```
::= { dot3OamLoopbackEntry 2 }
```

```
-- *****
```

```
--
-- Ethernet OAM Statistics group
--
```

dot3OamStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains statistics for the OAM function on a particular Ethernet-like interface. There is an entry in the table for every entry in the dot3OamTable.

The counters in this table are defined as 32-bit entries to match the counter size as defined in [802.3ah].

Given that

the OA protocol is a slow protocol, the counters increment at a slow rate.

"

```
::= { dot3OamObjects 4 }
```

dot3OamStatsEntry OBJECT-TYPE

SYNTAX Dot3OamStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the table containing statistics information on the Ethernet OAM function for a single Ethernet-like interface. Entries are automatically created for every entry in the dot3OamTable. Counters are maintained across transitions in dot3OamOperStatus.

"

```
INDEX { ifIndex }
 ::= { dot3OamStatsTable 1 }
```

```
Dot3OamStatsEntry ::=
 SEQUENCE {
 dot3OamInformationTx Counter32,
 dot3OamInformationRx Counter32,
 dot3OamUniqueEventNotificationTx Counter32,
 dot3OamUniqueEventNotificationRx Counter32,
 dot3OamDuplicateEventNotificationTx
 Counter32,
 dot3OamDuplicateEventNotificationRx Counter32,
 dot3OamLoopbackControlTx Counter32,
 dot3OamLoopbackControlRx Counter32,
 dot3OamVariableRequestTx Counter32,
 dot3OamVariableRequestRx Counter32,
 dot3OamVariableResponseTx Counter32,

 dot3OamVariableResponseRx Counter32,
 dot3OamOrgSpecificTx Counter32,
 dot3OamOrgSpecificRx Counter32,
 dot3OamUnsupportedCodesTx Counter32,
 dot3OamUnsupportedCodesRx Counter32,
 dot3OamFramesLostDueToOam Counter32
 }

```

dot3OamInformationTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Information OAMPDUs transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime. "

REFERENCE "[802.3ah], 30.3.6.1.20."

```
::= { dot3OamStatsEntry 1 }
```

dot3OamInformationRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current



DESCRIPTION

"A count of the number of Information OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.21."

::= { dot3OamStatsEntry 2 }

dot3OamUniqueEventNotificationTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count

of the number of unique Event OAMPDUs transmitted on this interface. Event Notifications may be sent in duplicate to increase the probability of successfully being received,

given the possibility that a frame may be lost in transit.

Duplicate Event Notification transmissions are counted by dot3OamDuplicateEventNotificationTx.

A unique Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is distinct from the previously transmitted Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.22."

::= { dot3OamStatsEntry 3 }

dot3OamUniqueEventNotificationRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of unique Event OAMPDUs received on this interface. Event Notification OAMPDUs may be sent in

duplicate to increase the probability of successfully being received, given the possibility that a frame may be lost in transit. Duplicate Event Notification receptions are counted by dot3OamDuplicateEventNotificationRx.

A unique Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is distinct from the previously received Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.24."

::= { dot3OamStatsEntry 4 }

dot3OamDuplicateEventNotificationTx OBJECT-TYPE

SYNTAX

Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of duplicate Event OAMPDUs transmitted

on this interface. Event Notification OAMPDUs may be sent in duplicate to increase the probability of successfully being received, given the possibility that a frame may be lost in transit.

A duplicate Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is identical to the previously transmitted Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.23."

::= { dot3OamStatsEntry 5 }

dot3OamDuplicateEventNotificationRx OBJECT-TYPE

SYNTAX Counter32

UNITS

"frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of duplicate Event OAMPDUs received on this interface. Event Notification OAMPDUs may be sent in duplicate to increase the probability of successfully being received, given the possibility that a frame may be lost in transit.

A duplicate Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is identical to the previously received Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.25."

::= { dot3OamStatsEntry 6 }

dot3OamLoopbackControlTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"A count of the number of Loopback Control OAMPDUs transmitted

on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.26."

::= { dot3OamStatsEntry 7 }

dot3OamLoopbackControlRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Loopback Control OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.27."

::= { dot3OamStatsEntry 8 }

dot3OamVariableRequestTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Request OAMPDUs transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.28."

::= { dot3OamStatsEntry 9 }

dot3OamVariableRequestRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Request OAMPDUs received on

this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.29."

::= { dot3OamStatsEntry

10 }

dot3OamVariableResponseTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Response OAMPDUs transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.30."

::= { dot3OamStatsEntry 11 }

dot3OamVariableResponseRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Response OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.31."

::= { dot3OamStatsEntry 12 }

dot3OamOrgSpecificTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Organization Specific OAMPDUs

transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.32."

::= { dot3OamStatsEntry 13 }

dot3OamOrgSpecificRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Organization Specific OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by

the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.33."

::= { dot3OamStatsEntry 14 }

dot3OamUnsupportedCodesTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of OAMPDUs transmitted on this interface with an unsupported op-code.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.18."

::= { dot3OamStatsEntry 15 }

dot3OamUnsupportedCodesRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of OAMPDUs received on this interface

with an unsupported op-code.

Discontinuities

of this counter can occur at re-initialization  
of the management system, and at other times as indicated by  
the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.19."

::= { dot3OamStatsEntry 16 }

dot3OamFramesLostDueToOam OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of frames that were dropped by the OA  
multiplexer. Since the OAM multiplexer has multiple inputs  
and a single output, there may be cases where frames are  
dropped due to transmit resource contention. This counter is  
incremented whenever a frame is dropped by the OAM layer.  
Note that any Ethernet frame, not just OAMPDUs, may be dropped  
by the OAM layer. This can occur when an OAMPDU takes  
precedence over a 'normal' frame resulting in the 'normal'  
frame being dropped.

When this counter  
is incremented, no other counters in this  
MIB are incremented.

Discontinuities of this counter can occur at re-initialization  
of the management system, and at other times as indicated by  
the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.46."

::= { dot3OamStatsEntry 17 }

-- \*\*\*\*\*

--

-- Ethernet OAM Event Configuration group

--

dot3OamEventConfigTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamEventConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Ethernet OAM includes the ability to generate and receive  
Event Notification OAMPDUs to indicate various link problems.  
This table contains the mechanisms to enable Event

Notifications and configure the thresholds to generate the standard Ethernet OAM events. There is one entry in the table for every entry in

dot3OamTable that supports OAM events

(where dot3OamFunctionsSupported includes the eventSupport bit set). The values in the table are maintained across changes to dot3OamOperStatus.

The standard threshold crossing events are:

- Errored Symbol Period Event. Generated when the number of symbol errors exceeds a threshold within a given window defined by a number of symbols (for example, 1,000 symbols out of 1,000,000 had errors).
- Errored Frame Period Event. Generated when the number of frame errors exceeds a threshold within a given window defined by a number of frames (for example, 10 frames out of 1000 had errors).
- Errored Frame Event. Generated when the number of frame errors exceeds a threshold within a given window defined by a period of time (for example, 10 frames in 1 second had errors).
- Errored Frame Seconds

Summary Event. Generated when the

number of errored frame seconds exceeds a threshold within a given time period (for example, 10 errored frame seconds within the last 100 seconds). An errored frame second is defined as a 1 second interval which had >0 frame errors.

There are other events (dying gasp, critical events) that are not threshold crossing events but which can be enabled/disabled via this table.

"

::= { dot3OamObjects 5 }

dot3OamEventConfigEntry OBJECT-TYPE

SYNTAX Dot3OamEventConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries are automatically created and deleted from this table, and exist whenever the OAM entity supports Ethernet OAM events (as indicated by the eventSupport bit in dot3OamFunctionsSupported). Values in the table are maintained across changes to the value of dot3OamOperStatus.

Event



configuration controls when the local management entity sends Event Notification OAMPDUs to its OAM peer, and when certain event flags are set or cleared in OAMPDUs.

"

INDEX { ifIndex }  
 ::= { dot3OamEventConfigTable 1 }

Dot3OamEventConfigEntry ::=

SEQUENCE {  
 dot3OamErrSymPeriodWindowHi Unsigned32,  
 dot3OamErrSymPeriodWindowLo Unsigned32,  
 dot3OamErrSymPeriodThresholdHi Unsigned32,  
 dot3OamErrSymPeriodThresholdLo Unsigned32,  
 dot3OamErrSymPeriodEvNotifEnable TruthValue,  
 dot3OamErrFramePeriodWindow Unsigned32,  
 dot3OamErrFramePeriodThreshold Unsigned32,  
 dot3OamErrFramePeriodEvNotifEnable TruthValue,  
 dot3OamErrFrameWindow Unsigned32,  
 dot3OamErrFrameThreshold Unsigned32,  
 dot3OamErrFrameEvNotifEnable TruthValue,  
  
 dot3OamErrFrameSecsSummaryWindow Integer32,  
 dot3OamErrFrameSecsSummaryThreshold Integer32,  
 dot3OamErrFrameSecsEvNotifEnable TruthValue,  
 dot3OamDyingGaspEnable TruthValue,  
 dot3OamCriticalEventEnable TruthValue  
 }

dot3OamErrSymPeriodWindowHi OBJECT-TYPE

SYNTAX Unsigned32

UNITS "2^32 symbols"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The two objects dot3OamErrSymPeriodWindowHi and dot3OamErrSymPeriodLo together form an unsigned 64-bit integer representing the number of symbols over which this threshold event is defined. This is defined as

$$\text{dot3OamErrSymPeriodWindow} = ((2^{32}) * \text{dot3OamErrSymPeriodWindowHi}) + \text{dot3OamErrSymPeriodWindowLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event

Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been

crossed in this window.

The default value for dot3OamErrSymPeriodWindow is the number of symbols in one second for the underlying physical layer.

"

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 1 }

dot3OamErrSymPeriodWindowLo OBJECT-TYPE

SYNTAX Unsigned32

UNITS "symbols"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The two objects dot3OamErrSymPeriodWindowHi and dot3OamErrSymPeriodWindowLo together form an unsigned 64-bit integer representing the number of symbols over which this threshold event is defined. This is defined as

$$\text{dot3OamErrSymPeriodWindow} = ((2^{32}) * \text{dot3OamErrSymPeriodWindowHi}) + \text{dot3OamErrSymPeriodWindowLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodWindow is the number of symbols in one second for the underlying physical layer.

"

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 2 }

dot3OamErrSymPeriodThresholdHi OBJECT-TYPE

SYNTAX Unsigned32

UNITS "2^32 symbols"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The two objects dot3OamErrSymPeriodThresholdHi and dot3OamErrSymPeriodThresholdLo together form an unsigned 64-bit integer representing the number of symbol errors that must occur within a given window to cause this event.

This is defined as

$$\text{dot3OamErrSymPeriodThreshold} = ((2^{32}) * \text{dot3OamErrSymPeriodThresholdHi}) + \text{dot3OamErrSymPeriodThresholdLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodThreshold is one symbol errors. If the threshold value is zero, then an Event

Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 3 }

dot3OamErrSymPeriodThresholdLo OBJECT-TYPE

SYNTAX Unsigned32

UNITS "symbols"

MAX-ACCESS read-write

STATUS

current

DESCRIPTION

"The two objects dot3OamErrSymPeriodThresholdHi and dot3OamErrSymPeriodThresholdLo together form an unsigned 64-bit integer representing the number of symbol errors that must occur within a given window to cause this event.

This is defined as

$$\text{dot3OamErrSymPeriodThreshold} = ((2^{32}) * \text{dot3OamErrSymPeriodThresholdHi}) + \text{dot3OamErrSymPeriodThresholdLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event Notification OAMPDU should be generated with an Errored Symbol

Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodThreshold is one symbol error. If the threshold value is zero, then an Event Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

"

REFERENCE "[802.3ah], 30.3.6.1.34"  
::= { dot3OamEventConfigEntry 4 }

dot3OamErrSymPeriodEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the OAM entity should send an Event Notification OAMPDU when an Errored Symbol Period Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

::= { dot3OamEventConfigEntry 5 }

dot3OamErrFramePeriodWindow OBJECT-TYPE

SYNTAX Unsigned32

UNITS "frames"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The number of frames over which the threshold is defined.

The default value of the window is the number of minimum size Ethernet frames that can be received over the physical layer in one second.

If dot3OamErrFramePeriodThreshold frame errors occur within a window of dot3OamErrFramePeriodWindow frames, an Event Notification OAMPDU should be generated with an Errored Frame Period Event TLV indicating that the threshold has been

crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.38"

::= { dot3OamEventConfigEntry 6 }

dot3OamErrFramePeriodThreshold OBJECT-TYPE

SYNTAX Unsigned32

UNITS "frames"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The number of frame errors that must occur for this event to be triggered. The default value is one frame error. If the threshold value is zero, then an Event Notification OAMPDU is sent periodically

(at the end of every window). This can be

used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

If dot3OamErrFramePeriodThreshold frame errors occur within a window of dot3OamErrFramePeriodWindow frames, an Event Notification OAMPDU should be generated with an Errored Frame Period Event TLV indicating that the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.38"

::= { dot3OamEventConfigEntry 7 }

dot3OamErrFramePeriodEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the OAM entity should send an Event Notification OAMPDU when an Errored Frame Period Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications

(as indicated via the

dot3OamFunctionsSupported attribute), this value is ignored.

"

::= { dot3OamEventConfigEntry 8 }

dot3OamErrFrameWindow OBJECT-TYPE

SYNTAX Unsigned32  
UNITS "tenths of a second"  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION

"The amount of time (in 100ms increments) over which the threshold is defined. The default value is 10 (1 second).

If dot3OamErrFrameThreshold frame errors occur within a window of dot3OamErrFrameWindow seconds (measured in tenths of seconds), an Event Notification OAMPDU should be generated with an Errored Frame Event TLV indicating that the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.36"  
DEFVAL { 10 }  
::= { dot3OamEventConfigEntry 9 }

dot3OamErrFrameThreshold OBJECT-TYPE

SYNTAX Unsigned32  
UNITS "frames"  
MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The number of frame errors that must occur for this event to be triggered. The default value is one frame error. If the threshold value is zero, then an Event Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

If dot3OamErrFrameThreshold frame errors occur within a window of dot3OamErrFrameWindow (in tenths of seconds), an Event Notification OAMPDU should be generated with an Errored Frame Event TLV indicating the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.36"  
DEFVAL { 1 }  
::= { dot3OamEventConfigEntry 10 }

dot3OamErrFrameEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue  
MAX-ACCESS read-write

STATUS current  
DESCRIPTION  
"If true,  
the OAM entity should send an Event Notification  
OAMPDU when an Errored Frame Event occurs.

By default, this object should have the value true for  
Ethernet-like interfaces that support OAM. If the OAM layer  
does not support Event Notifications (as indicated via the  
dot3OamFunctionsSupported attribute), this value is ignored.  
"

DEFVAL { true }  
::= { dot3OamEventConfigEntry 11 }

dot3OamErrFrameSecsSummaryWindow OBJECT-TYPE

SYNTAX Integer32 (100..9000)

UNITS "tenths of a second"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The amount of time (in 100 ms intervals) over which the  
threshold is defined. The default value is 100 (10 seconds).

If dot3OamErrFrameSecsSummaryThreshold frame errors occur  
within a window of dot3OamErrFrameSecsSummaryWindow (in tenths  
of seconds), an Event Notification OAMPDU should be generated  
with an Errored Frame

Seconds Summary Event TLV indicating  
that the threshold has been crossed in this window.  
"

REFERENCE "[802.3ah], 30.3.6.1.40"

DEFVAL { 100 }

::= { dot3OamEventConfigEntry 12 }

dot3OamErrFrameSecsSummaryThreshold OBJECT-TYPE

SYNTAX Integer32 (1..900)

UNITS "errored frame seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The number of errored frame seconds that must occur for this  
event to be triggered. The default value is one errored frame  
second. If the threshold value is zero, then an Event  
Notification OAMPDU is sent periodically (at the end of every  
window). This can be used as an asynchronous notification to

the peer OAM entity of the statistics related to this threshold crossing alarm.

If dot3OamErrFrameSecsSummaryThreshold frame errors occur within a window of dot3OamErrFrameSecsSummaryWindow (in tenths of seconds),  
an Event Notification OAMPDU should be generated with an Errored Frame Seconds Summary Event TLV indicating that the threshold has been crossed in this window.  
"

REFERENCE "[802.3ah], 30.3.6.1.40"

DEFVAL { 1 }

::= { dot3OamEventConfigEntry 13 }

dot3OamErrFrameSecsEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the local OAM entity should send an Event Notification OAMPDU when an Errored Frame Seconds Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.  
"

DEFVAL { true }

::= { dot3OamEventConfigEntry 14 }

dot3OamDyingGaspEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the local OAM entity should attempt to indicate a dying gasp via the OAMPDU flags field to its peer OAM entity when a dying gasp event occurs. The exact definition of a dying gasp event is implementation dependent. If the system

does not support dying gasp capability, setting this object has no effect, and reading the object should always result in 'false'.



By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

DEFVAL { true }  
::= { dot3OamEventConfigEntry 15 }

dot3OamCriticalEventEnable OBJECT-TYPE

SYNTAX TruthValue  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION

"If true, the local OAM entity should attempt to indicate

a

critical event via the OAMPDU flags to its peer OAM entity when a critical event occurs. The exact definition of a critical event is implementation dependent. If the system does not support critical event capability, setting this object has no effect, and reading the object should always result in 'false'.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

DEFVAL { true }  
::= { dot3OamEventConfigEntry 16 }

-- \*\*\*\*\*

--

-- Ethernet OAM Event Log group

--

dot3OamEventLogTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamEventLogEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"This table records

a history of the events that have occurred

at the Ethernet OAM level. These events can include locally detected events, which may result in locally generated OAMPDUs, and remotely detected events, which are detected by the OAM peer entity and signaled to the local entity via

Ethernet OAM. Ethernet OAM events can be signaled by Event Notification OAMPDUs or by the flags field in any OAMPDU.

This table contains both threshold crossing events and non-threshold crossing events. The parameters for the threshold window, threshold value, and actual value (dot3OamEventLogWindowXX, dot3OamEventLogThresholdXX, dot3OamEventLogValue) are only applicable to threshold crossing events, and are returned as all F's ( $2^{32} - 1$ ) for non-threshold crossing events.

Entries in the table are automatically created when such events are detected. The size of the table is implementation dependent.

When the table reaches its maximum size, older entries are automatically deleted to make room for newer entries.

"

::= { dot3OamObjects 6 }

dot3OamEventLogEntry OBJECT-TYPE

SYNTAX Dot3OamEventLogEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the dot3OamEventLogTable. Entries are automatically created whenever Ethernet OAM events occur at the local OAM entity, and when Event Notification OAMPDUs are received at the local OAM entity (indicating that events have occurred at the peer OAM entity). The size of the table is implementation dependent, but when the table becomes full, older events are automatically deleted to make room for newer events. The table index dot3OamEventLogIndex increments for each new entry, and when the maximum value is reached, the value restarts at zero.

"

INDEX { ifIndex, dot3OamEventLogIndex  
}

::= { dot3OamEventLogTable 1 }

Dot3OamEventLogEntry ::=

SEQUENCE {

|                          |               |
|--------------------------|---------------|
| dot3OamEventLogIndex     | Unsigned32,   |
| dot3OamEventLogTimestamp | TimeStamp,    |
| dot3OamEventLogOui       | EightOTwoOui, |
| dot3OamEventLogType      | Unsigned32,   |
| dot3OamEventLogLocation  | INTEGER,      |

dot3OamEventLogWindowHi Unsigned32,  
dot3OamEventLogWindowLo Unsigned32,  
dot3OamEventLogThresholdHi Unsigned32,

dot3OamEventLogThresholdLo Unsigned32,  
dot3OamEventLogValue CounterBasedGauge64,  
dot3OamEventLogRunningTotal CounterBasedGauge64,  
dot3OamEventLogEventTotal Unsigned32  
}

dot3OamEventLogIndex OBJECT-TYPE  
SYNTAX Unsigned32(1..4294967295)  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"An arbitrary integer for identifying individual events  
within the event log. "  
::= { dot3OamEventLogEntry 1 }

dot3OamEventLogTimestamp OBJECT-TYPE  
SYNTAX TimeStamp  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The value of sysUpTime at the time of the logged event. For  
locally generated events, the time of the event can be  
accurately retrieved from sysUpTime. For remotely generated  
events, the time of the event is indicated by the reception of  
the Event Notification OAMPDU indicating that the event  
occurred on the peer. A system may attempt to adjust the  
timestamp value to more accurately reflect the time of the  
event at the peer OAM entity by using other information, such  
as that found in the timestamp found of the Event Notification  
TLVs, which provides an indication of the relative time  
between events at the peer entity. "  
::= { dot3OamEventLogEntry 2 }

dot3OamEventLogOui OBJECT-TYPE  
SYNTAX  
EightOTwoOui  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The OUI of the entity defining the object type. All IEEE  
802.3 defined events (as appearing in [802.3ah] except for the  
Organizationally Unique Event TLVs) use the IEEE 802.3 OUI of

0x0180C2. Organizations defining their own Event Notification TLVs include their OUI in the Event Notification TLV that gets reflected here. "

::= { dot3OamEventLogEntry 3 }

dot3OamEventLogType OBJECT-TYPE  
SYNTAX Unsigned32

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The type of event that generated this entry in the event log.  
When the OUI is the IEEE 802.3 OUI of 0x0180C2, the following event types are defined:

erroredSymbolEvent(1),  
erroredFramePeriodEvent(2),  
erroredFrameEvent(3),  
erroredFrameSecondsEvent(4),  
linkFault(256),  
dyingGaspEvent(257),  
criticalLinkEvent(258)

The first four are considered threshold crossing events, as they are generated when a metric exceeds a given value within a specified window. The other three are not threshold crossing events.

When the OUI is not 71874 (0x0180C2 in hex), then some other organization has defined the event space. If event subtyping is known to the implementation, it may be reflected here. Otherwise, this value should return all F's ( $2^{32} - 1$ ).  
"

REFERENCE "[802.3ah], 30.3.6.1.10 and 57.5.3."  
::= { dot3OamEventLogEntry 4 }

dot3OamEventLogLocation OBJECT-TYPE  
SYNTAX INTEGER { local(1), remote(2) }

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"Whether this event occurred locally (local(1)), or was received from the OAM peer via Ethernet OAM (remote(2)).  
"

::= { dot3OamEventLogEntry 5 }

dot3OamEventLogWindowHi OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventWindowHi and dot3OamEventWindowLo, form an unsigned 64-bit integer yielding the window over which the value was measured for the threshold crossing event (for example, 5, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogWindow} = ((2^{32}) * \text{dot3OamEventLogWindowHi}) + \text{dot3OamEventLogWindowLo}$$

Otherwise, this value is returned as all F's ( $2^{32} - 1$ ) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 6 }

dot3OamEventLogWindowLo OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventWindowHi and dot3OamEventWindowLo form an unsigned 64-bit integer yielding the window over which the value was measured for the threshold crossing event (for example, 5, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogWindow} = ((2^{32}) * \text{dot3OamEventLogWindowHi}) + \text{dot3OamEventLogWindowLo}$$

Otherwise, this value is returned as all F's ( $2^{32} - 1$ ) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 7 }

dot3OamEventLogThresholdHi OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventThresholdHi and dot3OamEventThresholdLo form an unsigned 64-bit integer yielding the value that was crossed for the threshold crossing event (for example, 10, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogThreshold} = ((2^{32}) * \text{dot3OamEventLogThresholdHi}) + \text{dot3OamEventLogThresholdLo}$$

Otherwise, this value is returned as all F's ( $2^{32} - 1$ ) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 8 }

dot3OamEventLogThresholdLo OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventThresholdHi and dot3OamEventThresholdLo form an unsigned 64-bit integer yielding the value that was crossed for the threshold crossing event (for example, 10, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogThreshold} = ((2^{32}) * \text{dot3OamEventLogThresholdHi}) + \text{dot3OamEventLogThresholdLo}$$

Otherwise, this value is returned as all F's ( $2^{32} - 1$ ) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 9 }

dot3OamEventLogValue OBJECT-TYPE

SYNTAX CounterBasedGauge64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, this value indicates the value of the parameter within the given window that generated this event (for example, 11, when 11 occurrences happened in 5 seconds while the threshold was 10).

Otherwise, this value is returned as all F's ( $2^{64} - 1$ ) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."  
 ::= { dot3OamEventLogEntry 10 }

dot3OamEventLogRunningTotal OBJECT-TYPE

SYNTAX CounterBasedGauge64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Each Event Notification TLV contains a running total of the number of times an event has occurred, as well as the number of times an Event Notification for the event has been

transmitted. For non-threshold crossing events, the number of events (dot3OamLogRunningTotal) and the number of resultant Event Notifications (dot3OamLogEventTotal) should be identical.

For threshold crossing events, since multiple occurrences may be required to cross the threshold, these values are likely different. This value represents the total number of times this event has happened since the last reset (for example, 3253, when 3253 symbol errors have occurred since the last reset, which has resulted in 51 symbol error threshold crossing events since the last reset).

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."  
 ::= { dot3OamEventLogEntry 11 }

dot3OamEventLogEventTotal OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Each Event Notification TLV contains a running total of the number of times an event has occurred, as well as the number of times an Event Notification for the event has been transmitted. For non-threshold crossing events, the number of

events (dot3OamLogRunningTotal) and the number of resultant Event Notifications (dot3OamLogEventTotal) should be identical.

For threshold crossing events, since multiple occurrences may be required to cross the threshold, these values are likely different. This value represents the total number of times one or more of these

occurrences have resulted in an Event

Notification (for example, 51 when 3253 symbol errors have occurred since the last reset, which has resulted in 51 symbol error threshold crossing events since the last reset).

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 12 }

-- \*\*\*\*\*

--

-- Ethernet OAM Notifications

--

dot3OamThresholdEvent NOTIFICATION-TYPE

OBJECTS { dot3OamEventLogTimestamp,  
dot3OamEventLogOui,

dot3OamEventLogType,  
dot3OamEventLogLocation,  
dot3OamEventLogWindowHi,  
dot3OamEventLogWindowLo,  
dot3OamEventLogThresholdHi,  
dot3OamEventLogThresholdLo,  
dot3OamEventLogValue,  
dot3OamEventLogRunningTotal,  
dot3OamEventLogEventTotal

}

STATUS current

DESCRIPTION

"A dot3OamThresholdEvent notification is sent when a local or remote threshold crossing event is detected. A local threshold crossing event is detected by the local entity, while a remote threshold crossing event is detected by the reception of an Ethernet OAM Event Notification OAMPDU that indicates a threshold event.

This notification should not be sent more than once per



second.

The OAM entity can be derived from extracting the ifIndex from the variable bindings. The objects in the notification correspond to the values in a row instance in the dot3OamEventLogTable.

The management entity should periodically check dot3OamEventLogTable to detect any missed events."

```
::= { dot3OamNotifications 1 }
```

dot3OamNonThresholdEvent NOTIFICATION-TYPE

```
OBJECTS { dot3OamEventLogTimestamp,
 dot3OamEventLogOui,
 dot3OamEventLogType,
 dot3OamEventLogLocation,
 dot3OamEventLogEventTotal
 }
```

STATUS current

DESCRIPTION

"A dot3OamNonThresholdEvent notification is sent when a local or remote non-threshold crossing event is detected. A local event is detected by the local entity, while a remote event is detected by the reception of an Ethernet OAM Event Notification OAMPDU that indicates a non-threshold crossing event.

This notification should not be sent more than once per

second.

The OAM entity can be derived from extracting the ifIndex from the variable bindings. The objects in the notification correspond to the values in a row instance of the dot3OamEventLogTable.

The management entity should periodically check dot3OamEventLogTable to detect any missed events."

```
::= { dot3OamNotifications 2 }
```

```
-- *****
```

```
--
```

```
-- Ethernet OAM Compliance
```

```
group
```

```
--
```

```
dot3OamGroups OBJECT IDENTIFIER ::= { dot3OamConformance 1 }
dot3OamCompliances OBJECT IDENTIFIER ::= { dot3OamConformance 2 }
```

```
-- Compliance statements
```

```
dot3OamCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION "The compliance statement for managed entities
 supporting OAM on Ethernet-like interfaces.
 "
```

```
MODULE -- this module
 MANDATORY-GROUPS { dot3OamControlGroup,
 dot3OamPeerGroup,
 dot3OamStatsBaseGroup
 }
```

```
GROUP dot3OamLoopbackGroup
DESCRIPTION
 "This group is mandatory for all IEEE 802.3 OA
 implementations that support loopback functionality. "
```

```
GROUP dot3OamErrSymbolPeriodEventGroup
DESCRIPTION
 "This group is mandatory for all IEEE 802.3 OA
 implementations that support event functionality. "
```

```
GROUP dot3OamErrFramePeriodEventGroup
DESCRIPTION
 "This group is mandatory for all IEEE 802.3 OA
 implementations that support event functionality. "
```

```
GROUP dot3OamErrFrameEventGroup

DESCRIPTION
 "This group is mandatory for all IEEE 802.3 OA
 implementations that support event functionality. "
```

```
GROUP dot3OamErrFrameSecsSummaryEventGroup
DESCRIPTION
 "This group is mandatory for all IEEE 802.3 OA
 implementations that support event functionality. "
```

```
GROUP dot3OamFlagEventGroup
DESCRIPTION
 "This group is optional for all IEEE 802.3 OA
```

implementations. The ability to send critical events or dying gasp events is not required in any system."

GROUP dot3OamEventLogGroup

DESCRIPTION

"This group is optional for all IEEE 802.3 OA implementations. Entries in this table are dependent on what event functionality is supported in the local OA implementation. At least one type of event must be supported for entries to appear in this table. "

GROUP dot3OamNotificationGroup

DESCRIPTION

"This group is optional for all IEEE 802.3 OA implementations. Since the information in the notifications is dependent on the dot3OamEventLogTable, that table must be implemented for notifications. "

::= { dot3OamCompliances 1 }

dot3OamControlGroup OBJECT-GROUP

OBJECTS { dot3OamAdminState,  
dot3OamOperStatus,  
dot3OamMode,  
dot3OamMaxOamPduSize,  
dot3OamConfigRevision,  
dot3OamFunctionsSupported  
}

STATUS current

DESCRIPTION

"A collection of objects providing the abilities, configuration, and status of an Ethernet OAM entity. "

::= { dot3OamGroups 1 }

dot3OamPeerGroup OBJECT-GROUP

OBJECTS { dot3OamPeerMacAddress,  
  
dot3OamPeerVendorOui,  
  
dot3OamPeerVendorInfo,  
dot3OamPeerMode,  
dot3OamPeerFunctionsSupported,  
dot3OamPeerMaxOamPduSize,  
dot3OamPeerConfigRevision  
}

STATUS current

DESCRIPTION

"A collection of objects providing the abilities, configuration, and status of a peer Ethernet OAM entity. "  
 ::= { dot3OamGroups 2 }

dot3OamStatsBaseGroup OBJECT-GROUP

OBJECTS { dot3OamInformationTx,  
 dot3OamInformationRx,  
 dot3OamUniqueEventNotificationTx,  
 dot3OamUniqueEventNotificationRx,  
 dot3OamDuplicateEventNotificationTx,  
 dot3OamDuplicateEventNotificationRx,  
 dot3OamLoopbackControlTx,  
 dot3OamLoopbackControlRx,  
 dot3OamVariableRequestTx,  
 dot3OamVariableRequestRx,  
 dot3OamVariableResponseTx,  
 dot3OamVariableResponseRx,  
 dot3OamOrgSpecificTx,  
 dot3OamOrgSpecificRx,  
 dot3OamUnsupportedCodesTx,  
 dot3OamUnsupportedCodesRx,  
 dot3OamFramesLostDueToOam  
 }

STATUS current

DESCRIPTION

"A collection of objects providing the statistics for the number of various transmit and receive events for OAM on an Ethernet-like interface. Note that all of these counters must be supported even if the related function (as described in dot3OamFunctionsSupported) is not supported. "  
 ::= { dot3OamGroups 3 }

dot3OamLoopbackGroup OBJECT-GROUP

OBJECTS { dot3OamLoopbackStatus,  
 dot3OamLoopbackIgnoreRx  
 }

STATUS current

DESCRIPTION

"A collection of objects for controlling the OAM remote loopback function. "

::= { dot3OamGroups 4 }

dot3OamErrSymbolPeriodEventGroup OBJECT-GROUP

```
OBJECTS { dot3OamErrSymPeriodWindowHi,
 dot3OamErrSymPeriodWindowLo,
 dot3OamErrSymPeriodThresholdHi,
 dot3OamErrSymPeriodThresholdLo,
 dot3OamErrSymPeriodEvNotifEnable
 }
```

STATUS current

#### DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Symbol Period Event.

Each [802.3ah] defined Event Notification TLV has its own conformance group because each event can be implemented independently of any other. "

```
::= { dot3OamGroups 5 }
```

#### dot3OamErrFramePeriodEventGroup OBJECT-GROUP

```
OBJECTS { dot3OamErrFramePeriodWindow,
 dot3OamErrFramePeriodThreshold,
 dot3OamErrFramePeriodEvNotifEnable
 }
```

STATUS current

#### DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Frame Period Event.

Each [802.3ah] defined Event Notification TLV has its own conformance group because each event can be implemented independently of any other. "

```
::= { dot3OamGroups 6 }
```

#### dot3OamErrFrameEventGroup OBJECT-GROUP

```
OBJECTS { dot3OamErrFrameWindow,
 dot3OamErrFrameThreshold,
 dot3OamErrFrameEvNotifEnable
 }
```

STATUS current

#### DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Frame Event.

Each [802.3ah] defined Event Notification TLV has its own conformance group because each event can be implemented independently of any other. "

::= { dot3OamGroups 7 }

dot3OamErrFrameSecsSummaryEventGroup OBJECT-GROUP

OBJECTS { dot3OamErrFrameSecsSummaryWindow,  
dot3OamErrFrameSecsSummaryThreshold,  
dot3OamErrFrameSecsEvNotifEnable  
}

STATUS current

DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Frame Seconds Summary Event.

Each [802.3ah] defined Event Notification TLV has its own conformance group because each event can be implemented independently of any other. "

::= { dot3OamGroups 8 }

dot3OamFlagEventGroup OBJECT-GROUP

OBJECTS { dot3OamDyingGaspEnable,  
dot3OamCriticalEventEnable  
}

STATUS current

DESCRIPTION

"A collection of objects for configuring the sending OAMPDUs with the critical event flag or dying gasp flag enabled. "

::= { dot3OamGroups 9 }

dot3OamEventLogGroup OBJECT-GROUP

OBJECTS { dot3OamEventLogTimestamp,  
dot3OamEventLogOui,  
dot3OamEventLogType,  
dot3OamEventLogLocation,  
dot3OamEventLogWindowHi,  
dot3OamEventLogWindowLo,  
dot3OamEventLogThresholdHi,  
dot3OamEventLogThresholdLo,  
dot3OamEventLogValue,  
dot3OamEventLogRunningTotal,  
dot3OamEventLogEventTotal  
}

STATUS current

DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Frame Seconds Summary Event and maintaining the event information. "

::= { dot3OamGroups 10 }

dot3OamNotificationGroup NOTIFICATION-GROUP

```
NOTIFICATIONS {
 dot3OamThresholdEvent,
 dot3OamNonThresholdEvent
}
STATUS current
DESCRIPTION
 "A collection of notifications used by Ethernet OAM to signal
 to a management entity that local or remote events have
 occurred on a specified Ethernet link. "
::= { dot3OamGroups 11 }
```

END

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DOT3-OAM-
MIB
```

No license file was found, but licenses were detected in source scan.

IPSEC-SPD-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY, OBJECT-TYPE, NOTIFICATION-TYPE, Integer32,
Unsigned32, mib-2 FROM SNMPv2-SMI
 -- [RFC2578]
```

```
TEXTUAL-CONVENTION, RowStatus, TruthValue,
TimeStamp, StorageType, VariablePointer
 FROM SNMPv2-TC
 -- [RFC2579]
```

```
MODULE-COMPLIANCE, OBJECT-GROUP, NOTIFICATION-GROUP
 FROM SNMPv2-CONF
 -- [RFC2580]
```

```
InterfaceIndex
 FROM IF-MIB
 -- [RFC2863]
```

```
diffServMIBMultiFieldClfrGroup, IfDirection,
diffServMultiFieldClfrNextFree
 FROM DIFFSERV-MIB
 -- [RFC3289]
```

InetAddressType, InetAddress

FROM INET-ADDRESS-MIB  
-- [RFC4001]

SnmpAdminString

FROM SNMP-FRAMEWORK-MIB  
-- [RFC3411]

;

--

-- module identity

--

spdMIB MODULE-IDENTITY

LAST-UPDATED "200702070000Z" -- 7 February 2007  
ORGANIZATION "IETF IP Security Policy Working Group"  
CONTACT-INFO "Michael Baer

P.O. Box 72682  
Davis, CA 95617  
Phone: +1 530 902 3131  
Email: baerm@tislabs.com

Ricky Charlet  
Email: rcharlet@alumni.calpoly.edu

Wes Hardaker  
Sparta, Inc.  
P.O. Box 382  
Davis, CA 95617  
Phone: +1 530 792 1913  
Email: hardaker@tislabs.com

Robert Story  
Revelstone Software  
PO Box 1812

Tucker, GA 30085  
Phone: +1 770 617 3722  
Email: rstory@ipsp.revelstone.com

Cliff Wang  
ARO  
4300 S. Miami Blvd.  
Durham, NC 27703



E-Mail: cliffwangmail@yahoo.com"

DESCRIPTION

"This MIB module defines configuration objects for managing IPsec Security Policies. In general, this MIB can be implemented anywhere IPsec security services exist (e.g., bump-in-the-wire, host, gateway, firewall, router, etc.).

Copyright (C) The IETF Trust (2007). This version of this MIB module is part of RFC 4807; see the RFC itself for full legal notices."

-- Revision History

REVISION "200702070000Z" -- 7 February 2007  
DESCRIPTION "Initial version, published as RFC 4807."

::= { mib-2 153 }

--

-- groups of related objects

--

spdConfigObjects OBJECT IDENTIFIER

::= { spdMIB 1 }

spdNotificationObjects

OBJECT IDENTIFIER

::= { spdMIB 2 }

spdConformanceObjects OBJECT IDENTIFIER

::= { spdMIB 3 }

spdActions OBJECT IDENTIFIER

::= { spdMIB 4 }

--

-- Textual Conventions

--

SpdBooleanOperator ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The SpdBooleanOperator operator is used to specify whether sub-components in a decision-making process are

ANDed or ORed together to decide if the resulting expression is true or false."

SYNTAX INTEGER { or(1), and(2) }

SpdAdminStatus ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The SpdAdminStatus is used to specify the administrative status of an object. Objects that are disabled MUST NOT be used by the packet processing engine."

SYNTAX INTEGER { enabled(1), disabled(2) }

SpdIPPacketLogging ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d"

STATUS current

DESCRIPTION

"SpdIPPacketLogging specifies whether an audit message

SHOULD be logged if a packet is passed through a Security Association (SA) and if some of that packet is included in the log event. A value of '-1' indicates no logging. A value of '0' or greater indicates that logging SHOULD be done and indicates the number of bytes starting at the beginning of the packet to place in the log. Values greater than the size of the packet being processed indicate that the entire packet SHOULD be sent.

Examples:

'-1' no logging

'0' log but do not include any of the packet in the log

'20' log and include the first 20 bytes of the packet in the log."

SYNTAX Integer32 (-1..65535)

SpdTimePeriod ::= TEXTUAL-CONVENTION

DISPLAY-HINT "31t"

STATUS current

DESCRIPTION

"This property identifies an overall range of calendar dates and time. In a boolean context, a value within this time range, inclusive, is considered true.

This information is encoded as an octet string using the UTF-8 transformation format described in STD 63, RFC 3629.

It uses the format suggested in RFC 3060. An octet string

represents a start date and time and an end date and time.

For example:

yyyymmddThhmmss/yyyymmddThhmmss

Where: yyyy = year    mm = month    dd = day  
      hh = hour    mm = minute    ss = second

The first 'yyyymmddThhmmss' sub-string indicates the start date and time. The second 'yyyymmddThhmmss' sub-string indicates the end date and time. The character 'T' within these sub-strings indicates the beginning of the time portion of each sub-string. The solidus character '/' separates the start from the end date and time. The end date and time MUST be subsequent to the start date and

time.

There are also two allowed substitutes for a 'yyyymmddThhmmss' sub-string: one for the start date and time, and one for the end date and time.

If the start date and time are replaced with the string 'THISANDPRIOR', this sub-string would indicate the current date and time and the previous dates and time.

If the end date and time are replaced with the string 'THISANDFUTURE', this sub-string would indicate the current date and time and the subsequent dates and time.

Any of the following SHOULD be considered a 'wrongValue' error:

- Setting a value with the end date and time earlier than or equal to the start date and time.
- Setting the start date and time to 'THISANDFUTURE'.
- Setting the end date and time to 'THISANDPRIOR'."

REFERENCE "RFC 3060, 3269"

SYNTAX    OCTET STRING (SIZE (0..31))

--

-- Policy group definitions

--

spdLocalConfigObjects

OBJECT IDENTIFIER

::= { spdConfigObjects 1 }

spdIngressPolicyGroupName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(0..32))

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"This object indicates the global system policy group that is to be applied on ingress packets (i.e., arriving at an interface from a network) when a given endpoint does not contain a policy definition in the spdEndpointToGroupTable. Its value can be used as an index into the spdGroupContentsTable to retrieve a list of policies. A zero length string indicates that no system-wide policy exists and the default policy of 'drop' SHOULD be executed for ingress packets until one is imposed by either this object or by the endpoint processing a given packet.

This object MUST be persistent"

DEFVAL { "" }

::= { spdLocalConfigObjects 1 }

spdEgressPolicyGroupName OBJECT-TYPE

SYNTAX

SnmpAdminString (SIZE(0..32))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object indicates the policy group containing the global system policy that is to be applied on egress packets (i.e., packets leaving an interface and entering a network) when a given endpoint does not contain a policy definition in the spdEndpointToGroupTable. Its value can be used as an index into the spdGroupContentsTable to retrieve a list of policies. A zero length string indicates that no system-wide policy exists and the default policy of 'drop' SHOULD be executed for egress packets until one is imposed by either this object or by the endpoint processing a given packet.

This object MUST be persistent"

DEFVAL { "" }

::= { spdLocalConfigObjects 2 }

spdEndpointToGroupTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdEndpointToGroupEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table maps policies (groupings) onto an endpoint (interface). A policy group assigned to an endpoint is then used to control access to the network traffic passing through that endpoint.

If an endpoint has been configured with a policy group and no rule within that policy group matches that packet, the default action in this case SHALL be to drop the packet.

If no policy group has been assigned to an endpoint, then the policy group specified by `spdIngressPolicyGroupName` MUST be used on traffic inbound from the network through that endpoint, and the policy group specified by `spdEgressPolicyGroupName` MUST be used for traffic outbound to the network through that endpoint."

::= { spdConfigObjects 2 }

`spdEndpointToGroupEntry` OBJECT-TYPE

SYNTAX SpdEndpointToGroupEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"A mapping assigning a policy group to an endpoint."

INDEX { `spdEndGroupDirection`, `spdEndGroupInterface` }

::= { `spdEndpointToGroupTable` 1 }

`SpdEndpointToGroupEntry` ::= SEQUENCE {

|                                     |                                |
|-------------------------------------|--------------------------------|
| <code>spdEndGroupDirection</code>   | <code>IfDirection</code> ,     |
| <code>spdEndGroupInterface</code>   | <code>InterfaceIndex</code> ,  |
| <code>spdEndGroupName</code>        | <code>SnmpAdminString</code> , |
| <code>spdEndGroupLastChanged</code> | <code>TimeStamp</code> ,       |
| <code>spdEndGroupStorageType</code> | <code>StorageType</code> ,     |
| <code>spdEndGroupRowStatus</code>   | <code>RowStatus</code>         |

}

`spdEndGroupDirection` OBJECT-TYPE

SYNTAX `IfDirection`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object indicates which direction of packets crossing

the interface are associated with which spdEndGroupName object. Ingress packets, or packets into the device match when this value is inbound(1). Egress packets or packets out of the device match when this value is outbound(2)."  
::= { spdEndpointToGroupEntry 1 }

spdEndGroupInterface OBJECT-TYPE

SYNTAX InterfaceIndex  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"This value matches the IF-MIB's ifTable's ifIndex column and indicates the interface associated with a given endpoint. This object can be used to uniquely identify an endpoint that a set of policy groups are applied to."

::= { spdEndpointToGroupEntry 2 }

spdEndGroupName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The policy group name to apply at this endpoint. The value of the spdEndGroupName object is then used as an index into the spdGroupContentsTable to come up with a list of rules that MUST be applied at this endpoint."

::= { spdEndpointToGroupEntry 3 }

spdEndGroupLastChanged OBJECT-TYPE

SYNTAX TimeStamp  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdEndpointToGroupEntry 4 }

spdEndGroupStorageType OBJECT-TYPE

SYNTAX StorageType  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }  
::= { spdEndpointToGroupEntry 5 }

spdEndGroupRowStatus OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create

STATUS current  
DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object is considered 'notReady' and MUST NOT be set to active until one or more active rows exist within the spdGroupContentsTable for the group referenced by the spdEndGroupName object."

::= { spdEndpointToGroupEntry 6 }

--  
-- policy group definition table  
--

spdGroupContentsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdGroupContentsEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"This table contains a list of rules and/or subgroups contained within a given policy group. For a given value of spdGroupContName, the set of rows sharing that value forms a 'group'. The rows in a group MUST be processed according to the value of the spdGroupContPriority

object

in each row. The processing MUST be executed starting with

the lowest value of `spdGroupContPriority` and in ascending order thereafter.

If an action is executed as the result of the processing of a row in a group, the processing of further rows in that group **MUST** stop. Iterating to the next policy group row by finding the next largest `spdGroupContPriority` object **SHALL** only be done if no actions were run while processing the current row for a given packet."

::= { `spdConfigObjects` 3 }

`spdGroupContentsEntry` OBJECT-TYPE

SYNTAX `SpdGroupContentsEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Defines a given sub-component within a policy group. A sub-component is either a rule or another group as indicated by `spdGroupContComponentType` and referenced by `spdGroupContComponentName`."

INDEX { `spdGroupContName`,  
`spdGroupContPriority` }

::= { `spdGroupContentsTable` 1 }

`SpdGroupContentsEntry` ::= SEQUENCE {

`spdGroupContName` `SnmpAdminString`,

`spdGroupContPriority` `Integer32`,

`spdGroupContFilter` `VariablePointer`,

`spdGroupContComponentType` `INTEGER`,

`spdGroupContComponentName` `SnmpAdminString`,

`spdGroupContLastChanged` `TimeStamp`,

`spdGroupContStorageType` `StorageType`,

`spdGroupContRowStatus` `RowStatus`

}

`spdGroupContName` OBJECT-TYPE

SYNTAX `SnmpAdminString` (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The administrative name of the group associated with this row. A 'group' is formed by all the rows in this table that have the same value of this object."

::= { `spdGroupContentsEntry` 1 }



spdGroupContPriority OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority (sequence number) of the sub-component in a group that this row represents. This value indicates the order that each row of this table MUST be processed from low to high. For example, a row with a priority of 0 is processed before a row with a priority of 1, a 1 before a 2, etc."

::= { spdGroupContentsEntry 2 }

spdGroupContFilter OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"spdGroupContFilter points to a filter that is evaluated to determine whether the spdGroupContComponentName within this row is exercised. Managers can use this object to classify groups of rules, or subgroups, together in order to achieve a greater degree of control and optimization over the execution order of the items within the group. If the

filter evaluates to false, the rule or subgroup will be skipped and the next rule or subgroup will be evaluated instead. This value can be used to indicate a scalar or row in a table. When indicating a row in a table, this value MUST point to the first column instance in that row.

An example usage of this object would be to limit a group of rules to executing only when the IP packet being processed is designated to be processed by IKE. This effectively creates a group of IKE-specific rules.

The following tables and scalars can be pointed to by this column. All but diffServMultiFieldClfrTable are defined in this MIB:

diffServMultiFieldClfrTable

spdIpOffsetFilterTable

spdTimeFilterTable

spdCompoundFilterTable

spdTrueFilter  
spdIpsHeaderFilterTable

Implementations MAY choose to provide support for other filter tables or scalars.

If this column is set to a VariablePointer value, which references a non-existent row in an otherwise supported table, the inconsistentName exception MUST be returned. If the table or scalar pointed to by the VariablePointer is not supported at all, then an inconsistentValue exception MUST be returned.

If, during packet processing, a row in this table is applied to a packet and the value of this column in that row references a non-existent or non-supported object, the packet MUST be dropped."

REFERENCE "RFC 3289"

DEFVAL { spdTrueFilterInstance }

::= { spdGroupContentsEntry 3 }

spdGroupContComponentType OBJECT-TYPE

SYNTAX INTEGER { group(1), rule(2) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the spdGroupContComponentName object is the name of another group

defined within the

spdGroupContentsTable or is the name of a rule defined

within the spdRuleDefinitionTable."

DEFVAL { rule }

::= { spdGroupContentsEntry 4 }

spdGroupContComponentName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The name of the policy rule or subgroup contained within this row, as indicated by the spdGroupContComponentType object."

::= { spdGroupContentsEntry 5 }

spdGroupContLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdGroupContentsEntry  
6 }

spdGroupContStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdGroupContentsEntry 7 }

spdGroupContRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object MUST NOT be set to active until the row to which the spdGroupContComponentName points to exists and is active.

If active, this object MUST remain active unless one of the following two conditions are met:

I. No active row in spdEndpointToGroupTable exists that references this row's group (i.e., indicate this row's spdGroupContName).

II. Or at least one other active row in this table has a matching spdGroupContName.

If neither condition is met, an attempt to set this row to something other than active MUST result in an inconsistentValue error."

::= { spdGroupContentsEntry 8 }

--

-- policy definition table

--

spdRuleDefinitionTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdRuleDefinitionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table defines a rule by associating a filter or a set of filters to an action to be executed."

::= { spdConfigObjects 4 }

spdRuleDefinitionEntry OBJECT-TYPE

SYNTAX SpdRuleDefinitionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row defining a particular rule definition. A rule definition binds a filter pointer to an action pointer."

INDEX { spdRuleDefName }

::= { spdRuleDefinitionTable 1 }

SpdRuleDefinitionEntry ::= SEQUENCE {

spdRuleDefName SnmpAdminString,

spdRuleDefDescription SnmpAdminString,

spdRuleDefFilter VariablePointer,

spdRuleDefFilterNegated TruthValue,

spdRuleDefAction VariablePointer,

spdRuleDefAdminStatus SpdAdminStatus,

spdRuleDefLastChanged TimeStamp,

```
 spdRuleDefStorageType StorageType,
 spdRuleDefRowStatus RowStatus
}
```

spdRuleDefName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"spdRuleDefName is the administratively assigned name of

the rule referred to by the spdGroupContComponentName  
object."

::= { spdRuleDefinitionEntry 1 }

spdRuleDefDescription OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A user defined string. This field MAY be used for  
administrative tracking purposes."

DEFVAL { "" }

::= { spdRuleDefinitionEntry 2 }

spdRuleDefFilter OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"spdRuleDefFilter points to a filter that is used to  
evaluate whether the action associated with this row is  
executed or not. The action will only execute if the  
filter referenced by this object evaluates to TRUE after  
first applying any negation required by the  
spdRuleDefFilterNegated object.

The following tables and scalars can be pointed to by this  
column. All but diffServMultiFieldClfrTable  
are defined in

this MIB. Implementations MAY choose to provide support  
for other filter tables or scalars as well:

diffServMultiFieldClfrTable

spdIpOffsetFilterTable

spdTimeFilterTable  
spdCompoundFilterTable  
spdTrueFilter

If this column is set to a VariablePointer value, which references a non-existent row in an otherwise supported table, the inconsistentName exception MUST be returned. If the table or scalar pointed to by the VariablePointer is not supported at all, then an inconsistentValue exception MUST be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet MUST be dropped."

REFERENCE "RFC 3289"

::= { spdRuleDefinitionEntry 3 }

spdRuleDefFilterNegated OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS

read-create

STATUS current

DESCRIPTION

"spdRuleDefFilterNegated specifies whether or not the results of the filter referenced by the spdRuleDefFilter object is negated."

DEFVAL { false }

::= { spdRuleDefinitionEntry 4 }

spdRuleDefAction OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This column points to the action to be taken. It MAY, but is not limited to, point to a row in one of the following tables:

spdCompoundActionTable  
ipsaSaPreconfiguredActionTable  
ipiaIkeActionTable  
ipiaIpsecActionTable

It MAY also point to one of the scalar objects beneath spdStaticActions.

If this object is set to a pointer to a row in an unsupported (or unknown) table, an inconsistentValue

error MUST be returned.

If this object is set to point to a non-existent row in an otherwise supported table, an inconsistentName error MUST be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet MUST be dropped."

::= { spdRuleDefinitionEntry 5 }

spdRuleDefAdminStatus OBJECT-TYPE

SYNTAX SpdAdminStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the current rule definition is considered active. If the value is enabled, the rule MUST be evaluated when processing packets. If the value is disabled, the packet processing MUST continue as if this rule's filter had effectively failed."

DEFVAL { enabled }

::= { spdRuleDefinitionEntry 6 }

spdRuleDefLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified

or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdRuleDefinitionEntry 7 }

spdRuleDefStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have

to be writable."

```
DEFVAL { nonVolatile }
::= { spdRuleDefinitionEntry 8 }
```

spdRuleDefRowStatus OBJECT-TYPE

```
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
```

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object MUST NOT be set to active until the containing conditions, filters, and actions have been defined. Once active, it MUST remain active until no active policyGroupContents entries are referencing it. A failed attempt to do so MUST return an inconsistentValue error."

```
::= { spdRuleDefinitionEntry 9 }
```

--

-- Policy compound filter definition table

--

spdCompoundFilterTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF SpdCompoundFilterEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
```

"A table defining compound filters and their associated parameters. A row in this table can be pointed to by a spdRuleDefFilter object."

```
::= { spdConfigObjects 5 }
```

spdCompoundFilterEntry OBJECT-TYPE

```
SYNTAX SpdCompoundFilterEntry
MAX-ACCESS not-accessible
STATUS current
```



## DESCRIPTION

"An entry in the spdCompoundFilterTable. Each entry in this table represents a compound filter. A filter defined by this table is considered to have a TRUE return value if and only if:

spdCompFiltLogicType is AND and all of the sub-filters associated with it, as defined in the spdSubfiltersTable, are all true themselves (after applying any required

negation, as defined by the ficFilterIsNegated object).

spdCompFiltLogicType is OR and at least one of the sub-filters associated with it, as defined in the spdSubfiltersTable, is true itself (after applying any required negation, as defined by the ficFilterIsNegated object."

INDEX { spdCompFiltName }  
::= { spdCompoundFilterTable 1 }

```
SpdCompoundFilterEntry ::= SEQUENCE {
 spdCompFiltName SnmpAdminString,
 spdCompFiltDescription SnmpAdminString,
 spdCompFiltLogicType SpdBooleanOperator,
 spdCompFiltLastChanged TimeStamp,
 spdCompFiltStorageType StorageType,
 spdCompFiltRowStatus RowStatus
}
```

spdCompFiltName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A user definable string. This value is used as an index into this table."

::= { spdCompoundFilterEntry 1 }

spdCompFiltDescription OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A user definable string. This field MAY be used for

your administrative tracking purposes."

DEFVAL { "" }

::= { spdCompoundFilterEntry 2 }

spdCompFiltLogicType OBJECT-TYPE

SYNTAX SpdBooleanOperator

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the sub-component filters of this compound

filter are functionally ANDed or ORed together."

DEFVAL { and }

::= { spdCompoundFilterEntry 3 }

spdCompFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdCompoundFilterEntry 4 }

spdCompFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdCompoundFilterEntry 5 }

spdCompFiltRowStatus OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

Once active, it MUST NOT have its value changed if any active rows in the spdRuleDefinitionTable are currently pointing at this row."

::= { spdCompoundFilterEntry 6 }

--

-- Policy filters in a cf table

--

spdSubfiltersTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdSubfiltersEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"This table defines a list of filters contained within a given compound filter defined in the spdCompoundFilterTable."

::= { spdConfigObjects 6 }

spdSubfiltersEntry OBJECT-TYPE

SYNTAX SpdSubfiltersEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"An entry in the spdSubfiltersTable. There is an entry in this table for each sub-filter of all compound filters present in the spdCompoundFilterTable."

INDEX { spdCompFiltName, spdSubFiltPriority }

::= { spdSubfiltersTable 1 }

SpdSubfiltersEntry ::= SEQUENCE {

|                              |                  |
|------------------------------|------------------|
| spdSubFiltPriority           | Integer32,       |
| spdSubFiltSubfilter          | VariablePointer, |
| spdSubFiltSubfilterIsNegated | TruthValue,      |
| spdSubFiltLastChanged        | TimeStamp,       |
| spdSubFiltStorageType        | StorageType,     |

```
 spdSubFiltRowStatus RowStatus
}
```

spdSubFiltPriority OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority of a given filter within a compound filter. The order of execution is from lowest to highest priority value (i.e., priority 0 before priority 1, 1 before 2, etc.). Implementations MAY choose to follow this ordering, as set by the manager that created the rows. This can allow a manager to intelligently construct filter lists such that faster filters are evaluated first."

::= { spdSubfiltersEntry 1 }

spdSubFiltSubfilter OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The OID of the contained filter. The value of this object is a VariablePointer that references the filter to be included in this compound filter.

The following tables and scalars can be pointed to by this column. All but diffServMultiFieldClfrTable are defined in this MIB. Implementations MAY choose to provide support for other filter tables or scalars as well:

- diffServMultiFieldClfrTable
- spdIpsoHeaderFilterTable
- spdIpOffsetFilterTable
- spdTimeFilterTable
- spdCompoundFilterTable
- spdTrueFilter

If this column is set to a VariablePointer value that references a non-existent row in an otherwise supported table, the inconsistentName exception MUST be returned. If the table or scalar pointed to by the VariablePointer is not supported at all, then an inconsistentValue exception MUST be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet MUST be dropped."

REFERENCE "RFC 3289"

::= { spdSubfiltersEntry 2 }

spdSubFiltSubfilterIsNegated OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether or not the result of applying this sub-filter is negated."

DEFVAL { false }

::= { spdSubfiltersEntry

3 }

spdSubFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdSubfiltersEntry 4 }

spdSubFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdSubfiltersEntry 5 }

spdSubFiltRowStatus OBJECT-TYPE

SYNTAX

RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object cannot be made active until a filter referenced by the spdSubFiltSubfilter object is both defined and active. An attempt to do so MUST result in an inconsistentValue error.

If active, this object MUST remain active unless one of the following two conditions are met:

- I. No active row in the SpdCompoundFilterTable exists that has a matching spdCompFiltName.
- II. Or, at least one other active row in this table has a matching spdCompFiltName.

If neither condition is met, an attempt to set this row to something other than active MUST result in an inconsistentValue error."

::=

{ spdSubfiltersEntry 6 }

--

-- Static Filters

--

spdStaticFilters OBJECT IDENTIFIER ::= { spdConfigObjects 7 }

spdTrueFilter OBJECT-TYPE

SYNTAX Integer32 (1)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This scalar indicates a (automatic) true result for a filter. That is, this is a filter that is always true; it is useful for adding as a default filter for a

```

 default action or a set of actions."
 ::= { spdStaticFilters 1 }

spdTrueFilterInstance OBJECT IDENTIFIER ::= { spdTrueFilter 0 }

--
-- Policy IP Offset filter definition table
--

spdIpOffsetFilterTable OBJECT-TYPE
 SYNTAX SEQUENCE OF SpdIpOffsetFilterEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "This table contains a list of filter definitions to be
 used within the spdRuleDefinitionTable or the
 spdSubfiltersTable.

 This type of filter is used
 to compare an administrator
 specified octet string to the octets at a particular
 location in a packet."
 ::= { spdConfigObjects 8 }

spdIpOffsetFilterEntry OBJECT-TYPE
 SYNTAX SpdIpOffsetFilterEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "A definition of a particular filter."
 INDEX { spdIpOffFiltName }
 ::= { spdIpOffsetFilterTable 1 }

SpdIpOffsetFilterEntry ::= SEQUENCE {
 spdIpOffFiltName SnmpAdminString,
 spdIpOffFiltOffset Unsigned32,
 spdIpOffFiltType INTEGER,
 spdIpOffFiltValue OCTET STRING,
 spdIpOffFiltLastChanged TimeStamp,
 spdIpOffFiltStorageType StorageType,
 spdIpOffFiltRowStatus RowStatus
}

```

spdIpOffFiltName OBJECT-TYPE  
SYNTAX SnmpAdminString (SIZE(1..32))  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"The administrative name for this filter."  
 ::= { spdIpOffsetFilterEntry 1 }

spdIpOffFiltOffset OBJECT-TYPE  
SYNTAX Unsigned32 (0..65535)  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"This is the byte offset from the front of the entire IP  
packet where the value or arithmetic comparison is done. A  
value of '0' indicates the first byte of the packet header.  
If this value is greater than the length of the packet, the  
filter represented by this row should be considered to  
fail."  
 ::= { spdIpOffsetFilterEntry 2 }

spdIpOffFiltType OBJECT-TYPE  
SYNTAX INTEGER { equal(1),  
notEqual(2),  
arithmeticLess(3),  
arithmeticGreaterOrEqual(4),  
arithmeticGreater(5),  
arithmeticLessOrEqual(6) }  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"This defines the  
various tests that are used when  
evaluating a given filter.

The various tests definable in this table are as follows:

equal:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', matches

a value in the packet starting at the given offset in  
the packet and comparing the entire OCTET STRING of  
'spdIpOffFiltValue'. Any values compared this way are  
assumed to be unsigned integer values in network byte  
order of the same length as 'spdIpOffFiltValue'.



notEqual:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', does not match a value in the packet starting at the given offset in the packet and comparing to the entire OCTET STRING of 'spdIpOffFiltValue'. Any values compared this way are assumed to be unsigned integer values in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticLess:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically less than ('<') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticGreaterOrEqual:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically greater than or equal to ('>=') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticGreater:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically greater than ('>') the value starting at the given offset within the packet. The value in the packet is

assumed to be an unsigned integer in network

byte order of the same length as 'spdIpOffFiltValue'.

arithmeticLessOrEqual:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically less than or equal to ('<=') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'."

::= { spdIpOffsetFilterEntry 3 }

spdIpOffFiltValue OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1..1024))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"spdIpOffFiltValue is used for match comparisons of a packet at spdIpOffFiltOffset."

::= { spdIpOffsetFilterEntry 4 }

spdIpOffFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdIpOffsetFilterEntry 5 }

spdIpOffFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdIpOffsetFilterEntry 6 }

spdIpOffFiltRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

If active, this object MUST remain active if it is

referenced by an active row in another table. An attempt to set it to anything other than active while it is referenced by an active row in another table MUST result in an inconsistentValue error."

```
::= { spdIpOffsetFilterEntry 7 }
```

```
--
```

```
-- Time/scheduling filter table
```

```
--
```

```
spdTimeFilterTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF SpdTimeFilterEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"Defines a table of filters that can be used to effectively enable or disable policies based on a valid time range."
```

```
::= { spdConfigObjects 9 }
```

```
spdTimeFilterEntry OBJECT-TYPE
```

```
SYNTAX SpdTimeFilterEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A row describing a given time frame for which a policy is filtered on to activate or deactivate the rule.
```

```
If all the column objects in a row are true for the current time, the row evaluates as 'true'. More explicitly, the time matching column objects in a row MUST be logically ANDed together to form the boolean true/false for the row."
```

```
INDEX { spdTimeFiltName }
```

```
::= { spdTimeFilterTable 1 }
```

```
SpdTimeFilterEntry ::= SEQUENCE {
```

```
 spdTimeFiltName SnmpAdminString,
```

```
 spdTimeFiltPeriod SpdTimePeriod,
```

```
 spdTimeFiltMonthOfYearMask BITS,
```

```
 spdTimeFiltDayOfMonthMask OCTET STRING,
```

```
 spdTimeFiltDayOfWeekMask BITS,
```

```
 spdTimeFiltTimeOfDayMask SpdTimePeriod,
```

```
 spdTimeFiltLastChanged TimeStamp,
```

```
spdTimeFiltStorageType StorageType,
spdTimeFiltRowStatus RowStatus
}
```

spdTimeFiltName OBJECT-TYPE

```
SYNTAX SnmpAdminString (SIZE(1..32))
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "An administratively assigned name for this filter."
 ::= { spdTimeFilterEntry 1 }
```

spdTimeFiltPeriod OBJECT-TYPE

```
SYNTAX SpdTimePeriod
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "The valid time period for this filter. This column is
 considered 'true' if the current time is within the range of
 this object."
DEFVAL { "THISANDPRIOR/THISANDFUTURE" }
 ::= { spdTimeFilterEntry 2 }
```

spdTimeFiltMonthOfYearMask OBJECT-TYPE

```
SYNTAX BITS { january(0), february(1), march(2),
 april(3), may(4), june(5), july(6),
 august(7), september(8), october(9),
 november(10), december(11) }
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "A bit mask that indicates acceptable months of the year.
 This column evaluates to 'true' if the current month's bit
 is set."
DEFVAL { { january, february, march,
 april, may, june, july,
 august, september, october, november, december } }
 ::= { spdTimeFilterEntry 3 }
```

spdTimeFiltDayOfMonthMask OBJECT-TYPE

```
SYNTAX OCTET STRING (SIZE(8))
MAX-ACCESS read-create
STATUS current
```

## DESCRIPTION

"Defines which days of the month the current time is valid for. It is a sequence of 64 BITS, where each BIT represents a corresponding day of the month in forward or reverse order. Starting from the left-most bit, the first 31 bits identify the day of the month, counting from the beginning of the month. The following 31 bits (bits 32-62) indicate the day of the month, counting from the end of the

month. For months with fewer than 31 days, the bits that correspond to the non-existent days of that month are ignored (e.g., for non-leap year Februarys, bits 29-31 and 60-62 are ignored).

This column evaluates to 'true' if the current day of the month's bit is set.

For example, a value of 0X'80 00 00 01 00 00 00 00' indicates that this column evaluates to true on the first and last days of the month.

The last two bits in the string MUST be zero."

```
DEFVAL { 'ffffffffffffe'H }
::= { spdTimeFilterEntry 4 }
```

## spdTimeFiltDayOfWeekMask OBJECT-TYPE

```
SYNTAX BITS { sunday(0), monday(1), tuesday(2),
 wednesday(3), thursday(4), friday(5),
 saturday(6) }
```

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"A bit mask that defines which days of the week that the current time is valid for. This column evaluates to 'true' if the current day of the week's bit is set."

```
DEFVAL { { monday, tuesday, wednesday, thursday, friday,
 saturday, sunday } }
::= { spdTimeFilterEntry 5 }
```

## spdTimeFiltTimeOfDayMask OBJECT-TYPE

```
SYNTAX SpdTimePeriod
```

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"Indicates the start and end time of the day for which this

filter evaluates to true. The date portions of the spdTimePeriod TC are ignored for purposes of evaluating this mask, and only the time-specific portions are used.

This column evaluates to 'true' if the current time of day is within the range of the start and end times of the day indicated by this object."

```
DEFVAL { "00000000T000000/00000000T240000" }
::= { spdTimeFilterEntry 6 }
```

spdTimeFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this

object SHOULD have a zero value."

```
::= { spdTimeFilterEntry 7 }
```

spdTimeFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

```
DEFVAL { nonVolatile }
```

```
::= { spdTimeFilterEntry 8 }
```

spdTimeFiltRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this

row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

If active, this object MUST remain active if it is referenced by an active row in another table. An attempt to set it to anything other than active while it is referenced by an active row in another table MUST result in an inconsistentValue error."

::= { spdTimeFilterEntry 9 }

--  
-- IPSO protection authority filtering  
--

spdIpsHeaderFilterTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdIpsHeaderFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains a list of IPSO header filter definitions to be used within the spdRuleDefinitionTable or the spdSubfiltersTable. IPSO headers and their values are described in RFC 1108."

REFERENCE "RFC 1108"

::= { spdConfigObjects 10 }

spdIpsHeaderFilterEntry OBJECT-TYPE

SYNTAX SpdIpsHeaderFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A definition of a particular filter."

INDEX { spdIpsHeaderFilterName }

::= { spdIpsHeaderFilterTable 1 }

SpdIpsHeaderFilterEntry ::= SEQUENCE

{  
    spdIpsHeaderFilterName          SnmpAdminString,  
    spdIpsHeaderFilterType          BITS,  
    spdIpsHeaderFilterClassification  INTEGER,  
    spdIpsHeaderFilterProtectionAuth  INTEGER,  
    spdIpsHeaderFilterLastChanged    TimeStamp,

```
spdIpsHeadFiltStorageType StorageType,
spdIpsHeadFiltRowStatus RowStatus
}
```

spdIpsHeadFiltName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The administrative name for this filter."

::= { spdIpsHeaderFilterEntry 1 }

spdIpsHeadFiltType OBJECT-TYPE

SYNTAX BITS { classificationLevel(0),  
protectionAuthority(1) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates which of the IPSO header field a packet is filtered on for this row. If this object is set to classification(0), the spdIpsHeadFiltClassification

object indicates how the packet is filtered. If this object is set to protectionAuthority(1), the spdIpsHeadFiltProtectionAuth object indicates how the packet is filtered."

::= { spdIpsHeaderFilterEntry 2 }

spdIpsHeadFiltClassification OBJECT-TYPE

SYNTAX INTEGER { topSecret(61), secret(90),  
confidential(150), unclassified(171) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the IPSO classification header field value that the packet MUST have for this row to evaluate to 'true'.

The values of these enumerations are defined by RFC 1108."

REFERENCE "RFC 1108"

::= { spdIpsHeaderFilterEntry 3 }

spdIpsHeadFiltProtectionAuth OBJECT-TYPE

SYNTAX INTEGER { genser(0), siopesi(1), sci(2),  
nsa(3), doe(4) }

MAX-ACCESS read-create



STATUS current

DESCRIPTION

"This object indicates the IPSO protection authority header field value that the packet MUST have for this row to evaluate to 'true'.

The values of these enumerations are defined by RFC 1108. Hence the reason the SMIV2 convention of not using 0 in enumerated lists is violated here."

REFERENCE "RFC 1108"

::= { spdIpsHeaderFilterEntry 4 }

spdIpsHeaderFilterLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdIpsHeaderFilterEntry 5 }

spdIpsHeaderFilterStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS

current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdIpsHeaderFilterEntry 6 }

spdIpsHeaderFilterRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

However, this object MUST NOT be set to active if the requirements of the spdIpsoHeadFiltType object are not met. Specifically, if the spdIpsoHeadFiltType bit for classification(0) is set, the spdIpsoHeadFiltClassification column MUST have a valid value for the row

status to be set

to active. If the spdIpsoHeadFiltType bit for protectionAuthority(1) is set, the spdIpsoHeadFiltProtectionAuth column MUST have a valid value for the row status to be set to active.

If active, this object MUST remain active if it is referenced by an active row in another table. An attempt to set it to anything other than active while it is referenced by an active row in another table MUST result in an inconsistentValue error."

```
::= { spdIpsoHeaderFilterEntry 7 }
```

--

-- compound actions table

--

spdCompoundActionTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdCompoundActionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Table used to allow multiple actions to be associated with a rule. It uses the spdSubactionsTable to do this.

The rows from spdSubactionsTable that are partially indexed by spdCompActName form the

set of compound actions to be

performed. The spdCompActExecutionStrategy column in this table indicates how those actions are processed."

```
::= { spdConfigObjects 11 }
```

spdCompoundActionEntry OBJECT-TYPE

SYNTAX SpdCompoundActionEntry

MAX-ACCESS not-accessible

STATUS current  
DESCRIPTION  
"A row in the spdCompoundActionTable."  
INDEX { spdCompActName }  
::= { spdCompoundActionTable 1 }

SpdCompoundActionEntry ::= SEQUENCE {  
spdCompActName SnmpAdminString,  
spdCompActExecutionStrategy INTEGER,  
spdCompActLastChanged TimeStamp,  
spdCompActStorageType StorageType,  
spdCompActRowStatus RowStatus  
}

spdCompActName OBJECT-TYPE  
SYNTAX SnmpAdminString (SIZE(1..32))  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"This is an administratively assigned name of this  
compound action."  
::= { spdCompoundActionEntry  
1 }

spdCompActExecutionStrategy OBJECT-TYPE  
SYNTAX INTEGER { doAll(1),  
doUntilSuccess(2),  
doUntilFailure(3) }  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"This object indicates how the sub-actions are executed  
based on the success of the actions as they finish  
executing.

doAll - run each sub-action regardless of the  
exit status of the previous action.  
This parent action is always  
considered to have acted successfully.

doUntilSuccess - run each sub-action until one succeeds,  
at which point stop processing the  
sub-actions within this parent  
compound action. If one of the  
sub-actions did execute successfully,  
this parent

action is also considered  
to have executed successfully.

doUntilFailure - run each sub-action until one fails,  
at which point stop processing the  
sub-actions within this compound  
action. If any sub-action fails, the  
result of this parent action is  
considered to have failed."

```
DEFVAL { doUntilSuccess }
::= { spdCompoundActionEntry 2 }
```

#### spdCompActLastChanged OBJECT-TYPE

```
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
```

"The value of sysUpTime when this row was last modified  
or created either through SNMP SETs or by some other  
external means.

If this row has not been modified since the last  
re-initialization of the network management subsystem, this  
object SHOULD have a zero value."

```
::= { spdCompoundActionEntry
3 }
```

#### spdCompActStorageType OBJECT-TYPE

```
SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION
```

"The storage type for this row. Rows in this table that  
were created through an external process MAY have a storage  
type of readOnly or permanent.

For a storage type of permanent, none of the columns have  
to be writable."

```
DEFVAL { nonVolatile }
```

```
::= { spdCompoundActionEntry 4 }
```

#### spdCompActRowStatus OBJECT-TYPE

```
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
```

## DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

Once a row in the spdCompoundActionTable has been made active, this object MUST NOT be set to destroy without first destroying all the contained rows listed in the spdSubactionsTable."

::= { spdCompoundActionEntry 5 }

--

-- actions contained within a compound action

--

## spdSubactionsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdSubactionsEntry

MAX-ACCESS not-accessible

STATUS current

### DESCRIPTION

"This table contains a list of the sub-actions within a given compound action. Compound actions executing these actions MUST execute them in series based on the spdSubActPriority value, with the lowest value executing first."

::= { spdConfigObjects 12 }

## spdSubactionsEntry OBJECT-TYPE

SYNTAX SpdSubactionsEntry

MAX-ACCESS not-accessible

STATUS current

### DESCRIPTION

"A row containing a reference to a given compound-action sub-action."

INDEX { spdCompActName, spdSubActPriority }

::= { spdSubactionsTable 1 }

## SpdSubactionsEntry ::= SEQUENCE {

spdSubActPriority Integer32,

spdSubActSubActionName

VariablePointer,

spdSubActLastChanged TimeStamp,

spdSubActStorageType StorageType,

spdSubActRowStatus                      RowStatus  
}

spdSubActPriority OBJECT-TYPE

SYNTAX    Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS    current

DESCRIPTION

"The priority of a given sub-action within a compound action. The order in which sub-actions **MUST** be executed are based on the value from this column, with the lowest numeric value executing first (i.e., priority 0 before priority 1, 1 before 2, etc.)."

::= { spdSubactionsEntry 1 }

spdSubActSubActionName OBJECT-TYPE

SYNTAX    VariablePointer

MAX-ACCESS read-create

STATUS    current

DESCRIPTION

"This column points to the action to be taken. It **MAY**, but is not limited to, point to a row in one of the following tables:

    spdCompoundActionTable

- Allowing recursion

    ipsaSaPreconfiguredActionTable

    ipiaIkeActionTable

    ipiaIpsecActionTable

It **MAY** also point to one of the scalar objects beneath spdStaticActions.

If this object is set to a pointer to a row in an unsupported (or unknown) table, an inconsistentValue error **MUST** be returned.

If this object is set to point to a non-existent row in an otherwise supported table, an inconsistentName error **MUST** be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet **MUST** be dropped."

::= { spdSubactionsEntry 2 }

spdSubActLastChanged OBJECT-TYPE

SYNTAX TimeStamp  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdSubactionsEntry 3 }

spdSubActStorageType OBJECT-TYPE

SYNTAX StorageType  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdSubactionsEntry 4 }

spdSubActRowStatus OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

If active, this object MUST remain active unless one of the following two conditions are met. An attempt to set it to anything other than active while the following conditions are not met MUST result in an inconsistentValue error. The two conditions are:

I. No active row in the spdCompoundActionTable exists

which has a matching spdCompActName.

II. Or, at least one other active row in this table has a matching spdCompActName."

```
::= { spdSubactionsEntry 5 }
```

```
--
```

```
-- Static Actions
```

```
--
```

```
-- these are static actions that can be pointed to by the
-- spdRuleDefAction or the spdSubActSubActionName objects to
-- drop, accept, or reject packets.
```

```
spdStaticActions OBJECT IDENTIFIER ::= { spdConfigObjects 13 }
```

```
spdDropAction OBJECT-TYPE
```

```
SYNTAX Integer32 (1)
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This scalar indicates that a packet MUST be dropped
and SHOULD
```

```
NOT have action/packet logging."
```

```
::= { spdStaticActions 1 }
```

```
spdDropActionLog OBJECT-TYPE
```

```
SYNTAX Integer32 (1)
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This scalar indicates that a packet MUST be dropped
and SHOULD have action/packet logging."
```

```
::= { spdStaticActions 2 }
```

```
spdAcceptAction OBJECT-TYPE
```

```
SYNTAX Integer32 (1)
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This Scalar indicates that a packet MUST be accepted
(pass-through) and SHOULD NOT have action/packet logging."
```

```
::= { spdStaticActions 3 }
```

```
spdAcceptActionLog OBJECT-TYPE
```



SYNTAX Integer32 (1)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "This scalar indicates that a packet MUST be accepted  
    (pass-through) and SHOULD have action/packet logging."  
 ::= { spdStaticActions 4 }

--  
--  
-- Notification objects information  
--  
--

spdNotificationVariables OBJECT IDENTIFIER  
 ::=  
 { spdNotificationObjects 1 }

spdNotifications OBJECT IDENTIFIER ::=  
 { spdNotificationObjects 0 }

spdActionExecuted OBJECT-TYPE  
 SYNTAX VariablePointer  
 MAX-ACCESS accessible-for-notify  
 STATUS current  
 DESCRIPTION  
    "Points to the action instance that was executed that  
    resulted in the notification being sent."  
 ::= { spdNotificationVariables 1 }

spdIPEndpointAddType OBJECT-TYPE  
 SYNTAX InetAddressType  
 MAX-ACCESS accessible-for-notify  
 STATUS current  
 DESCRIPTION  
    "Contains the address type for the interface that the  
    notification triggering packet is passing through."  
 ::= { spdNotificationVariables 2 }

spdIPEndpointAddress OBJECT-TYPE  
 SYNTAX InetAddress  
 MAX-ACCESS accessible-for-notify  
 STATUS current  
 DESCRIPTION  
    "Contains the interface address for the interface that the

notification triggering packet is passing through.

The format of  
this object is specified by the  
spdIPEndpointAddType object."  
::= { spdNotificationVariables 3 }

spdIPSourceType OBJECT-TYPE  
SYNTAX InetAddressType  
MAX-ACCESS accessible-for-notify  
STATUS current  
DESCRIPTION  
"Contains the source address type of the packet that

triggered the notification."  
::= { spdNotificationVariables 4 }

spdIPSourceAddress OBJECT-TYPE  
SYNTAX InetAddress  
MAX-ACCESS accessible-for-notify  
STATUS current  
DESCRIPTION  
"Contains the source address of the packet that  
triggered the notification.

The format of this object is specified by the  
spdIPSourceType object."  
::= { spdNotificationVariables 5 }

spdIPDestinationType OBJECT-TYPE  
SYNTAX InetAddressType  
MAX-ACCESS accessible-for-notify  
STATUS current  
DESCRIPTION  
"Contains the destination address type of the packet  
that triggered the notification."  
::= { spdNotificationVariables 6 }

spdIPDestinationAddress OBJECT-TYPE  
SYNTAX InetAddress  
MAX-ACCESS accessible-for-notify  
STATUS current  
DESCRIPTION  
"Contains the destination address of the packet that  
triggered the notification.

The format of this object is specified by the  
spdIPDestinationType object."  
::= { spdNotificationVariables 7 }

spdPacketDirection OBJECT-TYPE

SYNTAX IfDirection

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"Indicates if the packet that triggered the action in  
questions was ingress (inbound) or egress (outbound)."

::= { spdNotificationVariables 8 }

spdPacketPart OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0..65535))

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"spdPacketPart is the front part of the full IP packet that  
triggered this notification. The initial size limit  
is

determined by the smaller of the size, indicated by:

- I. The value of the object with the TC syntax  
'SpdIPPacketLogging' that indicated the packet SHOULD be  
logged and
- II. The size of the triggering packet.

The final limit is determined by the SNMP packet size when  
sending the notification. The maximum size that can be  
included will be the smaller of the initial size, given the  
above, and the length that will fit in a single SNMP  
notification packet after the rest of the notification's  
objects and any other necessary packet data (headers encoding,  
etc.) have been included in the packet."

::= { spdNotificationVariables 9 }

spdActionNotification NOTIFICATION-TYPE

OBJECTS { spdActionExecuted, spdIPEndpointAddType,  
spdIPEndpointAddress,  
spdIPSourceType, spdIPSourceAddress,  
spdIPDestinationType,  
spdIPDestinationAddress,

spdPacketDirection }

STATUS current

DESCRIPTION

"Notification that an action was executed by a rule.

Only actions with logging enabled will result in this notification getting sent. The object includes the spdActionExecuted object, which will indicate which action was executed within the scope of the rule. Additionally, the spdIPSourceType, spdIPSourceAddress, spdIPDestinationType, and spdIPDestinationAddress objects are included to indicate the packet source and destination of the packet that triggered the action. Finally, the spdIPEndpointAddType, spdIPEndpointAddress, and spdPacketDirection objects indicate which interface the executed action was associated with, and if the packet was ingress or egress through the endpoint.

A spdActionNotification SHOULD be limited to a maximum of one notification sent per minute

for any action

notifications that do not have any other configuration controlling their send rate.

Note that compound actions with multiple executed sub-actions may result in multiple notifications being sent from a single rule execution."

::= { spdNotifications 1 }

spdPacketNotification NOTIFICATION-TYPE

OBJECTS { spdActionExecuted, spdIPEndpointAddType, spdIPEndpointAddress, spdIPSourceType, spdIPSourceAddress, spdIPDestinationType, spdIPDestinationAddress, spdPacketDirection, spdPacketPart }

STATUS current

DESCRIPTION

"Notification that a packet passed through a Security Association (SA). Only SAs created by actions with packet logging enabled will result in this notification getting sent. The objects sent MUST include the spdActionExecuted, which will indicate which action was executed

within the

scope of the rule. Additionally, the spdIPSourceType, spdIPSourceAddress, spdIPDestinationType, and

spdIPDestinationAddress objects MUST be included to indicate the packet source and destination of the packet that triggered the action. The spdIPEndpointAddType, spdIPEndpointAddress, and spdPacketDirection objects are included to indicate which endpoint the packet was associated with. Finally, spdPacketPart is included to enable sending a variable sized part of the front of the packet with the size dependent on the value of the object of TC syntax 'SpdIPPacketLogging', which indicated that logging should be done.

A spdPacketNotification SHOULD be limited to a maximum of one notification sent per minute for any action notifications that do not have any other configuration controlling their send rate.

An action notification  
SHOULD be limited to a maximum of  
one notification sent per minute for any action  
notifications that do not have any other configuration  
controlling their send rate."  
::= { spdNotifications 2 }

--

--

-- Conformance information

--

--

spdCompliances OBJECT IDENTIFIER

::= { spdConformanceObjects 1 }

spdGroups OBJECT IDENTIFIER

::= { spdConformanceObjects 2 }

--

-- Compliance statements

--

--

spdRuleFilterFullCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for SNMP entities that include an IPsec MIB implementation with Endpoint, Rules, and filters support.

When this MIB is implemented with support for read-create, then such an implementation can claim full compliance. Such devices can then be both monitored and configured with this MIB."

MODULE -- This Module

MANDATORY-GROUPS { spdEndpointGroup,

spdGroupContentsGroup,

spdRuleDefinitionGroup,

spdStaticFilterGroup,

spdStaticActionGroup ,

diffServMIBMultiFieldClfrGroup }

GROUP spdIpsecSystemPolicyNameGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support a system policy group name."

GROUP spdCompoundFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support compound filters."

GROUP spdIPOffsetFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support IP Offset filters. In general, this SHOULD be supported by a compliant IPsec

Policy implementation."

GROUP spdTimeFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support time filters."

GROUP spdIpsHeaderFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support IPSO Header filters."

GROUP spdCompoundActionGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support compound actions."

OBJECT spdEndGroupLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdGroupContComponentType

SYNTAX INTEGER {

rule(2)

}

DESCRIPTION

"Support of the value group(1) is only required for implementations that support Policy Groups within Policy Groups."

OBJECT spdGroupContLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdRuleDefLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdCompFiltLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdSubFiltLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdIpOffFiltLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdTimeFiltLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdIpsHeadFiltLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdCompActLastChanged

MIN-ACCESS

not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdSubActLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT diffServMultiFieldClfrNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"This object is not required for compliance."

::= { spdCompliances 1 }

spdLoggingCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for SNMP entities that support sending notifications when actions are invoked."

MODULE -- This Module

MANDATORY-GROUPS { spdActionLoggingObjectGroup,  
spdActionNotificationGroup }

::= { spdCompliances 2 }

--

-- ReadOnly Compliances

--

spdRuleFilterReadOnlyCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for SNMP entities that include



an IPsec MIB implementation with Endpoint, Rules, and filters support.

If this MIB is implemented without support for read-create (i.e., in read-only), it is not in full compliance, but it can claim read-only compliance. Such a device can then be monitored, but cannot be configured with this MIB."

MODULE -- This Module

```
MANDATORY-GROUPS { spdEndpointGroup,
 spdGroupContentsGroup,
 spdRuleDefinitionGroup,
 spdStaticFilterGroup,
 spdStaticActionGroup ,
 diffServMIBMultiFieldClfrGroup }
```

GROUP spdIpsecSystemPolicyNameGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support a system policy group name."

GROUP spdCompoundFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support compound filters."

GROUP spdIPOffsetFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support IP Offset filters. In general, this SHOULD be supported by a compliant IPsec Policy implementation."

GROUP spdTimeFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support time filters."

GROUP spdIpsHeaderFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy

implementations that support IPSO Header filters."

GROUP spdCompoundActionGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support compound actions."

OBJECT spdCompActExecutionStrategy

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompActLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdCompActRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompActStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompFiltDescription

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompFiltLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdCompFiltLogicType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompFiltRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompFiltStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdEgressPolicyGroupName

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdEndGroupLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdEndGroupName

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdEndGroupRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdEndGroupStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdGroupContComponentName

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdGroupContComponentType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdGroupContFilter

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdGroupContLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdGroupContRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdGroupContStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIngressPolicyGroupName

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdIpOffFiltOffset

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltValue

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsoHeadFiltClassification

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsHeadFiltLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdIpsHeadFiltProtectionAuth

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsHeadFiltRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsHeadFiltStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsHeadFiltType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefAction

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefAdminStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefDescription

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefFilter

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefFilterNegated  
MIN-ACCESS

read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdRuleDefRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdSubActLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdSubActRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdSubActStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdSubActSubActionName

MIN-ACCESS read-only

DESCRIPTION

"Write access  
is not required."

OBJECT spdSubFiltLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdSubFiltRowStatus  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdSubFiltStorageType  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdSubFiltSubfilter  
MIN-ACCESS read-only

DESCRIPTION  
"Write access is not required."

OBJECT spdSubFiltSubfilterIsNegated  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdTimeFiltDayOfMonthMask  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdTimeFiltDayOfWeekMask  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT  
spdTimeFiltLastChanged  
DESCRIPTION  
"This object is not required for compliance."

OBJECT spdTimeFiltMonthOfYearMask  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdTimeFiltPeriod  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdTimeFiltRowStatus  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdTimeFiltTimeOfDayMask  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

OBJECT spdTimeFiltStorageType  
MIN-ACCESS read-only  
DESCRIPTION  
"Write access is not required."

::= { spdCompliances 3 }

--

--

-- Compliance Groups Definitions

--

--

-- Endpoint, Rule, Filter Compliance Groups

--

spdEndpointGroup OBJECT-GROUP

OBJECTS {

spdEndGroupName,

spdEndGroupLastChanged,

spdEndGroupStorageType, spdEndGroupRowStatus

}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy

Endpoint Table."

::= { spdGroups 1 }

spdGroupContentsGroup OBJECT-GROUP

OBJECTS {

spdGroupContComponentType, spdGroupContFilter,

spdGroupContComponentName, spdGroupContLastChanged,

spdGroupContStorageType, spdGroupContRowStatus

}

STATUS current



DESCRIPTION

"This group is made up of objects from the IPsec Policy Group Contents Table."

::= { spdGroups 2 }

spdIpssecSystemPolicyNameGroup OBJECT-GROUP

OBJECTS {

spdIngressPolicyGroupName,  
spdEgressPolicyGroupName

}

STATUS current

DESCRIPTION

"This group is made up of objects represent the System Policy Group Names."

::= { spdGroups 3 }

spdRuleDefinitionGroup OBJECT-GROUP

OBJECTS {

spdRuleDefDescription, spdRuleDefFilter,  
spdRuleDefFilterNegated, spdRuleDefAction,  
spdRuleDefAdminStatus, spdRuleDefLastChanged,

spdRuleDefStorageType, spdRuleDefRowStatus  
}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy Rule Definition Table."

::= { spdGroups 4 }

spdCompoundFilterGroup OBJECT-GROUP

OBJECTS {

spdCompFiltDescription, spdCompFiltLogicType,  
spdCompFiltLastChanged, spdCompFiltStorageType,  
spdCompFiltRowStatus, spdSubFiltSubfilter,  
spdSubFiltSubfilterIsNegated, spdSubFiltLastChanged,  
spdSubFiltStorageType, spdSubFiltRowStatus

}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy Compound Filter Table and Sub-Filter Table Group."

::= { spdGroups 5 }

spdStaticFilterGroup OBJECT-GROUP

OBJECTS { spdTrueFilter }

STATUS current

DESCRIPTION

"The static filter group. Currently this is just  
a true  
filter."  
::= { spdGroups 6 }

spdIPOffsetFilterGroup OBJECT-GROUP

OBJECTS {

spdIpOffFiltOffset, spdIpOffFiltType,  
spdIpOffFiltValue, spdIpOffFiltLastChanged,  
spdIpOffFiltStorageType, spdIpOffFiltRowStatus  
}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy IP  
Offset Filter Table."  
::= { spdGroups 7 }

spdTimeFilterGroup OBJECT-GROUP

OBJECTS {

spdTimeFiltPeriod,  
spdTimeFiltMonthOfYearMask, spdTimeFiltDayOfMonthMask,  
spdTimeFiltDayOfWeekMask, spdTimeFiltTimeOfDayMask,  
  
spdTimeFiltLastChanged,  
spdTimeFiltStorageType, spdTimeFiltRowStatus  
}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy Time  
Filter Table."  
::= { spdGroups 8 }

spdIpsHeaderFilterGroup OBJECT-GROUP

OBJECTS {

spdIpsHeaderFiltType, spdIpsHeaderFiltClassification,  
spdIpsHeaderFiltProtectionAuth,  
spdIpsHeaderFiltLastChanged,  
spdIpsHeaderFiltStorageType, spdIpsHeaderFiltRowStatus  
}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy IPSO  
Header Filter Table."

```

 ::= { spdGroups 9 }

--
-- action compliance groups
--

spdStaticActionGroup OBJECT-GROUP
 OBJECTS {
 spdDropAction, spdAcceptAction,
 spdDropActionLog, spdAcceptActionLog
 }
 STATUS current
 DESCRIPTION
 "This group is made up of objects from the IPsec Policy
 Static Actions."
 ::= { spdGroups 10 }

spdCompoundActionGroup OBJECT-GROUP
 OBJECTS {
 spdCompActExecutionStrategy, spdCompActLastChanged,
 spdCompActStorageType,

 spdCompActRowStatus, spdSubActSubActionName,
 spdSubActLastChanged, spdSubActStorageType,
 spdSubActRowStatus
 }
 STATUS current
 DESCRIPTION
 "The IPsec Policy Compound Action Table and Actions In

 Compound Action Table
 Group."
 ::= { spdGroups 11 }

spdActionLoggingObjectGroup OBJECT-GROUP
 OBJECTS {
 spdActionExecuted,
 spdIPEndpointAddType, spdIPEndpointAddress,
 spdIPSourceType, spdIPSourceAddress,
 spdIPDestinationType, spdIPDestinationAddress,
 spdPacketDirection, spdPacketPart
 }
 STATUS current
 DESCRIPTION
 "This group is made up of all the Notification objects for
 this MIB."

```

```
::= { spdGroups 12 }
```

```
spdActionNotificationGroup NOTIFICATION-GROUP
```

```
NOTIFICATIONS {
```

```
 spdActionNotification,
```

```
 spdPacketNotification
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
 "This group is made up of all the Notifications for this MIB."
```

```
::= { spdGroups 13 }
```

END

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/IPSEC-SPD-MIB
```

No license file was found, but licenses were detected in source scan.

```
IANA-ITU-ALARM-TC-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
 MODULE-IDENTITY, mib-2 FROM SNMPv2-SMI
```

```
 TEXTUAL-CONVENTION FROM SNMPv2-TC;
```

```
ianaItuAlarmNumbers MODULE-IDENTITY
```

```
 LAST-UPDATED "200409090000Z" -- September 09, 2004
```

```
 ORGANIZATION "IANA"
```

```
 CONTACT-INFO
```

```
 "Postal: Internet Assigned Numbers Authority
```

```
 Internet Corporation for Assigned Names
 and Numbers
```

```
 4676 Admiralty Way, Suite 330
```

```
 Marina del Rey, CA 90292-6601
```

```
 USA
```

```
 Tel: +1 310-823-9358
```

```
 E-Mail: iana&iana.org"
```

```
DESCRIPTION
```

```
 "The MIB module defines the ITU Alarm
 textual convention for objects expected to require
 regular extension.
```

```
 Copyright (C) The Internet Society (2004). The
 initial version
```

```
of this MIB module was published
```

```
in RFC 3877. For full legal notices see the RFC
```

itself. Supplementary information may be available on:

<http://www.ietf.org/copyrights/ianamib.html>"

REVISION "200409090000Z"

DESCRIPTION

"Initial version, published as RFC 3877."

::= { mib-2 119 }

IANAItuProbableCause ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"ITU-T probable cause values. Duplicate values defined in X.733 are appended with X733 to ensure syntactic uniqueness. Probable cause value 0 is reserved for special purposes.

The Internet Assigned Number Authority (IANA) is responsible for the assignment of the enumerations in this TC.

IANAItuProbableCause value of 0 is reserved for special purposes and MUST NOT be assigned.

Values of IANAItuProbableCause in the range 1 to 1023 are reserved

for causes that correspond to ITU-T probable cause.

All other requests for new causes will be handled on a first-come, first served basis and will be assigned enumeration values starting with 1025.

Request should come in the form of well-formed SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

While some effort will be taken to ensure that new probable causes do not conceptually duplicate existing probable causes it is acknowledged that the existence of conceptual duplicates in the starting probable cause list is an known industry reality.

To aid IANA in the administration of probable cause names and values, the OPS Area Director will appoint one or more experts to help review requests.

See <http://www.iana.org>"

REFERENCE

"ITU Recommendation M.3100,  
'Generic Network Information  
Model', 1995  
ITU Recommendation X.733, 'Information Technology - Open

Systems Interconnection - System Management: Alarm Reporting Function', 1992  
ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

SYNTAX INTEGER

```
{
-- The following probable causes were defined in M.3100
aIS (1),
callSetUpFailure (2),
degradedSignal (3),
farEndReceiverFailure (4),
framingError (5),
lossOfFrame (6),
lossOfPointer (7),
lossOfSignal (8),
payloadTypeMismatch (9),
transmissionError (10),
remoteAlarmInterface (11),
excessiveBER (12),

pathTraceMismatch (13),
unavailable (14),
signalLabelMismatch (15),
lossOfMultiFrame (16),
receiveFailure (17),
transmitFailure (18),
modulationFailure (19),
demodulationFailure (20),
broadcastChannelFailure (21),
connectionEstablishmentError (22),
invalidMessageReceived (23),
localNodeTransmissionError (24),
remoteNodeTransmissionError (25),
routingFailure (26),
--Values 27-50 are reserved for communications alarm related
--probable causes
-- The following are used with equipment alarm.
backplaneFailure (51),
dataSetProblem (52),
equipmentIdentifierDuplication (53),
externalIFDeviceProblem (54),
lineCardProblem (55),
multiplexerProblem (56),
nEIdentifierDuplication
(57),
powerProblem (58),
```

processorProblem (59),  
 protectionPathFailure (60),  
 receiverFailure (61),  
 replaceableUnitMissing (62),  
 replaceableUnitTypeMismatch (63),  
 synchronizationSourceMismatch (64),  
 terminalProblem (65),  
 timingProblem (66),  
 transmitterFailure (67),  
 trunkCardProblem (68),  
 replaceableUnitProblem (69),  
 realTimeClockFailure (70),  
 --An equipment alarm to be issued if the system detects that the  
 --real time clock has failed  
     antennaFailure (71),  
     batteryChargingFailure (72),  
     diskFailure (73),  
     frequencyHoppingFailure (74),  
     iODeviceError (75),  
     lossOfSynchronisation (76),  
     lossOfRedundancy (77),  
     powerSupplyFailure (78),  
     signalQualityEvaluationFailure (79),  
     tranceiverFailure (80),  
     protectionMechanismFailure (81),  
     protectingResourceFailure (82),  
 -- Values 83-100 are reserved for equipment alarm related probable  
 -- causes  
 -- The following are used with environmental alarm.  
     airCompressorFailure (101),  
     airConditioningFailure (102),  
     airDryerFailure (103),  
     batteryDischarging (104),  
     batteryFailure (105),  
     commercialPowerFailure (106),  
     coolingFanFailure (107),  
     engineFailure (108),  
     fireDetectorFailure (109),  
     fuseFailure (110),  
     generatorFailure (111),  
     lowBatteryThreshold (112),  
     pumpFailure (113),  
     rectifierFailure (114),  
     rectifierHighVoltage (115),  
     rectifierLowFVvoltage  
 (116),  
     ventilationsSystemFailure (117),  
     enclosureDoorOpen (118),

explosiveGas (119),  
fire (120),  
flood (121),  
highHumidity (122),  
highTemperature (123),  
highWind (124),  
iceBuildUp (125),  
intrusionDetection (126),  
lowFuel (127),  
lowHumidity (128),  
lowCablePressure (129),  
lowTemperature (130),  
lowWater (131),  
smoke (132),  
toxicGas (133),  
coolingSystemFailure (134),  
externalEquipmentFailure (135),  
externalPointFailure (136),  
-- Values 137-150 are reserved for environmental alarm related  
-- probable causes  
-- The following are used with Processing error alarm.  
storageCapacityProblem (151),  
memoryMismatch (152),  
  
corruptData (153),  
outOfCPUCycles (154),  
sfwrEnvironmentProblem (155),  
sfwrDownloadFailure (156),  
lossOfRealTime (157),  
--A processing error alarm to be issued after the system has  
--reinitialised. This will indicate  
--to the management systems that the view they have of the managed  
--system may no longer  
--be valid. Usage example: The managed  
--system issues this alarm after a reinitialization with severity  
--warning to inform the  
--management system about the event. No clearing notification will  
--be sent.  
applicationSubsystemFailure (158),  
configurationOrCustomisationError (159),  
databaseInconsistency (160),  
fileError (161),  
outOfMemory (162),  
softwareError (163),  
timeoutExpired (164),  
underlyingResourceUnavailable (165),  
versionMismatch



(166),

--Values 168-200 are reserved for processing error alarm related

-- probable causes.

- bandwidthReduced (201),
- congestion (202),
- excessiveErrorRate (203),
- excessiveResponseTime (204),
- excessiveRetransmissionRate (205),
- reducedLoggingCapability (206),
- systemResourcesOverload (207 ),
- The following were defined X.733
- adapterError (500),
- applicationSubsystemFailure (501),
- bandwidthReducedX733 (502),
- callEstablishmentError (503),
- communicationsProtocolError (504),
- communicationsSubsystemFailure (505),
- configurationOrCustomizationError (506),
- congestionX733 (507),
- corruptData (508),
- cpuCyclesLimitExceeded (509),
- dataSetOrModemError (510),
- degradedSignalX733

(511),

- dteDceInterfaceError (512),
- enclosureDoorOpenX733 (513),
- equipmentMalfunction (514),
- excessiveVibration (515),
- fileErrorX733 (516),
- fireDetected (517),
- framingErrorX733 (518),
- heatingVentCoolingSystemProblem (519),
- humidityUnacceptable (520),
- inputOutputDeviceError (521),
- inputDeviceError (522),
- lanError (523),
- leakDetected (524),
- localNodeTransmissionErrorX733 (525),
- lossOfFrameX733 (526),
- lossOfSignalX733 (527),
- materialSupplyExhausted (528),
- multiplexerProblemX733 (529),
- outOfMemoryX733 (530),
- ouputDeviceError (531),
- performanceDegraded (532),
- powerProblems (533),
- pressureUnacceptable (534),

processorProblems (535),  
pumpFailureX733 (536),  
queueSizeExceeded (537),  
receiveFailureX733 (538),  
receiverFailureX733 (539),  
remoteNodeTransmissionErrorX733 (540),  
resourceAtOrNearingCapacity (541),  
responseTimeExcessive (542),  
retransmissionRateExcessive (543),  
softwareErrorX733 (544),  
softwareProgramAbnormallyTerminated (545),  
softwareProgramError (546),  
storageCapacityProblemX733 (547),  
temperatureUnacceptable (548),  
thresholdCrossed (549),  
timingProblemX733 (550),  
toxicLeakDetected (551),  
transmitFailureX733 (552),  
transmitterFailure (553),  
underlyingResourceUnavailable (554),  
versionMismatchX733 (555),  
-- The following are defined in X.736

authenticationFailure (600),  
breachOfConfidentiality (601),  
cableTamper (602),  
delayedInformation (603),  
denialOfService (604),  
duplicateInformation (605),  
informationMissing (606),  
informationModificationDetected (607),  
informationOutOfSequence (608),  
keyExpired (609),  
nonRepudiationFailure (610),  
outOfHoursActivity (611),  
outOfService (612),  
proceduralError (613),  
unauthorizedAccessAttempt (614),  
unexpectedInformation (615),  
  
other (1024)  
}

IANAItuEventType ::= TEXTUAL-CONVENTION  
STATUS current  
DESCRIPTION  
"The ITU event Type values.

The Internet Assigned Number Authority (IANA) is responsible for the assignment of the enumerations

in this TC.

Request should come in the form of well-formed SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

See <http://www.iana.org> "

#### REFERENCE

"ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

#### SYNTAX INTEGER

```
{
 other (1),
 communicationsAlarm (2),
 qualityOfServiceAlarm (3),
 processingErrorAlarm (4),
 equipmentAlarm (5),
 environmentalAlarm (6),
 integrityViolation (7),
 operationalViolation (8),
 physicalViolation (9),
 securityServiceOrMechanismViolation (10),
 timeDomainViolation (11)
}
```

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/iana/IANA-ITU-ALARM-TC-MIB

No license file was found, but licenses were detected in source scan.

Modem-MIB DEFINITIONS ::= BEGIN

#### IMPORTS

```
MODULE-IDENTITY, OBJECT-TYPE, OBJECT-IDENTITY,
Counter32, Integer32 FROM SNMPv2-SMI
DisplayString FROM SNMPv2-TC
MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF
mib-2 FROM RFC1213-MIB;
```

mdmMIB MODULE-IDENTITY

LAST-UPDATED "9406120000Z"  
ORGANIZATION "IETF Modem Management Working Group"  
CONTACT-INFO  
" Steven Waldbusser  
Postal: Carnegie Mellon University  
5000 Forbes Ave  
Pittsburgh, PA, 15213  
US  
  
Tel: +1 412 268 6628  
Fax: +1 412 268 4987  
E-mail: waldbusser@cmu.edu"

DESCRIPTION

"The MIB module for management of dial-up modems."  
::= { mdmMib 1 }

mdmMib OBJECT IDENTIFIER ::= { mib-2 38 }

mdmMIBObjects OBJECT IDENTIFIER ::= { mdmMIB 1 }

-- conformance information

mdmConformance OBJECT IDENTIFIER  
::= { mdmMIB 2 }

mdmCompliances OBJECT IDENTIFIER ::= { mdmConformance 1 }  
mdmGroups OBJECT IDENTIFIER ::= { mdmConformance 2 }

-- units of conformance

mdmIDGroup OBJECT-GROUP  
OBJECTS { mdmIDManufacturerOID, mdmIDProductDetails }  
STATUS current  
DESCRIPTION  
"A collection of objects that identify the manufacturer and  
model information for a modem."  
::= { mdmGroups 1 }

mdmLineInterfaceGroup OBJECT-GROUP  
OBJECTS { mdmLineCarrierLossTime,  
mdmLineState, mdmLineCapabilitiesID,  
mdmLineCapabilitiesEnableRequested,  
mdmLineCapabilitiesEnableGranted }  
STATUS current  
DESCRIPTION  
"A collection of objects that describe the configuration and  
state of the modem's line interface."

::= { mdmGroups 2 }

mdmDTEInterfaceGroup OBJECT-GROUP

OBJECTS { mdmDTEActionDTROnToOff, mdmDTEActionDTROffToOn,  
mdmDTESyncTimingSource, mdmDTESyncAsyncMode,

mdmDTEInactivityTimeout }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and  
state of the modem's DTE interface."

::= { mdmGroups 3 }

mdmCallControlGroup OBJECT-GROUP

OBJECTS { mdmCCRingsBeforeAnswer,  
mdmCCCSetupFailTimer, mdmCCResultCodeEnable,  
mdmCCEscapeAction, mdmCCCDuration,  
mdmCCConnectionFailReason, mdmCCStoredDialString }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration of  
call control capabilities on the modem and the status of  
calls placed with this modem."

::= { mdmGroups 4 }

mdmErrorControlGroup OBJECT-GROUP

OBJECTS { mdmECEErrorControlUsed }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and  
state of error control on a modem."

::= { mdmGroups 5 }

mdmDataCompressionGroup OBJECT-GROUP

OBJECTS

{ mdmDCCCompressionTypeUsed }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and  
state of data compression on a modem."

::= { mdmGroups 6 }

mdmSignalConvertorGroup OBJECT-GROUP

OBJECTS { mdmSCCurrentLineReceiveRate, mdmSCCurrentLineTransmitRate,  
mdmSCInitialLineReceiveRate, mdmSCInitialLineTransmitRate,  
mdmSCModulationSchemeUsed }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and state of error control on a modem."

::= { mdmGroups 7 }

mdmStatisticsGroup OBJECT-GROUP

OBJECTS { mdmStatsRingNoAnswers,  
mdmStatsIncomingConnectionFailures,  
mdmStatsIncomingConnectionCompletions,  
mdmStatsFailedDialAttempts,  
mdmStatsOutgoingConnectionFailures,  
mdmStatsOutgoingConnectionCompletions,  
mdmStatsRetrains,  
mdmStats2400OrLessConnections, mdmStats2400To14400Connections,  
mdmStatsGreaterThan14400Connections,  
mdmStatsErrorControlledConnections,  
mdmStatsCompressedConnections,  
mdmStatsCompressionEfficiency,  
mdmStatsSentOctets, mdmStatsReceivedOctets,  
mdmStatsSentDataFrames, mdmStatsReceivedDataFrames,  
mdmStatsResentFrames, mdmStatsErrorFrames }

STATUS current

DESCRIPTION

"A collection of objects that describe the state of calls on this modem."

::= { mdmGroups 8 }

mdmNumber OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of modem rows in the modem table. This value defines the maximum value of the mdmIndex object."

::= { mdmMIBObjects 1 }

-- The modem ID table.

mdmIDTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmIDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The base table for the modems managed by this MIB. The mdmLineTable,

mdmDTEInterfaceTable, mdmCallControlTable, and

mdmStatsTable all augment the rows defined in this table."

::= { mdmMIBObjects 2 }

mdmIDEntry OBJECT-TYPE

SYNTAX MdmIDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

INDEX { mdmIndex }

::= { mdmIDTable 1 }

MdmIDEntry ::= SEQUENCE {

mdmIndex Integer32,

mdmIDManufacturerOID OBJECT IDENTIFIER,

mdmIDProductDetails DisplayString

}

mdmIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique number for each modem that ranges from 1 to mdmNumber. The value must remain constant at least from one re-initialization of the network management agent to the next."

::= { mdmIDEntry 1 }

}

mdmIDManufacturerOID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value is intended to identify the manufacturer, model, and version of this modem. This may be used to identify the existence of enterprise-specific functions and behaviours."

REFERENCE

"V.58 attribute manufacturerID subfield ManufacturerOI"

::= { mdmIDEntry 2 }

mdmIDProductDetails OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..79))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A textual description of this device, including the manufacturer's name, modem model name, hardware revision, firmware revision, and optionally, its serial number. The

exact format of this description is defined by the vendor.  
This description may only contain characters from the NVT  
ASCII character set."

REFERENCE

"V.58 attribute manufacturerID subfield productDetails"  
::= { mdmIDEntry 3 }

-- The modem Line Interface Table

mdmLineTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmLineEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem Line Table augments the modem ID table."

::= { mdmMIBObjects 3 }

mdmLineEntry OBJECT-TYPE

SYNTAX MdmLineEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One  
entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmLineTable 1 }

MdmLineEntry ::= SEQUENCE {

mdmLineCarrierLossTime Integer32,

mdmLineState INTEGER

}

mdmLineCarrierLossTime OBJECT-TYPE

SYNTAX Integer32 (1..255)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Duration in 10ths of a second the modem waits after  
loss of  
carrier before hanging up. If this value is set to `255',  
the modem will not hang up upon loss of carrier. This  
allows the modem to distinguish between a momentary lapse in  
line quality and a true disconnect and can be useful to tune  
the tolerance of the modem to lines of poor quality."

REFERENCE "V.58 lineSignalFailDisconnectTimer"

::= { mdmLineEntry 1 }

mdmLineState OBJECT-TYPE



SYNTAX INTEGER {  
 unknown(1),  
 onHook(2),  
 offHook(3), -- and not connected  
 connected(4),  
 busiedOut(5),  
 reset(6)  
 }

MAX-ACCESS read-write  
 STATUS current  
 DESCRIPTION  
 "Allows the inspection and alteration of the state of the modem. Management commands may change the state to `on-hook`, `busied-out`, or `reset` from any state. No other alterations are permitted from the management protocol. When this object is set to reset, the modem shall be reset and the value will change to the modem's new, implementation dependent state."  
 ::= { mdmLineEntry 2 }

mdmLineCapabilitiesTable OBJECT-TYPE  
 SYNTAX SEQUENCE OF MdmLineCapabilitiesEntry  
 MAX-ACCESS not-accessible  
 STATUS current  
 DESCRIPTION  
 "A list of protocol capabilities for this modem."  
 ::= { mdmMIBObjects 4 }

mdmLineCapabilitiesEntry OBJECT-TYPE  
 SYNTAX MdmLineCapabilitiesEntry  
 MAX-ACCESS not-accessible  
 STATUS current  
 DESCRIPTION  
 "A listing of the protocol(s) that this modem is capable of. Entries in this table are created only by the agent. One entry exists for each protocol that the modem is capable of, regardless of whether that protocol is enabled or not.  
 This table is useful for providing an inventory of the capabilities on a modem, and allowing the manager to enable or disable capabilities from the menu of available possibilities. Row creation is not required to enable or disable capabilities."  
 INDEX { mdmIndex, mdmLineCapabilitiesIndex }  
 ::= { mdmLineCapabilitiesTable 1 }

```
MdmLineCapabilitiesEntry ::= SEQUENCE {
 mdmLineCapabilitiesIndex Integer32,
 mdmLineCapabilitiesID OBJECT IDENTIFIER,
 mdmLineCapabilitiesEnableRequested INTEGER,
 mdmLineCapabilitiesEnableGranted INTEGER
}
```

mdmLineCapabilitiesIndex OBJECT-TYPE

```
SYNTAX Integer32
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "A unique index for this capabilities entry."
 ::= { mdmLineCapabilitiesEntry 1 }
```

mdmLineCapabilitiesID OBJECT-TYPE

```
SYNTAX OBJECT IDENTIFIER
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "An identifier for
this capability. Standard protocol
capabilities will have identifiers registered in this
document or other companion standards documents.
Proprietary protocol capabilities will be registered by
their respective organization. All capabilities, standard
or vendor-specific, shall be registered in this table."
 ::= { mdmLineCapabilitiesEntry 2 }
```

mdmLineCapabilitiesEnableRequested OBJECT-TYPE

```
SYNTAX INTEGER {
 disabled(1),
 optional(2),
 preferred(3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "The requested configuration of this capability. If this
value is 'disabled(1)', this is a request to disable this
protocol. If this value is 'preferred(3)', this is a
request to enable this protocol, and to prefer it in any
negotiation over other appropriate protocols
that have a
value of 'optional(2)'."
DEFVAL { preferred }
 ::= { mdmLineCapabilitiesEntry 3 }
```

mdmLineCapabilitiesEnableGranted OBJECT-TYPE

```
SYNTAX INTEGER {
 disabled(1),
 optional(2),
 preferred(3)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The actual configuration of this capability. The agent shall attempt to set this as close as possible to the associated mdmLineCapabilitiesEnableRequested value. The agent shall make this determination in an implementation-specific manner that may take into account the configuration of other capabilities or other considerations. The modem will choose in an implementation-specific manner between multiple mutually-exclusive capabilities that each have the same (non-disabled) value. However, the modem must prefer all capabilities with a value of 'preferred(3)' over all capabilities with a value of 'optional(2)'.

In other words, if there are one or more mutually-exclusive capabilities (e.g. V.32 and V.32bis) that are set to 'preferred', the agent must choose one in an implementation-specific manner. Otherwise, if there are one or more mutually-exclusive capabilities that are set to 'optional', the agent must choose one in an implementation-specific manner."

::= { mdmLineCapabilitiesEntry 4 }

mdmLineCapabilities OBJECT IDENTIFIER ::= { mdmMIBObjects 5 }

mdmLineCapabilitiesV21 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.21"

::= { mdmLineCapabilities 1 }

mdmLineCapabilitiesV22 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.22"

::= { mdmLineCapabilities 2 }

mdmLineCapabilitiesV22bis OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.22bis"

::= { mdmLineCapabilities 3 }

mdmLineCapabilitiesV23CC OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.23CC"

::= { mdmLineCapabilities 4 }

mdmLineCapabilitiesV23SC OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.23SC"

::= { mdmLineCapabilities 5 }

mdmLineCapabilitiesV25bis OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.25bis"

::= { mdmLineCapabilities 6 }

mdmLineCapabilitiesV26bis OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.26bis"

::= { mdmLineCapabilities 7 }

mdmLineCapabilitiesV26ter OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.26ter"

::= { mdmLineCapabilities 8 }

mdmLineCapabilitiesV27ter OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.27ter"

::= { mdmLineCapabilities 9 }

mdmLineCapabilitiesV32 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.32"

::= { mdmLineCapabilities 10 }

mdmLineCapabilitiesV32bis OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.32bis"

::= { mdmLineCapabilities 11 }

mdmLineCapabilitiesV32terbo OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.32terbo"

::= { mdmLineCapabilities 12 }

mdmLineCapabilitiesVFC OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.FC"

::= { mdmLineCapabilities 13 }

mdmLineCapabilitiesV34 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.34"

::= { mdmLineCapabilities 14 }

mdmLineCapabilitiesV42 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.42"

::= { mdmLineCapabilities 15 }

mdmLineCapabilitiesV42bis OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.42bis"

::= { mdmLineCapabilities 16 }

mdmLineCapabilitiesMNP1 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"MNP1"

::= { mdmLineCapabilities 17 }

mdmLineCapabilitiesMNP2

OBJECT-IDENTITY

STATUS current

DESCRIPTION

"MNP2"

::= { mdmLineCapabilities 18 }

mdmLineCapabilitiesMNP3 OBJECT-IDENTITY

STATUS current

DESCRIPTION

```
"MNP3"
::= { mdmLineCapabilities 19 }

mdmLineCapabilitiesMNP4 OBJECT-IDENTITY
STATUS current
DESCRIPTION
 "MNP4"
::= { mdmLineCapabilities 20 }

mdmLineCapabilitiesMNP5 OBJECT-IDENTITY
STATUS current
DESCRIPTION
 "MNP5"
::= { mdmLineCapabilities 21 }

mdmLineCapabilitiesMNP6 OBJECT-IDENTITY
STATUS current
DESCRIPTION
 "MNP6"
::= { mdmLineCapabilities 22 }

mdmLineCapabilitiesMNP7 OBJECT-IDENTITY
STATUS current
DESCRIPTION
 "MNP7"
::= { mdmLineCapabilities 23 }

mdmLineCapabilitiesMNP8 OBJECT-IDENTITY
STATUS current
DESCRIPTION
 "MNP8"
::= { mdmLineCapabilities 24 }

mdmLineCapabilitiesMNP9 OBJECT-IDENTITY
STATUS current
DESCRIPTION

 "MNP9"
::= { mdmLineCapabilities 25 }

mdmLineCapabilitiesMNP10 OBJECT-IDENTITY
STATUS current
DESCRIPTION
 "MNP10"
::= { mdmLineCapabilities 26 }

mdmLineCapabilitiesV29 OBJECT-IDENTITY
STATUS current
```

```

DESCRIPTION
 "ITU V.29"
 ::= { mdmLineCapabilities 27 }

mdmLineCapabilitiesV33 OBJECT-IDENTITY
 STATUS current
 DESCRIPTION
 "ITU V.33"
 ::= { mdmLineCapabilities 28 }

mdmLineCapabilitiesBell208 OBJECT-IDENTITY
 STATUS current
 DESCRIPTION
 "Bell 208"
 ::= { mdmLineCapabilities 29 }

-- DTE Interface Table

mdmDTEInterfaceTable OBJECT-TYPE
 SYNTAX SEQUENCE OF MdmDTEInterfaceEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "The modem DTE Interface Table augments the modem ID table."
 ::= { mdmMIBObjects 6 }

mdmDTEInterfaceEntry OBJECT-TYPE
 SYNTAX MdmDTEInterfaceEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "Entries in this table are created only by the agent. One
 entry exists for each modem managed by the agent."
 AUGMENTS { mdmIDEntry }
 ::= { mdmDTEInterfaceTable 1 }

MdmDTEInterfaceEntry ::= SEQUENCE {
 mdmDTEActionDTROnToOff INTEGER,
 mdmDTEActionDTROffToOn INTEGER,
 mdmDTESyncTimingSource INTEGER,
 mdmDTESyncAsyncMode INTEGER,
 mdmDTEInactivityTimeout Integer32
}

mdmDTEActionDTROnToOff OBJECT-TYPE
 SYNTAX INTEGER {
 ignore(1),

```

```

 escapeToCommandMode(2),
 disconnectCall(3),
 resetModem(4)
 }
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "Defines the action the modem will take when DTR drops.

 If the value is set to ignore(1), the modem takes no action
 when DTR drops. Typically, mdmDTEActionDTROffToOn would
 also be set to ignore(1) if this object
is set to ignore(1).

 If the value is escapeToCommandMode(2), the modem remains
 connected and enters command mode. If the value is
 disconnectCall(3), the current call (if any) is terminated
 and the modem will not auto-answer while DTR is off. If the
 value is resetModem(4), the current call (if any) is
 terminated and the modem is reset."
DEFVAL { disconnectCall }
::= { mdmDTEInterfaceEntry 1 }

```

mdmDTEActionDTROffToOn OBJECT-TYPE

```

SYNTAX INTEGER {
 ignore(1),
 enableDial(2),
 autoAnswerEnable(3),
 establishConnection(4)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "Defines the action the modem will take when DTR is raised.

 If the value is set to ignore(1), the modem takes no action
 when DTR is raised. Typically, mdmDTEActionDTROnToOff would
 also be set to ignore(1) if this object is set to ignore(1).

 If the value is set to enableDial(2), the modem prepares to
 dial an outgoing call. If the value is set to
 autoAnswerEnable(3), the modem will be configured to answer
 any incoming call. If the value is set to
 establishConnection(4), the modem dials an implementation
 specific number.

 Immediately after any reset or power-on of the modem, if the
 DTR is high, the action specified here will be executed."

```



DEFVAL { autoAnswerEnable }  
::= { mdmDTEInterfaceEntry 2 }

mdmDTESyncTimingSource OBJECT-TYPE

SYNTAX INTEGER {  
    internal(1),  
    external(2),  
    loopback(3),  
    network(4)  
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The clock source for synchronous transmissions. If set to internal(1), the modem is the clock source and sends the clock signals to the DTE. If set to external(2), the transmit clock signals are provided by the DTE. If loopback(3), the modem receiver clock is used for the transmit clock. If network(4), the clock signals are supplied by the DCE interface.

If the modem is not in synchronous mode, setting this object will have no effect on the current operations of the modem."

REFERENCE "V.58 transmitClockSource"

DEFVAL { internal }  
::= { mdmDTEInterfaceEntry 3 }

mdmDTESyncAsyncMode OBJECT-TYPE

SYNTAX INTEGER {  
    async(1),  
    sync(2),  
    syncAfterDial(3)  
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The operational mode of the modem. If the value is syncAfterDial(3), the modem will accept commands in

asynchronous mode and change to synchronous mode to pass data after a dial sequence has been executed."

DEFVAL { async }  
::= { mdmDTEInterfaceEntry 4 }

mdmDTEInactivityTimeout OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-write

STATUS current

## DESCRIPTION

"The amount of idle time in minutes that the modem will wait before disconnecting a connection. When a call is connected and no data is transferred (continuous marking condition) on both circuits 103 and 104 for the specified time, the DCE disconnects the call. If the value is 0, no idle disconnect will occur. This function applies to asynchronous dial operations only and is intended for administrative control over idle connections."

REFERENCE "V.58 inactivityTimerSelect"

DEFVAL { 0 }

::= { mdmDTEInterfaceEntry 5 }

-- The Call Control Table

mdmCallControlTable

### OBJECT-TYPE

SYNTAX SEQUENCE OF MdmCallControlEntry

MAX-ACCESS not-accessible

STATUS current

### DESCRIPTION

"The modem Call Control Table augments the modem ID table."

::= { mdmMIBObjects 7 }

mdmCallControlEntry OBJECT-TYPE

SYNTAX MdmCallControlEntry

MAX-ACCESS not-accessible

STATUS current

### DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmCallControlTable 1 }

MdmCallControlEntry ::= SEQUENCE {

mdmCCRingsBeforeAnswer Integer32,

mdmCCCallSetUpFailTimer Integer32,

mdmCCResultCodeEnable INTEGER,

mdmCCEscapeAction INTEGER,

mdmCCCallDuration Integer32,

mdmCCConnectionFailReason INTEGER

}

mdmCCRingsBeforeAnswer OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-write

STATUS current

## DESCRIPTION

"Determines which ring the modem will wait to answer the phone on. If this value is `0`, the modem will not go offhook and answer a call when a ring signal is detected."

REFERENCE "V.58 ringsBeforeAnswer"

DEFVAL { 1 }

::= { mdmCallControlEntry 1 }

## mdmCCCallSetUpFailTimer OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-write

STATUS current

### DESCRIPTION

"This parameter specifies the amount of time, in seconds, that the modem shall allow between either answering a call (automatically or manually) or completion of dialing, and establishment of a connection with the remote modem. If no connection is established during this time, the modem disconnects from the line and returns a result code indicating the cause of the disconnection. In TIA-602, this is controlled by the value in the S7 register."

REFERENCE "V.58

callSetUpFailTimer"

DEFVAL { 30 }

::= { mdmCallControlEntry 2 }

## mdmCCResultCodeEnable OBJECT-TYPE

SYNTAX INTEGER {  
disabled(1),  
numericEnabled(2),  
verboseEnabled(3)  
}

MAX-ACCESS read-write

STATUS current

### DESCRIPTION

"When disabled, the DCE shall issue no 'result codes' of any kind to the DTE either in response to unsolicited events (eg. ring signal), or commands. In TIA-602, this is controlled by the ATQ command. When numericEnabled, the DCE shall issue result codes in numeric form. When verboseEnabled, the DCE shall issue result codes in a verbose, textual form."

REFERENCE "V.58 responseModeSelect"

DEFVAL { verboseEnabled }

::= { mdmCallControlEntry 3 }

## mdmCCEscapeAction OBJECT-TYPE

```

SYNTAX INTEGER {
 ignoreEscape(1),

 hangUp(2),
 enterCommandMode(3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "The modem's action upon successfully recognizing the
 'escape to command mode' character sequence."
DEFVAL { ignoreEscape }
::= { mdmCallControlEntry 4 }

```

-- Call status portion of the call control table

mdmCCCallDuration OBJECT-TYPE

```

SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "Present or last completed connection time in seconds. If
 there have been no previous connections, this value should
 be -1."
::= { mdmCallControlEntry 5 }

```

mdmCCConnectionFailReason OBJECT-TYPE

```

SYNTAX INTEGER {
 -- General
 unknown(1),
 other(2),
 managementCommand(3),
 inactivityTimeout(4),
 mnpIncompatibility(5),

 protocolError(6),
 -- DCE
 powerLoss(10),
 equipmentFailure(11),
 -- DTE Interface
 dtrDrop(20),
 -- Line Interface
 noDialTone(30),
 lineBusy(31),
 noAnswer(32),
 voiceDetected(33),
 -- Signal Converter

```

```
 carrierLost(40),
 trainingFailed(41),
 faxDetected(42)
 }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
```

"Indicates the reason that the last connection or attempt failed. The meaning of each reason code is explained below.

**unknown:**

This code means the failure reason is unknown or there has been no previous call.

**other:**

This code used when no other code is applicable. Additional vendor information may be available elsewhere.

**managementCommand:**

A management command terminated the call. These commands include escaping to command mode, initiating dialing, restoring lines, and disconnecting.

**inactivityTimeout:**

The call was terminated because it was inactive for at the minimum duration specified.

**mnpIncompatibility:**

The modems are unable to resolve MNP protocol differences.

**protocolError:**

An error occurred in one of the protocols in use. Further information is required to determine in which protocol the error occurred, and the exact nature of the error.

**powerLoss:**

The modem lost power and disconnected the call.

**equipmentFailure:**

The modem equipment failed.

**dtrDrop:**

DTR has been turned off while the modem is to disconnect on DTR drop. (Ref: V.58 cct108TurnedOff)

noDialTone:

If the modem is to monitor for call progress tones, but the modem has failed to detect dial tone while attempting to dial a number.

lineBusy:

Busy signal is detected while busy signal detection is enabled, or while the 'W' or '@' dial modifier is used. (Ref: V.58 engagedTone)

noAnswer:

The call was not answered.

voiceDetected:

A voice was detected on the call.

carrierLost:

Indicates that the modem has disconnected due to detection of loss of carrier. In TIA-602, the S10 register determines the time that loss of carrier must be detected before the modem disconnects.

trainingFailed:

Indicates that the modems did not successfully train and reach data mode on the previous connection.

faxDetected:

A fax was detected on the call."

REFERENCE "V.58 callCleared"

::= { mdmCallControlEntry 6 }

-- The Stored Dial String table

mdmCCStoredDialStringTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmCCStoredDialStringEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table of stored dial strings."

REFERENCE "V.58 telephoneNumbers"

::= { mdmMIBObjects 8 }

mdmCCStoredDialStringEntry OBJECT-TYPE

SYNTAX MdmCCStoredDialStringEntry

MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
    "A stored dial string."  
INDEX { mdmIndex, mdmCCStoredDialStringIndex }  
::= { mdmCCStoredDialStringTable 1 }

MdmCCStoredDialStringEntry ::= SEQUENCE {  
    mdmCCStoredDialStringIndex Integer32,  
    mdmCCStoredDialString DisplayString  
}

mdmCCStoredDialStringIndex OBJECT-TYPE  
SYNTAX Integer32 (0..65535)  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
    "The unique index of a particular dial string."  
::= { mdmCCStoredDialStringEntry 1 }

mdmCCStoredDialString OBJECT-TYPE  
SYNTAX DisplayString (SIZE(0..64))  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION  
    "A dial string stored in the modem."  
::= { mdmCCStoredDialStringEntry 2 }

-- The modem Error Correcting Group

mdmECTable OBJECT-TYPE  
SYNTAX SEQUENCE OF MdmEEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
    "The modem error correcting table augments the modem ID  
    table."  
::= { mdmMIBObjects 9 }

mdmEEntry OBJECT-TYPE  
SYNTAX MdmEEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
    "Entries in this table are created only by the agent. One  
    entry exists for each modem managed by the agent."  
AUGMENTS

```
{ mdmIDEntry }
::= { mdmECTable 1 }
```

```
MdmECHandle ::= SEQUENCE {
 mdmECHandleUsed OBJECT IDENTIFIER
}
```

mdmECHandleUsed OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates the error control method used during the current or previous call. This shall be one of the values for error control protocols registered in the capabilities table for this modem. If no error control protocol is in use, this object shall have the value '{0 0}'."

REFERENCE "V.58 errorControlActive"

```
::= { mdmECHandle 1 }
```

-- The modem Data Compression Group

mdmDCTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmDCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem data compression table augments the modem ID table."

```
::= { mdmMIBObjects 10 }
```

mdmDCEntry OBJECT-TYPE

SYNTAX MdmDCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

```
::= { mdmDCTable 1 }
```

```
MdmDCEntry ::= SEQUENCE {
```

```
 mdmDCCompressionTypeUsed OBJECT IDENTIFIER
```

```
}
```

mdmDCCompressionTypeUsed OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only



STATUS current

DESCRIPTION

"Indicates the data compression method used during the current or previous call. This shall be one of the values for compression protocols registered in the capabilities table for this modem. If no compression protocol is in use, this object shall have the value '{0 0}'."

::= { mdmDCEntry 1 }

-- The modem Signal Convertor Group

mdmSCTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmSCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem signal convertor table augments the modem ID table."

::= { mdmMIBObjects 11 }

mdmSCEntry OBJECT-TYPE

SYNTAX MdmSCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmSCTable 1 }

MdmSCEntry ::= SEQUENCE {

mdmSCCurrentLineTransmitRate Integer32,

mdmSCCurrentLineReceiveRate Integer32,

mdmSCInitialLineTransmitRate Integer32,

mdmSCInitialLineReceiveRate Integer32,

mdmSCModulationSchemeUsed OBJECT IDENTIFIER

}

mdmSCCurrentLineTransmitRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current link transmit rate of a connection, or the last link transmit rate of the last connection

in bits per

second."

REFERENCE "V.58 transmissionSignallingRateActive"

::= { mdmSCEnterY 1 }

mdmSCCurrentLineReceiveRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current link receive rate of a connection, or the last link receive rate of the last connection in bits per second."

REFERENCE "V.58 transmissionSignallingRateActive"

::= { mdmSCEnterY 2 }

mdmSCInitialLineTransmitRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The initial link transmit rate of the current connection, or the initial link transmit rate of the last connection in bits per second."

::= { mdmSCEnterY 3 }

mdmSCInitialLineReceiveRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The initial link receive rate of the current connection, or the initial link receive rate of the last connection in bits per second."

::= { mdmSCEnterY 4 }

mdmSCModulationSchemeUsed OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The modulation scheme of the current or previous call. This shall be one of the values for modulation protocols registered in the capabilities table for this modem."

REFERENCE "V.58 gsnModulationSchemeActive"

::= { mdmSCEnterY 5 }

-- The Modem Statistics Table

mdmStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmStatsEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"The modem statistics Table augments the modem ID table."  
 ::= { mdmMIBObjects 12 }

mdmStatsEntry OBJECT-TYPE

SYNTAX MdmStatsEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"Entries in this table are  
created only by the agent. One  
entry exists for each modem managed by the agent."  
AUGMENTS { mdmIDEntry }  
 ::= { mdmStatsTable 1 }

MdmStatsEntry ::= SEQUENCE {

mdmStatsRingNoAnswers Counter32,  
mdmStatsIncomingConnectionFailures Counter32,  
mdmStatsIncomingConnectionCompletions Counter32,  
mdmStatsFailedDialAttempts Counter32,  
mdmStatsOutgoingConnectionFailures Counter32,  
mdmStatsOutgoingConnectionCompletions Counter32,  
mdmStatsRetrains Counter32,  
mdmStats2400OrLessConnections Counter32,  
mdmStats2400To14400Connections Counter32,  
mdmStatsGreaterThan14400Connections Counter32,  
mdmStatsErrorControlledConnections Counter32,  
mdmStatsCompressedConnections Counter32,  
mdmStatsCompressionEfficiency Integer32,  
mdmStatsSentOctets Counter32,  
mdmStatsReceivedOctets  
Counter32,  
mdmStatsSentDataFrames Counter32,  
mdmStatsReceivedDataFrames Counter32,  
mdmStatsResentFrames Counter32,  
mdmStatsErrorFrames Counter32  
}

mdmStatsRingNoAnswers OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of events in which ringing was detected but the  
call was not answered."

::= { mdmStatsEntry 1 }

mdmStatsIncomingConnectionFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of incoming connection requests that this modem answered in which it could not train with the other DCE."

::= { mdmStatsEntry 2 }

mdmStatsIncomingConnectionCompletions OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of incoming connection requests that this modem answered and successfully trained with the other DCE."

::= { mdmStatsEntry 3 }

mdmStatsFailedDialAttempts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of call attempts that failed because the modem didn't go off hook, or there was no dialtone."

::= { mdmStatsEntry 4 }

mdmStatsOutgoingConnectionFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of outgoing calls from this modem which successfully went off hook and dialed, in which it could not train with the other DCE."

::= { mdmStatsEntry 5 }

mdmStatsOutgoingConnectionCompletions OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of outgoing calls from this modem which resulted

in successfully training with the other DCE."

::= { mdmStatsEntry 6 }

mdmStatsRetrains OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of retrains experienced on connections on this line."

::= { mdmStatsEntry 7 }

-- Utilization counters

mdmStats2400OrLessConnections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of connections initially established at a modulation speed of 2400 bits per second or less."

::= { mdmStatsEntry 8 }

mdmStats2400To14400Connections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of connections initially established at a modulation speed of greater than 2400 bits per second and less than 14400 bits per second."

::= { mdmStatsEntry 9 }

mdmStatsGreaterThan14400Connections

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of connections initially established at a modulation speed of greater than 14400 bits per second."

::= { mdmStatsEntry 10 }

mdmStatsErrorControlledConnections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current  
DESCRIPTION  
"The number of established connections using an error control protocol."  
::= { mdmStatsEntry 11 }

mdmStatsCompressedConnections OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of established connections using a compression protocol."  
::= { mdmStatsEntry 12 }

mdmStatsCompressionEfficiency OBJECT-TYPE  
SYNTAX Integer32 (0..65535)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of bytes transferred into the compression encoder divided by the number of bytes transferred out of the encoder, multiplied by 100 for either the current or last call. If a data compression protocol is not in use, this value shall be `100`."  
REFERENCE "V.58 compressionEfficiency"  
::= { mdmStatsEntry 13 }

mdmStatsSentOctets OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of octets presented to the modem by the DTE."  
::= { mdmStatsEntry 14 }

mdmStatsReceivedOctets OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of octets presented to the DTE by the modem."  
::= { mdmStatsEntry 15 }

mdmStatsSentDataFrames OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of data frames sent on the line interface. If

there is no frame-oriented protocol in use on the line interface, this counter shall not increment."

::= { mdmStatsEntry 16 }

mdmStatsReceivedDataFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of data frames received on the line interface.

If there is no frame-oriented protocol in use on the line interface, this counter shall not increment."

::= { mdmStatsEntry 17 }

mdmStatsResentFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times this modem retransmits frames on the line interface. If there is no frame-oriented protocol in use on the line interface, this counter shall not increment."

::= { mdmStatsEntry 18 }

mdmStatsErrorFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of block errors received on the link. If there is no frame-oriented protocol in use on the line interface, this counter shall not increment."

::= { mdmStatsEntry 19 }

-- compliance statements

mdmCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for SNMPv2 entities which implement the modem MIB."

```
MODULE -- this module
MANDATORY-GROUPS { mdmIDGroup, mdmLineInterfaceGroup,
 mdmDTEInterfaceGroup, mdmCallControlGroup,
 mdmSignalConvertorGroup, mdmStatisticsGroup }
```

```
GROUP mdmErrorControlGroup
```

```
DESCRIPTION
```

```
"This group is mandatory only for those modems that
implement an error correction protocol."
```

```
GROUP mdmDataCompressionGroup
```

```
DESCRIPTION
```

```
"This group is mandatory only for those modems that
implement a data compression protocol."
```

```
::= { mdmCompliances 1 }
```

```
END
```

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/Modem-MIB
```

No license file was found, but licenses were detected in source scan.

```
RFC1158-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
 mgmt, OBJECT-TYPE, NetworkAddress, IpAddress,
 Counter, Gauge, TimeTicks
 FROM RFC1155-SMI;
```

```
DisplayString ::=
```

```
 OCTET STRING
```

```
mib-2 OBJECT IDENTIFIER ::= { mgmt 1 } -- MIB-II
-- (same prefix as MIB-I)
```

```
system OBJECT IDENTIFIER ::= { mib-2 1 }
```

```
interfaces OBJECT IDENTIFIER ::= { mib-2 2 }
```

```
at OBJECT IDENTIFIER ::= { mib-2 3 }
```

```
ip OBJECT IDENTIFIER ::= { mib-2 4 }
```

```
icmp OBJECT IDENTIFIER ::= { mib-2 5 }
```

```
tcp OBJECT IDENTIFIER ::= { mib-2 6 }
```

```
udp OBJECT IDENTIFIER ::= { mib-2 7 }
```

```
egp OBJECT IDENTIFIER ::= { mib-2 8 }
```

```
-- cmot OBJECT IDENTIFIER ::= { mib-2 9 }
```

```
transmission OBJECT IDENTIFIER ::= { mib-2 10 }
```

```
snmp OBJECT IDENTIFIER ::= { mib-2 11 }
```



-- object types

-- the System group

sysDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-only

STATUS mandatory

::= { system 1 }

sysObjectID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

ACCESS read-only

STATUS mandatory

::= { system 2 }

sysUpTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

::= { system 3 }

sysContact OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

::= { system 4 }

sysName OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

::= { system 5 }

sysLocation OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-only

STATUS mandatory

::= { system 6 }

sysServices OBJECT-TYPE

SYNTAX INTEGER (0..127)

ACCESS read-only

STATUS mandatory

::= { system 7 }

-- the Interfaces group

ifNumber OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS

mandatory

::= { interfaces 1 }

-- the Interfaces table

ifTable OBJECT-TYPE

SYNTAX SEQUENCE OF IfEntry

ACCESS read-only

STATUS mandatory

::= { interfaces 2 }

ifEntry OBJECT-TYPE

SYNTAX IfEntry

ACCESS read-only

STATUS mandatory

::= { ifTable 1 }

IfEntry ::= SEQUENCE {

ifIndex

INTEGER,

ifDescr

DisplayString,

ifType

INTEGER,

ifMtu

INTEGER,

ifSpeed

Gauge,

ifPhysAddress

OCTET STRING,

ifAdminStatus

INTEGER,

ifOperStatus

INTEGER,

ifLastChange

TimeTicks,

ifInOctets

Counter,

ifInUcastPkts

Counter,

ifInNUcastPkts

```
 Counter,
ifInDiscards
 Counter,
ifInErrors
 Counter,
ifInUnknownProtos
 Counter,
ifOutOctets
 Counter,
ifOutUcastPkts
 Counter,
ifOutNUcastPkts
 Counter,
ifOutDiscards
 Counter,
ifOutErrors
 Counter,
ifOutQLen
 Gauge,
ifSpecific
 OBJECT IDENTIFIER
}
```

```
ifIndex OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only
 STATUS mandatory
 ::= { ifEntry 1 }
```

```
ifDescr OBJECT-TYPE
 SYNTAX DisplayString (SIZE (0..255))
 ACCESS read-only
 STATUS mandatory
 ::= { ifEntry 2 }
```

```
ifType OBJECT-TYPE
 SYNTAX INTEGER {
 other(1), -- none of the
 -- following
 regular1822(2),
 hdh1822(3),
 ddn-x25(4),
 rfc877-x25(5),
 ethernet-csmacd(6),
 iso88023-csmacd(7),
 iso88024-tokenBus(8),
 iso88025-tokenRing(9),
 iso88026-man(10),
```

```

 starLan(11),
 proteon-10Mbit(12),
 proteon-80Mbit(13),
 hyperchannel(14),
 fddi(15),
 lapb(16),
 sdlc(17),
 t1-carrier(18),
 cept(19), -- european
 --equivalent of T-1
 basicISDN(20),
 primaryISDN(21),
 -- proprietary
 -- serial
 propPointToPointSerial(22),
 terminalServer-asyncPort(23),
 softwareLoopback(24),
 eon(25), -- CLNP over IP
 ethernet-3Mbit(26),
 nsip(27), -- XNS over IP
 slip(28) -- generic SLIP
}
ACCESS read-only
STATUS mandatory
::= { ifEntry 3 }

```

```

ifMtu OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only
 STATUS mandatory
 ::= { ifEntry 4 }

```

```

ifSpeed
 OBJECT-TYPE
 SYNTAX Gauge
 ACCESS read-only
 STATUS mandatory
 ::= { ifEntry 5 }

```

```

ifPhysAddress OBJECT-TYPE
 SYNTAX OCTET STRING
 ACCESS read-only
 STATUS mandatory
 ::= { ifEntry 6 }

```

```

ifAdminStatus OBJECT-TYPE
 SYNTAX INTEGER {
 up(1), -- ready to pass packets

```

```
 down(2),
 testing(3) -- in some test mode
 }
ACCESS read-write
STATUS mandatory
::= { ifEntry 7 }
```

ifOperStatus OBJECT-TYPE

```
SYNTAX INTEGER {
 up(1), -- ready to pass packets
 down(2),
 testing(3) -- in some test mode
}
ACCESS read-only
STATUS mandatory
::= { ifEntry 8 }
```

ifLastChange OBJECT-TYPE

```
SYNTAX TimeTicks
ACCESS read-only
STATUS mandatory
::= { ifEntry 9 }
```

ifInOctets OBJECT-TYPE

```
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 10 }
```

ifInUcastPkts OBJECT-TYPE

```
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 11 }
```

ifInNUcastPkts OBJECT-TYPE

```
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 12 }
```

ifInDiscards OBJECT-TYPE

```
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 13 }
```

ifInErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 14 }

ifInUnknownProtos OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 15 }

ifOutOctets OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 16 }

ifOutUcastPkts OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 17 }

ifOutNUcastPkts

OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 18 }

ifOutDiscards OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 19 }

ifOutErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 20 }

ifOutQLen OBJECT-TYPE

SYNTAX Gauge  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 21 }

ifSpecific OBJECT-TYPE  
SYNTAX OBJECT IDENTIFIER  
ACCESS read-only  
STATUS mandatory  
::= { ifEntry 22 }

nullSpecific OBJECT IDENTIFIER ::= { 0 0 }

-- the Address Translation group (deprecated)

atTable OBJECT-TYPE  
SYNTAX SEQUENCE OF AtEntry  
ACCESS read-write  
STATUS deprecated  
::= { at 1 }

atEntry OBJECT-TYPE  
SYNTAX AtEntry  
ACCESS read-write  
STATUS deprecated  
::= { atTable 1 }

AtEntry ::=  
SEQUENCE {  
atIfIndex  
INTEGER,  
atPhysAddress  
OCTET STRING,  
atNetAddress  
NetworkAddress  
}

atIfIndex OBJECT-TYPE  
SYNTAX INTEGER  
ACCESS read-write  
STATUS deprecated  
::= { atEntry 1 }

atPhysAddress OBJECT-TYPE  
SYNTAX OCTET STRING  
ACCESS read-write  
STATUS deprecated  
::= { atEntry 2 }

atNetAddress OBJECT-TYPE  
SYNTAX NetworkAddress  
ACCESS read-write  
STATUS deprecated

```

::= { atEntry 3 }

-- the IP group

ipForwarding OBJECT-TYPE
 SYNTAX INTEGER {
 gateway(1), -- entity forwards
 -- datagrams
 host(2) -- entity does NOT
 -- forward datagrams
 }
 ACCESS read-write
 STATUS mandatory
 ::= { ip 1 }

ipDefaultTTL OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-write
 STATUS mandatory
 ::=
 { ip 2 }

ipInReceives OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { ip 3 }

ipInHdrErrors OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { ip 4 }

ipInAddrErrors OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { ip 5 }

ipForwDatagrams OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { ip 6 }

ipInUnknownProtos OBJECT-TYPE

```



SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 7 }

ipInDiscards OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 8 }

ipInDelivers OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 9 }

ipOutRequests OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= {  
ip 10 }

ipOutDiscards OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 11 }

ipOutNoRoutes OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 12 }

ipReasmTimeout OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory  
::= { ip 13 }

ipReasmReqds OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 14 }

ipReasmOKs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 15 }

ipReasmFails OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 16 }

ipFragOKs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 17 }

ipFragFails OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 18 }

ipFragCreates

OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { ip 19 }

-- the IP Interface table

ipAddrTable OBJECT-TYPE

SYNTAX SEQUENCE OF IpAddrEntry  
ACCESS read-only  
STATUS mandatory  
::= { ip 20 }

ipAddrEntry OBJECT-TYPE

SYNTAX IpAddrEntry  
ACCESS read-only  
STATUS mandatory  
::= { ipAddrTable 1 }

IpAddrEntry ::= SEQUENCE {

ipAdEntAddr  
IpAddress,

```
ipAdEntIfIndex
 INTEGER,
ipAdEntNetMask
 IpAddress,
ipAdEntBcastAddr
 INTEGER,
ipAdEntReasmMaxSize
 INTEGER (0..65535)
}
```

```
ipAdEntAddr OBJECT-TYPE
 SYNTAX IpAddress
 ACCESS read-only
 STATUS mandatory
 ::= { ipAddrEntry 1 }
```

```
ipAdEntIfIndex OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only
 STATUS mandatory
 ::= { ipAddrEntry 2 }
```

```
ipAdEntNetMask OBJECT-TYPE
 SYNTAX IpAddress
 ACCESS read-only
 STATUS mandatory
 ::= { ipAddrEntry 3 }
```

```
ipAdEntBcastAddr OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only
 STATUS mandatory
 ::= { ipAddrEntry 4 }
```

```
ipAdEntReasmMaxSize OBJECT-TYPE
 SYNTAX INTEGER (0..65535)
 ACCESS read-only
 STATUS mandatory
 ::= { ipAddrEntry 5 }
```

-- the IP Routing table

```
ipRoutingTable OBJECT-TYPE
 SYNTAX SEQUENCE OF IpRouteEntry
 ACCESS read-write
 STATUS mandatory
 ::= { ip 21 }
```

ipRouteEntry OBJECT-TYPE

SYNTAX IpRouteEntry

ACCESS read-write

STATUS mandatory

::= { ipRoutingTable 1 }

IpRouteEntry ::= SEQUENCE {

ipRouteDest

IpAddress,

ipRouteIfIndex

INTEGER,

ipRouteMetric1

INTEGER,

ipRouteMetric2

INTEGER,

ipRouteMetric3

INTEGER,

ipRouteMetric4

INTEGER,

ipRouteNextHop

IpAddress,

ipRouteType

INTEGER,

ipRouteProto

INTEGER,

ipRouteAge

INTEGER,

ipRouteMask

IpAddress

}

ipRouteDest OBJECT-TYPE

SYNTAX IpAddress

ACCESS read-write

STATUS mandatory

::= { ipRouteEntry 1 }

ipRouteIfIndex OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

::= { ipRouteEntry 2 }

ipRouteMetric1 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

::= { ipRouteEntry 3 }

ipRouteMetric2 OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 4 }

ipRouteMetric3 OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 5 }

ipRouteMetric4 OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 6 }

ipRouteNextHop OBJECT-TYPE

SYNTAX IpAddress  
ACCESS read-write  
STATUS mandatory

::= { ipRouteEntry 7 }

ipRouteType OBJECT-TYPE

SYNTAX INTEGER {  
    other(1), -- none of the following  
  
    invalid(2), -- an invalidated route  
  
        -- route to directly  
    direct(3), -- connected  
        -- (sub-)network  
  
        -- route to a non-local  
    remote(4) -- host/network/  
        -- sub-network  
}  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 8 }

ipRouteProto OBJECT-TYPE

SYNTAX INTEGER {  
    other(1), -- none of the following

```

-- non-protocol
-- information

-- e.g., manually
local(2), -- configured entries

-- set via a network
netmgmt(3),
-- management protocol

-- obtained via ICMP,
icmp(4), -- e.g., Redirect

-- the following are
-- gateway routing
-- protocols
egp(5),
ggp(6),
hello(7),
rip(8),
is-is(9),
es-is(10),
ciscoIgrp(11),
bbnSpfIgp(12),
ospf(13),
bgp(14)
}
ACCESS read-only
STATUS mandatory
::= { ipRouteEntry 9 }

```

```

ipRouteAge OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-write
STATUS mandatory
::= { ipRouteEntry 10 }

```

```

ipRouteMask OBJECT-TYPE
SYNTAX IpAddress
ACCESS read-write
STATUS mandatory
::= { ipRouteEntry 11 }

```

-- the IP Address Translation tables

```

ipNetToMediaTable
OBJECT-TYPE
SYNTAX SEQUENCE OF IpNetToMediaEntry

```

ACCESS read-write  
STATUS mandatory  
::= { ip 22 }

ipNetToMediaEntry OBJECT-TYPE  
SYNTAX IpNetToMediaEntry  
ACCESS read-write  
STATUS mandatory  
::= { ipNetToMediaTable 1 }

IpNetToMediaEntry ::= SEQUENCE {  
ipNetToMediaIfIndex  
INTEGER,  
ipNetToMediaPhysAddress  
OCTET STRING,  
ipNetToMediaNetAddress  
IpAddress,  
ipNetToMediaType  
INTEGER  
}

ipNetToMediaIfIndex OBJECT-TYPE  
SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipNetToMediaEntry 1 }

ipNetToMediaPhysAddress OBJECT-TYPE  
SYNTAX OCTET STRING  
ACCESS read-write  
STATUS mandatory  
::= { ipNetToMediaEntry 2 }

ipNetToMediaNetAddress OBJECT-TYPE  
SYNTAX IpAddress  
ACCESS read-write  
STATUS mandatory  
::= { ipNetToMediaEntry 3 }

ipNetToMediaType OBJECT-TYPE  
  
SYNTAX INTEGER {  
other(1), -- none of the following  
  
invalid(2), -- an invalidated mapping  
dynamic(3), -- connected (sub-)network  
  
static(4)

```
 }
 ACCESS read-write
 STATUS mandatory
 ::= { ipNetToMediaEntry 4 }

-- the ICMP group

icmpInMsgs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { icmp 1 }

icmpInErrors OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { icmp 2 }

icmpInDestUnreachs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { icmp 3 }

icmpInTimeExcds OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { icmp 4 }

icmpInParmProbs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { icmp 5 }

icmpInSrcQuenchs
 OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { icmp 6 }

icmpInRedirects OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
```



::= { icmp 7 }

icmpInEchos OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 8 }

icmpInEchoReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 9 }

icmpInTimestamps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 10 }

icmpInTimestampReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 11 }

icmpInAddrMasks OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 12 }

icmpInAddrMaskReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 13 }

icmpOutMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 14 }

icmpOutErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory  
::= { icmp 15 }

icmpOutDestUnreachs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 16 }

icmpOutTimeExcds OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 17 }

icmpOutParmProbs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 18 }

icmpOutSrcQuenchs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 19 }

icmpOutRedirects OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 20 }

icmpOutEchos OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 21 }

icmpOutEchoReps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 22 }

icmpOutTimestamps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only

STATUS mandatory  
::= { icmp 23 }

icmpOutTimestampReps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 24 }

icmpOutAddrMasks OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 25 }

icmpOutAddrMaskReps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { icmp 26 }

-- the TCP group

tcpRtoAlgorithm OBJECT-TYPE

SYNTAX INTEGER {  
    other(1), -- none of the following  
    constant(2), -- a constant rto  
    rsre(3), -- MIL-STD-1778,  
            -- Appendix B  
  
    vanj(4) -- Van Jacobson's  
            -- algorithm  
}

ACCESS read-only  
STATUS mandatory  
::= { tcp 1 }

tcpRtoMin OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory  
::= { tcp 2 }

tcpRtoMax OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory

::= { tcp 3 }

tcpMaxConn OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

::= { tcp 4 }

tcpActiveOpens OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 5 }

tcpPassiveOpens OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 6 }

tcpAttemptFails OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 7 }

tcpEstabResets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 8 }

tcpCurrEstab OBJECT-TYPE

SYNTAX Gauge

ACCESS read-only

STATUS mandatory

::= { tcp 9 }

tcpInSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 10 }

tcpOutSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

```

STATUS mandatory
::= { tcp 11 }

tcpRetransSegs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { tcp 12 }

-- the TCP connections table

tcpConnTable OBJECT-TYPE
 SYNTAX SEQUENCE OF TcpConnEntry
 ACCESS read-only
 STATUS mandatory
 ::= { tcp 13 }

tcpConnEntry OBJECT-TYPE
 SYNTAX TcpConnEntry
 ACCESS read-only
 STATUS mandatory
 ::= { tcpConnTable 1 }

TcpConnEntry ::= SEQUENCE {
 tcpConnState
 INTEGER,
 tcpConnLocalAddress
 IpAddress,
 tcpConnLocalPort
 INTEGER (0..65535),
 tcpConnRemAddress
 IpAddress,
 tcpConnRemPort
 INTEGER (0..65535)
}

tcpConnState OBJECT-TYPE
 SYNTAX INTEGER {
 closed(1),
 listen(2),
 synSent(3),
 synReceived(4),
 established(5),
 finWait1(6),
 finWait2(7),
 closeWait(8),
 lastAck(9),
 closing(10),

```

```

 timeWait(11)
 }
 ACCESS read-only
 STATUS mandatory
 ::= { tcpConnEntry 1 }

tcpConnLocalAddress OBJECT-TYPE
 SYNTAX IpAddress
 ACCESS read-only
 STATUS mandatory
 ::= { tcpConnEntry 2 }

tcpConnLocalPort OBJECT-TYPE
 SYNTAX INTEGER (0..65535)
 ACCESS read-only
 STATUS mandatory
 ::= { tcpConnEntry 3 }

tcpConnRemAddress OBJECT-TYPE
 SYNTAX IpAddress
 ACCESS read-only
 STATUS mandatory
 ::= { tcpConnEntry 4 }

tcpConnRemPort OBJECT-TYPE
 SYNTAX INTEGER (0..65535)
 ACCESS read-only
 STATUS mandatory
 ::= { tcpConnEntry 5 }

-- additional TCP variables

tcpInErrs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { tcp 14 }

tcpOutRsts OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { tcp 15 }

-- the UDP group

udpInDatagrams OBJECT-TYPE

```

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { udp 1 }

udpNoPorts OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { udp 2 }

udpInErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { udp 3 }

udpOutDatagrams OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { udp 4 }

-- the UDP listener table

udpTable

OBJECT-TYPE

SYNTAX SEQUENCE OF UdpEntry  
ACCESS read-only  
STATUS mandatory  
::= { udp 5 }

udpEntry OBJECT-TYPE

SYNTAX UdpEntry  
ACCESS read-only  
STATUS mandatory  
::= { udpTable 1 }

UdpEntry ::= SEQUENCE {

udpLocalAddress  
IpAddress,  
udpLocalPort  
INTEGER (0..65535)  
}

udpLocalAddress OBJECT-TYPE

SYNTAX IpAddress  
ACCESS read-only

```
STATUS mandatory
::= { udpEntry 1 }

udpLocalPort OBJECT-TYPE
 SYNTAX INTEGER (0..65535)
 ACCESS read-only
 STATUS mandatory
 ::= { udpEntry 2 }

-- the EGP group

egpInMsgs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { egp 1 }

egpInErrors OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { egp 2 }

egpOutMsgs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { egp 3 }

egpOutErrors OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { egp 4 }

-- the EGP Neighbor table

egpNeighTable OBJECT-TYPE
 SYNTAX SEQUENCE OF EgpNeighEntry
 ACCESS read-only
 STATUS mandatory
 ::= { egp 5 }

egpNeighEntry OBJECT-TYPE
 SYNTAX EgpNeighEntry
 ACCESS read-only
 STATUS mandatory
 ::= { egpNeighTable 1 }
```



```
EgpNeighEntry ::= SEQUENCE {
 egpNeighState
 INTEGER,
 egpNeighAddr
 IpAddress,
 egpNeighAs
 INTEGER,
 egpNeighInMsgs
 Counter,
 egpNeighInErrs
 Counter,
 egpNeighOutMsgs
 Counter,
 egpNeighOutErrs
 Counter,
 egpNeighInErrMsgs
 Counter,
 egpNeighOutErrMsgs
 Counter,
 egpNeighStateUps
 Counter,
 egpNeighStateDowns
 Counter,
 egpNeighIntervalHello
 INTEGER,
 egpNeighIntervalPoll
 INTEGER,
 egpNeighMode
 INTEGER,
 egpNeighEventTrigger
 INTEGER
}
```

```
egpNeighState OBJECT-TYPE
 SYNTAX INTEGER {
 idle(1),
 acquisition(2),
 down(3),
 up(4),
 cease(5)
 }
 ACCESS read-only
 STATUS mandatory
 ::= { egpNeighEntry 1 }
```

```
egpNeighAddr OBJECT-TYPE
 SYNTAX IpAddress
```

ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 2 }

egpNeighAs OBJECT-TYPE  
SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 3 }

egpNeighInMsgs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 4 }

egpNeighInErrs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 5 }

egpNeighOutMsgs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS  
mandatory  
::= { egpNeighEntry 6 }

egpNeighOutErrs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 7 }

egpNeighInErrMsgs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 8 }

egpNeighOutErrMsgs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 9 }

egpNeighStateUps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 10 }

egpNeighStateDowns OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 11 }

egpNeighIntervalHello OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 12 }

egpNeighIntervalPoll OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory

::= { egpNeighEntry 13 }

egpNeighMode OBJECT-TYPE

SYNTAX INTEGER {  
    active(1),  
    passive(2)  
}  
ACCESS read-only  
STATUS mandatory  
::= { egpNeighEntry 14 }

egpNeighEventTrigger OBJECT-TYPE

SYNTAX INTEGER {  
    start(1),  
    stop(2)  
}  
ACCESS read-write  
STATUS mandatory  
::= { egpNeighEntry 15 }

-- additional EGP variables

egpAs OBJECT-TYPE

SYNTAX INTEGER  
ACCESS read-only  
STATUS mandatory

```
 ::= { egp 6 }

-- the Transmission group (empty at present)

-- the SNMP group

snmpInPkts OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { snmp 1 }

snmpOutPkts OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { snmp 2 }

snmpInBadVersions OBJECT-TYPE
 SYNTAX Counter
 ACCESS
read-only
 STATUS mandatory
 ::= { snmp 3 }

snmpInBadCommunityNames OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { snmp 4 }

snmpInBadCommunityUses OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { snmp 5 }

snmpInASNParseErrs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 ::= { snmp 6 }

snmpInBadTypes OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
```

::= { snmp 7 }

snmpInTooBigs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 8 }

snmpInNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 9 }

snmpInBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 10 }

snmpInReadOnlys OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 11 }

snmpInGenErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 12 }

snmpInTotalReqVars OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 13 }

snmpInTotalSetVars OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 14 }

snmpInGetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 15 }

snmpInGetNexts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 16 }

snmpInSetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 17 }

snmpInGetResponses OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 18 }

snmpInTraps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 19 }

snmpOutTooBig OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 20 }

snmpOutNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 21 }

snmpOutBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 22 }

snmpOutReadOnlys OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 23 }

snmpOutGenErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 24 }

snmpOutGetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 25 }

snmpOutGetNexts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 26 }

snmpOutSetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 27 }

snmpOutGetResponses OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 28 }

snmpOutTraps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 29 }

snmpEnableAuthTraps OBJECT-TYPE

SYNTAX INTEGER {

enabled(1),

disabled(2)

}

ACCESS read-write

STATUS mandatory

::= { snmp 30 }

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/RFC1158-MIB

No license file was found, but licenses were detected in source scan.

PKTC-IETF-MTA-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY,

OBJECT-TYPE,

OBJECT-IDENTITY,

Unsigned32,

Counter32,

NOTIFICATION-TYPE,

mib-2

    FROM SNMPv2-SMI                    -- [RFC2578]

TEXTUAL-CONVENTION,

RowStatus,

TruthValue

    FROM SNMPv2-TC                    -- [RFC2579]

OBJECT-GROUP,

MODULE-COMPLIANCE,

NOTIFICATION-GROUP

    FROM SNMPv2-CONF                  -- [RFC2580]

InetAddressType,

InetAddress

    FROM INET-ADDRESS-MIB            -- [RFC4001]

sysDescr

    FROM SNMPv2-MIB                  -- [RFC3418]

SnmpAdminString

    FROM SNMP-FRAMEWORK-MIB          -- [RFC3411]

docsDevSoftwareGroupV2

    FROM DOCS-CABLE-DEVICE-MIB      -- [RFC4639]

DocsX509ASN1DEREncodedCertificate,

docsBpi2CodeDownloadGroup

    FROM DOCS-IETF-BPI2-MIB          -- [RFC4131]

LongUtf8String

    FROM SYSAPPL-MIB                  -- [RFC2287]

ifPhysAddress

    FROM IF-MIB;                      -- [RFC2863]

pkteIetfMtaMib MODULE-IDENTITY

LAST-UPDATED "200609180000Z" -- September 18, 2006

ORGANIZATION "IETF IP over Cable Data Network Working Group"

CONTACT-INFO

    "Eugene Nechamkin



Broadcom Corporation,  
200-13711 International Place,

Richmond, BC, V6V 2Z8  
CANADA  
Phone: +1 604 233 8500  
Email: enechamkin@broadcom.com

Jean-Francois Mule  
Cable Television Laboratories, Inc.  
858 Coal Creek Circle  
Louisville, CO 80027-9750  
U.S.A.  
Phone: +1 303 661 9100  
Email: jf.mule@cablelabs.com

#### IETF IPCDN Working Group

General Discussion: [ipcdn@ietf.org](mailto:ipcdn@ietf.org)  
Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>  
Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>  
Co-Chair: Jean-Francois Mule, [jf.mule@cablelabs.com](mailto:jf.mule@cablelabs.com)  
Co-Chair: Richard Woundy, [Richard\\_Woundy@cable.comcast.com](mailto:Richard_Woundy@cable.comcast.com)"

#### DESCRIPTION

"This MIB module defines the basic management object for the Multimedia Terminal Adapter devices compliant with PacketCable and IPCablecom requirements.

Copyright (C) The IETF Trust (2006). This version of this MIB module is part of RFC 4682; see the RFC itself for full legal notices."

REVISION "200609180000Z" -- September 18, 2006

#### DESCRIPTION

"Initial version, published as RFC 4682."

::= { mib-2 140 }

-- Textual Conventions

PktcMtaDevProvEncryptAlg ::= TEXTUAL-CONVENTION

STATUS current

#### DESCRIPTION

" This textual convention defines various types of the encryption algorithms used for the encryption of the MTA

configuration file. The description of the encryption algorithm for each enumerated value is as follows:

```
'none(0)' no encryption
is used,
'des64CbcMode(1)' DES 64-bit key in CBC mode,

't3Des192CbcMode(2)' 3DES 192-bit key in CBC mode,
'aes128CbcMode(3)' AES 128-bit key in CBC mode,
'aes256CbcMode(4)' AES 256-bit key in CBC mode."
SYNTAX INTEGER {
 none (0),
 des64CbcMode (1),
 t3Des192CbcMode (2),
 aes128CbcMode (3),
 aes256CbcMode (4)
}
```

```

-- The MTA MIB module only supports a single Provisioning Server.

```

```
pktcMtaNotification OBJECT IDENTIFIER ::= { pkcIetfMtaMib 0 }
pktcMtaMibObjects OBJECT IDENTIFIER ::= { pkcIetfMtaMib 1 }
pktcMtaDevBase OBJECT IDENTIFIER ::= { pktcMtaMibObjects 1 }
pktcMtaDevServer OBJECT IDENTIFIER ::= { pktcMtaMibObjects 2 }
pktcMtaDevSecurity OBJECT IDENTIFIER ::= { pktcMtaMibObjects 3 }
}
pktcMtaDevErrors OBJECT IDENTIFIER ::= { pktcMtaMibObjects 4 }
pktcMtaConformance OBJECT IDENTIFIER ::= { pkcIetfMtaMib 2 }
```

```
--
-- The following pktcMtaDevBase group describes the base MTA objects
--
```

pktcMtaDevResetNow OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object controls the MTA software reset.  
Reading this object always returns 'false'. Setting this object to 'true' causes the device to reset immediately and the following actions to occur:

1. All connections (if present) are flushed locally.
2. All current actions such as ringing immediately

terminate.

3. Requests for signaling notifications, such as notification based on digit map recognition, are flushed.
4. All endpoints are disabled.
5. The provisioning flow is started at step MTA-1.

If a value is written into an instance of `pktcMtaDevResetNow`, the agent **MUST NOT** retain the supplied value across MTA re-initializations or reboots."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 1 }

#### `pktcMtaDevSerialNumber` OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object specifies the manufacturer's serial number of this MTA. The value of this object **MUST** be identical to the value specified in DHCP option 43, sub-option 4. The list of sub-options for DHCP option 43 are defined in the PacketCable MTA Device Provisioning Specification."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 2 }

#### `pktcMtaDevSwCurrentVers` OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object identifies the software version currently operating in the MTA.  
The MTA **MUST** return a string descriptive of the current software load. This object should use the syntax defined by the individual vendor to identify the software version. The data presented in this object **MUST** be identical to the software version information contained in the 'sysDescr' MIB object of the MTA. The value of this object **MUST** be identical to the value specified in DHCP option 43, sub-option 6. The list of sub-options for DHCP option 43 are defined in the PacketCable MTA Device

Provisioning Specification."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 3 }

pktcMtaDevFQDN OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Fully Qualified

Domain Name for

this MTA. The MTA FQDN is used to uniquely identify the device to the PacketCable back office elements."

::= { pktcMtaDevBase 4 }

pktcMtaDevEndPntCount OBJECT-TYPE

SYNTAX Unsigned32 (1..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the number of physical endpoints for this MTA."

::= { pktcMtaDevBase 5 }

pktcMtaDevEnabled OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the MTA Admin Status of this device.

If this object is set to 'true', the MTA is administratively enabled, and the MTA MUST be able to interact with the PacketCable entities, such as CMS, Provisioning Server, KDC, and other MTAs and MGs on all PacketCable interfaces.

If this object is set to 'false', the MTA is administratively

disabled, and the MTA MUST perform the

following actions for all endpoints:

- Shut down all media sessions, if present.
- Shut down Network Control Signaling (NCS) signaling by following the Restart in Progress procedures in the PacketCable NCS

specification.

The MTA must execute all actions required to enable or disable the telephony services for all endpoints immediately upon receipt of an SNMP SET operation.

Additionally, the MTA MUST maintain the SNMP Interface for management and also the SNMP Key management interface. Also, the MTA MUST NOT continue Kerberized key management with CMSes until this object is set to 'true'.

Note: MTAs MUST renew the CMS Kerberos tickets according to the PacketCable Security or IPCablecom Specification.

If a value is written into an instance

of

pktcMtaDevEnabled, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification;  
PacketCable Security Specification;  
PacketCable Network-Based Call Signaling Protocol

Specification."

::= { pktcMtaDevBase 6 }

pktcMtaDevTypeIdentifier OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object provides the MTA device type identifier. The value of this object must be a copy of the DHCP option 60 value exchanged between the MTA and the DHCP server. The DHCP option 60 value contains an ASCII-encoded string identifying capabilities of the MTA as defined in the PacketCable MTA Device Provisioning Specification."

#### REFERENCE

" RFC 2132, DHCP Options and BOOTP Vendor Extensions;  
PacketCable

MTA Device Provisioning Specification."

::= { pktcMtaDevBase 7 }

pktcMtaDevProvisioningState OBJECT-TYPE

SYNTAX INTEGER {

pass (1),

inProgress (2),

failConfigFileError (3),

```
 passWithWarnings (4),
 passWithIncompleteParsing (5),
 failureInternalError (6),
 failureOtherReason (7)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
```

" This object indicates the completion state of the MTA device provisioning process.

pass:

If the configuration file could be parsed successfully and the MTA is able to reflect the same in its MIB, the MTA MUST return the value 'pass'.

inProgress:

If the MTA is in the process of being provisioned, the MTA MUST return the value 'inProgress'.

failConfigFileError:

If the configuration file was in error due to incorrect values in the mandatory parameters, the MTA MUST reject the configuration file, and the MTA MUST return the value

'failConfigFileError'.

passWithWarnings:

If the configuration file had proper values for all the mandatory parameters but has errors in any of the optional parameters (this includes any vendor-specific Object Identifiers (OIDs) that are incorrect or not known to the MTA), the MTA MUST return the value 'passWithWarnings'.

passWithIncompleteParsing:

If the configuration file is valid but the MTA cannot reflect the same in its configuration (for example, too many entries caused memory exhaustion), it must accept the CMS configuration entries related, and the MTA MUST return the value 'passWithIncompleteParsing'.

failureInternalError:

If the configuration file cannot be parsed due to an Internal error, the MTA MUST return the value 'failureInternalError'.

failureOtherReason:

If the MTA cannot accept the configuration file for any other reason than the ones stated above, the MTA MUST return the value 'failureOtherReason'.

When a final SNMP INFORM is sent as part of Step 25 of the MTA Provisioning process, this parameter is also included in the final INFORM message."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 8 }

pktcMtaDevHttpAccess OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object indicates whether the HTTP protocol is supported for the MTA configuration file transfer."

::= { pktcMtaDevBase 9 }

pktcMtaDevProvisioningTimer OBJECT-TYPE

SYNTAX Unsigned32

(0..30)

UNITS "minutes"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" This object defines the time interval for the provisioning flow to complete. The MTA MUST finish all provisioning operations starting from the moment when an MTA receives its DHCP ACK and ending at the moment when the MTA downloads its configuration file (e.g., MTA5 to MTA23) within the period of time set by this object.

Failure to comply with this condition constitutes a provisioning flow failure. If the object is set to 0, the MTA MUST ignore the provisioning timer condition.

If a value is written into an instance of pktcMtaDevProvisioningTimer, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification."

DEFVAL { 10 }

::= { pktcMtaDevBase 10 }

pktcMtaDevProvisioningCounter

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts the number of times the provisioning cycle has looped through step MTA-1."

::= {pktcMtaDevBase 11 }

pktcMtaDevErrorOidsTable OBJECT-TYPE

SYNTAX SEQUENCE OF PkctMtaDevErrorOidsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table contains the list of configuration errors or warnings the MTA encountered when parsing the configuration file it received from the Provisioning Server.

For each error, an entry is created in this table, containing the configuration parameters the MTA rejected and the associated reason (e.g., wrong or unknown OID, inappropriate object values). If the MTA did not report a provisioning state of 'pass(1)' in the pkctMtaDevProvisioningState object, this

table MUST be

populated for each error or warning instance. Even if different parameters share the same error type (e.g., all realm name configuration parameters are invalid), all observed errors or warnings must be reported as different instances. Errors are placed into the table in no particular order. The table MUST be cleared each time

the MTA reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= {pkctMtaDevBase 12 }

pkctMtaDevErrorOidsEntry OBJECT-TYPE

SYNTAX PkctMtaDevErrorOidsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This entry contains the necessary information the MTA MUST attempt to provide in case of configuration file errors or



warnings."

```
INDEX { pktcMtaDevErrorOidIndex }
 ::= {pktcMtaDevErrorOidsTable 1 }
```

```
PktcMtaDevErrorOidsEntry ::= SEQUENCE {
 pktcMtaDevErrorOidIndex Unsigned32,
 pktcMtaDevErrorOid SnmpAdminString,
 pktcMtaDevErrorValue SnmpAdminString,
 pktcMtaDevErrorReason SnmpAdminString
 }
```

pktcMtaDevErrorOidIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..1024)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object is the index of the MTA configuration error table. It is an integer value that starts at value '1' and is incremented for each encountered configuration file error or warning.

The maximum number of errors or warnings that can be recorded in the pktcMtaDevErrorOidsTable is set to 1024 as a configuration file is usually validated by operators before deployment. Given the possible number of configuration parameter assignments in the MTA configuration file, 1024 is perceived as a sufficient limit even with future extensions.

If the number of the errors in the configuration file exceeds 1024, all errors beyond the 1024th one MUST be ignored and not be reflected in the pktcMtaDevErrorOidsTable."

```
::= {pktcMtaDevErrorOidsEntry 1 }
```

pktcMtaDevErrorOid OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains a human readable representation (character string) of the OID corresponding to the configuration file parameter that caused the particular

error.

For example, if the value of the `pktcMtaDevEnabled` object in the configuration file caused an error, then this object instance will contain the human-readable string of '1.3.6.1.2.1.140.1.1.6.0'.

If the MTA generated an error because it was not able to recognize a particular OID, then this object instance would contain an empty value (zero-length string).

For example,

if the value of an OID in the configuration file was interpreted by the MTA as being 1.2.3.4.5, and if the MTA was not able to recognize this OID as a valid one, this object instance will contain a zero-length string.

If the number of errors in the configuration file exceeds 1024, then for all subsequent errors, the `pktcMtaDevErrorOid` of the table's 1024th entry MUST contain a human-readable representation of the `pktcMtaDevErrorsTooManyErrors` object; i.e., the string '1.3.6.1.2.1.140.1.1.4.1.0'.

Note that the syntax of this object is `SnmpAdminString` instead of `OBJECT IDENTIFIER` because the object value may not be a valid OID due to human or configuration tool encoding errors."

```
::= {pktcMtaDevErrorOidsEntry 2}
```

`pktcMtaDevErrorValue` OBJECT-TYPE

SYNTAX `SnmpAdminString`

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This

object contains the value of the OID corresponding to the configuration file parameter that caused the error.

If the MTA cannot recognize the OID of the configuration parameter causing the error, then this object instance contains the OID itself as interpreted by the MTA in human-readable representation.

If the MTA can recognize the OID but generate an error due to a wrong value of the parameter, then the object

instance contains the erroneous value of the parameter as read from the configuration file.

In both cases, the value of this object must be

represented in human-readable form as a character string.  
For example, if the value of the `pktcMtaDevEnabled` object in the configuration file was 3 (invalid value), then the `pktcMtaDevErrorValue` object instance will contain the human-readable (string) representation of value '3'.

Similarly, if the OID in the configuration file has been interpreted by the MTA as being 1.2.3.4.5 and the MTA cannot recognize this OID as a valid one, then this `pktcMtaDevErrorValue` object instance will contain human readable (string) representation of value '1.2.3.4.5'.

If the number of errors in the configuration file exceeds 1024, then for all subsequent errors, the `pktcMtaDevErrorValue` of the table's 1024th entry MUST contain a human-readable representation of the `pktcMtaDevErrorsTooManyErrors` object; i.e., the string '1.3.6.1.2.1.140.1.1.4.1.0'."

```
::= {pktcMtaDevErrorOidsEntry 3}
```

`pktcMtaDevErrorReason` OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object indicates the reason for the error or warning, as per the MTA's interpretation, in human-readable form.

For example:

'VALUE NOT IN RANGE', 'VALUE DOES NOT MATCH TYPE',  
'UNSUPPORTED VALUE', 'LAST 4 BITS MUST BE SET TO ZERO',  
'OUT OF MEMORY - CANNOT STORE'.

This object may also contain vendor specific errors for private vendor OIDs and any proprietary error codes or messages that can help diagnose configuration errors.

If the number of errors in the configuration file exceeds 1024, then for all subsequent errors, the `pktcMtaDevErrorReason` of the table's 1024th entry MUST contain a human-readable string indicating the reason for an error; for example,

'Too many errors in the configuration file'."

```
::= {pktcMtaDevErrorOidsEntry 4}
```

--

-- The following group describes server access and parameters used

-- for the initial MTA provisioning and bootstrapping phases.

--

pktcMtaDevDhcpServerAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet address type for the  
PacketCable DHCP servers specified in MTA MIB."

DEFVAL { ipv4 }

::= { pktcMtaDevServer 1 }

pktcMtaDevServerDhcp1 OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet Address of the primary  
DHCP server the MTA uses during provisioning.  
The type of this address is determined by the value of  
the pktcMtaDevDhcpServerAddressType object.  
When the latter has the value 'ipv4(1)', this object  
contains the IP address of the primary DHCP  
server. It is provided by the CM to the MTA via the DHCP  
option code 122, sub-option 1, as defined in RFC 3495.

The behavior of this object when the value of  
pktcMtaDevDhcpServerAddressType is other than 'ipv4(1)'  
is not presently specified, but it may be specified  
in future versions of this MIB module.

If this object is of value  
0.0.0.0, the MTA MUST stop all provisioning  
attempts, as well as all other activities.

If this object is of value 255.255.255.255, it means  
that there was no preference given for the primary  
DHCP server, and, the MTA must follow the logic of  
RFC2131, and the value of DHCP option 122,  
sub-option 2, must be ignored."

REFERENCE

" PacketCable MTA Device Provisioning Specification;  
RFC 2131, Dynamic Host Configuration Protocol;  
RFC 3495, DHCP Option for CableLabs Client Configuration."

::= { pktcMtaDevServer 2 }

pktcMtaDevServerDhcp2 OBJECT-TYPE

SYNTAX InetAddress  
MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet Address of the secondary DHCP server the MTA uses during provisioning. The type of this address is determined by the value of the pktcMtaDevDhcpServerAddressType object. When the latter has the value 'ipv4(1)', this object contains the IP address of the secondary DHCP server. It is provided by the CM to the MTA via the DHCP option code 122, sub-option 2, as defined in RFC 3495.

The behavior of this object when the value of pktcMtaDevDhcpServerAddressType is other than 'ipv4(1)' is not presently specified, but it may be specified in future versions of this MIB module. If there was no secondary DHCP server provided in DHCP Option 122, sub-option 2, this object must return the value 0.0.0.0."

REFERENCE

" PacketCable MTA Device Provisioning Specification; RFC 3495, DHCP Option for CableLabs Client Configuration."  
 ::= { pktcMtaDevServer 3 }

pktcMtaDevDnsServerAddressType OBJECT-TYPE

SYNTAX InetAddressType  
MAX-ACCESS  
read-only

STATUS current

DESCRIPTION

" This object contains the Internet address type for the PacketCable DNS servers specified in MTA MIB."

DEFVAL { ipv4 }  
 ::= { pktcMtaDevServer 4 }

pktcMtaDevServerDns1 OBJECT-TYPE

SYNTAX InetAddress  
MAX-ACCESS read-write  
STATUS current

DESCRIPTION

" This object contains the IP Address of the primary DNS server to be used by the MTA. The type of this address is determined by the value of the

pktcMtaDevDnsServerAddressType object.  
When the latter has the value 'ipv4(1)', this object contains the IP address of the primary DNS server. As defined in RFC 2132, PacketCable-compliant MTAs receive the IP addresses of the DNS Servers in DHCP option 6. The behavior of this object when the value of pktcMtaDevDnsServerAddressType is other than 'ipv4(1)

is not presently specified, but it may be specified in future versions of this MIB module. If a value is written into an instance of pktcMtaDevServerDns1, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification;  
RFC 2132, DHCP Options and BOOTP Vendor Extensions."  
::= { pktcMtaDevServer 5 }

#### pktcMtaDevServerDns2 OBJECT-TYPE

SYNTAX InetAddress  
MAX-ACCESS read-write  
STATUS current

#### DESCRIPTION

" This object contains the IP Address of the secondary DNS server to be used by the MTA. The type of this address is determined by the value of the pktcMtaDevDnsServerAddressType object. When the latter has the value 'ipv4(1)', this object contains the IP address of the secondary DNS server. As defined in RFC 2132, PacketCable-compliant MTAs receive the IP addresses of the DNS Servers in DHCP option 6.

The behavior of this object when the value of pktcMtaDevDnsServerAddressType is other than 'ipv4(1)' is not presently specified, but it may be specified in future versions of this MIB module. If a value is written into an instance of pktcMtaDevServerDns2, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification;  
RFC 2132, DHCP Options and BOOTP Vendor Extensions."  
::= { pktcMtaDevServer 6 }

pktcMtaDevTimeServerAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet address type for the PacketCable Time servers specified in MTA MIB."

DEFVAL { ipv4 }

::= { pktcMtaDevServer 7 }

pktcMtaDevTimeServer OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the Internet Address of the Time Server used by an S-MTA for Time Synchronization. The type of this address is determined by the value of the pktcMtaDevTimeServerAddressType object.

When the latter has the value 'ipv4(1)', this object contains the IP address of the Time Server used for Time Synchronization.

In the case of an S-MTA, this object must be populated with a value other than 0.0.0.0 as obtained from DHCP option 4. The protocol by which the time of day MUST be retrieved is defined in RFC 868.

In the case of an E-MTA, this object must contain a value of 0.0.0.0 if the address type is 'ipv4(1)' since an E-MTA does not use the Time Protocol for time synchronization (an E-MTA uses the time retrieved by the DOCSIS cable modem).

The behavior of this object when the value of pktcMtaDevTimeServerAddressType is other than 'ipv4(1)' is not presently specified, but it may be specified in future versions of this MIB module.

If a value is written into an instance of pktcMtaDevTimeServer, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" RFC 868, Time Protocol;

RFC 2131, Dynamic Host Configuration Protocol;

RFC 2132, DHCP Options and BOOTP Vendor Extensions."

::= { pktcMtaDevServer 8 }

pktcMtaDevConfigFile OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the MTA device configuration file information, including the access method, the server name, and the configuration file name. The value of this object is the Uniform Resource Locator (URL)

of the configuration

file for TFTP or HTTP download.

If this object value is a TFTP URL, it must be formatted as defined in RFC 3617.

If this object value is an HTTP URL, it must be formatted as defined in RFC 2616.

If the MTA SNMP Enrollment mechanism is used, then the MTA must download the file provided by the Provisioning Server

during provisioning via an SNMP SET on this object.

If the MTA SNMP Enrollment mechanism is not used, this object MUST contain the URL value corresponding to the 'siaddr' and 'file' fields received in the DHCP ACK to locate the configuration file: the 'siaddr' and 'file' fields represent the host and file of the TFTP URL, respectively. In this case, the MTA MUST return an 'inconsistentValue' error in response to SNMP SET operations.

The MTA MUST return a zero-length string if the server address (host part of the URL) is unknown.

If a value is written into an instance of pktcMtaDevConfigFile, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification; RFC 3617, URI Scheme for TFTP; RFC 2616, HTTP 1.1"

::= { pktcMtaDevServer 9 }

pktcMtaDevSnmpEntity OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the FQDN of the SNMP entity of the Provisioning Server. When the MTA SNMP Enrollment Mechanism is used, this object represents the server that the MTA communicates with, that it receives the configuration file URL from, and that it sends the



enrollment notification to. The SNMP entity is also the destination entity for all the provisioning notifications. It may be used for post-provisioning SNMP operations. During the provisioning phase, this SNMP entity FQDN is supplied to the MTA via DHCP option 122, sub-option 3, as defined in RFC 3495. The MTA must resolve the FQDN value before its very first network interaction with the SNMP entity during the provisioning phase."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification;  
RFC 3495, DHCP Option for CableLabs Client Configuration."  
::= { pktcMtaDevServer 10 }

pktcMtaDevProvConfigHash OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(20))

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" This object contains the hash value of the contents of the configuration file.

The authentication algorithm is Secure Hashing Algorithm 1 (SHA-1), and the length is 160 bits. The hash calculation MUST follow the requirements defined in the

PacketCable Security Specification. When the MTA SNMP Enrollment mechanism is used, this hash value is calculated and sent to the MTA prior to sending the config file. This object value is then provided by the Provisioning server via an SNMP SET operation. When the MTA SNMP Enrollment mechanism is not in use, the hash value is provided in the configuration file itself, and it is also calculated by the MTA. This object value MUST represent the hash value calculated by the MTA. When the MTA SNMP Enrollment mechanism is not in use, the MTA must reject all SNMP SET operations on this object and return an 'inconsistentValue' error.

If a value is written into an instance of pktcMtaDevProvConfigHash, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

#### REFERENCE

" PacketCable MTA Device Provisioning

Specification;

PacketCable Security Specification."

::= { pktcMtaDevServer 11 }

pktcMtaDevProvConfigKey OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(32))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the key used to encrypt/decrypt the configuration file when secure SNMPv3 provisioning is used.

The value of this object is provided along with the configuration file information (pktcMtaDevConfigFile) and hash (pktcMtaDevProvConfigHash) by the Provisioning Server via SNMP SET once the configuration file has been created, as defined by the PacketCable Security specification.

The privacy algorithm is defined by the pktcMtaDevProvConfigEncryptAlg MIB object. The MTA requirements related to the privacy algorithm are defined in the PacketCable Security Specification.

If this object is set at any other provisioning step than that allowed by the PacketCable MTA Device

Provisioning Specification, the MTA SHOULD return an 'inconsistentValue' error.

This object must not be used in non secure provisioning mode. In non-secure provisioning modes, the MTA SHOULD return an 'inconsistentValue' in response to SNMP SET operations, and the MTA SHOULD return a zero-length string in response to SNMP GET operations.

If a value is written into an instance of pktcMtaDevProvConfigKey, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification; PacketCable Security Specification."

::= { pktcMtaDevServer 12 }

pktcMtaDevProvConfigEncryptAlg OBJECT-TYPE

SYNTAX PktcMtaDevProvEncryptAlg

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines the encryption algorithm used for  
privacy protection of the MTA Configuration File content."

DEFVAL { des64CbcMode }

::= { pktcMtaDevServer 13 }

pktcMtaDevProvSolicitedKeyTimeout OBJECT-TYPE

SYNTAX Unsigned32 (0..180)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines a Kerberos Key Management timer on the  
MTA. It is the time period during which the MTA saves the  
nonce and Server Kerberos Principal Identifier to match an  
AP Request and its associated AP Reply response from the  
Provisioning Server.

After the timeout has been exceeded, the client discards  
this (nonce, Server Kerberos Principal Identifier) pair,  
after which it will no longer accept a matching AP Reply.

This timer only applies when the Provisioning Server  
initiated key management for SNMPv3 (with a  
Wake

Up message).

If this object is set to a zero value, the MTA MUST return  
an 'inconsistentValue' in response to SNMP SET operations.

This object should not be used in non-secure provisioning  
modes. In non-secure provisioning modes, the MTA MUST  
return an 'inconsistentValue' in response to SNMP SET  
operations, and the MTA MUST return a zero value in

response to SNMP GET operations.

If a value is written into an instance of  
pktcMtaDevProvSolicitedKeyTimeout, the agent MUST NOT  
retain the supplied value across MTA re-initializations  
or reboots."

DEFVAL { 3 }

::= { pktcMtaDevServer 14 }

-----

--

- Unsolicited key updates are retransmitted according to an
- exponential back-off mechanism using two timers and a maximum
- retry counter for AS replies.

-- The initial retransmission timer value is the nominal timer  
 -- value (pktcMtaDevProvUnsolicitedKeyNomTimeout). The retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevProvUnsolicitedKeyMaxTimeout). Retransmissions stop when the maximum retry counter is reached (pktcMtaDevProvUnsolicitedKeyMaxRetries). For example, with values of 3 seconds for the nominal timer, 100 seconds for the maximum timeout, and 8 retries max, and with an exponential value of 2, this results in retransmission intervals will be 3 s, 6 s, 12 s, 24 s, 48 s, 96 s, 100 s, and 100 s; retransmissions then stop because the maximum number of retries (8) has been reached.

-----  
 --  
 -- Timeouts for unsolicited key management updates are only pertinent before the first SNMPv3 message is sent between the MTA and the Provisioning Server and before the configuration file is loaded.  
 --  
 -----

pktcMtaDevProvUnsolicitedKeyMaxTimeout

OBJECT-TYPE

SYNTAX Unsigned32 (0..600)

UNITS "seconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object defines the timeout value that applies to an MTA-initiated AP-REQ/REP key management exchange with the Provisioning Server in SNMPv3 provisioning.

It is the maximum timeout value, and it may not be exceeded in the exponential back-off algorithm. If the DHCP option

code 122, sub-option 5, is provided to the MTA, it overwrites this value.

In non-secure provisioning modes, the MTA MUST return a zero value in response to SNMP GET operations."

REFERENCE

" PacketCable Security Specification."

DEFVAL {600}

::= { pktcMtaDevServer 15 }

pktcMtaDevProvUnsolicitedKeyNomTimeout OBJECT-TYPE

SYNTAX Unsigned32 (0..600)

UNITS "seconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object defines the starting value of the timeout for the AP-REQ/REP Backoff and Retry mechanism with exponential timeout in SNMPv3 provisioning. If the DHCP option code 122, sub-option 5, is provided the MTA, it overwrites this value. In non-secure provisioning modes, the MTA MUST return a zero value in response to SNMP GET operations."

REFERENCE

" PacketCable Security Specification."

DEFVAL {3}

::= { pktcMtaDevServer 16 }

pktcMtaDevProvUnsolicitedKeyMaxRetries OBJECT-TYPE

SYNTAX Unsigned32 (0..32)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains a retry counter that applies to an MTA-initiated AP-REQ/REP key management exchange with the Provisioning Server in secure SNMPv3 provisioning. It is the maximum

number of retries before the MTA stops

attempting to establish a Security Association with Provisioning Server.

If the DHCP option code 122, sub-option 5, is provided to the MTA, it overwrites this value.

If this object is set to a zero value, the MTA MUST return an 'inconsistentValue' in response to SNMP SET operations.

In non-secure provisioning modes, the MTA MUST return a zero value in response to SNMP GET operations."

REFERENCE

" PacketCable Security Specification."

DEFVAL {8}

::= { pktcMtaDevServer 17 }

pktcMtaDevProvKerbRealmName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the name of the associated provisioning Kerberos realm acquired during the MTA4 provisioning step (DHCP Ack) for SNMPv3 provisioning. The uppercase ASCII representation

of the associated

Kerberos realm name MUST be used by both the Manager (SNMP entity) and the MTA.

The Kerberos realm name for the Provisioning Server is supplied to the MTA via DHCP option code 122, sub-option 6, as defined in RFC 3495. In secure SNMP provisioning mode, the value of the Kerberos realm name for the Provisioning Server supplied in the MTA configuration file must match the value supplied in the DHCP option code 122, sub-option 6. Otherwise, the value of this object must contain the value supplied in DHCP Option 122, sub-option 6."

REFERENCE

" PacketCable MTA Device Provisioning Specification; RFC 3495, DHCP Option for CableLabs Client Configuration."

::= { pktcMtaDevServer 18 }

pktcMtaDevProvState OBJECT-TYPE

SYNTAX INTEGER {

operational (1),

waitingForSnmpSetInfo

(2),

waitingForTftpAddrResponse (3),

waitingForConfigFile (4)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object defines the MTA provisioning state.

If the state is:

'operational(1)', the device has completed the loading and processing of the initialization parameters.

'waitingForSnmpSetInfo(2)', the device is waiting on its configuration file download access information.

Note that this state is only reported when the MTA

SNMP enrollment mechanism is used.

'waitingForTftpAddrResponse(3)', the device has sent a DNS request to resolve the server providing the configuration file, and it is awaiting for a response. Note that this state is only reported when the MTA SNMP enrollment mechanism is used.

'waitingForConfigFile(4)', the device has sent a request via TFTP or HTTP for the download of its configuration file, and it is awaiting for a response or the file download is in progress."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification, PacketCable Security Specification."

::= { pktcMtaDevServer 19 }

--

-- The following object group describes the security objects.

--

#### pktcMtaDevManufacturerCertificate OBJECT-TYPE

SYNTAX DocsX509ASN1DEREncodedCertificate

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object contains the MTA Manufacturer Certificate. The object value must be the ASN.1 DER encoding of the MTA manufacturer's X.509 public key certificate. The MTA Manufacturer Certificate is issued to each MTA manufacturer and is installed into each MTA at the time of manufacture or with a secure code download. The specific requirements

related to this certificate are defined in

the PacketCable or IPCablecom Security specifications."

#### REFERENCE

" PacketCable Security Specification."

::= {pktcMtaDevSecurity 1 }

#### pktcMtaDevCertificate OBJECT-TYPE

SYNTAX DocsX509ASN1DEREncodedCertificate

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object contains the MTA Device Certificate.

The object value must be the ASN.1 DER encoding of the MTA's X.509 public-key certificate issued by the manufacturer and installed into the MTA at the time of

manufacture or with a secure code download.

This certificate contains the MTA MAC address. The specific requirements related to this certificate are defined in the PacketCable or IPCablecom Security specifications."

#### REFERENCE

" PacketCable Security Specification."

::= { pktcMtaDevSecurity 2 }

#### pktcMtaDevCorrelationId OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object contains a correlation ID, an arbitrary value generated by the MTA that will be exchanged as part of the device capability data to the Provisioning Application. This random value is used as an identifier to correlate related events in the MTA provisioning sequence. This value is intended for use only during the MTA initialization and configuration file download."

#### REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevSecurity 3 }

#### pktcMtaDevTelephonyRootCertificate OBJECT-TYPE

SYNTAX DocsX509ASN1DEREncodedCertificate

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

" This object contains the telephony Service Provider Root certificate. The object value is the ASN.1 DER encoding of the IP Telephony Service Provider

Root X.509 public key

certificate. This certification is stored in the MTA non-volatile memory and can be updated with a secure code download. This certificate is used to validate the initial AS Reply received by the MTA from the Key Distribution Center (KDC) during the MTA initialization. The specific requirements related to this certificate are defined in the PacketCable or IPCablecom Security specifications."

#### REFERENCE



" PacketCable Security Specification."  
 ::= { pktcMtaDevSecurity 4 }

-----

--  
-- Informative Procedures for Setting up Security Associations  
--

-- A Security Association may be set up either via configuration or  
-- via NCS signaling.

-- I. Security association setup via configuration.

-- The realm must be configured first. Associated with the realm  
-- is a KDC. The realm table (pktcMtaDevRealmTable)  
-- indicates  
-- information about the realm (e.g., name, organization name) and  
-- parameters associated with KDC communications (e.g., grace  
-- periods, AS Request/AS Reply adaptive back-off parameters).

-- Once the realm is established, one or more CMS(es) may be  
-- defined in the realm. Associated with each CMS  
-- entry in the pktcMtaDevCmsTable is an explicit reference  
-- to a Realm via the realm name (pktcMtaDevCmsKerbRealmName),  
-- the FQDN of the CMS, and parameters associated with IPSec  
-- key management with the CMS (e.g., clock skew, AP Request/  
-- AP Reply adaptive back-off parameters).

-- II. Security association setup via NCS signaling.

-- The procedure of establishing the Security Associations  
-- for NCS signaling is described in the PacketCable Security  
-- specification.  
-- It involves the analysis of the pktcNcsEndPntConfigTable row  
-- for the corresponding endpoint number and the correlation of  
-- the CMS FQDN from this row  
-- with the CMS Table and  
-- consequently, with the Realm Table. Both of these tables  
-- are defined below. The pktcNcsEndPntConfigTable is defined in  
-- the IP over Cable Data Network (IPCDN)  
-- NCS Signaling MIB [NCSSIGMIB].

-- III. When the MTA receives wake-up or re-key messages from a  
-- CMS, it performs key management based on the corresponding  
-- entry in the CMS table. If the matching CMS entry does not  
-- exist, it must ignore the wake-up or re-key messages.

```
--

--
-- pktcMtaDevRealmTable
--
-- The pktcMtaDevRealmTable shows the KDC realms. The table is
-- indexed with pktcMtaDevRealmIndex. The Realm Table contains the
-- pktcMtaDevRealmName in conjunction with any server that needs
-- a Security Association with the MTA. Uppercase must be used
-- to compare the pktcMtaDevRealmName content.
--
```

```

```

pktcMtaDevRealmAvailSlot

OBJECT-TYPE

SYNTAX Unsigned32 (0..64)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the index number of the first available entry in the realm table (pktcMtaDevRealmTable). If all the entries in the realm table have been assigned, this object contains the value of zero. A management station should create new entries in the realm table, using the following procedure:

First, issue a management protocol retrieval operation to determine the value of the first available index in the realm table (pktcMtaDevRealmAvailSlot).

Second, issue a management protocol SET operation to create an instance of the pktcMtaDevRealmStatus object by setting its value to 'createAndWait(5)'.

Third, if the SET operation succeeded, continue

modifying the object instances corresponding to the newly created conceptual row, without fear of collision with other management stations. When all necessary conceptual columns of the row are properly populated (via SET operations or default values), the management station may SET the pktcMtaDevRealmStatus object to 'active(1)'."

```
::= { pktcMtaDevSecurity 5 }
```

pktcMtaDevRealmTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcMtaDevRealmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object contains the realm table.

The CMS table (pktcMtaDevCmsTable) and the realm table (pktcMtaDevRealmTable) are used for managing the MTA-CMS Security Associations. The realm table defines the Kerberos realms for the Application Servers (CMSes and the Provisioning Server)."

::= { pktcMtaDevSecurity 6 }

pktcMtaDevRealmEntry OBJECT-TYPE

SYNTAX

PktcMtaDevRealmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table entry object lists the MTA security parameters for a single Kerberos realm. The conceptual rows MUST NOT persist across MTA reboots."

INDEX { pktcMtaDevRealmIndex }

::= { pktcMtaDevRealmTable 1 }

PktcMtaDevRealmEntry ::= SEQUENCE {

pktcMtaDevRealmIndex Unsigned32,

pktcMtaDevRealmName SnmpAdminString,

pktcMtaDevRealmPkinitGracePeriod Unsigned32,

pktcMtaDevRealmTgsGracePeriod Unsigned32,

pktcMtaDevRealmOrgName LongUtf8String,

pktcMtaDevRealmUnsolicitedKeyMaxTimeout Unsigned32,

pktcMtaDevRealmUnsolicitedKeyNomTimeout Unsigned32,

pktcMtaDevRealmUnsolicitedKeyMaxRetries Unsigned32,

pktcMtaDevRealmStatus RowStatus

}

pktcMtaDevRealmIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..64)

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

" This object defines the realm table index."

::= { pktcMtaDevRealmEntry 1 }

pktcMtaDevRealmName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..255))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object identifies the Kerberos realm name in all capitals. The MTA MUST prohibit the instantiation of any two rows with identical Kerberos realm names. The MTA MUST also verify that any search operation involving Kerberos realm names is done using the uppercase ASCII representation of the characters."

::= { pktcMtaDevRealmEntry 2 }

pktcMtaDevRealmPkinitGracePeriod OBJECT-TYPE

SYNTAX Unsigned32 (15..600)

UNITS "minutes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the PKINIT Grace Period. For the purpose of key management with Application Servers (CMSes

or

the Provisioning Server), the MTA must utilize the

PKINIT exchange to obtain Application Server tickets. The

MTA may utilize the PKINIT exchange to obtain Ticket

Granting Tickets (TGTs), which are then used to obtain

Application Server tickets in a TGS exchange.

The PKINIT exchange occurs according to the current Ticket

Expiration Time (TicketEXP) and on the PKINIT Grace Period

(PKINITGP). The MTA MUST initiate the PKINIT exchange at

the time: TicketEXP - PKINITGP."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 15 }

::= { pktcMtaDevRealmEntry 3 }

pktcMtaDevRealmTgsGracePeriod OBJECT-TYPE

SYNTAX Unsigned32 (1..600)

UNITS "minutes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the Ticket Granting Server Grace Period (TSGSP). The Ticket Granting Server (TGS)

Request/Reply exchange may be performed by the MTA on demand whenever an Application Server ticket is needed to establish security parameters. If the MTA possesses a ticket that corresponds to the Provisioning Server or a CMS that currently exists in the CMS table, the MTA MUST initiate the TGS Request/Reply exchange at the time: TicketEXP - TGSGP."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 10 }

::= { pktcMtaDevRealmEntry 4 }

pktcMtaDevRealmOrgName OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the X.500 organization name attribute as defined in the subject name of the service provider certificate."

REFERENCE

" PacketCable Security Specification;  
RFCs 3280 and 4630, Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile"

::= { pktcMtaDevRealmEntry 5 }

pktcMtaDevRealmUnsolicitedKeyMaxTimeout OBJECT-TYPE

SYNTAX Unsigned32 (1..600)

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object specifies the maximum time the MTA will attempt to perform the exponential back-off algorithm. This timer only applies when the MTA initiated key management. If the DHCP option code 122, sub-option 4, is provided to the MTA, it overwrites this value.

Unsolicited key updates are retransmitted according to an exponential back-off mechanism using two timers and a maximum retry counter for AS replies.

The initial retransmission timer value is the nominal timer value (pktcMtaDevRealmUnsolicitedKeyNomTimeout). The

retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevRealmUnsolicitedKeyMaxTimeout).

Retransmissions stop when the maximum retry counter is reached (pktcMatDevRealmUnsolicitedMaxRetries).

For example, with values of 3 seconds for the nominal timer, 20 seconds for the maximum timeout, and 5 retries max, retransmission intervals will be 3 s, 6 s, 12 s, 20 s, and 20 s, and retransmissions then stop because the maximum number of retries has been reached."

#### REFERENCE

" PacketCable Security Specification."

DEFVAL { 100 }

::= { pktcMtaDevRealmEntry 6 }

pktcMtaDevRealmUnsolicitedKeyNomTimeout OBJECT-TYPE

SYNTAX Unsigned32 (100..600000)

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

" This object specifies the initial timeout value for the AS-REQ/AS-REP exponential back-off and retry mechanism. If the DHCP option code 122, sub-option 4, is provided to the MTA, it

overwrites this value.

This value should account for the average roundtrip time between the MTA and the KDC, as well as the processing delay on the KDC.

Unsolicited key updates are retransmitted according to an exponential back-off mechanism using two timers and a maximum retry counter for AS replies.

The initial retransmission timer value is the nominal timer value (pktcMtaDevRealmUnsolicitedKeyNomTimeout). The retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevRealmUnsolicitedKeyMaxTimeout). Retransmissions stop when the maximum retry counter is reached (pktcMatDevRealmUnsolicitedMaxRetries).

For example, with values of 3 seconds for the nominal timer, 20 seconds for the maximum timeout, and 5 retries max, in retransmission intervals will be 3 s, 6 s,

12 s, 20 s, and 20 s; retransmissions then stop because the maximum number of retries has been reached."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 3000 }

::= { pktcMtaDevRealmEntry 7 }

pktcMtaDevRealmUnsolicitedKeyMaxRetries OBJECT-TYPE

SYNTAX Unsigned32 (0..1024)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object specifies the maximum number of retries the MTA attempts to obtain a ticket from the KDC.

Unsolicited key updates are retransmitted according to an exponential back-off mechanism using two timers and a maximum retry counter for AS replies.

The initial retransmission timer value is the nominal timer value (pktcMtaDevRealmUnsolicitedKeyNomTimeout). The retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevRealmUnsolicitedKeyMaxTimeout).

Retransmissions stop when the maximum retry counter is reached (pktcMatDevRealmUnsolicitedMaxRetries).

For example, with values of 3 seconds for the nominal timer, 20 seconds for the maximum timeout, and 5 retries max, retransmission intervals will be 3 s, 6 s, 12 s, 20 s, and 20 s; retransmissions then stop because the maximum number of retries has been reached."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 5 }

::= { pktcMtaDevRealmEntry 8 }

pktcMtaDevRealmStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the row status of this realm in the realm table (pktcMtaDevRealmTable).

An entry in this table is not qualified for activation until the object instances of all corresponding columns have been initialized, either by default values, or via explicit SET operations. Until all object instances in this row are initialized, the status value for this realm must be 'notReady(3)'. In particular, two columnar objects must be explicitly SET: the realm name (pktcMtaDevRealmName) and the organization name (pktcMtaDevRealmOrgName). Once these 2 objects have been set and the row status is SET to 'active(1)', the MTA MUST NOT allow any modification of these 2 object values. The value of this object has no effect on whether other columnar objects in this row can be modified."

::= { pktcMtaDevRealmEntry 9 }

```

=====
--
-- The CMS table, pktcMtaDevCmsTable
--
-- The CMS table and the realm table (pktcMtaDevRealmTable) are used
-- for managing the MTA signaling security. The CMS table defines
-- the CMSes the MTA is allowed to communicate with and contains
-- the
parameters describing the SA establishment between the MTA
-- and a CMS.
-- The CMS table is indexed by pktcMtaDevCmsIndex. The table
-- contains the CMS FQDN (pktcMtaDevCmsFQDN) and the associated
-- Kerberos realm name (pktcMtaDevCmsKerbRealmName) so that the MTA
-- can find the corresponding Kerberos realm name in the
-- pktcMtaDevRealmTable.
--
=====

```

```

pktcMtaDevCmsAvailSlot OBJECT-TYPE
SYNTAX Unsigned32 (0..128)
MAX-ACCESS read-only
STATUS current
DESCRIPTION

```

" This object contains the index number of the first available entry in the CMS table (pktcMtaDevCmsTable). If all the entries in the CMS table have been assigned, this object contains the value of zero. A management station should create new entries in the



CMS table, using the following procedure:

First, issue a management protocol retrieval operation

to determine the value of the first available index in the  
CMS table (pktcMtaDevCmsAvailSlot).

Second, issue a management protocol SET operation  
to create an instance of the pktcMtaDevCmsStatus  
object by setting its value to 'createAndWait(5)'.

Third, if the SET operation succeeded, continue  
modifying the object instances corresponding to the newly  
created conceptual row, without fear of collision with  
other management stations. When all necessary conceptual  
columns of the row are properly populated (via SET  
operations or default values), the management station may  
SET the pktcMtaDevCmsStatus object to 'active(1)'."

```
::= { pktcMtaDevSecurity 7 }
```

pktcMtaDevCmsTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcMtaDevCmsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object defines the CMS table.

The CMS table (pktcMtaDevCmsTable)

and the realm table

(pktcMtaDevRealmTable) are used for managing security  
between the MTA and CMSes. Each CMS table entry defines  
a CMS the managed MTA is allowed to communicate with  
and contains security parameters for key management with  
that CMS."

```
::= { pktcMtaDevSecurity 8 }
```

pktcMtaDevCmsEntry OBJECT-TYPE

SYNTAX PktcMtaDevCmsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table entry object lists the MTA key management  
parameters used when establishing Security Associations  
with a CMS. The conceptual rows MUST NOT persist across  
MTA reboots."

```
INDEX { pktcMtaDevCmsIndex }
```

::= { pktcMtaDevCmsTable 1 }

```
PktcMtaDevCmsEntry ::= SEQUENCE {
 pktcMtaDevCmsIndex Unsigned32,
 pktcMtaDevCmsFqdn SnmpAdminString,
 pktcMtaDevCmsKerbRealmName SnmpAdminString,
 pktcMtaDevCmsMaxClockSkew
 Unsigned32,
 pktcMtaDevCmsSolicitedKeyTimeout Unsigned32,
 pktcMtaDevCmsUnsolicitedKeyMaxTimeout Unsigned32,
 pktcMtaDevCmsUnsolicitedKeyNomTimeout Unsigned32,
 pktcMtaDevCmsUnsolicitedKeyMaxRetries Unsigned32,
 pktcMtaDevCmsIpsecCtrl TruthValue,
 pktcMtaDevCmsStatus RowStatus
}
```

pktcMtaDevCmsIndex OBJECT-TYPE

```
SYNTAX Unsigned32 (1..128)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 " This object defines the CMS table index."
::= { pktcMtaDevCmsEntry 1 }
```

pktcMtaDevCmsFqdn OBJECT-TYPE

```
SYNTAX SnmpAdminString (SIZE(1..255))
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 " This object specifies the CMS FQDN. The MTA must
 prohibit the instantiation of any two rows with identical
 FQDNs. The MTA must also verify that any search and/or
 comparison operation
 involving a CMS FQDN is case
 insensitive. The MTA must resolve the CMS FQDN as required
 by the corresponding PacketCable Specifications."
REFERENCE
 " PacketCable MTA Device Provisioning Specification;
 PacketCable Security Specification;
 PacketCable Network-Based Call Signaling Protocol
 Specification."
::= { pktcMtaDevCmsEntry 2 }
```

pktcMtaDevCmsKerbRealmName OBJECT-TYPE

```
SYNTAX SnmpAdminString (SIZE(1..255))
MAX-ACCESS read-create
STATUS current
DESCRIPTION
```

" This object identifies the Kerberos realm name in uppercase characters associated with the CMS defined in this

conceptual row. The object value is a reference point to the corresponding Kerberos realm name in the realm table (pktcMtaDevRealmTable)."

::= { pktcMtaDevCmsEntry 3 }

pktcMtaDevCmsMaxClockSkew OBJECT-TYPE

SYNTAX Unsigned32 (1..1800)

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object specifies the maximum allowable clock skew between the MTA and the CMS defined in this row."

DEFVAL { 300 }

::= { pktcMtaDevCmsEntry 4 }

pktcMtaDevCmsSolicitedKeyTimeout OBJECT-TYPE

SYNTAX Unsigned32 (100..30000)

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines a Kerberos Key Management timer on the MTA. It is the time period during which the MTA saves the nonce and Server Kerberos Principal Identifier to match an AP Request and its associated AP Reply response from the CMS. This timer only applies when the CMS initiated key management (with a Wake Up message or a Rekey message)."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 1000 }

::= { pktcMtaDevCmsEntry 5 }

-----

--

--

Unsolicited key updates are retransmitted according to an  
-- exponential back-off mechanism using two timers and a maximum  
-- retry counter for AS replies.  
-- The initial retransmission timer value is the nominal timer  
-- value (pktcMtaDevCmsUnsolicitedKeyNomTimeout). The  
-- retransmissions occur with an exponentially increasing interval  
-- that caps at the maximum timeout value

-- (pktcMtaDevCmsUnsolicitedKeyMaxTimeout).  
-- Retransmissions stop when the maximum retry counter is reached  
-- (pktcMatDevCmsUnsolicitedMaxRetries).  
-- For example, with values of 3 seconds for the nominal  
-- timer, 20 seconds for the maximum timeout, and 5 retries max,  
-- retransmission intervals will be 3 s, 6 s, 12 s,

-- 20 s, and 20 s; retransmissions then stop due to the  
-- maximum number of retries reached.

--

-----

pktcMtaDevCmsUnsolicitedKeyMaxTimeout OBJECT-TYPE

SYNTAX Unsigned32 (1..600)

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the timeout value that only applies  
to an MTA-initiated key management exchange. It is the  
maximum timeout, and it may not be exceeded in the  
exponential back-off algorithm."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 600 }

::= { pktcMtaDevCmsEntry 6 }

pktcMtaDevCmsUnsolicitedKeyNomTimeout OBJECT-TYPE

SYNTAX Unsigned32 (100..30000)

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the starting value of the timeout  
for an MTA-initiated key management. It should account for  
the average roundtrip time between the MTA and the CMS and  
the processing time on the CMS."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 500 }

::= { pktcMtaDevCmsEntry 7 }

pktcMtaDevCmsUnsolicitedKeyMaxRetries

OBJECT-TYPE

SYNTAX Unsigned32 (0..1024)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the maximum number of retries before the MTA stops attempting to establish a Security Association with the CMS."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 5 }

::= { pktcMtaDevCmsEntry 8 }

pktcMtaDevCmsIpsecCtrl OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object specifies the MTA IPsec control flag. If the object value is 'true', the MTA must use Kerberos Key Management and IPsec to communicate with this CMS. If it is 'false', IPsec Signaling Security and Kerberos key management are disabled for this specific CMS."

DEFVAL { true }

::= { pktcMtaDevCmsEntry 9 }

pktcMtaDevCmsStatus OBJECT-TYPE

SYNTAX

RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the row status associated with this particular CMS in the CMS table (pktcMtaDevCmsTable).

An entry in this table is not qualified for activation until the object instances of all corresponding columns have been initialized, either by default values or via explicit SET operations. Until all object instances in this row are initialized, the status value for this realm must be 'notReady(3)'.  
In particular, two columnar objects must be SET: the CMS FQDN (pktcMtaDevCmsFqdn) and the Kerberos realm name (pktcMtaDevCmsKerbRealmName). Once these 2 objects have been set and the row status is SET to 'active(1)', the MTA MUST NOT allow any modification of these 2 object values.

The value of this object has no effect on

whether other columnar objects  
in this row can be  
modified."  
 ::= { pktcMtaDevCmsEntry 10 }

pktcMtaDevResetKrbTickets OBJECT-TYPE

SYNTAX BITS {  
    invalidateProvOnReboot (0),  
    invalidateAllCmsOnReboot (1)  
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines a Kerberos Ticket Control Mask that  
instructs the MTA to invalidate the specific Application

Server Kerberos ticket(s) that are stored locally in the  
MTA NVRAM (non-volatile or persistent memory).

If the MTA does not store Kerberos tickets in NVRAM, it  
MUST ignore setting of this object and MUST report a BITS  
value of zero when the object is read.

If the MTA supports Kerberos tickets storage in NVRAM, the  
object value is encoded as follows:

- Setting the invalidateProvOnReboot bit (bit 0) to 1  
means that the MTA MUST invalidate

the Kerberos

Application Ticket(s) for the Provisioning Application  
at the next MTA reboot if secure SNMP provisioning mode  
is used. In non-secure provisioning modes, the MTA MUST  
return an 'inconsistentValue' in response to SNMP SET  
operations with a bit 0 set to 1.

- Setting the invalidateAllCmsOnReboot bit (bit 1) to 1  
means that the MTA MUST invalidate the Kerberos  
Application Ticket(s) for all CMSEs currently assigned  
to the MTA endpoints.

If a value is written into an instance of  
pktcMtaDevResetKrbTickets, the agent MUST retain the  
supplied value across an MTA re-initialization or  
reboot."

REFERENCE

"PacketCable Security Specification."

DEFVAL { { } }

::= { pktcMtaDevSecurity 9 }

--

-- The following group, pktcMtaDevErrors, defines an OID

-- corresponding to error conditions encountered during the MTA  
-- provisioning.  
--

pktcMtaDevErrorsTooManyErrors

OBJECT-IDENTITY

STATUS current

DESCRIPTION

"This object defines the OID corresponding to the error condition when too many errors are encountered in the MTA configuration file during provisioning."

::= { pktcMtaDevErrors 1 }

pktcMtaDevProvisioningEnrollment NOTIFICATION-TYPE

OBJECTS {

sysDescr,  
pktcMtaDevSwCurrentVers,  
pktcMtaDevTypeIdentifier,  
ifPhysAddress,  
pktcMtaDevCorrelationId

}

STATUS current

DESCRIPTION

" This INFORM notification is issued by the MTA to initiate the PacketCable provisioning process when the MTA SNMP enrollment mechanism is used.

It contains the system description, the current software version, the MTA device type identifier, the MTA MAC address (obtained in the MTA ifTable in the ifPhysAddress object that corresponds to the ifIndex

1), and a

correlation ID."

::= { pktcMtaNotification 1 }

pktcMtaDevProvisioningStatus NOTIFICATION-TYPE

OBJECTS {

ifPhysAddress,  
pktcMtaDevCorrelationId,  
pktcMtaDevProvisioningState

}

STATUS current

DESCRIPTION

" This INFORM notification may be issued by the MTA to confirm the completion of the PacketCable provisioning process, and to report its provisioning completion

```

status.
It contains the MTA MAC address (obtained in the MTA
ifTable in the ifPhysAddress object that corresponds
to the ifIndex 1), a correlation ID and the MTA
provisioning state as defined in
pktcMtaDevProvisioningState."
 ::= { pktcMtaNotification 2 }

--
-- Compliance Statements
--

pktcMtaCompliances OBJECT IDENTIFIER ::= { pktcMtaConformance 1 }
pktcMtaGroups OBJECT IDENTIFIER ::= { pktcMtaConformance 2 }

pktcMtaBasicCompliance MODULE-COMPLIANCE
STATUS current
DESCRIPTION
 " The compliance statement for MTA devices that implement
 PacketCable or IPCablecom requirements.

 This compliance statement applies to MTA implementations
 that support PacketCable 1.0 or IPCablecom requirements,
 which are not IPv6-capable at the time of this

 RFC publication."

MODULE -- Unconditionally mandatory groups for MTAs

MANDATORY-GROUPS {
 pktcMtaGroup,
 pktcMtaNotificationGroup
}

OBJECT pktcMtaDevDhcpServerAddressType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
 " Support for address types other than 'ipv4(1)'
 is not presently specified and therefore is not
 required. It may be defined in future versions of
 this MIB module."

OBJECT pktcMtaDevDnsServerAddressType
SYNTAX InetAddressType { ipv4(1) }

```



## DESCRIPTION

" Support for address types other than 'ipv4(1)' is not presently specified and therefore is not required. It may be defined in future versions of this MIB module."

OBJECT pktcMtaDevTimeServerAddressType

SYNTAX InetAddressType { ipv4(1) }

## DESCRIPTION

" Support for address types other than 'ipv4(1)' is not presently specified and therefore is not required. It may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp1

SYNTAX InetAddress (SIZE(4))

## DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp2

SYNTAX InetAddress (SIZE(4))

## DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDns1

SYNTAX InetAddress (SIZE(4))

## DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDns2

SYNTAX InetAddress (SIZE(4))

## DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevTimeServer

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevProvConfigEncryptAlg

SYNTAX PktcMtaDevProvEncryptAlg

DESCRIPTION

"An implementation is only required to support values of none(0) and des64Cbcmode(1).

An IV of zero is used to encrypt in des64Cbcmode, and the length of pktcMtaDevProvConfigKey is 64 bits, as defined in the PacketCable Security specification.

Other encryption types may be defined in future versions of this MIB module."

OBJECT pktcMtaDevRealmOrgName

SYNTAX LongUtf8String (SIZE (1..384))

DESCRIPTION

"The Organization Name field in X.509 certificates can contain up to 64 UTF-8 encoded characters, as defined in RFCs 3280 and 4630. Therefore, compliant devices are only required to support Organization Name values of up to 64 UTF-8 encoded characters.

Given that RFCs 3280 and 4630 define the UTF-8 encoding, compliant devices must support a maximum size of 384 octets for pktcMtaDevRealmOrgName. The calculation of 384 octets comes from the RFC 3629 UTF-8 encoding definition whereby the UTF-8 encoded characters are encoded as sequences of 1 to 6 octets, assuming that code points as high as 0x7fffffff might be used. Subsequent versions of Unicode and ISO 10646 have limited the upper bound to 0x10ffff.

Consequently, the current version of UTF-8, defined in RFC 3629, does not require more than four octets to encode a valid code point."

::= { pktcMtaCompliances 1 }

pktcMtaGroup OBJECT-GROUP

OBJECTS {

pktcMtaDevResetNow,  
pktcMtaDevSerialNumber,  
pktcMtaDevSwCurrentVers,  
pktcMtaDevFQDN,

pktcMtaDevEndPntCount,

pktcMtaDevEnabled,

pktcMtaDevProvisioningCounter,

pktcMtaDevErrorOid,

pktcMtaDevErrorValue,

pktcMtaDevErrorReason,

pktcMtaDevTypeIdentifier,

pktcMtaDevProvisioningState,

pktcMtaDevHttpAccess,

pktcMtaDevCertificate,

pktcMtaDevCorrelationId,

pktcMtaDevManufacturerCertificate,

pktcMtaDevDhcpServerAddressType,

pktcMtaDevDnsServerAddressType,

pktcMtaDevTimeServerAddressType,

pktcMtaDevProvConfigEncryptAlg,

pktcMtaDevServerDhcp1,

pktcMtaDevServerDhcp2,

pktcMtaDevServerDns1,

pktcMtaDevServerDns2,

pktcMtaDevTimeServer,

pktcMtaDevConfigFile,

pktcMtaDevSnmpEntity,

pktcMtaDevRealmPkinitGracePeriod,

pktcMtaDevRealmTgsGracePeriod,

pktcMtaDevRealmAvailSlot,

pktcMtaDevRealmName,

pktcMtaDevRealmOrgName,

pktcMtaDevRealmUnsolicitedKeyMaxTimeout,

pktcMtaDevRealmUnsolicitedKeyNomTimeout,

pktcMtaDevRealmUnsolicitedKeyMaxRetries,

pktcMtaDevRealmStatus,

pktcMtaDevCmsAvailSlot,

pktcMtaDevCmsFqdn,

pktcMtaDevCmsKerbRealmName,

pktcMtaDevCmsUnsolicitedKeyMaxTimeout,

pktcMtaDevCmsUnsolicitedKeyNomTimeout,

pktcMtaDevCmsUnsolicitedKeyMaxRetries,

pktcMtaDevCmsSolicitedKeyTimeout,

pktcMtaDevCmsMaxClockSkew,

pktcMtaDevCmsIpsecCtrl,

pktcMtaDevCmsStatus,

pktcMtaDevResetKrbTickets,

pktcMtaDevProvUnsolicitedKeyMaxTimeout,

```
 pktcMtaDevProvUnsolicitedKeyNomTimeout,
 pktcMtaDevProvUnsolicitedKeyMaxRetries,
 pktcMtaDevProvKerbRealmName,
 pktcMtaDevProvSolicitedKeyTimeout,
 pktcMtaDevProvConfigHash,
 pktcMtaDevProvConfigKey,
 pktcMtaDevProvState,
 pktcMtaDevProvisioningTimer,
 pktcMtaDevTelephonyRootCertificate
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
 " A collection of objects for managing PacketCable or
 IPCablecom MTA implementations."
```

```
::= { pktcMtaGroups 1 }
```

```
pktcMtaNotificationGroup NOTIFICATION-GROUP
```

```
NOTIFICATIONS {
```

```
 pktcMtaDevProvisioningStatus,
 pktcMtaDevProvisioningEnrollment
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
 " A collection of notifications dealing with the change of
 MTA provisioning status."
```

```
::= { pktcMtaGroups 2 }
```

```
pktcMtaBasicSmtaCompliance MODULE-COMPLIANCE
```

```
STATUS current
```

```
DESCRIPTION
```

```
 " The compliance statement for S-MTA devices
 that implement PacketCable or IPCablecom requirements.
```

```
 This compliance statement applies to S-MTA implementations
 that support PacketCable or IPCablecom requirements,
 which are not IPv6-capable
```

```
at the time of this
```

```
 RFC publication."
```

```
MODULE -- Unconditionally Mandatory Groups for S-MTA devices
```

```
MANDATORY-GROUPS {
```

```
 pktcMtaGroup,
 pktcMtaNotificationGroup
```

```
}
```

OBJECT pktcMtaDevDhcpServerAddressType  
SYNTAX InetAddressType { ipv4(1) }  
DESCRIPTION  
" Support for address types other than 'ipv4(1)'  
is not presently specified and therefore is not  
required. It may be defined in future versions of  
this MIB module."

OBJECT pktcMtaDevDnsServerAddressType  
SYNTAX InetAddressType { ipv4(1) }  
DESCRIPTION  
" Support for address types other than 'ipv4(1)'  
is not presently specified and therefore is not  
required. It may be defined in future versions of  
this MIB module."

OBJECT pktcMtaDevTimeServerAddressType  
SYNTAX InetAddressType { ipv4(1)  
}  
DESCRIPTION  
" Support for address types other than 'ipv4(1)'  
is not presently specified and therefore is not  
required. It may be defined in future versions of  
this MIB module."

OBJECT pktcMtaDevServerDhcp1  
SYNTAX InetAddress (SIZE(4))  
DESCRIPTION  
"An implementation is only required to support IPv4  
addresses. Other address types support may be defined in  
future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp2  
SYNTAX InetAddress (SIZE(4))  
DESCRIPTION  
"An implementation is only required to support IPv4  
addresses. Other address types support may be defined in  
future versions of this MIB module."

OBJECT pktcMtaDevServerDns1  
SYNTAX InetAddress (SIZE(4))  
DESCRIPTION  
"An implementation is only required  
to support IPv4  
addresses. Other address types support may be defined in  
future versions of this MIB module."

OBJECT pktcMtaDevServerDns2  
SYNTAX InetAddress (SIZE(4))  
DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevTimeServer  
SYNTAX InetAddress (SIZE(4))  
DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevProvConfigEncryptAlg  
SYNTAX PkctMtaDevProvEncryptAlg  
DESCRIPTION

"An implementation is only required to support values of none(0) and des64Cbcmode(1).

An IV of zero is used to encrypt  
in des64Cbcmode, and  
the length of pktcMtaDevProvConfigKey is 64 bits, as defined in the PacketCable Security specification.  
Other encryption types may be defined in future versions of this MIB module."

OBJECT pktcMtaDevRealmOrgName  
SYNTAX LongUtf8String (SIZE (1..384))  
DESCRIPTION

"The Organization Name field in X.509 certificates can contain up to 64 UTF-8 encoded characters, as defined in RFCs 3280 and 4630. Therefore, compliant devices are only required to support Organization Name values of up to 64 UTF-8 encoded characters. Given that RFCs 3280 and 4630 define the UTF-8 encoding, compliant devices must support a maximum size of 384 octets for pktcMtaDevRealmOrgName. The calculation of 384 octets comes from the RFC 3629 UTF-8 encoding definition whereby the UTF-8 encoded

characters  
are encoded as sequences of 1 to 6 octets, assuming that code points as high as 0x7fffffff might be used. Subsequent versions of Unicode and ISO 10646 have limited the upper bound to 0x10ffff. Consequently, the current version of UTF-8, defined in RFC 3629 does not require more than four octets to

```
 encode a valid code point."
MODULE DOCS-CABLE-DEVICE-MIB
MANDATORY-GROUPS {
```

```
 docsDevSoftwareGroupV2
}
```

```
MODULE DOCS-IETF-BPI2-MIB
MANDATORY-GROUPS {
 docsBpi2CodeDownloadGroup
}
```

```
::= { pktcMtaCompliances 2 }
```

```
END
```

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/PKTC-IETF-
MTA-MIB
```

No license file was found, but licenses were detected in source scan.

```
SYSAPPL-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
 MODULE-IDENTITY, OBJECT-TYPE,
 Unsigned32, TimeTicks, Counter32, Gauge32
 FROM SNMPv2-SMI
 DateAndTime, TEXTUAL-CONVENTION
 FROM SNMPv2-TC
 MODULE-COMPLIANCE, OBJECT-GROUP
 FROM SNMPv2-CONF
 mib-2 FROM SNMPv2-SMI;
```

```
-- System Application MIB
```

```
sysApplMIB MODULE-IDENTITY
```

```
 LAST-UPDATED "9710200000Z"
```

```
 ORGANIZATION "IETF Applications MIB Working Group"
```

```
 CONTACT-INFO
```

```
 "Cheryl Krupczak (Editor, WG Advisor)
```

```
 Postal: Empire Technologies, Inc.
```

```
 541 Tenth Street NW
```

```
 Suite 169
```

```
 Atlanta, GA 30318
```

```
 USA
```

```
 Phone: (770) 384-0184
```

Email: cheryl@empiretech.com

Jon Saperia (WG Chair)  
Postal: BGS Systems, Inc.  
One First Avenue  
Waltham, MA 02254-9111  
USA

Phone: (617) 891-0000

Email: saperia@networks.bgs.com"

#### DESCRIPTION

"The MIB module defines management objects that model applications as collections of executables and files installed and executing on a host system. The MIB presents a system-level view of applications; i.e., objects in this MIB are limited to those attributes that can typically be obtained from the system itself without adding special instrumentation to the applications."

::= { mib-2 54 }

sysApplOBJ            OBJECT IDENTIFIER ::= { sysApplMIB 1 }  
sysApplInstalled     OBJECT IDENTIFIER ::= { sysApplOBJ 1 }  
sysApplRun            OBJECT IDENTIFIER ::= { sysApplOBJ 2 }  
sysApplMap            OBJECT IDENTIFIER ::= { sysApplOBJ 3 }  
sysApplNotifications OBJECT IDENTIFIER ::= { sysApplMIB 2 }  
sysApplConformance   OBJECT IDENTIFIER ::= { sysApplMIB 3 }

-- Textual Conventions

RunState ::= TEXTUAL-CONVENTION

STATUS    current

#### DESCRIPTION

"This TC describes the current execution state of a running application or process. The possible values are:

running(1),  
runnable(2), - waiting for a resource (CPU, etc.)  
waiting(3), - waiting for an event  
exiting(4),  
other(5)    - other invalid state"

SYNTAX    INTEGER {

running (1),  
runnable (2), -- waiting for resource (CPU, etc.)  
waiting (3), -- waiting for event  
exiting (4),  
other (5)    -- other invalid state  
}



LongUtf8String ::= TEXTUAL-CONVENTION

DISPLAY-HINT "1024a"

STATUS current

DESCRIPTION

"To facilitate internationalization, this TC represents information taken from the ISO/IEC IS 10646-1 character set, encoded as an octet string using the UTF-8 character encoding scheme described in RFC 2044 [10]. For strings in 7-bit US-ASCII, there is no impact since the UTF-8 representation is identical to the US-ASCII encoding."

SYNTAX OCTET STRING (SIZE (0..1024))

Utf8String ::= TEXTUAL-CONVENTION

DISPLAY-HINT "255a"

STATUS current

DESCRIPTION

"To facilitate internationalization, this TC represents information taken from the ISO/IEC IS 10646-1 character set, encoded as an octet string using the UTF-8 character encoding scheme described in RFC 2044 [10]. For strings in 7-bit US-ASCII, there is no impact since the UTF-8 representation is identical to the US-ASCII encoding."

SYNTAX OCTET STRING (SIZE (0..255))

-- sysApplInstalled Group

-- This group provides information about application packages

-- that have been installed on the host computer. The group contains two tables. The first, the sysApplInstallPkgTable, describes the application packages, the second, the sysApplInstallElmtTable, describes the constituent elements (files and executables) which compose an application package.

--

-- In order to appear in this group, an application and its component files must be discoverable by the system itself, possibly through some type of software installation mechanism or registry.

-- sysApplInstallPkgTable

-- The system installed application packages table provides information on the software packages installed on a system. These packages may consist of many different files including

-- executable and non-executable files.

sysApplInstallPkgTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplInstallPkgEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table listing

the software application packages

installed on a host computer. In order to appear in this table, it may be necessary for the application to be installed using some type of software installation mechanism or global registry so that its existence can be detected by the agent implementation."

::= { sysApplInstalled 1 }

sysApplInstallPkgEntry OBJECT-TYPE

SYNTAX SysApplInstallPkgEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing an installed application package."

INDEX { sysApplInstallPkgIndex }

::= { sysApplInstallPkgTable 1 }

SysApplInstallPkgEntry ::= SEQUENCE {

sysApplInstallPkgIndex Unsigned32,

sysApplInstallPkgManufacturer Utf8String,

sysApplInstallPkgProductName Utf8String,

sysApplInstallPkgVersion Utf8String,

sysApplInstallPkgSerialNumber

Utf8String,

sysApplInstallPkgDate DateAndTime,

sysApplInstallPkgLocation LongUtf8String

}

sysApplInstallPkgIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An integer used only for indexing purposes. Generally monotonically increasing from 1 as new applications are installed.

The value for each installed application must

remain constant at least from one re-initialization of the network management entity which implements this MIB module to the next re-initialization.

The specific value is meaningful only within a given SNMP entity. A sysApplInstallPkgIndex value must not be re-used until the next agent entity restart in the event the installed application entry is deleted."

::= { sysApplInstallPkgEntry 1 }

sysApplInstallPkgManufacturer

OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Manufacturer of the software application package."

::= { sysApplInstallPkgEntry 2 }

sysApplInstallPkgProductName OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The name assigned to the software application package by the Manufacturer."

::= { sysApplInstallPkgEntry 3 }

sysApplInstallPkgVersion OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The version number assigned to the application package by the manufacturer of the software."

::= { sysApplInstallPkgEntry 4 }

sysApplInstallPkgSerialNumber OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The serial number of the software assigned by the manufacturer."

::= { sysApplInstallPkgEntry 5 }

sysApplInstallPkgDate OBJECT-TYPE

SYNTAX DateAndTime  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The date and time this software application was installed  
on the host."  
::= { sysApplInstallPkgEntry 6 }

sysApplInstallPkgLocation OBJECT-TYPE

SYNTAX LongUtf8String  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The complete path name where the application package  
is installed. For example, the value would be  
'/opt/MyapplDir' if the application package was installed  
in the /opt/MyapplDir directory."  
::= { sysApplInstallPkgEntry 7 }

-- sysApplInstallElmtTable  
-- The table describing the individual application package  
-- elements (files and executables) installed on the host computer.

sysApplInstallElmtTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplInstallElmtEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"This table details the individual application package  
elements (files and executables) which comprise the  
applications defined in the sysApplInstallPkg Table.  
Each entry in this table has an index to the  
sysApplInstallPkg table to identify the application  
package of which it is a part. As a result, there may  
be many entries in this table for each instance in the  
sysApplInstallPkg Table.

Table entries are indexed by sysApplInstallPkgIndex,  
sysApplInstallElmtIndex to facilitate retrieval of  
all elements associated with a particular installed  
application package."

::= { sysApplInstalled 2 }

sysApplInstallElmtEntry OBJECT-TYPE

SYNTAX SysApplInstallElmtEntry  
MAX-ACCESS not-accessible  
STATUS current

DESCRIPTION

"The logical row describing an element of an installed application. The element may be an executable or non-executable file."

INDEX {sysAppInstallPkgIndex, sysAppInstallElmtIndex}  
::= { sysAppInstallElmtTable 1 }

sysAppInstallElmtEntry ::= SEQUENCE {  
sysAppInstallElmtIndex Unsigned32,  
sysAppInstallElmtName Utf8String,  
sysAppInstallElmtType INTEGER,  
sysAppInstallElmtDate DateAndTime,  
sysAppInstallElmtPath LongUtf8String,  
sysAppInstallElmtSizeHigh Unsigned32,  
sysAppInstallElmtSizeLow Unsigned32,  
sysAppInstallElmtRole BITS,  
sysAppInstallElmtModifyDate DateAndTime,  
sysAppInstallElmtCurSizeHigh Unsigned32,  
sysAppInstallElmtCurSizeLow Unsigned32  
}

sysAppInstallElmtIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"An arbitrary integer used for indexing. The value of this index is unique among all rows in this table that exist or have existed since the last agent restart."

::= { sysAppInstallElmtEntry 1 }

sysAppInstallElmtName OBJECT-TYPE

SYNTAX Utf8String  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The name of this element which is contained in the application."

::= { sysAppInstallElmtEntry 2 }

sysAppInstallElmtType OBJECT-TYPE

SYNTAX INTEGER {  
unknown(1),  
nonexecutable(2),  
operatingSystem(3), -- executable

```

 deviceDriver(4), -- executable
 application(5) -- executable
 }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The type of element that is
part of the installed
 application."
::= { sysApplInstallElmtEntry 3 }

sysApplInstallElmtDate OBJECT-TYPE
SYNTAX DateAndTime
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The date and time that this component was installed on
 the system."
::= { sysApplInstallElmtEntry 4 }

sysApplInstallElmtPath OBJECT-TYPE
SYNTAX LongUtf8String
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The full directory path where this element is installed.
 For example, the value would be '/opt/EMPuma/bin' for an
 element installed in the directory '/opt/EMPuma/bin'.
 Most application packages include information about the
 elements contained in the package. In addition, elements
 are typically installed in sub-directories under the
 package installation directory. In cases where the
 element path names are not included
in the package
 information itself, the path can usually be determined
 by a simple search of the sub-directories. If the
 element is not installed in that location and there is
 no other information available to the agent implementation,
 then the path is unknown and null is returned."
::= { sysApplInstallElmtEntry 5 }

sysApplInstallElmtSizeHigh OBJECT-TYPE
SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The installed file size in 2^32 byte blocks. This is
 the size of the file on disk immediately after installation.

```

For example, for a file with a total size of 4,294,967,296 bytes, this variable would have a value of 1; for a file with a total size of 4,294,967,295 bytes this variable would be 0."

```
::= { sysApplInstallElmtEntry 6 }
```

sysApplInstallElmtSizeLow OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The installed file size modulo 2<sup>32</sup> bytes. This is the size of the file on disk immediately after installation.

For example, for a file with a total size of 4,294,967,296 bytes this variable would have a value of 0; for a file with a total size of 4,294,967,295 bytes this variable would be 4,294,967,295."

```
::= { sysApplInstallElmtEntry 7 }
```

sysApplInstallElmtRole OBJECT-TYPE

SYNTAX BITS {

executable(0),

-- An application may have one or  
-- more executable elements. The rest of the  
-- bits have no meaning if the element is not  
-- executable.

exclusive(1),

-- Only one copy of an exclusive element may be  
-- running per invocation of the running  
-- application.

primary(2),

-- The primary executable. An application can  
-- have one, and only one element that is designated  
-- as the primary executable. The execution of  
-- this element constitutes an invocation of  
-- the application. This is used by the agent  
-- implementation to determine the initiation of  
-- an application. The primary executable must  
-- remain running long enough for the agent  
-- implementation to detect its presence.

required(3),

-- An application may have zero or more required  
-- elements. All required elements must be running

-- in order for the application to be judged to be  
 -- running and healthy.  
 dependent(4),  
 -- An application may have  
 zero or more  
 -- dependent elements. Dependent elements may  
 -- not be running unless required elements are.  
 unknown(5)  
 -- Default value for the case when an operator  
 -- has not yet assigned one of the other values.  
 -- When set, bits 1, 2, 3, and 4 have no meaning.  
 }

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"An operator assigned value used in the determination of application status. This value is used by the agent to determine both the mapping of started processes to the initiation of an application, as well as to allow for a determination of application health. The default value, unknown(5), is used when an operator has not yet assigned one of the other values. If unknown(5) is set, bits 1 - 4 have no meaning. The possible values are:

executable(0),

An application may have one or more executable elements. The rest of the bits have no meaning if the element is not executable.

exclusive(1),

Only one copy of an exclusive element may be running per invocation of the running application.

primary(2),

The primary executable. An application can have one, and only one element that is designated as the primary executable. The execution of this element constitutes an invocation of the application. This is used by the agent implementation to determine the initiation of an application. The primary executable must remain running long enough for

the agent

implementation to detect its presence.

required(3),

An application may have zero or more required elements. All required elements must be running in order for the application to be judged to be



running and healthy.  
dependent(4),  
An application may have zero or more dependent elements. Dependent elements may not be running unless required elements are.  
unknown(5)  
Default value for the case when an operator has not yet assigned one of the other values.  
When set, bits 1, 2, 3, and 4 have no meaning.

sysAppInstallElmtRole is used by the agent implementation in determining the initiation of an application, the current state of a running application (see sysAppRunCurrentState), when an application invocation is no longer running, and the exit status of a terminated application invocation (see sysAppIPastRunExitState)."

```
DEFVAL { { unknown } }
::= { sysAppInstallElmtEntry 8 }
```

sysAppInstallElmtModifyDate OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The date and time that this element was last modified. Modification of the sysAppInstallElmtRole columnar object does NOT constitute a modification of the element itself and should not affect the value of this object."

```
::= { sysAppInstallElmtEntry 9 }
```

sysAppInstallElmtCurSizeHigh OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current file size in 2<sup>32</sup> byte blocks. For example, for a file with a total size of 4,294,967,296 bytes,

this variable would have a value of 1; for a file with a total size of 4,294,967,295 bytes this variable would be 0."

```
::= { sysAppInstallElmtEntry 10 }
```

sysAppInstallElmtCurSizeLow OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The current file size modulo  $2^{32}$  bytes.

For example, for a file with a total size of 4,294,967,296 bytes this variable would have a value of 0; for a file with a total size of 4,294,967,295 bytes this variable would be 4,294,967,295."

```
::= { sysApplInstallElmtEntry 11 }
```

```
-- sysApplRun Group
```

```
-- This group models activity information for applications
-- that have been invoked and are either currently running,
-- or have previously run on the host system. Likewise,
-- the individual elements of an invoked application are
-- also modeled to show currently running processes, and
-- processes that
have run in the past.
```

```
-- sysApplRunTable
```

```
-- The sysApplRunTable contains the application instances
-- which are currently running on the host. Since a single
-- application might be invoked multiple times, an entry is
-- added to this table for each INVOCATION of an application.
-- The table is indexed by sysApplInstallPkgIndex, sysApplRunIndex
-- to enable managers to easily locate all invocations of
-- a particular application package.
```

sysApplRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table describes the applications which are executing on the host. Each time an application is invoked, an entry is created in this table. When an application ends, the entry is removed from this table and a corresponding entry is created in the SysApplPastRunTable.

A new entry is created in this table whenever  
the agent

implementation detects a new running process that is an installed application element whose sysApplInstallElmtRole designates it as being the application's primary executable (sysApplInstallElmtRole = primary(2) ).

The table is indexed by sysApplInstallPkgIndex,  
sysApplRunIndex to enable managers to easily locate all

invocations of a particular application package."

```
::= { sysApplRun 1 }
```

sysApplRunEntry OBJECT-TYPE

SYNTAX SysApplRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing an application which is currently running on this host."

INDEX { sysApplInstallPkgIndex, sysApplRunIndex }

```
::= { sysApplRunTable 1 }
```

SysApplRunEntry ::= SEQUENCE {

sysApplRunIndex Unsigned32,

sysApplRunStarted DateAndTime,

sysApplRunCurrentState

RunState

}

sysApplRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table. An arbitrary integer used only for indexing purposes. Generally monotonically increasing from 1 as new applications are started on the host, it uniquely identifies application invocations.

The numbering for this index increases by 1 for each INVOCATION of an application, regardless of which installed application package this entry represents a running instance of.

An example of the indexing for a couple of entries is shown below.

```
 :
 sysApplRunStarted.17.14
 sysApplRunStarted.17.63
 sysApplRunStarted.18.13
 :
```

In this example, the agent has observed 12 application

invocations when the application represented by entry 18

in the sysApplInstallPkgTable is invoked. The next invocation detected by the agent is an invocation of installed application package 17. Some time later, installed application 17 is invoked a second time.

NOTE: this index is not intended to reflect a real-time (wall clock time) ordering of application invocations; it is merely intended to uniquely identify running instances of applications. Although the sysApplInstallPkgIndex is included in the INDEX clause for this table, it serves only to ease searching of this table by installed application and does not contribute to uniquely identifying table entries."

```
::= { sysApplRunEntry 1 }
```

sysApplRunStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The

date and time that the application was started."

```
::= { sysApplRunEntry 2 }
```

sysApplRunCurrentState OBJECT-TYPE

SYNTAX RunState

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current state of the running application instance.

The possible values are running(1), runnable(2) but waiting for a resource such as CPU, waiting(3) for an event, exiting(4), or other(5). This value is based on an evaluation of the running elements of this application instance (see sysApplElmRunState) and their Roles as defined by sysApplInstallElmtRole. An agent implementation may detect that an application instance is in the process of exiting if one or more of its REQUIRED elements are no longer running. Most agent implementations will wait until a second internal poll has been completed to give the system time to start REQUIRED elements before

marking the

application instance as exiting."

```
::= { sysApplRunEntry 3 }
```

-- sysApplPastRunTable

-- The sysApplPastRunTable provides a history of applications

-- previously run on the host computer. Entries are removed from  
-- the sysApplRunTable and corresponding entries are added to this  
-- table when an application becomes inactive. Entries remain in  
-- this table until they are aged out when either the table size  
-- reaches a maximum as determined by the sysApplPastRunMaxRows,  
-- or when an entry has aged to exceed a time limit as set by  
-- sysApplPastRunTblTimeLimit.  
--  
-- When aging out entries, the oldest entry, as determined by  
  
-- the value of sysApplPastRunTimeEnded, will be removed first.

#### sysApplPastRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplPastRunEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A history of the applications that have previously run  
on the host

computer. An entry's information is moved to  
this table from the sysApplRunTable when the invoked  
application represented by the entry ceases to be running.

An agent implementation can determine that an application  
invocation is no longer running by evaluating the running  
elements of the application instance and their Roles as  
defined by sysApplInstallElmtRole. Obviously, if there  
are no running elements for the application instance,  
then the application invocation is no longer running.  
If any one of the REQUIRED elements is not running,  
the application instance may be in the process of exiting.  
Most agent implementations will wait until a second internal  
poll has been completed to give the system time to either  
restart partial failures or to give all elements time to  
exit. If, after the second poll, there are REQUIRED  
elements that

are not running, then the application  
instance may be considered by the agent implementation  
to no longer be running.

Entries remain in the sysApplPastRunTable until they  
are aged out when either the table size reaches a maximum  
as determined by the sysApplPastRunMaxRows, or when an entry  
has aged to exceed a time limit as set by  
sysApplPastRunTblTimeLimit.

Entries in this table are indexed by sysApplInstallPkgIndex,  
sysApplPastRunIndex to facilitate retrieval of all past

run invocations of a particular installed application."  
::= { sysApplRun 2 }

sysApplPastRunEntry OBJECT-TYPE

SYNTAX SysApplPastRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing an invocation of an application which was previously run and has terminated. The entry is basically copied from the sysApplRunTable

when the

application instance terminates. Hence, the entry's value for sysApplPastRunIndex is the same as its value was for sysApplRunIndex."

INDEX { sysApplInstallPkgIndex, sysApplPastRunIndex }

::= { sysApplPastRunTable 1 }

SysApplPastRunEntry ::= SEQUENCE {

sysApplPastRunIndex Unsigned32,

sysApplPastRunStarted DateAndTime,

sysApplPastRunExitState INTEGER,

sysApplPastRunTimeEnded DateAndTime

}

sysApplPastRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table. An integer matching the value of the removed sysApplRunIndex corresponding to this row."

::= { sysApplPastRunEntry 1 }

sysApplPastRunStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The date and time that the application was started."

::= { sysApplPastRunEntry 2 }

sysApplPastRunExitState OBJECT-TYPE

SYNTAX INTEGER {

complete (1), -- normal exit at sysApplRunTimeEnded

failed (2), -- abnormal exit

```

 other (3)
 }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The state of the application instance when it terminated.
This value is based on an evaluation of the running elements
of an application and their Roles as defined by
sysAppInstallElmtRole. An application instance is said to
have exited in a COMPLETE state and its entry is removed
from the sysAppRunTable and added to the sysAppPastRunTable
when the agent detects that ALL elements of an application
invocation are no longer running. Most agent implementations
will wait
until a second internal poll has been completed to
give the system time to either restart partial failures or
to give all elements time to exit. A failed state occurs if,
after the second poll, any elements continue to run but
one or more of the REQUIRED elements are no longer running.
All other combinations MUST be defined as OTHER."
::= { sysAppPastRunEntry 3 }

```

sysAppPastRunTimeEnded OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The DateAndTime the application instance was determined
to be no longer running."

::= { sysAppPastRunEntry 4 }

-- sysAppElmtRunTable

-- The sysAppElmtRunTable contains an entry for each process that

-- is currently running on the host. An entry is created in

-- this table for each process at the time it is started, and will

-- remain in the table until the process terminates.

--

-- The table

is indexed by sysAppElmtRunInstallPkg,

-- sysAppElmtRunInvocID, and sysAppElmtRunIndex to make it easy

-- to locate all running elements of a particular invoked application

-- which has been installed on the system.

sysAppElmtRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysAppElmtRunEntry

MAX-ACCESS not-accessible

STATUS current

## DESCRIPTION

"The table describes the processes which are currently executing on the host system. Each entry represents a running process and is associated with the invoked application of which that process is a part, if possible. This table contains an entry for every process currently running on the system, regardless of whether its 'parent' application can be determined. So, for example, processes like 'ps' and 'grep' will have entries though they are not associated with an installed application package.

Because

a running application may involve

more than one executable, it is possible to have multiple entries in this table for each application.

Entries are removed from this table when the process terminates.

The table is indexed by sysAppElmtRunInstallPkg, sysAppElmtRunInvocID, and sysAppElmtRunIndex to facilitate the retrieval of all running elements of a particular invoked application which has been installed on the system."

```
::= { sysAppRun 3 }
```

sysAppElmtRunEntry OBJECT-TYPE

SYNTAX SysAppElmtRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing a process currently running on this host. When possible, the entry is associated with the invoked application of which it is a part."

INDEX { sysAppElmtRunInstallPkg, sysAppElmtRunInvocID,  
sysAppElmtRunIndex

}

```
::= { sysAppElmtRunTable 1 }
```

SysAppElmtRunEntry ::= SEQUENCE {

sysAppElmtRunInstallPkg Unsigned32,  
sysAppElmtRunInvocID Unsigned32,  
sysAppElmtRunIndex Unsigned32,  
sysAppElmtRunInstallIID Unsigned32,  
sysAppElmtRunTimeStarted DateAndTime,  
sysAppElmtRunState RunState,  
sysAppElmtRunName LongUtf8String,  
sysAppElmtRunParameters Utf8String,  
sysAppElmtRunCPU TimeTicks,



```
sysAppElmtRunMemory Gauge32,
sysAppElmtRunNumFiles Gauge32,
sysAppElmtRunUser Utf8String
}
```

#### sysAppElmtRunInstallPkg OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"Part of the index for this table, this value identifies the installed software package for the application of which this process

is a part.

Provided that the process's 'parent' application can be determined, the value of this object is the same value as the sysAppInstallPkgIndex for the entry in the sysAppInstallPkgTable that corresponds to the installed application of which this process is a part.

If, however, the 'parent' application cannot be determined, (for example the process is not part of a particular installed application), the value for this object is then '0', signifying that this process cannot be related back to an application, and in turn, an installed software package."

::= { sysAppElmtRunEntry 1 }

#### sysAppElmtRunInvocID OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"Part of the index for this table, this value identifies the invocation of an application of which this process is a part. Provided that the 'parent' application can be determined, the value of this object is the same value as the sysAppRunIndex for the corresponding application invocation in the sysAppRunTable.

If, however, the 'parent' application cannot be determined, the value for this object is then '0', signifying that this process cannot be related back to an invocation of an application in the sysAppRunTable."

::= { sysAppElmtRunEntry 2 }

sysAppElmtRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table. A unique value for each process running on the host. Wherever possible, this should be the system's native, unique identification number."

::= { sysAppElmtRunEntry 3 }

sysAppElmtRunInstallID

OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index into the sysAppInstallElmtTable. The value of this object is the same value as the sysAppInstallElmtIndex for the application element of which this entry represents a running instance.

If this process cannot be associated with an installed executable, the value should be '0'."

::= { sysAppElmtRunEntry 4 }

sysAppElmtRunTimeStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time the process was started."

::= { sysAppElmtRunEntry 5 }

sysAppElmtRunState OBJECT-TYPE

SYNTAX RunState

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current state of the running process. The possible values are running(1), runnable(2) but waiting for a resource such as CPU, waiting(3) for an event, exiting(4), or other(5)."

::= { sysAppElmtRunEntry 6 }

sysAppElmtRunName OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The full path and filename of the process.  
For example, '/opt/MYYpkg/bin/myyproc' would  
be returned for process 'myyproc' whose execution  
path is '/opt/MYYpkg/bin/myyproc'."  
::= { sysAppElmtRunEntry 7 }

sysAppElmtRunParameters OBJECT-TYPE

SYNTAX Utf8String  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The starting parameters for the process."  
::= { sysAppElmtRunEntry 8 }

sysAppElmtRunCPU OBJECT-TYPE

SYNTAX TimeTicks  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of centi-seconds of the total system's  
CPU resources consumed by this process.  
Note that  
on a multi-processor system, this value may  
have been incremented by more than one centi-second  
in one centi-second of real (wall clock) time."  
::= { sysAppElmtRunEntry 9 }

sysAppElmtRunMemory OBJECT-TYPE

SYNTAX Gauge32  
UNITS "Kbytes"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The total amount of real system memory measured in  
Kbytes currently allocated to this process."  
  
::= { sysAppElmtRunEntry 10 }

sysAppElmtRunNumFiles OBJECT-TYPE

SYNTAX Gauge32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of regular files currently open by the  
process. Transport connections (sockets)

should NOT be included in the calculation of this value, nor should operating system specific special file types."

::= { sysAppElmtRunEntry 11 }

sysAppElmtRunUser OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The process owner's login name (e.g. root)."

::= { sysAppElmtRunEntry 12 }

-- sysAppElmtPastRunTable

-- The sysAppElmtPastRunTable maintains a history of processes which have previously executed on the host as part of an application. Upon termination of a process, the entry representing the process is removed from the sysAppElmtRunTable and a corresponding entry is created in this table provided that the process was part of an identifiable application. If the process could not be associated

-- with an invoked application, no corresponding entry is created. Hence, whereas the sysAppElmtRunTable contains an entry for every process currently executing on the system, the sysAppElmtPastRunTable only contains entries for processes that previously executed as part of an invoked application.

-- Entries

remain in this table until they are aged out when either the number of entries in the table reaches a maximum as determined by sysAppElmtPastRunMaxRows, or when an entry has aged to exceed a time limit as set by sysAppElmtPastRunTblTimeLimit. When aging out entries, the oldest entry, as determined by the value of sysAppElmtPastRunTimeEnded, will be removed first.

-- The table is indexed by sysApplInstallPkgIndex (from the sysApplInstallPkgTable), sysAppElmtPastRunInvocID, and sysAppElmtPastRunIndex to make it easy to locate all previously executed processes of a particular invoked application that has been installed on the system.

sysAppElmtPastRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysAppElmtPastRunEntry

MAX-ACCESS not-accessible

STATUS current

## DESCRIPTION

"The table describes the processes which have previously executed on the host system as part of an application.

Each entry represents a process which has previously executed and is associated with the invoked application of which it was a part. Because an invoked application may involve more than one executable, it is possible to have multiple entries in this table for each application invocation. Entries are added to this table when the corresponding process in the sysAppElmtRun Table terminates.

Entries remain in this table until they are aged out when either the number of entries in the table reaches a maximum as determined by sysAppElmtPastRunMaxRows, or when an entry has aged to exceed a time limit as set by sysAppElmtPastRunTblTimeLimit. When aging out entries, the oldest entry, as determined by the value of sysAppElmtPastRunTimeEnded, will be removed first.

The table is indexed by sysAppInstallPkgIndex (from the sysAppInstallPkgTable), sysAppElmtPastRunInvocID, and sysAppElmtPastRunIndex to make it easy to locate all previously executed processes of a particular invoked application that has been installed on the system."

::= { sysAppRun 4 }

## sysAppElmtPastRunEntry OBJECT-TYPE

SYNTAX SysAppElmtPastRunEntry

MAX-ACCESS not-accessible

STATUS current

## DESCRIPTION

"The logical row describing a process which was previously executed on this host as part of an installed application. The entry is basically copied from the sysAppElmtRunTable when the process terminates. Hence, the entry's value for sysAppElmtPastRunIndex is the same as its value was for sysAppElmtRunIndex. Note carefully: only those processes which could be associated with an identified application are included in this table."

INDEX { sysAppInstallPkgIndex,  
sysAppElmtPastRunInvocID,  
sysAppElmtPastRunIndex }  
::= { sysAppElmtPastRunTable 1 }

SysAppElmtPastRunEntry ::= SEQUENCE {  
sysAppElmtPastRunInvocID Unsigned32,

```

sysAppElmtPastRunIndex Unsigned32,
sysAppElmtPastRunInstallID Unsigned32,
sysAppElmtPastRunTimeStarted DateAndTime,
sysAppElmtPastRunTimeEnded DateAndTime,
sysAppElmtPastRunName LongUtf8String,
sysAppElmtPastRunParameters Utf8String,
sysAppElmtPastRunCPU TimeTicks,
sysAppElmtPastRunMemory Unsigned32,
sysAppElmtPastRunNumFiles Unsigned32,
sysAppElmtPastRunUser Utf8String
}

```

#### sysAppElmtPastRunInvocID OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"Part of the index for this table, this value identifies

the invocation of an application of which the process represented by this entry was a part. The value of this object is the same value as the sysAppRunIndex for the corresponding application invocation in the sysAppRunTable. If the invoked application as a whole has terminated, it will be the same as the sysAppPastRunIndex."

::= { sysAppElmtPastRunEntry 1 }

#### sysAppElmtPastRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"Part of the index for this table. An integer assigned by the agent equal to the corresponding sysAppElmtRunIndex which was removed from the sysAppElmtRunTable and moved to this table when the element terminated.

Note: entries in this table are indexed by sysAppElmtPastRunInvocID, sysAppElmtPastRunIndex.

The possibility

exists, though unlikely, of a collision occurring by a new entry which was run by the same invoked application (InvocID), and was assigned the same process identification number (ElmtRunIndex) as an element which was previously run by the same invoked application.

Should this situation occur, the new entry replaces the old entry.

See Section: 'Implementation Issues - sysAppElmtPastRunTable Entry Collisions' for the conditions that would have to occur in order for a collision to occur."

```
::= { sysAppElmtPastRunEntry 2 }
```

sysAppElmtPastRunInstallID OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index into the installed element table. The value of this object is the same value as the sysAppInstallElmtIndex for the application element

of which this entry represents a previously executed process."

```
::= { sysAppElmtPastRunEntry 3 }
```

sysAppElmtPastRunTimeStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time the process was started."

```
::= { sysAppElmtPastRunEntry 4 }
```

sysAppElmtPastRunTimeEnded OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time the process ended."

```
::= { sysAppElmtPastRunEntry 5 }
```

sysAppElmtPastRunName OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The full path and filename of the process.  
For example, '/opt/MYYpkg/bin/myyproc' would be returned for process 'myyproc' whose execution

path was '/opt/MYYpkg/bin/myyproc'.  
::= { sysAppElmtPastRunEntry 6 }

sysAppElmtPastRunParameters

OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The starting parameters for the process."

::= { sysAppElmtPastRunEntry 7 }

sysAppElmtPastRunCPU OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last known number of centi-seconds of the total system's CPU resources consumed by this process.

Note that on a multi-processor system, this value may increment by more than one centi-second in one centi-second of real (wall clock) time."

::= { sysAppElmtPastRunEntry 8 }

sysAppElmtPastRunMemory OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "Kbytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last known total amount of real system memory measured in Kbytes allocated to this process before it

terminated."

::= { sysAppElmtPastRunEntry 9 }

sysAppElmtPastRunNumFiles OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last known number of files open by the process before it terminated. Transport connections (sockets) should NOT be included in the calculation of this value."

::= { sysAppElmtPastRunEntry 10 }

sysAppElmtPastRunUser OBJECT-TYPE



SYNTAX Utf8String  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The process owner's login name (e.g. root)."  
::= { sysApplElmtPastRunEntry 11 }

-- Additional Scalar objects to control table sizes

sysApplPastRunMaxRows OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION  
"The maximum number of entries allowed in the  
sysApplPastRunTable.

Once the number of rows in

the sysApplPastRunTable reaches this value, the  
management subsystem will remove the oldest entry  
in the table to make room for the new entry to be added.  
Entries will be removed on the basis of oldest  
sysApplPastRunTimeEnded value first.

This object may be used to control the amount of  
system resources that can be used for sysApplPastRunTable  
entries. A conforming implementation should attempt  
to support the default value, however, a lesser value  
may be necessary due to implementation-dependent issues  
and resource availability."

DEFVAL { 500 }  
::= { sysApplRun 5 }

sysApplPastRunTableRemItems OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"A counter of the number of entries removed from  
the sysApplPastRunTable because of table size limitations

as set in sysApplPastRunMaxRows. This counter is the  
number of entries the management subsystem has had to  
remove in order to make room for new entries (so as not  
to exceed the limit set by sysApplPastRunMaxRows) since  
the last initialization of the management subsystem."

::= { sysApplRun 6 }

sysApplPastRunTblTimeLimit OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum time in seconds which an entry in the sysApplPastRunTable may exist before it is removed. Any entry that is older than this value will be removed (aged out) from the table.

Note that an entry may be aged out prior to reaching this time limit if it is the oldest entry in the table and must be removed to make space for a new entry so as to not exceed sysApplPastRunMaxRows."

DEFVAL { 7200 }

::= { sysApplRun 7 }

sysApplElemPastRunMaxRows OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum number of entries allowed in the sysApplElmtPastRunTable. Once the number of rows in the sysApplElmtPastRunTable reaches this value, the management subsystem will remove the oldest entry to make room for the new entry to be added. Entries will be removed on the basis of oldest sysApplElmtPastRunTimeEnded value first. This object may be used to control the amount of system resources that can be used for sysApplElemPastRunTable entries. A conforming implementation should attempt to support the default value, however, a lesser value may be necessary due to implementation-dependent issues and resource availability."

DEFVAL

{ 500 }

::= { sysApplRun 8 }

sysApplElemPastRunTableRemItems OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A counter of the number of entries removed from the sysApplElemPastRunTable because of table size limitations as set in sysApplElemPastRunMaxRows. This counter is the

number of entries the management subsystem has had to remove in order to make room for new entries (so as not to exceed the limit set by sysAppElemPastRunMaxRows) since the last initialization of the management subsystem."

::= { sysAppRun 9 }

#### sysAppElemPastRunTblTimeLimit OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The maximum time in seconds which an entry in the sysAppElemPastRunTable may exist before it is removed.

Any entry that is older than this value will be removed (aged out) from the table.

Note that an entry may be aged out prior to reaching this time limit if it is the oldest entry in the table and must be removed to make space for a new entry so as to not exceed sysAppElemPastRunMaxRows."

DEFVAL { 7200 }

::= { sysAppRun 10 }

#### sysAppAgentPollInterval OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The minimum interval in seconds that the management subsystem implementing this MIB will poll the status of the managed resources. Because of the non-trivial effort involved in polling the managed resources, and because the method for obtaining the status of the managed resources is implementation-dependent, a conformant implementation

may chose a lower bound greater than 0.

A value of 0 indicates that there is no delay in the passing of information from the managed resources to the agent."

DEFVAL { 60 }

::= { sysAppRun 11 }

```

-- sysApplMap Group
-- This group contains a table, the sysApplMapTable,
-- whose sole purpose is to provide a 'backwards'
-- mapping so that, given a known sysApplElmtRunIndex
-- (process identification number), the corresponding invoked
-- application (sysApplRunIndex), installed element
-- (sysApplInstallElmtIndex), and installed application
-- package (sysApplInstallPkgIndex) can be quickly determined.
--
-- The table will contain one entry for each process
-- currently running on the system.
--
-- A backwards mapping is extremely useful since the tables
-- in this MIB module are typically indexed with the
-- installed application package (sysApplInstallPkgIndex)
-- as the primary key, and on down
as required by the
-- specific table, with the process ID number (sysApplElmtRunIndex)
-- being the least significant key.
--
-- It is expected that management applications will use
-- this mapping table by doing a 'GetNext' operation with
-- the known process ID number (sysApplElmtRunIndex) as the partial
-- instance identifier. Assuming that there is an entry for
-- the process, the result should return a single columnar value,
-- the sysApplMapInstallPkgIndex, with the sysApplElmtRunIndex,
-- sysApplRunIndex, and sysApplInstallElmtIndex contained in the
-- instance identifier for the returned MIB object value.
--
-- NOTE: if the process can not be associated back to an
-- invoked application installed on the system, then the
-- value returned for the columnar value sysApplMapInstallPkgIndex
-- will be '0' and the instance portion of the object-identifier
-- will be the process ID number (sysApplElmtRunIndex) followed
-- by 0.0.

```

sysApplMapTable

OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplMapEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The sole purpose of this table is to provide a  
'backwards' mapping so that, given a known  
sysApplElmtRunIndex (process identification number),  
the corresponding invoked application (sysApplRunIndex),  
installed element (sysApplInstallElmtIndex), and

installed application package (sysApplInstallPkgIndex) can be quickly determined.

This table will contain one entry for each process that is currently executing on the system.

It is expected that management applications will use this mapping table by doing a 'GetNext' operation with the known process ID number (sysApplElmtRunIndex) as the partial instance identifier. Assuming that there is an entry for the process, the result should return a single columnar

value, the sysApplMapInstallPkgIndex, with the sysApplElmtRunIndex, sysApplRunIndex, and sysApplInstallElmtIndex contained in the instance identifier for the returned MIB object value.

NOTE: if the process can not be associated back to an invoked application installed on the system, then the value returned for the columnar value sysApplMapInstallPkgIndex will be '0' and the instance portion of the object-identifier will be the process ID number (sysApplElmtRunIndex) followed by 0.0."

::= { sysApplMap 1 }

sysApplMapEntry OBJECT-TYPE

SYNTAX SysApplMapEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A logical row representing a process currently running on the system. This entry provides the index mapping from process identifier, back to the invoked application, installed element, and finally, the

installed application

package. The entry includes only one accessible columnar object, the sysApplMapInstallPkgIndex, but the invoked application and installed element can be determined from the instance identifier since they form part of the index clause."

INDEX { sysApplElmtRunIndex, sysApplElmtRunInvocID,  
sysApplMapInstallElmtIndex }

::= { sysApplMapTable 1 }

SysApplMapEntry ::= SEQUENCE {  
sysApplMapInstallElmtIndex Unsigned32,  
sysApplMapInstallPkgIndex Unsigned32  
}

sysApplMapInstallElmtIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The index into the sysApplInstallElmtTable. The value of this object is the same value as the sysApplInstallElmtIndex for the application element of which this entry represents a running instance.

If this

process cannot be associated to an installed executable, the value should be '0'."

::= { sysApplMapEntry 1 }

sysApplMapInstallPkgIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of this object identifies the installed software package for the application of which this process is a part. Provided that the process's 'parent' application can be determined, the value of this object is the same value as the sysApplInstallPkgIndex for the entry in the sysApplInstallPkgTable that corresponds to the installed application of which this process is a part.

If, however, the 'parent' application cannot be determined, (for example the process is not part of a particular installed application), the value for this object is then '0', signifying that this

process cannot be related back to an application, and in turn, an installed software package."

::= { sysApplMapEntry 2 }

-- Conformance Macros

sysApplMIBCompliances OBJECT IDENTIFIER ::= { sysApplConformance 1 }

sysApplMIBGroups OBJECT IDENTIFIER ::= { sysApplConformance 2 }

sysApplMIBCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the System Application MIB"

```
MODULE -- this module
 MANDATORY-GROUPS { sysAppInstalledGroup,
 sysAppRunGroup, sysAppMapGroup }
 ::= { sysAppMIBCompliances 1 }
```

sysAppInstalledGroup OBJECT-GROUP

```
OBJECTS { sysAppInstallPkgManufacturer,
 sysAppInstallPkgProductName,
 sysAppInstallPkgVersion,
 sysAppInstallPkgSerialNumber,
 sysAppInstallPkgDate,
 sysAppInstallPkgLocation,
 sysAppInstallElmtName,
 sysAppInstallElmtType,
 sysAppInstallElmtDate,
 sysAppInstallElmtPath,
 sysAppInstallElmtSizeHigh,
 sysAppInstallElmtSizeLow,
 sysAppInstallElmtRole,
 sysAppInstallElmtModifyDate,
 sysAppInstallElmtCurSizeHigh,
 sysAppInstallElmtCurSizeLow }
```

STATUS current

DESCRIPTION

```
"The system application installed group contains
information about applications and their constituent
components which have been installed on the host system."
::= { sysAppMIBGroups 1 }
```

sysAppRunGroup OBJECT-GROUP

```
OBJECTS { sysAppRunStarted,
 sysAppRunCurrentState,
 sysAppPastRunStarted,
 sysAppPastRunExitState,
 sysAppPastRunTimeEnded,
 sysAppElmtRunInstallID,
 sysAppElmtRunTimeStarted,
 sysAppElmtRunState,
 sysAppElmtRunName,
 sysAppElmtRunParameters,
 sysAppElmtRunCPU,
 sysAppElmtRunMemory,
 sysAppElmtRunNumFiles,
 sysAppElmtRunUser,
 sysAppElmtPastRunInstallID,
 sysAppElmtPastRunTimeStarted,
 sysAppElmtPastRunTimeEnded,
 sysAppElmtPastRunName,
```

```

 sysAppElmtPastRunParameters,
 sysAppElmtPastRunCPU,
 sysAppElmtPastRunMemory,
 sysAppElmtPastRunNumFiles,
 sysAppElmtPastRunUser,
 sysAppPastRunMaxRows,
 sysAppPastRunTableRemItems,
 sysAppPastRunTblTimeLimit,
 sysAppElemPastRunMaxRows,
 sysAppElemPastRunTableRemItems,
 sysAppElemPastRunTblTimeLimit,
 sysAppAgentPollInterval }
STATUS current
DESCRIPTION
 "The system application
run group contains information
 about applications and associated elements which have
 run or are currently running on the host system."
 ::= { sysAppMIBGroups 2 }

sysAppMapGroup OBJECT-GROUP
OBJECTS { sysAppMapInstallPkgIndex }
STATUS current
DESCRIPTION
 "The Map Group contains a single table, sysAppMapTable,
 that provides a backwards mapping for determining the
 invoked application, installed element, and installed
 application package given a known process identification
 number."
 ::= { sysAppMIBGroups 3 }

END

Found in path(s):
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SYSAPPL-
MIB
No license file was found, but licenses were detected in source scan.

SNMP-FRAMEWORK-MIB DEFINITIONS ::= BEGIN

IMPORTS
 MODULE-IDENTITY, OBJECT-TYPE,
 OBJECT-IDENTITY,
 snmpModules FROM SNMPv2-SMI
 TEXTUAL-CONVENTION FROM SNMPv2-TC
 MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF;

snmpFrameworkMIB MODULE-IDENTITY

```



LAST-UPDATED "200210140000Z"  
ORGANIZATION "SNMPv3 Working Group"  
CONTACT-INFO "WG-EMail: snmpv3@lists.tislabs.com  
Subscribe: snmpv3-request@lists.tislabs.com

Co-Chair: Russ Mundy  
Network Associates Laboratories  
postal: 15204 Omega Drive, Suite 300  
Rockville, MD 20850-4601  
USA  
EMail: mundy@tislabs.com  
phone: +1 301-947-7107

Co-Chair &  
Co-editor: David Harrington

Enterasys Networks  
postal: 35 Industrial Way  
P. O. Box 5005  
Rochester, New Hampshire 03866-5005  
USA  
EMail: dbh@enterasys.com  
phone: +1 603-337-2614

Co-editor: Randy Presuhn  
BMC Software, Inc.  
postal: 2141 North First Street  
San Jose, California 95131  
USA  
EMail: randy\_presuhn@bmc.com  
phone: +1 408-546-1006

Co-editor: Bert Wijnen  
Lucent Technologies  
postal: Schagen 33  
3461 GL Linschoten  
Netherlands

EMail: bwijnen@lucent.com  
phone: +31 348-680-485

"

DESCRIPTION "The SNMP Management Architecture MIB

Copyright (C) The Internet Society (2002). This  
version of this MIB module is part of RFC 3411;

see the RFC itself for full legal notices.

"

REVISION "200210140000Z" -- 14 October 2002

DESCRIPTION "Changes in this revision:

- Updated various administrative information.
- Corrected some typos.
- Corrected typo in description of SnmpEngineID that led to range overlap for 127.
- Changed '255a' to '255t' in definition of SnmpAdminString to align with current SMI.
- Reworded 'reserved' for value zero in DESCRIPTION of SnmpSecurityModel.
- The algorithm for allocating security models should give

256 per enterprise block, rather than 255.

- The example engine ID of 'abcd' is not legal. Replaced with '800002b804616263'H based on example enterprise 696, string 'abc'.
- Added clarification that engineID should persist across re-initializations.

This revision published as RFC 3411.

"

REVISION "199901190000Z" -- 19 January 1999

DESCRIPTION "Updated editors' addresses, fixed typos.

Published as RFC 2571.

"

REVISION "199711200000Z" -- 20 November 1997

DESCRIPTION "The initial version, published in RFC 2271.

"

::= { snmpModules 10 }

-- Textual Conventions used in the SNMP Management Architecture \*\*\*

SnmpEngineID ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION "An SNMP engine's administratively-unique identifier.

Objects of this type are for identification, not for addressing, even though it is possible that an address may have been used in the generation of a specific value.

The value for this object may not be all zeros or all 'ff'H or the empty (zero length) string.

The initial value for this object may be configured via an operator console entry or via an algorithmic function. In the latter case, the following example algorithm is recommended.

In cases where there are multiple engines on the same system, the use of this algorithm is NOT appropriate, as it would result in all of those engines ending up with the same ID value.

1) The very first bit is used to indicate how the

rest of the data is composed.

0 - as defined by enterprise using former methods that existed before SNMPv3. See item 2 below.

1 - as defined by this architecture, see item 3 below.

Note that this allows existing uses of the engineID (also known as AgentID [RFC1910]) to co-exist with any new uses.

2) The snmpEngineID has a length of 12 octets.

The first four octets are set to the binary equivalent of the agent's SNMP management private enterprise number as assigned by the Internet Assigned Numbers Authority (IANA). For example, if Acme Networks has been assigned { enterprises 696 }, the first four octets would be assigned '000002b8'H.

The remaining eight octets are determined via

one or more enterprise-specific methods. Such methods must be designed so as to maximize the possibility that the value of this object will be unique in the agent's administrative domain. For example, it may be the IP address of the SNMP entity, or the MAC address of one of the interfaces, with each address suitably padded with random octets. If multiple methods are defined, then it is recommended that the first octet indicate the method being used and the remaining octets be a function of the method.

3) The length of the octet string varies.

The first four octets are set to the binary equivalent of the agent's SNMP management private enterprise number as assigned by the Internet Assigned Numbers Authority (IANA). For example, if Acme Networks has been assigned { enterprises 696 }, the first four octets would be assigned '000002b8'H.

The very first bit is set to 1. For example, the above value for Acme Networks now changes to be '800002b8'H.

The fifth octet indicates how the rest (6th and following octets) are formatted. The values for the fifth octet are:

- 0 - reserved, unused.
- 1 - IPv4 address (4 octets)  
lowest non-special IP address
- 2 - IPv6 address (16 octets)  
lowest non-special IP address
- 3 - MAC address (6 octets)  
lowest IEEE MAC address, canonical  
order
- 4 - Text, administratively assigned  
Maximum remaining length 27
- 5 - Octets, administratively assigned  
Maximum remaining length 27
- 6-127 - reserved, unused
- 128-255 - as defined by the enterprise  
Maximum remaining length 27

"  
SYNTAX OCTET STRING (SIZE(5..32))

SnmSecurityModel ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION "An identifier that uniquely identifies a Security Model of the Security Subsystem within this SNMP Management Architecture.

The values for securityModel are allocated as follows:

- The zero value does not identify any particular security model.

- Values between 1 and 255, inclusive,

are reserved

- for standards-track Security Models and are managed by the Internet Assigned Numbers Authority (IANA).

- Values greater than 255 are allocated to enterprise-specific Security Models. An enterprise-specific securityModel value is defined to be:

$$\text{enterpriseID} * 256 + \text{security model within enterprise}$$

For example, the fourth Security Model defined by the enterprise whose enterpriseID is 1 would be 259.

This scheme for allocation of securityModel values allows for a maximum of 255 standards-based Security Models, and for a maximum of 256 Security Models per enterprise.

It is believed that the assignment of new securityModel values will be rare in

practice

because the larger the number of simultaneously utilized Security Models, the larger the chance that interoperability will suffer.

Consequently, it is believed that such a range

will be sufficient. In the unlikely event that the standards committee finds this number to be insufficient over time, an enterprise number can be allocated to obtain an additional 256 possible values.

Note that the most significant bit must be zero; hence, there are 23 bits allocated for various organizations to design and define non-standard

securityModels. This limits the ability to define new proprietary implementations of Security Models to the first 8,388,608 enterprises.

It is worthwhile to note that, in its encoded

form, the securityModel value will normally require only a single byte since, in practice, the leftmost bits will be zero for most messages and sign extension is suppressed by the encoding rules.

As of this writing, there are several values of securityModel defined for use with SNMP or reserved for use with supporting MIB objects. They are as follows:

- 0 reserved for 'any'
- 1 reserved for SNMPv1
- 2 reserved for SNMPv2c
- 3 User-Based Security Model (USM)

"

SYNTAX INTEGER(0 .. 2147483647)

SnmMessageProcessingModel ::= TEXTUAL-CONVENTION  
STATUS current  
DESCRIPTION "An identifier that uniquely identifies a Message Processing Model of the Message Processing Subsystem within this SNMP Management Architecture.

The values for messageProcessingModel are allocated as follows:

- Values between 0 and 255, inclusive, are

reserved for standards-track Message Processing Models and are managed by the Internet Assigned Numbers Authority (IANA).

- Values greater than 255 are allocated to enterprise-specific Message Processing Models. An enterprise messageProcessingModel value is defined to be:

$$\text{enterpriseID} * 256 +$$
$$\text{messageProcessingModel within enterprise}$$

For example, the fourth Message Processing Model defined by the enterprise whose enterpriseID

is 1 would be 259.

This scheme for allocating messageProcessingModel values allows for a maximum of 255 standards-based Message Processing Models, and for a maximum of 256 Message Processing Models per enterprise.

It is believed that the assignment of new messageProcessingModel values will be rare in practice because the larger the number of simultaneously utilized Message Processing Models, the larger the chance that interoperability will suffer. It is believed that such a range will be sufficient. In the unlikely event that the standards committee finds this number to be insufficient over time, an enterprise number can be allocated to obtain an additional 256 possible values.

Note that the most significant bit must be zero; hence, there are 23 bits allocated for various organizations to design and define non-standard messageProcessingModels. This limits the ability to define new proprietary implementations of Message Processing Models to the first 8,388,608 enterprises.

It is worthwhile to note that, in its encoded form, the messageProcessingModel value will normally require only a single byte since, in

practice, the leftmost bits will be zero for most messages and sign extension is suppressed by the encoding rules.

As of this writing, there are several values of messageProcessingModel defined for use with SNMP. They are as follows:

- 0 reserved for SNMPv1
- 1 reserved for SNMPv2c
- 2 reserved for SNMPv2u and SNMPv2\*
- 3 reserved for SNMPv3

"

SYNTAX INTEGER(0 .. 2147483647)

SnmSecurityLevel

::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION "A Level of Security at which SNMP messages can be sent or with which operations are being processed; in particular, one of:

- noAuthNoPriv - without authentication and without privacy,
- authNoPriv - with authentication but without privacy,
- authPriv - with authentication and with privacy.

These three values are ordered such that noAuthNoPriv is less than authNoPriv and authNoPriv is less than authPriv.

"

SYNTAX INTEGER { noAuthNoPriv(1),  
authNoPriv(2),  
authPriv(3)  
}

SnmAdminString ::= TEXTUAL-CONVENTION

DISPLAY-HINT "255t"

STATUS

current

DESCRIPTION "An octet string containing administrative



information, preferably in human-readable form.

To facilitate internationalization, this information is represented using the ISO/IEC IS 10646-1 character set, encoded as an octet string using the UTF-8 transformation format described in [RFC2279].

Since additional code points are added by amendments to the 10646 standard from time to time, implementations must be prepared to encounter any code point from 0x00000000 to 0x7fffffff. Byte sequences that do not correspond to the valid UTF-8 encoding of a code point or are outside this range are prohibited.

The use of control codes should be avoided.

When it is necessary to represent a newline, the control code sequence CR LF should be used.

The use of leading or trailing white space should be avoided.

For code points not directly supported by user interface hardware or software, an alternative means of entry and display, such as hexadecimal, may be provided.

For information encoded in 7-bit US-ASCII, the UTF-8 encoding is identical to the US-ASCII encoding.

UTF-8 may require multiple bytes to represent a single character / code point; thus the length of this object in octets may be different from the number of characters encoded. Similarly, size constraints refer to the number of encoded octets, not the number of characters represented by an encoding.

Note that when this

TC is used for an object that  
is used or envisioned to be used as an index, then  
a SIZE restriction MUST be specified so that the  
number of sub-identifiers for any object instance  
does not exceed the limit of 128, as defined by  
[RFC3416].

Note that the size of an SnmpAdminString object is  
measured in octets, not characters.

"

SYNTAX OCTET STRING (SIZE (0..255))

-- Administrative assignments \*\*\*\*\*

snmpFrameworkAdmin

OBJECT IDENTIFIER ::= { snmpFrameworkMIB 1 }

snmpFrameworkMIBObjects

OBJECT IDENTIFIER ::= { snmpFrameworkMIB 2 }

snmpFrameworkMIBConformance

OBJECT IDENTIFIER ::= { snmpFrameworkMIB 3 }

-- the snmpEngine Group \*\*\*\*\*

snmpEngine OBJECT IDENTIFIER ::= { snmpFrameworkMIBObjects 1 }

snmpEngineID OBJECT-TYPE

SYNTAX SnmpEngineID

MAX-ACCESS read-only

STATUS current

DESCRIPTION "An SNMP engine's administratively-unique identifier.

This information SHOULD be stored in non-volatile  
storage so that it remains constant across  
re-initializations of the SNMP engine.

"

::= { snmpEngine 1 }

snmpEngineBoots OBJECT-TYPE

SYNTAX INTEGER (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION "The number of times that the SNMP engine has

(re-)initialized itself since snmpEngineID  
was last configured.

"

::= { snmpEngine 2 }

snmpEngineTime OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

UNITS "seconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION "The number of seconds since the value of  
the snmpEngineBoots object last changed.  
When incrementing this object's value would  
cause it to exceed its maximum,  
snmpEngineBoots is incremented as if a  
re-initialization had occurred, and this  
object's value consequently reverts to zero.

"

::= { snmpEngine 3 }

snmpEngineMaxMessageSize OBJECT-TYPE

SYNTAX INTEGER (484..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION "The maximum length in octets of an SNMP message  
which this SNMP engine can send or receive and  
process, determined as the minimum of the maximum  
message size values supported among all of the  
transports available to and supported by the engine.

"

::= { snmpEngine 4 }

-- Registration Points for Authentication and Privacy Protocols \*\*

snmpAuthProtocols OBJECT-IDENTITY

STATUS current

DESCRIPTION "Registration point for standards-track  
authentication protocols

used in SNMP Management

Frameworks.

"

::= { snmpFrameworkAdmin 1 }

snmpPrivProtocols OBJECT-IDENTITY

STATUS current

DESCRIPTION "Registration point for standards-track privacy

```

 protocols used in SNMP Management Frameworks.
 "
 ::= { snmpFrameworkAdmin 2 }

-- Conformance information *****

snmpFrameworkMIBCompliances
 OBJECT IDENTIFIER ::= { snmpFrameworkMIBConformance 1 }
snmpFrameworkMIBGroups
 OBJECT IDENTIFIER ::= { snmpFrameworkMIBConformance 2 }

-- compliance statements

snmpFrameworkMIBCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION "The compliance statement for SNMP engines which
 implement the SNMP Management Framework MIB.
 "
 MODULE -- this module
 MANDATORY-GROUPS { snmpEngineGroup }

 ::= { snmpFrameworkMIBCompliances 1 }

-- units of conformance

snmpEngineGroup
OBJECT-GROUP
 OBJECTS {
 snmpEngineID,
 snmpEngineBoots,
 snmpEngineTime,
 snmpEngineMaxMessageSize
 }
 STATUS current
 DESCRIPTION "A collection of objects for identifying and
 determining the configuration and current timeliness

 values of an SNMP engine.
 "
 ::= { snmpFrameworkMIBGroups 1 }

END

```

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNMP-FRAMEWORK-MIB

No license file was found, but licenses were detected in source scan.

```
RMON2-MIB DEFINITIONS ::= BEGIN
IMPORTS
 MODULE-IDENTITY, OBJECT-TYPE, Counter32, Integer32,
 Gauge32, IpAddress, TimeTicks, mib-2 FROM SNMPv2-SMI
 TEXTUAL-CONVENTION, RowStatus, DisplayString, TimeStamp
 FROM SNMPv2-TC
 MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF
 ifIndex FROM IF-MIB
 OwnerString, statistics, history, hosts,
 matrix, filter, etherStatsEntry, historyControlEntry,
 hostControlEntry, matrixControlEntry, filterEntry,
 channelEntry FROM RMON-MIB
 tokenRing, tokenRingMLStatsEntry, tokenRingPStatsEntry,

 ringStationControlEntry, sourceRoutingStatsEntry
 FROM TOKEN-RING-RMON-MIB;
-- Remote Network Monitoring MIB

rmon MODULE-IDENTITY
 LAST-UPDATED "200605020000Z" -- May 2, 2006
 ORGANIZATION "IETF RMON
MIB Working Group"
 CONTACT-INFO
 "Author:
 Steve Waldbusser
 Phone: +1-650-948-6500
 Fax : +1-650-745-0671
 Email: waldbusser@nextbeacon.com

 Working Group Chair:
 Andy Bierman
 E-mail: ietf@andybierman.com

 Working Group Mailing List: <rmonmib@ietf.org>
 To subscribe send email to: <rmonmib-request@ietf.org> "
DESCRIPTION
 "The MIB module for managing remote monitoring
 device implementations. This MIB module
 extends the architecture introduced in the original
 RMON MIB as specified in RFC 2819.

 Copyright (C) The Internet Society (2006). This version of
 this MIB module is part of RFC 4502; see the RFC itself for
 full legal notices."
```

REVISION "200605020000Z" -- May 2, 2006

DESCRIPTION

"This version updates the proposed-standard version of the RMON2 MIB (published as RFC 2021) by adding 2 new enumerations to the nlMatrixTopNControlRateBase object and 4 new enumerations to the alMatrixTopNControlRateBase object. These new enumerations support the creation of high-capacity topN reports in the High Capacity RMON MIB [RFC3273].

Additionally, the following objects have been deprecated, as they have not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard:

probeDownloadFile  
probeDownloadTFTPServer  
probeDownloadAction  
probeDownloadStatus

serialMode  
serialProtocol  
serialTimeout  
serialModemInitString  
serialModemHangUpString  
serialModemConnectResp  
serialModemNoConnectResp  
serialDialoutTimeout  
serialStatus  
serialConnectDestIpAddress  
serialConnectType  
serialConnectDialString  
serialConnectSwitchConnectSeq  
serialConnectSwitchDisconnectSeq  
serialConnectSwitchResetSeq  
serialConnectOwner  
serialConnectStatus  
netConfigIpAddress  
netConfigSubnetMask  
netConfigStatus  
netDefaultGateway  
tokenRingMLStats2DroppedFrames  
tokenRingMLStats2CreateTime  
tokenRingPStats2DroppedFrames  
tokenRingPStats2CreateTime

ringStationControl2DroppedFrames  
ringStationControl2CreateTime  
sourceRoutingStats2DroppedFrames  
sourceRoutingStats2CreateTime  
trapDestIndex  
trapDestCommunity  
trapDestProtocol  
trapDestAddress  
trapDestOwner  
trapDestStatus

In addition, two corrections were made. The LastCreateTime Textual Convention had been defined with a base type of another textual convention, which isn't allowed in SMIV2. The definition has been modified to use TimeTicks as the base type.

Further,  
the SerialConfigEntry SEQUENCE definition included sub-typing information that is not allowed in SMIV2. This information has been deleted. Ranges were added to a number of objects and textual-conventions to constrain their maximum (and sometimes minimum) sizes. The addition of these ranges documents existing practice for these objects. These objects

are:

ControlString  
protocolDirID  
protocolDirParameters  
addressMapNetworkAddress  
nlHostAddress  
nlMatrixSDSourceAddress  
nlMatrixSDDestAddress  
nlMatrixDSSourceAddress  
nlMatrixDSDestAddress  
nlMatrixTopNSourceAddress  
nlMatrixTopNDestAddress  
alHostEntry  
alMatrixSDEntry  
alMatrixDSEntry  
alMatrixTopNSourceAddress  
alMatrixTopNDestAddress

Finally, the TimeFilter TC has been updated to encourage agent implementations that allow a MIB walk to behave well even when performed by an application that is not aware of the special

TimeFilter semantics."

REVISION "200207080000Z" -- 08 July, 2002

DESCRIPTION

"Added new enumerations to support the High-Capacity RMON MIB as defined in RFC 3273. Also fixed some typos and added clarifications."

REVISION "199605270000Z" -- 27 May, 1996

DESCRIPTION

"Original version. Published as RFC 2021."

::= { mib-2 16 }

-- { rmon 1 } through { rmon 10 } are defined in RMON and  
-- the Token Ring RMON MIB [RFC1513]

protocolDir OBJECT IDENTIFIER ::= { rmon 11 }  
protocolDist OBJECT IDENTIFIER ::= { rmon 12 }  
addressMap OBJECT IDENTIFIER ::= { rmon 13 }  
nlHost OBJECT IDENTIFIER ::= { rmon 14 }  
nlMatrix OBJECT IDENTIFIER ::= { rmon 15 }  
alHost OBJECT IDENTIFIER ::= { rmon 16 }  
alMatrix OBJECT IDENTIFIER  
::= { rmon 17 }  
usrHistory OBJECT IDENTIFIER ::= { rmon 18 }  
probeConfig OBJECT IDENTIFIER ::= { rmon 19 }  
rmonConformance OBJECT IDENTIFIER ::= { rmon 20 }

-- Textual Conventions

ZeroBasedCounter32 ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TC describes an object that counts events with the following semantics: objects of this type will be set to zero(0) on creation and will thereafter count appropriate events, wrapping back to zero(0) when the value 2<sup>32</sup> is reached.

Provided that an application discovers the new object within the minimum time to wrap, it can use the initial value as a delta since it last polled the table of which this object is part. It is important for a management station to be aware of this minimum time and the actual time between polls, and to discard data if the actual time is too long or there is no



defined minimum time.

Typically, this TC is used in tables where the INDEX space is constantly changing and/or the TimeFilter mechanism is in use."

SYNTAX Gauge32

LastCreateTime ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TC describes an object that stores the value of the sysUpTime object at the last time its entry was created.

This can be used for polling applications to determine that an entry has been deleted and re-created between polls, causing an otherwise undetectable discontinuity in the data.

If sysUpTime is reset to zero as a result of a re-initialization of the network management (sub)system, then the values of all LastCreateTime objects are also reset.

However, after approximately 497 days without a re-initialization, the sysUpTime object will reach  $2^{32}-1$  and then increment to zero; in this case, existing values of TimeStamp objects do not change.

This can lead to

ambiguities in the value of TimeStamp objects."

SYNTAX TimeTicks

TimeFilter ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"To be used for the index to a table. Allows an application to download only those rows changed since a particular time.

Note that this is not a history mechanism. Only current values of underlying objects are returned; saved instance values associated with particular values of sysUpTime are not.

An entry is considered changed if the value of any object in the entry changes, if the row is created, or if any object in the entry is created or deleted. Note that deleted entries cannot be detected or downloaded.

A time-filtered conceptual table is created by inserting a single object of SYNTAX TimeFilter as the first INDEX component in a copy of an existing basic conceptual table (i.e., any SEQUENCE without a TimeFilter INDEX component). Thus,

for

each conceptual entry 'I' in the basic table, there exists N conceptual entries in the time-filtered version, indexed N.I, where 'N' is equal to the value of sysUpTime.

When an application retrieves conceptual instances from a time-filtered table, and an INDEX value is provided for the TimeFilter INDEX component 'N', the agent will only consider returning basic conceptual entries (e.g., 'fooColumn.N.I') if any column within the basic conceptual entry has changed since sysUpTime 'N'. If not, the basic conceptual entry will be ignored for the particular retrieval operation.

When sysUpTime is equal to zero, this table shall be empty.

One conceptual entry exists for each past value of sysUpTime, except that the whole table is purged should sysUpTime wrap.

As an entry in a time-filtered table is updated (i.e., one of the columns in the basic conceptual table is changed), new conceptual entries are also created in the time-filtered version (which still shares the now updated object values with all other instances). The number of unique time-filtered instances that are created is determined by the value of sysUpTime at which the basic entry was last updated. One unique instance will exist for each value of sysUpTime at the last update time for the row. However, a new TimeFilter index instance is created for each new sysUpTime value. The TimeFilter index values not associated with entry updates are called duplicate time-filtered instances.

After some deployment experience, it has been determined that a time-filtered table is more efficient if the agent stops a MIB walk operation by skipping over rows with a TimeFilter index value higher than the value in the received GetNext/GetBulk request. That is, instead of incrementing a TimeFilter index value, the agent will continue to the next

object or table. As a consequence, GetNext or GetBulk operations will provide only one pass through a time-filtered table.

It is suggested that an agent implement a time-filtered table in this manner to improve performance and avoid a MIB walk getting stuck in time-filtered tables. It is, however, still

acceptable for an agent to implement a time-filtered table in the traditional manner (i.e., every conceptual time-filtered instance is returned in GetNext and GetBulk PDU responses), and management applications must be able to deal with such traditional implementations.

See the appendix for further discussion of this textual convention.

The following example is provided to demonstrate TimeFilter behavior:

Consider the following basic conceptual table, basicFooTable. (Note that the basic version of a time-filtered table may not actually be defined.)

```
basicFooTable:

basicFooTable ...
INDEX { fooIndex }

BasicFooEntry {
 fooIndex Integer32,
 fooCounts Counter32
}
```

For this example, the basicFooTable contains two static conceptual entries (fooIndex equals '1' and '2'), created at time zero. It also contains one dynamic conceptual entry (fooIndex equals '3'), which is created at time '3' and deleted at time '7'.

The time-filtered version of the basicFooTable could be defined as follows:

```
FooTable:

fooTable ...
INDEX { fooTimeMark, fooIndex }

FooEntry {

 fooTimeMark TimeFilter,
 fooIndex Integer32,
 fooCounts Counter32
}
```

Note that entries exist in the time-filtered conceptual table only if they actually exist in the underlying (basic) table.

For this example, the fooTable will have three underlying basic entries (fooIndex == 1, 2, and 3), with the following activity (for sysUpTime equal 0 to 9):

- fooEntry.N.1 is created at time '0' and most recently updated at time '6' to the value '5'.
- fooEntry.N.2 is created at time '0' and most recently updated at time '8' to the value '9'.
- fooEntry.N.3 is created at time '3', updated at time '5' to the value '17', and deleted at time '7'.

The following tables show the values that would be returned for MIB walk operations with various TimeFilter values, done at different times. An application issues a retrieval request at time 'T', with a TimeFilter value, 'N' (typically set to a lower value, such as the value of sysUpTime at the last polling cycle).

The following values would be returned in a MIB walk of fooCounts.N if T equals '0' and N equals '0':

```
fooCounts.N.I Value
=====
fooCounts.0.1
0
fooCounts.0.2 0
```

Note that nothing is returned for fooCounts.0.3, since that entry does not exist at sysUpTime equals '0'.

The following values would be returned in a full (traditional) MIB walk of fooCounts.N if T equals '3' and N equals '0':

```
fooCounts.N.I Value
=====
fooCounts.0.1 0
fooCounts.0.2 0
fooCounts.0.3 0
fooCounts.1.3 0
fooCounts.2.3 0
fooCounts.3.3 0
```

Note that there are no instances for T equals 1 or 2 for the first two values of N, as these entries did not change since they were created at time '0'.

Note that the current value for 'fooCounts.N.3' is returned here, even for values of N less than '3' (when the entry was created). The agent only considers the current existence of an entry in the TimeFilter algorithm, not the time when the entry was created.

Note that the instances 'fooCounts.0.3', 'fooCounts.1.3', and 'fooCounts.2.3' are duplicates and can be suppressed by the agent in a MIB walk.

The following values would be returned in a full (traditional) MIB walk of fooCounts.N if T equals '6' and N equals '3':

| fooCounts.N.I | Value |
|---------------|-------|
| fooCounts.3.1 | 5     |
| fooCounts.3.3 | 17    |
| fooCounts.4.1 | 5     |
| fooCounts.4.3 | 17    |
| fooCounts.5.1 | 5     |
| fooCounts.5.3 | 17    |
| fooCounts.6.1 | 5     |

Note that no instances for entry 'fooCounts.N.2' are returned, since it has not changed since time '3'.

Note that all instances except 'fooCounts.5.3' and 'fooCounts.6.1' are duplicates and can be suppressed by the agent in a MIB walk.

The following values would be returned in a full (traditional) MIB walk of fooCounts.N if T equals '9' and N equals '6':

| fooCounts.N.I | Value |
|---------------|-------|
| fooCounts.6.1 | 5     |
| fooCounts.6.2 | 9     |
| fooCounts.7.2 | 9     |
| fooCounts.8.2 | 9     |

Note that no instances for entry 'fooCounts.N.3' are returned,

since it was deleted at time '7'.

Note that instances 'fooCounts.6.2' and 'fooCounts.7.2'

are duplicates and can be suppressed by the agent in a MIB walk."

SYNTAX TimeTicks

DataSource ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Identifies the source of the data that the associated function is configured to analyze. This source can be any interface on this device.

In order to identify a particular interface, this object shall identify the instance of the ifIndex object, defined in [RFC2863], for the desired interface.

For example, if an entry were to receive data from interface #1, this object would be set to ifIndex.1."

SYNTAX OBJECT IDENTIFIER

--

-- Protocol Directory Group

--

-- Lists the inventory of protocols the probe has the capability of  
-- monitoring and allows the addition, deletion, and configuration of  
-- entries in this list.

protocolDirLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time the protocol directory was last modified, either through insertions or deletions, or through modifications of the protocolDirAddressMapConfig, protocolDirHostConfig, or protocolDirMatrixConfig."

::= { protocolDir 1 }

protocolDirTable OBJECT-TYPE

SYNTAX SEQUENCE OF ProtocolDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table lists the protocols that this agent has the capability to decode and count. There is one entry in this table for each such protocol.

These protocols represent

different network-layer, transport-layer, and higher-layer

protocols. The agent should boot up with this table preconfigured with those protocols that it knows about and wishes to monitor. Implementations are strongly encouraged to support protocols higher than the network layer (at least for the protocol distribution group), even for implementations that don't support the application-layer groups."

::= { protocolDir 2 }

protocolDirEntry OBJECT-TYPE

SYNTAX ProtocolDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the protocolDirTable.

An example of the indexing of this entry is protocolDirLocalIndex.8.0.0.0.1.0.0.8.0.2.0.0, which is the encoding of a length of 8, followed by 8 subids encoding the protocolDirID of 1.2048, followed by a length of 2 and the 2 subids encoding zero-valued

parameters.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

INDEX { protocolDirID, protocolDirParameters }

::= { protocolDirTable 1 }

ProtocolDirEntry ::= SEQUENCE {

protocolDirID OCTET STRING,

protocolDirParameters OCTET STRING,

protocolDirLocalIndex Integer32,

protocolDirDescr DisplayString,

protocolDirType BITS,

protocolDirAddressMapConfig INTEGER,

protocolDirHostConfig INTEGER,

```
protocolDirMatrixConfig INTEGER,
protocolDirOwner OwnerString,
protocolDirStatus RowStatus
}
```

#### protocolDirID OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (4..128))

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A unique identifier for a particular protocol. Standard identifiers will be defined in such a manner that they

can often be used as specifications for new protocols - i.e., a tree-structured assignment mechanism that matches the protocol encapsulation 'tree' and that has algorithmic assignment mechanisms for certain subtrees. See RFC 2074 for more details.

Despite the algorithmic mechanism, the probe will only place entries in here for those protocols it chooses to collect. In other words, it need not populate this table with all possible ethernet protocol types, nor need it create them on the fly when it sees them. Whether it does these things is a matter of product definition (cost/benefit, usability) and is up to the designer of the product.

If an entry is written to this table with a protocolDirID that the agent doesn't understand, either directly or algorithmically, the SET request will be rejected with an inconsistentName or badValue (for SNMPv1) error."  
 ::= { protocolDirEntry 1 }

#### protocolDirParameters OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..32))

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A set of parameters for the associated protocolDirID. See the associated RMON2 Protocol Identifiers document for a description of the possible parameters. There will be one octet in this string for each sub-identifier in the protocolDirID, and the parameters will appear here in the same order as the associated sub-identifiers appear in the protocolDirID.



Every node in the protocolDirID tree has a different, optional set of parameters defined (that is, the definition of parameters for a node is optional). The proper parameter value for each node is included in this string. Note that the inclusion of a parameter value in this string for each node is not optional. What is optional is that a node may have no parameters defined, in which case the parameter field for that node will be zero."

```
::= { protocolDirEntry 2 }
```

protocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The locally arbitrary but unique identifier associated with this protocolDir entry.

The value for each supported protocol must remain constant at least from one re-initialization of the entity's network management system to the next re-initialization, except that if a protocol is deleted and re-created, it must be re-created with a new value that has not been used since the last re-initialization.

The specific value is meaningful only within a given SNMP entity. A protocolDirLocalIndex must not be re-used until the next agent restart in the event that the protocol directory entry is deleted."

```
::= { protocolDirEntry 3 }
```

protocolDirDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (1..64))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A textual description of the protocol encapsulation. A probe may choose to describe only a subset of the entire encapsulation (e.g., only the highest layer).

This object is intended for human consumption only.

This object may not be modified if the associated protocolDirStatus object is equal to active(1)."  
 ::= { protocolDirEntry 4 }

protocolDirType OBJECT-TYPE

```
SYNTAX BITS {
 extensible(0),
 addressRecognitionCapable(1)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object describes 2 attributes of this protocol directory entry.

The presence or absence of the 'extensible' bit describes whether this protocol directory entry can be extended by the user by creating protocol directory entries that are children of this protocol.

An example of an entry that will often allow extensibility is

'ip.udp'. The probe may automatically populate some children of this node, such as 'ip.udp.snmp' and 'ip.udp.dns'.

A probe administrator or user may also populate additional children via remote SNMP requests that create entries in this table. When a child node is added for a protocol for which the probe has no built-in support extending a parent node (for which the probe does have built-in support), that child node is not extendable. This is termed 'limited extensibility'.

When a child node is added through this extensibility mechanism, the values of protocolDirLocalIndex and protocolDirType shall be assigned by the agent.

The other objects in the entry will be assigned by the manager who is creating the new entry.

This object also describes whether this agent can recognize addresses for this protocol, should it be a network-level protocol. That is, while a probe may be able to recognize packets of a particular network-layer protocol and count them, it takes additional logic to be able to

recognize the addresses in this protocol and to populate network-layer or application-layer tables with the addresses in this protocol. If this bit is set, the agent will recognize network-layer addresses for this protocol and populate the network- and application-layer host and matrix tables with these protocols.

Note that when an entry is created, the agent will supply values for the bits that match the capabilities of the agent

with respect to this protocol. Note that since row creations usually exercise the limited extensibility feature, these bits will usually be set to zero."

```
::= { protocolDirEntry 5 }
```

protocolDirAddressMapConfig OBJECT-TYPE

```
SYNTAX INTEGER {
 notSupported(1),
 supportedOff(2),
 supportedOn(3)
 }
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object describes and configures the probe's support for address mapping for this protocol. When the probe creates entries in this table for all protocols that it understands,

it will set the entry to notSupported(1) if it doesn't have the capability to perform address mapping for the protocol or if this protocol is not a network-layer protocol. When an entry is created in this table by a management operation as part of the limited extensibility feature,

the probe must set

this value to notSupported(1), because limited extensibility of the protocolDirTable does not extend to interpreting addresses of the extended protocols.

If the value of this object is notSupported(1), the probe will not perform address mapping for this protocol and shall not allow this object to be changed to any other value.

If the value of this object is supportedOn(3), the probe supports address mapping for this protocol and is configured to perform address mapping for this protocol for all addressMappingControlEntries and all interfaces.

If the value of this object is supportedOff(2), the probe

supports address mapping for this protocol but is configured to not perform address mapping for this protocol for any addressMappingControlEntries and all interfaces. Whenever this value changes from supportedOn(3) to supportedOff(2), the probe shall delete all related entries in the addressMappingTable."  
 ::= { protocolDirEntry 6 }

protocolDirHostConfig OBJECT-TYPE

SYNTAX INTEGER {  
 notSupported(1),  
 supportedOff(2),  
 supportedOn(3)  
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object describes and configures the probe's support for the network-layer and application-layer host tables for this protocol. When the probe creates entries in this table for all protocols that it understands, it will set the entry to notSupported(1) if it doesn't have the capability to track the nlHostTable for this protocol or if the alHostTable is implemented but doesn't have the capability to track this protocol. Note that if the alHostTable is implemented, the probe may only support a protocol if it is supported in both the nlHostTable and the alHostTable.

If the associated protocolDirType object has the addressRecognitionCapable bit set, then this is a network-layer protocol for which the probe recognizes addresses, and

thus the probe will populate the nlHostTable and alHostTable with addresses it discovers for this protocol.

If the value of this object is notSupported(1), the probe will not track the nlHostTable or alHostTable for this protocol and shall not allow this object to be changed to any other value. If the value of this object is supportedOn(3), the probe supports tracking of the nlHostTable and alHostTable for this protocol and is configured to track both tables for this protocol for all control entries and all interfaces.

If the value of this object is supportedOff(2), the probe supports tracking of the nlHostTable and alHostTable for this

protocol but is configured to not track these tables

for any control entries or interfaces.

Whenever this value changes from supportedOn(3) to supportedOff(2), the probe shall delete all related entries in the nlHostTable and alHostTable.

Note that since each alHostEntry references 2 protocol directory entries, one for the network address and one for the type of the highest protocol recognized, an entry will only be created in that table if this value is supportedOn(3) for both protocols."

```
::= { protocolDirEntry 7 }
```

protocolDirMatrixConfig OBJECT-TYPE

```
SYNTAX INTEGER {
 notSupported(1),
 supportedOff(2),
 supportedOn(3)
 }
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object describes and configures the probe's support for the network-layer and application-layer matrix tables for this protocol. When the probe creates entries

in this table for

all protocols that it understands, it will set the entry to notSupported(1) if it doesn't have the capability to track the nlMatrixTables for this protocol or if the alMatrixTables are implemented but don't have the capability to track this protocol. Note that if the alMatrix tables are implemented, the probe may only support a protocol if it is supported in both of the nlMatrixTables and both of the alMatrixTables.

If the associated protocolDirType object has the addressRecognitionCapable bit set, then this is a network-

layer protocol for which the probe recognizes addresses, and thus the probe will populate both of the nlMatrixTables and both of the alMatrixTables with addresses it discovers for this protocol.

If the value of this object is notSupported(1), the probe will not track either of the nlMatrixTables or the

alMatrixTables

for this protocol and shall not allow this

object to be changed to any other value. If the value of this object is supportedOn(3), the probe supports tracking of both of the nlMatrixTables and (if implemented) both of the alMatrixTables for this protocol and is configured to track these tables for this protocol for all control entries and all interfaces. If the value of this object is supportedOff(2), the probe supports tracking of both of the nlMatrixTables and (if implemented) both of the alMatrixTables for this protocol but is configured to not track these tables for this protocol for any control entries or interfaces.

Whenever this value changes from supportedOn(3) to supportedOff(2), the probe shall delete all related entries in the nlMatrixTables and the alMatrixTables.

Note that since each alMatrixEntry references 2 protocol directory entries, one for the network address and one for the type of the highest protocol recognized, an entry will only be created in that table if this value is supportedOn(3) for both protocols."

::= { protocolDirEntry 8 }

protocolDirOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { protocolDirEntry 9 }

protocolDirStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this protocol directory entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlHostTable, nlMatrixSDTable, nlMatrixDSTable,

alHostTable, alMatrixSDTable, and alMatrixDSTable shall be deleted."

::= { protocolDirEntry 10 }

--

-- Protocol Distribution Group (protocolDist)

--

-- Collects the relative amounts of octets and packets for the  
-- different protocols detected on a network segment.

-- protocolDistControlTable,

-- protocolDistStatsTable

protocolDistControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF ProtocolDistControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Controls the setup of protocol type distribution statistics tables.

Implementations are encouraged to add an entry per monitored interface upon initialization so that a default collection of protocol statistics is available.

Rationale:

This table controls collection of very basic statistics for any or all of the protocols detected on a given interface. An NMS can use this table to quickly determine bandwidth allocation utilized by different protocols.

A media-specific statistics collection could also

be configured (e.g., etherStats, trPStats) to easily obtain total frame, octet, and droppedEvents for the same interface."

::= { protocolDist 1 }

protocolDistControlEntry OBJECT-TYPE

SYNTAX ProtocolDistControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the protocolDistControlTable.

An example of the indexing of this entry is  
protocolDistControlDroppedFrames.7"

INDEX { protocolDistControlIndex }

::= { protocolDistControlTable 1 }

```
ProtocolDistControlEntry ::= SEQUENCE {
 protocolDistControlIndex Integer32,
 protocolDistControlDataSource DataSource,
 protocolDistControlDroppedFrames Counter32,
 protocolDistControlCreateTime LastCreateTime,
 protocolDistControlOwner OwnerString,
 protocolDistControlStatus RowStatus
}
```

protocolDistControlIndex

OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique index for this protocolDistControlEntry."

::= { protocolDistControlEntry 1 }

protocolDistControlDataSource OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of data for the this protocol distribution.

The statistics in this group reflect all packets on the local network segment attached to the identified interface.

This object may not be modified if the associated protocolDistControlStatus object is equal to active(1)."

::= { protocolDistControlEntry 2 }

protocolDistControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents,

but

that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this



collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { protocolDistControlEntry 3 }

protocolDistControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { protocolDistControlEntry 4 }

protocolDistControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { protocolDistControlEntry 5 }

protocolDistControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this row.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the protocolDistStatsTable shall be deleted."

::= { protocolDistControlEntry 6 }

-- per interface protocol distribution statistics table

protocolDistStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF ProtocolDistStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry is made in this table for every protocol in the protocolDirTable that has been seen in at least one packet.

Counters are updated

in this table for every protocol type

that is encountered when parsing a packet, but no counters are

updated for packets with MAC-layer errors.

Note that if a protocolDirEntry is deleted, all associated entries in this table are removed."

::= { protocolDist 2 }

protocolDistStatsEntry OBJECT-TYPE

SYNTAX ProtocolDistStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the protocolDistStatsTable.

The index is composed of the protocolDistControlIndex of the associated protocolDistControlEntry, followed by the protocolDirLocalIndex of the associated protocol that this entry represents. In other words, the index identifies the protocol distribution an entry is a part of and the particular protocol that it represents.

An example of the indexing of this entry is protocolDistStatsPkts.1.18"

INDEX { protocolDistControlIndex,  
protocolDirLocalIndex }

::= { protocolDistStatsTable 1 }

ProtocolDistStatsEntry ::= SEQUENCE {

protocolDistStatsPkts ZeroBasedCounter32,

protocolDistStatsOctets ZeroBasedCounter32

}

protocolDistStatsPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type received

without errors. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { protocolDistStatsEntry 1 }

protocolDistStatsOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets in packets of this protocol type

received since it was added to the protocolDistStatsTable (excluding framing bits,

but including FCS octets), except for

those octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { protocolDistStatsEntry 2 }

--

-- Address Map Group (addressMap)

--

-- Lists MAC address to network address bindings discovered by the probe and what interface they were last seen on.

-- addressMapControlTable

-- addressMapTable

addressMapInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an address mapping entry has been inserted into the addressMapTable. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2.

Note that the table size can be determined by subtracting addressMapDeletes from addressMapInserts."

::= { addressMap 1 }

addressMapDeletes

#### OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of times an address mapping entry has been deleted from the addressMapTable (for any reason). If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2.

Note that the table size can be determined by subtracting addressMapDeletes from addressMapInserts."

::= { addressMap 2 }

#### addressMapMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The maximum number of entries that are desired in the addressMapTable. The probe will not create more than this number of entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { addressMap 3 }

#### addressMapControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF AddressMapControlEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A table to control the collection of mappings from network layer address to physical address to interface.

Note that this is not like the typical RMON controlTable and dataTable in which each entry creates its own data table. Each entry in this table enables the discovery of addresses on a new interface and the placement of address mappings into the central addressMapTable.

Implementations are encouraged to add an entry per monitored interface upon initialization so that a default collection of address mappings is available."  
::= { addressMap 4 }

addressMapControlEntry OBJECT-TYPE

SYNTAX AddressMapControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the addressMapControlTable.

An example of the indexing of this entry is addressMapControlDroppedFrames.1"

INDEX { addressMapControlIndex }

::= { addressMapControlTable 1 }

AddressMapControlEntry ::= SEQUENCE {

addressMapControlIndex Integer32,

addressMapControlDataSource DataSource,

addressMapControlDroppedFrames Counter32,

addressMapControlOwner OwnerString,

addressMapControlStatus RowStatus

}

addressMapControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"A unique index for this entry in the addressMapControlTable."

::= { addressMapControlEntry 1 }

addressMapControlDataSource OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The source of data for this addressMapControlEntry."

::= { addressMapControlEntry 2 }

#### addressMapControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { addressMapControlEntry 3 }

#### addressMapControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { addressMapControlEntry 4 }

#### addressMapControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The status of this addressMap control entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the addressMapTable shall be deleted."

::= { addressMapControlEntry 5 }

addressMapTable OBJECT-TYPE

SYNTAX SEQUENCE OF AddressMapEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table of mappings from network layer address to physical address to interface.

The probe will add entries to this table based on the source MAC and network addresses seen in packets without MAC-level errors. The probe will populate this table for all protocols in the protocol directory table whose value of protocolDirAddressMapConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirAddressMapConfig value of supportedOff(2)."

::= { addressMap 5 }

addressMapEntry OBJECT-TYPE

SYNTAX AddressMapEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the addressMapTable.

The protocolDirLocalIndex in the index identifies the network layer protocol of the addressMapNetworkAddress.

An example of the indexing of this entry is

addressMapSource.783495.18.4.128.2.6.6.11.1.3.6.1.2.1.2.2.1.1.1.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

INDEX { addressMapTimeMark, protocolDirLocalIndex,  
addressMapNetworkAddress, addressMapSource }

::= { addressMapTable 1 }

AddressMapEntry ::= SEQUENCE {

addressMapTimeMark TimeFilter,

addressMapNetworkAddress OCTET STRING,

addressMapSource OBJECT IDENTIFIER,

addressMapPhysicalAddress OCTET STRING,

addressMapLastChange TimeStamp

}

addressMapTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this

works."

::= { addressMapEntry 1 }

addressMapNetworkAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network address for this relation.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { addressMapEntry 2 }

addressMapSource OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The interface or port on which the associated network address was most recently seen.

If this address mapping was discovered on an interface, this object shall

identify the instance of the ifIndex

object, defined in [RFC2863], for the desired interface.

For example, if an entry were to receive data from interface #1, this object would be set to ifIndex.1.



If this address mapping was discovered on a port, this object shall identify the instance of the rptrGroupPortIndex object, defined in [RFC2108], for the desired port. For example, if an entry were to receive data from group #1, port #1, this object would be set to rptrGroupPortIndex.1.1.

Note that while the dataSource associated with this entry may only point to index objects, this object may at times point to repeater port objects. This situation occurs when the dataSource points to an interface that is a locally attached repeater and the agent has additional information about the source port of traffic seen on that repeater."

::= { addressMapEntry 3 }

addressMapPhysicalAddress

OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last source physical address on which the associated network address was seen. If the protocol of the associated network address was encapsulated inside of a network-level or higher protocol, this will be the address of the next-lower protocol with the addressRecognitionCapable bit enabled and will be formatted as specified for that protocol."

::= { addressMapEntry 4 }

addressMapLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time this entry was last created or the values of the physical address changed.

This can be used to help detect duplicate address problems, in which case this object will be updated frequently."

::= { addressMapEntry 5 }

--

-- Network Layer Host Group

--

--

Counts the amount of traffic sent from and to each network address  
-- discovered by the probe.  
-- Note that while the hlHostControlTable also has objects that  
-- control an optional alHostTable, implementation of the alHostTable is  
-- not required to fully implement this group.

#### hlHostControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF HIHostControlEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A list of higher-layer (i.e., non-MAC) host table control entries.

These entries will enable the collection of the network- and application-level host tables indexed by network addresses. Both the network- and application-level host tables are controlled by this table so that they will both be created and deleted at the same time, further increasing the ease with which they can be implemented as a single datastore. (Note that if an implementation stores application-layer host records

in

memory, it can derive network-layer host records from them.)

Entries in the nlHostTable will be created on behalf of each entry in this table. Additionally, if this probe implements the alHostTable, entries in the alHostTable will be created on behalf of each entry in this table.

Implementations are encouraged to add an entry per monitored interface upon initialization so that a default collection of host statistics is available."

::= { nlHost 1 }

#### hlHostControlEntry OBJECT-TYPE

SYNTAX HIHostControlEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A conceptual row in the hlHostControlTable.

An example of the indexing of this entry is

hlHostControlNIDroppedFrames.1"

INDEX { hlHostControlIndex }

::= { hlHostControlTable 1 }

```

HlHostControlEntry ::= SEQUENCE {
 hlHostControlIndex Integer32,
 hlHostControlDataSource
 DataSource,
 hlHostControlNIDroppedFrames Counter32,
 hlHostControlNIInserts Counter32,
 hlHostControlNIDeletes Counter32,
 hlHostControlNIMaxDesiredEntries Integer32,
 hlHostControlAlDroppedFrames Counter32,
 hlHostControlAlInserts Counter32,
 hlHostControlAlDeletes Counter32,
 hlHostControlAlMaxDesiredEntries Integer32,
 hlHostControlOwner OwnerString,
 hlHostControlStatus RowStatus
}

```

hlHostControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the hlHostControlTable. Each such entry defines a function that discovers hosts on a particular interface and places statistics about them in the nlHostTable, and optionally in the alHostTable, on behalf of this hlHostControlEntry."

::= { hlHostControlEntry 1 }

hlHostControlDataSource

OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of data for the associated host tables.

The statistics in this group reflect all packets on the local network segment attached to the identified interface.

This object may not be modified if the associated hlHostControlStatus object is equal to active(1)."

::= { hlHostControlEntry 2 }

hlHostControlNIDroppedFrames OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for the associated nlHost entries for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the nlHostTable is inactive because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { hlHostControlEntry 3 }

hlHostControlNIInserts OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The number of times an nlHost entry has been inserted into the nlHost table. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlHostControlNIDeletes from hlHostControlNIInserts."

::= { hlHostControlEntry 4 }

hlHostControlNIDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an nlHost entry has been

deleted from the nlHost table (for any reason). If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlHostControlNIDeletes from hlHostControlNIInserts."

::= { hlHostControlEntry 5 }

hlHostControlNIMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the nlHostTable on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number

of entries in this table. If the associated

hlHostControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlHostControlEntry 6 }

#### hlHostControlAIDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for the associated

alHost entries for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the alHostTable is not implemented or is inactive

because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { hlHostControlEntry 7 }

#### hlHostControlAllInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of times an alHost entry has been inserted into the alHost table. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlHostControlAIDeletes from hlHostControlAllInserts."

::= { hlHostControlEntry 8 }

#### hlHostControlAIDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of times an alHost entry has been deleted from the alHost table (for any reason). If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For

example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlHostControlAIDeletes from hlHostControlAllInserts."

::= { hlHostControlEntry 9 }

#### hlHostControlAlMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The maximum number of entries that are desired in the alHost table on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlHostControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlHostControlEntry 10 }

#### hlHostControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { hlHostControlEntry 11 }

#### hlHostControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this hlHostControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlHostTable and alHostTable shall be deleted."

::= { hlHostControlEntry 12 }

#### nlHostTable OBJECT-TYPE

SYNTAX SEQUENCE OF NlHostEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"A collection of statistics for a particular network layer address that has been discovered on an interface of this device.

The probe will populate this table for all network layer protocols in the protocol directory table whose value of protocolDirHostConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirHostConfig value of supportedOff(2).

The probe will add to this table all addresses seen



as the source or destination address in all packets with no MAC errors, and will increment octet and packet counts in the table for all packets with no MAC errors."

::= { nlHost 2 }

#### nlHostEntry OBJECT-TYPE

SYNTAX NIHostEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A conceptual row in the nlHostTable.

The hlHostControlIndex value in the index identifies the hlHostControlEntry on whose behalf this entry was created. The protocolDirLocalIndex value in the index identifies the network layer protocol of the nlHostAddress.

An example of the indexing of this entry is  
nlHostOutPkts.1.783495.18.4.128.2.6.6.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take

care to avoid such combinations."

INDEX { hlHostControlIndex, nlHostTimeMark,  
protocolDirLocalIndex, nlHostAddress }

::= { nlHostTable 1 }

NIHostEntry ::= SEQUENCE {

nlHostTimeMark TimeFilter,  
nlHostAddress OCTET STRING,  
nlHostInPkts ZeroBasedCounter32,  
nlHostOutPkts ZeroBasedCounter32,  
nlHostInOctets ZeroBasedCounter32,  
nlHostOutOctets ZeroBasedCounter32,  
nlHostOutMacNonUnicastPkts ZeroBasedCounter32,  
nlHostCreateTime LastCreateTime  
}

#### nlHostTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual

convention to see how this works."

::= { nlHostEntry 1 }

#### nlHostAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"The network address for this nlHostEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlHostEntry 2 }

#### nlHostInPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of packets without errors transmitted to

this address since it was added to the nlHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlHostEntry 3 }

#### nlHostOutPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of packets without errors transmitted by this address since it was added to the nlHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlHostEntry 4 }

nlHostInOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The number of octets transmitted to this address since it was added to the nlHostTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { nlHostEntry 5 }

nlHostOutOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted by this address since it was added to the nlHostTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::=

{ nlHostEntry 6 }

nlHostOutMacNonUnicastPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted by this address that were directed to any MAC broadcast addresses or to any MAC multicast addresses since this host was added to the nlHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlHostEntry 7 }

nlHostCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { nlHostEntry 8 }

--

-- Network Layer Matrix

Group

--

-- Counts the amount of traffic sent between each pair of network addresses discovered by the probe.

-- Note that while the hlMatrixControlTable also has objects that control optional alMatrixTables, implementation of the

-- alMatrixTables is not required to fully implement this group.

hlMatrixControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF HlMatrixControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of higher-layer (i.e., non-MAC) matrix control entries.

These entries will enable the collection of the network- and application-level matrix tables containing conversation statistics indexed by pairs of network addresses.

Both the network- and application-level matrix tables are controlled by this table so that they will both be created and deleted at the same time, further increasing the ease with which they can be implemented as a single datastore. (Note that if an implementation stores application-layer matrix records

in memory, it can derive network-layer matrix records from them.)

Entries in the nlMatrixSDTable and nlMatrixDSTable will be created on behalf of each entry in this table. Additionally, if this probe implements the alMatrix tables, entries in the alMatrix tables will be created on behalf of each entry in this table."

::= { nlMatrix 1 }

hlMatrixControlEntry OBJECT-TYPE

SYNTAX HlMatrixControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the hlMatrixControlTable.

An example of indexing of this entry is

hlMatrixControlNIDroppedFrames.1"

INDEX { hlMatrixControlIndex }

::= { hlMatrixControlTable 1 }

HlMatrixControlEntry ::= SEQUENCE {

hlMatrixControlIndex Integer32,

hlMatrixControlDataSource DataSource,

hlMatrixControlNIDroppedFrames

Counter32,

hlMatrixControlNIInserts Counter32,

hlMatrixControlNIDeletes Counter32,

hlMatrixControlNIMaxDesiredEntries Integer32,

hlMatrixControlAIDroppedFrames Counter32,

hlMatrixControlAIInserts Counter32,

hlMatrixControlAIDeletes Counter32,

hlMatrixControlAIMaxDesiredEntries Integer32,

hlMatrixControlOwner OwnerString,

hlMatrixControlStatus RowStatus

}

hlMatrixControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the hlMatrixControlTable. Each such entry defines a function that discovers conversations on a particular interface and places statistics about them in the nlMatrixSDTable and the nlMatrixDSTable, and optionally the alMatrixSDTable and alMatrixDSTable, on behalf of this

hlMatrixControlEntry."

::= { hlMatrixControlEntry 1 }

hlMatrixControlDataSource OBJECT-TYPE

SYNTAX DataSource  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The source of the data for the associated matrix tables.

The statistics in this group reflect all packets on the local network segment attached to the identified interface.

This object may not be modified if the associated h1MatrixControlStatus object is equal to active(1)."

::= { h1MatrixControlEntry 2 }

h1MatrixControlNIDroppedFrames OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of

some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the n1MatrixTables are inactive because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { h1MatrixControlEntry 3 }

h1MatrixControlN1Inserts OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The number of times an n1Matrix entry has been inserted into the n1Matrix tables. If an entry is inserted,

then deleted, and then inserted, this counter will be incremented by 2. The addition of a conversation into both the nlMatrixSDTable and nlMatrixDSTable shall be counted as two insertions (even though every addition into one table must be accompanied by an insertion into the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the sum of then nlMatrixSDTable and nlMatrixDSTable sizes can be determined by subtracting

hlMatrixControlNIDeletes from hlMatrixControlNIInserts."

::= { hlMatrixControlEntry 4 }

hlMatrixControlNIDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an nlMatrix entry has been deleted from the nlMatrix tables (for any reason). If an entry is deleted, then inserted, and then deleted, this counter

will be incremented by 2. The deletion of a conversation from both the nlMatrixSDTable and nlMatrixDSTable shall be counted as two deletions (even though every deletion from one table must be accompanied by a deletion from the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlMatrixControlNIDeletes from hlMatrixControlNIInserts."

::= { hlMatrixControlEntry 5 }

hlMatrixControlNIMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"The maximum number of entries that are desired in the nlMatrix tables on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlMatrixControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlMatrixControlEntry 6 }

## hlMatrixControlAIDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the alMatrixTables are not implemented or are inactive because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { hlMatrixControlEntry 7 }



#### hlMatrixControlAllInserts OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The number of times an alMatrix entry has been inserted into the alMatrix tables. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2. The addition of a conversation into both the alMatrixSDTable and alMatrixDSTable shall be counted as two insertions (even though every addition into one table must be accompanied by an insertion into the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlMatrixControlAllDeletes from hlMatrixControlAllInserts."

```
::= { hlMatrixControlEntry
8 }
```

#### hlMatrixControlAllDeletes OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The number of times an alMatrix entry has been deleted from the alMatrix tables. If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2. The deletion of a conversation from both the alMatrixSDTable and alMatrixDSTable shall be counted as two deletions (even though every deletion from one table must be accompanied by a deletion from the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note

that the table size can be determined by subtracting

hlMatrixControlAIDeletes from hlMatrixControlAllInserts."

::= { hlMatrixControlEntry 9 }

hlMatrixControlAllMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the alMatrix tables on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlMatrixControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlMatrixControlEntry 10 }

hlMatrixControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { hlMatrixControlEntry 11 }

hlMatrixControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this hMatrixControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nMatrixSDTable, nMatrixDSTable, alMatrixSDTable, and alMatrixDSTable shall be deleted by the agent."  
::= { hMatrixControlEntry 12 }

nMatrixSDTable OBJECT-TYPE

SYNTAX SEQUENCE OF NMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of traffic matrix entries that collect statistics for conversations between two network-level addresses. This table is indexed first by the source address and then by the destination address to make it convenient to collect all conversations from a particular address.

The probe will populate this table for all network layer protocols in the protocol directory table whose value of protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors.

Further, this table will only contain entries that have a corresponding entry in the nMatrixDSTable with the same source address and destination address."

::= { nMatrix 2 }

nMatrixSDEntry OBJECT-TYPE

SYNTAX NMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlMatrixSDTable.

The hlMatrixControlIndex value in the index identifies the hlMatrixControlEntry on whose behalf this entry was created. The protocolDirLocalIndex value in the index identifies the network-layer protocol of the nlMatrixSDSourceAddress and nlMatrixSDDestAddress.

An example of the indexing of this table is  
nlMatrixSDPkts.1.783495.18.4.128.2.6.6.4.128.2.6.7.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { hlMatrixControlIndex, nlMatrixSDTimeMark,
 protocolDirLocalIndex,
 nlMatrixSDSourceAddress, nlMatrixSDDestAddress }
::= { nlMatrixSDTable 1 }
```

```
NlMatrixSDEntry ::= SEQUENCE {
 nlMatrixSDTimeMark TimeFilter,
 nlMatrixSDSourceAddress OCTET STRING,
 nlMatrixSDDestAddress OCTET STRING,
 nlMatrixSDPkts ZeroBasedCounter32,
 nlMatrixSDOctets ZeroBasedCounter32,
 nlMatrixSDCreateTime LastCreateTime
}
```

nlMatrixSDTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

```
::= { nlMatrixSDEntry 1 }
```

nlMatrixSDSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network source address for this nlMatrixSDEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixSDEntry 2 }

nlMatrixSDDestAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network destination address for this nlMatrixSDEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an

encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixSDEntry 3 }

nlMatrixSDPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted from the source address to the destination address since this entry was added to the nlMatrixSDTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlMatrixSDEntry 4 }

nlMatrixSDOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The number of octets transmitted from the source address to the destination address since this entry was added to the nlMatrixSDTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { nlMatrixSDEntry 5 }

## nlMatrixSDCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { nlMatrixSDEntry 6 }

-- Traffic matrix tables from destination to source

## nlMatrixDSTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

## DESCRIPTION

"A list of traffic matrix entries that collect statistics for conversations between two network-level addresses. This table is indexed first by the destination address and then by the source address to make it convenient to collect all conversations to a particular address.

The probe will populate this table for all network layer protocols in the protocol directory table whose value of protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses

seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors.

Further, this table will only contain entries that have a corresponding entry in the nlMatrixSDTable with the same source address and destination address."

```
::= { nlMatrix 3 }
```

nlMatrixDSEntry OBJECT-TYPE

SYNTAX NIMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlMatrixDSTable.

The hlMatrixControlIndex value in the index identifies the hlMatrixControlEntry on whose behalf this entry was created. The protocolDirLocalIndex value in the index identifies the network-layer protocol of the nlMatrixDSSourceAddress and nlMatrixDSDestAddress.

An example of the indexing of this table is  
nlMatrixDSPkts.1.783495.18.4.128.2.6.7.4.128.2.6.6.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { hlMatrixControlIndex, nlMatrixDSTimeMark,
 protocolDirLocalIndex,
```

```
 nlMatrixDSDestAddress,
 nlMatrixDSSourceAddress }
 ::= { nlMatrixDSTable 1 }
```

```
NIMatrixDSEntry ::= SEQUENCE {
 nlMatrixDSTimeMark TimeFilter,
 nlMatrixDSSourceAddress OCTET STRING,
 nlMatrixDSDestAddress OCTET STRING,
 nlMatrixDSPkts ZeroBasedCounter32,
 nlMatrixDSOctets ZeroBasedCounter32,
 nlMatrixDSCreateTime LastCreateTime
}
```

nlMatrixDSTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

::= { nlMatrixDSEntry 1 }

nlMatrixDSSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network source address for this nlMatrixDSEntry.

This is represented as an octet string with specific semantics and

length as identified

by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixDSEntry 2 }

nlMatrixDSDestAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network destination address for this nlMatrixDSEntry.

This is represented as an octet string with specific semantics and length as identified

by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixDSEntry 3 }



nlMatrixDSPkts

OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted from the source address to the destination address since this entry was added to the nlMatrixDSTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlMatrixDSEntry 4 }

nlMatrixDSOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted from the source address to the destination address since this entry was added to the nlMatrixDSTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { nlMatrixDSEntry 5 }

nlMatrixDSCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated. This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { nlMatrixDSEntry 6 }

nlMatrixTopNControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of parameters that control the creation of a report of the top N matrix entries according to a selected metric."

::= { nlMatrix 4 }

nlMatrixTopNControlEntry OBJECT-TYPE

SYNTAX NIMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row  
in the nlMatrixTopNControlTable.

An example of the indexing of this table is

nlMatrixTopNControlDuration.3"

INDEX { nlMatrixTopNControlIndex }

::= { nlMatrixTopNControlTable 1 }

NIMatrixTopNControlEntry ::= SEQUENCE {

nlMatrixTopNControlIndex Integer32,

nlMatrixTopNControlMatrixIndex Integer32,

nlMatrixTopNControlRateBase INTEGER,

nlMatrixTopNControlTimeRemaining Integer32,

nlMatrixTopNControlGeneratedReports Counter32,

nlMatrixTopNControlDuration Integer32,

nlMatrixTopNControlRequestedSize Integer32,

nlMatrixTopNControlGrantedSize Integer32,

nlMatrixTopNControlStartTime TimeStamp,

nlMatrixTopNControlOwner OwnerString,

nlMatrixTopNControlStatus RowStatus

}

nlMatrixTopNControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry  
in the nlMatrixTopNControlTable. Each such  
entry defines one topN report prepared for  
one interface."

::= { nlMatrixTopNControlEntry 1 }

nlMatrixTopNControlMatrixIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The nlMatrix[SD/DS] table for which a topN report will be prepared on behalf of this entry. The nlMatrix[SD/DS] table is identified by the value of the hlMatrixControlIndex for that table - that value is used here to identify the particular table.

This object may not be modified if the associated nlMatrixTopNControlStatus object is equal to active(1)."

::= { nlMatrixTopNControlEntry 2 }

nlMatrixTopNControlRateBase OBJECT-TYPE

SYNTAX INTEGER {

nlMatrixTopNPkts(1),  
nlMatrixTopNOctets(2),  
nlMatrixTopNHighCapacityPkts(3),  
nlMatrixTopNHighCapacityOctets(4)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The variable for each nlMatrix[SD/DS] entry that the nlMatrixTopNEntries are sorted by, as well as a control for the table that the results will be reported in.

This object may not be modified if the associated nlMatrixTopNControlStatus object is equal to active(1).

If this value is less than or equal to 2, when the report is prepared, entries are created in the nlMatrixTopNTable associated with this object.

If this value is greater than or equal to 3, when the report is prepared, entries are created in the nlMatrixTopNHighCapacityTable associated with this object."

::= { nlMatrixTopNControlEntry 3 }

nlMatrixTopNControlTimeRemaining OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of seconds left in the report currently being collected. When this object is modified by the management station, a new collection is started, possibly aborting a currently running report. The

new value is used as the requested duration of this

report and is immediately loaded into the associated nlMatrixTopNControlDuration object.

When the report finishes, the probe will automatically start another collection with the same initial value of nlMatrixTopNControlTimeRemaining. Thus, the management station may simply read the resulting reports repeatedly, checking the startTime and duration each time to ensure that a report was not missed or that the report parameters were not changed.

While the value of this object is non-zero, it decrements by one per second until it reaches zero. At the time that this object decrements to zero, the report is made accessible in the nlMatrixTopNTable, overwriting any report that may be there.

When this object is modified by the management station, any associated entries in the nlMatrixTopNTable shall be deleted.

(Note that this is a different algorithm than the one used in the hostTopNTable)."

DEFVAL { 1800 }

::= { nlMatrixTopNControlEntry 4 }

nlMatrixTopNControlGeneratedReports OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of reports that have been generated by this entry."

::= { nlMatrixTopNControlEntry 5 }

nlMatrixTopNControlDuration OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of seconds that this report has collected during the last sampling interval.

When the associated nlMatrixTopNControlTimeRemaining object is set, this object shall be set by the probe to the

same  
value and shall not be modified until the next  
time the nlMatrixTopNControlTimeRemaining is set.

This value shall be zero if no reports have been  
requested for this nlMatrixTopNControlEntry."

::= { nlMatrixTopNControlEntry 6 }

nlMatrixTopNControlRequestedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of matrix entries requested for this report.

When this object is created or modified, the probe  
should set nlMatrixTopNControlGrantedSize as closely to this  
object as possible for the particular probe  
implementation and available resources."

DEFVAL { 150 }

::= { nlMatrixTopNControlEntry 7 }

nlMatrixTopNControlGrantedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum number of matrix entries in this report.

When  
the associated nlMatrixTopNControlRequestedSize object is  
created or modified, the probe should set this  
object as closely to the requested value as  
possible for the particular implementation and  
available resources. The probe must not lower this  
value except as a side-effect of a set to the associated  
nlMatrixTopNControlRequestedSize object.

If the value of nlMatrixTopNControlRateBase is equal to  
nlMatrixTopNPkts, when the next topN report is generated,  
matrix entries with the highest value of nlMatrixTopNPktRate  
shall be placed in this table in decreasing order of this rate  
until there is no more room or until there are no more  
matrix entries.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNOctets, when the next topN report is generated, matrix entries with the highest value of nlMatrixTopNOctetRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

It is an implementation-specific matter how entries with the same value of nlMatrixTopNPktRate or nlMatrixTopNOctetRate are sorted. It is also an implementation-specific matter as to

whether zero-valued entries are available."

::= { nlMatrixTopNControlEntry 8 }

nlMatrixTopNControlStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this topN report was last started. In other words, this is the time that the associated nlMatrixTopNControlTimeRemaining object was modified to start the requested report or the time the report was last automatically (re)started.

This object may be used by the management station to determine whether a report was missed."

::= { nlMatrixTopNControlEntry 9 }

nlMatrixTopNControlOwner

OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { nlMatrixTopNControlEntry 10 }

nlMatrixTopNControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this nlMatrixTopNControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlMatrixTopNTable shall be deleted by the agent."

::= { nlMatrixTopNControlEntry 11 }

#### nlMatrixTopNTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIMatrixTopNEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of statistics for those network-layer matrix entries

that have

counted the highest number of octets or packets."

::= { nlMatrix 5 }

#### nlMatrixTopNEntry OBJECT-TYPE

SYNTAX NIMatrixTopNEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlMatrixTopNTable.

The nlMatrixTopNControlIndex value in the index identifies the nlMatrixTopNControlEntry on whose behalf this entry was created.

An example of the indexing of this table is

nlMatrixTopNPktRate.3.10"

INDEX { nlMatrixTopNControlIndex, nlMatrixTopNIndex }

::= { nlMatrixTopNTable 1 }

NIMatrixTopNEntry ::= SEQUENCE {

nlMatrixTopNIndex Integer32,

nlMatrixTopNProtocolDirLocalIndex Integer32,

nlMatrixTopNSourceAddress OCTET STRING,

nlMatrixTopNDestAddress OCTET STRING,

nlMatrixTopNPktRate Gauge32,

nlMatrixTopNReversePktRate Gauge32,

nlMatrixTopNOctetRate Gauge32,

nlMatrixTopNReverseOctetRate

Gauge32  
}

nlMatrixTopNIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the nlMatrixTopNTable among those in the same report. This index is between 1 and N, where N is the number of entries in this report.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNPkts, increasing values of nlMatrixTopNIndex shall be assigned to entries with decreasing values of nlMatrixTopNPktRate until index N is assigned or there are no more nlMatrixTopNEntries.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNOctets, increasing values of nlMatrixTopNIndex

shall be assigned to entries with decreasing values of nlMatrixTopNOctetRate until index N is assigned or there are no more nlMatrixTopNEntries."

::= { nlMatrixTopNEntry 1 }

nlMatrixTopNProtocolDirLocalIndex

OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The protocolDirLocalIndex of the network-layer protocol of this entry's network address."

::= { nlMatrixTopNEntry 2 }

nlMatrixTopNSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the source host in this conversation.

This is represented as an octet string with



specific semantics and length as identified  
by the associated nlMatrixTopNProtocolDirLocalIndex.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixTopNEntry 3 }

#### nlMatrixTopNDestAddress OBJECT-TYPE

SYNTAX OCTET

STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the destination host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated nlMatrixTopNProtocolDirLocalIndex.

For example, if the nlMatrixTopNProtocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixTopNEntry 4 }

#### nlMatrixTopNPktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen from the source host to the destination host during this sampling interval, counted using the rules for counting the nlMatrixSDPkts object.

If the value of nlMatrixTopNControlRateBase is nlMatrixTopNPkts,

this variable will be used to sort this

report."

::= { nlMatrixTopNEntry 5 }

#### nlMatrixTopNReversePktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen from the destination host to the source host during this sampling interval, counted using the rules for counting the nlMatrixSDPkts object. (Note that the corresponding nlMatrixSDPkts object selected is the one whose source address is equal to nlMatrixTopNDestAddress and whose destination address is equal to nlMatrixTopNSourceAddress.)

Note that if the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNPkts, the sort of topN entries is based entirely on nlMatrixTopNPktRate, and not on the value of this object."

::= { nlMatrixTopNEntry 6 }

nlMatrixTopNOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen from the source host to the destination host during this sampling interval, counted using the rules for counting the nlMatrixSDOctets object. If the value of nlMatrixTopNControlRateBase is nlMatrixTopNOctets, this variable will be used to sort this report."

::= { nlMatrixTopNEntry 7 }

nlMatrixTopNReverseOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen from the destination host to the source host during this sampling interval, counted using the rules for counting the nlMatrixDSOctets object. (Note that the corresponding nlMatrixSDOctets object selected is the one whose source address is equal to nlMatrixTopNDestAddress and whose destination address is equal to nlMatrixTopNSourceAddress.)

Note that if the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNOctets, the sort of topN entries is based

entirely on nlMatrixTopNOctetRate, and not on the value of this object."

```
::= { nlMatrixTopNEntry 8 }
```

-- Application Layer Functions

--

-- The application layer host, matrix, and matrixTopN functions report  
-- on protocol usage at the network layer or higher. Note that the  
-- use of the term application layer does not imply that only  
-- application-layer protocols are counted, rather it means that  
-- protocols up to and including the application layer are supported.

--

-- Application Layer Host Group

--

-- Counts the amount of traffic, by protocol, sent from and to each  
-- network address discovered by the probe.  
-- Implementation of this group requires implementation of the Network  
-- Layer Host Group.

alHostTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlHostEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A collection of statistics for a particular  
protocol from a

particular network address that has been discovered on an  
interface of this device.

The probe will populate this table for all protocols in the  
protocol directory table whose value of  
protocolDirHostConfig is equal to supportedOn(3), and  
will delete any entries whose protocolDirEntry is deleted or  
has a protocolDirHostConfig value of supportedOff(2).

The probe will add to this table all addresses  
seen as the source or destination address in all packets with  
no MAC errors and will increment octet and packet counts in  
the table for all packets with no MAC errors. Further,  
entries will only be added to this table if their address  
exists in the nlHostTable and will be deleted from this table  
if their address is deleted from the nlHostTable."

```
::= { alHost 1 }
```

alHostEntry OBJECT-TYPE

SYNTAX AlHostEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"A conceptual row in the alHostTable.

The hlHostControlIndex value in the index identifies the hlHostControlEntry on whose behalf this entry was created.

The first protocolDirLocalIndex value in the index identifies the network-layer protocol of the address.

The nlHostAddress value in the index identifies the network-layer address of this entry.

The second protocolDirLocalIndex value in the index identifies the protocol that is counted by this entry.

An example of the indexing in this entry is  
alHostOutPkts.1.783495.18.4.128.2.6.6.34.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { hlHostControlIndex, alHostTimeMark,
 protocolDirLocalIndex,
nlHostAddress,
 protocolDirLocalIndex }
 ::= { alHostTable 1 }
```

```
AlHostEntry ::= SEQUENCE {
 alHostTimeMark TimeFilter,
 alHostInPkts ZeroBasedCounter32,
 alHostOutPkts ZeroBasedCounter32,
 alHostInOctets ZeroBasedCounter32,
 alHostOutOctets ZeroBasedCounter32,
 alHostCreateTime LastCreateTime
}
```

alHostTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

::= { alHostEntry 1 }

alHostInPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted to this address since it was added to the alHostTable. Note that this is the number

of link-layer

packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { alHostEntry 2 }

alHostOutPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted by this address since it was added to the alHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { alHostEntry 3 }

alHostInOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted to this address of this protocol type since it was added to the alHostTable (excluding framing bits, but

including

FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alHostEntry 4 }

alHostOutOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted by this address of this protocol type since it was added to the alHostTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alHostEntry 5 }

alHostCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { alHostEntry 6 }

--

-- Application Layer Matrix Group

--

-- Counts the amount of traffic, by protocol, sent between each pair of network addresses discovered by the probe.

-- Implementation of this group requires implementation of the Network Layer Matrix Group.

alMatrixSDTable OBJECT-TYPE

SYNTAX SEQUENCE OF AIMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of application traffic matrix entries that collect statistics for conversations of a particular protocol between two network-level addresses. This table is indexed first by the source address and then by the destination address to make it convenient to collect all statistics from a particular address.

The probe will populate

this table for all protocols in the  
protocol directory table whose value of

protocolDirMatrixConfig is equal to supportedOn(3), and  
will delete any entries whose protocolDirEntry is deleted or  
has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses for  
all protocols seen in all packets with no MAC errors and will  
increment octet and packet counts in the table for all packets  
with no MAC errors. Further, entries will only be added to  
this table if their address pair exists in the nlMatrixSDTable  
and will be deleted from this table if the address pair is  
deleted from the nlMatrixSDTable."

::= { alMatrix 1 }

alMatrixSDEntry OBJECT-TYPE

SYNTAX AlMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixSDTable.

The hlMatrixControlIndex value in the index  
identifies the

hlMatrixControlEntry on whose behalf this entry was created.

The first protocolDirLocalIndex value in the index identifies  
the network-layer protocol of the nlMatrixSDSourceAddress and  
nlMatrixSDDestAddress.

The nlMatrixSDSourceAddress value in the index identifies the  
network-layer address of the source host in this conversation.

The nlMatrixSDDestAddress value in the index identifies the  
network-layer address of the destination host in this  
conversation.

The second protocolDirLocalIndex value in the index identifies  
the protocol that is counted by this entry.

An example of the indexing of this entry is

alMatrixSDPkts.1.783495.18.4.128.2.6.6.4.128.2.6.7.34.

Note that some combinations of index values may result in an  
index that exceeds 128 sub-identifiers in length, which exceeds  
the maximum for the SNMP protocol. Implementations should  
take

care to avoid such combinations."

INDEX { hlMatrixControlIndex, alMatrixSDTimeMark,

```
 protocolDirLocalIndex,
 nlMatrixSDSourceAddress, nlMatrixSDDestAddress,
 protocolDirLocalIndex }
 ::= { alMatrixSDTable 1 }
```

```
alMatrixSDEntry ::= SEQUENCE {
 alMatrixSDTimeMark TimeFilter,
```

```
 alMatrixSDPkts ZeroBasedCounter32,
 alMatrixSDOctets ZeroBasedCounter32,
 alMatrixSDCreateTime LastCreateTime
}
```

alMatrixSDTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

```
::= { alMatrixSDEntry 1 }
```

alMatrixSDPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted

from the source address to the destination address

since this entry was added to the alMatrixSDTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

```
::= { alMatrixSDEntry 2 }
```

alMatrixSDOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets in packets of this protocol type transmitted from the source address to the destination address since this entry was added to the alMatrixSDTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors."



Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alMatrixSDEntry 3 }

alMatrixSDCreateTime

OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated. This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { alMatrixSDEntry 4 }

-- Traffic matrix tables from destination to source

alMatrixDSTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of application traffic matrix entries that collect statistics for conversations of a particular protocol between two network-level addresses. This table is indexed first by the destination address and then by the source address to make it convenient to collect all statistics to a particular address.

The probe will populate this table for all protocols in the protocol directory

table whose value of protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses for all protocols seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors. Further, entries will only be added to this table if their address pair exists in the nlMatrixDSTable and will be deleted from this table if the address pair is deleted from the nlMatrixDSTable."

::= { alMatrix 2 }

alMatrixDSEntry OBJECT-TYPE

SYNTAX AlMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixDSTable.

The hlMatrixControlIndex value in the index identifies the

hlMatrixControlEntry on whose behalf

this entry was created.

The first protocolDirLocalIndex value in the index identifies

the network-layer protocol of the alMatrixDSSourceAddress and

alMatrixDSDestAddress.

The nlMatrixDSDestAddress value in the index identifies the

network-layer address of the destination host in this

conversation.

The nlMatrixDSSourceAddress value in the index identifies the

network-layer address of the source host in this conversation.

The second protocolDirLocalIndex value in the index identifies

the protocol that is counted by this entry.

An example of the indexing of this entry is

alMatrixDSPkts.1.783495.18.4.128.2.6.7.4.128.2.6.6.34.

Note that some combinations of index values may result in an

index that exceeds 128 sub-identifiers in length, which exceeds

the maximum for the SNMP protocol. Implementations should take

care to avoid such combinations."

INDEX { hlMatrixControlIndex,

alMatrixDSTimeMark,

protocolDirLocalIndex,

nlMatrixDSDestAddress, nlMatrixDSSourceAddress,

protocolDirLocalIndex }

::= { alMatrixDSTable 1 }

AlMatrixDSEntry ::= SEQUENCE {

alMatrixDSTimeMark TimeFilter,

alMatrixDSPkts ZeroBasedCounter32,

alMatrixDSOctets ZeroBasedCounter32,

alMatrixDSCreateTime LastCreateTime

}

alMatrixDSTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

::= { alMatrixDSEntry 1 }

alMatrixDSPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted from the source address to the destination address

since this entry was added to the alMatrixDSTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { alMatrixDSEntry 2 }

alMatrixDSOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets in packets of this protocol type transmitted from the source address to the destination address since this entry was added to the alMatrixDSTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alMatrixDSEntry 3 }

alMatrixDSCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { alMatrixDSEntry 4 }

alMatrixTopNControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of parameters that control the creation of a report of the top N matrix entries according to a selected metric."

::= { alMatrix 3 }

alMatrixTopNControlEntry OBJECT-TYPE

SYNTAX AlMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixTopNControlTable.

An example of the indexing of this table is

alMatrixTopNControlDuration.3"

INDEX { alMatrixTopNControlIndex }

::= { alMatrixTopNControlTable 1 }

AlMatrixTopNControlEntry

::= SEQUENCE {

alMatrixTopNControlIndex Integer32,  
alMatrixTopNControlMatrixIndex Integer32,  
alMatrixTopNControlRateBase INTEGER,  
alMatrixTopNControlTimeRemaining Integer32,  
alMatrixTopNControlGeneratedReports Counter32,  
alMatrixTopNControlDuration Integer32,  
alMatrixTopNControlRequestedSize Integer32,  
alMatrixTopNControlGrantedSize Integer32,  
alMatrixTopNControlStartTime TimeStamp,  
alMatrixTopNControlOwner OwnerString,  
alMatrixTopNControlStatus RowStatus

}

alMatrixTopNControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the alMatrixTopNControlTable. Each such entry defines one topN report prepared for one interface."

::= { alMatrixTopNControlEntry 1 }

alMatrixTopNControlMatrixIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The alMatrix[SD/DS] table for which a topN report will be prepared on behalf of this entry. The alMatrix[SD/DS] table is identified by the value of the hlMatrixControlIndex for that table - that value is used here to identify the particular table.

This object may not be modified if the associated alMatrixTopNControlStatus object is equal to active(1)."

::= { alMatrixTopNControlEntry 2 }

alMatrixTopNControlRateBase OBJECT-TYPE

SYNTAX INTEGER {

alMatrixTopNTerminalsPkts(1),  
alMatrixTopNTerminalsOctets(2),  
alMatrixTopNAllPkts(3),  
alMatrixTopNAllOctets(4),  
alMatrixTopNTerminalsHighCapacityPkts(5),  
alMatrixTopNTerminalsHighCapacityOctets(6),

alMatrixTopNAllHighCapacityPkts(7),

alMatrixTopNAllHighCapacityOctets(8)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object controls which alMatrix[SD/DS] entry that the alMatrixTopNEntries are sorted by, which view of the matrix table that will be used, as well as which table the results will be reported in.

The values alMatrixTopNTerminalsPkts,  
alMatrixTopNTerminalsOctets,  
alMatrixTopNTerminalsHighCapacityPkts, and

alMatrixTopNTerminalsHighCapacityOctets cause collection only from protocols that have no child protocols that are counted. The values alMatrixTopNAllPkts, alMatrixTopNAllOctets, alMatrixTopNAllHighCapacityPkts, and alMatrixTopNAllHighCapacityOctets cause collection from all alMatrix entries.

This object may not be modified if the associated alMatrixTopNControlStatus object is equal to active(1)."

```
::= { alMatrixTopNControlEntry
3 }
```

alMatrixTopNControlTimeRemaining OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of seconds left in the report currently being collected. When this object is modified by the management station, a new collection is started, possibly aborting a currently running report. The new value is used as the requested duration of this report and is immediately loaded into the associated alMatrixTopNControlDuration object.

When the report finishes, the probe will automatically start another collection with the same initial value of alMatrixTopNControlTimeRemaining. Thus, the management station may simply read the resulting reports repeatedly, checking the startTime and duration each time to ensure that a report was not missed or that the report parameters were not changed.

While the value of this object is non-zero, it decrements by one per second until it reaches zero. At the time

that this object decrements to zero, the report is made accessible in the alMatrixTopNTable, overwriting any report that may be there.

When this object is modified by the management station, any associated entries in the alMatrixTopNTable shall be deleted.

(Note that this is a different algorithm than the one used in the hostTopNTable)."

DEFVAL { 1800 }  
::= { alMatrixTopNControlEntry 4 }

alMatrixTopNControlGeneratedReports OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of reports that have been generated by this entry."

::= { alMatrixTopNControlEntry 5 }

alMatrixTopNControlDuration OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of seconds that this report has collected during the last sampling interval.

When the associated alMatrixTopNControlTimeRemaining object is set, this object shall be set by the probe to the same value and shall not be modified until the next time the alMatrixTopNControlTimeRemaining is set.

This value shall be zero if no reports have been requested for this alMatrixTopNControlEntry."

::= { alMatrixTopNControlEntry 6 }

alMatrixTopNControlRequestedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of matrix entries requested for this report.

When this object is created or modified, the probe should set alMatrixTopNControlGrantedSize as closely to this object as possible for the particular probe implementation and available resources."

DEFVAL { 150 }

::= { alMatrixTopNControlEntry 7 }

alMatrixTopNControlGrantedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum number of matrix entries in this report.

When the associated alMatrixTopNControlRequestedSize object is created or modified, the probe should set this object as closely to the requested value as possible for the particular implementation and available resources. The probe must not lower this value except as a side-effect of a set to the associated alMatrixTopNControlRequestedSize object.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, when the next topN report is generated, matrix entries with the highest value of alMatrixTopNPktRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, when the next topN report is generated, matrix entries with the highest value of alMatrixTopNOctetRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

It is an implementation-specific matter how entries with the same value of alMatrixTopNPktRate or alMatrixTopNOctetRate are sorted. It is also an implementation-specific matter as to whether zero-valued entries are available."

::= { alMatrixTopNControlEntry 8 }

alMatrixTopNControlStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this topN report was last started. In other words, this is the time that the associated alMatrixTopNControlTimeRemaining object was modified

to start the requested report or the time the report was last automatically (re)started.

This object may be used by the management station to



determine whether a report was missed."  
 ::= { alMatrixTopNControlEntry 9 }

alMatrixTopNControlOwner OBJECT-TYPE

SYNTAX OwnerString  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { alMatrixTopNControlEntry 10 }

alMatrixTopNControlStatus OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The status of this alMatrixTopNControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the alMatrixTopNTable shall be deleted by the agent."

::= { alMatrixTopNControlEntry  
11 }

alMatrixTopNTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixTopNEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"A set of statistics for those application-layer matrix entries that have counted the highest number of octets or packets."

::= { alMatrix 4 }

alMatrixTopNEntry OBJECT-TYPE

SYNTAX AlMatrixTopNEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"A conceptual row in the alMatrixTopNTable.

The alMatrixTopNControlIndex value in the index identifies the alMatrixTopNControlEntry on whose behalf this entry was created.

An example of the indexing of this table is

alMatrixTopNPktRate.3.10"

INDEX { alMatrixTopNControlIndex, alMatrixTopNIndex }

::= { alMatrixTopNTable 1 }

```
AlMatrixTopNEntry ::= SEQUENCE {
 alMatrixTopNIndex Integer32,
 alMatrixTopNProtocolDirLocalIndex Integer32,

 alMatrixTopNSourceAddress OCTET STRING,
 alMatrixTopNDestAddress OCTET STRING,
 alMatrixTopNAppProtocolDirLocalIndex Integer32,
 alMatrixTopNPktRate Gauge32,
 alMatrixTopNReversePktRate Gauge32,
 alMatrixTopNOctetRate Gauge32,
 alMatrixTopNReverseOctetRate Gauge32
}
```

alMatrixTopNIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the alMatrixTopNTable among those in the same report.

This index is between 1 and N, where N is the number of entries in this report.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, increasing values of alMatrixTopNIndex shall be assigned to entries with decreasing values of alMatrixTopNPktRate until index N is

assigned or there are no more alMatrixTopNEntries.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, increasing values of alMatrixTopNIndex shall be assigned to entries with decreasing values of alMatrixTopNOctetRate until index N is assigned or there are no more alMatrixTopNEntries."

::= { alMatrixTopNEntry 1 }

alMatrixTopNProtocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The protocolDirLocalIndex of the network-layer protocol of this entry's network address."

::= { alMatrixTopNEntry 2 }

alMatrixTopNSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the source host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated alMatrixTopNProtocolDirLocalIndex.

For example, if the alMatrixTopNProtocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { alMatrixTopNEntry 3 }

alMatrixTopNDestAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the destination host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated alMatrixTopNProtocolDirLocalIndex.

For example, if the alMatrixTopNProtocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { alMatrixTopNEntry 4 }

alMatrixTopNAppProtocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The type of the protocol counted by this matrix entry."  
::= { alMatrixTopNEntry 5 }

alMatrixTopNPktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of packets seen of this protocol from the source host to the destination host during this sampling interval, counted using the rules for counting the alMatrixSDPkts object.

If the value of alMatrixTopNControlRateBase is alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, this variable will be used to sort this report."

::= { alMatrixTopNEntry 6 }

alMatrixTopNReversePktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen of this protocol from the destination host to the source host during this sampling interval, counted using the rules for counting the alMatrixDSPkts object. (Note that the corresponding alMatrixSDPkts object selected is the one whose source address is equal to alMatrixTopNDestAddress and whose destination address is equal to alMatrixTopNSourceAddress.)

Note that if the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, the sort of topN entries is based entirely on alMatrixTopNPktRate, and not on the value of this object."

::= { alMatrixTopNEntry 7 }

alMatrixTopNOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen of this protocol from the source host to the destination host during this sampling interval, counted using the rules for counting

the alMatrixSDOctets

object.

If the value of alMatrixTopNControlRateBase is alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, this variable will be used to sort this report."

::= { alMatrixTopNEntry 8 }

alMatrixTopNReverseOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen of this protocol from the destination host to the source host during this sampling interval, counted using the rules for counting the alMatrixDSOctets object. (Note that the corresponding alMatrixSDOctets object selected is the one whose source address is equal to alMatrixTopNDestAddress and whose destination address is equal to alMatrixTopNSourceAddress.)

Note that if the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, the sort of topN entries is based

entirely on

alMatrixTopNOctetRate, and not on the value of this object."

::= { alMatrixTopNEntry 9 }

--

-- User History Collection Group (usrHistory)

--

-- The usrHistory group combines mechanisms seen in the alarm and  
-- history groups to provide user-specified history collection,  
-- utilizing two additional control tables and one additional data  
-- table. This function has traditionally been done by NMS  
-- applications, via periodic polling. The usrHistory group allows  
-- this task to be offloaded to an RMON probe.

--

-- Data (an ASN.1 INTEGER based object) is collected in the same  
-- manner as any history data table (e.g., etherHistoryTable) except

```

-- that the user specifies the MIB instances to be collected. Objects
-- are collected in bucket-groups, with the intent that all MIB
-- instances in the same bucket-group are collected as atomically as
-- possible by the RMON probe.
--
-- The usrHistoryControlTable is a one-dimensional read-create table.
-- Each row configures
a collection of user history buckets, much
-- the same as a historyControlEntry, except that the creation of a
-- row in this table will cause one or more associated instances in
-- the usrHistoryObjectTable to be created. The user specifies the
-- number of bucket elements (rows in the usrHistoryObjectTable)
-- requested, as well as the number of buckets requested.
--
-- The usrHistoryObjectTable is a 2-d read-write table.
-- Each row configures a single MIB instance to be collected.
-- All rows with the same major index constitute a bucket-group.
--
-- The usrHistoryTable is a 3-d read-only table containing

-- the data of associated usrHistoryControlEntries. Each
-- entry represents the value of a single MIB instance
-- during a specific sampling interval (or the rate of
-- change during the interval).
--
-- A sample value is stored in two objects - an absolute value and
-- a status object. This allows numbers from $-(2G-1)$ to $+4G$ to be
-- stored. The status object also indicates
whether a sample is
-- valid. This allows data collection to continue if periodic
-- retrieval of a particular instance fails for any reason.
--
-- Row Creation Order Relationships
--
-- The static nature of the usrHistoryObjectTable creates
-- some row creation/modification issues. The rows in this
-- table need to be set before the associated
-- usrHistoryControlEntry can be activated.
--
-- Note that the usrHistoryObject entries associated with a
-- particular usrHistoryControlEntry are not required to
-- be active before the control entry is activated. However,
-- the usrHistory data entries associated with an inactive
-- usrHistoryObject entry will be inactive (i.e.,
-- usrHistoryValStatus == valueNotAvailable).
--

```

usrHistoryControlTable OBJECT-TYPE  
SYNTAX SEQUENCE OF UsrHistoryControlEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"A list of data-collection configuration entries."  
 ::= { usrHistory 1 }

usrHistoryControlEntry OBJECT-TYPE  
SYNTAX UsrHistoryControlEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"A list of parameters that set up a group of user-defined  
MIB objects to be sampled periodically (called a  
bucket-group).  
  
For example, an instance of usrHistoryControlInterval  
might be named usrHistoryControlInterval.1"  
INDEX { usrHistoryControlIndex }  
 ::= { usrHistoryControlTable 1 }

```
UsrHistoryControlEntry ::= SEQUENCE {
 usrHistoryControlIndex Integer32,
 usrHistoryControlObjects Integer32,
 usrHistoryControlBucketsRequested Integer32,
 usrHistoryControlBucketsGranted Integer32,
 usrHistoryControlInterval Integer32,
 usrHistoryControlOwner OwnerString,
 usrHistoryControlStatus RowStatus
}
```

usrHistoryControlIndex OBJECT-TYPE  
SYNTAX Integer32 (1..65535)  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"An index that uniquely  
identifies an entry in the  
usrHistoryControlTable. Each such entry defines a  
set of samples at a particular interval for a specified  
set of MIB instances available from the managed system."  
 ::= { usrHistoryControlEntry 1 }

usrHistoryControlObjects OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of MIB objects to be collected in the portion of usrHistoryTable associated with this usrHistoryControlEntry.

This object may not be modified if the associated instance of usrHistoryControlStatus is equal to active(1)."

::= { usrHistoryControlEntry 2 }

usrHistoryControlBucketsRequested OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The requested number of discrete time intervals over which data is to be saved in the part of the usrHistoryTable associated with this usrHistoryControlEntry.

When this object is created or modified, the probe should set usrHistoryControlBucketsGranted as closely to this object as possible for the particular probe implementation and available resources."

DEFVAL { 50 }

::= { usrHistoryControlEntry 3 }

usrHistoryControlBucketsGranted OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of discrete sampling intervals over which data shall be saved in the part of the usrHistoryTable associated with this usrHistoryControlEntry.

When the associated usrHistoryControlBucketsRequested object is created or modified, the probe should set this object as closely to the requested value as possible for the particular probe implementation and available resources. The probe must not lower this value except as a result of a modification to the associated



usrHistoryControlBucketsRequested object.

The associated usrHistoryControlBucketsRequested object should be set before or at the same time as this object to allow the probe to accurately estimate the resources required for this usrHistoryControlEntry.

There will be times when the actual number of buckets associated with this entry is less than the value of this object. In this case, at the end of each sampling interval, a new bucket will be added to the usrHistoryTable.

When the number of buckets reaches the value of this object and a new bucket is to be added to the usrHistoryTable, the oldest bucket associated with this usrHistoryControlEntry shall be deleted by the agent so that the new bucket can be added.

When the value of this object changes to a value less than the current value, entries are deleted from the usrHistoryTable associated with this usrHistoryControlEntry.

Enough of the oldest of these entries shall be deleted by the agent so that their number remains less than or equal to the new value of this object.

When the value of this object changes to a value greater than the current value, the number of associated usrHistory entries may be allowed to grow."

::= { usrHistoryControlEntry 4 }

usrHistoryControlInterval OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The interval in seconds over which the data is sampled for each bucket in the part of the usrHistory table associated with this usrHistoryControlEntry.

Because the counters in a bucket may overflow at their maximum value with no indication, a prudent manager will take into account the possibility of overflow in any of the associated counters. It is important to consider the

minimum time in which any counter could overflow on a particular media type and to set the `usrHistoryControlInterval` object to a value less than this interval.

This object may not be modified if the associated `usrHistoryControlStatus` object is equal to `active(1)`."

DEFVAL { 1800 }

::= { `usrHistoryControlEntry` 5 }

`usrHistoryControlOwner` OBJECT-TYPE

SYNTAX `OwnerString`

MAX-ACCESS `read-create`

STATUS `current`

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { `usrHistoryControlEntry` 6 }

`usrHistoryControlStatus` OBJECT-TYPE

SYNTAX `RowStatus`

MAX-ACCESS `read-create`

STATUS `current`

DESCRIPTION

"The status of this variable history control entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to `active(1)`, all associated entries

in the `usrHistoryTable` shall be deleted."

::= { `usrHistoryControlEntry` 7 }

-- Object table

`usrHistoryObjectTable` OBJECT-TYPE

SYNTAX SEQUENCE OF `UsrHistoryObjectEntry`

MAX-ACCESS `not-accessible`

STATUS `current`

DESCRIPTION

"A list of data-collection configuration entries."

::= { `usrHistory` 2 }

`usrHistoryObjectEntry` OBJECT-TYPE

SYNTAX `UsrHistoryObjectEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of MIB instances to be sampled periodically.

Entries in this table are created when an associated  
usrHistoryControlObjects object is created.

The usrHistoryControlIndex value in the index is  
that of the associated usrHistoryControlEntry.

For example, an instance of usrHistoryObjectVariable might be  
usrHistoryObjectVariable.1.3"

INDEX { usrHistoryControlIndex, usrHistoryObjectIndex }

::= { usrHistoryObjectTable 1 }

UsrHistoryObjectEntry ::= SEQUENCE {

usrHistoryObjectIndex Integer32,  
usrHistoryObjectVariable OBJECT IDENTIFIER,  
usrHistoryObjectSampleType INTEGER  
}

usrHistoryObjectIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index used to uniquely identify an entry in the  
usrHistoryObject table. Each such entry defines a  
MIB instance to be collected periodically."

::= { usrHistoryObjectEntry 1 }

usrHistoryObjectVariable OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object identifier of the particular variable to be

sampled.

Only variables that resolve to an ASN.1 primitive type of  
Integer32 (Integer32, Counter, Gauge, or TimeTicks) may be  
sampled.

Because SNMP access control is articulated entirely in terms of the contents of MIB views, no access control mechanism

exists that can restrict the value of this object to identify only those objects that exist in a particular MIB view.

Because there is thus no acceptable means of restricting the read access that could be obtained through the user history mechanism, the probe must only grant write access to this object in those views that have read access to all objects on the probe. See USM [RFC3414] and VACM [RFC3415] for more information.

During a set operation, if the supplied variable name is not available in the selected MIB view, a badValue error must be returned.

This object may not be modified if the associated usrHistoryControlStatus object is equal to active(1)."

::= { usrHistoryObjectEntry 2 }

usrHistoryObjectSampleType OBJECT-TYPE

```
SYNTAX INTEGER {
 absoluteValue(1),
 deltaValue(2)
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The method of sampling the selected variable for storage in the usrHistoryTable.

If the value of this object is absoluteValue(1), the value of the selected variable will be copied directly into the history bucket.

If the value of this object is deltaValue(2), the value of the selected variable at the last sample will be subtracted from the current value, and the difference will be stored in the history bucket. If the associated usrHistoryObjectVariable instance could not be obtained at the previous sample interval, then a delta sample is not possible, and the value of the associated usrHistoryValStatus object for this interval will be valueNotAvailable(1).

This object may not be modified if the associated

```

usrHistoryControlStatus object is equal to active(1)."
::= { usrHistoryObjectEntry 3 }

-- data table

usrHistoryTable OBJECT-TYPE
SYNTAX SEQUENCE OF UsrHistoryEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "A list of user-defined history entries."
::= { usrHistory 3 }

usrHistoryEntry OBJECT-TYPE
SYNTAX UsrHistoryEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "A historical sample of user-defined variables. This sample
 is associated with the usrHistoryControlEntry that set up the
 parameters for a regular collection of these samples.

 The usrHistoryControlIndex value in the index identifies the
 usrHistoryControlEntry on whose behalf this entry was created.
 The usrHistoryObjectIndex value in the index identifies the
 usrHistoryObjectEntry on whose behalf this entry was created.

 For example, an instance of usrHistoryAbsValue, which represents
 the 14th sample of a variable collected as specified by
 usrHistoryControlEntry.1 and usrHistoryObjectEntry.1.5,
 would be named usrHistoryAbsValue.1.14.5"
INDEX { usrHistoryControlIndex, usrHistorySampleIndex,
 usrHistoryObjectIndex }
::= { usrHistoryTable 1 }

UsrHistoryEntry ::= SEQUENCE {
 usrHistorySampleIndex Integer32,
 usrHistoryIntervalStart TimeStamp,
 usrHistoryIntervalEnd TimeStamp,
 usrHistoryAbsValue Gauge32,
 usrHistoryValStatus INTEGER
}

usrHistorySampleIndex OBJECT-TYPE
SYNTAX Integer32 (1..2147483647)
MAX-ACCESS not-accessible
STATUS current

```

#### DESCRIPTION

"An index that uniquely identifies the particular sample this entry represents among all samples associated with the same usrHistoryControlEntry. This index starts at 1 and increases by one as each new sample is taken."

::= { usrHistoryEntry 1 }

#### usrHistoryIntervalStart OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The value of sysUpTime at the start of the interval over which this sample was measured. If the probe keeps track of the time of day, it should start the first sample of the history at a time such that when the next hour of the day begins, a sample is started at that instant.

Note that following this rule may require that the probe delay collecting the first sample of the history, as each sample must be of the same interval. Also note that the sample that is currently being collected is not accessible in this table until the end of its interval."

::= { usrHistoryEntry 2 }

#### usrHistoryIntervalEnd OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The value of sysUpTime at the end of the interval over which this sample was measured."

::= { usrHistoryEntry 3 }

#### usrHistoryAbsValue OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The absolute value (i.e., unsigned value) of the user-specified statistic during the last sampling period. The value during the current sampling period is not made available until the period is completed.

To obtain the true value for this sampling interval, the associated instance of `usrHistoryValStatus` must be checked, and `usrHistoryAbsValue` adjusted as necessary.

If the MIB instance could not be accessed during the sampling interval, then this object will have a value of zero, and the associated instance of `usrHistoryValStatus` will be set to `'valueNotAvailable(1)'`.

The access control check prescribed in the definition of `usrHistoryObjectVariable` SHOULD be checked for each sampling interval. If this check determines that access should not be allowed, then this object will have a value of zero, and the associated instance of `usrHistoryValStatus` will be set to `'valueNotAvailable(1)'`.

```
::= { usrHistoryEntry
4 }
```

`usrHistoryValStatus` OBJECT-TYPE

```
SYNTAX INTEGER {
 valueNotAvailable(1),
 valuePositive(2),
 valueNegative(3)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object indicates the validity and sign of the data in the associated instance of `usrHistoryAbsValue`.

If the MIB instance could not be accessed during the sampling interval, then `'valueNotAvailable(1)'` will be returned.

If the sample is valid and the actual value of the sample is greater than or equal to zero, then `'valuePositive(2)'` is returned.

If the sample is valid and the actual value of the sample is less than zero, `'valueNegative(3)'` will be returned. The associated instance of `usrHistoryAbsValue` should be multiplied by -1 to obtain the true sample value."

```
::= { usrHistoryEntry 5 }
```

-- The Probe Configuration Group

--  
-- This group controls the configuration of various operating  
--  
parameters of the probe.

ControlString ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This data type is used to communicate with a modem or a

serial data switch. A ControlString contains embedded commands to control how the device will interact with the remote device through the serial interface. Commands are represented as two-character sequences beginning with the '^' character.

The following commands are recognized by the device (note that command characters are case sensitive):

^s Send string that follows, which is terminated by the next command or the end of string.

^c Delay for the number of seconds that follows. Toss out any data received rather than store it in a buffer for parsing.

^t Set timeout to the value represented by the decimal digits that follow. The default timeout is 20

seconds. Note that this timeout may be overridden by a smaller serialTimeout configured for the associated serial interface (see serialConfigTable).

^w Wait for the reply string that follows, which is terminated by the next command or the end of string. Partial and case-insensitive matching is applied, i.e., if the reply string (any case combination) is found anywhere in the received string, then the a match is found. If the current timeout elapses without a match, then the remaining control string is ignored.

^! The ^ character.

^d Delay the number of seconds specified by the decimal digits that follow.

^b Send break for the number of milliseconds specified by the decimal digits that follow. If no digits follow, break will be enforced for 250 milliseconds by default.

The following ASCII control characters may be inserted into the '^s' send string or the '^w' reply string:



```
^@ 0x00
^A 0x01
..
^M 0x0D
..
^Z 0x1A
^[0x1B
^ 0x1C
^] 0x1D
^^ 0x1E
^_ 0x1F
```

Binary data may also be inserted into the data stream. The control sequence for each byte of binary data is `^0x##`, where `##` is the hexadecimal representation of the data byte. Two ASCII characters (0-9, a-f, A-F) must follow the `'^0x'` control prefix. For example, `'^0x0D^0x0A'` is interpreted as a carriage return followed by a line feed."

SYNTAX OCTET STRING (SIZE (0..255))

probeCapabilities OBJECT-TYPE

```
SYNTAX BITS {
 etherStats(0),
 historyControl(1),
 etherHistory(2),
 alarm(3),
 hosts(4),
 hostTopN(5),
 matrix(6),
 filter(7),
 capture(8),
 event(9),
 tokenRingMLStats(10),
 tokenRingPStats(11),
 tokenRingMLHistory(12),
 tokenRingPHistory(13),
 ringStation(14),
 ringStationOrder(15),
 ringStationConfig(16),
 sourceRouting(17),
 protocolDirectory(18),
 protocolDistribution(19),
 addressMapping(20),
 nlHost(21),
```

```

nlMatrix(22),
alHost(23),
alMatrix(24),
usrHistory(25),
probeConfig(26)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "An indication of the RMON MIB groups supported
 on at least one interface by this probe."
 ::= { probeConfig 1 }

```

```

probeSoftwareRev OBJECT-TYPE
SYNTAX DisplayString (SIZE(0..15))
MAX-ACCESS read-only

```

```

STATUS current
DESCRIPTION
 "The software revision of this device. This string will have
 a zero length if the revision is unknown."
 ::= { probeConfig 2 }

```

```

probeHardwareRev
OBJECT-TYPE
SYNTAX DisplayString (SIZE(0..31))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The hardware revision of this device. This string will have
 a zero length if the revision is unknown."
 ::= { probeConfig 3 }

```

```

probeDateTime OBJECT-TYPE
SYNTAX OCTET STRING (SIZE (0 | 8 | 11))
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "Probe's current date and time.

```

| field | octets | contents | range    |
|-------|--------|----------|----------|
| 1     | 1-2    | year     | 0..65536 |
| 2     | 3      | month    | 1..12    |
| 3     | 4      | day      | 1..31    |
| 4     | 5      | hour     | 0..23    |

|      |    |                          |           |
|------|----|--------------------------|-----------|
| 5    | 6  | minutes                  | 0..59     |
| 6    | 7  | seconds                  | 0..60     |
|      |    | (use 60 for leap-second) |           |
| 7    | 8  | deci-seconds             |           |
| 0..9 |    |                          |           |
| 8    | 9  | direction from UTC       | '+' / '-' |
| 9    | 10 | hours from UTC           | 0..11     |
| 10   | 11 | minutes from UTC         | 0..59     |

For example, Tuesday May 26, 1992 at 1:30:15 PM EDT would be displayed as:

1992-5-26,13:30:15.0,-4:0

Note that if only local time is known, then time zone information (fields 8-10) is not present, and that if no time information is known, the null string is returned."

::= { probeConfig 4 }

probeResetControl OBJECT-TYPE

```
SYNTAX INTEGER {
 running(1),
 warmBoot(2),
 coldBoot(3)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Setting this object to warmBoot(2) causes the device to restart the application software with current configuration parameters saved in non-volatile memory. Setting this

object to coldBoot(3) causes the device to reinitialize configuration parameters in non-volatile memory to default values and to restart the application software. When the device is running normally, this variable has a value of running(1)."

::= { probeConfig 5 }

-- The following download objects do not restrict an implementation  
 -- from implementing additional download mechanisms (controlled in an  
 -- implementation-specific manner). Further, in the case where the RMON  
 -- agent shares a processor with other types of systems, the

-- implementation is not required to download those non-RMON functions  
-- with this mechanism.

probeDownloadFile OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..127))

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The file name to be downloaded from the TFTP server when a download is next requested via this MIB. This value is set to the zero-length string when no file name has been specified.

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 6 }

probeDownloadTFTPServer OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The IP address of the TFTP server that contains the boot image to load when a download is next requested via this MIB. This value is set to '0.0.0.0' when no IP address has been

specified.

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 7 }

probeDownloadAction OBJECT-TYPE

SYNTAX INTEGER {  
    notDownloading(1),  
    downloadToPROM(2),  
    downloadToRAM(3)  
}

MAX-ACCESS

read-write

STATUS deprecated

DESCRIPTION

"When this object is set to downloadToRAM(3) or downloadToPROM(2), the device will discontinue its

normal operation and begin download of the image specified by probeDownloadFile from the server specified by probeDownloadTFTPServer using the TFTP protocol. If downloadToRAM(3) is specified, the new image is copied to RAM only (the old image remains unaltered in the flash EPROM). If downloadToPROM(2) is specified, the new image is written to the flash EPROM memory after its checksum has been verified to be correct. When the download process is completed, the device will warm boot to restart the newly loaded application. When the device is not downloading, this object will have a value of notDownloading(1).

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."  
::= { probeConfig 8 }

probeDownloadStatus OBJECT-TYPE

```
SYNTAX INTEGER {
 downloadSuccess(1),
 downloadStatusUnknown(2),
 downloadGeneralError(3),
 downloadNoResponseFromServer(4),
 downloadChecksumError(5),
 downloadIncompatibleImage(6),
 downloadTftpFileNotFound(7),
 downloadTftpAccessViolation(8)
}
```

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The status of the last download procedure, if any. This object will have a value of downloadStatusUnknown(2) if no download process has been performed.

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 9 }

serialConfigTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF SerialConfigEntry
```

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A table of serial interface configuration entries. This data will be stored in non-volatile memory and preserved across probe resets or power loss.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 10 }

serialConfigEntry OBJECT-TYPE

SYNTAX SerialConfigEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A set of configuration parameters for a particular serial interface on this device. If the device has no serial interfaces, this table is empty.

The index is composed of the ifIndex assigned to this serial line interface."

INDEX { ifIndex }

::=

{ serialConfigTable 1 }

SerialConfigEntry ::= SEQUENCE {

serialMode INTEGER,

serialProtocol INTEGER,

serialTimeout Integer32,

serialModemInitString ControlString,

serialModemHangUpString ControlString,

serialModemConnectResp DisplayString,

serialModemNoConnectResp DisplayString,

serialDialoutTimeout Integer32,

serialStatus RowStatus

}

serialMode OBJECT-TYPE

SYNTAX INTEGER {

direct(1),

modem(2)

}

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The type of incoming connection to be expected on this serial interface."

DEFVAL { direct }

::= { serialConfigEntry 1 }

serialProtocol OBJECT-TYPE

SYNTAX INTEGER {

other(1),

slip(2),

ppp(3)

}

MAX-ACCESS read-create

STATUS

deprecated

DESCRIPTION

"The type of data link encapsulation to be used on this serial interface."

DEFVAL { slip }

::= { serialConfigEntry 2 }

serialTimeout OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This timeout value is used when the Management Station has initiated the conversation over the serial link. This variable represents the number of seconds of inactivity allowed before terminating the connection on this serial interface. Use the serialDialoutTimeout in the case where the probe has initiated the connection for the purpose of sending a trap."

DEFVAL { 300 }

::= { serialConfigEntry 3 }

serialModemInitString OBJECT-TYPE

SYNTAX ControlString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that controls how a modem attached to this

serial interface should be initialized. The initialization is performed once during startup and again after each connection is terminated if the associated serialMode has the

value of modem(2).

A control string that is appropriate for a wide variety of modems is: '^s^MATE0Q0V1X4 S0=1 S2=43^M'."

::= { serialConfigEntry 4 }

serialModemHangUpString OBJECT-TYPE

SYNTAX ControlString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to disconnect a modem connection on this serial interface. This object is only meaningful if the associated serialMode has the value of modem(2).

A control string that is appropriate for a wide variety of modems is: '^d2^s+++^d2^sATH0^M^d2'."

::= { serialConfigEntry 5 }

serialModemConnectResp OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"An ASCII string containing substrings that describe the expected modem connection response code and associated bps rate. The substrings are delimited by the first character in the string, for example:

```
/CONNECT/300/CONNECT 1200/1200/CONNECT 2400/2400/
CONNECT 4800/4800/CONNECT 9600/9600
```

will be interpreted as:

| response code | bps  | rate |
|---------------|------|------|
| CONNECT       | 300  |      |
| CONNECT 1200  | 1200 |      |
| CONNECT 2400  | 2400 |      |
| CONNECT 4800  | 4800 |      |
| CONNECT 9600  | 9600 |      |

The agent will use the information in this string to adjust the bps rate of this serial interface once a modem connection is established.

A value that is appropriate for a wide variety of modems is:

```
^/CONNECT/300/CONNECT 1200/1200/CONNECT 2400/2400/
```



```
CONNECT 4800/4800/CONNECT 9600/9600/CONNECT 14400/14400/
CONNECT
19200/19200/CONNECT 38400/38400/."
::= { serialConfigEntry 6 }
```

serialModemNoConnectResp OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"An ASCII string containing response codes that may be generated by a modem to report the reason why a connection attempt has failed. The response codes are delimited by the first character in the string, for example:

```
/NO CARRIER/BUSY/NO DIALTONE/NO ANSWER/ERROR/
```

If one of these response codes is received via this serial interface while attempting to make a modem connection, the agent will issue the hang up command as specified by serialModemHangUpString.

A value that is appropriate for a wide variety of modems is:

```
'/NO CARRIER/BUSY/NO DIALTONE/NO ANSWER/ERROR/'
```

```
::= { serialConfigEntry 7 }
```

serialDialoutTimeout OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS

read-create

STATUS deprecated

DESCRIPTION

"This timeout value is used when the probe initiates the serial connection with the intention of contacting a management station. This variable represents the number of seconds of inactivity allowed before terminating the connection on this serial interface."

```
DEFVAL { 20 }
```

```
::= { serialConfigEntry 8 }
```

serialStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The status of this serialConfigEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value."

::= { serialConfigEntry 9 }

netConfigTable OBJECT-TYPE

SYNTAX SEQUENCE OF NetConfigEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A table of netConfigEntries.

This table has been deprecated, as it has not had enough independent

implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 11 }

netConfigEntry OBJECT-TYPE

SYNTAX NetConfigEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A set of configuration parameters for a particular network interface on this device. If the device has no network interface, this table is empty.

The index is composed of the ifIndex assigned to the corresponding interface."

INDEX { ifIndex }

::= { netConfigTable 1 }

NetConfigEntry ::= SEQUENCE {

netConfigIPAddress IpAddress,

netConfigSubnetMask IpAddress,

netConfigStatus RowStatus

}

netConfigIPAddress OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The IP address of this Net interface. The default value for this object is 0.0.0.0. If either the netConfigIPAddress or netConfigSubnetMask is 0.0.0.0, then when the device boots, it may use BOOTP to try to figure out what these values should be. If BOOTP fails before the device can talk on the network, this value must be configured

(e.g., through a terminal attached to the device). If BOOTP is used, care should be taken to not send BOOTP broadcasts too frequently and to eventually send them very infrequently if no replies are received."

::= { netConfigEntry 1 }

netConfigSubnetMask OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The subnet mask of this Net interface. The default value for this object is 0.0.0.0. If either the netConfigIPAddress or netConfigSubnetMask is 0.0.0.0, then when the device boots, it may use BOOTP to try to figure out what these values should be. If BOOTP fails before the device can talk on

the network, this value must be configured

(e.g., through a terminal attached to the device). If BOOTP is used, care should be taken to not send BOOTP broadcasts too frequently and to eventually send them very infrequently if no replies are received."

::= { netConfigEntry 2 }

netConfigStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The status of this netConfigEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value."

::= { netConfigEntry 3 }

netDefaultGateway OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The IP Address of the default gateway. If this value is undefined or unknown, it shall have the value 0.0.0.0."

::= { probeConfig 12 }

-- Trap Destination Table

--

-- This table defines the destination addresses for traps generated  
-- from the device. This table maps a community to one or more trap destination entries.  
--  
-- The same trap will be sent to all destinations specified in the entries that have the same trapDestCommunity as the eventCommunity (as defined by RMON MIB), as long as no access control mechanism (e.g., VACM) prohibits sending to one or more of the destinations.  
-- Information in this table will be stored in non-volatile memory.

-- If the device has gone through a hard restart, this information will be reset to its default state.

trapDestTable OBJECT-TYPE  
SYNTAX SEQUENCE OF TrapDestEntry  
MAX-ACCESS not-accessible  
STATUS deprecated  
DESCRIPTION  
"A list of trap destination entries."  
 ::= { probeConfig 13 }

trapDestEntry OBJECT-TYPE  
SYNTAX TrapDestEntry  
MAX-ACCESS not-accessible  
STATUS deprecated  
DESCRIPTION  
"This entry includes a destination IP address to which traps are sent for this community."  
INDEX { trapDestIndex }  
 ::= { trapDestTable 1 }

TrapDestEntry ::= SEQUENCE {  
trapDestIndex Integer32,  
trapDestCommunity OCTET STRING,  
trapDestProtocol INTEGER,  
trapDestAddress OCTET STRING,  
trapDestOwner OwnerString,  
trapDestStatus RowStatus  
}

trapDestIndex OBJECT-TYPE  
SYNTAX Integer32 (1..65535)  
MAX-ACCESS not-accessible  
STATUS deprecated  
DESCRIPTION

"A value that uniquely identifies this trapDestEntry."  
 ::= { trapDestEntry 1 }

trapDestCommunity OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..127))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A community to which this destination address belongs.  
 This entry is associated with any eventEntries in the RMON  
 MIB whose value of eventCommunity is equal to the value of  
 this object. Every time an associated event entry sends a

trap due to an event, that trap will be sent to each

address in the trapDestTable with a trapDestCommunity equal  
 to eventCommunity, as long as no access control mechanism  
 precludes it (e.g., VACM).

This object may not be modified if the associated  
 trapDestStatus object is equal to active(1)."

::= { trapDestEntry 2 }

trapDestProtocol OBJECT-TYPE

SYNTAX INTEGER {

ip(1),

ipx(2)

}

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The protocol with which this trap is to be sent."

::= { trapDestEntry 3 }

trapDestAddress OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The destination address for traps on behalf of this entry.

If the associated trapDestProtocol object is equal to ip(1),  
 the encoding of this object is the same as the snmpUDPAddress  
 textual

convention in RFC 3417, 'Transport Mappings for the

Simple Network Management Protocol (SNMP)' [RFC3417]:

```
-- for a SnmpUDPAddress of length 6:
--
-- octets contents encoding
-- 1-4 IP-address network-byte order
-- 5-6 UDP-port network-byte order
```

If the associated trapDestProtocol object is equal to ipx(2), the encoding of this object is the same as the snmpIPXAddress textual convention in RFC 3417, 'Transport Mappings for the Simple Network Management Protocol (SNMP)' [RFC3417]:

```
-- for a SnmpIPXAddress of length 12:
--
-- octets contents encoding
-- 1-4 network-number network-byte order
-- 5-10 physical-address network-byte order
-- 11-12 socket-number network-byte order
```

This object may not be modified if the associated

```
trapDestStatus object
is equal to active(1)."
::= { trapDestEntry 4 }
```

```
trapDestOwner OBJECT-TYPE
SYNTAX OwnerString
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"The entity that configured this entry and is
therefore using the resources assigned to it."
::= { trapDestEntry 5 }
```

```
trapDestStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"The status of this trap destination entry.
```

An entry may not exist in the active state unless all objects in the entry have an appropriate value."

```
::= { trapDestEntry 6 }
```

```
-- Serial Connection Table
--
-- The device may communicate with a management station using
```

-- SLIP. In order for the device to send traps via SLIP, it must  
-- be able to initiate a connection over the serial interface. The  
-- serialConnectionTable stores the parameters for such connection  
-- initiation.

serialConnectionTable OBJECT-TYPE

SYNTAX SEQUENCE

OF SerialConnectionEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A list of serialConnectionEntries.

This table has been deprecated, as it has not had enough  
independent implementations to demonstrate interoperability  
to meet the requirements of a Draft Standard."

::= { probeConfig 14 }

serialConnectionEntry OBJECT-TYPE

SYNTAX SerialConnectionEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Configuration for a SLIP link over a serial line."

INDEX { serialConnectIndex }

::= { serialConnectionTable 1 }

SerialConnectionEntry ::= SEQUENCE {

serialConnectIndex Integer32,

serialConnectDestIpAddress IpAddress,

serialConnectType INTEGER,

serialConnectDialString ControlString,

serialConnectSwitchConnectSeq ControlString,

serialConnectSwitchDisconnectSeq ControlString,

serialConnectSwitchResetSeq ControlString,

serialConnectOwner OwnerString,

serialConnectStatus RowStatus

}

serialConnectIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A value that uniquely identifies this serialConnection

entry."  
::= { serialConnectionEntry 1 }

serialConnectDestIpAddress OBJECT-TYPE

SYNTAX IpAddress  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION

"The IP Address that can be reached at the other end of this serial connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 2 }

serialConnectType OBJECT-TYPE

SYNTAX INTEGER {  
    direct(1),  
    modem(2),  
    switch(3),  
    modemSwitch(4)

}  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION

"The type of outgoing connection to be made. If this object has the value direct(1), then a direct serial connection is assumed. If this object has the value modem(2), then serialConnectDialString will be used to make a modem connection. If this object has the value switch(3), then serialConnectSwitchConnectSeq will be used to establish the connection over a serial data switch, and serialConnectSwitchDisconnectSeq will be used to terminate the connection. If this object has the value modem-switch(4), then a modem connection will be made first, followed by the switch connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

DEFVAL { direct }  
::= { serialConnectionEntry 3 }

serialConnectDialString OBJECT-TYPE



SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to dial the phone number in order to establish a modem connection. The string should include the dialing prefix and suffix. For example: '^s^MATD9,888-1234^M' will instruct the Probe to send a carriage return, followed by the dialing prefix 'ATD', the phone number '9,888-1234', and a carriage return as the dialing suffix.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 4 }

serialConnectSwitchConnectSeq OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to establish a data switch connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 5 }

serialConnectSwitchDisconnectSeq OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to terminate a data switch connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 6 }

serialConnectSwitchResetSeq OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

#### DESCRIPTION

"A control string that specifies how to reset a data switch in the event of a timeout.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 7 }

#### serialConnectOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS deprecated

#### DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { serialConnectionEntry 8 }

#### serialConnectStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

#### DESCRIPTION

"The status of this serialConnectionEntry.

If the manager attempts to set this object to active(1) when the serialConnectType is set to modem(2) or modem-switch(4) and the serialConnectDialString is a zero-length string or cannot be correctly parsed as a ConnectString, the set request will be rejected with badValue(3).

If the manager attempts to set this object to active(1) when the serialConnectType is set to switch(3) or modem-switch(4) and the serialConnectSwitchConnectSeq, the serialConnectSwitchDisconnectSeq, or

the serialConnectSwitchResetSeq is a zero-length string or cannot be correctly parsed as a ConnectString, the set request will be rejected with badValue(3).

An entry may not exist in the active state unless all objects in the entry have an appropriate value."

::= { serialConnectionEntry 9 }

--

-- Extensions to the RMON 1 MIB for RMON 2 devices

--  
-- These extensions include the standard LastCreateTime Textual  
-- Convention for all control tables, as well as an augmentation of  
-- the filter entry that provides variable-length offsets into  
-- packets.  
  
-- Each of the following, except for filterDroppedFrames, is a  
-- read-only object which, if implemented, automatically appears when  
-- the RMON1 row it is associated with is created.

etherStats2Table OBJECT-TYPE  
SYNTAX SEQUENCE OF EtherStats2Entry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"Contains the RMON-2 augmentations to RMON-1."  
 ::= { statistics 4 }

etherStats2Entry OBJECT-TYPE  
SYNTAX EtherStats2Entry  
MAX-ACCESS not-accessible  
STATUS  
current  
DESCRIPTION  
"Contains the RMON-2 augmentations to RMON-1."  
 AUGMENTS { etherStatsEntry }  
 ::= { etherStats2Table 1 }

EtherStats2Entry ::= SEQUENCE {  
etherStatsDroppedFrames Counter32,  
etherStatsCreateTime LastCreateTime  
}

etherStatsDroppedFrames OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The total number of frames that were received by the probe  
and therefore not accounted for in the \*StatsDropEvents, but  
that the probe chose not to count for this entry for  
whatever reason. Most often, this event occurs when the  
probe is out of some resources and decides to shed load from  
this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { etherStats2Entry
1 }
```

etherStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

```
::= { etherStats2Entry 2 }
```

historyControl2Table OBJECT-TYPE

SYNTAX SEQUENCE OF HistoryControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

```
::= { history 5 }
```

historyControl2Entry OBJECT-TYPE

SYNTAX HistoryControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { historyControlEntry }

```
::= { historyControl2Table 1 }
```

HistoryControl2Entry ::= SEQUENCE {

historyControlDroppedFrames Counter32

}

historyControlDroppedFrames

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { historyControl2Entry 1 }

hostControl2Table OBJECT-TYPE

SYNTAX SEQUENCE OF HostControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

::= { hosts 4 }

hostControl2Entry OBJECT-TYPE

SYNTAX HostControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { hostControlEntry }

::= { hostControl2Table 1 }

HostControl2Entry ::= SEQUENCE {

hostControlDroppedFrames Counter32,

hostControlCreateTime LastCreateTime

}

hostControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the

probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { hostControl2Entry 1 }
```

hostControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

```
::= { hostControl2Entry 2 }
```

matrixControl2Table OBJECT-TYPE

SYNTAX SEQUENCE OF MatrixControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

```
::= { matrix 4 }
```

matrixControl2Entry OBJECT-TYPE

SYNTAX MatrixControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { matrixControlEntry }

```
::= { matrixControl2Table 1 }
```

MatrixControl2Entry ::= SEQUENCE {

matrixControlDroppedFrames Counter32,

matrixControlCreateTime LastCreateTime

}

matrixControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { matrixControl2Entry 1 }

matrixControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last

activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { matrixControl2Entry 2 }

channel2Table OBJECT-TYPE

SYNTAX SEQUENCE OF Channel2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

::= { filter 3 }

channel2Entry OBJECT-TYPE

SYNTAX Channel2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { channelEntry }

::= { channel2Table 1 }

```
Channel2Entry ::= SEQUENCE {
 channelDroppedFrames Counter32,
 channelCreateTime LastCreateTime
}
```

channelDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents,

but

that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { channel2Entry 1 }

channelCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { channel2Entry 2 }

tokenRingMLStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF TokenRingMLStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.



This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { statistics 5 }

tokenRingMLStats2Entry OBJECT-TYPE

SYNTAX TokenRingMLStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { tokenRingMLStatsEntry }

::= { tokenRingMLStats2Table 1 }

TokenRingMLStats2Entry ::= SEQUENCE {

tokenRingMLStatsDroppedFrames Counter32,

tokenRingMLStatsCreateTime LastCreateTime

}

tokenRingMLStatsDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe

chose not to count for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { tokenRingMLStats2Entry 1 }

tokenRingMLStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last

activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

```
::= { tokenRingMLStats2Entry 2 }
```

tokenRingPStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF TokenRingPStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

```
::= { statistics 6 }
```

tokenRingPStats2Entry OBJECT-TYPE

SYNTAX TokenRingPStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { tokenRingPStatsEntry }

```
::= { tokenRingPStats2Table 1 }
```

TokenRingPStats2Entry ::= SEQUENCE {

tokenRingPStatsDroppedFrames Counter32,

tokenRingPStatsCreateTime LastCreateTime

}

tokenRingPStatsDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to count

for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { tokenRingPStats2Entry 1 }

tokenRingPStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { tokenRingPStats2Entry 2 }

ringStationControl2Table OBJECT-TYPE

SYNTAX SEQUENCE OF RingStationControl2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { tokenRing 7 }

ringStationControl2Entry OBJECT-TYPE

SYNTAX RingStationControl2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { ringStationControlEntry }

::= { ringStationControl2Table 1 }

RingStationControl2Entry ::= SEQUENCE {

ringStationControlDroppedFrames Counter32,

ringStationControlCreateTime LastCreateTime

}

ringStationControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose not to

count for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { ringStationControl2Entry 1 }

ringStationControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to

ensure that the table has not been deleted and recreated between polls."

::= { ringStationControl2Entry 2 }

sourceRoutingStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF SourceRoutingStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { tokenRing 8 }

sourceRoutingStats2Entry OBJECT-TYPE

SYNTAX SourceRoutingStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { sourceRoutingStatsEntry }

::= { sourceRoutingStats2Table 1 }

SourceRoutingStats2Entry ::= SEQUENCE {  
sourceRoutingStatsDroppedFrames Counter32,  
sourceRoutingStatsCreateTime LastCreateTime  
}

sourceRoutingStatsDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the \*StatsDropEvents, but that the probe chose

not to count for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { sourceRoutingStats2Entry 1 }

sourceRoutingStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { sourceRoutingStats2Entry 2 }

filter2Table OBJECT-TYPE

SYNTAX SEQUENCE OF Filter2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Provides  
a variable-length packet filter feature to the  
RMON-1 filter table."  
::= { filter 4 }

filter2Entry OBJECT-TYPE

SYNTAX Filter2Entry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"Provides a variable-length packet filter feature to the  
RMON-1 filter table."

AUGMENTS { filterEntry }  
::= { filter2Table 1 }

Filter2Entry ::= SEQUENCE {  
filterProtocolDirDataLocalIndex Integer32,  
filterProtocolDirLocalIndex Integer32  
}

filterProtocolDirDataLocalIndex OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"When this object is set to a non-zero value, the filter that  
it is associated with performs the following operations on  
every packet:

- 1) If the packet doesn't match the protocol directory entry  
identified by this object, discard the packet and exit  
(i.e., discard the packet if it  
is not of the identified  
protocol).
  
  - 2) If the associated filterProtocolDirLocalIndex is non-zero  
and the packet doesn't match the protocol directory  
entry identified by that object, discard the packet and  
exit.
  
  - 3) If the packet matches, perform the regular filter  
algorithm as if the beginning of this named protocol is  
the beginning of the packet, potentially applying the  
filterOffset value to move further into the packet."
- DEFVAL { 0 }  
::= { filter2Entry 1 }

```

filterProtocolDirLocalIndex OBJECT-TYPE
 SYNTAX Integer32 (0..2147483647)
 MAX-ACCESS read-create
 STATUS current
 DESCRIPTION
 "When this object is set to a non-zero value, the filter that
 it is associated with will discard the packet if the packet
 doesn't match this protocol directory entry."
 DEFVAL { 0 }
 ::= { filter2Entry 2 }

-- Conformance Macros

rmon2MIBCompliances OBJECT
 IDENTIFIER ::= { rmonConformance 1 }
rmon2MIBGroups OBJECT IDENTIFIER ::= { rmonConformance 2 }

rmon2MIBCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION
 "Describes the requirements for conformance to
 the RMON2 MIB"
 MODULE -- this module
 MANDATORY-GROUPS { protocolDirectoryGroup,
 protocolDistributionGroup,
 addressMapGroup,
 nlHostGroup,
 nlMatrixGroup,
 usrHistoryGroup,
 probeInformationGroup }

 OBJECT nlMatrixTopNControlRateBase
 SYNTAX INTEGER {
 nlMatrixTopNPkts(1),
 nlMatrixTopNOctets(2)
 }
 DESCRIPTION

 "Conformance to RMON2 requires only support for these
 values of nlMatrixTopNControlRateBase."

 GROUP rmon1EnhancementGroup
 DESCRIPTION
 "The rmon1EnhancementGroup is mandatory for systems
 that implement RMON [RFC2819]."
```

GROUP rmon1EthernetEnhancementGroup

DESCRIPTION

"The rmon1EthernetEnhancementGroup is optional and is appropriate for systems that implement the Ethernet group of RMON [RFC2819]."

::= { rmon2MIBCompliances 1 }

rmon2MIBApplicationLayerCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the RMON2 MIB with Application-Layer Enhancements."

MODULE -- this module

MANDATORY-GROUPS { protocolDirectoryGroup,  
protocolDistributionGroup,  
addressMapGroup,  
nlHostGroup,  
nlMatrixGroup,  
alHostGroup,  
alMatrixGroup,  
usrHistoryGroup,  
probeInformationGroup }

OBJECT nlMatrixTopNControlRateBase

SYNTAX INTEGER {  
nlMatrixTopNPkts(1),  
nlMatrixTopNOctets(2)  
}

DESCRIPTION

"Conformance to RMON2 requires only support for these values of nlMatrixTopNControlRateBase."

OBJECT alMatrixTopNControlRateBase

SYNTAX INTEGER {  
alMatrixTopNTerminalsPkts(1),  
alMatrixTopNTerminalsOctets(2),  
alMatrixTopNAllPkts(3),  
alMatrixTopNAllOctets(4)  
}

DESCRIPTION

"Conformance to RMON2 requires only support for these

values of alMatrixTopNControlRateBase."

GROUP rmon1EnhancementGroup

DESCRIPTION



"The rmon1EnhancementGroup is mandatory  
for systems  
that implement RMON [RFC2819]."  
GROUP rmon1EthernetEnhancementGroup  
DESCRIPTION  
"The rmon1EthernetEnhancementGroup is optional and is  
appropriate for systems that implement the Ethernet  
group of RMON [RFC2819]."  
::= { rmon2MIBCompliances 2 }

protocolDirectoryGroup OBJECT-GROUP  
OBJECTS { protocolDirLastChange,  
protocolDirLocalIndex, protocolDirDescr,  
protocolDirType, protocolDirAddressMapConfig,  
protocolDirHostConfig, protocolDirMatrixConfig,  
protocolDirOwner, protocolDirStatus }  
STATUS current  
DESCRIPTION  
"Lists the inventory of protocols the probe has the  
capability of monitoring and allows the addition, deletion,  
and configuration of entries in this list."  
::= { rmon2MIBGroups 1 }

protocolDistributionGroup OBJECT-GROUP  
OBJECTS { protocolDistControlDataSource,  
protocolDistControlDroppedFrames,  
protocolDistControlCreateTime,  
protocolDistControlOwner, protocolDistControlStatus,  
protocolDistStatsPkts, protocolDistStatsOctets }  
STATUS current  
DESCRIPTION  
"Collects the relative amounts of octets and packets for the  
different protocols detected on a network segment."  
::= { rmon2MIBGroups 2 }

addressMapGroup OBJECT-GROUP  
OBJECTS { addressMapInserts, addressMapDeletes,  
addressMapMaxDesiredEntries,  
addressMapControlDataSource,  
addressMapControlDroppedFrames,  
addressMapControlOwner, addressMapControlStatus,  
addressMapPhysicalAddress,  
addressMapLastChange }  
STATUS current

## DESCRIPTION

"Lists MAC address to network address bindings discovered by the probe and what interface they were last seen on."

::= { rmon2MIBGroups 3 }

## nlHostGroup OBJECT-GROUP

OBJECTS { hlHostControlDataSource,  
hlHostControlNIDroppedFrames, hlHostControlNIInserts,  
hlHostControlNIDeletes,  
hlHostControlNIMaxDesiredEntries,  
hlHostControlAIDroppedFrames, hlHostControlAIInserts,  
hlHostControlAIDeletes,  
hlHostControlAIMaxDesiredEntries, hlHostControlOwner,  
hlHostControlStatus, nlHostInPkts, nlHostOutPkts,  
nlHostInOctets, nlHostOutOctets,  
nlHostOutMacNonUnicastPkts, nlHostCreateTime }

STATUS current

## DESCRIPTION

"Counts the amount of traffic sent from and to each network address discovered by the probe. Note that while the hlHostControlTable also has objects that control an optional alHostTable, implementation of the alHostTable is not required to fully implement this group."

::= { rmon2MIBGroups 4 }

## nlMatrixGroup OBJECT-GROUP

OBJECTS { hlMatrixControlDataSource,  
hlMatrixControlNIDroppedFrames,  
hlMatrixControlNIInserts, hlMatrixControlNIDeletes,  
hlMatrixControlNIMaxDesiredEntries,  
hlMatrixControlAIDroppedFrames,  
hlMatrixControlAIInserts, hlMatrixControlAIDeletes,  
hlMatrixControlAIMaxDesiredEntries,  
hlMatrixControlOwner, hlMatrixControlStatus,  
nlMatrixSDPkts, nlMatrixSDOctets, nlMatrixSDCreateTime,  
nlMatrixDSPkts, nlMatrixDSOctets, nlMatrixDSCreateTime,  
nlMatrixTopNControlMatrixIndex,  
nlMatrixTopNControlRateBase,  
nlMatrixTopNControlTimeRemaining,  
nlMatrixTopNControlGeneratedReports,  
nlMatrixTopNControlDuration,  
nlMatrixTopNControlRequestedSize,  
nlMatrixTopNControlGrantedSize,  
nlMatrixTopNControlStartTime,  
nlMatrixTopNControlOwner, nlMatrixTopNControlStatus,  
nlMatrixTopNProtocolDirLocalIndex,  
nlMatrixTopNSourceAddress,

nlMatrixTopNDestAddress,  
nlMatrixTopNPktRate, nlMatrixTopNReversePktRate,  
  
nlMatrixTopNOctetRate, nlMatrixTopNReverseOctetRate }  
STATUS current  
DESCRIPTION  
"Counts the amount of traffic sent between each pair of  
network addresses discovered by the probe. Note that while  
the hlMatrixControlTable also has objects that control  
optional alMatrixTables, implementation of the  
alMatrixTables is not required to fully implement this  
group."  
::= { rmon2MIBGroups 5 }

alHostGroup OBJECT-GROUP  
OBJECTS { alHostInPkts, alHostOutPkts,  
alHostInOctets, alHostOutOctets, alHostCreateTime }  
STATUS current  
DESCRIPTION  
"Counts the amount of traffic, by protocol, sent from and to  
each network address discovered by the probe. Implementation  
of this group requires implementation of the Network-Layer  
Host Group."  
::= { rmon2MIBGroups 6 }

alMatrixGroup  
OBJECT-GROUP  
OBJECTS { alMatrixSDPkts, alMatrixSDOctets, alMatrixSDCreateTime,  
alMatrixDSPkts, alMatrixDSOctets, alMatrixDSCreateTime,  
alMatrixTopNControlMatrixIndex,  
alMatrixTopNControlRateBase,  
alMatrixTopNControlTimeRemaining,  
alMatrixTopNControlGeneratedReports,  
alMatrixTopNControlDuration,  
alMatrixTopNControlRequestedSize,  
alMatrixTopNControlGrantedSize,  
alMatrixTopNControlStartTime,  
alMatrixTopNControlOwner, alMatrixTopNControlStatus,  
alMatrixTopNProtocolDirLocalIndex,  
alMatrixTopNSourceAddress, alMatrixTopNDestAddress,  
alMatrixTopNAppProtocolDirLocalIndex,  
alMatrixTopNPktRate, alMatrixTopNReversePktRate,  
alMatrixTopNOctetRate, alMatrixTopNReverseOctetRate }  
STATUS current  
DESCRIPTION  
"Counts the amount of traffic, by protocol, sent between each

pair of network addresses discovered by the probe. Implementation of this group requires implementation of the Network-Layer Matrix Group."  
 ::= { rmon2MIBGroups 7 }

#### usrHistoryGroup OBJECT-GROUP

OBJECTS { usrHistoryControlObjects,  
usrHistoryControlBucketsRequested,  
usrHistoryControlBucketsGranted,  
usrHistoryControlInterval,  
usrHistoryControlOwner, usrHistoryControlStatus,  
usrHistoryObjectVariable, usrHistoryObjectSampleType,  
usrHistoryIntervalStart, usrHistoryIntervalEnd,  
usrHistoryAbsValue, usrHistoryValStatus }

STATUS current

#### DESCRIPTION

"The usrHistoryGroup provides user-defined collection of historical information from MIB objects on the probe."

::= { rmon2MIBGroups 8 }

#### probeInformationGroup OBJECT-GROUP

OBJECTS { probeCapabilities,  
probeSoftwareRev, probeHardwareRev, probeDateTime }

STATUS current

#### DESCRIPTION

"This group describes various operating parameters of the probe and controls the local time of the probe."

::= { rmon2MIBGroups 9 }

#### probeConfigurationGroup OBJECT-GROUP

OBJECTS { probeResetControl, probeDownloadFile,  
probeDownloadTFTPServer, probeDownloadAction,  
probeDownloadStatus,  
serialMode, serialProtocol, serialTimeout,  
serialModemInitString, serialModemHangUpString,  
serialModemConnectResp, serialModemNoConnectResp,  
serialDialoutTimeout, serialStatus,  
netConfigIPAddress, netConfigSubnetMask,  
netConfigStatus, netDefaultGateway,  
trapDestCommunity, trapDestProtocol, trapDestAddress,  
trapDestOwner, trapDestStatus,  
serialConnectDestIpAddress, serialConnectType,  
serialConnectDialString, serialConnectSwitchConnectSeq,  
serialConnectSwitchDisconnectSeq,  
serialConnectSwitchResetSeq,

```
 serialConnectOwner, serialConnectStatus }
STATUS deprecated
DESCRIPTION
 "This group controls the configuration of various operating
 parameters of the probe. This group is not referenced by any
 MODULE-COMPLIANCE macro because it is 'grandfathered' from
 more recent MIB review rules that would require it."
::= { rmon2MIBGroups 10 }
```

rmon1EnhancementGroup OBJECT-GROUP

```
OBJECTS { historyControlDroppedFrames, hostControlDroppedFrames,
 hostControlCreateTime, matrixControlDroppedFrames,
 matrixControlCreateTime, channelDroppedFrames,
 channelCreateTime, filterProtocolDirDataLocalIndex,
 filterProtocolDirLocalIndex }
STATUS current
DESCRIPTION
 "This group adds some enhancements to RMON-1 that help
 management stations."
::= { rmon2MIBGroups 11 }
```

rmon1EthernetEnhancementGroup OBJECT-GROUP

```
OBJECTS { etherStatsDroppedFrames,
 etherStatsCreateTime }
STATUS current
DESCRIPTION
 "This group adds some enhancements to RMON-1 that help
 management stations."
::= { rmon2MIBGroups 12 }
```

rmon1TokenRingEnhancementGroup OBJECT-GROUP

```
OBJECTS { tokenRingMLStatsDroppedFrames,
 tokenRingMLStatsCreateTime,
 tokenRingPStatsDroppedFrames, tokenRingPStatsCreateTime,
 ringStationControlDroppedFrames,
 ringStationControlCreateTime,
 sourceRoutingStatsDroppedFrames,
 sourceRoutingStatsCreateTime }
STATUS deprecated
DESCRIPTION
 "This group adds some enhancements to RMON-1 that help
 management stations. This group is not referenced by any
 MODULE-COMPLIANCE macro because it is 'grandfathered' from
 more recent MIB review rules that would require it."
::= { rmon2MIBGroups 13 }
```

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/RMON2-MIB

No license file was found, but licenses were detected in source scan.

IANA-ITU-ALARM-TC-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, mib-2  
FROM SNMPv2-SMI -- [RFC2578]  
TEXTUAL-CONVENTION  
FROM SNMPv2-TC; -- [RFC2579]

ianaItuAlarmNumbers MODULE-IDENTITY

LAST-UPDATED "200409090000Z" -- September 09, 2004

ORGANIZATION "IANA"

CONTACT-INFO

"Postal: Internet Assigned Numbers Authority  
Internet Corporation for Assigned Names  
and Numbers  
4676 Admiralty Way, Suite 330  
Marina del Rey, CA 90292-6601  
USA

Tel: +1 310-823-9358

E-Mail: iana@iana.org"

DESCRIPTION

"The MIB module defines the ITU Alarm  
textual convention for objects expected to require  
regular extension.

Copyright (C) The Internet Society (2004). The  
initial version of this MIB module

was published

in RFC 3877. For full legal notices see the RFC  
itself. Supplementary information may be available on:  
<http://www.ietf.org/copyrights/ianamib.html>"

REVISION "200409090000Z" -- September 09, 2004

DESCRIPTION

"Initial version, published as RFC 3877."

::= { mib-2 119 }

IANAItuProbableCause ::= TEXTUAL-CONVENTION

STATUS current

## DESCRIPTION

"ITU-T probable cause values. Duplicate values defined in X.733 are appended with X733 to ensure syntactic uniqueness. Probable cause value 0 is reserved for special purposes.

The Internet Assigned Number Authority (IANA) is responsible for the assignment of the enumerations in this TC.

IANAItuProbableCause value of 0 is reserved for special purposes and MUST NOT be assigned.

Values of IANAItuProbableCause in the range 1 to 1023 are reserved for causes that correspond to ITU-T probable cause.

All other requests for new causes will be handled on a first-come, first served basis and will be assigned enumeration values starting with 1025.

Request should come in the form of well-formed

SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

While some effort will be taken to ensure that new probable causes do not conceptually duplicate existing probable causes it is acknowledged that the existence of conceptual duplicates in the starting probable cause list is an known industry reality.

To aid IANA in the administration of probable cause names and values, the OPS Area Director will appoint one or more experts to help review requests.

See <http://www.iana.org>"

## REFERENCE

"ITU Recommendation M.3100, 'Generic Network Information Model', 1995

ITU Recommendation X.733, 'Information Technology

- Open

Systems Interconnection - System Management: Alarm Reporting Function', 1992

ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

## SYNTAX      INTEGER

{

-- The following probable causes were defined in M.3100

aIS (1),  
callSetUpFailure (2),  
degradedSignal (3),  
farEndReceiverFailure (4),  
framingError (5),  
lossOfFrame (6),  
lossOfPointer (7),  
lossOfSignal (8),  
payloadTypeMismatch (9),  
transmissionError (10),  
remoteAlarmInterface (11),  
excessiveBER (12),  
pathTraceMismatch (13),  
unavailable (14),  
signalLabelMismatch (15),  
lossOfMultiFrame (16),  
receiveFailure (17),

transmitFailure (18),  
modulationFailure (19),  
demodulationFailure (20),  
broadcastChannelFailure (21),

connectionEstablishmentError (22),  
invalidMessageReceived (23),  
localNodeTransmissionError (24),  
remoteNodeTransmissionError (25),  
routingFailure (26),

--Values 27-50 are reserved for communications alarm related  
--probable causes  
-- The following are used with equipment alarm.

backplaneFailure (51),  
dataSetProblem (52),  
equipmentIdentifierDuplication (53),  
externalIFDeviceProblem (54),  
lineCardProblem (55),  
multiplexerProblem (56),  
nEIdentifierDuplication (57),  
powerProblem (58),  
processorProblem (59),  
protectionPathFailure (60),  
receiverFailure (61),  
replaceableUnitMissing (62),  
replaceableUnitTypeMismatch



(63),  
synchronizationSourceMismatch (64),  
terminalProblem (65),  
timingProblem (66),  
transmitterFailure (67),  
trunkCardProblem (68),  
replaceableUnitProblem (69),  
realTimeClockFailure (70),  
--An equipment alarm to be issued if the system detects that the  
--real time clock has failed  
antennaFailure (71),  
batteryChargingFailure (72),  
diskFailure (73),  
frequencyHoppingFailure (74),  
iODeviceError (75),  
lossOfSynchronisation (76),  
lossOfRedundancy (77),  
powerSupplyFailure (78),  
signalQualityEvaluationFailure (79),  
tranceiverFailure (80),  
protectionMechanismFailure (81),  
protectingResourceFailure (82),  
-- Values 83-100 are reserved for equipment alarm related probable  
-- causes  
-- The following are used with environmental alarm.  
airCompressorFailure (101),  
  
airConditioningFailure (102),  
airDryerFailure (103),  
batteryDischarging (104),  
batteryFailure (105),  
commercialPowerFailure (106),  
coolingFanFailure (107),  
engineFailure (108),  
fireDetectorFailure (109),  
fuseFailure (110),  
generatorFailure (111),  
lowBatteryThreshold (112),  
pumpFailure (113),  
rectifierFailure (114),  
rectifierHighVoltage (115),  
rectifierLowFVVoltage (116),  
ventilationsSystemFailure (117),  
enclosureDoorOpen (118),  
explosiveGas (119),  
fire (120),  
flood (121),

highHumidity (122),  
highTemperature (123),  
highWind (124),  
iceBuildUp (125),  
intrusionDetection (126),  
lowFuel  
(127),  
lowHumidity (128),  
lowCablePressure (129),  
lowTemperature (130),  
lowWater (131),  
smoke (132),  
toxicGas (133),  
coolingSystemFailure (134),  
externalEquipmentFailure (135),  
externalPointFailure (136),  
-- Values 137-150 are reserved for environmental alarm related  
-- probable causes  
-- The following are used with Processing error alarm.  
storageCapacityProblem (151),  
memoryMismatch (152),  
corruptData (153),  
outOfCPUCycles (154),  
sfwrEnvironmentProblem (155),  
sfwrDownloadFailure (156),  
lossOfRealTime (157),  
--A processing error alarm to be issued after the system has  
--reinitialised. This will indicate  
--to the management systems that the view they have of the managed  
  
--system may no longer  
--be valid. Usage example: The managed  
--system issues this alarm  
after a reinitialization with severity  
--warning to inform the  
--management system about the event. No clearing notification will  
--be sent.  
applicationSubsystemFailure (158),  
configurationOrCustomisationError (159),  
databaseInconsistency (160),  
fileError (161),  
outOfMemory (162),  
softwareError (163),  
timeoutExpired (164),  
underlyingResourceUnavailable (165),  
versionMismatch (166),  
--Values 168-200 are reserved for processing error alarm related

-- probable causes.

bandwidthReduced (201),  
congestion (202),  
excessiveErrorRate (203),  
excessiveResponseTime (204),  
excessiveRetransmissionRate (205),  
reducedLoggingCapability (206),  
systemResourcesOverload (207 ),  
-- The following were defined X.733  
adapterError (500),  
applicationSubsystemFailure

(501),

bandwidthReducedX733 (502),  
callEstablishmentError (503),  
communicationsProtocolError (504),  
communicationsSubsystemFailure (505),  
configurationOrCustomizationError (506),  
congestionX733 (507),  
corruptData (508),  
cpuCyclesLimitExceeded (509),  
dataSetOrModemError (510),  
degradedSignalX733 (511),  
dteDceInterfaceError (512),  
enclosureDoorOpenX733 (513),  
equipmentMalfunction (514),  
excessiveVibration (515),  
fileErrorX733 (516),  
fireDetected (517),  
framingErrorX733 (518),  
heatingVentCoolingSystemProblem (519),  
humidityUnacceptable (520),  
inputOutputDeviceError (521),  
inputDeviceError (522),

lanError (523),  
leakDetected (524),  
localNodeTransmissionErrorX733 (525),

lossOfFrameX733 (526),  
lossOfSignalX733 (527),  
materialSupplyExhausted (528),  
multiplexerProblemX733 (529),  
outOfMemoryX733 (530),  
ouputDeviceError (531),  
performanceDegraded (532),  
powerProblems (533),  
pressureUnacceptable (534),

processorProblems (535),  
 pumpFailureX733 (536),  
 queueSizeExceeded (537),  
 receiveFailureX733 (538),  
 receiverFailureX733 (539),  
 remoteNodeTransmissionErrorX733 (540),  
 resourceAtOrNearingCapacity (541),  
 responseTimeExcessive (542),  
 retransmissionRateExcessive (543),  
 softwareErrorX733 (544),  
 softwareProgramAbnormallyTerminated (545),  
 softwareProgramError (546),  
 storageCapacityProblemX733 (547),  
 temperatureUnacceptable (548),  
 thresholdCrossed (549),  
 timingProblemX733  
 (550),  
 toxicLeakDetected (551),  
 transmitFailureX733 (552),  
 transmitterFailure (553),  
 underlyingResourceUnavailable (554),  
 versionMismatchX733 (555),  
 -- The following are defined in X.736  
 authenticationFailure (600),  
 breachOfConfidentiality (601),  
 cableTamper (602),  
 delayedInformation (603),  
 denialOfService (604),  
 duplicateInformation (605),  
 informationMissing (606),  
 informationModificationDetected (607),  
 informationOutOfSequence (608),  
 keyExpired (609),  
 nonRepudiationFailure (610),  
 outOfHoursActivity (611),  
 outOfService (612),  
 proceduralError (613),  
  
 unauthorizedAccessAttempt (614),  
 unexpectedInformation (615),  
  
 other (1024)  
 }

IANAItuEventType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The ITU event Type values.

The Internet Assigned Number Authority (IANA) is responsible for the assignment of the enumerations in this TC.

Request should come in the form of well-formed SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

See <http://www.iana.org> "

#### REFERENCE

"ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

#### SYNTAX INTEGER

```
{
 other (1),
 communicationsAlarm (2),
 qualityOfServiceAlarm (3),
 processingErrorAlarm (4),
 equipmentAlarm (5),
 environmentalAlarm (6),
 integrityViolation (7),
 operationalViolation (8),
 physicalViolation (9),
 securityServiceOrMechanismViolation
(10),
 timeDomainViolation (11)
}
```

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/IANA-ITU-ALARM-TC-MIB

No license file was found, but licenses were detected in source scan.

RADIUS-ACC-CLIENT-MIB DEFINITIONS ::= BEGIN

#### IMPORTS

```
MODULE-IDENTITY, OBJECT-TYPE, OBJECT-IDENTITY,
Counter32, Integer32, Gauge32,
IpAddress, TimeTicks, mib-2 FROM SNMPv2-SMI
SnmAdminString FROM SNMP-FRAMEWORK-MIB
InetAddressType, InetAddress,
InetPortNumber FROM INET-ADDRESS-MIB
MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF;
```

radiusAccClientMIB MODULE-IDENTITY

LAST-UPDATED "200608210000Z" -- 21 August 2006

ORGANIZATION "IETF RADIUS Extensions Working Group."

CONTACT-INFO

" Bernard Aboba  
Microsoft  
One Microsoft Way

Redmond, WA 98052

US

Phone: +1 425 936 6605

EMail: bernarda@microsoft.com"

DESCRIPTION

"The MIB module for entities implementing the client side of the Remote

Authentication Dial-In User Service

(RADIUS) accounting protocol. Copyright (C) The Internet Society (2006). This version of this MIB module is part of RFC 4670; see the RFC itself for full legal notices."

REVISION "200608210000Z" -- 21 August 2006

DESCRIPTION

"Revised version as published in RFC 4670. This version obsoletes that of RFC 2620 by deprecating the MIB table containing IPv4-only address formats and defining a new table to add support for version-neutral IP address formats. The remaining MIB objects from RFC 2620 are carried forward into this version."

REVISION "199906110000Z" -- 11 Jun 1999

DESCRIPTION "Initial version as published in RFC 2620."

::= { radiusAccounting 2 }

radiusMIB OBJECT-IDENTITY

STATUS current

DESCRIPTION

"The OID assigned to RADIUS MIB work by the IANA."

::= { mib-2 67 }

radiusAccounting OBJECT IDENTIFIER ::= { radiusMIB 2 }

radiusAccClientMIBObjects OBJECT IDENTIFIER

::= { radiusAccClientMIB 1 }

radiusAccClient OBJECT IDENTIFIER

::= { radiusAccClientMIBObjects 1 }

radiusAccClientInvalidServerAddresses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS Accounting-Response packets received from unknown addresses."

::= { radiusAccClient 1 }

radiusAccClientIdentifier OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The NAS-Identifier of the RADIUS accounting client. This is not necessarily the same as sysName in MIB II."

REFERENCE "RFC 2865 section 5.32"

::= { radiusAccClient 2 }

radiusAccServerTable OBJECT-TYPE

SYNTAX SEQUENCE OF RadiusAccServerEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"The (conceptual) table listing the RADIUS accounting servers with which the client shares a secret."

::= { radiusAccClient 3 }

radiusAccServerEntry OBJECT-TYPE

SYNTAX RadiusAccServerEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry (conceptual row) representing a RADIUS accounting server with which the client shares a secret."

INDEX { radiusAccServerIndex }

::= { radiusAccServerTable 1 }

RadiusAccServerEntry ::= SEQUENCE {

```

radiusAccServerIndex Integer32,
radiusAccServerAddress IPAddress,
radiusAccClientServerPortNumber Integer32,
radiusAccClientRoundTripTime TimeTicks,
radiusAccClientRequests Counter32,
radiusAccClientRetransmissions
Counter32,
radiusAccClientResponses Counter32,
radiusAccClientMalformedResponses Counter32,
radiusAccClientBadAuthenticators Counter32,
radiusAccClientPendingRequests Gauge32,
radiusAccClientTimeouts Counter32,
radiusAccClientUnknownTypes Counter32,
radiusAccClientPacketsDropped Counter32
}

```

radiusAccServerIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A number uniquely identifying each RADIUS Accounting server with which this client communicates."

::= { radiusAccServerEntry 1 }

radiusAccServerAddress OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The IP address of the RADIUS accounting server

referred to in this table entry."

::= { radiusAccServerEntry 2 }

radiusAccClientServerPortNumber OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The UDP port the client is using to send requests to this server."

REFERENCE "RFC 2866 section 3"



```
::= { radiusAccServerEntry 3 }

radiusAccClientRoundTripTime OBJECT-TYPE
 SYNTAX TimeTicks
 MAX-ACCESS read-only
 STATUS deprecated
 DESCRIPTION
 "The time interval between the most recent
 Accounting-Response and the Accounting-Request that
 matched it from this RADIUS accounting server."
 REFERENCE "RFC 2866 section 2"
 ::= { radiusAccServerEntry 4 }
```

```
-- Request/Response statistics
--
-- Requests = Responses + PendingRequests + ClientTimeouts
--
-- Responses - MalformedResponses - BadAuthenticators -
-- UnknownTypes - PacketsDropped = Successfully received
```

```
radiusAccClientRequests
OBJECT-TYPE
 SYNTAX Counter32
 UNITS "packets"
 MAX-ACCESS read-only
 STATUS deprecated
 DESCRIPTION
 "The number of RADIUS Accounting-Request packets
 sent. This does not include retransmissions."
 REFERENCE "RFC 2866 section 4.1"
 ::= { radiusAccServerEntry 5 }
```

```
radiusAccClientRetransmissions OBJECT-TYPE
 SYNTAX Counter32
 UNITS "packets"
 MAX-ACCESS read-only
 STATUS deprecated
 DESCRIPTION
 "The number of RADIUS Accounting-Request packets
 retransmitted to this RADIUS accounting server.
 Retransmissions include retries where the
 Identifier and Acct-Delay have been updated, as
 well as those in which they remain the same."
 REFERENCE "RFC 2866 section 2"
```

::= { radiusAccServerEntry 6 }

radiusAccClientResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS packets received on the accounting port from this server."

REFERENCE "RFC 2866 section 4.2"

::= { radiusAccServerEntry 7 }

radiusAccClientMalformedResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of malformed RADIUS Accounting-Response packets received from this server. Malformed packets include packets with an invalid length. Bad authenticators and unknown types are not included as malformed accounting responses."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerEntry 8 }

radiusAccClientBadAuthenticators OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS Accounting-Response packets that contained invalid

authenticators

received from this server."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerEntry 9 }

radiusAccClientPendingRequests OBJECT-TYPE

SYNTAX Gauge32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS Accounting-Request packets sent to this server that have not yet timed out or received a response. This variable is incremented when an Accounting-Request is sent and decremented due to receipt of an Accounting-Response, a timeout, or a retransmission."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerEntry 10 }

radiusAccClientTimeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of accounting timeouts to this server. After a timeout, the client may retry to the same

server, send to a different server, or give up.

A retry to the same server is counted as a retransmit as well as a timeout. A send to a different server is counted as an Accounting-Request as well as a timeout."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerEntry 11 }

radiusAccClientUnknownTypes OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS packets of unknown type that were received from this server on the accounting port."

REFERENCE "RFC 2866 section 4"

::= { radiusAccServerEntry 12 }

radiusAccClientPacketsDropped OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS packets that were received from

this server on the accounting port and dropped for some

other reason."

```
::= { radiusAccServerEntry 13 }
```

-- New MIB objects added in this revision

radiusAccServerExtTable OBJECT-TYPE

SYNTAX SEQUENCE OF RadiusAccServerExtEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The (conceptual) table listing the RADIUS accounting servers with which the client shares a secret."

```
::= { radiusAccClient 4 }
```

radiusAccServerExtEntry OBJECT-TYPE

SYNTAX RadiusAccServerExtEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry (conceptual row) representing a RADIUS accounting server with which the client shares a secret."

```
INDEX { radiusAccServerExtIndex }
```

```
::= { radiusAccServerExtTable 1 }
```

RadiusAccServerExtEntry ::= SEQUENCE {

radiusAccServerExtIndex Integer32,

radiusAccServerInetAddressType InetAddressType,

radiusAccServerInetAddress

InetAddress,

radiusAccClientServerInetPortNumber InetPortNumber,

radiusAccClientExtRoundTripTime TimeTicks,

radiusAccClientExtRequests Counter32,

radiusAccClientExtRetransmissions Counter32,

radiusAccClientExtResponses Counter32,

radiusAccClientExtMalformedResponses Counter32,

radiusAccClientExtBadAuthenticators Counter32,

radiusAccClientExtPendingRequests Gauge32,

radiusAccClientExtTimeouts Counter32,

radiusAccClientExtUnknownTypes Counter32,

radiusAccClientExtPacketsDropped Counter32,

radiusAccClientCounterDiscontinuity TimeTicks

}

radiusAccServerExtIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A number uniquely identifying each RADIUS  
Accounting server

with which this client  
communicates."

::= { radiusAccServerExtEntry 1 }

radiusAccServerInetAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of address format used for the  
radiusAccServerInetAddress object."

::= { radiusAccServerExtEntry 2 }

radiusAccServerInetAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The IP address of the RADIUS accounting  
server referred to in this table entry, using  
the version-neutral IP address format."

::= { radiusAccServerExtEntry 3 }

radiusAccClientServerInetPortNumber OBJECT-TYPE

SYNTAX InetPortNumber ( 1..65535 )

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The UDP port the client is using  
to send requests  
to this accounting server. The value zero (0) is  
invalid."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerExtEntry 4 }

radiusAccClientExtRoundTripTime OBJECT-TYPE  
SYNTAX TimeTicks  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The time interval between the most recent  
    Accounting-Response and the Accounting-Request that  
    matched it from this RADIUS accounting server."  
REFERENCE "RFC 2866 section 2"  
::= { radiusAccServerExtEntry 5 }

-- Request/Response statistics  
--  
-- Requests = Responses + PendingRequests + ClientTimeouts  
--  
-- Responses - MalformedResponses - BadAuthenticators -  
-- UnknownTypes - PacketsDropped = Successfully received

radiusAccClientExtRequests OBJECT-TYPE  
SYNTAX Counter32  
UNITS "packets"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The number of RADIUS Accounting-Request  
packets  
    sent. This does not include retransmissions.  
    This counter may experience a discontinuity when the  
    RADIUS Accounting Client module within the managed  
    entity is reinitialized, as indicated by the current  
    value of radiusAccClientCounterDiscontinuity."  
REFERENCE "RFC 2866 section 4.1"  
::= { radiusAccServerExtEntry 6 }

radiusAccClientExtRetransmissions OBJECT-TYPE  
SYNTAX Counter32  
UNITS "packets"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The number of RADIUS Accounting-Request packets  
    retransmitted to this RADIUS accounting server.

Retransmissions include retries where the

Identifier and Acct-Delay have been updated, as well as those in which they remain the same. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed

entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 7 }

radiusAccClientExtResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS packets received on the accounting port from this server. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 4.2"

::= { radiusAccServerExtEntry 8 }

radiusAccClientExtMalformedResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of malformed RADIUS Accounting-Response packets received from this server. Malformed packets include packets with an invalid length. Bad authenticators and unknown types are not included as malformed accounting responses. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerExtEntry 9 }

radiusAccClientExtBadAuthenticators OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of RADIUS Accounting-Response packets that contained invalid authenticators received from this server. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerExtEntry 10 }

radiusAccClientExtPendingRequests OBJECT-TYPE

SYNTAX Gauge32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of RADIUS Accounting-Request packets sent to this server that have not yet timed out or received a response. This variable is incremented when an Accounting-Request is sent and decremented due to receipt of an Accounting-Response, a timeout, or a retransmission. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 11 }

radiusAccClientExtTimeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of accounting timeouts to this server. After a timeout, the client may retry to the same server, send to a different server, or give up. A retry to the same server is counted as a retransmit as well as a timeout. A send to a different server is counted as an Accounting-Request as well as a timeout. This counter may experience a discontinuity



when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."  
REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 12 }

radiusAccClientExtUnknownTypes OBJECT-TYPE

SYNTAX

Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS packets of unknown type that were received from this server on the accounting port. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 4"

::= { radiusAccServerExtEntry 13 }

radiusAccClientExtPacketsDropped OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS packets that were received from this server on the accounting port and dropped for some other reason. This counter may experience a discontinuity when the RADIUS Accounting Client module within

the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

::= { radiusAccServerExtEntry 14 }

radiusAccClientCounterDiscontinuity OBJECT-TYPE

SYNTAX TimeTicks

UNITS "centiseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of centiseconds since the last

discontinuity in the RADIUS Accounting Client counters. A discontinuity may be the result of a reinitialization of the RADIUS Accounting Client module within the managed entity."  
 ::= { radiusAccServerExtEntry 15 }

-- conformance information

radiusAccClientMIBConformance OBJECT IDENTIFIER  
 ::= { radiusAccClientMIB 2 }

radiusAccClientMIBCompliances OBJECT IDENTIFIER  
 ::= { radiusAccClientMIBConformance 1 }

radiusAccClientMIBGroups OBJECT IDENTIFIER  
 ::= { radiusAccClientMIBConformance  
 2 }

-- units of conformance

radiusAccClientMIBCompliance MODULE-COMPLIANCE  
 STATUS deprecated  
 DESCRIPTION  
 "The compliance statement for accounting clients implementing the RADIUS Accounting Client MIB. Implementation of this module is for IPv4-only entities, or for backwards compatibility use with entities that support both IPv4 and IPv6."  
 MODULE -- this module  
 MANDATORY-GROUPS { radiusAccClientMIBGroup }  
  
 ::= { radiusAccClientMIBCompliances 1 }

radiusAccClientExtMIBCompliance MODULE-COMPLIANCE  
 STATUS current  
 DESCRIPTION  
 "The compliance statement for accounting clients implementing the RADIUS Accounting Client IPv6 Extensions MIB. Implementation of this module is for entities that support IPv6,

or support IPv4 and IPv6."  
MODULE -- this module  
MANDATORY-GROUPS { radiusAccClientExtMIBGroup }

OBJECT

radiusAccServerInetAddressType

SYNTAX InetAddressType { ipv4(1), ipv6(2) }

DESCRIPTION

"An implementation is only required to support  
IPv4 and globally unique IPv6 addresses."

OBJECT radiusAccServerInetAddress

SYNTAX InetAddress ( SIZE (4|16) )

DESCRIPTION

"An implementation is only required to support  
IPv4 and globally unique IPv6 addresses."

::= { radiusAccClientMIBCompliances 2 }

-- units of conformance

radiusAccClientMIBGroup OBJECT-GROUP

OBJECTS { radiusAccClientIdentifier,  
radiusAccClientInvalidServerAddresses,  
radiusAccServerAddress,  
radiusAccClientServerPortNumber,  
radiusAccClientRoundTripTime,  
radiusAccClientRequests,  
radiusAccClientRetransmissions,  
radiusAccClientResponses,  
radiusAccClientMalformedResponses,  
radiusAccClientBadAuthenticators,

radiusAccClientPendingRequests,  
radiusAccClientTimeouts,  
radiusAccClientUnknownTypes,  
radiusAccClientPacketsDropped

}

STATUS deprecated

DESCRIPTION

"The basic collection of objects providing management of  
RADIUS Accounting Clients."

::= { radiusAccClientMIBGroups 1 }

radiusAccClientExtMIBGroup OBJECT-GROUP

```
OBJECTS { radiusAccClientIdentifier,
 radiusAccClientInvalidServerAddresses,
 radiusAccServerInetAddressType,
 radiusAccServerInetAddress,
 radiusAccClientServerInetPortNumber,
 radiusAccClientExtRoundTripTime,
 radiusAccClientExtRequests,
 radiusAccClientExtRetransmissions,
 radiusAccClientExtResponses,
 radiusAccClientExtMalformedResponses,
 radiusAccClientExtBadAuthenticators,
 radiusAccClientExtPendingRequests,
```

```
 radiusAccClientExtTimeouts,
 radiusAccClientExtUnknownTypes,
 radiusAccClientExtPacketsDropped,
 radiusAccClientCounterDiscontinuity
```

```
}
```

STATUS current

DESCRIPTION

"The basic collection of objects providing management of  
RADIUS Accounting Clients."

```
::= { radiusAccClientMIBGroups 2 }
```

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibbl-commercial-mibs-2-9-3-jar/mibs/ietf/RADIUS-ACC-CLIENT-MIB

No license file was found, but licenses were detected in source scan.

SNMPv2-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY, OBJECT-TYPE, NOTIFICATION-TYPE,
TimeTicks, Counter32, snmpModules, mib-2
FROM SNMPv2-SMI
DisplayString, TestAndIncr, TimeStamp
```

```
FROM SNMPv2-TC
```

MODULE-COMPLIANCE, OBJECT-GROUP, NOTIFICATION-GROUP  
FROM SNMPv2-CONF;

snmpMIB MODULE-IDENTITY

LAST-UPDATED "200210160000Z"

ORGANIZATION "IETF SNMPv3 Working Group"

CONTACT-INFO

"WG-EMail: snmpv3@lists.tislabs.com

Subscribe: snmpv3-request@lists.tislabs.com

Co-Chair: Russ Mundy

Network Associates Laboratories

postal: 15204 Omega Drive, Suite 300

Rockville, MD 20850-4601

USA

E-Mail: mundy@tislabs.com

phone: +1 301 947-7107

Co-Chair: David Harrington

Enterasys

Networks

postal: 35 Industrial Way

P. O. Box 5005

Rochester, NH 03866-5005

USA

E-Mail: dbh@enterasys.com

phone: +1 603 337-2614

Editor: Randy Presuhn

BMC Software, Inc.

postal: 2141 North First Street

San Jose, CA 95131

USA

E-Mail: randy\_presuhn@bmc.com

phone: +1 408 546-1006"

DESCRIPTION

"The MIB module for SNMP entities.

Copyright (C) The Internet Society (2002). This  
version of this MIB module is part of RFC 3418;  
see the RFC itself for full legal notices.

"

REVISION "200210160000Z"

DESCRIPTION

"This revision of this MIB module was published as  
RFC 3418."

REVISION "199511090000Z"

DESCRIPTION

"This revision of this MIB module was published as  
RFC 1907."  
REVISION "19930401000Z"  
DESCRIPTION  
"The initial revision of this MIB module was published  
as RFC 1450."  
::= { snmpModules 1 }

snmpMIBObjects OBJECT IDENTIFIER ::= { snmpMIB 1 }

-- ::= { snmpMIBObjects 1 } this OID is obsolete  
-- ::= { snmpMIBObjects 2 } this OID is obsolete  
-- ::= { snmpMIBObjects 3 } this OID is obsolete

-- the System group  
--  
-- a collection of objects common to all managed systems.

system OBJECT IDENTIFIER ::= { mib-2 1 }

sysDescr OBJECT-TYPE  
SYNTAX DisplayString (SIZE (0..255))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"A textual description of the entity. This value should  
include the full name and version identification of  
the system's hardware type, software operating-system,  
and networking software."  
::= { system 1 }

sysObjectID  
OBJECT-TYPE  
SYNTAX OBJECT IDENTIFIER  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The vendor's authoritative identification of the  
network management subsystem contained in the entity.  
This value is allocated within the SMI enterprises  
subtree (1.3.6.1.4.1) and provides an easy and  
unambiguous means for determining 'what kind of box' is  
being managed. For example, if vendor 'Flintstones,  
Inc.' was assigned the subtree 1.3.6.1.4.1.424242,

it could assign the identifier 1.3.6.1.4.1.424242.1.1  
to its `Fred Router'.  
 ::= { system 2 }

#### sysUpTime OBJECT-TYPE

SYNTAX TimeTicks  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The time (in hundredths of a second) since the  
network management portion of the system was last  
re-initialized."  
 ::= { system 3 }

#### sysContact OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION  
"The textual identification of the contact person for  
this managed node, together with information on how  
to contact this person. If no contact information is  
known, the value is the zero-length string."  
 ::= { system 4 }

#### sysName OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION  
"An administratively-assigned name for this managed  
node. By convention, this is the node's fully-qualified  
domain name. If the name is unknown, the value is  
the zero-length string."  
 ::= { system 5 }

#### sysLocation OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION  
"The physical location of this node (e.g., 'telephone  
closet,  
3rd floor'). If the location is unknown, the  
value is the zero-length string."

```
::= { system 6 }
```

sysServices OBJECT-TYPE

SYNTAX INTEGER (0..127)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A value which indicates the set of services that this entity may potentially offer. The value is a sum.

This sum initially takes the value zero. Then, for each layer, L, in the range 1 through 7, that this node performs transactions for, 2 raised to (L - 1) is added to the sum. For example, a node which performs only routing functions would have a value of 4 ( $2^{(3-1)}$ ). In contrast, a node which is a host offering application services would have a value of 72 ( $2^{(4-1)} + 2^{(7-1)}$ ). Note that in the context of the Internet suite of protocols, values should be calculated accordingly:

| layer | functionality                          |
|-------|----------------------------------------|
| 1     | physical (e.g., repeaters)             |
| 2     | datalink/subnetwork (e.g., bridges)    |
| 3     | internet (e.g., supports the IP)       |
| 4     | end-to-end (e.g., supports the TCP)    |
| 7     | applications (e.g., supports the SMTP) |

For systems including OSI protocols, layers 5 and 6 may also be counted."

```
::= { system 7 }
```

```
-- object resource information
```

```
--
```

```
-- a collection of objects which describe the SNMP entity's
-- (statically and dynamically configurable) support of
-- various MIB modules.
```

sysORLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time of the most recent change in state or value of any instance of sysORID."

```
::= { system 8 }
```



sysORTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysOREntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The (conceptual) table listing the capabilities of the local SNMP application acting as a command responder with respect to various MIB modules. SNMP entities having dynamically-configurable support of MIB modules will have a dynamically-varying number of conceptual rows."

::= { system 9 }

sysOREntry OBJECT-TYPE

SYNTAX SysOREntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry (conceptual row) in the sysORTable."

INDEX { sysORIndex }

::= { sysORTable 1 }

SysOREntry ::= SEQUENCE {

sysORIndex INTEGER,

sysORID OBJECT IDENTIFIER,

sysORDescr DisplayString,

sysORUpTime TimeStamp

}

sysORIndex OBJECT-TYPE

SYNTAX INTEGER (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The auxiliary variable used for identifying instances of the columnar objects in the sysORTable."

::= { sysOREntry 1 }

sysORID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"An authoritative identification of a capabilities statement with respect to various MIB modules supported

```

 by the local SNMP application acting as a command
 responder."
 ::= { sysOREntry 2 }

sysORDescr OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "A textual description of the capabilities identified
 by the corresponding instance of sysORID."
 ::= { sysOREntry 3 }

sysORUpTime OBJECT-TYPE
 SYNTAX TimeStamp
 MAX-ACCESS read-only

 STATUS current
 DESCRIPTION
 "The value of sysUpTime at the time this conceptual
 row was last instantiated."
 ::= { sysOREntry 4 }

-- the SNMP group
--
-- a collection of objects providing basic instrumentation
and
-- control of an SNMP entity.

snmp OBJECT IDENTIFIER ::= { mib-2 11 }

snmpInPkts OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The total number of messages delivered to the SNMP
 entity from the transport service."
 ::= { snmp 1 }

snmpInBadVersions OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION

```

"The total number of SNMP messages which were delivered to the SNMP entity and were for an unsupported SNMP version."

::= { snmp 3 }

snmpInBadCommunityNames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of community-based SNMP messages (for example, SNMPv1) delivered to the SNMP entity which used an SNMP community name not known to said entity. Also, implementations which authenticate community-based SNMP messages using check(s) in addition to matching the community name (for example, by also checking whether the message originated from a transport address allowed to use a specified community name) MAY include in this value the number of messages which failed the additional check(s). It is strongly RECOMMENDED that

the documentation for any security model which is used to authenticate community-based SNMP messages specify the precise conditions that contribute to this value."

::= { snmp 4 }

snmpInBadCommunityUses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of community-based SNMP messages (for example, SNMPv1) delivered to the SNMP entity which represented an SNMP operation that was not allowed for the SNMP community named in the message. The precise conditions under which this counter is incremented (if at all) depend on how the SNMP entity implements its access control mechanism and how its applications interact with that access control mechanism. It is strongly RECOMMENDED that the documentation for any access control mechanism which is used to control access to and visibility of MIB instrumentation specify the precise conditions that contribute to this value."

::= { snmp 5 }

snmpInASNParseErrs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of ASN.1 or BER errors encountered by the SNMP entity when decoding received SNMP messages."

::= { snmp 6 }

snmpEnableAuthenTraps OBJECT-TYPE

SYNTAX INTEGER { enabled(1), disabled(2) }

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Indicates whether the SNMP entity is permitted to generate authenticationFailure traps. The value of this object overrides any configuration information; as such, it provides a means whereby all authenticationFailure traps may be disabled.

Note that it is strongly recommended that this object be stored in non-volatile memory so that it remains constant across re-initializations of the network management system."

::= { snmp 30 }

snmpSilentDrops OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of Confirmed Class PDUs (such as GetRequest-PDUs, GetNextRequest-PDUs, GetBulkRequest-PDUs, SetRequest-PDUs, and InformRequest-PDUs) delivered to the SNMP entity which were silently dropped because the size of a reply containing an alternate Response Class PDU (such as a

Response-PDU) with an empty variable-bindings field was greater than either a local constraint or the maximum message size associated with the originator of the request."

::= { snmp 31 }

snmpProxyDrops OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"The total number of Confirmed Class PDUs (such as GetRequest-PDUs, GetNextRequest-PDUs, GetBulkRequest-PDUs, SetRequest-PDUs, and InformRequest-PDUs) delivered to the SNMP entity which were silently dropped because the transmission of the (possibly translated) message to a proxy target failed in a manner (other than a time-out) such that no Response Class PDU (such as a Response-PDU) could be returned."

::= { snmp 32 }

-- information for notifications

--

-- a collection of objects which allow the SNMP entity, when supporting a notification originator application, to be configured to generate SNMPv2-Trap-PDUs.

snmpTrap OBJECT IDENTIFIER ::= { snmpMIBObjects 4 }

snmpTrapOID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER  
MAX-ACCESS accessible-for-notify  
STATUS current  
DESCRIPTION

"The authoritative identification of the notification currently being sent. This variable occurs as the second varbind in every SNMPv2-Trap-PDU and InformRequest-PDU."

::= { snmpTrap 1 }

-- ::= { snmpTrap 2 } this OID is obsolete

snmpTrapEnterprise OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER  
MAX-ACCESS accessible-for-notify  
STATUS current  
DESCRIPTION

"The authoritative identification of the enterprise associated with the trap currently being sent. When an SNMP proxy agent is mapping an RFC1157 Trap-PDU

```

 into a SNMPv2-Trap-PDU, this variable occurs as the
 last varbind."
 ::= { snmpTrap
 3 }

-- ::= { snmpTrap 4 } this OID is obsolete

-- well-known traps

snmpTraps OBJECT IDENTIFIER ::= { snmpMIBObjects 5 }

coldStart NOTIFICATION-TYPE
 STATUS current
 DESCRIPTION
 "A coldStart trap signifies that the SNMP entity,
 supporting a notification originator application, is
 reinitializing itself and that its configuration may
 have been altered."
 ::= { snmpTraps 1 }

warmStart NOTIFICATION-TYPE
 STATUS current
 DESCRIPTION
 "A warmStart trap signifies that the SNMP entity,
 supporting a notification originator application,
 is reinitializing itself such that its configuration
 is unaltered."
 ::= { snmpTraps 2 }

-- Note the linkDown NOTIFICATION-TYPE ::= { snmpTraps 3 }
-- and the linkUp NOTIFICATION-TYPE ::= { snmpTraps 4 }
-- are defined in RFC 2863 [RFC2863]

authenticationFailure NOTIFICATION-TYPE
 STATUS current
 DESCRIPTION
 "An
authenticationFailure trap signifies that the SNMP
 entity has received a protocol message that is not
 properly authenticated. While all implementations
 of SNMP entities MAY be capable of generating this
 trap, the snmpEnableAuthenTraps object indicates
 whether this trap will be generated."
 ::= { snmpTraps 5 }

```

```

-- Note the egpNeighborLoss notification is defined
-- as { snmpTraps 6 } in RFC 1213

-- the set group
--
-- a collection of objects which allow several cooperating
-- command generator applications to coordinate their use of the
-- set operation.

snmpSet OBJECT IDENTIFIER ::= { snmpMIBObjects 6 }

snmpSetSerialNo OBJECT-TYPE
 SYNTAX TestAndIncr
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "An advisory lock used to allow several cooperating
 command generator applications to coordinate their
 use of the SNMP set operation.

 This
 object is used for coarse-grain coordination.
 To achieve fine-grain coordination, one or more similar
 objects might be defined within each MIB group, as
 appropriate."
 ::= { snmpSet 1 }

-- conformance information

snmpMIBConformance
 OBJECT IDENTIFIER ::= { snmpMIB 2 }

snmpMIBCompliances
 OBJECT IDENTIFIER ::= { snmpMIBConformance 1 }
snmpMIBGroups OBJECT IDENTIFIER ::= { snmpMIBConformance 2 }

-- compliance statements

-- ::= { snmpMIBCompliances 1 } this OID is obsolete
snmpBasicCompliance MODULE-COMPLIANCE
 STATUS deprecated
 DESCRIPTION
 "The compliance statement for SNMPv2 entities which
 implement the SNMPv2 MIB.

```

```

 This compliance statement is replaced by
 snmpBasicComplianceRev2."
MODULE -- this module
 MANDATORY-GROUPS { snmpGroup, snmpSetGroup, systemGroup,
 snmpBasicNotificationsGroup }

 GROUP snmpCommunityGroup
 DESCRIPTION
 "This group is mandatory for SNMPv2 entities which
 support community-based authentication."

::= { snmpMIBCompliances 2 }

snmpBasicComplianceRev2 MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION
 "The compliance statement for SNMP entities which
 implement this MIB module."
 MODULE -- this module
 MANDATORY-GROUPS { snmpGroup, snmpSetGroup, systemGroup,
 snmpBasicNotificationsGroup }

 GROUP snmpCommunityGroup
 DESCRIPTION
 "This group is mandatory for SNMP entities which
 support community-based authentication."

 GROUP snmpWarmStartNotificationGroup
 DESCRIPTION
 "This group is mandatory for an SNMP entity which
 supports command responder applications, and is
 able to reinitialize itself such that its
 configuration is unaltered."

::= { snmpMIBCompliances
3 }

-- units of conformance

-- ::= { snmpMIBGroups 1 } this OID is obsolete
-- ::= { snmpMIBGroups 2 } this OID is obsolete
-- ::= { snmpMIBGroups 3 } this OID is obsolete

-- ::= { snmpMIBGroups 4 } this OID is obsolete

snmpGroup OBJECT-GROUP

```



OBJECTS { snmpInPkts,  
snmpInBadVersions,  
snmpInASNParseErrs,  
snmpSilentDrops,  
snmpProxyDrops,  
snmpEnableAuthenTraps }  
STATUS current  
DESCRIPTION  
"A collection of objects providing basic instrumentation  
and control of an SNMP entity."  
::= { snmpMIBGroups 8 }

snmpCommunityGroup OBJECT-GROUP  
OBJECTS { snmpInBadCommunityNames,  
snmpInBadCommunityUses }  
STATUS current  
DESCRIPTION  
"A collection of objects providing basic instrumentation  
of a SNMP entity which supports community-based  
authentication."  
::= { snmpMIBGroups 9 }

snmpSetGroup  
OBJECT-GROUP  
OBJECTS { snmpSetSerialNo }  
STATUS current  
DESCRIPTION  
"A collection of objects which allow several cooperating  
command generator applications to coordinate their  
use of the set operation."  
::= { snmpMIBGroups 5 }

systemGroup OBJECT-GROUP  
OBJECTS { sysDescr, sysObjectID, sysUpTime,  
sysContact, sysName, sysLocation,  
sysServices,  
sysORLastChange, sysORID,  
sysORUpTime, sysORDescr }  
STATUS current  
DESCRIPTION  
"The system group defines objects which are common to all  
managed systems."  
::= { snmpMIBGroups 6 }

snmpBasicNotificationsGroup NOTIFICATION-GROUP  
NOTIFICATIONS { coldStart, authenticationFailure }

STATUS current  
DESCRIPTION  
"The basic notifications implemented by an SNMP entity supporting command responder applications."  
::= { snmpMIBGroups 7 }

snmpWarmStartNotificationGroup  
NOTIFICATION-GROUP  
NOTIFICATIONS { warmStart }  
STATUS current  
DESCRIPTION  
"An additional notification for an SNMP entity supporting command responder applications, if it is able to reinitialize itself such that its configuration is unaltered."  
::= { snmpMIBGroups 11 }

snmpNotificationGroup OBJECT-GROUP  
OBJECTS { snmpTrapOID, snmpTrapEnterprise }  
STATUS current  
DESCRIPTION  
"These objects are required for entities which support notification originator applications."  
::= { snmpMIBGroups 12 }

-- definitions in RFC 1213 made obsolete by the inclusion of a  
-- subset of the snmp group in this MIB

snmpOutPkts OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS obsolete  
DESCRIPTION  
"The total number of SNMP Messages which were passed from the SNMP protocol entity to the transport service."  
::= { snmp 2 }

-- { snmp 7 } is not used

snmpInTooBig  
OBJECT-TYPE  
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS obsolete  
DESCRIPTION  
"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for

which the value of the error-status field was  
`tooBig'."  
::= { snmp 8 }

snmpInNoSuchNames OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS obsolete  
DESCRIPTION  
"The total number of SNMP PDUs which were  
delivered to the SNMP protocol entity and for  
which the value of the error-status field was  
`noSuchName'."  
::= { snmp 9 }

snmpInBadValues OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS obsolete  
DESCRIPTION  
"The total number of SNMP PDUs which were  
delivered to the SNMP protocol entity and for  
which the value of the error-status field was  
`badValue'."  
::= { snmp 10 }

snmpInReadOnlys

OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS obsolete  
DESCRIPTION  
"The total number valid SNMP PDUs which were delivered  
to the SNMP protocol entity and for which the value  
of the error-status field was `readOnly'. It should  
be noted that it is a protocol error to generate an  
SNMP PDU which contains the value `readOnly' in the  
error-status field, as such this object is provided  
as a means of detecting incorrect implementations of  
the SNMP."  
::= { snmp 11 }

snmpInGenErrs OBJECT-TYPE

SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field was `genErr`."

::= { snmp 12 }

snmpInTotalReqVars OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of MIB objects which have been retrieved successfully by the SNMP protocol entity as the result of receiving valid SNMP Get-Request and Get-Next PDUs."

::= { snmp 13 }

snmpInTotalSetVars OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of MIB objects which have been altered successfully by the SNMP protocol entity as the result of receiving valid SNMP Set-Request PDUs."

::= { snmp 14 }

snmpInGetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Request PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 15 }

snmpInGetNexts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS

read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Next PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 16 }

snmpInSetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Set-Request PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 17 }

snmpInGetResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Response PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 18 }

snmpInTraps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Trap PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 19 }

snmpOutTooBigs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field was `tooBig.'"

::= { snmp 20 }

snmpOutNoSuchNames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status was `noSuchName'."

::= { snmp 21 }

snmpOutBadValues OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field was

`badValue'."

::= { snmp 22 }

-- { snmp 23 } is not used

snmpOutGenErrs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field was `genErr'."

::= { snmp 24 }

snmpOutGetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Request PDUs which have been generated by the SNMP protocol entity."

::= { snmp 25 }

snmpOutGetNexts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Next PDUs which have been generated by the SNMP protocol entity."

::= { snmp 26 }

snmpOutSetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Set-Request PDUs which have been generated by the SNMP protocol entity."

::= { snmp 27 }

snmpOutGetResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Response PDUs which have been generated by the SNMP protocol entity."

::= { snmp 28 }

snmpOutTraps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Trap PDUs which have been generated by the SNMP protocol entity."

::= { snmp 29 }

snmpObsoleteGroup OBJECT-GROUP

OBJECTS { snmpOutPkts, snmpInTooBigs, snmpInNoSuchNames, snmpInBadValues, snmpInReadOnlys, snmpInGenErrs, snmpInTotalReqVars, snmpInTotalSetVars, snmpInGetRequests, snmpInGetNexts, snmpInSetRequests,

snmpInGetResponses, snmpInTraps, snmpOutTooBigs, snmpOutNoSuchNames, snmpOutBadValues, snmpOutGenErrs, snmpOutGetRequests, snmpOutGetNexts, snmpOutSetRequests, snmpOutGetResponses, snmpOutTraps }

STATUS obsolete

DESCRIPTION

"A collection of objects from RFC 1213 made obsolete by this MIB module."

::= { snmpMIBGroups 10 }

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNMPv2-MIB

No license file was found, but licenses were detected in source scan.

DOCS-CABLE-DEVICE-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY,
OBJECT-TYPE,
IpAddress,
Unsigned32,
Counter32,
Integer32,
zeroDotZero,
mib-2
 FROM SNMPv2-SMI -- RFC 2578
RowStatus,
RowPointer,
DateAndTime,
TruthValue,
StorageType
 FROM SNMPv2-TC -- RFC 2579
InetAddressType,
InetAddress
 FROM INET-ADDRESS-MIB -- RFC 4001
OBJECT-GROUP,
MODULE-COMPLIANCE
 FROM SNMPv2-CONF -- RFC 2580
SnmAdminString
 FROM SNMP-FRAMEWORK-MIB -- RFC 3411
InterfaceIndexOrZero
 FROM IF-MIB -- RFC 2863
ZeroBasedCounter32
 FROM RMON2-MIB -- RFC 4502
diffServMIBDataPathGroup,
diffServMIBClfrGroup,

diffServMIBClfrElementGroup,
diffServMIBMultiFieldClfrGroup,
diffServMIBActionGroup,
diffServMIBDscpMarkActGroup,
diffServMIBCounterGroup,
diffServMIBAlgDropGroup,
```



diffServDataPathStatus,  
diffServClfrStatus,  
diffServClfrElementStatus,  
diffServMultiFieldClfrAddrType,  
diffServMultiFieldClfrSrcAddr,  
diffServMultiFieldClfrDstAddr,  
diffServAlgDropStatus,  
diffServDataPathStorage,  
diffServClfrStorage,  
diffServClfrElementStorage,  
diffServMultiFieldClfrStorage,  
diffServActionStorage,  
diffServCountActStorage,  
diffServAlgDropStorage,  
diffServAlgDropType  
FROM DIFFSERV-MIB; -- RFC 3289

docsDev MODULE-IDENTITY

LAST-UPDATED "200612200000Z" -- December 20, 2006  
ORGANIZATION "IETF IP over Cable Data Network  
Working Group"

CONTACT-INFO

" Rich

Woundy

Postal: Comcast Cable  
27 Industrial Avenue  
Chelmsford, MA 01824 U.S.A.  
Phone: +1 978 244 4010  
E-mail: richard\_woundy@cable.comcast.com

Kevin Marez

Postal: Motorola Corporation  
6450 Sequence Drive  
San Diego, CA 92121 U.S.A.  
Phone: +1 858 404 3785  
E-mail: kevin.marez@motorola.com

IETF IPCDN Working Group

General Discussion: [ipcdn@ietf.org](mailto:ipcdn@ietf.org)  
Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>  
Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>  
Co-chairs: Richard Woundy,  
richard\_woundy@cable.comcast.com  
Jean-Francois Mule,  
jf.mule@cablelabs.com"

## DESCRIPTION

"This is the MIB Module for DOCSIS-compliant cable modems

and cable-modem  
termination systems.

Copyright (C) The IETF Trust (2006). This version  
of this MIB module was published in RFC 4639; for full  
legal notices see the RFC itself."

REVISION "20061220000Z" -- December 20, 2006

## DESCRIPTION

"Second version, published as RFC 4639.

Modifications to this MIB module since RFC 2669 include:

- Deprecation of the docsDevFilter group in favor of the DiffServ MIB groups, to enable support for IPv6 filtering and DiffServ Code Point (DSCP) marking.
- Deprecation of the docsDevCpeGroup in favor of the docsDevCpeInetGroup, to enable support of IPv6.
- Addition of various InetAddress objects to enable support of IPv6.
- Deprecation of docsDevNmAccessTable in favor of SNMP Coexistence and SNMPv3 -- yet adding docsDevNmAccessTrapVersion and clarifying docsDevNmAccessIp for current use of this table,
- Addition of docsDevIgmpModeControl for management and control of the IGMP mode of operation,
- Addition of docsDevMaxCpe for management of the maximum number of CPEs permitted access through a cable modem,
- Addition of docsDevSwServerTransportProtocol, and modifications to docsDevSoftware object DESCRIPTIONS, to enable software downloads via either TFTP or HTTP,
- Replacement of docsDevEvThrottleInhibited with docsDevEvThrottleThresholdExceeded to simplify event threshold management,
- Modification of docsDevEvReporting to enable local logging to the internal volatile log, and not to the internal non-volatile log,
- Modification of the compliance statement to make the docsDevCpe objects optional
- Created placeholders for two OIDs in the docsDevFilterPolicyTable that were never used
- Modified the DESCRIPTION of docsDevSwServerTransportProtocol and

- docsDevSwServerAddressType to address the dependence between each object
- Added a reference to docsDevServerConfigTftpAddress
- Clarified the scope of notifications that are covered by docsDevEvThrottleThreshold
- Clarified an error condition that could occur when

- doing a SET to docsDevEvReporting
- Defined each of the enumerated types for both docsDevEvLevel and docsDevEvPriority
- Added UNITS clause to docsDevFilterLLCMatches, docsDevFilterIpMatches, docsDevMaxCpe, docsDevEvThrottleThreshold and docsDevEvCounts.
- Added REFERENCE clause to docsDevFilterIpProtocol
- Modified DESCRIPTION

of docsDevCpeInetAddr to be

- more protocol-neutral
- Removed the enumerated value (1) from both docsDevCpeInetSource and docsDevCpeSource
- Covered additional read-write and read-create objects in the Security Considerations section
- Modified the default value of docsDevNmAccessIpMask to be consistent with OSSI specification
- Modified the SYNTAX of docsDevNmAccessCommunity and docsDevNmAccessInterfaces in the Conformance Statement section
- Added SYNTAX clause to docsDevEvReporting in the Conformance Statement section
- Modified SYNTAX clause of docsDevEvReporting to move new enumerated type to byte boundary
- Added references to DOCSIS 2.0 specifications to multiple objects
- Clarified non-persistency across reboots for all

tables

- Clarified functionality of docsDevSw objects as they relate to docsDevSwOperStatus
- Clarified enumerated types (9) and (10) for docsDevServerBootState
- Defined the state of unknown(0) for the following objects: docsDevServerDhcpAddressType, docsDevServerTimeAddressType, docsDevServerConfigTftpAddressType and docsDevServerConfigTftpAddressType
- Modified the value in docsDevFilterIpDaddr to be consistent with the SYNTAX

- Specified which rows could be modified in an active row for docsDevFilterPolicyStatus
- Defined the term 'manually' in docsDevCpeEnroll
- Clarified the description for docsDevFilterTosOrMask
- Covered the case of a non-existent row for docsDevFilterPolicyPtr
- Added DEFVAL clauses for multiple objects
- Replaced docsDevNotification OBJECT IDENTIFIER with docsDevNotifications to address possible compatibility issues
- Added support for the usage of RFC 3413 and RFC 3014 as event notification mechanisms
- Removed docsDevFilterPolicyObsoleteGroup
- Added stdInterface(9) type to docsDevEvReporting to support the usage of RFC3413 and RFC3014
- Modified DESCRIPTION for docsDevMaxCpe"

REVISION "199908190000Z"

DESCRIPTION

"Initial version, published as RFC 2669."

::= { mib-2 69 }

docsDevMIBObjects OBJECT IDENTIFIER ::= { docsDev 1 }

docsDevBase OBJECT IDENTIFIER ::= { docsDevMIBObjects 1 }

--

-- For the following object, there is no concept in the  
 -- RFI specification corresponding to a backup CMTS. The  
 -- enumeration is provided here in case someone is able  
 -- to define such a role or device.

--

docsDevRole OBJECT-TYPE

SYNTAX INTEGER {

cm(1),

cmtsActive(2),

cmtsBackup(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Defines the current role of this device. cm(1) is a Cable Modem, cmtsActive(2) is a Cable Modem Termination System that is controlling the system of cable modems, and cmtsBackup(3) is a CMTS that is currently connected but is not controlling the system (not currently used).

In general, if this device is a 'cm', its role will not change during operation or between reboots. If the device is a 'cmts' it may change between cmtsActive and cmtsBackup and back again during normal operation. NB: At this time, the DOCSIS standards do not support the concept of a backup CMTS, but cmtsBackup is included for completeness."

::= { docsDevBase 1 }

docsDevDateTime

OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The current date and time, with time zone information (if known).

If the real data and time cannot be determined, this shall represent elapsed time from boot relative to the standard epoch '1970-1-1,0:0:0.0'. In other words, if this agent has been up for 3 minutes and not been able to determine what the actual date and time are, this object will return the value

'1970-1-1,0:03:0.0'."

::= { docsDevBase 2 }

docsDevResetNow OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Setting this object to true(1) causes the device to reset. Reading this object always returns false(2)."

::= { docsDevBase 3 }

docsDevSerialNumber

OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The manufacturer's serial number for this device."  
::= { docsDevBase 4 }

docsDevSTPControl OBJECT-TYPE

SYNTAX INTEGER {  
stEnabled(1),  
noStFilterBpdu(2),  
noStPassBpdu(3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls operation of the spanning tree protocol (as distinguished from transparent bridging).

If set to stEnabled(1), then the spanning tree protocol is enabled, subject to bridging constraints.

If noStFilterBpdu(2), then spanning tree is not active, and Bridge PDUs received are discarded.

If noStPassBpdu(3), then spanning tree is not active, and Bridge PDUs are transparently forwarded.

Note that a device need not implement all of these options, but that noStFilterBpdu(2) is required."

DEFVAL { noStFilterBpdu }

::= { docsDevBase 5 }

docsDevIcmpModeControl OBJECT-TYPE

SYNTAX INTEGER {  
passive(1),  
active(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls the IGMP mode of operation for the CM or CMTS. In passive mode, the device forwards IGMP between interfaces as based on knowledge of Multicast Session activity on the subscriber side interface and the rules defined in the DOCSIS RFI

specification. In active mode, the device terminates at and initiates IGMP through its interfaces as based on the knowledge of Multicast Session activity on the subscriber side interface."

#### REFERENCE

"DOCSIS RFI 1.1 Specification, Section 3.3.1. and

DOCSIS RFI 2.0 Specification, Section 5.3.1."

DEFVAL { passive }

::= { docsDevBase 6 }

#### docsDevMaxCpe OBJECT-TYPE

SYNTAX Unsigned32 (0..255)

UNITS "CPEs"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The maximum number of CPEs that can be granted access through a CM during a CM epoch. This value can be obtained from the CM configuration file; however, it may be adjusted by the CM according to hardware or software limitations that have been imposed on the implementation."

#### REFERENCE

"DOCSIS RFI 1.0 Specification, Appendix C.7.20., and

DOCSIS RFI 1.1 Specification, Appendix C.1.1.7. and

DOCSIS RFI 2.0 Specification, Appendix C.1.1.7."

::= { docsDevBase 7 }

--

-- The following table provides one level of security for access  
-- to the device by network management stations.

--

Note that access is also constrained by the  
-- community strings and any vendor-specific security.

--

#### docsDevNmAccessTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevNmAccessEntry

MAX-ACCESS not-accessible

STATUS deprecated

#### DESCRIPTION

"This table controls access to SNMP objects by network management stations. If the table is empty, access to

SNMP objects is unrestricted. The objects in this table MUST NOT persist across reboots. The objects in this table are only accessible from cable devices that are not capable of operating in SNMP Coexistence mode (RFC 3584) or in SNMPv3 mode (RFC 3410). See the conformance section for details. Note that some devices are required by other specifications (e.g., the DOCSIS OSSIV1.1 specification) to support the legacy SNMPv1/v2c docsDevNmAccess mode for

backward compatibility.

This table is deprecated. Instead, use the SNMP coexistence MIBs from RFC 3584, the TARGET and NOTIFICATION MIBs from RFC 3413, and the View-Based Access Control Model (VACM) MIBs for all SNMP protocol versions from RFC 3415."

::= { docsDevMIBObjects 2 }

docsDevNmAccessEntry OBJECT-TYPE

SYNTAX DocsDevNmAccessEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry describing access to SNMP objects by a particular network management station. An entry in this table is not readable unless the management station has read-write permission (either implicit if the table is empty, or explicit through an entry in this table). Entries are ordered by docsDevNmAccessIndex. The first

matching entry (e.g., matching IP address and community

string) is used to derive access."

INDEX { docsDevNmAccessIndex }

::= { docsDevNmAccessTable 1 }

DocsDevNmAccessEntry ::= SEQUENCE {

docsDevNmAccessIndex Integer32,

docsDevNmAccessIp IpAddress,

docsDevNmAccessIpMask IpAddress,

docsDevNmAccessCommunity OCTET STRING,

docsDevNmAccessControl INTEGER,

docsDevNmAccessInterfaces OCTET STRING,

docsDevNmAccessStatus RowStatus,

docsDevNmAccessTrapVersion INTEGER



}

docsDevNmAccessIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Index used to order the application of access entries."

::= { docsDevNmAccessEntry 1 }

docsDevNmAccessIp OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The IP address (or subnet) of the network management station. The address 0.0.0.0 is defined to mean any Network Management Station (NMS). If traps are enabled for this entry, then the value must be the address of a specific device. Implementations MAY recognize 255.255.255.255 as equivalent to 0.0.0.0."

DEFVAL { '00000000'h }

::= { docsDevNmAccessEntry 2 }

docsDevNmAccessIpMask OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The IP subnet mask of the network management stations. If traps are enabled for this entry, then the value must be 0.0.0.0. Implementations MAY recognize 255.255.255.255 as equivalent to 0.0.0.0."

DEFVAL { '00000000'h }

::= { docsDevNmAccessEntry 3 }

docsDevNmAccessCommunity OBJECT-TYPE

SYNTAX OCTET

STRING

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The community string to be matched for access by this entry. If set to a zero-length string, then any

community string will match. When read, this object SHOULD return a zero-length string."  
DEFVAL { "public" }  
::= { docsDevNmAccessEntry 4 }

docsDevNmAccessControl OBJECT-TYPE

SYNTAX INTEGER {  
none(1),  
read(2),  
readWrite(3),  
roWithTraps(4),  
rwWithTraps(5),  
trapsOnly(6)  
}

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Specifies the type of access allowed to this NMS. Setting this object to none(1) causes the table entry to be destroyed. Read(2) allows access by 'get' and 'get-next' PDUs. ReadWrite(3) allows access by 'set' as well.

RoWithtraps(4), rwWithTraps(5), and trapsOnly(6) control distribution of Trap PDUs transmitted by this device."

DEFVAL { read }

::= { docsDevNmAccessEntry 5 }

-- The syntax of the following object was copied from RFC 1493,  
-- dot1dStaticAllowedToGoTo.

docsDevNmAccessInterfaces OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..32))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Specifies the set of interfaces from which requests from this NMS will be accepted. Each octet within the value of this object specifies a set of eight

interfaces, the first octet specifying ports 1 through 8, the second octet specifying interfaces 9 through 16, etc. Within each octet, the most significant bit represents the lowest numbered interface, and the least significant bit represents the highest numbered

interface. Thus, each interface is represented by a single bit within the value of this object. If that bit has a value of '1' then that interface is included in the set.

Note that entries in this table apply only to link-layer interfaces (e.g., Ethernet and CATV MAC). Bits representing upstream and downstream channel interfaces MUST NOT be set to '1'.

Note that if bits corresponding to non-existing interfaces are set, the result is implementation specific.

Note that according to the DOCSIS OSSIV1.1 specification, when ifIndex '1' is included in the set, then this row applies to all CPE (customer-facing) interfaces.

The size of this object is the minimum required to represent all configured interfaces for this device."  
::= { docsDevNmAccessEntry 6 }

docsDevNmAccessStatus

OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create  
STATUS deprecated

DESCRIPTION

"Controls and reflects the status of rows in this table. Rows in this table may be created by either the create-and-go or create-and-wait paradigm. There is no restriction on changing values in a row of this table while the row is active.

The following objects MUST have valid values before this object can be set to active: docsDevNmAccessIp, docsDevNmAccessStatus, docsDevNmAccessIpMask, docsDevNmAccessCommunity, docsDevNmAccessControl, and docsDevNmAccessInterfaces."

::= { docsDevNmAccessEntry 7 }

docsDevNmAccessTrapVersion OBJECT-TYPE

SYNTAX INTEGER {

disableSNMPv2trap(1),

```

 enableSNMPv2trap(2)
 }
 MAX-ACCESS read-create
 STATUS deprecated
 DESCRIPTION
 "Specifies the TRAP version that is sent to this NMS.
 Setting this object to disableSNMPv2trap (1) causes the
 trap in SNMPv1 format to be sent to a particular NMS.
 Setting this object to enableSNMPv2trap (2) causes the
 trap in SNMPv2 format be sent to a particular NMS."
 DEFVAL { disableSNMPv2trap }
 ::= { docsDevNmAccessEntry 8 }

--
-- The following group describes control objects used for downloading
-- firmware to a cable device. Procedures for software download are
-- described in Section 3.2.1 of the RFC containing this MIB module.
--

docsDevSoftware OBJECT IDENTIFIER ::= { docsDevMIBObjects 3 }

docsDevSwServer OBJECT-TYPE
 SYNTAX IpAddress
 MAX-ACCESS read-write
 STATUS deprecated
 DESCRIPTION
 "The address of the TFTP server used for software
 upgrades. If the TFTP server is unknown or is a
 non-IPv4 address, return
0.0.0.0.

 This object is deprecated. See docsDevSwServerAddress
 for its replacement. This object will have its value
 modified, given a valid SET to docsDevSwServerAddress."
 ::= { docsDevSoftware 1 }

docsDevSwFilename OBJECT-TYPE
 SYNTAX SnmpAdminString (SIZE (0..64))
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "The filename of the software image to be downloaded via
 TFTP, or the abs_path (as defined in RFC 2616) of the
 software image to be downloaded via HTTP.

 Unless set via SNMP, this is the filename or abs_path
 specified by the provisioning server during the boot
 process that corresponds to the software version that

```

is desired for this device.

If unknown, the value of this object is the zero-length string."

::= { docsDevSoftware 2 }

#### docsDevSwAdminStatus OBJECT-TYPE

```
SYNTAX INTEGER {
 upgradeFromMgt(1),
 allowProvisioningUpgrade(2),
 ignoreProvisioningUpgrade(3)
}
```

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"If set to upgradeFromMgt(1), the device will initiate a TFTP or HTTP software image download. After successfully receiving an image, the device will set its state to ignoreProvisioningUpgrade(3) and reboot. If the download process is interrupted (e.g., by a reset or power failure), the device will load the previous image and, after re-initialization, continue to attempt loading the image specified in docsDevSwFilename.

If set to allowProvisioningUpgrade(2), the device will use the software version information supplied by the provisioning server when next rebooting (this does not cause a reboot).

When set to ignoreProvisioningUpgrade(3), the device will disregard software image upgrade information from the provisioning server.

Note that reading this object can return upgradeFromMgt(1). This indicates that a software download is currently in progress, and that the device will reboot after successfully receiving an image."

DEFVAL { allowProvisioningUpgrade }

::= { docsDevSoftware 3 }

#### docsDevSwOperStatus OBJECT-TYPE

```
SYNTAX INTEGER {
 inProgress(1),
 completeFromProvisioning(2),
```

```
completeFromMgt(3),
failed(4),
other(5)
}
```

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"InProgress(1) indicates that a TFTP or HTTP download is underway, either as a result of a version mismatch at provisioning or as a result of a upgradeFromMgt request.

No other docsDevSw\* objects can be modified in this state.

CompleteFromProvisioning(2) indicates that the last software upgrade was a result of version mismatch at provisioning.

CompleteFromMgt(3) indicates that the last software upgrade was a result of setting docsDevSwAdminStatus to upgradeFromMgt.

Failed(4) indicates that the last attempted download failed, ordinarily due to TFTP or HTTP timeout."

#### REFERENCE

"DOCSIS RFI 1.0 Specification, Section 8.2., and DOCSIS RFI 1.1 Specification, Section 10.1. and DOCSIS RFI 2.0 Specification, Section 12.1."

::= { docsDevSoftware 4 }

docsDevSwCurrentVers OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The software version currently operating in this device.

This

string's syntax is that used by the

individual vendor to identify software versions.

For a CM, this string will describe the current

software load. For a CMTS, this object SHOULD contain

a human-readable representation either of the vendor

specific designation of the software for the chassis,

or of the software for the control processor. If

neither of these is applicable, the value MUST be a

```
zero-length string."
::= { docsDevSoftware 5 }
```

#### docsDevSwServerAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The type of address of the TFTP or HTTP server used for

software upgrades.

If docsDevSwServerTransportProtocol is currently set to  
tftp(1), attempting to set this object to dns(16) MUST  
result in an error."

```
::=
{ docsDevSoftware 6 }
```

#### docsDevSwServerAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The address of the TFTP or HTTP server used for software  
upgrades.

If the TFTP/HTTP server is unknown, return the zero-  
length address string (see the TextualConvention).

If docsDevSwServer is also implemented in this agent,  
this object is tied to it. A set of this object to an  
IPv4 address will result in also setting the value of  
docsDevSwServer to that address. If this object is set  
to an IPv6 address, docsDevSwServer is set to 0.0.0.0.  
If docsDevSwServer is set, this object is also set to  
that value. Note that if both are set in the same  
action, the order of which one sets the other is  
undefined."

```
::= { docsDevSoftware 7 }
```

#### docsDevSwServerTransportProtocol

##### OBJECT-TYPE

SYNTAX INTEGER {

tftp(1),

http(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the transport protocol (TFTP or HTTP) to be used for software upgrades.

If the value of this object is tftp(1), then the cable device uses TFTP (RFC 1350) read request packets to download the docsDevSwFilename from the docsDevSwServerAddress in octet mode.

If the value of this object is http(2), then the cable device uses HTTP 1.0 (RFC 1945) or HTTP 1.1 (RFC 2616) GET requests sent to host docsDevSwServerAddress to

download the software image from path docsDevSwFilename.

If docsDevSwServerAddressType is currently set to dns(16), attempting to set this object to tftp(1) MUST result in an error."

DEFVAL

{ tftp }

::= { docsDevSoftware 8 }

--

-- The following group describes server access and parameters used  
-- for initial provisioning and bootstrapping.

--

docsDevServer OBJECT IDENTIFIER ::= { docsDevMIBObjects 4 }

docsDevServerBootState OBJECT-TYPE

SYNTAX INTEGER {

operational(1),

disabled(2),

waitingForDhcpOffer(3),

waitingForDhcpResponse(4),

waitingForTimeServer(5),

waitingForTftp(6),

refusedByCmts(7),

forwardingDenied(8),

other(9),

unknown(10)

}

MAX-ACCESS read-only

STATUS current



## DESCRIPTION

"If operational(1), the device has completed loading and processing of configuration parameters, and the CMTS has completed the Registration exchange.

If disabled(2), then the device was administratively disabled, possibly by being refused network access in the configuration file.

If waitingForDhcpOffer(3), then a Dynamic Host Configuration Protocol (DHCP) Discover has been transmitted, and no offer has yet been received.

If waitingForDhcpResponse(4), then a DHCP Request has been transmitted, and no response has yet been received.

If waitingForTimeServer(5), then a Time Request has been transmitted, and no response has yet been received.

If waitingForTftp(6), then a request to the TFTP parameter server has been made, and no response received.

If refusedByCmts(7), then the Registration Request/Response exchange with the CMTS failed.

If forwardingDenied(8), then the registration process was completed, but the network access option in the received configuration file prohibits forwarding.

If other(9), then the registration process reached a point that does not fall into one of the above categories.

If unknown(10), then the device has not yet begun the registration process or is in some other indeterminate state."

## REFERENCE

"DOCSIS RFI 1.0 Specification, Figure 7-1, and DOCSIS RFI 1.1 Specification, Figure 9-1 and DOCSIS RFI 2.0 Specification, Figure 11-1."

::= { docsDevServer 1 }

docsDevServerDhcp OBJECT-TYPE

SYNTAX IpAddress  
MAX-ACCESS read-only  
STATUS deprecated  
DESCRIPTION

"The IP address of the DHCP server that assigned an IP address to this device. Returns 0.0.0.0 if DHCP is not used for IP address assignment, or if this agent is not assigned an IPv4 address.

This object is deprecated and is replaced by docsDevServerDhcpAddress."

::= { docsDevServer  
2 }

docsDevServerTime OBJECT-TYPE

SYNTAX IpAddress  
MAX-ACCESS read-only  
STATUS deprecated  
DESCRIPTION

"The IP address of the Time server (RFC 0868). Returns 0.0.0.0 if the time server IP address is unknown, or if the time server is not an IPv4 server.

This object is deprecated and is replaced by

docsDevServerTimeAddress."

::= { docsDevServer 3 }

docsDevServerTftp OBJECT-TYPE

SYNTAX IpAddress  
MAX-ACCESS read-only  
STATUS deprecated  
DESCRIPTION

"The IP address of the TFTP server responsible for downloading provisioning and configuration parameters to this device. Returns 0.0.0.0 if the TFTP server address is unknown or is not an IPv4 address.

This object is deprecated and is replaced by docsDevServerConfigTftpAddress."

::= { docsDevServer  
4 }

docsDevServerConfigFile OBJECT-TYPE

SYNTAX SnmpAdminString  
MAX-ACCESS read-only

STATUS current  
DESCRIPTION  
"The name of the device configuration file read from the TFTP server. Returns a zero-length string if the configuration file name is unknown."  
::= { docsDevServer 5 }

docsDevServerDhcpAddressType OBJECT-TYPE  
SYNTAX InetAddressType  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The type of address of docsDevServerDhcpAddress. If DHCP was not used, this value should return unknown(0)."  
::= { docsDevServer 6 }

docsDevServerDhcpAddress OBJECT-TYPE  
SYNTAX InetAddress  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The internet address of the DHCP server that assigned an IP address to this device. Returns the zero length octet string if DHCP was not used for IP address assignment."  
::= { docsDevServer 7 }

docsDevServerTimeAddressType OBJECT-TYPE  
SYNTAX InetAddressType  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The type of address of docsDevServerTimeAddress. If no time server exists, this value should return unknown(0)."  
::= { docsDevServer 8 }

docsDevServerTimeAddress OBJECT-TYPE  
SYNTAX InetAddress  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The Internet address of the RFC 868 Time server,

as provided by DHCP option 4.

Note that if multiple values are provided to the CM in DHCP option 4, the value of this MIB object MUST be the Time server address from which the Time of Day reference was acquired as based on the DOCSIS RFI specification.

During the period of time where the Time of Day have not been acquired, the Time server address reported by the CM may report the first address value in the DHCP option value or the last server address the CM attempted to get the Time of day value.

Returns the zero-length octet string if the time server IP address is not provisioned."

#### REFERENCE

"DOCSIS RFI 1.1 Specification, Section 9.2.7. and DOCSIS RFI 2.0 Specification, Section 11.2.7."

::= { docsDevServer 9 }

#### docsDevServerConfigTftpAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The type of address of docsDevServerConfigTftpAddress. If no TFTP server exists, this value should return unknown(0)."

::= { docsDevServer 10 }

#### docsDevServerConfigTftpAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The internet address of the TFTP server responsible for downloading provisioning and configuration parameters to this device. Returns the zero-length octet string if the config server address is unknown. There are certain security risks that are involved with using TFTP."

#### REFERENCE

"RFC 3617, Section 5"

::= { docsDevServer 11 }

```
--
-- Event Reporting
--

docsDevEvent OBJECT IDENTIFIER ::= { docsDevMIBObjects 5 }
```

```
docsDevEvControl OBJECT-TYPE
 SYNTAX INTEGER {
 resetLog(1),
 useDefaultReporting(2)
 }
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "Setting this object to resetLog(1) empties the event
 log. All data is deleted. Setting it to
 useDefaultReporting(2) returns all event
 priorities to
 their factory-default reporting. Reading this object
 always returns useDefaultReporting(2)."
 ::= { docsDevEvent 1 }
```

```
docsDevEvSyslog OBJECT-TYPE
 SYNTAX IpAddress
 MAX-ACCESS read-write
 STATUS deprecated
 DESCRIPTION
 "The IP address of the Syslog server. If 0.0.0.0, either
 syslog transmission is inhibited, or the Syslog server
 address is not an IPv4 address.

 This object is deprecated and is replaced by
 docsDevEvSyslogAddress."
 ::= { docsDevEvent 2 }
```

```
docsDevEvThrottleAdminStatus OBJECT-TYPE
```

```
 SYNTAX INTEGER {
 unconstrained(1),
 maintainBelowThreshold(2),
 stopAtThreshold(3),
 inhibited(4)
 }
 MAX-ACCESS read-write
 STATUS current
```

## DESCRIPTION

"Controls the transmission of traps and syslog messages with respect to the trap pacing threshold.

unconstrained(1) causes traps and syslog messages to be transmitted without regard to the threshold settings.

maintainBelowThreshold(2) causes trap transmission and syslog messages to be suppressed if the number of traps would otherwise exceed the threshold.

stopAtThreshold(3) causes trap transmission to cease at the threshold and not to resume until directed to do so.

inhibited(4) causes all trap transmission and syslog messages to be suppressed.

A single event is always treated as a single event for threshold counting. That is, an event causing both a trap and a syslog message is still treated as a single event.

Writing to this object resets the thresholding state."

DEFVAL { unconstrained }

::= { docsDevEvent 3 }

## docsDevEvThrottleInhibited OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS deprecated

## DESCRIPTION

"If true(1), trap and syslog transmission is currently inhibited due to thresholds and/or the current setting of docsDevEvThrottleAdminStatus. In addition, this is true(1) when transmission is inhibited because no syslog (docsDevEvSyslog) or trap (docsDevNmAccessEntry) destinations have been set.

This object is deprecated and is replaced by docsDevEvThrottleThresholdExceeded."

::= { docsDevEvent 4 }

## docsDevEvThrottleThreshold OBJECT-TYPE

SYNTAX Unsigned32

UNITS "events"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Number of events per docsDevEvThrottleInterval permitted before throttling is to occur.

A single event, whether the notification could result in

messages transmitted using syslog, SNMP, or both protocols, and regardless of the number of destinations, (including zero) is always treated as a single event for threshold counting. For example, an event causing both a trap and a syslog message is still treated as a single event.

All system notifications that occur within the device should be taken into consideration when calculating and monitoring the threshold."

DEFVAL { 0 }

::= { docsDevEvent 5 }

docsDevEvThrottleInterval OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The interval over which docsDevEvThrottleThreshold applies."

DEFVAL { 1 }

::= { docsDevEvent 6 }

--

-- The following table controls the reporting of the various classes  
-- of events.

--

docsDevEvControlTable

OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevEvControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table allows control of the reporting of event classes. For each event priority, a combination of

logging and reporting mechanisms may be chosen. The mapping of event types to priorities is vendor dependent. Vendors may also choose to allow the user to control that mapping through proprietary means. Table entries MUST persist across reboots for CMTS devices and MUST NOT persist across reboots for CM devices."

::= { docsDevEvent 7 }

docsDevEvControlEntry OBJECT-TYPE

SYNTAX DocsDevEvControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Allows configuration of the reporting mechanisms for a particular event priority."

INDEX { docsDevEvPriority }

::= { docsDevEvControlTable 1 }

DocsDevEvControlEntry ::= SEQUENCE {

docsDevEvPriority INTEGER,

docsDevEvReporting BITS

}

docsDevEvPriority OBJECT-TYPE

SYNTAX INTEGER {

emergency(1),

alert(2),

critical(3),

error(4),

warning(5),

notice(6),

information(7),

debug(8)

}

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority level that is controlled by this entry. These are ordered from most (emergency) to least (debug) critical. Each event with a CM or CMTS has a particular priority level associated with it (as defined by the vendor).

emergency(1) events indicate vendor-specific fatal hardware or software errors that prevent normal system



operation.

alert(2) events indicate a serious failure that causes the reporting system to reboot but is not caused by hardware or software malfunctioning.

critical(3) events indicate a serious failure that requires attention and prevents the device from transmitting data but that could be recovered without rebooting the system.

error(4) and warning(5) events indicate that a failure occurred that could interrupt the normal data flow but that does not cause the device to re-register.

notice(6) and information(7) events indicate a milestone or checkpoint in normal operation that could be of particular importance for troubleshooting.

debug(8) events are reserved for vendor-specific events.

During normal operation, no event more critical than notice(6) should be generated. Events between warning and emergency should be generated at appropriate levels of problems (e.g., emergency when the box is about to crash)."

```
::= { docsDevEvControlEntry 1 }
```

docsDevEvReporting OBJECT-TYPE

SYNTAX BITS {

local(0),

traps(1),

syslog(2),

-- The following are extensions to the original set of

-- labels. The extensions start at an octet boundary.

-- So for bits 3 - 7, one MUST set them to zero on send

-- and one MUST ignore them on receipt.

localVolatile(8),

stdInterface(9)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Defines the action to be taken on occurrence of this event class. Implementations may not necessarily support all options for all event classes but at minimum must allow traps and syslogging to be disabled.

If the local(0) bit is set, then log to the internal log and update non-volatile store, for backward compatibility with the original RFC 2669 definition. If the traps(1) bit is set, then generate an SNMP trap; if the syslog(2) bit is set, then send a syslog message (assuming that the syslog address is set). If the localVolatile(8) bit is set, then log to the internal log without updating non-volatile store. If the stdInterface(9) bit is set, then the agent ignores all other bits except the local(0), syslog(2), and localVolatile(8) bits. Setting the stdInterface(9) bit indicates that RFC3413 and RFC3014 are being used to control event reporting mechanisms."

::= { docsDevEvControlEntry 2 }

docsDevEventTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevEventEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains a log of network and device events that may be of interest in fault isolation and troubleshooting.

If the local(0) bit is set in docsDevEvReporting, entries in this table MUST persist across reboots."

::= { docsDevEvent 8 }

docsDevEventEntry OBJECT-TYPE

SYNTAX DocsDevEventEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a network or device event that may be of interest in fault isolation and troubleshooting.

Multiple sequential identical events are represented by incrementing docsDevEvCounts and setting docsDevEvLastTime to the current time rather than creating multiple rows.

Entries are created with the first occurrence of an event. docsDevEvControl can be used to clear the table. Individual events cannot be deleted."

```
INDEX { docsDevEvIndex }
::= { docsDevEventTable 1 }
```

```
DocsDevEventEntry ::= SEQUENCE {
 docsDevEvIndex Integer32,
 docsDevEvFirstTime DateAndTime,

 docsDevEvLastTime DateAndTime,
 docsDevEvCounts Counter32,
 docsDevEvLevel INTEGER,
 docsDevEvId Unsigned32,
 docsDevEvText SnmpAdminString
}
```

docsDevEvIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Provides relative ordering of the objects in the event log. This object will always increase except when  
(a) the log is reset via docsDevEvControl,  
(b) the device reboots and does not implement  
non-volatile storage for this log, or (c)

it reaches

the value 2<sup>31</sup>. The next entry for all the above cases is 1."

```
::= { docsDevEventEntry 1 }
```

docsDevEvFirstTime OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of docsDevDateTime at the time this entry was created."

```
::= { docsDevEventEntry 2 }
```

docsDevEvLastTime OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"When an entry reports only one event, this object will have the same value as the corresponding instance of docsDevEvFirstTime. When an entry reports multiple events, this object will record the value that docsDevDateTIme had when the most recent event for this entry occurred."

::= { docsDevEventEntry 3 }

-- This object was renamed from docsDevEvCount to meet naming

--

requirements for Counter32

docsDevEvCounts OBJECT-TYPE

SYNTAX Counter32

UNITS "events"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of consecutive event instances reported by this entry. This starts at 1 with the creation of this row and increments by 1 for each subsequent duplicate event."

::= { docsDevEventEntry 4 }

docsDevEvLevel OBJECT-TYPE

SYNTAX INTEGER {

emergency(1),

alert(2),

critical(3),

error(4),

warning(5),

notice(6),

information(7),

debug(8)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The priority level of this event, as defined by the vendor. These are ordered from most serious (emergency) to least serious (debug).

emergency(1) events

indicate vendor-specific fatal

hardware or software errors that prevent normal system

operation.

alert(2) events indicate a serious failure that causes the reporting system to reboot but that is not caused by hardware or software malfunctioning.

critical(3) events indicate a serious failure that requires attention and prevents the device from transmitting data but that could be recovered without rebooting the system.

error(4) and warning(5) events indicate that a failure occurred that could interrupt the normal data flow but that does not cause the device to re-register.

notice(6) and information(7) events indicate a milestone or checkpoint in normal operation that could be of particular importance for troubleshooting.

debug(8) events are reserved for vendor-specific

events.

During normal operation, no event more critical than notice(6) should be generated. Events between warning and emergency should be generated at appropriate levels of problems (e.g., emergency when the box is about to crash)."

```
::= { docsDevEventEntry 5 }
```

--

-- It is strongly recommended that implementors follow the CableLabs

-- enumerations for docsDevEvId, per the DOCSIS OSSIV1.1 spec

-- and follow-on specifications.

--

docsDevEvId OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"For this product, uniquely identifies the type of event that is reported by this entry."

REFERENCE

"DOCSIS OSSIV 1.1 Specification, Appendix H and

DOCSIS OSSI 2.0 Specification, Annex D."

::= { docsDevEventEntry 6 }

docsDevEvText OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Provides a human-readable description of the event, including all relevant context (interface numbers, etc.)."

::= { docsDevEventEntry 7 }

docsDevEvSyslogAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The type of address of docsDevEvSyslogAddress. If no syslog server exists, this value should return unknown(0)."

DEFVAL { unknown }

::= { docsDevEvent 9 }

docsDevEvSyslogAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The Internet address of the Syslog server, as provided by DHCP option 7 or set via SNMP management. If the address of the server is set to the zero-length string, the 0.0.0.0

IPv4 address, or the 0: IPv6

address, Syslog transmission is inhibited.

Note that if multiple values are provided to the CM in DHCP option 7, the value of this MIB object MUST be the first Syslog server address received.

By default at agent boot, this object returns the zero length string."

::= { docsDevEvent 10 }

```

docsDevEvThrottleThresholdExceeded OBJECT-TYPE
 SYNTAX TruthValue
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "If true(1), trap and syslog transmission is currently
 inhibited due to exceeding the trap/syslog event
 threshold in the current interval."
 ::= { docsDevEvent 11 }

--
-- Link Level Control Filtering
--

docsDevFilter OBJECT IDENTIFIER ::= { docsDevMIBObjects 6 }

docsDevFilterLLCUnmatchedAction OBJECT-TYPE
 SYNTAX INTEGER {
 discard(1),
 accept(2)
 }
 MAX-ACCESS
read-write
 STATUS current
 DESCRIPTION
 "LLC (Link Level Control) filters can be defined on an
 inclusive or exclusive basis: CMs can be configured to
 forward only packets matching a set of layer three
 protocols, or to drop packets matching a set of layer
 three protocols. Typical use of these filters is to

 filter out possibly harmful (given the context of a
 large metropolitan LAN) protocols.

 If set to discard(1), any L2 packet that does not match
 at least one filter in the docsDevFilterLLCTable will be
 discarded. If set to accept(2), any L2 packet that
 does not match at least one filter in the
 docsDevFilterLLCTable will be accepted for further
 processing (e.g., bridging). In other words, if the
 packet does not match an entry in the table, it takes
 this action;
 if it does match an entry in the table, it
 takes the opposite of this action."
 DEFVAL { accept }
 ::= { docsDevFilter 1 }

```

docsDevFilterLLCTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterLLCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of filters to apply to (bridged) LLC traffic. The filters in this table are applied to incoming traffic on the appropriate interface(s) prior to any further processing (e.g., before the packet is handed off for level 3 processing, or for bridging). The specific action taken when no filter is matched is controlled by docsDevFilterLLCUnmatchedAction. Table entries MUST NOT persist across reboots for any device."

::= { docsDevFilter 2 }

docsDevFilterLLCEntry OBJECT-TYPE

SYNTAX DocsDevFilterLLCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a single filter to apply to (bridged) LLC traffic received on a specified interface. "

INDEX { docsDevFilterLLCIndex }

::= { docsDevFilterLLCTable 1 }

DocsDevFilterLLCEntry ::= SEQUENCE {

docsDevFilterLLCIndex Integer32,  
docsDevFilterLLCStatus RowStatus,  
docsDevFilterLLCIfIndex InterfaceIndexOrZero,  
docsDevFilterLLCProtocolType INTEGER,  
docsDevFilterLLCProtocol Integer32,  
docsDevFilterLLCMatches Counter32

}

docsDevFilterLLCIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Index used for the identification of filters (note that LLC filter order is irrelevant)."

::= { docsDevFilterLLCEntry 1 }

docsDevFilterLLCStatus



## OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"Controls and reflects the status of rows in this table. There is no restriction on changing any of the associated columns for this row while this object is set to active.

Specifying only this object (with the appropriate index) on a CM is sufficient to create a filter row that matches all inbound packets on the ethernet interface and results in the packets being discarded. docsDevFilterLLCIfIndex (at least) must be specified on a CMTS to create a row."

::= { docsDevFilterLLCEntry 2 }

## docsDevFilterLLCIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

"The entry interface to which this filter applies. The value corresponds to ifIndex for either a CATV MAC or another network interface. If the value is zero, the filter applies to all interfaces. In Cable Modems, the default value is the customer side interface(s). In CMTSs, this object has to be specified to create a row in this table.

Note that according to the DOCSIS OSSIV1.1 specification, ifIndex '1' in the CM means that this row applies to all Cable Modem-to-CPE Interfaces (CMCI)."

## REFERENCE

"DOCSIS OSSI 1.1 Specification, Section 3.3.4.1. and DOCSIS OSSI 2.0 Specification, Section 6.3.4.1."

::= { docsDevFilterLLCEntry 3 }

## docsDevFilterLLCProtocolType OBJECT-TYPE

SYNTAX INTEGER {  
ethertype(1),  
dsap(2)

```
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "The format of the value in docsDevFilterLLCProtocol:
 either a two-byte Ethernet Ethertype, or a one-byte
 802.2 Service Access Point (SAP) value. ethertype(1)
 also applies to Standard Network Access Protocol
 (SNAP) encapsulated frames."
DEFVAL { ethertype }
::= { docsDevFilterLLCEntry 4 }
```

docsDevFilterLLCProtocol OBJECT-TYPE

```
SYNTAX Integer32 (0..65535)
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "The layer-three protocol for which this filter applies.
 The protocol value format depends on
 docsDevFilterLLCProtocolType. Note that for SNAP
 frames, ethertype filtering is performed rather than
 Destination Service Access Point (DSAP) =0xAA."
DEFVAL { 0 }
::= { docsDevFilterLLCEntry 5 }
```

docsDevFilterLLCMatches OBJECT-TYPE

```
SYNTAX Counter32
UNITS "matches"
MAX-ACCESS read-only
STATUS current
```

DESCRIPTION

```
"Counts the number of times this filter was matched."
::= { docsDevFilterLLCEntry 6 }
```

```
--
-- IPv4 Filtering
--
```

docsDevFilterIpDefault OBJECT-TYPE

```
SYNTAX INTEGER {
 discard(1),
 accept(2)
}
MAX-ACCESS read-write
```

STATUS deprecated

DESCRIPTION

"The default behavior for (bridged) packets that do not match IP filters (or Internet filters, if implemented) is defined by docsDevFilterIpDefault.

If set to discard(1), all packets not matching an IP filter in docsDevFilterIpTable will be discarded. If set to accept(2), all packets not matching an IP filter or an Internet filter will be accepted for further processing (e.g., bridging)."

DEFVAL { accept }

::= { docsDevFilter 3 }

docsDevFilterIpTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterIpEntry

MAX-ACCESS

not-accessible

STATUS deprecated

DESCRIPTION

"An ordered list of filters or classifiers to apply to IP traffic. Filter application is ordered by the filter index, rather than by a best match algorithm (note that this implies that the filter table may have gaps in the index values). Packets that match no filters will have policy 0 in the docsDevFilterPolicyTable applied to them, if it exists. Otherwise, Packets that match no filters are discarded or forwarded according to the setting of docsDevFilterIpDefault.

Any IP packet can theoretically match multiple rows of this table. When considering a packet, the table is scanned in row index order (e.g., filter 10 is checked before filter 20). If the packet matches that filter (which means that it matches ALL criteria for that row),

actions appropriate to docsDevFilterIpControl and docsDevFilterPolicyId are taken. If the packet was discarded processing is complete. If docsDevFilterIpContinue is set to true, the filter comparison continues with the next row in the table, looking for additional matches.

If the packet matches no filter in the table, the packet is accepted or dropped for further processing according to the setting of docsDevFilterIpDefault.

If the packet is accepted, the actions specified by policy group 0 (e.g., the rows in

docsDevFilterPolicyTable that have a value of 0 for docsDevFilterPolicyId) are taken, if that policy

group exists.

Logically, this table is consulted twice during the processing of any IP packet: once upon its acceptance from the L2 entity, and once upon its transmission to

the L2 entity. In actuality, for cable modems, IP filtering is generally the only IP processing done for transit traffic. This means that inbound and outbound filtering can generally be done at the same time with one pass through the filter table.

The objects in this table are only accessible from cable devices that are not operating in DiffServ MIB mode (RFC 3289). See the conformance section for details.

Note that some devices are required by other specifications (e.g., the DOCSIS OSSIV1.1 specification) to support the legacy SNMPv1/v2c docsDevFilter mode for backward compatibility.

Table entries MUST NOT persist across reboots for any device.

This table is deprecated. Instead, use the DiffServ MIB from RFC 3289."

```
::= { docsDevFilter 4 }
```

docsDevFilterIpEntry

OBJECT-TYPE

SYNTAX DocsDevFilterIpEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Describes a filter to apply to IP traffic received on a specified interface. All identity objects in this table (e.g., source and destination address/mask, protocol, source/dest port, TOS/mask, interface and direction) must match their respective fields in the packet for any given filter to match.

To create an entry in this table, docsDevFilterIpIfIndex must be specified."

```
INDEX { docsDevFilterIpIndex }
::= { docsDevFilterIpTable 1 }
```

```
DocsDevFilterIpEntry ::= SEQUENCE {
 docsDevFilterIpIndex Integer32,
 docsDevFilterIpStatus RowStatus,
 docsDevFilterIpControl INTEGER,

 docsDevFilterIpIfIndex InterfaceIndexOrZero,

 docsDevFilterIpDirection INTEGER,
 docsDevFilterIpBroadcast TruthValue,
 docsDevFilterIpSaddr IpAddress,
 docsDevFilterIpSmask IpAddress,
 docsDevFilterIpDaddr IpAddress,
 docsDevFilterIpDmask IpAddress,
 docsDevFilterIpProtocol Integer32,
 docsDevFilterIpSourcePortLow Integer32,
 docsDevFilterIpSourcePortHigh Integer32,
 docsDevFilterIpDestPortLow Integer32,
 docsDevFilterIpDestPortHigh Integer32,
 docsDevFilterIpMatches ZeroBasedCounter32,
 docsDevFilterIpTos OCTET STRING,
 docsDevFilterIpTosMask OCTET STRING,
 docsDevFilterIpContinue TruthValue,
 docsDevFilterIpPolicyId Integer32
}
```

```
docsDevFilterIpIndex OBJECT-TYPE
 SYNTAX Integer32 (1..2147483647)
```

```
MAX-ACCESS not-accessible
STATUS deprecated
DESCRIPTION
 "Index used to order the application of filters.
 The filter with the lowest index is always applied
 first."
::= { docsDevFilterIpEntry 1 }
```

```
docsDevFilterIpStatus OBJECT-TYPE
 SYNTAX RowStatus
 MAX-ACCESS read-create
 STATUS deprecated
 DESCRIPTION
 "Controls and reflects the status of rows in this
 table. Specifying only this object (with the
```

appropriate index) on a CM is sufficient to create a filter row that matches all inbound packets on the ethernet interface and results in the packets being discarded. docsDevFilterIpIfIndex (at least) must be specified on a CMTS to create a row. Creation of the rows may be done via either create-and-wait or create-and-go, but the filter is not applied until this

object is set to (or changes to) active. There is no restriction in changing any object in a row while this object is set to active."

```
::= { docsDevFilterIpEntry 2 }
```

docsDevFilterIpControl OBJECT-TYPE

```
SYNTAX INTEGER {
 discard(1),
 accept(2),
 policy(3)
}
```

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"If set to discard(1), all packets matching this filter will be discarded, and scanning of the remainder of the filter list will be aborted. If set to accept(2), all packets matching this filter will be accepted for further processing (e.g., bridging). If docsDevFilterIpContinue is set to true, see if there are other matches; otherwise, done. If set to policy (3), execute the policy entries matched by docsDevFilterIpPolicyId in docsDevFilterPolicyTable.

If docsDevFilterIpContinue is set to true, continue scanning the table for other matches; otherwise, done."

```
DEFVAL { discard }
```

```
::= { docsDevFilterIpEntry 3 }
```

docsDevFilterIpIfIndex OBJECT-TYPE

```
SYNTAX InterfaceIndexOrZero
```

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The entry interface to which this filter applies. The value corresponds to ifIndex for either a CATV MAC or

another interface. If the value is zero, the filter applies to all interfaces. Default value in CMs is the index of the customer-side (e.g., ethernet) interface(s). In CMTSes, this object MUST be specified to create a row in this table.

Note that according to the DOCSIS OSSIV1.1 specification, ifIndex '1' in the Cable Modem means that this row applies to all CMCI (customer-facing) interfaces."

#### REFERENCE

"DOCSIS OSSI 1.1 Specification, Section 3.3.4.1. and DOCSIS OSSI 2.0 Specification, Section 6.3.4.1."

::= { docsDevFilterIpEntry 4 }

#### docsDevFilterIpDirection OBJECT-TYPE

##### SYNTAX INTEGER {

inbound(1),  
outbound(2),  
both(3)

}

MAX-ACCESS read-create

STATUS deprecated

##### DESCRIPTION

"Determines whether the filter is applied to inbound(1) traffic, outbound(2) traffic, or traffic in both(3) directions."

DEFVAL { inbound }

::= { docsDevFilterIpEntry 5 }

#### docsDevFilterIpBroadcast OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS deprecated

##### DESCRIPTION

"If set to true(1), the filter only applies to multicast and broadcast traffic. If set to false(2), the filter applies to all traffic."

DEFVAL { false }

::= { docsDevFilterIpEntry 6 }

#### docsDevFilterIpSaddr OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The source IP address, or portion thereof, that is to be matched for this filter. The source address is first masked (ANDed) against docsDevFilterIpSmask before being compared to this value. A value of 0 for this object and 0 for the mask matches all IP addresses."

DEFVAL { '00000000'h }

::= { docsDevFilterIpEntry 7 }

docsDevFilterIpSmask OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A bit mask that is to be applied to the source address prior to matching. This mask is not necessarily the same as a subnet mask, but 1s bits must be leftmost and contiguous."

DEFVAL

{ '00000000'h }

::= { docsDevFilterIpEntry 8 }

docsDevFilterIpDaddr OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The destination IP address, or portion thereof, that is to be matched for this filter. The destination address is first masked (ANDed) against docsDevFilterIpDmask before being compared to this value. A value of 00000000 for this object and 00000000 for the mask matches all IP addresses."

DEFVAL { '00000000'h }

::= { docsDevFilterIpEntry 9 }

docsDevFilterIpDmask OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A bit mask that is to be applied to the destination address prior to matching. This mask is not necessarily the same as a subnet mask, but 1s bits MUST be leftmost



and contiguous."  
DEFVAL { '00000000'h }  
::= { docsDevFilterIpEntry 10 }

docsDevFilterIpProtocol OBJECT-TYPE

SYNTAX Integer32 (0..256)  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION  
"The IP protocol value that is to be matched. For example, icmp is 1, tcp is 6, and udp is 17. A value of 256 matches ANY protocol."  
REFERENCE "www.iana.org/assignments/protocol-numbers"  
DEFVAL { 256 }  
::= { docsDevFilterIpEntry 11 }

docsDevFilterIpSourcePortLow OBJECT-TYPE

SYNTAX Integer32 (0..65535)  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION  
"This is the inclusive lower bound of the transport-layer source port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."  
REFERENCE "www.iana.org/assignments/port-numbers"  
DEFVAL { 0 }  
::= { docsDevFilterIpEntry 12 }

docsDevFilterIpSourcePortHigh OBJECT-TYPE

SYNTAX Integer32 (0..65535)  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION  
"This is the inclusive upper bound of the transport-layer source port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."  
REFERENCE "www.iana.org/assignments/port-numbers"  
DEFVAL { 65535 }  
::= { docsDevFilterIpEntry 13 }

docsDevFilterIpDestPortLow OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION  
"This is the inclusive lower bound of the transport-layer destination port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."  
REFERENCE "www.iana.org/assignments/port-numbers"  
DEFVAL { 0 }  
::= { docsDevFilterIpEntry 14 }

docsDevFilterIpDestPortHigh OBJECT-TYPE  
SYNTAX Integer32 (0..65535)  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION  
"This is the inclusive upper bound of the transport-layer destination port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."  
REFERENCE "www.iana.org/assignments/port-numbers"  
DEFVAL { 65535 }  
::= { docsDevFilterIpEntry 15 }

docsDevFilterIpMatches OBJECT-TYPE  
SYNTAX ZeroBasedCounter32  
UNITS "matches"  
MAX-ACCESS read-only

STATUS deprecated  
DESCRIPTION  
"Counts the number of times this filter was matched. This object is initialized to 0 at boot, or at row creation, and is reset only upon reboot."  
::= { docsDevFilterIpEntry 16 }

docsDevFilterIpTos OBJECT-TYPE  
SYNTAX OCTET STRING (SIZE (1))  
MAX-ACCESS read-create  
STATUS deprecated  
DESCRIPTION  
"This is the value to be matched to the packet's TOS (Type of Service) value (after the TOS value is ANDed with docsDevFilterIpTosMask). A value for this

object of 0 and a mask of 0 matches all TOS values."

DEFVAL { '00'h }

::= { docsDevFilterIpEntry 17 }

docsDevFilterIpTosMask OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The mask to be applied to the packet's TOS value before matching."

DEFVAL { '00'h }

::= { docsDevFilterIpEntry 18 }

docsDevFilterIpContinue OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"If this value is set to true and docsDevFilterIpControl is anything but discard (1), continue scanning and applying policies. See Section 3.3.3 for more details."

DEFVAL { false }

::= { docsDevFilterIpEntry 19 }

docsDevFilterIpPolicyId OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This object points to an entry in docsDevFilterPolicyTable. If docsDevFilterIpControl

is set to policy (3), execute all matching policies in docsDevFilterPolicyTable. If no matching policy exists, treat as if docsDevFilterIpControl were set to accept (1). If this object is set to the value of 0, there is no matching policy, and docsDevFilterPolicyTable MUST NOT be consulted."

DEFVAL { 0 }

::= { docsDevFilterIpEntry 20 }

--

-- Policy Mapping Table

--

docsDevFilterPolicyTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterPolicyEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A Table that maps between a policy group ID and a set of pointers to policies to be applied. All rows with the same docsDevFilterPolicyId are part of the same group of policy pointers and are applied in the order in this table. docsDevFilterPolicyTable exists to allow multiple policy actions (referenced by policy pointers) to be applied to any given classified packet. The policy actions are applied in index order. For example:

| Index | ID | Type  | Action |
|-------|----|-------|--------|
| 1     | 1  | TOS   | 1      |
| 9     | 5  | TOS   | 1      |
| 12    | 1  | IPSEC | 3      |

This says that a packet that matches a filter with policy id 1 first has TOS policy 1 applied (which might set the TOS bits to enable a higher priority) and next has the IPSEC policy 3 applied (which may result in the packets being dumped into a secure VPN to a remote encryptor).

Policy ID 0 is reserved for default actions and is applied only to packets that match no filters in docsDevFilterIpTable.

Table entries MUST NOT persist across reboots for any device.

This table is deprecated. Instead, use the DiffServ MIB

from RFC 3289."

::= { docsDevFilter 5 }

docsDevFilterPolicyEntry OBJECT-TYPE

SYNTAX DocsDevFilterPolicyEntry

MAX-ACCESS not-accessible

STATUS deprecated

## DESCRIPTION

"An entry in the docsDevFilterPolicyTable. Entries are created by Network

Management. To create an entry,

docsDevFilterPolicyId MUST be specified."

INDEX { docsDevFilterPolicyIndex }

::= { docsDevFilterPolicyTable 1 }

```
DocsDevFilterPolicyEntry ::= SEQUENCE {
 docsDevFilterPolicyIndex Integer32,
 docsDevFilterPolicyId Integer32,
-- docsDevFilterPolicyType INTEGER,
-- docsDevFilterPolicyAction Integer32,
docsDevFilterPolicyStatus RowStatus,
docsDevFilterPolicyPtr RowPointer
}
```

docsDevFilterPolicyIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION "Index value for the table."

::= { docsDevFilterPolicyEntry 1 }

docsDevFilterPolicyId OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Policy ID for this entry. If a policy ID can apply

to

multiple rows of this table, all relevant policies are executed. Policy 0 (if populated) is applied to all packets that do not match any of the filters. N.B. If docsDevFilterIpPolicyId is set to 0, it DOES NOT match policy 0 of this table."

::= { docsDevFilterPolicyEntry 2 }

-- The following two objects were removed and never used; however,

-- to preserve OID numbering, they are simply commented out to

-- to ensure that they are not used again.

-- docsDevFilterPolicyType ::= { docsDevFilterPolicyEntry 3 }

-- docsDevFilterPolicyAction ::= { docsDevFilterPolicyEntry 4 }

docsDevFilterPolicyStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Object used to create an entry in this table. There is no restriction in changing any object in a row while this object is set to active.

The

following object MUST have a valid value before this

object can be set to active: docsDevFilterPolicyPtr."

::= { docsDevFilterPolicyEntry 5 }

docsDevFilterPolicyPtr OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This object points to a row in an applicable filter policy table. Currently, the only standard policy table is docsDevFilterTosTable.

Per the textual convention, this object points to the first accessible object in the row; e.g., to point to a row in docsDevFilterTosTable with an index of 21, the value of this object would be the object identifier docsDevTosStatus.21.

Vendors are recommended to adhere to the same convention when adding vendor-specific policy table extensions.

If this pointer references an empty or non-existent

row, then no policy action is taken.

The default upon row creation is a null pointer that results in no policy action being taken."

DEFVAL { zeroDotZero }

::= { docsDevFilterPolicyEntry 6 }

--

-- TOS Policy action table

--

docsDevFilterTosTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterTosEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Table used to describe Type of Service (TOS) bits

processing.

This table is an adjunct to the docsDevFilterIpTable and the docsDevFilterPolicy table. Entries in the latter table can point to specific rows in this (and other) tables and cause specific actions to be taken. This table permits the manipulation of the value of the Type of Service bits in the IP header of the matched packet as follows:

```
Set the tosBits
of the packet to
 (tosBits & docsDevFilterTosAndMask) |
 docsDevFilterTosOrMask
```

This construct allows you to do a clear and set of all the TOS bits in a flexible manner.

Table entries MUST NOT persist across reboots for any device.

This table is deprecated. Instead, use the DiffServ MIB from RFC 3289."

```
::= { docsDevFilter 6 }
```

```
docsDevFilterTosEntry OBJECT-TYPE
 SYNTAX DocsDevFilterTosEntry
 MAX-ACCESS not-accessible
 STATUS deprecated
 DESCRIPTION
 "A TOS policy entry."
 INDEX { docsDevFilterTosIndex }
 ::= { docsDevFilterTosTable 1 }
```

```
DocsDevFilterTosEntry ::= SEQUENCE {
 docsDevFilterTosIndex Integer32,
 docsDevFilterTosStatus RowStatus,
 docsDevFilterTosAndMask OCTET STRING,
 docsDevFilterTosOrMask OCTET STRING
}
```

```
docsDevFilterTosIndex OBJECT-TYPE
 SYNTAX Integer32 (1..2147483647)
 MAX-ACCESS not-accessible
 STATUS deprecated
```

DESCRIPTION

"The unique index for this row. There are no ordering requirements for this table, and any valid index may be specified."

::= { docsDevFilterTosEntry 1 }

docsDevFilterTosStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The object used to create and delete entries in this table. A row created by specifying just this object results in a row that specifies no change to the TOS bits. A row may be created using either the create-and-go or create-and-wait paradigms. There is no restriction on the ability to change values in this row while the row is active."

::= { docsDevFilterTosEntry 2 }

docsDevFilterTosAndMask OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This value is bitwise ANDed with the matched packet's TOS bits."

DEFVAL { 'ff'h }

::= { docsDevFilterTosEntry 3 }

docsDevFilterTosOrMask OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This value is bitwise ORed with the result from the AND procedure (tosBits & docsDevFilterTosAndMask). The result then replaces the packet's TOS bits."

DEFVAL { '00'h }

::= { docsDevFilterTosEntry 4 }

--

-- CPE IP Management and anti-spoofing group. Only implemented on

-- Cable Modems.

--



docsDevCpe OBJECT IDENTIFIER ::= { docsDevMIBObjects 7 }

docsDevCpeEnroll OBJECT-TYPE

SYNTAX INTEGER {

none(1),

any(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls the population of docsDevFilterCpeTable.

If set to none, the filters must be set manually by a network management action (either configuration or SNMP set).

If set to any, the CM wiretaps the packets originating from the ethernet and enrolls up to docsDevCpeIpMax addresses as based on the source IPv4 or v6 addresses of those packets."

DEFVAL { any }

::= { docsDevCpe 1 }

docsDevCpeIpMax OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls the maximum number of CPEs allowed to be learned behind this device. If set to zero, any number of CPEs may connect up to the maximum permitted for the device.

If set to -1, no filtering

is done on CPE source

addresses, and no entries are made in the docsDevFilterCpeTable via learning. If an attempt is made to set this to a number greater than that permitted for the device, it is set to that maximum."

DEFVAL { -1 }

::= { docsDevCpe 2 }

docsDevCpeTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevCpeEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"This table lists the IPv4 addresses seen (or permitted) as source addresses in packets originating from the customer interface on this device. In addition, this table can be provisioned with the specific addresses permitted for the CPEs via the normal row creation mechanisms. Table entries MUST NOT persist across reboots for any device.

N.B. Management action can add entries in this table and  
in docsDevCpeIpTable past the value of

docsDevCpeIpMax. docsDevCpeIpMax ONLY restricts the ability of the CM to add learned addresses automatically.

This table is deprecated and is replaced by docsDevCpeInetTable."  
::= { docsDevCpe 3 }

docsDevCpeEntry OBJECT-TYPE

SYNTAX DocsDevCpeEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry in the docsDevFilterCpeTable. There is one entry for each IPv4 CPE seen or provisioned. If docsDevCpeIpMax is set to -1, this table is ignored; otherwise, upon receipt of an IP packet from the customer interface of the CM, the source IP address is checked against this table. If the address is in the table, packet processing continues. If the address is not in the table but docsDevCpeEnroll is set to any

and the sum of the table sizes of docsDevCpeTable and docsDevCpeInetTable is less than docsDevCpeIpMax, the address is added to the table, and packet processing continues. Otherwise, the packet is dropped.

The filtering actions specified by this table occur after any LLC filtering (docsDevFilterLLCTable), but prior to any IP filtering (docsDevFilterIpTable, docsDevNmAccessTable)."

INDEX { docsDevCpeIp }

::= { docsDevCpeTable 1 }

DocsDevCpeEntry ::= SEQUENCE {  
    docsDevCpeIp IpAddress,  
    docsDevCpeSource INTEGER,  
    docsDevCpeStatus RowStatus  
}

docsDevCpeIp OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"The IPv4 address to which this entry applies.

N.B. Attempts to set all zeros or all ones address values MUST be rejected."

::= { docsDevCpeEntry 1 }

docsDevCpeSource OBJECT-TYPE

SYNTAX INTEGER {

    other(1),

    manual(2),

    learned(3)

}

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"This object describes how this entry was created. If the value is manual(2), this row was created by a network management action (either configuration or SNMP set). If set to learned(3), then it was found via looking at the source IPv4 address of a received packet. The value other(1) is used for any entries that do not meet manual(2) or learned(3) criteria."

::= { docsDevCpeEntry 2 }

docsDevCpeStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Standard object to manipulate rows. To create a row in

this table, one only needs  
to specify this object.

Management stations SHOULD use the create-and-go  
mechanism for creating rows in this table."

```
::= { docsDevCpeEntry 3 }
```

--

-- Internet CPE Management and anti spoofing group, for support of  
-- non-IPv4 CPEs.

--

docsDevCpeInetTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevCpeInetEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table lists the IP addresses seen (or permitted) as  
source addresses in packets originating from the  
customer interface on this device. In addition, this  
table can be provisioned with the specific addresses  
permitted for the CPEs via the normal row creation  
mechanisms.

N.B. Management action can add entries in this table  
and in docsDevCpeIpTable past the value of  
docsDevCpeIpMax. docsDevCpeIpMax ONLY restricts the

ability of the CM to add learned addresses  
automatically.

Table entries MUST NOT persist across reboots for any  
device.

This table exactly mirrors docsDevCpeTable and applies  
to IPv4 and IPv6 addresses."

```
::= { docsDevCpe 4 }
```

docsDevCpeInetEntry OBJECT-TYPE

SYNTAX DocsDevCpeInetEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the docsDevFilterCpeInetTable. There is one  
entry for each IP CPE seen or provisioned. If  
docsDevCpeIpMax is set to -1, this table is ignored;  
otherwise, upon receipt of an IP packet from the

customer interface of the CM, the source IP address is checked against this table. If the address is in the table, packet processing continues. If the address is not in the table but docsDevCpeEnroll is set to any and the

sum of the table sizes for docsDevCpeTable and docsDevCpeInetTable is less than docsDevCpeIpMax, the address is added to the table, and packet processing continues. Otherwise, the packet is dropped.

The filtering actions specified by this table occur after any LLC filtering (docsDevFilterLLCTable), but prior to any IP filtering (docsDevFilterIpTable, docsDevNmAccessTable).

When an agent (cable modem) restarts, then all dynamically created rows are lost."

```
INDEX { docsDevCpeInetType, docsDevCpeInetAddr }
::= { docsDevCpeInetTable 1 }
```

```
DocsDevCpeInetEntry ::= SEQUENCE {
 docsDevCpeInetType InetAddressType,
 docsDevCpeInetAddr InetAddress,
 docsDevCpeInetSource INTEGER,
 docsDevCpeInetRowStatus RowStatus
}
```

```
docsDevCpeInetType OBJECT-TYPE
 SYNTAX InetAddressType
 MAX-ACCESS
not-accessible
 STATUS current
 DESCRIPTION
 "The type of internet address of docsDevCpeInetAddr."
 ::= { docsDevCpeInetEntry 1 }
```

```
docsDevCpeInetAddr OBJECT-TYPE
 SYNTAX InetAddress
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "The Internet address to which this entry applies.
```

Implementors need to be aware that if the size of docsDevCpeInetAddr exceeds 114 octets OIDs of

instances of columns in this row will have more than 128 sub-identifiers and cannot be accessed using SNMPv1, SNMPv2c, or SNMPv3. Only unicast address are allowed for this object."

::= { docsDevCpeInetEntry 2 }

docsDevCpeInetSource OBJECT-TYPE

SYNTAX INTEGER {  
manual(2),  
learned(3)  
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object

describes how this entry was created. If

the value is manual(2), this row was created by a network management action (either configuration or SNMP set). If set to learned(3), then it was found via looking at the source IP address of a received packet."

::= { docsDevCpeInetEntry 3 }

docsDevCpeInetRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Standard object to manipulate rows. To create a row in this table, one only needs to specify this object.

Management stations SHOULD use the create-and-go mechanism for creating rows in this table."

::= { docsDevCpeInetEntry 4 }

--

-- Placeholder for notifications/traps.

--

-- erroneous, DO NOT USE docsDevNotification

docsDevNotification OBJECT IDENTIFIER ::= { docsDev 2 }

-- erroneous, DO NOT USE docsDevNotification

docsDevNotifications

```
OBJECT IDENTIFIER ::= { docsDev 0 }

--
-- RFC 2669 Conformance definitions
--

docsDevConformance OBJECT IDENTIFIER ::= { docsDev 3 }
docsDevGroups OBJECT IDENTIFIER ::= { docsDevConformance 1 }
docsDevCompliances OBJECT IDENTIFIER ::= { docsDevConformance 2 }
```

```
docsDevBasicCompliance MODULE-COMPLIANCE
 STATUS deprecated
 DESCRIPTION
 "The RFC 2669 compliance statement for MCNS/DOCSIS
 Cable Modems and Cable Modem Termination Systems."
```

```
MODULE -- docsDev
```

```
-- conditionally mandatory groups
```

```
GROUP docsDevBaseGroup
 DESCRIPTION
 "Mandatory in Cable Modems, optional in Cable Modem
 Termination Systems."
```

```
GROUP docsDevEventGroup
 DESCRIPTION
 "Mandatory in Cable Modems, optional in Cable Modem
 Termination Systems."
```

```
GROUP docsDevFilterGroup
 DESCRIPTION
 "Mandatory in Cable Modems, optional in Cable Modem
 Termination Systems."
```

```
GROUP
docsDevNmAccessGroup
```

```
DESCRIPTION
 "This group is only implemented in devices that do not
 implement the SNMPv3 User Security Model. It SHOULD NOT
 be implemented by devices that conform to SNMPv3.
```

```
For devices that do not implement SNMPv3 or later, this
group is Mandatory in Cable Modems and is optional
```

in Cable Modem Termination Systems."

GROUP docsDevServerGroup

DESCRIPTION

"This group is implemented only in Cable Modems, and is not implemented in Cable Modem Termination Systems."

GROUP docsDevSoftwareGroup

DESCRIPTION

"This group is Mandatory in Cable Modems and optional in Cable Modem Termination Systems."

GROUP docsDevCpeGroup

DESCRIPTION

"This group is Mandatory in Cable Modems, and is not implemented in Cable Modem Termination Systems."

OBJECT docsDevSTPControl

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only. Devices need only support noStFilterBpdu(2)."

OBJECT docsDevNmAccessIp

DESCRIPTION

"It is compliant to recognize the IP address 255.255.255.255 as referring to any NMS."

OBJECT docsDevEvReporting

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only. Devices need only support local(0). An agent need not enforce that trap or syslog logging be accompanied by local(0) or localVolatile(3) logging."

::= { docsDevCompliances 1 }

docsDevBaseGroup OBJECT-GROUP

OBJECTS {

docsDevRole,  
docsDevDateTime,

docsDevResetNow,  
docsDevSerialNumber,  
docsDevSTPControl

}



STATUS current

DESCRIPTION

"A collection of objects providing device status  
and  
control."

::= { docsDevGroups 1 }

docsDevNmAccessGroup OBJECT-GROUP

OBJECTS {

docsDevNmAccessIp,  
docsDevNmAccessIpMask,  
docsDevNmAccessCommunity,  
docsDevNmAccessControl,  
docsDevNmAccessInterfaces,  
docsDevNmAccessStatus

}

STATUS deprecated

DESCRIPTION

"A collection of objects for controlling access to SNMP  
objects on cable devices.

This group has been deprecated because all the  
objects have been deprecated in favor of SNMPv3 and  
Coexistence MIBs."

::= { docsDevGroups 2 }

docsDevSoftwareGroup OBJECT-GROUP

OBJECTS {

docsDevSwServer,  
docsDevSwFilename,  
docsDevSwAdminStatus,  
docsDevSwOperStatus,  
docsDevSwCurrentVers

}

STATUS deprecated

DESCRIPTION

"A collection of objects  
for controlling software  
downloads.

This group has been deprecated and replaced by  
docsDevSoftwareGroupV2. Object docsDevSwServer  
has been replaced by docsDevSwServerAddressType  
and docsDevSwServerAddress, and  
docsDevSwServerTransportProtocol has been added to  
support TFTP and HTTP firmware downloads."

```
::= { docsDevGroups 3 }
```

#### docsDevServerGroup OBJECT-GROUP

##### OBJECTS {

```
docsDevServerBootState,
docsDevServerDhcp,
docsDevServerTime,
docsDevServerTftp,
docsDevServerConfigFile
```

```
}
```

STATUS deprecated

##### DESCRIPTION

"A collection of objects providing status about server provisioning.

This group has been deprecated and replaced by docsDevServerGroupV2. The objects docsDevServerDhcp, docsDevServerTime, and docsDevServerTftp have

been replaced by docsDevServerDhcpAddressType, docsDevServerDhcpAddress, docsDevServerTimeAddressType, docsDevServerTimeAddress, docsDevServerConfigTftpAddressType, and docsDevServerConfigTftpAddress."

```
::= { docsDevGroups 4 }
```

#### docsDevEventGroup OBJECT-GROUP

##### OBJECTS {

```
docsDevEvControl,
docsDevEvSyslog,
docsDevEvThrottleAdminStatus,
docsDevEvThrottleInhibited,
docsDevEvThrottleThreshold,
docsDevEvThrottleInterval,
docsDevEvReporting,
docsDevEvFirstTime,
docsDevEvLastTime,
docsDevEvCounts,
docsDevEvLevel,
docsDevEvId,
docsDevEvText
```

```
}
```

STATUS deprecated

##### DESCRIPTION

"A collection of objects used to control and monitor events.

This group has been deprecated and replaced by  
docsDevEventGroupV2.  
The object docsDevEvSyslog has

been replaced by docsDevEvSyslogAddressType and  
docsDevEvSyslogAddress, and docsDevEvThrottleInhibited  
has been replaced by  
docsDevEvThrottleThresholdExceeded."  
::= { docsDevGroups 5 }

docsDevFilterGroup OBJECT-GROUP

```
OBJECTS {
 docsDevFilterLLCUnmatchedAction,
 docsDevFilterIpDefault,
 docsDevFilterLLCStatus,
 docsDevFilterLLCIfIndex,
 docsDevFilterLLCProtocolType,
 docsDevFilterLLCProtocol,
 docsDevFilterLLCMatches,
 docsDevFilterIpControl,
 docsDevFilterIpIfIndex,
 docsDevFilterIpStatus,
 docsDevFilterIpDirection,
 docsDevFilterIpBroadcast,
 docsDevFilterIpSaddr,
 docsDevFilterIpSmask,
 docsDevFilterIpDaddr,
 docsDevFilterIpDmask,
 docsDevFilterIpProtocol,
 docsDevFilterIpSourcePortLow,
 docsDevFilterIpSourcePortHigh,
 docsDevFilterIpDestPortLow,
 docsDevFilterIpDestPortHigh,
 docsDevFilterIpMatches,
 docsDevFilterIpTos,
 docsDevFilterIpTosMask,
 docsDevFilterIpContinue,
 docsDevFilterIpPolicyId,
 docsDevFilterPolicyId,
 docsDevFilterPolicyStatus,
 docsDevFilterPolicyPtr,
 docsDevFilterTosStatus,
 docsDevFilterTosAndMask,
 docsDevFilterTosOrMask
}
```

STATUS deprecated

DESCRIPTION

"A collection of objects to specify filters at the link layer and IPv4 layer.

This group has been deprecated and replaced by various groups from the DiffServ MIB."

::= { docsDevGroups 6 }

docsDevCpeGroup OBJECT-GROUP

OBJECTS {

docsDevCpeEnroll,  
docsDevCpeIpMax,  
docsDevCpeSource,  
docsDevCpeStatus

}

STATUS deprecated

DESCRIPTION

"A collection of objects used to control the number and specific values of IPv4 addresses allowed for associated Customer Premises Equipment (CPE).

This group has been deprecated and replaced by docsDevInetCpeGroup. The object docsDevCpeSource has been replaced by docsDevCpeInetSource, and docsDevCpeStatus has been replaced by docsDevCpeInetRowStatus."

::= { docsDevGroups 7 }

--

-- RFC 4639 Conformance definitions

--

docsDevGroupsV2 OBJECT IDENTIFIER ::= { docsDevConformance 3 }

docsDevCompliancesV2 OBJECT IDENTIFIER ::= { docsDevConformance 4 }

docsDevCmCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for DOCSIS Cable Modems.

This compliance statement applies to implementations of DOCSIS versions that are not IPv6 capable."

MODULE DIFFSERV-MIB -- RFC 3289

```
MANDATORY-GROUPS {
 diffServMIBDataPathGroup,
 diffServMIBClfrGroup,
 diffServMIBClfrElementGroup,
 diffServMIBMultiFieldClfrGroup,
 diffServMIBActionGroup,
 diffServMIBDscpMarkActGroup,
 diffServMIBCounterGroup,
 diffServMIBAlgDropGroup
}
```

```
OBJECT diffServDataPathStatus -- same as RFC 3289
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
 "Support for createAndWait and notInService is not
 required."
```

```
OBJECT diffServClfrStatus -- same as RFC 3289
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
 "Support for createAndWait and notInService is not
 required."
```

```
OBJECT diffServClfrElementStatus -- same as RFC 3289
SYNTAX RowStatus { active(1)
}
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
 "Support for createAndWait and notInService is not
 required."
```

```
OBJECT diffServMultiFieldClfrAddrType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
 "An implementation is only required to support IPv4
 addresses."
```

```
OBJECT diffServMultiFieldClfrSrcAddr
SYNTAX InetAddress (SIZE(4))
DESCRIPTION
 "An implementation is only required to support IPv4
 addresses."
```

OBJECT diffServMultiFieldClfrDstAddr

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT diffServAlgDropStatus -- same as RFC 3289

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServDataPathStorage

SYNTAX StorageType { volatile(2) }

DESCRIPTION

"An implementation is only required to support volatile storage."

OBJECT diffServClfrStorage

SYNTAX StorageType { volatile(2) }

DESCRIPTION

"An implementation is only required to support volatile storage."

OBJECT diffServClfrElementStorage

SYNTAX StorageType { volatile(2) }

DESCRIPTION

"An implementation is only required to support volatile storage."

OBJECT diffServMultiFieldClfrStorage

SYNTAX StorageType { volatile(2) }

DESCRIPTION

"An implementation is only required to support volatile storage."

OBJECT diffServActionStorage

SYNTAX StorageType { volatile(2) }

DESCRIPTION

"An implementation is only required to support volatile storage."

OBJECT diffServCountActStorage  
SYNTAX StorageType { volatile(2) }  
DESCRIPTION  
"An implementation is only required to support  
volatile storage."

OBJECT diffServAlgDropStorage  
SYNTAX StorageType { volatile(2) }  
DESCRIPTION  
"An implementation is only required to support  
volatile storage."

OBJECT diffServAlgDropType  
SYNTAX INTEGER { alwaysDrop(5) }  
DESCRIPTION  
"This object is only used to provide packet  
filtering. Implementations need not support other  
values of this enumeration."

MODULE -- docsDev

MANDATORY-GROUPS {  
docsDevBaseGroup,  
docsDevBaseIcmpGroup,  
docsDevBaseMaxCpeGroup,  
docsDevSoftwareGroupV2,  
docsDevServerGroupV2,  
docsDevEventGroupV2,  
docsDevFilterLLCGroup  
}

-- conditionally mandatory groups

GROUP docsDevInetCpeGroup  
DESCRIPTION  
"This group is  
optional in Cable Modems."

OBJECT docsDevDateTime  
MIN-ACCESS read-only  
DESCRIPTION  
"It is compliant to implement this object as read-only."

OBJECT docsDevSTPControl  
SYNTAX INTEGER { noStFilterBpdu(2) }  
MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.  
Devices need only support noStFilterBpdu(2)."

OBJECT docsDevIcmpModeControl

SYNTAX INTEGER { passive(1) }

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.  
Devices need only support passive(1)."

OBJECT docsDevSwServerAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4  
addresses."

OBJECT docsDevSwServerAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to  
support IPv4  
addresses."

OBJECT docsDevServerDhcpAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4  
addresses."

OBJECT docsDevServerDhcpAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4  
addresses."

OBJECT docsDevServerTimeAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4  
addresses."

OBJECT docsDevServerTimeAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4



addresses."

OBJECT docsDevServerConfigTftpAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT

docsDevServerConfigTftpAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT docsDevEvReporting

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only. Devices need only support local(0)."

OBJECT docsDevEvSyslogAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT docsDevEvSyslogAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT docsDevSwServerTransportProtocol

SYNTAX INTEGER { tftp(1) }

DESCRIPTION

"An implementation is only required to support TFTP software image downloads."

::= { docsDevCompliancesV2

1 }

docsDevCmtsCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for DOCSIS Cable Modem Termination Systems.

This compliance statement applies to implementations of DOCSIS versions that are not IPv6 capable."

MODULE -- docsDev

-- conditionally mandatory groups

GROUP docsDevBaseGroup

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevBaseIcmpGroup

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevBaseMaxCpeGroup

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems."

GROUP docsDevSoftwareGroupV2

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevServerGroupV2

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems."

GROUP docsDevEventGroupV2

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevFilterLLCGroup

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems. See the Subscriber Management MIB for similar CMTS capability."

GROUP docsDevInetCpeGroup

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems. See the Subscriber Management

MIB for similar CMTS capability."

OBJECT docsDevDateTime

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsDevSTPControl

SYNTAX INTEGER { noStFilterBpdu(2) }

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.

Devices need only support noStFilterBpdu(2)."

OBJECT docsDevIcmpModeControl

SYNTAX INTEGER { passive(1)

}

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.

Devices need only support passive(1)."

OBJECT docsDevSwServerAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT docsDevSwServerAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT docsDevEvReporting

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.

Devices need only support local(0)."

OBJECT docsDevEvSyslogAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT docsDevEvSyslogAddress  
SYNTAX InetAddress  
(SIZE(4))  
DESCRIPTION  
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevSwServerTransportProtocol  
SYNTAX INTEGER { tftp(1) }  
DESCRIPTION  
"An implementation is only required to support TFTP software image downloads."

::= { docsDevCompliancesV2 2 }

docsDevBaseIgmpGroup OBJECT-GROUP  
OBJECTS {  
docsDevIgmpModeControl  
}  
STATUS current  
DESCRIPTION  
"An object providing cable device IGMP status and control."  
::= { docsDevGroupsV2 1 }

docsDevBaseMaxCpeGroup OBJECT-GROUP  
OBJECTS {  
docsDevMaxCpe  
}  
STATUS current  
DESCRIPTION  
"An object providing management of the maximum number of CPEs permitted access through a cable modem."  
::= { docsDevGroupsV2 2 }

docsDevNmAccessExtGroup OBJECT-GROUP  
OBJECTS {  
  
docsDevNmAccessTrapVersion  
  
}  
STATUS deprecated  
DESCRIPTION  
"An object, in addition to the objects in docsDevNmAccessGroup, for controlling access to

SNMP objects on cable devices.

This group is included in this MIB due to existing implementations of docsDevNmAccessTrapVersion in DOCSIS cable modems.

This group has been deprecated because the object has been deprecated in favor of SNMPv3 and Coexistence MIBs."

```
::= { docsDevGroupsV2 3 }
```

#### docsDevSoftwareGroupV2 OBJECT-GROUP

OBJECTS {

docsDevSwFilename,  
docsDevSwAdminStatus,  
docsDevSwOperStatus,  
docsDevSwCurrentVers,  
docsDevSwServerAddressType,  
docsDevSwServerAddress,  
docsDevSwServerTransportProtocol

}

STATUS current

DESCRIPTION

"A collection of objects for controlling software

downloads. This group replaces docsDevSoftwareGroup."

```
::= { docsDevGroupsV2 4 }
```

#### docsDevServerGroupV2 OBJECT-GROUP

OBJECTS {

docsDevServerBootState,  
docsDevServerDhcpAddressType,  
docsDevServerDhcpAddress,  
docsDevServerTimeAddressType,  
docsDevServerTimeAddress,  
docsDevServerConfigTftpAddressType,  
docsDevServerConfigTftpAddress,  
docsDevServerConfigFile

}

STATUS current

DESCRIPTION

"A collection of objects providing status about server provisioning. This group replaces docsDevServerGroup."

```
::= { docsDevGroupsV2 5 }
```

#### docsDevEventGroupV2 OBJECT-GROUP

```
OBJECTS {
 docsDevEvControl,
 docsDevEvThrottleAdminStatus,
 docsDevEvThrottleThreshold,
 docsDevEvThrottleInterval,
 docsDevEvReporting,
 docsDevEvFirstTime,
 docsDevEvLastTime,
 docsDevEvCounts,
 docsDevEvLevel,
 docsDevEvId,
 docsDevEvText,
 docsDevEvSyslogAddressType,
 docsDevEvSyslogAddress,
 docsDevEvThrottleThresholdExceeded
}
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

"A collection of objects used to control and monitor events. This group replaces docsDevEventGroup. The event reporting mechanism, and more specifically docsDevEvReporting, can be used to take advantage of the event reporting features of RFC3413 and RFC3014."

```
::= { docsDevGroupsV2 6 }
```

```
docsDevFilterLLCGroup OBJECT-GROUP
```

```
OBJECTS {
 docsDevFilterLLCUnmatchedAction,
 docsDevFilterLLCStatus,
 docsDevFilterLLCIfIndex,
 docsDevFilterLLCProtocolType,
 docsDevFilterLLCProtocol,
 docsDevFilterLLCMatches
}
```

```
}
```

```
STATUS
```

```
current
```

```
DESCRIPTION
```

"A collection of objects to specify link layer filters."

```
::= { docsDevGroupsV2 7 }
```

```
docsDevInetCpeGroup OBJECT-GROUP
```

```
OBJECTS {
 docsDevCpeEnroll,
 docsDevCpeIpMax,
 docsDevCpeInetSource,
 docsDevCpeInetRowStatus
}
```

```
}
```

```
STATUS current
```

## DESCRIPTION

"A collection of objects used to control the number and specific values of Internet (e.g., IPv4 and IPv6) addresses allowed for associated Customer Premises Equipment (CPE)."

::= { docsDevGroupsV2 8 }

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DOCS-CABLE-DEVICE-MIB

No license file was found, but licenses were detected in source scan.

PKTC-IETF-SIG-MIB DEFINITIONS ::= BEGIN

## IMPORTS

MODULE-IDENTITY,  
OBJECT-TYPE,  
Integer32,  
Unsigned32,  
mib-2  
    FROM SNMPv2-SMI            -- [RFC2578]  
InetAddressType,  
InetAddress,  
InetAddressPortNumber  
    FROM INET-ADDRESS-MIB      -- [RFC4001]  
TEXTUAL-CONVENTION,  
RowStatus,  
TruthValue  
    FROM SNMPv2-TC            -- [RFC2579]

OBJECT-GROUP,  
MODULE-COMPLIANCE  
    FROM SNMPv2-CONF          -- [RFC2580]  
SnmAdminString  
    FROM SNMP-FRAMEWORK-MIB   -- [RFC3411]  
ifIndex  
    FROM IF-MIB                -- [RFC2863]  
Dscp  
    FROM DIFFSERV-DSCP-TC;    -- [RFC3289]

pkcIetfSigMib MODULE-IDENTITY

LAST-UPDATED "200712180000Z" -- December 18, 2007

ORGANIZATION "IETF IPCDN Working Group"

CONTACT-INFO

"Sumanth Channabasappa

Cable Television

Laboratories, Inc.

858 Coal Creek Circle,

Louisville, CO 80027, USA

Phone: +1 303-661-3307

Email: Sumanth@cablelabs.com

Gordon Beacham

Motorola, Inc.

6450 Sequence Drive, Bldg. 1

San Diego, CA 92121, USA

Phone: +1 858-404-2334

Email: gordon.beacham@motorola.com

Satish Kumar Mudugere Eswaraiah

Texas Instruments India (P) Ltd.,

Golf view, Wind Tunnel Road

Murugesh Palya

Bangalore 560 017, INDIA

Phone: +91 80 5269451

Email: satish.kumar@ti.com

IETF IPCDN Working Group

General Discussion: [ipcdn@ietf.org](mailto:ipcdn@ietf.org)

Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>

Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>

Co-Chair: Jean-Francois Mule, [jf.mule@cablelabs.com](mailto:jf.mule@cablelabs.com)

Co-Chair: Richard Woundy, [Richard\\_Woundy@cable.comcast.com](mailto:Richard_Woundy@cable.comcast.com)"

DESCRIPTION

"This MIB module supplies the basic management objects for the PacketCable and IPCablecom Signaling protocols. This version of the MIB includes common signaling and Network Call Signaling

(NCS)-related signaling objects.

Copyright (C) The IETF Trust (2008). This version of this MIB module is part of RFC 5098; see the RFC itself for full legal notices."

REVISION "200712180000Z"

DESCRIPTION



"Initial version, published as RFC 5098."

::= { mib-2 169 }

-- Textual Conventions

TenthdBm ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d-1"

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION represents power levels that are normally expressed in dBm. Units are in tenths of a dBm; for example, -13.5 dBm will be represented as -135."

SYNTAX Integer32

PktcCodecType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

" This TEXTUAL-CONVENTION defines various types of codecs

that MAY be supported. The description for each enumeration is listed below:

| Enumeration | Description                                                   |
|-------------|---------------------------------------------------------------|
| other       | a defined codec not in the enumeration                        |
| unknown     | a codec not defined by the PacketCable<br>Codec Specification |
| g729        | ITU-T Recommendation G.729                                    |
| reserved    | for future use                                                |
| g729E       | ITU-T Recommendation G.729E                                   |
| pcmu        | Pulse Code Modulation u-law (PCMU)                            |
| g726at32    | ITU-T Recommendation G.726-32 (32 kbit/s)                     |
| g728        | ITU-T Recommendation G.728                                    |
| pcma        | Pulse Code Modulation a-law (PCMA)                            |
| g726at16    | ITU-T Recommendation G.726-16 (16 kbit/s)                     |
| g726at24    | ITU-T Recommendation G.726-24 (24 kbit/s)                     |
| g726at40    | ITU-T Recommendation G.726-40 (40 kbit/s)                     |
| ilbc        | IETF Internet low-bit rate codec                              |
| bv16        | Broadcom BroadVoice16                                         |

The list of codecs is consistent with the IETF Real-Time Transport Protocol (RTP) Profile registry and

the RTP Map Parameters Table in PacketCable Audio/Video Codecs Specification [PKT-SP-CODEC]. The literal codec name for each codec is listed below:

| Codec    | Literal Codec Name |
|----------|--------------------|
| g729     | G729               |
| g729E    | G729E              |
| pcmu     | PCMU               |
| g726at32 | G726-32            |
| g728     | G728               |
| pcma     | PCMA               |
| g726at16 | G726-16            |
| g726at24 | G726-24            |
| g726at40 | G726-40            |
| ilbc     | iLBC               |
| bv16     | BV16               |

The literal codec name is the second column of the table with codec RTP Map Parameters. The Literal Codec Name Column contains the codec name used in the local connection options (LCO) of the NCS messages create connection

(CRCX)/modify connection (MDCX) and is also used to identify the codec in the Call Management System (CMS) Provisioning Specification. The RTP Map Parameter column of the Table contains the string used in the media attribute line (a=) of the session description protocol (SDP) parameters in NCS messages."

```
SYNTAX INTEGER {
 other (1),
 unknown (2),
 g729 (3),
 reserved (4),
 g729E (5),
 pcmu (6),
 g726at32 (7),
 g728 (8),
 pcma (9),
 g726at16 (10),
 g726at24 (11),
 g726at40 (12),
 ilbc (13),
 bv16 (14)
}
```

PktoRingCadence ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This object provides an encoding scheme for ring

cadences, including repeatability characteristics. All fields in this object MUST be encoded in network-byte order.

The first three higher-order octets are reserved. The octets that follow are used to encode a 'bit-string', with each bit corresponding to 50 milliseconds. A bit value of '1' indicates the presence of a ring-tone, and a bit value of '0' indicates the absence of a ring-tone, for that duration (50 ms) (Note: A minimum number of octets required to encode the bit-string MUST be used).

The first two of the reserved octets MUST indicate the length of the encoded cadence (in bits) and MUST range between 1 and 264. (Note: The length in bits MUST also be consistent with the number of octets that encode the cadence). The MTA MUST ignore any unused bits in the last octet, but MUST reflect the value as provided on subsequent SNMP GETs.

The third of the reserved octets indicates 'repeatability' and MUST be either 0x80 or 0x00 -- the former value indicating 'non-repeatability', and the latter indicating 'repeatability'.

The MTA MUST reject attempts to set a value that violates any of the above requirements."

SYNTAX OCTET STRING (SIZE(4..36))

PktcSigType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

" This object lists the various types of signaling that may be supported:

other(1) - set when signaling other than NCS is used

ncs(2) - Network Call Signaling is a derivation of MGCP (Media Gateway Control Protocol) defined for IPCablecom/PacketCable MTAs."

SYNTAX INTEGER {

other(1),

ncs(2)

}

DtmfCode::=TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION represents the Dual-Tone Multi-Frequency (DTMF) Character used to indicate the start or end of the digit transition sequence used for caller id or Visual Message Waiting Indicator (VMWI).

Note: The DTMF code '\*' is indicated using 'dtmfcodeStar', and the DTMF code '#' is indicated using ' dtmfcodeHash'."

SYNTAX INTEGER {

dtmfcode0(0),  
dtmfcode1(1),  
dtmfcode2(2),  
dtmfcode3(3),  
dtmfcode4(4),  
dtmfcode5(5),  
dtmfcode6(6),  
dtmfcode7(7),  
dtmfcode8(8),  
dtmfcode9(9),  
dtmfcodeStar(10),  
dtmfcodeHash(11),  
dtmfcodeA(12),  
dtmfcodeB(13),  
dtmfcodeC(14),  
dtmfcodeD(15)

}

PktcSubscriberSideSigProtocol::=TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION represents the Signaling protocol being used for purposes such as caller id or VMWI.

A value of fsk(1) indicates Frequency Shift Keying (FSK).

A value of dtmf(2) indicates Dual-Tone Multi-Frequency (DTMF)."

```

SYNTAX INTEGER {
 fsk(1),
 dtmf(2)
}

```

```

pkcSigMibObjects OBJECT IDENTIFIER ::= { pkcIetfSigMib 1 }

```

```

pkcSigDevObjects OBJECT IDENTIFIER ::=

```

```

 { pkcSigMibObjects 1 }

```

```

pkcSigEndPntConfigObjects OBJECT IDENTIFIER ::=

```

```

 { pkcSigMibObjects 2 }

```

```
--
```

```
-- The codec table (pkcSigDevCodecTable) defines all combinations
```

```
-- of codecs supported by the Multimedia Terminal Adapter (MTA).
```

```
--
```

```
pkcSigDevCodecTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF PkcSigDevCodecEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

" This table describes the MTA-supported codec types. An MTA MUST populate this table with all possible combinations of codecs it supports for simultaneous operation. For example, an MTA with two endpoints may be designed with a particular Digital Signal Processing (DSP) and memory architecture that allows it to support the following fixed combinations of codecs for simultaneous operation:

| Codec Type | Maximum Number of Simultaneous Codecs |
|------------|---------------------------------------|
| PCMA       | 3                                     |
| PCMA       | 2                                     |
| PCMU       | 1                                     |
| PCMA       | 1                                     |
| PCMU       | 2                                     |
| PCMU       | 3                                     |
| PCMA       | 1                                     |
| G729       | 1                                     |
| G729       | 2                                     |
| PCMU       | 1                                     |

Based on this example, the entries  
in the codec table  
would be:

| pktcSigDev<br>CodecComboIndex | pktcSigDev<br>CodecType | pktcSigDev<br>CodecMax |
|-------------------------------|-------------------------|------------------------|
| 1                             | pcma                    | 3                      |
| 2                             | pcma                    | 2                      |
| 2                             | pcmu                    | 1                      |
| 3                             | pcma                    | 1                      |
| 3                             | pcmu                    | 2                      |
| 4                             | pcmu                    | 3                      |
| 5                             | pcma                    | 1                      |
| 5                             | g729                    | 1                      |
| 6                             | g729                    | 2                      |
| 7                             | pcmu                    | 1                      |
| 7                             | g729                    | 1                      |

An operator querying this table is able to determine all possible codec combinations the MTA is capable of simultaneously supporting.

This table MUST NOT include non-voice codecs."

::=

```
{ pktcSigDevObjects 1 }
```

pktcSigDevCodecEntry OBJECT-TYPE

SYNTAX PktcSigDevCodecEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each entry represents the maximum number of active connections with a particular codec the MTA is capable of supporting. Each row is indexed by a composite key consisting of a number enumerating the particular codec combination and the codec type."

INDEX { pktcSigDevCodecComboIndex, pktcSigDevCodecType }

::= { pktcSigDevCodecTable 1 }

PktcSigDevCodecEntry ::= SEQUENCE {

pktcSigDevCodecComboIndex Unsigned32,

pktcSigDevCodecType PktcCodecType,

pktcSigDevCodecMax Unsigned32

}

pkcSigDevCodecComboIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The index value that enumerates a particular codec combination in the pkcSigDevCodecTable."

::=

{ pkcSigDevCodecEntry 1 }

pkcSigDevCodecType OBJECT-TYPE

SYNTAX PkcCodecType

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" A codec type supported by this MTA."

::= { pkcSigDevCodecEntry 2 }

pkcSigDevCodecMax OBJECT-TYPE

SYNTAX Unsigned32(1..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" The maximum number of simultaneous sessions of a particular codec that the MTA can support."

::= { pkcSigDevCodecEntry 3 }

--

-- These are the common signaling-related definitions that affect  
-- the entire MTA device.

--

pkcSigDevEchoCancellation OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object specifies if the device is capable of echo cancellation. The MTA MUST set this MIB object to a value of true(1) if it is capable of echo cancellation, and a value of false(2) if not."

::= { pkcSigDevObjects 2 }

pkcSigDevSilenceSuppression OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object specifies if the device is capable of silence suppression (as a result of Voice Activity Detection). The MTA MUST set this MIB object to a value of true(1) if it is capable of silence suppression, and a value of false(2) if not."

::= { pkcSigDevObjects 3 }

pkcSigDevCidSigProtocol OBJECT-TYPE

SYNTAX PkcSubscriberSideSigProtocol

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object is used to configure the subscriber-line protocol used for signaling on-hook caller id information.

Different countries define different caller id signaling protocols to support caller identification.

Setting this object at a value fsk(1) sets the subscriber line protocol to be Frequency Shift Keying (FSK).

Setting this object at a value dtmf(2) sets the subscriber line protocol to be Dual-Tone Multi-Frequency (DTMF).

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { fsk }

::= { pkcSigDevObjects 4 }

pkcSigDevR0Cadence OBJECT-TYPE

SYNTAX PkcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 0 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA



reboots."  
 ::= { pktcSigDevObjects 5 }

pktcSigDevR1Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 1 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 6 }

pktcSigDevR2Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 2 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 7 }

pktcSigDevR3Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 3 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 8 }

pktcSigDevR4Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 4 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 9 }

pktcSigDevR5Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 5 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 10 }

pktcSigDevR6Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 6 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 11 }

pktcSigDevR7Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 7 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 12 }

pktcSigDevRgCadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence rg (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pkctSigDevObjects 13 }

pkctSigDevRsCadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence rs (a user-defined field). The MTA MUST reject any attempt to make this object repeatable.

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pkctSigDevObjects 14 }

pkctSigDefCallSigDscp OBJECT-TYPE

SYNTAX Dscp -- RFC 3289: DIFFSERV-DSCP-TC

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"

The default value used in the IP header for setting the Differentiated Services Code Point (DSCP) value for call

signaling.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { 0 }

::= { pkctSigDevObjects 15 }

pkctSigDefMediaStreamDscp OBJECT-TYPE

SYNTAX Dscp -- RFC 3289: DIFFSERV-DSCP-TC

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the default value used in the IP

header for setting the Differentiated Services Code Point (DSCP) value for media stream packets. The MTA MUST NOT update this object with the value supplied by the CMS in the NCS messages (if present). Any currently active connections are not affected by updates to this object. When the value of this object is updated by SNMP, the MTA MUST use the new value as a default starting only from new connections.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { 0 }

::= { pktcSigDevObjects 16 }

--

-- pktcSigCapabilityTable - This table defines the valid signaling  
-- types supported by this MTA.

--

pktcSigCapabilityTable OBJECT-TYPE

SYNTAX SEQUENCE OF PkctSigCapabilityEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table describes the signaling types supported by this  
MTA."

::= { pktcSigDevObjects 17 }

pktcSigCapabilityEntry OBJECT-TYPE

SYNTAX PkctSigCapabilityEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" Entries in pktcMtaDevSigCapabilityTable - list of  
supported signaling types, versions, and vendor extensions

for this MTA. Each entry in the list provides for one  
signaling type and version combination. If the device  
supports multiple versions of the same signaling

type, it

will require multiple entries."

INDEX { pktcSigCapabilityIndex }

::= { pktcSigCapabilityTable 1 }

PkctSigCapabilityEntry ::= SEQUENCE {

pktcSigCapabilityIndex Unsigned32,

```
pkcSigCapabilityType PkcSigType,
pkcSigCapabilityVersion SnmpAdminString,
pkcSigCapabilityVendorExt SnmpAdminString
}
```

```
pkcSigCapabilityIndex OBJECT-TYPE
SYNTAX Unsigned32 (1..255)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 " The index value that uniquely identifies an entry in the
 pkcSigCapabilityTable."
 ::= { pkcSigCapabilityEntry 1 }
```

```
pkcSigCapabilityType OBJECT-TYPE
SYNTAX PkcSigType
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 " This object identifies the type of signaling used. This
 value has to be associated with a single signaling
 version."
 ::= { pkcSigCapabilityEntry
 2 }
```

```
pkcSigCapabilityVersion OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 " Provides the version of the signaling type - reference
 pkcSigCapabilityType. Examples would be 1.0 or 2.33 etc."
 ::= { pkcSigCapabilityEntry 3 }
```

```
pkcSigCapabilityVendorExt OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 " The vendor extension allows vendors to provide a list of
```

additional capabilities.

The syntax for this MIB object in ABNF ([RFC5234]) is specified to be zero or more occurrences of vendor extensions, as follows:

pkcSigCapabilityVendorExt = \*(vendor-extension)  
vendor-extension = (ext symbol alphanum) DQUOTE ; DQUOTE  
ext = DQUOTE %x58 DQUOTE  
symbol = (DQUOTE %x2D DQUOTE)/(DQUOTE %x2D DQUOTE)  
alphanum = 1\*6(ALPHA/DIGIT)

"

::= { pkcSigCapabilityEntry 4 }

pkcSigDefNcsReceiveUdpPort OBJECT-TYPE

SYNTAX InetPortNumber (1025..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the MTA User Datagram Protocol (UDP)  
receive port that is being used for NCS call signaling.  
This object should only be changed by the configuration  
file.

Unless changed via configuration, this MIB object MUST  
reflect a value of '2427'."

REFERENCE

"PacketCable NCS Specification"

::= { pkcSigDevObjects 18 }

pkcSigPowerRingFrequency OBJECT-TYPE

SYNTAX INTEGER {

f20Hz(1),  
f25Hz(2),  
f33Point33Hz(3),  
f50Hz(4),  
f15Hz(5),  
f16Hz(6),  
f22Hz(7),  
f23Hz(8),  
f45Hz(9)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object must only be provided via the configuration  
file during the provisioning process. The power ring

frequency is the frequency at which the sinusoidal voltage  
must travel down the twisted pair to make terminal

equipment ring. Different countries define different electrical characteristics to make terminal equipment ring.

The f20Hz setting corresponds to a power ring frequency of 20 Hertz. The f25Hz setting corresponds to a power ring frequency of 25 Hertz. The f33Point33Hz setting corresponds to a power ring frequency of 33.33 Hertz. The f50Hz setting corresponds to a power ring frequency of 50 Hertz. The f15Hz setting corresponds to a power ring frequency of 15 Hertz. The f16Hz setting corresponds to a power ring frequency of 16 Hertz. The f22Hz setting corresponds to a power ring frequency of

22 Hertz. The

f23Hz setting corresponds to a power ring frequency of 23 Hertz. The f45Hz setting corresponds to a power ring frequency of 45 Hertz."

#### REFERENCE

"ETSI-EN-300-001"

::= { pktcSigDevObjects 19 }

pktcSigPulseSignalTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcSigPulseSignalEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

" The Pulse signal table defines the pulse signal operation. There are nine types of international pulse signals, with each signal having a set of provisionable parameters. The values of the MIB objects in this table take effect only if these parameters are not defined via signaling, in which case, the latter determines the values of the parameters. The MIB objects in this table do not persist across MTA reboots."

#### REFERENCE

"ETSI-TS-101-909-4 Specification"

::= { pktcSigDevObjects

20 }

pktcSigPulseSignalEntry OBJECT-TYPE

SYNTAX PktcSigPulseSignalEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

" This object defines the set of parameters associated with each particular value of pktcSigPulseSignalType. Each entry in the pktcSigPulseSignalTable is indexed by the pktcSigPulseSignalType object.

The conceptual rows MUST NOT persist across MTA reboots."

INDEX { pktcSigPulseSignalType }

::= { pktcSigPulseSignalTable 1 }

```
PktcSigPulseSignalEntry ::= SEQUENCE {
 pktcSigPulseSignalType INTEGER,
 pktcSigPulseSignalFrequency INTEGER,
 pktcSigPulseSignalDbLevel TenthdBm,
 pktcSigPulseSignalDuration Unsigned32,
 pktcSigPulseSignalPulseInterval Unsigned32,
 pktcSigPulseSignalRepeatCount Unsigned32
}
```

pktcSigPulseSignalType OBJECT-TYPE

SYNTAX INTEGER

```
{
 initialRing(1),
 pulseLoopClose(2),
 pulseLoopOpen(3),
 enableMeterPulse(4),
 meterPulseBurst(5),
 pulseNoBattery(6),
 pulseNormalPolarity(7),
 pulseReducedBattery(8),
 pulseReversePolarity(9)
}
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"There are nine types of international pulse signals. These signals are defined as follows:

initial ring

pulse loop close

pulse loop open

enable meter pulse

meter pulse burst

pulse no battery

pulse normal polarity

pulse reduced battery

pulse reverse polarity"

REFERENCE

"ETSI-EN-300-324-1 Specification"

::= { pktcSigPulseSignalEntry 1 }



pktcSigPulseSignalFrequency OBJECT-TYPE

SYNTAX INTEGER {

twentyfive(1),

twelvethousand(2),

sixteenthousand(3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object is only applicable to the initialRing, enableMeterPulse, and meterPulseBurst signal types. This object identifies the frequency of the generated signal. The following table defines the default values for this object depending on signal type:

| pktcSigPulseSignalType | Default |
|------------------------|---------|
| initialRing            | 25      |
| enableMeterPulse       | 16000   |
| meterPulseBurst        | 16000   |

The value of twentyfive MUST only be used for the initialRing signal type. The values of twelvethousand and sixteenthousand MUST only be used for enableMeterPulse and meterPulseBurst signal types. An attempt to set this object while the value of pktcSigPulseSignalType is not initialRing, enableMeterPulse, or meterPulseBurst will result in an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-001 Specification"  
 ::= { pktcSigPulseSignalEntry 2 }

pktcSigPulseSignalDbLevel OBJECT-TYPE

SYNTAX TenthdBm (-350..0)

UNITS "1/10 of a dBm"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object is only applicable to the enableMeterPulse and meterPulseBurst signal types. This is the decibel level for each frequency at which tones could be generated at the a and b terminals (TE connection point). An attempt to set this object while the value of pktcSigPulseSignalType is not enableMeterPulse or meterPulseBurst will result in

an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-001 Specification"

DEFVAL { -135 }

::={pktcSigPulseSignalEntry 3 }

pktcSigPulseSignalDuration OBJECT-TYPE

SYNTAX Unsigned32

(0..5000)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the pulse duration for each signal type. In addition, the MTA must accept the values in the incremental steps specific for each signal type. The following table defines the default values and the incremental steps for this object depending on the signal type:

| pktcSigPulseSignaltype | Default (ms) | Increment (ms) |
|------------------------|--------------|----------------|
| initialRing            | 200          | 50             |
| pulseLoopClose         | 200          | 10             |
| pulseLoopOpen          | 200          | 10             |
| enableMeterPulse       | 150          | 10             |
| meterPulseBurst        | 150          | 10             |
| pulseNoBattery         | 200          | 10             |
| pulseNormalPolarity    | 200          | 10             |
| pulseReducedBattery    | 200          | 10             |
| pulseReversePolarity   | 200          | 10             |

An attempt to set this object to a value that does not fall on one of the increment boundaries, or on the wrong increment boundary for the specific signal type, will result in an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-324-1 Specification"

::= {pktcSigPulseSignalEntry 4 }

pktcSigPulseSignalPulseInterval OBJECT-TYPE

SYNTAX Unsigned32 (0..5000)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" This object specifies the repeat interval, or the period, for each signal type. In addition, the MTA must accept the values in the incremental steps specific for each signal type. The following table defines the default values and the incremental steps for this object, depending on the signal type:

| pktcSigPulseSignaltype | Default (ms) | Increment (ms) |
|------------------------|--------------|----------------|
| initialRing            | 200          | 50             |
| pulseLoopClose         | 1000         | 10             |
| pulseLoopOpen          | 1000         | 10             |
| enableMeterPulse       | 1000         | 10             |
| meterPulseBurst        | 1000         | 10             |
| pulseNoBattery         | 1000         | 10             |
| pulseNormalPolarity    | 1000         | 10             |
| pulseReducedBattery    | 1000         | 10             |
| pulseReversePolarity   | 1000         | 10             |

An attempt to set this object to a value that does not fall on one of the increment boundaries, or on the wrong increment boundary for the specific signal type, will result in an 'inconsistentValue' error."

#### REFERENCE

"ETSI-EN-300-324-1 Specification"  
::= { pktcSigPulseSignalEntry 5 }

pktcSigPulseSignalRepeatCount OBJECT-TYPE

SYNTAX Unsigned32 (1..50)

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" This object specifies how many times to repeat a pulse. This object is not used by the enableMeterPulse signal type, and in that case, the value is irrelevant. The following table defines the default values and the valid ranges for this object, depending on the signal type:

| pktcSigPulseSignaltype | Default | Range |
|------------------------|---------|-------|
| initialRing            | 1       | 1-5   |
| pulseLoopClose         | 1       | 1-50  |
| pulseLoopOpen          | 1       | 1-50  |

|                      |             |                |
|----------------------|-------------|----------------|
| enableMeterPulse     | (any value) | (but not used) |
| meterPulseBurst      | 1           | 1-50           |
| pulseNoBattery       | 1           | 1-50           |
| pulseNormalPolarity  | 1           | 1-50           |
| pulseReducedBattery  | 1           | 1-50           |
| pulseReversePolarity | 1           | 1-50           |

An attempt to set this object to a value that does not fall within the range for the specific signal type will result in an 'inconsistentValue' error."

```
::={ pktcSigPulseSignalEntry 6 }
```

pktcSigDevCidMode OBJECT-TYPE

```
SYNTAX INTEGER {
 duringRingingETS(1),
 dtAsETS(2),
 rpAsETS(3),

 lrAsETS(4),
 lrETS(5)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" For on-hook caller id, pktcSigDevCidMode selects the method for representing and signaling caller identification. For the duringRingingETS method, the Frequency Shift Keying (FSK) or the Dual-Tone Multi-Frequency (DTMF) containing the caller identification information is sent between the first and second ring pattern.

For the dtAsETS,rpAsETS, lrAsETS and lrETS methods, the FSK or DTMF containing the caller id information is sent before the first ring pattern.

For the dtAsETS method, the FSK or DTMF is sent after the Dual

Tone Alert Signal. For the rpAsETS method, the FSK or DTMF is sent after a Ring Pulse.

For the lrAsETS method, the Line Reversal occurs first, then the Dual Tone Alert Signal, and, finally, the FSK or DTMF is sent.

For the lrETS method, the Line Reversal occurs first,

then the FSK or DTMF is sent.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { rpAsETS }  
::= {pktcSigDevObjects 21 }

pktcSigDevCidAfterRing OBJECT-TYPE

SYNTAX Unsigned32 (0|50..2000)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of first ringing pattern and the start of the transmission of the FSK or DTMF containing the caller id information. It is only used when pktcSigDevCidMode is set to a value of 'duringRingingETS'.

The following table defines the default values for this MIB object, depending on the signal type

(pktcSigDevCidMode), and MUST be followed:

| Value of pktcSigDevCidMode | Default value        |
|----------------------------|----------------------|
| duringringingETS           | 550 ms               |
| dtAsETS                    | any value (not used) |
| rpAsETS                    | any value (not used) |
| lrAsETS                    | any value (not used) |
| lrETS                      | any value (not used) |

An attempt to set this object while the value of pktcSigDevCidMode is not duringringingETS will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 550 }  
::= {pktcSigDevObjects 22 }

pktcSigDevCidAfterDTAS OBJECT-TYPE

SYNTAX Unsigned32 (0|45..500)

UNITS "Milliseconds"

MAX-ACCESS

read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Dual Tone Alert Signal (DT-AS) and the start of the transmission of the FSK or DTMF containing the caller id information. This object is only used when pktcSigDevCidMode is set to a value of 'dtAsETS' or 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

| Value of pktcSigDevCidMode | Default value        |
|----------------------------|----------------------|
| duringringingETS           | any value (not used) |
| dtAsETS                    | 50 ms                |
| rpAsETS                    | any value (not used) |
| lrAsETS                    | 50 ms                |
| lrETS                      | any value (not used) |

An attempt to set this object while the value of

pktcSigDevCidMode is not 'dtAsETS' or 'lrAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 50 }

::= {pktcSigDevObjects 23 }

pktcSigDevCidAfterRPAS OBJECT-TYPE

SYNTAX Unsigned32 (0|500..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the

Ring Pulse Alert Signal (RP-AS) and the start of the transmission of the FSK or DTMF containing the caller id information. This MIB object is only used when pktcSigDevCidMode is set to a value of 'rpAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

| Value of pktcSigDevCidMode | Default value        |
|----------------------------|----------------------|
| duringringingETS           | any value (not used) |
| dtAsETS                    | any value (not used) |
| rpAsETS                    | 650 ms               |
| lrAsETS                    | any value (not used) |
| lrETS                      | any value (not used) |

An attempt to set this object while the value of pktcSigDevCidMode is not 'rpAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 650 }

::= {pktcSigDevObjects 24 }

pktcSigDevRingAfterCID OBJECT-TYPE

SYNTAX Unsigned32 (0|50..500)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" This object specifies the delay between the end of the complete transmission of the FSK or DTMF containing the caller

id information and the start of the first ring

pattern. It is only used when pktcSigDevCidMode is set to a value of 'dtAsETS', 'rpAsETS', 'lrAsETS' or 'lrETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode      Default value

|                  |                      |
|------------------|----------------------|
| duringringingETS | any value (not used) |
| dtAsETS          | 250 ms               |
| rpAsETS          | 250 ms               |
| lrAsETS          | 250 ms               |
| lrETS            | 250 ms               |

An attempt to set this object while the value of pktcSigDevCidMode is not 'dtAsETS', 'rpAsETS', 'lrAsETS', or 'lrETS' will result in an 'inconsistent value' error.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 250 }

::= {pktcSigDevObjects 25 }

pktcSigDevCidDTASAfterLR      OBJECT-TYPE

SYNTAX      Unsigned32 (50..655)

UNITS      "Milliseconds"

MAX-ACCESS      read-write

STATUS      current

#### DESCRIPTION

" This object specifies the delay between the end of the Line Reversal and the start of the Dual Tone Alert Signal (DT-AS). This object is only used when pktcSigDevCidMode is set to a value of 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode      Default value

|                  |                      |
|------------------|----------------------|
| duringringingETS | any value (not used) |
| dtAsETS          | any value (not used) |
| rpAsETS          | any value (not used) |
| lrAsETS          | 250 ms               |
| lrETS            |                      |



any value (not used)

An attempt to set this object while the value of `pktcSigDevCidMode` is not `lrAsETS` will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 250 }

::= {pktcSigDevObjects 26 }

`pktcSigDevVmwiMode` OBJECT-TYPE

```
SYNTAX INTEGER {
 dtAsETS(1),
 rpAsETS(2),
 lrAsETS(3),
 osi(4),
 lrETS(5)
}
```

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" For visual message waiting indicator (VMWI), `pktcSigDevVmwiMode` selects the alerting signal method. For the `dtAsETS`, `rpAsETS`, `lrAsETS`, `osi`, and `lrETS` methods, the FSK containing the VMWI information is sent after an alerting signal.

For the `dtAsETS` method, the FSK, or DTMF

is sent after the Dual Tone Alert Signal. For the `rpAsETS` method, the FSK or DTMF is sent after a Ring Pulse.

For the `lrAsETS` method, the Line Reversal occurs first, then the Dual Tone Alert Signal, and, finally, the FSK or DTMF is sent.

For the OSI method, the FSK or DTMF is sent after the Open Switching Interval.

For the `lrETS` method, the Line Reversal occurs first, then the FSK or DTMF is sent.

The value of this MIB object MUST NOT persist across MTA reboots."

```
DEFVAL { rpAsETS }
 ::= { pktcSigDevObjects 27 }
```

pktcSigDevVmwiAfterDTAS OBJECT-TYPE

SYNTAX Unsigned32 (0|45..500)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Dual Tone Alert Signal (DT-AS) and the start of the transmission of the

FSK or DTMF containing the VMWI information.

This object is only used when pktcSigDevVmwiMode is set to a value of 'dtAsETS' or 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevVmwiMode), and MUST be followed:

| Value of pktcSigDevVmwiMode | Default value        |
|-----------------------------|----------------------|
| dtAsETS                     | 50 ms                |
| rpAsETS                     | any value (not used) |
| lrAsETS                     | 50 ms                |
| lrETS                       | any value (not used) |

An attempt to set this object while the value of pktcSigDevVmwiMode is not 'dtAsETS' or 'lrAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

```
DEFVAL { 50 }
```

```
::= { pktcSigDevObjects 28
```

```
}
```

pktcSigDevVmwiAfterRPAS OBJECT-TYPE

SYNTAX Unsigned32 (0|500..800)

UNITS "Milliseconds"  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION

" This object specifies the delay between the end of the Ring Pulse Alert Signal (RP-AS) and the start of the transmission of the FSK or DTMF containing the VMWI information.

This object is only used when `pktcSigDevVmwiMode` is set to a value of 'rpAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (`pktcSigDevVmwiMode`), and MUST be followed:

| Value of <code>pktcSigDevVmwiMode</code> | Default value        |
|------------------------------------------|----------------------|
| dtAsETS                                  | any value (not used) |
| rpAsETS                                  | 650 ms               |
| lrAsETS                                  | any value (not used) |
| lrETS                                    | any value (not used) |

An attempt to set this object while the value of `pktcSigDevVmwiMode` is not 'rpAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 650 }

::= {pktcSigDevObjects 29 }

`pktcSigDevVmwiDTASAfterLR` OBJECT-TYPE

SYNTAX Unsigned32 (0|50..655)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

" This object specifies the delay between the end of the Line Reversal and the start of the Dual Tone Alert Signal (DT-AS) for VMWI information. This object is only used when `pktcSigDevVmwiMode` is set to a value of 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevVmwiMode), and MUST be followed:

Value of pktcSigDevVmwiMode

Default value

|         |                      |
|---------|----------------------|
| dtAsETS | any value (not used) |
| rpAsETS | any value (not used) |
| lrAsETS | 250 ms               |
| lrETS   | any value (not used) |

An attempt to set this object while the value of pktcSigDevVmwiMode is not 'lrAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 250 }

::= {pktcSigDevObjects 30 }

pktcSigDevRingCadenceTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcSigDevRingCadenceEntry

MAX-ACCESS not-accessible

STATUS current

#### DESCRIPTION

"Cadence rings are defined by the telco governing body for each country. The MTA must be able to support various ranges of cadence patterns and cadence periods.

The

MTA will be able to support country-specific

provisioning of the cadence and idle period. Each cadence pattern will be assigned a unique value ranging from 0-127 (inclusive) corresponding to the value of x, where x is the value sent in the cadence ringing (cr) signal cr(x), requested per the appropriate NCS message, and defined in the E package. The MTA will derive the cadence periods from the ring cadence table entry, as provisioned by the customer. The MTA is allowed to provide appropriate default values for each of the ring cadences.

This table only needs to be supported when the MTA implements the E package."

## REFERENCE

"ETSI-TS-101-909-4 Specification"

::= { pktcSigDevObjects 31 }

pktcSigDevRingCadenceEntry OBJECT-TYPE

SYNTAX PktcSigDevRingCadenceEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" Each entry in  
this row corresponds to a ring cadence  
that is being supported by the device. The conceptual  
rows MUST NOT persist across MTA reboots."

INDEX { pktcSigDevRingCadenceIndex }

::= { pktcSigDevRingCadenceTable 1 }

PktcSigDevRingCadenceEntry ::= SEQUENCE {

pktcSigDevRingCadenceIndex Unsigned32,

pktcSigDevRingCadence PktcRingCadence

}

pktcSigDevRingCadenceIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..127)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" A unique value ranging from 0 to 127 that corresponds to the  
value sent by the LE based on country-specific cadences,  
one row per cadence cycle. In any given system  
implementation for a particular country, it is anticipated  
that a small number of ring cadences will be in use. Thus,  
this table most likely will not be populated to its full  
size."

::= { pktcSigDevRingCadenceEntry

1 }

pktcSigDevRingCadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This is the Ring Cadence."

::= { pktcSigDevRingCadenceEntry 2 }

pktcSigDevToneTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcSigDevToneEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The Tone Table defines the composition of tones and various tone operations.

The definition of the tones callWaiting1 through callWaiting4 in this table MUST only contain the audible tone itself; the delay between tones or the value of the tone repeat count are not applicable for the call waiting tones.

The delay between tones or the repeat count is controlled by the objects pktcSigEndPntConfigCallWaitingDelay and pktcSigEndPntConfigCallWaitingMaxRep. If the pktcSigDevToneType is set to either of the values callWaiting1, callWaiting2, callWaiting3, or callWaiting4, then the value of the pktcSigDevToneWholeToneRepeatCount object indicates that the particular frequency group is applicable, as a repeatable part of the tone, based on the value of the MIB object pktcSigDevToneWholeToneRepeatCount.

The MTA MUST make sure that, after the provisioning cycle, the table is fully populated (i.e., for each possible index, an entry MUST be defined) using reasonable defaults for each row that was not defined by the provisioning information delivered via MTA Configuration.

The frequency composition of each tone is defined by the pktcSigDevMultiFreqToneTable. For each tone type defined in pktcSigDevToneTable, the MTA MUST populate at least one entry in the pktcSigDevMultiFreqToneTable.

For each particular value of pktcSigDevToneType, the pktcSigDevToneTable table can define non-repeating and repeating groups of the frequencies defined by the pktcSigDevMultiFreqToneTable, such that each group is represented by the set of the consecutive rows (frequency group) in the pktcSigDevMultiFreqToneTable.

Objects in this table do not persist across MTA reboots.  
For tones with multiple frequencies refer to the MIB table  
pktcSigDevMultiFreqToneTable."

REFERENCE

"PacketCable NCS Specification, ETSI-TS-101-909-4  
Specification."

::= { pktcSigDevObjects 32 }

pktcSigDevToneEntry OBJECT-TYPE

SYNTAX PkctSigDevToneEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The different tone types that can be provisioned based on  
country-specific needs.

Each entry contains the tone generation parameters for  
a specific frequency group of the specific  
Tone Type.

The different parameters can be provisioned via MTA  
configuration based on country specific needs.

An MTA MUST populate all entries of this table for each  
tone type."

INDEX { pktcSigDevToneType, pktcSigDevToneFreqGroup }

::= { pktcSigDevToneTable 1 }

PkctSigDevToneEntry ::= SEQUENCE {

pkctSigDevToneType INTEGER,  
pkctSigDevToneFreqGroup Unsigned32,  
pkctSigDevToneFreqCounter Unsigned32,  
pkctSigDevToneWholeToneRepeatCount Unsigned32,  
pkctSigDevToneSteady TruthValue  
}

pkctSigDevToneType OBJECT-TYPE

SYNTAX INTEGER {

busy(1),  
confirmation(2),  
dial(3),  
messageWaiting(4),  
offHookWarning(5),  
ringBack(6),  
reOrder(7),  
stutterdial(8),

callWaiting1(9),

callWaiting2(10),

callWaiting3(11),

callWaiting4(12),

alertingSignal(13),

specialDial(14),

specialInfo(15),

release(16),

congestion(17),

userDefined1(18),

userDefined2(19),

userDefined3(20),

userDefined4(21)

}

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique value that will correspond to the different tone types. These tones can be provisioned based on country-specific needs. This object defines the type of tone being accessed.

The alertingSignal, specialDial, specialInfo, release,

congestion, userDefined1, userDefined2, userDefined3, and userDefined4 tone types are used in the E line package."

::= { pktcSigDevToneEntry 1 }

pktcSigDevToneFreqGroup OBJECT-TYPE

SYNTAX Unsigned32(1..4)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This MIB object represents the Tone Sequence reference of a multi-sequence tone."

::={ pktcSigDevToneEntry 2 }

pktcSigDevToneFreqCounter OBJECT-TYPE

SYNTAX Unsigned32(1..8)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the number of consecutive



multi-frequency tones for the particular tone type in the multi-frequency table (pktcSigDevMultiFreqToneTable).

Such a sequence of the consecutive multi-frequency tones forms the tone group for the particular tone type in the pktcSigDevToneTable."

::={ pktcSigDevToneEntry 3 }

pktcSigDevToneWholeToneRepeatCount OBJECT-TYPE

SYNTAX Unsigned32 (0..5000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This is the repeat count,

which signifies how many times

to repeat the entire on-off cadence sequence. Setting this object may result in a cadence duration longer or shorter than the overall signal duration specified by the time out (TO) object for a particular signal. If the repeat count results in a longer tone duration than the signal duration specified by the TO, the tone duration defined by the TO object for a particular signal always represents the overall signal duration for a tone. In this case, the tone duration repeat count will not be fully exercised, and the desired tone duration will be truncated per the TO setting. If the repeat count results in a shorter tone duration than the signal duration specified by the TO, the tone duration defined by the repeat count takes precedence over the TO and will end the signal event. In this case,

the TO represents a time not to be exceeded for the signal.

It is recommended to ensure proper telephony signaling so that the TO duration setting should always be longer than the desired repeat count-time duration."

::={ pktcSigDevToneEntry 4 }

pktcSigDevToneSteady OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the steady tone status. A value of 'true(1)' indicates that the steady tone is applied, and a value of 'false(2)' indicates otherwise.

Devices must play out the on-off cadence sequence for

the number of times indicated by the MIB object 'pktcSigDevToneWholeToneRepeatCount' prior to applying the last tone steadily, indefinitely. If the MIB table 'pktcSigDevToneTable' contains multiple rows with this Object set to a value of 'true(1)', the steady tone is applied to the last repeating frequency group of the tone.

Setting this MIB object may result in a tone duration that is longer or shorter than the overall signal duration specified by the time out (TO) MIB object for a particular signal. If the repeat count results in a longer tone duration than the signal duration specified by the TO, the tone duration defined by the TO object for a particular signal always represents the overall signal duration for a tone. In this case, the tone duration repeat count will not be fully exercised, and the desired tone duration will be truncated per the TO setting. If the repeat count results in a shorter tone duration than the signal duration specified by the TO, the tone duration defined by the repeat count takes precedence over the TO and will end the signal event. In this case, the TO represents a time not to be exceeded for the signal.

It is recommended to ensure proper telephony signaling that The TO duration setting should always be longer than the desired repeat count-time duration, plus the desired maximum steady tone period."

```
::={ pktcSigDevToneEntry 5 }
```

```
pktcSigDevMultiFreqToneTable OBJECT-TYPE
SYNTAX SEQUENCE OF PktcSigDevMultiFreqToneEntry
MAX-ACCESS not-accessible
STATUS current
```

#### DESCRIPTION

" This MIB table defines the characteristics of tones with multiple frequencies. The constraints imposed on the tones by the MIB table pktcSigDevToneTable need to be considered for MIB objects in this table as well.

The MTA MUST populate the corresponding row(s) of the pktcSigDevMultiFreqToneTable for each tone defined in the pktcSigDevToneTable.

The contents of the table may be provisioned via MTA configuration."

REFERENCE

"PacketCable NCS Specification, ETSI-TS-101-909-4 Specification."

::= { pktcSigDevObjects 33 }

pktcSigDevMultiFreqToneEntry OBJECT-TYPE

SYNTAX PkctSigDevMultiFreqToneEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The different tone types with multiple frequencies that can be provisioned based on country-specific needs."

INDEX {pktcSigDevToneType, pktcSigDevToneNumber}

::= { pktcSigDevMultiFreqToneTable 1 }

```
PkctSigDevMultiFreqToneEntry ::= SEQUENCE {
 pktcSigDevToneNumber Unsigned32,
 pktcSigDevToneFirstFreqValue Unsigned32,
 pktcSigDevToneSecondFreqValue Unsigned32,
 pktcSigDevToneThirdFreqValue Unsigned32,
 pktcSigDevToneFourthFreqValue Unsigned32,
 pktcSigDevToneFreqMode INTEGER,
 pktcSigDevToneFreqAmpModePrtg Unsigned32,
 pktcSigDevToneDbLevel TenthdBm,
 pktcSigDevToneFreqOnDuration Unsigned32,
 pktcSigDevToneFreqOffDuration Unsigned32,
 pktcSigDevToneFreqRepeatCount Unsigned32
}
```

pktcSigDevToneNumber OBJECT-TYPE

SYNTAX Unsigned32(1..8)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This MIB object represents the frequency reference of a multi-frequency tone."

::={ pktcSigDevMultiFreqToneEntry 1 }

pktcSigDevToneFirstFreqValue OBJECT-TYPE

SYNTAX Unsigned32(0..4000)

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"This MIB object represents the value of the first  
frequency of a tone type. A value of zero implies  
absence of the referenced frequency."  
::={ pktcSigDevMultiFreqToneEntry 2}

pktcSigDevToneSecondFreqValue  
OBJECT-TYPE  
SYNTAX Unsigned32(0..4000)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"This MIB object represents the value of the second  
frequency of a tone type. A value of zero implies  
absence of the referenced frequency."  
::={ pktcSigDevMultiFreqToneEntry 3}

pktcSigDevToneThirdFreqValue OBJECT-TYPE  
SYNTAX Unsigned32(0..4000)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"This MIB object represents the value of the third  
frequency of a tone type. A value of zero implies  
absence of the referenced frequency."  
::={ pktcSigDevMultiFreqToneEntry 4}

pktcSigDevToneFourthFreqValue OBJECT-TYPE  
SYNTAX Unsigned32(0..4000)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"This MIB object represents the value of the fourth  
frequency of a tone type. A  
value of zero implies  
absence of the referenced frequency."  
::={ pktcSigDevMultiFreqToneEntry 5}

pktcSigDevToneFreqMode OBJECT-TYPE  
SYNTAX INTEGER {  
firstModulatedBySecond(1),  
summation(2)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object provides directive on the modulation or summation of the frequencies involved in the tone.

It is to be noted that while summation can be done without any constraint on the number of frequencies, the modulation (amplitude) holds good only when there are two frequencies (first and second).

Thus:

- If the mode is set to a value of 'firstModulatedBySecond(1)', the first frequency MUST be modulated by the second, and the remaining frequencies (third and fourth) ignored. The percentage of amplitude modulation to be applied is defined by the MIB object pktcSigDevToneFreqAmpModePrtg.

- If the mode is set to a value of 'summation(2)', all the frequencies MUST be summed without any modulation.

"

::={ pktcSigDevMultiFreqToneEntry 6}

pktcSigDevToneFreqAmpModePrtg OBJECT-TYPE

SYNTAX Unsigned32(0..100)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the percentage of amplitude modulation applied to the second frequency when the MIB object pktcSigDevToneFreqMode is set to a value of 'firstModulatedBySecond (1)'.

If the MIB object pktcSigDevToneFreqMode is set to value of 'summation (2)', then this MIB object MUST be ignored."

::={ pktcSigDevMultiFreqToneEntry 7}

pktcSigDevToneDbLevel OBJECT-TYPE

SYNTAX TenthdBm (-250..-110)

UNITS

"1/10 of a dBm"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"This MIB object contains the decibel level for each analog signal (tone) that is locally generated (versus in-band supervisory tones) and sourced to the a-b terminals (TE connection point). Each tone in itself may consist of multiple frequencies, as defined by the MIB table pktcSigDevMultiFreqToneTable.

This MIB object reflects the desired level at the Telco (POTS) a-b (T/R) terminals, including the effect of any MTA receiver gain (loss). This is required so that locally generated tones are consistent with remotely generated in-band tones at the a-b terminals, consistent with user expectations.

This MIB object must be set for each tone.

When tones are formed by combining multi-frequencies, the level of each frequency

shall be set so as to result

in the tone level specified in this object at the a-b (T/R) terminals.

The wide range of levels for this Object is required to provide signal-generator levels across the wide range of gains (losses) -- but does not imply the entire range is to be achievable given the range of gains (losses) in the MTA."

DEFVAL { -120 }

::={ pktcSigDevMultiFreqToneEntry 8}

pktcSigDevToneFreqOnDuration OBJECT-TYPE

SYNTAX Unsigned32(0..5000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"This MIB object represents the duration for which the frequency reference corresponding to the tone type is turned on."

::={ pktcSigDevMultiFreqToneEntry 9}

pktcSigDevToneFreqOffDuration OBJECT-TYPE

SYNTAX Unsigned32(0..5000)

UNITS "milliseconds"

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"This MIB object represents the duration for which the

frequency reference corresponding to the tone type  
is turned off."

::={ pktcSigDevMultiFreqToneEntry 10}

pktcSigDevToneFreqRepeatCount OBJECT-TYPE

SYNTAX Unsigned32(0..5000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object indicates the number of times  
to repeat the cadence cycle represented by the  
on/off durations (refer to the MIB objects  
pktcSigDevToneFreqOnDuration and  
pktcSigDevToneFreqOffDuration).

Setting this object may result in a tone duration that is  
longer or shorter than the overall signal duration  
specified by the time out (TO) object for the  
corresponding tone type. If the value of this MIB  
Object indicates a longer duration than that  
specified by the TO, the latter overrules  
the former,  
and the desired tone duration will be truncated according  
to the TO.

However, if the repeat count results in a shorter  
tone duration than the signal duration specified by  
the TO, the tone duration defined by the repeat count  
takes precedence over the TO and will end the signal  
event. In this case, the TO represents a time not to  
be exceeded for the signal. It is recommended, to  
ensure proper telephony signaling, that the TO  
duration setting should always be longer than the  
desired repeat count-time duration. A value of zero  
means the tone sequence is to be played once but not  
repeated."

::={ pktcSigDevMultiFreqToneEntry 11}

pktcSigDevCidDelayAfterLR OBJECT-TYPE

SYNTAX Unsigned32 (300..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the delay between the end of the

Line Reversal and the start of the FSK or DTMF signal.

This MIB object is used only when pktcSigDevCidMode is set to a value of 'lrETS'. This timing has a range of 300 to 800 ms.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

| Value of pktcSigDevCidMode | Default value        |
|----------------------------|----------------------|
| duringringingETS           | any value (not used) |
| dtAsETS                    | any value (not used) |
| rpAsETS                    | any value (not used) |
| lrAsETS                    | any value (not used) |
| lrETS                      | 400                  |

An attempt to set this object while the value of pktcSigDevCidMode is not set to a value of 'lrETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { 400 }

::= {pktcSigDevObjects 34 }

pktcSigDevCidDtmfStartCode OBJECT-TYPE

SYNTAX DtmfCode

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object identifies optional start codes used when the MIB object pktcSigDevCidSigProtocol is set to a value of 'dtmf(2)'.

Different countries define different caller id signaling codes to support caller identification. When Dual-Tone



Multi-Frequency (DTMF) is used, the caller id digits are preceded by a 'start code' digit, followed by the digit transmission sequence <S1>...<Sn> (where Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <B><S1>...<Sn> <C>.

The start code for calling number delivery may be DTMF

'A' or 'D'. The start code for redirecting a number may be DTMF 'D'. The DTMF code 'B' may be sent by the network as a start code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '\*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA

reboots."

#### REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL { dtmfcodeA }

::= { pktcSigDevObjects 35 }

#### pktcSigDevCidDtmfEndCode OBJECT-TYPE

SYNTAX DtmfCode

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"This object identifies optional end codes used when the pktcSigDevCidSigProtocol is set to a value of 'dtmf(2)'.

Different countries define different caller id signaling protocols to support caller identification. When

Dual-Tone Multi-Frequency (DTMF) is used, the caller id digits are preceded by a 'start code' digit, followed by the digit transmission sequence <S1>...<Sn> (where Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <B><S1>...<Sn> <C>.

The DTMF code 'C' may be sent by the network as an

end code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '\*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL { dtmfcodeC }

::= { pktcSigDevObjects 36 }

#### pktcSigDevVmwiSigProtocol OBJECT-TYPE

SYNTAX PkctSubscriberSideSigProtocol

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"This object identifies the subscriber line protocol used for signaling the information on Visual Message Waiting Indicator (VMWI). Different countries define different VMWI signaling protocols to support VMWI service.

Frequency shift keying (FSK) is most commonly used. DTMF is an alternative.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { fsk }

::= { pktcSigDevObjects 37 }

#### pktcSigDevVmwiDelayAfterLR OBJECT-TYPE

SYNTAX Unsigned32 (0|300..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"This object specifies the delay between the end of the Line Reversal and the start of the FSK or DTMF signal. This object is only used when pktcSigDevVmwiMode

is

set to a value of 'lrETS'.

This timing has a range of 300 to 800 ms.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevVmwiMode), and MUST be followed:

Value of pktcSigDevVmwiMode      Default value

|                  |                      |
|------------------|----------------------|
| duringringingETS | any value (not used) |
| dtAsETS          | any value (not used) |
| rpAsETS          | any value (not used) |
| lrAsETS          | any value (not used) |
| lrETS            | 400                  |

An attempt to set this object while the value of pktcSigDevVmwiMode is not 'lrETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

```
DEFVAL {400}
 ::= {pktcSigDevObjects 38 }
```

pktcSigDevVmwiDtmfStartCode

OBJECT-TYPE

SYNTAX      DtmfCode

MAX-ACCESS    read-write

STATUS      current

DESCRIPTION

"This object identifies optional start codes used when

the pktcSigDevVmwiSigProtocol is set to a value of 'dtmf(2)'. Different countries define different On Hook Data Transmission Protocol signaling codes to support VMWI.

When Dual-Tone Multi-Frequency (DTMF) is used, the VMWI digits are preceded by a 'start code' digit, followed by the digit transmission sequence <S1>...<Sn> (where Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <B><S1>...<Sn> <C>.

The start code for redirecting VMWI may be DTMF 'D'  
The DTMF code 'B' may be sent by the network as a start code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '\*' or '#' may be used instead of

'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL {dtmfcodeA}

::= { pktcSigDevObjects 39 }

pktcSigDevVmwiDtmfEndCode OBJECT-TYPE

SYNTAX DtmfCode

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object identifies an optional end code used when the pktcSigDevVmwiSigProtocol is set to a value of 'dtmf(2)'. Different countries define different on-hook Data Transmission Protocol signaling codes to support VMWI.

When Dual-Tone Multi-Frequency (DTMF) is used, the VMWI digits are preceded by a 'start code' digit, followed by the digit transmission sequence

<S1>...<Sn> (where

Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <B><S1>...<Sn> <C>.

The DTMF code 'C' may be sent by the network as an end code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '\*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL {dtmfcodeC}

::= { pktcSigDevObjects 40 }

pktcSigDevvpAsDtsDuration OBJECT-TYPE

SYNTAX Unsigned32 (0|200..500)

UNITS "Milliseconds"  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION

" This object specifies the duration of the rpASDTS ring

pulse prior to the start of the transmission of the FSK or DTMF containing the caller id information. It is only used when pktcSigDevCidMode is set to a value of 'rpAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

| Value of pktcSigDevCidMode | Default value        |
|----------------------------|----------------------|
| duringringingETS           | any value (not used) |
| dtAsETS                    | any value (not used) |
| rpAsETS                    | 250                  |
| lrAsETS                    | any value (not used) |
| lrETS                      | any value (not used) |

An attempt to set this object while the value of pktcSigDevCidMode is not 'rpAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

#### REFERENCE

"ETSI-EN-300-659-1 Specification and Belgacom BGC\_D\_48\_9811\_30\_09\_EDOC version 3.3"

DEFVAL { 250 }

::= {pktcSigDevObjects 41 }

--  
-- The Endpoint Config Table is used to define attributes that  
-- are specific to connection EndPoints.  
--

pktcSigEndPntConfigTable OBJECT-TYPE  
SYNTAX SEQUENCE OF PktcSigEndPntConfigEntry  
MAX-ACCESS not-accessible  
STATUS current

DESCRIPTION

" This table describes the information pertaining to each endpoint of the MTA. All entries in this table represent the provisioned endpoints provisioned with the information required by the MTA to maintain the NCS protocol communication with the CMS. Each endpoint can be assigned to its own CMS. If the specific endpoint does not have the corresponding CMS information in this table, the endpoint is considered as not provisioned with voice services. Objects in this table do not persist across MTA reboots."  
 ::= { pktcSigEndPntConfigObjects 1 }

pktcSigEndPntConfigEntry OBJECT-TYPE

SYNTAX PktcSigEndPntConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each entry in the pktcSigEndPntConfigTable represents required signaling parameters for the specific endpoint provisioned with voice services. The conceptual rows MUST NOT persist across MTA reboots."

INDEX { ifIndex }

::= { pktcSigEndPntConfigTable 1 }

PktcSigEndPntConfigEntry ::= SEQUENCE {

- pktcSigEndPntConfigCallAgentId SnmpAdminString,
- pktcSigEndPntConfigCallAgentUdpPort InetPortNumber,
- pktcSigEndPntConfigPartialDialTO Unsigned32,
- pktcSigEndPntConfigCriticalDialTO Unsigned32,
- pktcSigEndPntConfigBusyToneTO Unsigned32,
- pktcSigEndPntConfigDialToneTO Unsigned32,
- pktcSigEndPntConfigMessageWaitingTO Unsigned32,
- pktcSigEndPntConfigOffHookWarnToneTO Unsigned32,
- pktcSigEndPntConfigRingingTO Unsigned32,
- pktcSigEndPntConfigRingBackTO Unsigned32,
- pktcSigEndPntConfigReorderToneTO Unsigned32,
- pktcSigEndPntConfigStutterDialToneTO Unsigned32,

- pktcSigEndPntConfigTSMMax Unsigned32,
- pktcSigEndPntConfigMax1 Unsigned32,
- pktcSigEndPntConfigMax2 Unsigned32,
- pktcSigEndPntConfigMax1QEnable TruthValue,
- pktcSigEndPntConfigMax2QEnable TruthValue,

```

pktcSigEndPntConfigMWD Unsigned32,
pktcSigEndPntConfigTdinit Unsigned32,
pktcSigEndPntConfigTdmin Unsigned32,
pktcSigEndPntConfigTdmax Unsigned32,
pktcSigEndPntConfigRtoMax Unsigned32,
pktcSigEndPntConfigRtoInit
 Unsigned32,
pktcSigEndPntConfigLongDurationKeepAlive Unsigned32,
pktcSigEndPntConfigThist Unsigned32,
pktcSigEndPntConfigStatus RowStatus,
pktcSigEndPntConfigCallWaitingMaxRep Unsigned32,
pktcSigEndPntConfigCallWaitingDelay Unsigned32,
pktcSigEndPntStatusCallIpAddressType InetAddressType,
pktcSigEndPntStatusCallIpAddress InetAddress,
pktcSigEndPntStatusError INTEGER,
pktcSigEndPntConfigMinHookFlash Unsigned32,
pktcSigEndPntConfigMaxHookFlash Unsigned32,
pktcSigEndPntConfigPulseDialInterdigitTime Unsigned32,
pktcSigEndPntConfigPulseDialMinMakeTime Unsigned32,
pktcSigEndPntConfigPulseDialMaxMakeTime Unsigned32,
pktcSigEndPntConfigPulseDialMinBreakTime Unsigned32,
pktcSigEndPntConfigPulseDialMaxBreakTime Unsigned32
}

```

pktcSigEndPntConfigCallAgentId OBJECT-TYPE

SYNTAX SnmpAdminString(SIZE

(3..255))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains a string indicating the call agent name (e.g., ca@example.com). The call agent name, after the character '@', MUST be a fully qualified domain name (FQDN) and MUST have a corresponding pktcMtaDevCmsFqdn entry in the pktcMtaDevCmsTable. The object pktcMtaDevCmsFqdn is defined in the PacketCable MIBMTA Specification. For each particular endpoint, the MTA MUST use the current value of this object to communicate with the corresponding CMS. The MTA MUST update this object with the value of the 'Notified Entity' parameter of the NCS message. Because of the high importance of this object to the ability of the MTA to maintain reliable NCS communication with the CMS, it is highly recommended not to change this object's value using SNMP during normal

operation."

::= { pktcSigEndPntConfigEntry 1 }

pktcSigEndPntConfigCallAgentUdpPort OBJECT-TYPE

SYNTAX InetPortNumber (1025..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the current value of the User Datagram Protocol (UDP) receive port on which the call agent will receive NCS from the endpoint. For each particular endpoint, the MTA MUST use the current value of this object to communicate with the corresponding CMS. The MTA MUST update this object with the value of the 'Notified Entity' parameter of the NCS message. If the Notified Entity parameter does not contain a CallAgent port, the MTA MUST update this object with the default value of 2727. Because of the high importance of this object to the ability of the MTA to maintain reliable NCS communication with the CMS, it is highly recommended

not

to change this object's value using SNMP during normal operation."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 2727 }

::= { pktcSigEndPntConfigEntry 2 }

pktcSigEndPntConfigPartialDialTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the value of the partial dial time out.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 3 }

pktcSigEndPntConfigCriticalDialTO OBJECT-TYPE



SYNTAX Unsigned32

UNITS

"seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the value of the critical dial time out.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 4 }

::= { pktcSigEndPntConfigEntry 4 }

pktcSigEndPntConfigBusyToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for busy tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the

value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 30 }

::= { pktcSigEndPntConfigEntry 5 }

pktcSigEndPntConfigDialToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION

" This object contains the default time out value for dial tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present).

If

the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 6 }

pktcSigEndPntConfigMessageWaitingTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for message waiting indicator. The MTA MUST NOT update this object with the value

provided in the NCS message (if

present). If the value of the object is modified by the SNMP Manager application, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 7 }

pktcSigEndPntConfigOffHookWarnToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for the off-hook warning tone. The MTA MUST

NOT update this object

with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Manager

application, the MTA MUST use the new value as a default only for a new signal requested by the NCS message. The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 0 }

::= { pktcSigEndPntConfigEntry 8 }

pktcSigEndPntConfigRingingTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for ringing. The MTA

MUST NOT update this object with the

value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 180 }

::= { pktcSigEndPntConfigEntry 9 }

pktcSigEndPntConfigRingBackTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for ring

back. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message. The time out (TO) elements are intended to limit the time

a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 180 }

::= { pktcSigEndPntConfigEntry 10 }

pktcSigEndPntConfigReorderToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for reorder

tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message. The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the

definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 30 }

::= { pktcSigEndPntConfigEntry 11 }

pktcSigEndPntConfigStutterDialToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object

contains the default time out value for stutter

dial tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the

corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 12 }

pktcSigEndPntConfigTSMMax OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This MIB object

is used as part of an NCS

retransmission algorithm. Prior to any retransmission, the MTA must check to make sure that the time elapsed since the sending of the initial datagram does not exceed the value specified by this MIB object. If more than Tsmax time has elapsed, then the retransmissions MUST cease.

Refer to the MIB object pktcSigEndPntConfigThist for information on when the endpoint becomes disconnected."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 20 }

::= { pktcSigEndPntConfigEntry 13 }

pktcSigEndPntConfigMax1 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the suspicious error threshold for signaling messages. The pktcSigEndPntConfigMax1 object indicates the retransmission threshold at which the MTA MAY actively query the domain name server (DNS) in order to detect the possible change of call agent interfaces."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 5 }

::= { pktcSigEndPntConfigEntry 14 }

pktcSigEndPntConfigMax2 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the disconnect error threshold for signaling messages. The pktcSigEndPntConfigMax2 object indicates the retransmission threshold at which the MTA SHOULD contact the DNS one more time to see if any other interfaces to the call agent have become available."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 7 }

::= { pktcSigEndPntConfigEntry 15 }

pktcSigEndPntConfigMax1QEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object enables/disables the Max1 domain name server (DNS)

query operation when the pktcSigEndPntConfigMax1  
threshold has been reached.  
A value of true(1) indicates enabling, and a value of  
false(2) indicates disabling."  
DEFVAL { true }  
::= { pktcSigEndPntConfigEntry 16 }

pktcSigEndPntConfigMax2QEnable OBJECT-TYPE  
SYNTAX TruthValue  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"This object enables/disables the Max2 domain name server  
(DNS) query operation when the pktcSigEndPntConfigMax2  
threshold has been reached.  
A value of true(1) indicates enabling, and a value of  
false(2) indicates disabling."  
DEFVAL { true }  
::= { pktcSigEndPntConfigEntry 17 }

pktcSigEndPntConfigMWD OBJECT-TYPE  
SYNTAX Unsigned32  
UNITS "seconds"  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"Maximum Waiting Delay (MWD) contains the maximum number of  
seconds an MTA waits, after powering  
on, before initiating  
the restart procedure with the call agent."  
REFERENCE  
"PacketCable NCS Specification"  
DEFVAL { 600 }

::= { pktcSigEndPntConfigEntry 18 }

pktcSigEndPntConfigTdinit OBJECT-TYPE  
SYNTAX Unsigned32  
UNITS "seconds"  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"This MIB object represents the 'disconnected' initial  
waiting delay within the context of an MTA's 'disconnected  
procedure'. The 'disconnected procedure' is initiated when  
an endpoint becomes 'disconnected' while attempting to

communicate with a call agent.

The 'disconnected timer' associated with the 'disconnected Procedure' is initialized to a random value, uniformly distributed between zero and the value contained in this MIB object.

For more information on the usage of this timer, please refer to the PacketCable NCS Specification."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 15 }

::= { pktcSigEndPntConfigEntry 19 }

pktcSigEndPntConfigTadmin OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This MIB object represents the 'disconnected' minimum waiting delay within the context of an MTA's 'disconnected procedure', specifically when local user activity is detected.

The 'disconnected procedure' is initiated when an endpoint becomes 'disconnected' while attempting to communicate with a call agent.

For more information on the usage of this timer, please refer to the PacketCable NCS Specification."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 15 }

::= { pktcSigEndPntConfigEntry 20 }

pktcSigEndPntConfigTdmax OBJECT-TYPE

SYNTAX Unsigned32

UNITS

"seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the maximum number of seconds the MTA waits, after a disconnect, before initiating the disconnected procedure with the call agent.

"



REFERENCE

"PacketCable NCS Specification"

DEFVAL { 600 }

::= { pktcSigEndPntConfigEntry 21 }

pktcSigEndPntConfigRtoMax OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object specifies the maximum number of seconds the MTA waits for a response to an NCS message before initiating a retransmission."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 4 }

::= { pktcSigEndPntConfigEntry 22 }

pktcSigEndPntConfigRtoInit OBJECT-TYPE

SYNTAX Unsigned32

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the initial number of seconds for the retransmission timer."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 200 }

::= { pktcSigEndPntConfigEntry 23 }

pktcSigEndPntConfigLongDurationKeepAlive OBJECT-TYPE

SYNTAX Unsigned32

UNITS "minutes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" Specifies a time out value, in minutes, for sending long duration call notification messages."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 60 }

::= { pktcSigEndPntConfigEntry 24 }

pkcSigEndPntConfigThist OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" Time out period, in seconds, before no response is declared."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 30 }

::= { pkcSigEndPntConfigEntry 25 }

pkcSigEndPntConfigStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the Row Status associated with the pkcSigEndPntConfigTable. There are no restrictions or dependencies amidst the columnar objects before this row can be activated or for modifications of the columnar objects when this object is set to a value of 'active(1)."

::= { pkcSigEndPntConfigEntry 26 }

pkcSigEndPntConfigCallWaitingMaxRep OBJECT-TYPE

SYNTAX Unsigned32 (0..10)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default value of the maximum number of repetitions of the Call Waiting tone that the MTA will play from a single CMS request. The MTA MUST NOT update this object with the information provided in the NCS message (if present). If the value of the object is modified by the SNMP

Manager application, the MTA MUST use

the new value as a default only for a new signal requested by the NCS message."

DEFVAL { 1 }

::= { pkcSigEndPntConfigEntry 27 }

pkcSigEndPntConfigCallWaitingDelay OBJECT-TYPE

SYNTAX Unsigned32 (1..100)

UNITS "seconds"  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
" This object contains the delay between repetitions of the  
Call Waiting tone that the MTA will play from a single CMS  
request."  
DEFVAL { 10 }  
::= { pktcSigEndPntConfigEntry 28 }

pktcSigEndPntStatusCallIpAddressType OBJECT-TYPE  
SYNTAX InetAddressType  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
" This object contains the type of Internet address contained  
in the MIB object 'pktcSigEndPntStatusCallIpAddress'.  
  
Since pktcSigEndPntStatusCallIpAddress is expected to  
contain an IP address, a value of dns(16)  
is disallowed."  
  
::= { pktcSigEndPntConfigEntry 29 }

pktcSigEndPntStatusCallIpAddress OBJECT-TYPE  
SYNTAX InetAddress  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
" This MIB object contains the chosen IP address of the CMS  
currently being used for the corresponding endpoint.  
  
The device determines the IP address by using DNS to  
resolve the IP address of the CMS from the FQDN stored in  
the MIB object 'pktcSigEndPntConfigCallAgentId'. The  
processes are outlined in the PacketCable NCS and Security  
specifications, and MUST be followed by the MTA.  
  
The IP address type contained in this MIB object is  
indicated by pktcSigEndPntStatusCallIpAddressType."  
REFERENCE  
"PacketCable NCS Specification;  
PacketCable Security specification, [PKT-SP-SEC]."  
::= { pktcSigEndPntConfigEntry 30 }

pktcSigEndPntStatusError OBJECT-TYPE  
SYNTAX INTEGER {  
operational

(1),  
noSecurityAssociation (2),

disconnected (3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the error status for this interface.

The operational status indicates that all operations necessary to put the line in service have occurred, and the CMS has acknowledged the Restart In Progress (RSIP) message successfully. If pktcMtaDevCmsIpsecCtrl is enabled for the associated call agent, the noSecurityAssociation status indicates that no Security Association (SA) yet exists for this endpoint. If pktcMtaDevCmsIpsecCtrl is disabled for the associated call agent, the noSecurityAssociation status is not applicable and should not be used by the MTA. The disconnected status indicates one of the following two:

If pktcMtaDevCmsIpsecCtrl is disabled, then no security association

is involved with this endpoint. The NCS

signaling software is in process of establishing the NCS signaling link via an RSIP exchange.

Otherwise, when pktcMtaDevCmsIpsecCtrl is enabled, security Association has been established, and the NCS signaling software is in process of establishing the NCS signaling link via an RSIP exchange."

::= { pktcSigEndPntConfigEntry 31 }

pktcSigEndPntConfigMinHookFlash OBJECT-TYPE

SYNTAX Unsigned32 (20..1550)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the minimum time a line needs to be on-hook for a valid hook flash. The value of this object MUST be greater than the value of pktcSigEndPntConfigPulseDialMaxBreakTime. The value of pktcSigEndPntConfigMinHookFlash MUST be less than pktcSigEndPntConfigMaxHookFlash. This object MUST only be set via the

MTA configuration during the provisioning process.

Furthermore, given the possibility for the 'pulse dial' and 'hook flash' to overlap, the value of this object MUST be greater than the value contained by the MIB Object 'pktcSigEndPntConfigPulseDialMaxMakeTime'."  
DEFVAL { 300 }  
::= { pktcSigEndPntConfigEntry 32 }

pktcSigEndPntConfigMaxHookFlash OBJECT-TYPE  
SYNTAX Unsigned32 (20..1550)  
UNITS "Milliseconds"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
" This is the maximum time a line needs to be on-hook for a valid hook flash. The value of pktcSigEndPntConfigMaxHookFlash MUST be greater than pktcSigEndPntConfigMinHookFlash. This object MUST only be set via the MTA configuration during the provisioning process."  
DEFVAL { 800 }  
::= { pktcSigEndPntConfigEntry 33 }

pktcSigEndPntConfigPulseDialInterdigitTime  
OBJECT-TYPE  
SYNTAX Unsigned32 (100..1500)  
UNITS "Milliseconds"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
" This is the pulse dial inter-digit time out. This object MUST only be set via the MTA configuration during the provisioning process."  
DEFVAL { 100 }  
::= { pktcSigEndPntConfigEntry 34 }

pktcSigEndPntConfigPulseDialMinMakeTime OBJECT-TYPE  
SYNTAX Unsigned32 (20..200)  
UNITS "Milliseconds"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
" This is the minimum make pulse width for the dial pulse. The value of pktcSigEndPntConfigPulseDialMinMakeTime MUST be less than pktcSigEndPntConfigPulseDialMaxMakeTime. This object MUST only be set via the MTA configuration during

the provisioning process."

DEFVAL { 25 }

::= { pktcSigEndPntConfigEntry 35 }

pktcSigEndPntConfigPulseDialMaxMakeTime OBJECT-TYPE

SYNTAX Unsigned32 (20..200)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the maximum make pulse width for the dial pulse.

The value of pktcSigEndPntConfigPulseDialMaxMakeTime MUST be greater than pktcSigEndPntConfigPulseDialMinMakeTime.

This object MUST only be provided via the configuration file during the provisioning process.

Furthermore, given the possibility for the 'pulse dial' and 'hook flash' to overlap, the value of this object MUST be less than the value contained by the MIB object pktcSigEndPntConfigMinHookFlash."

DEFVAL { 55 }

::= { pktcSigEndPntConfigEntry 36 }

pktcSigEndPntConfigPulseDialMinBreakTime OBJECT-TYPE

SYNTAX Unsigned32 (20..200)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the minimum break pulse width for the dial pulse.

The value of pktcSigEndPntConfigPulseDialMinBreakTime MUST be less than pktcSigEndPntConfigPulseDialMaxBreakTime.

This object must only be provided via the configuration file during the provisioning process."

DEFVAL { 45 }

::= { pktcSigEndPntConfigEntry 37 }

pktcSigEndPntConfigPulseDialMaxBreakTime OBJECT-TYPE

SYNTAX Unsigned32 (20..200)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the maximum break pulse width for the dial pulse.

The value of pktcSigEndPntConfigPulseDialMaxBreakTime MUST

```

 be greater than pktcSigEndPntConfigPulseDialMinBreakTime.
 This object MUST only be provided via the configuration
 file during the provisioning process."
 DEFVAL { 75 }
 ::= { pktcSigEndPntConfigEntry 38 }

--
-- notification group is for future extension.
--
pktcSigNotification OBJECT IDENTIFIER ::= {
 pktcIetfSigMib 0 }
pktcSigConformance OBJECT IDENTIFIER ::= { pktcIetfSigMib 2 }
pktcSigCompliances OBJECT IDENTIFIER ::= { pktcSigConformance 1 }
pktcSigGroups OBJECT IDENTIFIER ::= { pktcSigConformance 2 }

--

-- compliance statements
--

pktcSigBasicCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION
 " The compliance statement for MTAs that implement
 NCS signaling."

MODULE -- pktcIetfSigMib

-- Unconditionally mandatory groups for all MTAs

MANDATORY-GROUPS {
 pktcSigDeviceGroup,
 pktcSigEndpointGroup
}

-- Conditionally mandatory groups for MTAs

GROUP pktcInternationalGroup
 DESCRIPTION
 " This group is mandatory only for MTAs implementing
 international telephony features."

GROUP pktcLLinePackageGroup

```

DESCRIPTION

" This group is mandatory only for MTAs implementing the L  
line package."

GROUP pkteLinePackageGroup

DESCRIPTION

" This group is mandatory only  
for MTAs implementing the E  
Line Package."

::={ pkteSigCompliances 1 }

pkteSigDeviceGroup OBJECT-GROUP

OBJECTS {

pkteSigDevCodecMax,  
pkteSigDevEchoCancellation,  
pkteSigDevSilenceSuppression,  
pkteSigDevR0Cadence,  
pkteSigDevR1Cadence,  
pkteSigDevR2Cadence,  
pkteSigDevR3Cadence,

pkteSigDevR4Cadence,  
pkteSigDevR5Cadence,  
pkteSigDevR6Cadence,  
pkteSigDevR7Cadence,  
pkteSigDevRgCadence,  
pkteSigDevRsCadence,  
pkteSigDefCallSigDscp,  
pkteSigDefMediaStreamDscp,  
pkteSigDevVmwiMode,  
pkteSigCapabilityType,  
pkteSigCapabilityVersion,  
pkteSigCapabilityVendorExt,  
pkteSigDefNcsReceiveUdpPort  
}

STATUS current

DESCRIPTION

"Group of MIB objects containing signaling configuration  
information that is applicable per-device."

::= { pkteSigGroups 1 }

pkteSigEndpointGroup OBJECT-GROUP

OBJECTS {

pkteSigEndPntConfigCallAgentId,  
pkteSigEndPntConfigCallAgentUdpPort,



pkteSigEndPntConfigPartialDialTO,  
pkteSigEndPntConfigCriticalDialTO,  
pkteSigEndPntConfigBusyToneTO,  
pkteSigEndPntConfigDialToneTO,  
pkteSigEndPntConfigMessageWaitingTO,  
pkteSigEndPntConfigOffHookWarnToneTO,  
pkteSigEndPntConfigRingingTO,  
pkteSigEndPntConfigRingBackTO,  
pkteSigEndPntConfigReorderToneTO,  
pkteSigEndPntConfigStutterDialToneTO,  
pkteSigEndPntConfigTSMMax,  
pkteSigEndPntConfigMax1,  
pkteSigEndPntConfigMax2,  
pkteSigEndPntConfigMax1QEnable,  
pkteSigEndPntConfigMax2QEnable,  
pkteSigEndPntConfigMWD,  
pkteSigEndPntConfigTdinit,  
pkteSigEndPntConfigTdmin,  
pkteSigEndPntConfigTdmax,  
pkteSigEndPntConfigRtoMax,  
pkteSigEndPntConfigRtoInit,  
pkteSigEndPntConfigLongDurationKeepAlive,  
pkteSigEndPntConfigThist,  
pkteSigEndPntConfigStatus,

pkteSigEndPntConfigCallWaitingMaxRep,  
pkteSigEndPntConfigCallWaitingDelay,  
pkteSigEndPntStatusCallIpAddressType,  
pkteSigEndPntStatusCallIpAddress,  
pkteSigEndPntStatusError  
}

STATUS current

DESCRIPTION

"Group of MIB objects containing signaling configuration  
information that is applicable per-endpoint."

::= { pkteSigGroups 2 }

pkteInternationalGroup OBJECT-GROUP

OBJECTS {

pkteSigEndPntConfigMinHookFlash,  
pkteSigEndPntConfigMaxHookFlash,  
pkteSigEndPntConfigPulseDialInterdigitTime,  
pkteSigEndPntConfigPulseDialMinMakeTime,  
pkteSigEndPntConfigPulseDialMaxMakeTime,  
pkteSigEndPntConfigPulseDialMinBreakTime,  
pkteSigEndPntConfigPulseDialMaxBreakTime,

pkteSigDevRingCadence,  
pkteSigDevCidSigProtocol,  
pkteSigDevCidDelayAfterLR,  
pkteSigDevCidDtmfStartCode,  
pkteSigDevCidDtmfEndCode,  
pkteSigDevVmwiSigProtocol,  
pkteSigDevVmwiDelayAfterLR,  
pkteSigDevVmwiDtmfStartCode,  
pkteSigDevVmwiDtmfEndCode,  
pkteSigDevvpAsDtsDuration,  
pkteSigDevCidMode,  
pkteSigDevCidAfterRing,  
pkteSigDevCidAfterDTAS,  
pkteSigDevCidAfterRPAS,  
pkteSigDevRingAfterCID,  
pkteSigDevCidDTASAfterLR,  
pkteSigDevVmwiMode,  
pkteSigDevVmwiAfterDTAS,  
pkteSigDevVmwiAfterRPAS,  
pkteSigDevVmwiDTASAfterLR,  
pkteSigPowerRingFrequency,  
pkteSigPulseSignalFrequency,  
pkteSigPulseSignalDbLevel,  
pkteSigPulseSignalDuration,  
pkteSigPulseSignalPulseInterval,  
pkteSigPulseSignalRepeatCount,  
pkteSigDevToneDbLevel,

pkteSigDevToneFreqCounter,  
pkteSigDevToneWholeToneRepeatCount,  
pkteSigDevToneSteady,  
pkteSigDevToneFirstFreqValue,  
pkteSigDevToneSecondFreqValue,  
pkteSigDevToneThirdFreqValue,  
pkteSigDevToneFourthFreqValue,  
pkteSigDevToneFreqMode,  
pkteSigDevToneFreqAmpModePrtg,  
pkteSigDevToneFreqOnDuration,  
pkteSigDevToneFreqOffDuration,  
pkteSigDevToneFreqRepeatCount  
}

STATUS current

DESCRIPTION

" Group of objects that extend the behavior of existing objects to support operations in the widest possible set of international marketplaces.

Note that many of these  
objects represent a superset of behaviors described in  
other objects within this MIB module."  
::= { pktcSigGroups 3 }

pktcLLinePackageGroup OBJECT-GROUP

```
OBJECTS {
 pktcSigDevR0Cadence,
 pktcSigDevR1Cadence,
 pktcSigDevR2Cadence,
 pktcSigDevR3Cadence,
 pktcSigDevR4Cadence,
 pktcSigDevR5Cadence,
 pktcSigDevR6Cadence,
 pktcSigDevR7Cadence,
 pktcSigDevRgCadence,
 pktcSigDevRsCadence
}
STATUS current
DESCRIPTION
"Group of Objects to support the L line package."
::= { pktcSigGroups 4 }
```

pktcELinePackageGroup OBJECT-GROUP

```
OBJECTS {
 pktcSigDevR0Cadence,
 pktcSigDevR1Cadence,
 pktcSigDevR2Cadence,
 pktcSigDevR3Cadence,
 pktcSigDevR4Cadence,
 pktcSigDevR5Cadence,

 pktcSigDevR6Cadence,
 pktcSigDevR7Cadence,
 pktcSigDevRgCadence,
 pktcSigDevRsCadence,
 pktcSigPulseSignalFrequency,
 pktcSigPulseSignalDbLevel,
 pktcSigPulseSignalDuration,
 pktcSigPulseSignalPulseInterval,
 pktcSigPulseSignalRepeatCount,
 pktcSigDevRingCadence
}
STATUS current
DESCRIPTION
"Group of Objects to support the E line package."
```

```
::= { pktcSigGroups 5 }
```

END

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/PKTC-IETF-SIG-MIB
```

No license file was found, but licenses were detected in source scan.

```
DOCS-IF-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
 MODULE-IDENTITY,
```

```
 OBJECT-TYPE,
```

```
 Unsigned32,
```

```
 Integer32,
```

```
 Counter32,
```

```
 Counter64,
```

```
 TimeTicks,
```

```
 IpAddress,
```

```
 transmission
```

```
 FROM SNMPv2-SMI -- [RFC2578]
```

```
 TEXTUAL-CONVENTION,
```

```
 MacAddress,
```

```
 RowStatus,
```

```
 TruthValue,
```

```
 TimeInterval,
```

```
 TimeStamp,
```

```
 StorageType
```

```
 FROM SNMPv2-TC -- [RFC2579]
```

```
 OBJECT-GROUP,
```

```
 MODULE-COMPLIANCE
```

```
 FROM SNMPv2-CONF -- [RFC2580]
```

```
 ifIndex, InterfaceIndexOrZero
```

```
 FROM IF-MIB -- [RFC2863]
```

```
 InetAddressType,
```

```
 InetAddress
```

```
 FROM INET-ADDRESS-MIB -- [RFC4001]
```

```
 IANAifType
```

```
 FROM IANAifType-MIB; -- [IANA]
```

```
docsIfMib MODULE-IDENTITY
```

```
 LAST-UPDATED "200605240000Z" -- May 24, 2006
```

```
 ORGANIZATION "IETF IPCDN Working Group"
```

```
 CONTACT-INFO
```

" David Raftus  
Postal: ATI Technologies Inc.  
340 Terry Fox Drive, Suite 202  
Ottawa Ontario  
Canada  
Phone: +1 613 592 1052 ext.222  
E-mail: david.raftus@ati.com

Eduardo Cardona  
Postal: Cable Television Laboratories, Inc.  
858 Coal Creek Circle  
Louisville, CO 80027-9750  
U.S.A.  
Phone: Tel: +1 303 661 9100  
Fax: +1 303 661 9199  
E-mail: e.cardona@cablelabs.com;mibs@cablelabs.com

IETF IPCDN Working Group  
General Discussion: [ipcdn@ietf.org](mailto:ipcdn@ietf.org)  
Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>  
Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>  
Co-chairs: Richard Woundy, [Richard\\_Woundy@cable.comcast.com](mailto:Richard_Woundy@cable.comcast.com)  
Jean-Francois Mule, [jf.mule@cablelabs.com](mailto:jf.mule@cablelabs.com)"

#### DESCRIPTION

"This is the MIB Module for DOCSIS 2.0-compliant Radio

Frequency (RF) interfaces in Cable Modems and  
Cable Modem Termination Systems.

Copyright (C) The Internet Society (2006). This  
version of this MIB module is part of RFC 4546; see  
the RFC itself for full legal notices."

REVISION "200605240000Z"

#### DESCRIPTION

"Revision of the IETF RF MIB module for DOCSIS 2.0.  
This version published as RFC 4546.  
This MIB module revision includes the following  
among others:  
Usage of ifType (205) for upstream logical channels.  
Addition of downstream and upstream utilization  
counters.  
Additional statistics per upstream interface.  
Upstream channel offline configuration mechanism.  
Added MIB support for new DOCSIS 2.0 modulation  
attributes.  
Euro-DOCSIS downstream interleave values.

Adjustments to RFC 2670 definitions based on  
the MIB review guidelines from the IETF

Operations and Management Area (OPS)."

REVISION "199908190000Z"

DESCRIPTION

"Initial version, published as RFC 2670.

Modified by Mike St. Johns to fix problems identified by  
the first pass of the MIB doctor. Of special note,  
docsIfRangingResp and docsIfCmtsInsertionInterval were  
obsoleted and replaced by other objects with the same  
functionality, but with more appropriate syntax."

::= { transmission 127 }

-- Textual Conventions

TenthdBmV ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d-1"

STATUS current

DESCRIPTION

"This data type represents power levels that are normally  
expressed in dBmV. Units are in tenths of a dBmV;  
for example, 5.1 dBmV will be represented as 51."

SYNTAX Integer32

TenthdB ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d-1"

STATUS current

DESCRIPTION

"This data type represents power levels that are  
normally  
expressed in dB. Units are in tenths of a dB;  
for example, 5.1 dB will be represented as 51."

SYNTAX Integer32

DocsisVersion ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Indicates the DOCSIS Radio Frequency specification being  
referenced.

'docsis10' indicates DOCSIS 1.0.

'docsis11' indicates DOCSIS 1.1.

'docsis20' indicates DOCSIS 2.0."

SYNTAX INTEGER {

```
docsis10 (1),
docsis11 (2),
docsis20 (3)
}
```

DocsisQosVersion ::= TEXTUAL-CONVENTION

```
STATUS current
DESCRIPTION
 "Indicates the referenced quality-of-service
 level.
 'docsis10' refers to DOCSIS 1.0 Class of
 Service queuing services, and 'docsis11' refers
 to DOCSIS 1.1 Quality of Service."
SYNTAX INTEGER {
 docsis10 (1),
 docsis11 (2)
}
```

DocsisUpstreamType ::= TEXTUAL-CONVENTION

```
STATUS current
DESCRIPTION
 "Indicates the DOCSIS Upstream Channel Type.
 'unknown' means information not available.
 'tdma' is related to TDMA, Time Division
 Multiple Access; 'atdma' is related to A-TDMA,
 Advanced Time Division Multiple Access,
 'scdma' is related to S-CDMA, Synchronous
 Code Division Multiple Access.
 'tdmaAndatdma' is related to simultaneous support of
 TDMA and A-TDMA modes."
SYNTAX INTEGER {
 unknown(0),
 tdma(1),
 atdma(2),
 scdma(3),
 tdmaAndatdma(4)
}
```

DocsEqualizerData ::= TEXTUAL-CONVENTION

```
STATUS current
DESCRIPTION
 "This data type represents the equalizer data
 as measured at the receiver interface.
 The format of the equalizer follows the structure of the
 Transmit Equalization Adjust RNG-RSP TLV of DOCSIS RFI
```

v2.0 :  
1 byte Main tap location 1..(n + m)  
1 byte Number of forward taps per symbol  
1 byte Number of forward taps: n  
1 byte Number of reverse taps: m

Following are the equalizer coefficients:

First, forward taps coefficients:

2 bytes F1 (real), 2 bytes F1 (imag)

...

2 bytes Fn (real), 2 bytes Fn (imag)

Then, reverse taps coefficients:

2 bytes D1 (real), 2 bytes D1 (imag)

...

2 bytes Dm (real), 2 bytes Dm (imag)

The equalizer coefficients are considered signed 16-bit integers in the range from -32768 (0x8000) to 32767 (0x7FFF).

DOCSIS specifications require up to a maximum of 64 equalizer taps (n + m); therefore, this object size can get up 260 bytes (4 + 4x64).

The minimum object size (other than zero) for a t-spaced tap with a minimum of 8 symbols will be 36 (4 + 4x8)."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Figure 8-23."

SYNTAX OCTET STRING(SIZE (0 | 36..260))

```
docsIfMibObjects OBJECT IDENTIFIER ::= { docsIfMib 1 }
docsIfBaseObjects OBJECT IDENTIFIER ::= { docsIfMibObjects 1 }
docsIfCmObjects OBJECT IDENTIFIER ::= { docsIfMibObjects 2 }
docsIfCmtsObjects OBJECT IDENTIFIER ::= { docsIfMibObjects 3 }
```

--

-- BASE GROUP

--

--



-- The following table is implemented on both the Cable Modem  
-- and the Cable Modem Termination System. This table is  
-- read only for the CM.  
--

docsIfDownstreamChannelTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfDownstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table describes the attributes of downstream  
channels (frequency bands)."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface

Specification SP-RFIV2.0-I10-051209,

Tables 6-16, and 6-17."

::= { docsIfBaseObjects 1 }

docsIfDownstreamChannelEntry OBJECT-TYPE

SYNTAX DocsIfDownstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry provides a list of attributes for a single  
downstream channel.

An entry in this table exists for each ifEntry with an  
ifType of docsCableDownstream(128)."

INDEX { ifIndex }

::= { docsIfDownstreamChannelTable 1 }

DocsIfDownstreamChannelEntry ::= SEQUENCE {

docsIfDownChannelId Integer32,

docsIfDownChannelFrequency Integer32,

docsIfDownChannelWidth Integer32,

docsIfDownChannelModulation INTEGER,

docsIfDownChannelInterleave INTEGER,

docsIfDownChannelPower TenthdBmV,

docsIfDownChannelAnnex INTEGER,

docsIfDownChannelStorageType

StorageType

}

docsIfDownChannelId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Cable Modem Termination System identification of the downstream channel within this particular MAC interface. If the interface is down, the object returns the most current value. If the downstream channel ID is unknown, this object returns a value of 0."

::= { docsIfDownstreamChannelEntry 1 }

docsIfDownChannelFrequency OBJECT-TYPE

SYNTAX Integer32 (0..1000000000)

UNITS "hertz"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The center of the downstream frequency associated with this channel. This object will return the current tuner

frequency. If a CMTS provides IF output, this object will return 0, unless this CMTS is in control of the final downstream frequency. See

the associated

compliance object for a description of valid frequencies that may be written to this object."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.3.3."

::= { docsIfDownstreamChannelEntry 2 }

docsIfDownChannelWidth OBJECT-TYPE

SYNTAX Integer32 (0..16000000)

UNITS "hertz"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The bandwidth of this downstream channel. Most implementations are expected to support a channel width of 6 MHz (North America) and/or 8 MHz (Europe). See the associated compliance object for a description of the valid channel widths for this object."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209,

Table 6-17."

```
::= { docsIfDownstreamChannelEntry 3 }
```

docsIfDownChannelModulation OBJECT-TYPE

```
SYNTAX INTEGER {
 unknown(1),
 other(2),
 qam64(3),
 qam256(4)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The modulation type associated with this downstream channel. If the interface is down, this object either returns the configured value (CMTS), the most current value (CM), or the value of unknown(1). See the associated conformance object for write conditions and limitations. See the reference for specifics on the modulation profiles implied by qam64 and qam256."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Table 6-17."

```
::= { docsIfDownstreamChannelEntry 4 }
```

docsIfDownChannelInterleave OBJECT-TYPE

```
SYNTAX INTEGER {
 unknown(1),
 other(2),
 taps8Increment16(3),
 taps16Increment8(4),
 taps32Increment4(5),
 taps64Increment2(6),
 taps128Increment1(7),
 taps12increment17(8)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The Forward Error Correction (FEC) interleaving used for this downstream channel.

Values are defined as follows:

taps8Increment16(3): protection 5.9/4.1 usec,

latency .22/.15 msec  
 taps16Increment8(4): protection 12/8.2 usec,  
 latency .48/.33 msec  
 taps32Increment4(5): protection 24/16 usec,  
 latency .98/.68 msec  
 taps64Increment2(6): protection 47/33 usec,  
 latency 2/1.4 msec  
 taps128Increment1(7): protection 95/66 usec,  
 latency 4/2.8 msec  
 taps12increment17(8):  
 protection 18/14 usec,  
 latency 0.43/0.32 msec

The value 'taps12increment17' is supported by EuroDOCSIS cable systems only, and the others by DOCSIS cable systems.

If the interface is down, this object either returns the configured value (CMTS), the most current value (CM), or the value of unknown(1).

The value of other(2) is returned if the interleave is known but not defined in the above list.

See the associated conformance object for write conditions and limitations. See the reference for the FEC configuration described by the setting of this object."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209,

Table 6-15."

::= { docsIfDownstreamChannelEntry 5 }

#### docsIfDownChannelPower OBJECT-TYPE

SYNTAX TenthdBmV

UNITS

"dBmV"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"At the CMTS, the operational transmit power. At the CM, the received power level.

If the interface is down, this object either returns the configured value (CMTS), the most current value (CM) or the value of 0. See the associated conformance object for write conditions and limitations. See the reference for recommended and required power levels."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-16, 6-17."

::= { docsIfDownstreamChannelEntry 6 }

docsIfDownChannelAnnex OBJECT-TYPE

SYNTAX INTEGER {

unknown(1),

other(2),

annexA(3),

annexB(4),

annexC(5)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of this object indicates

the conformance of

the implementation to important regional cable standards.

annexA : Annex A from ITU-T J.83 is used.

(equivalent to EN 300 429)

annexB : Annex B from ITU-T J.83 is used.

annexC : Annex C from ITU-T J.83 is used."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,

Sections 6.3.1, and H.3.1."

::= { docsIfDownstreamChannelEntry 7 }

docsIfDownChannelStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The storage type for this conceptual row.

Entries with this object set to permanent(4)

do not require write operations for read-write

objects."

::= { docsIfDownstreamChannelEntry 8 }

--

-- The following table is implemented on both the CM and the CMTS.

-- For the CM, only attached channels

appear in the table. For the

-- CM, this table is read-only as well.

--

docsIfUpstreamChannelTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfUpstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table describes the attributes of attached upstream channels."

::= { docsIfBaseObjects 2 }

docsIfUpstreamChannelEntry OBJECT-TYPE

SYNTAX DocsIfUpstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"List of attributes for a single upstream channel. For DOCSIS 2.0 CMTSs, an entry in this table exists for each ifEntry with an ifType of docsCableUpstreamChannel (205).

For DOCSIS 1.x CM/CMTSs and DOCSIS 2.0 CMs, an entry in this table exists for each ifEntry with an ifType of docsCableUpstream (129).

For DOCSIS 2.0 CMTSs, two classes of interfaces can be defined for this table:

- o Upstream Physical Interfaces: The traditional DOCSIS 1.x CMTS upstream interface ifType 129 and the DOCSIS 2.0 ifType 205 that are functional. In other words, interfaces that represent upstream receivers within an RF MAC interface.

Entries of physical interfaces are exposed to the management interface with their corresponding ifStack hierarchy and are not administratively created by this table.

- o Upstream Temporary Interfaces: A fictitious interface created for the purpose of manipulating physical interface parameters offline, then validating prior to updating the target physical interface.

In case of a reinitialization of the managed system, physical interfaces values persist while the temporary interfaces are not recreated.

This mechanism helps to minimize service disruptions originating in situations where a group of interface parameter values need to be consistent with each other in SET operations. A temporary buffer (temporary interface) is provided to allow the CMTS to validate the parameters offline."

INDEX { ifIndex }

::= { docsIfUpstreamChannelTable 1 }

```
DocsIfUpstreamChannelEntry ::= SEQUENCE {
 docsIfUpChannelId Integer32,
 docsIfUpChannelFrequency Integer32,
 docsIfUpChannelWidth Integer32,
 docsIfUpChannelModulationProfile Unsigned32,
 docsIfUpChannelSlotSize Unsigned32,
 docsIfUpChannelTxTimingOffset Unsigned32,
 docsIfUpChannelRangingBackoffStart Integer32,
 docsIfUpChannelRangingBackoffEnd Integer32,
 docsIfUpChannelTxBackoffStart Integer32,
 docsIfUpChannelTxBackoffEnd Integer32,

 docsIfUpChannelScdmaActiveCodes Unsigned32,
 docsIfUpChannelScdmaCodesPerSlot Integer32,
 docsIfUpChannelScdmaFrameSize Unsigned32,
 docsIfUpChannelScdmaHoppingSeed Unsigned32,
 docsIfUpChannelType DocsisUpstreamType,
 docsIfUpChannelCloneFrom InterfaceIndexOrZero,
 docsIfUpChannelUpdate TruthValue,
 docsIfUpChannelStatus RowStatus,
 docsIfUpChannelPreEqEnable TruthValue
}
```

docsIfUpChannelId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The CMTS identification of the upstream channel."

::= { docsIfUpstreamChannelEntry 1 }

docsIfUpChannelFrequency OBJECT-TYPE

SYNTAX Integer32 (0..1000000000)

UNITS "hertz"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The center of the frequency band associated with this upstream interface. This object returns 0 if the frequency is undefined or unknown. Minimum permitted upstream frequency is 5,000,000 Hz for current technology. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 4-2."

::= { docsIfUpstreamChannelEntry 2 }

docsIfUpChannelWidth OBJECT-TYPE

SYNTAX Integer32 (0..64000000)

UNITS "hertz"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The bandwidth of this upstream interface. This object returns 0 if the interface width is undefined or unknown. Minimum permitted interface width is currently 200,000 Hz. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 6-5."

::= { docsIfUpstreamChannelEntry 3 }

docsIfUpChannelModulationProfile OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"An entry identical to the docsIfModIndex in the docsIfCmtsModulationTable that describes this channel. This channel is further instantiated there by a grouping of interval usage codes (IUCs) that, together, fully describe the channel modulation. This object returns 0 if the docsIfCmtsModulationTable entry does not exist or is empty. See the associated conformance object for write conditions and limitations."



Setting this object returns an 'inconsistentValue' error if the following conditions are not satisfied:

1. All the IUC entries in the selected modulation profile MUST have the same value of docsIfCmtsModChannelType.
2. All of the Modulation parameters in the selected modulation profile MUST be consistent with the other parameters in this docsIfUpstreamChannelEntry."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

::= { docsIfUpstreamChannelEntry 4 }

#### docsIfUpChannelSlotSize OBJECT-TYPE

SYNTAX Unsigned32

UNITS "ticks"

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"Applicable to TDMA and ATDMA channel types only. The number of 6.25 microsecond ticks in each upstream mini-slot. Returns zero if the value is undefined or unknown or in case of an SCDMA channel. See the associated conformance object for write conditions and limitations."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.1.2.4."

::= { docsIfUpstreamChannelEntry 5 }

#### docsIfUpChannelTxTimingOffset OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"At the CM, a measure of the current round trip time obtained from the ranging offset (initial ranging offset + ranging offset adjustments). At the CMTS, the maximum of timing offset, among all the CMs that are/were present on the channel, taking into account all ( initial + periodic ) timing offset corrections that were sent for each of the CMs. Generally, these measurements are positive, but if the measurements are negative, the value of this object is zero. Used for timing of CM upstream transmissions to ensure synchronized

arrivals at the CMTS.

Units are one 64th fraction of 6.25 microseconds."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.19."

::= { docsIfUpstreamChannelEntry 6 }

#### docsIfUpChannelRangingBackoffStart OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The initial random backoff window to use when retrying  
Ranging Requests. Expressed as a power of 2. A value of  
16 at the CMTS indicates that a proprietary adaptive retry  
mechanism is to be used. See the associated conformance  
object for write conditions and limitations."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Sections 8.3.4, and 9.4."

::= { docsIfUpstreamChannelEntry  
7 }

#### docsIfUpChannelRangingBackoffEnd OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The final random backoff window to use when retrying  
Ranging Requests. Expressed as a power of 2. A value of  
16 at the CMTS indicates that a proprietary adaptive retry  
mechanism is to be used. See the associated conformance  
object for write conditions and limitations."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 8.3.4, and 9.4."

::= { docsIfUpstreamChannelEntry 8 }

#### docsIfUpChannelTxBackoffStart OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"The initial random backoff window to use when retrying transmissions. Expressed as a power of 2. A value of 16

at the CMTS indicates that a proprietary adaptive retry mechanism is to be used. See the associated conformance object for write conditions and limitations."

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.4, and 9.4."

::= { docsIfUpstreamChannelEntry 9 }

## docsIfUpChannelTxBackoffEnd OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"The final random backoff window to use when retrying transmissions. Expressed as a power of 2. A value of 16 at the CMTS indicates that a proprietary adaptive retry mechanism is to be used. See the associated conformance object for write conditions and limitations."

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification

SP-RFIV2.0-I10-051209,

Section 8.3.4, and 9.4."

::= { docsIfUpstreamChannelEntry 10 }

## docsIfUpChannelScdmaActiveCodes OBJECT-TYPE

SYNTAX Unsigned32 (0|64..66|68..70|72|74..78|80..82|84..88  
|90..96|98..100|102|104..106|108  
|110..112|114..126|128)

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"Applicable for SCDMA channel types only. Number of active codes. Returns zero for Non-SCDMA channel types. Note that legal values from 64..128 MUST be non-prime."

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.11.2.1."

::= { docsIfUpstreamChannelEntry 11 }

docsIfUpChannelScdmaCodesPerSlot OBJECT-TYPE

SYNTAX Integer32(0 | 2..32)

UNITS "codesperMinislots"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only.  
The number of SCDMA codes per mini-slot.  
Returns zero if the value is undefined or unknown or in

case of a TDMA or ATDMA channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.11.2.1."

::= { docsIfUpstreamChannelEntry 12 }

docsIfUpChannelScdmaFrameSize OBJECT-TYPE

SYNTAX Unsigned32 (0..32)

UNITS "spreadIntervals"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only.  
SCDMA Frame size in units of spreading intervals.  
This value returns zero for non-SCDMA Profiles."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.12."

::= {

docsIfUpstreamChannelEntry 13 }

docsIfUpChannelScdmaHoppingSeed OBJECT-TYPE

SYNTAX Unsigned32 (0..32767)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only.  
15-bit seed used for code hopping sequence initialization.  
Returns zero for non-SCDMA channel types.  
Setting this value to a value different than zero for  
non-SCDMA channel types returns the error 'wrongValue'."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.14.1."

::= { docsIfUpstreamChannelEntry 14 }

docsIfUpChannelType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Reflects the Upstream channel type.

This object returns the value of docsIfCmtsModChannelType  
for the modulation profile selected

in

docsIfUpChannelModulationProfile for this row."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.1."

::= { docsIfUpstreamChannelEntry 15 }

docsIfUpChannelCloneFrom OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the ifIndex value of the physical  
interface row entry whose parameters are to be adjusted.

Upon setting this object to the ifIndex value of a  
physical interface, the following interface objects values  
are copied to this entry:

docsIfUpChannelFrequency,  
docsIfUpChannelWidth,  
docsIfUpChannelModulationProfile,  
docsIfUpChannelSlotSize,  
docsIfUpChannelRangingBackoffStart,  
docsIfUpChannelRangingBackoffEnd,  
docsIfUpChannelTxBackoffStart,  
docsIfUpChannelTxBackoffEnd,  
docsIfUpChannelScdmaActiveCodes,  
docsIfUpChannelScdmaCodesPerSlot,  
docsIfUpChannelScdmaFrameSize,  
docsIfUpChannelScdmaHoppingSeed,  
docsIfUpChannelType, and

docsIfUpChannelPreEqEnable

Setting this object to the value of a non-existent or a temporary upstream interface returns the error 'wrongValue'.

This object MUST contain a value of zero for physical interfaces entries.

Setting this object in row entries that correspond to physical interfaces returns the error 'wrongValue'."

::= { docsIfUpstreamChannelEntry 16 }

docsIfUpChannelUpdate OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Used to perform the copy of adjusted parameters from the temporary interface entry to the physical interface indicated by the docsIfUpChannelCloneFrom

object. The

transfer is initiated through an SNMP SET to 'true' of

this object.

A SET to 'true' fails and returns error 'commitFailed' if docsIfUpChannelStatus value is 'notInService', which means that the interface parameters values are not compatible with each other or have not been validated yet.

Reading this object always returns 'false'."

::= { docsIfUpstreamChannelEntry 17 }

docsIfUpChannelStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is only used for the creation of a temporary upstream row with the purpose of updating the parameters of a physical upstream channel entry.

The following restrictions apply to this object:

1. This object is not writable for physical interfaces.
2. Temporary interface entries are only created by a SET

of this object to createAndWait(5).

3. ifAdminStatus from the Interface MIB RFC 2863 is used to take a physical upstream channel offline, to be consistent with DOCSIS 1.x operation, as indicated in

RFC 2670.

In addition,

- o ifAdminStatus 'down' is reflected in this object as 'notInService'.
  - o ifOperStatus 'down' while ifAdminStatus 'up' is reflected in this object as 'notInService'.
4. Temporary created rows **MUST** be set to 'active' with the purpose of validating upstream parameter consistency prior to transferring the parameters to the physical interface.

Below is a mandatory procedure for adjusting the values of a physical interface:

1. Create a temporary interface entry through an SNMP SET using 'createAndWait'. At this point, the RowStatus reports 'notReady'.  
The Manager entity uses an ifIndex value outside the operational range of the physical interfaces for the creation of a temporary interface.
2. Set the docsIfUpChannelCloneFrom object to the ifIndex value of the physical row to update. Now docsIfUpChannelStatus reports 'notInService'.
3. Change the upstream parameters to the desired values in the temporary row.

4. Validate that all parameters are consistent by setting docsIfUpChannelStatus to 'active'. A failure to set the RowStatus to 'active' returns the error 'commitFailed', which means the parameters are not compatible with the target physical interface.
5. With docsIfUpChannelStatus 'active', transfer the parameters to the target physical interface by setting the object docsIfUpChannelUpdate to 'true'.
6. Delete the temporary

row by setting

```
docsIfUpChannelStatus to 'destroy'."
::= { docsIfUpstreamChannelEntry 18 }
```

docsIfUpChannelPreEqEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"At the CMTS, this object is used to enable or disable pre-equalization on the upstream channel represented by this table instance. At the CM, this object is read-only

and reflects the status of pre-equalization as represented in the RNG-RSP. Pre-equalization is considered enabled at the CM if a RNG-RSP with pre-equalization data has been received at least once since the last mac reinitialization."

DEFVAL {false}

::= { docsIfUpstreamChannelEntry 19 }

-- The following table describes the attributes of each class of service. The entries in this table are referenced from the docsIfServiceEntries. They exist as a separate table in order to reduce redundant information in docsIfServiceTable.

-- This table is implemented at both the CM and the CMTS.  
-- The CM need only maintain entries for the classes of service referenced by its docsIfCmServiceTable.

docsIfQosProfileTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfQosProfileEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes for each class of service."

::= { docsIfBaseObjects 3 }

docsIfQosProfileEntry OBJECT-TYPE

SYNTAX DocsIfQosProfileEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes for a single class of service.

If implemented as read-create in the Cable Modem Termination System, creation of entries in this table is controlled by the value of docsIfCmtsQosProfilePermissions.

If implemented as read-only, entries are created based on information in REG-REQ

MAC messages received from

cable modems (for Cable Modem Termination System), or based on information extracted from the TFTP option file (for Cable Modem).

In the Cable Modem Termination System, read-only entries



are removed if no longer referenced by  
docsIfCmtsServiceTable.

An entry in this table **MUST** not be removed while it is  
referenced by an entry in docsIfCmServiceTable (Cable  
Modem) or docsIfCmtsServiceTable (Cable Modem Termination  
System).

An entry in this table **SHOULD NOT** be changeable while  
it is referenced by an entry in docsIfCmtsServiceTable.

If this table is created automatically, there **SHOULD** only  
be a single entry for each Class of Service. Multiple  
entries with the same Class of Service parameters are **NOT**  
**RECOMMENDED.**"

```
INDEX { docsIfQosProfIndex }
::= { docsIfQosProfileTable 1 }
```

DocsIfQosProfileEntry

```
::= SEQUENCE {
 docsIfQosProfIndex Integer32,
 docsIfQosProfPriority Integer32,
 docsIfQosProfMaxUpBandwidth Integer32,
 docsIfQosProfGuarUpBandwidth Integer32,
 docsIfQosProfMaxDownBandwidth Integer32,
 docsIfQosProfMaxTxBurst Integer32, -- deprecated
 docsIfQosProfBaselinePrivacy TruthValue,
 docsIfQosProfStatus RowStatus,
 docsIfQosProfMaxTransmitBurst Integer32,
 docsIfQosProfStorageType StorageType
}
```

docsIfQosProfIndex OBJECT-TYPE

```
SYNTAX Integer32 (1..16383)
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The index value that uniquely identifies an entry  
in the docsIfQosProfileTable."

```
::= { docsIfQosProfileEntry 1 }
```

docsIfQosProfPriority OBJECT-TYPE

```
SYNTAX Integer32 (0..7)
```

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"A relative priority assigned to this service when allocating bandwidth. Zero indicates lowest priority and seven indicates highest priority.

Interpretation of priority is device-specific.

MUST NOT be changed while this row is active."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 2 }

#### docsIfQosProfMaxUpBandwidth OBJECT-TYPE

SYNTAX Integer32 (0..100000000)

UNITS "bits per second"

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"The maximum upstream bandwidth, in bits per second, allowed for a service with this service class.

Zero if there is no restriction of upstream bandwidth.

MUST NOT be changed while this row is active."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 3 }

#### docsIfQosProfGuarUpBandwidth OBJECT-TYPE

SYNTAX Integer32 (0..100000000)

UNITS "bits per second"

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"Minimum guaranteed upstream bandwidth, in bits per second,

allowed for a service with this service class.

MUST NOT be changed while this row is active."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex C.1.1.4."

DEFVAL { 0 }  
::= { docsIfQosProfileEntry 4 }

docsIfQosProfMaxDownBandwidth OBJECT-TYPE

SYNTAX Integer32 (0..100000000)

UNITS "bits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum downstream bandwidth,  
in bits per second,  
allowed for a service with this service class.  
Zero if there is no restriction of downstream bandwidth.  
MUST NOT be changed while this row is active."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Annex C.1.1.4."

DEFVAL { 0 }  
::= { docsIfQosProfileEntry 5 }

docsIfQosProfMaxTxBurst OBJECT-TYPE

SYNTAX Integer32 (0..255)

UNITS "mini-slots"

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The maximum number of mini-slots that may be requested  
for a single upstream transmission.  
A value of zero means there is no limit.  
MUST NOT be changed while this row is active.  
This object has been deprecated and replaced by  
docsIfQosProfMaxTransmitBurst, to fix a mismatch  
of the units and value range with respect to

the DOCSIS

Maximum Upstream Channel Transmit Burst Configuration  
Setting."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
C.1.1.4."

DEFVAL { 0 }  
::= { docsIfQosProfileEntry 6 }

docsIfQosProfBaselinePrivacy OBJECT-TYPE

SYNTAX TruthValue  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"Indicates whether Baseline Privacy is enabled for this  
service class.  
MUST NOT be changed while this row is active."  
DEFVAL { false }  
::= { docsIfQosProfileEntry 7 }

docsIfQosProfStatus OBJECT-TYPE

SYNTAX RowStatus  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"This is object is used to create or delete rows in  
this table. This object MUST NOT be changed from active  
while the row is referenced by any entry in either  
docsIfCmServiceTable  
(on the CM) or  
docsIfCmtsServiceTable (on the CMTS)."  
::= { docsIfQosProfileEntry 8 }

docsIfQosProfMaxTransmitBurst OBJECT-TYPE

SYNTAX Integer32 (0..65535)  
UNITS "bytes"  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION  
"The maximum number of bytes that may be requested for a  
single upstream transmission. A value of zero means there  
is no limit. Note: This value does not include any  
physical layer overhead.  
MUST NOT be changed while this row is active."  
REFERENCE  
"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIv2.0-I10-051209,  
Annex C.1.1.4."  
DEFVAL { 0 }  
::= { docsIfQosProfileEntry 9 }

docsIfQosProfStorageType OBJECT-TYPE

SYNTAX StorageType  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The storage type for this conceptual

row.

Entries with this object set to permanent(4)

do not require write operations for writable objects."

::= { docsIfQosProfileEntry 10 }

docsIfSignalQualityTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfSignalQualityEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"At the CM, describes the PHY signal quality of downstream channels. At the CMTS, this object describes the PHY signal quality of upstream channels. At the CMTS, this table MAY exclude contention intervals."

::= { docsIfBaseObjects 4 }

docsIfSignalQualityEntry OBJECT-TYPE

SYNTAX DocsIfSignalQualityEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"At the CM, this object describes the PHY characteristics of a downstream channel. At the CMTS, it describes the PHY signal quality of an upstream channel.

An entry in this table exists

for each ifEntry with an

ifType of docsCableDownstream(128) for Cable Modems.

For DOCSIS 1.1 Cable Modem Termination Systems, an entry exists for each ifEntry with an ifType of docsCableUpstream (129).

For DOCSIS 2.0 Cable Modem Termination Systems, an entry exists for each ifEntry with an ifType of docsCableUpstreamChannel (205)."

INDEX { ifIndex }

::= { docsIfSignalQualityTable 1 }

DocsIfSignalQualityEntry ::= SEQUENCE {

docsIfSigQIncludesContention TruthValue,

docsIfSigQUnerrored Counter32,

docsIfSigQCorrecteds Counter32,

docsIfSigQUncorrectables Counter32,

docsIfSigQSignalNoise TenthdB,

docsIfSigQMicrorreflections Integer32,

docsIfSigQEqualizationData DocsEqualizerData,

```
docsIfSigQExtUnerrored Counter64,
docsIfSigQExtCorrected Counter64,
docsIfSigQExtUncorrectables
Counter64
}
```

docsIfSigQIncludesContention OBJECT-TYPE

```
SYNTAX TruthValue
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "true(1) if this CMTS includes contention intervals in
 the counters in this table. Always false(2) for CMs."
REFERENCE
 "Data-Over-Cable Service Interface Specifications: Radio
 Frequency Interface Specification SP-RFIV2.0-I10-051209,
 Section 9.4.1"
 ::= { docsIfSignalQualityEntry 1 }
```

docsIfSigQUnerrored OBJECT-TYPE

```
SYNTAX Counter32
UNITS "codewords"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "Codewords received on this channel without error.
 This includes all codewords, whether or not they
 were part of frames destined for this device.
 Discontinuities in the value of this counter can occur
 at reinitialization of the managed system, and at other
 times as indicated
 by the value of
 ifCounterDiscontinuityTime for the associated ifIndex."
REFERENCE
 "Data-Over-Cable Service Interface Specifications: Radio
 Frequency Interface Specification SP-RFIV2.0-I10-051209,
 Sections 6.2.4, and 6.3.6."
 ::= { docsIfSignalQualityEntry 2 }
```

docsIfSigQCorrected OBJECT-TYPE

```
SYNTAX Counter32
UNITS "codewords"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
```

"Codewords received on this channel with correctable errors. This includes all codewords, whether or not they were part of frames destined for this device. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 3 }

docsIfSigQUncorrectables OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel with uncorrectable errors. This includes all codewords, whether or not they were part of frames destined for this device. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 4 }

docsIfSigQSignalNoise OBJECT-TYPE

SYNTAX TenthdB

UNITS "TenthdB"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Signal/Noise ratio as perceived for this channel. At the CM, this object describes the Signal/Noise of the downstream channel. At the CMTS, it describes the average Signal/Noise of the upstream channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 4-1 and 4-2"  
::= { docsIfSignalQualityEntry 5 }

docsIfSigQMicroreflections OBJECT-TYPE

SYNTAX Integer32 (0..255)

UNITS "-dBc"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Microreflections, including in-channel response  
as perceived on this interface, measured in dBc below  
the signal level.

This object is not assumed to return an absolutely  
accurate value, but it gives a rough indication

of microreflections received on this interface.

It is up to the implementer to provide information  
as accurately as possible."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 4-1 and 4-2"

::= { docsIfSignalQualityEntry 6 }

docsIfSigQEqualizationData OBJECT-TYPE

SYNTAX DocsEqualizerData

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CM, this object returns the equalization data for  
the downstream channel.

At the CMTS, this object is not applicable and is not  
instantiated. Note that previous CMTS implementations  
may instantiate this object in two ways:

- An equalization value indicating an equalization  
average for the upstream channel. Those values have  
vendor-dependent

interpretations.

- Return a zero-length OCTET STRING to indicate that  
the value is unknown or if there is no equalization  
data available or defined."

REFERENCE

"DOCSIS Radio Frequency Interface Specification,  
Figure 6-23."



::= { docsIfSignalQualityEntry 7 }

docsIfSigQExtUnerrored OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel without error.

This includes all codewords, whether or not they were part of frames destined for this device.

This is the 64-bit version of docsIfSigQUnerrored.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,

Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 8 }

docsIfSigQExtCorrecteds OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel with correctable

errors. This includes all codewords, whether or not they were part of frames destined for this device.

This is the 64-bit version of docsIfSigQCorrecteds.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,

Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 9 }

docsIfSigQExtUncorrectables OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"Codewords received on this channel with uncorrectable errors. This includes all codewords, whether or not they were part of frames destined for this device. This is the 64-bit version of docsIfSigQUncorrectables. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, 6.3.6."

::= { docsIfSignalQualityEntry 10 }

--  
-- DOCSIS Version of  
the device  
--

docsIfDocsisBaseCapability OBJECT-TYPE

SYNTAX DocsisVersion  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"Indication of the DOCSIS capability of the device."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex G."

::= { docsIfBaseObjects 5 }

--  
-- CABLE MODEM GROUP  
--  
--  
-- The CM MAC Table  
--

docsIfCmMacTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmMacEntry

MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"Describes the attributes of each CM MAC interface,  
extending the information available from ifEntry."  
::= { docsIfCmObjects 1 }

docsIfCmMacEntry OBJECT-TYPE  
SYNTAX DocsIfCmMacEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"An entry containing objects describing attributes  
of  
each MAC entry, extending the information in ifEntry.  
An entry in this table exists for each ifEntry with an  
ifType of docsCableMaclayer(127)."  
INDEX { ifIndex }  
::= { docsIfCmMacTable 1 }

DocsIfCmMacEntry ::= SEQUENCE {  
docsIfCmCmtsAddress MacAddress,  
docsIfCmCapabilities BITS,  
docsIfCmRangingRespTimeout TimeTicks,  
docsIfCmRangingTimeout TimeInterval  
}

docsIfCmCmtsAddress OBJECT-TYPE  
SYNTAX MacAddress  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"Identifies the CMTS that is believed to control this MAC  
domain. At the CM, this will be the source address from  
SYNC, MAP, and other MAC-layer messages. If the CMTS is  
unknown, returns 00-00-00-00-00-00."  
REFERENCE  
"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 8.2.2."  
::= { docsIfCmMacEntry 1 }

docsIfCmCapabilities OBJECT-TYPE  
SYNTAX BITS {  
atmCells(0),

```
concatenation(1)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "Identifies the capabilities of the MAC implementation
 at this interface. Note that packet transmission is
 always supported. Therefore, there is no specific bit
 required to explicitly indicate this capability.
 Note that BITS objects are encoded most significant bit
 first. For example, if bit 1 is set, the value of this
 object is the octet string '40H.'"
 ::= { docsIfCmMacEntry 2 }
```

#### docsIfCmRangingRespTimeout OBJECT-TYPE

```
SYNTAX TimeTicks
MAX-ACCESS read-write
STATUS obsolete
DESCRIPTION
 "Waiting time for a Ranging Response packet.
 This object has been obsoleted and replaced by
 docsIfCmRangingTimeout to correct
 the typing to
 TimeInterval."
REFERENCE
 "Data-Over-Cable Service Interface Specifications: Radio
 Frequency Interface Specification SP-RFIV2.0-I10-051209,
 Section 9.1.6."
DEFVAL { 20 }
 ::= { docsIfCmMacEntry 3 }
```

#### docsIfCmRangingTimeout OBJECT-TYPE

```
SYNTAX TimeInterval
UNITS "HundredOfSeconds"
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "Waiting time for a Ranging Response packet.
 This object MUST NOT persist at reinitialization
 of the managed system."
REFERENCE
 "Data-Over-Cable Service Interface Specifications: Radio
 Frequency Interface Specification SP-RFIV2.0-I10-051209,
 Section 9.1.6, timer T3."
DEFVAL { 20 }
```

```

 ::= { docsIfCmMacEntry 4 }

--
-- CM status table.
-- This table is implemented only at the CM.
--

docsIfCmStatusTable OBJECT-TYPE
 SYNTAX SEQUENCE OF DocsIfCmStatusEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "This table maintains a number of status objects
 and counters for Cable Modems."
 ::= { docsIfCmObjects 2 }

docsIfCmStatusEntry OBJECT-TYPE
 SYNTAX DocsIfCmStatusEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "A set of status objects and counters for a single MAC
 layer instance in Cable Modem.
 An entry in this table exists for each ifEntry with an
 ifType of docsCableMaclayer(127)."
 INDEX { ifIndex }
 ::= { docsIfCmStatusTable 1 }

DocsIfCmStatusEntry ::= SEQUENCE {
 docsIfCmStatusValue INTEGER,
 docsIfCmStatusCode OCTET STRING,
 docsIfCmStatusTxPower TenthdBmV,
 docsIfCmStatusResets Counter32,
 docsIfCmStatusLostSynes Counter32,

 docsIfCmStatusInvalidMaps Counter32,
 docsIfCmStatusInvalidUcDs
Counter32,
 docsIfCmStatusInvalidRangingResponses Counter32,
 docsIfCmStatusInvalidRegistrationResponses Counter32,
 docsIfCmStatusT1Timeouts Counter32,
 docsIfCmStatusT2Timeouts Counter32,
 docsIfCmStatusT3Timeouts Counter32,
 docsIfCmStatusT4Timeouts Counter32,
 docsIfCmStatusRangingAbortedS Counter32,
 docsIfCmStatusDocsisOperMode DocsisQosVersion,

```

```

docsIfCmStatusModulationType DocsisUpstreamType,
docsIfCmStatusEqualizationData DocsEqualizerData,
docsIfCmStatusUCCs Counter32,
docsIfCmStatusUCCFails Counter32
}

```

docsIfCmStatusValue OBJECT-TYPE

```

SYNTAX INTEGER {
 other(1),
 notReady(2),
 notSynchronized(3),
 phySynchronized(4),
 usParametersAcquired(5),
 rangingComplete(6),
 ipComplete(7),
 todEstablished(8),
 securityEstablished(9),
 paramTransferComplete(10),
 registrationComplete(11),
 operational(12),
 accessDenied(13)
}

```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current Cable Modem connectivity state, as specified in the RF Interface Specification. Interpretations for state values 1-12 are clearly outlined in the SP-RFI reference given below.

The state value accessDenied(13) indicates the CMTS has sent a Registration Aborted message to the CM. The same state is reported as accessDenied(7) by the CMTS object docsIfCmtsCmStatusValue."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 11.2.

Data-Over-Cable Service Interface Specifications:

Operations Support System Interface Specification  
 SP-OSSIV2.0-I09-050812,

Section 6.3.4.2."

```
 ::= { docsIfCmStatusEntry 1 }
```

docsIfCmStatusCode OBJECT-TYPE

```
SYNTAX OCTET STRING (SIZE(0 | 5 | 6))
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Status code for a Cable Modem as defined in the OSSI Specification. The status code consists of a single character indicating error groups, followed by a two- or three-digit number indicating the status condition, followed by a decimal.

An example of a returned value could be 'T101.0'.

The zero-length OCTET STRING indicates no status code yet registered."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Operations Support System Interface Specification SP-OSSIV2.0-I09-050812, Annex D."

::= { docsIfCmStatusEntry 2 }

docsIfCmStatusTxPower OBJECT-TYPE

SYNTAX TenthdBmV

UNITS "TenthdBmV"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The operational transmit power for the attached upstream channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.18."

::= { docsIfCmStatusEntry 3 }

docsIfCmStatusResets OBJECT-TYPE

SYNTAX Counter32

UNITS "resets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM reset or initialized this interface.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmStatusEntry 4 }

docsIfCmStatusLostSynchs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM lost synchronization with the downstream channel. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.2."

::= { docsIfCmStatusEntry 5 }

docsIfCmStatusInvalidMaps OBJECT-TYPE

SYNTAX Counter32

UNITS "maps"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid MAP messages. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.4."

::= { docsIfCmStatusEntry 6 }

docsIfCmStatusInvalidUcds OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid UCD messages. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of



ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 8.3.3."

::= { docsIfCmStatusEntry 7 }

docsIfCmStatusInvalidRangingResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid ranging response  
messages.

Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 8.3.6."

::= { docsIfCmStatusEntry 8 }

docsIfCmStatusInvalidRegistrationResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid registration  
response messages.

Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as

indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 8.3.8."

::= { docsIfCmStatusEntry 9 }

docsIfCmStatusT1Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"  
MAX-ACCESS read-only  
STATUS current

#### DESCRIPTION

"Number of times counter T1 expired in the CM.  
Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Figure 9-2."

::= { docsIfCmStatusEntry 10 }

#### docsIfCmStatusT2Timeouts OBJECT-TYPE

SYNTAX Counter32  
UNITS "timeouts"  
MAX-ACCESS read-only  
STATUS current

#### DESCRIPTION

"Number of times counter T2 expired in the CM.  
Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Figure 9-2."

::= { docsIfCmStatusEntry 11 }

#### docsIfCmStatusT3Timeouts OBJECT-TYPE

SYNTAX Counter32  
UNITS "timeouts"  
MAX-ACCESS read-only  
STATUS current

#### DESCRIPTION

"Number of times counter T3 expired in the CM.  
Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times  
as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Figure 9-2."

::= { docsIfCmStatusEntry 12 }

docsIfCmStatusT4Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times counter T4 expired in the CM.  
Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Figure 9-2."

::= { docsIfCmStatusEntry 13 }

docsIfCmStatusRangingAborted OBJECT-TYPE

OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the ranging process was aborted  
by the CMTS.  
Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 9.3.3."

::= { docsIfCmStatusEntry 14 }

docsIfCmStatusDocsisOperMode OBJECT-TYPE

SYNTAX DocsisQosVersion

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"Indication of whether the device has registered using 1.0 Class of Service or 1.1 Quality of Service. An unregistered CM SHOULD indicate 'docsis11'

for a

docsIfDocsisBaseCapability value of DOCSIS 1.1/2.0. An unregistered CM SHOULD indicate 'docsis10' for a docsIfDocsisBaseCapability value of DOCSIS 1.0."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex G."

::= { docsIfCmStatusEntry 15 }

#### docsIfCmStatusModulationType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"Indicates modulation type status currently used by the CM. Since this object specifically identifies PHY mode, the shared upstream channel type is not permitted."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.1."

::= { docsIfCmStatusEntry 16 }

#### docsIfCmStatusEqualizationData OBJECT-TYPE

SYNTAX DocsEqualizerData

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"Pre-equalization data for this CM after convolution with data indicated in the RNG-RSP. This data is valid when docsIfUpChannelPreEqEnable is set to true."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Figure 8-23."

::= { docsIfCmStatusEntry 17 }

#### docsIfCmStatusUCCs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of successful Upstream Channel Change transactions.  
Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."  
::= { docsIfCmStatusEntry 18 }

docsIfCmStatusUCCFails OBJECT-TYPE

SYNTAX Counter32  
UNITS "attempts"

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of failed Upstream Channel Change transactions.  
Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."  
::= { docsIfCmStatusEntry 19 }

--  
-- The Cable Modem Service Table  
--

docsIfCmServiceTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmServiceEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"Describes the attributes of each upstream service queue on a CM."  
::= { docsIfCmObjects 3 }

docsIfCmServiceEntry OBJECT-TYPE

SYNTAX DocsIfCmServiceEntry  
MAX-ACCESS not-accessible  
STATUS  
current  
DESCRIPTION

"Describes the attributes of an upstream bandwidth service queue.

An entry in this table exists for each Service ID.

The primary index is an ifIndex with an ifType of docsCableMaclayer(127)."

INDEX { ifIndex, docsIfCmServiceId }

::= { docsIfCmServiceTable 1 }

```
DocsIfCmServiceEntry ::= SEQUENCE {
 docsIfCmServiceId Integer32,
 docsIfCmServiceQosProfile Integer32,
 docsIfCmServiceTxSlotsImmed Counter32,
 docsIfCmServiceTxSlotsDed Counter32,
 docsIfCmServiceTxRetries Counter32,
 docsIfCmServiceTxExceededs Counter32,
 docsIfCmServiceRqRetries Counter32,
 docsIfCmServiceRqExceededs Counter32,
 docsIfCmServiceExtTxSlotsImmed Counter64,
 docsIfCmServiceExtTxSlotsDed Counter64
}
```

docsIfCmServiceId OBJECT-TYPE

SYNTAX Integer32 (1..16383)

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"Identifies a service queue for upstream bandwidth. The attributes of this service queue are shared between the CM and the CMTS. The CMTS allocates upstream bandwidth to this service queue based on requests from the CM and on the class of service associated with this queue."

::= { docsIfCmServiceEntry 1 }

docsIfCmServiceQosProfile OBJECT-TYPE

SYNTAX Integer32 (0..16383)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index in docsIfQosProfileTable describing the quality of service attributes associated with this particular service. If no associated entry in docsIfQosProfileTable exists, this object returns a value of zero."

::= { docsIfCmServiceEntry 2 }

docsIfCmServiceTxSlotsImmed OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in immediate (contention) mode. This includes only those PDUs that are presumed to have arrived at the head-end (i.e., those that were explicitly acknowledged). It does not include retransmission attempts or mini-slots used by requests.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 3 }

docsIfCmServiceTxSlotsDed OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in dedicated mode (i.e., as a result of a unicast Data Grant).

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 4 }

docsIfCmServiceTxRetries OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of attempts to transmit data PDUs containing requests for acknowledgment that did not result in acknowledgment.  
Discontinuities in the value of  
this counter can occur  
at reinitialization of the managed system, and at other times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."  
REFERENCE  
"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."  
::= { docsIfCmServiceEntry 5 }

docsIfCmServiceTxExceededs OBJECT-TYPE

SYNTAX Counter32  
UNITS "attempts"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of data PDU transmission failures due to excessive retries without acknowledgment.  
Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of  
  
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications:  
Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."  
::= { docsIfCmServiceEntry 6 }

docsIfCmServiceRqRetries OBJECT-TYPE

SYNTAX Counter32  
UNITS "attempts"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The number of attempts to transmit bandwidth requests that did not result in acknowledgment."



Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I110-051209, Section 9.4."

::= { docsIfCmServiceEntry 7 }

docsIfCmServiceRqExceededs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of requests for bandwidth that failed due to excessive retries without acknowledgment.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I110-051209, Section 9.4."

::= { docsIfCmServiceEntry 8 }

docsIfCmServiceExtTxSlotsImmed OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in immediate (contention) mode. This includes only those PDUs that are presumed to have arrived at the head-end

(i.e., those that were explicitly acknowledged). It does not include retransmission attempts or mini-slots used by requests.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 9.4."

::= { docsIfCmServiceEntry 9 }

docsIfCmServiceExtTxSlotsDed OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of upstream mini-slots that have been used to  
transmit data PDUs in dedicated mode (i.e., as a result  
of a unicast Data Grant).

Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other  
times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 9.4."

::= { docsIfCmServiceEntry 10 }

--

-- CMTS GROUP

--

--

-- The CMTS MAC Table

--

docsIfCmtsMacTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes of each CMTS MAC interface,  
extending the information available from ifEntry.

Mandatory for all CMTS devices."

::= { docsIfCmtsObjects 1 }

docsIfCmtsMacEntry OBJECT-TYPE

SYNTAX DocsIfCmtsMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry containing objects describing attributes of each  
MAC entry, extending the information in ifEntry.

An entry in this table exists for each ifEntry with an  
ifType of docsCableMaclayer(127)."

INDEX { ifIndex }

::= { docsIfCmtsMacTable 1 }

DocsIfCmtsMacEntry ::= SEQUENCE {

docsIfCmtsCapabilities BITS,

docsIfCmtsSyncInterval Integer32,

docsIfCmtsUcdInterval Integer32,

docsIfCmtsMaxServiceIds Integer32,

docsIfCmtsInsertionInterval TimeTicks, -- Obsolete

docsIfCmtsInvitedRangingAttempts Integer32,

docsIfCmtsInsertInterval TimeInterval,

docsIfCmtsMacStorageType StorageType

}

docsIfCmtsCapabilities OBJECT-TYPE

SYNTAX BITS {

atmCells(0),

concatenation(1)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Identifies the capabilities of the CMTS MAC  
implementation at this interface. Note

that packet

transmission is always supported. Therefore, there  
is no specific bit required to explicitly indicate  
this capability.

Note that BITS objects are encoded most significant bit  
first. For example, if bit 1 is set, the value of this  
object is the octet string '40'H."

::= { docsIfCmtsMacEntry 1 }

docsIfCmtsSyncInterval OBJECT-TYPE

SYNTAX Integer32 (1..200)

UNITS "Milliseconds"

MAX-ACCESS read-write  
STATUS current  
DESCRIPTION  
"The interval between CMTS transmission of successive SYNC messages at this interface."  
REFERENCE  
"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.3."  
::= { docsIfCmtsMacEntry 2 }

docsIfCmtsUcdInterval OBJECT-TYPE

SYNTAX Integer32 (1..2000)  
UNITS "Milliseconds"  
MAX-ACCESS read-write

STATUS current  
DESCRIPTION  
"The interval between CMTS transmission of successive Upstream Channel Descriptor messages for each upstream channel at this interface."  
REFERENCE  
"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.3"  
::= { docsIfCmtsMacEntry 3 }

docsIfCmtsMaxServiceIds OBJECT-TYPE

SYNTAX Integer32 (1..16383)  
UNITS "SIDs"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The maximum number of service IDs that may be simultaneously active."  
::= { docsIfCmtsMacEntry 4 }

docsIfCmtsInsertionInterval OBJECT-TYPE

SYNTAX TimeTicks  
MAX-ACCESS read-write  
STATUS obsolete  
DESCRIPTION  
"The amount of time to elapse between each broadcast initial maintenance grant. Broadcast initial maintenance grants are used to allow  
new cable modems to join the  
network. Zero indicates that a vendor-specific algorithm is used instead of a fixed time. The maximum amount of

time permitted by the specification is 2 seconds.  
This object has been obsoleted and replaced by  
docsIfCmtsInsertInterval to fix a SYNTAX typing problem."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Annex B."

::= { docsIfCmtsMacEntry 5 }

#### docsIfCmtsInvitedRangingAttempts OBJECT-TYPE

SYNTAX Integer32 (0..1024)

UNITS "attempts"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The maximum number of attempts to make on invitations  
for ranging requests. A value of zero means the system  
SHOULD attempt to range forever."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency  
Interface Specification SP-RFIV2.0-I10-051209,  
Section 9.3.3 and Annex B."

::= { docsIfCmtsMacEntry 6 }

#### docsIfCmtsInsertInterval OBJECT-TYPE

SYNTAX TimeInterval

UNITS "HundredOfSeconds"

MAX-ACCESS read-write

STATUS current

#### DESCRIPTION

"The amount of time to elapse between each broadcast  
initial maintenance grant. Broadcast initial maintenance  
grants are used to allow new cable modems to join the  
network. Zero indicates that a vendor-specific algorithm  
is used instead of a fixed time. The maximum amount of  
time permitted by the specification is 2 seconds."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Annex B."

::= { docsIfCmtsMacEntry 7 }

#### docsIfCmtsMacStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The storage type for this conceptual row.

Entries with this object set to permanent(4)  
do not require write operations for read-write  
objects."

::= { docsIfCmtsMacEntry 8 }

--

--

-- CMTS status table.

--

docsIfCmtsStatusTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"For the MAC layer, this group maintains a number of  
status objects and counters."

::= { docsIfCmtsObjects 2 }

docsIfCmtsStatusEntry OBJECT-TYPE

SYNTAX DocsIfCmtsStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Status entry for a single MAC layer.

An entry in this table exists for each ifEntry with an  
ifType of docsCableMaclayer(127)."

INDEX { ifIndex }

::= { docsIfCmtsStatusTable 1 }

DocsIfCmtsStatusEntry ::= SEQUENCE {

docsIfCmtsStatusInvalidRangeReqs

Counter32,

docsIfCmtsStatusRangingAbortedds Counter32,

docsIfCmtsStatusInvalidRegReqs Counter32,

docsIfCmtsStatusFailedRegReqs Counter32,

docsIfCmtsStatusInvalidDataReqs Counter32,

docsIfCmtsStatusT5Timeouts Counter32

}

docsIfCmtsStatusInvalidRangeReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts invalid RNG-REQ messages received on this interface.

Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.5."

::= { docsIfCmtsStatusEntry 1 }

docsIfCmtsStatusRangingAborted OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts ranging attempts that were explicitly aborted by the CMTS.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.6."

::= { docsIfCmtsStatusEntry 2 }

docsIfCmtsStatusInvalidRegReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts invalid REG-REQ messages received on

this interface; that is, syntax, out of range parameters,

or erroneous requests.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.7."

::= { docsIfCmtsStatusEntry 3 }

#### docsIfCmtsStatusFailedRegReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"This object counts failed registration attempts. Included are docsIfCmtsStatusInvalidRegReqs, authentication, and class of service failures.

Discontinuities in the value of this counter can occur at reinitialization

of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.7."

::= { docsIfCmtsStatusEntry 4 }

#### docsIfCmtsStatusInvalidDataReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"This object counts invalid data request messages received on this interface.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsStatusEntry 5 }



docsIfCmtsStatusT5Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts the number of times counter T5 expired on this interface.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Figure 9-2."

::= { docsIfCmtsStatusEntry 6 }

--

-- CM status table (within CMTS).

-- This table is implemented only at the CMTS.

-- It contains per-CM status information available in the CMTS.

--

docsIfCmtsCmStatusTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsCmStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of objects in the CMTS, maintained for each cable modem connected to this CMTS."

::= { docsIfCmtsObjects 3 }

docsIfCmtsCmStatusEntry OBJECT-TYPE

SYNTAX DocsIfCmtsCmStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Status information for a single cable modem.  
An entry in this table exists for each cable modem that is connected to the CMTS implementing this table."

INDEX { docsIfCmtsCmStatusIndex }

::= { docsIfCmtsCmStatusTable 1 }

DocsIfCmtsCmStatusEntry ::= SEQUENCE {

docsIfCmtsCmStatusIndex Integer32,

```

docsIfCmtsCmStatusMacAddress MacAddress,
docsIfCmtsCmStatusIpAddress IPAddress, -- deprecated
docsIfCmtsCmStatusDownChannelIfIndex InterfaceIndexOrZero,
docsIfCmtsCmStatusUpChannelIfIndex InterfaceIndexOrZero,
docsIfCmtsCmStatusRxPower TenthdBmV,
docsIfCmtsCmStatusTimingOffset Unsigned32,
docsIfCmtsCmStatusEqualizationData
DocsEqualizerData,
docsIfCmtsCmStatusValue INTEGER,
docsIfCmtsCmStatusUnerrored Counter32,
docsIfCmtsCmStatusCorrecteds Counter32,
docsIfCmtsCmStatusUncorrectables Counter32,
docsIfCmtsCmStatusSignalNoise TenthdB,
docsIfCmtsCmStatusMicroreflections Integer32,
docsIfCmtsCmStatusExtUnerrored Counter64,
docsIfCmtsCmStatusExtCorrecteds Counter64,
docsIfCmtsCmStatusExtUncorrectables Counter64,
docsIfCmtsCmStatusDocsisRegMode DocsisQosVersion,
docsIfCmtsCmStatusModulationType DocsisUpstreamType,
docsIfCmtsCmStatusInetAddressType InetAddressType,
docsIfCmtsCmStatusInetAddress InetAddress,

docsIfCmtsCmStatusValueLastUpdate TimeStamp,
docsIfCmtsCmStatusHighResolutionTimingOffset Unsigned32
}

```

docsIfCmtsCmStatusIndex OBJECT-TYPE

SYNTAX

Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Index value to uniquely identify an entry in this table.

For an individual cable modem, this index value SHOULD

NOT change during CMTS uptime."

::= { docsIfCmtsCmStatusEntry 1 }

docsIfCmtsCmStatusMacAddress OBJECT-TYPE

SYNTAX MacAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"MAC address of the cable modem. If the cable modem has multiple MAC addresses, this is the MAC address associated with the Cable interface."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 8.2.2."

::= { docsIfCmtsCmStatusEntry 2 }

docsIfCmtsCmStatusIpAddress OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"IP address

of this cable modem. If the cable modem has no

IP address assigned, or the IP address is unknown, this  
object returns a value of 0.0.0.0. If the cable modem has  
multiple IP addresses, this object returns the IP address  
associated with the Cable interface.

This object has been deprecated and replaced by  
docsIfCmtsCmStatusInetAddressType and  
docsIfCmtsCmStatusInetAddress, to enable IPv6 addressing  
in the future."

::= { docsIfCmtsCmStatusEntry 3 }

docsIfCmtsCmStatusDownChannelIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"IfIndex of the downstream channel that this CM is  
connected to. If the downstream channel is unknown, this  
object returns a value of zero."

::= { docsIfCmtsCmStatusEntry 4 }

docsIfCmtsCmStatusUpChannelIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"For DOCSIS 2.0, indicates the ifIndex of the logical  
upstream channel (ifType 205) this CM is connected to.  
For DOCSIS 1.x, indicates the ifIndex of the upstream  
channel (ifType 129) this CM is connected to.  
If the upstream channel is unknown, this object  
returns a value of zero."

::= { docsIfCmtsCmStatusEntry 5 }

docsIfCmtsCmStatusRxPower OBJECT-TYPE

SYNTAX TenthdBmV

UNITS "TenthdBmV"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The receive power as perceived for upstream data from this cable modem.

If the receive power is unknown, this object returns a value of zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.18."

```
::= { docsIfCmtsCmStatusEntry 6
}
```

docsIfCmtsCmStatusTimingOffset OBJECT-TYPE

SYNTAX Unsigned32 (0..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A measure of the current round trip time for this CM.

Used for timing of CM upstream transmissions to ensure synchronized arrivals at the CMTS. Units are in terms of (6.25 microseconds/64). Returns zero if the value is unknown.

For channels requiring finer resolution, please refer to object docsIfCmtsCmStatusHighResolutionTimingOffset."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.17."

```
::= { docsIfCmtsCmStatusEntry 7 }
```

docsIfCmtsCmStatusEqualizationData OBJECT-TYPE

SYNTAX DocsEqualizerData

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Equalization data for this CM, as measured by the CMTS.

Returns the zero-length OCTET STRING if the value is unknown or if there is no equalization data available or defined."

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Figure 8-23."

::= { docsIfCmtsCmStatusEntry 8 }

docsIfCmtsCmStatusValue OBJECT-TYPE

SYNTAX INTEGER {

other(1),  
ranging(2),  
rangingAborted(3),  
rangingComplete(4),  
ipComplete(5),  
registrationComplete(6),  
accessDenied(7),  
operational(8),  
-- value 8 should not be used  
registeredBPIInitializing(9)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current cable modem connectivity state, as specified in the RF Interface Specification. Returned status information is the CM status, as assumed by the CMTS, and indicates

the following events:

other(1)

Any state other than below.

ranging(2)

The CMTS has received an Initial Ranging Request message from the CM, and the ranging process is not yet complete.

rangingAborted(3)

The CMTS has sent a Ranging Abort message to the CM.

rangingComplete(4)

The CMTS has sent a Ranging Complete message to the CM.

ipComplete(5)

The CMTS has received a DHCP reply message and forwarded it to the CM.

registrationComplete(6)

The CMTS has sent a Registration Response message to the CM.

accessDenied(7)

The CMTS has sent a Registration Aborted message

to the CM.  
operational(8)  
Value 8 is considered reserved and should not be defined  
in future revisions of this MIB module to avoid conflict  
with documented  
implementations that support value 8 to  
indicate operational state after completing the BPI  
initialization process.  
registeredBPIinitializing(9)  
Baseline Privacy (BPI) is enabled and the CMTS is in the  
process of completing BPI initialization. This state  
MAY last for a significant length of time if failures  
occur during the initialization process. After  
completion of BPI initialization, the CMTS will report  
registrationComplete(6).  
The CMTS only needs to report states it is able to  
detect."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 11.2."

::= { docsIfCmtsCmStatusEntry 9 }

#### docsIfCmtsCmStatusUnerrored OBJECT-TYPE

SYNTAX Counter32  
UNITS "codewords"  
MAX-ACCESS read-only  
STATUS current

#### DESCRIPTION

"Codewords received without error from this cable modem.  
Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.4."

::= { docsIfCmtsCmStatusEntry 10 }

#### docsIfCmtsCmStatusCorrected OBJECT-TYPE

SYNTAX Counter32  
UNITS "codewords"  
MAX-ACCESS read-only  
STATUS current

#### DESCRIPTION

"Codewords received with correctable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime

for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.4."

::= { docsIfCmtsCmStatusEntry 11 }

#### docsIfCmtsCmStatusUncorrectables OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"Codewords received with uncorrectable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.4."

::= { docsIfCmtsCmStatusEntry 12 }

#### docsIfCmtsCmStatusSignalNoise OBJECT-TYPE

SYNTAX TenthdB

UNITS "TenthdB"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"Signal/Noise ratio as perceived for upstream data from this cable modem.

If the Signal/Noise is unknown, this object returns a value of zero."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,

Tables 4-1 and 4-2."

::= { docsIfCmtsCmStatusEntry 13 }

docsIfCmtsCmStatusMicroreflections OBJECT-TYPE

SYNTAX Integer32 (0..255)

UNITS "-dBc"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Total microreflections, including in-channel response as perceived on this interface, measured in dBc below the signal level.

This object is not assumed to return an absolutely accurate value, but it gives a rough indication of microreflections

received on this interface.

It is up to the implementer to provide information as accurately as possible.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 4-1 and 4-2"

::= { docsIfCmtsCmStatusEntry 14 }

docsIfCmtsCmStatusExtUnerroreds OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received without error from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the

value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.5."

::= { docsIfCmtsCmStatusEntry 15 }

docsIfCmtsCmStatusExtCorrecteds OBJECT-TYPE

SYNTAX Counter64



UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received with correctable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.5."

```
::= { docsIfCmtsCmStatusEntry
16 }
```

docsIfCmtsCmStatusExtUncorrectables OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received with uncorrectable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.5."

```
::= { docsIfCmtsCmStatusEntry 17 }
```

docsIfCmtsCmStatusDocsisRegMode OBJECT-TYPE

SYNTAX DocsisQosVersion

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indication of whether the CM has registered using 1.0 Class of Service or 1.1 Quality of Service."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209,

Annex G."

::= { docsIfCmtsCmStatusEntry 18 }

docsIfCmtsCmStatusModulationType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates modulation type currently used by the CM. Since this object specifically identifies PHY mode, the shared type is not permitted. If the upstream channel is unknown, this object returns a value of zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

::= { docsIfCmtsCmStatusEntry 19 }

docsIfCmtsCmStatusInetAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of internet address of docsIfCmtsCmStatusInetAddress. If the cable modem internet address is unassigned or unknown, then the value of this object is unknown(0)."

::= { docsIfCmtsCmStatusEntry 20 }

docsIfCmtsCmStatusInetAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Internet address of this cable modem. If the Cable Modem has no Internet address assigned, or the Internet address is unknown, the value of this object is the zero-length OCTET STRING. If the cable modem has multiple Internet addresses, this object returns the Internet address associated with the Cable (i.e., RF MAC) interface."

::= { docsIfCmtsCmStatusEntry 21 }

docsIfCmtsCmStatusValueLastUpdate OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The value of sysUpTime when docsIfCmtsCmStatusValue  
was last updated."  
::= { docsIfCmtsCmStatusEntry 22 }

docsIfCmtsCmStatusHighResolutionTimingOffset OBJECT-TYPE

SYNTAX Unsigned32 (0..4294967295)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"A measure of the current round trip time for this CM.  
Used for timing of CM upstream transmissions to ensure  
synchronized arrivals at the CMTS. Units are in terms  
of (6.25 microseconds/(64\*256)). Returns zero if the value  
is unknown.  
This is the high resolution version of object  
docsIfCmtsCmStatusTimingOffset, for channels requiring  
finer resolution."  
REFERENCE  
"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Section 6.2.17."  
::= { docsIfCmtsCmStatusEntry  
23 }

--  
-- The CMTS Service Table.  
--

docsIfCmtsServiceTable OBJECT-TYPE  
SYNTAX SEQUENCE OF DocsIfCmtsServiceEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"Describes the attributes of upstream service queues  
in a Cable Modem Termination System."  
::= { docsIfCmtsObjects 4 }

docsIfCmtsServiceEntry OBJECT-TYPE  
SYNTAX DocsIfCmtsServiceEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION

"Describes the attributes of a single upstream bandwidth service queue.

Entries in this table exist for each ifEntry with an ifType of docsCableMaclayer(127), and for each service queue (Service ID) within this MAC layer.

Entries in this table are created with the creation of individual Service IDs by the MAC layer and removed when a Service ID is removed."

INDEX { ifIndex, docsIfCmtsServiceId }

::= { docsIfCmtsServiceTable

1 }

DocsIfCmtsServiceEntry ::= SEQUENCE {

docsIfCmtsServiceId Integer32,  
docsIfCmtsServiceCmStatusIndex Integer32, -- deprecated  
docsIfCmtsServiceAdminStatus INTEGER,  
docsIfCmtsServiceQosProfile Integer32,  
docsIfCmtsServiceCreateTime TimeStamp,  
docsIfCmtsServiceInOctets Counter32,  
docsIfCmtsServiceInPackets Counter32,  
docsIfCmtsServiceNewCmStatusIndex Integer32  
}

docsIfCmtsServiceId OBJECT-TYPE

SYNTAX Integer32 (1..16383)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Identifies a service queue for upstream bandwidth. The attributes of this service queue are shared between the Cable Modem and the Cable Modem Termination System. The CMTS allocates upstream bandwidth to this service queue based on requests from the CM and on the class of service

associated with this queue."

::= { docsIfCmtsServiceEntry 1 }

docsIfCmtsServiceCmStatusIndex OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"Pointer to an entry in docsIfCmtsCmStatusTable identifying the cable modem using this Service Queue. If multiple cable modems are using this Service Queue, the value of

this object is zero.

This object has been deprecated and replaced by docsIfCmtsServiceNewCmStatusIndex, to fix a mismatch of the value range with respect to docsIfCmtsCmStatusIndex (1..2147483647)."

::= { docsIfCmtsServiceEntry 2 }

#### docsIfCmtsServiceAdminStatus OBJECT-TYPE

SYNTAX INTEGER {

enabled(1),

disabled(2),

destroyed(3) }

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Allows a service class for a particular modem to be suppressed,

(re-)enabled, or deleted altogether."

::= { docsIfCmtsServiceEntry 3 }

#### docsIfCmtsServiceQosProfile OBJECT-TYPE

SYNTAX Integer32 (0..16383)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index in docsIfQosProfileTable describing the quality of service attributes associated with this particular service. If no associated docsIfQosProfileTable entry exists, this object returns a value of zero."

::= { docsIfCmtsServiceEntry 4 }

#### docsIfCmtsServiceCreateTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was created."

::= { docsIfCmtsServiceEntry 5 }

#### docsIfCmtsServiceInOctets OBJECT-TYPE

SYNTAX Counter32

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The cumulative number of Packet Data octets received on this Service

ID. The count does not include the size of the Cable MAC header. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."  
::= { docsIfCmtsServiceEntry 6 }

docsIfCmtsServiceInPackets OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The cumulative number of Packet Data packets received on this Service ID.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsServiceEntry 7 }

docsIfCmtsServiceNewCmStatusIndex OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"Pointer (via docsIfCmtsCmStatusIndex) to an entry in docsIfCmtsCmStatusTable identifying the cable modem using this Service Queue. If multiple cable modems are using this Service Queue, the value of this object is zero."

::= { docsIfCmtsServiceEntry 8 }

--

-- The following table provides upstream channel modulation profiles.

-- Entries in this table can be

-- re-used by one or more upstream channels. An upstream channel

-- will have a modulation profile for each value of

-- docsIfModIntervalUsageCode.

--

docsIfCmtsModulationTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsModulationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a modulation profile associated with one or more upstream channels."

::= { docsIfCmtsObjects 5 }

docsIfCmtsModulationEntry OBJECT-TYPE

SYNTAX DocsIfCmtsModulationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a modulation profile for an Interval Usage Code for one or more upstream channels.

Entries in this table are created by the operator.

Initial default entries MAY be created at system initialization time, which could report a value of 'permanent' or 'readOnly' for docsIfCmtsModStorageType. A CMTS MAY reject the creation of additional Interval Usage Codes for a modulation profile being defined at Initialization time.

No individual objects have to be specified in order to create an entry in this table.

Note that some objects do not have DEFVAL clauses but do have calculated defaults and need not be specified during row creation."

INDEX { docsIfCmtsModIndex, docsIfCmtsModIntervalUsageCode }

::= { docsIfCmtsModulationTable 1 }

DocsIfCmtsModulationEntry

::= SEQUENCE {

docsIfCmtsModIndex Integer32,  
docsIfCmtsModIntervalUsageCode INTEGER,  
docsIfCmtsModControl RowStatus,  
docsIfCmtsModType INTEGER,  
docsIfCmtsModPreambleLen Integer32,  
docsIfCmtsModDifferentialEncoding TruthValue,  
docsIfCmtsModFECErrorCorrection Integer32,  
docsIfCmtsModFECCodeWordLength Integer32,  
docsIfCmtsModScramblerSeed Integer32,  
docsIfCmtsModMaxBurstSize Integer32,  
docsIfCmtsModGuardTimeSize Unsigned32,

```

docsIfCmtsModLastCodewordShortened TruthValue,
docsIfCmtsModScrambler TruthValue,
docsIfCmtsModByteInterleaverDepth Unsigned32,
docsIfCmtsModByteInterleaverBlockSize Unsigned32,
docsIfCmtsModPreambleType INTEGER,
docsIfCmtsModTcmErrorCorrectionOn TruthValue,
docsIfCmtsModScdmaInterleaverStepSize Unsigned32,
docsIfCmtsModScdmaSpreaderEnable TruthValue,
docsIfCmtsModScdmaSubframeCodes Unsigned32,
docsIfCmtsModChannelType DocsisUpstreamType,
docsIfCmtsModStorageType StorageType
}

```

docsIfCmtsModIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index into the Channel Modulation table representing a group of Interval Usage Codes, all associated with the same channel."

::= { docsIfCmtsModulationEntry 1 }

docsIfCmtsModIntervalUsageCode OBJECT-TYPE

SYNTAX INTEGER {

request(1),

requestData(2),

initialRanging(3),

periodicRanging(4),

shortData(5),

longData(6),

advPhyShortData(9),

advPhyLongData(10),

ugs(11)

}

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index into the Channel Modulation table that, when grouped with other Interval Usage Codes, fully instantiates all modulation sets for a given upstream channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209,



Table 8-20."

```
::= { docsIfCmtsModulationEntry 2 }
```

docsIfCmtsModControl OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Controls and reflects the status of rows in this table.

There is no restriction on the changing of values in this table while their associated rows are active, with the exception of:

1. If a modulation profile is being referenced by one or more upstream channels, an attempt to set the value of docsIfCmtsModChannelType returns

an

'inconsistentValue' error.

2. If a modulation profile is being referenced by one or more upstream channels, an attempt to set docsIfCmtsModControl to destroy(6) or notInService(2) returns an 'inconsistentValue' error."

```
::= { docsIfCmtsModulationEntry 3 }
```

docsIfCmtsModType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

qpsk(2),

qam16(3),

qam8(4),

qam32(5),

qam64(6),

qam128(7)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The modulation type used on this channel. Returns

other(1) if the modulation type is not

qpsk, qam16, qam8, qam32, qam64, or qam128.

Type qam128 is used for SCDMA channels only.

See the reference for the modulation profiles

implied by different modulation types."

REFERENCE

"Data-Over-Cable Service Interface Specifications:

Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { qpsk }

::= { docsIfCmtsModulationEntry 4 }

docsIfCmtsModPreambleLen OBJECT-TYPE

SYNTAX Integer32 (0..1536)

UNITS "bits"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The preamble length for this modulation profile in bits.

Default value is the minimum needed by the implementation  
at the CMTS for the given modulation profile."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

::= { docsIfCmtsModulationEntry 5 }

docsIfCmtsModDifferentialEncoding OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Specifies whether or not differential encoding is used  
on this channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { false }

::= { docsIfCmtsModulationEntry 6 }

docsIfCmtsModFECErrorCorrection OBJECT-TYPE

SYNTAX Integer32 (0..16)

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of correctable errored bytes (t) used in  
forward error correction code. The value of 0 indicates  
that no correction is employed. The number of check bytes

appended will be twice this value."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { 0 }

::= { docsIfCmtsModulationEntry 7 }

docsIfCmtsModFECCodewordLength OBJECT-TYPE

SYNTAX Integer32 (1..255)

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of data bytes (k) in the forward error  
correction codeword.

This object is not used if docsIfCmtsModFECErrorCorrection  
is zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { 32 }

::= { docsIfCmtsModulationEntry 8 }

docsIfCmtsModScramblerSeed OBJECT-TYPE

SYNTAX Integer32 (0..32767)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The 15-bit seed value for the scrambler polynomial."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Table 8-19."

DEFVAL { 0 }

::= { docsIfCmtsModulationEntry 9 }

docsIfCmtsModMaxBurstSize OBJECT-TYPE

SYNTAX Integer32

(0..255)

UNITS "mini-slots"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of mini-slots that can be transmitted during this channel's burst time. Returns zero if the burst length is bounded by the allocation MAP rather than by this profile.

Default value is 0, except for shortData, where it is 8."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

::= { docsIfCmtsModulationEntry 10 }

#### docsIfCmtsModGuardTimeSize OBJECT-TYPE

SYNTAX Unsigned32

UNITS "Symbol-times"

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The number of symbol-times that MUST follow the end of this channel's burst. Default value is the minimum time needed by the implementation for this modulation profile."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

::= { docsIfCmtsModulationEntry 11 }

#### docsIfCmtsModLastCodewordShortened OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"Indicates whether the last FEC codeword is truncated."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { true }

::= { docsIfCmtsModulationEntry 12 }

#### docsIfCmtsModScrambler OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"Indicates whether the scrambler is employed."

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { false }

::= { docsIfCmtsModulationEntry 13 }

## docsIfCmtsModByteInterleaverDepth OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

### DESCRIPTION

"ATDMA Byte Interleaver Depth (Ir). This object returns 1 for non-ATDMA profiles."

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { 1 }

::= { docsIfCmtsModulationEntry 14 }

## docsIfCmtsModByteInterleaverBlockSize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

### DESCRIPTION

"ATDMA Byte Interleaver Block size (Br). This object returns zero for non-ATDMA profiles "

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { 18 }

::= { docsIfCmtsModulationEntry 15 }

## docsIfCmtsModPreambleType OBJECT-TYPE

SYNTAX INTEGER {

unknown(0),

qpsk0(1),

qpsk1(2)

}

MAX-ACCESS read-create

STATUS current

### DESCRIPTION

"Preamble type for DOCSIS 2.0 bursts. The value 'unknown(0)' represents a row entry consisting only of DOCSIS 1.x bursts"

## REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { qpsk0 }

::= { docsIfCmtsModulationEntry 16 }

### docsIfCmtsModTcmErrorCorrectionOn OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Trellis Code Modulation (TCM) On/Off. This value returns  
false for non-S-CDMA profiles."

REFERENCE

"Data-Over-Cable

Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { false }

::= { docsIfCmtsModulationEntry 17 }

### docsIfCmtsModScdmaInterleaverStepSize OBJECT-TYPE

SYNTAX Unsigned32 (0 | 1..32)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" S-CDMA Interleaver step size. This value returns zero  
for non-S-CDMA profiles."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

DEFVAL { 1 }

::= { docsIfCmtsModulationEntry 18 }

### docsIfCmtsModScdmaSpreaderEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" S-CDMA spreader. This value returns false for non-S-CDMA  
profiles. Default value for IUC 3 and 4 is OFF; for

all other IUCs it is ON."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Tables 6-7, and 8-19."

::= { docsIfCmtsModulationEntry 19 }

#### docsIfCmtsModScdmaSubframeCodes OBJECT-TYPE

SYNTAX Unsigned32 (0 | 1..128)

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

" S-CDMA sub-frame size. This value returns zero  
for non-S-CDMA profiles."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Table 6-7, and 8-19."

DEFVAL { 1 }

::= { docsIfCmtsModulationEntry 20 }

#### docsIfCmtsModChannelType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-create

STATUS current

#### DESCRIPTION

"Describes the modulation channel type for this modulation  
entry.

All the active

entries in a modulation profile (that is all

active entries that share a common docsIfCmtsModIndex)

MUST have the same value of docsIfCmtsModChannelType."

#### REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio  
Frequency Interface Specification SP-RFIV2.0-I10-051209,  
Table 8-19."

DEFVAL { tdma }

::= { docsIfCmtsModulationEntry 21 }

#### docsIfCmtsModStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-only

STATUS current

#### DESCRIPTION

"The storage type for this conceptual row.

Entries with this object set to permanent(4)  
do not require write operations for read-write  
objects."

DEFVAL { nonVolatile }  
::= { docsIfCmtsModulationEntry 22 }

docsIfCmtsQosProfilePermissions OBJECT-TYPE

SYNTAX BITS {  
createByManagement(0),  
updateByManagement(1),  
createByModems(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies permitted methods of creating  
entries in docsIfQosProfileTable.  
createByManagement(0) is set if entries can be created  
using SNMP. updateByManagement(1) is set if updating  
entries using SNMP is permitted. createByModems(2)  
is set if entries can be created based on information  
in REG-REQ MAC messages received from cable modems.  
Information in this object is only applicable if  
docsIfQosProfileTable is implemented as read-create.  
Otherwise, this object is implemented as read-only  
and returns createByModems(2).  
Either createByManagement(0) or updateByManagement(1)  
MUST be set when writing to this object.  
Note that BITS objects are encoded most significant bit  
first. For example, if bit 2 is set, the value of this  
object is the octet string '20'H."

::= { docsIfCmtsObjects

6 }

docsIfCmtsMacToCmTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsMacToCmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This is a table to provide a quick access index into the  
docsIfCmtsCmStatusTable. There is exactly one row in this  
table for each row in the docsIfCmtsCmStatusTable. In  
general, the management station SHOULD use this table only  
to get a pointer into the docsIfCmtsCmStatusTable (which  
corresponds to the CM's RF interface MAC address) and



SHOULD not iterate (e.g., GetNext through) this table."  
::= { docsIfCmtsObjects 7 }

docsIfCmtsMacToCmEntry OBJECT-TYPE

SYNTAX DocsIfCmtsMacToCmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row in the docsIfCmtsMacToCmTable.

An entry in this table exists for each cable modem  
that is connected to the CMTS implementing this table."

INDEX { docsIfCmtsCmMac }

::= { docsIfCmtsMacToCmTable 1 }

DocsIfCmtsMacToCmEntry ::= SEQUENCE {

docsIfCmtsCmMac MacAddress,  
docsIfCmtsCmPtr Integer32  
}

docsIfCmtsCmMac OBJECT-TYPE

SYNTAX MacAddress

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The RF side MAC address for the referenced CM (e.g., the  
interface on the CM that has docsCableMacLayer(127) as  
its ifType)."

::= { docsIfCmtsMacToCmEntry 1 }

docsIfCmtsCmPtr OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"An row index into docsIfCmtsCmStatusTable. When queried  
with the correct instance value (e.g., a CM's MAC address),  
returns the index in docsIfCmtsCmStatusTable that  
represents that CM."

::= { docsIfCmtsMacToCmEntry 2 }

-- The following independent object and associated table  
provide

-- operators with a mechanism to evaluate the load/utilization of  
-- both upstream and downstream physical channels. This information  
-- may be used for capacity planning and incident analysis and may

-- be particularly helpful in provisioning of high value QOS.  
--  
-- Utilization is expressed as an index representing the calculated  
-- percentage utilization of the upstream or downstream channel in  
-- the most recent sampling interval (i.e., utilization interval).  
-- Refer to the DESCRIPTION field of the  
-- docsIfCmtsChannelUtUtilization object for definitions and  
-- calculation details.

docsIfCmtsChannelUtilizationInterval OBJECT-TYPE

SYNTAX Integer32 (0..86400)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The time interval in seconds over which the channel utilization index is calculated. All upstream/downstream channels use the same docsIfCmtsChannelUtilizationInterval.

Setting a value of zero disables utilization reporting. A channel utilization index is calculated over a fixed window applying to the most recent docsIfCmtsChannelUtilizationInterval. It would therefore be prudent to use a relatively short docsIfCmtsChannelUtilizationInterval. It is a vendor decision whether to reset the timer when docsIfCmtsChannelUtilizationInterval is changed during a utilization sampling period."

::= { docsIfCmtsObjects 8 }

docsIfCmtsChannelUtilizationTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsChannelUtilizationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Reports utilization statistics for attached upstream and downstream physical channels."

::= { docsIfCmtsObjects 9 }

docsIfCmtsChannelUtilizationEntry OBJECT-TYPE

SYNTAX DocsIfCmtsChannelUtilizationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Utilization statistics for a single upstream or downstream

physical channel. An entry exists in this table for each ifEntry with an ifType equal to docsCableDownstream (128) or docsCableUpstream (129)."

INDEX { ifIndex, docsIfCmtsChannelUtIfType, docsIfCmtsChannelUtId }  
::= { docsIfCmtsChannelUtilizationTable 1 }

DocsIfCmtsChannelUtilizationEntry ::= SEQUENCE { docsIfCmtsChannelUtIfType IANAIfType, docsIfCmtsChannelUtId Integer32, docsIfCmtsChannelUtUtilization Integer32 }

docsIfCmtsChannelUtIfType OBJECT-TYPE

SYNTAX IANAIfType

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The secondary index into this table. Indicates the IANA interface type associated with this physical channel. Only docsCableDownstream (128) and

docsCableUpstream

(129) are valid."

::= { docsIfCmtsChannelUtilizationEntry 1 }

docsIfCmtsChannelUtId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The tertiary index into this table. Indicates the CMTS identifier for this physical channel."

::= { docsIfCmtsChannelUtilizationEntry 2 }

docsIfCmtsChannelUtUtilization OBJECT-TYPE

SYNTAX Integer32 (0..100)

UNITS "percent"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The calculated and truncated utilization index for this physical upstream or downstream channel, accurate as of the most recent docsIfCmtsChannelUtilizationInterval."

#### Upstream Channel Utilization Index:

The upstream channel utilization index is expressed as a percentage of mini-slots utilized on the physical channel, regardless of burst type. For an Initial Maintenance region, the mini-slots for the complete region are considered utilized if the CMTS received an upstream burst within the region from any CM on the physical channel. For contention REQ and REQ/DATA regions, the mini-slots for a transmission opportunity within the region are considered utilized if the CMTS received an upstream burst within the opportunity from any CM on the physical channel. For all other regions, utilized mini-slots are those in which the CMTS granted bandwidth to any unicast SID on the physical channel.

For an upstream interface that has multiple logical upstream channels enabled, the utilization index is a weighted sum of utilization indices for the logical channels. The weight for each utilization index is the percentage of upstream mini-slots allocated for the corresponding logical channel.

#### Example:

If 75% of bandwidth is allocated to the first logical channel and 25% to the second, and the utilization indices for each are 60 and 40, respectively, the

utilization index for the upstream physical channel is  $(60 * 0.75) + (40 * 0.25) = 55$ . This figure applies to the most recent utilization interval.

#### Downstream Channel Utilization Index:

The downstream channel utilization index is a percentage expressing the ratio between bytes used to transmit data versus the total number of bytes transmitted in the raw bandwidth of the MPEG channel. As with the upstream utilization index, the calculated value represents the most recent utilization interval.

Formula:

Downstream utilization index =  
 $(100 * (\text{data bytes} / \text{raw bytes}))$

Definitions:

Data bytes: Number of bytes transmitted as data in the

```

docsIfCmtsChannelUtilizationInterval.
Identical to docsIfCmtsDownChannelCtrUsed
Bytes measured over the utilization
interval.
Raw bandwidth: Total number of bytes available for
transmitting data, not including bytes
used for headers and other overhead.
Raw bytes: (raw bandwidth *
docsIfCmtsChannelUtilizationInterval).
Identical to docsIfCmtsDownChannelCtrTotal
Bytes measured over the utilization
interval."
::= { docsIfCmtsChannelUtilizationEntry 3 }

-- The following table provides operators with input data
-- appropriate for calculating downstream channel utilization.
-- Operators may use the docsIfCmtsChannelUtilizationTable or
-- perform their own polling of the
-- docsIfCmtsDownChannelCounterTable objects to characterize
--
-- their downstream channel usage. The 32-bit counter objects are
-- included to provide backward compatibility with SNMPv1 managers,
-- which cannot access 64-bit counter objects.

docsIfCmtsDownChannelCounterTable OBJECT-TYPE
SYNTAX SEQUENCE OF DocsIfCmtsDownChannelCounterEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"This table is implemented at the CMTS to collect
downstream channel statistics for utilization

calculations."
::= { docsIfCmtsObjects 10 }

docsIfCmtsDownChannelCounterEntry OBJECT-TYPE
SYNTAX DocsIfCmtsDownChannelCounterEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"An entry provides a list of traffic counters for a single
downstream channel.
An entry in this table exists for each ifEntry with an
ifType of docsCableDownstream(128)."
INDEX { ifIndex }

```

```
::= { docsIfCmtsDownChannelCounterTable
1 }
```

```
DocsIfCmtsDownChannelCounterEntry ::= SEQUENCE {
docsIfCmtsDownChnlCtrId Integer32,
docsIfCmtsDownChnlCtrTotalBytes Counter32,
docsIfCmtsDownChnlCtrUsedBytes Counter32,
docsIfCmtsDownChnlCtrExtTotalBytes Counter64,
docsIfCmtsDownChnlCtrExtUsedBytes Counter64
}
```

docsIfCmtsDownChnlCtrId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Cable Modem Termination System identification of the downstream channel within this particular MAC interface. If the interface is down, the object returns the most current value. If the downstream channel ID is unknown, this object returns a value of 0."

```
::= { docsIfCmtsDownChannelCounterEntry 1 }
```

docsIfCmtsDownChnlCtrTotalBytes OBJECT-TYPE

SYNTAX Counter32

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of bytes in the Payload portion of MPEG Packets (i.e., not including MPEG header or pointer\_field) transported by this downstream channel. This is the 32-bit version of docsIfCmtsDownChnlCtrExtTotalBytes, included to provide back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsDownChannelCounterEntry 2 }
```

docsIfCmtsDownChnlCtrUsedBytes OBJECT-TYPE

SYNTAX Counter32

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of DOCSIS data bytes transported by this downstream channel.

The number of data bytes is defined as the total number

of bytes transported in DOCSIS payloads minus the number of stuff bytes transported in DOCSIS payloads.

This is the 32-bit version of docsIfCmtsDownChnlCtrExtUsedBytes, included to provide back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsDownChannelCounterEntry 3 }

docsIfCmtsDownChnlCtrExtTotalBytes OBJECT-TYPE

SYNTAX Counter64

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of bytes in the Payload portion of MPEG Packets (i.e., not including MPEG header or pointer\_field) transported by this downstream channel.

This is the 64-bit version of

docsIfCmtsDownChnlCtrTotalBytes and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsDownChannelCounterEntry 4 }

docsIfCmtsDownChnlCtrExtUsedBytes OBJECT-TYPE

SYNTAX Counter64

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of DOCSIS data bytes transported by this downstream channel. The number

of data bytes is defined as the total number of bytes transported in DOCSIS payloads minus the number of stuff bytes transported in DOCSIS payloads.

This is the 64-bit version of

docsIfCmtsDownChnlCtrUsedBytes and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsDownChannelCounterEntry 5 }
```

```
-- The following table provides operators with input data appropriate
-- for calculating upstream channel utilization, and for determining
-- the traffic characteristics of upstream channels. Operators may
-- use the docsIfCmtsChannelUtilizationTable or perform their own
-- polling of the docsIfCmtsUpChannelCounterTable objects for
-- utilization determination.
-- The first four 32 and 64 objects in this table are mandatory.
-- Vendors may choose to implement the remaining optional objects to
-- provide operators with finer characterization of upstream channel
-- traffic patterns. The 32-bit counter objects are included to
-- provide backward compatibility with SNMPv1 managers, which cannot
-- access
64-bit counter objects.
```

docsIfCmtsUpChannelCounterTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsUpChannelCounterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is implemented at the CMTS to provide upstream channel statistics appropriate for channel utilization calculations."

```
::= { docsIfCmtsObjects 11 }
```

docsIfCmtsUpChannelCounterEntry OBJECT-TYPE

SYNTAX DocsIfCmtsUpChannelCounterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"List of traffic statistics for a single upstream channel.

For DOCSIS 2.0 CMTSs, an entry in this table

exists for each ifEntry with an ifType of

docsCableUpstreamChannel (205).



For DOCSIS 1.x CMTSs, an entry in this table exists for each ifEntry with an ifType of docsCableUpstream (129)."

```
INDEX { ifIndex }
::= { docsIfCmtsUpChannelCounterTable 1 }
```

DocsIfCmtsUpChannelCounterEntry

```
::= SEQUENCE {
 docsIfCmtsUpChnlCtrId Integer32,
 docsIfCmtsUpChnlCtrTotalMslots Counter32,
 docsIfCmtsUpChnlCtrUcastGrantedMslots Counter32,
 docsIfCmtsUpChnlCtrTotalCntnMslots Counter32,
 docsIfCmtsUpChnlCtrUsedCntnMslots Counter32,
 docsIfCmtsUpChnlCtrExtTotalMslots Counter64,
 docsIfCmtsUpChnlCtrExtUcastGrantedMslots Counter64,
 docsIfCmtsUpChnlCtrExtTotalCntnMslots Counter64,
 docsIfCmtsUpChnlCtrExtUsedCntnMslots Counter64,
 docsIfCmtsUpChnlCtrCollCntnMslots Counter32,
 docsIfCmtsUpChnlCtrTotalCntnReqMslots Counter32,
 docsIfCmtsUpChnlCtrUsedCntnReqMslots Counter32,
 docsIfCmtsUpChnlCtrCollCntnReqMslots Counter32,
 docsIfCmtsUpChnlCtrTotalCntnReqDataMslots Counter32,
 docsIfCmtsUpChnlCtrUsedCntnReqDataMslots Counter32,
 docsIfCmtsUpChnlCtrCollCntnReqDataMslots Counter32,
 docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots Counter32,
 docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots Counter32,
 docsIfCmtsUpChnlCtrCollCntnInitMaintMslots Counter32,
 docsIfCmtsUpChnlCtrExtCollCntnMslots Counter64,
 docsIfCmtsUpChnlCtrExtTotalCntnReqMslots Counter64,
 docsIfCmtsUpChnlCtrExtUsedCntnReqMslots Counter64,
 docsIfCmtsUpChnlCtrExtCollCntnReqMslots Counter64,
 docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots Counter64,
 docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots Counter64,
 docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots Counter64,
 docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots Counter64,
 docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots Counter64,
 docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots Counter64
}
```

docsIfCmtsUpChnlCtrId

OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The CMTS identification of the upstream channel."

```
::= { docsIfCmtsUpChannelCounterEntry 1 }
```

docsIfCmtsUpChnlCtrTotalMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of all mini-slots defined for this upstream logical channel. This count includes all IUCs and SIDs, even those allocated to the NULL SID for a 2.0 logical channel that is inactive. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalMslots and is included for back compatibility with SNMPv1 managers. Support for this object is mandatory. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at

other

times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 2 }

docsIfCmtsUpChnlCtrUcastGrantedMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of unicast granted mini-slots on the upstream logical channel, regardless of burst type. Unicast granted mini-slots are those in which the CMTS assigned bandwidth to any unicast SID on the logical channel. However, this object does not include minis-lots for reserved IUCs, or grants to SIDs designated as meaning 'no CM'. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUcastGrantedMslots, and is included for back compatibility with SNMPv1 managers. Support for this object is mandatory.

Discontinuities

in the value of this counter can occur

at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 3 }

docsIfCmtsUpChnlCtrTotalCntnMslots OBJECT-TYPE

SYNTAX Counter32  
UNITS "mini-slots"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots defined for this upstream logical channel. This count includes all mini-slots assigned to a broadcast or

multicast SID on the logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalCntnMslots, and is included for back compatibility with SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed

system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 4 }

docsIfCmtsUpChnlCtrUsedCntnMslots OBJECT-TYPE

SYNTAX Counter32  
UNITS "mini-slots"  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots utilized on the upstream logical channel. For contention regions, utilized mini-slots are those in which the CMTS correctly received an upstream burst from any CM on the upstream logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUsedCntnMslots and is included for back compatibility with SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 5 }

docsIfCmtsUpChnlCtrExtTotalMslots OBJECT-TYPE

SYNTAX Counter64  
UNITS "mini-slots"  
MAX-ACCESS read-only  
STATUS current

## DESCRIPTION

"Current count, from CMTS initialization, of all mini-slots defined for this upstream logical channel. This count includes all IUCs and SIDs, even those allocated to the NULL SID for a 2.0 logical channel that is inactive. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated

ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry 6 }
```

## docsIfCmtsUpChnlCtrExtUcastGrantedMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Current count, from CMTS initialization, of unicast granted mini-slots on the upstream logical channel, regardless of burst type. Unicast granted mini-slots are those in which the CMTS assigned bandwidth to any unicast SID on the logical channel. However, this object does not include mini-slots for reserved IUCs, or grants to SIDs designated as meaning 'no CM'. This is the 64-bit version of docsIfCmtsUpChnlCtrUcastGrantedMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry 7 }
```

## docsIfCmtsUpChnlCtrExtTotalCntnMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots defined for this upstream logical channel. This

count includes all mini-slots assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry 8 }
```

docsIfCmtsUpChnlCtrExtUsedCntnMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention

mini-slots utilized on the upstream logical channel. For contention regions, utilized mini-slots are those in which the CMTS correctly received an upstream burst from any CM on the upstream logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry
9 }
```

docsIfCmtsUpChnlCtrCollCntnMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots subjected to collisions on the upstream logical channel. For contention regions, these are the mini-slots applicable to bursts that the CMTS detected but could not correctly receive. This is the 32-bit version of docsIfCmtsUpChnlCtrExtCollCntnMslots and is included for

back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry 10 }
```

docsIfCmtsUpChnlCtrTotalCntnReqMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC1 assigned to a broadcast or multicast SID on the logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalCntnReqMslots and is included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry 11 }
```

docsIfCmtsUpChnlCtrUsedCntnReqMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots utilized on this upstream logical channel. This count includes all contention mini-slots for IUC1 applicable to bursts that the CMTS correctly received. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUsedCntnReqMslots and is included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 12 }

docsIfCmtsUpChnlCtrCollCntnReqMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots subjected to collisions

on this upstream

logical channel. This includes all contention mini-slots for IUC1 applicable to bursts that the CMTS detected but could not correctly receive. This is the 32-bit version of docsIfCmtsUpChnlCtrExtCollCntnReqMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 13 }

docsIfCmtsUpChnlCtrTotalCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention

request data mini-slots defined for this upstream logical channel. This count includes all

mini-slots for IUC2

assigned to a broadcast or multicast SID on the logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 14 }

docsIfCmtsUpChnlCtrUsedCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC2 applicable to bursts that the CMTS correctly received.

This is the 32-bit version of docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots and is included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."  
::= { docsIfCmtsUpChannelCounterEntry 15 }

docsIfCmtsUpChnlCtrCollCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC2 applicable to bursts that the CMTS detected, but could not correctly receive. This is the 32-bit version of docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots

and is

included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 16 }

docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention



initial maintenance mini-slots defined for this upstream logical channel. This includes all mini-slots for IUC3 assigned to a broadcast or multicast SID on the logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots and is included for back compatibility

with SNMPv1

managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 17 }

docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention initial maintenance mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS correctly received. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 18 }

docsIfCmtsUpChnlCtrCollCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention initial maintenance mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS detected, but could not correctly receive.

This is the 32-bit version of

docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots  
and is included for back compatibility with SNMPv1  
managers.

Discontinuities in the value of this counter can occur  
at reinitialization

of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 19 }

docsIfCmtsUpChnlCtrExtCollCntnMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of collision  
contention mini-slots on the upstream logical channel.

For contention regions, these are the mini-slots applicable  
to bursts that the CMTS detected, but could not correctly  
receive. This is the 64-bit version of

docsIfCmtsUpChnlCtrCollCntnMslots and will not be  
accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of

ifCounterDiscontinuityTime

for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 20 }

docsIfCmtsUpChnlCtrExtTotalCntnReqMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention  
request mini-slots defined for this upstream logical

channel. This count includes all mini-slots for IUC1  
assigned to a broadcast or multicast SID on the logical  
channel. This is the 64-bit version of

docsIfCmtsUpChnlCtrTotalCntnReqMslots and will not be  
accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other

times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."  
::= { docsIfCmtsUpChannelCounterEntry 21 }

docsIfCmtsUpChnlCtrExtUsedCntnReqMslots

OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots utilized on this upstream logical channel. This count includes all contention mini-slots for IUC1 applicable to bursts that the CMTS correctly received. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnReqMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 22 }

docsIfCmtsUpChnlCtrExtCollCntnReqMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC1 applicable to bursts that the CMTS detected, but could not correctly receive. This is the 64-bit version of docsIfCmtsUpChnlCtrCollCntnReqMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 23 }

docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC2 assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnReqDataMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."  
 ::= { docsIfCmtsUpChannelCounterEntry 24 }

docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC2 applicable to bursts that the CMTS correctly received. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnReqDataMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."  
 ::= { docsIfCmtsUpChannelCounterEntry 25 }

docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots subjected to collisions on this upstream logical channel. This includes all contention

mini-slots for IUC2 applicable to bursts that the CMTS

detected, but could not correctly receive. This is the 64-bit version of docsIfCmtsUpChnlCtrCollCntnReqDataMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 26 }

docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of initial maintenance mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC3 assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 27 }

docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of initial maintenance mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS correctly received. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots and will not be accessible to SNMPv1 managers. Discontinuities

in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."  
 ::= { docsIfCmtsUpChannelCounterEntry 28 }

docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter64  
UNITS "mini-slots"  
MAX-ACCESS read-only  
STATUS current

#### DESCRIPTION

"Current count, from CMTS initialization, of contention  
initial maintenance mini-slots subjected to collisions on  
this upstream logical channel. This includes all  
contention mini-slots for IUC3 applicable to bursts that  
the CMTS detected, but could not correctly receive.

This is the 64-bit version of  
docsIfCmtsUpChnlCtrCollCntnInitMaintMslots and will not  
be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur  
at reinitialization of the managed system, and at other  
times as indicated by the value of  
ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 29 }

--  
-- notification group is for future extension.  
--

docsIfNotification OBJECT IDENTIFIER ::= { docsIfMib 2 }

--  
-- MIB Compliance statements.  
--

--  
-- Conformance definitions  
--

docsIfConformance OBJECT IDENTIFIER ::= { docsIfMib 3 }  
docsIfCompliances OBJECT IDENTIFIER ::= { docsIfConformance 1 }  
docsIfGroups OBJECT IDENTIFIER ::= { docsIfConformance 2 }

docsIfBasicCompliance MODULE-COMPLIANCE

STATUS deprecated

DESCRIPTION

"The compliance statement for devices that implement DOCSIS 1.x compliant Radio Frequency Interfaces."

MODULE -- docsIfMib

-- unconditionally mandatory groups

MANDATORY-GROUPS {

docsIfBasicGroup

}

-- conditionally mandatory group

GROUP docsIfCmGroup

DESCRIPTION

"This group is implemented only in cable modems, not in cable modem termination systems."

-- conditionally mandatory group

GROUP docsIfCmtsGroup

DESCRIPTION

"This group is implemented only in cable modem termination systems, not in cable modems."

OBJECT docsIfDownChannelFrequency

WRITE-SYNTAX Integer32 (54000000..86000000)

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems; read-only in cable modems. The values above are appropriate for a cable plant using a Sub-Split channel plan. If DOCSIS is extended to cover other types of channel plans (and frequency allocations), this object will be modified accordingly."

OBJECT docsIfDownChannelWidth

WRITE-SYNTAX Integer32 (6000000)

MIN-ACCESS read-only

DESCRIPTION

"It is important to implement this object as read-only.

In cable modems, this object is always

implemented as

read-only. The above value is appropriate for cable plants running under NTSC (National Television

Standards Committee) standards. If DOCSIS is extended to

work with other standards (e.g., European standards), this object will be modified accordingly."

OBJECT docsIfDownChannelModulation

```
WRITE-SYNTAX INTEGER {
 qam64 (3),
 qam256 (4)
}
```

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfDownChannelInterleave

```
WRITE-SYNTAX INTEGER {
 taps8Increment16(3),
 taps16Increment8(4),
 taps32Increment4(5),

 taps64Increment2(6),
 taps128Increment1(7)
}
```

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination  
systems;  
read-only in cable modems."

OBJECT docsIfDownChannelPower

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelFrequency

```
WRITE-SYNTAX Integer32 (5000000..42000000)
```

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems. The values above are  
appropriate for a cable plant using a Sub-Split channel  
plan. If DOCSIS is extended to cover other types of  
channel plans (and frequency allocations), this object  
will be modified accordingly."

OBJECT docsIfUpChannelWidth



WRITE-SYNTAX Integer32 (200000..3200000)

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems. The above value is appropriate  
for cable plants running under NTSC (National Television  
Standards Committee) standards. If DOCSIS is extended to  
work with other standards (e.g., European standards), this  
object will be modified accordingly."

OBJECT docsIfUpChannelModulationProfile

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelSlotSize

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfUpChannelRangingBackoffStart

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelRangingBackoffEnd

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffStart

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffEnd

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfQosProfPriority

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfMaxUpBandwidth

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfGuarUpBandwidth

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant  
to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfMaxDownBandwidth

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfMaxTxBurst

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfBaselinePrivacy

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfStatus

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.

It is compliant

to implement this object as read-only

in cable modem termination systems."

OBJECT docsIfCmtsServiceAdminStatus

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsSyncInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsUcdInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInsertInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInvitedRangingAttempts

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsQosProfilePermissions

WRITE-SYNTAX BITS {

createByManagement(0),

updateByManagement(1)

}

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsModType

WRITE-SYNTAX INTEGER {

qpsk (2),

qam16 (3)

```

 }
DESCRIPTION
 "A management station MAY only set 16QAM or QPSK modulation,
 but others might be possible, based on device
 configuration."

OBJECT docsIfCmtsModPreambleLen
SYNTAX Integer32 (0..1024)
DESCRIPTION
 "The range of the values for this MODULE-COMPLIANCE
 is 0..1024."

OBJECT docsIfCmtsModFECErrorCorrection
SYNTAX Integer32 (0..10)
DESCRIPTION
 "The range of the values for this MODULE-COMPLIANCE
 is 0..10."

 ::= { docsIfCompliances 1 }

docsIfBasicComplianceV2 MODULE-COMPLIANCE
STATUS current
DESCRIPTION
 "The compliance statement for devices that implement
 DOCSIS 2.0 Radio Frequency Interfaces."

MODULE -- docsIfMib

-- unconditionally
mandatory groups
MANDATORY-GROUPS {
 docsIfBasicGroupV2
}

-- conditionally mandatory group
GROUP docsIfCmGroupV2
DESCRIPTION
 "This group is implemented only in cable modems, not in
 cable modem termination systems."

-- conditionally mandatory group
GROUP docsIfCmtsGroupV2
DESCRIPTION
 "This group is implemented only in cable modem termination
 systems, not in cable modems."

```

OBJECT docsIfDownChannelFrequency  
WRITE-SYNTAX Integer32 (47000000..862000000)  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-write in cable modem termination systems;  
read-only in cable modems.  
A range of 54MHz to 860MHz is appropriate for a cable  
plant using a North American Sub-Split channel plan.  
The spectrum range has been expanded to accommodate  
a lower edge of 47MHz and an upper edge of 862MHz  
for some European channel plans.  
If DOCSIS is extended to cover other  
types of channel  
plans (and frequency allocations), this object will be  
modified accordingly."

OBJECT docsIfDownChannelWidth  
WRITE-SYNTAX Integer32 (6000000 | 8000000)  
MIN-ACCESS read-only  
DESCRIPTION  
"It is important to implement this object as read-only.  
In cable modems, this object is always implemented as  
read-only. The value of 6 MHz is appropriate for cable  
plants running under NTSC (National Television  
Standards Committee) standards. The value of 8 MHz is  
appropriate for cable plants running under ETSI  
standards. For other regional standards, this  
object will be modified accordingly."

OBJECT docsIfDownChannelModulation  
WRITE-SYNTAX INTEGER {  
    qam64 (3),  
    qam256 (4)  
}  
MIN-ACCESS read-only  
DESCRIPTION  
  
"Read-write in cable modem termination systems;  
  
read-only in cable modems."

OBJECT docsIfDownChannelInterleave  
WRITE-SYNTAX INTEGER {  
    taps8Increment16(3),

```
taps16Increment8(4),
taps32Increment4(5),
taps64Increment2(6),
taps128Increment1(7),
taps12increment17(8)
}
```

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfDownChannelPower

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelFrequency

WRITE-SYNTAX Integer32 (5000000..65000000)

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems.

A range of 5MHz to 42MHz is appropriate for a cable  
plant using a North American Sub-Split channel plan.

The spectrum range has been expanded to accommodate  
an upper edge of 65MHz for some European channel plans.

If DOCSIS is extended to cover other types of channel  
plans (and frequency allocations), this object will  
be modified accordingly."

OBJECT docsIfUpChannelWidth

WRITE-SYNTAX Integer32 (200000..6400000)

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems,  
read-only in cable modems. The above value is appropriate  
for cable plants running under NTSC (National Television  
Standards Committee) standards. If DOCSIS is extended to  
work with other standards (e.g., European standards), this  
object will be modified accordingly."

OBJECT docsIfUpChannelModulationProfile

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelSlotSize

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfUpChannelRangingBackoffStart

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelRangingBackoffEnd

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffStart

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffEnd

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelScdmaActiveCodes

MIN-ACCESS

read-only

DESCRIPTION

"Read-create in cable modem termination systems;  
read-only in cable modems.

The number of active codes when SCDMA is in use MUST range  
from 64 to 128 and MUST be a non-Prime value.

Providing this range allows for the following features  
and capabilities:

- 1) Power management in S-CDMA spreader-on frames  
(with a 3 dB spread).

- 2) Avoidance of code 0.
- 3) Flexible mini-slot sizes with and without the use of code 0."

OBJECT docsIfUpChannelScdmaCodesPerSlot  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelScdmaFrameSize  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelScdmaHoppingSeed  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelCloneFrom  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelUpdate  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in cable modem termination systems;  
read-only in cable modems."

OBJECT docsIfUpChannelStatus  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in Cable Modem Termination Systems;  
read-only in Cable Modems.  
Entries associated to physical interfaces only support  
the read-only value 'active'."

OBJECT docsIfUpChannelPreEqEnable  
MIN-ACCESS read-only  
DESCRIPTION  
"Read-create in cable modem termination systems;



read-only in cable modems."

OBJECT docsIfQosProfPriority  
MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfMaxUpBandwidth  
MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfGuarUpBandwidth  
MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfMaxDownBandwidth  
MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfBaselinePrivacy  
MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfStatus  
MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfQosProfMaxTransmitBurst

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.  
It is compliant to implement this object as read-only  
in cable modem termination systems."

OBJECT docsIfCmRangingTimeout

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmStatusModulationType

SYNTAX INTEGER {

unknown(0),

tdma(1),

atdma(2),

scdma(3)

}

DESCRIPTION

"CM does not use both modulation burst profiles of a  
'tdmAndAtdma' ChannelType; therefore, 'tdmAndAtdma' is  
not supported."

OBJECT docsIfCmtsServiceAdminStatus

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsSyncInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsUcdInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInsertInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInvitedRangingAttempts

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsQosProfilePermissions

```
WRITE-SYNTAX BITS {
 createByManagement(0),
 updateByManagement(1)
}
MIN-ACCESS read-only
```

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsModType

```
WRITE-SYNTAX INTEGER {
 qpsk(2),
 qam16(3),
 qam64(6)
}
```

DESCRIPTION

"A management station MAY only set 64QAM, 16QAM, or QPSK modulation for Time or Code division Multiple Access, but others might be possible based on device configuration."

OBJECT docsIfCmtsCmStatusModulationType

```
SYNTAX INTEGER {
 unknown(0),
 tdma(1),
 atdma(2),
 scdma(3)
}
```

DESCRIPTION

"CM does not use both modulation burst profiles of a 'tdmAndAtdma' ChannelType; therefore, 'tdmAndAtdma' is not supported."

::= { docsIfCompliances 2 }

docsIfBasicGroup OBJECT-GROUP

```
OBJECTS {
 docsIfDownChannelId,
 docsIfDownChannelFrequency,
 docsIfDownChannelWidth,
 docsIfDownChannelModulation,
```

docsIfDownChannelInterleave,  
docsIfDownChannelPower,  
docsIfUpChannelId,  
docsIfUpChannelFrequency,  
docsIfUpChannelWidth,  
docsIfUpChannelModulationProfile,  
docsIfUpChannelSlotSize,  
docsIfUpChannelTxTimingOffset,  
docsIfUpChannelRangingBackoffStart,  
docsIfUpChannelRangingBackoffEnd,  
docsIfUpChannelTxBackoffStart,  
docsIfUpChannelTxBackoffEnd,  
docsIfQosProfPriority,

docsIfQosProfMaxUpBandwidth,  
docsIfQosProfGuarUpBandwidth,  
docsIfQosProfMaxDownBandwidth,  
docsIfQosProfMaxTxBurst,  
docsIfQosProfBaselinePrivacy,  
docsIfQosProfStatus,  
docsIfSigQIncludesContention,  
docsIfSigQUnerroreds,  
docsIfSigQCorrecteds,  
docsIfSigQUncorrectables,  
docsIfSigQSignalNoise,  
docsIfSigQMicroreflections,  
docsIfSigQEqualizationData

}

STATUS deprecated

DESCRIPTION

"Group of objects implemented in both cable modems and  
cable modem termination systems."

::= { docsIfGroups 1 }

docsIfCmGroup OBJECT-GROUP

OBJECTS {

docsIfCmCmtsAddress,  
docsIfCmCapabilities,  
docsIfCmRangingTimeout,  
docsIfCmStatusValue,  
docsIfCmStatusCode,  
docsIfCmStatusTxPower,  
docsIfCmStatusResets,  
docsIfCmStatusLostSynes,  
docsIfCmStatusInvalidMaps,  
docsIfCmStatusInvalidUcDs,

```

docsIfCmStatusInvalidRangingResponses,
docsIfCmStatusInvalidRegistrationResponses,
docsIfCmStatusT1Timeouts,
docsIfCmStatusT2Timeouts,
docsIfCmStatusT3Timeouts,
docsIfCmStatusT4Timeouts,
docsIfCmStatusRangingAborted,
docsIfCmServiceQosProfile,
docsIfCmServiceTxSlotsImmed,
docsIfCmServiceTxSlotsDed,
docsIfCmServiceTxRetries,
docsIfCmServiceTxExceededs,
docsIfCmServiceRqRetries,
docsIfCmServiceRqExceededs
}
STATUS deprecated

```

#### DESCRIPTION

"Group of objects implemented in cable modems."  
::= { docsIfGroups 2 }

#### docsIfCmtsGroup OBJECT-GROUP

```

OBJECTS {
docsIfCmtsCapabilities,
docsIfCmtsSyncInterval,
docsIfCmtsUcdInterval,
docsIfCmtsMaxServiceIds,
docsIfCmtsInvitedRangingAttempts,
docsIfCmtsInsertInterval,
docsIfCmtsStatusInvalidRangeReqs,
docsIfCmtsStatusRangingAborted,
docsIfCmtsStatusInvalidRegReqs,
docsIfCmtsStatusFailedRegReqs,
docsIfCmtsStatusInvalidDataReqs,
docsIfCmtsStatusT5Timeouts,
docsIfCmtsCmStatusMacAddress,
docsIfCmtsCmStatusIpAddress,
docsIfCmtsCmStatusDownChannelIfIndex,
docsIfCmtsCmStatusUpChannelIfIndex,
docsIfCmtsCmStatusRxPower,
docsIfCmtsCmStatusTimingOffset,
docsIfCmtsCmStatusEqualizationData,
docsIfCmtsCmStatusValue,
docsIfCmtsCmStatusUnerrored,
docsIfCmtsCmStatusCorrected,
docsIfCmtsCmStatusUncorrectable,

```

docsIfCmtsCmStatusSignalNoise,  
docsIfCmtsCmStatusMicroreflections,  
docsIfCmtsServiceCmStatusIndex,  
docsIfCmtsServiceAdminStatus,  
docsIfCmtsServiceQosProfile,  
docsIfCmtsServiceCreateTime,  
docsIfCmtsServiceInOctets,  
docsIfCmtsServiceInPackets,  
docsIfCmtsModType,  
docsIfCmtsModControl,  
docsIfCmtsModPreambleLen,  
docsIfCmtsModDifferentialEncoding,  
docsIfCmtsModFECErrorCorrection,  
docsIfCmtsModFECCodewordLength,  
docsIfCmtsModScramblerSeed,  
docsIfCmtsModMaxBurstSize,  
docsIfCmtsModGuardTimeSize,  
docsIfCmtsModLastCodewordShortened,  
docsIfCmtsModScrambler,

docsIfCmtsQosProfilePermissions,  
docsIfCmtsCmPtr

}

STATUS deprecated

DESCRIPTION

"Group of objects

implemented in Cable Modem Termination  
Systems."

::= { docsIfGroups 3 }

-- obsolete group

-- RFC 2670 already had a obsolete group, even though RFC2670

-- was the first version of this MIB Module.

docsIfObsoleteGroup OBJECT-GROUP

OBJECTS {

docsIfCmRangingRespTimeout,

docsIfCmtsInsertionInterval

}

STATUS obsolete

DESCRIPTION

"Group of objects obsoleted."

::= { docsIfGroups 4 }

docsIfBasicGroupV2 OBJECT-GROUP

OBJECTS {

docsIfDownChannelId,  
docsIfDownChannelFrequency,  
docsIfDownChannelWidth,  
docsIfDownChannelModulation,  
docsIfDownChannelInterleave,  
docsIfDownChannelPower,  
docsIfDownChannelAnnex,  
docsIfUpChannelId,  
docsIfUpChannelFrequency,  
docsIfUpChannelWidth,  
docsIfUpChannelModulationProfile,  
docsIfUpChannelSlotSize,  
docsIfUpChannelTxTimingOffset,  
docsIfUpChannelRangingBackoffStart,  
docsIfUpChannelRangingBackoffEnd,  
docsIfUpChannelTxBackoffStart,  
docsIfUpChannelTxBackoffEnd,  
docsIfUpChannelScdmaActiveCodes,  
docsIfUpChannelScdmaCodesPerSlot,  
docsIfUpChannelScdmaFrameSize,  
docsIfUpChannelScdmaHoppingSeed,  
docsIfUpChannelType,  
docsIfUpChannelCloneFrom,

docsIfUpChannelUpdate,  
docsIfUpChannelStatus,  
docsIfUpChannelPreEqEnable,  
docsIfQosProfPriority,  
docsIfQosProfMaxUpBandwidth,  
docsIfQosProfGuarUpBandwidth,  
docsIfQosProfMaxDownBandwidth,  
docsIfQosProfBaselinePrivacy,  
docsIfQosProfStatus,  
docsIfQosProfMaxTransmitBurst,  
docsIfSigQIncludesContention,  
docsIfSigQUnerrored,  
docsIfSigQCorrected,  
docsIfSigQUncorrectable,  
docsIfSigQSignalNoise,  
docsIfSigQMicroreflections,  
docsIfSigQExtUnerrored,  
docsIfSigQExtCorrected,  
docsIfSigQExtUncorrectable,  
docsIfDocsisBaseCapability

}

STATUS current

DESCRIPTION

"Group of objects implemented in both cable modems and cable modem termination systems."

::= { docsIfGroups 5 }

docsIfCmGroupV2 OBJECT-GROUP

OBJECTS {

docsIfCmCmtsAddress,  
docsIfCmCapabilities,  
docsIfCmRangingTimeout,  
docsIfCmStatusValue,  
docsIfCmStatusCode,  
docsIfCmStatusTxPower,  
docsIfCmStatusResets,  
docsIfCmStatusLostSyncs,  
docsIfCmStatusInvalidMaps,  
docsIfCmStatusInvalidUcDs,  
docsIfCmStatusInvalidRangingResponses,  
docsIfCmStatusInvalidRegistrationResponses,  
docsIfCmStatusT1Timeouts,  
docsIfCmStatusT2Timeouts,  
docsIfCmStatusT3Timeouts,  
docsIfCmStatusT4Timeouts,  
docsIfCmStatusRangingAborted,  
docsIfCmStatusDocsisOperMode,  
docsIfCmStatusModulationType,

docsIfCmStatusEqualizationData,  
docsIfCmStatusUCCs,  
docsIfCmStatusUCCFails,  
docsIfCmServiceQosProfile,  
docsIfCmServiceTxSlotsImmed,  
docsIfCmServiceTxSlotsDed,  
docsIfCmServiceTxRetries,  
docsIfCmServiceTxExceededs,  
docsIfCmServiceRqRetries,  
docsIfCmServiceRqExceededs,  
docsIfCmServiceExtTxSlotsImmed,  
docsIfCmServiceExtTxSlotsDed,  
docsIfSigQEqualizationData

}

STATUS current

DESCRIPTION

"Group of objects implemented in cable modems."

::= { docsIfGroups 6 }



docsIfCmtsGroupV2 OBJECT-GROUP

OBJECTS {

docsIfCmtsCapabilities,  
docsIfCmtsSyncInterval,  
docsIfCmtsUcdInterval,  
docsIfCmtsMaxServiceIds,  
docsIfCmtsInvitedRangingAttempts,  
docsIfCmtsInsertInterval,  
docsIfCmtsMacStorageType,  
docsIfCmtsStatusInvalidRangeReqs,  
docsIfCmtsStatusRangingAborted,  
docsIfCmtsStatusInvalidRegReqs,  
docsIfCmtsStatusFailedRegReqs,  
docsIfCmtsStatusInvalidDataReqs,  
docsIfCmtsStatusT5Timeouts,  
docsIfCmtsCmStatusMacAddress,  
docsIfCmtsCmStatusDownChannelIfIndex,  
docsIfCmtsCmStatusUpChannelIfIndex,  
docsIfCmtsCmStatusRxPower,  
docsIfCmtsCmStatusTimingOffset,  
docsIfCmtsCmStatusEqualizationData,  
docsIfCmtsCmStatusValue,  
docsIfCmtsCmStatusUnerrored,  
docsIfCmtsCmStatusCorrected,  
docsIfCmtsCmStatusUncorrectable,  
docsIfCmtsCmStatusSignalNoise,  
docsIfCmtsCmStatusMicroreflections,  
docsIfCmtsCmStatusExtUnerrored,  
docsIfCmtsCmStatusExtCorrected,  
  
docsIfCmtsCmStatusExtUncorrectable,  
docsIfCmtsCmStatusDocsisRegMode,  
docsIfCmtsCmStatusModulationType,  
docsIfCmtsCmStatusInetAddressType,  
docsIfCmtsCmStatusInetAddress,  
docsIfCmtsCmStatusValueLastUpdate,  
docsIfCmtsCmStatusHighResolutionTimingOffset,  
docsIfCmtsServiceAdminStatus,  
docsIfCmtsServiceQosProfile,  
docsIfCmtsServiceCreateTime,  
docsIfCmtsServiceInOctets,  
docsIfCmtsServiceInPackets,  
docsIfCmtsServiceNewCmStatusIndex,  
docsIfCmtsModType,  
docsIfCmtsModControl,  
docsIfCmtsModPreambleLen,

docsIfCmtsModDifferentialEncoding,  
docsIfCmtsModFECErrorCorrection,  
docsIfCmtsModFECCodewordLength,  
docsIfCmtsModScramblerSeed,  
docsIfCmtsModMaxBurstSize,  
docsIfCmtsModGuardTimeSize,  
docsIfCmtsModLastCodewordShortened,  
docsIfCmtsModScrambler,  
docsIfCmtsModByteInterleaverDepth,  
docsIfCmtsModByteInterleaverBlockSize,  
docsIfCmtsModPreambleType,  
docsIfCmtsModTcmErrorCorrectionOn,  
docsIfCmtsModScdmaInterleaverStepSize,  
docsIfCmtsModScdmaSpreaderEnable,  
docsIfCmtsModScdmaSubframeCodes,  
docsIfCmtsModChannelType,

docsIfCmtsModStorageType,  
docsIfCmtsQosProfilePermissions,  
docsIfCmtsCmPtr,  
docsIfCmtsChannelUtilizationInterval,  
docsIfCmtsChannelUtUtilization,  
docsIfCmtsDownChnlCtrId,  
docsIfCmtsDownChnlCtrTotalBytes,  
docsIfCmtsDownChnlCtrUsedBytes,  
docsIfCmtsDownChnlCtrExtTotalBytes,  
docsIfCmtsDownChnlCtrExtUsedBytes,  
docsIfCmtsUpChnlCtrId,  
docsIfCmtsUpChnlCtrTotalMslots,  
docsIfCmtsUpChnlCtrUcastGrantedMslots,  
docsIfCmtsUpChnlCtrTotalCntnMslots,  
docsIfCmtsUpChnlCtrUsedCntnMslots,  
docsIfCmtsUpChnlCtrExtTotalMslots,

docsIfCmtsUpChnlCtrExtUcastGrantedMslots,  
docsIfCmtsUpChnlCtrExtTotalCntnMslots,  
docsIfCmtsUpChnlCtrExtUsedCntnMslots,  
docsIfCmtsUpChnlCtrCollCntnMslots,  
docsIfCmtsUpChnlCtrTotalCntnReqMslots,  
docsIfCmtsUpChnlCtrUsedCntnReqMslots,  
docsIfCmtsUpChnlCtrCollCntnReqMslots,  
docsIfCmtsUpChnlCtrTotalCntnReqDataMslots,  
docsIfCmtsUpChnlCtrUsedCntnReqDataMslots,  
docsIfCmtsUpChnlCtrCollCntnReqDataMslots,  
docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots,  
docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots,

```
docsIfCmtsUpChnlCtrCollCntnInitMaintMslots,
docsIfCmtsUpChnlCtrExtCollCntnMslots,
docsIfCmtsUpChnlCtrExtTotalCntnReqMslots,
docsIfCmtsUpChnlCtrExtUsedCntnReqMslots,
docsIfCmtsUpChnlCtrExtCollCntnReqMslots,
docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots,
docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots,
docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots,
docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots,
docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots,
docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots,
docsIfDownChannelStorageType,
docsIfQosProfStorageType
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"Group of objects implemented in Cable Modem
```

```
Termination
```

```
Systems."
```

```
::= { docsIfGroups 7 }
```

```
END
```

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DOCS-IF-MIB
```

No license file was found, but licenses were detected in source scan.

```
RFC1213-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
 mgmt, NetworkAddress, IpAddress, Counter, Gauge,
```

```
 TimeTicks
```

```
 FROM RFC1155-SMI
```

```
OBJECT-TYPE
```

```
 FROM RFC-1212;
```

```
-- This MIB module uses the extended OBJECT-TYPE macro as
```

```
-- defined in [14];
```

```
-- MIB-II (same prefix as MIB-I)
```

```
mib-2 OBJECT IDENTIFIER ::= { mgmt 1 }
```

```
-- textual conventions
```

```

DisplayString ::=
 OCTET STRING
-- This data type is used to model textual information taken
-- from the NVT ASCII character set. By convention, objects
-- with this syntax are declared as having

--
-- SIZE (0..255)

PhysAddress ::=
 OCTET STRING
-- This data type is used to model media addresses. For many
-- types of media, this will be in a binary representation.
-- For example, an ethernet address would be represented as
-- a string of 6 octets.

-- groups in MIB-II

system OBJECT IDENTIFIER ::= { mib-2 1 }

interfaces
 OBJECT IDENTIFIER ::= { mib-2 2 }

at OBJECT IDENTIFIER ::= { mib-2 3 }

ip OBJECT IDENTIFIER ::= { mib-2 4 }

icmp OBJECT IDENTIFIER ::= { mib-2 5 }

tcp OBJECT IDENTIFIER ::= { mib-2 6 }

udp OBJECT IDENTIFIER ::= { mib-2 7 }

egp OBJECT IDENTIFIER ::= { mib-2 8 }

-- historical (some say hysterical)
-- cmot OBJECT IDENTIFIER ::= { mib-2 9 }

transmission OBJECT IDENTIFIER ::= { mib-2 10 }

snmp OBJECT IDENTIFIER ::= { mib-2 11 }

-- the System group

-- Implementation of the System group is mandatory for all
-- systems. If an agent is not configured to have a value

```

-- for any of these variables, a string of length 0 is  
-- returned.

sysDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A textual description of the entity. This value should include the full name and version identification of the

system's hardware type, software operating-system, and networking software. It is mandatory that this only contain printable ASCII characters."

::= { system 1 }

sysObjectID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The vendor's authoritative identification of the network management subsystem contained in the entity. This value is allocated within the SMI enterprises subtree (1.3.6.1.4.1) and provides an easy and unambiguous means for determining `what kind of box' is being managed. For example, if vendor `Flintstones, Inc.' was assigned the subtree 1.3.6.1.4.1.4242, it could assign the identifier 1.3.6.1.4.1.4242.1.1 to its `Fred Router'."

::= { system 2 }

sysUpTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The time (in hundredths of a second) since the network management portion of the system was last re-initialized."

::= { system 3 }

sysContact OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"The textual identification of the contact person for this managed node, together with information on how to contact this person."

::= { system 4 }

#### sysName OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"An administratively-assigned name for this managed node. By convention, this is the node's fully-qualified domain name."

::= { system 5 }

#### sysLocation OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"The physical location of this node (e.g.,  
`telephone closet,  
3rd floor')."

::= { system 6 }

#### sysServices OBJECT-TYPE

SYNTAX INTEGER (0..127)

ACCESS read-only

STATUS mandatory

#### DESCRIPTION

"A value which indicates the set of services that this entity primarily offers.

The value is a sum. This sum initially takes the value zero, Then, for each layer, L, in the range 1 through 7, that this node performs transactions for, 2 raised to (L - 1) is added to the sum. For example, a node which performs primarily routing functions would have a value of 4 ( $2^{(3-1)}$ ). In contrast, a node which is a host offering application services would have a value of 72 ( $2^{(4-1)} + 2^{(7-1)}$ ). Note that in the context of the Internet suite of protocols, values should be calculated accordingly:

layer functionality

1 physical (e.g., repeaters)

- 2 datalink/subnetwork (e.g., bridges)
- 3 internet (e.g., IP gateways)
- 4 end-to-end (e.g., IP hosts)
- 7 applications (e.g., mail relays)

For systems including OSI protocols, layers 5 and 6 may also be counted."

::= { system 7 }

-- the Interfaces group

-- Implementation of the Interfaces group is mandatory for  
-- all systems.

ifNumber OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of network interfaces (regardless of their current state) present on this system."

::= { interfaces 1 }

-- the Interfaces table

-- The Interfaces table contains information on the entity's  
-- interfaces. Each interface is thought of as being  
-- attached to a `subnetwork'. Note that this term should  
-- not be confused with `subnet' which refers to an  
-- addressing partitioning scheme used in the Internet suite  
-- of  
-- protocols.

ifTable OBJECT-TYPE

SYNTAX SEQUENCE OF IfEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"A list of interface entries. The number of entries is given by the value of ifNumber."

::= { interfaces 2 }

ifEntry OBJECT-TYPE

SYNTAX IfEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"An interface entry containing objects at the subnetwork layer and below for a particular interface."

INDEX { ifIndex }

::= { ifTable 1 }

IfEntry ::=

SEQUENCE {

ifIndex

INTEGER,

ifDescr

DisplayString,

ifType

INTEGER,

ifMtu

INTEGER,

ifSpeed

Gauge,

ifPhysAddress

PhysAddress,

ifAdminStatus

INTEGER,

ifOperStatus

INTEGER,

ifLastChange

TimeTicks,

ifInOctets

Counter,

ifInUcastPkts

Counter,

ifInNUcastPkts

Counter,

ifInDiscards

Counter,

ifInErrors

Counter,

ifInUnknownProtos

Counter,

ifOutOctets

Counter,

ifOutUcastPkts

Counter,

ifOutNUcastPkts

Counter,

ifOutDiscards

Counter,

ifOutErrors



```
 Counter,
 ifOutQLen
 Gauge,
 ifSpecific
 OBJECT IDENTIFIER
}
```

ifIndex OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A unique value for each interface. Its value ranges between 1 and the value of ifNumber. The value for each interface must remain constant at least from one re-initialization of the entity's network management system to the next re-initialization."

::= { ifEntry 1 }

ifDescr OBJECT-TYPE

SYNTAX DisplayString

(SIZE (0..255))

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A textual string containing information about the interface. This string should include the name of the manufacturer, the product name and the version of the hardware interface."

::= { ifEntry 2 }

ifType OBJECT-TYPE

SYNTAX INTEGER {

other(1), -- none of the following

regular1822(2),

hdh1822(3),

ddn-x25(4),

rfc877-x25(5),

ethernet-csmacd(6),

iso88023-csmacd(7),

iso88024-tokenBus(8),

iso88025-tokenRing(9),

iso88026-man(10),

starLan(11),

proteon-10Mbit(12),

proteon-80Mbit(13),

hyperchannel(14),

```

 fddi(15),
 lapb(16),
 sdlc(17),
 ds1(18), -- T-1

e1(19), -- european equiv. of T-1
 basicISDN(20),
 primaryISDN(21), -- proprietary serial
 propPointToPointSerial(22),
 ppp(23),
 softwareLoopback(24),
 eon(25), -- CLNP over IP [11]
 ethernet-3Mbit(26),
 nsip(27), -- XNS over IP
 slip(28), -- generic SLIP
 ultra(29), -- ULTRA technologies
 ds3(30), -- T-3
 sip(31), -- SMDS
 frame-relay(32)
}
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The type of interface, distinguished according to
 the physical/link protocol(s) immediately `below'
 the network layer in the protocol stack."
::= { ifEntry 3 }

```

```

ifMtu OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION

```

```

 "The size of the largest datagram which can be
 sent/received on the interface, specified in
 octets. For interfaces that are used for
 transmitting network datagrams, this is the size
 of the largest network datagram that can be sent
 on the interface."

```

```

::= { ifEntry 4 }

```

```

ifSpeed OBJECT-TYPE
 SYNTAX Gauge
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION

```

```

 "An estimate of the interface's current bandwidth

```

in bits per second. For interfaces which do not vary in bandwidth or for those where no accurate estimation can be made, this object should contain the nominal bandwidth."

::= { ifEntry 5 }

ifPhysAddress OBJECT-TYPE

SYNTAX PhysAddress

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The interface's address at the protocol layer immediately `below' the network layer in the protocol stack. For

interfaces which do not have

such an address (e.g., a serial line), this object should contain an octet string of zero length."

::= { ifEntry 6 }

ifAdminStatus OBJECT-TYPE

SYNTAX INTEGER {

up(1), -- ready to pass packets

down(2),

testing(3) -- in some test mode

}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The desired state of the interface. The testing(3) state indicates that no operational packets can be passed."

::= { ifEntry 7 }

ifOperStatus OBJECT-TYPE

SYNTAX INTEGER {

up(1), -- ready to pass packets

down(2),

testing(3) -- in some test mode

}

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The current operational state of the interface. The testing(3) state indicates that no operational packets can

be passed."

::= { ifEntry 8 }

ifLastChange OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The value of sysUpTime at the time the interface entered its current operational state. If the current state was entered prior to the last re-initialization of the local network management subsystem, then this object contains a zero value."

::= { ifEntry 9 }

ifInOctets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of octets received on the interface, including framing characters."

::= { ifEntry 10 }

ifInUcastPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of subnetwork-unicast packets delivered to a higher-layer protocol."

::= { ifEntry 11 }

ifInNUcastPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of non-unicast (i.e., subnetwork-broadcast or subnetwork-multicast) packets delivered to a higher-layer protocol."

::= { ifEntry 12 }

ifInDiscards OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of inbound packets which were chosen to be discarded even though no errors had been

detected to prevent their being deliverable to a higher-layer protocol. One possible reason for discarding such a packet could be to free up buffer space."

::= { ifEntry 13 }

ifInErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of inbound packets that contained errors preventing them from being deliverable to a higher-layer protocol."

::= { ifEntry 14 }

ifInUnknownProtos

OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of packets received via the interface which were discarded because of an unknown or unsupported protocol."

::= { ifEntry 15 }

ifOutOctets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of octets transmitted out of the interface, including framing characters."

::= { ifEntry 16 }

ifOutUcastPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of packets that higher-level protocols requested be transmitted to a subnetwork-unicast address, including those that were discarded or not sent."

::= { ifEntry 17 }

ifOutNUcastPkts OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number  
of packets that higher-level  
    protocols requested be transmitted to a non-  
unicast (i.e., a subnetwork-broadcast or  
subnetwork-multicast) address, including those  
that were discarded or not sent."  
::= { ifEntry 18 }

ifOutDiscards OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of outbound packets which were chosen  
to be discarded even though no errors had been  
detected to prevent their being transmitted. One  
possible reason for discarding such a packet could  
be to free up buffer space."  
::= { ifEntry 19 }

ifOutErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of outbound packets that could not be  
transmitted because of errors."  
::= { ifEntry 20 }

ifOutQLen OBJECT-TYPE

SYNTAX Gauge  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The length of the output packet queue (in  
packets)."  
::= { ifEntry 21 }

ifSpecific OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "A reference to MIB definitions specific to the

particular media being used to realize the interface. For example, if the interface is realized by an ethernet, then the value of this object refers to a document defining objects specific to ethernet. If this information is not present, its value should be set to the OBJECT IDENTIFIER { 0 0 }, which is a syntatically valid object identifier, and any conformant implementation of ASN.1 and BER must be able to generate and recognize this value."

```
::= { ifEntry 22 }
```

```
-- the Address Translation group
```

```
-- Implementation of the Address Translation group is
-- mandatory for all
-- systems. Note however that this group
-- is deprecated by MIB-II. That is, it is being included
```

```
-- solely for compatibility with MIB-I nodes, and will most
-- likely be excluded from MIB-III nodes. From MIB-II and
-- onwards, each network protocol group contains its own
-- address translation tables.
```

```
-- The Address Translation group contains one table which is
-- the union across all interfaces of the translation tables
-- for converting a NetworkAddress (e.g., an IP address) into
-- a subnetwork-specific address. For lack of a better term,
-- this document refers to such a subnetwork-specific address
-- as a `physical' address.
```

```
-- Examples of such translation tables are: for broadcast
-- media where ARP is in use, the translation table is
-- equivalent to the ARP cache; or, on an X.25 network where
-- non-algorithmic translation to X.121 addresses is
-- required, the translation table contains the
-- NetworkAddress to X.121 address equivalences.
```

```
atTable OBJECT-TYPE
```

```
SYNTAX
```

```
SEQUENCE OF AtEntry
```

```
ACCESS not-accessible
```

```
STATUS deprecated
```

```
DESCRIPTION
```

```
"The Address Translation tables contain the
NetworkAddress to `physical' address equivalences.
Some interfaces do not use translation tables for
```

determining address equivalences (e.g., DDN-X.25 has an algorithmic method); if all interfaces are of this type, then the Address Translation table is empty, i.e., has zero entries."

::= { at 1 }

atEntry OBJECT-TYPE

SYNTAX AtEntry

ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Each entry contains one NetworkAddress to `physical' address equivalence."

INDEX { atIfIndex,  
atNetAddress }

::= { atTable 1 }

AtEntry ::=

SEQUENCE {

atIfIndex

INTEGER,

atPhysAddress

PhysAddress,

atNetAddress

NetworkAddress

}

atIfIndex OBJECT-TYPE

SYNTAX

INTEGER

ACCESS read-write

STATUS deprecated

DESCRIPTION

"The interface on which this entry's equivalence is effective. The interface identified by a particular value of this index is the same interface as identified by the same value of ifIndex."

::= { atEntry 1 }

atPhysAddress OBJECT-TYPE

SYNTAX PhysAddress

ACCESS read-write

STATUS deprecated

DESCRIPTION

"The media-dependent `physical' address.

Setting this object to a null string (one of zero



length) has the effect of invalidating the corresponding entry in the atTable object. That is, it effectively disassociates the interface identified with said entry from the mapping identified with said entry. It is an implementation-specific matter as to whether the agent removes an invalidated entry from the table. Accordingly, management stations must be prepared to receive tabular information from agents that corresponds to entries not currently in use. Proper interpretation of such entries requires examination of the relevant atPhysAddress object."

```
::= { atEntry 2 }
```

atNetAddress OBJECT-TYPE

SYNTAX NetworkAddress

ACCESS read-write

STATUS deprecated

DESCRIPTION

"The NetworkAddress (e.g., the IP address) corresponding to the media-dependent `physical' address."

```
::= { atEntry 3 }
```

-- the IP group

-- Implementation of the IP group is mandatory for all systems.

ipForwarding OBJECT-TYPE

SYNTAX INTEGER {

forwarding(1), -- acting as a gateway

not-forwarding(2) -- NOT acting as a gateway

}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The indication of whether this entity is acting as an IP gateway in respect to the forwarding of datagrams received by, but not addressed to, this entity. IP gateways forward datagrams. IP hosts do not (except those source-routed via the host).

Note that for some managed nodes, this object may take on only a subset of the values possible.

Accordingly, it is appropriate for an agent to return a `badValue' response if a management station attempts to change this object to an inappropriate value."

::= { ip 1 }

#### ipDefaultTTL OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The default value inserted into the Time-To-Live field of the IP header of datagrams originated at this entity, whenever a TTL value is not supplied by the transport layer protocol."

::= { ip 2 }

#### ipInReceives OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of input datagrams received from interfaces, including those received in error."

::= { ip 3 }

#### ipInHdrErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of input datagrams discarded due to errors in their IP headers, including bad checksums, version number mismatch, other format errors, time-to-live exceeded, errors discovered in processing their IP options, etc."

::= { ip 4 }

#### ipInAddrErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of input datagrams discarded because the IP address in their IP header's destination field was not a valid address to be received at this entity. This count includes invalid addresses (e.g., 0.0.0.0) and addresses of

unsupported Classes (e.g.,  
Class E). For entities  
which are not IP Gateways and therefore do not  
forward datagrams, this counter includes datagrams  
discarded because the destination address was not  
a local address."  
::= { ip 5 }

ipForwDatagrams OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of input datagrams for which this  
entity was not their final IP destination, as a  
result of which an attempt was made to find a  
route to forward them to that final destination.  
In entities which do not act as IP Gateways, this  
counter will include only those packets which were  
Source-Routed via this entity, and the Source-  
Route option processing was successful."

::= { ip 6 }

ipInUnknownProtos OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of locally-addressed  
datagrams  
received successfully but discarded because of an  
unknown or unsupported protocol."

::= { ip 7 }

ipInDiscards OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of input IP datagrams for which no  
problems were encountered to prevent their  
continued processing, but which were discarded  
(e.g., for lack of buffer space). Note that this  
counter does not include any datagrams discarded  
while awaiting re-assembly."

::= { ip 8 }

ipInDelivers OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of input datagrams successfully delivered to IP user-protocols (including ICMP)."  
::= { ip 9 }

ipOutRequests OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of IP datagrams which local IP user-protocols (including ICMP) supplied to IP in requests for transmission. Note that this counter does not include any datagrams counted in ipForwDatagrams."  
::= { ip 10 }

ipOutDiscards OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of output IP datagrams for which no problem was encountered to prevent their transmission to their destination, but which were discarded (e.g., for lack of buffer space). Note that this counter would include datagrams counted in ipForwDatagrams if any such packets met this (discretionary) discard criterion."  
::= { ip 11 }

ipOutNoRoutes OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of IP datagrams discarded because no route could be found to transmit them to their destination. Note that this counter includes any packets counted in ipForwDatagrams which meet this 'no-route' criterion. Note that this includes any datagrams which a host cannot route because all of its default gateways are down."  
::= { ip 12 }

::= { ip 12 }

ipReasmTimeout OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The maximum number of seconds which received fragments are held while they are awaiting reassembly at this entity."

::= { ip 13 }

ipReasmReqds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of IP fragments received which needed to be reassembled at this entity."

::= { ip 14 }

ipReasmOKs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of IP datagrams successfully re-assembled."

::= { ip 15 }

ipReasmFails OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of failures detected by the IP re-assembly algorithm (for whatever reason: timed out, errors, etc). Note that this is not necessarily a count of discarded IP fragments since some algorithms (notably the algorithm in RFC 815) can lose track of the number of fragments by combining them as they are received."

::= { ip 16 }

ipFragOKs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory  
DESCRIPTION  
"The number of IP datagrams that have been  
successfully fragmented at this entity."  
::= { ip 17 }

ipFragFails OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
"The number of IP datagrams that have been  
discarded because they needed to  
be fragmented at  
this entity but could not be, e.g., because their  
Don't Fragment flag was set."  
::= { ip 18 }

ipFragCreates OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
"The number of IP datagram fragments that have  
been generated as a result of fragmentation at  
this entity."  
::= { ip 19 }

-- the IP address table

-- The IP address table contains this entity's IP addressing  
-- information.

ipAddrTable OBJECT-TYPE  
SYNTAX SEQUENCE OF IpAddrEntry  
ACCESS not-accessible  
STATUS mandatory  
DESCRIPTION  
"The table of addressing information relevant to  
this entity's IP addresses."  
::= { ip 20 }

ipAddrEntry OBJECT-TYPE  
SYNTAX IpAddrEntry  
ACCESS not-accessible  
STATUS mandatory  
DESCRIPTION  
"The addressing information for one of this

```
entity's IP addresses."
INDEX { ipAdEntAddr }
::=
{ ipAddrTable 1 }
```

```
IpAddrEntry ::=
SEQUENCE {
 ipAdEntAddr
 IpAddress,
 ipAdEntIfIndex
 INTEGER,
 ipAdEntNetMask
 IpAddress,
 ipAdEntBcastAddr
 INTEGER,
 ipAdEntReasmMaxSize
 INTEGER (0..65535)
}
```

```
ipAdEntAddr OBJECT-TYPE
SYNTAX IpAddress
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The IP address to which this entry's addressing
 information pertains."
::= { ipAddrEntry 1 }
```

```
ipAdEntIfIndex OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The index value which uniquely identifies the
 interface to which this entry is applicable. The
 interface identified by a particular value of this
 index is the same interface as identified by the
 same value of ifIndex."
::= { ipAddrEntry 2 }
```

```
ipAdEntNetMask OBJECT-TYPE
SYNTAX IpAddress
ACCESS
read-only
STATUS mandatory
DESCRIPTION
 "The subnet mask associated with the IP address of
 this entry. The value of the mask is an IP
```

address with all the network bits set to 1 and all  
the hosts bits set to 0."  
::= { ipAddrEntry 3 }

ipAdEntBcastAddr OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The value of the least-significant bit in the IP  
broadcast address used for sending datagrams on  
the (logical) interface associated with the IP  
address of this entry. For example, when the  
Internet standard all-ones broadcast address is  
used, the value will be 1. This value applies to  
both the subnet and network broadcasts addresses  
used by the entity on this (logical) interface."

::= { ipAddrEntry 4 }

ipAdEntReasmMaxSize OBJECT-TYPE

SYNTAX INTEGER (0..65535)

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The size of the largest IP datagram which this  
entity can re-assemble from incoming IP fragmented  
datagrams received on this interface."

::= { ipAddrEntry 5 }

-- the IP routing table

-- The IP routing table contains an entry for each route  
-- presently known to this entity.

ipRouteTable OBJECT-TYPE

SYNTAX SEQUENCE OF IpRouteEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"This entity's IP Routing table."

::= { ip 21 }

ipRouteEntry OBJECT-TYPE

SYNTAX IpRouteEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"A route to a particular destination."



```
INDEX { ipRouteDest }
::= { ipRouteTable 1 }
```

```
IpRouteEntry ::=
SEQUENCE {
 ipRouteDest
 IpAddress,
 ipRouteIfIndex
 INTEGER,
 ipRouteMetric1
 INTEGER,
 ipRouteMetric2
 INTEGER,
 ipRouteMetric3
 INTEGER,
 ipRouteMetric4
 INTEGER,
 ipRouteNextHop
 IpAddress,
 ipRouteType
 INTEGER,
 ipRouteProto
 INTEGER,
 ipRouteAge
 INTEGER,
 ipRouteMask
 IpAddress,
 ipRouteMetric5
 INTEGER,
 ipRouteInfo
 OBJECT IDENTIFIER
}
```

ipRouteDest OBJECT-TYPE

SYNTAX IpAddress

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The destination IP address of this route. An entry with a value of 0.0.0.0 is considered a default route. Multiple routes to a single destination can appear in the table, but access to such multiple entries is dependent on the table-access mechanisms defined by the network management protocol in use."

```
::= { ipRouteEntry 1 }
```

ipRouteIfIndex OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"The index value which uniquely identifies the local interface through which the next hop of this route should be reached. The interface identified by a particular value of this index is the same interface as identified by the same value of ifIndex."

::= { ipRouteEntry 2 }

#### ipRouteMetric1 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"The primary routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 3 }

#### ipRouteMetric2 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the

routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 4 }

#### ipRouteMetric3 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

#### DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 5 }

#### ipRouteMetric4 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 6 }

#### ipRouteNextHop OBJECT-TYPE

SYNTAX IpAddress

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The IP address of the next hop of this route. (In the case of a route bound to an interface which is realized via a broadcast media, the value of this field is the agent's IP address on that interface.)"

::= { ipRouteEntry 7 }

#### ipRouteType OBJECT-TYPE

SYNTAX INTEGER {

other(1), -- none of the following

invalid(2), -- an invalidated route

-- route to directly

direct(3), -- connected (sub-)network

-- route to a non-local

indirect(4) -- host/network/sub-network

}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The type of route. Note that the values direct(3) and indirect(4) refer to the notion of direct and indirect routing in the IP architecture.

Setting this object to the value invalid(2) has

the effect of invalidating the corresponding entry in the ipRouteTable object. That is, it effectively disassociates the destination identified with said entry from the route identified with said entry. It is an implementation-specific matter as to whether the agent removes an invalidated entry from the table. Accordingly, management stations must be prepared to receive tabular information from agents that corresponds to entries not currently in use. Proper interpretation of such entries requires examination of the relevant ipRouteType object."

::= { ipRouteEntry 8 }

ipRouteProto OBJECT-TYPE

SYNTAX INTEGER {

other(1), -- none of the following

-- non-protocol information,  
-- e.g., manually configured

local(2), -- entries

-- set via a network  
netmgmt(3), -- management protocol

-- obtained via ICMP,  
icmp(4), -- e.g., Redirect

-- the remaining values are  
-- all gateway routing  
-- protocols

egp(5),

ggp(6),

hello(7),

rip(8),

is-is(9),

es-is(10),

ciscoIgrp(11),

bbnSpfIgp(12),

ospf(13),

bgp(14)

}

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The routing mechanism via which this route was learned. Inclusion of values for gateway routing

protocols  
is not intended to imply that hosts  
should support those protocols."  
::= { ipRouteEntry 9 }

#### ipRouteAge OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The number of seconds since this route was last updated or otherwise determined to be correct.

Note that no semantics of 'too old' can be implied except through knowledge of the routing protocol by which the route was learned."

::= { ipRouteEntry 10 }

#### ipRouteMask OBJECT-TYPE

SYNTAX IpAddress

ACCESS read-write

STATUS mandatory

DESCRIPTION

"Indicate the mask to be logical-ANDed with the destination address before being compared to the value in the ipRouteDest field. For those systems that do not support arbitrary subnet masks, an agent constructs the value of the ipRouteMask by determining whether the value of the correspondent ipRouteDest field belong to a class-A, B, or C network, and then using one of:

|               |         |
|---------------|---------|
| mask          | network |
| 255.0.0.0     | class-A |
| 255.255.0.0   | class-B |
| 255.255.255.0 | class-C |

If the value of the ipRouteDest is 0.0.0.0 (a default route), then the mask value is also 0.0.0.0. It should be noted that all IP routing subsystems implicitly use this mechanism."

::= { ipRouteEntry 11 }

#### ipRouteMetric5 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the

routing-protocol specified in the route's  
ipRouteProto value. If this metric is not used,  
its value should be set to -1."  
::= { ipRouteEntry 12 }

ipRouteInfo OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A reference to MIB definitions specific to the  
particular routing protocol which is responsible  
for this route, as determined by the value  
specified in the route's ipRouteProto value. If  
this information is not present, its value should  
be set to the OBJECT IDENTIFIER { 0 0 }, which is  
a syntatically valid object identifier, and any  
conformant implementation of ASN.1 and BER must be  
able to generate and recognize this value."

::= { ipRouteEntry 13 }

-- the IP Address Translation table

-- The IP address translation table contain the IpAddress to  
-- `physical' address equivalences. Some interfaces do not  
-- use translation tables for determining address  
-- equivalences (e.g., DDN-X.25 has an algorithmic method);  
-- if all interfaces are of this type, then the Address  
-- Translation table is empty, i.e., has zero  
entries.

ipNetToMediaTable OBJECT-TYPE

SYNTAX SEQUENCE OF IpNetToMediaEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"The IP Address Translation table used for mapping  
from IP addresses to physical addresses."

::= { ip 22 }

ipNetToMediaEntry OBJECT-TYPE

SYNTAX IpNetToMediaEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Each entry contains one IpAddress to `physical'  
address equivalence."

```
INDEX { ipNetToMediaIfIndex,
 ipNetToMediaNetAddress }
::= { ipNetToMediaTable 1 }
```

```
IpNetToMediaEntry ::=
SEQUENCE {
 ipNetToMediaIfIndex
 INTEGER,
 ipNetToMediaPhysAddress
 PhysAddress,
 ipNetToMediaNetAddress
 IpAddress,
 ipNetToMediaType
 INTEGER
}
```

```
ipNetToMediaIfIndex OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-write
STATUS mandatory
DESCRIPTION
 "The interface
on which this entry's equivalence
 is effective. The interface identified by a
 particular value of this index is the same
 interface as identified by the same value of
 ifIndex."
::= { ipNetToMediaEntry 1 }
```

```
ipNetToMediaPhysAddress OBJECT-TYPE
SYNTAX PhysAddress
ACCESS read-write
STATUS mandatory
DESCRIPTION
 "The media-dependent `physical' address."
::= { ipNetToMediaEntry 2 }
```

```
ipNetToMediaNetAddress OBJECT-TYPE
SYNTAX IpAddress
ACCESS read-write
STATUS mandatory
DESCRIPTION
 "The IpAddress corresponding to the media-
dependent `physical' address."
::= { ipNetToMediaEntry 3 }
```

```
ipNetToMediaType OBJECT-TYPE
SYNTAX INTEGER {
```

```

 other(1), -- none of the following
 invalid(2), -- an invalidated mapping
 dynamic(3),
 static(4)
 }
ACCESS read-write
STATUS mandatory
DESCRIPTION
 "The type of mapping.

 Setting this object to the value invalid(2) has
 the effect of invalidating the corresponding entry
 in the ipNetToMediaTable. That is, it effectively
 disassociates the interface identified with said
 entry from the mapping identified with said entry.
 It is an implementation-specific matter as to
 whether the agent removes an invalidated entry
 from the table. Accordingly, management stations
 must be prepared to receive tabular information
 from agents that corresponds to entries not
 currently in use. Proper interpretation of such
 entries requires examination of the relevant
 ipNetToMediaType object."
::= { ipNetToMediaEntry 4 }

```

-- additional IP objects

```

ipRoutingDiscards OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION
 "The number
of routing entries which were chosen
 to be discarded even though they are valid. One
 possible reason for discarding such an entry could
 be to free-up buffer space for other routing
 entries."
::= { ip 23 }

```

-- the ICMP group

-- Implementation of the ICMP group is mandatory for all  
-- systems.

```

icmpInMsgs OBJECT-TYPE

```



SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The total number of ICMP messages which the entity received. Note that this counter includes all those counted by icmpInErrors."

::= { icmp 1 }

icmpInErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of ICMP messages which the entity received but determined as having ICMP-specific errors (bad ICMP checksums, bad length, etc.)."

::= { icmp 2 }

icmpInDestUnreachs OBJECT-TYPE

SYNTAX Counter  
  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of ICMP Destination Unreachable messages received."

::= { icmp 3 }

icmpInTimeExcds OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of ICMP Time Exceeded messages received."

::= { icmp 4 }

icmpInParmProbs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The number of ICMP Parameter Problem messages received."

::= { icmp 5 }

icmpInSrcQuenchs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Source Quench messages  
    received."  
::= { icmp 6 }

icmpInRedirects OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Redirect messages received."  
::= { icmp 7 }

icmpInEchos OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Echo (request) messages  
    received."  
::= { icmp 8 }

icmpInEchoReps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Echo Reply messages received."  
::= { icmp 9 }

icmpInTimestamps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Timestamp (request) messages  
    received."  
::= { icmp 10 }

icmpInTimestampReps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Timestamp Reply messages

received."  
::= { icmp 11 }

icmpInAddrMasks OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Address Mask Request messages  
    received."  
::= {  
icmp 12 }

icmpInAddrMaskReps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Address Mask Reply messages  
    received."  
::= { icmp 13 }

icmpOutMsgs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of ICMP messages which this  
    entity attempted to send. Note that this counter  
    includes all those counted by icmpOutErrors."  
::= { icmp 14 }

icmpOutErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP messages which this entity did  
    not send due to problems discovered within ICMP  
    such as a lack of buffers. This value should not  
    include errors discovered outside the ICMP layer  
    such as the inability of IP to route the resultant  
    datagram. In some implementations there may  
be no  
    types of error which contribute to this counter's  
    value."  
::= { icmp 15 }

icmpOutDestUnreachs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Destination Unreachable messages sent."

::= { icmp 16 }

icmpOutTimeExcds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Time Exceeded messages sent."

::= { icmp 17 }

icmpOutParmProbs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Parameter Problem messages sent."

::= { icmp 18 }

icmpOutSrcQuenchs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Source Quench messages sent."

::= { icmp 19 }

icmpOutRedirects OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS

mandatory

DESCRIPTION

"The number of ICMP Redirect messages sent. For a host, this object will always be zero, since hosts do not send redirects."

::= { icmp 20 }

icmpOutEchos OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Echo (request) messages sent."  
::= { icmp 21 }

icmpOutEchoReps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Echo Reply messages sent."  
::= { icmp 22 }

icmpOutTimestamps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Timestamp (request) messages  
    sent."  
::= { icmp 23 }

icmpOutTimestampReps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Timestamp Reply messages  
    sent."  
::= {  
icmp 24 }

icmpOutAddrMasks OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Address Mask Request messages  
    sent."  
::= { icmp 25 }

icmpOutAddrMaskReps OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of ICMP Address Mask Reply messages  
    sent."

```

 ::= { icmp 26 }

-- the TCP group

-- Implementation of the TCP group is mandatory for all
-- systems that implement the TCP.

-- Note that instances of object types that represent
-- information about a particular TCP connection are
-- transient; they persist only as long as the connection
-- in question.

tcpRtoAlgorithm OBJECT-TYPE
 SYNTAX INTEGER {
 other(1), -- none of the following

 constant(2), -- a constant rto
 rsre(3), -- MIL-STD-1778, Appendix B
 vanj(4) -- Van Jacobson's algorithm [10]
 }
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION
 "The algorithm used to determine the timeout value
 used for retransmitting unacknowledged octets."
 ::= { tcp 1 }

tcpRtoMin OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION
 "The minimum value permitted by a TCP
 implementation for the retransmission timeout,
 measured in milliseconds. More refined semantics
 for objects of this type depend upon the algorithm
 used to determine the retransmission timeout. In
 particular, when the timeout algorithm is rsre(3),
 an object of this type has the semantics of the
 LBOUND quantity described in RFC 793."
 ::= { tcp 2 }

tcpRtoMax OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-only

```

STATUS mandatory

DESCRIPTION

"The maximum value permitted by a TCP implementation for the retransmission timeout, measured in milliseconds. More refined semantics for objects of this type depend upon the algorithm used to determine the retransmission timeout. In particular, when the timeout algorithm is rsre(3), an object of this type has the semantics of the UBOUND quantity described in RFC 793."

::= { tcp 3 }

tcpMaxConn OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The limit on the total number of TCP connections the entity can support. In entities where the maximum number of connections is dynamic, this object should contain the value -1."

::= { tcp 4 }

tcpActiveOpens OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times TCP connections have made a direct transition to the SYN-SENT state from the CLOSED state."

::= { tcp 5 }

tcpPassiveOpens OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times TCP connections have made a direct transition to the SYN-RCVD state from the LISTEN state."

::= { tcp 6 }

tcpAttemptFails OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

#### DESCRIPTION

"The number of times TCP connections have made a direct transition to the CLOSED state from either the SYN-SENT state or the SYN-RCVD state, plus the number of times TCP connections have made a direct transition to the LISTEN state from the SYN-RCVD state."

::= { tcp 7 }

#### tcpEstabResets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

#### DESCRIPTION

"The number of times TCP connections have made a direct transition to the CLOSED state from either the

ESTABLISHED state or the CLOSE-WAIT state."

::= { tcp 8 }

#### tcpCurrEstab OBJECT-TYPE

SYNTAX Gauge

ACCESS read-only

STATUS mandatory

#### DESCRIPTION

"The number of TCP connections for which the current state is either ESTABLISHED or CLOSE-WAIT."

::= { tcp 9 }

#### tcpInSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

#### DESCRIPTION

"The total number of segments received, including those received in error. This count includes segments received on currently established connections."

::= { tcp 10 }

#### tcpOutSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

#### DESCRIPTION

"The total number of segments sent, including those on current connections but excluding those



```

 containing only retransmitted octets."
 ::= { tcp 11 }

tcpRetransSegs OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION
 "The total number of segments retransmitted - that
 is, the number of TCP segments transmitted
 containing one or more previously transmitted
 octets."
 ::= { tcp 12 }

-- the TCP Connection table

-- The TCP connection table contains information about this
-- entity's existing TCP connections.

tcpConnTable OBJECT-TYPE
 SYNTAX SEQUENCE OF TcpConnEntry
 ACCESS not-accessible
 STATUS mandatory
 DESCRIPTION
 "A table containing TCP connection-specific
 information."
 ::= { tcp 13 }

tcpConnEntry OBJECT-TYPE
 SYNTAX TcpConnEntry
 ACCESS not-accessible
 STATUS mandatory
 DESCRIPTION
 "Information about a particular current TCP
 connection. An object of this type is transient,
 in that it ceases to exist when (or soon after)
 the connection makes the transition to the CLOSED
 state."
 INDEX
 { tcpConnLocalAddress,
 tcpConnLocalPort,
 tcpConnRemAddress,
 tcpConnRemPort }
 ::= { tcpConnTable 1 }

TcpConnEntry ::=
 SEQUENCE {

```

```

tcpConnState
 INTEGER,
tcpConnLocalAddress
 IpAddress,
tcpConnLocalPort
 INTEGER (0..65535),
tcpConnRemAddress
 IpAddress,
tcpConnRemPort
 INTEGER (0..65535)
}

```

tcpConnState OBJECT-TYPE

```

SYNTAX INTEGER {
 closed(1),
 listen(2),
 synSent(3),
 synReceived(4),
 established(5),
 finWait1(6),
 finWait2(7),
 closeWait(8),
 lastAck(9),
 closing(10),
 timeWait(11),
 deleteTCB(12)
}

```

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The state of this TCP connection.

The only value which may be set by a management station is deleteTCB(12). Accordingly, it is appropriate for an agent to return a `badValue' response if a management station attempts to set this object to any other value.

If a management station sets this object to the value deleteTCB(12), then this has the effect of deleting the TCB (as defined in RFC 793) of the corresponding connection on the managed node, resulting in immediate termination of the connection.

As an implementation-specific option, a RST segment may be sent from the managed node to the

other TCP endpoint (note however that RST segments are not sent reliably)."  
::= { tcpConnEntry 1 }

tcpConnLocalAddress OBJECT-TYPE

SYNTAX IPAddress

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The local IP address for this TCP connection. In

the case of a connection in the listen state which is willing to accept connections for any IP interface associated with the node, the value 0.0.0.0 is used."

::= { tcpConnEntry 2 }

tcpConnLocalPort OBJECT-TYPE

SYNTAX INTEGER (0..65535)

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The local port number for this TCP connection."

::= { tcpConnEntry 3 }

tcpConnRemAddress OBJECT-TYPE

SYNTAX IPAddress

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The remote IP address for this TCP connection."

::= { tcpConnEntry 4 }

tcpConnRemPort OBJECT-TYPE

SYNTAX INTEGER (0..65535)

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The remote port number for this TCP connection."

::= { tcpConnEntry 5 }

-- additional TCP objects

tcpInErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number  
of segments received in error  
(e.g., bad TCP checksums)."  
::= { tcp 14 }

tcpOutRsts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of TCP segments sent containing the  
RST flag."  
::= { tcp 15 }

-- the UDP group

-- Implementation of the UDP group is mandatory for all  
-- systems which implement the UDP.

udpInDatagrams OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of UDP datagrams delivered to  
UDP users."  
::= { udp 1 }

udpNoPorts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of received UDP datagrams for  
which there was no application at the destination  
port."  
::= { udp 2 }

udpInErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of received UDP datagrams that could  
not be delivered for reasons other than the lack

```

 of an application at the destination port."
 ::= { udp 3 }

udpOutDatagrams OBJECT-TYPE
 SYNTAX Counter
 ACCESS read-only
 STATUS mandatory
 DESCRIPTION
 "The total number of UDP datagrams sent from this
 entity."
 ::= { udp 4 }

-- the UDP Listener table

-- The UDP listener table contains information about this
-- entity's UDP end-points on which a local application is
-- currently accepting datagrams.

udpTable OBJECT-TYPE
 SYNTAX SEQUENCE OF UdpEntry
 ACCESS not-accessible
 STATUS mandatory
 DESCRIPTION
 "A table containing UDP listener information."
 ::= { udp 5 }

udpEntry OBJECT-TYPE
 SYNTAX UdpEntry
 ACCESS not-accessible
 STATUS mandatory
 DESCRIPTION
 "Information about a particular current UDP
 listener."
 INDEX { udpLocalAddress, udpLocalPort
 }
 ::= { udpTable 1 }

UdpEntry ::=
 SEQUENCE {
 udpLocalAddress
 IPAddress,
 udpLocalPort
 INTEGER (0..65535)
 }

udpLocalAddress OBJECT-TYPE
 SYNTAX IPAddress

```

ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The local IP address for this UDP listener. In  
    the case of a UDP listener which is willing to  
    accept datagrams for any IP interface associated  
    with the node, the value 0.0.0.0 is used."  
::= { udpEntry 1 }

udpLocalPort OBJECT-TYPE

SYNTAX INTEGER (0..65535)  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The local port number for this UDP listener."  
::= { udpEntry 2 }

-- the EGP group

-- Implementation of the EGP group is mandatory for all  
-- systems which implement the EGP.

egpInMsgs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of EGP messages received without  
    error."  
::= { egp 1 }

egpInErrors OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The number of EGP messages received that proved  
    to be in error."  
::= { egp 2 }

egpOutMsgs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of locally generated EGP  
    messages."

::= { egp 3 }

egpOutErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of locally generated EGP messages not sent due to resource limitations within an EGP entity."

::= { egp 4 }

-- the EGP Neighbor table

-- The EGP neighbor table contains information about this  
-- entity's EGP neighbors.

egpNeighTable OBJECT-TYPE

SYNTAX SEQUENCE OF EgpNeighEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"The EGP neighbor table."

::= { egp 5 }

egpNeighEntry OBJECT-TYPE

SYNTAX EgpNeighEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Information about this entity's relationship with a particular EGP neighbor."

INDEX { egpNeighAddr }

::= { egpNeighTable 1 }

EgpNeighEntry ::=

SEQUENCE {

egpNeighState

INTEGER,

egpNeighAddr

IpAddress,

egpNeighAs

INTEGER,

egpNeighInMsgs

Counter,

egpNeighInErrs

Counter,

```

 egpNeighOutMsgs
 Counter,
 egpNeighOutErrs
 Counter,
 egpNeighInErrMsgs
 Counter,
 egpNeighOutErrMsgs
 Counter,
 egpNeighStateUps
 Counter,
 egpNeighStateDowns
 Counter,
 egpNeighIntervalHello
 INTEGER,
 egpNeighIntervalPoll
 INTEGER,
 egpNeighMode
 INTEGER,
 egpNeighEventTrigger
 INTEGER
}

```

egpNeighState OBJECT-TYPE

```

SYNTAX INTEGER {
 idle(1),
 acquisition(2),
 down(3),
 up(4),
 cease(5)
}

```

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The EGP state of the local system with respect to this entry's EGP neighbor. Each EGP state is represented by a value that is one greater than the numerical value associated with said state in RFC 904."

```
 ::= { egpNeighEntry 1 }
```

egpNeighAddr OBJECT-TYPE

```
SYNTAX IpAddress
```

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The IP address of this entry's EGP neighbor."

```
 ::= { egpNeighEntry 2 }
```



egpNeighAs OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The autonomous system of this EGP peer. Zero should be specified if the autonomous system number

of the neighbor is not yet known."

::= { egpNeighEntry 3 }

egpNeighInMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP messages received without error from this EGP peer."

::= { egpNeighEntry 4 }

egpNeighInErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP messages received from this EGP peer that proved to be in error (e.g., bad EGP checksum)."

::= { egpNeighEntry 5 }

egpNeighOutMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of locally generated EGP messages to this EGP peer."

::= { egpNeighEntry 6 }

egpNeighOutErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of locally generated EGP messages not sent to this

EGP peer due to resource limitations

within an EGP entity."

::= { egpNeighEntry 7 }

egpNeighInErrMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP-defined error messages received  
from this EGP peer."

::= { egpNeighEntry 8 }

egpNeighOutErrMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP-defined error messages sent to  
this EGP peer."

::= { egpNeighEntry 9 }

egpNeighStateUps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP state transitions to the UP  
state with this EGP peer."

::= { egpNeighEntry 10 }

egpNeighStateDowns OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP state transitions from the UP  
state to any  
other state with this EGP peer."

::= { egpNeighEntry 11 }

egpNeighIntervalHello OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The interval between EGP Hello command  
retransmissions (in hundredths of a second). This

represents the t1 timer as defined in RFC 904."  
::= { egpNeighEntry 12 }

egpNeighIntervalPoll OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The interval between EGP poll command retransmissions (in hundredths of a second). This represents the t3 timer as defined in RFC 904."

::= { egpNeighEntry 13 }

egpNeighMode OBJECT-TYPE

SYNTAX INTEGER { active(1), passive(2) }

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The polling mode of this EGP entity, either passive or active."

::= { egpNeighEntry 14 }

egpNeighEventTrigger OBJECT-TYPE

SYNTAX INTEGER

{ start(1), stop(2) }

ACCESS read-write

STATUS mandatory

DESCRIPTION

"A control variable used to trigger operator-initiated Start and Stop events. When read, this variable always returns the most recent value that egpNeighEventTrigger was set to. If it has not been set since the last initialization of the network management subsystem on the node, it returns a value of `stop`."

When set, this variable causes a Start or Stop event on the specified neighbor, as specified on pages 8-10 of RFC 904. Briefly, a Start event causes an Idle peer to begin neighbor acquisition and a non-Idle peer to reinitiate neighbor acquisition. A stop event causes a non-Idle peer to return to the Idle state until a Start event occurs, either via egpNeighEventTrigger or otherwise."

::= { egpNeighEntry  
15 }

-- additional EGP objects

egpAs OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The autonomous system number of this EGP entity."

::= { egp 6 }

-- the Transmission group

-- Based on the transmission media underlying each interface  
-- on a system, the corresponding portion of the Transmission  
-- group is mandatory for that system.

-- When Internet-standard definitions for managing  
-- transmission media are defined, the transmission group is  
-- used to provide a prefix for the names of those objects.

-- Typically, such definitions reside in the experimental  
-- portion of the MIB until they are "proven", then as a  
-- part of the Internet standardization process, the  
-- definitions are accordingly elevated and a new object  
-- identifier, under the transmission group is defined. By  
-- convention, the name assigned is:

--

-- type OBJECT IDENTIFIER ::= { transmission number }

--

-- where "type" is the symbolic  
-- value used for the media in  
-- the ifType column of the ifTable object, and "number" is  
-- the actual integer value corresponding to the symbol.

-- the SNMP group

-- Implementation of the SNMP group is mandatory for all  
-- systems which support an SNMP protocol entity. Some of  
-- the objects defined below will be zero-valued in those  
-- SNMP implementations that are optimized to support only  
-- those functions specific to either a management agent or  
-- a management station. In particular, it should be  
-- observed that the objects below refer to an SNMP entity,  
-- and there may be several SNMP entities residing on a  
-- managed node (e.g., if the node is hosting acting as  
-- a management station).

snmpInPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of Messages delivered to the  
SNMP entity from the transport service."

::= { snmp 1 }

snmpOutPkts OBJECT-TYPE

SYNTAX Counter

ACCESS

read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Messages which were  
passed from the SNMP protocol entity to the  
transport service."

::= { snmp 2 }

snmpInBadVersions OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Messages which were  
delivered to the SNMP protocol entity and were for  
an unsupported SNMP version."

::= { snmp 3 }

snmpInBadCommunityNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Messages delivered to  
the SNMP protocol entity which used a SNMP  
community name not known to said entity."

::= { snmp 4 }

snmpInBadCommunityUses OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Messages delivered to

the SNMP protocol entity which represented an SNMP operation which was not allowed by the SNMP community named in the Message."

::= { snmp 5 }

snmpInASNParseErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of ASN.1 or BER errors encountered by the SNMP protocol entity when decoding received SNMP Messages."

::= { snmp 6 }

-- { snmp 7 } is not used

snmpInTooBigs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `tooBig'."

::= { snmp 8 }

snmpInNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `noSuchName'."

::= { snmp 9 }

snmpInBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is

`badValue'.  
 ::= { snmp 10 }

snmpInReadOnlys OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The total number valid SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `readOnly'. It should be noted that it is a protocol error to generate an SNMP PDU which contains the value `readOnly' in the error-status field, as such this object is provided as a means of detecting

incorrect implementations of the SNMP."

::= { snmp 11 }

snmpInGenErrs OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `genErr'."

::= { snmp 12 }

snmpInTotalReqVars OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The total number of MIB objects which have been retrieved successfully by the SNMP protocol entity as the result of receiving valid SNMP Get-Request and Get-Next PDUs."

::= { snmp 13 }

snmpInTotalSetVars OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The total number of MIB objects which have been

altered successfully by the SNMP protocol entity  
as the result  
of receiving valid SNMP Set-Request  
PDUs."  
 ::= { snmp 14 }

snmpInGetRequests OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
 "The total number of SNMP Get-Request PDUs which  
 have been accepted and processed by the SNMP  
 protocol entity."  
 ::= { snmp 15 }

snmpInGetNexts OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
 "The total number of SNMP Get-Next PDUs which have  
 been accepted and processed by the SNMP protocol  
 entity."  
 ::= { snmp 16 }

snmpInSetRequests OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
 "The total number of SNMP Set-Request PDUs which  
 have been accepted and processed by the SNMP  
 protocol entity."  
 ::= { snmp 17 }

snmpInGetResponses OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
 "The total number of SNMP Get-Response PDUs which  
 have been accepted and processed by the SNMP  
 protocol entity."  
 ::= { snmp 18 }

snmpInTraps OBJECT-TYPE

SYNTAX Counter



ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP Trap PDUs which have  
    been accepted and processed by the SNMP protocol  
    entity."  
::= { snmp 19 }

snmpOutTooBig OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP PDUs which were  
    generated by the SNMP protocol entity and for  
    which the value of the error-status field is  
    `tooBig`."  
::= { snmp 20 }

snmpOutNoSuchNames OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP PDUs which were  
    generated by the SNMP protocol entity and for  
    which the value of the error-status is  
    `noSuchName`."  
::= { snmp 21 }

snmpOutBadValues OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP PDUs which were  
    generated by the SNMP protocol entity and for  
    which the value of the error-status field is  
    `badValue`."  
::= { snmp 22 }

-- { snmp 23 } is not used

snmpOutGenErrs OBJECT-TYPE  
SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field is `genErr`."  
 ::= { snmp 24 }

snmpOutGetRequests OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP Get-Request PDUs which have been generated by the SNMP protocol entity."  
 ::= { snmp 25 }

snmpOutGetNexts OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP Get-Next PDUs which have been generated by the SNMP protocol entity."  
 ::= { snmp 26 }

snmpOutSetRequests OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP Set-Request PDUs which have been generated by the SNMP protocol entity."  
 ::= { snmp 27 }

snmpOutGetResponses OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP Get-Response PDUs which have been generated by the SNMP protocol entity."  
 ::= { snmp 28 }

snmpOutTraps OBJECT-TYPE

SYNTAX Counter  
ACCESS read-only  
STATUS mandatory  
DESCRIPTION  
    "The total number of SNMP Trap PDUs which have

been generated by the SNMP protocol entity."  
 ::= { snmp 29 }

snmpEnableAuthenTraps OBJECT-TYPE

SYNTAX INTEGER { enabled(1), disabled(2) }

ACCESS read-write

STATUS mandatory

DESCRIPTION

"Indicates whether the SNMP agent process is permitted to generate authentication-failure traps. The value of this object overrides any configuration information; as such, it provides a means whereby all authentication-failure traps may be disabled.

Note that it is strongly recommended that this object be stored in non-volatile memory so that it remains constant between re-initializations of the network management system."

::= { snmp 30 }

END

Found in path(s):

\* /opt/cola/permits/1114224826\_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/RFC1213-MIB

No license file was found, but licenses were detected in source scan.

DLSW-MIB DEFINITIONS ::= BEGIN

IMPORTS

DisplayString, RowStatus,

RowPointer, TruthValue,

TEXTUAL-CONVENTION FROM SNMPv2-TC

Counter32, Gauge32, TimeTicks,

OBJECT-TYPE, MODULE-IDENTITY,

NOTIFICATION-TYPE, mib-2 FROM SNMPv2-SMI

MODULE-COMPLIANCE, OBJECT-GROUP,

NOTIFICATION-GROUP FROM SNMPv2-CONF

ifIndex FROM IF-MIB

sdLcLSAddress FROM SNA-SDLC-MIB;

dlsW MODULE-IDENTITY

LAST-UPDATED "9606040900Z"

ORGANIZATION "AIW DLSw MIB RIGLET and IETF DLSw MIB Working Group"

CONTACT-INFO

"David D. Chen

IBM Corporation

800 Park, Highway 54  
Research Triangle Park, NC 27709-9990  
Tel: 1 919 254 6182  
E-mail: dchen@vnet.ibm.com"

DESCRIPTION

"This MIB module contains objects to manage Data Link  
Switches."  
 ::= { mib-2 46 }

dlsWmIB OBJECT IDENTIFIER ::= { dlsW 1 }  
dlsWDomains OBJECT IDENTIFIER ::= { dlsW 2 }

-- \*\*\*\*\*  
-- Textual convention definitions  
-- \*\*\*\*\*

NBName ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Represents a single qualified NetBIOS name, which can include  
'don't care' and 'wildcard' characters to represent a number  
of real NetBIOS names. If an individual character position in  
the qualified name contains a '?', the corresponding character  
position in a real NetBIOS name is a 'don't care'. If the  
qualified name ends in '\*', the remainder of a real NetBIOS  
name is a 'don't care'. '\*' is only considered a wildcard if it  
appears at the end of a name."

SYNTAX OCTET STRING (SIZE  
(0..16))

MacAddressNC ::= TEXTUAL-CONVENTION

DISPLAY-HINT "1x:"

STATUS current

DESCRIPTION

"Represents an 802 MAC address represented in  
non-canonical format. That is, the most significant  
bit will be transmitted first. If this information  
is not available, the value is a zero length string."

SYNTAX OCTET STRING (SIZE (0 | 6))

TAddress ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Denotes a transport service address.  
For dlsWTCPDomain, a TAddress is 4 octets long,  
containing the IP-address in network-byte order."

SYNTAX OCTET STRING (SIZE (0..255))

EndStationLocation ::= TEXTUAL-CONVENTION  
 STATUS current  
 DESCRIPTION  
 "Representing the location of an end station related to the managed DLSw node."  
 SYNTAX INTEGER {  
     other (1),  
     internal (2), -- local virtual MAC address  
     remote (3), -- via  
 DLSw partner  
     local (4) -- locally attached  
 }

DlcType ::= TEXTUAL-CONVENTION  
 STATUS current  
 DESCRIPTION  
 "Representing the type of DLC of an end station, if applicable."  
 SYNTAX INTEGER {  
     other (1), -- not assigned yet  
     na (2), -- not applicable  
     llc (3), -- 802.2 Logical Link Control  
     sdlc (4), -- SDLC  
     qllc (5) -- QLLC  
 }

LFSize ::= TEXTUAL-CONVENTION  
 STATUS current  
 DESCRIPTION  
 "The largest size of the INFO field (including DLC header, not including any MAC-level or framing octets).  
 64 valid values as defined by the IEEE 802.1D Addendum are acceptable."  
 SYNTAX INTEGER {  
     lfs516(516), lfs635(635), lfs754(754), lfs873(873),  
     lfs993(993), lfs1112(1112), lfs1231(1231),  
     lfs1350(1350), lfs1470(1470),  
 lfs1542(1542),  
     lfs1615(1615), lfs1688(1688), lfs1761(1761),  
     lfs1833(1833), lfs1906(1906), lfs1979(1979),  
     lfs2052(2052), lfs2345(2345), lfs2638(2638),  
     lfs2932(2932), lfs3225(3225), lfs3518(3518),  
     lfs3812(3812), lfs4105(4105), lfs4399(4399),  
     lfs4865(4865), lfs5331(5331), lfs5798(5798),  
     lfs6264(6264), lfs6730(6730), lfs7197(7197),  
     lfs7663(7663), lfs8130(8130), lfs8539(8539),  
     lfs8949(8949), lfs9358(9358), lfs9768(9768),

```

 lfs10178(10178), lfs10587(10587), lfs10997(10997),
 lfs11407(11407), lfs12199(12199), lfs12992(12992),
 lfs13785(13785), lfs14578(14578), lfs15370(15370),
 lfs16163(16163), lfs16956(16956), lfs17749(17749),
 lfs20730(20730), lfs23711(23711), lfs26693(26693),
 lfs29674(29674), lfs32655(32655), lfs38618(38618),
 lfs41600(41600), lfs44591(44591),
lfs47583(47583),
 lfs50575(50575), lfs53567(53567), lfs56559(56559),
 lfs59551(59551), lfs65535(65535)
}

```

```

null OBJECT IDENTIFIER ::= { 0 0 }

```

```

-- *****
-- DLSw Transport Domain definitions
-- *****

```

```

-- DLSw over TCP
dlswTCPDomain OBJECT IDENTIFIER ::= { dlswDomains 1 }
-- for an IP address of length 4:

```

```

--
-- octets contents encoding
-- 1-4 IP-address network-byte order
--

```

```

DlswTCPAddress ::= TEXTUAL-CONVENTION
 DISPLAY-HINT "1d.1d.1d.1d"
 STATUS current
 DESCRIPTION
 "Represents the IP address of a DLSw which uses
 TCP as a transport protocol."
 SYNTAX OCTET STRING (SIZE (4))

```

```

-- *****
-- DLSw MIB Definition
-- *****

```

```

-- The
DLSw MIB module contains an object part and a conformance part.
-- Object part is organized in the following groups:
-- (1) dlswNode - information about this DLSw
-- (2) dlswTConn - about adjacent DLSw partners
-- (3) dlswInterface - about which interfaces DLSw is active on
-- (4) dlswDirectory - about any directory of local/remote resources
-- (5) dlswCircuit - about established circuits.
-- (6) dlswSdlc - about SDLC data link switched devices

```

```

dlswnode OBJECT IDENTIFIER ::= { dlswmib 1 }
dlswtconn OBJECT IDENTIFIER ::= { dlswmib 2 }
dlswinterface OBJECT IDENTIFIER ::= { dlswmib 3 }
dlswdirectory OBJECT IDENTIFIER ::= { dlswmib 4 }
dlswcircuit OBJECT IDENTIFIER ::= { dlswmib 5 }
dlswsdlc OBJECT IDENTIFIER ::= { dlswmib 6 } -- SDLC

-- *****
-- THE NODE GROUP
-- *****

--
DLSw Node Identity

dlswnodeversion OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE (2))
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "This value identifies the particular version of the DLSw
 standard supported by this DLSw. The first octet is a
 hexadecimal value representing the DLSw standard Version
 number of this DLSw, and the second is a hexadecimal value
 representing the DLSw standard Release number. This
 information is reported in DLSw Capabilities Exchange."
 REFERENCE
 "DLSW: Switch-to-Switch Protocol RFC 1795"
 ::= { dlswnode 1 }

dlswnodevendorid OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE (3))
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The value identifies the manufacturer's IEEE-assigned
 organizationally Unique Identifier (OUI) of this DLSw.
 This information
 is reported in DLSw Capabilities
 Exchange."
 REFERENCE
 "DLSW: Switch-to-Switch Protocol RFC 1795"
 ::= { dlswnode 2 }

dlswnodeversionstring OBJECT-TYPE
 SYNTAX DisplayString
 MAX-ACCESS read-only

```

```
STATUS current
DESCRIPTION
 "This string gives product-specific information about
 this DLSw (e.g., product name, code release and fix level).
 This flows in Capabilities Exchange messages."
REFERENCE
 "DLSW: Switch-to-Switch Protocol RFC 1795"
::= { dlswNode 3 }
```

-----  
-- DLSw Code Capability  
-----

```
dlswNodeStdPacingSupport OBJECT-TYPE
SYNTAX INTEGER {
 none (1), -- does not support DLSw
 -- Standard pacing scheme
 adaptiveRcvWindow (2), -- the receive window size
 -- varies
 fixedRcvWindow (3) -- the receive window size
 -- remains constant
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "Circuit pacing, as defined in the DLSw Standard, allows each
 of the two DLSw nodes on a circuit to control the amount
 of data the other is permitted to send to them. This object
 reflects the level of support the DLSw node has for this
 protocol. (1) means the node has no support for the standard
 circuit pacing flows; it may use RFC 1434+ methods only, or
 a proprietary flow control scheme. (2) means the node supports
 the standard scheme and can vary the window sizes it grants as
 a data receiver. (3) means the node supports the standard
 scheme but never varies its receive window size."
::= { dlswNode 4 }
```

-----  
-- DLSw Node Operational Objects  
-----

```
dlswNodeStatus
OBJECT-TYPE
SYNTAX INTEGER {
 active (1),
 inactive (2)
}
MAX-ACCESS read-write
STATUS current
```



## DESCRIPTION

"The status of the DLSw part of the system. Changing the value from active to inactive causes DLSw to take the following actions - (1) it disconnects all circuits through all DLSw partners, (2) it disconnects all transport connections to all DLSw partners, (3) it disconnects all local DLC connections, and (4) it stops processing all DLC connection set-up traffic.

Since these are destructive actions, the user should query the circuit and transport connection tables in advance to understand the effect this action will have.

Changing the value from inactive to active causes DLSw to come up in its initial state, i.e., transport connections established and ready to bring up circuits."

::= { dlswnode 5 }

## dlswnodeUpTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

## DESCRIPTION

"The amount of time (in hundredths of a second) since the DLSw portion of the system was last re-initialized.

That is, if dlswnodeState is in the active state, the time the dlswnodeState entered the active state.

It will remain zero if dlswnodeState is in the inactive state."

::= { dlswnode 6 }

## dlswnodeVirtualSegmentLFSize OBJECT-TYPE

SYNTAX LFSize

MAX-ACCESS read-write

STATUS current

## DESCRIPTION

"The largest frame size (including DLC header and info field but not any MAC-level or framing octets) this DLSw can forward on any path through itself. This object can represent any box-level frame size forwarding restriction (e.g., from the use of fixed-size buffers). Some DLSw implementations will have no such restriction.

This value will affect the LF size of circuits during circuit creation. The LF size of an existing circuit can be found in the RIF (Routing Information Field)."

DEFVAL { lfs65535 }

::= { dlswnode 7 }

```
--
-- NETBIOS Resources
--
```

dlswnodeResourceNBExclusivity OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The value of true indicates that the NetBIOS Names configured in dlswDirNBTable are the only ones accessible via this DLSw.

If a node supports sending run-time capabilities exchange messages, changes to this object should cause that action.

It is up to the implementation exactly when to start the run-time capabilities exchange."

::= { dlswnode 8 }

```
--
--
-- MAC Address List
--
```

dlswnodeResourceMacExclusivity OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The value of true indicates that the MAC addresses configured in the dlswDirMacTable are the only ones accessible via this DLSw.

If a node supports sending run-time capabilities exchange messages, changes to this object should cause that action.

It is up to the implementation exactly when to start the run-time capabilities exchange."

::= { dlswnode 9 }

```
-- *****
-- TRANSPORT CONNECTION (aka: PARTNER DLSW)
-- *****
```

```

-- Transport Connection Statistics Objects

```

```

dlswTConnStat
 OBJECT IDENTIFIER ::= { dlswTConn 1 }

dlswTConnStatActiveConnections OBJECT-TYPE
 SYNTAX Gauge32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of transport connections that are not in
 `disconnected' state."
 ::= { dlswTConnStat 1 }

dlswTConnStatCloseIdles OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of times transport connections in this node
 exited the connected state with zero active circuits on
 the transport connection."
 ::= { dlswTConnStat 2 }

dlswTConnStatCloseBusys OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of times transport connections in this node
 exited the connected state with some non-zero number
 of active circuits on the transport connection. Normally
 this means the transport connection failed unexpectedly."
 ::= { dlswTConnStat 3 }

```

```

-- Transport Connection Configuration Table

```

```

dlswTConnConfigTable OBJECT-TYPE
 SYNTAX SEQUENCE OF DlswTConnConfigEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "This table defines the transport connections
 that will be initiated or accepted by this
 DLSw. Structure of masks allows wildcard
 definition for a collection of transport
 connections by a conceptual row. For a
 specific transport connection, there may
 be multiple of conceptual rows match the

```

transport address. The `best' match will  
the one to determine the characteristics  
of the transport connection."

::= { dlswTConn 2 }

dlswTConnConfigEntry OBJECT-TYPE

SYNTAX DlswTConnConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each conceptual row defines a collection of  
transport connections."

INDEX { dlswTConnConfigIndex }

::= { dlswTConnConfigTable 1 }

DlswTConnConfigEntry ::= SEQUENCE {

dlswTConnConfigIndex INTEGER,  
dlswTConnConfigTDomain OBJECT IDENTIFIER,  
dlswTConnConfigLocalTAddr TAddress,  
dlswTConnConfigRemoteTAddr TAddress,  
dlswTConnConfigLastModifyTime TimeTicks,  
dlswTConnConfigEntryType INTEGER,  
dlswTConnConfigGroupDefinition RowPointer,  
dlswTConnConfigSetupType INTEGER,  
dlswTConnConfigSapList OCTET STRING,  
dlswTConnConfigAdvertiseMacNB TruthValue,  
dlswTConnConfigInitCirRecvWdw INTEGER,  
dlswTConnConfigOpens Counter32,  
dlswTConnConfigRowStatus RowStatus  
}

dlswTConnConfigIndex OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"The index to the conceptual row of the table.  
Negative numbers are not allowed. There  
are objects defined that point to conceptual  
rows of this table with this index value.  
Zero is used to denote that no corresponding  
row exists.

Index values are assigned by the agent, and  
should not be reused but should continue to  
increase in value."

::= { dlswTConnConfigEntry 1 }

dlswTConnConfigTDomain OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object identifier which indicates the transport domain of this conceptual row."

::= { dlswTConnConfigEntry 2 }

dlswTConnConfigLocalTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The local transport address for this conceptual row of the transport connection definition."

::= { dlswTConnConfigEntry 3 }

dlswTConnConfigRemoteTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The remote transport address. Together with dlswTConnConfigEntryType and dlswTConnConfigGroupDefinition, the object instance of this conceptual row identifies a collection of the transport connections that will be either initiated by this DLSw or initiated by a partner DLSw and accepted by this DLSw."

::= { dlswTConnConfigEntry 4 }

dlswTConnConfigLastModifyTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time (in hundredths of a second) since the value of any object in this conceptual row except for dlswTConnConfigOpens was last changed. This value may be compared to dlswTConnOperConnectTime to determine whether values in this row are completely valid for a transport connection created using this row definition."

::= { dlswTConnConfigEntry 5 }

dlsWTConnConfigEntryType OBJECT-TYPE

```
SYNTAX INTEGER {
 individual (1),
 global (2),
 group (3)
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object instance signifies the type of entry in the associated conceptual row. The value of `individual' means that the entry applies to a specific partner DLSw node as identified by dlsWTConnConfigRemoteTAddr and dlsWTConnConfigTDomain. The value of `global' means that the entry applies to all partner DLSw nodes of the TDomain. The value of 'group' means that the entry applies to a specific set of DLSw nodes in the TDomain. Any group definitions are enterprise-specific and are pointed to by dlsWTConnConfigGroupDefinition. In the

cases of

`global' and `group', the value in dlsWTConnConfigRemoteTAddr may not have any significance."

```
::= { dlsWTConnConfigEntry 6 }
```

dlsWTConnConfigGroupDefinition OBJECT-TYPE

```
SYNTAX RowPointer
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"For conceptual rows of `individual' and `global' as specified in dlsWTConnConfigEntryType, the instance of this object is `0.0'. For conceptual rows of `group', the instance points to the specific group definition."

```
::= { dlsWTConnConfigEntry 7 }
```

dlsWTConnConfigSetupType OBJECT-TYPE

```
SYNTAX INTEGER {
 other (1),
 activePersistent (2),
 activeOnDemand (3),
 passive (4),
 excluded (5)
}
```

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"This value of the instance of a conceptual row identifies the behavior of the collection of transport

connections that this conceptual row

defines. The value of activePersistent, activeOnDemand and passive means this DLSw will accept any transport connections, initiated by partner DLSw nodes, which are defined by this conceptual row. The value of activePersistent means this DLSw will also initiate the transport connections of this conceptual row and retry periodically if necessary. The value of activeOnDemand means this DLSw will initiate a transport connection of this conceptual row, if there is a directory cache hits. The value of other is implementation specific. The value of exclude means that the specified node is not allowed to be a partner to this DLSw node. To take a certain conceptual row definition out of service, a value of notInService for dlswTConnConfigRowStatus should be used."

DEFVAL { passive }

::= { dlswTConnConfigEntry 8

}

dlswTConnConfigSapList OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(16))

MAX-ACCESS read-create

STATUS current

## DESCRIPTION

"The SAP list indicates which SAPs are advertised to the transport connection defined by this conceptual row. Only SAPs with even numbers are represented, in the form of the most significant bit of the first octet representing the SAP 0, the next most significant bit representing the SAP 2, to the least significant bit of the last octet representing the SAP 254. Data link switching is allowed for those SAPs which have one in its corresponding bit, not allowed otherwise. The whole SAP list has to be changed together. Changing the SAP list affects only new circuit establishments and has no effect on established circuits.

This list can be used to restrict specific partners from knowing about all the SAPs used by DLSw on all its

interfaces (these are represented in dlswIfSapList for each interface). For instance, one may want to run NetBIOS

with some partners but not others.

If a node supports sending run-time capabilities exchange messages, changes to this object should cause that action.

When to start the run-time capabilities exchange is implementation-specific.

The DEFVAL below indicates support for SAPs 0, 4, 8, and C."

```
DEFVAL { 'AA0000000000000000000000000000'H }
```

```
::= { dlswTConnConfigEntry 9 }
```

dlswTConnConfigAdvertiseMacNB OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value of true indicates that any defined local MAC addresses and NetBIOS names will be advertised to a partner node via initial and (if supported) run-time capabilities exchange messages. The DLSw node should send the appropriate exclusivity control vector to accompany each list it sends, or to represent that the node is explicitly configured to have a null list.

The value of false indicates that the DLSw node should not send a MAC address list or NetBIOS name list, and should also not send their corresponding exclusivity control vectors."

```
DEFVAL { true }
```

```
::= { dlswTConnConfigEntry 10 }
```

dlswTConnConfigInitCirRecvWndw OBJECT-TYPE

SYNTAX INTEGER (0..65535)

UNITS "SSP messages"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The initial circuit receive pacing window size, in the unit of SSP messages, to be used for future transport connections activated using this table row. The managed node sends this value as its initial receive pacing window in its initial capabilities exchange message. Changing this value does not affect the initial circuit receive pacing window size of currently active

transport connections. If the standard window pacing scheme is not supported, the value is zero.

A larger receive window value may be appropriate for partners that are reachable only via physical paths that have longer



```
network delays."
DEFVAL { 1 }
::= { dlsWConnConfigEntry 11 }
```

dlsWConnConfigOpens OBJECT-TYPE

```
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "Number of times transport connections entered
 connected state according to the definition of
 this conceptual row."
::= { dlsWConnConfigEntry 12 }
```

dlsWConnConfigRowStatus OBJECT-TYPE

```
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
 "This object is used by the manager to create
 or delete the row entry in the dlsWConnConfigTable
 following the RowStatus textual convention. The value
 of notInService will be used to take a conceptual
 row
 definition out of use."
::= { dlsWConnConfigEntry 13 }
```

```

-- Transport Connection Operation Table

```

- (1) At most one transport connection can be connected between
  - this DLSw and one of its DLSw partners at a given time.
  - (2) Multiple transport types are supported.
  - (3) Since the entries may be reused, dlsWConnOperEntryTime
  - needs to be consulted for the possibility of counter reset.
- ```
-----
```

dlsWConnOperTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF DlsWConnOperEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "A list of transport connections. It is optional but
    desirable for the agent to keep an entry for some
    period of time after the transport connection is
    disconnected. This allows the manager to capture
    additional useful information about the connection, in
    particular, statistical information and the cause of the
```

disconnection."
 ::= { dlswTConn 3 }

dlswTConnOperEntry OBJECT-TYPE

SYNTAX DlswTConnOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

""

INDEX { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr }

::= { dlswTConnOperTable 1 }

DlswTConnOperEntry ::= SEQUENCE {

dlswTConnOperTDomain OBJECT IDENTIFIER,

dlswTConnOperLocalTAddr TAddress,

dlswTConnOperRemoteTAddr TAddress,

dlswTConnOperEntryTime TimeTicks,

dlswTConnOperConnectTime TimeTicks,

dlswTConnOperState INTEGER,

dlswTConnOperConfigIndex INTEGER,

dlswTConnOperFlowCntlMode INTEGER,

dlswTConnOperPartnerVersion OCTET STRING,

dlswTConnOperPartnerVendorID OCTET STRING,

dlswTConnOperPartnerVersionStr

DisplayString,

dlswTConnOperPartnerInitPacingWdw INTEGER,

dlswTConnOperPartnerSapList OCTET STRING,

dlswTConnOperPartnerNBExcl TruthValue,

dlswTConnOperPartnerMacExcl TruthValue,

dlswTConnOperPartnerNBInfo INTEGER,

dlswTConnOperPartnerMacInfo INTEGER,

dlswTConnOperDiscTime TimeTicks,

dlswTConnOperDiscReason INTEGER,

dlswTConnOperDiscActiveCir INTEGER,

dlswTConnOperInDataPkts Counter32,

dlswTConnOperOutDataPkts Counter32,

dlswTConnOperInDataOctets Counter32,

dlswTConnOperOutDataOctets Counter32,

dlswTConnOperInCntlPkts Counter32,

dlswTConnOperOutCntlPkts Counter32,

dlswTConnOperCURExSents Counter32,

```

dlswTConnOperICRexRcvds      Counter32,
dlswTConnOperCURexRcvds     Counter32,
dlswTConnOperICRexSents     Counter32,

dlswTConnOperNQexSents      Counter32,
dlswTConnOperNRexRcvds     Counter32,
dlswTConnOperNQexRcvds     Counter32,
dlswTConnOperNRexSents     Counter32,
dlswTConnOperCirCreates     Counter32,
dlswTConnOperCircuits       Gauge32
}

```

dlswTConnOperTDomain OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The object identifier indicates the transport domain
of this transport connection."

::= { dlswTConnOperEntry 1 }

dlswTConnOperLocalTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The local transport address for this transport connection.
This value could be different from dlswTConnConfigLocalAddr,
if the value of the latter were changed after this transport
connection was

established."

::= { dlswTConnOperEntry 2 }

dlswTConnOperRemoteTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The remote transport address of this transport connection."

::= { dlswTConnOperEntry 3 }

dlswTConnOperEntryTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The amount of time (in hundredths of a second) since this

transport connection conceptual row was created."
::= { dlsWTCConnOperEntry 4 }

--
-- DLSw Transport Connection Operational Objects
--

dlsWTCConnOperConnectTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The amount of time (in hundredths of a second) since this transport connection last entered the 'connected' state. A value of zero means this transport connection has never been established."

::= { dlsWTCConnOperEntry 5 }

dlsWTCConnOperState OBJECT-TYPE

SYNTAX INTEGER {

connecting (1),

initCapExchange (2),

connected (3),

quiescing (4),

disconnecting (5),

disconnected (6)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The state of this transport connection. The transport connection enters `connecting' state when DLSw makes a connection request to the transport layer. Once initial Capabilities Exchange is sent, the transport connection enters enters `initCapExchange' state. When partner capabilities have been determined and the transport connection is ready for sending CanUReach (CUR) messages, it moves to the `connected' state. When DLSw is in the process of bringing down the connection, it is in the `disconnecting' state. When the transport layer indicates one of its connections is disconnected, the transport connection moves to the `disconnected' state.

Whereas all of the values will be returned in response to a management protocol retrieval operation, only two

values may be specified in a management protocol set operation: `quiescing' and `disconnecting'. Changing the value to `quiescing' prevents new circuits from being established, and will cause a transport disconnect when the last circuit on the connection goes away. Changing the value to `disconnecting' will force off all circuits immediately and bring the connection to `disconnected' state."

::= { dlswTConnOperEntry 6 }

dlswTConnOperConfigIndex OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The value of dlswTConnConfigIndex of the dlswTConnConfigEntry that governs the configuration information used by this dlswTConnOperEntry. The manager can therefore normally examine both configured and operational information for this transport connection.

This value is zero if the corresponding dlswTConnConfigEntry was deleted after the creation of this dlswTConnOperEntry. If some fields in the former were changed but the conceptual row was not deleted, some configuration information may not be valid for this operational transport connection. The manager can compare dlswTConnOperConnectTime and dlswTConnConfigLastModifyTime to determine if this condition exists."

::= { dlswTConnOperEntry 7 }

--
-- Transport Connection Characteristics
--

dlswTConnOperFlowCntlMode

OBJECT-TYPE

SYNTAX INTEGER {

undetermined (1),

pacing (2), -- DLSw standard flow control

other (3) -- non-DLSw standard flow control

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The flow control mechanism in use on this transport connection.

This value is undetermined (1) before the mode of flow control

can be established on a new transport connection (i.e., after CapEx is sent but before Capex or other SSP control messages have been received). Pacing (2) indicates that the standard RFC 1795 pacing mechanism is in use. Other (3) may be either the RFC 1434+ xBusy mechanism operating to a back-level DLSw, or a vendor-specific flow control method. Whether it is xBusy or not can be inferred from dlswTConnOperPartnerVersion."

::= { dlswTConnOperEntry 8 }

--

.....

dlswTConnOperPartnerVersion OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 2))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies which version (first octet) and release (second octet) of the DLSw standard is supported by this partner DLSw. This information is obtained from a DLSw capabilities exchange message received from the partner DLSw. A string of zero length is returned before a Capabilities Exchange message is received, or if one is never received. A conceptual row with a dlswTConnOperState of `connected' but a zero length partner version indicates that the partner is a non-standard DLSw partner.

If an implementation chooses to keep dlswTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

REFERENCE

"DLSW: Switch-to-Switch Protocol RFC 1795"

::= { dlswTConnOperEntry 9 }

dlswTConnOperPartnerVendorID OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 3))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the IEEE-assigned organizationally Unique Identifier (OUI) of the maker of this partner DLSw. This information is obtained from a DLSw capabilities exchange message received from the partner DLSw. A string of zero length is returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlswTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

::= { dlsWTConnOperEntry 10 }

dlsWTConnOperPartnerVersionStr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..253))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the particular product version (e.g., product name, code level, fix

level) of this partner DLSw.

The format of the actual version string is vendor-specific.

This information is obtained from a DLSw capabilities exchange message received from the partner DLSw.

A string of zero length is returned before a Capabilities Exchange message is received, if one is never received, or if one is received but it does not contain a version string.

If an implementation chooses to keep dlsWTConnOperEntry in the 'disconnected' state, this value should remain unchanged."

REFERENCE

"DLSW: Switch-to-Switch Protocol RFC 1795"

::= { dlsWTConnOperEntry 11 }

dlsWTConnOperPartnerInitPacingWndw OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of the partner initial receive pacing window. This is our initial send pacing window for all new circuits on this transport connection, as modified and granted by

the first flow

control indication the partner sends on each circuit.

This information is obtained from a DLSw capabilities exchange message received from the partner DLSw.

A value of zero is returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlsWTConnOperEntry in the 'disconnected' state, this value should remain unchanged."

REFERENCE

"DLSW: Switch-to-Switch Protocol RFC 1795"

::= { dlsWTConnOperEntry 12 }

--

dlsWTConnOperPartnerSapList OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 16))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Supported SAP List received in the capabilities exchange message from the partner DLSw. This list has the same format described for dlswTConnConfigSapList.

A string of zero length is returned before a Capabilities

Exchange message is received, or if one is never received.

If an implementation chooses to keep dlswTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

::= { dlswTConnOperEntry 13 }

dlswTConnOperPartnerNBExcl OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of true signifies that the NetBIOS names received from this partner in the NetBIOS name list in its capabilities exchange message are the only NetBIOS names reachable by that partner. `False' indicates that other NetBIOS names may be reachable. `False' should be returned before a Capabilities Exchange message is received, if one is never received, or if one is received without a NB Name Exclusivity CV.

If an implementation chooses to keep dlswTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

::= { dlswTConnOperEntry 14 }

dlswTConnOperPartnerMacExcl OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of true signifies that the MAC addresses received from this partner in the MAC address list in its capabilities exchange message are the only MAC addresses reachable by that partner. `False' indicates that other MAC addresses may be reachable. `False' should be returned before a Capabilities Exchange message is received, if one is never received, or if one is received without a MAC Address Exclusivity CV.

If an implementation chooses to keep dlswTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

::= { dlswTConnOperEntry 15 }

dlsWTConnOperPartnerNBInfo OBJECT-TYPE

```
SYNTAX INTEGER {
    none      (1), -- none is kept
    partial   (2), -- partial list is kept

    complete  (3), -- complete list is kept
    notApplicable (4)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"It is up to this DSLw whether to keep either none, some, or all of the NetBIOS name list that was received in the capabilities exchange message sent by this partner DLSw. This object identifies how much information was kept by this DLSw. These names are stored as userConfigured remote entries in dlsWDirNBTable.

A value of (4), notApplicable, should be returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlsWTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

```
::= { dlsWTConnOperEntry 16 }
```

dlsWTConnOperPartnerMacInfo OBJECT-TYPE

```
SYNTAX INTEGER {
    none      (1), -- none is kept
    partial   (2), -- partial list is kept
    complete  (3), -- complete list is kept
    notApplicable (4)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"It is up to this DLSw whether to keep either none, some, or all of the MAC address list that was received in the capabilities exchange message sent by this partner DLSw. This object identifies how much information was kept by this DLSw. These names are stored as userConfigured remote entries in dlsWDirMACTable.

A value of (4), notApplicable, should be returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlsWTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

```
::= { dlsWTConnOperEntry 17 }
```

```
-- .....
-- Information about the last disconnect of this transport connection.
-- These objects
make sense only for implementations that keep
-- transport connection information around after disconnection.
```

```
-- .....
dlsWTConnOperDiscTime OBJECT-TYPE
SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The amount of time (in hundredths of a second) since the
dlsWTConnOperState last entered `disconnected' state."
::= { dlsWTConnOperEntry 18 }
```

```
dlsWTConnOperDiscReason OBJECT-TYPE
SYNTAX INTEGER {
other (1),
capExFailed (2),
transportLayerDisc (3),
operatorCommand (4),
lastCircuitDiscd (5),
protocolError (6)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This object signifies the reason that either prevented the
transport connection from entering the connected state, or
caused the transport
connection to enter the disconnected
state."
::= { dlsWTConnOperEntry 19 }
```

```
dlsWTConnOperDiscActiveCir OBJECT-TYPE
SYNTAX INTEGER (0..2147483647)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of circuits active (not in DISCONNECTED state)
at the time the transport connection was last disconnected.
This value is zero if the transport connection has never
been connected."
::= { dlsWTConnOperEntry 20 }
```

```
-- .....
-- Transport Connection Statistics
```

-- (1) Traffic counts

--
dlswTConnOperInDataPkts OBJECT-TYPE

SYNTAX Counter32

UNITS "SSP messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME received on this transport connection."

::= { dlswTConnOperEntry 21 }

dlswTConnOperOutDataPkts OBJECT-TYPE

SYNTAX Counter32

UNITS "SSP messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME transmitted on this transport connection."

::= { dlswTConnOperEntry 22 }

dlswTConnOperInDataOctets OBJECT-TYPE

SYNTAX Counter32

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number octets in Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME received on this transport connection. Each message is counted starting with the first octet following the SSP message header."

::= { dlswTConnOperEntry 23 }

dlswTConnOperOutDataOctets OBJECT-TYPE

SYNTAX Counter32

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number octets in Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME transmitted on this transport connection. Each message is counted starting with the first octet following the SSP message header."

::= { dlswTConnOperEntry 24 }

dlsWTConnOperInCntlPkts OBJECT-TYPE
SYNTAX Counter32
UNITS "SSP messages"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of Switch-to-Switch Protocol (SSP) messages
received on this transport connection which were not of
type DGRMFRAME, DATAFRAME, or INFOFRAME."
 ::= { dlsWTConnOperEntry 25 }

dlsWTConnOperOutCntlPkts OBJECT-TYPE
SYNTAX Counter32
UNITS "SSP messages"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of Switch-to-Switch Protocol (SSP) messages of
transmitted on this transport connection which were not of
type DGRMFRAME, DATAFRAME,
or INFOFRAME."
 ::= { dlsWTConnOperEntry 26 }

--
-- (2) Directory activities (Explorer messages)
--

dlsWTConnOperCURExSents OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of CanUReach_ex messages sent on this transport
connection."
 ::= { dlsWTConnOperEntry 27 }

dlsWTConnOperICRexRcvds OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of ICanReach_ex messages received on this transport
connection."
 ::= { dlsWTConnOperEntry 28 }

dlsWTConnOperCURExRcvds OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only

STATUS current
DESCRIPTION
"The number of CanUReach_ex messages received on this transport connection."
::= { dlswTConnOperEntry 29 }

dlswTConnOperICRexSents
OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of ICanReach_ex messages sent on this transport connection."
::= { dlswTConnOperEntry 30 }

--

dlswTConnOperNQexSents OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of NetBIOS_NQ_ex (NetBIOS Name Query-explorer) messages sent on this transport connection."
::= { dlswTConnOperEntry 31 }

dlswTConnOperNRexRcvds OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of NETBIOS_NR_ex (NetBIOS Name Recognized-explorer) messages received on this transport connection."
::= { dlswTConnOperEntry 32 }

dlswTConnOperNQexRcvds OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of NETBIOS_NQ_ex messages received on this transport connection."
::= { dlswTConnOperEntry 33 }

dlswTConnOperNRexSents OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only

```

STATUS    current
DESCRIPTION
    "The number of NETBIOS_NR_ex messages sent on this transport
    connection."
::= { dlswTConnOperEntry 34 }

-- .....
-- (3) Circuit activities on each transport connection
-- .....
dlswTConnOperCirCreates OBJECT-TYPE
SYNTAX    Counter32
MAX-ACCESS read-only
STATUS    current
DESCRIPTION
    "The number of times that circuits entered `circuit_established'
    state (not counting transitions from `circuit_restart')."
::= { dlswTConnOperEntry 35 }

dlswTConnOperCircuits OBJECT-TYPE
SYNTAX    Gauge32
MAX-ACCESS read-only
STATUS    current
DESCRIPTION
    "The number of currently active circuits on this transport
    connection, where `active' means not in `disconnected' state."
::= { dlswTConnOperEntry 36 }

-----
-- Transport Connection Specific
-----
dlswTConnSpecific OBJECT IDENTIFIER ::= { dlswTConn 4 }
dlswTConnTcp      OBJECT IDENTIFIER ::= { dlswTConnSpecific 1 }

-- .....
-- TCP Transport Connection Specific - Configuration
-- .....
dlswTConnTcpConfigTable OBJECT-TYPE
SYNTAX    SEQUENCE OF DlswTConnTcpConfigEntry
MAX-ACCESS not-accessible
STATUS    current
DESCRIPTION
    "This table defines the TCP transport connections that
    will be either initiated by or accepted by this DSLw.
    It augments the entries in dlswTConnConfigTable
    whose domain
    is dlswTCPDomain."
::= { dlswTConnTcp 1 }

```

dlsWTConnTcpConfigEntry OBJECT-TYPE
SYNTAX DlsWTConnTcpConfigEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Each conceptual row defines parameters that are
specific to dlsWTCPDomain transport connections."
INDEX { dlsWTConnConfigIndex }
::= { dlsWTConnTcpConfigTable 1 }

DlsWTConnTcpConfigEntry ::= SEQUENCE {
dlsWTConnTcpConfigKeepAliveInt INTEGER,
dlsWTConnTcpConfigTcpConnections INTEGER,
dlsWTConnTcpConfigMaxSegmentSize INTEGER
}

dlsWTConnTcpConfigKeepAliveInt OBJECT-TYPE
SYNTAX INTEGER (0..1800)
UNITS "seconds"
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The time in seconds between TCP keepAlive messages when
no traffic is flowing. Zero signifies no keepAlive protocol.
Changes take effect only for new TCP connections."
DEFVAL { 0 }
::= { dlsWTConnTcpConfigEntry
1 }

dlsWTConnTcpConfigTcpConnections OBJECT-TYPE
SYNTAX INTEGER (1..16)
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"This is our preferred number of TCP connections within a
TCP transport connection. The actual number used is negotiated
at capabilities exchange time. Changes take effect only
for new transport connections."
DEFVAL { 2 }
::= { dlsWTConnTcpConfigEntry 2 }

dlsWTConnTcpConfigMaxSegmentSize OBJECT-TYPE
SYNTAX INTEGER (0..65535)
UNITS "packets"
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This is the number of bytes that this node is willing to receive over the read TCP connection(s). Changes take effect for new transport connections."
 DEFVAL { 4096 }
 ::= { dlswTConnTcpConfigEntry 3 }

```
-- .....
-- TCP Transport Connection Specific - Operation
-- .....
dlswTConnTcpOperTable
OBJECT-TYPE
SYNTAX SEQUENCE OF DlswTConnTcpOperEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
  "A list of TCP transport connections. It is optional but desirable for the agent to keep an entry for some period of time after the transport connection is disconnected. This allows the manager to capture additional useful information about the connection, in particular, statistical information and the cause of the disconnection."
::= { dlswTConnTcp 2 }
```

```
dlswTConnTcpOperEntry OBJECT-TYPE
SYNTAX DlswTConnTcpOperEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
  ""
INDEX { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr }
::= { dlswTConnTcpOperTable 1 }
```

```
DlswTConnTcpOperEntry ::= SEQUENCE {
  dlswTConnTcpOperKeepAliveInt INTEGER,
  dlswTConnTcpOperPrefTcpConnections
    INTEGER,
  dlswTConnTcpOperTcpConnections INTEGER
}
```

```
dlswTConnTcpOperKeepAliveInt OBJECT-TYPE
SYNTAX INTEGER (0..1800)
UNITS "seconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
  "The time in seconds between TCP keepAlive messages when
```


no traffic is flowing. Zero signifies no keepAlive protocol is operating."

::= { dlswTConnTcpOperEntry 1 }

dlswTConnTcpOperPrefTcpConnections OBJECT-TYPE

SYNTAX INTEGER (1..16)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This is the number of TCP connections preferred by this DLSw partner, as received in its capabilities exchange message."

::= { dlswTConnTcpOperEntry 2 }

dlswTConnTcpOperTcpConnections OBJECT-TYPE

SYNTAX INTEGER (1..16)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This is the actual current number of TCP connections within this transport connection."

::= { dlswTConnTcpOperEntry 3 }

-- *****

-- DLSW INTERFACE GROUP

-- *****

dlswIfTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswIfEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The list of interfaces on which DLSw is active."

::= { dlswInterface 1 }

dlswIfEntry OBJECT-TYPE

SYNTAX DlswIfEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

""

INDEX { ifIndex }

::= { dlswIfTable 1 }

DlswIfEntry ::= SEQUENCE {

dlswIfRowStatus RowStatus,

dlswIfVirtualSegment INTEGER,

dlswIfSapList OCTET STRING

}

dlsWIfRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by the manager to create or delete the row entry in the dlsWIfTable following the

RowStatus textual convention."

::= { dlsWIfEntry 1 }

dlsWIfVirtualSegment OBJECT-TYPE

SYNTAX INTEGER (0..4095 | 65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The segment number that uniquely identifies the virtual segment to which this DLSw interface is connected. Current source routing protocols limit this value to the range 0 - 4095. (The value 0 is used by some management applications for special test cases.) A value of 65535 signifies that no virtual segment is assigned to this interface. For instance, in a non-source routing environment, segment number assignment is not required."

DEFVAL { 65535 }

::= { dlsWIfEntry 2 }

dlsWIfSapList OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(16))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The SAP list indicates which SAPs are allowed to be data link switched through this interface.

This list

has the same format described for dlsWConnConfigSapList.

When changes to this object take effect is implementation-specific. Turning off a particular SAP can destroy active circuits that are using that SAP. An agent implementation may reject such changes until there are no active circuits if it so chooses. In this case, it is up to the manager to close the circuits first, using dlsWCircuitState.

The DEFVAL below indicates support for SAPs 0, 4, 8, and C."

```
DEFVAL { 'AA0000000000000000000000000000'H }
```

```
::= { dlswIfEntry 3 }
```

```
-- *****
```

```
-- DIRECTORY
```

```
-- Directory services caches the locations of MAC addresses  
-- and NetBIOS names. For resources which are attached via  
-- local interfaces, the ifIndex may be cached, and for  
-- resources which are reachable via a DLsw partner, the  
-- transport address of the DLsw partner is cached.
```

```
--
```

```
*****
```

```
-----
```

```
-- Directory Related Statistical Objects
```

```
-----
```

```
dlswDirStat OBJECT IDENTIFIER ::= { dlswDirectory 1 }
```

```
dlswDirMacEntries OBJECT-TYPE
```

```
SYNTAX Gauge32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The current total number of entries in the dlswDirMacTable."
```

```
::= { dlswDirStat 1 }
```

```
dlswDirMacCacheHits OBJECT-TYPE
```

```
SYNTAX Counter32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The number of times a cache search for a particular MAC address  
resulted in success."
```

```
::= { dlswDirStat 2 }
```

```
dlswDirMacCacheMisses OBJECT-TYPE
```

```
SYNTAX Counter32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The number of times a cache search for a particular MAC address  
resulted in failure."
```

```
::= { dlswDirStat 3 }
```

```
dlswDirMacCacheNextIndex OBJECT-TYPE
```

```
SYNTAX INTEGER (0..2147483647)
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The next value of dlswDirMacIndex to be assigned by the agent. A retrieval of this object atomically reserves the returned value for use by the manager to create a row in dlswDirMacTable. This makes it possible for the agent to control the index space of the MAC address cache, yet allows the manager to administratively create new rows."

::= { dlswDirStat 4 }

dlswDirNBEntries OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current total number of entries in the dlswDirNBTable."

::= { dlswDirStat 5 }

dlswDirNBCacheHits OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times a cache search for a particular NetBIOS name resulted in success."

::= { dlswDirStat 6 }

dlswDirNBCacheMisses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times a cache search for a particular NetBIOS name resulted in failure."

::= { dlswDirStat 7 }

dlswDirNBCacheNextIndex OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The next value of dlswDirNBIndex to be assigned by the agent. A retrieval of this object atomically reserves the returned value for use by the manager to create a row in dlswDirNBTable. This makes it possible for the agent to control the index space for the NetBIOS name"

```

cache, yet allows the manager to administratively
create new rows."
 ::= { dlswDirStat 8 }

```

```

-----
-- Directory Cache
-----

```

```

dlswDirCache

```

```

OBJECT IDENTIFIER ::= { dlswDirectory 2 }

```

```

-- .....
-- Directory for MAC Addresses.
-- All Possible combinations of values of these objects.
--

```

```

-- EntryType LocationType Location Status
-----

```

```

-- userConfigured local ifEntry or 0.0 reachable, or
--                               notReachable, or
--                               unknown
-- userConfigured remote TConnConfigEntry reachable, or
--                               notReachable, or
--                               unknown
-- partnerCapExMsg remote TConnOperEntry unknown
-- dynamic local ifEntry or 0.0 reachable
-- dynamic remote TConnOperEntry reachable
--

```

```

-----
dlswDirMacTable

```

```

OBJECT-TYPE

```

```

SYNTAX SEQUENCE OF DlswDirMacEntry

```

```

MAX-ACCESS not-accessible

```

```

STATUS current

```

```

DESCRIPTION

```

```

"This table contains locations of MAC addresses.
They could be either verified or not verified,
local or remote, and configured locally or learned
from either Capabilities Exchange messages or
directory searches."

```

```

 ::= { dlswDirCache 1 }

```

```

dlswDirMacEntry OBJECT-TYPE

```

```

SYNTAX DlswDirMacEntry

```

```

MAX-ACCESS not-accessible

```

```

STATUS current

```

```

DESCRIPTION

```

```

"Indexed by dlswDirMacIndex."

```

```

INDEX { dlswDirMacIndex }

```

```

 ::= { dlswDirMacTable 1 }

```

```

DlswDirMacEntry ::= SEQUENCE {
    dlswDirMacIndex    INTEGER,
    dlswDirMacMac      MacAddressNC,
    dlswDirMacMask     MacAddressNC,
    dlswDirMacEntryType INTEGER,
    dlswDirMacLocationType INTEGER,
    dlswDirMacLocation RowPointer,
    dlswDirMacStatus   INTEGER,
    dlswDirMacLFSize
    LFSize,
    dlswDirMacRowStatus RowStatus
}

```

```

dlswDirMacIndex OBJECT-TYPE
    SYNTAX    INTEGER (0..2147483647)
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "Uniquely identifies a conceptual row of this table."
    ::= { dlswDirMacEntry 1 }

```

```

dlswDirMacMac OBJECT-TYPE
    SYNTAX    MacAddressNC
    MAX-ACCESS read-create
    STATUS    current
    DESCRIPTION
        "The MAC address, together with the dlswDirMacMask,
        specifies a set of MAC addresses that are defined or
        discovered through an interface or partner DLSw nodes."
    ::= { dlswDirMacEntry 2 }

```

```

dlswDirMacMask OBJECT-TYPE
    SYNTAX    MacAddressNC
    MAX-ACCESS read-create
    STATUS    current
    DESCRIPTION
        "The MAC address mask, together with the dlswDirMacMac,
        specifies a set of MAC addresses that are defined or
        discovered through an interface or partner DLSw nodes."
    DEFVAL { 'FFFFFFFFFFFF'H }
    ::= { dlswDirMacEntry 3 }

```

```

dlswDirMacEntryType
OBJECT-TYPE
    SYNTAX    INTEGER {
        other            (1),
        userConfiguredPublic (2),

```

```

    userConfiguredPrivate (3),
    partnerCapExMsg      (4),
    dynamic              (5)
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The cause of the creation of this conceptual row.
It could be one of the three methods: (1) user
configured, including via management protocol
set operations, configuration file, command line
or equivalent methods; (2) learned from the
partner DLSw Capabilities Exchange messages;
and (3) dynamic, e.g., learned from ICanReach
messages, or LAN explorer frames. Since only
individual MAC addresses can be dynamically learned,
dynamic entries will all have a mask of all FFs.

```

The public versus private distinction for user-configured resources applies only to local resources (UC remote resources are private), and indicates whether that resource should be advertised in capabilities exchange messages sent by this node."

```

DEFVAL { userConfiguredPublic }
::= { dlswDirMacEntry 4 }

```

dlswDirMacLocationType OBJECT-TYPE

```

SYNTAX INTEGER {
    other      (1),
    local      (2),
    remote     (3)
}

```

```

MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The location of the resource (or a collection of
resources using a mask) of this conceptual row
is either (1) local - the resource is reachable
via an interface, or (2) remote - the resource
is reachable via a partner DLSw node (or a set
of partner DLSw nodes)."

```

```

DEFVAL { local }
::= { dlswDirMacEntry 5 }

```

dlswDirMacLocation OBJECT-TYPE

```

SYNTAX RowPointer
MAX-ACCESS read-create

```

STATUS current
DESCRIPTION
"Points to either the ifEntry, dlswTConnConfigEntry,
dlswTConnOperEntry, 0.0, or something that is implementation
specific. It identifies the location of the MAC address
(or the collection of MAC addresses.)"
DEFVAL { null }
::= { dlswDirMacEntry 6 }

dlswDirMacStatus OBJECT-TYPE

SYNTAX INTEGER {
unknown (1),
reachable (2),
notReachable (3)
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"This object specifies whether DLSw currently believes
the MAC address to be accessible at the specified location.
The value `notReachable' allows a configured resource
definition to be taken out of service when a search to
that resource fails (avoiding a repeat of the search)."
DEFVAL { unknown }
::= { dlswDirMacEntry 7 }

dlswDirMacLFSize OBJECT-TYPE

SYNTAX LFSize
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The largest size of the MAC
INFO field (LLC header and data)
that a circuit to the MAC address can carry through this path."
DEFVAL { lfs65535 }
::= { dlswDirMacEntry 8 }

dlswDirMacRowStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"This object is used by the manager to create
or delete the row entry in the dlswDirMacTable
following the RowStatus textual convention."
::= { dlswDirMacEntry 9 }

--


```

-- Directory for NetBIOS Names
-- All Possible combinations of values of these objects.
--
-- EntryType LocationType Location Status
-----
-- userConfigured local ifEntry or 0.0 reachable, or
-- notReachable, or
-- unknown
-- userConfigured remote TConnConfigEntry
reachable, or
-- notReachable, or
-- unknown
-- partnerCapExMsg remote TConnOperEntry unknown
-- dynamic local ifEntry or 0.0 reachable
-- dynamic remote TConnOperEntry reachable
--
-- .....
```

dlsDirNBTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlsDirNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains locations of NetBIOS names.
They could be either verified or not verified,
local or remote, and configured locally or learned
from either Capabilities Exchange messages or
directory searches."

::= { dlsDirCache 2 }

dlsDirNBEntry OBJECT-TYPE

SYNTAX DlsDirNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Indexed by dlsDirNBIndex."

INDEX {

dlsDirNBIndex }

::= { dlsDirNBTable 1 }

DlsDirNBEntry ::= SEQUENCE {

dlsDirNBIndex INTEGER,

dlsDirNBName NBName,

dlsDirNBNameType INTEGER,

dlsDirNBEntryType INTEGER,

dlsDirNBLocationType INTEGER,

dlsDirNBLocation RowPointer,

dlsDirNBStatus INTEGER,

dlsDirNBLFSize LFSize,

dlsDirNBRowStatus RowStatus
}

dlsDirNBIndex OBJECT-TYPE
SYNTAX INTEGER (0..2147483647)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Uniquely identifies a conceptual row of this table."
::= { dlsDirNBEntry 1 }

dlsDirNBName OBJECT-TYPE
SYNTAX NBName
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The NetBIOS name (including `any char' and `wildcard'
characters) specifies a set of NetBIOS names that are
defined or discovered through an interface or partner
DLSw nodes."
::= { dlsDirNBEntry
2 }

dlsDirNBNameType OBJECT-TYPE
SYNTAX INTEGER {
unknown (1),
individual (2),
group (3)
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"Whether dlsDirNBName represents an (or a set of) individual
or group NetBIOS name(s)."
DEFVAL { unknown }
::= { dlsDirNBEntry 3 }

dlsDirNBEntryType OBJECT-TYPE
SYNTAX INTEGER {
other (1),
userConfiguredPublic (2),
userConfiguredPrivate (3),
partnerCapExMsg (4),
dynamic (5)
}
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The cause of the creation of this conceptual row. It could be one of the three methods: (1) user configured, including via management protocol set operations, configuration file, command line, or equivalent methods; (2) learned from the partner DLSw Capabilities

Exchange messages;

and (3) dynamic, e.g., learned from ICanReach messages, or test frames. Since only actual NetBIOS names can be dynamically learned, dynamic entries will not contain any char or wildcard characters.

The public versus private distinction for user-configured resources applies only to local resources (UC remote resources are private), and indicates whether that resource should be advertised in capabilities exchange messages sent by this node."

DEFVAL { userConfiguredPublic }

::= { dlswDirNBEntry 4 }

dlswDirNBLocationType OBJECT-TYPE

SYNTAX INTEGER {

other (1),

local (2),

remote (3)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The location of the resource (or a collection of resources using any char/wildcard characters) of this conceptual row is either

(1) local - the resource is reachable via an interface, or (2) remote - the resource is reachable via a partner DLSw node (or a set of partner DLSw nodes)."

DEFVAL { local }

::= { dlswDirNBEntry 5 }

dlswDirNBLocation OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Points to either the ifEntry, dlswTConnConfigEntry, dlswTConnOperEntry, 0.0, or something that is implementation specific. It identifies the location of the NetBIOS name or the set of NetBIOS names."

```
DEFVAL { null }
::= { dlswDirNBEntry 6 }
```

dlswDirNBStatus OBJECT-TYPE

```
SYNTAX INTEGER {
    unknown      (1),
    reachable    (2),
    notReachable (3)
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object specifies whether DLSw currently believes the NetBIOS name to be accessible at the specified location.

The value `notReachable' allows a configured resource definition to be taken out of service when a search to that resource fails (avoiding a repeat of the search)."

```
DEFVAL { unknown }
::= { dlswDirNBEntry 7 }
```

dlswDirNBLFSize OBJECT-TYPE

```
SYNTAX LFSize
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The largest size of the MAC INFO field (LLC header and data) that a circuit to the NB name can carry through this path."

```
DEFVAL { lfs65535 }
::= { dlswDirNBEntry 8 }
```

dlswDirNBRowStatus OBJECT-TYPE

```
SYNTAX RowStatus
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by manager to create or delete the row entry in the dlswDirNBTable following the RowStatus textual convention."

```
::= { dlswDirNBEntry 9 }
```

```
-----
-- Resource Locations
-----
```

dlswDirLocate

```
OBJECT IDENTIFIER ::= { dlswDirectory 3 }
```

```
-- .....
```

-- Locate Entries in the dlswDirMacTable for a given MAC address

--

dlswDirLocateMacTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswDirLocateMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is used to retrieve all entries in the dlswDirMacTable that match a given MAC address, in the order of the best matched first, the second best matched second, and so on, till no more entries match the given MAC address."

::= { dlswDirLocate 1 }

dlswDirLocateMacEntry OBJECT-TYPE

SYNTAX DlswDirLocateMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Indexed by dlswDirLocateMacMac and dlswDirLocateMacMatch.

The first object is the MAC address of interest,

and

the second object is the order in the list of all entries that match the MAC address."

INDEX { dlswDirLocateMacMac, dlswDirLocateMacMatch }

::= { dlswDirLocateMacTable 1 }

DlswDirLocateMacEntry ::= SEQUENCE {

dlswDirLocateMacMac MacAddressNC,

dlswDirLocateMacMatch INTEGER,

dlswDirLocateMacLocation RowPointer

}

dlswDirLocateMacMac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The MAC address to be located."

::= { dlswDirLocateMacEntry 1 }

dlswDirLocateMacMatch OBJECT-TYPE

SYNTAX INTEGER (1..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The order of the entries of dlswDirMacTable that match dlswDirLocateMacMac. A value of

one represents the entry that best matches the MAC address. A value of two represents the second best matched entry, and so on."

::= { dlswDirLocateMacEntry 2 }

dlswDirLocateMacLocation OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Points to the dlswDirMacEntry."

::= { dlswDirLocateMacEntry 3 }

--

-- Locate Entries in the dlswDirNBTable for a given NetBIOS name

--

dlswDirLocateNBTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswDirLocateNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is used to retrieve all entries in the dlswDirNBTable that match a given NetBIOS name, in the order of the best matched first, the second best matched second, and so on, till no more entries match the given NetBIOS name."

::= { dlswDirLocate 2 }

dlswDirLocateNBEntry OBJECT-TYPE

SYNTAX DlswDirLocateNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Indexed by dlswDirLocateNBName and dlswDirLocateNBMatch. The first object is the NetBIOS name of interest, and the second object is the order in the list of all entries that match the NetBIOS name."

INDEX { dlswDirLocateNBName, dlswDirLocateNBMatch }

::= { dlswDirLocateNBTable 1 }

DlswDirLocateNBEntry ::= SEQUENCE {

dlswDirLocateNBName NBName,

dlswDirLocateNBMatch INTEGER,

dlswDirLocateNBLocation RowPointer

}

dlsWDirLocateNBName OBJECT-TYPE
SYNTAX NBName
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The NetBIOS name to be located (no any char or wildcards)."
 ::= { dlsWDirLocateNBEntry 1 }

dlsWDirLocateNBMatch OBJECT-TYPE
SYNTAX INTEGER (1..255)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The order of the entries of dlsWDirNBTable
that match dlsWDirLocateNBName. A value of
one represents the entry that best matches the
NetBIOS name. A value of two represents the second
best matched entry, and so on."
 ::= { dlsWDirLocateNBEntry 2 }

dlsWDirLocateNBLocation OBJECT-TYPE
SYNTAX RowPointer
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Points to the dlsWDirNBEntry."
 ::= { dlsWDirLocateNBEntry 3 }

-- *****
-- CIRCUIT
-- A circuit is the end-to-end association of two DLSw entities
-- through one or two DLSw nodes. It is the concatenation of
-- two "data links", optionally with an intervening transport
-- connection. The origin of the circuit is the end station that
-- initiates the circuit. The target of the circuit is the end
-- station that receives the initiation.
-- *****

-- Statistics Related to
Circuits

dlsWCircuitStat OBJECT IDENTIFIER ::= { dlsWCircuit 1 }

dlsWCircuitStatActives OBJECT-TYPE
SYNTAX Gauge32
MAX-ACCESS read-only

```

STATUS    current
DESCRIPTION
    "The current number of circuits in dlswCircuitTable that are
    not in the disconnected state."
::= { dlswCircuitStat 1 }

```

```

dlswCircuitStatCreates OBJECT-TYPE
SYNTAX    Counter32
MAX-ACCESS read-only
STATUS    current
DESCRIPTION
    "The total number of entries ever added to dlswCircuitTable,
    or reactivated upon exiting `disconnected' state."
::= { dlswCircuitStat 2 }

```

```

-----
-- Circuit Table
--
-- This table is the DLSw entity's view of circuits. There will be
-- a conceptual row in the table associated with each data link.
--
-- The chart below lists the various possible combinations of
-- origin and target MAC
-- locations and the number of entries in
-- this Circuit Table:
--
--
--      number of   |   Origin End Station Location
--      entries in the |-----
--      Circuit Table | internal  local  remote
--      -----|-----
--      Target | internal |   NA    2    1
--      End   | local   |   2    2    1
--      Station | remote  |   1    1   NA
--      Location |      |
--
--      NA: Not applicable
--
-- Note:
-- (a) IfIndex and RouteInfo are applied only if location is local.
-- (b) TDomain and TAddr are applied only if location is remote.
--
-- Most of statistics related to circuits can be collected
-- from LLC-2 Link Station Table.
-----

```

```

dlswCircuitTable OBJECT-TYPE
SYNTAX    SEQUENCE OF DlswCircuitEntry
MAX-ACCESS not-accessible

```


STATUS

current

DESCRIPTION

"This table is the circuit representation in the DLSw entity. Virtual data links are used to represent any internal end stations. There is a conceptual row associated with each data link. Thus, for circuits without an intervening transport connection, there are two conceptual rows for each circuit.

The table consists of the circuits being established, established, and as an implementation option, circuits that have been disconnected. For circuits carried over transport connections, an entry is created after the CUR_cs was sent or received. For circuits between two locally attached devices, or internal virtual MAC addresses, an entry is created when the equivalent of CUR_cs sent/received status is reached.

End station 1 (S1) and End station 2 (S2) are used to represent the two end stations of the circuit.

S1 is always

an end station which is locally attached.

S2 may be locally attached or remote. If it is locally attached, the circuit will be represented by two rows indexed by (A, B) and (B, A) where A & B are the relevant MACs/SAPs.

The table may be used to store the causes of disconnection of circuits. It is recommended that the oldest disconnected circuit entry be removed from this table when the memory space of disconnected circuits is needed."

::= { dlswCircuit 2 }

dlswCircuitEntry OBJECT-TYPE

SYNTAX DlswCircuitEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

""

INDEX { dlswCircuitS1Mac,
dlswCircuitS1Sap,
dlswCircuitS2Mac,
dlswCircuitS2Sap }

::= { dlswCircuitTable 1 }

DlswCircuitEntry ::= SEQUENCE {

dlswCircuitS1Mac MacAddressNC,

dlswCircuitS1Sap OCTET STRING,

```

dlsuCircuitS1IfIndex      INTEGER,
dlsuCircuitS1DlcType      DlcType,
dlsuCircuitS1RouteInfo    OCTET STRING,
dlsuCircuitS1CircuitId    OCTET STRING,
dlsuCircuitS1Dlc          RowPointer,

dlsuCircuitS2Mac          MacAddressNC,
dlsuCircuitS2Sap          OCTET STRING,
dlsuCircuitS2Location     EndStationLocation,
dlsuCircuitS2TDomain      OBJECT IDENTIFIER,
dlsuCircuitS2TAddress     TAddress,
dlsuCircuitS2CircuitId    OCTET STRING,

dlsuCircuitOrigin        INTEGER,

dlsuCircuitEntryTime      TimeTicks,
dlsuCircuitStateTime      TimeTicks,
dlsuCircuitState          INTEGER,

dlsuCircuitPriority        INTEGER,

dlsuCircuitFCSendGrantedUnits  INTEGER,
dlsuCircuitFCSendCurrentWndw   INTEGER,
dlsuCircuitFCRecvGrantedUnits  INTEGER,
dlsuCircuitFCRecvCurrentWndw   INTEGER,
dlsuCircuitFCLargestRecvGranted Gauge32,
dlsuCircuitFCLargestSendGranted
Gauge32,
dlsuCircuitFCHalveWndwSents    Counter32,
dlsuCircuitFCResetOpSents     Counter32,
dlsuCircuitFCHalveWndwRcvds   Counter32,
dlsuCircuitFCResetOpRcvds     Counter32,
dlsuCircuitDiscReasonLocal    INTEGER,
dlsuCircuitDiscReasonRemote   INTEGER,
dlsuCircuitDiscReasonRemoteData OCTET STRING
}

-- .....
-- Information related to the End Station 1 (S1).
-- .....
dlsuCircuitS1Mac OBJECT-TYPE
SYNTAX  MacAddressNC
MAX-ACCESS not-accessible
STATUS  current
DESCRIPTION
"The MAC Address of End Station 1 (S1) used for this circuit."
 ::= { dlsuCircuitEntry 1 }

```

dlswCircuitS1Sap OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE(1))
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "The SAP at End Station 1 (S1) used for this circuit."
 ::= { dlswCircuitEntry 2 }

dlswCircuitS1IfIndex
 OBJECT-TYPE
 SYNTAX INTEGER (0..2147483647)
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The ifEntry index of the local interface through which S1
 can be reached."
 ::= { dlswCircuitEntry 3 }

dlswCircuitS1DlcType OBJECT-TYPE
 SYNTAX DlcType
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The DLC protocol in use between the DLSw node and S1."
 ::= { dlswCircuitEntry 4 }

dlswCircuitS1RouteInfo OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE (0..30))
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "If source-route bridging is in use between the DLSw
 node and S1, this is the routing information field
 describing the path between the two devices.
 Otherwise the value will be an OCTET STRING of
 zero length."
 ::= { dlswCircuitEntry 5 }

dlswCircuitS1CircuitId OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE (0 | 8))
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The Circuit ID assigned by this DLSw node to this circuit.
 The first four octets are the DLC port Id, and
 the second four octets are the Data Link Correlator.
 If the DLSw SSP was not used to establish this circuit,
 the value will be a string of zero length."

::= { dlswCircuitEntry 6 }

dlswCircuitS1Dlc OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Points to a conceptual row of the underlying DLC MIB,
which could either be the standard MIBs (e.g., the SDLC),
or an enterprise-specific DLC MIB."

::= { dlswCircuitEntry 7 }

--
-- Information related to the End Station 2 (S2).

dlswCircuitS2Mac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The MAC Address of End Station 2 (S2) used for this circuit."

::= { dlswCircuitEntry 8 }

dlswCircuitS2Sap OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The SAP at End Station 2 (S2) used for this circuit."

::= { dlswCircuitEntry 9 }

dlswCircuitS2Location OBJECT-TYPE

SYNTAX EndStationLocation

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The location of End Station 2 (S2).
If the location of End Station 2 is local, the
interface information will be available in the
conceptual row whose S1 and S2 are the S2 and
the S1 of this conceptual row, respectively."

::= { dlswCircuitEntry 10 }

dlswCircuitS2TDomain OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the location of End Station 2 is remote,
this value is the transport domain
of the
transport protocol the circuit is running
over. Otherwise, the value is 0.0."
::= { dlswCircuitEntry 11 }

dlswCircuitS2TAddress OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the location of End Station 2 is remote,
this object contains the address of the partner
DLSw, else it will be an OCTET STRING of zero length."
::= { dlswCircuitEntry 12 }

dlswCircuitS2CircuitId OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 8))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Circuit ID assigned to this circuit by the partner
DLSw node. The first four octets are the DLC port Id, and
the second four octets are the Data Link Correlator.
If the DLSw SSP was not used to establish this circuit,
the value will be a string of zero length."
::= { dlswCircuitEntry 13 }

--

dlswCircuitOrigin

OBJECT-TYPE

SYNTAX INTEGER {

s1 (1),

s2 (2)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object specifies which of the two end stations
initiated the establishment of this circuit."
::= { dlswCircuitEntry 14 }

--

-- Operational information related to this circuit.

--

dlswCircuitEntryTime OBJECT-TYPE

SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The amount of time (in hundredths of a second) since this
circuit table conceptual row was created."
::= { dlswCircuitEntry 15 }

dlswCircuitStateTime OBJECT-TYPE
SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The amount of time (in hundredths of a second) since this
circuit entered the current state."
::= { dlswCircuitEntry 16 }

dlswCircuitState OBJECT-TYPE
SYNTAX INTEGER {
disconnected (1),
circuitStart (2),
resolvePending (3),
circuitPending (4),
circuitEstablished (5),
connectPending (6),
contactPending (7),
connected (8),
disconnectPending (9),
haltPending (10),
haltPendingNoack (11),
circuitRestart (12),
restartPending (13)
}

MAX-ACCESS read-write
STATUS current
DESCRIPTION
"The current state of this circuit. The agent, implementation
specific, may choose to keep entries for some period of time
after circuit disconnect, so the manager can gather the time
and cause of disconnection.

While all of the specified values may be returned from a GET
operation, the only SETable value is `disconnectPending'.
When this value is set, DLSw should perform the appropriate
action given its previous state (e.g., send HALT_DL if the
state was `connected') to bring the circuit down to the

`disconnected' state. Both the partner DLSw and local end station(s) should be notified as appropriate.

This MIB provides no facility to re-establish a disconnected circuit, because in DLSw this should be an end station-driven function."

::= { dlswCircuitEntry 17 }

dlswCircuitPriority OBJECT-TYPE

SYNTAX INTEGER {

unsupported (1),

low (2),

medium (3),

high (4),

highest (5)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The transmission priority of this circuit as understood by this

DLSw node. This value is determined by the two DLSw

nodes at circuit startup time. If this DLSw node does not

support DLSw circuit priority, the value `unsupported' should be returned."

::= { dlswCircuitEntry 18 }

--

-- Pacing Objects:

-- These objects are applicable if DLSw is using the SSP circuit

-- pacing protocol to control the flow between the two data links

-- in this circuit.

--

dlswCircuitFCSendGrantedUnits OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of paced SSP messages that this DLSw is currently authorized to send on this circuit before it must stop and wait for an additional flow control indication from the partner DLSw.

The value zero should be returned if this circuit is not running

the DLSw pacing protocol."

::= { dlswCircuitEntry 19 }

dlsuCircuitFCSendCurrentWnw OBJECT-TYPE
SYNTAX INTEGER (0..65535)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The current window size that this DLSw is using in its role as a data sender. This is the value by which this DLSw would increase the number of messages it is authorized to send, if it were to receive a flow control indication with the bits specifying `repeat window'.
The value zero should be returned if this circuit is not running the DLSw pacing protocol."
 ::= { dlsuCircuitEntry 20 }

dlsuCircuitFCRecvGrantedUnits OBJECT-TYPE
SYNTAX INTEGER (0..65535)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The current number of paced SSP messages that this DLSw has authorized the partner DLSw to send on this circuit before the partner DLSw must stop and wait for an additional flow control indication from this DLSw.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."
 ::= { dlsuCircuitEntry 21 }

dlsuCircuitFCRecvCurrentWnw OBJECT-TYPE
SYNTAX INTEGER (0..65535)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The current window size that this DLSw is using in its role as a data receiver. This is the number of additional paced SSP messages that this DLSw would be authorizing its DLSw partner to send, if this DLSw were to send a flow control indication with the bits specifying `repeat window'.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."
 ::= { dlsuCircuitEntry 22 }

dlsuCircuitFCLargestRecvGranted OBJECT-TYPE
SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current

DESCRIPTION

"The largest receive window size granted by this DLSw during

the current activation of this circuit. This is not the largest number of messages granted at any time, but the largest window size as represented by FCIND operator bits.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 23 }

dlswCircuitFCLargestSendGranted OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The largest send (with respect to this DLSw) window size granted by the partner DLSw during the current activation of this circuit.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 24 }

dlswCircuitFCHalveWndwSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Halve Window operations this DLSw has sent on this circuit, in its role as a data receiver.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 25 }

dlswCircuitFCResetOpSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Reset Window operations this DLSw has sent on this circuit, in its role as a data receiver.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 26 }

dlsuCircuitFCHalveWndwRcvds OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of Halve Window operations this DLSw has received on
 this circuit, in its role as a data sender.

 The value zero should be returned if this circuit is not
 running the DLSw pacing protocol."
 ::= { dlsuCircuitEntry 27 }

dlsuCircuitFCResetOpRcvds OBJECT-TYPE
 SYNTAX Counter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of Reset Window operations this DLSw has received on
 this circuit, in its role as a data sender.
 The value zero should be returned if this circuit is not
 running the DLSw pacing protocol."
 ::= { dlsuCircuitEntry 28 }

--
 -- Information about the circuit disconnection
 --

dlsuCircuitDiscReasonLocal OBJECT-TYPE
 SYNTAX INTEGER {
 endStationDiscRcvd (1),
 endStationDlcError (2),
 protocolError (3),
 operatorCommand (4),
 haltDIRcvd (5),
 haltDINoAckRcvd (6),
 transportConnClosed (7)
 }
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The reason why this circuit was last
 disconnected, as seen
 by this DLSw node.

 This object is present only if the agent keeps circuit
 table entries around for some period after circuit disconnect."
 ::= { dlsuCircuitEntry 29 }

dlsuCircuitDiscReasonRemote OBJECT-TYPE

```
SYNTAX INTEGER {
    unknown          (1),
    endStationDiscRcvd (2),
    endStationDlcError (3),
    protocolError    (4),
    operatorCommand  (5)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The generic reason code why this circuit was last disconnected, as reported by the DLSw partner in a HALT_DL or HALT_DL_NOACK. If the partner does not send a reason code in these messages, or the DLSw implementation does not report receiving one, the value `unknown' is returned.

This object is present only if the agent keeps circuit table entries around for some period after circuit disconnect."

::= { dlsuCircuitEntry 30 }

dlsuCircuitDiscReasonRemoteData OBJECT-TYPE

```
SYNTAX OCTET STRING (SIZE (0 | 4))
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Implementation-specific data reported by the DLSw partner in a HALT_DL or HALT_DL_NOACK, to help specify how and why this circuit was last disconnected. If the partner does not send this data in these messages, or the DLSw implementation does not report receiving it, a string of zero length is returned.

This object is present only if the agent keeps circuit table entries around for some period after circuit disconnect."

::= { dlsuCircuitEntry 31 }

```
-- .....
-- Statistics related to this circuit.
-- All statistics are in LLC-2 Link Station Statistical Table.
-- All SDLC statistics are in SDLC MIB
-- .....
--
```

```

*****
-- DLSW SDLC EXTENSION
_ _ *****

dlswSdlcLsEntries OBJECT-TYPE
SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The number of entries in dlswSdlcLsTable."
 ::= { dlswSdlc 1 }

-- .....

dlswSdlcLsTable OBJECT-TYPE
SYNTAX SEQUENCE OF DlswSdlcLsEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "The table defines the virtual MAC addresses for those
     SDLC link stations that participate in data link switching."
 ::= { dlswSdlc 2 }

dlswSdlcLsEntry OBJECT-TYPE
SYNTAX DlswSdlcLsEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "The index of this table is the ifIndex value for the
     SDLC port which owns this link station and the poll
     address of
the particular SDLC link station."
INDEX { ifIndex, sdlcLSAddress }
 ::= { dlswSdlcLsTable 1 }

DlswSdlcLsEntry ::= SEQUENCE {
    dlswSdlcLsLocalMac      MacAddressNC,
    dlswSdlcLsLocalSap     OCTET STRING,
    dlswSdlcLsLocalIdBlock DisplayString,
    dlswSdlcLsLocalIdNum   DisplayString,
    dlswSdlcLsRemoteMac    MacAddressNC,
    dlswSdlcLsRemoteSap    OCTET STRING,
    dlswSdlcLsRowStatus    RowStatus
}

dlswSdlcLsLocalMac OBJECT-TYPE
SYNTAX MacAddressNC
MAX-ACCESS read-create
STATUS current
DESCRIPTION

```

"The virtual MAC address used to represent the SDLC-attached link station to the rest of the DLSw network."

::= { dlswSdlcLsEntry 1 }

dlswSdlcLsLocalSap OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The SAP used to represent this link station."

::= { dlswSdlcLsEntry 2 }

dlswSdlcLsLocalIdBlock OBJECT-TYPE

SYNTAX DisplayString (SIZE (0 | 3))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The block number is the first three digits of the node_id, if available. These 3 hexadecimal digits identify the product."

DEFVAL { "H" }

::= { dlswSdlcLsEntry 3 }

dlswSdlcLsLocalIdNum OBJECT-TYPE

SYNTAX DisplayString (SIZE (0 | 5))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The ID number is the last 5 digits of the node_id, if available. These 5 hexadecimal digits are administratively defined and combined with the 3 digit block number form the node_id. This node_id is used to identify the local node and is included in SNA XIDs."

DEFVAL { "H" }

::= { dlswSdlcLsEntry 4 }

dlswSdlcLsRemoteMac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The MAC address to which DLSw should attempt to connect

this link station. If this information is not available, a length of zero for this object should be returned."

DEFVAL { "H" }

::= { dlswSdlcLsEntry 5 }

dlsWsdLcLsRemoteSap OBJECT-TYPE
 SYNTAX OCTET STRING (SIZE (0 | 1))
 MAX-ACCESS read-create
 STATUS current
 DESCRIPTION
 "The SAP of the remote station to which this link
 station should be connected. If this information
 is not available, a length of zero for this object
 should be returned."
 DEFVAL { "H" }
 ::= { dlsWsdLcLsEntry 6 }

dlsWsdLcLsRowStatus OBJECT-TYPE
 SYNTAX RowStatus
 MAX-ACCESS read-create
 STATUS current
 DESCRIPTION
 "This object is used by the manager to create
 or delete the row entry in the dlsWsdLcLsTable
 following the RowStatus textual convention."
 ::= { dlsWsdLcLsEntry 7 }

-- *****

-- TRAP GENERATION CONTROL

--

dlsWTrapControl OBJECT IDENTIFIER ::= { dlsWNode 10 }

dlsWTrapCntlTConnPartnerReject OBJECT-TYPE
 SYNTAX INTEGER {
 enabled (1),
 disabled (2),
 partial (3)
 }
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION
 "Indicates whether the DLSw is permitted to emit partner
 reject related traps. With the value of `enabled`
 the DLSw will emit all partner reject related traps.
 With the value of `disabled` the DLSw will not emit
 any partner reject related traps. With the value
 of `partial` the DLSw will only emits partner reject
 traps for CapEx reject. The changes take effect
 immediately."
 ::= { dlsWTrapControl 1 }

dlsWTrapCntlTConnProtViolation OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Indicates whether the DLSw is permitted to generate protocol-violation traps on the events such as window size violation. The changes take effect immediately."

::= { dlsWTrapControl 2 }

dlsWTrapCntlTConn OBJECT-TYPE

SYNTAX INTEGER {

enabled (1),

disabled (2),

partial (3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Indicates whether the DLSw is permitted to emit transport connection up and down traps. With the value of `enabled` the DLSw will emit traps when connections enter `connected` and `disconnected` states. With the value of `disabled` the DLSw will not emit traps when connections enter of `connected` and `disconnected` states. With the value of `partial` the DLSw will only emits transport connection down traps when the connection is closed with busy. The changes take effect immediately."

::= { dlsWTrapControl 3 }

dlsWTrapCntlCircuit OBJECT-TYPE

SYNTAX INTEGER {

enabled (1),

disabled (2),

partial (3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Indicates whether the DLSw is permitted to generate circuit up and down traps. With the value of `enabled` the DLSw will emit traps when circuits enter `connected` and `disconnected` states. With the value of `disabled` the DLSw will not emit traps when circuits enter of `connected` and `disconnected` states. With the value of `partial` the DLSw will emit traps only for those circuits that are initiated by this DLSw, e.g.,

```

    originating the CUR_CS message. The changes take effect
    immediately."
 ::= { dlswTrapControl 4 }

-- *****
-- NOTIFICATIONS, i.e., TRAP DEFINITIONS
-- *****

dlswTraps      OBJECT IDENTIFIER
 ::= { dlswMIB 0 }

-----
-- This section defines the well-known notifications sent by
-- DLSW agents.
-- Care must be taken to insure that no particular notification
-- is sent to a single receiving entity more often than once
-- every five seconds.
--
-- Traps includes:
-- (1) Partner rejected (capEx rejection, not in partner list, etc.)
-- (2) DLSw protocol violation (e.g., window size violation, etc.)
-- (3) Transport connection up/down

-- (4) Circuit up/down
-----
--

dlswTrapTConnPartnerReject NOTIFICATION-TYPE
  OBJECTS { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr
  }
  STATUS   current
  DESCRIPTION
    "This trap is sent each time a transport connection
    is rejected by a partner DLSw during Capabilities
    Exchanges. The emission of this trap is controlled
    by dlswTrapCntlTConnPartnerReject."
 ::= { dlswTraps
 1 }

dlswTrapTConnProtViolation NOTIFICATION-TYPE
  OBJECTS { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr
  }
  STATUS   current
  DESCRIPTION
    "This trap is sent each time a protocol violation is
    detected for a transport connection. The emission of this
    trap is controlled by dlswTrapCntlTConnProtViolation."
 ::= { dlswTraps 2 }

```


dlsWTrapTConnUp NOTIFICATION-TYPE
OBJECTS { dlsWConnOperTDomain, dlsWConnOperRemoteTAddr
}
STATUS current
DESCRIPTION
"This trap is sent each time a transport connection
enters `connected' state. The emission of this trap
is controlled by dlsWTrapCntlTConn."
::= { dlsWTraps 3 }

dlsWTrapTConnDown NOTIFICATION-TYPE
OBJECTS { dlsWConnOperTDomain, dlsWConnOperRemoteTAddr
}
STATUS current
DESCRIPTION
"This trap is sent each time a transport connection
enters `disconnected' state. The emission of this trap
is controlled by dlsWTrapCntlTConn."
::= { dlsWTraps 4 }

dlsWTrapCircuitUp NOTIFICATION-TYPE
OBJECTS { dlsWCircuitS1Mac, dlsWCircuitS1Sap,
dlsWCircuitS2Mac, dlsWCircuitS2Sap
}
STATUS current
DESCRIPTION
"This trap is sent each time a circuit enters `connected'
state. The emission of this trap is controlled by
dlsWTrapCntlCircuit."
::= { dlsWTraps 5 }

dlsWTrapCircuitDown NOTIFICATION-TYPE
OBJECTS { dlsWCircuitS1Mac, dlsWCircuitS1Sap,
dlsWCircuitS2Mac, dlsWCircuitS2Sap
}
STATUS current
DESCRIPTION
"This trap is sent each time a circuit enters `disconnected'
state. The emission of this trap is controlled by
dlsWTrapCntlCircuit."
::= { dlsWTraps 6 }

-- *****
-- CONFORMANCE INFORMATION
-- *****
dlsWConformance OBJECT IDENTIFIER ::= { dlsW 3 }

```
dlswCompliances
    OBJECT IDENTIFIER ::= { dlswConformance 1 }
dlswGroups      OBJECT IDENTIFIER ::= { dlswConformance 2 }
```

```
-----
-- COMPLIANCE STATEMENTS
-----
```

```
-- .....
-- Core compliance for all DLSw entities
-- .....
```

```
dlswCoreCompliance MODULE-COMPLIANCE
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The core compliance statement for all DLSw nodes."
```

```
MODULE
```

```
MANDATORY-GROUPS {
```

```
    dlswNodeGroup,
    dlswTConnStatGroup,
    dlswTConnConfigGroup,
    dlswTConnOperGroup,
    dlswInterfaceGroup,
    dlswCircuitGroup,
    dlswCircuitStatGroup,
    dlswNotificationGroup }
```

```
GROUP dlswNodeNBGroup
```

```
DESCRIPTION
```

```
"The DLSw NetBIOS Node group is mandatory only for
those DLSw entities that implement NetBIOS."
```

```
GROUP dlswTConnNBGroup
```

```
DESCRIPTION
```

```
"The DLSw NetBIOS Transport Connection group is
mandatory only for those DLSw entities that
implement NetBIOS."
```

```
OBJECT dlswNodeStatus
```

```
MIN-ACCESS read-only
```

```
DESCRIPTION
```

```
"Write access is not required."
```

```
OBJECT dlswNodeVirtualSegmentLFSize
```

```
MIN-ACCESS read-only
```

```
DESCRIPTION
```

```
"Write access is not required."
```

OBJECT dlswNodeResourceNBExclusivity
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswNodeResourceMacExclusivity
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTrapCntlTConnPartnerReject
MIN-ACCESS
read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTrapCntlTConnProtViolation
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTrapCntlTConn
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTrapCntlCircuit
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTConnConfigTDomain
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTConnConfigLocalTAddr
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTConnConfigRemoteTAddr
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTConnConfigEntryType
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigGroupDefinition

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigSetupType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigSapList

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigAdvertiseMacNB

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigInitCirRecvWndw

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is
not required."

OBJECT dlswTConnOperState

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswIfRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswIfVirtualSegment

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlsWIfSapList
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlsWCircuitState
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { dlsWCompliances 1 }

--
-- Compliance for all DLSw entities that provide TCP transport.
--
dlsWTConnTcpCompliance MODULE-COMPLIANCE

STATUS current
DESCRIPTION
"Compliance for DLSw nodes that use TCP as a
transport connection protocol."
MODULE
MANDATORY-GROUPS {
 dlsWTConnTcpConfigGroup,
 dlsWTConnTcpOperGroup }

OBJECT dlsWTConnTcpConfigKeepAliveInt
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlsWTConnTcpConfigTcpConnections
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlsWTConnTcpConfigMaxSegmentSize
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { dlsWCompliances 2 }

--
-- Compliance for all DLSw Entities that implement a directory
--
dlsWDirCompliance MODULE-COMPLIANCE
STATUS current

DESCRIPTION

"Compliance for DLSw nodes that provide a directory function."

MODULE

MANDATORY-GROUPS {
 dlswDirGroup }

GROUP dlswDirNBGroup

DESCRIPTION

"The DLSw NetBIOS group is mandatory only for those DLSw entities that implement NetBIOS."

OBJECT dlswDirMacMac

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacMask

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacEntryType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacLocationType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacLocation

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacLFSize

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirMacRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBName

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBNameType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBEntryType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBLocationType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBLocation

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBLFSize

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

::= { dlswCompliances 3 }

--

-- Compliance for all DLSw entities that provide an ordered

```

-- list of directory entries that match a resource
-- .....
dlswDirLocateCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "Compliance for DLSw nodes that provide
an ordered
    list of directory entries for a given resource."
  MODULE
    MANDATORY-GROUPS {
      dlswDirLocateGroup }

  GROUP dlswDirLocateNBGroup
    DESCRIPTION
      "The DLSw NetBIOS group is mandatory only for
those DLSw entities that implement NetBIOS."

::= { dlsCompliances 4 }

-- .....
-- Compliance for all DLSw entities that support SDLC end stations
-- .....
dlswSdlcCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "Compliance for DLSw nodes that support SDLC."
  MODULE
    MANDATORY-GROUPS {
      dlswSdlcGroup }

  OBJECT dlswSdlcLsLocalMac
    MIN-ACCESS read-only
    DESCRIPTION
      "Write access is not required."

  OBJECT dlswSdlcLsLocalSap
    MIN-ACCESS read-only
    DESCRIPTION
      "Write access is not required."

  OBJECT dlswSdlcLsLocalIdBlock
    MIN-ACCESS read-only
    DESCRIPTION
      "Write access is not required."

  OBJECT dlswSdlcLsLocalIdNum
    MIN-ACCESS read-only
    DESCRIPTION

```


"Write access is not required."

OBJECT dlswSdlcLsRemoteMac
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsRemoteSap
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { dlswCompliances 5 }

-- CONFORMANCE GROUPS

--
--
Node Conformance Group
--

dlswNodeGroup OBJECT-GROUP
OBJECTS {
 dlswNodeVersion,
 dlswNodeVendorID,
 dlswNodeVersionString,
 dlswNodeStdPacingSupport,
 dlswNodeStatus,
 dlswNodeUpTime,
 dlswNodeVirtualSegmentLFSize,
 dlswNodeResourceMacExclusivity,
 dlswTrapCntlTConnPartnerReject,
 dlswTrapCntlTConnProtViolation,
 dlswTrapCntlTConn,
 dlswTrapCntlCircuit
}

STATUS current

DESCRIPTION

"Conformance group for DLSw node general information."

::= { dlswGroups 1 }

--

```

dlswnodeNBGroup OBJECT-GROUP
OBJECTS {
    dlswnodeResourceNBExclusivity
}
STATUS current
DESCRIPTION
    "Conformance group for DLSw node general information
    specifically for nodes that support NetBIOS."
::=
{ dlswGroups 2 }

```

```

-- .....
dlswTConnStatGroup OBJECT-GROUP
OBJECTS {
    dlswTConnStatActiveConnections,
    dlswTConnStatCloseIdles,
    dlswTConnStatCloseBusys
}
STATUS current
DESCRIPTION
    "Conformance group for statistics for transport
    connections."
::= { dlswGroups 3 }

```

```

-- .....
dlswTConnConfigGroup OBJECT-GROUP
OBJECTS {
    dlswTConnConfigTDomain,
    dlswTConnConfigLocalTAddr,
    dlswTConnConfigRemoteTAddr,
    dlswTConnConfigLastModifyTime,
    dlswTConnConfigEntryType,
    dlswTConnConfigGroupDefinition,
    dlswTConnConfigSetupType,
    dlswTConnConfigSapList,
    dlswTConnConfigAdvertiseMacNB,
    dlswTConnConfigInitCirRecvWdw,
    dlswTConnConfigOpens,
    dlswTConnConfigRowStatus
}
STATUS current
DESCRIPTION
    "Conformance
    group for the configuration of
    transport connections."
::= { dlswGroups 4 }

```

```

-- .....

```

dlswTConnOperGroup OBJECT-GROUP

```
OBJECTS {
    dlswTConnOperLocalTAddr,
    dlswTConnOperEntryTime,
    dlswTConnOperConnectTime,
    dlswTConnOperState,
    dlswTConnOperConfigIndex,
    dlswTConnOperFlowCntlMode,
    dlswTConnOperPartnerVersion,
    dlswTConnOperPartnerVendorID,
    dlswTConnOperPartnerVersionStr,
    dlswTConnOperPartnerInitPacingWndw,
    dlswTConnOperPartnerSapList,
    dlswTConnOperPartnerMacExcl,
    dlswTConnOperPartnerMacInfo,
    dlswTConnOperDiscTime,
    dlswTConnOperDiscReason,
    dlswTConnOperDiscActiveCir,
    dlswTConnOperInDataPkts,
    dlswTConnOperOutDataPkts,
    dlswTConnOperInDataOctets,
    dlswTConnOperOutDataOctets,
    dlswTConnOperInCntlPkts,
    dlswTConnOperOutCntlPkts,
    dlswTConnOperCURExSents,
    dlswTConnOperICRExRcvds,
    dlswTConnOperCURExRcvds,
    dlswTConnOperICRExSents,
    dlswTConnOperCirCreates,
    dlswTConnOperCircuits
}
```

STATUS current

DESCRIPTION

"Conformance group for operation information for transport connections."

::= { dlswGroups 5 }

dlswTConnNBGroup OBJECT-GROUP

```
OBJECTS {
    dlswTConnOperPartnerNBExcl,
    dlswTConnOperPartnerNBInfo,
    dlswTConnOperNQexSents,
    dlswTConnOperNRExRcvds,
    dlswTConnOperNQexRcvds,
    dlswTConnOperNRExSents
}
```

STATUS current

DESCRIPTION

```
"Conformance group for operation information for
transport connections, specifically for nodes
that support NetBIOS."
::= { dlswGroups 6 }
```

```
-- .....
dlswTConnTcpConfigGroup OBJECT-GROUP
OBJECTS {
    dlswTConnTcpConfigKeepAliveInt,
    dlswTConnTcpConfigTcpConnections,
    dlswTConnTcpConfigMaxSegmentSize
}
STATUS current
DESCRIPTION
"Conformance group for configuration information for
transport connections using TCP."
::= { dlswGroups 7 }
```

```
-- .....
dlswTConnTcpOperGroup OBJECT-GROUP
OBJECTS {
    dlswTConnTcpOperKeepAliveInt,
    dlswTConnTcpOperPrefTcpConnections,
    dlswTConnTcpOperTcpConnections
}
STATUS current
DESCRIPTION
"Conformance group for operation information for
transport connections using TCP."
::= { dlswGroups 8 }
```

```
-- .....
dlswInterfaceGroup OBJECT-GROUP
OBJECTS {
    dlswIfRowStatus,
    dlswIfVirtualSegment,
    dlswIfSapList
}
STATUS current
DESCRIPTION
"Conformance group for DLSw interfaces."
::= { dlswGroups
9 }
```

```
-- .....
dlswDirGroup OBJECT-GROUP
OBJECTS {
    dlswDirMacEntries,
```

```

    dlswDirMacCacheHits,
    dlswDirMacCacheMisses,
    dlswDirMacCacheNextIndex,
    dlswDirMacMac,
    dlswDirMacMask,
    dlswDirMacEntryType,
    dlswDirMacLocationType,
    dlswDirMacLocation,
    dlswDirMacStatus,
    dlswDirMacLFSize,
    dlswDirMacRowStatus
  }
STATUS current
DESCRIPTION
  "Conformance group for DLSw directory using MAC
  addresses."
::= { dlswGroups 10 }

```

```

-- .....
dlswDirNBGroup OBJECT-GROUP
OBJECTS {
  dlswDirNBEntries,
  dlswDirNBCacheHits,
  dlswDirNBCacheMisses,
  dlswDirNBCacheNextIndex,
  dlswDirNBName,
  dlswDirNBNameType,
  dlswDirNBEntryType,
  dlswDirNBLocationType,
  dlswDirNBLocation,
  dlswDirNBStatus,
  dlswDirNBLFSize,
  dlswDirNBRowStatus
}
STATUS current
DESCRIPTION
  "Conformance group for DLSw directory using NetBIOS
  names."
::= { dlswGroups 11 }

```

```

-- .....
dlswDirLocateGroup OBJECT-GROUP
OBJECTS {
  dlswDirLocateMacLocation
}
STATUS current
DESCRIPTION
  "Conformance group for a node that can return directory

```

entry order for a given MAC address."
::= { dlswGroups 12 }

--
dlswDirLocateNBGroup OBJECT-GROUP

OBJECTS {

 dlswDirLocateNBLocation
}

STATUS current

DESCRIPTION

"Conformance group for a node that can return directory
entry order for a given NetBIOS name."

::= { dlswGroups 13 }

--
dlswCircuitStatGroup OBJECT-GROUP

OBJECTS {

 dlswCircuitStatActives,
 dlswCircuitStatCreates
}

STATUS current

DESCRIPTION

"Conformance group for statistics about circuits."

::= { dlswGroups 14 }

--
dlswCircuitGroup OBJECT-GROUP

OBJECTS {

 dlswCircuitS1IfIndex,
 dlswCircuitS1DlcType,
 dlswCircuitS1RouteInfo,
 dlswCircuitS1CircuitId,
 dlswCircuitS1Dlc,
 dlswCircuitS2Location,
 dlswCircuitS2TDomain,
 dlswCircuitS2TAddress,
 dlswCircuitS2CircuitId,
 dlswCircuitOrigin,
 dlswCircuitEntryTime,
 dlswCircuitStateTime,
 dlswCircuitState,
 dlswCircuitPriority,
 dlswCircuitFCSendGrantedUnits,
 dlswCircuitFCSendCurrentWdw,
 dlswCircuitFCRecvGrantedUnits,
 dlswCircuitFCRecvCurrentWdw,
 dlswCircuitFCLargestRecvGranted,
 dlswCircuitFCLargestSendGranted,

```
    dlswCircuitFCHalveWndwSents,
    dlswCircuitFCResetOpSents,
    dlswCircuitFCHalveWndwRcvds,
    dlswCircuitFCResetOpRcvds,
    dlswCircuitDiscReasonLocal,
    dlswCircuitDiscReasonRemote,
    dlswCircuitDiscReasonRemoteData
  }
STATUS current
DESCRIPTION
  "Conformance group for DLSw circuits."
::= { dlswGroups 15 }
```

```
-- .....
dlswSdlcGroup OBJECT-GROUP
OBJECTS {
  dlswSdlcLsEntries,
  dlswSdlcLsLocalMac,
  dlswSdlcLsLocalSap,
  dlswSdlcLsLocalIdBlock,
  dlswSdlcLsLocalIdNum,
  dlswSdlcLsRemoteMac,
  dlswSdlcLsRemoteSap,
  dlswSdlcLsRowStatus
}
STATUS current
DESCRIPTION
  "Conformance group for DLSw SDLC support."
::= { dlswGroups 16 }
```

```
-- .....
dlswNotificationGroup NOTIFICATION-GROUP
NOTIFICATIONS {
  dlswTrapTConnPartnerReject,
  dlswTrapTConnProtViolation,

  dlswTrapTConnUp,
  dlswTrapTConnDown,
  dlswTrapCircuitUp,
  dlswTrapCircuitDown
}
STATUS current
DESCRIPTION
  "Conformance group for DLSw notifications."
::= { dlswGroups 17 }
```

END

Found in path(s):

* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DLSW-MIB

No license file was found, but licenses were detected in source scan.

MIOX25-MIB DEFINITIONS ::= BEGIN

IMPORTS

Counter,

TimeTicks

FROM RFC1155-SMI

OBJECT-TYPE

FROM RFC-1212

DisplayString, transmission,

ifIndex

FROM RFC1213-MIB

InstancePointer

FROM RFC1316-MIB

X121Address

FROM RFC1382-MIB

PositiveInteger

FROM RFC1381-MIB;

-- IP over X.25 MIB

miox OBJECT IDENTIFIER ::= { transmission 38 }

mioxPle OBJECT IDENTIFIER ::= { miox 1 }

mioxPeer OBJECT IDENTIFIER ::= { miox 2 }

-- #####

-- Ple Table

-- #####

-- Systems that implement RFC 1356 must also implement

-- all objects in this group.

mioxPleTable OBJECT-TYPE

SYNTAX SEQUENCE OF MioxPleEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"This table contains information relative to
an interface to an X.25 Packet Level Entity
(PLE)."

::= { mioxPle 1 }

mioxPleEntry OBJECT-TYPE

SYNTAX MioxPleEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"These objects manage the encapsulation of
other protocols within X.25."

INDEX { ifIndex }

::= { mioxPleTable 1 }

```
MioxPleEntry ::= SEQUENCE {
    mioxPleMaxCircuits
        INTEGER,
    mioxPleRefusedConnections
        Counter,
    mioxPleEnAddrToX121LkupFlrs
        Counter,
    mioxPleLastFailedEnAddr
        OCTET STRING,
    mioxPleEnAddrToX121LkupFlrTime
        TimeTicks,
    mioxPleX121ToEnAddrLkupFlrs
        Counter,
    mioxPleLastFailedX121Address
        X121Address,
    mioxPleX121ToEnAddrLkupFlrTime
        TimeTicks,
    mioxPleQbitFailures
        Counter,
    mioxPleQbitFailureRemoteAddress
        X121Address,
    mioxPleQbitFailureTime
        TimeTicks,
    mioxPleMinimumOpenTimer
        PositiveInteger,
    mioxPleInactivityTimer
        PositiveInteger,
    mioxPleHoldDownTimer
        PositiveInteger,
    mioxPleCollisionRetryTimer
        PositiveInteger,
    mioxPleDefaultPeerId
        InstancePointer
}
```

mioxPleMaxCircuits OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The maximum number of X.25 circuits that can be open at one time for this interface. A value of zero indicates the interface will not allow any additional circuits (as it may soon be shutdown). A value of 2147483647 allows an unlimited number of circuits."

::= { mioxPleEntry 1 }

mioxPleRefusedConnections OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of X.25 calls from a remote systems to this system that were cleared by this system. The interface instance should identify the X.25 interface the call came in on."

::= { mioxPleEntry 2 }

mioxPleEnAddrToX121LkupFlrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times a translation from an Encapsulated Address to an X.121 address failed to find a corresponding X.121 address. Encapsulated addresses can be looked up in the mioxPeerTable or translated via an algorithm as for the DDN. Addresses

that are successfully recognized do not increment this counter. Addresses that are not recognized (reflecting an abnormal packet delivery condition) increment this counter.

If an address translation fails, it may be difficult to determine which PLE entry should count the failure. In such cases the first likely entry in this table should be selected. Agents should record the failure even if they are unsure which PLE should be associated with the failure."

::= { mioxPleEntry 3 }

mioxPleLastFailedEnAddr OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(2..128))

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The last Encapsulated address that failed to find a corresponding X.121 address and caused mioXpleEnAddrToX121LkupFlrs to be

incremented. The first octet of this object contains the encapsulation type, the remaining octets contain the address of that type that failed. Thus for an IP address, the length will be five octets, the first octet will contain 204 (hex CC), and the last four octets will contain the IP address. For a snap encapsulation, the first byte would be 128 (hex 80) and the rest of the octet string would have the snap header."

::= { mioXpleEntry 4 }

mioxPleEnAddrToX121LkupFlrTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The most recent value of sysUpTime when the translation from an Encapsulated Address to X.121 address failed to find a corresponding X.121 address."

::= { mioXpleEntry 5 }

mioxPleX121ToEnAddrLkupFlrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times the translation from an X.121 address to an Encapsulated Address failed to find a corresponding Encapsulated Address. Addresses successfully recognized by an algorithm do not increment this counter. This counter reflects the number of times call acceptance encountered the abnormal condition of not recognizing the peer."

::= { mioXpleEntry 6 }

mioxPleLastFailedX121Address OBJECT-TYPE

SYNTAX X121Address

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The last X.121 address that caused
mioxPleX121ToEnAddrLkupFlrs to increase."

::= { mioxPleEntry 7 }

mioxPleX121ToEnAddrLkupFlrTime

OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The most recent value of sysUpTime when the
translation from an X.121 address to an
Encapsulated Address failed to find a
corresponding Encapsulated Address."

::= { mioxPleEntry 8 }

mioxPleQbitFailures OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times a connection was closed
because of a Q-bit failure."

::= { mioxPleEntry 9 }

mioxPleQbitFailureRemoteAddress OBJECT-TYPE

SYNTAX X121Address

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The remote address of the most recent
(last) connection that was closed because of
a Q-bit failure."

::= { mioxPleEntry 10 }

mioxPleQbitFailureTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The most recent value of sysUpTime when a

connection was closed because of a Q-bit failure. This will also be the last time that mioxPleQbitFailures was incremented."
::= { mioxPleEntry 11 }

mioxPleMinimumOpenTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The minimum time in milliseconds this interface will keep a connection open before allowing it to be closed. A value of zero indicates no timer."

DEFVAL { 0 }

::= { mioxPleEntry 12 }

mioxPleInactivityTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The amount of time time in milliseconds this interface will keep an idle connection open before closing it. A value of 2147483647 indicates no timer."

DEFVAL { 10000 }

::= { mioxPleEntry 13 }

mioxPleHoldDownTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The hold down timer in milliseconds. This is the minimum amount of time to wait before trying another call to a host that was previously unsuccessful. A value of 2147483647 indicates the host will not be retried."

DEFVAL { 0 }

::= { mioxPleEntry 14 }

mioxPleCollisionRetryTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The Collision Retry Timer in milliseconds.
The time to delay between call attempts when
the maximum number of circuits

is exceeded

in a call attempt."

DEFVAL { 0 }

::= { mioxPleEntry 15 }

mioxPleDefaultPeerId OBJECT-TYPE

SYNTAX InstancePointer

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This identifies the instance of the index
in the mioxPeerTable for the default
parameters to use with this interface.

The entry identified by this object may have
a zero length Encapsulation address and a
zero length X.121 address.

These default parameters are used with
connections to hosts that do not have
entries in the mioxPeerTable. Such
connections occur when using ddn-x25 IP-X.25
address mapping or when accepting
connections from other hosts not in the
mioxPeerTable.

The mioxPeerEncTable entry with the same

index as the mioxPeerTable entry specifies
the call encapsulation types this PLE will
accept for peers not in the mioxPeerTable.
If the mioxPeerEncTable doesn't contain any
entries, this PLE will not accept calls from
entries not in the mioxPeerTable."

::= { mioxPleEntry 16 }

-- #####
-- Peer Table
-- #####

-- Systems that implement RFC 1356 must also implement

-- all objects in this group.

mioxPeerTable OBJECT-TYPE

SYNTAX SEQUENCE OF MioxPeerEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"This table contains information about the possible peers this machine may exchange packets with."

::= { mioxPeer 1 }

mioxPeerEntry OBJECT-TYPE

SYNTAX MioxPeerEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Per peer information."

INDEX { mioxPeerIndex }

::= { mioxPeerTable 1 }

MioxPeerEntry ::= SEQUENCE {

mioxPeerIndex

PositiveInteger,

mioxPeerStatus

INTEGER,

mioxPeerMaxCircuits

PositiveInteger,

mioxPeerIfIndex

PositiveInteger,

mioxPeerConnectSeconds

Counter,

mioxPeerX25CallParamId

InstancePointer,

mioxPeerEnAddr

OCTET STRING,

mioxPeerX121Address

X121Address,

mioxPeerX25CircuitId

InstancePointer,

mioxPeerDescr

DisplayString

}

mioxPeerIndex OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-only

STATUS mandatory

DESCRIPTION

"An index value that distinguished one entry from another.

This index is independent of any other index."

::= { mioxPeerEntry 1 }

- Systems can claim conformance with this MIB without
- implementing sets to mioxPeerStatus with a value of
- clearCall or makeCall.
- All other defined values must be accepted.
- Implementors should realize that allowing these values
- provides richer management, and implementations
- are encouraged to accept these values.

mioxPeerStatus OBJECT-TYPE

SYNTAX INTEGER {

valid (1),
createRequest (2),
underCreation (3),
invalid (4),
clearCall (5),
makeCall (6)
}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This reports the status of a peer entry.
A value of valid indicates a normal entry that is in use by the agent. A value of

underCreation indicates a newly created entry which isn't yet in use because the creating management station is still setting values.

The value of invalid indicates the entry is no longer in use and the agent is free to delete the entry at any time. A management station is also free to use an entry in the invalid state.

Entries are created by setting a value of createRequest. Only non-existent or invalid entries can be set to createRequest. Upon receiving a valid createRequest, the agent will create an entry in the underCreation

state. This object can not be set to a value of underCreation directly, entries can only be created by setting a value of createRequest. Entries that exist in other

than the invalid state can not be set to createRequest.

Entries with a value of underCreation are not used by the system and the management station can change the values of other objects in the table entry. Management stations should also remember to configure values in the mioPeerEncTable with the same peer index value as this peer entry.

An entry in the underCreation state can be set to valid or invalid. Entries in the underCreation state will stay in that state until 1) the agent times them out, 2) they are set to valid, 3) they are set to invalid. If an agent notices an entry has been in the underCreation state for an abnormally long time, it may decide the management station has failed and invalidate

the entry. A prudent agent will understand that the management station may need to wait for human input and will allow for that possibility in its determination of this abnormally long period.

Once a management station has completed all fields of an entry, it will set a value of valid. This causes the entry to be activated.

Entries in the valid state may also be set to makeCall or clearCall to make or clear X.25 calls to the peer. After such a set request the entry will still be in the valid state. Setting a value of makeCall causes the agent to initiate an X.25 call request to the peer specified by the entry. Setting a value of clearCall causes the agent to initiate clearing one X.25 call present

to

the peer. Each set request will initiate

another call or clear request (up to the maximum allowed); this means that management stations that fail to get a response to a set request should query to see if a call was in fact placed or cleared before retrying the request. Entries not in the valid state can not be set to makeCall or clearCall.

The values of makeCall and clearCall provide for circuit control on devices which perform Ethernet Bridging using static circuit assignment without address recognition; other devices which dynamically place calls based on destination addresses may reject such requests.

An agent that (re)creates a new entry because of a set with createRequest, should

also (re)create a mioPeerEncTable entry with a mioPeerEncIndex of 1, and a mioPeerEncType of 204 (hex CC)."
::= { mioPeerEntry 2 }

mioxPeerMaxCircuits OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The maximum number of X.25 circuits allowed to this peer."

DEFVAL { 1 }

::= { mioPeerEntry 3 }

mioxPeerIfIndex OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The value of the ifIndex object for the interface to X.25 to use to call the peer."

DEFVAL { 1 }

::= { mioPeerEntry 4 }

mioxPeerConnectSeconds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of seconds a call to this peer was active. This counter will be

incremented by one for every second a connection to a peer was open. If two calls are open at the same time, one second of elapsed real time will result in two seconds of connect time."

::= { mioxPeerEntry 5 }

mioxPeerX25CallParamId OBJECT-TYPE

SYNTAX InstancePointer

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The instance of the index object in the x25CallParmTable from RFC 1382 for the X.25 call parameters used to communicate with the remote host. The well known value {0 0} indicates no call parameters specified."

DEFVAL { {0 0} }

::= { mioxPeerEntry 6 }

mioxPeerEnAddr OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0..128))

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The Encapsulation address of the remote host mapped by this table entry. A length of zero indicates the remote IP address is unknown or unspecified for use as a PLE default.

The first octet of this object contains the encapsulation type, the remaining octets contain an address of that type. Thus for an IP address, the length will be five octets, the first octet will contain 204 (hex CC), and the last four octets will contain the IP address. For a snap encapsulation, the first byte would be 128 (hex 80) and the rest of the octet string would have the snap header."

DEFVAL { "h" }

::= { mioxPeerEntry 7 }

mioxPeerX121Address OBJECT-TYPE

SYNTAX X121Address

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The X.25 address of the remote

host mapped

by this table entry. A zero length string indicates the X.25 address is unspecified for use as the PLE default."

DEFVAL { "h" }

::= { mioxPeerEntry 8 }

-- Systems can claim conformance to this MIB without

-- implementing sets to mioxPeerX25CircuitId.

-- However systems that use PVCs with RFC1356

-- are encouraged to implement sets.

mioxPeerX25CircuitId OBJECT-TYPE

SYNTAX InstancePointer

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This object identifies the instance of the index for the X.25 circuit open to the peer mapped by this table entry. The well known value {0 0} indicates no connection currently active. For multiple connections, this identifies the index of a multiplexing table entry for the connections. This can only be written to configure

use of PVCs

which means the identified circuit table entry for a write must be a PVC."

DEFVAL { {0 0} }

::= { mioxPeerEntry 9 }

mioxPeerDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This object returns any identification information about the peer. An agent may supply the comment information found in the configuration file entry for this peer. A zero length string indicates no information available."

```
DEFVAL { "h }
::= { mioxPeerEntry 10 }
```

```
-- #####
-- Peer Encapsulation Table
-- #####
```

mioxPeerEncTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF MioxPeerEncEntry
ACCESS not-accessible
STATUS
```

mandatory

DESCRIPTION

"This table contains the list of encapsulations used to communicate with a peer. This table has two indexes, the first identifies the peer, the second distinguishes encapsulation types.

The first index identifies the corresponding entry in the mioxPeerTable. The second index gives the priority of the different encapsulations.

The encapsulation types are ordered in priority order. For calling a peer, the first entry (mioxPeerEncIndex of 1) is tried first. If the call doesn't succeed because the remote host clears the call due to incompatible call user data, the next entry in the list is tried. Each entry is tried until the list is exhausted.

For answering a call, the encapsulation type requested by the peer must be found the list or the call will be refused. If there are no entries in this table for a peer, all call requests from the peer will be refused.

Objects in this table can only be set when the mioxPeerStatus object with the same index has a value of underCreation. When that status object is set to invalid and deleted, the entry in this table with that peer index must also be deleted."

::= { mioxPeer 2 }

mioxPeerEncEntry OBJECT-TYPE

SYNTAX MioxPeerEncEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Per connection information."

INDEX { mioxPeerIndex, mioxPeerEncIndex }

::= { mioxPeerEncTable 1 }

MioxPeerEncEntry ::= SEQUENCE {

mioxPeerEncIndex

PositiveInteger,

mioxPeerEncType

INTEGER

}

mioxPeerEncIndex OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The second index in the table which distinguishes different encapsulation types."

::= { mioxPeerEncEntry 1 }

mioxPeerEncType OBJECT-TYPE

SYNTAX INTEGER (0..256)

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The value of the encapsulation type. For IP encapsulation this will have a value of 204 (hex CC). For SNAP encapsulated packets, this will have a value of 128 (hex 80). For CLNP, ISO 8473, this will have a value of 129 (hex 81). For ES-ES, ISO 9542, this will have a value of 130 (hex 82). A value of 197 (hex C5) identifies the Blacker X.25 encapsulation. A value

of 0,

identifies the Null encapsulation.

This value can only be written when the mioxPeerStatus object with the same mioxPeerIndex has a value of underCreation.

Setting this object to a value of 256
deletes the entry. When deleting an entry,
all other entries in the mioPeerEncTable
with the same mioPeerIndex and with an
mioPeerEncIndex higher then the deleted
entry, will all have their mioPeerEncIndex
values decremented by one."

::= { mioPeerEncEntry 2 }

-- #####

END

Found in path(s):

* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/MIOX25-MIB

No license file was found, but licenses were detected in source scan.

APM-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, OBJECT-TYPE,

NOTIFICATION-TYPE,

Counter32, Unsigned32 FROM SNMPv2-SMI

TEXTUAL-CONVENTION, RowStatus, TimeStamp,

TimeInterval, TruthValue, DateAndTime,

StorageType FROM SNMPv2-TC

MODULE-COMPLIANCE, OBJECT-GROUP,

NOTIFICATION-GROUP FROM SNMPv2-CONF

SnmpAdminString FROM SNMP-FRAMEWORK-MIB

rmon, OwnerString FROM RMON-MIB

protocolDirLocalIndex FROM RMON2-MIB;

-- Application Performance Measurement MIB

apm MODULE-IDENTITY

LAST-UPDATED "200402190000Z" -- February 19, 2004

ORGANIZATION "IETF RMON MIB Working Group"

CONTACT-INFO

"Author:

Steve Waldbusser

Phone: +1-650-948-6500

Fax : +1-650-745-0671

Email: waldbusser@nextbeacon.com

Working Group Chair:

Andy Bierman
Cisco Systems, Inc.
Postal: 170 West Tasman Drive
San Jose, CA USA 95134
Tel: +1 408 527-3711
E-mail: abierman@cisco.com

Working Group Mailing List: <rmonmib@ietf.org>
To subscribe send email to: <rmonmib-request@ietf.org>
"

DESCRIPTION

"The MIB module for measuring application performance as experienced by end-users.

Copyright (C) The Internet Society (2004). This version of this MIB module is part of RFC 3729; see the RFC itself for full legal notices."

REVISION "200402190000Z" -- February 19, 2004

DESCRIPTION

"The original version of this MIB Module, published as RFC3729."

::= { rmon 23 }

apmMibObjects OBJECT IDENTIFIER ::= { apm 1 }
apmConformance OBJECT IDENTIFIER ::= { apm 2 }
apmCompliances
 OBJECT IDENTIFIER ::= { apmConformance 1 }
apmGroups OBJECT IDENTIFIER ::= { apmConformance 2 }

AppLocalIndex ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"A locally arbitrary unique identifier associated with an application or application verb.

All objects of type AppLocalIndex are assigned by the agent out of a common number space. In other words, AppLocalIndex values assigned to entries in one table must not overlap with AppLocalIndex values assigned to entries in another table. Further, every protocolDirLocalIndex value registered by the agent automatically assigns the same value out of the

AppLocalIndex number space.

For example, if the protocolDirLocalIndex values { 1, 3, 5, 7 } have been assigned, and the apmHttpFilterAppLocalIndex values { 6, 8, 9 } have been assigned:

- Assignment of new AppLocalIndex values must not use the values { 1, 3, 5, 6, 7, 8, 9 }.
- AppLocalIndex values { 1, 3, 5, 7 } are automatically assigned and are associated with the identical value of protocolDirLocalIndex. In particular, an entry in the apmAppDirTable indexed by a value provides further information about a protocol indexed by the same value in the protocolDirTable of RMON2.

The value for each supported application must remain constant at least from one re-initialization of the entity's network management system to the next re-initialization, except that if an application is deleted and re-created, it must be re-created with a new value that has not been used since the last re-initialization.

The specific value is meaningful only within a given SNMP entity. An AppLocalIndex value must not be re-used until the next agent restart."

SYNTAX Unsigned32
(1..2147483647)

ProtocolDirNetworkAddress ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION

"A network level address whose semantics and encoding are specified by an associated protocolDirLocalIndex value. Objects of this type must specify which protocolDirLocalIndex value is used. This value is encoded according to the encoding rules for the identified protocolDirectory entry.

For example, if the associated protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order.

Objects of this type may allow this value to be the zero length string. If so, they must identify the meaning of this value."

SYNTAX OCTET STRING (SIZE(0..255))

DataSourceOrZero ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Identifies the source of the data that the associated function is configured to analyze. This source can be any interface on this device.

In order to identify a particular interface, this object shall identify the instance of the ifIndex object, defined in [4], for the desired interface.

For example, if an entry were to receive data from interface #1, this object would be set to ifIndex.1.

If the source of the data isn't an interface or cannot be localized to an interface, this object would be set to 0.0"

REFERENCE "The DataSource textual convention is defined in RFC 2021 [5]."

SYNTAX OBJECT IDENTIFIER

RmonClientID ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"A long-lived unique ID assigned to an end-system. This ID is assigned by the agent using an implementation-specific algorithm.

Because a client machine may be assigned multiple addresses

over any time period it can be difficult to attribute behavior to a particular client based solely on its address. A ClientID may be assigned to provide a more stable handle for referencing that client. The entity that assigns the ClientID may use various implementation techniques to keep track of a client but if the assigning entity is unable to track client address mappings, it may map client identifiers to client addresses rather than to distinct client machines.

This is named ClientID because it helps to solve a problem seen in network clients (servers usually have well-known, long-lived addresses). However, ClientID's may be assigned to any end-system regardless of its role on the network."

TransactionAggregationType ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION

"Specifies one of 4 different techniques
for aggregating
transactions.

The metrics for a single transaction are the responsiveness of the transaction and whether the transaction succeeded (a boolean). When such metrics are aggregated in this MIB Module, these metrics are replaced by averages and distributions of responsiveness and availability. The metrics describing aggregates are constant no matter which type of aggregation is being performed. These metrics may be found in the apmReportTable.

The flows(1) aggregation is the simplest. All transactions that share common application/server/client 3-tuples are aggregated together, resulting in a set of metrics for all such unique 3-tuples.

The clients(2) aggregation results in somewhat more aggregation (i.e., fewer resulting records). All transactions that share common application/client tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The servers(3) aggregation usually results in still more aggregation (i.e., fewer resulting records). All transactions that share common application/server tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The applications(4) aggregation results in the most aggregation (i.e., the fewest resulting records). All transactions that share a common application are aggregated together, resulting in a set of metrics for all such unique applications.

Note that it is not meaningful to aggregate applications, as different applications have widely varying characteristics. As a

result, this set of aggregations is complete."

```
SYNTAX  INTEGER {  
    flows(1),  -- Least Aggregation  
    clients(2),  
    servers(3),  
    applications(4) -- Most Aggregation  
}
```

-- The APM Application Directory Group

-- The Application Directory Table contains a record for every

-- application monitored by this agent. This table is also used to
-- configure whether or not an application will be measured and which
-- bucket boundaries will be used for the application.

--

-- The bucket boundaries define the break-points between bins of a
-- histogram analysis for that application. As an example of how this
-- works, consider an entry representing response-time for http.

-- If the boundaries are set as follows:

-- Boundary1: 500 milliseconds

-- Boundary2: 1 second

-- Boundary3: 2 seconds

-- Boundary4: 5

-- Boundary5: 15

-- Boundary6: 60

--

-- If the following measurements are made (all in milliseconds):

-- 377, 8645, 1300, 487, 1405, 775, 1115, 850, 945, 1054, 7745, 9380

--

-- A report run during this interval would report the following

-- counts:

-- Bucket1: 2

-- Bucket2: 3

-- Bucket3: 4

-- Bucket4: 0

-- Bucket5: 3

-- Bucket6: 0

--

Bucket7: 0

apmAppDirTable OBJECT-TYPE

```
SYNTAX  SEQUENCE OF ApmAppDirEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS  current
```

```
DESCRIPTION
```

"The APM MIB directory of applications and application verbs. The agent will populate this table with all applications/verbs of any responsivenessType it has the capability to monitor. Since the agent populates this table with every entry it has the capability to monitor, the entries in this table are read-write, allowing the management station to modify parameters in this table but not to add new entries or delete entries (however, entries may be disabled). If new entries are added to the apmHttpFilterTable or the apmUserDefinedAppTable, the agent will add the corresponding entries to this table.

It is an implementation-dependent matter as to how the agent sets these default parameters. For example, it may leave certain entries in this table 'off(0)' if the agent developer

believes that combination will be infrequently used, allowing a manager that needs that capability to set it to 'on(1)'.

Some applications are registered in the RMON2 protocol directory and some are registered in other tables in this MIB Module. Regardless of where an application is originally registered, it is assigned an AppLocalIndex value that is the primary index for this table.

The contents of this table affect all reports and exceptions generated by this agent. Accordingly, modification of this table should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this table - it should reflect the preferences of the site administrator, not the software author. As a practical matter, this requires management software to allow the administrator to configure the values it will use so that it can be adapted to the site policy."

::= { apmMibObjects 1 }

apmAppDirEntry OBJECT-TYPE

SYNTAX ApmAppDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The APM MIB directory of applications and application verbs. An entry will exist in this table for all applications

for which application performance measurement is supported."

```
INDEX { apmAppDirAppLocalIndex,  
        apmAppDirResponsivenessType }  
 ::= { apmAppDirTable 1 }
```

```
ApmAppDirEntry ::= SEQUENCE {  
    apmAppDirAppLocalIndex    AppLocalIndex,  
    apmAppDirResponsivenessType  INTEGER,  
    apmAppDirConfig            INTEGER,  
    apmAppDirResponsivenessBoundary1  Unsigned32,  
    apmAppDirResponsivenessBoundary2  Unsigned32,  
    apmAppDirResponsivenessBoundary3  Unsigned32,  
    apmAppDirResponsivenessBoundary4  Unsigned32,  
    apmAppDirResponsivenessBoundary5  Unsigned32,  
    apmAppDirResponsivenessBoundary6  Unsigned32  
}
```

```
apmAppDirAppLocalIndex OBJECT-TYPE  
SYNTAX    AppLocalIndex  
MAX-ACCESS not-accessible
```

STATUS current

DESCRIPTION

"The AppLocalIndex assigned for this application Directory entry."

```
::= { apmAppDirEntry 1 }
```

```
apmAppDirResponsivenessType OBJECT-TYPE
```

```
SYNTAX    INTEGER {  
        transactionOriented(1),  
        throughputOriented(2),  
        streamingOriented(3)  
    }
```

```
MAX-ACCESS not-accessible
```

STATUS current

DESCRIPTION

"This object describes and configures the agent's support for application performance measurement for this application.

There are 3 types of measurements for different types of applications:

Transaction-Oriented applications have a fairly constant workload to perform for all transactions. The responsiveness metric for transaction-oriented

applications is application

response time (from first request to final delivery of service) and is measured in milliseconds. This is commonly referred to as end-user response time.

Throughput-Oriented applications have widely varying workloads based on the nature of the client request. In particular, throughput-oriented applications vary widely in the amount of data that must be transported to satisfy the request. The responsiveness metric for throughput-oriented applications is kilobits per second.

Streaming-Oriented applications deliver data at a constant metered rate of speed regardless of the responsiveness of the networking and computing infrastructure. This constant rate of speed is generally specified to be below (sometimes well below) the nominal capability of the infrastructure. However, when the infrastructures cannot deliver data at this speed, interruption of service or degradation of service can result. The responsiveness metric for streaming-oriented applications is the ratio of time that the service is degraded or interrupted to the total service time. This metric is measured in parts per million.

Note that for some applications, measuring more than one responsiveness type may be interesting. For agents that wish

to support more than one measurement for a application, they will populate this table with multiple entries for that application, one for each type."

```
::= { apmAppDirEntry 2 }
```

apmAppDirConfig OBJECT-TYPE

```
SYNTAX    INTEGER {  
    off(1),  
    on(2)  
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object describes and configures support for application performance measurement for this application.

If the value of this object is on(2),

the agent supports

measurement of application performance metrics for this

application and is configured to measure such metrics for all APM MIB functions and all interfaces. If the value of this object is off(1), the agent supports measurement of application performance for this application but is configured to not measure these metrics for any APM MIB functions or interfaces. Whenever this value changes from on(2) to off(1), the agent shall delete all related entries in all tables in this MIB Module.

The value of this object must persist across reboots."
 ::= { apmAppDirEntry 3 }

apmAppDirResponsivenessBoundary1 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket1 and bucket 2. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value
of this object must persist across reboots."
 ::= { apmAppDirEntry 4 }

apmAppDirResponsivenessBoundary2 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket2 and bucket 3. If this

value is modified, all entries in the apmReportTable must be
deleted by the agent.

The value of this object must persist across reboots."
 ::= { apmAppDirEntry 5 }

apmAppDirResponsivenessBoundary3 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket3 and bucket 4. If this
value is modified, all entries in the apmReportTable must be
deleted by the agent.

The value of this object must persist across reboots."
::= { apmAppDirEntry 6 }

apmAppDirResponsivenessBoundary4 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket4 and bucket 5. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of this object must persist across reboots."
::= { apmAppDirEntry 7 }

apmAppDirResponsivenessBoundary5 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket5 and bucket 6. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of this object must persist across reboots."
::= { apmAppDirEntry 8 }

apmAppDirResponsivenessBoundary6 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket6 and bucket 7. If this

value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of
this object must persist across reboots."
::= { apmAppDirEntry 9 }

-- Scalars related to the Application Directory table

apmBucketBoundaryLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime the last time that any bucket boundary in any appDirEntry was changed. This object can help to determine if two managers are both trying to enforce different configurations of this table."

::= { apmMibObjects 2 }

apmAppDirID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object allows managers to avoid downloading application directory information when the directory is set to a known (usually fixed) configuration.

If the value of this object isn't 0.0, it signifies that the entire contents of the apmAppDirTable, apmHttpFilterTable, apmUserDefinedAppTable and protocolDirTable are equal to a known state identified by the value of this object. If a manager recognizes this value as identifying a directory configuration it has a local copy of, it may use this local copy rather than downloading these tables. Note that it may have downloaded this local copy (and the ID) from another agent and used this copy for all other agents that advertised the same ID.

If an agent recognizes that the entire contents of the apmAppDirTable, apmHttpFilterTable, apmUserDefinedAppTable and protocolDirTable are equal to a known state to which an ID has been assigned, it should set this object to that ID.

In many cases when this feature is used, the application directory information will be in read-only memory and thus the tables may not be modified via SNMP requests. In the event

that the tables are writable and a modification is made, the agent is responsible for setting this object to 0.0 if it cannot determine that the state is equal to a known state.

An agent is not obligated to recognize and advertise all such registered states as it may not have knowledge of all states.

Thus, a manager may encounter agents whose DirectoryID value is 0.0 even though the contents of the directory were equal to a registered state.

Note that the contents of those tables includes the protocolDirLocalIndex and appLocalIndex values. In other words, these values can't be assigned randomly on each agent, but must be equal to values that are part of the known state. While it is possible for a manager to download application directory details using SNMP and to set the appropriate directoryID, the manager would need to have some scheme to ensure consistent values of LocalIndex variables from agent to agent.

Such schemes are outside the scope of this specification.

Application directory registrations are unique within an administrative domain.

Typically these registrations will be made by an agent software developer who will set the application directory tables to a read-only state and assign a DirectoryID to that state. Thus, all agents running this software would share the same DirectoryID. As the application directory might change from one software release to the next, the developer may register different DirectoryID's for each software release.

A customer could also create a site-wide application directory configuration and assign a DirectoryID to that configuration as long as consistent values of LocalIndex variables can be ensured.

The value of this object must persist across reboots."

```
::= { apmMibObjects 3 }
```

```
-- APM HTTP Filter Table
```

```
-- The HTTP Filter Table
```

```
creates virtual applications which measure the
```

```
-- performance of certain web pages or sets of web pages. Some
```

```
-- circumstances where this is particularly useful are:
```

```
--
```

```
-- - An Intranet or ASP scenario where a business application is
```

```
-- running on one or more web pages or scripts.
```

```
-- (i.e., /expense/submit.cgi?employeeID=3426&...)
```

- - A web-hosting scenario where one wants to measure the
- service level for a particular customer
- - An e-commerce scenario where the performance of certain
- pages needs to be monitored more closely.
- (i.e., shopping cart, shipping, credit card authorization)

apmHttpFilterTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmHttpFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table that creates virtual applications which measure the performance of certain web pages or sets of web pages.

When an entry is added to this table, the agent will

automatically create one or more entries in the apmAppDirTable (one for each responsivenessType it is capable of measuring).

Note that when entries exist in this table some HTTP transactions will be summarized twice: in applications represented here as well as the HTTP application. If entries in this table overlap, these transactions may be summarized additional times.

The contents of this table affect all reports and exceptions generated by this agent. Accordingly, modification of this table should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this table - it should reflect the preferences of the site administrator, not the software author."

::= { apmMibObjects 4 }

apmHttpFilterEntry OBJECT-TYPE

SYNTAX ApmHttpFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A virtual application which measure the performance of certain web pages or sets of web pages."

INDEX { apmHttpFilterIndex }

::= { apmHttpFilterTable 1 }

ApmHttpFilterEntry ::= SEQUENCE {

apmHttpFilterIndex Unsigned32,

apmHttpFilterAppLocalIndex AppLocalIndex,

```

apmHttpFilterServerProtocol Unsigned32,
apmHttpFilterServerAddress ProtocolDirNetworkAddress,
apmHttpFilterURLPath OCTET STRING,
apmHttpFilterMatchType INTEGER,
apmHttpFilterOwner OwnerString,
apmHttpFilterStorageType StorageType,
apmHttpFilterRowStatus RowStatus
}

```

apmHttpFilterIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the apmHttpFilterTable."

::= { apmHttpFilterEntry 1 }

apmHttpFilterAppLocalIndex

OBJECT-TYPE

SYNTAX AppLocalIndex

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The AppLocalIndex that represents HTTP transactions that match this entry.

This object is read-only. A value is created by the agent from an unused AppLocalIndex value when this apmHttpFilterEntry is created."

::= { apmHttpFilterEntry 2 }

apmHttpFilterServerProtocol OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The protocolDirLocalIndex value of the network level protocol of the apmHttpFilterServerAddress."

::= { apmHttpFilterEntry 3 }

apmHttpFilterServerAddress OBJECT-TYPE

SYNTAX ProtocolDirNetworkAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This entry will only represent transactions coming from the network address specified in this object.

This is represented as an octet string with specific semantics and length as identified by the associated `apmHttpFilterServerProtocol` object.

If this object is the zero-length string, then this entry will match one of the addresses represented by the 'host' component of the associated `apmHttpFilterURLPath` object, where the format if a URL [9] is

`http://<host>:<port>/<path>?<searchpart>."`

::= { `apmHttpFilterEntry 4` }

`apmHttpFilterURLPath` OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..65535))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This entry will only represent HTTP transactions where the URL path component in the request matches this value. This value represents the requested path regardless of any substitution that the server might perform.

Prior to the matching, the URL is stripped of any server address or DNS name and consists solely of the path name on

that server.

If the length of this object is zero, then this entry will match if the associated `apmHttpFilterServerAddress` match. If the length of that object is also zero, then this entry will match nothing.

The value of the associated `apmHttpFilterMatchType` dictates the type of matching that will be attempted."

::= { `apmHttpFilterEntry 5` }

`apmHttpFilterMatchType` OBJECT-TYPE

SYNTAX INTEGER {

exact(1),

stripTrailingSlash(2),

prefix(3)

```
}  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"The matching algorithm used to compare the URL pathname.

If the value is exact(1), then the pathname component will be compared with the associated apmHttpFilterURLPath and will only be associated with this entry if it matches exactly.

If the value is stripTrailingSlash(2), then the pathname

component will be compared with the associated apmHttpFilterURLPath and will only be associated with this entry if it matches exactly or if the pathname ends with a '/' symbol and matches apmHttpFilterURLPath if the '/' symbol is removed from the pathname. This option exists for those paths where an optional trailing slash is possible but for which a prefix match would be too broad.

If the value is prefix(3), then the pathname component will be compared with the associated apmHttpFilterURLPath and will only be associated with this entry if the beginning of the pathname matches every octet of this value. Octets that extend beyond the length of this value are ignored."

```
::= { apmHttpFilterEntry 6 }
```

apmHttpFilterOwner OBJECT-TYPE

```
SYNTAX OwnerString  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"The entity that configured this entry and is therefore using the resources assigned to it."

```
::= { apmHttpFilterEntry 7 }
```

apmHttpFilterStorageType OBJECT-TYPE

```
SYNTAX StorageType  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"The storage type of this apmHttpFilterEntry. If the value of this object is 'permanent', no objects in this row need to be writable."

```
::= { apmHttpFilterEntry 8 }
```

apmHttpFilterRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this apmHttpFilterEntry. No objects in this row may be modified while the row's status is 'active'."

::= { apmHttpFilterEntry 9 }

apmHttpIgnoreUnregisteredURLs OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"When true, APM measurements of HTTP transactions will only measure transactions relating to URLs that match a filter in the apmHttpFilterTable. Thus,

measurements for the HTTP

application will present aggregated statistics for

URL-matching HTTP transactions and measurements for the HTTP

GET application verb will present aggregated statistics for

URL-matching HTTP GET transactions.

This will be used in environments that wish to monitor only targeted URLs and to ignore large volumes of internet web browsing traffic.

This object affects all APM reports and exceptions generated by this agent. Accordingly, modification of this object should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this object - it should reflect the preferences of the site administrator, not the software author.

The value of this object must persist across reboots."

::= { apmMibObjects 5 }

apmHttp4xxIsFailure OBJECT-TYPE

SYNTAX

TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"When true, this agent will recognize HTTP errors in the range of 400 through 499 and will treat them as unavailable transactions. When false or when this object isn't supported, they will be treated as successful transactions.

This object allows such error pages to be tracked at the possible expense of having user typos treated as poor service on the part of the web server.

This object affects all reports and exceptions generated by this agent. Accordingly, modification of this object should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this object - it should reflect the preferences of the site administrator, not the software author.

The value of this object must persist across reboots."

::= { apmMibObjects 6 }

-- The APM User-Defined Application Table

-- Many application protocols will never be registered with a
-- standards body (and thus included in a protocol directory standard)
-- because they are custom, in-house or proprietary
-- applications. Nevertheless, implementation strategies exist for
-- monitoring the end-user experience of these applications.
--
-- This read-only table provides a means for the agent to advertise
-- which user-defined applications it is monitoring and to associate
-- each with an AppLocalIndex value. It is an implementation-dependent
-- matter as to how the agent learns how to monitor these
-- applications.

apmUserDefinedAppTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmUserDefinedAppEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table that advertises user-defined applications that the agent is measuring.

The agent will automatically create one or more entries in the apmAppDirTable (one for each responsivenessType it is

capable of measuring) for each entry in this table.

Note that when entries exist in this table some transactions can be summarized more than once if there is overlap between applications defined here and applications defined in the protocol directory or in the httpFilter table."

::= { apmMibObjects 7 }

apmUserDefinedAppEntry OBJECT-TYPE

SYNTAX ApmUserDefinedAppEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A user-defined application that the agent is measuring, along with its AppLocalIndex assignment.

The apmAppDirAppLocalIndex value in the index identifies the agent-assigned AppLocalIndex value for this user-defined application."

INDEX { apmAppDirAppLocalIndex }

::= { apmUserDefinedAppTable 1 }

ApmUserDefinedAppEntry ::= SEQUENCE {

apmUserDefinedAppParentIndex Unsigned32,

apmUserDefinedAppApplication SnmpAdminString

}

apmUserDefinedAppParentIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The protocolDirLocalIndex value of the highest-layer protocol defined in the protocolDirTable that this application is a child of."

::= { apmUserDefinedAppEntry 1 }

apmUserDefinedAppApplication OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A human readable descriptive tag for this application."

::= { apmUserDefinedAppEntry 2 }

-- The APM Name Table

apmNameTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmNameEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A client machine may have multiple addresses during a period of monitoring. The apmNameTable assigns a long-lived identifier to a client and records what addresses

were

assigned to that client for periods of time. Various implementation techniques exist for tracking this mapping but if an agent is unable to track client address mappings, it may map client identifiers to client addresses rather than to distinct client machines.

A particular apmNameClientID should be a constant attribute of a particular client. When available, the agent may also record the machine name and/or user name which may be valuable for displaying to humans. The apmNameMachineName and apmNameUserName are relatively constant, changing only if these attributes actually change on the client.

The agent will store a historical log of these entries, aging out old entries as the log becomes too large. Since this table contains information vital to the interpretation of other tables (e.g., the apmReportTable), the agent should ensure that

the log doesn't

age out entries that would be referenced by data in those tables.

Note that an entry for a clientID is active from its StartTime until the StartTime of another entry (for the same clientID) that supersedes it, or 'now' if none supersedes it. Therefore, if a clientID only has a single entry, it is by definition very new and should never be aged out. No entry for a clientID should be aged out unless it has been updated by a new entry for the client (i.e., with an updated address) and only if the new entry is 'old' enough.

To determine how old is old enough, compute the maximum value of Interval * (NumReports + 1) of all entries in the apmReportControlTable (the '+ 1' is to allow a reasonable period of time for the report to be downloaded). Then take the

larger of this value and the age in seconds of the oldest entry in the current transaction table. If an entry for a clientID is superseded by another entry whose StartTime is more than this many seconds ago, then the older entry may be deleted."

```
::= { apmMibObjects 8 }
```

apmNameEntry OBJECT-TYPE

SYNTAX ApmNameEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the APM name table. An entry exists for each period of time that a client has been associated with a particular address.

The protocolDirLocalIndex value in the index identifies the network layer protocol for the ClientAddress for this entry.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { apmNameClientID,  
        protocolDirLocalIndex, apmNameClientAddress,  
        apmNameMappingStartTime }
```

```
::=
```

```
{ apmNameTable 1 }
```

```
ApmNameEntry ::= SEQUENCE {
```

```
    apmNameClientID          RmonClientID,  
    apmNameClientAddress     ProtocolDirNetworkAddress,
```

```
    apmNameMappingStartTime  DateAndTime,  
    apmNameMachineName       SnmpAdminString,  
    apmNameUserName          SnmpAdminString  
}
```

apmNameClientID OBJECT-TYPE

SYNTAX RmonClientID

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique ID assigned to the machine represented by this

mapping. This ID is assigned by the agent using an implementation-specific algorithm."

::= { apmNameEntry 1 }

apmNameClientAddress OBJECT-TYPE

SYNTAX ProtocolDirNetworkAddress (SIZE(1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network client address for this client when this mapping was active.

This is represented as an octet string with specific semantics and length as

identified by the protocolDirLocalIndex

component of the index. This object may not be the zero length string.

Since this object is an index variable, it is encoded in the index according to the index encoding rules. For example, if the protocolDirLocalIndex component of the index indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order. Care should be taken to avoid values of this object that, in conjunction with the other index variables, would result in an index longer than SNMP's maximum of 128 subidentifiers."

::= { apmNameEntry 2 }

apmNameMappingStartTime OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The time that the agent first discovered this mapping as active."

::= { apmNameEntry 3 }

apmNameMachineName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The human readable name of the client machine.

If the client has no machine name or the agent is unable to learn the machine name, this object will be a zero-length string."

::= { apmNameEntry 4 }

apmNameUserName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The human readable name of a human user using the client machine. If more than one user name are available simultaneously, it is an implementation-dependent matter as to which is used here. However, if the user name changes, this object should change to reflect that change.

Non-human user names like 'root' or 'administrator' aren't intended as values for this object. If the client has no recorded user name or the agent is unable to learn a user name, this

object will be a zero-length string."

::= { apmNameEntry 5 }

-- The APM Report Group

apmReportControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmReportControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Parameters that control the creation of a set of reports that aggregate application performance."

::= { apmMibObjects 9 }

apmReportControlEntry OBJECT-TYPE

SYNTAX ApmReportControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmReportControlTable.

An example of the indexing of this table is

apmReportControlInterval.3"

INDEX { apmReportControlIndex }

::= { apmReportControlTable 1 }

```

ApmReportControlEntry ::= SEQUENCE {
    apmReportControlIndex      Unsigned32,
    apmReportControlDataSource DataSourceOrZero,
    apmReportControlAggregationType TransactionAggregationType,
    apmReportControlInterval
    Unsigned32,
    apmReportControlRequestedSize Unsigned32,
    apmReportControlGrantedSize Unsigned32,
    apmReportControlRequestedReports Unsigned32,
    apmReportControlGrantedReports Unsigned32,
    apmReportControlStartTime    TimeStamp,
    apmReportControlReportNumber Unsigned32,
    apmReportControlDeniedInserts Counter32,
    apmReportControlDroppedFrames Counter32,
    apmReportControlOwner        OwnerString,
    apmReportControlStorageType  StorageType,
    apmReportControlStatus       RowStatus
}

```

apmReportControlIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the apmReportControlTable. Each such entry defines a unique report whose results are placed in the apmReportTable on behalf of this apmReportControlEntry."

::= { apmReportControlEntry 1 }

apmReportControlDataSource OBJECT-TYPE

SYNTAX DataSourceOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of the data for APM Reports generated on behalf of this apmReportControlEntry.

If the measurement is being performed by a probe, this should be set to interface or port where data was received for analysis. If the measurement isn't being performed by a probe, this should be set to the primary interface over which the measurement is being performed. If the measurement isn't being performed by a probe and there is no primary interface or this

information isn't known, this object should be set to 0.0.

This object may not be modified if the associated
apmReportControlStatus object is equal to active(1)."

```
::= { apmReportControlEntry 2 }
```

apmReportControlAggregationType OBJECT-TYPE

SYNTAX TransactionAggregationType

```
-- INTEGER {  
-- flows(1),  
-- clients(2),  
-- servers(3),  
-- applications(4)  
-- }
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The type of aggregation being performed for this set of reports.

The metrics for a single transaction are the responsiveness of the transaction and whether the transaction succeeded (a boolean). When such metrics are aggregated in this MIB Module, these metrics are replaced by averages and distributions of responsiveness and availability. The metrics describing aggregates are constant no matter which type of aggregation is being performed. These metrics may be found in the apmReportTable.

The flows(1) aggregation is the simplest. All transactions that share common application/server/client 3-tuples are aggregated together, resulting in a set of metrics for all such unique 3-tuples.

The clients(2) aggregation results in somewhat more aggregation (i.e., fewer resulting records). All transactions that share common application/client tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The servers(3) aggregation usually results in still more aggregation (i.e., fewer resulting records). All transactions that share common application/server tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The applications(4) aggregation results in the most

aggregation (i.e., the fewest resulting records). All

transactions that share a common application are aggregated together, resulting in a set of metrics for all such unique applications.

Note that it is not meaningful to aggregate applications, as different applications have widely varying characteristics.

As

a result, this set of aggregations is complete.

This object may not be modified if the associated
apmReportControlStatus object is equal to active(1)."

::= { apmReportControlEntry 3 }

apmReportControlInterval OBJECT-TYPE

SYNTAX Unsigned32

UNITS "Seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The interval in seconds over which data is accumulated before being aggregated into a report in the apmReportTable. All reports with the same apmReportControlIndex will be based on the same interval. This object must be greater than zero.

Many users desire that these reports be synchronized to within seconds of the beginning of the hour because the results may be correlated more meaningfully to business behavior and so that data from multiple agents is aggregated over the same time periods. Thus management software may take extra effort to synchronize

reports to the beginning of the hour and to one

another. However, the agent must not allow reports to 'drift' over time as they will quickly become unsynchronized. In particular, if there is any fixed processing delay between reports, the reports should deduct this time from the interval so that reports don't drift.

This object may not be modified if the associated
apmReportControlStatus object is equal to active(1)."

DEFVAL { 3600 }

::= { apmReportControlEntry 4 }

apmReportControlRequestedSize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of entries requested to be allocated for each report generated on behalf of this entry."

::= { apmReportControlEntry 5 }

apmReportControlGrantedSize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of entries per report the agent has allocated based on the requested amount in apmReportControlRequestedSize. Since multiple reports are saved, the total number of entries allocated will be this number multiplied by the value of apmReportControlGrantedReports, or 1 if that object doesn't exist.

When the associated apmReportControlRequestedSize object is created or modified, the agent should set this object as closely to the requested value as is possible for the particular implementation and available resources. When considering resources available, the agent must consider its ability to allocate this many entries for all reports.

Note that while the actual number of entries stored in the reports may fluctuate due to changing conditions, the agent must continue to have storage available to satisfy the full report size for all reports when necessary. Further, the agent must

not lower this value except as a result of a set to the associated apmReportControlRequestedSize object."

::= { apmReportControlEntry 6 }

apmReportControlRequestedReports OBJECT-TYPE

SYNTAX Unsigned32 (0..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of saved reports requested to be allocated on behalf of this entry."

::= { apmReportControlEntry 7 }

apmReportControlGrantedReports OBJECT-TYPE

SYNTAX Unsigned32 (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of saved reports the agent has allocated based on the requested amount in apmReportControlRequestedReports. Since each report can have many entries, the total number of entries allocated will be this number multiplied by the value of apmReportControlGrantedSize, or 1 if that object doesn't exist.

When the associated apmReportControlRequestedReports object is

created or modified, the agent should set this object as closely to the requested value as is possible for the particular implementation and available resources. When considering resources available, the agent must consider its ability to allocate this many reports each with the number of entries represented by apmReportControlGrantedSize, or 1 if that object doesn't exist.

Note that while the storage required for each report may fluctuate due to changing conditions, the agent must continue to have storage available to satisfy the full report size for all reports when necessary. Further, the agent must not lower this value except as a result of a set to the associated apmReportControlRequestedSize object."

::= { apmReportControlEntry 8 }

apmReportControlStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when the system began processing the report in progress. Note that the report in progress is not available.

This object may be used by the management station to figure out the start time for all previous reports saved for this apmReportControlEntry, as reports are started at fixed intervals."

::= { apmReportControlEntry 9 }

apmReportControlReportNumber OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of the report in progress. When an apmReportControlEntry is activated, the first report will be numbered one."

::= { apmReportControlEntry 10 }

apmReportControlDeniedInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of failed attempts to add an entry to reports for

this apmReportControlEntry

because the number of entries

would have exceeded apmReportControlGrantedSize.

This number is valuable in determining if enough entries have been allocated for reports in light of fluctuating network usage. Note that since an entry that is denied will often be attempted again, this number will not predict the exact number of additional entries needed, but can be used to understand the relative magnitude of the problem.

Also note that there is no ordering specified for the entries in the report, thus there are no rules for which entries will be omitted when not enough entries are available. As a consequence, the agent is not required to delete 'least valuable' entries first."

::= { apmReportControlEntry 11 }

apmReportControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames which were received by the agent

and therefore not accounted for in the *StatsDropEvents, but for which the agent chose not to count for this entry for whatever reason. Most often, this event occurs when the agent is out of some resources and decides to shed load from this

collection.

This count does not include packets that were not counted because they had MAC-layer errors.

This counter is only relevant if this apm report is based on a data source whose collection methodology is based on analyzing network traffic.

Note that if the apmReportTables are inactive because no applications are enabled in the application directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { apmReportControlEntry 12 }
```

apmReportControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

```
::= { apmReportControlEntry 13 }
```

apmReportControlStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type of this apmReportControlEntry. If the value of this object is 'permanent', no objects in this row need to be writable."

```
::= { apmReportControlEntry 14 }
```

apmReportControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this apmReportControlEntry.

An entry may not exist in the active state unless all

objects in the entry have an appropriate value. The only objects in the entry that may be modified while the entry is in the active state are `apmReportControlRequestedSize` and `apmReportControlRequestedReports`.

If this object is not equal to `active(1)`, all associated entries in the `apmReportTable` shall be deleted by the agent."

::= { `apmReportControlEntry` 15 }

-- The APM Report Table

`apmReportTable` OBJECT-TYPE

SYNTAX SEQUENCE OF `ApmReportEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The data resulting from aggregated APM reports. Consult the definition of `apmReportControlAggregationType` for the definition of the various types of aggregations."

::= { `apmMibObjects` 10 }

`apmReportEntry` OBJECT-TYPE

SYNTAX `ApmReportEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the `apmReportTable`.

The `apmReportControlIndex` value in the index identifies the `apmReportControlEntry` on whose behalf this entry was created.

The `apmReportIndex` value in the index identifies which report (in the series of reports) this

entry is a part of.

The `apmAppDirAppLocalIndex` value in the index identifies the common application of the transactions aggregated in this entry.

The `apmAppDirResponsivenessType` value in the index identifies the type of responsiveness metric reported by this entry and uniquely identifies this entry when more than one responsiveness metric is measured for a flow.

Entries will only exist in this table for those combinations of `AppLocalIndex` and `ResponsivenessType` that are configured 'on(1)'.
The `protocolDirLocalIndex` value in the index identifies the network layer protocol of the `apmReportServerAddress`.

When the associated `apmReportControlAggregationType` value is equal to `applications(4)` or `clients(2)`, this `protocolDirLocalIndex` value will equal 0.

The `apmReportServerAddress` value in the index identifies the network layer address of the server in transactions

aggregated

in this entry.

The `apmNameClientID` value in the index identifies the client in transactions aggregated in this entry. If the associated `apmReportControlAggregationType` is equal to `applications(4)` or `servers(3)`, then this `protocolDirLocalIndex` value will equal 0.

An example of the indexing of this entry is

`apmReportTransactionCount.3.15.3.1.8.4.192.168.1.2.3232235788`

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { apmReportControlIndex, apmReportIndex,
        apmAppDirAppLocalIndex,
        apmAppDirResponsivenessType,
        protocolDirLocalIndex, apmReportServerAddress,
        apmNameClientID }
 ::= { apmReportTable 1 }
```

```
ApmReportEntry ::= SEQUENCE {
    apmReportIndex
        Unsigned32,
    apmReportServerAddress    ProtocolDirNetworkAddress,
```

```
    apmReportTransactionCount    Unsigned32,
    apmReportSuccessfulTransactions Unsigned32,
    apmReportResponsivenessMean   Unsigned32,
    apmReportResponsivenessMin   Unsigned32,
    apmReportResponsivenessMax   Unsigned32,
    apmReportResponsivenessB1    Unsigned32,
    apmReportResponsivenessB2    Unsigned32,
    apmReportResponsivenessB3    Unsigned32,
    apmReportResponsivenessB4    Unsigned32,
    apmReportResponsivenessB5    Unsigned32,
    apmReportResponsivenessB6    Unsigned32,
    apmReportResponsivenessB7    Unsigned32
}
```

apmReportIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The value of apmReportControlReportNumber for the report to which this entry belongs."

::= { apmReportEntry 1 }

apmReportServerAddress OBJECT-TYPE

SYNTAX

ProtocolDirNetworkAddress

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network server address for this apmReportEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

Since this object is an index variable, it is encoded in the index according to the index encoding rules. For example, if the protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order. Care should be taken to avoid values of this object that, in conjunction with the other index variables, would result in an index longer than SNMP's maximum of 128 subidentifiers.

If the associated apmReportControlAggregationType is equal to applications(4) or clients(2), then this object will

be a null

string and will be encoded simply as a length octet of 0."

::= { apmReportEntry 2 }

apmReportTransactionCount OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of transactions aggregated into this record."

::= { apmReportEntry 3 }

apmReportSuccessfulTransactions OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The total number of successful transactions aggregated into
this record."
 ::= { apmReportEntry 4 }

apmReportResponsivenessMean OBJECT-TYPE
SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The arithmetic mean of the responsiveness metrics for all
successful transactions aggregated into this record."
 ::= { apmReportEntry 5 }

apmReportResponsivenessMin OBJECT-TYPE
SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS
current
DESCRIPTION
"The minimum of the responsiveness metrics for all
successful transactions aggregated into this record."
 ::= { apmReportEntry 6 }

apmReportResponsivenessMax OBJECT-TYPE
SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The maximum of the responsiveness metrics for all
successful transactions aggregated into this record."
 ::= { apmReportEntry 7 }

-- Note that when updating a report entry, a transaction will not be
-- counted in more than 1 bucket in an entry. It will be counted in
-- the first bucket that matches, starting with Bucket 1 (B1). Note
-- that if a transaction matches 2 application types, it will update

-- one bucket in each of 2 entries in this table.

apmReportResponsivenessB1 OBJECT-TYPE
SYNTAX Unsigned32
MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record

whose responsiveness was less than boundary1 value for this application."

::= { apmReportEntry 8 }

apmReportResponsivenessB2 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Bucket 1 and was greater than or equal to the boundary1 value for this application and less than the boundary2 value for this application."

::= { apmReportEntry 9 }

apmReportResponsivenessB3 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Bucket 1 or 2 and as greater than or equal to the boundary2 value for this application and less than the boundary3 value for this application."

::= { apmReportEntry
10 }

apmReportResponsivenessB4 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 3 and was greater than or equal to the boundary3 value for this application and less than the boundary4 value for this application."

::= { apmReportEntry 11 }

apmReportResponsivenessB5 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 4 and was greater than or equal to the boundary4 value for this application and less than the boundary5 value for this application."

::= { apmReportEntry 12 }

apmReportResponsivenessB6 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 5 and was greater than or equal to the boundary5 value for this application and less than the boundary6 value for this application."

::= { apmReportEntry 13 }

apmReportResponsivenessB7 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 6 and was greater than or equal to the boundary6 value for this application."

::= { apmReportEntry 14 }

-- APM Transaction Table

apmTransactionTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmTransactionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains transactions that are currently running or have recently finished."

::= { apmMibObjects 11 }

apmTransactionEntry OBJECT-TYPE

SYNTAX ApmTransactionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmTransactionTable.

The apmAppDirAppLocalIndex value in the index identifies the application of the transaction represented by this entry.

The apmAppDirResponsivenessType value in the index identifies the type of responsiveness metric reported by this entry and uniquely identifies this entry when more than one responsiveness metric is measured for a flow.

Entries will only exist in this table for those combinations of AppLocalIndex and ResponsivenessType that are configured 'on(1)'.

The protocolDirLocalIndex value in the index identifies the network layer protocol of the apmTransactionServerAddress.

The apmTransactionServerAddress value in the index identifies the network layer address of the server in the transaction represented by this entry.

The apmNameClientID value in the index identifies the client in the transaction represented by this entry.

An example of the indexing of this entry is

apmTransactionCount.3.1.8.4.192.168.1.2.3232235788.2987

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { apmAppDirAppLocalIndex,  
        apmAppDirResponsivenessType,  
        protocolDirLocalIndex, apmTransactionServerAddress,  
        apmNameClientID, apmTransactionID }  
::= { apmTransactionTable 1 }
```

```
ApmTransactionEntry ::= SEQUENCE {  
    apmTransactionServerAddress ProtocolDirNetworkAddress,  
    apmTransactionID  
Unsigned32,  
    apmTransactionResponsiveness Unsigned32,  
    apmTransactionAge TimeInterval,  
    apmTransactionSuccess TruthValue  
}
```

apmTransactionServerAddress OBJECT-TYPE

SYNTAX ProtocolDirNetworkAddress (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network server address for this apmTransactionEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index. This object may not be the zero length string.

For example, if the protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order. Care should be taken to avoid values of this object that, in conjunction with the other index variables, would result in an index longer than

SNMP's maximum of 128

subidentifiers."

::= { apmTransactionEntry 1 }

apmTransactionID OBJECT-TYPE

SYNTAX Unsigned32 (0..4294967295)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique value for this transaction amongst other transactions sharing the same application layer protocol and server and client addresses. Implementations may choose to use the value of the client's source port, when possible."

::= { apmTransactionEntry 2 }

apmTransactionResponsiveness OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current value of the responsiveness metric for this transaction. If this transaction has completed, the final value of the metric will be available.

Note that this value may change over the lifetime of the transaction and it is the final value of this metric that is

recorded as the responsiveness
of the transaction for use in
other APM MIB functions."
 ::= { apmTransactionEntry 3 }

apmTransactionAge OBJECT-TYPE

SYNTAX TimeInterval
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"If this transaction is still executing, this value shall be

the length of time since it was started. If it has completed,
this value shall be the length of time it was executing."

::= { apmTransactionEntry 4 }

apmTransactionSuccess OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The success of this transaction up to this time. Once a
transaction has been marked as failed, it cannot move back
into the successful state."

::= { apmTransactionEntry 5 }

apmTransactionsRequestedHistorySize OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-write
STATUS current
DESCRIPTION

"The maximum number of completed transactions
desired to be
retained in the apmTransactionTable. If the agent doesn't have
enough resources to retain this many, it will retain as many as
possible. Regardless of this value, the agent must attempt to
keep records for all current transactions it is monitoring.

The value of this object must persist across reboots."

::= { apmMibObjects 12 }

-- The APM Exception table
-- The APM Exception Table creates filters so that a management
-- station can get immediate notification of a transaction that has
-- had poor availability or responsiveness.
--

- This function is particularly helpful in unaggregated situations
- where the numbers of agents is relatively high and the transaction
- rate per agent is relatively low (such as agents for desktops or
- dedicated to small workgroups). Polling agents in such an
- environment would either cause scalability problems (high rate) or
- lead to long notification delays (low rate).

apmExceptionTable

OBJECT-TYPE

SYNTAX SEQUENCE OF ApmExceptionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table creates filters so that a management station can get immediate notification of a transaction that has had poor

availability or responsiveness.

Each apmExceptionEntry is associated with a particular type of transaction and is applied to all transactions of that type. Multiple apmExceptionEntries may be associated with a particular type of transaction. A transaction type is identified by the value of the apmAppDirAppLocalIndex component of the index.

Because the quality of a transaction is not known until it is completed, these thresholds are only applied after the transaction has completed."

::= { apmMibObjects 13 }

apmExceptionEntry OBJECT-TYPE

SYNTAX ApmExceptionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmExceptionTable.

The apmAppDirAppLocalIndex value in the index identifies the application this entry will monitor.

The apmAppDirResponsivenessType value in the index identifies the type of responsiveness metric this entry will monitor."

INDEX { apmAppDirAppLocalIndex,
apmAppDirResponsivenessType, apmExceptionIndex }

::= { apmExceptionTable 1 }

ApmExceptionEntry ::= SEQUENCE {
 apmExceptionIndex Unsigned32,
 apmExceptionResponsivenessComparison INTEGER,
 apmExceptionResponsivenessThreshold Unsigned32,
 apmExceptionUnsuccessfulException INTEGER,
 apmExceptionResponsivenessEvents Counter32,
 apmExceptionUnsuccessfulEvents Counter32,
 apmExceptionOwner OwnerString,
 apmExceptionStorageType StorageType,
 apmExceptionStatus RowStatus
}

apmExceptionIndex

OBJECT-TYPE

SYNTAX Unsigned32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the apmExceptionTable amongst other entries with equivalent index values for apmAppDirAppLocalIndex and apmAppDirResponsivenessType. Each such entry sets up thresholds for a particular measurement of a particular application."

::= { apmExceptionEntry 1 }

apmExceptionResponsivenessComparison OBJECT-TYPE

SYNTAX INTEGER {

none(1),

greater(2),

less(3)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"If this value is greater(2) or less(3), the associated apmExceptionResponsivenessThreshold will be compared to this value and an exception will be created if the responsiveness is greater than the threshold (greater(2)) or less than the threshold (less(3))."

::= { apmExceptionEntry 2 }

apmExceptionResponsivenessThreshold OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The threshold that responsiveness metrics are compared to."
 ::= { apmExceptionEntry 3 }

apmExceptionUnsuccessfulException OBJECT-TYPE

SYNTAX INTEGER {
 off(1),
 on(2)
}

MAX-ACCESS read-create
STATUS current
DESCRIPTION

"If this value is on(2), an exception will be created if a
transaction of the associated type is unsuccessful."
 ::= { apmExceptionEntry 4 }

apmExceptionResponsivenessEvents OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS current

DESCRIPTION

"The total number of responsiveness exceptions generated. This
counter will be incremented even if no notification was sent
due to notifications not being
configured or due to exceeding
the apmNotificationMaxRate value."
 ::= { apmExceptionEntry 5 }

apmExceptionUnsuccessfulEvents OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The total number of unsuccessful exceptions generated. This
counter will be incremented even if no notification was sent
due to notifications not being configured or due to exceeding
the apmNotificationMaxRate value."
 ::= { apmExceptionEntry 6 }

apmExceptionOwner OBJECT-TYPE

SYNTAX OwnerString
MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { apmExceptionEntry 7 }

apmExceptionStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type of this apmReportControlEntry. If the value

of this object is 'permanent', no objects in this row need to be writable."

::= { apmExceptionEntry 8 }

apmExceptionStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this apmExceptionEntry. The only objects in the entry that may be modified while the entry is in the active state are apmExceptionResponsivenessComparison, apmExceptionResponsivenessThreshold and apmExceptionUnsuccessfulException."

::= { apmExceptionEntry 9 }

apmThroughputExceptionMinTime OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Because the responsiveness for throughput-oriented transactions is divided by the elapsed time, it can be very sensitive to short-term performance variations for transactions that take a short period of time. For example, when downloading

a very short file, a single dropped packet could double or triple the total response time.

Further, throughput is usually examined for applications that transfer a lot of data, and when doing so it is helpful to conceptualize transaction costs that are proportional to the

amount of data separately from those costs that are relatively fixed (i.e., independent of the amount of data). For very short transactions, these fixed transaction costs (handshake, setup time, authentication, round-trip time) may dominate the total response time for the transaction, resulting in throughput measurements that aren't really proportional to the network's, server's and client's combined data throughput capability.

This object controls the minimum number of seconds that an throughput-based transaction must exceed before an exception can be generated for it. If this object is set to zero, then all throughput-based transactions are candidates for exceptions.

The value of this object must persist across reboots."

```
DEFVAL { 10 }  
::= { apmMibObjects 14 }
```

apmNotificationMaxRate OBJECT-TYPE

```
SYNTAX Unsigned32  
MAX-ACCESS read-write  
STATUS current
```

DESCRIPTION

"The maximum number of notifications that can be generated from this agent by the apmExceptionTable in any 60 second period.

The value of this object must persist across reboots."

```
DEFVAL { 1 }  
::= { apmMibObjects 15 }
```

-- APM Notifications

apmNotifications OBJECT IDENTIFIER ::= { apm 0 }

apmTransactionResponsivenessAlarm NOTIFICATION-TYPE

```
OBJECTS { apmExceptionResponsivenessThreshold,  
          apmTransactionResponsiveness }  
STATUS current
```

DESCRIPTION

"Notification sent when a transaction exceeds a threshold defined in the apmException table. The index of the

included `apmExceptionResponsivenessThreshold` object identifies the `apmExceptionEntry` that specified the threshold. The `apmTransactionResponsiveness` variable identifies the actual transaction and its responsiveness.

Agent implementors are urged to include additional data objects in the alarm that may explain the reason for the alarm. It is helpful to include such data in the alarm because it describes the situation at the time the alarm was generated, where polls after the fact may not provide meaningful information. Examples of such information are CPU load, memory utilization, network utilization, and transaction statistics."

```
::= { apmNotifications 1 }
```

`apmTransactionUnsuccessfulAlarm` NOTIFICATION-TYPE

OBJECTS { `apmExceptionResponsivenessThreshold` }

STATUS current

DESCRIPTION

"Notification sent when a transaction is unsuccessful.

The index of the included

`apmExceptionResponsivenessThreshold`

object identifies both the type of the transaction that caused this notification as well as the `apmExceptionEntry` that specified the threshold.

Agent implementors are urged to include additional data objects in the alarm that may explain the reason for the alarm. It is helpful to include such data in the alarm because it describes the situation at the time the alarm was generated, where polls after the fact may not provide meaningful information. Examples of such information are CPU load, memory utilization, network utilization, and transaction statistics."

```
::= { apmNotifications 2 }
```

`apmCompliance` MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the APM MIB"

MODULE -- this module

MANDATORY-GROUPS { `apmAppDirGroup`, `apmReportGroup` }

GROUP `apmUserDefinedApplicationsGroup`

DESCRIPTION

"Implementation of the apmUserDefinedApplicationsGroup is optional."

GROUP apmTransactionGroup

DESCRIPTION

"Implementation of the apmTransactionGroup is optional."

GROUP apmExceptionGroup

DESCRIPTION

"Implementation of the apmExceptionGroup is optional."

GROUP apmNotificationGroup

DESCRIPTION

"Implementation of the apmNotificationGroup is optional."

::= { apmCompliances 1 }

apmAppDirGroup OBJECT-GROUP

OBJECTS { apmAppDirConfig,
apmAppDirResponsivenessBoundary1,
apmAppDirResponsivenessBoundary2,
apmAppDirResponsivenessBoundary3,
apmAppDirResponsivenessBoundary4,
apmAppDirResponsivenessBoundary5,
apmAppDirResponsivenessBoundary6,
apmBucketBoundaryLastChange, apmAppDirID,
apmNameMachineName, apmNameUserName }

STATUS

current

DESCRIPTION

"The APM MIB directory of applications and application verbs."

::= { apmGroups 1 }

apmUserDefinedApplicationsGroup OBJECT-GROUP

OBJECTS { apmHttpFilterAppLocalIndex,
apmHttpFilterServerProtocol,
apmHttpFilterServerAddress, apmHttpFilterURLPath,
apmHttpFilterMatchType, apmHttpFilterOwner,
apmHttpFilterStorageType, apmHttpFilterRowStatus,
apmHttpIgnoreUnregisteredURLs, apmHttp4xxIsFailure,
apmUserDefinedAppParentIndex,

apmUserDefinedAppApplication }

STATUS current

DESCRIPTION

"Objects used for creating and managing user-defined applications."

::= { apmGroups 2 }

apmReportGroup OBJECT-GROUP

OBJECTS { apmReportControlDataSource,
apmReportControlAggregationType,
apmReportControlInterval,
apmReportControlRequestedSize,
apmReportControlGrantedSize,
apmReportControlRequestedReports,
apmReportControlGrantedReports,
apmReportControlStartTime,
apmReportControlReportNumber,
apmReportControlDeniedInserts,
apmReportControlDroppedFrames,
apmReportControlOwner,
apmReportControlStorageType,
apmReportControlStatus,
apmReportTransactionCount,
apmReportSuccessfulTransactions,
apmReportResponsivenessMean,
apmReportResponsivenessMin,
apmReportResponsivenessMax,
apmReportResponsivenessB1,
apmReportResponsivenessB2,
apmReportResponsivenessB3,
apmReportResponsivenessB4,
apmReportResponsivenessB5,
apmReportResponsivenessB6,
apmReportResponsivenessB7 }

STATUS current

DESCRIPTION

"The apm report group controls the creation and retrieval of reports that aggregate application performance."

::= { apmGroups 3 }

apmTransactionGroup OBJECT-GROUP

OBJECTS { apmTransactionResponsiveness,
apmTransactionAge, apmTransactionSuccess,
apmTransactionsRequestedHistorySize }

STATUS current

DESCRIPTION

"The apm transaction group contains statistics for individual transactions."

```
::= { apmGroups 4 }
```

apmExceptionGroup OBJECT-GROUP

```
OBJECTS { apmExceptionResponsivenessComparison,  
          apmExceptionResponsivenessThreshold,  
          apmExceptionUnsuccessfulException,  
          apmExceptionResponsivenessEvents,  
          apmExceptionUnsuccessfulEvents,  
          apmExceptionOwner, apmExceptionStorageType,  
          apmExceptionStatus, apmThroughputExceptionMinTime,  
          apmNotificationMaxRate }
```

```
STATUS current
```

DESCRIPTION

```
"The apm exception group causes notifications to be sent  
whenever
```

```
transactions are detected that had poor availability  
or responsiveness."
```

```
::= { apmGroups 5 }
```

apmNotificationGroup NOTIFICATION-GROUP

```
NOTIFICATIONS { apmTransactionResponsivenessAlarm,  
                apmTransactionUnsuccessfulAlarm }
```

```
STATUS current
```

DESCRIPTION

```
"Notifications sent by an APM MIB agent."
```

```
::= { apmGroups 6 }
```

END

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/APM-MIB
```

No license file was found, but licenses were detected in source scan.

SNMP-USM-DH-OBJECTS-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY, OBJECT-TYPE,  
-- OBJECT-IDENTITY,  
experimental, Integer32  
FROM SNMPv2-SMI  
TEXTUAL-CONVENTION  
FROM SNMPv2-TC  
MODULE-COMPLIANCE, OBJECT-GROUP  
FROM SNMPv2-CONF  
usmUserEntry  
FROM SNMP-USER-BASED-SM-MIB  
SnmpAdminString
```

FROM SNMP-FRAMEWORK-MIB;

snmpUsmDHObjectsMIB MODULE-IDENTITY

LAST-UPDATED "200003060000Z" -- 6 March 2000, Midnight

ORGANIZATION "Excite@Home"

CONTACT-INFO "Author: Mike StJohns

Postal: Excite@Home

450 Broadway

Redwood City, CA 94063

Email: stjohs@corp.home.net

Phone: +1-650-556-5368"

DESCRIPTION

"The management information definitions for providing forward secrecy for key changes for the usmUserTable, and for providing a method for 'kickstarting' access to the agent via a Diffie-Helman key agreement."

REVISION "200003060000Z"

DESCRIPTION

"Initial version published as RFC 2786."

::= { experimental 101 } -- IANA DHKEY-CHANGE 101

-- Administrative assignments

usmDHKeyObjects OBJECT IDENTIFIER ::= { snmpUsmDHObjectsMIB 1 }

usmDHKeyConformance OBJECT IDENTIFIER ::= { snmpUsmDHObjectsMIB 2 }

-- Textual conventions

DHKeyChange ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Upon initialization, or upon creation of a row containing an object of this type, and after any successful SET of this value, a GET of this value returns 'y' where $y = g^{xa} \text{ MOD } p$, and where g is the base from usmDHPParameters, p is the prime from usmDHPParameters, and xa is a new random integer selected by the agent in the interval $2^{l-1} \leq xa < 2^l < p-1$. 'l' is the optional privateValueLength from usmDHPParameters in bits. If 'l' is omitted, then xa (and xr below) is selected in the interval $0 \leq xa < p-1$. y is expressed as an OCTET STRING 'PV' of length 'k' which satisfies

$$y = \sum_{i=1}^k 2^{8(k-i)} PV^i$$

where PV_1, \dots, PV_k are the octets of PV from first to last, and where $PV_1 < 0$.

A successful SET consists of the value 'y' expressed as an OCTET STRING as above concatenated with the value 'z' (expressed as an OCTET STRING in the same manner as y) where $z = g^{xr} \text{ MOD } p$, where g, p and l are as above, and where xr is a new random integer selected by the manager in the interval $2^{(l-1)} \leq xr < 2^l < p-1$. A SET to an object of this type will fail with the error wrongValue if the current 'y' does not match the 'y' portion of the value of the varbind for the object. (E.g. GET yout, SET concat(yin, z), yout <> yin).

Note that the private values xa and xr are never transmitted from manager to device or vice versa, only the values y and z.

Obviously, these values must be retained until a successful SET on the associated object.

The shared secret 'sk' is calculated at the agent as $sk = z^{xa} \text{ MOD } p$, and at the manager as $sk = y^{xr} \text{ MOD } p$.

Each object definition of this type MUST describe how to map from the shared secret 'sk' to the operational key value used by the protocols and operations related to the object. In general, if n bits of key are required, the author suggests using the n right-most bits of the shared secret as the operational key value."

REFERENCE

-- Diffie-Hellman Key-Agreement Standard, PKCS #3;
RSA Laboratories, November 1993"

SYNTAX OCTET STRING

-- Diffie Hellman public values

usmDHPublicObjects OBJECT IDENTIFIER ::= { usmDHKeyObjects 1 }

usmDHParameters OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The public Diffie-Hellman parameters for doing a Diffie-Hellman

key agreement for this device. This is encoded as an ASN.1

DHParameter per PKCS #3, section 9. E.g.

```
DHParameter ::= SEQUENCE {  
    prime INTEGER, -- p  
    base INTEGER, -- g  
    privateValueLength INTEGER OPTIONAL }
```

Implementors are encouraged to use either the values from Oakley Group 1 or the values of from Oakley Group 2 as specified in RFC-2409, The Internet Key Exchange, Section 6.1, 6.2 as the default for this object. Other values may be used, but the security properties of those values MUST be well understood and MUST meet the requirements of PKCS #3 for the selection of Diffie-Hellman primes.

In addition, any time usmDHParameters changes, all values of type DHKeyChange will change and new random numbers MUST be generated by the agent for each DHKeyChange object."

REFERENCE

- Diffie-Hellman Key-Agreement Standard, PKCS #3,
RSA Laboratories,
November 1993
- The Internet Key Exchange, RFC 2409, November 1998,
Sec 6.1, 6.2"

```
::= { usmDHPublicObjects 1 }
```

usmDHUserKeyTable OBJECT-TYPE

SYNTAX SEQUENCE OF UsmDHUserKeyEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table augments and extends the usmUserTable and provides 4 objects which exactly mirror the objects in that table with the textual convention of 'KeyChange'. This extension allows key changes to be done in a manner where the knowledge of the current secret plus knowledge of the key change data exchanges (e.g. via wiretapping) will not reveal the new key."

```
::= { usmDHPublicObjects 2 }
```

usmDHUserKeyEntry OBJECT-TYPE

SYNTAX UsmDHUserKeyEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row of DHKeyChange objects which augment or replace the functionality of the KeyChange objects in the base table row."

```
AUGMENTS { usmUserEntry }
```

::= { usmDHUserKeyTable 1 }

UsmDHUserKeyEntry ::= SEQUENCE {
 usmDHUserAuthKeyChange DHKeyChange,
 usmDHUserOwnAuthKeyChange DHKeyChange,
 usmDHUserPrivKeyChange DHKeyChange,
 usmDHUserOwnPrivKeyChange DHKeyChange
}

usmDHUserAuthKeyChange OBJECT-TYPE

SYNTAX DHKeyChange
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The object used to change any given user's Authentication Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by usmUserAuthProtocol, are installed as the operational authentication key for this row after a successful SET."

::= { usmDHUserKeyEntry 1 }

usmDHUserOwnAuthKeyChange OBJECT-TYPE

SYNTAX DHKeyChange
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The object used to change the agents own Authentication Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by usmUserAuthProtocol, are installed as the operational authentication key for this row after a successful SET."

::= { usmDHUserKeyEntry 2 }

usmDHUserPrivKeyChange OBJECT-TYPE

SYNTAX DHKeyChange
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The object used to change any given user's Privacy Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by

usmUserPrivProtocol, are installed as the operational privacy key for this row after a successful SET."

::= { usmDHUserKeyEntry 3 }

usmDHUserOwnPrivKeyChange OBJECT-TYPE

SYNTAX DHKeyChange

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object used to change the agent's own Privacy Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by usmUserPrivProtocol, are installed as the operational privacy key for this row after a successful SET."

::= { usmDHUserKeyEntry 4 }

usmDHKickstartGroup OBJECT IDENTIFIER ::= { usmDHKeyObjects 2 }

usmDHKickstartTable OBJECT-TYPE

SYNTAX SEQUENCE OF UsmDHKickstartEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table of mappings between zero or more Diffie-Helman key agreement values and entries in the usmUserTable. Entries in this table are created by providing the associated device with a Diffie-Helman public value and a usmUserName/usmUserSecurityName pair during initialization. How these values are provided is outside the scope of this MIB, but could be provided manually, or through a configuration file. Valid public value/name pairs result

in the creation of a row in this table as well as the creation of an associated row (with keys derived as indicated) in the usmUserTable. The actual access the related usmSecurityName has is dependent on the entries in the VACM tables. In general, an implementor will specify one or more standard security names and will provide entries in the VACM tables granting various levels of access to those names. The actual content of the VACM table is beyond the scope of this MIB.

Note: This table is expected to be readable without authentication using the usmUserSecurityName 'dhKickstart'. See the conformance statements for details."

::= { usmDHKickstartGroup 1 }

usmDHKickstartEntry OBJECT-TYPE

SYNTAX UsmDhKickstartEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"An entry in the usmDhKickstartTable. The agent SHOULD either delete this entry or mark it as inactive upon a successful SET of any of the KeyChange-typed objects in the usmUserEntry or upon a successful SET of any of the DhKeyChange-typed objects in the usmDhKeyChangeEntry where the related usmSecurityName (e.g. row of usmUserTable or row of ushDhKeyChangeTable) equals this entry's usmDhKickstartSecurityName. In otherwords, once you've changed one or more of the keys for a row in usmUserTable with a particular security name, the row in this table with that same security name is no longer useful or meaningful."

INDEX { usmDhKickstartIndex }
::= { usmDhKickstartTable 1 }

UsmDhKickstartEntry ::= SEQUENCE {
 usmDhKickstartIndex Integer32,
 usmDhKickstartMyPublic OCTET STRING,
 usmDhKickstartMgrPublic OCTET STRING,
 usmDhKickstartSecurityName SnmpAdminString
}

usmDhKickstartIndex OBJECT-TYPE
SYNTAX Integer32 (1..2147483647)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
 "Index value for
this row."
::= { usmDhKickstartEntry 1 }

usmDhKickstartMyPublic OBJECT-TYPE
SYNTAX OCTET STRING
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The agent's Diffie-Hellman public value for this row. At initialization, the agent generates a random number and derives its public value from that number. This public value is published here. This public value 'y' equals $g^r \text{ MOD } p$ where g is the from the set of Diffie-Hellman parameters, p is the prime from those parameters, and r is a random integer selected by the agent in the interval $2^{l-1} \leq r < p-1 < 2^l$. If l is unspecified, then r is a random integer selected in the interval $0 \leq r < p-1$

The public value is expressed as an OCTET STRING 'PV' of length 'k' which satisfies

$$y = \sum_{i=1}^k 2^{8(k-i)} PV^i$$

where PV1,...,PVk are the octets of PV from first to last, and where PV1 != 0.

The following DH parameters (Oakley group #2, RFC 2409, sec 6.1, 6.2) are used for this object:

```
g = 2
p = FFFFFFFF FFFFFFFF C90FDAA2 2168C234 C4C6628B 80DC1CD1
  29024E08 8A67CC74 020BBEA6 3B139B22 514A0879 8E3404DD
  EF9519B3 CD3A431B 302B0A6D F25F1437 4FE1356D 6D51C245
  E485B576 625E7EC6 F44C42E9 A637ED6B 0BFF5CB6 F406B7ED
  EE386BFB 5A899FA5 AE9F2411 7C4B1FE6 49286651 ECE65381
  FFFFFFFF FFFFFFFF
```

l=1024

"

REFERENCE

- "-- Diffie-Hellman Key-Agreement Standard, PKCS#3v1.4;
RSA Laboratories, November 1993
- The Internet Key Exchange, RFC2409;
Harkins, D., Carrel, D.; November 1998"

::= { usmDHKickstartEntry 2 }

usmDHKickstartMgrPublic OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The manager's Diffie-Hellman public value for this row. Note that this value is not set via the SNMP agent, but may be set via some out of band method, such as the device's configuration file.

The manager calculates this value in the same manner and using the same parameter set as the agent does. E.g. it selects a random number 'r', calculates $y = g^r \text{ mod } p$ and provides 'y' as the public number expressed as an OCTET STRING. See usmDHKickstartMyPublic for details.

When this object is set with a valid value during initialization, a row is created in the usmUserTable with the following values:

```
usmUserEngineID      localEngineID
usmUserName          [value of usmDhKickstartSecurityName]
usmUserSecurityName  [value of usmDhKickstartSecurityName]
usmUserCloneFrom     ZeroDotZero
usmUserAuthProtocol  usmHMACMD5AuthProtocol
usmUserAuthKeyChange -- derived from set value
usmUserOwnAuthKeyChange -- derived from set value
usmUserPrivProtocol  usmDESPrivProtocol
usmUserPrivKeyChange -- derived from set value
usmUserOwnPrivKeyChange -- derived from set value
usmUserPublic        "
usmUserStorageType   permanent
usmUserStatus        active
```

A shared secret 'sk' is calculated at the agent as $sk = mgrPublic^r \text{ mod } p$ where r is the agents random number and p is the DH prime from the common parameters. The underlying privacy key for this row is derived from sk by applying the key derivation function PBKDF2 defined in PKCS#5v2.0 with a salt of 0xd1310ba6, and iterationCount of 500, a keyLength of 16 (for usmDESPrivProtocol), and a prf (pseudo random function) of 'id-hmacWithSHA1'. The underlying authentication key for this row is derived from sk by applying the key derivation function PBKDF2 with a salt of 0x98dfb5ac, an iteration count of 500, a keyLength of 16 (for usmHMAC5AuthProtocol), and a prf of 'id-hmacWithSHA1'. Note: The salts are the first two words in the ks0 [key schedule 0] of the BLOWFISH cipher from 'Applied Cryptography' by Bruce Schneier - they could be any relatively random string of bits.

The manager can use its knowledge of its own random number and the agent's public value to kickstart its access to the agent in a secure manner. Note that the security of this approach is directly related to the strength of the authorization security of the out of band provisioning of the managers public value (e.g. the configuration file), but is not dependent at all on the strength of the confidentiality of the out of band provisioning data."

REFERENCE

```
-- Password-Based Cryptography Standard, PKCS#5v2.0;
   RSA Laboratories, March 1999
-- Applied Cryptography, 2nd Ed.; B. Schneier,
   Counterpane Systems; John Wiley & Sons, 1996"
::= { usmDhKickstartEntry 3 }
```

usmDHKickstartSecurityName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The usmUserName and usmUserSecurityName in the usmUserTable associated with this row. This is provided in the same manner and at the same time as the usmDHKickstartMgrPublic value - e.g. possibly manually, or via the device's configuration file."
 ::= { usmDHKickstartEntry 4 }

-- Conformance Information

usmDHKeyMIBCompliances OBJECT IDENTIFIER ::= { usmDHKeyConformance 1 }

usmDHKeyMIBGroups OBJECT IDENTIFIER ::= { usmDHKeyConformance 2 }

-- Compliance statements

usmDHKeyMIBCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for this module."

MODULE

GROUP usmDHKeyMIBBasicGroup

DESCRIPTION

"This group MAY be implemented by any agent which implements the usmUserTable and which wishes to provide the ability to change user and agent authentication and privacy keys via Diffie-Hellman key exchanges."

GROUP usmDHKeyParamGroup

DESCRIPTION

"This group MUST be implemented by any agent which implements a MIB containing the DHKeyChange Textual Convention defined in this module."

GROUP usmDHKeyKickstartGroup

DESCRIPTION

"This group MAY be implemented by any agent which implements the usmUserTable and which wishes the ability to populate the USM table based on out-of-band provided DH ignition values.

Any agent implementing this group is expected to provide preinstalled entries in the vacm tables as follows:

In the usmUserTable: This entry allows access to the system and dhKickstart groups


```

usmUserEngineID    localEngineID
usmUserName        'dhKickstart'
usmUserSecurityName 'dhKickstart'
usmUserCloneFrom   ZeroDotZero
usmUserAuthProtocol none
usmUserAuthKeyChange "
usmUserOwnAuthKeyChange "
usmUserPrivProtocol
none
usmUserPrivKeyChange "
usmUserOwnPrivKeyChange "
usmUserPublic      "
usmUserStorageType permanent
usmUserStatus      active

```

In the vacmSecurityToGroupTable: This maps the initial user into the accessible objects.

```

vacmSecurityModel    3 (USM)
vacmSecurityName     'dhKickstart'
vacmGroupName        'dhKickstart'
vacmSecurityToGroupStorageType permanent
vacmSecurityToGroupStatus active

```

In the vacmAccessTable: Group name to view name translation.

```

vacmGroupName        'dhKickstart'
vacmAccessContextPrefix "
vacmAccessSecurityModel 3 (USM)
vacmAccessSecurityLevel noAuthNoPriv
vacmAccessContextMatch exact
vacmAccessReadViewName 'dhKickRestricted'
vacmAccessWriteViewName "
vacmAccessNotifyViewName
'dhKickRestricted'
vacmAccessStorageType permanent
vacmAccessStatus     active

```

In the vacmViewTreeFamilyTable: Two entries to allow the initial entry to access the system and kickstart groups.

```

vacmViewTreeFamilyViewName 'dhKickRestricted'
vacmViewTreeFamilySubtree  1.3.6.1.2.1.1 (system)
vacmViewTreeFamilyMask    "
vacmViewTreeFamilyType    1
vacmViewTreeFamilyStorageType permanent
vacmViewTreeFamilyStatus active

```

```
vacmViewTreeFamilyViewName    'dhKickRestricted'
vacmViewTreeFamilySubtree      (usmDHKickstartTable OID)
vacmViewTreeFamilyMask         "
vacmViewTreeFamilyType         1
vacmViewTreeFamilyStorageType  permanent
vacmViewTreeFamilyStatus       active
"
```

```
OBJECT usmDHParameters
```

```
MIN-ACCESS    read-only
```

```
DESCRIPTION
```

```
"It
```

```
is compliant to implement this object as read-only for
any device."
```

```
::= { usmDHKeyMIBCompliances 1 }
```

```
-- Units of Compliance
```

```
usmDHKeyMIBBasicGroup OBJECT-GROUP
```

```
OBJECTS {
    usmDHUserAuthKeyChange,
    usmDHUserOwnAuthKeyChange,
    usmDHUserPrivKeyChange,
    usmDHUserOwnPrivKeyChange
}
```

```
STATUS    current
```

```
DESCRIPTION
```

```
""
```

```
::= { usmDHKeyMIBGroups 1 }
```

```
usmDHKeyParamGroup OBJECT-GROUP
```

```
OBJECTS {
    usmDHParameters
}
```

```
STATUS    current
```

```
DESCRIPTION
```

```
"The mandatory object for all MIBs which use the DHKeyChange
textual convention."
```

```
::= { usmDHKeyMIBGroups 2 }
```

```
usmDHKeyKickstartGroup OBJECT-GROUP
```

```
OBJECTS {
    usmDHKickstartMyPublic,
    usmDHKickstartMgrPublic,
    usmDHKickstartSecurityName
}
```

```
STATUS    current
DESCRIPTION
    "The objects used
for kickstarting one or more SNMPv3 USM
associations via a configuration file or other out of band,
non-confidential access."
::= { usmDHKeyMIBGroups 3 }
```

END

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNMP-USM-
DH-OBJECTS-MIB
```

No license file was found, but licenses were detected in source scan.

IANAifType-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY, mib-2    FROM SNMPv2-SMI
TEXTUAL-CONVENTION       FROM SNMPv2-TC;
```

ianaifType MODULE-IDENTITY

```
LAST-UPDATED "200709130000Z" -- September 13, 2007
ORGANIZATION "IANA"
CONTACT-INFO "    Internet Assigned Numbers Authority
```

```
Postal: ICANN
        4676 Admiralty Way, Suite 330
        Marina del Rey, CA 90292
```

```
Tel:   +1 310 823 9358
E-Mail: iana&iana.org"
```

```
DESCRIPTION "This MIB module defines the IANAifType Textual
Convention, and thus the enumerated values of
the ifType object defined in MIB-II's ifTable."
```

```
REVISION   "200709130000Z" -- September 13, 2007
DESCRIPTION "Registration of new IANAifTypes 243 and 244."
```

```
REVISION   "200705290000Z"
-- May 29, 2007
DESCRIPTION "Changed the description for IANAifType 228."
```

```
REVISION   "200703080000Z" -- March 08, 2007
DESCRIPTION "Registration of new IANAifType 242."
```

REVISION "200701230000Z" -- January 23, 2007
DESCRIPTION "Registration of new IANAifTypes 239, 240, and 241."

REVISION "200610170000Z" -- October 17, 2006
DESCRIPTION "Deprecated/Obsoleted IANAifType 230. Registration of IANAifType 238."

REVISION "200609250000Z" -- September 25, 2006
DESCRIPTION "Changed the description for IANA ifType 184 and added new IANA ifType 237."

REVISION "200608170000Z" -- August 17, 2006
DESCRIPTION "Changed the descriptions for IANAifTypes 20 and 21."

REVISION "200608110000Z" -- August 11, 2006
DESCRIPTION "Changed the descriptions for IANAifTypes 7, 11, 62, 69, and 117."

REVISION "200607250000Z" -- July 25, 2006
DESCRIPTION "Registration of new IANA ifType 236."

REVISION "200606140000Z" -- June 14, 2006
DESCRIPTION "Registration of new IANA ifType 235."

REVISION "200603310000Z" -- March 31, 2006
DESCRIPTION "Registration of new IANA ifType 234."

REVISION "200603300000Z" -- March 30, 2006
DESCRIPTION "Registration of new IANA ifType 233."

REVISION "200512220000Z" -- December 22, 2005
DESCRIPTION "Registration of new IANA ifTypes 231 and 232."

REVISION "200510100000Z" -- October 10, 2005
DESCRIPTION "Registration of new IANA ifType 230."

REVISION "200509090000Z" -- September 09, 2005
DESCRIPTION "Registration of new IANA ifType 229."

REVISION "200505270000Z" -- May 27, 2005
DESCRIPTION "Registration of new IANA ifType 228."

REVISION "200503030000Z"
-- March 3, 2005
DESCRIPTION "Added the IANAtunnelType TC and deprecated IANAifType sixToFour (215) per RFC4087."

REVISION "200411220000Z" -- November 22, 2004
DESCRIPTION "Registration of new IANA ifType 227 per RFC4631."

REVISION "200406170000Z" -- June 17, 2004
DESCRIPTION "Registration of new IANA ifType 226."

REVISION "200405120000Z" -- May 12, 2004
DESCRIPTION "Added description for IANAifType 6, and
changed the descriptions for IANAifTypes
180, 181, and 182."

REVISION "200405070000Z" -- May 7, 2004
DESCRIPTION "Registration of new IANAifType 225."

REVISION "200308250000Z" -- Aug 25, 2003
DESCRIPTION "Deprecated IANAifTypes 7 and 11. Obsoleted
IANAifTypes 62, 69, and 117. ethernetCsmacd (6)
should be used instead of these values"

REVISION "200308180000Z"
-- Aug 18, 2003
DESCRIPTION "Registration of new IANAifType
224."

REVISION "200308070000Z" -- Aug 7, 2003
DESCRIPTION "Registration of new IANAifTypes
222 and 223."

REVISION "200303180000Z" -- Mar 18, 2003
DESCRIPTION "Registration of new IANAifType
221."

REVISION "200301130000Z" -- Jan 13, 2003
DESCRIPTION "Registration of new IANAifType
220."

REVISION "200210170000Z" -- Oct 17, 2002
DESCRIPTION "Registration of new IANAifType
219."

REVISION "200207160000Z" -- Jul 16, 2002
DESCRIPTION "Registration of new IANAifTypes
217 and 218."

REVISION "200207100000Z" -- Jul 10, 2002
DESCRIPTION "Registration of new IANAifTypes
215 and 216."

REVISION "200206190000Z" -- Jun 19, 2002
DESCRIPTION "Registration
of new IANAifType
214."

REVISION "200201040000Z" -- Jan 4, 2002
DESCRIPTION "Registration of new IANAifTypes
211, 212 and 213."

REVISION "200112200000Z" -- Dec 20, 2001
DESCRIPTION "Registration of new IANAifTypes
209 and 210."

REVISION "200111150000Z" -- Nov 15, 2001
DESCRIPTION "Registration of new IANAifTypes
207 and 208."

REVISION "200111060000Z" -- Nov 6, 2001
DESCRIPTION "Registration of new IANAifType
206."

REVISION "200111020000Z" -- Nov 2, 2001
DESCRIPTION "Registration of new IANAifType
205."

REVISION "200110160000Z" -- Oct 16, 2001
DESCRIPTION "Registration of new IANAifTypes
199, 200, 201, 202, 203, and 204."

REVISION "200109190000Z" -- Sept 19, 2001
DESCRIPTION "Registration
of new IANAifType
198."

REVISION "200105110000Z" -- May 11, 2001
DESCRIPTION "Registration of new IANAifType
197."

REVISION "200101120000Z" -- Jan 12, 2001
DESCRIPTION "Registration of new IANAifTypes
195 and 196."

REVISION "200012190000Z" -- Dec 19, 2000
DESCRIPTION "Registration of new IANAifTypes
193 and 194."

REVISION "200012070000Z" -- Dec 07, 2000
DESCRIPTION "Registration of new IANAifTypes
191 and 192."

REVISION "200012040000Z" -- Dec 04, 2000
DESCRIPTION "Registration of new IANAifType
190."

REVISION "200010170000Z" -- Oct 17, 2000
DESCRIPTION "Registration of new IANAifTypes
188 and 189."

REVISION "200010020000Z" -- Oct 02, 2000
DESCRIPTION "Registration of new IANAifType
187."

REVISION "200009010000Z" -- Sept 01, 2000
DESCRIPTION "Registration of new IANAifTypes
184, 185, and 186."

REVISION "200008240000Z" -- Aug 24, 2000
DESCRIPTION "Registration of new IANAifType 183."

REVISION "200008230000Z" -- Aug 23, 2000
DESCRIPTION "Registration of new IANAifTypes
174-182."

REVISION "200008220000Z" -- Aug 22, 2000
DESCRIPTION "Registration of new IANAifTypes 170,
171, 172 and 173."

REVISION "200004250000Z" -- Apr 25, 2000
DESCRIPTION "Registration of new IANAifTypes 168 and 169."

REVISION "200003060000Z" -- Mar 6, 2000
DESCRIPTION "Fixed a missing semi-colon in the IMPORT.
Also cleaned up the REVISION log a bit.
It is not complete, but from now on it will
be maintained and kept up to date with
each
change to this MIB module."

REVISION "199910081430Z" -- Oct 08, 1999
DESCRIPTION "Include new name assignments up to cnr(85)."

This is the first version available via the WWW
at: ftp://ftp.isi.edu/mib/ianaiftype.mib"

REVISION "199401310000Z" -- Jan 31, 1994
DESCRIPTION "Initial version of this MIB as published in
RFC 1573."

::= { mib-2 30 }

IANAifType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This data type is used as the syntax of the ifType
object in the (updated) definition of MIB-II's
ifTable.

The definition of this textual convention with the
addition of newly assigned values is published
periodically by the IANA, in either the Assigned
Numbers RFC, or some derivative of it specific to
Internet

Network Management number assignments. (The
latest arrangements can be obtained by contacting the
IANA.)

Requests for new values should be made to IANA via
email (iana@iana.org).

The relationship between the assignment of ifType
values and of OIDs to particular media-specific MIBs
is solely the purview of IANA and is subject to change
without notice. Quite often, a media-specific MIB's
OID-subtree assignment within MIB-II's 'transmission'
subtree will be the same as its ifType value.
However, in some circumstances this will not be the
case, and implementors must not pre-assume any
specific relationship between ifType values and
transmission subtree OIDs."

SYNTAX INTEGER {

other(1), -- none of the following
regular1822(2),
hdh1822(3),
ddnX25(4),
rfc877x25(5),
ethernetCsmacd(6), -- for all ethernet-like interfaces,
-- regardless of speed, as per RFC3635
iso88023Csmacd(7), -- Deprecated via RFC3635


```

        -- ethernetCsmacd (6) should be used instead
iso88024TokenBus(8),
iso88025TokenRing(9),
iso88026Man(10),
starLan(11), -- Deprecated via RFC3635
        -- ethernetCsmacd (6) should be used instead
proteon10Mbit(12),
proteon80Mbit(13),
hyperchannel(14),
fddi(15),
lapb(16),
sdlc(17),
ds1(18),      -- DS1-MIB
e1(19),      -- Obsolete see DS1-MIB
basicISDN(20),
-- no longer used
        -- see also RFC2127
primaryISDN(21),      -- no longer used
        -- see also RFC2127
propPointToPointSerial(22), -- proprietary serial
ppp(23),
softwareLoopback(24),
eon(25),      -- CLNP over IP
ethernet3Mbit(26),
nsip(27),    -- XNS over IP
slip(28),    -- generic SLIP
ultra(29),   -- ULTRA technologies
ds3(30),     -- DS3-MIB
sip(31),     -- SMDS, coffee
frameRelay(32), -- DTE only.
rs232(33),
para(34),    -- parallel-port
arcnet(35),  -- arcnet
arcnetPlus(36), -- arcnet plus
atm(37),
-- ATM cells
miox25(38),
sonet(39),   -- SONET or SDH
x25ple(40),
iso88022llc(41),
localTalk(42),
smdsDxi(43),
frameRelayService(44), -- FRNETSERV-MIB
v35(45),
hssi(46),
hippi(47),
modem(48),   -- Generic modem
aal5(49),    -- AAL5 over ATM

```

sonetPath(50),
sonetVT(51),
smdsIcip(52), -- SMDS InterCarrier Interface
propVirtual(53), -- proprietary virtual/internal
propMultiplexor(54),-- proprietary multiplexing
ieee80212(55), -- 100BaseVG
fibreChannel(56), -- Fibre Channel
hippiInterface(57), -- HIPPI interfaces
frameRelayInterconnect(58), --

Obsolete use either

-- frameRelay(32) or
-- frameRelayService(44).
aflane8023(59), -- ATM Emulated LAN for 802.3
aflane8025(60), -- ATM Emulated LAN for 802.5
cctEmul(61), -- ATM Emulated circuit
fastEther(62), -- Obsoleted via RFC3635
-- ethernetCsmacd (6) should be used instead
isdn(63), -- ISDN and X.25
v11(64), -- CCITT V.11/X.21
v36(65), -- CCITT V.36
g703at64k(66), -- CCITT G703 at 64Kbps
g703at2mb(67), -- Obsolete see DS1-MIB
qllc(68), -- SNA QLLC
fastEtherFX(69), -- Obsoleted via RFC3635

-- ethernetCsmacd (6) should be used instead
channel(70), -- channel
ieee80211(71), -- radio spread spectrum
ibm370parChan(72), -- IBM System 360/370 OEMI Channel
escon(73), -- IBM Enterprise Systems Connection
dls(74), -- Data Link Switching
isdns(75), -- ISDN S/T interface
isdnu(76), -- ISDN U interface
lapd(77), -- Link Access Protocol D
ipSwitch(78), -- IP Switching Objects
rsrb(79), -- Remote Source Route Bridging
atmLogical(80), -- ATM Logical Port
ds0(81), -- Digital Signal Level 0
ds0Bundle(82), -- group of ds0s on the same ds1
bsc(83), -- Bisynchronous Protocol

async(84), -- Asynchronous Protocol
cnr(85), -- Combat Net Radio
iso88025Dtr(86), -- ISO 802.5r DTR
eplrs(87), -- Ext Pos Loc Report Sys
arap(88), -- Appletalk Remote Access Protocol
propCnls(89), -- Proprietary Connectionless Protocol
hostPad(90), -- CCITT-ITU X.29 PAD Protocol

```

termPad(91),    -- CCITT-ITU X.3 PAD Facility
frameRelayMPI(92), -- Multiproto Interconnect over FR
x213(93),      -- CCITT-ITU X213
adsl(94),      -- Asymmetric Digital Subscriber Loop
radsl(95),     -- Rate-Adapt. Digital Subscriber Loop
sdsl(96),      -- Symmetric Digital Subscriber Loop
vdsl(97),      -- Very H-Speed Digital Subscrib. Loop
iso88025CRFPInt(98),
-- ISO 802.5 CRFP
myrinet(99),   -- Myricom Myrinet
voiceEM(100),  -- voice receive and transmit
voiceFXO(101), -- voice Foreign Exchange Office
voiceFXS(102), -- voice Foreign Exchange Station
voiceEncap(103), -- voice encapsulation
voiceOverIp(104), -- voice over IP encapsulation
atmDxi(105),   -- ATM DXI
atmFuni(106),  -- ATM FUNI
atmIma (107),  -- ATM IMA
pppMultilinkBundle(108), -- PPP Multilink Bundle
ipOverCdlc (109), -- IBM ipOverCdlc
ipOverClaw (110), -- IBM Common Link Access to Workstn
stackToStack (111), -- IBM stackToStack
virtualIpAddress (112), -- IBM VIPA
mpc (113),     -- IBM multi-protocol channel support

ipOverAtm (114), -- IBM ipOverAtm
iso88025Fiber (115), -- ISO 802.5j Fiber Token Ring
tdlc (116),     -- IBM twinaxial data link control
gigabitEthernet (117), -- Obsoleted via RFC3635
                    -- ethernetCsmacd (6) should be used instead
hdlc (118),     -- HDLC
lapf (119),     -- LAP F
v37 (120),     -- V.37
x25mlp (121),   -- Multi-Link Protocol
x25huntGroup (122), -- X25 Hunt Group
traspHdlc (123), -- Transp HDLC
interleave (124), -- Interleave channel
fast (125),     -- Fast channel
ip (126),      -- IP (for APPN HPR in IP networks)
docsCableMaclayer (127), -- CATV Mac Layer
docsCableDownstream (128), -- CATV Downstream interface
docsCableUpstream
(129), -- CATV Upstream interface
a12MppSwitch (130), -- Avalon Parallel Processor
tunnel (131),     -- Encapsulation interface
coffee (132),    -- coffee pot
ces (133),       -- Circuit Emulation Service
atmSubInterface (134), -- ATM Sub Interface

```

12vlan (135), -- Layer 2 Virtual LAN using 802.1Q
 13ipvlan (136), -- Layer 3 Virtual LAN using IP
 13ipxvlan (137), -- Layer 3 Virtual LAN using IPX
 digitalPowerline (138), -- IP over Power Lines
 mediaMailOverIp (139), -- Multimedia Mail over IP
 dtm (140), -- Dynamic synchronous Transfer Mode
 dcn (141), -- Data Communications Network
 ipForward (142), -- IP Forwarding Interface
 msdsl (143), -- Multi-rate Symmetric DSL

 ieee1394 (144), -- IEEE1394 High Performance Serial Bus
 if-gsn (145), -- HIPPI-6400
 dvbRccMacLayer (146), -- DVB-RCC MAC Layer
 dvbRccDownstream (147), -- DVB-RCC Downstream Channel
 dvbRccUpstream (148), -- DVB-RCC Upstream Channel
 atmVirtual (149), -- ATM Virtual Interface
 mplsTunnel (150), -- MPLS Tunnel Virtual Interface
 srp (151), -- Spatial Reuse Protocol
 voiceOverAtm (152), -- Voice Over ATM
 voiceOverFrameRelay (153), -- Voice Over Frame Relay
 idsl (154), -- Digital Subscriber Loop over ISDN
 compositeLink (155), -- Avici Composite Link Interface
 ss7SigLink (156), -- SS7 Signaling Link
 propWirelessP2P (157), -- Prop. P2P wireless interface
 frForward (158), -- Frame Forward Interface
 rfc1483 (159), -- Multiprotocol over ATM AAL5
 usb (160), -- USB Interface
 ieee8023adLag (161), -- IEEE 802.3ad Link Aggregate
 bgppolicyaccounting (162), -- BGP Policy Accounting
 frf16MfrBundle (163), -- FRF .16 Multilink Frame Relay
 h323Gatekeeper (164), -- H323 Gatekeeper
 h323Proxy (165), -- H323 Voice and Video Proxy
 mpls (166), -- MPLS
 mfSigLink (167), -- Multi-frequency signaling link
 hdsl2 (168), -- High Bit-Rate DSL - 2nd generation
 shdsl (169), -- Multirate HDSL2
 ds1FDL (170), -- Facility Data Link 4Kbps on a DS1
 pos (171), -- Packet over SONET/SDH Interface
 dvbAsiIn (172), -- DVB-ASI Input
 dvbAsiOut (173), -- DVB-ASI Output
 plc (174), -- Power Line Communications
 nfas (175), -- Non Facility Associated Signaling
 tr008 (176), -- TR008
 gr303RDT (177), -- Remote Digital Terminal
 gr303IDT (178), -- Integrated Digital Terminal
 isup (179), -- ISUP
 propDocsWirelessMaclayer (180), -- Cisco proprietary Maclayer
 propDocsWirelessDownstream (181), -- Cisco proprietary Downstream

propDocsWirelessUpstream (182), -- Cisco proprietary Upstream
 hiperlan2 (183), -- HIPERLAN Type 2 Radio Interface
 propBWAp2Mp (184), -- PropBroadbandWirelessAccesspt2multipt
 -- use of this iftype for IEEE 802.16 WMAN
 -- interfaces as per IEEE Std 802.16f is
 -- deprecated and ifType 237 should be used instead.
 sonetOverheadChannel (185), -- SONET Overhead Channel
 digitalWrapperOverheadChannel
 (186), -- Digital Wrapper
 aal2 (187), -- ATM adaptation layer 2
 radioMAC (188), -- MAC layer over radio links
 atmRadio (189), -- ATM over radio links
 imt (190), -- Inter Machine Trunks
 mvl (191), -- Multiple Virtual Lines DSL
 reachDSL (192), -- Long Reach DSL
 frDlciEndPt (193), -- Frame Relay DLCI End Point
 atmVciEndPt (194), -- ATM VCI End Point
 opticalChannel (195), -- Optical Channel
 opticalTransport (196), -- Optical Transport
 propAtm (197), -- Proprietary ATM
 voiceOverCable (198), -- Voice Over Cable Interface
 infiniband (199), -- Infiniband
 teLink (200), -- TE Link
 q2931 (201), -- Q.2931
 virtualTg (202), -- Virtual Trunk Group

 sipTg (203), -- SIP Trunk Group
 sipSig (204), -- SIP Signaling
 docsCableUpstreamChannel (205), -- CATV Upstream Channel
 econet (206), -- Acorn Econet
 pon155 (207), -- FSAN 155Mb Symmetrical PON interface
 pon622 (208), -- FSAN622Mb Symmetrical PON interface
 bridge (209), -- Transparent bridge interface
 linegroup (210), -- Interface common to multiple lines
 voiceEMFGD (211), -- voice E&M Feature Group D
 voiceFGDEANA (212), -- voice FGD Exchange Access North American
 voiceDID (213), -- voice Direct Inward Dialing
 mpegTransport (214), -- MPEG transport interface
 sixToFour (215), -- 6to4 interface (DEPRECATED)
 gtp (216), -- GTP (GPRS Tunneling Protocol)
 pdnEtherLoop1 (217), -- Paradyne EtherLoop 1
 pdnEtherLoop2
 (218), -- Paradyne EtherLoop 2
 opticalChannelGroup (219), -- Optical Channel Group
 homepna (220), -- HomePNA ITU-T G.989
 gfp (221), -- Generic Framing Procedure (GFP)
 ciscoISLvlan (222), -- Layer 2 Virtual LAN using Cisco ISL
 actelisMetaLOOP (223), -- Acteleis proprietary MetaLOOP High Speed Link

fcipLink (224), -- FCIP Link
rpr (225), -- Resilient Packet Ring Interface Type
qam (226), -- RF Qam Interface
Imp (227), -- Link Management Protocol
cblVectaStar (228), -- Cambridge Broadband Networks Limited VectaStar
docsCableMCmtsDownstream (229), -- CATV Modular CMTS Downstream Interface
adsl2 (230), -- Asymmetric Digital Subscriber Loop Version 2
-- (DEPRECATED/OBSOLETE - please use adsl2plus 238 instead)

macSecControlledIF (231), -- MACSecControlled
macSecUncontrolledIF (232), -- MACSecUncontrolled
aviciOpticalEther (233), -- Avici Optical Ethernet Aggregate
atmbond (234), -- atmbond
voiceFGDOS (235), -- voice FGD Operator Services
mocaVersion1 (236), -- MultiMedia over Coax Alliance (MoCA) Interface
-- as documented in information provided privately to IANA
ieee80216WMAN (237), -- IEEE 802.16 WMAN interface
adsl2plus (238), -- Asymmetric Digital Subscriber Loop Version 2,
-- Version 2 Plus and all variants
dvbRcsMacLayer (239), -- DVB-RCS MAC Layer
dvbTdm (240), -- DVB Satellite TDM
dvbRcsTdma (241), -- DVB-RCS TDMA
x86Laps (242), -- LAPS based on ITU-T X.86/Y.1323
wwanPP (243), -- 3GPP

WWAN

wwanPP2 (244) -- 3GPP2 WWAN
}

IANA tunnelType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The encapsulation method used by a tunnel. The value direct indicates that a packet is encapsulated directly within a normal IP header, with no intermediate header, and unicast to the remote tunnel endpoint (e.g., an RFC 2003 IP-in-IP tunnel, or an RFC 1933 IPv6-in-IPv4 tunnel). The value minimal indicates that a Minimal Forwarding Header (RFC 2004) is inserted between the outer header and the payload packet. The value UDP indicates that the payload packet is encapsulated within a normal UDP packet (e.g., RFC 1234).

The values sixToFour, sixOverFour, and isatap indicates that an IPv6 packet is encapsulated directly within an IPv4 header, with no intermediate header,

and unicast to the destination determined by the 6to4, 6over4, or ISATAP protocol.

The remaining protocol-specific values indicate that a header of the protocol of that name is inserted between the outer header and the payload header.

The assignment policy for IANA tunnelType values is identical to the policy for assigning IANA ifType values."

```
SYNTAX INTEGER {
    other(1),      -- none of the following
    direct(2),    -- no intermediate header
    gre(3),       -- GRE encapsulation
    minimal(4),   -- Minimal encapsulation
    l2tp(5),      -- L2TP encapsulation
    pptp(6),      -- PPTP encapsulation
    l2f(7),       -- L2F encapsulation
    udp(8),       -- UDP encapsulation
    atmp(9),      -- ATMP encapsulation

    msdp(10),     -- MSDP encapsulation
    sixToFour(11), -- 6to4 encapsulation
    sixOverFour(12), -- 6over4 encapsulation
    isatap(13),   -- ISATAP encapsulation
    teredo(14)    -- Teredo encapsulation
}
```

END

Found in path(s):

```
* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-
jar/mibs/iana/IANAifType-MIB
```

No license file was found, but licenses were detected in source scan.

SIP-COMMON-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY,
OBJECT-TYPE,
NOTIFICATION-TYPE,
Counter32,
Gauge32,
TimeTicks,
Unsigned32,
```

mib-2

FROM SNMPv2-SMI -- RFC 2578

RowStatus,
TimeStamp,
TruthValue

FROM SNMPv2-TC -- RFC 2579

MODULE-COMPLIANCE,
OBJECT-GROUP,
NOTIFICATION-GROUP

FROM SNMPv2-CONF -- RFC 2580

SnmAdminString

FROM SNMP-FRAMEWORK-MIB -- RFC 3411

SipTCTransportProtocol,
SipTCMethodName,
SipTCEntityRole,
SipTCOptionTagHeaders

FROM SIP-TC-MIB -- RFC 4780

applIndex

FROM NETWORK-SERVICES-MIB -- RFC 2788

InetPortNumber

FROM INET-ADDRESS-MIB; -- RFC 4001

sipCommonMIB MODULE-IDENTITY

LAST-UPDATED "200704200000Z"

ORGANIZATION "IETF Session Initiation Protocol Working Group"

CONTACT-INFO

"SIP WG email: sip@ietf.org

Co-editor Kevin Lingle

Cisco Systems, Inc.

postal: 7025 Kit Creek Road

P.O. Box 14987

Research Triangle Park, NC 27709

USA

email: klinge@cisco.com

phone: +1 919 476 2029

Co-editor Joon Maeng

email: jmaeng@austin.rr.com

Co-editor Jean-Francois Mule

CableLabs

postal: 858 Coal Creek Circle
Louisville, CO 80027
USA
email: jf.mule@cablelabs.com
phone: +1 303 661 9100

Co-editor Dave Walker
email: drwalker@rogers.com"

DESCRIPTION

"Session Initiation Protocol (SIP) Common MIB module. This module defines objects that may be common to all SIP entities.

SIP is an application-layer signaling protocol for creating, modifying and terminating multimedia sessions with one or more participants. These sessions include Internet multimedia conferences and Internet telephone calls. SIP is defined in RFC 3261 (June 2002).

This MIB is defined for managing objects that are common to SIP User Agents (UAs), Proxy, Redirect, and Registrar servers. Objects specific to each of these entities MAY be managed using entity specific MIBs defined in other modules.

Copyright (C) The IETF Trust (2007). This version of this MIB module is part of RFC 4780; see the RFC itself for full legal notices."

REVISION "200704200000Z"

DESCRIPTION

"Initial version of the IETF SIP-COMMON-MIB module. This version published as part of RFC 4780."

::= { mib-2 149 }

-- Top-Level Components of this MIB.

sipCommonMIBNotifications OBJECT IDENTIFIER

::= { sipCommonMIB 0 }

sipCommonMIBObjects OBJECT IDENTIFIER ::= { sipCommonMIB 1 }

sipCommonMIBConformance OBJECT IDENTIFIER ::= { sipCommonMIB 2 }

--

-- This MIB contains objects that are common to all SIP entities.

--

-- Common basic configuration

sipCommonCfgBase OBJECT IDENTIFIER ::= { sipCommonMIBObjects 1 }

-- Protocol timer configuration

sipCommonCfgTimer OBJECT IDENTIFIER ::= { sipCommonMIBObjects 2 }

```

-- SIP message summary statistics

sipCommonSummaryStats OBJECT IDENTIFIER ::= { sipCommonMIBObjects 3 }

-- Per method statistics
sipCommonMethodStats OBJECT IDENTIFIER ::= { sipCommonMIBObjects 4 }

-- Per Status code or status code class statistics
sipCommonStatusCode OBJECT IDENTIFIER ::= { sipCommonMIBObjects 5 }

-- Transaction statistics
sipCommonStatsTrans OBJECT IDENTIFIER ::= { sipCommonMIBObjects 6 }

-- Method retry statistics
sipCommonStatsRetry OBJECT IDENTIFIER ::= { sipCommonMIBObjects 7 }

-- Other statistics
sipCommonOtherStats
  OBJECT IDENTIFIER ::= { sipCommonMIBObjects 8 }

-- Accessible-for-notify objects
sipCommonNotifObjects OBJECT IDENTIFIER ::= { sipCommonMIBObjects 9 }

--
-- Common Configuration Objects
--
sipCommonCfgTable OBJECT-TYPE
  SYNTAX SEQUENCE OF SipCommonCfgEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "This table contains the common configuration objects applicable
    to all SIP entities."
  ::= { sipCommonCfgBase 1 }

sipCommonCfgEntry OBJECT-TYPE
  SYNTAX SipCommonCfgEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "A row of common configuration.

    Each row represents objects for a particular SIP entity
    instance present in this system. applIndex is used to uniquely
    identify these instances of SIP entities and correlate them
    through the common framework of the NETWORK-SERVICES-MIB (RFC

```

```
2788)."
INDEX { applIndex }
 ::= { sipCommonCfgTable 1
 }
```

```
SipCommonCfgEntry ::= SEQUENCE {
```

```
    sipCommonCfgProtocolVersion  SnmpAdminString,
    sipCommonCfgServiceOperStatus  INTEGER,
    sipCommonCfgServiceStartTime  TimeTicks,
    sipCommonCfgServiceLastChange  TimeTicks,
    sipCommonCfgOrganization      SnmpAdminString,
    sipCommonCfgMaxTransactions    Unsigned32,
    sipCommonCfgServiceNotifEnable  BITS,
    sipCommonCfgEntityType         SipTCEntityRole
 }
```

```
sipCommonCfgProtocolVersion OBJECT-TYPE
```

```
SYNTAX  SnmpAdminString
```

```
MAX-ACCESS  read-only
```

```
STATUS  current
```

```
DESCRIPTION
```

"This object will reflect the version of SIP supported by this SIP entity. It will follow the same format as SIP version information contained in the SIP messages generated by this SIP entity. For example, entities supporting SIP version 2 will return 'SIP/2.0' as dictated by the standard."

```
REFERENCE
```

"RFC 3261, Section 7.1"

```
 ::= { sipCommonCfgEntry
 1 }
```

```
sipCommonCfgServiceOperStatus OBJECT-TYPE
```

```
SYNTAX  INTEGER {
```

```
    unknown(1),
```

```
    up(2),
```

```
    down(3),
```

```
    congested(4),
```

```
    restarting(5),
```

```
    quiescing(6),
```

```
    testing(7)
 }
```

```
MAX-ACCESS  read-only
```

```
STATUS  current
```

```
DESCRIPTION
```

"This object contains the current operational state of the SIP application."

unknown : The operational status cannot be determined for some reason.
up : The application is operating normally and is processing (receiving and possibly issuing) SIP requests and responses.
down : The application is currently unable to process SIP messages.
congested : The application is operational but no additional

inbound transactions can be accommodated at the moment.

restarting : The application is currently unavailable, but it is in the process of restarting and will presumably, soon be able to process SIP messages.
quiescing : The application is currently operational but has been administratively put into quiescence mode. Additional inbound transactions MAY be rejected.
testing : The application is currently in test mode and MAY not be able to process SIP messages.

The operational status values defined for this object are not based on any specific information contained in the SIP standard."

::= { sipCommonCfgEntry 2 }

sipCommonCfgServiceStartTime OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time the SIP entity was last started. If

started prior to the last re-initialization of the

local network management subsystem, then this object contains a zero value."

::= { sipCommonCfgEntry 3 }

sipCommonCfgServiceLastChange OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time the SIP entity entered its current operational state. If the current state was entered

prior to the last re-initialization of the local network management subsystem, then this object contains a zero value."
 ::= { sipCommonCfgEntry 4 }

sipCommonCfgOrganization OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the organization name that the SIP entity inserts into Organization headers of SIP messages processed by this system. If the string is empty, no Organization header is to be generated."

REFERENCE

"RFC 3261, Section 20.25"

::= { sipCommonCfgEntry 5 }

sipCommonCfgMaxTransactions OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object indicates the maximum number of simultaneous transactions per second that the SIP entity can manage. In general, the value of this object SHOULD reflect a level of transaction processing per second that is considered high enough to impact the system's CPU and/or memory resources to the point of deteriorating SIP call processing but not high enough to cause catastrophic system failure."

::= { sipCommonCfgEntry 6 }

sipCommonCfgServiceNotifEnable OBJECT-TYPE

SYNTAX BITS {
 sipCommonServiceColdStart(0),
 sipCommonServiceWarmStart(1),
 sipCommonServiceStatusChanged(2)
 }

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies which SIP service related notifications are enabled. Each bit represents a specific notification. If a bit has a value 1, the associated notification is enabled and will be generated by the SIP entity at the appropriate time."

Support for these notifications is OPTIONAL: either none or all notification values are supported. If an implementation does not support this object, it should return a 'noSuchObject' exception to an SNMP GET operation. If notifications are supported, this object's default value SHOULD reflect sipCommonServiceColdStart and sipCommonServiceWarmStart enabled and sipCommonServiceStatusChanged disabled.

This object value SHOULD persist across reboots."

```
DEFVAL { { sipCommonServiceColdStart,  
          sipCommonServiceWarmStart } }  
::= { sipCommonCfgEntry 7 }
```

sipCommonCfgEntityType OBJECT-TYPE

```
SYNTAX    SipTCEntityTypeRole  
MAX-ACCESS read-only
```

```
STATUS    current
```

```
DESCRIPTION
```

"This object identifies the list of SIP entities to which this row is related. It is defined as a bit map. Each bit represents a type of SIP entity. If a bit has value 1, the SIP entity represented by this row plays the role of this entity type. If a bit has value 0, the SIP entity represented by this row does not act as this entity type. Combinations of bits can be set when the SIP entity plays multiple SIP roles."

```
::= { sipCommonCfgEntry 8 }
```

```
--
```

```
-- Support for multiple ports
```

```
--
```

sipCommonPortTable OBJECT-TYPE

```
SYNTAX    SEQUENCE OF SipCommonPortEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS    current
```

```
DESCRIPTION
```

"This table contains the list of ports that each SIP entity in this system is allowed to use. These ports can be advertised using the Contact header in a REGISTER request or response."

```
::= {
```

```
sipCommonCfgBase 2 }
```

sipCommonPortEntry OBJECT-TYPE

```
SYNTAX    SipCommonPortEntry
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Specification of a particular port.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonPort }

::= { sipCommonPortTable 1 }

SipCommonPortEntry ::= SEQUENCE {

 sipCommonPort InetPortNumber,

 sipCommonPortTransportRcv SipTCTransportProtocol

}

sipCommonPort OBJECT-TYPE

SYNTAX InetPortNumber (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object reflects a particular port that can be used by the SIP application."

::= { sipCommonPortEntry 1 }

sipCommonPortTransportRcv

OBJECT-TYPE

SYNTAX SipTCTransportProtocol

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object will specify the transport protocol the SIP entity will use to receive SIP messages.

This object is a bit map. Each bit represents a transport protocol. If a bit has value 1, then that transport protocol is currently being used. If a bit has value 0, then that transport protocol is currently not being used."

::= { sipCommonPortEntry 2 }

--

-- Support for SIP option tags (SIP extensions).

-- SIP extensions MAY be supported or required by SIP entities.

--

sipCommonOptionTagTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonOptionTagEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains a list of the SIP option tags (SIP extensions) that are either required, supported, or unsupported by the SIP entity. These option tags are used in the Require, Proxy-Require, Supported, and Unsupported header fields.

Example: If a user agent client supports, and requires the server to support, reliability of provisional responses (RFC 3262), this table contains a row with the option tag string '100rel' in sipCommonOptionTag and the OCTET STRING value of '1010 0000' or '0xA0' in sipCommonOptionTagHeaderField.

If a server does not support the required feature (indicated in a Require header to a UAS, or in a Proxy-Require to a Proxy Server), the server returns a 420 Bad Extension listing the feature in an Unsupported header.

Normally, the list of such features supported by an entity is static (i.e., will not change over time)."

REFERENCE

"RFC 3261, Sections 19.2, 20.32, 20.29, 20.37, and 20.40"

::= { sipCommonCfgBase 3 }

sipCommonOptionTagEntry OBJECT-TYPE

SYNTAX SipCommonOptionTagEntry

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"A particular SIP option tag (extension) supported or unsupported by the SIP entity, and which may be supported or required by a peer.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonOptionTagIndex }

::= { sipCommonOptionTagTable 1 }


```
SipCommonOptionTagEntry ::= SEQUENCE {
    sipCommonOptionTagIndex    Unsigned32,
    sipCommonOptionTag        SnmpAdminString,
    sipCommonOptionTagHeaderField SipTCOptionTagHeaders
}
```

```
sipCommonOptionTagIndex OBJECT-TYPE
    SYNTAX    Unsigned32 (1..4294967295)
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "This object uniquely identifies a conceptual
row in the table."
    ::= { sipCommonOptionTagEntry 1 }
```

```
sipCommonOptionTag OBJECT-TYPE
    SYNTAX    SnmpAdminString
    MAX-ACCESS read-only
    STATUS    current
    DESCRIPTION
        "This object indicates the SIP option tag. The option tag names
are registered with IANA and available at http://www.iana.org."
    REFERENCE "RFC 3261, Section 27.1"
    ::= { sipCommonOptionTagEntry 2 }
```

```
sipCommonOptionTagHeaderField OBJECT-TYPE
    SYNTAX    SipTCOptionTagHeaders
    MAX-ACCESS read-only
    STATUS    current
```

```
DESCRIPTION
    "This object indicates whether the SIP option tag is supported
(Supported header), unsupported (Unsupported header), or
required (Require or Proxy-Require header) by the SIP entity.
A SIP option tag may be both supported and required."
    ::= { sipCommonOptionTagEntry 3 }
```

--

-- Supported SIP Methods

--

```
sipCommonMethodSupportedTable OBJECT-TYPE
    SYNTAX    SEQUENCE OF SipCommonMethodSupportedEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
```

"This table contains a list of methods supported by each SIP entity in this system (see the standard set of SIP methods in Section 7.1 of RFC 3261). Any additional methods that may be incorporated into the SIP protocol can be represented by this table without any requirement to update this MIB module.

The table is informational in nature and conveys capabilities of the managed system to the SNMP Manager.

From a protocol point of view, the list of methods advertised by the SIP entity in the Allow header (Section 20.5 of RFC 3261) MUST be consistent with the methods reflected in this table."

```
::= { sipCommonCfgBase 4 }
```

sipCommonMethodSupportedEntry OBJECT-TYPE

SYNTAX SipCommonMethodSupportedEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A particular method supported by the SIP entity.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonMethodSupportedIndex }

```
::= { sipCommonMethodSupportedTable 1 }
```

SipCommonMethodSupportedEntry ::= SEQUENCE {

sipCommonMethodSupportedIndex Unsigned32,

sipCommonMethodSupportedName SipTCMethodName

}

sipCommonMethodSupportedIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies a conceptual row in the table and reflects an assigned number used to identify a specific SIP method.

This identifier is suitable for referencing the associated method throughout this and other MIBs supported by this managed

```

    system."
 ::= { sipCommonMethodSupportedEntry 1 }

sipCommonMethodSupportedName OBJECT-TYPE
    SYNTAX      SipTCMethodName
    MAX-ACCESS  read-only
    STATUS      current
    DESCRIPTION
        "This object reflects the supported method's name. The method
        name MUST be all upper case (e.g., 'INVITE')."
 ::= { sipCommonMethodSupportedEntry 2 }

--
-- SIP Timer Configuration
--
sipCommonCfgTimerTable OBJECT-TYPE
    SYNTAX      SEQUENCE OF SipCommonCfgTimerEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "This table contains timer configuration objects applicable to
        SIP user agent and SIP stateful Proxy Server entities."
 ::= { sipCommonCfgTimer 1 }

sipCommonCfgTimerEntry OBJECT-TYPE
    SYNTAX      SipCommonCfgTimerEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "A row of timer configuration.

        Each row represents those objects for a particular SIP entity
        present
        in this system. applIndex is used to uniquely identify
        these instances of SIP entities and correlate them through
        the common framework of the NETWORK-SERVICES-MIB (RFC 2788).
        The objects in this table entry SHOULD be non-volatile and
        their value SHOULD be kept at reboot."

    INDEX { applIndex }
 ::= { sipCommonCfgTimerTable 1 }

SipCommonCfgTimerEntry ::= SEQUENCE {
    sipCommonCfgTimerA      Unsigned32,
    sipCommonCfgTimerB      Unsigned32,
    sipCommonCfgTimerC      Unsigned32,

```

```

sipCommonCfgTimerD      Unsigned32,
sipCommonCfgTimerE      Unsigned32,
sipCommonCfgTimerF      Unsigned32,
sipCommonCfgTimerG      Unsigned32,
sipCommonCfgTimerH      Unsigned32,
sipCommonCfgTimerI      Unsigned32,
sipCommonCfgTimerJ      Unsigned32,
sipCommonCfgTimerK      Unsigned32,

sipCommonCfgTimerT1     Unsigned32,
  sipCommonCfgTimerT2     Unsigned32,
  sipCommonCfgTimerT4     Unsigned32
}

```

sipCommonCfgTimerA OBJECT-TYPE

SYNTAX Unsigned32 (100..1000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the initial value for the retransmit timer for the INVITE method. The retransmit timer doubles after each retransmission, ensuring an exponential backoff in network traffic. This object represents the initial time a SIP entity will wait to receive a provisional response to an INVITE before resending the INVITE request."

REFERENCE

"RFC 3261, Section 17.1.1.2"

DEFVAL { 500 }

::= { sipCommonCfgTimerEntry 1 }

sipCommonCfgTimerB OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP entity will wait to receive a final response to an INVITE. The timer is started upon transmission of the initial INVITE request."

REFERENCE

"RFC 3261, Section 17.1.1.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 2 }

sipCommonCfgTimerC OBJECT-TYPE

SYNTAX Unsigned32 (180000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP Proxy Server will wait to receive a provisional response to an INVITE. The Timer C MUST be set for each client transaction when an INVITE request is proxied."

REFERENCE

"RFC 3261, Section 16.6"

DEFVAL { 180000 }

::= { sipCommonCfgTimerEntry 3 }

sipCommonCfgTimerD OBJECT-TYPE

SYNTAX Unsigned32 (0..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the amount of time that the server transaction can remain in the 'Completed' state when unreliable transports are used. The default value MUST be equal to or greater than 32000 for UDP transport, and its value MUST be 0 for TCP/SCTP transport."

REFERENCE

"RFC 3261, Section 17.1.1.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 4 }

sipCommonCfgTimerE OBJECT-TYPE

SYNTAX Unsigned32 (100..1000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the initial value for the retransmit timer for a non-INVITE method while in 'Trying' state. The retransmit timer doubles after each retransmission until it reaches T2 to ensure an exponential backoff in network traffic. This object represents the initial time a SIP entity will wait to receive a provisional response to the request before resending the non-INVITE

request."

REFERENCE

"RFC 3261, Section 17.1.2.2"
DEFVAL { 500 }
::= { sipCommonCfgTimerEntry 5 }

sipCommonCfgTimerF OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP entity will wait to receive a final response to a non-INVITE request. The timer is started upon transmission of the initial request."

REFERENCE

"RFC 3261, Section 17.1.2.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 6 }

sipCommonCfgTimerG OBJECT-TYPE

SYNTAX Unsigned32 (0..1000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the initial value for the retransmit timer for final responses to INVITE requests. If timer G fires, the response is passed to the transport layer again for retransmission,

and timer G is set to fire in $\text{MIN}(2 * T1, T2)$

seconds. From then on, when timer G fires, the response is passed to the transport again for transmission, and timer G is reset with a value that doubles, unless that value exceeds T2, in which case, it is reset with the value of T2. The default value MUST be T1 for UDP transport, and its value MUST be 0 for reliable transport like TCP/SCTP."

REFERENCE

"RFC 3261, Section 17.2.1"

DEFVAL { 500 }

::= { sipCommonCfgTimerEntry 7 }

sipCommonCfgTimerH OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a server will wait to receive an ACK before it abandons retransmitting the response.

The timer is started upon entering the 'Completed' state."

REFERENCE

"RFC 3261, Section 17.2.1"

DEFVAL { 32000 }

::=

{ sipCommonCfgTimerEntry 8 }

sipCommonCfgTimerI OBJECT-TYPE

SYNTAX Unsigned32 (0..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP entity will wait to receive additional ACK message retransmissions.

The timer is started upon entering the 'Confirmed' state. The default value MUST be T4 for UDP transport and its value MUST be 0 for reliable transport like TCP/SCTP."

REFERENCE

"RFC 3261, Section 17.2.1"

DEFVAL { 5000 }

::= { sipCommonCfgTimerEntry 9 }

sipCommonCfgTimerJ OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP server will wait to receive retransmissions of non-INVITE requests. The timer is started upon entering the 'Completed' state for non-INVITE transactions. When timer J fires, the server MUST transition to the 'Terminated' state."

REFERENCE

"RFC 3261, Section 17.2.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 10 }

sipCommonCfgTimerK OBJECT-TYPE

SYNTAX Unsigned32 (0..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP client will wait to receive retransmissions of responses to non-INVITE requests. The timer is started upon entering the 'Completed' state for

non-INVITE transactions. When timer K fires, the server MUST transition to the 'Terminated' state. The default value MUST be T4 for UDP transport, and its value MUST be 0 for reliable transport like TCP/SCTP."

REFERENCE

"RFC 3261, Section 17.1.2.2"

DEFVAL { 5000 }

::= { sipCommonCfgTimerEntry 11 }

sipCommonCfgTimerT1 OBJECT-TYPE

SYNTAX

Unsigned32 (200..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the T1 timer for a SIP entity. T1 is an estimate of the round-trip time (RTT) between the client and server transactions."

REFERENCE

"RFC 3261, Section 17"

DEFVAL { 500 }

::= { sipCommonCfgTimerEntry 12 }

sipCommonCfgTimerT2 OBJECT-TYPE

SYNTAX Unsigned32 (200..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the T2 timer for a SIP entity. T2 is the maximum retransmit interval for non-INVITE requests and INVITE responses. It's used in various parts of the protocol to reset other Timer* objects to this value."

REFERENCE

"RFC 3261, Section 17"

DEFVAL { 4000 }


```
::= { sipCommonCfgTimerEntry 13 }
```

```
sipCommonCfgTimerT4 OBJECT-TYPE
```

```
SYNTAX Unsigned32 (200..10000)
```

```
UNITS
```

```
"milliseconds"
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This object reflects the T4 timer for a SIP entity. T4 is the maximum duration a message will remain in the network. It represents the amount of time the network will take to clear messages between client and server transactions. It's used in
```

```
various parts of the protocol to reset other Timer* objects to this value."
```

```
REFERENCE
```

```
"RFC 3261, Section 17"
```

```
DEFVAL { 5000 }
```

```
::= { sipCommonCfgTimerEntry 14 }
```

```
--
```

```
-- Common Statistics Objects
```

```
--
```

```
--
```

```
-- Summary Statistics
```

```
--
```

```
sipCommonSummaryStatsTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF SipCommonSummaryStatsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This table contains the summary statistics objects applicable to all SIP entities. Each row represents those objects for a particular SIP entity present in this system."
```

```
::= {
```

```
sipCommonSummaryStats 1 }
```

```
sipCommonSummaryStatsEntry OBJECT-TYPE
```

```
SYNTAX SipCommonSummaryStatsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A row of summary statistics."
```

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex }

::= { sipCommonSummaryStatsTable 1 }

```
SipCommonSummaryStatsEntry ::= SEQUENCE {
    sipCommonSummaryInRequests      Counter32,
    sipCommonSummaryOutRequests     Counter32,
    sipCommonSummaryInResponses     Counter32,
    sipCommonSummaryOutResponses    Counter32,
    sipCommonSummaryTotalTransactions Counter32,
    sipCommonSummaryDisconTime      TimeStamp
}
```

sipCommonSummaryInRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object indicates the total number of SIP request messages received by the SIP entity, including retransmissions.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 1 }

sipCommonSummaryOutRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the total number of SIP request messages sent out (originated and relayed) by the SIP entity. Where a particular message is sent more than once, for example as a retransmission or as a result of forking, each transmission is counted separately.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management

Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 2 }

sipCommonSummaryInResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the total number of SIP response messages received by the SIP entity, including retransmissions.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 3 }

sipCommonSummaryOutResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the total number of SIP response messages sent (originated and relayed) by the SIP entity including retransmissions.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 4 }

sipCommonSummaryTotalTransactions OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains a count of the number of transactions that are in progress and transactions that have reached the 'Terminated' state. It is not applicable to stateless SIP Proxy Servers.

A SIP transaction occurs between a client and a server, and comprises all messages from the first request sent from the client to the server, up to a final (non-1xx) response sent from the server to the client.

If the request is INVITE and the final response is a non-2xx, the transaction also include an ACK to the response. The ACK for a 2xx response to an INVITE request is a separate transaction.

The branch ID parameter in the Via header field values serves as a transaction identifier.

A transaction is identified by the CSeq sequence number within a single call leg. The ACK request has the same CSeq number as the corresponding INVITE request, but comprises a transaction of its own.

In the case of a forked request, each branch counts as a single transaction.

For a transaction stateless Proxy Server, this counter is always 0.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management

Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

```
::= { sipCommonSummaryStatsEntry 5 }
```

sipCommonSummaryDisconTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of the sysUpTime object when the counters for the summary statistics objects in this row last experienced a discontinuity."

```
::= { sipCommonSummaryStatsEntry 6 }
```

--

-- SIP Method Statistics

-- Total counts for each SIP method.

--

sipCommonMethodStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonMethodStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the method statistics objects for SIP entities. Each row represents those objects for a particular SIP entity present in this system."

::= { sipCommonMethodStats 1 }

sipCommonMethodStatsEntry OBJECT-TYPE

SYNTAX SipCommonMethodStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row of per entity method statistics.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonMethodStatsName }

::= { sipCommonMethodStatsTable 1 }

SipCommonMethodStatsEntry ::= SEQUENCE {

sipCommonMethodStatsName SipTCMethodName,
sipCommonMethodStatsOutbounds Counter32,

sipCommonMethodStatsInbounds Counter32,
sipCommonMethodStatsDisconTime TimeStamp

}

sipCommonMethodStatsName OBJECT-TYPE

SYNTAX SipTCMethodName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies the SIP method related to the objects in a particular row."

::= { sipCommonMethodStatsEntry 1 }

sipCommonMethodStatsOutbounds OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"This object reflects the total number of requests sent by the SIP entity, excluding retransmissions. Retransmissions are counted separately and are not reflected in this counter. A Management Station can detect discontinuities in this counter by monitoring the sipCommonMethodStatsDisconTime object in the same row."

REFERENCE

"RFC 3261, Section 7.1"

::= { sipCommonMethodStatsEntry 2 }

sipCommonMethodStatsInbounds OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"This object reflects the total number of requests received by the SIP entity. Retransmissions are counted separately and are not reflected in this counter. A Management Station can detect

discontinuities in this counter by monitoring the sipCommonMethodStatsDisconTime object in the same row."

REFERENCE

"RFC 3261, Section 7.1"

::= { sipCommonMethodStatsEntry 3 }

sipCommonMethodStatsDisconTime OBJECT-TYPE

SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The value of the sysUpTime object when the counters for the method statistics objects in this row last experienced a discontinuity."

::= { sipCommonMethodStatsEntry 4 }

--

-- Support for specific status codes

--

sipCommonStatusCodeTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonStatusCodeEntry
MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the list of SIP status codes that each SIP entity in this system has been requested to monitor. It is the mechanism by which specific status codes are monitored.

Entries created in this table

must not persist across reboots."

::= { sipCommonStatusCode 1 }

sipCommonStatusCodeEntry OBJECT-TYPE

SYNTAX SipCommonStatusCodeEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This row contains information on a particular SIP status code that the SIP entity has been requested to monitor. Entries created in this table must not persist across reboots.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonStatusCodeMethod,
sipCommonStatusCodeValue }

::= { sipCommonStatusCodeTable 1 }

SipCommonStatusCodeEntry ::= SEQUENCE {

sipCommonStatusCodeMethod SipTCMethodName,

sipCommonStatusCodeValue Unsigned32,

sipCommonStatusCodeIns

Counter32,

sipCommonStatusCodeOuts Counter32,

sipCommonStatusCodeRowStatus RowStatus,

sipCommonStatusCodeDisconTime TimeStamp

}

sipCommonStatusCodeMethod OBJECT-TYPE

SYNTAX SipTCMethodName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies a conceptual row in the table."

::= { sipCommonStatusCodeEntry 1 }

sipCommonStatusCodeValue OBJECT-TYPE

SYNTAX Unsigned32 (100..999)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object contains a SIP status code value that the SIP entity has been requested to monitor. All of the other information in the row is related to this value."

::= { sipCommonStatusCodeEntry 2 }

sipCommonStatusCodeIns OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of response messages received by the SIP entity with the status code value contained in the sipCommonStatusCodeValue column.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service, or when the monitoring of the status code is temporarily disabled. A Management Station can detect discontinuities in this counter by monitoring the sipCommonStatusCodeDisconTime object in the same row."

::= { sipCommonStatusCodeEntry 3 }

sipCommonStatusCodeOuts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of response messages sent by the SIP entity with the status code value contained in the sipCommonStatusCodeValue column.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service, or when the monitoring of the Status code is temporarily disabled. A Management Station can detect discontinuities in this counter by monitoring the sipCommonStatusCodeDisconTime object in the same row."

::= { sipCommonStatusCodeEntry 4 }

sipCommonStatusCodeRowStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The row augmentation in sipCommonStatusCodeNotifTable will be governed by the value of this RowStatus.

The values 'createAndGo' and 'destroy' are the only valid values allowed for this object. If a row exists, it will reflect a status of 'active' when queried."
 ::= { sipCommonStatusCodeEntry 5 }

sipCommonStatusCodeDisconTime OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The value of the sysUpTime object when the counters for the status code statistics objects in this row last experienced a discontinuity."
 ::= { sipCommonStatusCodeEntry 6 }

--
-- Support for specific status code notifications
--

sipCommonStatusCodeNotifTable OBJECT-TYPE
SYNTAX SEQUENCE OF SipCommonStatusCodeNotifEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"This table contains objects to control notifications related to particular status codes that each SIP entity in this system has been requested to monitor.

There is an entry in this table corresponding to each entry in sipCommonStatusCodeTable. Therefore, this table augments sipCommonStatusCodeTable and utilizes the same index methodology.

The objects in this table are not included directly in the sipCommonStatusCodeTable simply to keep the status code notification control objects separate from the actual status code statistics."
 ::= { sipCommonStatusCode 2 }

sipCommonStatusCodeNotifEntry OBJECT-TYPE

SYNTAX

SipCommonStatusCodeNotifEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This row contains information controlling notifications for a particular SIP status code that the SIP entity has been requested to monitor."

AUGMENTS { sipCommonStatusCodeEntry }

::= { sipCommonStatusCodeNotifTable 1 }

SipCommonStatusCodeNotifEntry ::= SEQUENCE {

 sipCommonStatusCodeNotifSend TruthValue,
 sipCommonStatusCodeNotifEmitMode INTEGER,
 sipCommonStatusCodeNotifThresh Unsigned32,
 sipCommonStatusCodeNotifInterval Unsigned32

}

sipCommonStatusCodeNotifSend OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls whether a sipCommonStatusCodeNotif is emitted when the status code value specified by sipCommonStatusCodeValue is sent or received. If the value of this object is 'true', then a notification

is sent. If it is

'false', no notification is sent.

Note well that a notification MAY be emitted for every message sent or received that contains the particular status code.

Depending on the status code involved, this can cause a significant number of notification emissions that could be detrimental to network performance. Managers are forewarned to be prudent in the use of this object to enable notifications.

Look to sipCommonStatusCodeNotifEmitMode for alternative controls for sipCommonStatusCodeNotif emissions."

DEFVAL { false }

::= { sipCommonStatusCodeNotifEntry 1 }

sipCommonStatusCodeNotifEmitMode OBJECT-TYPE

SYNTAX INTEGER {

 normal(1),
 oneShot(2),
 triggered(3) -- read-only

```
}  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION
```

"The object sipCommonStatusCodeNotifSend MUST be set to 'true' for the values of this object to have any effect. It is RECOMMENDED that the desired emit mode be established by this object prior to setting sipCommonStatusCodeNotifSend to 'true'. This object and the sipCommonStatusCodeNotifSend object can obviously be set independently, but their respective values will have a dependency on each other and the resulting notifications.

This object specifies the mode for emissions of sipCommonStatusCodeNotif notifications.

normal : sipCommonStatusCodeNotif notifications will be emitted by the system for each SIP response message sent or received that contains the desired status code.

oneShot : Only one sipCommonStatusCodeNotif notification will be emitted. It will be the next SIP response message sent or received that contains the desired status code.

No more notifications are emitted until this object is set to 'oneShot' again or set to 'normal'. This option is provided as a means of quelling the potential promiscuous behavior that can be associated with the sipCommonStatusCodeNotif.

triggered : This value is only readable and cannot be set. It reflects that the 'oneShot' case has occurred, and indicates that the mode needs to be reset to get further notifications. The mode is reset by setting this object to 'oneShot' or 'normal'."

```
DEFVAL { oneShot }  
::= { sipCommonStatusCodeNotifEntry 2 }
```

```
sipCommonStatusCodeNotifThresh OBJECT-TYPE  
SYNTAX Unsigned32  
MAX-ACCESS read-write
```

STATUS current

DESCRIPTION

"This object specifies the number of response messages sent or

received by this system that are considered excessive. Based

on crossing that threshold, a

sipCommonStatusCodeThreshExceededInNotif notification or a

sipCommonStatusCodeThreshExceededOutNotif will be sent. The

sipCommonStatusCodeThreshExceededInNotif and

sipCommonStatusCodeThreshExceededOutNotif notifications can be

used as an early warning mechanism in lieu of using

sipCommonStatusCodeNotif.

Note that the configuration applied by this object will be

applied equally to inbound and outbound response messages."

DEFVAL { 500 }

::= { sipCommonStatusCodeNotifEntry 3 }

sipCommonStatusCodeNotifInterval OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the time interval over which, if

sipCommonStatusCodeThresh is exceeded with respect to sent or

received messages, a sipCommonStatusCodeThreshExceededInNotif

or sipCommonStatusCodeThreshExceededOutNotif notification will

be sent.

Note that the configuration applied by this object will be

applied equally to inbound and outbound response messages."

DEFVAL { 60 }

::= { sipCommonStatusCodeNotifEntry 4 }

--

-- Transaction Statistics

--

sipCommonTransCurrentTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonTransCurrentEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains information on the transactions currently

awaiting definitive responses by each SIP entity in this

system.

This table does not apply to transaction stateless Proxy Servers."

```
::= { sipCommonStatsTrans 1 }
```

sipCommonTransCurrentEntry OBJECT-TYPE

SYNTAX SipCommonTransCurrentEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Information on a particular SIP entity's current transactions.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex }

```
::= { sipCommonTransCurrentTable 1 }
```

SipCommonTransCurrentEntry ::= SEQUENCE {

sipCommonTransCurrentactions Gauge32

}

sipCommonTransCurrentactions OBJECT-TYPE

SYNTAX Gauge32 (0..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the number of transactions awaiting definitive (non-1xx) response. In the case of a forked request, each branch counts as a single transaction corresponding to the entity identified by applIndex."

```
::= { sipCommonTransCurrentEntry 1 }
```

--

-- SIP Retry Statistics

--

-- This group contains various statistics objects about

-- retransmission counts.

--

sipCommonStatsRetryTable

OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonStatsRetryEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains retry statistics objects applicable to each SIP entity in this system."

::= { sipCommonStatsRetry 1 }

sipCommonStatsRetryEntry OBJECT-TYPE

SYNTAX SipCommonStatsRetryEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row of retry statistics.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonStatsRetryMethod }

::= { sipCommonStatsRetryTable 1 }

SipCommonStatsRetryEntry ::= SEQUENCE {

sipCommonStatsRetryMethod SipTCMethodName,

sipCommonStatsRetries

Counter32,

sipCommonStatsRetryFinalResponses Counter32,

sipCommonStatsRetryNonFinalResponses Counter32,

sipCommonStatsRetryDisconTime TimeStamp

}

sipCommonStatsRetryMethod OBJECT-TYPE

SYNTAX SipTCMethodName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies the SIP method related to the objects in a row."

::= { sipCommonStatsRetryEntry 1 }

sipCommonStatsRetries OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of request retransmissions that have been sent by the SIP entity. Note that there could be multiple retransmissions per request."

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring

the sipCommonStatsRetryDisconTime object in the same row."

::= { sipCommonStatsRetryEntry 2 }

sipCommonStatsRetryFinalResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of Final Response retries that have been sent by the SIP entity. Note that there could be multiple retransmissions per request.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by

monitoring the sipCommonStatsRetryDisconTime object in the same row."

::= { sipCommonStatsRetryEntry 3 }

sipCommonStatsRetryNonFinalResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of non-Final Response retries that have been sent by the SIP entity.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonStatsRetryDisconTime object in the same row."

::= { sipCommonStatsRetryEntry 4 }

sipCommonStatsRetryDisconTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of the sysUpTime object when the counters for the retry statistics objects in this row last experienced a discontinuity."

::= { sipCommonStatsRetryEntry 5 }

--

-- Other Common Statistics

--

sipCommonOtherStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonOtherStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains other common statistics supported by each SIP entity in this system."

::= {

sipCommonOtherStats 1 }

sipCommonOtherStatsEntry OBJECT-TYPE

SYNTAX SipCommonOtherStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Information on a particular SIP entity's other common statistics.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex }

::= { sipCommonOtherStatsTable 1 }

SipCommonOtherStatsEntry ::= SEQUENCE {

sipCommonOtherStatsNumUnsupportedUris Counter32,

sipCommonOtherStatsNumUnsupportedMethods Counter32,

sipCommonOtherStatsOtherwiseDiscardedMsgs Counter32,

sipCommonOtherStatsDisconTime TimeStamp

}

sipCommonOtherStatsNumUnsupportedUris OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"Number of RequestURIs received with an unsupported scheme. A server normally responds to such requests with a 400 Bad Request status code.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonOtherStatsDisconTime object in the same row."

::= { sipCommonOtherStatsEntry 1 }

sipCommonOtherStatsNumUnsupportedMethods OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of SIP requests received with unsupported methods. A server normally responds to such requests with a 501 (Not Implemented) or 405 (Method Not Allowed).

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonOtherStatsDisconTime object in the same row."

::= { sipCommonOtherStatsEntry 2 }

sipCommonOtherStatsOtherwiseDiscardedMsgs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of SIP messages received that, for any number of reasons, was discarded without a response.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonOtherStatsDisconTime object in the same row."

::= { sipCommonOtherStatsEntry 3 }

sipCommonOtherStatsDisconTime OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The value of the sysUpTime object when the counters for the
statistics objects in this row last
experienced a
discontinuity."
 ::= { sipCommonOtherStatsEntry 4 }

--
-- Notification related objects
--
--
-- Status code related notification objects.
--

sipCommonStatusCodeNotifTo OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"This object contains the value of the To header in the message
containing the status code that caused the notification. The
header name will be part of this object value. For example,
'To: Watson !.'
 ::= { sipCommonNotifObjects 1 }

sipCommonStatusCodeNotifFrom OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"This object contains the value of the From header in the
message containing the status code that caused the

notification. The header name will be part of this object
value. For example, 'From: Watson !.'
 ::= { sipCommonNotifObjects
2 }

sipCommonStatusCodeNotifCallId OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS accessible-for-notify
STATUS current

DESCRIPTION

"This object contains the value of the Call-ID in the message containing the status code that caused the notification. The header name will be part of this object value. For example, 'Call-ID: 5551212@example.com'."

::= { sipCommonNotifObjects 3 }

sipCommonStatusCodeNotifCSeq OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"This object contains the CSeq value in the message containing the status code that caused the notification. The header name will be part of this object value. For example, 'CSeq: 1722 INVITE'."

::= { sipCommonNotifObjects 4 }

--

-- General notification related objects.

--

sipCommonNotifAppIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"This object contains the applIndex as described in RFC 2788. This object is created in order to allow a variable binding containing a value of applIndex in a notification."

::= { sipCommonNotifObjects 5 }

sipCommonNotifSequenceNumber OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"This object contains a sequence number for each notification generated by this SIP entity. Each notification SHOULD have a unique sequence number. A network manager can use this information to determine whether notifications from a

particular SIP entity have been missed. The value of this object MUST start at 1 and increase by 1 with each generated notification. If a system restarts, the sequence number MAY start again from 1."

```

 ::= { sipCommonNotifObjects
6 }

--
-- Notifications
--
sipCommonStatusCodeNotif NOTIFICATION-TYPE
OBJECTS {
    sipCommonNotifSequenceNumber,
    sipCommonNotifApplIndex,
    sipCommonStatusCodeNotifTo,
    sipCommonStatusCodeNotifFrom,
    sipCommonStatusCodeNotifCallId,
    sipCommonStatusCodeNotifCSeq,
    sipCommonStatusCodeIns,
    sipCommonStatusCodeOuts
}
STATUS    current
DESCRIPTION
    "Signifies that a specific status code has been sent or received
    by the system."
 ::= { sipCommonMIBNotifications 1 }

sipCommonStatusCodeThreshExceededInNotif NOTIFICATION-TYPE
OBJECTS {
    sipCommonNotifSequenceNumber,
    sipCommonNotifApplIndex,
    sipCommonStatusCodeIns
}
STATUS    current
DESCRIPTION
    "Signifies that a specific status code was found to have been
    received by the system frequently enough to exceed the
    configured threshold. This notification can be used as
    an early warning mechanism
in lieu of using
    sipCommonStatusCodeNotif."
 ::= { sipCommonMIBNotifications 2 }

sipCommonStatusCodeThreshExceededOutNotif NOTIFICATION-TYPE
OBJECTS {
    sipCommonNotifSequenceNumber,
    sipCommonNotifApplIndex,
    sipCommonStatusCodeOuts
}
STATUS    current

```

DESCRIPTION

"Signifies that a specific status code was found to have been sent by the system enough to exceed the configured threshold. This notification can be used as an early warning mechanism in lieu of using sipCommonStatusCodeNotif."

::= { sipCommonMIBNotifications 3 }

sipCommonServiceColdStart NOTIFICATION-TYPE

OBJECTS {

sipCommonNotifSequenceNumber,
sipCommonNotifApplIndex,
sipCommonCfgServiceStartTime

}

STATUS current

DESCRIPTION

"Signifies that the SIP service has reinitialized itself or started for the first time. This SHOULD result from a hard 'down' to 'up' administrative status change. The configuration or behavior of the service MAY be altered."

::= { sipCommonMIBNotifications 4 }

sipCommonServiceWarmStart NOTIFICATION-TYPE

OBJECTS {

sipCommonNotifSequenceNumber,
sipCommonNotifApplIndex,
sipCommonCfgServiceLastChange

}

STATUS current

DESCRIPTION

"Signifies that the SIP service has reinitialized itself and is restarting after an administrative 'reset'. The configuration or behavior of the service MAY be altered."

::= { sipCommonMIBNotifications 5 }

sipCommonServiceStatusChanged NOTIFICATION-TYPE

OBJECTS {

sipCommonNotifSequenceNumber,
sipCommonNotifApplIndex,
sipCommonCfgServiceLastChange,
sipCommonCfgServiceOperStatus

}

STATUS current

DESCRIPTION

"Signifies that the SIP service operational status has changed."

::= { sipCommonMIBNotifications 6 }

```

--
-- Conformance

--
sipCommonMIBCompliances
  OBJECT IDENTIFIER
  ::= { sipCommonMIBConformance 1 }
sipCommonMIBGroups
  OBJECT IDENTIFIER ::= { sipCommonMIBConformance 2 }

--
-- Compliance Statements
--
sipCommonCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for SIP entities."

  MODULE -- this module
    MANDATORY-GROUPS { sipCommonConfigGroup,
                        sipCommonStatsGroup
                      }

  OBJECT sipCommonStatusCodeRowStatus
  SYNTAX RowStatus { active(1) }
  WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
  DESCRIPTION
    "Support for createAndWait and notInService is not required."

  OBJECT sipCommonCfgServiceNotifEnable
  MIN-ACCESS not-accessible
  DESCRIPTION
    "This object is optional and does not need to be supported."

  GROUP sipCommonInformationalGroup
  DESCRIPTION
    "This group is OPTIONAL. A SIP entity can elect to not provide
    any support for these objects, as they
provide optional
    information."

  GROUP sipCommonConfigTimerGroup
  DESCRIPTION
    "This group is OPTIONAL. A SIP entity can elect to not provide
    any timer configuration."

```

GROUP sipCommonStatsRetryGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any retry statistics."

GROUP sipCommonNotifGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any notifications. If implemented, the sipCommonStatusCodeNotifGroup and sipCommonNotifObjectsGroup MUST also be implemented."

GROUP sipCommonStatusCodeNotifGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any notifications. If implemented, the sipCommonNotifGroup and sipCommonNotifObjectsGroup MUST also be implemented."

GROUP sipCommonNotifObjectsGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any notifications. If implemented, the sipCommonStatusCodeNotifGroup and sipCommonNotifGroup MUST also be implemented."

::= { sipCommonMIBCompliances 1 }

--

-- Units of Conformance

--

sipCommonConfigGroup OBJECT-GROUP

OBJECTS {

 sipCommonCfgProtocolVersion,
 sipCommonCfgServiceOperStatus,
 sipCommonCfgServiceStartTime,
 sipCommonCfgServiceLastChange,
 sipCommonPortTransportRcv,
 sipCommonOptionTag,
 sipCommonOptionTagHeaderField,
 sipCommonCfgMaxTransactions,
 sipCommonCfgServiceNotifEnable,
 sipCommonCfgEntityType,
 sipCommonMethodSupportedName

}

STATUS current

DESCRIPTION

"A collection of objects providing configuration common to all SIP entities."

::= { sipCommonMIBGroups 1 }

sipCommonInformationalGroup OBJECT-GROUP

OBJECTS {

 sipCommonCfgOrganization

}

STATUS current

DESCRIPTION

"A collection of objects providing configuration common to all SIP entities."

::= { sipCommonMIBGroups 2 }

sipCommonConfigTimerGroup OBJECT-GROUP

OBJECTS {

 sipCommonCfgTimerA,

 sipCommonCfgTimerB,

 sipCommonCfgTimerC,

 sipCommonCfgTimerD,

 sipCommonCfgTimerE,

 sipCommonCfgTimerF,

 sipCommonCfgTimerG,

 sipCommonCfgTimerH,

 sipCommonCfgTimerI,

 sipCommonCfgTimerJ,

 sipCommonCfgTimerK,

 sipCommonCfgTimerT1,

 sipCommonCfgTimerT2,

 sipCommonCfgTimerT4

}

STATUS current

DESCRIPTION

"A collection of objects providing timer configuration common to all SIP entities."

::= { sipCommonMIBGroups 3 }

sipCommonStatsGroup OBJECT-GROUP

OBJECTS {

 sipCommonSummaryInRequests,

 sipCommonSummaryOutRequests,

}


```
    sipCommonSummaryInResponses,  
    sipCommonSummaryOutResponses,  
    sipCommonSummaryTotalTransactions,  
    sipCommonSummaryDisconTime,  
    sipCommonMethodStatsOutbounds,  
    sipCommonMethodStatsInbounds,  
    sipCommonMethodStatsDisconTime,  
    sipCommonStatusCodeIns,  
    sipCommonStatusCodeOuts,  
    sipCommonStatusCodeRowStatus,  
    sipCommonStatusCodeDisconTime,  
    sipCommonTransCurrentactions,  
    sipCommonOtherStatsNumUnsupportedUris,  
    sipCommonOtherStatsNumUnsupportedMethods,  
    sipCommonOtherStatsOtherwiseDiscardedMsgs,  
    sipCommonOtherStatsDisconTime
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A collection of objects providing statistics common to all SIP  
entities."
```

```
::= { sipCommonMIBGroups 4 }
```

```
sipCommonStatsRetryGroup OBJECT-GROUP
```

```
OBJECTS {
```

```
    sipCommonStatsRetries,  
    sipCommonStatsRetryFinalResponses,  
    sipCommonStatsRetryNonFinalResponses,  
    sipCommonStatsRetryDisconTime
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A collection of objects providing retry statistics."
```

```
::= { sipCommonMIBGroups 5 }
```

```
sipCommonNotifGroup NOTIFICATION-GROUP
```

```
NOTIFICATIONS {
```

```
    sipCommonStatusCodeNotif,  
    sipCommonStatusCodeThreshExceededInNotif,  
    sipCommonStatusCodeThreshExceededOutNotif,  
    sipCommonServiceColdStart,  
    sipCommonServiceWarmStart,  
    sipCommonServiceStatusChanged
```

```
}
```

STATUS current
DESCRIPTION
"A collection of notifications common to all SIP entities."
::= { sipCommonMIBGroups 6 }

sipCommonStatusCodeNotifGroup OBJECT-GROUP

OBJECTS {
 sipCommonStatusCodeNotifSend,
 sipCommonStatusCodeNotifEmitMode,
 sipCommonStatusCodeNotifThresh,
 sipCommonStatusCodeNotifInterval
}

STATUS current
DESCRIPTION
"A collection of
objects related to the control and attribution
of notifications common to all SIP entities."
::= { sipCommonMIBGroups 7 }

sipCommonNotifObjectsGroup OBJECT-GROUP

OBJECTS {
 sipCommonStatusCodeNotifTo,
 sipCommonStatusCodeNotifFrom,
 sipCommonStatusCodeNotifCallId,
 sipCommonStatusCodeNotifCSeq,
 sipCommonNotifAppIndex,
 sipCommonNotifSequenceNumber
}
STATUS current
DESCRIPTION
"A collection of accessible-for-notify objects related to the
notification defined in this MIB module."
::= { sipCommonMIBGroups 8 }

END

Found in path(s):

* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SIP-COMMON-MIB

No license file was found, but licenses were detected in source scan.

DIFFSERV-MIB DEFINITIONS ::= BEGIN

IMPORTS
 Unsigned32, Counter64, MODULE-IDENTITY, OBJECT-TYPE,

OBJECT-IDENTITY, zeroDotZero, mib-2
FROM SNMPv2-SMI
TEXTUAL-CONVENTION, RowStatus, RowPointer,
StorageType, AutonomousType
FROM SNMPv2-TC
MODULE-COMPLIANCE, OBJECT-GROUP
FROM SNMPv2-CONF
ifIndex, InterfaceIndexOrZero
FROM IF-MIB
InetAddressType, InetAddress, InetAddressPrefixLength,
InetPortNumber
FROM INET-ADDRESS-MIB
BurstSize
FROM INTEGRATED-SERVICES-MIB
Dscp, DscpOrAny
FROM DIFFSERV-DSCP-TC;

diffServMib MODULE-IDENTITY
LAST-UPDATED "200202070000Z"
ORGANIZATION "IETF Differentiated Services WG"
CONTACT-INFO

" Fred Baker
Cisco Systems
1121 Via Del Rey
Santa Barbara, CA 93117, USA
E-mail: fred@cisco.com

Kwok Ho Chan

Nortel Networks
600 Technology Park Drive
Billerica, MA 01821, USA
E-mail: khchan@nortelnetworks.com

Andrew Smith
Harbour Networks
Jiuling Building

21 North Xisanhuan Ave.
Beijing, 100089, PRC
E-mail: ah_smith@acm.org

Differentiated Services Working Group:
diffserv@ietf.org"

DESCRIPTION

"This MIB defines the objects necessary to manage a device that
uses the Differentiated Services Architecture described in RFC

2475. The Conceptual Model of a Differentiated Services Router provides supporting information on how such a router is modeled."

REVISION "200202070000Z"

DESCRIPTION

"Initial version, published as RFC 3289."

::= { mib-2 97 }

diffServMIBObjects OBJECT IDENTIFIER ::= { diffServMib 1 }

diffServMIBConformance OBJECT IDENTIFIER ::= { diffServMib 2 }

diffServMIBAdmin

OBJECT IDENTIFIER ::= { diffServMib 3 }

IndexInteger ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d"

STATUS current

DESCRIPTION

"An integer which may be used as a table index."

SYNTAX Unsigned32 (1..4294967295)

IndexIntegerNextFree ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d"

STATUS current

DESCRIPTION

"An integer which may be used as a new Index in a table.

The special value of 0 indicates that no more new entries can be created in the relevant table.

When a MIB is used for configuration, an object with this SYNTAX always contains a legal value (if non-zero) for an index that is not currently used in the relevant table. The Command Generator (Network Management Application) reads this variable and uses the (non-zero) value read when creating a new row with an SNMP SET. When the SET is performed, the Command Responder (agent) must determine whether the value is indeed

still unused; Two Network

Management Applications may attempt to create a row (configuration entry) simultaneously and use the same value. If it is currently unused, the SET succeeds and the Command Responder (agent) changes the value of this object, according to an implementation-specific algorithm. If the value is in use,

however, the SET fails. The Network Management Application must then re-read this variable to obtain a new usable value.

An OBJECT-TYPE definition using this SYNTAX MUST specify the

relevant table for which the object is providing this
functionality."

SYNTAX Unsigned32 (0..4294967295)

IfDirection ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"IfDirection specifies a direction of data travel on an
interface. 'inbound' traffic is operated on during reception from
the interface, while 'outbound' traffic is operated on prior to
transmission on
the interface."

SYNTAX INTEGER {

inbound(1), -- ingress interface

outbound(2) -- egress interface

}

--

-- Data Path

--

diffServDataPath OBJECT IDENTIFIER ::= { diffServMIBObjects 1 }

--

-- Data Path Table

--

-- The Data Path Table enumerates the Differentiated Services
-- Functional Data Paths within this device. Each entry in this table
-- is indexed by ifIndex and ifDirection. Each entry provides the
-- first Differentiated Services Functional Data Path Element to
-- process data flowing along specific data path. This table should
-- have at most two entries for each interface capable of
-- Differentiated Services processing on this device: ingress and
-- egress.

-- Note that Differentiated Services Functional Data Path Elements
-- linked together using their individual next pointers and anchored by
-- an entry of the diffServDataPathTable constitute a functional data
-- path.

--

diffServDataPathTable OBJECT-TYPE

SYNTAX

SEQUENCE OF DiffServDataPathEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The data path table contains RowPointers indicating the start of the functional data path for each interface and traffic direction in this device. These may merge, or be separated into parallel data paths."

::= { diffServDataPath 1 }

diffServDataPathEntry OBJECT-TYPE

SYNTAX DiffServDataPathEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the data path table indicates the start of a single Differentiated Services Functional Data Path in this device.

These are associated with individual interfaces, logical or physical, and therefore are instantiated by ifIndex. Therefore, the interface index must have been assigned, according to the procedures applicable to that, before it can be meaningfully used. Generally, this means that the interface must exist.

When diffServDataPathStorage is of type nonVolatile, however, this may reflect the configuration for an interface whose ifIndex has been assigned but for which the supporting implementation is not currently present."

INDEX { ifIndex, diffServDataPathIfDirection }

::= { diffServDataPathTable 1 }

```
DiffServDataPathEntry ::= SEQUENCE {  
    diffServDataPathIfDirection IfDirection,  
    diffServDataPathStart      RowPointer,  
    diffServDataPathStorage    StorageType,  
    diffServDataPathStatus     RowStatus  
}
```

diffServDataPathIfDirection OBJECT-TYPE

SYNTAX IfDirection

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"IfDirection specifies whether the reception or transmission path for this interface is in view."

::= { diffServDataPathEntry 1 }

diffServDataPathStart OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create
STATUS current

DESCRIPTION

"This selects the first Differentiated Services Functional Data Path Element to handle traffic for this data path. This RowPointer should point to an instance of one of:

diffServClfrEntry
diffServMeterEntry
diffServActionEntry
diffServAlgDropEntry
diffServQEntry

A value of zeroDotZero in this attribute indicates that no Differentiated Services treatment is performed on traffic of this data path. A pointer with the value zeroDotZero normally terminates a functional data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServDataPathEntry 2 }

diffServDataPathStorage OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServDataPathEntry 3 }

diffServDataPathStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time."

::= { diffServDataPathEntry 4 }

--

-- Classifiers

--

diffServClassifier OBJECT IDENTIFIER ::= { diffServMIBObjects 2 }

--

-- Classifier Table
--
-- The Classifier Table allows multiple classifier elements, of same or
-- different types, to be used together. A classifier must completely
-- classify all packets presented to it. This means that all traffic
-- presented to a classifier must match at least one classifier element
-- within the classifier, with the classifier element parameters
--
-- specified by a filter.

-- If there is ambiguity between classifier elements of different
-- classifier, classifier linkage order indicates their precedence; the
-- first classifier in the link is applied to the traffic first.

-- Entries in the classifier element table serves as the anchor for
-- each classification pattern, defined in filter table entries. Each
-- classifier element table entry also specifies the subsequent
-- downstream Differentiated Services Functional Data Path Element when
-- the classification pattern is satisfied. Each entry in the
-- classifier element table describes one branch of the fan-out
-- characteristic of a classifier indicated in the Informal
-- Differentiated Services Model section 4.1. A classifier is composed
-- of one or more classifier elements.

diffServClfrNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServClfrId,

or a

zero to indicate that none exist."

::= { diffServClassifier 1 }

diffServClfrTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServClfrEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table enumerates all the diffserv classifier functional

data path elements of this device. The actual classification definitions are defined in diffServClfrElementTable entries belonging to each classifier.

An entry in this table, pointed to by a RowPointer specifying an instance of diffServClfrStatus, is frequently used as the name for a set of classifier elements, which all use the index diffServClfrId. Per the semantics of the classifier element table, these entries constitute one or more unordered sets of tests which may be simultaneously applied to a message to

classify it.

The primary function of this table is to ensure that the value of diffServClfrId is unique before attempting to use it in creating a diffServClfrElementEntry. Therefore, the diffServClfrEntry must be created on the same SET as the diffServClfrElementEntry, or before the diffServClfrElementEntry is created."

::= { diffServClassifier 2 }

diffServClfrEntry OBJECT-TYPE

SYNTAX DiffServClfrEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the classifier table describes a single classifier.

All classifier elements belonging to the same classifier use the classifier's diffServClfrId as part of their index."

INDEX { diffServClfrId }

::= { diffServClfrTable 1 }

```
DiffServClfrEntry ::= SEQUENCE {
    diffServClfrId      IndexInteger,
    diffServClfrStorage StorageType,
    diffServClfrStatus RowStatus
}
```

diffServClfrId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the classifier entries. Managers should obtain new values for row creation in this table by

```
    reading diffServClfrNextFree."  
 ::= { diffServClfrEntry 1 }
```

diffServClfrStorage OBJECT-TYPE

```
SYNTAX    StorageType  
MAX-ACCESS read-create  
STATUS    current  
DESCRIPTION  
    "The storage type for this conceptual row. Conceptual rows  
    having the value 'permanent' need not allow write-access to any  
    columnar objects in the row."  
DEFVAL { nonVolatile }  
 ::= { diffServClfrEntry 2 }
```

diffServClfrStatus OBJECT-TYPE

```
SYNTAX    RowStatus  
MAX-ACCESS read-create  
STATUS    current  
DESCRIPTION  
    "The status of this conceptual row. All writable objects in this  
    row may be modified at any time. Setting this variable to  
    'destroy' when the MIB contains one or more RowPointers pointing  
    to it results in destruction being delayed until the row is no  
    longer used."  
 ::= { diffServClfrEntry 3 }
```

```
--  
-- Classifier Element Table  
--
```

diffServClfrElementNextFree OBJECT-TYPE

```
SYNTAX    IndexIntegerNextFree  
MAX-ACCESS read-only  
STATUS    current  
DESCRIPTION  
    "This object contains an unused value for diffServClfrElementId,  
    or a zero to indicate that none exist."  
 ::= { diffServClassifier 3 }
```

diffServClfrElementTable OBJECT-TYPE

```
SYNTAX    SEQUENCE OF DiffServClfrElementEntry  
MAX-ACCESS not-accessible  
STATUS    current  
DESCRIPTION  
    "The classifier element table enumerates the relationship between  
    classification patterns and subsequent downstream Differentiated
```

Services Functional Data Path elements.

diffServClfrElementSpecific points to a filter that specifies the classification parameters. A classifier may use filter tables of different types together.

One example of a filter table defined in this MIB is

diffServMultiFieldClfrTable, for

IP Multi-Field Classifiers

(MFCs). Such an entry might identify anything from a single micro-flow (an identifiable sub-session packet stream directed from one sending transport to the receiving transport or transports), or aggregates of those such as the traffic from a host, traffic for an application, or traffic between two hosts using an application and a given DSCP. The standard Behavior Aggregate used in the Differentiated Services Architecture is encoded as a degenerate case of such an aggregate - the traffic using a particular DSCP value.

Filter tables for other filter types may be defined elsewhere."

```
::= { diffServClassifier 4 }
```

diffServClfrElementEntry OBJECT-TYPE

SYNTAX DiffServClfrElementEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the classifier element table describes a single element of the classifier."

INDEX { diffServClfrId,

diffServClfrElementId }

```
::= { diffServClfrElementTable 1 }
```

DiffServClfrElementEntry ::= SEQUENCE {

diffServClfrElementId IndexInteger,

diffServClfrElementPrecedence Unsigned32,

diffServClfrElementNext RowPointer,

diffServClfrElementSpecific RowPointer,

diffServClfrElementStorage StorageType,

diffServClfrElementStatus RowStatus

}

diffServClfrElementId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Classifier Element entries.
Managers obtain new values for row creation in this table by
reading diffServClfrElementNextFree."

::= { diffServClfrElementEntry 1 }

diffServClfrElementPrecedence OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The relative order in which classifier elements are applied:
higher numbers

represent classifier element with higher

precedence. Classifier elements with the same order must be
unambiguous i.e. they must define non-overlapping patterns, and
are considered to be applied simultaneously to the traffic
stream. Classifier elements with different order may overlap in
their filters: the classifier element with the highest order
that matches is taken.

On a given interface, there must be a complete classifier in
place at all times in the ingress direction. This means one or
more filters must match any possible pattern. There is no such

requirement in the egress direction."

::= { diffServClfrElementEntry 2 }

diffServClfrElementNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This attribute provides one branch of the fan-out functionality
of a classifier described in the Informal Differentiated Services

Model section 4.1.

This selects the next Differentiated Services Functional Data
Path Element to handle traffic for this data path. This
RowPointer should point to an instance of one of:

diffServClfrEntry

diffServMeterEntry

diffServActionEntry

diffServAlgDropEntry

diffServQEntry

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServClfrElementEntry 3 }

diffServClfrElementSpecific OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A pointer to a valid entry in another table, filter table, that describes the applicable classification parameters, e.g. an entry in diffServMultiFieldClfrTable.

The value zeroDotZero is interpreted to match anything not matched by another classifier element - only one such entry may exist for each classifier.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or

becomes inactive by other means, the element is ignored."

::= { diffServClfrElementEntry 4 }

diffServClfrElementStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL

{ nonVolatile }

::= { diffServClfrElementEntry 5 }

diffServClfrElementStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."
 ::= { diffServClfrElementEntry 6 }

--
-- IP Multi-field Classification Table
--
-- Classification based on six different fields in the IP header.
-- Functional Data Paths may share definitions by using the same entry.
--

diffServMultiFieldClfrNextFree OBJECT-TYPE
SYNTAX IndexIntegerNextFree
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This object contains an unused value for diffServMultiFieldClfrId, or a zero to indicate that none exist."
 ::= { diffServClassifier 5 }

diffServMultiFieldClfrTable OBJECT-TYPE
SYNTAX SEQUENCE OF DiffServMultiFieldClfrEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"A table of IP Multi-field Classifier filter entries that a

system may use to identify IP traffic."
 ::= { diffServClassifier 6 }

diffServMultiFieldClfrEntry OBJECT-TYPE
SYNTAX DiffServMultiFieldClfrEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"An IP Multi-field Classifier entry describes a single filter."
INDEX { diffServMultiFieldClfrId }
 ::= { diffServMultiFieldClfrTable 1 }

```

DiffServMultiFieldClfrEntry ::= SEQUENCE {
    diffServMultiFieldClfrId      IndexInteger,
    diffServMultiFieldClfrAddrType  InetAddressType,
    diffServMultiFieldClfrDstAddr   InetAddress,
    diffServMultiFieldClfrDstPrefixLength  InetAddressPrefixLength,
    diffServMultiFieldClfrSrcAddr   InetAddress,
    diffServMultiFieldClfrSrcPrefixLength
InetAddressPrefixLength,
    diffServMultiFieldClfrDscp      DscpOrAny,
    diffServMultiFieldClfrFlowId    Unsigned32,
    diffServMultiFieldClfrProtocol  Unsigned32,
    diffServMultiFieldClfrDstL4PortMin  InetPortNumber,
    diffServMultiFieldClfrDstL4PortMax  InetPortNumber,
    diffServMultiFieldClfrSrcL4PortMin  InetPortNumber,
    diffServMultiFieldClfrSrcL4PortMax  InetPortNumber,
    diffServMultiFieldClfrStorage     StorageType,
    diffServMultiFieldClfrStatus      RowStatus
}

```

diffServMultiFieldClfrId OBJECT-TYPE

```

SYNTAX      IndexInteger
MAX-ACCESS  not-accessible
STATUS      current
DESCRIPTION

```

"An index that enumerates the MultiField Classifier filter entries. Managers obtain new values for row creation in this table by reading diffServMultiFieldClfrNextFree."

```
 ::= { diffServMultiFieldClfrEntry 1 }
```

diffServMultiFieldClfrAddrType OBJECT-TYPE

```

SYNTAX      InetAddressType
MAX-ACCESS  read-create

```

```

STATUS      current

```

DESCRIPTION

"The type of IP address used by this classifier entry. While other types of addresses are defined in the InetAddressType

textual convention, and DNS names, a classifier can only look at packets on the wire. Therefore, this object is limited to IPv4 and IPv6 addresses."

```
 ::= { diffServMultiFieldClfrEntry 2 }
```

diffServMultiFieldClfrDstAddr OBJECT-TYPE

```

SYNTAX      InetAddress

```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The IP address to match against the packet's destination IP address. This may not be a DNS name, but may be an IPv4 or IPv6 prefix. diffServMultiFieldClfrDstPrefixLength indicates the number of bits that are relevant."

::= { diffServMultiFieldClfrEntry 3 }

diffServMultiFieldClfrDstPrefixLength OBJECT-TYPE

SYNTAX InetAddressPrefixLength

UNITS "bits"

MAX-ACCESS read-create

STATUS

current

DESCRIPTION

"The length of the CIDR Prefix carried in diffServMultiFieldClfrDstAddr. In IPv4 addresses, a length of 0 indicates a match of any address; a length of 32 indicates a match of a single host address, and a length between 0 and 32 indicates the use of a CIDR Prefix. IPv6 is similar, except that prefix lengths range from 0..128."

DEFVAL { 0 }

::= { diffServMultiFieldClfrEntry 4 }

diffServMultiFieldClfrSrcAddr OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The IP address to match against the packet's source IP address. This may not be a DNS name, but may be an IPv4 or IPv6 prefix. diffServMultiFieldClfrSrcPrefixLength indicates the number of bits that are relevant."

::= { diffServMultiFieldClfrEntry 5 }

diffServMultiFieldClfrSrcPrefixLength OBJECT-TYPE

SYNTAX InetAddressPrefixLength

UNITS

"bits"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The length of the CIDR Prefix carried in diffServMultiFieldClfrSrcAddr. In IPv4 addresses, a length of 0

indicates a match of any address; a length of 32 indicates a match of a single host address, and a length between 0 and 32 indicates the use of a CIDR Prefix. IPv6 is similar, except that prefix lengths range from 0..128."

DEFVAL { 0 }
::= { diffServMultiFieldClfrEntry 6 }

diffServMultiFieldClfrDscp OBJECT-TYPE

SYNTAX DscpOrAny
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The value that the DSCP in the packet must have to match this entry. A value of -1 indicates that a specific DSCP value has not been defined and thus all DSCP values are considered a match."

DEFVAL { -1 }
::= { diffServMultiFieldClfrEntry 7 }

diffServMultiFieldClfrFlowId OBJECT-TYPE

SYNTAX Unsigned32 (0..1048575)
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The flow identifier in an IPv6 header."

::= { diffServMultiFieldClfrEntry 8 }

diffServMultiFieldClfrProtocol OBJECT-TYPE

SYNTAX Unsigned32 (0..255)
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The IP protocol to match against the IPv4 protocol number or the IPv6 Next-Header number in the packet. A value of 255 means match all. Note the protocol number of 255 is reserved by IANA, and Next-Header number of 0 is used in IPv6."

DEFVAL { 255 }
::= { diffServMultiFieldClfrEntry 9 }

diffServMultiFieldClfrDstL4PortMin OBJECT-TYPE

SYNTAX InetPortNumber
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The minimum value that the layer-4 destination port number in the packet must have in order to match this classifier entry."

DEFVAL

{ 0 }

::= { diffServMultiFieldClfrEntry 10 }

diffServMultiFieldClfrDstL4PortMax OBJECT-TYPE

SYNTAX InetPortNumber

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum value that the layer-4 destination port number in the packet must have in order to match this classifier entry.

This value must be equal to or greater than the value specified for this entry in diffServMultiFieldClfrDstL4PortMin."

DEFVAL { 65535 }

::= { diffServMultiFieldClfrEntry 11 }

diffServMultiFieldClfrSrcL4PortMin OBJECT-TYPE

SYNTAX InetPortNumber

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The minimum value that the layer-4 source port number in the packet must have in order to match this classifier entry."

DEFVAL { 0 }

::= { diffServMultiFieldClfrEntry 12 }

diffServMultiFieldClfrSrcL4PortMax OBJECT-TYPE

SYNTAX InetPortNumber

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum value that the layer-4 source port number in the packet must have in order to match this classifier entry. This

value must be equal to or greater than the value specified for this entry in diffServMultiFieldClfrSrcL4PortMin."

DEFVAL { 65535 }

::= { diffServMultiFieldClfrEntry 13 }

diffServMultiFieldClfrStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

```
DEFVAL { nonVolatile }
 ::= { diffServMultiFieldClfrEntry 14 }
```

diffServMultiFieldClfrStatus OBJECT-TYPE

```
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
```

```
"The status of this conceptual row. All writable objects
in this
row may be modified at any time. Setting this variable to
'destroy' when the MIB contains one or more RowPointers pointing
to it results in destruction being delayed until the row is no
longer used."
```

```
 ::= { diffServMultiFieldClfrEntry 15 }
```

```
--
-- Meters
--
```

```
diffServMeter OBJECT IDENTIFIER ::= { diffServMIBObjects 3 }
```

```
--
-- This MIB supports a variety of Meters. It includes a specific
-- definition for Token Bucket Meter, which are but one type of
-- specification. Other metering parameter sets can be defined in other
-- MIBs.
--
-- Multiple meter elements may be logically cascaded using their
-- diffServMeterSucceedNext and diffServMeterFailNext pointers if
-- required. One example of this might be for an AF PHB implementation
-- that uses multiple level conformance meters.
--
-- Cascading of individual meter elements in the MIB is intended to be
-- functionally equivalent to multiple level conformance determination
-- of a packet.
-- The sequential nature of the representation is merely
-- a notational convenience for this MIB.
--
-- srTCM meters (RFC 2697) can be specified using two sets of
-- diffServMeterEntry and diffServTBParamEntry. The first set specifies
-- the Committed Information Rate and Committed Burst Size
-- token-bucket. The second set specifies the Excess Burst Size
-- token-bucket.
```

-- trTCM meters (RFC 2698) can be specified using two sets of
-- diffServMeterEntry and diffServTBParamEntry. The first set specifies
-- the Committed Information Rate and Committed Burst Size
-- token-bucket. The second set specifies the Peak Information Rate
-- and Peak Burst Size token-bucket.

-- tswTCM meters (RFC 2859) can be specified using two sets of
-- diffServMeterEntry and diffServTBParamEntry. The first set specifies
-- the Committed Target Rate token-bucket. The second set specifies

-- the Peak Target Rate token-bucket. diffServTBParamInterval in each
-- token bucket reflects the Average Interval.

--

diffServMeterNextFree

OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServMeterId, or a
zero to indicate that none exist."

::= { diffServMeter 1 }

diffServMeterTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMeterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table enumerates specific meters that a system may use to
police a stream of traffic. The traffic stream to be metered is
determined by the Differentiated Services Functional Data Path
Element(s) upstream of the meter i.e. by the object(s) that point
to each entry in this table. This may include all traffic on an
interface.

Specific meter details are to be found in table entry referenced
by diffServMeterSpecific."

::= { diffServMeter 2 }

diffServMeterEntry OBJECT-TYPE

SYNTAX DiffServMeterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the meter table describes a single conformance level

of a meter."

INDEX { diffServMeterId }

::= { diffServMeterTable 1 }

```
DiffServMeterEntry ::= SEQUENCE {  
    diffServMeterId      IndexInteger,  
    diffServMeterSucceedNext  RowPointer,  
    diffServMeterFailNext   RowPointer,  
    diffServMeterSpecific   RowPointer,  
    diffServMeterStorage    StorageType,  
    diffServMeterStatus     RowStatus  
}
```

diffServMeterId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Meter entries. Managers obtain new values for row creation in this table by reading diffServMeterNextFree."

::= { diffServMeterEntry 1 }

diffServMeterSucceedNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS

current

DESCRIPTION

"If the traffic does conform, this selects the next Differentiated Services Functional Data Path element to handle traffic for this data path. This RowPointer should point to an instance of one of:

diffServClfrEntry

diffServMeterEntry

diffServActionEntry

diffServAlgDropEntry

diffServQEntry

A value of zeroDotZero in this attribute indicates that no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in

an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
DEFVAL { zeroDotZero }  
::= { diffServMeterEntry  
2 }
```

diffServMeterFailNext OBJECT-TYPE

```
SYNTAX RowPointer  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"If the traffic does not conform, this selects the next Differentiated Services Functional Data Path element to handle traffic for this data path. This RowPointer should point to an instance of one of:
diffServClfrEntry
diffServMeterEntry

```
diffServActionEntry  
diffServAlgDropEntry  
diffServQEntry
```

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
DEFVAL { zeroDotZero }  
::= { diffServMeterEntry 3 }
```

diffServMeterSpecific OBJECT-TYPE

```
SYNTAX RowPointer  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"This indicates the behavior of the meter by pointing to an entry containing detailed parameters. Note that entries in that specific table must be managed explicitly.

For example, diffServMeterSpecific may point to an entry in diffServTBParamTable, which contains an instance of a single set

of Token Bucket parameters.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the meter always succeeds."

```
::= { diffServMeterEntry 4 }
```

diffServMeterStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The

storage type for this conceptual row. Conceptual rows

having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

```
::= { diffServMeterEntry 5 }
```

diffServMeterStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

```
::= { diffServMeterEntry 6 }
```

--

-- Token Bucket Parameter Table

--

diffServTBParam OBJECT IDENTIFIER ::= { diffServMIBObjects 4 }

-- Each entry in the Token Bucket Parameter Table parameterize a single

-- token bucket. Multiple token buckets can be used together to

-- parameterize multiple levels of conformance.

-- Note that

an entry in the Token Bucket Parameter Table can be shared

-- by multiple diffServMeterTable entries.

--

diffServTBParamNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServTBParamId, or a zero to indicate that none exist."

::= { diffServTBParam 1 }

diffServTBParamTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServTBParamEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table enumerates a single set of token bucket meter parameters that a system may use to police a stream of traffic. Such meters are modeled here as having a single rate and a single burst size. Multiple entries are used when multiple rates/burst sizes are needed."

::= { diffServTBParam 2 }

diffServTBParamEntry OBJECT-TYPE

SYNTAX DiffServTBParamEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"An entry that describes a single set of token bucket parameters."

INDEX { diffServTBParamId }

::= { diffServTBParamTable 1 }

DiffServTBParamEntry ::= SEQUENCE {

diffServTBParamId IndexInteger,
diffServTBParamType AutonomousType,
diffServTBParamRate Unsigned32,
diffServTBParamBurstSize BurstSize,
diffServTBParamInterval Unsigned32,
diffServTBParamStorage StorageType,
diffServTBParamStatus RowStatus

}

diffServTBParamId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Token Bucket Parameter entries.

Managers obtain new values for row creation in this table by reading diffServTBParamNextFree."

::= { diffServTBParamEntry 1 }

diffServTBParamType OBJECT-TYPE

SYNTAX AutonomousType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The Metering algorithm associated with the Token Bucket parameters. zeroDotZero indicates this is unknown.

Standard values for generic algorithms:

diffServTBParamSimpleTokenBucket, diffServTBParamAvgRate, diffServTBParamSrTCMBlind, diffServTBParamSrTCMAware, diffServTBParamTrTCMBlind, diffServTBParamTrTCMAware, and diffServTBParamTswTCM are specified in this MIB as OBJECT-IDENTITYs; additional values may be further specified in other MIBs."

::= { diffServTBParamEntry 2 }

diffServTBParamRate OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "kilobits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The token-bucket rate, in kilobits per second (kbps). This attribute is used for:

1. CIR in RFC 2697 for srTCM
2. CIR and PIR in RFC 2698 for trTCM
3. CTR and PTR in RFC 2859 for TSWTCM

4. AverageRate in RFC 3290."

::= { diffServTBParamEntry 3 }

diffServTBParamBurstSize OBJECT-TYPE

SYNTAX BurstSize

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of bytes in a single transmission burst. This attribute is used for:

1. CBS and EBS in RFC 2697 for srTCM
2. CBS and PBS in RFC 2698 for trTCM
3. Burst Size in RFC 3290."

::= { diffServTBParamEntry 4 }

diffServTBParamInterval OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "microseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The time interval used with the token bucket. For:

1. Average Rate Meter, the Informal Differentiated Services Model section 5.2.1, - Delta.
2. Simple Token Bucket Meter, the Informal Differentiated Services Model section 5.1, - time interval t.
3. RFC 2859 TSWTCM, - AVG_INTERVAL.
4. RFC 2697 srTCM, RFC 2698 trTCM, - token bucket update time interval."

::= { diffServTBParamEntry 5 }

diffServTBParamStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServTBParamEntry 6 }

diffServTBParamStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

```

 ::= { diffServTBParamEntry 7 }

--
-- OIDs for diffServTBParamType
definitions.
--

diffServTBMeters OBJECT IDENTIFIER ::= { diffServMIBAdmin 1 }

diffServTBParamSimpleTokenBucket OBJECT-IDENTITY
  STATUS      current
  DESCRIPTION
    "Two Parameter Token Bucket Meter as described in the Informal
    Differentiated Services Model section 5.2.3."
  ::= { diffServTBMeters 1 }

diffServTBParamAvgRate OBJECT-IDENTITY
  STATUS      current
  DESCRIPTION
    "Average Rate Meter as described in the Informal Differentiated
    Services Model section 5.2.1."
  ::= { diffServTBMeters 2 }

diffServTBParamSrTCMBlind OBJECT-IDENTITY
  STATUS      current
  DESCRIPTION
    "Single Rate Three Color Marker Metering as defined by RFC 2697,
    in the `Color Blind' mode as described by the RFC."
  REFERENCE
    "RFC 2697"
  ::= { diffServTBMeters 3 }

diffServTBParamSrTCMAware OBJECT-IDENTITY
  STATUS      current
  DESCRIPTION
    "Single Rate Three Color Marker Metering as defined by RFC 2697,
    in the
    `Color Aware' mode as described by the RFC."
  REFERENCE
    "RFC 2697"

  ::= { diffServTBMeters 4 }

diffServTBParamTrTCMBlind OBJECT-IDENTITY
  STATUS      current
  DESCRIPTION

```

"Two Rate Three Color Marker Metering as defined by RFC 2698, in the `Color Blind' mode as described by the RFC."

REFERENCE

"RFC 2698"

::= { diffServTBMeters 5 }

diffServTBParamTrTCMAware OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Two Rate Three Color Marker Metering as defined by RFC 2698, in the `Color Aware' mode as described by the RFC."

REFERENCE

"RFC 2698"

::= { diffServTBMeters 6 }

diffServTBParamTswTCM OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Time Sliding Window Three Color Marker Metering as defined by RFC 2859."

REFERENCE

"RFC 2859"

::= { diffServTBMeters 7 }

--

-- Actions

--

diffServAction OBJECT IDENTIFIER ::= { diffServMIBObjects 5 }

--

-- The Action

Table allows enumeration of the different types of

-- actions to be applied to a traffic flow.

--

diffServActionNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServActionId, or a zero to indicate that none exist."

::= { diffServAction 1 }

diffServActionTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServActionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Action Table enumerates actions that can be performed to a stream of traffic. Multiple actions can be concatenated. For example, traffic exiting from a meter may be counted, marked, and potentially dropped before entering a queue.

Specific actions are indicated by diffServActionSpecific which points to an entry of a specific action type parameterizing the action in detail."

```
::= { diffServAction
2 }
```

diffServActionEntry OBJECT-TYPE

SYNTAX DiffServActionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each entry in the action table allows description of one specific action to be applied to traffic."

INDEX { diffServActionId }

```
::= { diffServActionTable 1 }
```

DiffServActionEntry ::= SEQUENCE {

```
diffServActionId      IndexInteger,
diffServActionInterface InterfaceIndexOrZero,
diffServActionNext    RowPointer,
diffServActionSpecific RowPointer,
diffServActionStorage StorageType,
diffServActionStatus  RowStatus
```

}

diffServActionId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Action entries. Managers obtain new values for row creation in this table by reading diffServActionNextFree."

```
::= { diffServActionEntry 1 }
```

diffServActionInterface

OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The interface index (value of ifIndex) that this action occurs on. This may be derived from the diffServDataPathStartEntry's index by extension through the various RowPointers. However, as this may be difficult for a network management station, it is placed here as well. If this is indeterminate, the value is zero.

This is of especial relevance when reporting the counters which may apply to traffic crossing an interface:

diffServCountActOctets,
diffServCountActPkts,
diffServAlgDropOctets,
diffServAlgDropPkts,
diffServAlgRandomDropOctets, and
diffServAlgRandomDropPkts.

It is also especially relevant to the queue and scheduler which may be subsequently applied."

::= { diffServActionEntry 2 }

diffServActionNext

OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This selects the next Differentiated Services Functional Data Path Element to handle traffic for this data path. This RowPointer should point to an instance of one of:

diffServClfrEntry
diffServMeterEntry
diffServActionEntry
diffServAlgDropEntry
diffServQEntry

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this

attribute contains a value of zeroDotZero."

DEFVAL

{ zeroDotZero }

::= { diffServActionEntry 3 }

diffServActionSpecific OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A pointer to an object instance providing additional information for the type of action indicated by this action table entry.

For the standard actions defined by this MIB module, this should point to either a diffServDscpMarkActEntry or a diffServCountActEntry. For other actions, it may point to an object instance defined in some other MIB.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the Meter should be treated as if it were not present. This may lead to incorrect policy behavior."

::= { diffServActionEntry 4 }

diffServActionStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServActionEntry 5 }

diffServActionStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no

```

    longer used."
    ::= { diffServActionEntry 6 }

-- DSCP Mark Action Table
--
-- Rows of this table are pointed to by diffServActionSpecific to
-- provide detailed parameters specific to the DSCP Mark action.
--
-- A single entry in this table can be shared by multiple

-- diffServActionTable entries.
--

diffServDscpMarkActTable
OBJECT-TYPE
SYNTAX SEQUENCE OF DiffServDscpMarkActEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "This table enumerates specific DSCPs used for marking or
    remarking the DSCP field of IP packets. The entries of this table
    may be referenced by a diffServActionSpecific attribute."
    ::= { diffServAction 3 }

diffServDscpMarkActEntry OBJECT-TYPE
SYNTAX DiffServDscpMarkActEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "An entry in the DSCP mark action table that describes a single
    DSCP used for marking."
INDEX { diffServDscpMarkActDscp }
    ::= { diffServDscpMarkActTable 1 }

DiffServDscpMarkActEntry ::= SEQUENCE {
    diffServDscpMarkActDscp Dscp
}

diffServDscpMarkActDscp OBJECT-TYPE
SYNTAX Dscp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The DSCP that this Action will store into
    the DSCP field of the
    subject. It is quite possible that the only packets subject to

```


this Action are already marked with this DSCP. Note also that Differentiated Services processing may result in packet being marked on both ingress to a network and on egress from it, and that ingress and egress can occur in the same router."

```
::= { diffServDscpMarkActEntry 1 }
```

```
--
```

```
-- Count Action Table
```

```
--
```

```
-- Because the MIB structure allows multiple cascading  
-- diffServActionEntry be used to describe multiple actions for a data  
-- path, the counter became an optional action type. In normal  
-- implementation, either a data path has counters or it does not, as  
-- opposed to being configurable. The management entity may choose to
```

```
-- read the counter or not. Hence it is recommended for implementation  
-- that have counters to always configure the count action as the first  
-- of multiple actions.
```

```
--
```

```
diffServCountActNextFree OBJECT-TYPE
```

```
SYNTAX    IndexIntegerNextFree
```

```
MAX-ACCESS read-only
```

```
STATUS    current
```

```
DESCRIPTION
```

```
"This object contains an unused value for  
diffServCountActId, or a zero to indicate that none exist."
```

```
::= { diffServAction 4 }
```

```
diffServCountActTable OBJECT-TYPE
```

```
SYNTAX    SEQUENCE OF DiffServCountActEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS    current
```

```
DESCRIPTION
```

```
"This table contains counters for all the traffic passing through  
an action element."
```

```
::= { diffServAction 5 }
```

```
diffServCountActEntry OBJECT-TYPE
```

```
SYNTAX    DiffServCountActEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS    current
```

```
DESCRIPTION
```

```
"An entry in the count action table describes a single set of  
traffic counters."
```

```
INDEX { diffServCountActId }
```

```
::= { diffServCountActTable 1 }
```

```
DiffServCountActEntry ::= SEQUENCE {  
    diffServCountActId      IndexInteger,  
    diffServCountActOctets  Counter64,  
    diffServCountActPkts   Counter64,  
  
    diffServCountActStorage StorageType,  
    diffServCountActStatus  RowStatus  
}
```

diffServCountActId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Count Action entries. Managers obtain new values for row creation in this table by reading

diffServCountActNextFree."

```
::= { diffServCountActEntry 1 }
```

diffServCountActOctets OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets at the Action data path element.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

```
::= { diffServCountActEntry 2 }
```

diffServCountActPkts OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of packets at the Action data path element.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the

relevant interface."
::= { diffServCountActEntry 3 }

diffServCountActStorage OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }
::= { diffServCountActEntry 4 }

diffServCountActStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing

to it results in destruction being delayed until the row is no longer used."

::= { diffServCountActEntry 5 }

--

-- Algorithmic Drop Table

--

diffServAlgDrop OBJECT IDENTIFIER ::= { diffServMIBObjects 6 }

diffServAlgDropNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"This object contains an unused value for diffServAlgDropId, or a zero to indicate that none exist."

::= { diffServAlgDrop 1 }

diffServAlgDropTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServAlgDropEntry
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

"The algorithmic drop table contains entries describing an element that drops packets according to some algorithm."

::= { diffServAlgDrop 2 }

diffServAlgDropEntry OBJECT-TYPE

SYNTAX DiffServAlgDropEntry

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"An entry describes a process that drops packets according to some algorithm. Further details of the algorithm type are to be found in diffServAlgDropType and with more detail parameter entry pointed to by diffServAlgDropSpecific when necessary."

INDEX { diffServAlgDropId }

::= { diffServAlgDropTable 1 }

DiffServAlgDropEntry ::= SEQUENCE {

diffServAlgDropId IndexInteger,
diffServAlgDropType INTEGER,
diffServAlgDropNext RowPointer,
diffServAlgDropQMeasure RowPointer,
diffServAlgDropQThreshold Unsigned32,
diffServAlgDropSpecific RowPointer,
diffServAlgDropOctets Counter64,

diffServAlgDropPkts Counter64,
diffServAlgRandomDropOctets Counter64,
diffServAlgRandomDropPkts Counter64,
diffServAlgDropStorage StorageType,
diffServAlgDropStatus

RowStatus

}

diffServAlgDropId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Algorithmic Dropper entries. Managers obtain new values for row creation in this table by reading diffServAlgDropNextFree."

::= { diffServAlgDropEntry 1 }

diffServAlgDropType OBJECT-TYPE

```
SYNTAX    INTEGER {  
        other(1),  
        tailDrop(2),  
        headDrop(3),  
        randomDrop(4),  
        alwaysDrop(5)  
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The type of algorithm used by this dropper. The value other(1) requires further specification in some other MIB module.

In the tailDrop(2) algorithm, diffServAlgDropQThreshold represents the maximum depth of the queue, pointed to by diffServAlgDropQMeasure, beyond which all newly arriving packets

will be dropped.

In the headDrop(3) algorithm, if a packet arrives when the current depth of the queue, pointed to by diffServAlgDropQMeasure, is at diffServAlgDropQThreshold, packets currently at the head of the queue are dropped to make room for the new packet to be enqueued at the tail of the queue.

In the randomDrop(4) algorithm, on packet arrival, an Active Queue Management algorithm is executed which may randomly drop a packet. This algorithm may be proprietary, and it may drop either the arriving packet or another packet in the queue. diffServAlgDropSpecific points to a diffServRandomDropEntry that describes the algorithm. For this algorithm,

diffServAlgDropQThreshold is understood to be the absolute maximum size of the queue and additional parameters are described in diffServRandomDropTable.

The alwaysDrop(5) algorithm is as its name specifies; always drop. In this case, the other configuration values in this Entry are not meaningful; There is no useful 'next' processing step, there is no queue, and parameters describing the queue are not useful. Therefore, diffServAlgDropNext, diffServAlgDropMeasure, and diffServAlgDropSpecific are all zeroDotZero."
 ::= { diffServAlgDropEntry 2 }

diffServAlgDropNext OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This selects the next Differentiated Services Functional Data Path Element to handle traffic for this data path. This RowPointer should point to an instance of one of:
diffServClfrEntry
diffServMeterEntry
diffServActionEntry
diffServQEntry

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

When diffServAlgDropType is alwaysDrop(5), this object is ignored.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServAlgDropEntry 3 }

diffServAlgDropQMeasure OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"Points to an entry in the diffServQTable to indicate the queue that a drop algorithm is to monitor when deciding whether to drop a packet. If the row pointed to does not exist, the algorithmic dropper element is considered inactive.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServAlgDropEntry 4 }

diffServAlgDropQThreshold OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)
UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A threshold on the depth in bytes of the queue being measured at which a trigger is generated to the dropping algorithm, unless diffServAlgDropType is alwaysDrop(5) where this object is ignored.

For the tailDrop(2) or headDrop(3) algorithms, this represents the depth of the queue, pointed to by diffServAlgDropQMeasure, at which the drop action will take place. Other algorithms will need to define their own semantics for this threshold."

::= { diffServAlgDropEntry 5 }

diffServAlgDropSpecific OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Points to a table entry that provides further detail regarding a drop algorithm.

Entries with diffServAlgDropType equal to other(1) may have this point to a table defined in another MIB module.

Entries with diffServAlgDropType equal to randomDrop(4) must have this point to an entry in diffServRandomDropTable.

For all other algorithms specified in this MIB, this should take the value zeroDotZero.

The diffServAlgDropType is authoritative for the type of the drop algorithm and the specific parameters for the drop algorithm needs to be evaluated based on the diffServAlgDropType.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServAlgDropEntry 6 }

diffServAlgDropOctets OBJECT-TYPE

SYNTAX

Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets that have been deterministically dropped by this drop process.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 7 }

diffServAlgDropPkts OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets that have been deterministically dropped by this drop process.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 8 }

diffServAlgRandomDropOctets OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets that have been randomly dropped by this drop process. This counter applies, therefore, only to random droppers.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 9 }

diffServAlgRandomDropPkts OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets that have been randomly dropped by this drop process. This counter applies, therefore, only to random droppers.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime

on the

relevant interface."

::= { diffServAlgDropEntry 10 }

diffServAlgDropStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServAlgDropEntry 11 }

diffServAlgDropStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServAlgDropEntry 12 }

--

-- Random Drop Table

--

diffServRandomDropNextFree OBJECT-TYPE

SYNTAX

IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServRandomDropId,

or a zero to indicate that none exist."

::= { diffServAlgDrop 3 }

diffServRandomDropTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServRandomDropEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The random drop table contains entries describing a process that drops packets randomly. Entries in this table are pointed to by diffServAlgDropSpecific."

::= { diffServAlgDrop 4 }

diffServRandomDropEntry OBJECT-TYPE

SYNTAX DiffServRandomDropEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry describes a process that drops packets according to a random algorithm."

INDEX { diffServRandomDropId }

::= { diffServRandomDropTable 1 }

DiffServRandomDropEntry ::= SEQUENCE {

diffServRandomDropId

IndexInteger,

diffServRandomDropMinThreshBytes Unsigned32,

diffServRandomDropMinThreshPkts Unsigned32,

diffServRandomDropMaxThreshBytes Unsigned32,

diffServRandomDropMaxThreshPkts Unsigned32,

diffServRandomDropProbMax Unsigned32,

diffServRandomDropWeight Unsigned32,

diffServRandomDropSamplingRate Unsigned32,

diffServRandomDropStorage StorageType,

diffServRandomDropStatus RowStatus

}

diffServRandomDropId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Random Drop entries. Managers obtain new values for row creation in this table by reading diffServRandomDropNextFree."

::= { diffServRandomDropEntry 1 }

diffServRandomDropMinThreshBytes OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth in bytes, beyond which traffic has a non-zero probability of being dropped. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMinThreshPkts."

::= { diffServRandomDropEntry 2 }

diffServRandomDropMinThreshPkts OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "packets"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth in packets, beyond which traffic has a non-zero probability of being dropped. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMinThreshBytes."

::= { diffServRandomDropEntry 3 }

diffServRandomDropMaxThreshBytes OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth beyond which traffic has a probability indicated by diffServRandomDropProbMax of being dropped or marked. Note that this differs from the physical queue limit, which is stored in diffServAlgDropQThreshold. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMaxThreshPkts."

::= { diffServRandomDropEntry 4 }

diffServRandomDropMaxThreshPkts OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "packets"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth beyond which traffic has a probability indicated by diffServRandomDropProbMax of being dropped or marked. Note that this differs from the physical queue limit, which is stored in diffServAlgDropQThreshold. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMaxThreshBytes."

::= { diffServRandomDropEntry 5 }

diffServRandomDropProbMax

OBJECT-TYPE

SYNTAX Unsigned32 (0..1000)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The worst case random drop probability, expressed in drops per thousand packets.

For example, if in the worst case every arriving packet may be dropped (100%) for a period, this has the value 1000.

Alternatively, if in the worst case only one percent (1%) of traffic may be dropped, it has the value 10."

::= { diffServRandomDropEntry 6 }

diffServRandomDropWeight OBJECT-TYPE

SYNTAX Unsigned32 (0..65536)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The weighting of past history in affecting the Exponentially Weighted Moving Average function that calculates the current average queue depth. The equation uses $\text{diffServRandomDropWeight}/65536$ as the coefficient for the new sample in the equation, and $(65536 - \text{diffServRandomDropWeight})/65536$

as the coefficient of the old value.

Implementations may limit the values of diffServRandomDropWeight to a subset of the possible range of values, such as powers of two. Doing this would facilitate implementation of the Exponentially Weighted Moving Average using shift instructions or registers."

::= { diffServRandomDropEntry 7 }

```

diffServRandomDropSamplingRate OBJECT-TYPE
    SYNTAX      Unsigned32 (0..1000000)
    MAX-ACCESS  read-create
    STATUS      current
    DESCRIPTION
        "The number of times per second the queue is sampled for queue
        average calculation. A value of zero is used to mean that the
        queue is sampled approximately each time a packet is enqueued (or
        dequeued)."
```

::= { diffServRandomDropEntry 8 }

```

diffServRandomDropStorage OBJECT-TYPE
    SYNTAX      StorageType
    MAX-ACCESS  read-create
    STATUS      current

    DESCRIPTION
        "The storage type for this conceptual
row. Conceptual rows
        having the value 'permanent' need not allow write-access to any
        columnar objects in the row."
    DEFVAL { nonVolatile }
    ::= { diffServRandomDropEntry 9 }
```

```

diffServRandomDropStatus OBJECT-TYPE
    SYNTAX      RowStatus
    MAX-ACCESS  read-create
    STATUS      current
    DESCRIPTION
        "The status of this conceptual row. All writable objects in this
        row may be modified at any time. Setting this variable to
        'destroy' when the MIB contains one or more RowPointers pointing
        to it results in destruction being delayed until the row is no
        longer used."
    ::= { diffServRandomDropEntry 10 }
```

```

--
-- Queue Table
--

diffServQueue      OBJECT IDENTIFIER ::= { diffServMIBObjects 7 }
```

```

--
-- An entry of diffServQTable represents a FIFO queue Differentiated
-- Services Functional Data Path element as described in the Informal
```

-- Differentiated Services Model section 7.1.1. Note that the
-- specification of scheduling
parameters for a queue as part of the
-- input to a scheduler functional data path element as described in
-- the Informal Differentiated Services Model section 7.1.2. This
-- allows building of hierarchical queuing/scheduling. A queue
-- therefore has these attributes:
--
-- 1. Which scheduler will service this queue, diffServQNext.
-- 2. How the scheduler will service this queue, with respect
-- to all the other queues the same scheduler needs to service,
-- diffServQMinRate.
--
-- Note that upstream Differentiated Services Functional Data Path
-- elements may point to a shared diffServQTable entry as described
-- in the Informal Differentiated Services Model section 7.1.1.
--

diffServQNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServQId, or a zero
to indicate that none exist."

::= { diffServQueue 1 }

diffServQTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServQEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Queue Table enumerates the individual queues. Note that the
MIB models queuing systems as composed of individual queues, one
per class of traffic, even though they may in fact be structured
as classes of traffic scheduled using a common calendar queue, or
in other ways."

::= { diffServQueue 2 }

diffServQEntry OBJECT-TYPE

SYNTAX DiffServQEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Queue Table describes a single queue or class of

```
traffic."
INDEX { diffServQId }
::= { diffServQTable 1 }
```

```
DiffServQEntry ::= SEQUENCE {
    diffServQId          IndexInteger,
    diffServQNext       RowPointer,
    diffServQMinRate    RowPointer,
    diffServQMaxRate    RowPointer,
    diffServQStorage    StorageType,
    diffServQStatus     RowStatus
}
```

diffServQId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Queue entries. Managers obtain new values for row creation in this table by reading diffServQNextFree."

```
::= { diffServQEntry 1 }
```

diffServQNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This selects the next Differentiated Services Scheduler. The RowPointer must point to a diffServSchedulerEntry.

A value of zeroDotZero in this attribute indicates an incomplete diffServQEntry instance. In such a case, the entry has no operational effect, since it has no parameters to give it meaning.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or

becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
::= { diffServQEntry 2 }
```

diffServQMinRate OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This RowPointer indicates the diffServMinRateEntry that the scheduler, pointed to by diffServQNext, should use to service this queue.

If the row pointed to is zeroDotZero, the minimum rate and priority is unspecified.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServQEntry 3 }

diffServQMaxRate OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This RowPointer indicates the diffServMaxRateEntry that the scheduler, pointed to by diffServQNext, should use to service this queue.

If the row pointed to is zeroDotZero, the maximum rate is the line speed of the interface.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServQEntry 4 }

diffServQStorage OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }


```
::= { diffServQEntry 5 }
```

```
diffServQStatus OBJECT-TYPE
```

```
SYNTAX RowStatus
```

```
MAX-ACCESS read-create
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."
```

```
::= { diffServQEntry 6 }
```

```
--
```

```
-- Scheduler Table
```

```
--
```

```
diffServScheduler OBJECT IDENTIFIER ::= { diffServMIBObjects 8 }
```

```
--
```

```
-- A Scheduler Entry represents a packet scheduler, such as a priority scheduler or a WFQ scheduler. It provides flexibility for multiple scheduling algorithms, each servicing multiple queues, to be used on the same logical/physical interface.
```

```
--
```

```
-- Note that upstream queues or schedulers specify several of the scheduler's parameters. These must be properly specified if the scheduler is to behave as expected.
```

```
--
```

```
-- The diffServSchedulerMaxRate attribute specifies the parameters when a scheduler's output is sent to another scheduler. This is used in building hierarchical queues or schedulers.
```

```
--
```

```
-- More discussion of the scheduler functional data path element is in the Informal Differentiated Services Model section 7.1.2.
```

```
--
```

```
diffServSchedulerNextFree OBJECT-TYPE
```

```
SYNTAX IndexIntegerNextFree
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

"This object contains an unused value for diffServSchedulerId, or a zero to indicate that none exist."

::= { diffServScheduler 1 }

diffServSchedulerTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServSchedulerEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Scheduler Table enumerates packet schedulers. Multiple scheduling algorithms can be used on a given data path, with each algorithm described by one diffServSchedulerEntry."

::= { diffServScheduler 2 }

diffServSchedulerEntry OBJECT-TYPE

SYNTAX DiffServSchedulerEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Scheduler Table describing a single instance of a scheduling algorithm."

INDEX { diffServSchedulerId }

::= { diffServSchedulerTable 1 }

DiffServSchedulerEntry ::= SEQUENCE {

diffServSchedulerId	IndexInteger,
diffServSchedulerNext	RowPointer,
diffServSchedulerMethod	AutonomousType,
diffServSchedulerMinRate	RowPointer,
diffServSchedulerMaxRate	RowPointer,
diffServSchedulerStorage	StorageType,
diffServSchedulerStatus	RowStatus

}

diffServSchedulerId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Scheduler entries. Managers obtain new values for row creation in this table by reading diffServSchedulerNextFree."

::= { diffServSchedulerEntry 1 }

diffServSchedulerNext OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This selects the next Differentiated Services Functional Data Path Element to handle traffic for this data path. This normally is null (zeroDotZero), or points to a diffServSchedulerEntry or a diffServQEntry.

However, this RowPointer may also point to an instance of:

diffServClfrEntry,
diffServMeterEntry,
diffServActionEntry,
diffServAlgDropEntry.

It would point another diffServSchedulerEntry when implementing multiple scheduler methods for the same data path, such as having one set of queues scheduled by WRR and that group participating in a priority scheduling system in which other queues compete with it in that way. It might also point to a second scheduler in a hierarchical scheduling system.

If the row pointed to is zeroDotZero, no further Differentiated Services treatment is performed on traffic of this data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

DEFVAL { zeroDotZero }
::= { diffServSchedulerEntry 2 }

diffServSchedulerMethod OBJECT-TYPE

SYNTAX AutonomousType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The scheduling algorithm used by this Scheduler. zeroDotZero indicates that this is unknown. Standard values for generic algorithms: diffServSchedulerPriority, diffServSchedulerWRR, and diffServSchedulerWFQ are specified in this MIB; additional values

may be further specified in other MIBs."

::= { diffServSchedulerEntry 3 }

diffServSchedulerMinRate OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This RowPointer indicates the entry in diffServMinRateTable which indicates the priority or minimum output rate from this scheduler. This attribute is used only when there is more than one level of scheduler.

When it has the value zeroDotZero, it indicates that no minimum rate or priority is imposed.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

DEFVAL { zeroDotZero }
 ::= { diffServSchedulerEntry 4 }

diffServSchedulerMaxRate OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This RowPointer indicates the entry in diffServMaxRateTable which indicates the maximum output rate from this scheduler.

When

more than one maximum rate applies (eg, when a multi-rate shaper is in view), it points to the first of those rate entries.

This attribute is used only when there is more than one level of scheduler.

When it has the value zeroDotZero, it indicates that no maximum rate is imposed.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

DEFVAL { zeroDotZero }
 ::= { diffServSchedulerEntry 5 }

diffServSchedulerStorage OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create

```

STATUS    current
DESCRIPTION
    "The storage type for this conceptual row. Conceptual rows
    having the value 'permanent' need not allow write-access to any
    columnar objects in the row."
DEFVAL { nonVolatile }
::=
{ diffServSchedulerEntry 6 }

diffServSchedulerStatus OBJECT-TYPE
SYNTAX    RowStatus
MAX-ACCESS read-create
STATUS    current
DESCRIPTION
    "The status of this conceptual row. All writable objects in this
    row may be modified at any time. Setting this variable to
    'destroy' when the MIB contains one or more RowPointers pointing
    to it results in destruction being delayed until the row is no
    longer used."
::= { diffServSchedulerEntry 7 }

--
-- OIDs for diffServTBParamType definitions.
--

diffServSchedulers OBJECT IDENTIFIER ::= { diffServMIBAdmin 2 }

diffServSchedulerPriority OBJECT-IDENTITY
STATUS    current
DESCRIPTION
    "For use with diffServSchedulerMethod to indicate the Priority
    scheduling method. This is defined as an algorithm in which the
    presence of data in a queue or set of queues absolutely precludes
    dequeue from another queue or set of queues of lower priority.
    Note
    that attributes from diffServMinRateEntry of the
    queues/schedulers feeding this scheduler are used when
    determining the next packet to schedule."
::= { diffServSchedulers 1 }

diffServSchedulerWRR OBJECT-IDENTITY
STATUS    current
DESCRIPTION
    "For use with diffServSchedulerMethod to indicate the Weighted
    Round Robin scheduling method, defined as any algorithm in which

```

a set of queues are visited in a fixed order, and varying amounts of traffic are removed from each queue in turn to implement an average output rate by class. Notice attributes from diffServMinRateEntry of the queues/schedulers feeding this scheduler are used when determining the next packet to schedule."

::= { diffServSchedulers 2 }

diffServSchedulerWFQ OBJECT-IDENTITY

STATUS current

DESCRIPTION

"For use with diffServSchedulerMethod to indicate the Weighted Fair Queuing scheduling method, defined as any algorithm in which a set of queues are conceptually visited in some order, to implement an average output rate by class. Notice attributes from diffServMinRateEntry of the queues/schedulers feeding this scheduler are used when determining the next packet to schedule."

::= { diffServSchedulers 3 }

--

-- Minimum Rate Parameters Table

--

-- The parameters used by a scheduler for its inputs or outputs are maintained separately from the Queue or Scheduler table entries for reusability reasons and so that they may be used by both queues and schedulers. This follows the approach for separation of data path elements from parameterization that is used throughout this MIB. Use of these Minimum Rate Parameter Table entries by Queues and Schedulers allows the modeling of hierarchical scheduling systems.

--

-- Specifically, a Scheduler has one or more inputs and one output. Any queue feeding a scheduler, or any scheduler which feeds a second scheduler, might specify a minimum transfer rate by pointing to an Minimum Rate Parameter Table entry.

--

-- The diffServMinRatePriority/Abs/Rel attributes are used as parameters to the work-conserving portion of a scheduler: "work-conserving" implies that the scheduler can continue to emit data as long as there is data available at its input(s). This has the effect of guaranteeing a certain priority relative to other scheduler inputs and/or a certain minimum proportion of the available output bandwidth. Properly configured, this means a certain minimum rate, which may be exceeded should traffic be available should there be spare bandwidth after all other classes

-- have had opportunities to consume their own minimum rates.

--

diffServMinRateNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServMinRateId, or a zero to indicate that none exist."

::= { diffServScheduler 3 }

diffServMinRateTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMinRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Minimum Rate Parameters Table enumerates individual sets of scheduling parameter that can be used/reused by Queues and Schedulers."

::= { diffServScheduler 4 }

diffServMinRateEntry OBJECT-TYPE

SYNTAX DiffServMinRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Minimum Rate Parameters Table describes a single set of scheduling parameters for use by one or more queues or schedulers."

INDEX { diffServMinRateId }

::= { diffServMinRateTable 1 }

DiffServMinRateEntry ::= SEQUENCE {

diffServMinRateId IndexInteger,

diffServMinRatePriority Unsigned32,

diffServMinRateAbsolute Unsigned32,

diffServMinRateRelative Unsigned32,

diffServMinRateStorage StorageType,

diffServMinRateStatus RowStatus

}

diffServMinRateId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Scheduler Parameter entries.
Managers obtain new values for row creation in this table by
reading diffServMinRateNextFree."

::= { diffServMinRateEntry 1 }

diffServMinRatePriority OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The priority of this input to the associated scheduler, relative

to the scheduler's other inputs. A queue or scheduler with a
larger numeric value will be served before another with a smaller
numeric value."

::= { diffServMinRateEntry 2 }

diffServMinRateAbsolute OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "kilobits per second"

MAX-ACCESS

read-create

STATUS current

DESCRIPTION

"The minimum absolute rate, in kilobits/sec, that a downstream
scheduler element should allocate to this queue. If the value is
zero, then there is effectively no minimum rate guarantee. If the
value is non-zero, the scheduler will assure the servicing of
this queue to at least this rate.

Note that this attribute value and that of
diffServMinRateRelative are coupled: changes to one will affect
the value of the other. They are linked by the following
equation, in that setting one will change the other:

$$\text{diffServMinRateRelative} = \\ (\text{diffServMinRateAbsolute} * 1000000) / \text{ifSpeed}$$

or, if appropriate:

$$\text{diffServMinRateRelative} = \text{diffServMinRateAbsolute} / \text{ifHighSpeed}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"

::= { diffServMinRateEntry 3 }

diffServMinRateRelative OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The minimum rate that a downstream scheduler element should allocate to this queue, relative to the maximum rate of the interface as reported by ifSpeed or ifHighSpeed, in units of 1/1000 of 1. If the value is zero, then there is effectively no minimum rate guarantee. If the value is non-zero, the scheduler will assure the servicing of this queue to at least this rate.

Note that this attribute value and that of diffServMinRateAbsolute are coupled: changes to one will affect the value of the other. They are linked by the following equation, in that setting one will change the other:

$$\text{diffServMinRateRelative} = \frac{\text{diffServMinRateAbsolute} * 1000000}{\text{ifSpeed}}$$

or, if appropriate:

$$\text{diffServMinRateRelative} = \frac{\text{diffServMinRateAbsolute}}{\text{ifHighSpeed}}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"

::= { diffServMinRateEntry 4 }

diffServMinRateStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServMinRateEntry 5 }

diffServMinRateStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

```
::= { diffServMinRateEntry 6 }
```

--

-- Maximum Rate Parameter Table

--

-- The parameters used by a scheduler for its inputs or outputs are

-- maintained

separately from the Queue or Scheduler table entries for

-- reusability reasons and so that they may be used by both queues and

-- schedulers. This follows the approach for separation of data path

-- elements from parameterization that is used throughout this MIB.

-- Use of these Maximum Rate Parameter Table entries by Queues and

-- Schedulers allows the modeling of hierarchical scheduling systems.

--

-- Specifically, a Scheduler has one or more inputs and one output.

-- Any queue feeding a scheduler, or any scheduler which feeds a second

-- scheduler, might specify a maximum transfer rate by pointing to a

-- Maximum Rate Parameter Table entry. Multi-rate shapers, such as a

-- Dual Leaky Bucket algorithm, specify their rates using multiple

-- Maximum Rate Parameter Entries with the same diffServMaxRateId but

-- different diffServMaxRateLevels.

--

-- The diffServMaxRateLevel/Abs/Rel attributes are used as

-- parameters to the non-work-conserving portion of a scheduler:

-- non-work-conserving

implies that the scheduler may sometimes not

-- emit a packet, even if there is data available at its input(s).

-- This has the effect of limiting the servicing of the queue/scheduler

-- input or output, in effect performing shaping of the packet stream

-- passing through the queue/scheduler, as described in the Informal

-- Differentiated Services Model section 7.2.

--

diffServMaxRateNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServMaxRateId, or a zero to indicate that none exist."

::= { diffServScheduler 5 }

diffServMaxRateTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMaxRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Maximum Rate Parameter Table enumerates individual sets of scheduling parameter that can be used/reused by Queues and Schedulers."

::=

{ diffServScheduler 6 }

diffServMaxRateEntry OBJECT-TYPE

SYNTAX DiffServMaxRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Maximum Rate Parameter Table describes a single set of scheduling parameters for use by one or more queues or schedulers."

INDEX { diffServMaxRateId, diffServMaxRateLevel }

::= { diffServMaxRateTable 1 }

DiffServMaxRateEntry ::= SEQUENCE {

diffServMaxRateId IndexInteger,

diffServMaxRateLevel Unsigned32,

diffServMaxRateAbsolute Unsigned32,

diffServMaxRateRelative Unsigned32,

diffServMaxRateThreshold BurstSize,

diffServMaxRateStorage StorageType,

diffServMaxRateStatus RowStatus

}

diffServMaxRateId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Maximum Rate Parameter entries.

Managers obtain new values for row creation in this table by reading diffServMaxRateNextFree."

::= { diffServMaxRateEntry 1 }

diffServMaxRateLevel OBJECT-TYPE

SYNTAX Unsigned32 (1..32)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that indicates which level of a multi-rate shaper is being given its parameters. A multi-rate shaper has some number of rate levels. Frame Relay's dual rate specification refers to a 'committed' and an 'excess' rate; ATM's dual rate specification refers to a 'mean' and a 'peak' rate. This table is generalized to support an arbitrary number of rates. The committed or mean rate is level 1, the peak rate (if any) is the highest level rate configured, and if there are other rates they are distributed in monotonically increasing order between them."

::= { diffServMaxRateEntry 2 }

diffServMaxRateAbsolute OBJECT-TYPE

SYNTAX Unsigned32

(1..4294967295)

UNITS "kilobits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum rate in kilobits/sec that a downstream scheduler element should allocate to this queue. If the value is zero, then there is effectively no maximum rate limit and that the scheduler should attempt to be work conserving for this queue. If the value is non-zero, the scheduler will limit the servicing of this queue to, at most, this rate in a non-work-conserving manner.

Note that this attribute value and that of diffServMaxRateRelative are coupled: changes to one will affect the value of the other. They are linked by the following

equation, in that setting one will change the other:

$$\text{diffServMaxRateRelative} = \frac{(\text{diffServMaxRateAbsolute} * 1000000)}{\text{ifSpeed}}$$

or, if appropriate:

$$\text{diffServMaxRateRelative} = \text{diffServMaxRateAbsolute} / \text{ifHighSpeed}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"

::= { diffServMaxRateEntry 3 }

diffServMaxRateRelative OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum rate that a downstream scheduler element should allocate to this queue, relative to the maximum rate of the interface as reported by ifSpeed or ifHighSpeed, in units of 1/1000 of 1. If the value is zero, then there is effectively no maximum rate limit and the scheduler should attempt to be work conserving for this queue. If the value is non-zero, the scheduler will limit the servicing of this queue to, at most, this rate in a non-work-conserving manner.

Note that this attribute value and that of diffServMaxRateAbsolute are coupled: changes to one will affect the value of the other. They are linked by the following equation, in that setting one will change the other:

$$\text{diffServMaxRateRelative} = \frac{(\text{diffServMaxRateAbsolute} * 1000000)}{\text{ifSpeed}}$$

or, if appropriate:

$$\text{diffServMaxRateRelative} = \frac{\text{diffServMaxRateAbsolute}}{\text{ifHighSpeed}}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"

::= { diffServMaxRateEntry 4 }

diffServMaxRateThreshold OBJECT-TYPE

SYNTAX BurstSize

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of bytes of queue depth at which the rate of a

multi-rate scheduler will increase to the next output rate. In the last conceptual row for such a shaper, this threshold is ignored and by convention is zero."

REFERENCE

"Adaptive rate Shaper, RFC 2963"

::= { diffServMaxRateEntry 5 }

diffServMaxRateStorage OBJECT-TYPE

```

SYNTAX    StorageType
MAX-ACCESS read-create
STATUS    current
DESCRIPTION
    "The storage type for this
conceptual row. Conceptual rows
    having the value 'permanent' need not allow write-access to any
    columnar objects in the row."
DEFVAL { nonVolatile }
::= { diffServMaxRateEntry 6 }

diffServMaxRateStatus OBJECT-TYPE
SYNTAX    RowStatus
MAX-ACCESS read-create
STATUS    current
DESCRIPTION
    "The status of this conceptual row. All writable objects in this
    row may be modified at any time. Setting this variable to
    'destroy' when the MIB contains one or more RowPointers pointing
    to it results in destruction being delayed until the row is no
    longer used."
::= { diffServMaxRateEntry 7 }

--
-- MIB Compliance statements.
--

diffServMIBCompliances OBJECT IDENTIFIER ::=
    { diffServMIBConformance 1 }
diffServMIBGroups    OBJECT IDENTIFIER ::=
    { diffServMIBConformance 2 }

diffServMIBFullCompliance MODULE-COMPLIANCE
STATUS current

DESCRIPTION
    "When this MIB is implemented with support for read-create, then
    such an implementation can claim full compliance. Such devices
    can then be both monitored and configured with this MIB."

MODULE IF-MIB -- The interfaces MIB, RFC2863
MANDATORY-GROUPS {

    ifCounterDiscontinuityGroup
}

```

MODULE -- This Module

MANDATORY-GROUPS {

diffServMIBDataPathGroup, diffServMIBClfrGroup,
diffServMIBClfrElementGroup, diffServMIBMultiFieldClfrGroup,
diffServMIBActionGroup, diffServMIBAlgDropGroup,
diffServMIBQGroup, diffServMIBSchedulerGroup,
diffServMIBMaxRateGroup, diffServMIBMinRateGroup,
diffServMIBCounterGroup

}

GROUP diffServMIBMeterGroup

DESCRIPTION

"This group is mandatory for devices that implement metering functions."

GROUP diffServMIBTBParamGroup

DESCRIPTION

"This group is mandatory for devices that implement token-bucket metering functions."

GROUP diffServMIBDscpMarkActGroup

DESCRIPTION

"This group is mandatory for devices that implement DSCP-Marking functions."

GROUP diffServMIBRandomDropGroup

DESCRIPTION

"This group is mandatory for devices that implement Random Drop functions."

OBJECT diffServDataPathStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServClfrStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServClfrElementStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServMultiFieldClfrAddrType

SYNTAX InetAddressType

{ unknown(0), ipv4(1), ipv6(2) }

DESCRIPTION

"An implementation is only required to support IPv4 and IPv6 addresses."

OBJECT diffServMultiFieldClfrDstAddr

SYNTAX InetAddress (SIZE(0|4|16))

DESCRIPTION

"An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT diffServAlgDropStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServRandomDropStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServQStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServSchedulerStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServMinRateStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServMaxRateStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

::= { diffServMIBCompliances 1 }

--

-- Read-Only Compliance

--

diffServMIBReadOnlyCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"When this MIB is implemented without support for read-create (i.e. in read-only mode), then such an implementation can claim read-only compliance. Such a device can then be monitored but can not be configured

with this MIB."

MODULE IF-MIB -- The interfaces MIB, RFC2863

MANDATORY-GROUPS {

ifCounterDiscontinuityGroup

}

MODULE -- This Module

MANDATORY-GROUPS {

diffServMIBDataPathGroup, diffServMIBClfrGroup,
diffServMIBClfrElementGroup, diffServMIBMultiFieldClfrGroup,
diffServMIBActionGroup, diffServMIBAlgDropGroup,
diffServMIBQGroup, diffServMIBSchedulerGroup,
diffServMIBMaxRateGroup, diffServMIBMinRateGroup,
diffServMIBCounterGroup

}

GROUP diffServMIBMeterGroup

DESCRIPTION

"This group is mandatory for devices that implement metering functions."

GROUP diffServMIBTBParamGroup

DESCRIPTION

"This group is mandatory for devices that implement token-bucket metering functions."

GROUP diffServMIBDscpMarkActGroup

DESCRIPTION

"This group is mandatory for devices that implement DSCP-Marking functions."

GROUP diffServMIBRandomDropGroup

DESCRIPTION

"This group is mandatory for devices that implement Random Drop functions."

OBJECT diffServDataPathStart

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServDataPathStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServDataPathStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServClfrNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object not needed when diffServClfrTable is implemented read-only"

OBJECT diffServClfrStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServClfrElementNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object not needed when diffServClfrElementTable is implemented
read-only"

OBJECT diffServClfrElementPrecedence

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that
needs to be supported."

OBJECT diffServMultiFieldClfrNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServMultiFieldClfrTable is
implemented in read-only mode."

OBJECT diffServMultiFieldClfrAddrType

SYNTAX InetAddressType { unknown(0), ipv4(1), ipv6(2) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required. An implementation is only required
to support IPv4 and IPv6 addresses."

OBJECT diffServMultiFieldClfrDstAddr
SYNTAX InetAddress (SIZE(0|4|16))
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required. An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT diffServMultiFieldClfrDstPrefixLength
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMultiFieldClfrSrcAddr
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required. An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT diffServMultiFieldClfrSrcPrefixLength
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMultiFieldClfrDscp
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMultiFieldClfrFlowId
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMultiFieldClfrProtocol
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMultiFieldClfrDstL4PortMin
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMultiFieldClfrDstL4PortMax
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrSrcL4PortMin

MIN-ACCESS

read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrSrcL4PortMax

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, createAndWait and notInService support is not required."

OBJECT diffServMeterNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServMultiFieldClfrTable is implemented in read-only mode."

OBJECT diffServMeterSucceedNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterFailNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServTBParamNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServTBParamTable is implemented in read-only mode."

OBJECT diffServTBParamType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServTBParamRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServTBParamBurstSize

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT

diffServTBParamInterval

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServTBParamStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServTBParamStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServActionNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServActionTable is implemented in read-only mode."

OBJECT diffServActionInterface

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServActionNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServActionSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServActionStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServActionStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServCountActNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServCountActTable is implemented in read-only mode."

OBJECT diffServCountActStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServCountActStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServAlgDropNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServAlgDropTable is implemented in read-only mode."

OBJECT diffServAlgDropType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropQMeasure

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropQThreshold

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required,
and active is the only status that
needs to be supported."

OBJECT diffServRandomDropNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServRandomDropTable is implemented
in read-only mode."

OBJECT diffServRandomDropMinThreshBytes

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropMinThreshPkts

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropMaxThreshBytes

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropMaxThreshPkts

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropProbMax

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropWeight

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropSamplingRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServRandomDropStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServQNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServQTable is implemented in read-only mode."

OBJECT diffServQNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQMinRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQMaxRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServSchedulerNextFree
MIN-ACCESS not-accessible
DESCRIPTION
"Object is not needed when diffServSchedulerTable is implemented in read-only mode."

OBJECT diffServSchedulerNext
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServSchedulerMethod
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServSchedulerMinRate
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServSchedulerMaxRate
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServSchedulerStorage
MIN-ACCESS read-only

DESCRIPTION
"Write access is not required."

OBJECT diffServSchedulerStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServMinRateNextFree
MIN-ACCESS not-accessible
DESCRIPTION
"Object is not needed when diffServMinRateTable is implemented in read-only mode."

OBJECT diffServMinRatePriority
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMinRateAbsolute
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMinRateRelative
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMinRateStorage
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMinRateStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServMaxRateNextFree
MIN-ACCESS not-accessible
DESCRIPTION
"Object is not needed when diffServMaxrateTable is implemented in read-only mode."

OBJECT diffServMaxRateAbsolute
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServMaxRateRelative

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateThreshold

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

::= { diffServMIBCompliances 2 }

diffServMIBDataPathGroup OBJECT-GROUP

OBJECTS {

diffServDataPathStart, diffServDataPathStorage,
diffServDataPathStatus

}

STATUS current

DESCRIPTION

"The Data Path Group defines the MIB Objects that describe a functional data path."

::= { diffServMIBGroups 1 }

diffServMIBClfrGroup OBJECT-GROUP

OBJECTS {

diffServClfrNextFree, diffServClfrStorage,
diffServClfrStatus

}

STATUS current

DESCRIPTION

"The Classifier Group defines the MIB Objects that describe the

list the starts of individual classifiers."

::= { diffServMIBGroups 2 }

diffServMIBClfrElementGroup

OBJECT-GROUP

OBJECTS {

diffServClfrElementNextFree,
diffServClfrElementPrecedence, diffServClfrElementNext,
diffServClfrElementSpecific, diffServClfrElementStorage,
diffServClfrElementStatus

}

STATUS current

DESCRIPTION

"The Classifier Element Group defines the MIB Objects that describe the classifier elements that make up a generic classifier."

::= { diffServMIBGroups 3 }

diffServMIBMultiFieldClfrGroup OBJECT-GROUP

OBJECTS {

diffServMultiFieldClfrNextFree,
diffServMultiFieldClfrAddrType,
diffServMultiFieldClfrDstAddr,
diffServMultiFieldClfrDstPrefixLength,
diffServMultiFieldClfrFlowId,
diffServMultiFieldClfrSrcAddr,
diffServMultiFieldClfrSrcPrefixLength,
diffServMultiFieldClfrDscp,
diffServMultiFieldClfrProtocol,
diffServMultiFieldClfrDstL4PortMin,
diffServMultiFieldClfrDstL4PortMax,
diffServMultiFieldClfrSrcL4PortMin,
diffServMultiFieldClfrSrcL4PortMax,
diffServMultiFieldClfrStorage,
diffServMultiFieldClfrStatus

}

STATUS current

DESCRIPTION

"The Multi-field Classifier Group defines the MIB Objects that describe a classifier element for matching on various fields of an IP and upper-layer protocol header."

::= { diffServMIBGroups 4 }

diffServMIBMeterGroup OBJECT-GROUP

OBJECTS {

diffServMeterNextFree, diffServMeterSucceedNext,
diffServMeterFailNext, diffServMeterSpecific,
diffServMeterStorage, diffServMeterStatus

}

STATUS current
DESCRIPTION
"The Meter Group defines the objects used in describing a generic meter element."
::= { diffServMIBGroups 5 }

diffServMIBTBParamGroup OBJECT-GROUP

OBJECTS {
diffServTBParamNextFree,
diffServTBParamType,
diffServTBParamRate, diffServTBParamBurstSize,
diffServTBParamInterval, diffServTBParamStorage,
diffServTBParamStatus
}

STATUS current
DESCRIPTION
"The Token-Bucket Meter Group defines the objects used in describing a token bucket meter element."
::= { diffServMIBGroups 6 }

diffServMIBActionGroup OBJECT-GROUP

OBJECTS {
diffServActionNextFree, diffServActionNext,
diffServActionSpecific, diffServActionStorage,
diffServActionInterface, diffServActionStatus
}

STATUS current
DESCRIPTION
"The Action Group defines the objects used in describing a generic action element."
::= { diffServMIBGroups 7 }

diffServMIBDscpMarkActGroup OBJECT-GROUP

OBJECTS {
diffServDscpMarkActDscp
}

STATUS current
DESCRIPTION
"The DSCP Mark Action Group defines the objects used in describing a DSCP Marking Action element."
::= { diffServMIBGroups 8 }

diffServMIBCounterGroup OBJECT-GROUP

OBJECTS {
diffServCountActOctets, diffServCountActPkts,
diffServAlgDropOctets, diffServAlgDropPkts,
diffServAlgRandomDropOctets, diffServAlgRandomDropPkts,

diffServCountActStorage, diffServCountActStatus,
diffServCountActNextFree

}
STATUS current
DESCRIPTION
"A collection of objects providing information specific to
packet-oriented network interfaces."
::= { diffServMIBGroups 9 }

diffServMIBAlgDropGroup OBJECT-GROUP

OBJECTS {
diffServAlgDropNextFree, diffServAlgDropType,
diffServAlgDropNext, diffServAlgDropQMeasure,
diffServAlgDropQThreshold, diffServAlgDropSpecific,
diffServAlgDropStorage, diffServAlgDropStatus
}
STATUS current
DESCRIPTION
"The Algorithmic Drop Group contains
the objects that describe
algorithmic dropper operation and configuration."
::= { diffServMIBGroups 10 }

diffServMIBRandomDropGroup OBJECT-GROUP

OBJECTS {
diffServRandomDropNextFree,
diffServRandomDropMinThreshBytes,
diffServRandomDropMinThreshPkts,
diffServRandomDropMaxThreshBytes,
diffServRandomDropMaxThreshPkts,
diffServRandomDropProbMax,
diffServRandomDropWeight,
diffServRandomDropSamplingRate,
diffServRandomDropStorage,
diffServRandomDropStatus
}
STATUS current
DESCRIPTION
"The Random Drop Group augments the Algorithmic Drop Group for
random dropper operation and configuration."
::= { diffServMIBGroups 11 }

diffServMIBQGroup OBJECT-GROUP

OBJECTS {

diffServQNextFree, diffServQNext, diffServQMinRate,
diffServQMaxRate, diffServQStorage, diffServQStatus

}

STATUS current

DESCRIPTION

"The Queue Group contains the objects that describe an

interface's queues."

::= { diffServMIBGroups 12 }

diffServMIBSchedulerGroup OBJECT-GROUP

OBJECTS {

diffServSchedulerNextFree, diffServSchedulerNext,
diffServSchedulerMethod, diffServSchedulerMinRate,
diffServSchedulerMaxRate, diffServSchedulerStorage,
diffServSchedulerStatus

}

STATUS current

DESCRIPTION

"The Scheduler Group contains the objects that describe packet
schedulers on interfaces."

::= { diffServMIBGroups 13 }

diffServMIBMinRateGroup OBJECT-GROUP

OBJECTS {

diffServMinRateNextFree, diffServMinRatePriority,
diffServMinRateAbsolute, diffServMinRateRelative,
diffServMinRateStorage, diffServMinRateStatus

}

STATUS current

DESCRIPTION

"The Minimum Rate Parameter Group contains the objects that

describe packet schedulers' minimum rate or priority guarantees."

::= { diffServMIBGroups 14 }

diffServMIBMaxRateGroup OBJECT-GROUP

OBJECTS {

diffServMaxRateNextFree, diffServMaxRateAbsolute,
diffServMaxRateRelative, diffServMaxRateThreshold,
diffServMaxRateStorage, diffServMaxRateStatus

}

STATUS current

DESCRIPTION

"The Maximum Rate Parameter Group contains the objects that

describe packet schedulers' maximum rate guarantees."
 ::= { diffServMIBGroups 15 }

END

Found in path(s):

* /opt/cola/permits/1114224826_1674671247.9990723/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DIFFSERV-MIB

1.520 json 20090211

1.520.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====  
== JSON License                               ==  
=====
```

<http://www.json.org/license.html>

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache Geronimo Bundles: json-20090211
Copyright 2003-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.521 yang-parser-api 0.8.4-Beryllium-SR4

1.521.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.522 javassist 3.17.1-GA

1.522.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean
the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by

combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that

such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.523 commons-http-client 3.0.1

1.523.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/params/DefaultHttpParamsFactory.java,v 1.16
2004/11/20 21:48:47 mbecke Exp $
 * $Revision: 404762 $
 * $Date: 2006-05-07 10:07:41 -0400 (Sun, 07 May 2006) $
 *
 * =====
 *
 * Copyright 1999-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language
governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
```

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/params/DefaultHttpParamsFactory.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HttpRecoverableException.java,v 1.15 2004/07/05 22:46:58 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/HttpRecoverableException.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/protocol/SSLProtocolSocketFactory.java,v 1.10

2004/05/13 04:01:22 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific

language governing permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/protocol/SSLProtocolSocketFactory.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/Header.java,v 1.17 2004/09/15 20:42:17 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/Header.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/util/DateParser.java,v 1.11 2004/11/06 19:15:42
mbecke Exp \$
* \$Revision: 224451 \$
* \$Date: 2005-07-23 06:23:59 -0400 (Sat, 23 Jul 2005) \$

* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/util/DateParser.java
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/cookie/NetscapeDraftSpec.java,v 1.11 2004/05/13
04:02:00 mbecke Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 2002-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *   http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language
governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.  
*  
*/
```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/cookie/NetscapeDraftSpec.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 1999-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made
 * by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.
 *
 */
```

Found in path(s):

```
*/opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/TraceMethod.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/StringRequestEntity.java,v 1.3 2004/07/03
14:27:03 olegk Exp $
 * $Revision: 356822 $
 * $Date: 2005-12-14 13:08:35 -0500 (Wed, 14 Dec 2005) $
 *
 * =====
 *
 * Copyright 2004 The Apache Software Foundation
 *
 */
```

* Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing
 permissions and
 * limitations under the License.
 *
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 *
 * [Additional notices, if required by prior licensing conditions]
 *
 */

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
 jar/org/apache/commons/httpclient/methods/StringRequestEntity.java
 No license file was found, but licenses were detected in source scan.

/*
 * \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
 commons/httpclient/src/java/org/apache/commons/httpclient/auth/DigestScheme.java,v 1.22 2004/12/30 11:01:27
 oglueck Exp \$
 * \$Revision: 368699 \$
 * \$Date: 2006-01-13 07:24:45 -0500 (Fri, 13 Jan 2006) \$
 *
 * =====
 *
 * Copyright 2002-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and limitations under the License.

=====

* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <<http://www.apache.org/>>.

*/

Found in path(s):

*/opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/DigestScheme.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/MultiThreadedHttpConnectionManager.java,v 1.47 2004/12/21 11:27:55 olegk Exp \$

* \$Revision: 366716 \$

* \$Date: 2006-01-07 08:04:58 -0500 (Sat, 07 Jan 2006) \$

*

=====

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific

language governing permissions and

limitations under the License.

=====

*

* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see

<<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/MultiThreadedHttpConnectionManager.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/cookie/CookieSpec.java,v 1.11 2004/09/14 20:11:31 olegk Exp \$

* \$Revision: 356822 \$

* \$Date: 2005-12-14 13:08:35 -0500 (Wed, 14 Dec 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/cookie/CookieSpec.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HttpVersion.java,v 1.6 2004/12/20 19:52:50 olegk

Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/HttpVersion.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/cookie/IgnoreCookiesSpec.java,v 1.6 2004/09/14

20:11:31 olegk Exp \$

* \$Revision: 179050 \$

* \$Date: 2005-05-30 08:22:06 -0400 (Mon, 30 May 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

=====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/cookie/IgnoreCookiesSpec.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/ProtocolException.java,v 1.4 2004/05/13 04:03:25
mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

=====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

=====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/ProtocolException.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/Credentials.java,v 1.9 2004/04/18 23:51:34 jsdever Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/Credentials.java

No license file was found, but licenses were detected in source scan.

/*

```

* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/util/ParameterParser.java,v 1.5 2004/05/13 04:01:22
mbecke Exp $
* $Revision: 345737 $
* $Date: 2005-11-20 07:30:47 -0500 (Sun, 20 Nov 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/util/ParameterParser.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/protocol/ProtocolSocketFactory.java,v 1.10
2004/05/13 04:01:22 mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

```

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/protocol/ProtocolSocketFactory.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpsURL.java,v 1.11 2004/09/30 17:26:41 oglueck
Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.

```

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpURLConnection.java

No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthState.java,v 1.3 2004/11/02 19:39:16 olegk
Exp \$
* \$Revision: 290260 \$
* \$Date: 2005-09-19 16:37:48 -0400 (Mon, 19 Sep 2005) \$
*
* =====

*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
*
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/auth/AuthState.java

No license file was found, but licenses were detected in source scan.

```

/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/UsernamePasswordCredentials.java,v 1.14 2004/04/18
23:51:35 jsdever Exp $
 * $Revision: 326707 $
 * $Date: 2005-10-19 16:51:46 -0400 (Wed, 19 Oct 2005) $
 *
 * =====
 *
 * Copyright 1999-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language
governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.
 *
 */

```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/UsernamePasswordCredentials.java

No license file was found, but licenses were detected in source scan.

```

/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpClient.java,v 1.98 2004/10/07 16:14:15 olegk Exp
$
 * $Revision: 354155 $
 * $Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) $
 *
 * =====

```

```

*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpClient.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/params/HostParams.java,v 1.5 2004/10/06 17:32:04
olegk Exp $
* $Revision: 224451 $
* $Date: 2005-07-23 06:23:59 -0400 (Sat, 23 Jul 2005) $
*

```

```

* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

```

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/params/HostParams.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/util/EncodingUtil.java,v 1.8 2004/05/13 04:01:22
mbecke Exp \$

* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

* =====

*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/util/EncodingUtil.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/protocol/DefaultProtocolSocketFactory.java,v 1.10 2004/05/13 04:01:22 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific

language governing permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/protocol/DefaultProtocolSocketFactory.java

No license file was found, but licenses were detected in source scan.

/*

* \$HeadURL:

https://svn.apache.org/repos/asf/jakarta/commons/proper/httpclient/branches/HTTPCLIENT_3_0_BRANCH/src/java/org/apache/commons/httpclient/util/ParameterFormatter.java \$

```

* $Revision: 178662 $
* $Date: 2005-05-26 14:21:14 -0400 (Thu, 26 May 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/util/ParameterFormatter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpMethodDirector.java,v 1.34 2005/01/14 19:40:39
olegk Exp $
* $Revision: 366870 $
* $Date: 2006-01-07 13:12:55 -0500 (Sat, 07 Jan 2006) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

```

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpMethodDirector.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/BasicScheme.java,v 1.17 2004/05/13 04:02:00
mbecke Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
*
* =====

*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/BasicScheme.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/params/DefaultHttpParams.java,v 1.9 2004/12/21 23:15:21 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/params/DefaultHttpParams.java

No license file was found, but licenses were detected in source scan.

/*

```
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/NTLM.java,v 1.11 2004/05/13 04:02:00 mbecke
Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
/**
* Provides an implementation of the NTLM authentication protocol.
* <p>
* This class provides methods for generating authentication
* challenge responses for the NTLM authentication protocol. The NTLM
* protocol is a proprietary Microsoft protocol and as such no RFC
* exists for it. This class is based upon the reverse engineering
* efforts of a wide range of people.</p>
*
* <p>Please note that an implementation of JCE must be correctly installed and configured when
* using NTLM support.</p>
*
* <p>This class should not be used externally to HttpClient as it's API is specifically
* designed to work with HttpClient's use
* case, in particular it's connection management.</p>
*
* @author <a href="mailto:adrian@ephox.com">Adrian Sutton</a>
* @author <a href="mailto:jsdever@apache.org">Jeff Dever</a>
```


* @author Mike Bowler
*
* @version \$Revision: 155418 \$ \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
* @since 3.0
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/NTLM.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/params/HttpConnectionParams.java,v 1.6 2004/09/15 20:32:21 olegk Exp \$

* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language

governing permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/params/HttpConnectionParams.java

No license file was found, but licenses were detected in source scan.

```

/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/ExpectContinueMethod.java,v 1.13
2004/05/08 10:12:08 olegk Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 2003-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language
governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.
 *
 */

```

Found in path(s):

```

 * /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/ExpectContinueMethod.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/protocol/SecureProtocolSocketFactory.java,v 1.6
2004/04/18 23:51:38 jsdever Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 2002-2004 The Apache Software Foundation
 *

```

```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific
language governing permissions and
* limitations under the License.

```

```

* =====

```

```

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/protocol/SecureProtocolSocketFactory.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/ProxyHost.java,v 1.2 2005/01/14 21:16:40 olegk Exp
$
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $

```

```

* =====

```

```

*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions

```

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/ProxyHost.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/WireLogOutputStream.java,v 1.7 2004/06/24 21:39:52
mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/WireLogOutputStream.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HeaderGroup.java,v 1.8 2004/05/13 04:03:25 mbecke

Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2003-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HeaderGroup.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/PartBase.java,v 1.5 2004/04/18 23:51:37 jsdever Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

```

*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/multipart/PartBase.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthChallengeProcessor.java,v 1.2 2004/04/18
23:51:36 jsdever Exp $
* $Revision: 290260 $
* $Date: 2005-09-19 16:37:48 -0400 (Mon, 19 Sep 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/AuthChallengeProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/MultipartPostMethod.java,v 1.27 2004/10/06
03:39:59 mbecke Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

* =====

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/methods/MultipartPostMethod.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/Cookie.java,v 1.44 2004/06/05 16:49:20 olegk Exp \$

* \$Revision: 157457 \$

* \$Date: 2005-03-14 15:23:16 -0500 (Mon, 14 Mar 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/Cookie.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/util/DateParseException.java,v 1.5 2004/11/06

19:15:42 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

*

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/util/DateParseException.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/methods/DeleteMethod.java,v 1.14 2004/04/18

23:51:37 jsdever Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/DeleteMethod.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpURL.java,v 1.18 2004/09/30 17:26:41 oglueck
Exp $
* $Revision: 358634 $
* $Date: 2005-12-22 16:23:15 -0500 (Thu, 22 Dec 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====
*

```

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpURL.java
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/StringPart.java,v 1.11 2004/04/18
23:51:37 jsdever Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 2002-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language
governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.  
*  
*/
```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/multipart/StringPart.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/InputStreamRequestEntity.java,v 1.4
2004/05/17 21:46:03 olegk Exp $
* $Revision: 224452 $
* $Date: 2005-07-23 06:33:39 -0400 (Sat, 23 Jul 2005) $
*
* =====
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
* [Additional notices, if required by prior licensing conditions]
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/InputStreamRequestEntity.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthScope.java,v 1.2 2004/06/23 06:50:25 olegk
Exp $
* $Revision: 354155 $
* $Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) $
*
*
```

```
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
```

```
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/AuthScope.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthScheme.java,v 1.12 2004/05/13 04:02:00
mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
```

```
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/AuthScheme.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpStatus.java,v 1.18 2004/05/02 11:21:13 olegk Exp
\$

* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====
*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HttpStatus.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/auth/MalformedChallengeException.java,v 1.6 2004/05/13 04:02:00 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language

governing permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/MalformedChallengeException.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HttpParser.java,v 1.13 2005/01/11 13:57:06 oglueck

Exp \$

* \$Revision: 179411 \$

* \$Date: 2005-06-01 16:04:58 -0400 (Wed, 01 Jun 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HttpParser.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/methods/EntityEnclosingMethod.java,v 1.39

2004/07/03 14:27:03 olegk Exp \$

* \$Revision: 161963 \$

* \$Date: 2005-04-19 16:25:06 -0400 (Tue, 19 Apr 2005) \$

*

* =====

*

* Copyright 2003-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at


```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/EntityEnclosingMethod.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/params/HttpParamsFactory.java,v 1.5 2004/05/13
04:01:22 mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*

```

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/params/HttpParamsFactory.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/SimpleHttpConnectionManager.java,v 1.23
2004/10/16 22:40:08 mbecke Exp \$
* \$Revision: 329914 \$
* \$Date: 2005-10-31 16:24:47 -0500 (Mon, 31 Oct 2005) \$
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/SimpleHttpConnectionManager.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/NTLMScheme.java,v 1.21 2004/05/13 04:02:00
mbecke Exp $
* $Revision: 156690 $
* $Date: 2005-03-09 16:40:30 -0500 (Wed, 09 Mar 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
/** An implementation of the Microsoft proprietary NTLM authentication scheme. For a detailed
* explanation of the NTLM scheme please see <a href="http://davenport.sourceforge.net/ntlm.html">
* http://davenport.sourceforge.net/ntlm.html</a>.
*
* @author <a href="mailto:remm@apache.org">Remy Maucherat</a>
* @author Rodney Waldhoff
* @author <a href="mailto:jsdever@apache.org">Jeff Dever</a>
* @author Ortwin Gl??ck
* @author Sean C. Sullivan
* @author <a href="mailto:adrian@ephox.com">Adrian Sutton</a>
* @author <a href="mailto:mbowler@GargoyleSoftware.com">Mike Bowler</a>
* @author <a href="mailto:oleg@ural.ru">Oleg Kalnichevski</a>
*/
```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/NTLMScheme.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/DefaultHttpMethodRetryHandler.java,v 1.3 2004/12/20 11:47:46 olegk Exp \$

* \$Revision: 280621 \$

* \$Date: 2005-09-13 14:41:21 -0400 (Tue, 13 Sep 2005) \$

*

=====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language

governing permissions and

* limitations under the License.

=====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/DefaultHttpMethodRetryHandler.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/util/DateUtil.java,v 1.2 2004/12/24 20:36:13 olegk Exp \$

* \$Revision: 224451 \$

* \$Date: 2005-07-23 06:23:59 -0400 (Sat, 23 Jul 2005) \$

*

```

* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/util/DateUtil.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpConnectionManager.java,v 1.24 2004/07/05
22:46:58 olegk Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====

```

```

* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpURLConnectionManager.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/util/URLConnection.java,v 1.15 2004/04/18
23:51:38 jsdever Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/util/URLConnection.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/protocol/Protocol.java,v 1.10 2004/04/18 23:51:38 jsdever Exp \$

* \$Revision: 157457 \$

* \$Date: 2005-03-14 15:23:16 -0500 (Mon, 14 Mar 2005) \$

*

=====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

=====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/protocol/Protocol.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/params/HttpConnectionManagerParams.java,v 1.9

2004/09/13 16:25:20 olegk Exp \$

* \$Revision: 354155 \$

* \$Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language

governing permissions and

* limitations under the License.

*

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/params/HttpConnectionManagerParams.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/ChunkedInputStream.java,v 1.24 2004/10/10 15:18:55

olegk Exp \$

* \$Revision: 291181 \$

* \$Date: 2005-09-23 14:13:25 -0400 (Fri, 23 Sep 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/ChunkedInputStream.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthChallengeException.java,v 1.2 2004/04/18
23:51:36 jsdever Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/AuthChallengeException.java
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/protocol/ReflectionSocketFactory.java,v 1.4
2004/12/21 23:15:21 olegk Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 2002-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *   http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language
governing permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.  
*  
*/
```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/protocol/ReflectionSocketFactory.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpConstants.java,v 1.15 2004/04/18 23:51:35
jsdever Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpConstants.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/ByteArrayPartSource.java,v 1.7
2004/04/18 23:51:37 jsdever Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
*/
```

```

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific
language governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/multipart/ByteArrayPartSource.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/URI.java,v 1.47 2004/05/13 04:03:25 mbecke Exp $
* $Revision: 372560 $
* $Date: 2006-01-26 11:07:06 -0500 (Thu, 26 Jan 2006) $
*

```

```

* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions

```

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/URI.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpMethodBase.java,v 1.222 2005/01/14 21:16:40
olegk Exp \$

* \$Revision: 345322 \$

* \$Date: 2005-11-17 15:20:08 -0500 (Thu, 17 Nov 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HttpMethodBase.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/RedirectException.java,v 1.2 2004/04/18 23:51:35 jsdever Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/RedirectException.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/methods/HeadMethod.java,v 1.29 2004/06/13 20:22:19 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

```

*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
* permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/HeadMethod.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpException.java,v 1.19 2004/09/30 18:53:20 olegk
Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpException.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/cookie/CookiePolicy.java,v 1.15 2004/09/14 20:11:31
olegk Exp \$
* \$Revision: 356822 \$
* \$Date: 2005-12-14 13:08:35 -0500 (Wed, 14 Dec 2005) \$
*

* =====
*

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/cookie/CookiePolicy.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/ContentLengthInputStream.java,v 1.12 2004/10/04 22:05:44 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/ContentLengthInputStream.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthenticationException.java,v 1.6 2004/05/13

04:02:00 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language

governing permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/AuthenticationException.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/params/HttpClientParams.java,v 1.7 2004/05/13

04:01:22 mbecke Exp \$

* \$Revision: 354155 \$

* \$Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/params/HttpClientParams.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/PutMethod.java,v 1.26 2004/04/18 23:51:37
jsdever Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
*

* =====
*

* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/PutMethod.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/NTCredentials.java,v 1.10 2004/04/18 23:51:35
jsdever Exp \$
* \$Revision: 326707 \$
* \$Date: 2005-10-19 16:51:46 -0400 (Wed, 19 Oct 2005) \$
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/NTCredentials.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/params/HttpParams.java,v 1.6 2004/05/13 04:01:22
mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/params/HttpParams.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/params/HttpMethodParams.java,v 1.17 2004/10/06
17:32:04 olegk Exp $
* $Revision: 354155 $
* $Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) $
*
* =====
*
*/
```

```

* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/params/HttpMethodParams.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/AutoCloseInputStream.java,v 1.9 2004/04/18 23:51:34
jsdever Exp $
* $Revision: 291181 $
* $Date: 2005-09-23 14:13:25 -0400 (Fri, 23 Sep 2005) $
*

```

```

* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```

* See the License for the specific language governing permissions and limitations under the License.

=====

* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <<http://www.apache.org/>>.

*/

Found in path(s):

*/opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/AutoCloseInputStream.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/methods/ByteArrayRequestEntity.java,v 1.3 2004/05/13 02:26:08 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

/*

=====

* Copyright 2004 The Apache Software Foundation

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

/*

* <http://www.apache.org/licenses/LICENSE-2.0>

/*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language

governing permissions and

* limitations under the License.

=====

/*

* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

/*

* [Additional notices, if required by prior licensing conditions]

*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/methods/ByteArrayRequestEntity.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/methods/PostMethod.java,v 1.58 2004/08/08 12:50:09 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/methods/PostMethod.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/ProxyClient.java,v 1.5 2004/12/20 11:39:04 olegk Exp


```
$
* $Revision: 354155 $
* $Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
*/opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/ProxyClient.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/StatusLine.java,v 1.14 2004/07/19 20:24:21 olegk Exp
$
```

```
* $Revision: 354155 $
* $Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/StatusLine.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/InvalidCredentialsException.java,v 1.4
2004/05/13 04:02:00 mbecke Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/InvalidCredentialsException.java
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/CircularRedirectException.java,v 1.1 2005/01/14
19:40:39 olegk Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 1999-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *   http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing
 * permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.  
*  
*/
```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/CircularRedirectException.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/HttpAuthenticator.java,v 1.19 2004/10/06
17:32:04 olegk Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/HttpAuthenticator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthPolicy.java,v 1.6 2004/05/13 04:02:00
mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
*/
```

```

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
/**
* Authentication policy class. The Authentication policy provides corresponding
* authentication scheme interfrace for a given type of authorization challenge.
* <p>The following specifications are provided:
* <ul>
* <li><tt>Basic</tt>: Basic authentication scheme as defined in RFC2617
* (considered inherently insecure, but most widely supported)
* <li><tt>Digest</tt>: Digest authentication scheme as defined in RFC2617
* <li><tt>NTLM</tt>: The NTLM scheme is a proprietary Microsoft Windows
* Authentication protocol (considered to be the most secure among
* currently supported authentication
schemes)
* </ul>
*
* @author <a href="mailto:oleg@ural.ru">Oleg Kalnichevski</a>
*
* @version $Revision: 155418 $
* @since 3.0
*/
/**
* The NTLM scheme is a proprietary Microsoft Windows Authentication
* protocol (considered to be the most secure among currently supported
* authentication schemes).
*/

```

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/AuthPolicy.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HttpClientError.java,v 1.4 2004/05/13 04:03:25 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HttpClientError.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/ConnectTimeoutException.java,v 1.5 2004/07/05 22:46:58 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/ConnectTimeoutException.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpState.java,v 1.38 2004/12/20 11:50:54 olegk Exp
\$
* \$Revision: 377704 \$
* \$Date: 2006-02-14 06:48:29 -0500 (Tue, 14 Feb 2006) \$
*
* =====

* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpState.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/NoHttpResponseException.java,v 1.1 2004/07/05
22:46:58 olegk Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
*
* =====

*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/NoHttpResponseException.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/URIException.java,v 1.12 2004/09/30 18:53:20 olegk
Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/URIException.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HttpMethodRetryHandler.java,v 1.2 2004/09/14

20:11:31 olegk Exp \$

* \$Revision: 224452 \$

* \$Date: 2005-07-23 06:33:39 -0400 (Sat, 23 Jul 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

*

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/HttpMethodRetryHandler.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/auth/HttpAuthRealm.java,v 1.9 2004/06/12 22:47:23

olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/HttpAuthRealm.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/util/TimeoutController.java,v 1.6 2004/04/18 23:51:38
jsdever Exp \$
* \$Revision: 291181 \$
* \$Date: 2005-09-23 14:13:25 -0400 (Fri, 23 Sep 2005) \$
*
* =====

*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/util/TimeoutController.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/DefaultMethodRetryHandler.java,v 1.4 2004/07/05
22:46:58 olegk Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/DefaultMethodRetryHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/MultipartRequestEntity.java,v 1.1
2004/10/06 03:39:59 mbecke Exp $
* $Revision: 327791 $
* $Date: 2005-10-23 09:27:39 -0400 (Sun, 23 Oct 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific
language governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/multipart/MultipartRequestEntity.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/WireLogInputStream.java,v 1.15 2004/06/24 21:39:52
mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
*/
```

```

* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/WireLogInputStream.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HeaderElement.java,v 1.23 2004/05/13 04:03:25
mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*

```

```

* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```

* See the License for the specific language governing permissions
and
* limitations under the License.

* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HeaderElement.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/util/IdleConnectionTimeoutThread.java,v 1.2
2004/05/13 02:40:36 mbecke Exp \$

* \$Revision: 354829 \$

* \$Date: 2005-12-07 14:05:13 -0500 (Wed, 07 Dec 2005) \$

*
* =====

*
*
* Copyright 2004 The Apache Software Foundation

*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

*
* You may obtain a copy of the License at

*
*
* <http://www.apache.org/licenses/LICENSE-2.0>

*
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

*
* See the License for the specific language

*
* governing permissions and

*
* limitations under the License.

*
* =====

*
*
* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

*
* <<http://www.apache.org/>>.

*
*
*/

*
* =====

*
*
* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

*
* <<http://www.apache.org/>>.

*
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/util/IdleConnectionTimeoutThread.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HttpConnection.java,v 1.107 2005/01/14 21:30:59 olegk Exp \$

* \$Revision: 327792 \$

* \$Date: 2005-10-23 09:34:28 -0400 (Sun, 23 Oct 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HttpConnection.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/HostConfiguration.java,v 1.23 2005/01/14 21:16:40 olegk Exp \$

* \$Revision: 354155 \$

* \$Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/HostConfiguration.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/Wire.java,v 1.9 2004/06/24 21:39:52 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/Wire.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/cookie/RFC2109Spec.java,v 1.21 2004/06/05
16:49:20 olegk Exp \$
* \$Revision: 290666 \$
* \$Date: 2005-09-21 05:30:56 -0400 (Wed, 21 Sep 2005) \$

* =====

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/cookie/RFC2109Spec.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/auth/RFC2617Scheme.java,v 1.10 2004/05/13 04:02:00 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/auth/RFC2617Scheme.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/util/ExceptionUtil.java,v 1.5 2004/10/19 18:09:46

olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/util/ExceptionUtil.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthChallengeParser.java,v 1.10 2004/05/13 04:02:00 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

```

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/AuthChallengeParser.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/FilePartSource.java,v 1.10
2004/04/18 23:51:37 jsdever Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific
language governing permissions and
* limitations under the License.
* =====

```

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/multipart/FilePartSource.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpHost.java,v 1.3 2005/01/14 21:16:40 olegk Exp \$
* \$Revision: 157457 \$
* \$Date: 2005-03-14 15:23:16 -0500 (Mon, 14 Mar 2005) \$
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/HttpHost.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/NameValuePair.java,v 1.17 2004/04/18 23:51:35
jsdever Exp $
* $Revision: 157457 $
* $Date: 2005-03-14 15:23:16 -0500 (Mon, 14 Mar 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/NameValuePair.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/PartSource.java,v 1.6 2004/04/18
23:51:37 jsdever Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
*/
```

```

* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/methods/multipart/PartSource.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/FilePart.java,v 1.19 2004/04/18
23:51:37 jsdever Exp $
* $Revision: 354155 $
* $Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) $
*

```

```

* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```


* See the License for the specific language governing permissions and limitations under the License.

=====

* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <<http://www.apache.org/>>.

*/

Found in path(s):

*/opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/methods/multipart/FilePart.java

No license file was found, but licenses were detected in source scan.

/*

* \$HeadURL:

https://svn.apache.org/repos/asf/jakarta/commons/proper/httpclient/branches/HTTPCLIENT_3_0_BRANCH/src/java/org/apache/commons/httpclient/util/LangUtils.java \$

* \$Revision: 354155 \$

* \$Date: 2005-12-05 15:18:10 -0500 (Mon, 05 Dec 2005) \$

/*

=====

* Copyright 1999-2004 The Apache Software Foundation

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

/*

* <http://www.apache.org/licenses/LICENSE-2.0>

/*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations

under the License.

=====

/*

* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

/*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/util/LangUtils.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/ConnectMethod.java,v 1.29 2004/06/24 21:39:52 mbecke Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/ConnectMethod.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/methods/GetMethod.java,v 1.29 2004/06/13 20:22:19 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/methods/GetMethod.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-

commons/httpclient/src/java/org/apache/commons/httpclient/MethodRetryHandler.java,v 1.5 2004/07/05 22:46:58

olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 1999-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/MethodRetryHandler.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/HttpMethod.java,v 1.43 2004/10/07 16:14:15 olegk
Exp \$
* \$Revision: 155418 \$
* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
*
* =====

*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions
and
* limitations under the License.
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/HttpMethod.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/util/URIUtil.java,v 1.27 2004/05/05 20:34:01 olegk Exp \$

* \$Revision: 155418 \$

* \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions

and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/util/URIUtil.java

No license file was found, but licenses were detected in source scan.

/*

```

* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/cookie/CookieSpecBase.java,v 1.28 2004/11/06
19:15:42 mbecke Exp $
* $Revision: 190485 $
* $Date: 2005-06-13 15:04:56 -0400 (Mon, 13 Jun 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/cookie/CookieSpecBase.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/OptionsMethod.java,v 1.15 2004/04/18
23:51:37 jsdever Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

* you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing
 permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 *
 */

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
 jar/org/apache/commons/httpclient/methods/OptionsMethod.java
 No license file was found, but licenses were detected in source scan.

/*
 * \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
 commons/httpclient/src/java/org/apache/commons/httpclient/auth/CredentialsNotAvailableException.java,v 1.4
 2004/05/13 04:02:00 mbecke Exp \$
 * \$Revision: 155418 \$
 * \$Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) \$
 *
 * =====
 *
 * Copyright 2002-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific
 language governing permissions and
 * limitations under the License.

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/CredentialsNotAvailableException.java
No license file was found, but licenses were detected in source scan.

/*
* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/multipart/Part.java,v 1.16 2005/01/14
21:16:40 olegk Exp \$
* \$Revision: 332125 \$
* \$Date: 2005-11-09 14:41:40 -0500 (Wed, 09 Nov 2005) \$
*
* =====

*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
*
* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-

jar/org/apache/commons/httpclient/methods/multipart/Part.java
No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/ResponseConsumedWatcher.java,v 1.5 2004/04/18
23:51:35 jsdever Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
 *
 * Copyright 1999-2004 The Apache Software Foundation
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing
 * permissions and
 * limitations under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/ResponseConsumedWatcher.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/protocol/ControllerThreadSocketFactory.java,v 1.2
2004/04/18 23:51:38 jsdever Exp $
 * $Revision: 155418 $
 * $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
 *
 * =====
```

```

*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific
language governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/protocol/ControllerThreadSocketFactory.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/AuthSchemeBase.java,v 1.7 2004/04/18 23:51:36
jsdever Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====

```

```

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

```

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/AuthSchemeBase.java

No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/methods/RequestEntity.java,v 1.4 2004/05/17
21:46:03 olegk Exp \$
* \$Revision: 161963 \$
* \$Date: 2005-04-19 16:25:06 -0400 (Tue, 19 Apr 2005) \$

* =====

* Copyright 2004 The Apache Software Foundation
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/methods/RequestEntity.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/ChunkedOutputStream.java,v 1.16 2004/05/13 04:03:25 mbecke Exp \$
* \$Revision: 220180 \$
* \$Date: 2005-07-21 16:29:45 -0400 (Thu, 21 Jul 2005) \$

*
* =====

* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.

* =====

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-jar/org/apache/commons/httpclient/ChunkedOutputStream.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-commons/httpclient/src/java/org/apache/commons/httpclient/util/IdleConnectionHandler.java,v 1.2 2004/05/13 02:40:36 mbecke Exp \$

```

* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing
permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/util/IdleConnectionHandler.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/cookie/MalformedCookieException.java,v 1.8
2004/05/13 04:02:00 mbecke Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 2002-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*/

```

```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/cookie/MalformedCookieException.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/ConnectionPoolTimeoutException.java,v 1.1
2004/07/05 22:46:58 olegk Exp $
* $Revision: 155418 $
* $Date: 2005-02-26 08:01:52 -0500 (Sat, 26 Feb 2005) $
*
* =====
*
* Copyright 1999-2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language
governing permissions and
* limitations under the License.
* =====
*
* This software consists of voluntary contributions made by many

```

* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*
*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/ConnectionPoolTimeoutException.java
No license file was found, but licenses were detected in source scan.

/*

* \$Header: /home/jerenkrantz/tmp/commons/commons-convert/cvs/home/cvs/jakarta-
commons/httpclient/src/java/org/apache/commons/httpclient/auth/CredentialsProvider.java,v 1.6 2004/07/05
22:46:59 olegk Exp \$

* \$Revision: 357669 \$

* \$Date: 2005-12-19 04:19:10 -0500 (Mon, 19 Dec 2005) \$

*

* =====

*

* Copyright 2002-2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing

permissions and

* limitations under the License.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*

*/

Found in path(s):

* /opt/cola/permits/1114224808_1607455150.89/0/commons-httpclient-3-0-1-sources-3-
jar/org/apache/commons/httpclient/auth/CredentialsProvider.java

1.524 spring-security-taglibs 3.2.4.RELEASE

1.524.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004-2010 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-jar/org/springframework/security/taglibs/authz/AbstractAuthorizeTag.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2014 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-jar/org/springframework/security/taglibs/csrf/CsrfMetaTagsTag.java

* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-jar/org/springframework/security/taglibs/TagLibConfig.java


```
*
/opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-
jar/org/springframework/security/taglibs/csrf/CsrfInputTag.java
* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-
jar/org/springframework/security/taglibs/csrf/AbstractCsrfTag.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-
jar/org/springframework/security/taglibs/velocity/Authz.java
* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-
jar/org/springframework/security/taglibs/authz/AccessControlListTag.java
*
/opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-
jar/org/springframework/security/taglibs/velocity/AuthzImpl.java
* /opt/cola/permits/1114224936_1607455089.04/0/spring-security-taglibs-3-2-4-release-sources-1-
jar/org/springframework/security/taglibs/authz/AuthenticationTag.java
```

1.525 scala-library 2.10.4

1.525.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2008 Google Inc. All Rights Reserved.
* @author Burak Emir <bqe@google.com>
*/
/** This class represents an attribute and at the same time a linked list of
* attributes. Every instance of this class is either
* - an instance of `UnprefixedAttribute key,value` or
* - an instance of `PrefixedAttribute namespace_prefix,key,value` or
* - `Null, the empty attribute list.
```

```
*
* Namespace URIs are obtained by using the namespace scope of the element
* owning this attribute (see `getNamespace`).
*
* Copyright 2008 Google Inc. All Rights Reserved.
* @author Burak Emir <bqe@google.com>
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224916_1607455104.2/0/scala-library-2-10-4-sources-3-jar/scala/xml/MetaData.scala
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
 * Latch used to implement waiting on a DefaultPromise's result.
```

```
 *
```

```
 * Inspired by: http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/locks/AbstractQueuedSynchronizer.java
```

```
 * Written by Doug Lea with assistance from members of JCP JSR-166
```

```
 * Expert Group and released to the public domain, as explained at
```

```
 * http://creativecommons.org/publicdomain/zero/1.0/
```

```
 */
```

Found in path(s):

```
* /opt/cola/permits/1114224916_1607455104.2/0/scala-library-2-10-4-sources-3-jar/scala/concurrent/impl/Promise.scala
```

No license file was found, but licenses were detected in source scan.

```
/** This singleton object contains the `apply` and `unapplySeq` methods for
```

```
 * convenient construction and deconstruction. It is possible to deconstruct
```

```
 * any `Node` instance (that is not a `SpecialNode` or a `Group`) using the
```

```
 * syntax `case Elem(prefix, label, attribs, scope, child @ _) => ...`
```

```
 *
```

```
 * Copyright 2008 Google Inc. All Rights Reserved.
```

```
 * @author Burak Emir <bqe@google.com>
```

```
 */
```

Found in path(s):

```
* /opt/cola/permits/1114224916_1607455104.2/0/scala-library-2-10-4-sources-3-jar/scala/xml/Elem.scala
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
 *
```

```
 * A `ClassTag[T]` stores the erased class of a given type `T`, accessible via the `runtimeClass`
```

```
 * field. This is particularly useful for instantiating `Array`s whose element types are unknown
```

```
 * at compile time.
```

```
 *
```

```
 * `ClassTag`s are a weaker special case of [[scala.reflect.api.TypeTags#TypeTag]]s, in that they
```

```
 * wrap only the runtime class of a given type, whereas a `TypeTag` contains all static type
```

```

* information. That is, `ClassTag`s are constructed from knowing only the top-level class of a
* type, without necessarily knowing all of its argument types. This runtime information is enough
* for runtime `Array` creation.
*
* For example:
* {{{
* scala> def mkArray[T : ClassTag](elems: T*) = Array[T](elems: _*)
* mkArray: [T](elems: T*)(implicit evidence$1: scala.reflect.ClassTag[T])Array[T]
*
* scala> mkArray(42, 13)
* res0: Array[Int] = Array(42, 13)
*
* scala> mkArray("Japan", "Brazil", "Germany")
* res1: Array[String] = Array(Japan, Brazil, Germany)
* }}}
*
* See [[scala.reflect.api.TypeTags]] for more examples, or the
* [[http://docs.scala-lang.org/overviews/reflection/typetags-manifests.html Reflection Guide: TypeTags]]
* for more details.
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224916_1607455104.2/0/scala-library-2-10-4-sources-3-jar/scala/reflect/ClassTag.scala

```

1.526 concepts 0.8.4-Beryllium-SR4

1.526.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.527 spring-security-web 3.2.4.RELEASE

1.527.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright 2002-2012 the original author or authors.

```

```

*

```

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/servletapi/HttpServletRequestFactory.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/AntPathRequestMatcher.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/context/request/async/SecurityContextCallableProcessingInterceptor.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/context/SaveContextOnUpdateOrErrorResponseWrapper.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/AntPathRequestMatcher.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/RegexRequestMatcher.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/servletapi/HttpServletRequest25RequestFactory.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/servletapi/HttpServletRequest3RequestFactory.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/context/request/async/WebAsyncManagerIntegrationFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/RegexRequestMatcher.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/ELRequestMatcherContext.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/ELRequestMatcherContext.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/AndRequestMatcher.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/NegatedRequestMatcher.java
*
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/OrRequestMatcher.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/RequestMatcherEditor.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/jaasapi/JaasApiIntegrationFilter.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/ELRequestMatcher.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/RequestMatcherEditor.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/ELRequestMatcher.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/DelegatingAuthenticationEntryPoint.java
No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/rememberme/TokenBasedRememberMeServices.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/channel/ChannelProcessingFilter.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/PortResolverImpl.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/www/NonceExpiredException.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/authentication/WebAuthenticationDetailsSource.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/authentication/AbstractAuthenticationProcessingFilter.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/savedrequest/Enumerator.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/PortMapperImpl.java
 *
 /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/authentication/WebAuthenticationDetails.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/ExceptionTranslationFilter.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/FilterChainProxy.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/util/UrlUtils.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/channel/ChannelDecisionManagerImpl.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/savedrequest/FastHttpDateFormat.java
 *
 /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/savedrequest/SavedRequestAwareWrapper.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/intercept/FilterInvocationSecurityMetadataSource.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/authentication/switchuser/AuthenticationSwitchUserEvent.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/savedrequest/DefaultSavedRequest.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/DefaultWebInvocationPrivilegeEvaluator.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/intercept/FilterSecurityInterceptor.java
 *
 /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/PortMapper.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/channel/ChannelEntryPoint.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/session/HttpSessionCreatedEvent.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/authentication/NullRememberMeServices.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/access/AccessDeniedHandler.java
 * /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-
 jar/org/springframework/security/web/authentication/www/BasicAuthenticationEntryPoint.java
 *

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/switchuser/SwitchUserGrantedAuthority.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/session/ConcurrentSessionFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/PortResolver.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/www/BasicAuthenticationFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/intercept/DefaultFilterInvocationSecurityMetadataSource.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/AccessDeniedHandlerImpl.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/channel/SecureChannelProcessor.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/RememberMeServices.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/session/HttpSessionDestroyedEvent.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/channel/InsecureChannelProcessor.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/session/HttpSessionEventPublisher.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/AuthenticationEntryPoint.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/channel/RetryWithHttpsEntryPoint.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/AnonymousAuthenticationFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/channel/RetryWithHttpEntryPoint.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/servletapi/SecurityContextHolderAwareRequestWrapper.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/LoginUrlAuthenticationEntryPoint.java
*
/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/www/DigestAuthenticationEntryPoint.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/WebInvocationPrivilegeEvaluator.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/UsernamePasswordAuthenticationFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/switchuser/SwitchUserFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/rememberme/RememberMeAuthenticationFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/authentication/logout/LogoutHandler.java

*

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/access/channel/ChannelProcessor.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/access/channel/ChannelDecisionManager.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/authentication/logout/SecurityContextLogoutHandler.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/authentication/logout/LogoutFilter.java

No license file was found, but licenses were detected in source scan.

/*

R * Copyright 2002-2013 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-

jar/org/springframework/security/web/authentication/session/CompositeSessionAuthenticationStrategy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2014 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/RequestHeaderRequestMatcher.java

No license file was found, but licenses were detected in source scan.

/* Copyright 2002-2012 the original author or authors.

* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/FilterInvocation.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/servletapi/SecurityContextHolderAwareRequestFilter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2012 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/HeaderWriterFilter.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/rememberme/JdbcTokenRepositoryImpl.java
No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006 2009 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/www/DigestAuthenticationFilter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2013 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/DefaultCsrfToken.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/bind/support/AuthenticationPrincipalArgumentResolver.java

*

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/CsrfException.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/access/DelegatingAccessDeniedHandler.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/HttpSessionCsrfTokenRepository.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/session/InvalidSessionAccessDeniedHandler.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/session/AbstractSessionFixationProtectionStrategy.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/MissingCsrfTokenException.java

*

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/session/SessionFixationProtectionEvent.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/context/AbstractSecurityWebApplicationInitializer.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/CsrfTokenRepository.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/HeaderWriter.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/InvalidCsrfTokenException.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/AnyRequestMatcher.java

*

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/writers/CacheControlHeadersWriter.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/writers/DelegatingRequestMatcherHeaderWriter.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/CsrfLogoutHandler.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/writers/frameoptions/XFrameOptionsHeaderWriter.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/servlet/support/csrf/CsrfRequestDataValueProcessor.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/CsrfAuthenticationStrategy.java

*

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/bind/annotation/AuthenticationPrincipal.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/session/ChangeSessionIdAuthenticationStrategy.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/writers/HstsHeaderWriter.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/authentication/session/SessionFixationProtectionStrategy.java

* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/util/matcher/MediaTypeRequestMatcher.java

*

/opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/CsrfFilter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/csrf/CsrfToken.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/writers/XXssProtectionHeaderWriter.java
* /opt/cola/permits/1114224839_1607455157.94/0/spring-security-web-3-2-4-release-sources-3-jar/org/springframework/security/web/header/writers/XContentTypeOptionsHeaderWriter.java

1.528 object-cache-api 0.8.4-Beryllium-SR4

1.528.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.529 hibernate-entitymanager 3.6.7.Final

1.529.1 Available under license :

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* as indicated by the @authors tag. All rights reserved. * This copyrighted material is made available to anyone wishing to use, * modify, copy, or redistribute it subject to the terms and conditions * of the GNU Lesser General Public License, v. 2.1. * This program is distributed in the hope that it will be useful, but WITHOUT A * WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A * PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public License, * MA 02110-1301, USA.'

Found license 'GNU Lesser General Public License' in '* copyright attribution statements applied by the authors. All * third-party contributions are distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available

to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * version.'

Found license 'GNU Lesser General Public License' in '* copyright attribution statements applied by the authors. All * third-party contributions are distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA\'

1.530 spring-security-core 3.2.4.RELEASE

1.530.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Base64 encoder which is a reduced version of Robert Harder's public domain implementation (version 2.3.7).

* See <http://iharder.net/base64> for more information.

* <p>

* For internal use only.

*

* @author Luke Taylor

* @since 3.0

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/codecs/Base64.java

No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

```

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Reviews the Object returned from a secure object invocation,
* being able to modify the Object or throw an { @link
* AccessDeniedException }.
* <p>
* Typically used to ensure the principal is permitted to access the domain
* object instance returned by a service layer bean.
* Can also be used to
* mutate the domain object instance so the principal is only able to access
* authorised bean properties or Collection elements.
* <p>
* Special consideration should be given to using an
* AfterInvocationManager on bean methods that modify a database.
* Typically an AfterInvocationManager is used with read-only
* methods, such as public DomainObject getById(id). If used with
* methods that modify a database, a transaction manager should be used to
* ensure any AccessDeniedException will cause a rollback of the
* changes made by the transaction.
* </p>
*
* @author Ben Alex
*/

```

Found in path(s):

```

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/intercept/AfterInvocationManager.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/parameters/DefaultSecurityParameterNameDiscoverer.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/method/P.java
*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/expression/method/ExpressionBasedAnnotationAttributeFactory.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2006-2011 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with

* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the

* specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/expression/method/MethodSecurityExpressionOperations.java
No license file was found, but licenses were detected in source scan.

/**

* A token issued by { @link TokenService }.

*

* <p>

* It is important that the keys assigned to tokens are sufficiently randomised and secured that
* they can serve as identifying a unique user session. Implementations of { @link TokenService }
* are free to use encryption or encoding strategies of their choice. It is strongly recommended that
* keys are of sufficient length to balance safety against persistence cost. In relation to persistence
* cost, it is strongly recommended that returned keys are small enough for encoding in a cookie.

* </p>

*

* @author Ben Alex

* @since 2.0.1

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/token/Token.java

No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006, 2007 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/**

* Implementation of the MD4 message digest derived from the RSA Data Security, Inc, MD4 Message-Digest Algorithm.

*

* @author Alan Stewart

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/Md4.java

No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006, 2007 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/Md4PasswordEncoder.java

No license file was found, but licenses were detected in source scan.

/**

- * Determines if the { @link #getAuthentication() } has permission to access the target given the permission
- * @param target the target domain object to check permission on
- * @param permission the permission to check on the domain object (i.e. "read", "write", etc).
- * @return true if permission is granted to the { @link #getAuthentication() }, else false

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/expression/SecurityExpressionOperations.java

No license file was found, but licenses were detected in source scan.

/**

- *
- * @param authentication represents the user in question. Should not be null.
- * @param targetDomainObject the domain object for which permissions should be checked. May be null
- * in which case implementations should return false, as the null condition can be checked explicitly
- * in the expression.
- * @param permission a representation of the permission object as supplied by the expression system. Not null.
- * @return true if the permission is granted, false otherwise

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/PermissionEvaluator.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2002-2013 the original author or authors.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/parameters/AnnotationParameterNameDiscoverer.java

No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/util/MethodInvocationUtils.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/util/SimpleMethodInvocation.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/AccessDeniedException.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/PasswordEncoder.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/RunAsUserToken.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AbstractAuthenticationEvent.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/session/SessionRegistry.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/UsernameNotFoundException.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/User.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/UserDetails.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/SecurityMetadataSource.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/dao/AbstractUserDetailsAuthenticationProvider.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AbstractAuthenticationFailureEvent.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/LoginExceptionResolver.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/AuthenticatedVoter.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AuthenticationSuccessEvent.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/aopalliance/MethodSecurityMetadataSourceAdvisor.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/annotation/Secured.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/InteractiveAuthenticationSuccessEvent.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/memory/UserMapEditor.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/rcp/RemoteAuthenticationManagerImpl.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AuthenticationFailureProxyUntrustedEvent.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/ProviderNotFoundException.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AuthenticationFailureDisabledEvent.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/JaasAuthenticationProvider.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/AccessDecisionManager.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/AnonymousAuthenticationProvider.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/BaseDigestPasswordEncoder.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/context/ThreadLocalSecurityContextHolderStrategy.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/ProviderManager.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/dao/DaoAuthenticationProvider.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/annotation/SecuredAnnotationSecurityMetadataSource.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/UserDetailsService.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/PlaintextPasswordEncoder.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/LockedException.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/event/AuthorizedEvent.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/ConfigAttribute.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AuthenticationFailureBadCredentialsEvent.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/TestingAuthenticationToken.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/dao/ReflectionSaltSource.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/RoleVoter.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/dao/SaltSource.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/method/MapBasedMethodSecurityMetadataSource.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/MethodInvocationPrivilegeEvaluator.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/session/SessionInformation.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/annotation/Js250MethodSecurityMetadataSource.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/rcp/RemoteAuthenticationManager.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/UserCache.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/event/JaasAuthenticationFailedEvent.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/UsernamePasswordAuthenticationToken.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/TestingAuthenticationProvider.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/AuthenticationProvider.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/AuthorityGranter.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/AuthenticationServiceException.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/BasePasswordEncoder.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/context/SecurityContextHolder.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/RunAsManagerImpl.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/AnonymousAuthenticationToken.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/method/AbstractMethodSecurityMetadataSource.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/event/LoggerListener.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/Authentication.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AuthenticationFailureProviderNotFoundEvent.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/encoding/LdapShaPasswordEncoder.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/AffirmativeBased.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/context/SecurityContext.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/JaasAuthenticationToken.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/event/AbstractAuthorizationEvent.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/JaasPasswordCallbackHandler.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/RunAsImplAuthenticationProvider.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/aopalliance/MethodSecurityInterceptor.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/GrantedAuthority.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/RunAsManager.java
 *
 /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/UnanimousBased.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/RememberMeAuthenticationProvider.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/util/InMemoryResource.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/event/AuthorizationFailureEvent.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/AuthenticationTrustResolver.java
 * /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/cache/NullUserCache.java
 *

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/event/AuthenticationCredentialsNotFoundEvent.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/InterceptorStatusToken.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/AuthorizationServiceException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/util/FieldUtils.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/aspectj/AspectJCallback.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/SecurityConfig.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/JaasAuthenticationCallbackHandler.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/context/GlobalSecurityContextHolderStrategy.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/event/JaasAuthenticationSuccessEvent.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/event/AuthenticationFailureLockedEvent.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/ConsensusBased.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/rcp/RemoteAuthenticationProvider.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/RememberMeAuthenticationToken.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/session/SessionRegistryImpl.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/rcp/RemoteAuthenticationException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/AbstractAccessDecisionManager.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/JaasNameCallbackHandler.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/memory/InMemoryDaoImpl.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/vote/AbstractAclVoter.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/intercept/AbstractSecurityInterceptor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/AuthenticationCredentialsNotFoundException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/core/userdetails/memory/UserAttributeEditor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-

```

jar/org/springframework/security/authentication/jaas/event/JaasAuthenticationEvent.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/event/AuthenticationFailureServiceExceptionEvent.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/encoding/ShaPasswordEncoder.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/event/AuthenticationFailureCredentialsExpiredEvent.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/DisabledException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/encoding/Md5PasswordEncoder.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/userdetails/memory/UserMap.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/session/SessionIdentifierAware.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/dao/SystemWideSaltSource.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/AccessDecisionVoter.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/AuthenticationTrustResolverImpl.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/intercept/NullRunAsManager.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/context/InheritableThreadLocalSecurityContextHolderStrategy.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/method/MethodSecurityMetadataSource.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/userdetails/jdbc/JdbcDaoImpl.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/AuthenticationManager.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/event/PublicInvocationEvent.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/jaas/SecurityContextLoginModule.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/ConfigAttributeEditor.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/userdetails/memory/UserAttribute.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/context/SecurityContextImpl.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/AccountExpiredException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-

```


jar/org/springframework/security/access/intercept/AfterInvocationProviderManager.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/AbstractAuthenticationToken.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/jaas/DefaultLoginExceptionResolver.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/CredentialsExpiredException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/InsufficientAuthenticationException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/event/LoggerListener.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/jaas/JaasGrantedAuthority.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/BadCredentialsException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/AuthenticationDetailsSource.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/AuthenticationException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/authority/GrantedAuthorityImpl.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/SpringSecurityMessageSource.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/userdetails/cache/EhCacheBasedUserCache.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/core/context/SecurityContextHolderStrategy.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/access/AfterInvocationProvider.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/event/AuthenticationFailureExpiredEvent.java
No license file was found, but licenses were detected in source scan.

/*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/hierarchicalroles/UserDetailsWrapper.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/hierarchicalroles/CycleInRoleHierarchyException.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/hierarchicalroles/UserDetailsServiceWrapper.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/hierarchicalroles/RoleHierarchyImpl.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/access/hierarchicalroles/RoleHierarchy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/password/PasswordEncoder.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/keygen/HexEncodingStringKeyGenerator.java

*

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/encrypt/Encryptors.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/password/Digester.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/keygen/KeyGenerators.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/encrypt/AesBytesEncryptor.java

* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/keygen/SecureRandomBytesKeyGenerator.java

```
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/keygen/SharedKeyGenerator.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/encrypt/BytesEncryptor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/password/StandardPasswordEncoder.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/util/EncodingUtils.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/keygen/StringKeyGenerator.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/password/NoOpPasswordEncoder.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/encrypt/CipherUtils.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/keygen/BytesKeyGenerator.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/encrypt/TextEncryptor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/encrypt/HexEncodingTextEncryptor.java
No license file was found, but licenses were detected in source scan.
```

```
// Permission to use, copy, modify, and distribute this software for any
// purpose with or without fee is hereby granted, provided that the above
// copyright notice and this permission notice appear in all copies.
```

Found in path(s):

```
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/crypto/bcrypt/BCrypt.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2002-2012 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
```

```
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
```

```
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
See the License for the
```

```
* specific language governing permissions and limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/concurrent/DelegatingSecurityContextExecutor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/concurrent/DelegatingSecurityContextRunnable.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/concurrent/AbstractDelegatingSecurityContextSupport.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/concurrent/DelegatingSecurityContextExecutorService.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/task/DelegatingSecurityContextAsyncTaskExecutor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/InternalAuthenticationServiceException.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/scheduling/DelegatingSecurityContextSchedulingTaskExecutor.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/task/DelegatingSecurityContextTaskExecutor.java
*
/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/concurrent/DelegatingSecurityContextCallable.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/concurrent/DelegatingSecurityContextScheduledExecutorService.java
No license file was found, but licenses were detected in source scan.
```

/*

* Copyright 2010 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/jaas/memory/InMemoryConfiguration.java
* /opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-
jar/org/springframework/security/authentication/jaas/AbstractJaasAuthenticationProvider.java
*
```

/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/authentication/jaas/DefaultJaasAuthenticationProvider.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2011 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

`/opt/cola/permits/1114224851_1607455148.91/0/spring-security-core-3-2-4-release-sources-3-jar/org/springframework/security/crypto/bcrypt/BCryptPasswordEncoder.java`

1.531 yang-parser-impl 0.8.4-Beryllium-SR4

1.531.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2016 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014, 2015 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015 Pantheon Technologies s.r.o. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public

License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013, 2015 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.532 spring-security-config 3.2.4.RELEASE

1.532.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2012 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the

* specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/SecurityFilters.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2013 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/method/GlobalMethodSecurityBeanDefinitionParser.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/configuration/ObjectPostProcessorConfiguration.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/authentication/configurers/GlobalAuthenticationConfigurerAdapter.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/JeeConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/method/configuration/EnableGlobalMethodSecurity.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/configuration/AutowiredBeanFactoryObjectPostProcessor.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/ChannelSecurityConfigurer.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/AbstractRequestMatcherRegistry.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configuration/EnableWebSecurity.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/authentication/configurers/ldap/LdapAuthenticationProviderConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/AbstractConfigAttributeRequestMatcherRegistry.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/LogoutConfigurer.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/method/configuration/GlobalMethodSecurityAspectJAutoProxyRegistrar.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/method/configuration/GlobalMethodSecuritySelector.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/RememberMeBeanDefinitionParser.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configuration/AutowiredWebSecurityConfigurersIgnoreParents.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/authentication/ProviderManagerBuilder.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/SecurityConfigurerAdapter.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/builders/WebSecurity.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-

jar/org/springframework/security/config/annotation/web/configuration/WebSecurityConfiguration.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/AbstractSecurityBuilder.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/configurers/userdetails/DaoAuthenticationConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/builders/AuthenticationManagerBuilder.java
*
/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/configuration/AuthenticationConfiguration.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/AnonymousConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/UrlAuthorizationConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configuration/WebSecurityConfigurerAdapter.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/servlet/configuration/EnableWebMvcSecurity.java
*
/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/servlet/configuration/WebMvcSecurityConfiguration.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/RequestCacheConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/HttpSecurityBuilder.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/SecurityBuilder.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/HeadersConfigurer.java
*
/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/configurers/userdetails/AbstractDaoAuthenticationConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/configuration/EnableGlobalAuthentication.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/AbstractHttpConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/AbstractInterceptUrlConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/SessionManagementConfigurer.java
*
/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/configurers/provisioning/InMemoryUserDetailsManagerConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/builders/HttpSecurity.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/openid/OpenIDLoginConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/HttpConfigurationBuilder.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/PermitAllSupport.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/SecurityContextConfigurer.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/authentication/configurers/userdetails/UserDetailsAwareConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/SecurityConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/FormLoginConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/builders/FilterComparator.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/AlreadyBuiltException.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/PortMapperConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/AbstractConfiguredSecurityBuilder.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/RememberMeConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/ExpressionUrlAuthorizationConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/authentication/configurers/userdetails/UserDetailsServiceConfigurer.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/AbstractAuthenticationFilterConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/authentication/configurers/provisioning/JdbcUserDetailsManagerConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/CsrfConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/WebSecurityConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/ServletApiConfigurer.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/annotation/web/configurers/HttpBasicConfigurer.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-

jar/org/springframework/security/config/annotation/ObjectPostProcessor.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/DefaultLoginPageConfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/authentication/configurers/provisioning/UserDetailsManagerCo
nfigurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/X509Configurer.java
* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/web/configurers/ExceptionHandlerConfigurer.java
*
/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/annotation/method/configuration/GlobalMethodSecurityConfiguration.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2011 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-
jar/org/springframework/security/config/debug/SecurityDebugBeanFactoryPostProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2009-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/SecurityNamespaceHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2012 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/CsrfBeanDefinitionParser.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/method/MethodConfigUtils.java

*

/opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/FormLoginBeanDefinitionParser.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/AuthenticationConfigBuilder.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/LogoutBeanDefinitionParser.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/HttpSecurityBeanDefinitionParser.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/WebConfigUtils.java

* /opt/cola/permits/1114224846_1607455074.75/0/spring-security-config-3-2-4-release-sources-jar/org/springframework/security/config/http/HeadersBeanDefinitionParser.java

1.533 util 0.8.4-Beryllium-SR4

1.533.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Robert Varga. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Brocade Communications Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.534 mibble-commercial-parser 2.9.3

1.534.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
RFC1213-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
    mgmt, NetworkAddress, IpAddress, Counter, Gauge,
        TimeTicks
    FROM RFC1155-SMI
    OBJECT-TYPE
        FROM RFC-1212;
```

```
-- This MIB module uses the extended OBJECT-TYPE macro as
-- defined in [14];
```

```
-- MIB-II (same prefix as MIB-I)
```

```
mib-2    OBJECT IDENTIFIER ::= { mgmt 1 }
```

```
-- textual conventions
```

```
DisplayString ::=
```

```
    OCTET STRING
```

```
-- This data type is used to model textual information taken
```

```

-- from the NVT ASCII character set. By convention, objects
-- with this syntax are declared as having

--
-- SIZE (0..255)

PhysAddress ::=
    OCTET STRING
-- This data type is used to model media addresses. For many
-- types of media, this will be in a binary representation.
-- For example, an ethernet address would be represented as
-- a string of 6 octets.

-- groups in MIB-II

system    OBJECT IDENTIFIER ::= { mib-2 1 }

interfaces
    OBJECT IDENTIFIER ::= { mib-2 2 }

at        OBJECT IDENTIFIER ::= { mib-2 3 }

ip        OBJECT IDENTIFIER ::= { mib-2 4 }

icmp      OBJECT IDENTIFIER ::= { mib-2 5 }

tcp       OBJECT IDENTIFIER ::= { mib-2 6 }

udp       OBJECT IDENTIFIER ::= { mib-2 7 }

egp       OBJECT IDENTIFIER ::= { mib-2 8 }

-- historical (some say hysterical)
-- cmot    OBJECT IDENTIFIER ::= { mib-2 9 }

transmission OBJECT IDENTIFIER ::= { mib-2 10 }

snmp      OBJECT IDENTIFIER ::= { mib-2 11 }

-- the System group

-- Implementation of the System group is mandatory for all
-- systems. If an agent is not configured to have a value
-- for any of these variables, a string of length 0 is
-- returned.

```

sysDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A textual description of the entity. This value should include the full name and version identification of the

system's hardware type,

software operating-system, and networking software. It is mandatory that this only contain printable ASCII characters."

::= { system 1 }

sysObjectID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The vendor's authoritative identification of the network management subsystem contained in the entity. This value is allocated within the SMI enterprises subtree (1.3.6.1.4.1) and provides an easy and unambiguous means for determining `what kind of box' is being managed. For example, if vendor `Flintstones, Inc.' was assigned the subtree 1.3.6.1.4.1.4242, it could assign the identifier 1.3.6.1.4.1.4242.1.1 to its `Fred Router'."

::= { system 2 }

sysUpTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The time (in hundredths of a second) since the network management portion of the system was last re-initialized."

::= { system 3 }

sysContact OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The textual identification of the contact person for this managed node, together with information

on how to contact this person."

::= { system 4 }

sysName OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An administratively-assigned name for this managed node. By convention, this is the node's fully-qualified domain name."

::= { system 5 }

sysLocation OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The physical location of this node (e.g.,
`telephone closet,
3rd floor')."

::= { system 6 }

sysServices OBJECT-TYPE

SYNTAX INTEGER (0..127)

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A value which indicates the set of services that this entity primarily offers.

The value is a sum. This sum initially takes the value zero, Then, for each layer, L, in the range 1 through 7, that this node performs transactions for, 2 raised to (L - 1) is added to the sum. For example, a node which performs primarily routing functions would have a value of 4 ($2^{(3-1)}$). In contrast, a node which is a host offering application services would have a value of 72 ($2^{(4-1)} + 2^{(7-1)}$). Note that in the context of the Internet suite of protocols, values should be calculated accordingly:

layer functionality

1 physical (e.g., repeaters)

2 datalink/subnetwork (e.g., bridges)

3 internet (e.g., IP gateways)

4 end-to-end (e.g., IP hosts)
7 applications (e.g., mail relays)

For systems including OSI protocols, layers 5 and 6 may also be counted."

::= { system 7 }

-- the Interfaces group

-- Implementation of the Interfaces group is mandatory for
-- all systems.

ifNumber OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of network interfaces (regardless of their current state) present on this system."

::= { interfaces 1 }

-- the Interfaces table

-- The Interfaces table contains information on the entity's
-- interfaces. Each interface is thought of as being
-- attached to a `subnetwork'. Note that this term should
-- not be confused with `subnet' which refers to an
-- addressing partitioning scheme used in the Internet suite
-- of
-- protocols.

ifTable OBJECT-TYPE

SYNTAX SEQUENCE OF IfEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"A list of interface entries. The number of entries is given by the value of ifNumber."

::= { interfaces 2 }

ifEntry OBJECT-TYPE

SYNTAX IfEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"An interface entry containing objects at the subnetwork layer and below for a particular


```

    interface."
INDEX { ifIndex }
::= { ifTable 1 }

IfEntry ::=
SEQUENCE {
    ifIndex
        INTEGER,
    ifDescr
        DisplayString,
    ifType
        INTEGER,
    ifMtu
        INTEGER,
    ifSpeed
        Gauge,
    ifPhysAddress
        PhysAddress,
    ifAdminStatus
        INTEGER,
    ifOperStatus
        INTEGER,
    ifLastChange
        TimeTicks,
    ifInOctets
        Counter,
    ifInUcastPkts
        Counter,
    ifInNUcastPkts
        Counter,
    ifInDiscards
        Counter,
    ifInErrors
        Counter,
    ifInUnknownProtos
        Counter,
    ifOutOctets
        Counter,
    ifOutUcastPkts
        Counter,
    ifOutNUcastPkts
        Counter,
    ifOutDiscards
        Counter,
    ifOutErrors
        Counter,
    ifOutQLen
        Gauge,

```

```
    ifSpecific
      OBJECT IDENTIFIER
    }
```

ifIndex OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A unique value for each interface. Its value ranges between 1 and the value of ifNumber. The value for each interface must remain constant at least from one re-initialization of the entity's network management system to the next re-initialization."

::= { ifEntry 1 }

ifDescr OBJECT-TYPE

SYNTAX DisplayString

(SIZE (0..255))

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A textual string containing information about the interface. This string should include the name of the manufacturer, the product name and the version of the hardware interface."

::= { ifEntry 2 }

ifType OBJECT-TYPE

SYNTAX INTEGER {

other(1), -- none of the following

regular1822(2),

hdh1822(3),

ddn-x25(4),

rfe877-x25(5),

ethernet-csmacd(6),

iso88023-csmacd(7),

iso88024-tokenBus(8),

iso88025-tokenRing(9),

iso88026-man(10),

starLan(11),

proteon-10Mbit(12),

proteon-80Mbit(13),

hyperchannel(14),

fddi(15),

lapb(16),

hdlc(17),

```

ds1(18),      -- T-1

e1(19),      -- european equiv. of T-1
basicISDN(20),
primaryISDN(21), -- proprietary serial
propPointToPointSerial(22),
ppp(23),
softwareLoopback(24),
eon(25),      -- CLNP over IP [11]
ethernet-3Mbit(26),
nsip(27),     -- XNS over IP
slip(28),     -- generic SLIP
ultra(29),    -- ULTRA technologies
ds3(30),      -- T-3
sip(31),      -- SMDS
frame-relay(32)
}
ACCESS read-only
STATUS mandatory
DESCRIPTION
    "The type of interface, distinguished according to
    the physical/link protocol(s) immediately `below'
    the network layer in the protocol stack."
::= { ifEntry 3 }

```

ifMtu OBJECT-TYPE

```

SYNTAX INTEGER
ACCESS read-only
STATUS mandatory
DESCRIPTION

    "The size of the largest datagram which can be
    sent/received on the interface, specified in
    octets. For interfaces that are used for
    transmitting network datagrams, this is the size
    of the largest network datagram that can be sent
    on the interface."
::= { ifEntry 4 }

```

ifSpeed OBJECT-TYPE

```

SYNTAX Gauge
ACCESS read-only
STATUS mandatory
DESCRIPTION

    "An estimate of the interface's current bandwidth
    in bits per second. For interfaces which do not
    vary in bandwidth or for those where no accurate
    estimation can be made, this object should contain

```

the nominal bandwidth."

::= { ifEntry 5 }

ifPhysAddress OBJECT-TYPE

SYNTAX PhysAddress

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The interface's address at the protocol layer immediately `below' the network layer in the protocol stack. For

interfaces which do not have

such an address (e.g., a serial line), this object should contain an octet string of zero length."

::= { ifEntry 6 }

ifAdminStatus OBJECT-TYPE

SYNTAX INTEGER {

up(1), -- ready to pass packets

down(2),

testing(3) -- in some test mode

}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The desired state of the interface. The testing(3) state indicates that no operational packets can be passed."

::= { ifEntry 7 }

ifOperStatus OBJECT-TYPE

SYNTAX INTEGER {

up(1), -- ready to pass packets

down(2),

testing(3) -- in some test mode

}

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The current operational state of the interface. The testing(3) state indicates that no operational packets can

be passed."

::= { ifEntry 8 }

ifLastChange OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The value of sysUpTime at the time the interface entered its current operational state. If the current state was entered prior to the last re-initialization of the local network management subsystem, then this object contains a zero value."

::= { ifEntry 9 }

ifInOctets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of octets received on the interface, including framing characters."

::= { ifEntry 10 }

ifInUcastPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of subnetwork-unicast packets delivered to a higher-layer protocol."

::= { ifEntry 11 }

ifInNUcastPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of non-unicast (i.e., subnetwork-broadcast or subnetwork-multicast) packets delivered to a higher-layer protocol."

::= { ifEntry 12 }

ifInDiscards OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of inbound packets which were chosen to be discarded even though no errors had been detected to prevent their being deliverable to a higher-layer protocol. One possible reason for discarding such a packet could be to free up

buffer space."
::= { ifEntry 13 }

ifInErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of inbound packets that contained
 errors preventing them from being deliverable to a
 higher-layer protocol."
::= { ifEntry 14 }

ifInUnknownProtos

OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of packets received via the interface
 which were discarded because of an unknown or
 unsupported protocol."
::= { ifEntry 15 }

ifOutOctets OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of octets transmitted out of the
 interface, including framing characters."
::= { ifEntry 16 }

ifOutUcastPkts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of packets that higher-level
 protocols requested be transmitted to a
 subnetwork-unicast address, including those that
 were discarded or not sent."
::= { ifEntry 17 }

ifOutNUcastPkts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

DESCRIPTION

"The total number of packets that higher-level protocols requested be transmitted to a non-unicast (i.e., a subnetwork-broadcast or subnetwork-multicast) address, including those that were discarded or not sent."
::= { ifEntry 18 }

ifOutDiscards OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

DESCRIPTION

"The number of outbound packets which were chosen to be discarded even though no errors had been detected to prevent their being transmitted. One possible reason for discarding such a packet could be to free up buffer space."
::= { ifEntry 19 }

ifOutErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

DESCRIPTION

"The number of outbound packets that could not be transmitted because of errors."
::= { ifEntry 20 }

ifOutQLen OBJECT-TYPE

SYNTAX Gauge
ACCESS read-only
STATUS mandatory

DESCRIPTION

"The length of the output packet queue (in packets)."
::= { ifEntry 21 }

ifSpecific OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER
ACCESS read-only
STATUS mandatory

DESCRIPTION

"A reference to MIB definitions specific to the particular media being used to realize the interface. For example, if the interface is realized by an ethernet, then the value of this

object refers to a document defining objects specific to ethernet. If this information is not present, its value should be set to the OBJECT IDENTIFIER { 0 0 }, which is a syntatically valid object identifier, and any conformant implementation of ASN.1 and BER must be able to generate and recognize this value."

::= { ifEntry 22 }

-- the Address Translation group

-- Implementation of the Address Translation group is

-- mandatory for all

systems. Note however that this group

-- is deprecated by MIB-II. That is, it is being included

-- solely for compatibility with MIB-I nodes, and will most

-- likely be excluded from MIB-III nodes. From MIB-II and

-- onwards, each network protocol group contains its own

-- address translation tables.

-- The Address Translation group contains one table which is

-- the union across all interfaces of the translation tables

-- for converting a NetworkAddress (e.g., an IP address) into

-- a subnetwork-specific address. For lack of a better term,

-- this document refers to such a subnetwork-specific address

-- as a `physical' address.

-- Examples of such translation tables are: for broadcast

-- media where ARP is in use, the translation table is

-- equivalent to the ARP cache; or, on an X.25 network where

-- non-algorithmic translation to X.121 addresses is

-- required, the translation table contains the

-- NetworkAddress to X.121 address equivalences.

atTable OBJECT-TYPE

SYNTAX

SEQUENCE OF AtEntry

ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"The Address Translation tables contain the NetworkAddress to `physical' address equivalences. Some interfaces do not use translation tables for determining address equivalences (e.g., DDN-X.25 has an algorithmic method); if all interfaces are of this type, then the Address Translation table

is empty, i.e., has zero entries."

::= { at 1 }

atEntry OBJECT-TYPE

SYNTAX AtEntry

ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Each entry contains one NetworkAddress to
`physical' address equivalence."

INDEX { atIfIndex,
atNetAddress }

::= { atTable 1 }

AtEntry ::=

SEQUENCE {

atIfIndex

INTEGER,

atPhysAddress

PhysAddress,

atNetAddress

NetworkAddress

}

atIfIndex OBJECT-TYPE

SYNTAX

INTEGER

ACCESS read-write

STATUS deprecated

DESCRIPTION

"The interface on which this entry's equivalence
is effective. The interface identified by a
particular value of this index is the same
interface as identified by the same value of
ifIndex."

::= { atEntry 1 }

atPhysAddress OBJECT-TYPE

SYNTAX PhysAddress

ACCESS read-write

STATUS deprecated

DESCRIPTION

"The media-dependent `physical' address.

Setting this object to a null string (one of zero
length) has the effect of invalidating the
corresponding entry in the atTable object. That
is, it effectively dissociates the interface

identified with said entry from the mapping
identified with said entry. It is an
implementation-specific matter as to whether the
agent removes an invalidated entry from the table.

Accordingly,

management stations must be prepared

to receive tabular information from agents that
corresponds to entries not currently in use.

Proper interpretation of such entries requires
examination of the relevant atPhysAddress object."

::= { atEntry 2 }

atNetAddress OBJECT-TYPE

SYNTAX NetworkAddress

ACCESS read-write

STATUS deprecated

DESCRIPTION

"The NetworkAddress (e.g., the IP address)
corresponding to the media-dependent `physical'
address."

::= { atEntry 3 }

-- the IP group

-- Implementation of the IP group is mandatory for all
-- systems.

ipForwarding OBJECT-TYPE

SYNTAX INTEGER {

forwarding(1), -- acting as a gateway

not-forwarding(2) -- NOT acting as a gateway

}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The indication of whether this entity is acting
as an IP gateway in respect

to the forwarding of

datagrams received by, but not addressed to, this
entity. IP gateways forward datagrams. IP hosts
do not (except those source-routed via the host).

Note that for some managed nodes, this object may
take on only a subset of the values possible.

Accordingly, it is appropriate for an agent to
return a `badValue' response if a management
station attempts to change this object to an

inappropriate value."

::= { ip 1 }

ipDefaultTTL OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The default value inserted into the Time-To-Live field of the IP header of datagrams originated at this entity, whenever a TTL value is not supplied by the transport layer protocol."

::= { ip 2 }

ipInReceives OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of input datagrams received from interfaces, including those received in error."

::= { ip 3 }

ipInHdrErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of input datagrams discarded due to errors in their IP headers, including bad checksums, version number mismatch, other format errors, time-to-live exceeded, errors discovered in processing their IP options, etc."

::= { ip 4 }

ipInAddrErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of input datagrams discarded because the IP address in their IP header's destination field was not a valid address to be received at this entity. This count includes invalid addresses (e.g., 0.0.0.0) and addresses of unsupported Classes (e.g.,

Class E). For entities

which are not IP Gateways and therefore do not

forward datagrams, this counter includes datagrams discarded because the destination address was not a local address."

::= { ip 5 }

ipForwDatagrams OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of input datagrams for which this entity was not their final IP destination, as a result of which an attempt was made to find a route to forward them to that final destination. In entities which do not act as IP Gateways, this counter will include only those packets which were Source-Routed via this entity, and the Source-Route option processing was successful."

::= { ip 6 }

ipInUnknownProtos OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of locally-addressed datagrams received successfully but discarded because of an unknown or unsupported protocol."

::= { ip 7 }

ipInDiscards OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of input IP datagrams for which no problems were encountered to prevent their continued processing, but which were discarded (e.g., for lack of buffer space). Note that this counter does not include any datagrams discarded while awaiting re-assembly."

::= { ip 8 }

ipInDelivers OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of input datagrams successfully delivered to IP user-protocols (including ICMP)."

::= { ip 9 }

ipOutRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of IP datagrams which local IP user-protocols (including ICMP) supplied to IP in requests for transmission. Note that this counter does not include any datagrams counted in ipForwDatagrams."

::= { ip 10 }

ipOutDiscards OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of output IP datagrams for which no problem was encountered to prevent their transmission to their destination, but which were discarded (e.g., for lack of buffer space). Note that this counter would include datagrams counted in ipForwDatagrams if any such packets met this (discretionary) discard criterion."

::= { ip 11 }

ipOutNoRoutes OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of IP datagrams discarded because no route could be found to transmit them to their destination. Note that this counter includes any packets counted in ipForwDatagrams which meet this 'no-route' criterion. Note that this includes any datagrams which a host cannot route because all of its default gateways are down."

::= { ip 12 }

ipReasmTimeout OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The maximum number of seconds which received fragments are held while they are awaiting reassembly at this entity."

::= { ip 13 }

ipReasmReqds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of IP fragments received which needed to be reassembled at this entity."

::= { ip 14 }

ipReasmOKs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of IP datagrams successfully re-assembled."

::= { ip 15 }

ipReasmFails OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of failures detected by the IP re-assembly algorithm (for whatever reason: timed out, errors, etc). Note that this is not necessarily a count of discarded IP fragments since some algorithms (notably the algorithm in RFC 815) can lose track of the number of fragments by combining them as they are received."

::= { ip 16 }

ipFragOKs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of IP datagrams that have been

successfully fragmented at this entity."
::= { ip 17 }

ipFragFails OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The number of IP datagrams that have been
discarded because they needed to
be fragmented at
this entity but could not be, e.g., because their
Don't Fragment flag was set."
::= { ip 18 }

ipFragCreates OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The number of IP datagram fragments that have
been generated as a result of fragmentation at
this entity."
::= { ip 19 }

-- the IP address table

-- The IP address table contains this entity's IP addressing
-- information.

ipAddrTable OBJECT-TYPE
SYNTAX SEQUENCE OF IpAddrEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
"The table of addressing information relevant to
this entity's IP addresses."
::= { ip 20 }

ipAddrEntry OBJECT-TYPE
SYNTAX IpAddrEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
"The addressing information for one of this
entity's IP addresses."
INDEX { ipAdEntAddr }
::=

```
{ ipAddrTable 1 }
```

```
IpAddrEntry ::=
SEQUENCE {
    ipAdEntAddr
        IPAddress,
    ipAdEntIfIndex
        INTEGER,
    ipAdEntNetMask
        IPAddress,
    ipAdEntBcastAddr
        INTEGER,
    ipAdEntReasmMaxSize
        INTEGER (0..65535)
}
```

```
ipAdEntAddr OBJECT-TYPE
SYNTAX IPAddress
ACCESS read-only
STATUS mandatory
DESCRIPTION
    "The IP address to which this entry's addressing
    information pertains."
::= { ipAddrEntry 1 }
```

```
ipAdEntIfIndex OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-only
STATUS mandatory
DESCRIPTION
    "The index value which uniquely identifies the
    interface to which this entry is applicable. The
    interface identified by a particular value of this
    index is the same interface as identified by the
    same value of ifIndex."
::= { ipAddrEntry 2 }
```

```
ipAdEntNetMask OBJECT-TYPE
SYNTAX IPAddress
ACCESS
read-only
STATUS mandatory
DESCRIPTION
    "The subnet mask associated with the IP address of
    this entry. The value of the mask is an IP
    address with all the network bits set to 1 and all
    the hosts bits set to 0."
::= { ipAddrEntry 3 }
```


ipAdEntBcastAddr OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The value of the least-significant bit in the IP broadcast address used for sending datagrams on the (logical) interface associated with the IP address of this entry. For example, when the Internet standard all-ones broadcast address is used, the value will be 1. This value applies to both the subnet and network broadcasts addresses used by the entity on this (logical) interface."

::= { ipAddrEntry 4 }

ipAdEntReasmMaxSize OBJECT-TYPE

SYNTAX INTEGER (0..65535)

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The size of the largest IP datagram which this entity can re-assemble from incoming IP fragmented datagrams received on this interface."

::= { ipAddrEntry 5 }

-- the IP routing table

-- The IP routing table contains an entry for each route

-- presently known to this entity.

ipRouteTable OBJECT-TYPE

SYNTAX SEQUENCE OF IpRouteEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"This entity's IP Routing table."

::= { ip 21 }

ipRouteEntry OBJECT-TYPE

SYNTAX IpRouteEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"A route to a particular destination."

INDEX { ipRouteDest }

::= { ipRouteTable 1 }

```

IpRouteEntry ::=
SEQUENCE {
    ipRouteDest
        IPAddress,
    ipRouteIfIndex
        INTEGER,
    ipRouteMetric1
        INTEGER,
    ipRouteMetric2
        INTEGER,
    ipRouteMetric3
        INTEGER,
    ipRouteMetric4
        INTEGER,
    ipRouteNextHop
        IPAddress,
    ipRouteType
        INTEGER,
    ipRouteProto
        INTEGER,
    ipRouteAge
        INTEGER,
    ipRouteMask
        IPAddress,
    ipRouteMetric5
        INTEGER,
    ipRouteInfo
        OBJECT IDENTIFIER
}

```

ipRouteDest OBJECT-TYPE

SYNTAX IPAddress

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The destination IP address of this route. An entry with a value of 0.0.0.0 is considered a default route. Multiple routes to a single destination can appear in the table, but access to such multiple entries is dependent on the table-access mechanisms defined by the network management protocol in use."

::= { ipRouteEntry 1 }

ipRouteIfIndex OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The index value which uniquely identifies the local interface through which the next hop of this route should be reached. The interface identified by a particular value of this index is the same interface as identified by the same value of ifIndex."

::= { ipRouteEntry 2 }

ipRouteMetric1 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The primary routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 3 }

ipRouteMetric2 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 4 }

ipRouteMetric3 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 5 }

ipRouteMetric4 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

::= { ipRouteEntry 6 }

ipRouteNextHop OBJECT-TYPE

SYNTAX IPAddress

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The IP address of the next hop of this route. (In the case of a route bound to an interface which is realized via a broadcast media, the value of this field is the agent's IP address on that interface.)"

::= { ipRouteEntry 7 }

ipRouteType OBJECT-TYPE

SYNTAX INTEGER {

other(1), -- none of the following

invalid(2), -- an invalidated route

-- route to directly

direct(3), -- connected (sub-)network

-- route to a non-local

indirect(4) -- host/network/sub-network

}

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The type of route. Note that the values direct(3) and indirect(4) refer to the notion of direct and indirect routing in the IP architecture.

Setting this object to the value invalid(2) has the effect of invalidating the corresponding entry in the ipRouteTable object. That is, it effectively disassociates the destination

identified with said entry from the route
identified with said entry. It is an
implementation-specific matter as to whether the
agent removes an invalidated entry from the table.
Accordingly, management stations must be prepared
to receive tabular information from agents that
corresponds to entries not currently in use.
Proper interpretation of such entries requires
examination of the relevant ipRouteType object."

```
::= { ipRouteEntry 8 }
```

ipRouteProto OBJECT-TYPE

```
SYNTAX INTEGER {
```

```
    other(1),    -- none of the following
```

```
    -- non-protocol information,  
    -- e.g., manually configured
```

```
    local(2),    -- entries
```

```
    -- set via a network
```

```
    netmgmt(3),  -- management protocol
```

```
    -- obtained via ICMP,
```

```
    icmp(4),     -- e.g., Redirect
```

```
    -- the remaining values are
```

```
    -- all gateway routing
```

```
    -- protocols
```

```
    egp(5),
```

```
    ggp(6),
```

```
    hello(7),
```

```
    rip(8),
```

```
    is-is(9),
```

```
    es-is(10),
```

```
    ciscoIgrp(11),
```

```
    bbnSpfIgp(12),
```

```
    ospf(13),
```

```
    bgp(14)
```

```
}
```

```
ACCESS read-only
```

```
STATUS mandatory
```

```
DESCRIPTION
```

```
"The routing mechanism via which this route was  
learned. Inclusion of values for gateway routing  
protocols
```

```
is not intended to imply that hosts
```

```
should support those protocols."
```

::= { ipRouteEntry 9 }

ipRouteAge OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The number of seconds since this route was last updated or otherwise determined to be correct. Note that no semantics of 'too old' can be implied except through knowledge of the routing protocol by which the route was learned."

::= { ipRouteEntry 10 }

ipRouteMask OBJECT-TYPE

SYNTAX IPAddress

ACCESS read-write

STATUS mandatory

DESCRIPTION

"Indicate the mask to be logical-ANDed with the destination address before being compared to the value in the ipRouteDest field. For those systems that do not support arbitrary subnet masks, an agent constructs the value of the ipRouteMask by determining whether the value of the correspondent ipRouteDest field belong to a class-A, B, or C network, and then using one of:

mask	network
255.0.0.0	class-A
255.255.0.0	class-B
255.255.255.0	class-C

If the value of the ipRouteDest is 0.0.0.0 (a default route), then the mask value is also 0.0.0.0. It should be noted that all IP routing subsystems implicitly use this mechanism."

::= { ipRouteEntry 11 }

ipRouteMetric5 OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-write

STATUS mandatory

DESCRIPTION

"An alternate routing metric for this route. The semantics of this metric are determined by the routing-protocol specified in the route's ipRouteProto value. If this metric is not used, its value should be set to -1."

```
::= { ipRouteEntry 12 }
```

ipRouteInfo OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"A reference to MIB definitions specific to the particular routing protocol which is responsible for this route, as determined by the value specified in the route's ipRouteProto value. If this information is not present, its value should be set to the OBJECT IDENTIFIER { 0 0 }, which is a syntatically valid object identifier, and any conformant implementation of ASN.1 and BER must be able to generate and recognize this value."

```
::= { ipRouteEntry 13 }
```

```
-- the IP Address Translation table
```

```
-- The IP address translation table contain the IpAddress to  
-- `physical' address equivalences. Some interfaces do not  
-- use translation tables for determining address  
-- equivalences (e.g., DDN-X.25 has an algorithmic method);  
-- if all interfaces are of this type, then the Address  
-- Translation table is empty, i.e., has zero  
entries.
```

ipNetToMediaTable OBJECT-TYPE

SYNTAX SEQUENCE OF IpNetToMediaEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"The IP Address Translation table used for mapping from IP addresses to physical addresses."

```
::= { ip 22 }
```

ipNetToMediaEntry OBJECT-TYPE

SYNTAX IpNetToMediaEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Each entry contains one IpAddress to `physical' address equivalence."

INDEX { ipNetToMediaIfIndex,
ipNetToMediaNetAddress }

```
::= { ipNetToMediaTable 1 }
```

```

IpNetToMediaEntry ::=
SEQUENCE {
    ipNetToMediaIfIndex
        INTEGER,
    ipNetToMediaPhysAddress
        PhysAddress,
    ipNetToMediaNetAddress
        IpAddress,
    ipNetToMediaType
        INTEGER
}

```

ipNetToMediaIfIndex OBJECT-TYPE

```

SYNTAX INTEGER
ACCESS read-write
STATUS mandatory
DESCRIPTION
    "The interface
on which this entry's equivalence
    is effective. The interface identified by a
    particular value of this index is the same
    interface as identified by the same value of
    ifIndex."
::= { ipNetToMediaEntry 1 }

```

ipNetToMediaPhysAddress OBJECT-TYPE

```

SYNTAX PhysAddress
ACCESS read-write
STATUS mandatory
DESCRIPTION
    "The media-dependent `physical' address."
::= { ipNetToMediaEntry 2 }

```

ipNetToMediaNetAddress OBJECT-TYPE

```

SYNTAX IpAddress
ACCESS read-write
STATUS mandatory
DESCRIPTION
    "The IpAddress corresponding to the media-
dependent `physical' address."
::= { ipNetToMediaEntry 3 }

```

ipNetToMediaType OBJECT-TYPE

```

SYNTAX INTEGER {
    other(1),    -- none of the following
    invalid(2), -- an invalidated mapping
    dynamic(3),

```



```
        static(4)
    }
ACCESS read-write
STATUS mandatory
DESCRIPTION
    "The type of mapping.
```

Setting this object to the value invalid(2) has the effect of invalidating the corresponding entry in the ipNetToMediaTable. That is, it effectively disassociates the interface identified with said entry from the mapping identified with said entry. It is an implementation-specific matter as to whether the agent removes an invalidated entry from the table. Accordingly, management stations must be prepared to receive tabular information from agents that corresponds to entries not currently in use. Proper interpretation of such entries requires examination of the relevant ipNetToMediaType object."

```
::= { ipNetToMediaEntry 4 }
```

```
-- additional IP objects
```

```
ipRoutingDiscards OBJECT-TYPE
```

```
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
```

```
    "The number
of routing entries which were chosen
to be discarded even though they are valid. One
possible reason for discarding such an entry could
be to free-up buffer space for other routing
entries."
```

```
::= { ip 23 }
```

```
-- the ICMP group
```

```
-- Implementation of the ICMP group is mandatory for all
-- systems.
```

```
icmpInMsgs OBJECT-TYPE
```

```
SYNTAX Counter
ACCESS read-only
STATUS mandatory
```

DESCRIPTION

"The total number of ICMP messages which the entity received. Note that this counter includes all those counted by icmpInErrors."

::= { icmp 1 }

icmpInErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP messages which the entity received but determined as having ICMP-specific errors (bad ICMP checksums, bad length, etc.)."

::= { icmp 2 }

icmpInDestUnreachs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Destination Unreachable messages received."

::= { icmp 3 }

icmpInTimeExcds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Time Exceeded messages received."

::= { icmp 4 }

icmpInParmProbs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Parameter Problem messages received."

::= { icmp 5 }

icmpInSrcQuenchs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Source Quench messages received."

::= { icmp 6 }

icmpInRedirects OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Redirect messages received."

::= { icmp 7 }

icmpInEchos OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Echo (request) messages received."

::= { icmp 8 }

icmpInEchoReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Echo Reply messages received."

::= { icmp 9 }

icmpInTimestamps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Timestamp (request) messages received."

::= { icmp 10 }

icmpInTimestampReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Timestamp Reply messages received."

::= { icmp 11 }

icmpInAddrMasks OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Address Mask Request messages received."

::= {

icmp 12 }

icmpInAddrMaskReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Address Mask Reply messages received."

::= { icmp 13 }

icmpOutMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of ICMP messages which this entity attempted to send. Note that this counter includes all those counted by icmpOutErrors."

::= { icmp 14 }

icmpOutErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP messages which this entity did not send due to problems discovered within ICMP such as a lack of buffers. This value should not include errors discovered outside the ICMP layer such as the inability of IP to route the resultant datagram. In some implementations there may

be no

types of error which contribute to this counter's value."

::= { icmp 15 }

icmpOutDestUnreachs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory
DESCRIPTION
 "The number of ICMP Destination Unreachable
 messages sent."
::= { icmp 16 }

icmpOutTimeExcds OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of ICMP Time Exceeded messages sent."
::= { icmp 17 }

icmpOutParmProbs OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of ICMP Parameter Problem messages
 sent."
::= { icmp 18 }

icmpOutSrcQuenchs OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of ICMP Source Quench messages sent."
::= { icmp 19 }

icmpOutRedirects OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS
mandatory
DESCRIPTION
 "The number of ICMP Redirect messages sent. For a
 host, this object will always be zero, since hosts
 do not send redirects."
::= { icmp 20 }

icmpOutEchos OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of ICMP Echo (request) messages sent."

::= { icmp 21 }

icmpOutEchoReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Echo Reply messages sent."

::= { icmp 22 }

icmpOutTimestamps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Timestamp (request) messages sent."

::= { icmp 23 }

icmpOutTimestampReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Timestamp Reply messages sent."

::= {

icmp 24 }

icmpOutAddrMasks OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Address Mask Request messages sent."

::= { icmp 25 }

icmpOutAddrMaskReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of ICMP Address Mask Reply messages sent."

::= { icmp 26 }

-- the TCP group

-- Implementation of the TCP group is mandatory for all
-- systems that implement the TCP.

-- Note that instances of object types that represent
-- information about a particular TCP connection are
-- transient; they persist only as long as the connection
-- in question.

tcpRtoAlgorithm OBJECT-TYPE

SYNTAX INTEGER {

other(1), -- none of the following

constant(2), -- a constant rto

rsre(3), -- MIL-STD-1778, Appendix B

vanj(4) -- Van Jacobson's algorithm [10]

}

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The algorithm used to determine the timeout value
used for retransmitting unacknowledged octets."

::= { tcp 1 }

tcpRtoMin OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The minimum value permitted by a TCP
implementation for the retransmission timeout,
measured in milliseconds. More refined semantics
for objects of this type depend upon the algorithm
used to determine the retransmission timeout. In
particular, when the timeout algorithm is rsre(3),
an object of this type has the semantics of the
LBOUND quantity described in RFC 793."

::= { tcp 2 }

tcpRtoMax OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The maximum value permitted by a TCP

implementation for the retransmission
timeout,
measured in milliseconds. More refined semantics
for objects of this type depend upon the algorithm
used to determine the retransmission timeout. In
particular, when the timeout algorithm is rsre(3),
an object of this type has the semantics of the
UBOUND quantity described in RFC 793."
::= { tcp 3 }

tcpMaxConn OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The limit on the total number of TCP connections
the entity can support. In entities where the
maximum number of connections is dynamic, this
object should contain the value -1."
::= { tcp 4 }

tcpActiveOpens OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The number of times TCP connections have made a
direct transition to the SYN-SENT state from the
CLOSED state."
::= { tcp 5 }

tcpPassiveOpens OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The number of times TCP connections have made a
direct transition to the SYN-RCVD state from the
LISTEN state."
::= { tcp 6 }

tcpAttemptFails OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The number of times TCP connections have made a
direct transition to the CLOSED state from either

the SYN-SENT state or the SYN-RCVD state, plus the number of times TCP connections have made a direct transition to the LISTEN state from the SYN-RCVD state."

::= { tcp 7 }

tcpEstabResets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times TCP connections have made a direct transition to the CLOSED state from either the

ESTABLISHED state or the CLOSE-WAIT state."

::= { tcp 8 }

tcpCurrEstab OBJECT-TYPE

SYNTAX Gauge

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of TCP connections for which the current state is either ESTABLISHED or CLOSE-WAIT."

::= { tcp 9 }

tcpInSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of segments received, including those received in error. This count includes segments received on currently established connections."

::= { tcp 10 }

tcpOutSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of segments sent, including those on current connections but excluding those containing only retransmitted octets."

::= { tcp 11 }

tcpRetransSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of segments retransmitted - that is, the number of TCP segments transmitted containing one or more previously transmitted octets."

::= { tcp 12 }

-- the TCP Connection table

-- The TCP connection table contains information about this

-- entity's existing TCP connections.

tcpConnTable OBJECT-TYPE

SYNTAX SEQUENCE OF TcpConnEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"A table containing TCP connection-specific information."

::= { tcp 13 }

tcpConnEntry OBJECT-TYPE

SYNTAX TcpConnEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Information about a particular current TCP connection. An object of this type is transient, in that it ceases to exist when (or soon after) the connection makes the transition to the CLOSED state."

INDEX

{ tcpConnLocalAddress,
tcpConnLocalPort,
tcpConnRemAddress,
tcpConnRemPort }

::= { tcpConnTable 1 }

TcpConnEntry ::=

SEQUENCE {

tcpConnState

INTEGER,

tcpConnLocalAddress

```

    IpAddress,
tcpConnLocalPort
    INTEGER (0..65535),
tcpConnRemAddress
    IpAddress,
tcpConnRemPort
    INTEGER (0..65535)
}

```

tcpConnState OBJECT-TYPE

```

SYNTAX INTEGER {
    closed(1),
    listen(2),
    synSent(3),
    synReceived(4),
    established(5),
    finWait1(6),
    finWait2(7),
    closeWait(8),
    lastAck(9),
    closing(10),
    timeWait(11),
    deleteTCB(12)
}

```

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The state of this TCP connection.

The only value which may be set by a management station is deleteTCB(12). Accordingly, it is appropriate for an agent to return a `badValue' response if a management station attempts to set this object to any other value.

If a management station sets this object to the value deleteTCB(12), then this has the effect of deleting the TCB (as defined in RFC 793) of the corresponding connection on the managed node, resulting in immediate termination of the connection.

As an implementation-specific option, a RST segment may be sent from the managed node to the other TCP endpoint (note however that RST segments are not sent reliably)."

```
 ::= { tcpConnEntry 1 }
```

tcpConnLocalAddress OBJECT-TYPE
SYNTAX IPAddress
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The local IP address for this TCP connection. In

the case of a connection in the listen state which
 is willing to accept connections for any IP
 interface associated with the node, the value
 0.0.0.0 is used."
 ::= { tcpConnEntry 2 }

tcpConnLocalPort OBJECT-TYPE
SYNTAX INTEGER (0..65535)
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The local port number for this TCP connection."
 ::= { tcpConnEntry 3 }

tcpConnRemAddress OBJECT-TYPE
SYNTAX IPAddress
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The remote IP address for this TCP connection."
 ::= { tcpConnEntry 4 }

tcpConnRemPort OBJECT-TYPE
SYNTAX INTEGER (0..65535)
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The remote port number for this TCP connection."
 ::= { tcpConnEntry 5 }

-- additional TCP objects

tcpInErrs OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number

of segments received in error

(e.g., bad TCP checksums)."

::= { tcp 14 }

tcpOutRsts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of TCP segments sent containing the
RST flag."

::= { tcp 15 }

-- the UDP group

-- Implementation of the UDP group is mandatory for all

-- systems which implement the UDP.

udpInDatagrams OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of UDP datagrams delivered to
UDP users."

::= { udp 1 }

udpNoPorts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of received UDP datagrams for
which there was no application at the destination
port."

::= { udp 2 }

udpInErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of received UDP datagrams that could
not be delivered for reasons other than the lack
of an application at the destination port."

::= { udp 3 }

udpOutDatagrams OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of UDP datagrams sent from this
 entity."
 ::= { udp 4 }

-- the UDP Listener table

-- The UDP listener table contains information about this
-- entity's UDP end-points on which a local application is
-- currently accepting datagrams.

udpTable OBJECT-TYPE
SYNTAX SEQUENCE OF UdpEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
 "A table containing UDP listener information."
 ::= { udp 5 }

udpEntry OBJECT-TYPE
SYNTAX UdpEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
 "Information about a particular current UDP
 listener."
INDEX { udpLocalAddress, udpLocalPort
 }
 ::= { udpTable 1 }

UdpEntry ::=
SEQUENCE {
 udpLocalAddress
 IpAddress,
 udpLocalPort
 INTEGER (0..65535)
}

udpLocalAddress OBJECT-TYPE
SYNTAX IpAddress
ACCESS read-only
STATUS mandatory

DESCRIPTION

"The local IP address for this UDP listener. In the case of a UDP listener which is willing to accept datagrams for any IP interface associated with the node, the value 0.0.0.0 is used."

::= { udpEntry 1 }

udpLocalPort OBJECT-TYPE

SYNTAX INTEGER (0..65535)

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The local port number for this UDP listener."

::= { udpEntry 2 }

-- the EGP group

-- Implementation of the EGP group is mandatory for all

-- systems which implement the EGP.

egpInMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP messages received without error."

::= { egp 1 }

egpInErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP messages received that proved to be in error."

::= { egp 2 }

egpOutMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of locally generated EGP messages."

::= { egp 3 }

egpOutErrors OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The number of locally generated EGP messages not
 sent due to resource limitations within an EGP
 entity."
 ::= { egp 4 }

-- the EGP Neighbor table

-- The EGP neighbor table contains information about this
-- entity's EGP neighbors.

egpNeighTable OBJECT-TYPE
SYNTAX SEQUENCE OF EgpNeighEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
 "The EGP neighbor table."
 ::= { egp 5 }

egpNeighEntry OBJECT-TYPE
SYNTAX EgpNeighEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
 "Information about this entity's relationship with
 a particular EGP neighbor."
INDEX { egpNeighAddr }
 ::= { egpNeighTable 1 }

EgpNeighEntry ::=
SEQUENCE {
 egpNeighState
 INTEGER,
 egpNeighAddr
 IpAddress,
 egpNeighAs
 INTEGER,
 egpNeighInMsgs
 Counter,
 egpNeighInErrs
 Counter,
 egpNeighOutMsgs
 Counter,


```
egpNeighOutErrs
  Counter,
egpNeighInErrMsgs
  Counter,
egpNeighOutErrMsgs
  Counter,
egpNeighStateUps
  Counter,
egpNeighStateDowns
  Counter,
egpNeighIntervalHello
  INTEGER,
egpNeighIntervalPoll
  INTEGER,
egpNeighMode
  INTEGER,
egpNeighEventTrigger
```

```
  INTEGER
}
```

egpNeighState OBJECT-TYPE

```
SYNTAX INTEGER {
  idle(1),
  acquisition(2),
  down(3),
  up(4),
  cease(5)
}
```

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The EGP state of the local system with respect to this entry's EGP neighbor. Each EGP state is represented by a value that is one greater than the numerical value associated with said state in RFC 904."

```
::= { egpNeighEntry 1 }
```

egpNeighAddr OBJECT-TYPE

```
SYNTAX IPAddress
```

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The IP address of this entry's EGP neighbor."

```
::= { egpNeighEntry 2 }
```

egpNeighAs OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The autonomous system of this EGP peer. Zero should be specified if the autonomous system number

of the neighbor is not yet known."

::= { egpNeighEntry 3 }

egpNeighInMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP messages received without error from this EGP peer."

::= { egpNeighEntry 4 }

egpNeighInErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP messages received from this EGP peer that proved to be in error (e.g., bad EGP checksum)."

::= { egpNeighEntry 5 }

egpNeighOutMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of locally generated EGP messages to this EGP peer."

::= { egpNeighEntry 6 }

egpNeighOutErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of locally generated EGP messages not sent to this

EGP peer due to resource limitations

within an EGP entity."

::= { egpNeighEntry 7 }

egpNeighInErrMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP-defined error messages received
from this EGP peer."

::= { egpNeighEntry 8 }

egpNeighOutErrMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP-defined error messages sent to
this EGP peer."

::= { egpNeighEntry 9 }

egpNeighStateUps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP state transitions to the UP
state with this EGP peer."

::= { egpNeighEntry 10 }

egpNeighStateDowns OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of EGP state transitions from the UP
state to any
other state with this EGP peer."

::= { egpNeighEntry 11 }

egpNeighIntervalHello OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The interval between EGP Hello command
retransmissions (in hundredths of a second). This
represents the t1 timer as defined in RFC 904."

::= { egpNeighEntry 12 }

egpNeighIntervalPoll OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The interval between EGP poll command retransmissions (in hundredths of a second). This represents the t3 timer as defined in RFC 904."

::= { egpNeighEntry 13 }

egpNeighMode OBJECT-TYPE

SYNTAX INTEGER { active(1), passive(2) }

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The polling mode of this EGP entity, either passive or active."

::= { egpNeighEntry 14 }

egpNeighEventTrigger OBJECT-TYPE

SYNTAX INTEGER

{ start(1), stop(2) }

ACCESS read-write

STATUS mandatory

DESCRIPTION

"A control variable used to trigger operator-initiated Start and Stop events. When read, this variable always returns the most recent value that egpNeighEventTrigger was set to. If it has not been set since the last initialization of the network management subsystem on the node, it returns a value of `stop`."

When set, this variable causes a Start or Stop event on the specified neighbor, as specified on pages 8-10 of RFC 904. Briefly, a Start event causes an Idle peer to begin neighbor acquisition and a non-Idle peer to reinitiate neighbor acquisition. A stop event causes a non-Idle peer to return to the Idle state until a Start event occurs, either via egpNeighEventTrigger or otherwise."

::= { egpNeighEntry
15 }

-- additional EGP objects

egpAs OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The autonomous system number of this EGP entity."

::= { egp 6 }

-- the Transmission group

-- Based on the transmission media underlying each interface
-- on a system, the corresponding portion of the Transmission
-- group is mandatory for that system.

-- When Internet-standard definitions for managing
-- transmission media are defined, the transmission group is
-- used to provide a prefix for the names of those objects.

-- Typically, such definitions reside in the experimental
-- portion of the MIB until they are "proven", then as a
-- part of the Internet standardization process, the
-- definitions are accordingly elevated and a new object
-- identifier, under the transmission group is defined. By
-- convention, the name assigned is:

--

-- type OBJECT IDENTIFIER ::= { transmission number }

--

-- where "type" is the symbolic
value used for the media in
-- the ifType column of the ifTable object, and "number" is
-- the actual integer value corresponding to the symbol.

-- the SNMP group

-- Implementation of the SNMP group is mandatory for all
-- systems which support an SNMP protocol entity. Some of
-- the objects defined below will be zero-valued in those
-- SNMP implementations that are optimized to support only
-- those functions specific to either a management agent or
-- a management station. In particular, it should be
-- observed that the objects below refer to an SNMP entity,
-- and there may be several SNMP entities residing on a
-- managed node (e.g., if the node is hosting acting as
-- a management station).

snmpInPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of Messages delivered to the
 SNMP entity from the transport service."
::= { snmp 1 }

snmpOutPkts OBJECT-TYPE
SYNTAX Counter
ACCESS
read-only
STATUS mandatory
DESCRIPTION
 "The total number of SNMP Messages which were
 passed from the SNMP protocol entity to the
 transport service."
::= { snmp 2 }

snmpInBadVersions OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of SNMP Messages which were
 delivered to the SNMP protocol entity and were for
 an unsupported SNMP version."
::= { snmp 3 }

snmpInBadCommunityNames OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of SNMP Messages delivered to
 the SNMP protocol entity which used a SNMP
 community name not known to said entity."
::= { snmp 4 }

snmpInBadCommunityUses OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
 "The total number of SNMP Messages delivered to

 the SNMP protocol entity which represented an SNMP
 operation which was not allowed by the SNMP
 community named in the Message."

::= { snmp 5 }

snmpInASNParseErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of ASN.1 or BER errors encountered by the SNMP protocol entity when decoding received SNMP Messages."

::= { snmp 6 }

-- { snmp 7 } is not used

snmpInTooBigs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `tooBig'."

::= { snmp 8 }

snmpInNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the
SNMP protocol entity and for
which the value of the error-status field is
`noSuchName'."

::= { snmp 9 }

snmpInBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `badValue'."

::= { snmp 10 }

snmpInReadOnlys OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number valid SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `readOnly'. It should be noted that it is a protocol error to generate an SNMP PDU which contains the value `readOnly' in the error-status field, as such this object is provided as a means of detecting

incorrect implementations of the SNMP."

::= { snmp 11 }

snmpInGenErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field is `genErr'."

::= { snmp 12 }

snmpInTotalReqVars OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of MIB objects which have been retrieved successfully by the SNMP protocol entity as the result of receiving valid SNMP Get-Request and Get-Next PDUs."

::= { snmp 13 }

snmpInTotalSetVars OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of MIB objects which have been altered successfully by the SNMP protocol entity as the result

of receiving valid SNMP Set-Request

PDU's."

::= { snmp 14 }

snmpInGetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Get-Request PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 15 }

snmpInGetNexts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Get-Next PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 16 }

snmpInSetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Set-Request PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 17 }

snmpInGetResponses OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Get-Response PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 18 }

snmpInTraps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP Trap PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 19 }

snmpOutTooBig OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field is

`tooBig.'"

::= { snmp 20 }

snmpOutNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status is

`noSuchName.'"

::= { snmp 21 }

snmpOutBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field is

`badValue.'"

::= { snmp 22 }

-- { snmp 23 } is not used

snmpOutGenErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for

which the value of the error-status field is
`genErr'.
 ::= { snmp 24 }

snmpOutGetRequests OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The total number of SNMP Get-Request PDUs which
have been generated by the SNMP protocol entity."
 ::= { snmp 25 }

snmpOutGetNexts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The total number of SNMP Get-Next PDUs which have
been generated by the SNMP protocol entity."
 ::= { snmp 26 }

snmpOutSetRequests OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The total number of SNMP Set-Request PDUs which
have been generated by the SNMP protocol entity."
 ::= { snmp 27 }

snmpOutGetResponses OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The total number of SNMP Get-Response PDUs which
have been generated by the SNMP protocol entity."
 ::= { snmp 28 }

snmpOutTraps OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The total number of SNMP Trap PDUs which have
been generated by the SNMP protocol entity."

```
::= { snmp 29 }
```

snmpEnableAuthenTraps OBJECT-TYPE

SYNTAX INTEGER { enabled(1), disabled(2) }

ACCESS read-write

STATUS mandatory

DESCRIPTION

"Indicates whether the SNMP agent process is permitted to generate authentication-failure traps. The value of this object overrides any configuration information; as such, it provides a means whereby all authentication-failure traps may be disabled.

Note that it is strongly recommended that this object be stored in non-volatile memory so that it remains constant between re-initializations of the network management system."

```
::= { snmp 30 }
```

END

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/RFC1213-MIB
```

No license file was found, but licenses were detected in source scan.

APM-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, OBJECT-TYPE,

NOTIFICATION-TYPE,

Counter32, Unsigned32 FROM SNMPv2-SMI

TEXTUAL-CONVENTION, RowStatus, TimeStamp,

TimeInterval, TruthValue, DateAndTime,

StorageType FROM SNMPv2-TC

MODULE-COMPLIANCE, OBJECT-GROUP,

NOTIFICATION-GROUP FROM SNMPv2-CONF

SnmAdminString FROM SNMP-FRAMEWORK-MIB

rmon, OwnerString FROM RMON-MIB

protocolDirLocalIndex FROM RMON2-MIB;

-- Application Performance Measurement MIB

apm MODULE-IDENTITY

LAST-UPDATED "200402190000Z" -- February 19, 2004

ORGANIZATION "IETF RMON MIB Working Group"

CONTACT-INFO

"Author:

Steve Waldbusser

Phone: +1-650-948-6500
Fax : +1-650-745-0671
Email: waldbusser@nextbeacon.com

Working Group Chair:
Andy Bierman
Cisco Systems, Inc.
Postal: 170 West Tasman Drive
San Jose, CA USA 95134
Tel: +1 408 527-3711
E-mail: abierman@cisco.com

Working Group Mailing List: <rmonmib@ietf.org>
To subscribe send email to: <rmonmib-request@ietf.org>
"

DESCRIPTION

"The MIB module for measuring application performance as experienced by end-users.

Copyright (C) The Internet Society (2004). This version of this MIB module is part of RFC 3729; see the RFC itself for full legal notices."

REVISION "200402190000Z" -- February 19, 2004

DESCRIPTION

"The original version of this MIB Module, published as RFC3729."

::= { rmon 23 }

apmMibObjects OBJECT IDENTIFIER ::= { apm 1 }
apmConformance OBJECT IDENTIFIER ::= { apm 2 }
apmCompliances
 OBJECT IDENTIFIER ::= { apmConformance 1 }
apmGroups OBJECT IDENTIFIER ::= { apmConformance 2 }

AppLocalIndex ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"A locally arbitrary unique identifier associated with an application or application verb.

All objects of type AppLocalIndex are assigned by the agent

out of a common number space. In other words, AppLocalIndex values assigned to entries in one table must not overlap with AppLocalIndex values assigned to entries in another table. Further, every protocolDirLocalIndex value registered by the agent automatically assigns the same value out of the

AppLocalIndex number space.

For example, if the protocolDirLocalIndex values { 1, 3, 5, 7 } have been assigned, and the apmHttpFilterAppLocalIndex values { 6, 8, 9 } have been assigned:

- Assignment of new AppLocalIndex values must not use the values { 1, 3, 5, 6, 7, 8, 9 }.
- AppLocalIndex values { 1, 3, 5, 7 } are automatically assigned and are associated with the identical value of protocolDirLocalIndex. In particular, an entry in the apmAppDirTable indexed by a value provides further information about a protocol indexed by the same value in the protocolDirTable of RMON2.

The value for each supported application must remain constant at least from one re-initialization of the entity's network management system to the next re-initialization, except that if an application is deleted and re-created, it must be re-created with a new value that has not been used since the last re-initialization.

The specific value is meaningful only within a given SNMP entity. An AppLocalIndex value must not be re-used until the next agent restart."

SYNTAX Unsigned32
(1..2147483647)

ProtocolDirNetworkAddress ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION

"A network level address whose semantics and encoding are specified by an associated protocolDirLocalIndex value. Objects of this type must specify which protocolDirLocalIndex value is used. This value is encoded according to the encoding rules for the identified protocolDirectory entry.

For example, if the associated protocolDirLocalIndex indicates

an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order.

Objects of this type may allow this value to be the zero length string. If so, they must identify they meaning of this value."

SYNTAX OCTET STRING (SIZE(0..255))

DataSourceOrZero ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Identifies the source of the data that the associated function is configured to analyze. This source can be any interface on this device.

In order to identify a particular interface, this object shall identify the instance of the ifIndex object, defined in [4], for the desired interface.

For example, if an entry were to receive data from interface #1, this object would be set to ifIndex.1.

If the source of the data isn't an interface or cannot be localized to an interface, this object would be set to 0.0"

REFERENCE "The DataSource textual convention is defined in RFC 2021 [5]."

SYNTAX OBJECT IDENTIFIER

RmonClientID ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"A long-lived unique ID assigned to an end-system. This ID is assigned by the agent using an implementation-specific algorithm.

Because a client machine may be assigned multiple addresses

over any time period it can be difficult to attribute behavior to a particular client based solely on its address. A ClientID may be assigned to provide a more stable handle for referencing that client. The entity that assigns the ClientID may use various implementation

techniques to keep track of a client but if the assigning entity is unable to track client address mappings, it may map client identifiers to client addresses rather than to distinct client machines.

This is named ClientID because it helps to solve a problem seen in network clients (servers usually have well-known, long-lived addresses). However, ClientID's may be assigned to any end-system regardless of its role on the network."

SYNTAX Unsigned32 (0..4294967295)

TransactionAggregationType ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION

"Specifies one of 4 different techniques for aggregating transactions.

The metrics for a single transaction are the responsiveness of the transaction and whether the transaction succeeded (a boolean). When such metrics are aggregated in this MIB Module, these metrics are replaced by averages and distributions of responsiveness and availability. The metrics describing aggregates are constant no matter which type of aggregation is being performed. These metrics may be found in the apmReportTable.

The flows(1) aggregation is the simplest. All transactions that share common application/server/client 3-tuples are aggregated together, resulting in a set of metrics for all such unique 3-tuples.

The clients(2) aggregation results in somewhat more aggregation (i.e., fewer resulting records). All transactions that share common application/client tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The servers(3) aggregation usually results in still more aggregation (i.e., fewer resulting records). All transactions that share common application/server tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The applications(4) aggregation results in the most aggregation (i.e., the fewest resulting records). All transactions that share a common application are aggregated together, resulting in a set of metrics for all such unique applications.

Note that it is not meaningful to aggregate applications, as different applications have widely varying characteristics. As a result, this set of aggregations is complete."

```
SYNTAX  INTEGER {
    flows(1),  -- Least Aggregation
    clients(2),
    servers(3),
    applications(4) -- Most Aggregation
}
```

-- The APM Application Directory Group

-- The Application Directory Table contains a record for every

-- application monitored by this agent. This table is also used to
-- configure whether or not an application will be measured and which
-- bucket boundaries will be used for the application.

--

-- The bucket boundaries define the break-points between bins of a
-- histogram analysis for that application. As an example of how this
-- works, consider an entry representing response-time for http.

-- If the boundaries are set as follows:

-- Boundary1: 500 milliseconds

-- Boundary2: 1 second

-- Boundary3: 2 seconds

-- Boundary4: 5

-- Boundary5: 15

-- Boundary6: 60

--

-- If the following measurements are made (all in milliseconds):

-- 377, 8645, 1300, 487, 1405, 775, 1115, 850, 945, 1054, 7745, 9380

--

-- A report run during this interval would report the following

-- counts:

-- Bucket1: 2

-- Bucket2: 3

-- Bucket3: 4

-- Bucket4: 0

-- Bucket5: 3

-- Bucket6: 0

--

Bucket7: 0

apmAppDirTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmAppDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The APM MIB directory of applications and application verbs. The agent will populate this table with all applications/verbs of any responsivenessType it has the capability to monitor. Since the agent populates this table with every entry it has the capability to monitor, the entries in this table are read-write, allowing the management station to modify parameters in this table but not to add new entries or delete entries (however, entries may be disabled). If new entries are added to the apmHttpFilterTable or the apmUserDefinedAppTable, the agent will add the corresponding entries to this table.

It is an implementation-dependent matter as to how the agent sets these default parameters. For example, it may leave certain entries

in this table 'off(0)' if the agent developer

believes that combination will be infrequently used, allowing a manager that needs that capability to set it to 'on(1)'.

Some applications are registered in the RMON2 protocol directory and some are registered in other tables in this MIB Module. Regardless of where an application is originally registered, it is assigned an AppLocalIndex value that is the primary index for this table.

The contents of this table affect all reports and exceptions generated by this agent. Accordingly, modification of this table should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this table - it should reflect the preferences of the site administrator, not the software author. As a practical matter, this requires management

software to allow the administrator to configure

the values it will use so that it can be adapted to the site policy."

::= { apmMibObjects 1 }

apmAppDirEntry OBJECT-TYPE

SYNTAX ApmAppDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The APM MIB directory of applications and application verbs. An entry will exist in this table for all applications for which application performance measurement is supported."

INDEX { apmAppDirAppLocalIndex,
apmAppDirResponsivenessType }

::= { apmAppDirTable 1 }

ApmAppDirEntry ::= SEQUENCE {

apmAppDirAppLocalIndex AppLocalIndex,

apmAppDirResponsivenessType INTEGER,

apmAppDirConfig INTEGER,

apmAppDirResponsivenessBoundary1 Unsigned32,

apmAppDirResponsivenessBoundary2 Unsigned32,

apmAppDirResponsivenessBoundary3 Unsigned32,

apmAppDirResponsivenessBoundary4 Unsigned32,

apmAppDirResponsivenessBoundary5

Unsigned32,

apmAppDirResponsivenessBoundary6 Unsigned32

}

apmAppDirAppLocalIndex OBJECT-TYPE

SYNTAX AppLocalIndex

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The AppLocalIndex assigned for this application Directory entry."

::= { apmAppDirEntry 1 }

apmAppDirResponsivenessType OBJECT-TYPE

SYNTAX INTEGER {

transactionOriented(1),

throughputOriented(2),

streamingOriented(3)

}

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object describes and configures the agent's support for application performance measurement for this application. There are 3 types of measurements for different types of applications:

Transaction-Oriented applications have a fairly constant workload to perform for all transactions. The responsiveness metric for transaction-oriented applications is application response time (from first request to final delivery of service) and is measured in milliseconds. This is commonly referred to as end-user response time.

Throughput-Oriented applications have widely varying workloads based on the nature of the client request. In particular, throughput-oriented applications vary widely in the amount of data that must be transported to satisfy the request. The responsiveness metric for throughput-oriented applications is kilobits per second.

Streaming-Oriented applications deliver data at a constant metered rate of speed regardless of the responsiveness of the networking and computing infrastructure. This constant rate of speed is generally specified to be below (sometimes well below) the nominal capability of the infrastructure. However, when the infrastructures cannot deliver data at this speed, interruption of service or degradation of service can result. The responsiveness metric for streaming-oriented applications is the ratio of time that the service is degraded or interrupted to the total service time. This metric is measured in parts per million.

Note that for some applications, measuring more than one responsiveness type may be interesting. For agents that wish

to support more than one measurement for a application, they will populate this table with multiple entries for that application, one for each type."

```
::= { apmAppDirEntry 2 }
```

apmAppDirConfig OBJECT-TYPE

```
SYNTAX INTEGER {  
    off(1),  
    on(2)  
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object describes and configures support for application performance measurement for this application.

If the value of this object is on(2),
the agent supports

measurement of application performance metrics for this application and is configured to measure such metrics for all APM MIB functions and all interfaces. If the value of this object is off(1), the agent supports measurement of application performance for this application but is configured to not measure these metrics for any APM MIB functions or interfaces. Whenever this value changes from on(2) to off(1), the agent shall delete all related entries in all tables in this MIB Module.

The value of this object must persist across reboots."

::= { apmAppDirEntry 3 }

apmAppDirResponsivenessBoundary1 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket1 and bucket 2. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value
of this object must persist across reboots."

::= { apmAppDirEntry 4 }

apmAppDirResponsivenessBoundary2 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket2 and bucket 3. If this

value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of this object must persist across reboots."

::= { apmAppDirEntry 5 }

apmAppDirResponsivenessBoundary3 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket3 and bucket 4. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of this object must persist across reboots."

::= { apmAppDirEntry 6 }

apmAppDirResponsivenessBoundary4 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket4 and bucket 5. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of this object must persist across reboots."

::= { apmAppDirEntry 7 }

apmAppDirResponsivenessBoundary5 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket5 and bucket 6. If this value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of this object must persist across reboots."

::= { apmAppDirEntry 8 }

apmAppDirResponsivenessBoundary6 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The boundary value between bucket6 and bucket 7. If this

value is modified, all entries in the apmReportTable must be deleted by the agent.

The value of
this object must persist across reboots."

```
::= { apmAppDirEntry 9 }
```

-- Scalars related to the Application Directory table

apmBucketBoundaryLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime the last time that any bucket boundary
in any appDirEntry was changed. This object can help to
determine if two managers are both trying to enforce different
configurations of this table."

```
::= { apmMibObjects 2 }
```

apmAppDirID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object allows managers to avoid downloading application
directory information when the directory is set to a known
(usually fixed) configuration.

If the value of this object isn't 0.0, it signifies
that the entire contents of the apmAppDirTable,
apmHttpFilterTable, apmUserDefinedAppTable and
protocolDirTable are equal to a known state identified
by the value of this object. If a manager recognizes this
value as identifying a directory configuration it has a local
copy of, it may use this local copy rather than downloading
these tables. Note that it may have downloaded this local copy
(and the ID) from another agent and used this copy for all
other agents that advertised the same ID.

If an agent recognizes that the entire contents of the
apmAppDirTable, apmHttpFilterTable,
apmUserDefinedAppTable and protocolDirTable are equal to
a known state to which an ID has been assigned, it should set
this object to that ID.

In many cases when this feature is used, the application
directory information will be in read-only memory and thus the
tables may not be modified via SNMP requests. In the event

that the tables are writable and a modification is made,
the
agent is responsible for setting this object to 0.0 if it
cannot determine that the state is equal to a known state.

An agent is not obligated to recognize and advertise all such
registered states as it may not have knowledge of all states.
Thus, a manager may encounter agents whose DirectoryID value
is 0.0 even though the contents of the directory were equal to
a registered state.

Note that the contents of those tables includes the
protocolDirLocalIndex and appLocalIndex values. In other
words, these values can't be assigned randomly on each agent,
but must be equal to values that are part of the known
state. While it is possible for a manager to download
application directory details using SNMP and to set the
appropriate directoryID, the manager would need to have some
scheme to ensure consistent values of LocalIndex variables
from agent to agent.

Such schemes are outside the scope of
this specification.

Application directory registrations are unique within an
administrative domain.

Typically these registrations will be made by an agent
software developer who will set the application directory
tables to a read-only state and assign a DirectoryID to that
state. Thus, all agents running this software would share the
same DirectoryID. As the application directory might change
from one software release to the next, the developer may
register different DirectoryID's for each software release.

A customer could also create a site-wide application directory
configuration and assign a DirectoryID to that configuration
as long as consistent values of LocalIndex variables can be
ensured.

The value of this object must persist across reboots."

```
::= { apmMibObjects 3 }
```

```
-- APM HTTP Filter Table
```

```
-- The HTTP Filter Table
```

```
creates virtual applications which measure the
```

```
-- performance of certain web pages or sets of web pages. Some
```


- circumstances where this is particularly useful are:
-
- - An Intranet or ASP scenario where a business application is
- running on one or more web pages or scripts.
-
- (i.e., /expense/submit.cgi?employeeID=3426&...)
- - A web-hosting scenario where one wants to measure the
- service level for a particular customer
- - An e-commerce scenario where the performance of certain
- pages needs to be monitored more closely.
- (i.e., shopping cart, shipping, credit card authorization)

apmHttpFilterTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmHttpFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table that creates virtual applications which measure the performance of certain web pages or sets of web pages.

When an entry is added to this table, the agent will

automatically create one or more entries in the apmAppDirTable (one for each responsivenessType it is capable of measuring).

Note that when entries exist in this table some HTTP transactions will be summarized twice: in applications represented here as well as the HTTP application. If entries in this table overlap, these transactions may be summarized additional times.

The contents of this table affect all reports and exceptions generated by this agent. Accordingly, modification of this table should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this table - it should reflect the preferences of the site administrator, not the software author."

::= { apmMibObjects 4 }

apmHttpFilterEntry OBJECT-TYPE

SYNTAX ApmHttpFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A virtual application which measure the performance of certain web pages or sets of web pages."

INDEX { apmHttpFilterIndex }

::= { apmHttpFilterTable 1 }

ApmHttpFilterEntry ::= SEQUENCE {
 apmHttpFilterIndex Unsigned32,
 apmHttpFilterAppLocalIndex AppLocalIndex,

apmHttpFilterServerProtocol Unsigned32,
 apmHttpFilterServerAddress ProtocolDirNetworkAddress,
 apmHttpFilterURLPath OCTET STRING,
 apmHttpFilterMatchType INTEGER,
 apmHttpFilterOwner OwnerString,
 apmHttpFilterStorageType StorageType,
 apmHttpFilterRowStatus RowStatus
}

apmHttpFilterIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the apmHttpFilterTable."

::= { apmHttpFilterEntry 1 }

apmHttpFilterAppLocalIndex

OBJECT-TYPE

SYNTAX AppLocalIndex

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The AppLocalIndex that represents HTTP transactions that match this entry.

This object is read-only. A value is created by the agent from an unused AppLocalIndex value when this apmHttpFilterEntry is created."

::= { apmHttpFilterEntry 2 }

apmHttpFilterServerProtocol OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The protocolDirLocalIndex value of the network level protocol of the apmHttpFilterServerAddress."
 ::= { apmHttpFilterEntry 3 }

apmHttpFilterServerAddress OBJECT-TYPE

SYNTAX ProtocolDirNetworkAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This entry will only represent transactions coming from the network address specified in this object.

This is represented as an octet string with specific semantics and length as identified by the associated apmHttpFilterServerProtocol object.

If this object is the zero-length string, then this entry will match one of the addresses represented by the 'host' component of the associated apmHttpFilterURLPath object, where the format if a URL [9] is

http://<host>:<port>/<path>?<searchpart>."

::= { apmHttpFilterEntry 4 }

apmHttpFilterURLPath OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..65535))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This entry will only represent HTTP transactions where the URL path component in the request matches this value. This value represents the requested path regardless of any substitution that the server might perform.

Prior to the matching, the URL is stripped of any server address or DNS name and consists solely of the path name on that server.

If the length of this object is zero, then this entry will match if the associated apmHttpFilterServerAddress match. If the length of that object is also zero, then this entry will match nothing.

The value of the associated apmHttpFilterMatchType dictates

the type of matching that will be attempted."

```
::= { apmHttpFilterEntry 5 }
```

apmHttpFilterMatchType OBJECT-TYPE

```
SYNTAX    INTEGER {  
    exact(1),  
    stripTrailingSlash(2),  
    prefix(3)  
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The matching algorithm used to compare the URL pathname.

If the value is exact(1), then the pathname component will be compared with the associated apmHttpFilterURLPath and will only be associated with this entry if it matches exactly.

If the value is stripTrailingSlash(2), then the pathname

component will be compared with the associated apmHttpFilterURLPath and will only be associated with this entry if it matches exactly or if the pathname ends with a '/' symbol and matches apmHttpFilterURLPath if the '/' symbol is removed from the pathname. This option exists for those paths where an optional trailing slash is possible but for which a prefix match would be too broad.

If the value is prefix(3), then the pathname component will be compared with the associated apmHttpFilterURLPath and will only be associated with this entry if the beginning of the pathname matches every octet of this value. Octets that extend beyond the length of this value are ignored."

```
::= { apmHttpFilterEntry 6 }
```

apmHttpFilterOwner OBJECT-TYPE

```
SYNTAX    OwnerString
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

```
::= { apmHttpFilterEntry 7 }
```

apmHttpFilterStorageType OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type of this apmHttpFilterEntry. If the value of this object is 'permanent', no objects in this row need to be writable."

::= { apmHttpFilterEntry 8 }

apmHttpFilterRowStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The status of this apmHttpFilterEntry. No objects in this row may be modified while the row's status is 'active'."

::= { apmHttpFilterEntry 9 }

apmHttpIgnoreUnregisteredURLs OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-write
STATUS current

DESCRIPTION

"When true, APM measurements of HTTP transactions will only measure transactions relating to URLs that match a filter in the apmHttpFilterTable. Thus, measurements for the HTTP application will present aggregated statistics for URL-matching HTTP transactions and measurements for the HTTP GET application verb will present aggregated statistics for URL-matching HTTP GET transactions.

This will be used in environments that wish to monitor only targeted URLs and to ignore large volumes of internet web browsing traffic.

This object affects all APM reports and exceptions generated by this agent. Accordingly, modification of this object should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this object - it should reflect the preferences of the site administrator, not the software author.

The value of this object must persist across reboots."

::= { apmMibObjects 5 }

apmHttp4xxIsFailure OBJECT-TYPE

SYNTAX

TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"When true, this agent will recognize HTTP errors in the range of 400 through 499 and will treat them as unavailable transactions. When false or when this object isn't supported, they will be treated as successful transactions.

This object allows such error pages to be tracked at the possible expense of having user typos treated as poor service on the part of the web server.

This object affects all reports and exceptions generated by this agent. Accordingly, modification of this object should be performed by a manager acting in the role of administrator. In particular, management software should not require or enforce particular configuration of this object - it should reflect the preferences of the site administrator, not the software author.

The value of this object must persist across reboots."

::= { apmMibObjects 6 }

-- The APM User-Defined Application Table

- Many application protocols will never be registered with a
- standards body (and thus included in a protocol directory standard)
- because they are custom, in-house or proprietary
- applications. Nevertheless, implementation strategies exist for
- monitoring the end-user experience of these applications.
-
- This read-only table provides a means for the agent to advertise
- which user-defined applications it is monitoring and to associate
- each with an AppLocalIndex value. It is an implementation-dependent
- matter as to how the agent learns how to monitor these
- applications.

apmUserDefinedAppTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmUserDefinedAppEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table that advertises user-defined applications that the agent is measuring.

The agent will automatically create one or more entries in the apmAppDirTable (one for each responsivenessType it is capable of measuring) for each entry in this table.

Note that when entries exist in this table some transactions can be summarized more than once if there is overlap between applications defined here and applications defined in the protocol directory or in the httpFilter table."

::= { apmMibObjects 7 }

apmUserDefinedAppEntry OBJECT-TYPE

SYNTAX ApmUserDefinedAppEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A user-defined application that the agent is measuring, along with its AppLocalIndex assignment.

The apmAppDirAppLocalIndex value in the index identifies the agent-assigned AppLocalIndex value for this user-defined application."

INDEX { apmAppDirAppLocalIndex }

::= { apmUserDefinedAppTable 1 }

ApmUserDefinedAppEntry ::= SEQUENCE {
apmUserDefinedAppParentIndex Unsigned32,

apmUserDefinedAppApplication SnmpAdminString
}

apmUserDefinedAppParentIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The protocolDirLocalIndex value of the highest-layer protocol defined in the protocolDirTable that this application is a child of."

::= { apmUserDefinedAppEntry 1 }

apmUserDefinedAppApplication OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A human readable descriptive tag for this application."

::= { apmUserDefinedAppEntry 2 }

-- The APM Name Table

apmNameTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmNameEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A client machine may have multiple addresses during a period of monitoring. The apmNameTable assigns a long-lived identifier to a client and records what addresses

were

assigned to that client for periods of time. Various implementation techniques exist for tracking this mapping but if an agent is unable to track client address mappings, it may map client identifiers to client addresses rather than to distinct client machines.

A particular apmNameClientID should be a constant attribute of a particular client. When available, the agent may also record the machine name and/or user name which may be valuable for displaying to humans. The apmNameMachineName and apmNameUserName are relatively constant, changing only if these attributes actually change on the client.

The agent will store a historical log of these entries, aging out old entries as the log becomes too large. Since this table contains information vital to the interpretation of other tables (e.g., the apmReportTable), the agent should ensure that

the log doesn't

age out entries that would be referenced by data in those tables.

Note that an entry for a clientID is active from its StartTime until the StartTime of another entry (for the same clientID) that supersedes it, or 'now' if none supersedes it. Therefore, if a clientID only has a single entry, it is by definition very new and should never be aged out. No entry for

a clientID should be aged out unless it has been updated by a new entry for the client (i.e., with an updated address) and only if the new entry is 'old' enough.

To determine how old is old enough, compute the maximum value of Interval * (NumReports + 1) of all entries in the apmReportControlTable (the '+ 1' is to allow a reasonable period of time for the report to be downloaded). Then take the larger of this value and the age in seconds of the oldest entry in the current transaction table. If an entry for

a

clientID is superseded by another entry whose StartTime is more than this many seconds ago, then the older entry may be deleted."

```
::= { apmMibObjects 8 }
```

apmNameEntry OBJECT-TYPE

SYNTAX ApmNameEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the APM name table. An entry exists for each period of time that a client has been associated with a particular address.

The protocolDirLocalIndex value in the index identifies the network layer protocol for the ClientAddress for this entry.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { apmNameClientID,  
        protocolDirLocalIndex, apmNameClientAddress,  
        apmNameMappingStartTime }
```

```
::=
```

```
{ apmNameTable 1 }
```

ApmNameEntry ::= SEQUENCE {

apmNameClientID RmonClientID,

apmNameClientAddress ProtocolDirNetworkAddress,

apmNameMappingStartTime DateAndTime,

apmNameMachineName SnmpAdminString,

apmNameUserName SnmpAdminString

}

apmNameClientID OBJECT-TYPE

SYNTAX RmonClientID

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique ID assigned to the machine represented by this mapping. This ID is assigned by the agent using an implementation-specific algorithm."

::= { apmNameEntry 1 }

apmNameClientAddress OBJECT-TYPE

SYNTAX ProtocolDirNetworkAddress (SIZE(1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network client address for this client when this mapping was active.

This is represented as an octet string with specific semantics and length as

identified by the protocolDirLocalIndex

component of the index. This object may not be the zero length string.

Since this object is an index variable, it is encoded in the index according to the index encoding rules. For example, if the protocolDirLocalIndex component of the index indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order. Care should be taken to avoid values of this object that, in conjunction with the other index variables, would result in an index longer than SNMP's maximum of 128 subidentifiers."

::= { apmNameEntry 2 }

apmNameMappingStartTime OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The time that the agent first discovered this mapping as active."

::= { apmNameEntry 3 }

apmNameMachineName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The human readable name of the client machine.

If the client has no machine name or the agent is unable to learn the machine name, this object will be a zero-length string."

::= { apmNameEntry 4 }

apmNameUserName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The human readable name of a human user using the client machine. If more than one user name are available simultaneously, it is an implementation-dependent matter as to which is used here. However, if the user name changes, this object should change to reflect that change.

Non-human user names like 'root' or 'administrator' aren't intended as values for this object. If the client has no recorded user name or the agent is unable to learn a user name, this

object will be a zero-length string."

::= { apmNameEntry 5 }

-- The APM Report Group

apmReportControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmReportControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Parameters that control the creation of a set of reports that aggregate application performance."

::= { apmMibObjects 9 }

apmReportControlEntry OBJECT-TYPE

SYNTAX ApmReportControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmReportControlTable.

An example of the indexing of this table is

```
apmReportControlInterval.3"  
INDEX { apmReportControlIndex }  
::= { apmReportControlTable 1 }
```

```
ApmReportControlEntry ::= SEQUENCE {  
    apmReportControlIndex      Unsigned32,  
    apmReportControlDataSource DataSourceOrZero,  
    apmReportControlAggregationType TransactionAggregationType,  
    apmReportControlInterval  
    Unsigned32,  
    apmReportControlRequestedSize Unsigned32,  
    apmReportControlGrantedSize Unsigned32,  
    apmReportControlRequestedReports Unsigned32,  
    apmReportControlGrantedReports Unsigned32,  
    apmReportControlStartTime    TimeStamp,  
    apmReportControlReportNumber Unsigned32,  
    apmReportControlDeniedInserts Counter32,  
    apmReportControlDroppedFrames Counter32,  
    apmReportControlOwner        OwnerString,  
    apmReportControlStorageType  StorageType,  
    apmReportControlStatus       RowStatus  
}
```

apmReportControlIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the apmReportControlTable. Each such entry defines a unique report whose results are placed in the apmReportTable on behalf of this apmReportControlEntry."

```
::= { apmReportControlEntry 1 }
```

apmReportControlDataSource OBJECT-TYPE

SYNTAX DataSourceOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of the data for APM Reports generated on behalf of this apmReportControlEntry."

If the measurement is being performed by a probe, this should be set to interface or port where data was received for analysis. If the measurement isn't being performed by a probe, this should be set to the primary interface over which the measurement is being performed. If the measurement isn't being performed by a probe and there is no primary interface or this

information isn't known, this object should be set to 0.0.

This object may not be modified if the associated apmReportControlStatus object is equal to active(1)."

```
::= { apmReportControlEntry 2 }
```

apmReportControlAggregationType OBJECT-TYPE

```
SYNTAX TransactionAggregationType
```

```
-- INTEGER {  
-- flows(1),  
-- clients(2),  
-- servers(3),  
-- applications(4)  
-- }
```

```
MAX-ACCESS read-create
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The type of aggregation being performed for this set of reports.
```

The metrics for a single transaction are the responsiveness of the transaction and whether the transaction succeeded (a boolean). When such metrics are aggregated in this MIB Module, these metrics are replaced by averages and distributions of responsiveness and availability. The metrics describing aggregates are constant no matter which type of aggregation is being performed. These metrics may be found in the apmReportTable.

The flows(1) aggregation is the simplest. All transactions that share common application/server/client 3-tuples are aggregated together, resulting in a set of metrics for all such unique 3-tuples.

The clients(2) aggregation results in somewhat more aggregation (i.e., fewer resulting records). All transactions that share common application/client tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The servers(3) aggregation usually results in still more aggregation (i.e., fewer resulting records). All transactions that share common application/server tuples are aggregated together, resulting in a set of metrics for all such unique tuples.

The applications(4) aggregation results in the most aggregation (i.e., the fewest resulting records). All

transactions that share a common application are aggregated together, resulting in a set of metrics for all such unique applications.

Note that it is not meaningful to aggregate applications, as different applications have widely varying characteristics.

As

a result, this set of aggregations is complete.

This object may not be modified if the associated apmReportControlStatus object is equal to active(1)."

```
::= { apmReportControlEntry 3 }
```

apmReportControlInterval OBJECT-TYPE

SYNTAX Unsigned32

UNITS "Seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The interval in seconds over which data is accumulated before being aggregated into a report in the apmReportTable. All reports with the same apmReportControlIndex will be based on the same interval. This object must be greater than zero.

Many users desire that these reports be synchronized to within seconds of the beginning of the hour because the results may be correlated more meaningfully to business behavior and so that data from multiple agents is aggregated over the same time periods. Thus management software may take extra effort to synchronize

reports to the beginning of the hour and to one

another. However, the agent must not allow reports to 'drift' over time as they will quickly become unsynchronized. In particular, if there is any fixed processing delay between reports, the reports should deduct this time from the interval so that reports don't drift.

This object may not be modified if the associated
apmReportControlStatus object is equal to active(1)."
DEFVAL { 3600 }
::= { apmReportControlEntry 4 }

apmReportControlRequestedSize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of entries requested to be allocated for each
report generated on behalf of this entry."

::= { apmReportControlEntry 5 }

apmReportControlGrantedSize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of entries per
report the agent has allocated
based on the requested amount in apmReportControlRequestedSize.
Since multiple reports are saved, the total number of entries
allocated will be this number multiplied by the value of
apmReportControlGrantedReports, or 1 if that object doesn't
exist.

When the associated apmReportControlRequestedSize object is
created or modified, the agent should set this object as
closely to the requested value as is possible for the
particular implementation and available resources. When
considering resources available, the agent must consider its
ability to allocate this many entries for all reports.

Note that while the actual number of entries stored in the
reports may fluctuate due to changing conditions, the agent
must continue to have storage available to satisfy the full
report size for all reports when necessary. Further, the agent
must

not lower this value except as a result of a set to the
associated apmReportControlRequestedSize object."

::= { apmReportControlEntry 6 }

apmReportControlRequestedReports OBJECT-TYPE

SYNTAX Unsigned32 (0..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of saved reports requested to be allocated on behalf of this entry."

::= { apmReportControlEntry 7 }

apmReportControlGrantedReports OBJECT-TYPE

SYNTAX Unsigned32 (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of saved reports the agent has allocated based on the requested amount in apmReportControlRequestedReports. Since each report can have many entries, the total number of entries allocated will be this number multiplied by the value of apmReportControlGrantedSize, or 1 if that object doesn't exist.

When the associated apmReportControlRequestedReports object is

created or modified, the agent should set this object as closely to the requested value as is possible for the particular implementation and available resources. When considering resources available, the agent must consider its ability to allocate this many reports each with the number of entries represented by apmReportControlGrantedSize, or 1 if that object doesn't exist.

Note that while the storage required for each report may fluctuate due to changing conditions, the agent must continue to have storage available to satisfy the full report size for all reports when necessary. Further, the agent must not lower this value except as a result of a set to the associated apmReportControlRequestedSize object."

::= { apmReportControlEntry 8 }

apmReportControlStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when the system began processing the report in progress. Note that the report in progress is not

available.

This object may be used by the management station to figure out the start time for all previous reports saved for this apmReportControlEntry, as reports are started at fixed intervals."

::= { apmReportControlEntry 9 }

apmReportControlReportNumber OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of the report in progress. When an apmReportControlEntry is activated, the first report will be numbered one."

::= { apmReportControlEntry 10 }

apmReportControlDeniedInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of failed attempts to add an entry to reports for

this apmReportControlEntry

because the number of entries

would have exceeded apmReportControlGrantedSize.

This number is valuable in determining if enough entries have been allocated for reports in light of fluctuating network usage. Note that since an entry that is denied will often be attempted again, this number will not predict the exact number of additional entries needed, but can be used to understand the relative magnitude of the problem.

Also note that there is no ordering specified for the entries in the report, thus there are no rules for which entries will be omitted when not enough entries are available. As a consequence, the agent is not required to delete 'least valuable' entries first."

::= { apmReportControlEntry 11 }

apmReportControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames which were received by the agent and therefore not accounted for in the *StatsDropEvents, but for which the agent chose not to count for this entry for whatever reason. Most often, this event occurs when the agent is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

This counter is only relevant if this apm report is based on a data source whose collection methodology is based on analyzing network traffic.

Note that if the apmReportTables are inactive because no applications are enabled in the application directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { apmReportControlEntry 12 }

apmReportControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { apmReportControlEntry 13 }

apmReportControlStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type of this apmReportControlEntry. If the value of this object is 'permanent', no objects in this row need to be writable."

::= { apmReportControlEntry 14 }

apmReportControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this apmReportControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value. The only objects in the entry that may be modified while the entry is in the active state are apmReportControlRequestedSize and apmReportControlRequestedReports.

If this object is not equal to active(1), all associated entries in the apmReportTable shall be deleted by the agent."

::= { apmReportControlEntry 15 }

-- The APM Report Table

apmReportTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmReportEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The data resulting from aggregated APM reports. Consult the definition of apmReportControlAggregationType for the definition of the various types of aggregations."

::= { apmMibObjects 10 }

apmReportEntry OBJECT-TYPE

SYNTAX ApmReportEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmReportTable.

The apmReportControlIndex value in the index identifies the apmReportControlEntry on whose behalf this entry was created.

The apmReportIndex value in the index identifies which report (in the series of reports) this

entry is a part of.

The apmAppDirAppLocalIndex value in the index identifies the common application of the transactions aggregated in this entry.

The apmAppDirResponsivenessType value in the index

identifies the type of responsiveness metric reported by this entry and uniquely identifies this entry when more than one responsiveness metric is measured for a flow. Entries will only exist in this table for those combinations of AppLocalIndex and ResponsivenessType that are configured 'on(1)'.

The protocolDirLocalIndex value in the index identifies the network layer protocol of the apmReportServerAddress. When the associated apmReportControlAggregationType value is equal to applications(4) or clients(2), this protocolDirLocalIndex value will equal 0.

The apmReportServerAddress value in the index identifies the network layer address of the server in transactions

aggregated

in this entry.

The apmNameClientID value in the index identifies the client in transactions aggregated in this entry. If the associated apmReportControlAggregationType is equal to applications(4) or servers(3), then this protocolDirLocalIndex value will equal 0.

An example of the indexing of this entry is

apmReportTransactionCount.3.15.3.1.8.4.192.168.1.2.3232235788

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { apmReportControlIndex, apmReportIndex,  
        apmAppDirAppLocalIndex,  
        apmAppDirResponsivenessType,  
        protocolDirLocalIndex, apmReportServerAddress,  
        apmNameClientID }  
 ::= { apmReportTable 1 }
```

```
ApmReportEntry ::= SEQUENCE {  
    apmReportIndex  
        Unsigned32,  
    apmReportServerAddress    ProtocolDirNetworkAddress,
```

```
    apmReportTransactionCount    Unsigned32,  
    apmReportSuccessfulTransactions Unsigned32,  
    apmReportResponsivenessMean  Unsigned32,  
    apmReportResponsivenessMin   Unsigned32,  
    apmReportResponsivenessMax   Unsigned32,  
    apmReportResponsivenessB1    Unsigned32,
```

```
apmReportResponsivenessB2 Unsigned32,  
apmReportResponsivenessB3 Unsigned32,  
apmReportResponsivenessB4 Unsigned32,  
apmReportResponsivenessB5 Unsigned32,  
apmReportResponsivenessB6 Unsigned32,  
apmReportResponsivenessB7 Unsigned32  
}
```

apmReportIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The value of apmReportControlReportNumber for the report to which this entry belongs."

::= { apmReportEntry 1 }

apmReportServerAddress OBJECT-TYPE

SYNTAX

ProtocolDirNetworkAddress

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network server address for this apmReportEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

Since this object is an index variable, it is encoded in the index according to the index encoding rules. For example, if the protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order. Care should be taken to avoid values of this object that, in conjunction with the other index variables, would result in an index longer than SNMP's maximum of 128 subidentifiers.

If the associated apmReportControlAggregationType is equal to applications(4) or clients(2), then this object will

be a null

string and will be encoded simply as a length octet of 0."

::= { apmReportEntry 2 }

apmReportTransactionCount OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The total number of transactions aggregated into this record."
 ::= { apmReportEntry 3 }

apmReportSuccessfulTransactions OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The total number of successful transactions aggregated into
this record."
 ::= { apmReportEntry 4 }

apmReportResponsivenessMean OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The arithmetic mean of the responsiveness metrics for all
successful transactions aggregated into this record."
 ::= { apmReportEntry 5 }

apmReportResponsivenessMin OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS
current
DESCRIPTION
"The minimum of the responsiveness metrics for all
successful transactions aggregated into this record."
 ::= { apmReportEntry 6 }

apmReportResponsivenessMax OBJECT-TYPE

SYNTAX Unsigned32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The maximum of the responsiveness metrics for all
successful transactions aggregated into this record."
 ::= { apmReportEntry 7 }

-- Note that when updating a report entry, a transaction will not be
-- counted in more than 1 bucket in an entry. It will be counted in
-- the first bucket that matches, starting with Bucket 1 (B1). Note
-- that if a transaction matches 2 application types, it will update

-- one bucket in each of 2 entries in this table.

apmReportResponsivenessB1 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record

whose responsiveness was less than boundary1 value for this application."

::= { apmReportEntry 8 }

apmReportResponsivenessB2 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Bucket 1 and was greater than or equal to the boundary1 value for this application and less than the boundary2 value for this application."

::= { apmReportEntry 9 }

apmReportResponsivenessB3 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Bucket 1 or 2 and as greater than or equal to the boundary2 value for this application and less than the boundary3 value for this application."

::= { apmReportEntry
10 }

apmReportResponsivenessB4 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1

through 3 and was greater than or equal to the boundary3 value for this application and less than the boundary4 value for this application."

::= { apmReportEntry 11 }

apmReportResponsivenessB5 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 4 and was greater than or equal to the boundary4 value for this application and less than the boundary5 value for this application."

::= { apmReportEntry 12 }

apmReportResponsivenessB6 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 5 and was greater than or equal to the boundary5 value for this application and less than the boundary6 value for this application."

::= { apmReportEntry 13 }

apmReportResponsivenessB7 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful transactions aggregated into this record whose responsiveness did not fall into Buckets 1 through 6 and was greater than or equal to the boundary6 value for this application."

::= { apmReportEntry 14 }

-- APM Transaction Table

apmTransactionTable OBJECT-TYPE

SYNTAX SEQUENCE OF ApmTransactionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains transactions
that are currently running
or have recently finished."
::= { apmMibObjects 11 }

apmTransactionEntry OBJECT-TYPE

SYNTAX ApmTransactionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmTransactionTable.

The apmAppDirAppLocalIndex value in the index identifies
the application of the transaction represented by this entry.

The apmAppDirResponsivenessType value in the index
identifies the type of responsiveness metric reported by
this entry and uniquely identifies this entry when more
than one responsiveness metric is measured for a flow.

Entries will only exist in this table for those
combinations of AppLocalIndex and ResponsivenessType
that are configured 'on(1)'.

The protocolDirLocalIndex value in the index identifies
the network layer protocol of the apmTransactionServerAddress.

The apmTransactionServerAddress
value in the index identifies
the network layer address of the server in the transaction
represented by this entry.

The apmNameClientID value in the index identifies the
client in the transaction represented by this entry.

An example of the indexing of this entry is

apmTransactionCount.3.1.8.4.192.168.1.2.3232235788.2987

Note that some combinations of index values may result in an
index that exceeds 128 sub-identifiers in length which exceeds
the maximum for the SNMP protocol. Implementations should take
care to avoid such combinations."

INDEX { apmAppDirAppLocalIndex,
apmAppDirResponsivenessType,
protocolDirLocalIndex, apmTransactionServerAddress,
apmNameClientID, apmTransactionID }

::= { apmTransactionTable 1 }

```

ApmTransactionEntry ::= SEQUENCE {
    apmTransactionServerAddress ProtocolDirNetworkAddress,
    apmTransactionID
Unsigned32,
    apmTransactionResponsiveness Unsigned32,
    apmTransactionAge TimeInterval,
    apmTransactionSuccess TruthValue
}

```

apmTransactionServerAddress OBJECT-TYPE

SYNTAX ProtocolDirNetworkAddress (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network server address for this apmTransactionEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index. This object may not be the zero length string.

For example, if the protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the ip address, in network byte order. Care should be taken to avoid values of this object that, in conjunction with the other index variables, would result in an index longer than

SNMP's maximum of 128

subidentifiers."

::= { apmTransactionEntry 1 }

apmTransactionID OBJECT-TYPE

SYNTAX Unsigned32 (0..4294967295)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique value for this transaction amongst other transactions sharing the same application layer protocol and server and client addresses. Implementations may choose to use the value of the client's source port, when possible."

::= { apmTransactionEntry 2 }

apmTransactionResponsiveness OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current value of the responsiveness metric for this transaction. If this transaction has completed, the final value of the metric will be available.

Note that this value may change over the lifetime of the transaction and it is the final value of this metric that is recorded as the responsiveness

of the transaction for use in

other APM MIB functions."

::= { apmTransactionEntry 3 }

apmTransactionAge OBJECT-TYPE

SYNTAX TimeInterval

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If this transaction is still executing, this value shall be

the length of time since it was started. If it has completed, this value shall be the length of time it was executing."

::= { apmTransactionEntry 4 }

apmTransactionSuccess OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The success of this transaction up to this time. Once a transaction has been marked as failed, it cannot move back into the successful state."

::= { apmTransactionEntry 5 }

apmTransactionsRequestedHistorySize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum number of completed transactions desired to be

retained in the apmTransactionTable. If the agent doesn't have enough resources to retain this many, it will retain as many as possible. Regardless of this value, the agent must attempt to keep records for all current transactions it is monitoring.

The value of this object must persist across reboots."

::= { apmMibObjects 12 }

- The APM Exception table
- The APM Exception Table creates filters so that a management station can get immediate notification of a transaction that has had poor availability or responsiveness.
-
- This function is particularly helpful in unaggregated situations where the numbers of agents is relatively high and the transaction rate per agent is relatively low (such as agents for desktops or dedicated to small workgroups). Polling agents in such an environment would either cause scalability problems (high rate) or lead to long notification delays (low rate).

apmExceptionTable

OBJECT-TYPE

SYNTAX SEQUENCE OF ApmExceptionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table creates filters so that a management station can get immediate notification of a transaction that has had poor

availability or responsiveness.

Each apmExceptionEntry is associated with a particular type of transaction and is applied to all transactions of that type. Multiple apmExceptionEntries may be associated with a particular type of transaction. A transaction type is identified by the value of the apmAppDirAppLocalIndex component of the index.

Because the quality of a transaction is not known until it is completed, these thresholds are only applied after the transaction has completed."

::= { apmMibObjects 13 }

apmExceptionEntry OBJECT-TYPE

SYNTAX ApmExceptionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the apmExceptionTable.

The apmAppDirAppLocalIndex value in the index identifies the application this entry will monitor.

The apmAppDirResponsivenessType value in the index identifies the type of responsiveness metric this entry will monitor."

```
INDEX { apmAppDirAppLocalIndex,  
        apmAppDirResponsivenessType, apmExceptionIndex }  
::= { apmExceptionTable 1 }
```

```
ApmExceptionEntry ::= SEQUENCE {  
    apmExceptionIndex          Unsigned32,  
    apmExceptionResponsivenessComparison INTEGER,  
    apmExceptionResponsivenessThreshold Unsigned32,  
    apmExceptionUnsuccessfulException INTEGER,  
    apmExceptionResponsivenessEvents Counter32,  
    apmExceptionUnsuccessfulEvents Counter32,  
    apmExceptionOwner          OwnerString,  
    apmExceptionStorageType     StorageType,  
    apmExceptionStatus          RowStatus  
}
```

apmExceptionIndex

OBJECT-TYPE

SYNTAX Unsigned32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the apmExceptionTable amongst other entries with equivalent index values for apmAppDirAppLocalIndex and apmAppDirResponsivenessType. Each such entry sets up thresholds for a particular measurement of a particular application."

```
::= { apmExceptionEntry 1 }
```

apmExceptionResponsivenessComparison OBJECT-TYPE

SYNTAX INTEGER {

 none(1),

 greater(2),

 less(3)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"If this value is greater(2) or less(3), the associated apmExceptionResponsivenessThreshold will be compared to this value and an exception will be created if the responsiveness is greater than the threshold (greater(2)) or less than the threshold (less(3))."

::= { apmExceptionEntry 2 }

apmExceptionResponsivenessThreshold OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The threshold that responsiveness metrics are compared to."

::= { apmExceptionEntry 3 }

apmExceptionUnsuccessfulException OBJECT-TYPE

SYNTAX INTEGER {

off(1),

on(2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"If this value is on(2), an exception will be created if a transaction of the associated type is unsuccessful."

::= { apmExceptionEntry 4 }

apmExceptionResponsivenessEvents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of responsiveness exceptions generated. This counter will be incremented even if no notification was sent due to notifications not being configured or due to exceeding the apmNotificationMaxRate value."

::= { apmExceptionEntry 5 }

apmExceptionUnsuccessfulEvents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of unsuccessful exceptions generated. This

counter will be incremented even if no notification was sent due to notifications not being configured or due to exceeding the apmNotificationMaxRate value."

::= { apmExceptionEntry 6 }

apmExceptionOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { apmExceptionEntry 7 }

apmExceptionStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type of this apmReportControlEntry. If the value

of this object is 'permanent', no objects in this row need to be writable."

::= { apmExceptionEntry 8 }

apmExceptionStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this apmExceptionEntry. The only objects in the entry that may be modified while the entry is in the active state are apmExceptionResponsivenessComparison, apmExceptionResponsivenessThreshold and apmExceptionUnsuccessfulException."

::= { apmExceptionEntry 9 }

apmThroughputExceptionMinTime OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Because the responsiveness for throughput-oriented transactions is divided by the elapsed time, it can be very sensitive to short-term performance variations for

transactions that take a short period of time. For example, when downloading a very short file, a single dropped packet could double or triple the total response time.

Further, throughput is usually examined for applications that transfer a lot of data, and when doing so it is helpful to conceptualize transaction costs that are proportional to the amount of data separately from those costs that are relatively fixed (i.e., independent of the amount of data). For very short transactions, these fixed transaction costs (handshake, setup time, authentication, round-trip time) may dominate the total response time for the transaction, resulting in throughput measurements that aren't really proportional to the network's, server's and client's combined data throughput capability.

This object controls the minimum number of seconds that an throughput-based transaction must exceed before an exception can be generated for it. If this object is set to zero, then all throughput-based transactions are candidates for exceptions.

The value of this object must persist across reboots."

```
DEFVAL { 10 }  
::= { apmMibObjects 14 }
```

apmNotificationMaxRate OBJECT-TYPE

```
SYNTAX Unsigned32  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION
```

"The maximum number of notifications that can be generated from this agent by the apmExceptionTable in any 60 second period.

The value of this object must persist across reboots."

```
DEFVAL { 1 }  
::= { apmMibObjects 15 }
```

-- APM Notifications

```
apmNotifications OBJECT IDENTIFIER ::= { apm 0 }
```


apmTransactionResponsivenessAlarm NOTIFICATION-TYPE

OBJECTS { apmExceptionResponsivenessThreshold,
apmTransactionResponsiveness }

STATUS current

DESCRIPTION

"Notification sent when a transaction exceeds a threshold defined in the apmException table. The index of the

included apmExceptionResponsivenessThreshold object identifies the apmExceptionEntry that specified the threshold. The apmTransactionResponsiveness variable identifies the actual transaction and its responsiveness.

Agent implementors are urged to include additional data objects in the alarm that may explain the reason for the alarm. It is helpful to include such data in the alarm because it describes the situation at the time the alarm was generated, where polls after the fact may not provide meaningful information. Examples of such information are CPU load, memory utilization, network utilization, and transaction statistics."

::= { apmNotifications 1 }

apmTransactionUnsuccessfulAlarm NOTIFICATION-TYPE

OBJECTS { apmExceptionResponsivenessThreshold }

STATUS current

DESCRIPTION

"Notification sent when a transaction is unsuccessful.

The index of the included

apmExceptionResponsivenessThreshold

object identifies both the type of the transaction that caused this notification as well as the apmExceptionEntry that specified the threshold.

Agent implementors are urged to include additional data objects in the alarm that may explain the reason for the alarm. It is helpful to include such data in the alarm because it describes the situation at the time the alarm was generated, where polls after the fact may not provide meaningful information. Examples of such information are CPU load, memory utilization, network utilization, and transaction statistics."

::= { apmNotifications 2 }

apmCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the APM MIB"

MODULE -- this module

MANDATORY-GROUPS { apmAppDirGroup, apmReportGroup }

GROUP apmUserDefinedApplicationsGroup

DESCRIPTION

"Implementation of the apmUserDefinedApplicationsGroup is optional."

GROUP apmTransactionGroup

DESCRIPTION

"Implementation of the apmTransactionGroup is optional."

GROUP apmExceptionGroup

DESCRIPTION

"Implementation of the apmExceptionGroup is optional."

GROUP apmNotificationGroup

DESCRIPTION

"Implementation of the apmNotificationGroup is optional."

::= { apmCompliances 1 }

apmAppDirGroup OBJECT-GROUP

OBJECTS { apmAppDirConfig,
apmAppDirResponsivenessBoundary1,
apmAppDirResponsivenessBoundary2,
apmAppDirResponsivenessBoundary3,
apmAppDirResponsivenessBoundary4,
apmAppDirResponsivenessBoundary5,
apmAppDirResponsivenessBoundary6,
apmBucketBoundaryLastChange, apmAppDirID,
apmNameMachineName, apmNameUserName }

STATUS

current

DESCRIPTION

"The APM MIB directory of applications and application verbs."

::= { apmGroups 1 }

apmUserDefinedApplicationsGroup OBJECT-GROUP

OBJECTS { apmHttpFilterAppLocalIndex,
apmHttpFilterServerProtocol,
apmHttpFilterServerAddress, apmHttpFilterURLPath,
apmHttpFilterMatchType, apmHttpFilterOwner,
apmHttpFilterStorageType, apmHttpFilterRowStatus,

apmHttpIgnoreUnregisteredURLs, apmHttp4xxIsFailure,
apmUserDefinedAppParentIndex,

apmUserDefinedAppApplication }

STATUS current

DESCRIPTION

"Objects used for creating and managing user-defined
applications."

::= { apmGroups 2 }

apmReportGroup OBJECT-GROUP

OBJECTS { apmReportControlDataSource,
apmReportControlAggregationType,
apmReportControlInterval,
apmReportControlRequestedSize,
apmReportControlGrantedSize,
apmReportControlRequestedReports,
apmReportControlGrantedReports,
apmReportControlStartTime,
apmReportControlReportNumber,
apmReportControlDeniedInserts,
apmReportControlDroppedFrames,
apmReportControlOwner,
apmReportControlStorageType,
apmReportControlStatus,
apmReportTransactionCount,
apmReportSuccessfulTransactions,
apmReportResponsivenessMean,
apmReportResponsivenessMin,
apmReportResponsivenessMax,
apmReportResponsivenessB1,
apmReportResponsivenessB2,
apmReportResponsivenessB3,
apmReportResponsivenessB4,
apmReportResponsivenessB5,
apmReportResponsivenessB6,
apmReportResponsivenessB7 }

STATUS current

DESCRIPTION

"The apm report group controls the creation
and retrieval of
reports that aggregate application performance."

::= { apmGroups 3 }

apmTransactionGroup OBJECT-GROUP

OBJECTS { apmTransactionResponsiveness,

```
    apmTransactionAge, apmTransactionSuccess,
    apmTransactionsRequestedHistorySize }
STATUS current
DESCRIPTION
    "The apm transaction group contains statistics for
    individual transactions."
```

```
::= { apmGroups 4 }
```

```
apmExceptionGroup OBJECT-GROUP
```

```
OBJECTS { apmExceptionResponsivenessComparison,
    apmExceptionResponsivenessThreshold,
    apmExceptionUnsuccessfulException,
    apmExceptionResponsivenessEvents,
    apmExceptionUnsuccessfulEvents,
    apmExceptionOwner, apmExceptionStorageType,
    apmExceptionStatus, apmThroughputExceptionMinTime,
    apmNotificationMaxRate }
```

```
STATUS current
```

```
DESCRIPTION
```

```
    "The apm exception group causes notifications to be sent
    whenever
    transactions are detected that had poor availability
    or responsiveness."
```

```
::= { apmGroups 5 }
```

```
apmNotificationGroup NOTIFICATION-GROUP
```

```
NOTIFICATIONS { apmTransactionResponsivenessAlarm,
    apmTransactionUnsuccessfulAlarm }
```

```
STATUS current
```

```
DESCRIPTION
```

```
    "Notifications sent by an APM MIB agent."
```

```
::= { apmGroups 6 }
```

```
END
```

```
Found in path(s):
```

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/APM-MIB
```

```
No license file was found, but licenses were detected in source scan.
```

```
DOT3-OAM-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
MODULE-IDENTITY, mib-2, OBJECT-TYPE, Counter32, Unsigned32,
    Integer32, NOTIFICATION-TYPE
FROM SNMPv2-SMI
```

-- from [RFC2578]
TEXTUAL-CONVENTION, MacAddress, TimeStamp, TruthValue

FROM SNMPv2-TC
-- from [RFC2579]
CounterBasedGauge64
FROM HCNM-TC
-- from [RFC2856]
ifIndex
FROM IF-MIB
-- from [RFC2863]
MODULE-COMPLIANCE, OBJECT-GROUP, NOTIFICATION-GROUP
FROM SNMPv2-CONF;

-- from [RFC2580]

dot3OamMIB MODULE-IDENTITY
LAST-UPDATED "200706140000Z" -- June 14,2007"
ORGANIZATION
"IETF Ethernet Interfaces and Hub MIB Working Group"
CONTACT-INFO
"WG Charter:
<http://www.ietf.org/html.charters/hubmib-charter.html>
Mailing lists:
General Discussion: hubmib@ietf.org
To Subscribe: hubmib-requests@ietf.org
In Body: subscribe your_email_address
Chair: Bert Wijnen
Alcatel-Lucent
Email: bwijnen at alcatel-lucent dot com
Editor: Matt Squire
Hatteras Networks
E-mail: msquire at hatterasnetworks dot com
"

DESCRIPTION

"The MIB module for managing the new Ethernet OAM features introduced by the Ethernet in the First Mile taskforce (IEEE 802.3ah). The functionality presented here is based on IEEE 802.3ah [802.3ah], released in October, 2004. [802.3ah] was prepared as an addendum to the standing version of IEEE 802.3 [802.3-2002]. Since then, [802.3ah] has been merged into the base IEEE 802.3 specification in [802.3-2005].

In particular, this MIB focuses on the new OAM functions introduced in Clause 57 of [802.3ah]. The OAM functionality of Clause 57 is controlled by new management attributes

introduced in Clause 30 of [802.3ah]. The OAM functions are not specific to any particular Ethernet physical layer, and can be generically applied to any Ethernet interface of [802.3-2002].

An Ethernet OAM protocol data unit is a valid Ethernet frame with a destination MAC address equal to the reserved MAC address for Slow Protocols (See 43B of [802.3ah]), a lengthOrType field equal to the reserved type for Slow Protocols, and a Slow Protocols subtype equal to that of the subtype reserved for Ethernet OAM. OAMPDU is used throughout this document as an abbreviation for Ethernet OAM protocol data unit.

The following reference is used throughout this MIB module:

[802.3ah] refers to:

IEEE Std 802.3ah-2004: 'Draft amendment to - Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications - Media Access Control Parameters, Physical Layers and Management Parameters for subscriber access networks', October 2004.

[802.3-2002] refers to:

IEEE Std 802.3-2002: 'Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications - Media Access Control Parameters, Physical Layers and Management Parameters for subscriber access networks', March 2002.

[802.3-2005] refers to:

IEEE Std 802.3-2005: 'Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks

- Specific requirements - Part

3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications
- Media Access Control Parameters, Physical Layers and Management Parameters for subscriber access networks', December 2005.

[802-2001] refers to:

'IEEE Standard for LAN/MAN (Local Area Network/Metropolitan Area Network): Overview and Architecture', IEEE 802, June 2001.

Copyright (c) The IETF Trust (2007). This version of this MIB module is part of RFC 4878; See the RFC itself for full legal notices. "

REVISION "200706140000Z" -- June 14, 2007"
DESCRIPTION "Initial version, published as RFC 4878."
 ::= { mib-2 158 }

--

-- Sections of the Ethernet OAM MIB

--

dot3OamNotifications OBJECT IDENTIFIER ::= { dot3OamMIB 0 }
dot3OamObjects OBJECT IDENTIFIER ::= { dot3OamMIB 1 }

dot3OamConformance OBJECT IDENTIFIER ::= { dot3OamMIB 2 }

--

-- Textual conventions for the OAM MIB

--

EightOTwoOui ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"24-bit Organizationally Unique Identifier. Information on OUIs can be found in IEEE 802-2001 [802-2001], Clause 9."

SYNTAX OCTET STRING(SIZE(3))

-- *****

--

-- Ethernet OAM Control group

--

dot3OamTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the primary controls and status for the OAM capabilities of an Ethernet-like interface. There will be one row in this table for each Ethernet-like interface in the system that supports the OAM functions defined in [802.3ah].

"

::= { dot3OamObjects 1 }

dot3OamEntry OBJECT-TYPE

SYNTAX Dot3OamEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the table that contains information on the Ethernet OAM function for a single Ethernet like interface. Entries in the table are created automatically for each interface supporting Ethernet OAM. The status of the row entry can be determined from dot3OamOperStatus.

A dot3OamEntry is indexed in the dot3OamTable by the ifIndex object of the Interfaces MIB.

"

INDEX { ifIndex }

::= { dot3OamTable 1 }

Dot3OamEntry ::=

SEQUENCE {

dot3OamAdminState INTEGER,
dot3OamOperStatus INTEGER,
dot3OamMode INTEGER,
dot3OamMaxOamPduSize Unsigned32,
dot3OamConfigRevision Unsigned32,
dot3OamFunctionsSupported BITS

}

dot3OamAdminState OBJECT-TYPE

SYNTAX INTEGER {

enabled(1),
disabled(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object is used to provision the default administrative

OAM mode for this interface. This object represents the desired state of OAM for this interface.

The dot3OamAdminState always starts in the disabled(2) state until an explicit management action or configuration information retained by the system causes a transition to the enabled(1) state. When enabled(1), Ethernet OAM will attempt to operate over this interface.

"

REFERENCE "[802.3ah], 30.3.6.1.2"

::= { dot3OamEntry 1 }

dot3OamOperStatus OBJECT-TYPE

```
SYNTAX INTEGER {
    disabled(1),
    linkFault(2),
    passiveWait(3),
    activeSendLocal(4),
    sendLocalAndRemote(5),
    sendLocalAndRemoteOk(6),
    oamPeeringLocallyRejected(7),
    oamPeeringRemotelyRejected(8),
    operational(9),
    nonOperHalfDuplex(10)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At initialization and failure conditions, two OAM entities on

the same full-duplex Ethernet link begin a discovery phase to determine what OAM capabilities may be used on that link. The progress of this initialization is controlled by the OAM sublayer.

This value is always disabled(1) if OAM is disabled on this interface via the dot3OamAdminState.

If the link has detected a fault and is transmitting OAMPDUs with a link fault indication, the value is linkFault(2).

Also, if the interface is not operational (ifOperStatus is not up(1)), linkFault(2) is returned. Note that the object ifOperStatus may not be up(1) as a result of link failure or administrative

action (ifAdminState being down(2) or testing(3)).

The passiveWait(3) state is returned only by OAM entities in passive mode (dot3OamMode) and reflects the state in which the OAM entity is waiting to see if the peer device is OAM capable. The activeSendLocal(4) value is used by active mode devices (dot3OamMode) and reflects the OAM entity actively trying to discover whether the peer has OAM capability but has not yet made that determination.

The state sendLocalAndRemote(5) reflects that the local OAM entity has discovered the peer but has not yet accepted or rejected the configuration of the peer. The local device can, for whatever reason, decide that the peer device is unacceptable and decline OAM peering. If the local OAM entity rejects the peer OAM entity, the state becomes oamPeeringLocallyRejected(7). If the OAM peering is allowed by the local device, the state moves

to

sendLocalAndRemoteOk(6). Note that both the sendLocalAndRemote(5) and oamPeeringLocallyRejected(7) states fall within the state SEND_LOCAL_REMOTE of the Discovery state diagram [802.3ah, Figure 57-5], with the difference being whether the local OAM client has actively rejected the peering or has just not indicated any decision yet. Whether a peering decision has been made is indicated via the local flags field in the OAMPDU (reflected in the aOAMLocalFlagsField of 30.3.6.1.10).

If the remote OAM entity rejects the peering, the state becomes oamPeeringRemotelyRejected(8). Note that both the sendLocalAndRemoteOk(6) and oamPeeringRemotelyRejected(8) states fall within the state SEND_LOCAL_REMOTE_OK of the Discovery state diagram [802.3ah, Figure 57-5], with the difference being whether the remote OAM client has rejected

the peering or has just not yet decided. This is indicated

via the remote flags field in the OAMPDU (reflected in the aOAMRemoteFlagsField of 30.3.6.1.11).

When the local OAM entity learns that both it and the remote OAM entity have accepted the peering, the state moves to operational(9) corresponding to the SEND_ANY state of the Discovery state diagram [802.3ah, Figure 57-5].

Since Ethernet OAM functions are not designed to work

completely over half-duplex interfaces, the value nonOperHalfDuplex(10) is returned whenever Ethernet OAM is enabled (dot3OamAdminState is enabled(1)), but the interface is in half-duplex operation.

"

REFERENCE "[802.3ah], 30.3.6.1.4, 30.3.6.1.10, 30.3.6.1.11"

::= { dot3OamEntry 2 }

dot3OamMode OBJECT-TYPE

SYNTAX INTEGER {
 passive(1),
 active(2)
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object configures the mode of OAM operation for this Ethernet-like interface. OAM on Ethernet interfaces may be in 'active' mode or 'passive' mode. These two modes differ in that active mode provides additional capabilities to initiate monitoring activities with the remote OAM peer entity, while passive mode generally waits for the peer to initiate OAM actions with it. As an example, an active OAM entity can put the remote OAM entity in a loopback state, where a passive OAM entity cannot.

The default value of dot3OamMode is dependent on the type of system on which this Ethernet-like interface resides. The default value should be 'active(2)' unless it is known that this system should take on a subservient role to the other device connected over this interface.

Changing this value results in incrementing the configuration revision field of locally generated OAMPDUs (30.3.6.1.12) and potentially re-doing the OAM discovery process if the dot3OamOperStatus was already operational(9).

"

REFERENCE "[802.3ah], 30.3.6.1.3"

::= { dot3OamEntry 3 }

dot3OamMaxOamPduSize OBJECT-TYPE

SYNTAX Unsigned32 (64..1518)

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The largest OAMPDU that the OAM entity supports. OAM entities exchange maximum OAMPDU sizes and negotiate to use the smaller of the two maximum OAMPDU sizes between the peers.

This value is determined by the local implementation.

"

REFERENCE "[802.3ah], 30.3.6.1.8"

::= { dot3OamEntry 4 }

dot3OamConfigRevision OBJECT-TYPE

SYNTAX Unsigned32(0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The configuration revision of the OAM entity as reflected in the latest OAMPDU sent by the OAM entity. The config revision is used by OAM entities

to indicate that configuration changes

have occurred, which might require the peer OAM entity to re-evaluate whether OAM peering is allowed.

"

REFERENCE "[802.3ah], 30.3.6.1.12"

::= { dot3OamEntry 5 }

dot3OamFunctionsSupported OBJECT-TYPE

SYNTAX BITS {

 unidirectionalSupport(0),

 loopbackSupport(1),

 eventSupport(2),

 variableSupport(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The OAM functions supported on this Ethernet-like interface.

OAM consists of separate functional sets beyond the basic discovery process that is always required. These functional groups can be supported independently by any implementation.

These values are communicated to the peer via the local configuration field of Information OAMPDUs.

Setting 'unidirectionalSupport(0)' indicates that the OAM

entity supports the transmission of OAMPDUs on links that are operating in unidirectional mode (traffic flowing in one direction only). Setting 'loopbackSupport(1)' indicates that the OAM entity can initiate and respond to loopback commands. Setting 'eventSupport(2)' indicates that the OAM entity can send and receive Event Notification OAMPDUs. Setting 'variableSupport(3)' indicates that the OAM entity can send and receive Variable Request and Response OAMPDUs.

"

REFERENCE "[802.3ah], 30.3.6.1.6"

::= { dot3OamEntry 6 }

-- *****

--

-- Ethernet OAM Peer group

--

dot3OamPeerTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamPeerEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains information about the OAM peer for a particular Ethernet-like interface. OAM entities communicate with a single OAM peer entity on Ethernet links on which OAM is enabled and operating properly. There is one entry in this table for each entry in the dot3OamTable for which information on the peer OAM entity is available.

"

::= { dot3OamObjects 2 }

dot3OamPeerEntry OBJECT-TYPE

SYNTAX Dot3OamPeerEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the table containing information on the peer OAM entity for a single Ethernet-like interface.

Note that there is at most one OAM peer for each Ethernet-like interface. Entries are automatically created when information about the OAM peer entity becomes available, and automatically deleted when the OAM peer entity is no longer in communication. Peer information is not available when dot3OamOperStatus is disabled(1), linkFault(2), passiveWait(3), activeSendLocal(4), or nonOperHalfDuplex(10).

"

INDEX { ifIndex }

::= { dot3OamPeerTable 1 }

Dot3OamPeerEntry ::=

```
SEQUENCE {
    dot3OamPeerMacAddress      MacAddress,
    dot3OamPeerVendorOui      EightOTwoOui,
    dot3OamPeerVendorInfo     Unsigned32,
    dot3OamPeerMode            INTEGER,
    dot3OamPeerMaxOamPduSize  Unsigned32,
    dot3OamPeerConfigRevision Unsigned32,
    dot3OamPeerFunctionsSupported BITS
}
```

dot3OamPeerMacAddress OBJECT-TYPE

SYNTAX MacAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The MAC address of the peer OAM entity. The MAC address is derived from the most recently received OAMPDU.

"

REFERENCE "[802.3ah], 30.3.6.1.5."

::= { dot3OamPeerEntry 1 }

dot3OamPeerVendorOui OBJECT-TYPE

SYNTAX EightOTwoOui

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The

OUI of the OAM peer as reflected in the latest

Information OAMPDU received with a Local Information TLV. The OUI can be used to identify the vendor of the remote OAM entity. This value is initialized to three octets of zero before any Local Information TLV is received.

"

REFERENCE "[802.3ah], 30.3.6.1.16."

::= { dot3OamPeerEntry 2 }

dot3OamPeerVendorInfo OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Vendor Info of the OAM peer as reflected in the latest

Information OAMPDU received with a Local Information TLV. The semantics of the Vendor Information field is proprietary and specific to the vendor (identified by the dot3OamPeerVendorOui). This information could, for example,

be used to identify a specific product or product family.

This value is initialized to zero before any Local Information TLV is received.

"

REFERENCE "[802.3ah], 30.3.6.1.17."

::= { dot3OamPeerEntry 3 }

dot3OamPeerMode OBJECT-TYPE

SYNTAX INTEGER {

passive(1),

active(2),

unknown(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The mode of the OAM peer as reflected in the latest Information OAMPDU received with a Local Information TLV. The mode of the peer can be determined from the Configuration field in the Local Information TLV of the last Information OAMPDU received from the peer. The value is unknown(3) whenever no Local Information TLV has been received. The values of active(2) and passive(1) are returned when a Local Information TLV has been received indicating that the peer is in active or passive mode, respectively.

"

REFERENCE "[802.3ah], 30.3.6.1.7."

::= { dot3OamPeerEntry 4 }

dot3OamPeerMaxOamPduSize

OBJECT-TYPE

SYNTAX Unsigned32 (0 | 64..1518)

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum size of OAMPDU supported by the peer as reflected in the latest Information OAMPDU received with a Local Information TLV. Ethernet OAM on this interface must not use OAMPDUs that exceed this size. The maximum OAMPDU size can be determined from the PDU Configuration field of the Local

Information TLV of the last Information OAMPDU received from the peer. A value of zero is returned if no Local Information TLV has been received. Otherwise, the value of the OAM peer's maximum OAMPDU size is returned in this value.

"

REFERENCE "[802.3ah], 30.3.6.1.9."

::= { dot3OamPeerEntry 5 }

dot3OamPeerConfigRevision OBJECT-TYPE

SYNTAX Unsigned32(0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The

configuration revision of the OAM peer as reflected in the latest OAMPDU. This attribute is changed by the peer whenever it has a local configuration change for Ethernet OA on this interface. The configuration revision can be determined from the Revision field of the Local Information TLV of the most recently received Information OAMPDU with a Local Information TLV. A value of zero is returned if no Local Information TLV has been received.

"

REFERENCE "[802.3ah], 30.3.6.1.13."

::= { dot3OamPeerEntry 6 }

dot3OamPeerFunctionsSupported OBJECT-TYPE

SYNTAX BITS {

 unidirectionalSupport(0),

 loopbackSupport(1),

 eventSupport(2),

 variableSupport(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The OAM functions supported on this Ethernet-like interface.

OAM consists of separate functionality

sets above the basic

discovery process. This value indicates the capabilities of the peer OAM entity with respect to these functions. This value is initialized so all bits are clear.

If unidirectionalSupport(0) is set, then the peer OAM entity supports sending OAM frames on Ethernet interfaces when the

receive path is known to be inoperable. If loopbackSupport(1) is set, then the peer OAM entity can send and receive OAM loopback commands. If eventSupport(2) is set, then the peer OAM entity can send and receive event OAMPDUs to signal various error conditions. If variableSupport(3) is set, then the peer OAM entity can send and receive variable requests to monitor the attribute value as described in Clause 57 of [802.3ah].

The capabilities of the OAM peer can be determined from the configuration field of the Local Information TLV of the most recently received

Information OAMPDU with a Local Information

TLV. All zeros are returned if no Local Information TLV has

yet been received.

"

REFERENCE "[802.3ah], REFERENCE 30.3.6.1.7."

::= { dot3OamPeerEntry 7 }

-- *****

--

-- Ethernet OAM Loopback group

--

dot3OamLoopbackTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamLoopbackEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains controls for the loopback state of the local link as well as indicates the status of the loopback function. There is one entry in this table for each entry in dot3OamTable that supports loopback functionality (where dot3OamFunctionsSupported includes the loopbackSupport bit set).

Loopback can be used to place the remote OAM entity in a state where every received frame (except OAMPDUs) is echoed back

over the same interface on which they were received. In this state, at the remote entity, 'normal' traffic is disabled as only the looped back frames are transmitted on the interface. Loopback is thus an intrusive operation that prohibits normal data flow and should be used accordingly.

"

::= { dot3OamObjects 3 }

dot3OamLoopbackEntry OBJECT-TYPE

SYNTAX Dot3OamLoopbackEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the table, containing information on the loopback status for a single Ethernet-like interface. Entries in the table are automatically created whenever the local OAM entity supports loopback capabilities. The loopback status on the interface can be determined from the dot3OamLoopbackStatus object.

"

INDEX { ifIndex }

::= { dot3OamLoopbackTable 1 }

Dot3OamLoopbackEntry ::=

SEQUENCE {

dot3OamLoopbackStatus

INTEGER,

dot3OamLoopbackIgnoreRx INTEGER

}

dot3OamLoopbackStatus OBJECT-TYPE

SYNTAX INTEGER {

-- all values, except where noted, can be read

-- but cannot be written

noLoopback (1),

-- initiatingLoopback can be read or written

initiatingLoopback (2),

remoteLoopback (3),

-- terminatingLoopback can be read or written

terminatingLoopback (4),

localLoopback (5),

unknown (6)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The loopback status of the OAM entity. This status is determined by a combination of the local parser and multiplexer states, the remote parser and multiplexer states,

as well as by the actions of the local OAM client. When operating in normal mode with no loopback in progress, the status reads noLoopback(1).

The values initiatingLoopback(2) and terminatingLoopback(4) can be read or written. The other values can only be read - they can never be written. Writing initiatingLoopback causes the local OAM entity to start the loopback process with its peer. This value can only be written when the status is noLoopback(1). Writing the value initiatingLoopback(2) in any other state has no effect. When in remoteLoopback(3), writing terminatingLoopback(4) causes the local OAM entity to initiate the termination of the loopback state. Writing terminatingLoopback(4) in any other state has no effect.

If the OAM client initiates a loopback and has sent a Loopback OAMPDU and is waiting for a response, where the local parser and multiplexer states are DISCARD (see [802.3ah, 57.2.11.1]), the status is 'initiatingLoopback'. In this

case, the local OAM entity has yet to receive any acknowledgment that the remote OAM entity has received its loopback command request.

If the local OAM client knows that the remote OAM entity is in loopback mode (via the remote state information as described in [802.3ah, 57.2.11.1, 30.3.6.1.15]), the status is remoteLoopback(3). If the local OAM client is in the process of terminating the remote loopback [802.3ah, 57.2.11.3, 30.3.6.1.14] with its local multiplexer and parser states in DISCARD, the status is terminatingLoopback(4). If the remote OAM client has put the local OAM entity in loopback mode as indicated by its local parser state, the status is localLoopback(5).

The unknown(6) status indicates that the parser and multiplexer combination is unexpected. This status may be returned if the OAM loopback is in a transition state but should not persist.

The values of this attribute correspond to the following values of the local and remote parser and multiplexer states.

```

value      LclPrsr LclMux  RmtPrsr RmtMux
noLoopback  FWD   FWD   FWD   FWD
initLoopback DISCARD DISCARD  FWD   FWD
rmtLoopback  DISCARD FWD   LPBK  DISCARD
tmtngLoopback DISCARD DISCARD LPBK  DISCARD
lclLoopback  LPBK  DISCARD DISCARD FWD
unknown     ***  any other combination ***
"

```

REFERENCE "[802.3ah], REFERENCE 57.2.11, 30.3.61.14,
30.3.6.1.15"

```
::= { dot3OamLoopbackEntry 1 }
```

dot3OamLoopbackIgnoreRx OBJECT-TYPE

```
SYNTAX  INTEGER { ignore(1), process(2) }
```

```
MAX-ACCESS read-write
```

```
STATUS  current
```

```
DESCRIPTION
```

"Since OAM loopback is a disruptive operation (user traffic does not pass), this attribute provides a mechanism to provide controls

over whether received OAM loopback commands are processed or ignored. When the value is ignore(1), received loopback commands are ignored. When the value is process(2), OAM loopback commands are processed. The default value is to ignore loopback commands (ignore(1)).

"

REFERENCE "[802.3ah], REFERENCE 57.2.11, 30.3.61.14,
30.3.6.1.15"

```
::= { dot3OamLoopbackEntry 2 }
```

```

-- *****
--
-- Ethernet OAM Statistics group
--

```

dot3OamStatsTable OBJECT-TYPE

```
SYNTAX  SEQUENCE OF Dot3OamStatsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS  current
```

```
DESCRIPTION
```

"This table contains statistics for the OAM function on a particular Ethernet-like interface. There is an entry in the table for every entry in the dot3OamTable.

The counters in this table are defined as 32-bit entries to match the counter size as defined in [802.3ah].

Given that
the OA protocol is a slow protocol, the counters increment at
a slow rate.
"
::= { dot3OamObjects 4 }

dot3OamStatsEntry OBJECT-TYPE

SYNTAX Dot3OamStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the table containing statistics information on
the Ethernet OAM function for a single Ethernet-like
interface. Entries are automatically created for every entry
in the dot3OamTable. Counters are maintained across
transitions in dot3OamOperStatus.
"

INDEX { ifIndex }

::= { dot3OamStatsTable 1 }

Dot3OamStatsEntry ::=

SEQUENCE {

dot3OamInformationTx Counter32,
dot3OamInformationRx Counter32,
dot3OamUniqueEventNotificationTx Counter32,
dot3OamUniqueEventNotificationRx Counter32,
dot3OamDuplicateEventNotificationTx

Counter32,

dot3OamDuplicateEventNotificationRx Counter32,
dot3OamLoopbackControlTx Counter32,
dot3OamLoopbackControlRx Counter32,
dot3OamVariableRequestTx Counter32,
dot3OamVariableRequestRx Counter32,
dot3OamVariableResponseTx Counter32,

dot3OamVariableResponseRx Counter32,
dot3OamOrgSpecificTx Counter32,
dot3OamOrgSpecificRx Counter32,
dot3OamUnsupportedCodesTx Counter32,
dot3OamUnsupportedCodesRx Counter32,
dot3OamFramesLostDueToOam Counter32

}

dot3OamInformationTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Information OAMPDUs transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime. "

REFERENCE "[802.3ah], 30.3.6.1.20."

::= { dot3OamStatsEntry 1 }

dot3OamInformationRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Information OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.21."

::= { dot3OamStatsEntry 2 }

dot3OamUniqueEventNotificationTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of unique Event OAMPDUs transmitted on this interface. Event Notifications may be sent in duplicate to increase the probability of successfully being received,

given the possibility that a frame may be lost in transit.

Duplicate Event Notification transmissions are counted by dot3OamDuplicateEventNotificationTx.

A unique Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is distinct from the previously transmitted Event Notification

OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.22."

::= { dot3OamStatsEntry 3 }

dot3OamUniqueEventNotificationRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of unique Event OAMPDUs received on this interface. Event Notification OAMPDUs may be sent in duplicate to increase the probability of successfully being received, given the possibility that a frame may be lost in transit. Duplicate Event Notification receptions are counted by dot3OamDuplicateEventNotificationRx.

A unique Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is distinct from the previously received Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.24."

::= { dot3OamStatsEntry 4 }

dot3OamDuplicateEventNotificationTx OBJECT-TYPE

SYNTAX

Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of duplicate Event OAMPDUs transmitted

on this interface. Event Notification OAMPDUs may be sent in duplicate to increase the probability of successfully being received, given the possibility that a frame may be lost in

transit.

A duplicate Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is identical to the previously transmitted Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.23."

::= { dot3OamStatsEntry 5 }

dot3OamDuplicateEventNotificationRx OBJECT-TYPE

SYNTAX Counter32

UNITS

"frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of duplicate Event OAMPDUs received on this interface. Event Notification OAMPDUs may be sent in duplicate to increase the probability of successfully being received, given the possibility that a frame may be lost in transit.

A duplicate Event Notification OAMPDU is indicated as an Event Notification OAMPDU with a Sequence Number field that is identical to the previously received Event Notification OAMPDU Sequence Number.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.25."

::= { dot3OamStatsEntry 6 }

dot3OamLoopbackControlTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"A count of the number of Loopback Control OAMPDUs transmitted

on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.26."

::= { dot3OamStatsEntry 7 }

dot3OamLoopbackControlRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Loopback Control OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.27."

::= { dot3OamStatsEntry 8 }

dot3OamVariableRequestTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Request OAMPDUs transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.28."

::= { dot3OamStatsEntry 9 }

dot3OamVariableRequestRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Request OAMPDUs received on

this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.29."

::= { dot3OamStatsEntry

10 }

dot3OamVariableResponseTx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Response OAMPDUs transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.30."

::= { dot3OamStatsEntry 11 }

dot3OamVariableResponseRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of Variable Response OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.31."

::= { dot3OamStatsEntry 12 }

dot3OamOrgSpecificTx OBJECT-TYPE

SYNTAX Counter32
UNITS "frames"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"A count of the number of Organization Specific OAMPDUs

transmitted on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.32."
::= { dot3OamStatsEntry 13 }

dot3OamOrgSpecificRx OBJECT-TYPE

SYNTAX Counter32
UNITS "frames"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"A count of the number of Organization Specific OAMPDUs received on this interface.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by

the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.33."
::= { dot3OamStatsEntry 14 }

dot3OamUnsupportedCodesTx OBJECT-TYPE

SYNTAX Counter32
UNITS "frames"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"A count of the number of OAMPDUs transmitted on this interface with an unsupported op-code.

Discontinuities of this counter can occur at re-initialization of the management system, and at other times as indicated by the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.18."

::= { dot3OamStatsEntry 15 }

dot3OamUnsupportedCodesRx OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of OAMPDUs received on this interface

with an unsupported op-code.

Discontinuities

of this counter can occur at re-initialization

of the management system, and at other times as indicated by
the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.19."

::= { dot3OamStatsEntry 16 }

dot3OamFramesLostDueToOam OBJECT-TYPE

SYNTAX Counter32

UNITS "frames"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A count of the number of frames that were dropped by the OA
multiplexer. Since the OAM multiplexer has multiple inputs
and a single output, there may be cases where frames are
dropped due to transmit resource contention. This counter is
incremented whenever a frame is dropped by the OAM layer.
Note that any Ethernet frame, not just OAMPDUs, may be dropped
by the OAM layer. This can occur when an OAMPDU takes
precedence over a 'normal' frame resulting in the 'normal'
frame being dropped.

When this counter
is incremented, no other counters in this

MIB are incremented.

Discontinuities of this counter can occur at re-initialization
of the management system, and at other times as indicated by
the value of the ifCounterDiscontinuityTime.

"

REFERENCE "[802.3ah], 30.3.6.1.46."

::= { dot3OamStatsEntry 17 }

-- *****
--
-- Ethernet OAM Event Configuration group
--

dot3OamEventConfigTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamEventConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Ethernet OAM includes the ability to generate and receive
Event Notification OAMPDUs to indicate various link problems.
This table contains the mechanisms to enable Event

Notifications and configure the thresholds to generate the
standard Ethernet OAM events. There is one entry in the table
for every entry in

dot3OamTable that supports OAM events

(where dot3OamFunctionsSupported includes the eventSupport
bit set). The values in the table are maintained across
changes to dot3OamOperStatus.

The standard threshold crossing events are:

- Errored Symbol Period Event. Generated when the number of
symbol errors exceeds a threshold within a given window
defined by a number of symbols (for example, 1,000 symbols
out of 1,000,000 had errors).
- Errored Frame Period Event. Generated when the number of
frame errors exceeds a threshold within a given window
defined by a number of frames (for example, 10 frames out
of 1000 had errors).
- Errored Frame Event. Generated when the number of frame
errors exceeds a threshold within a given window defined
by a period of time (for example, 10 frames in 1 second
had errors).
- Errored Frame Seconds

Summary Event. Generated when the

number of errored frame seconds exceeds a threshold within
a given time period (for example, 10 errored frame seconds
within the last 100 seconds). An errored frame second is
defined as a 1 second interval which had >0 frame errors.

There are other events (dying gasp, critical events) that are
not threshold crossing events but which can be
enabled/disabled via this table.

"
 ::= { dot3OamObjects 5 }

dot3OamEventConfigEntry OBJECT-TYPE

SYNTAX Dot3OamEventConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries are automatically created and deleted from this table, and exist whenever the OAM entity supports Ethernet OA events (as indicated by the eventSupport bit in dot3OamFunctionsSupported). Values in the table are maintained across changes to the value of dot3OamOperStatus.

Event

configuration controls when the local management entity sends Event Notification OAMPDUs to its OAM peer, and when certain event flags are set or cleared in OAMPDUs.

"

INDEX { ifIndex }

::= { dot3OamEventConfigTable 1 }

Dot3OamEventConfigEntry ::=

SEQUENCE {

dot3OamErrSymPeriodWindowHi Unsigned32,

dot3OamErrSymPeriodWindowLo Unsigned32,

dot3OamErrSymPeriodThresholdHi Unsigned32,

dot3OamErrSymPeriodThresholdLo Unsigned32,

dot3OamErrSymPeriodEvNotifEnable TruthValue,

dot3OamErrFramePeriodWindow Unsigned32,

dot3OamErrFramePeriodThreshold Unsigned32,

dot3OamErrFramePeriodEvNotifEnable TruthValue,

dot3OamErrFrameWindow Unsigned32,

dot3OamErrFrameThreshold Unsigned32,

dot3OamErrFrameEvNotifEnable TruthValue,

dot3OamErrFrameSecsSummaryWindow Integer32,

dot3OamErrFrameSecsSummaryThreshold Integer32,

dot3OamErrFrameSecsEvNotifEnable TruthValue,

dot3OamDyingGaspEnable TruthValue,

dot3OamCriticalEventEnable TruthValue

}

dot3OamErrSymPeriodWindowHi OBJECT-TYPE

SYNTAX Unsigned32

UNITS "2^32 symbols"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The two objects dot3OamErrSymPeriodWindowHi and dot3OamErrSymPeriodLo together form an unsigned 64-bit integer representing the number of symbols over which this threshold event is defined. This is defined as

$$\text{dot3OamErrSymPeriodWindow} = ((2^{32}) * \text{dot3OamErrSymPeriodWindowHi}) + \text{dot3OamErrSymPeriodWindowLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event

Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodWindow is the number of symbols in one second for the underlying physical layer.

"

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 1 }

dot3OamErrSymPeriodWindowLo OBJECT-TYPE

SYNTAX Unsigned32

UNITS "symbols"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The two objects dot3OamErrSymPeriodWindowHi and dot3OamErrSymPeriodWindowLo together form an unsigned 64-bit integer representing the number of symbols over which this threshold event is defined. This is defined as

$$\text{dot3OamErrSymPeriodWindow} = ((2^{32}) * \text{dot3OamErrSymPeriodWindowHi}) + \text{dot3OamErrSymPeriodWindowLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodWindow is the number

of symbols in one second for the underlying physical layer.

"

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 2 }

dot3OamErrSymPeriodThresholdHi OBJECT-TYPE

SYNTAX Unsigned32

UNITS "2^32 symbols"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The two objects dot3OamErrSymPeriodThresholdHi and dot3OamErrSymPeriodThresholdLo together form an unsigned 64-bit integer representing the number of symbol errors that must occur within a given window to cause this event.

This is defined as

$$\begin{aligned} \text{dot3OamErrSymPeriodThreshold} = & \\ & ((2^{32}) * \\ \text{dot3OamErrSymPeriodThresholdHi}) & \\ & + \text{dot3OamErrSymPeriodThresholdLo} \end{aligned}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodThreshold is one symbol errors. If the threshold value is zero, then an Event

Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

"

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 3 }

dot3OamErrSymPeriodThresholdLo OBJECT-TYPE

SYNTAX Unsigned32

UNITS "symbols"

MAX-ACCESS read-write

STATUS

current

DESCRIPTION

"The two objects dot3OamErrSymPeriodThresholdHi and dot3OamErrSymPeriodThresholdLo together form an unsigned 64-bit integer representing the number of symbol errors that must occur within a given window to cause this event.

This is defined as

$$\text{dot3OamErrSymPeriodThreshold} = \\ ((2^{32}) * \text{dot3OamErrSymPeriodThresholdHi}) \\ + \text{dot3OamErrSymPeriodThresholdLo}$$

If dot3OamErrSymPeriodThreshold symbol errors occur within a window of dot3OamErrSymPeriodWindow symbols, an Event Notification OAMPDU should be generated with an Errored Symbol Period Event TLV indicating that the threshold has been crossed in this window.

The default value for dot3OamErrSymPeriodThreshold is one symbol error. If the threshold value is zero, then an Event Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

"

REFERENCE "[802.3ah], 30.3.6.1.34"

::= { dot3OamEventConfigEntry 4 }

dot3OamErrSymPeriodEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the OAM entity should send an Event Notification OAMPDU when an Errored Symbol Period Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

::= { dot3OamEventConfigEntry 5 }

dot3OamErrFramePeriodWindow OBJECT-TYPE

SYNTAX Unsigned32
UNITS "frames"
MAX-ACCESS read-write
STATUS current
DESCRIPTION

"The
number of frames over which the threshold is defined.

The default value of the window is the number of minimum size
Ethernet frames that can be received over the physical layer
in one second.

If dot3OamErrFramePeriodThreshold frame errors occur within a
window of dot3OamErrFramePeriodWindow frames, an Event
Notification OAMPDU should be generated with an Errored Frame
Period Event TLV indicating that the threshold has been
crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.38"

::= { dot3OamEventConfigEntry 6 }

dot3OamErrFramePeriodThreshold OBJECT-TYPE

SYNTAX Unsigned32
UNITS "frames"
MAX-ACCESS read-write
STATUS current
DESCRIPTION

"The number of frame errors that must occur for this event to
be triggered. The default value is one frame error. If the
threshold value is zero, then an Event Notification OAMPDU is
sent periodically
(at the end of every window). This can be
used as an asynchronous notification to the peer OAM entity of
the statistics related to this threshold crossing alarm.

If dot3OamErrFramePeriodThreshold frame errors occur within a
window of dot3OamErrFramePeriodWindow frames, an Event
Notification OAMPDU should be generated with an Errored Frame
Period Event TLV indicating that the threshold has been
crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.38"

::= { dot3OamEventConfigEntry 7 }

dot3OamErrFramePeriodEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-write
STATUS current
DESCRIPTION

"If true, the OAM entity should send an Event Notification OAMPDU when an Errored Frame Period Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

::= { dot3OamEventConfigEntry 8 }

dot3OamErrFrameWindow OBJECT-TYPE

SYNTAX Unsigned32
UNITS "tenths of a second"
MAX-ACCESS read-write
STATUS current
DESCRIPTION

"The amount of time (in 100ms increments) over which the threshold is defined. The default value is 10 (1 second).

If dot3OamErrFrameThreshold frame errors occur within a window of dot3OamErrFrameWindow seconds (measured in tenths of seconds), an Event Notification OAMPDU should be generated with an Errored Frame Event TLV indicating that the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.36"
DEFVAL { 10 }
::= { dot3OamEventConfigEntry 9 }

dot3OamErrFrameThreshold OBJECT-TYPE

SYNTAX Unsigned32
UNITS "frames"
MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The number of frame errors that must occur for this event to be triggered. The default value is one frame error. If the threshold value is zero, then an Event Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

If dot3OamErrFrameThreshold frame errors occur within a window of dot3OamErrFrameWindow (in tenths of seconds), an Event Notification OAMPDU should be generated with an Errored Frame Event TLV indicating the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.36"

DEFVAL { 1 }

::= { dot3OamEventConfigEntry 10 }

dot3OamErrFrameEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true,
the OAM entity should send an Event Notification
OAMPDU when an Errored Frame Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

DEFVAL { true }

::= { dot3OamEventConfigEntry 11 }

dot3OamErrFrameSecsSummaryWindow OBJECT-TYPE

SYNTAX Integer32 (100..9000)

UNITS "tenths of a second"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The amount of time (in 100 ms intervals) over which the threshold is defined. The default value is 100 (10 seconds).

If dot3OamErrFrameSecsSummaryThreshold frame errors occur within a window of dot3OamErrFrameSecsSummaryWindow (in tenths of seconds), an Event Notification OAMPDU should be generated with an Errored Frame
Seconds Summary Event TLV indicating
that the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.40"

DEFVAL { 100 }

::= { dot3OamEventConfigEntry 12 }

dot3OamErrFrameSecsSummaryThreshold OBJECT-TYPE

SYNTAX Integer32 (1..900)

UNITS "errored frame seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The number of errored frame seconds that must occur for this event to be triggered. The default value is one errored frame second. If the threshold value is zero, then an Event Notification OAMPDU is sent periodically (at the end of every window). This can be used as an asynchronous notification to the peer OAM entity of the statistics related to this threshold crossing alarm.

If dot3OamErrFrameSecsSummaryThreshold frame errors occur within a window of dot3OamErrFrameSecsSummaryWindow (in tenths of seconds),
an Event Notification OAMPDU should be generated with an Errored Frame Seconds Summary Event TLV indicating that the threshold has been crossed in this window.

"

REFERENCE "[802.3ah], 30.3.6.1.40"

DEFVAL { 1 }

::= { dot3OamEventConfigEntry 13 }

dot3OamErrFrameSecsEvNotifEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the local OAM entity should send an Event Notification OAMPDU when an Errored Frame Seconds Event occurs.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

DEFVAL { true }

::= { dot3OamEventConfigEntry 14 }

dot3OamDyingGaspEnable OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If true, the local OAM entity should attempt to indicate a dying gasp via the OAMPDU flags field to its peer OAM entity when a dying gasp event occurs. The exact definition of a dying gasp event is implementation dependent. If the system

does not support dying gasp capability, setting this object has no effect, and reading the object should always result in 'false'.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

DEFVAL { true }
::= { dot3OamEventConfigEntry 15 }

dot3OamCriticalEventEnable OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-write
STATUS current

DESCRIPTION

"If true, the local OAM entity should attempt to indicate a critical event via the OAMPDU flags to its peer OAM entity when a critical event occurs. The exact definition of a critical event is implementation dependent. If the system does not support critical event capability, setting this object has no effect, and reading the object should always result in 'false'.

By default, this object should have the value true for Ethernet-like interfaces that support OAM. If the OAM layer does not support Event Notifications (as indicated via the dot3OamFunctionsSupported attribute), this value is ignored.

"

DEFVAL { true }
::= { dot3OamEventConfigEntry 16 }

-- *****
--

-- Ethernet OAM Event Log group

--

dot3OamEventLogTable OBJECT-TYPE

SYNTAX SEQUENCE OF Dot3OamEventLogEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table records

a history of the events that have occurred

at the Ethernet OAM level. These events can include locally detected events, which may result in locally generated OAMPDUs, and remotely detected events, which are detected by the OAM peer entity and signaled to the local entity via

Ethernet OAM. Ethernet OAM events can be signaled by Event Notification OAMPDUs or by the flags field in any OAMPDU.

This table contains both threshold crossing events and non-threshold crossing events. The parameters for the threshold window, threshold value, and actual value (dot3OamEventLogWindowXX, dot3OamEventLogThresholdXX, dot3OamEventLogValue) are only applicable to threshold crossing events, and are returned as all F's ($2^{32} - 1$) for non-threshold crossing events.

Entries in the table are automatically created when such events are detected. The size of the table is implementation dependent.

When the table reaches its maximum size, older entries are automatically deleted to make room for newer entries.

"

::= { dot3OamObjects 6 }

dot3OamEventLogEntry OBJECT-TYPE

SYNTAX Dot3OamEventLogEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the dot3OamEventLogTable. Entries are automatically created whenever Ethernet OAM events occur at the local OAM entity, and when Event Notification OAMPDUs are received at the local OAM entity (indicating that events have occurred at the peer OAM entity). The size of the table is implementation dependent, but when the table becomes full,

older events are automatically deleted to make room for newer events. The table index dot3OamEventLogIndex increments for each new entry, and when the maximum value is reached, the value restarts at zero.

"

```
INDEX    { ifIndex, dot3OamEventLogIndex
}
 ::= { dot3OamEventLogTable 1 }
```

```
Dot3OamEventLogEntry ::=
```

```
SEQUENCE {
```

```
dot3OamEventLogIndex      Unsigned32,
dot3OamEventLogTimestamp  TimeStamp,
dot3OamEventLogOui        EightOTwoOui,
dot3OamEventLogType       Unsigned32,
dot3OamEventLogLocation   INTEGER,
dot3OamEventLogWindowHi   Unsigned32,
dot3OamEventLogWindowLo   Unsigned32,
dot3OamEventLogThresholdHi Unsigned32,
```

```
dot3OamEventLogThresholdLo Unsigned32,
dot3OamEventLogValue       CounterBasedGauge64,
dot3OamEventLogRunningTotal CounterBasedGauge64,
dot3OamEventLogEventTotal  Unsigned32
```

```
}
```

```
dot3OamEventLogIndex OBJECT-TYPE
```

```
SYNTAX Unsigned32(1..4294967295)
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"An arbitrary integer for identifying individual events
within the event log. "
```

```
::= { dot3OamEventLogEntry 1 }
```

```
dot3OamEventLogTimestamp OBJECT-TYPE
```

```
SYNTAX TimeStamp
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The value of sysUpTime at the time of the logged event. For
locally generated events, the time of the event can be
accurately retrieved from sysUpTime. For remotely generated
events, the time of the event is indicated by the reception of
the Event Notification OAMPDU indicating that the event
occurred on the peer. A system may attempt to adjust the
```


timestamp value to more accurately reflect the time of the event at the peer OAM entity by using other information, such as that found in the timestamp found of the Event Notification TLVs, which provides an indication of the relative time between events at the peer entity. "

```
::= { dot3OamEventLogEntry 2 }
```

dot3OamEventLogOui OBJECT-TYPE

SYNTAX

EightOTwoOui

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The OUI of the entity defining the object type. All IEEE 802.3 defined events (as appearing in [802.3ah] except for the Organizationally Unique Event TLVs) use the IEEE 802.3 OUI of 0x0180C2. Organizations defining their own Event Notification TLVs include their OUI in the Event Notification TLV that gets reflected here. "

```
::= { dot3OamEventLogEntry 3 }
```

dot3OamEventLogType OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of event that generated this entry in the event log. When the OUI is the IEEE 802.3 OUI of 0x0180C2, the following event types are defined:

- erroredSymbolEvent(1),
- erroredFramePeriodEvent(2),
- erroredFrameEvent(3),
- erroredFrameSecondsEvent(4),
- linkFault(256),
- dyingGaspEvent(257),
- criticalLinkEvent(258)

The first four are considered threshold crossing events, as they are generated when a metric exceeds a given value within a specified window. The other three are not threshold crossing events.

When the OUI is not 71874 (0x0180C2 in hex), then some other organization has defined the event space. If event subtyping is known to the implementation, it may be reflected here.

Otherwise, this value should return all F's ($2^{32} - 1$).

"
REFERENCE "[802.3ah], 30.3.6.1.10 and 57.5.3."
::= { dot3OamEventLogEntry 4 }

dot3OamEventLogLocation OBJECT-TYPE

SYNTAX INTEGER { local(1), remote(2) }

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Whether this event occurred locally (local(1)), or was received from the OAM peer via Ethernet OAM (remote(2)).

"
::= { dot3OamEventLogEntry 5 }

dot3OamEventLogWindowHi OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventWindowHi and dot3OamEventWindowLo, form an unsigned 64-bit integer yielding the window over which the value was measured for the threshold crossing event (for example, 5, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogWindow} = ((2^{32}) * \text{dot3OamEventLogWindowHi}) + \text{dot3OamEventLogWindowLo}$$

Otherwise, this value is returned as all F's ($2^{32} - 1$) and adds no useful information.

"
REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."
::= { dot3OamEventLogEntry 6 }

dot3OamEventLogWindowLo OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventWindowHi and dot3OamEventWindowLo form an unsigned 64-bit integer yielding the window over which the value was measured for the threshold crossing event (for

example, 5, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogWindow} = ((2^{32}) * \text{dot3OamEventLogWindowHi}) + \text{dot3OamEventLogWindowLo}$$

Otherwise, this value is returned as all F's ($2^{32} - 1$) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 7 }

dot3OamEventLogThresholdHi OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventThresholdHi and dot3OamEventThresholdLo form an unsigned 64-bit integer yielding the value that was crossed for the threshold crossing event (for example, 10, when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$$\text{dot3OamEventLogThreshold} = ((2^{32}) * \text{dot3OamEventLogThresholdHi}) + \text{dot3OamEventLogThresholdLo}$$

Otherwise, this value is returned as all F's ($2^{32} - 1$) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 8 }

dot3OamEventLogThresholdLo OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, the two objects dot3OamEventThresholdHi and dot3OamEventThresholdLo form an unsigned 64-bit integer yielding the value that was crossed for the threshold crossing event (for example, 10,

when 11 occurrences happened in 5 seconds while the threshold was 10). The two objects are combined as:

$\text{dot3OamEventLogThreshold} = ((2^{32}) * \text{dot3OamEventLogThresholdHi})$
 $+ \text{dot3OamEventLogThresholdLo}$

Otherwise, this value is returned as all F's ($2^{32} - 1$) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 9 }

dot3OamEventLogValue OBJECT-TYPE

SYNTAX CounterBasedGauge64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the event represents a threshold crossing event, this value indicates the value of the parameter within the given window that generated this event (for example, 11, when 11 occurrences happened in 5 seconds while the threshold was 10).

Otherwise, this value is returned as all F's ($2^{64} - 1$) and adds no useful information.

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 10 }

dot3OamEventLogRunningTotal OBJECT-TYPE

SYNTAX CounterBasedGauge64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Each Event Notification TLV contains a running total of the number of times an event has occurred, as well as the number of times an Event Notification for the event has been

transmitted. For non-threshold crossing events, the number of events (**dot3OamLogRunningTotal**) and the number of resultant Event Notifications (**dot3OamLogEventTotal**) should be identical.

For threshold crossing events, since multiple occurrences may be required to cross the threshold, these values are likely different. This value represents the total number of times this event has happened since the last reset (for example, 3253, when 3253 symbol errors have occurred since the last

reset, which has resulted in 51 symbol error threshold crossing events since the last reset).

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 11 }

dot3OamEventLogEventTotal OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Each Event Notification TLV contains a running total of the number of times an event has occurred, as well as the number of times an Event Notification for the event has been transmitted. For non-threshold crossing events, the number of events (dot3OamLogRunningTotal) and the number of resultant Event Notifications (dot3OamLogEventTotal) should be identical.

For threshold crossing events, since multiple occurrences may be required to cross the threshold, these values are likely different. This value represents the total number of times one or more of these

occurrences have resulted in an Event

Notification (for example, 51 when 3253 symbol errors have occurred since the last reset, which has resulted in 51 symbol error threshold crossing events since the last reset).

"

REFERENCE "[802.3ah], 30.3.6.1.37 and 57.5.3.2."

::= { dot3OamEventLogEntry 12 }

-- *****

--

-- Ethernet OAM Notifications

--

dot3OamThresholdEvent NOTIFICATION-TYPE

OBJECTS { dot3OamEventLogTimestamp,

dot3OamEventLogOui,

dot3OamEventLogType,

dot3OamEventLogLocation,

dot3OamEventLogWindowHi,

dot3OamEventLogWindowLo,

dot3OamEventLogThresholdHi,

dot3OamEventLogThresholdLo,

```
dot3OamEventLogValue,  
dot3OamEventLogRunningTotal,  
dot3OamEventLogEventTotal  
}  
STATUS current  
DESCRIPTION
```

"A dot3OamThresholdEvent notification is sent when a local or remote threshold crossing event is detected. A local threshold crossing event is detected by the local entity, while a remote threshold crossing event is detected by the reception of an Ethernet OAM Event Notification OAMPDU that indicates a threshold event.

This notification should not be sent more than once per second.

The OAM entity can be derived from extracting the ifIndex from the variable bindings. The objects in the notification correspond to the values in a row instance in the dot3OamEventLogTable.

The management entity should periodically check dot3OamEventLogTable to detect any missed events."

```
::= { dot3OamNotifications 1 }
```

dot3OamNonThresholdEvent NOTIFICATION-TYPE

```
OBJECTS { dot3OamEventLogTimestamp,  
dot3OamEventLogOui,  
dot3OamEventLogType,  
dot3OamEventLogLocation,  
dot3OamEventLogEventTotal  
}
```

```
STATUS current  
DESCRIPTION
```

"A dot3OamNonThresholdEvent notification is sent when a local or remote non-threshold crossing event is detected. A local event is detected by the local entity, while a remote event is detected by the reception of an Ethernet OAM Event Notification OAMPDU that indicates a non-threshold crossing event.

This notification should not be sent more than once per

second.

The OAM entity can be derived from extracting the ifIndex from the variable bindings. The objects in the notification correspond to the values in a row instance of the dot3OamEventLogTable.

The management entity should periodically check dot3OamEventLogTable to detect any missed events."

```
::= { dot3OamNotifications 2 }
```

```
-- *****
```

```
--
```

```
-- Ethernet OAM Compliance
```

```
group
```

```
--
```

```
dot3OamGroups OBJECT IDENTIFIER ::= { dot3OamConformance 1 }
```

```
dot3OamCompliances OBJECT IDENTIFIER ::= { dot3OamConformance 2 }
```

```
-- Compliance statements
```

```
dot3OamCompliance MODULE-COMPLIANCE
```

```
STATUS current
```

```
DESCRIPTION "The compliance statement for managed entities  
supporting OAM on Ethernet-like interfaces.
```

```
"
```

```
MODULE -- this module
```

```
MANDATORY-GROUPS { dot3OamControlGroup,  
dot3OamPeerGroup,  
dot3OamStatsBaseGroup  
}
```

```
GROUP dot3OamLoopbackGroup
```

```
DESCRIPTION
```

```
"This group is mandatory for all IEEE 802.3 OA  
implementations that support loopback functionality. "
```

```
GROUP dot3OamErrSymbolPeriodEventGroup
```

```
DESCRIPTION
```

```
"This group is mandatory for all IEEE 802.3 OA  
implementations that support event functionality. "
```

```
GROUP dot3OamErrFramePeriodEventGroup
```

```
DESCRIPTION
```

```
"This group is mandatory for all IEEE 802.3 OA  
implementations that support event functionality. "
```

```
GROUP dot3OamErrFrameEventGroup
```

DESCRIPTION

"This group is mandatory for all IEEE 802.3 OA implementations that support event functionality. "

GROUP dot3OamErrFrameSecsSummaryEventGroup

DESCRIPTION

"This group is mandatory for all IEEE 802.3 OA implementations that support event functionality. "

GROUP dot3OamFlagEventGroup

DESCRIPTION

"This group is optional for all IEEE 802.3 OA implementations. The ability to send critical events or dying gasp events is not required in any system."

GROUP dot3OamEventLogGroup

DESCRIPTION

"This group is optional for all IEEE 802.3 OA implementations. Entries in this table are dependent on what event functionality is supported in the local OA implementation. At least one type of event must be supported for entries to appear in this table. "

GROUP dot3OamNotificationGroup

DESCRIPTION

"This group is optional for all IEEE 802.3 OA implementations. Since the information in the notifications is dependent on the dot3OamEventLogTable, that table must be implemented for notifications. "

::= { dot3OamCompliances 1 }

dot3OamControlGroup OBJECT-GROUP

OBJECTS { dot3OamAdminState,
dot3OamOperStatus,
dot3OamMode,
dot3OamMaxOamPduSize,
dot3OamConfigRevision,
dot3OamFunctionsSupported
}

STATUS current

DESCRIPTION

"A collection of objects providing the abilities, configuration, and status of an Ethernet OAM entity. "

::= { dot3OamGroups 1 }

dot3OamPeerGroup OBJECT-GROUP

OBJECTS { dot3OamPeerMacAddress,

dot3OamPeerVendorOui,

dot3OamPeerVendorInfo,

dot3OamPeerMode,

dot3OamPeerFunctionsSupported,

dot3OamPeerMaxOamPduSize,

dot3OamPeerConfigRevision

}

STATUS current

DESCRIPTION

"A collection of objects providing the abilities,
configuration, and status of a peer Ethernet OAM entity. "

::= { dot3OamGroups 2 }

dot3OamStatsBaseGroup OBJECT-GROUP

OBJECTS { dot3OamInformationTx,

dot3OamInformationRx,

dot3OamUniqueEventNotificationTx,

dot3OamUniqueEventNotificationRx,

dot3OamDuplicateEventNotificationTx,

dot3OamDuplicateEventNotificationRx,

dot3OamLoopbackControlTx,

dot3OamLoopbackControlRx,

dot3OamVariableRequestTx,

dot3OamVariableRequestRx,

dot3OamVariableResponseTx,

dot3OamVariableResponseRx,

dot3OamOrgSpecificTx,

dot3OamOrgSpecificRx,

dot3OamUnsupportedCodesTx,

dot3OamUnsupportedCodesRx,

dot3OamFramesLostDueToOam

}

STATUS current

DESCRIPTION

"A collection of objects providing the statistics for the
number of various transmit and receive events for OAM on an
Ethernet-like interface. Note that all of these counters must
be supported even if the related function (as described in
dot3OamFunctionsSupported) is not supported. "

::= { dot3OamGroups 3 }

dot3OamLoopbackGroup OBJECT-GROUP
OBJECTS { dot3OamLoopbackStatus,
dot3OamLoopbackIgnoreRx
}
STATUS current
DESCRIPTION
"A collection of objects for controlling the OAM remote

loopback function. "

::= { dot3OamGroups 4 }

dot3OamErrSymbolPeriodEventGroup OBJECT-GROUP
OBJECTS { dot3OamErrSymPeriodWindowHi,
dot3OamErrSymPeriodWindowLo,
dot3OamErrSymPeriodThresholdHi,
dot3OamErrSymPeriodThresholdLo,
dot3OamErrSymPeriodEvNotifEnable
}
STATUS current
DESCRIPTION
"A collection of objects for configuring the thresholds for an
Errored Symbol Period Event.

Each [802.3ah] defined Event Notification TLV has its own
conformance group because each event can be implemented
independently of any other. "

::= { dot3OamGroups 5 }

dot3OamErrFramePeriodEventGroup OBJECT-GROUP
OBJECTS { dot3OamErrFramePeriodWindow,
dot3OamErrFramePeriodThreshold,
dot3OamErrFramePeriodEvNotifEnable
}
STATUS current
DESCRIPTION
"A collection of objects for
configuring the thresholds for an
Errored Frame Period Event.

Each [802.3ah] defined Event Notification TLV has its own
conformance group because each event can be implemented
independently of any other. "

::= { dot3OamGroups 6 }

dot3OamErrFrameEventGroup OBJECT-GROUP

OBJECTS { dot3OamErrFrameWindow,
dot3OamErrFrameThreshold,
dot3OamErrFrameEvNotifEnable
}

STATUS current

DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Frame Event.

Each [802.3ah] defined Event Notification TLV has its own conformance group because each event can be implemented independently of any other. "

::= { dot3OamGroups 7 }

dot3OamErrFrameSecsSummaryEventGroup OBJECT-GROUP

OBJECTS { dot3OamErrFrameSecsSummaryWindow,
dot3OamErrFrameSecsSummaryThreshold,
dot3OamErrFrameSecsEvNotifEnable
}

STATUS current

DESCRIPTION

"A collection of objects for configuring the thresholds for an Errored Frame Seconds Summary Event.

Each [802.3ah] defined Event Notification TLV has its own conformance group because each event can be implemented independently of any other. "

::= { dot3OamGroups 8 }

dot3OamFlagEventGroup OBJECT-GROUP

OBJECTS { dot3OamDyingGaspEnable,
dot3OamCriticalEventEnable
}

STATUS current

DESCRIPTION

"A collection of objects for configuring the sending OAMPDUs with the critical event flag or dying gasp flag enabled. "

::= { dot3OamGroups 9 }

dot3OamEventLogGroup OBJECT-GROUP

OBJECTS { dot3OamEventLogTimestamp,
dot3OamEventLogOui,
dot3OamEventLogType,
dot3OamEventLogLocation,
dot3OamEventLogWindowHi,

```
    dot3OamEventLogWindowLo,
    dot3OamEventLogThresholdHi,
    dot3OamEventLogThresholdLo,
    dot3OamEventLogValue,
    dot3OamEventLogRunningTotal,
    dot3OamEventLogEventTotal
}
STATUS    current
DESCRIPTION
    "A collection of objects for configuring the thresholds for an
    Errored Frame Seconds Summary Event and maintaining the event
    information. "
 ::= { dot3OamGroups 10 }
```

dot3OamNotificationGroup NOTIFICATION-GROUP

```
NOTIFICATIONS {
    dot3OamThresholdEvent,
    dot3OamNonThresholdEvent
}
STATUS    current
DESCRIPTION
    "A collection of notifications used by Ethernet OAM to signal
    to a management entity that local or remote events have
    occurred on a specified Ethernet link. "
 ::= { dot3OamGroups 11 }
```

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DOT3-OAM-MIB

No license file was found, but licenses were detected in source scan.

SIP-COMMON-MIB DEFINITIONS ::= BEGIN

```
IMPORTS
    MODULE-IDENTITY,
    OBJECT-TYPE,
    NOTIFICATION-TYPE,
    Counter32,
    Gauge32,
    TimeTicks,
    Unsigned32,
```

mib-2
FROM SNMPv2-SMI -- RFC 2578

RowStatus,
TimeStamp,
TruthValue
FROM SNMPv2-TC -- RFC 2579

MODULE-COMPLIANCE,
OBJECT-GROUP,
NOTIFICATION-GROUP
FROM SNMPv2-CONF -- RFC 2580

SnmpAdminString
FROM SNMP-FRAMEWORK-MIB -- RFC 3411

SipTCTransportProtocol,
SipTCMethodName,
SipTCEntityRole,
SipTCOptionTagHeaders
FROM SIP-TC-MIB -- RFC 4780

applIndex
FROM NETWORK-SERVICES-MIB -- RFC 2788

InetPortNumber
FROM INET-ADDRESS-MIB; -- RFC 4001

sipCommonMIB MODULE-IDENTITY
LAST-UPDATED "200704200000Z"
ORGANIZATION "IETF Session Initiation Protocol Working Group"
CONTACT-INFO
"SIP WG email: sip@ietf.org

Co-editor Kevin Lingle
Cisco Systems, Inc.
postal: 7025 Kit Creek Road
P.O. Box 14987
Research Triangle Park, NC 27709
USA
email: klinge@cisco.com
phone: +1 919 476 2029

Co-editor Joon Maeng
email: jmaeng@austin.rr.com

Co-editor Jean-Francois Mule
CableLabs

postal: 858 Coal Creek Circle
Louisville, CO 80027
USA
email: jf.mule@cablelabs.com
phone: +1 303 661 9100

Co-editor Dave Walker
email: drwalker@rogers.com"

DESCRIPTION

"Session Initiation Protocol (SIP) Common MIB module. This module defines objects that may be common to all SIP entities.

SIP is an application-layer signaling protocol for creating, modifying and terminating multimedia sessions with one or more participants. These sessions include Internet multimedia conferences and Internet telephone calls. SIP is defined in RFC 3261 (June 2002).

This MIB is defined for managing objects that are common to SIP User Agents (UAs), Proxy, Redirect, and Registrar servers. Objects specific to each of these entities MAY be managed using entity specific MIBs defined in other modules.

Copyright (C) The IETF Trust (2007). This version of this MIB module is part of RFC 4780; see the RFC itself for full legal notices."

REVISION "200704200000Z"

DESCRIPTION

"Initial version of the IETF SIP-COMMON-MIB module. This version published as part of RFC 4780."

::= { mib-2 149 }

-- Top-Level Components of this MIB.

sipCommonMIBNotifications OBJECT IDENTIFIER

::= { sipCommonMIB 0 }

sipCommonMIBObjects OBJECT IDENTIFIER ::= { sipCommonMIB 1 }

sipCommonMIBConformance OBJECT IDENTIFIER ::= { sipCommonMIB 2 }

--

-- This MIB contains objects that are common to all SIP entities.

--

-- Common basic configuration

sipCommonCfgBase OBJECT IDENTIFIER ::= { sipCommonMIBObjects 1 }

-- Protocol timer configuration

```

sipCommonCfgTimer OBJECT IDENTIFIER ::= { sipCommonMIBObjects 2 }

-- SIP message summary statistics

sipCommonSummaryStats OBJECT IDENTIFIER ::= { sipCommonMIBObjects 3 }

-- Per method statistics
sipCommonMethodStats OBJECT IDENTIFIER ::= { sipCommonMIBObjects 4 }

-- Per Status code or status code class statistics
sipCommonStatusCode OBJECT IDENTIFIER ::= { sipCommonMIBObjects 5 }

-- Transaction statistics
sipCommonStatsTrans OBJECT IDENTIFIER ::= { sipCommonMIBObjects 6 }

-- Method retry statistics
sipCommonStatsRetry OBJECT IDENTIFIER ::= { sipCommonMIBObjects 7 }

-- Other statistics
sipCommonOtherStats
  OBJECT IDENTIFIER ::= { sipCommonMIBObjects 8 }

-- Accessible-for-notify objects
sipCommonNotifObjects OBJECT IDENTIFIER ::= { sipCommonMIBObjects 9 }

--
-- Common Configuration Objects
--
sipCommonCfgTable OBJECT-TYPE
  SYNTAX SEQUENCE OF SipCommonCfgEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "This table contains the common configuration objects applicable
    to all SIP entities."
  ::= { sipCommonCfgBase 1 }

sipCommonCfgEntry OBJECT-TYPE
  SYNTAX SipCommonCfgEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "A row of common configuration.

    Each row represents objects for a particular SIP entity
    instance present in this system. applIndex is used to uniquely
    identify these instances of SIP entities and correlate them
  
```

through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

```
INDEX { applIndex }  
 ::= { sipCommonCfgTable 1  
 }
```

SipCommonCfgEntry ::= SEQUENCE {

```
    sipCommonCfgProtocolVersion    SnmpAdminString,  
    sipCommonCfgServiceOperStatus  INTEGER,  
    sipCommonCfgServiceStartTime   TimeTicks,  
    sipCommonCfgServiceLastChange  TimeTicks,  
    sipCommonCfgOrganization       SnmpAdminString,  
    sipCommonCfgMaxTransactions    Unsigned32,  
    sipCommonCfgServiceNotifEnable BITS,  
    sipCommonCfgEntityType         SipTCEntityRole  
 }
```

sipCommonCfgProtocolVersion OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object will reflect the version of SIP supported by this SIP entity. It will follow the same format as SIP version information contained in the SIP messages generated by this SIP entity. For example, entities supporting SIP version 2 will return 'SIP/2.0' as dictated by the standard."

REFERENCE

"RFC 3261, Section 7.1"

```
::= { sipCommonCfgEntry  
 1 }
```

sipCommonCfgServiceOperStatus OBJECT-TYPE

SYNTAX INTEGER {

unknown(1),

up(2),

down(3),

congested(4),

restarting(5),

quiescing(6),

testing(7)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the current operational state of

the SIP application.

unknown : The operational status cannot be determined for some reason.

up : The application is operating normally and is processing (receiving and possibly issuing) SIP requests and responses.

down : The application is currently unable to process SIP messages.

congested : The application is operational but no additional

inbound transactions can be accommodated at the moment.

restarting : The application is currently unavailable, but it is in the process of restarting and will presumably, soon be able to process SIP messages.

quiescing : The application is currently operational but has been administratively put into quiescence mode. Additional inbound transactions MAY be rejected.

testing : The application is currently in test mode and MAY not be able to process SIP messages.

The operational status values defined for this object are not based on any specific information contained in the SIP standard."

```
::= { sipCommonCfgEntry 2 }
```

sipCommonCfgServiceStartTime OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time the SIP entity was last started. If

started prior to the last re-initialization of the

local network management subsystem, then this object contains a zero value."

```
::= { sipCommonCfgEntry 3 }
```

sipCommonCfgServiceLastChange OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time the SIP entity entered its

current operational state. If the current state was entered prior to the last re-initialization of the local network management subsystem, then this object contains a zero value."
 ::= { sipCommonCfgEntry 4 }

sipCommonCfgOrganization OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the organization name that the SIP entity inserts into Organization headers of SIP messages processed by this system. If the string is empty, no Organization header is to be generated."

REFERENCE

"RFC 3261, Section 20.25"

::= { sipCommonCfgEntry 5 }

sipCommonCfgMaxTransactions OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object indicates the maximum number of simultaneous transactions per second that the SIP entity can manage. In general, the value of this object SHOULD reflect a level of transaction processing per second that is considered high enough to impact the system's CPU and/or memory resources to the point of deteriorating SIP call processing but not high enough to cause catastrophic system failure."

::= { sipCommonCfgEntry 6 }

sipCommonCfgServiceNotifEnable OBJECT-TYPE

SYNTAX BITS {

 sipCommonServiceColdStart(0),

 sipCommonServiceWarmStart(1),

 sipCommonServiceStatusChanged(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies which SIP service related notifications are enabled. Each bit represents a specific notification. If a bit has a value 1, the associated notification is enabled and

will be generated by the SIP entity at the appropriate time.

Support for these notifications is OPTIONAL: either none or all notification values are supported. If an implementation does not support this object, it should return a 'noSuchObject' exception to an SNMP GET operation. If notifications are supported, this object's default value SHOULD reflect sipCommonServiceColdStart and sipCommonServiceWarmStart enabled and sipCommonServiceStatusChanged disabled.

This object value SHOULD persist across reboots."

```
DEFVAL { { sipCommonServiceColdStart,
           sipCommonServiceWarmStart } }
::= { sipCommonCfgEntry 7 }
```

sipCommonCfgEntityType OBJECT-TYPE

```
SYNTAX StpTCEntityRole
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

"This object identifies the list of SIP entities to which this row is related. It is defined as a bit map. Each bit represents a type of SIP entity. If a bit has value 1, the SIP entity represented by this row plays the role of this entity type. If a bit has value 0, the SIP entity represented by this row does not act as this entity type. Combinations of bits can be set when the SIP entity plays multiple SIP roles."

```
::= { sipCommonCfgEntry 8 }
```

```
--
```

```
-- Support for multiple ports
```

```
--
```

sipCommonPortTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF SipCommonPortEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

"This table contains the list of ports that each SIP entity in this system is allowed to use. These ports can be advertised using the Contact header in a REGISTER request or response."

```
::= {
sipCommonCfgBase 2 }
```

sipCommonPortEntry OBJECT-TYPE

SYNTAX SipCommonPortEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Specification of a particular port.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonPort }

::= { sipCommonPortTable 1 }

SipCommonPortEntry ::= SEQUENCE {

 sipCommonPort InetPortNumber,

 sipCommonPortTransportRcv SipTCTransportProtocol

}

sipCommonPort OBJECT-TYPE

SYNTAX InetPortNumber (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object reflects a particular port that can be used by the SIP application."

::= { sipCommonPortEntry 1 }

sipCommonPortTransportRcv

OBJECT-TYPE

SYNTAX SipTCTransportProtocol

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object will specify the transport protocol the SIP entity will use to receive SIP messages.

This object is a bit map. Each bit represents a transport protocol. If a bit has value 1, then that transport protocol is currently being used. If a bit has value 0, then that transport protocol is currently not being used."

::= { sipCommonPortEntry 2 }

--

-- Support for SIP option tags (SIP extensions).

-- SIP extensions MAY be supported or required by SIP entities.

--

sipCommonOptionTagTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonOptionTagEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains a list of the SIP option tags (SIP extensions) that are either required, supported, or unsupported by the SIP entity. These option tags are used in the Require, Proxy-Require, Supported, and Unsupported header fields.

Example: If a user agent client supports, and requires the server to support, reliability of provisional responses (RFC 3262), this table contains a row with the option tag string '100rel' in sipCommonOptionTag and the OCTET STRING value of '1010 0000' or '0xA0' in sipCommonOptionTagHeaderField.

If a server does not support the required feature (indicated in a Require header to a UAS, or in a Proxy-Require to a Proxy Server), the server returns a 420 Bad Extension listing the feature in an Unsupported header.

Normally, the list of such features supported by an entity is static (i.e., will not change over time)."

REFERENCE

"RFC 3261, Sections 19.2, 20.32, 20.29, 20.37, and 20.40"

::= { sipCommonCfgBase 3 }

sipCommonOptionTagEntry OBJECT-TYPE

SYNTAX SipCommonOptionTagEntry

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"A particular SIP option tag (extension) supported or unsupported by the SIP entity, and which may be supported or required by a peer.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonOptionTagIndex }

```
::= { sipCommonOptionTagTable 1 }
```

```
SipCommonOptionTagEntry ::= SEQUENCE {  
    sipCommonOptionTagIndex    Unsigned32,  
    sipCommonOptionTag         SnmpAdminString,  
    sipCommonOptionTagHeaderField SipTCOptionTagHeaders  
}
```

```
sipCommonOptionTagIndex OBJECT-TYPE
```

```
SYNTAX    Unsigned32 (1..4294967295)
```

```
MAX-ACCESS not-accessible
```

```
STATUS    current
```

```
DESCRIPTION
```

"This object uniquely identifies a conceptual row in the table."

```
::= { sipCommonOptionTagEntry 1 }
```

```
sipCommonOptionTag OBJECT-TYPE
```

```
SYNTAX    SnmpAdminString
```

```
MAX-ACCESS read-only
```

```
STATUS    current
```

```
DESCRIPTION
```

"This object indicates the SIP option tag. The option tag names are registered with IANA and available at <http://www.iana.org>."

```
REFERENCE "RFC 3261, Section 27.1"
```

```
::= { sipCommonOptionTagEntry 2 }
```

```
sipCommonOptionTagHeaderField OBJECT-TYPE
```

```
SYNTAX    SipTCOptionTagHeaders
```

```
MAX-ACCESS read-only
```

```
STATUS    current
```

```
DESCRIPTION
```

"This object indicates whether the SIP option tag is supported (Supported header), unsupported (Unsupported header), or required (Require or Proxy-Require header) by the SIP entity.

A SIP option tag may be both supported and required."

```
::= { sipCommonOptionTagEntry 3 }
```

```
--
```

```
-- Supported SIP Methods
```

```
--
```

```
sipCommonMethodSupportedTable OBJECT-TYPE
```

```
SYNTAX    SEQUENCE OF SipCommonMethodSupportedEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS    current
```

DESCRIPTION

"This table contains a list of methods supported by each SIP entity in this system (see the standard set of SIP methods in Section 7.1 of RFC 3261). Any additional methods that may be incorporated into the SIP protocol can be represented by this table without any requirement to update this MIB module.

The table is informational in nature and conveys capabilities of the managed system to the SNMP Manager.

From a protocol point of view, the list of methods advertised by the SIP entity in the Allow header (Section 20.5 of RFC 3261) MUST be consistent with the methods reflected in this table."

::= { sipCommonCfgBase 4 }

sipCommonMethodSupportedEntry OBJECT-TYPE

SYNTAX SipCommonMethodSupportedEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A particular method supported by the SIP entity.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonMethodSupportedIndex }

::= { sipCommonMethodSupportedTable 1 }

SipCommonMethodSupportedEntry ::= SEQUENCE {

sipCommonMethodSupportedIndex Unsigned32,

sipCommonMethodSupportedName SipTCMethodName

}

sipCommonMethodSupportedIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies a conceptual row in the table and reflects an assigned number used to identify a specific SIP method.

This identifier is suitable for referencing the associated method throughout this and other MIBs supported by this managed

```

    system."
 ::= { sipCommonMethodSupportedEntry 1 }

sipCommonMethodSupportedName OBJECT-TYPE
 SYNTAX  SipTCMethodName
 MAX-ACCESS  read-only
 STATUS   current
 DESCRIPTION
  "This object reflects the supported method's name. The method
  name MUST be all upper case (e.g., 'INVITE')."
 ::= { sipCommonMethodSupportedEntry 2 }

--
-- SIP Timer Configuration
--
sipCommonCfgTimerTable OBJECT-TYPE
 SYNTAX  SEQUENCE OF SipCommonCfgTimerEntry
 MAX-ACCESS  not-accessible
 STATUS   current
 DESCRIPTION
  "This table contains timer configuration objects applicable to
  SIP user agent and SIP stateful Proxy Server entities."
 ::= { sipCommonCfgTimer 1 }

sipCommonCfgTimerEntry OBJECT-TYPE
 SYNTAX  SipCommonCfgTimerEntry
 MAX-ACCESS  not-accessible
 STATUS   current
 DESCRIPTION
  "A row of timer configuration.

  Each row represents those objects for a particular SIP entity
  present
  in this system.  applIndex is used to uniquely identify
  these instances of SIP entities and correlate them through
  the common framework of the NETWORK-SERVICES-MIB (RFC 2788).
  The objects in this table entry SHOULD be non-volatile and
  their value SHOULD be kept at reboot."

  INDEX { applIndex }
 ::= { sipCommonCfgTimerTable 1 }

SipCommonCfgTimerEntry ::= SEQUENCE {
    sipCommonCfgTimerA      Unsigned32,
    sipCommonCfgTimerB      Unsigned32,
    sipCommonCfgTimerC      Unsigned32,

```



```

sipCommonCfgTimerD      Unsigned32,
sipCommonCfgTimerE      Unsigned32,
sipCommonCfgTimerF      Unsigned32,
sipCommonCfgTimerG      Unsigned32,
sipCommonCfgTimerH      Unsigned32,
sipCommonCfgTimerI      Unsigned32,
sipCommonCfgTimerJ      Unsigned32,
sipCommonCfgTimerK      Unsigned32,

sipCommonCfgTimerT1     Unsigned32,
  sipCommonCfgTimerT2     Unsigned32,
  sipCommonCfgTimerT4     Unsigned32
}

```

sipCommonCfgTimerA OBJECT-TYPE

SYNTAX Unsigned32 (100..1000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the initial value for the retransmit timer for the INVITE method. The retransmit timer doubles after each retransmission, ensuring an exponential backoff in network traffic. This object represents the initial time a SIP entity will wait to receive a provisional response to an INVITE before resending the INVITE request."

REFERENCE

"RFC 3261, Section 17.1.1.2"

DEFVAL { 500 }

::= { sipCommonCfgTimerEntry 1 }

sipCommonCfgTimerB OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP entity will wait to receive a final response to an INVITE. The timer is started upon transmission of the initial INVITE request."

REFERENCE

"RFC 3261, Section 17.1.1.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 2 }

sipCommonCfgTimerC OBJECT-TYPE

SYNTAX Unsigned32 (180000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP Proxy Server will wait to receive a provisional response to an INVITE. The Timer C MUST be set for each client transaction when an INVITE request is proxied."

REFERENCE

"RFC 3261, Section 16.6"

DEFVAL { 180000 }

::= { sipCommonCfgTimerEntry 3 }

sipCommonCfgTimerD OBJECT-TYPE

SYNTAX Unsigned32 (0..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the amount of time that the server transaction can remain in the 'Completed' state when unreliable transports are used. The default value MUST be equal to or greater than 32000 for UDP transport, and its value MUST be 0 for TCP/SCTP transport."

REFERENCE

"RFC 3261, Section 17.1.1.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 4 }

sipCommonCfgTimerE OBJECT-TYPE

SYNTAX Unsigned32 (100..1000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the initial value for the retransmit timer for a non-INVITE method while in 'Trying' state. The retransmit timer doubles after each retransmission until it reaches T2 to ensure an exponential backoff in network traffic. This object represents the initial time a SIP entity will wait to receive a provisional response to the request before resending the non-INVITE

request."

REFERENCE

"RFC 3261, Section 17.1.2.2"
DEFVAL { 500 }
::= { sipCommonCfgTimerEntry 5 }

sipCommonCfgTimerF OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP entity will wait to receive a final response to a non-INVITE request. The timer is started upon transmission of the initial request."

REFERENCE

"RFC 3261, Section 17.1.2.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 6 }

sipCommonCfgTimerG OBJECT-TYPE

SYNTAX Unsigned32 (0..1000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the initial value for the retransmit timer for final responses to INVITE requests. If timer G fires, the response is passed to the transport layer again for retransmission,

and timer G is set to fire in $\text{MIN}(2 \cdot T1, T2)$

seconds. From then on, when timer G fires, the response is passed to the transport again for transmission, and timer G is reset with a value that doubles, unless that value exceeds T2, in which case, it is reset with the value of T2. The default value MUST be T1 for UDP transport, and its value MUST be 0 for reliable transport like TCP/SCTP."

REFERENCE

"RFC 3261, Section 17.2.1"

DEFVAL { 500 }

::= { sipCommonCfgTimerEntry 7 }

sipCommonCfgTimerH OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a server will wait to receive an ACK before it abandons retransmitting the response.

The timer is started upon entering the 'Completed' state."

REFERENCE

"RFC 3261, Section 17.2.1"

DEFVAL { 32000 }

::=

{ sipCommonCfgTimerEntry 8 }

sipCommonCfgTimerI OBJECT-TYPE

SYNTAX Unsigned32 (0..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP entity will wait to receive additional ACK message retransmissions.

The timer is started upon entering the 'Confirmed' state. The default value MUST be T4 for UDP transport and its value MUST be 0 for reliable transport like TCP/SCTP."

REFERENCE

"RFC 3261, Section 17.2.1"

DEFVAL { 5000 }

::= { sipCommonCfgTimerEntry 9 }

sipCommonCfgTimerJ OBJECT-TYPE

SYNTAX Unsigned32 (32000..300000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP server will wait to receive retransmissions of non-INVITE requests. The timer is started upon entering the 'Completed' state for non-INVITE transactions. When timer J fires, the server MUST transition to the 'Terminated' state."

REFERENCE

"RFC 3261, Section 17.2.2"

DEFVAL { 32000 }

::= { sipCommonCfgTimerEntry 10 }

sipCommonCfgTimerK OBJECT-TYPE

SYNTAX Unsigned32 (0..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the maximum time a SIP client will wait to receive retransmissions of responses to non-INVITE requests. The timer is started upon entering the 'Completed' state for

non-INVITE transactions. When timer K fires, the server MUST transition to the 'Terminated' state. The default value MUST be T4 for UDP transport, and its value MUST be 0 for reliable transport like TCP/SCTP."

REFERENCE

"RFC 3261, Section 17.1.2.2"

DEFVAL { 5000 }

::= { sipCommonCfgTimerEntry 11 }

sipCommonCfgTimerT1 OBJECT-TYPE

SYNTAX

Unsigned32 (200..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the T1 timer for a SIP entity. T1 is an estimate of the round-trip time (RTT) between the client and server transactions."

REFERENCE

"RFC 3261, Section 17"

DEFVAL { 500 }

::= { sipCommonCfgTimerEntry 12 }

sipCommonCfgTimerT2 OBJECT-TYPE

SYNTAX Unsigned32 (200..10000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the T2 timer for a SIP entity. T2 is the maximum retransmit interval for non-INVITE requests and INVITE responses. It's used in various parts of the protocol to reset other Timer* objects to this value."

REFERENCE

"RFC 3261, Section 17"

DEFVAL { 4000 }

```
::= { sipCommonCfgTimerEntry 13 }
```

```
sipCommonCfgTimerT4 OBJECT-TYPE
```

```
SYNTAX Unsigned32 (200..10000)
```

```
UNITS
```

```
"milliseconds"
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This object reflects the T4 timer for a SIP entity. T4 is the maximum duration a message will remain in the network. It represents the amount of time the network will take to clear messages between client and server transactions. It's used in
```

```
various parts of the protocol to reset other Timer* objects to this value."
```

```
REFERENCE
```

```
"RFC 3261, Section 17"
```

```
DEFVAL { 5000 }
```

```
::= { sipCommonCfgTimerEntry 14 }
```

```
--
```

```
-- Common Statistics Objects
```

```
--
```

```
--
```

```
-- Summary Statistics
```

```
--
```

```
sipCommonSummaryStatsTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF SipCommonSummaryStatsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"This table contains the summary statistics objects applicable to all SIP entities. Each row represents those objects for a particular SIP entity present in this system."
```

```
::= {
```

```
sipCommonSummaryStats 1 }
```

```
sipCommonSummaryStatsEntry OBJECT-TYPE
```

```
SYNTAX SipCommonSummaryStatsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A row of summary statistics."
```

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex }

::= { sipCommonSummaryStatsTable 1 }

```
SipCommonSummaryStatsEntry ::= SEQUENCE {
    sipCommonSummaryInRequests      Counter32,
    sipCommonSummaryOutRequests     Counter32,
    sipCommonSummaryInResponses     Counter32,
    sipCommonSummaryOutResponses    Counter32,
    sipCommonSummaryTotalTransactions Counter32,
    sipCommonSummaryDisconTime      TimeStamp
}
```

sipCommonSummaryInRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object indicates the total number of SIP request messages received by the SIP entity, including retransmissions.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 1 }

sipCommonSummaryOutRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the total number of SIP request messages sent out (originated and relayed) by the SIP entity. Where a particular message is sent more than once, for example as a retransmission or as a result of forking, each transmission is counted separately.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management

Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 2 }

sipCommonSummaryInResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the total number of SIP response messages received by the SIP entity, including retransmissions.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 3 }

sipCommonSummaryOutResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the total number of SIP response messages sent (originated and relayed) by the SIP entity including retransmissions.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

::= { sipCommonSummaryStatsEntry 4 }

sipCommonSummaryTotalTransactions OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains a count of the number of transactions that are in progress and transactions that have reached the 'Terminated' state. It is not applicable to stateless SIP Proxy Servers.

A SIP transaction occurs between a client and a server, and comprises all messages from the first request sent from the client to the server, up to a final (non-1xx) response sent from the server to the client.

If the request is INVITE and the final response is a non-2xx, the transaction also include an ACK to the response. The ACK for a 2xx response to an INVITE request is a separate transaction.

The branch ID parameter in the Via header field values serves as a transaction identifier.

A transaction is identified by the CSeq sequence number within a single call leg. The ACK request has the same CSeq number as the corresponding INVITE request, but comprises a transaction of its own.

In the case of a forked request, each branch counts as a single transaction.

For a transaction stateless Proxy Server, this counter is always 0.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management

Station can detect discontinuities in this counter by monitoring the sipCommonSummaryDisconTime object in the same row."

```
::= { sipCommonSummaryStatsEntry 5 }
```

sipCommonSummaryDisconTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of the sysUpTime object when the counters for the summary statistics objects in this row last experienced a discontinuity."

```
::= { sipCommonSummaryStatsEntry 6 }
```

--

-- SIP Method Statistics

-- Total counts for each SIP method.

--

sipCommonMethodStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonMethodStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the method statistics objects for SIP entities. Each row represents those objects for a particular SIP entity present in this system."

::= { sipCommonMethodStats 1 }

sipCommonMethodStatsEntry OBJECT-TYPE

SYNTAX SipCommonMethodStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row of per entity method statistics.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonMethodStatsName }

::= { sipCommonMethodStatsTable 1 }

SipCommonMethodStatsEntry ::= SEQUENCE {

sipCommonMethodStatsName SipTCMethodName,
sipCommonMethodStatsOutbounds Counter32,

sipCommonMethodStatsInbounds Counter32,
sipCommonMethodStatsDisconTime TimeStamp

}

sipCommonMethodStatsName OBJECT-TYPE

SYNTAX SipTCMethodName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies the SIP method related to the objects in a particular row."

::= { sipCommonMethodStatsEntry 1 }

sipCommonMethodStatsOutbounds OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"This object reflects the total number of requests sent by the SIP entity, excluding retransmissions. Retransmissions are counted separately and are not reflected in this counter. A Management Station can detect discontinuities in this counter by monitoring the sipCommonMethodStatsDisconTime object in the same row."

REFERENCE

"RFC 3261, Section 7.1"

::= { sipCommonMethodStatsEntry 2 }

sipCommonMethodStatsInbounds OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"This object reflects the total number of requests received by the SIP entity. Retransmissions are counted separately and are not reflected in this counter. A Management Station can detect

discontinuities in this counter by monitoring the sipCommonMethodStatsDisconTime object in the same row."

REFERENCE

"RFC 3261, Section 7.1"

::= { sipCommonMethodStatsEntry 3 }

sipCommonMethodStatsDisconTime OBJECT-TYPE

SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The value of the sysUpTime object when the counters for the method statistics objects in this row last experienced a discontinuity."

::= { sipCommonMethodStatsEntry 4 }

--

-- Support for specific status codes

--

sipCommonStatusCodeTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonStatusCodeEntry
MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the list of SIP status codes that each SIP entity in this system has been requested to monitor. It is the mechanism by which specific status codes are monitored.

Entries created in this table

must not persist across reboots."

::= { sipCommonStatusCode 1 }

sipCommonStatusCodeEntry OBJECT-TYPE

SYNTAX SipCommonStatusCodeEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This row contains information on a particular SIP status code that the SIP entity has been requested to monitor. Entries created in this table must not persist across reboots.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonStatusCodeMethod,
sipCommonStatusCodeValue }

::= { sipCommonStatusCodeTable 1 }

SipCommonStatusCodeEntry ::= SEQUENCE {

sipCommonStatusCodeMethod SipTCMethodName,

sipCommonStatusCodeValue Unsigned32,

sipCommonStatusCodeIns
Counter32,

sipCommonStatusCodeOuts Counter32,

sipCommonStatusCodeRowStatus RowStatus,

sipCommonStatusCodeDisconTime TimeStamp

}

sipCommonStatusCodeMethod OBJECT-TYPE

SYNTAX SipTCMethodName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies a conceptual row in the table."

::= { sipCommonStatusCodeEntry 1 }

sipCommonStatusCodeValue OBJECT-TYPE

SYNTAX Unsigned32 (100..999)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object contains a SIP status code value that the SIP entity has been requested to monitor. All of the other information in the row is related to this value."

::= { sipCommonStatusCodeEntry 2 }

sipCommonStatusCodeIns OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of response messages received by the SIP entity with the status code value contained in the sipCommonStatusCodeValue column.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service, or when the monitoring of the status code is temporarily disabled. A Management Station can detect discontinuities in this counter by monitoring the sipCommonStatusCodeDisconTime object in the same row."

::= { sipCommonStatusCodeEntry 3 }

sipCommonStatusCodeOuts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of response messages sent by the SIP entity with the status code value contained in the sipCommonStatusCodeValue column.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service, or when the monitoring of the Status code is temporarily disabled. A Management Station can detect discontinuities in this counter by monitoring the sipCommonStatusCodeDisconTime object in the same row."

::= { sipCommonStatusCodeEntry 4 }

sipCommonStatusCodeRowStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The row augmentation in sipCommonStatusCodeNotifTable will be governed by the value of this RowStatus.

The values 'createAndGo' and 'destroy' are the only valid values allowed for this object. If a row exists, it will reflect a status of 'active' when queried."
 ::= { sipCommonStatusCodeEntry 5 }

sipCommonStatusCodeDisconTime OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The value of the sysUpTime object when the counters for the status code statistics objects in this row last experienced a discontinuity."
 ::= { sipCommonStatusCodeEntry 6 }

--
-- Support for specific status code notifications
--

sipCommonStatusCodeNotifTable OBJECT-TYPE
SYNTAX SEQUENCE OF SipCommonStatusCodeNotifEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"This table contains objects to control notifications related to particular status codes that each SIP entity in this system has been requested to monitor.

There is an entry in this table corresponding to each entry in sipCommonStatusCodeTable. Therefore, this table augments sipCommonStatusCodeTable and utilizes the same index methodology.

The objects in this table are not included directly in the sipCommonStatusCodeTable simply to keep the status code notification control objects separate from the actual status code statistics."
 ::= { sipCommonStatusCode 2 }

sipCommonStatusCodeNotifEntry OBJECT-TYPE

SYNTAX

SipCommonStatusCodeNotifEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This row contains information controlling notifications for a particular SIP status code that the SIP entity has been requested to monitor."

AUGMENTS { sipCommonStatusCodeEntry }

::= { sipCommonStatusCodeNotifTable 1 }

SipCommonStatusCodeNotifEntry ::= SEQUENCE {

 sipCommonStatusCodeNotifSend TruthValue,
 sipCommonStatusCodeNotifEmitMode INTEGER,
 sipCommonStatusCodeNotifThresh Unsigned32,
 sipCommonStatusCodeNotifInterval Unsigned32

}

sipCommonStatusCodeNotifSend OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls whether a sipCommonStatusCodeNotif is emitted when the status code value specified by sipCommonStatusCodeValue is sent or received. If the value of this object is 'true', then a notification

is sent. If it is

'false', no notification is sent.

Note well that a notification MAY be emitted for every message sent or received that contains the particular status code.

Depending on the status code involved, this can cause a significant number of notification emissions that could be detrimental to network performance. Managers are forewarned to be prudent in the use of this object to enable notifications.

Look to sipCommonStatusCodeNotifEmitMode for alternative controls for sipCommonStatusCodeNotif emissions."

DEFVAL { false }

::= { sipCommonStatusCodeNotifEntry 1 }

sipCommonStatusCodeNotifEmitMode OBJECT-TYPE

SYNTAX INTEGER {

 normal(1),
 oneShot(2),
 triggered(3) -- read-only

```
}  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION
```

"The object sipCommonStatusCodeNotifSend MUST be set to 'true' for the values of this object to have any effect. It is RECOMMENDED that the desired emit mode be established by this object prior to setting sipCommonStatusCodeNotifSend to 'true'. This object and the sipCommonStatusCodeNotifSend object can obviously be set independently, but their respective values will have a dependency on each other and the resulting notifications.

This object specifies the mode for emissions of sipCommonStatusCodeNotif notifications.

normal : sipCommonStatusCodeNotif notifications will be emitted by the system for each SIP response message sent or received that contains the desired status code.

oneShot : Only one sipCommonStatusCodeNotif notification will be emitted. It will be the next SIP response message sent or received that contains the desired status code.

No more notifications are emitted until this object is set to 'oneShot' again or set to 'normal'. This option is provided as a means of quelling the potential promiscuous behavior that can be associated with the sipCommonStatusCodeNotif.

triggered : This value is only readable and cannot be set. It reflects that the 'oneShot' case has occurred, and indicates that the mode needs to be reset to get further notifications. The mode is reset by setting this object to 'oneShot' or 'normal'."

```
DEFVAL { oneShot }  
::= { sipCommonStatusCodeNotifEntry 2 }
```

```
sipCommonStatusCodeNotifThresh OBJECT-TYPE  
SYNTAX Unsigned32  
MAX-ACCESS read-write
```


STATUS current

DESCRIPTION

"This object specifies the number of response messages sent or received by this system that are considered excessive. Based on crossing that threshold, a sipCommonStatusCodeThreshExceededInNotif notification or a sipCommonStatusCodeThreshExceededOutNotif will be sent. The sipCommonStatusCodeThreshExceededInNotif and

sipCommonStatusCodeThreshExceededOutNotif notifications can be used as an early warning mechanism in lieu of using sipCommonStatusCodeNotif.

Note that the configuration applied by this object will be applied equally to inbound and outbound response messages."

DEFVAL { 500 }

::= { sipCommonStatusCodeNotifEntry 3 }

sipCommonStatusCodeNotifInterval OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the time interval over which, if sipCommonStatusCodeThresh is exceeded with respect to sent or received messages, a sipCommonStatusCodeThreshExceededInNotif or sipCommonStatusCodeThreshExceededOutNotif notification will be sent.

Note that the configuration applied by this object will be applied equally to inbound and outbound response messages."

DEFVAL { 60 }

::= { sipCommonStatusCodeNotifEntry 4 }

--

-- Transaction Statistics

--

sipCommonTransCurrentTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonTransCurrentEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains information on the transactions currently awaiting definitive responses by each SIP entity in this

system.

This table does not apply to transaction stateless Proxy Servers."

::= { sipCommonStatsTrans 1 }

sipCommonTransCurrentEntry OBJECT-TYPE

SYNTAX SipCommonTransCurrentEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Information on a particular SIP entity's current transactions.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex }

::= { sipCommonTransCurrentTable 1 }

SipCommonTransCurrentEntry ::= SEQUENCE {

sipCommonTransCurrentactions Gauge32

}

sipCommonTransCurrentactions OBJECT-TYPE

SYNTAX Gauge32 (0..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the number of transactions awaiting definitive (non-1xx) response. In the case of a forked request, each branch counts as a single transaction corresponding to the entity identified by applIndex."

::= { sipCommonTransCurrentEntry 1 }

--

-- SIP Retry Statistics

--

-- This group contains various statistics objects about

-- retransmission counts.

--

sipCommonStatsRetryTable

OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonStatsRetryEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains retry statistics objects applicable to each SIP entity in this system."

::= { sipCommonStatsRetry 1 }

sipCommonStatsRetryEntry OBJECT-TYPE

SYNTAX SipCommonStatsRetryEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row of retry statistics.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex, sipCommonStatsRetryMethod }

::= { sipCommonStatsRetryTable 1 }

SipCommonStatsRetryEntry ::= SEQUENCE {

sipCommonStatsRetryMethod SipTCMethodName,

sipCommonStatsRetries

Counter32,

sipCommonStatsRetryFinalResponses Counter32,

sipCommonStatsRetryNonFinalResponses Counter32,

sipCommonStatsRetryDisconTime TimeStamp

}

sipCommonStatsRetryMethod OBJECT-TYPE

SYNTAX SipTCMethodName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object uniquely identifies the SIP method related to the objects in a row."

::= { sipCommonStatsRetryEntry 1 }

sipCommonStatsRetries OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of request retransmissions that have been sent by the SIP entity. Note that there could be multiple retransmissions per request."

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring

the sipCommonStatsRetryDisconTime object in the same row."

::= { sipCommonStatsRetryEntry 2 }

sipCommonStatsRetryFinalResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of Final Response retries that have been sent by the SIP entity. Note that there could be multiple retransmissions per request.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by

monitoring the sipCommonStatsRetryDisconTime object in the same row."

::= { sipCommonStatsRetryEntry 3 }

sipCommonStatsRetryNonFinalResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object reflects the total number of non-Final Response retries that have been sent by the SIP entity.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonStatsRetryDisconTime object in the same row."

::= { sipCommonStatsRetryEntry 4 }

sipCommonStatsRetryDisconTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of the sysUpTime object when the counters for the retry statistics objects in this row last experienced a discontinuity."

::= { sipCommonStatsRetryEntry 5 }

--

-- Other Common Statistics

--

sipCommonOtherStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SipCommonOtherStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains other common statistics supported by each SIP entity in this system."

::= {

sipCommonOtherStats 1 }

sipCommonOtherStatsEntry OBJECT-TYPE

SYNTAX SipCommonOtherStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Information on a particular SIP entity's other common statistics.

Each row represents those objects for a particular SIP entity present in this system. applIndex is used to uniquely identify these instances of SIP entities and correlate them through the common framework of the NETWORK-SERVICES-MIB (RFC 2788)."

INDEX { applIndex }

::= { sipCommonOtherStatsTable 1 }

SipCommonOtherStatsEntry ::= SEQUENCE {

sipCommonOtherStatsNumUnsupportedUris Counter32,

sipCommonOtherStatsNumUnsupportedMethods Counter32,

sipCommonOtherStatsOtherwiseDiscardedMsgs Counter32,

sipCommonOtherStatsDisconTime TimeStamp

}

sipCommonOtherStatsNumUnsupportedUris OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"Number of RequestURIs received with an unsupported scheme. A server normally responds to such requests with a 400 Bad Request status code.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonOtherStatsDisconTime object in the same row."

::= { sipCommonOtherStatsEntry 1 }

sipCommonOtherStatsNumUnsupportedMethods OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of SIP requests received with unsupported methods. A server normally responds to such requests with a 501 (Not Implemented) or 405 (Method Not Allowed).

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonOtherStatsDisconTime object in the same row."

::= { sipCommonOtherStatsEntry 2 }

sipCommonOtherStatsOtherwiseDiscardedMsgs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of SIP messages received that, for any number of reasons, was discarded without a response.

Discontinuities in the value of this counter can occur at re-initialization of the SIP entity or service. A Management Station can detect discontinuities in this counter by monitoring the sipCommonOtherStatsDisconTime object in the same row."

::= { sipCommonOtherStatsEntry 3 }

sipCommonOtherStatsDisconTime OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The value of the sysUpTime object when the counters for the
statistics objects in this row last
experienced a
discontinuity."
 ::= { sipCommonOtherStatsEntry 4 }

--
-- Notification related objects
--
--
-- Status code related notification objects.
--

sipCommonStatusCodeNotifTo OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"This object contains the value of the To header in the message
containing the status code that caused the notification. The
header name will be part of this object value. For example,
'To: Watson !.'
 ::= { sipCommonNotifObjects 1 }

sipCommonStatusCodeNotifFrom OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"This object contains the value of the From header in the
message containing the status code that caused the

notification. The header name will be part of this object
value. For example, 'From: Watson !.'
 ::= { sipCommonNotifObjects
2 }

sipCommonStatusCodeNotifCallId OBJECT-TYPE
SYNTAX SnmpAdminString
MAX-ACCESS accessible-for-notify
STATUS current

DESCRIPTION

"This object contains the value of the Call-ID in the message containing the status code that caused the notification. The header name will be part of this object value. For example, 'Call-ID: 5551212@example.com'."

::= { sipCommonNotifObjects 3 }

sipCommonStatusCodeNotifCSeq OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"This object contains the CSeq value in the message containing the status code that caused the notification. The header name will be part of this object value. For example, 'CSeq: 1722 INVITE'."

::= { sipCommonNotifObjects 4 }

--

-- General notification related objects.

--

sipCommonNotifAppIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"This object contains the applIndex as described in RFC 2788. This object is created in order to allow a variable binding containing a value of applIndex in a notification."

::= { sipCommonNotifObjects 5 }

sipCommonNotifSequenceNumber OBJECT-TYPE

SYNTAX Unsigned32 (1..2147483647)

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"This object contains a sequence number for each notification generated by this SIP entity. Each notification SHOULD have a unique sequence number. A network manager can use this information to determine whether notifications from a

particular SIP entity have been missed. The value of this object MUST start at 1 and increase by 1 with each generated notification. If a system restarts, the sequence number MAY start again from 1."


```

 ::= { sipCommonNotifObjects
6 }

--
-- Notifications
--
sipCommonStatusCodeNotif NOTIFICATION-TYPE
OBJECTS {
    sipCommonNotifSequenceNumber,
    sipCommonNotifApplIndex,
    sipCommonStatusCodeNotifTo,
    sipCommonStatusCodeNotifFrom,
    sipCommonStatusCodeNotifCallId,
    sipCommonStatusCodeNotifCSeq,
    sipCommonStatusCodeIns,
    sipCommonStatusCodeOuts
}
STATUS    current
DESCRIPTION
    "Signifies that a specific status code has been sent or received
    by the system."
 ::= { sipCommonMIBNotifications 1 }

sipCommonStatusCodeThreshExceededInNotif NOTIFICATION-TYPE
OBJECTS {
    sipCommonNotifSequenceNumber,
    sipCommonNotifApplIndex,
    sipCommonStatusCodeIns
}
STATUS    current
DESCRIPTION
    "Signifies that a specific status code was found to have been
    received by the system frequently enough to exceed the
    configured threshold. This notification can be used as
    an early warning mechanism
in lieu of using
    sipCommonStatusCodeNotif."
 ::= { sipCommonMIBNotifications 2 }

sipCommonStatusCodeThreshExceededOutNotif NOTIFICATION-TYPE
OBJECTS {
    sipCommonNotifSequenceNumber,
    sipCommonNotifApplIndex,
    sipCommonStatusCodeOuts
}
STATUS    current

```

DESCRIPTION

"Signifies that a specific status code was found to have been sent by the system enough to exceed the configured threshold. This notification can be used as an early warning mechanism in lieu of using sipCommonStatusCodeNotif."

::= { sipCommonMIBNotifications 3 }

sipCommonServiceColdStart NOTIFICATION-TYPE

OBJECTS {

sipCommonNotifSequenceNumber,
sipCommonNotifApplIndex,
sipCommonCfgServiceStartTime

}

STATUS current

DESCRIPTION

"Signifies that the SIP service has reinitialized itself or started for the first time. This SHOULD result from a hard 'down' to 'up' administrative status change. The configuration or behavior of the service MAY be altered."

::= { sipCommonMIBNotifications 4 }

sipCommonServiceWarmStart NOTIFICATION-TYPE

OBJECTS {

sipCommonNotifSequenceNumber,
sipCommonNotifApplIndex,
sipCommonCfgServiceLastChange

}

STATUS current

DESCRIPTION

"Signifies that the SIP service has reinitialized itself and is restarting after an administrative 'reset'. The configuration or behavior of the service MAY be altered."

::= { sipCommonMIBNotifications 5 }

sipCommonServiceStatusChanged NOTIFICATION-TYPE

OBJECTS {

sipCommonNotifSequenceNumber,
sipCommonNotifApplIndex,
sipCommonCfgServiceLastChange,
sipCommonCfgServiceOperStatus

}

STATUS current

DESCRIPTION

"Signifies that the SIP service operational status has changed."

::= { sipCommonMIBNotifications 6 }

```

--
-- Conformance

--
sipCommonMIBCompliances
  OBJECT IDENTIFIER
  ::= { sipCommonMIBConformance 1 }
sipCommonMIBGroups
  OBJECT IDENTIFIER ::= { sipCommonMIBConformance 2 }

--
-- Compliance Statements
--
sipCommonCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for SIP entities."

  MODULE -- this module
    MANDATORY-GROUPS { sipCommonConfigGroup,
                        sipCommonStatsGroup
                      }

  OBJECT sipCommonStatusCodeRowStatus
  SYNTAX RowStatus { active(1) }
  WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
  DESCRIPTION
    "Support for createAndWait and notInService is not required."

  OBJECT sipCommonCfgServiceNotifEnable
  MIN-ACCESS not-accessible
  DESCRIPTION
    "This object is optional and does not need to be supported."

  GROUP sipCommonInformationalGroup
  DESCRIPTION
    "This group is OPTIONAL. A SIP entity can elect to not provide
    any support for these objects, as they
provide optional
    information."

  GROUP sipCommonConfigTimerGroup
  DESCRIPTION
    "This group is OPTIONAL. A SIP entity can elect to not provide
    any timer configuration."

```

GROUP sipCommonStatsRetryGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any retry statistics."

GROUP sipCommonNotifGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any notifications. If implemented, the sipCommonStatusCodeNotifGroup and sipCommonNotifObjectsGroup MUST also be implemented."

GROUP sipCommonStatusCodeNotifGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any notifications. If implemented, the sipCommonNotifGroup and sipCommonNotifObjectsGroup MUST also be implemented."

GROUP sipCommonNotifObjectsGroup

DESCRIPTION

"This group is OPTIONAL. A SIP entity can elect to not provide any notifications. If implemented, the sipCommonStatusCodeNotifGroup and sipCommonNotifGroup MUST also be implemented."

::= { sipCommonMIBCompliances 1 }

--

-- Units of Conformance

--

sipCommonConfigGroup OBJECT-GROUP

OBJECTS {

 sipCommonCfgProtocolVersion,
 sipCommonCfgServiceOperStatus,
 sipCommonCfgServiceStartTime,
 sipCommonCfgServiceLastChange,
 sipCommonPortTransportRcv,
 sipCommonOptionTag,
 sipCommonOptionTagHeaderField,
 sipCommonCfgMaxTransactions,
 sipCommonCfgServiceNotifEnable,
 sipCommonCfgEntityType,
 sipCommonMethodSupportedName

}

STATUS current

DESCRIPTION

"A collection of objects providing configuration common to all SIP entities."

::= { sipCommonMIBGroups 1 }

sipCommonInformationalGroup OBJECT-GROUP

OBJECTS {

 sipCommonCfgOrganization

}

STATUS current

DESCRIPTION

"A collection of objects providing configuration common to all SIP entities."

::= { sipCommonMIBGroups 2 }

sipCommonConfigTimerGroup OBJECT-GROUP

OBJECTS {

 sipCommonCfgTimerA,

 sipCommonCfgTimerB,

 sipCommonCfgTimerC,

 sipCommonCfgTimerD,

 sipCommonCfgTimerE,

 sipCommonCfgTimerF,

 sipCommonCfgTimerG,

 sipCommonCfgTimerH,

 sipCommonCfgTimerI,

 sipCommonCfgTimerJ,

 sipCommonCfgTimerK,

 sipCommonCfgTimerT1,

 sipCommonCfgTimerT2,

 sipCommonCfgTimerT4

}

STATUS current

DESCRIPTION

"A collection of objects providing timer configuration common to all SIP entities."

::= { sipCommonMIBGroups 3 }

sipCommonStatsGroup OBJECT-GROUP

OBJECTS {

 sipCommonSummaryInRequests,

 sipCommonSummaryOutRequests,

```
    sipCommonSummaryInResponses,  
    sipCommonSummaryOutResponses,  
    sipCommonSummaryTotalTransactions,  
    sipCommonSummaryDisconTime,  
    sipCommonMethodStatsOutbounds,  
    sipCommonMethodStatsInbounds,  
    sipCommonMethodStatsDisconTime,  
    sipCommonStatusCodeIns,  
    sipCommonStatusCodeOuts,  
    sipCommonStatusCodeRowStatus,  
    sipCommonStatusCodeDisconTime,  
    sipCommonTransCurrentactions,  
    sipCommonOtherStatsNumUnsupportedUris,  
    sipCommonOtherStatsNumUnsupportedMethods,  
    sipCommonOtherStatsOtherwiseDiscardedMsgs,  
    sipCommonOtherStatsDisconTime
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A collection of objects providing statistics common to all SIP  
entities."
```

```
::= { sipCommonMIBGroups 4 }
```

```
sipCommonStatsRetryGroup OBJECT-GROUP
```

```
OBJECTS {
```

```
    sipCommonStatsRetries,  
    sipCommonStatsRetryFinalResponses,  
    sipCommonStatsRetryNonFinalResponses,  
    sipCommonStatsRetryDisconTime
```

```
}
```

```
STATUS current
```

```
DESCRIPTION
```

```
"A collection of objects providing retry statistics."
```

```
::= { sipCommonMIBGroups 5 }
```

```
sipCommonNotifGroup NOTIFICATION-GROUP
```

```
NOTIFICATIONS {
```

```
    sipCommonStatusCodeNotif,  
    sipCommonStatusCodeThreshExceededInNotif,  
    sipCommonStatusCodeThreshExceededOutNotif,  
    sipCommonServiceColdStart,  
    sipCommonServiceWarmStart,  
    sipCommonServiceStatusChanged
```

```
}
```

STATUS current
DESCRIPTION
"A collection of notifications common to all SIP entities."
::= { sipCommonMIBGroups 6 }

sipCommonStatusCodeNotifGroup OBJECT-GROUP

OBJECTS {
 sipCommonStatusCodeNotifSend,
 sipCommonStatusCodeNotifEmitMode,
 sipCommonStatusCodeNotifThresh,
 sipCommonStatusCodeNotifInterval
}

STATUS current
DESCRIPTION
"A collection of
objects related to the control and attribution
of notifications common to all SIP entities."
::= { sipCommonMIBGroups 7 }

sipCommonNotifObjectsGroup OBJECT-GROUP

OBJECTS {
 sipCommonStatusCodeNotifTo,
 sipCommonStatusCodeNotifFrom,
 sipCommonStatusCodeNotifCallId,
 sipCommonStatusCodeNotifCSeq,
 sipCommonNotifAppIndex,
 sipCommonNotifSequenceNumber
}

STATUS current
DESCRIPTION
"A collection of accessible-for-notify objects related to the
notification defined in this MIB module."
::= { sipCommonMIBGroups 8 }

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SIP-COMMON-MIB

No license file was found, but licenses were detected in source scan.

DOCS-IF-MIB DEFINITIONS ::= BEGIN

IMPORTS
 MODULE-IDENTITY,

OBJECT-TYPE,
Unsigned32,
Integer32,
Counter32,
Counter64,
TimeTicks,
IpAddress,
transmission
 FROM SNMPv2-SMI -- [RFC2578]

TEXTUAL-CONVENTION,
MacAddress,
RowStatus,
TruthValue,
TimeInterval,
TimeStamp,
StorageType
 FROM SNMPv2-TC -- [RFC2579]

OBJECT-GROUP,

MODULE-COMPLIANCE

 FROM SNMPv2-CONF -- [RFC2580]
ifIndex, InterfaceIndexOrZero
 FROM IF-MIB -- [RFC2863]

InetAddressType,
InetAddress
 FROM INET-ADDRESS-MIB -- [RFC4001]
IANAifType
 FROM IANAifType-MIB; -- [IANA]

docsIfMib MODULE-IDENTITY

 LAST-UPDATED "200605240000Z" -- May 24, 2006
 ORGANIZATION "IETF IPCDN Working Group"
 CONTACT-INFO

 " David Raftus
 Postal: ATI Technologies Inc.
 340 Terry Fox Drive, Suite 202
 Ottawa Ontario
 Canada
 Phone: +1 613 592 1052 ext.222
 E-mail: david.raftus@ati.com

 Eduardo Cardona
 Postal: Cable Television Laboratories, Inc.
 858 Coal Creek Circle
 Louisville, CO 80027-9750

U.S.A.

Phone: Tel: +1 303 661 9100

Fax: +1 303 661 9199

E-mail: e.cardona@cablelabs.com;mibs@cablelabs.com

IETF IPCDN Working Group

General Discussion: ipcdn@ietf.org

Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>

Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>

Co-chairs: Richard Woundy, Richard_Woundy@cable.comcast.com

Jean-Francois Mule, jf.mule@cablelabs.com"

DESCRIPTION

"This is the MIB Module for DOCSIS 2.0-compliant Radio

Frequency (RF) interfaces in Cable Modems and
Cable Modem Termination Systems.

Copyright (C) The Internet Society (2006). This
version of this MIB module is part of RFC 4546; see
the RFC itself for full legal notices."

REVISION "200605240000Z"

DESCRIPTION

"Revision of the IETF RF MIB module for DOCSIS 2.0.

This version published as RFC 4546.

This MIB module revision includes the following
among others:

Usage of ifType (205) for upstream logical channels.

Addition of downstream and upstream utilization
counters.

Additional statistics per upstream interface.

Upstream channel offline configuration mechanism.

Added MIB support for new DOCSIS 2.0 modulation
attributes.

Euro-DOCSIS downstream interleave values.

Adjustments to RFC 2670 definitions based on
the MIB review guidelines from the IETF

Operations and Management Area (OPS)."

REVISION "199908190000Z"

DESCRIPTION

"Initial version, published as RFC 2670.

Modified by Mike St. Johns to fix problems identified by
the first pass of the MIB doctor. Of special note,

docsIfRangingResp and docsIfCmtsInsertionInterval were

obsoleted and replaced by other objects with the same
functionality, but with more appropriate syntax."
::= { transmission 127 }

-- Textual Conventions

TenthdBmV ::= TEXTUAL-CONVENTION
DISPLAY-HINT "d-1"
STATUS current
DESCRIPTION
"This data type represents power levels that are normally
expressed in dBmV. Units are in tenths of a dBmV;
for example, 5.1 dBmV will be represented as 51."
SYNTAX Integer32

TenthdB ::= TEXTUAL-CONVENTION
DISPLAY-HINT "d-1"
STATUS current
DESCRIPTION
"This data type represents power levels that are
normally
expressed in dB. Units are in tenths of a dB;
for example, 5.1 dB will be represented as 51."
SYNTAX Integer32

DocsisVersion ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"Indicates the DOCSIS Radio Frequency specification being
referenced.
'docsis10' indicates DOCSIS 1.0.
'docsis11' indicates DOCSIS 1.1.
'docsis20' indicates DOCSIS 2.0."
SYNTAX INTEGER {
docsis10 (1),
docsis11 (2),
docsis20 (3)
}

DocsisQosVersion ::= TEXTUAL-CONVENTION

STATUS current
DESCRIPTION
"Indicates the referenced quality-of-service
level.

'docsis10 refers to DOCSIS 1.0 Class of Service queuing services, and 'docsis11' refers to DOCSIS 1.1 Quality of Service."

```
SYNTAX    INTEGER {  
    docsis10 (1),  
    docsis11 (2)  
}
```

DocsisUpstreamType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Indicates the DOCSIS Upstream Channel Type.
'unknown' means information not available.
'tdma' is related to TDMA, Time Division Multiple Access; 'atdma' is related to A-TDMA, Advanced Time Division Multiple Access, 'scdma' is related to S-CDMA, Synchronous Code Division Multiple Access.
'tdmaAndAtdma is related to simultaneous support of TDMA and A-TDMA modes."

```
SYNTAX    INTEGER {  
    unknown(0),  
    tdma(1),  
    atdma(2),  
    scdma(3),  
    tdmaAndAtdma(4)  
}
```

DocsEqualizerData ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This data type represents the equalizer data as measured at the receiver interface.
The format of the equalizer follows the structure of the Transmit Equalization Adjust RNG-RSP TLV of DOCSIS RFI v2.0 :
1 byte Main tap location 1..(n + m)
1 byte Number of forward taps per symbol
1 byte Number of forward taps: n
1 byte Number of reverse taps: m

Following are the equalizer coefficients:

First, forward taps coefficients:

2 bytes F1 (real), 2 bytes F1 (imag)

...

2 bytes Fn (real), 2 bytes Fn (imag)

Then, reverse taps coefficients:

2 bytes D1 (real), 2 bytes D1 (imag)

...

2 bytes Dm (real), 2 bytes Dm (imag)

The equalizer coefficients are considered signed 16-bit integers in the range from -32768 (0x8000) to 32767 (0x7FFF).

DOCSIS specifications require up to a maximum of 64 equalizer taps (n + m); therefore, this object size can get up to 260 bytes (4 + 4x64).

The minimum object size (other than zero) for a t-spaced tap with a minimum of 8 symbols will be 36 (4 + 4x8)."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Figure 8-23."

SYNTAX OCTET STRING(SIZE (0 | 36..260))

```
docsIfMibObjects OBJECT IDENTIFIER ::= { docsIfMib 1 }
docsIfBaseObjects OBJECT IDENTIFIER ::= { docsIfMibObjects 1 }
docsIfCmObjects OBJECT IDENTIFIER ::= { docsIfMibObjects 2 }
docsIfCmtsObjects OBJECT IDENTIFIER ::= { docsIfMibObjects 3 }
```

--

-- BASE GROUP

--

--

-- The following table is implemented on both the Cable Modem
-- and the Cable Modem Termination System. This table is
-- read only for the CM.

--

docsIfDownstreamChannelTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfDownstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table describes the attributes of downstream channels (frequency bands)."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface
Specification SP-RFiv2.0-I10-051209,
Tables 6-16, and 6-17."
::= { docsIfBaseObjects 1 }

docsIfDownstreamChannelEntry OBJECT-TYPE

SYNTAX DocsIfDownstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry provides a list of attributes for a single
downstream channel.

An entry in this table exists for each ifEntry with an
ifType of docsCableDownstream(128)."

INDEX { ifIndex }

::= { docsIfDownstreamChannelTable 1 }

DocsIfDownstreamChannelEntry ::= SEQUENCE {

docsIfDownChannelId Integer32,
docsIfDownChannelFrequency Integer32,
docsIfDownChannelWidth Integer32,
docsIfDownChannelModulation INTEGER,
docsIfDownChannelInterleave INTEGER,
docsIfDownChannelPower TenthdBmV,
docsIfDownChannelAnnex INTEGER,
docsIfDownChannelStorageType

StorageType

}

docsIfDownChannelId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Cable Modem Termination System identification of the
downstream channel within this particular MAC interface.

if the interface is down, the object returns the most
current value. If the downstream channel ID is unknown,
this object returns a value of 0."

::= { docsIfDownstreamChannelEntry 1 }

docsIfDownChannelFrequency OBJECT-TYPE

SYNTAX Integer32 (0..1000000000)

UNITS "hertz"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The center of the downstream frequency associated with this channel. This object will return the current tuner

frequency. If a CMTS provides IF output, this object will return 0, unless this CMTS is in control of the final downstream frequency. See

the associated

compliance object for a description of valid frequencies that may be written to this object."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.3.3."

::= { docsIfDownstreamChannelEntry 2 }

docsIfDownChannelWidth OBJECT-TYPE

SYNTAX Integer32 (0..16000000)

UNITS "hertz"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The bandwidth of this downstream channel. Most implementations are expected to support a channel width of 6 MHz (North America) and/or 8 MHz (Europe). See the associated compliance object for a description of the valid channel widths for this object."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 6-17."

::= { docsIfDownstreamChannelEntry 3 }

docsIfDownChannelModulation OBJECT-TYPE

SYNTAX INTEGER {

unknown(1),

other(2),

qam64(3),

qam256(4)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The modulation type associated with this downstream channel. If the interface is down, this object either returns the configured value (CMTS), the most current value (CM), or the value of unknown(1). See the associated conformance object for write conditions and limitations. See the reference for specifics on the modulation profiles implied by qam64 and qam256."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,
Table 6-17."

::= { docsIfDownstreamChannelEntry 4 }

docsIfDownChannelInterleave OBJECT-TYPE

SYNTAX INTEGER {

unknown(1),
other(2),
taps8Increment16(3),
taps16Increment8(4),
taps32Increment4(5),
taps64Increment2(6),
taps128Increment1(7),
taps12increment17(8)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The Forward Error Correction (FEC) interleaving used for this downstream channel.

Values are defined as follows:

taps8Increment16(3): protection 5.9/4.1 usec,
latency .22/.15 msec

taps16Increment8(4): protection 12/8.2 usec,
latency .48/.33 msec

taps32Increment4(5): protection 24/16 usec,
latency .98/.68 msec

taps64Increment2(6): protection 47/33 usec,
latency 2/1.4 msec

taps128Increment1(7): protection 95/66 usec,
latency 4/2.8 msec

taps12increment17(8):

protection 18/14 usec,

latency 0.43/0.32 msec

The value 'taps12increment17' is supported by EuroDOCSIS cable systems only, and the others by DOCSIS cable systems.

If the interface is down, this object either returns the configured value (CMTS), the most current value (CM), or the value of unknown(1).

The value of other(2) is returned if the interleave is known but not defined in the above list.

See the associated conformance object for write conditions and limitations. See the reference for the FEC configuration described by the setting of this object."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209,

Table 6-15."

```
::= { docsIfDownstreamChannelEntry 5 }
```

docsIfDownChannelPower OBJECT-TYPE

SYNTAX TenthdBmV

UNITS

"dBmV"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"At the CMTS, the operational transmit power. At the CM, the received power level.

If the interface is down, this object either returns the configured value (CMTS), the most current value (CM) or the value of 0. See the associated conformance object for write conditions and limitations. See the reference for recommended and required power levels."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-16, 6-17."

```
::= { docsIfDownstreamChannelEntry 6 }
```

docsIfDownChannelAnnex OBJECT-TYPE

SYNTAX INTEGER {

unknown(1),

other(2),

annexA(3),

annexB(4),

annexC(5)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of this object indicates the conformance of the implementation to important regional cable standards. annexA : Annex A from ITU-T J.83 is used. (equivalent to EN 300 429) annexB : Annex B from ITU-T J.83 is used. annexC : Annex C from ITU-T J.83 is used."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.3.1, and H.3.1."

::= { docsIfDownstreamChannelEntry 7 }

docsIfDownChannelStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Entries with this object set to permanent(4) do not require write operations for read-write objects."

::= { docsIfDownstreamChannelEntry 8 }

--

-- The following table is implemented on both the CM and the CMTS.

-- For the CM, only attached channels

appear in the table. For the

-- CM, this table is read-only as well.

--

docsIfUpstreamChannelTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfUpstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table describes the attributes of attached upstream channels."

::= { docsIfBaseObjects 2 }

docsIfUpstreamChannelEntry OBJECT-TYPE

SYNTAX DocsIfUpstreamChannelEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"List of attributes for a single upstream channel. For DOCSIS 2.0 CMTSs, an entry in this table exists for each ifEntry with an ifType of docsCableUpstreamChannel (205).

For DOCSIS 1.x CM/CMTSs and DOCSIS 2.0 CMs, an entry in this table exists for each ifEntry with an ifType of docsCableUpstream (129).

For DOCSIS 2.0 CMTSs, two classes of interfaces can be defined for this table:

- o Upstream Physical Interfaces: The traditional DOCSIS 1.x CMTS upstream interface ifType 129 and the DOCSIS 2.0 ifType 205 that are functional. In other words, interfaces that represent upstream receivers within an RF MAC interface.

Entries of physical interfaces are exposed to the management interface with their corresponding ifStack hierarchy and are not administratively created by this table.

- o Upstream Temporary Interfaces: A fictitious interface created for the purpose of manipulating physical interface parameters offline, then validating prior to updating the target physical interface.

In case of a reinitialization of the managed system, physical interfaces values persist while the temporary interfaces are not recreated.

This mechanism helps to minimize service disruptions originating in situations where a group of interface parameter values need to be consistent with each other in SET operations. A temporary buffer (temporary interface) is provided to allow the CMTS to validate the parameters offline."

INDEX { ifIndex }

::= { docsIfUpstreamChannelTable 1 }

DocsIfUpstreamChannelEntry ::= SEQUENCE {
docsIfUpChannelId Integer32,

```

docsIfUpChannelFrequency      Integer32,
docsIfUpChannelWidth          Integer32,
docsIfUpChannelModulationProfile  Unsigned32,
docsIfUpChannelSlotSize        Unsigned32,
docsIfUpChannelTxTimingOffset   Unsigned32,
docsIfUpChannelRangingBackoffStart Integer32,
docsIfUpChannelRangingBackoffEnd Integer32,
docsIfUpChannelTxBackoffStart   Integer32,
docsIfUpChannelTxBackoffEnd     Integer32,

docsIfUpChannelScdmaActiveCodes  Unsigned32,
docsIfUpChannelScdmaCodesPerSlot Integer32,
docsIfUpChannelScdmaFrameSize    Unsigned32,
docsIfUpChannelScdmaHoppingSeed  Unsigned32,
docsIfUpChannelType              DocsisUpstreamType,
docsIfUpChannelCloneFrom         InterfaceIndexOrZero,
docsIfUpChannelUpdate            TruthValue,
docsIfUpChannelStatus            RowStatus,
docsIfUpChannelPreEqEnable       TruthValue
}

```

docsIfUpChannelId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The CMTS identification of the upstream channel."

::= { docsIfUpstreamChannelEntry 1 }

docsIfUpChannelFrequency OBJECT-TYPE

SYNTAX Integer32 (0..1000000000)

UNITS "hertz"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The center of the frequency

band associated with this

upstream interface. This object returns 0 if the frequency is undefined or unknown. Minimum permitted upstream frequency is 5,000,000 Hz for current technology. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 4-2."

::= { docsIfUpstreamChannelEntry 2 }

docsIfUpChannelWidth OBJECT-TYPE

SYNTAX Integer32 (0..64000000)

UNITS "hertz"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The bandwidth of this upstream interface. This object returns 0 if the interface width is undefined or unknown. Minimum permitted interface width is currently 200,000 Hz. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 6-5."

::= { docsIfUpstreamChannelEntry 3 }

docsIfUpChannelModulationProfile OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"An entry identical to the docsIfModIndex in the docsIfCmtsModulationTable that describes this channel. This channel is further instantiated there by a grouping of interval usage codes (IUCs) that, together, fully describe the channel modulation. This object returns 0 if the docsIfCmtsModulationTable entry does not exist or is empty. See the associated conformance object for write conditions and limitations.

Setting this object returns an 'inconsistentValue' error if the following conditions are not satisfied:

1. All the

IUC entries in the selected modulation profile

MUST have the same value of docsIfCmtsModChannelType.

2. All of the Modulation parameters in the selected modulation profile MUST be consistent with the other parameters in this docsIfUpstreamChannelEntry."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

::= { docsIfUpstreamChannelEntry 4 }

docsIfUpChannelSlotSize OBJECT-TYPE

SYNTAX Unsigned32

UNITS "ticks"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable to TDMA and ATDMA channel types only.

The number of 6.25 microsecond ticks in each upstream mini-slot. Returns zero if the value is undefined or unknown or in case of an SCDMA channel.

See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.1.2.4."

::= { docsIfUpstreamChannelEntry 5 }

docsIfUpChannelTxTimingOffset OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CM, a measure of the current round trip time obtained from the ranging offset (initial ranging offset + ranging offset adjustments).

At the CMTS, the maximum of timing offset, among all the CMs that are/were present on the channel, taking into account all (initial + periodic) timing offset corrections that were sent for each of the CMs. Generally, these measurements are positive, but if the measurements are negative, the value of this object is zero. Used for timing of CM upstream transmissions to ensure synchronized

arrivals at the CMTS.

Units are one 64th fraction of 6.25 microseconds."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.19."

::= { docsIfUpstreamChannelEntry 6 }

docsIfUpChannelRangingBackoffStart OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The initial random backoff window to use when retrying Ranging Requests. Expressed as a power of 2. A value of 16 at the CMTS indicates that a proprietary adaptive retry mechanism is to be used. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 8.3.4, and 9.4."

```
::= { docsIfUpstreamChannelEntry  
7 }
```

docsIfUpChannelRangingBackoffEnd OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The final random backoff window to use when retrying Ranging Requests. Expressed as a power of 2. A value of 16 at the CMTS indicates that a proprietary adaptive retry mechanism is to be used. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.4, and 9.4."

```
::= { docsIfUpstreamChannelEntry 8 }
```

docsIfUpChannelTxBackoffStart OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The initial random backoff window to use when retrying transmissions. Expressed as a power of 2. A value of 16

at the CMTS indicates that a proprietary adaptive retry mechanism is to be used. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209,

Section 8.3.4, and 9.4."

::= { docsIfUpstreamChannelEntry 9 }

docsIfUpChannelTxBackoffEnd OBJECT-TYPE

SYNTAX Integer32 (0..16)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The final random backoff window to use when retrying transmissions. Expressed as a power of 2. A value of 16 at the CMTS indicates that a proprietary adaptive retry mechanism is to be used. See the associated conformance object for write conditions and limitations."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification

SP-RFIV2.0-I10-051209,

Section 8.3.4, and 9.4."

::= { docsIfUpstreamChannelEntry 10 }

docsIfUpChannelScdmaActiveCodes OBJECT-TYPE

SYNTAX Unsigned32 (0|64..66|68..70|72|74..78|80..82|84..88

|90..96|98..100|102|104..106|108

|110..112|114..126|128)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only. Number of active codes. Returns zero for Non-SCDMA channel types. Note that legal values from 64..128 MUST be non-prime."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.11.2.1."

::= { docsIfUpstreamChannelEntry 11 }

docsIfUpChannelScdmaCodesPerSlot OBJECT-TYPE

SYNTAX Integer32(0 | 2..32)

UNITS "codesperMinislots"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only. The number of SCDMA codes per mini-slot. Returns zero if the value is undefined or unknown or in

case of a TDMA or ATDMA channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.11.2.1."

::= { docsIfUpstreamChannelEntry 12 }

docsIfUpChannelScdmaFrameSize OBJECT-TYPE

SYNTAX Unsigned32 (0..32)

UNITS "spreadIntervals"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only.
SCDMA Frame size in units of spreading intervals.
This value returns zero for non-SCDMA Profiles."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.12."

::= {

docsIfUpstreamChannelEntry 13 }

docsIfUpChannelScdmaHoppingSeed OBJECT-TYPE

SYNTAX Unsigned32 (0..32767)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Applicable for SCDMA channel types only.
15-bit seed used for code hopping sequence initialization.
Returns zero for non-SCDMA channel types.
Setting this value to a value different than zero for
non-SCDMA channel types returns the error 'wrongValue'."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.14.1."

::= { docsIfUpstreamChannelEntry 14 }

docsIfUpChannelType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Reflects the Upstream channel type.
This object returns the value of docsIfCmtsModChannelType
for the modulation profile selected"

in

docsIfUpChannelModulationProfile for this row."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.1."

::= { docsIfUpstreamChannelEntry 15 }

docsIfUpChannelCloneFrom OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the ifIndex value of the physical
interface row entry whose parameters are to be adjusted.

Upon setting this object to the ifIndex value of a
physical interface, the following interface objects values
are copied to this entry:

docsIfUpChannelFrequency,
docsIfUpChannelWidth,
docsIfUpChannelModulationProfile,
docsIfUpChannelSlotSize,
docsIfUpChannelRangingBackoffStart,
docsIfUpChannelRangingBackoffEnd,
docsIfUpChannelTxBackoffStart,
docsIfUpChannelTxBackoffEnd,
docsIfUpChannelScdmaActiveCodes,
docsIfUpChannelScdmaCodesPerSlot,
docsIfUpChannelScdmaFrameSize,
docsIfUpChannelScdmaHoppingSeed,
docsIfUpChannelType, and
docsIfUpChannelPreEqEnable

Setting this object to the value of a non-existent or
a temporary upstream interface returns the error
'wrongValue'.

This object MUST contain a value of zero for physical
interfaces entries.

Setting this object in row entries that correspond to
physical interfaces returns the error 'wrongValue'."

::= { docsIfUpstreamChannelEntry 16 }

docsIfUpChannelUpdate OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Used to perform the copy of adjusted parameters from the temporary interface entry to the physical interface indicated by the docsIfUpChannelCloneFrom

object. The

transfer is initiated through an SNMP SET to 'true' of

this object.

A SET to 'true' fails and returns error 'commitFailed' if docsIfUpChannelStatus value is 'notInService', which means that the interface parameters values are not compatible with each other or have not been validated yet. Reading this object always returns 'false'."

::= { docsIfUpstreamChannelEntry 17 }

docsIfUpChannelStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is only used for the creation of a temporary upstream row with the purpose of updating the parameters of a physical upstream channel entry.

The following restrictions apply to this object:

1. This object is not writable for physical interfaces.
2. Temporary interface entries are only created by a SET

of this object to createandWait(5).

3. ifAdminStatus from the Interface MIB RFC 2863 is used to take a physical upstream channel offline, to be consistent with DOCSIS 1.x operation, as indicated in RFC 2670.

In addition,

- o ifAdminStatus 'down' is reflected in this object as 'notInService'.
 - o ifOperStatus 'down' while ifAdminStatus 'up' is reflected in this object as 'notInservice'.
4. Temporary created rows MUST be set to 'active' with the purpose of validating upstream parameter consistency prior to transferring the parameters to the physical interface.

Below is a mandatory procedure for adjusting the values of a physical interface:

1. Create a temporary interface entry through an SNMP SET using 'createAndWait'. At this point, the RowStatus reports 'notReady'.
The Manager entity uses an ifIndex value outside the operational range of the physical interfaces for the creation of a temporary interface.
2. Set the docsIfUpChannelCloneFrom object to the ifIndex value of the physical row to update. Now docsIfUpChannelStatus reports 'notInService'.
3. Change the upstream parameters to the desired values in the temporary row.

4. Validate that all parameters are consistent by setting docsIfUpChannelStatus to 'active'. A failure to set the RowStatus to 'active' returns the error 'commitFailed', which means the parameters are not compatible with the target physical interface.
5. With docsIfUpChannelStatus 'active', transfer the parameters to the target physical interface by setting the object docsIfUpChannelUpdate to 'true'.

6. Delete the temporary

row by setting

```
docsIfUpChannelStatus to 'destroy'."
::= { docsIfUpstreamChannelEntry 18 }
```

docsIfUpChannelPreEqEnable OBJECT-TYPE

```
SYNTAX TruthValue
MAX-ACCESS read-create
STATUS current
```

DESCRIPTION

"At the CMTS, this object is used to enable or disable pre-equalization on the upstream channel represented by this table instance. At the CM, this object is read-only and reflects the status of pre-equalization as represented in the RNG-RSP. Pre-equalization is considered enabled at the CM if a RNG-RSP with pre-equalization data has been received at least once since the last mac reinitialization."

```
DEFVAL { false }
```

```
::= { docsIfUpstreamChannelEntry 19 }
```

```
-- The following table describes the attributes of each class of
-- service. The entries in this table are referenced from the
-- docsIfServiceEntries. They exist as a separate table in order to
--
```

reduce redundant information in docsIfServiceTable.
--
-- This table is implemented at both the CM and the CMTS.
-- The CM need only maintain entries for the classes of service
-- referenced by its docsIfCmServiceTable.
--

docsIfQosProfileTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfQosProfileEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Describes the attributes for each class of service."
 ::= { docsIfBaseObjects 3 }

docsIfQosProfileEntry OBJECT-TYPE

SYNTAX DocsIfQosProfileEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes for a single class of service.
If implemented as read-create in the Cable Modem
Termination System, creation of entries in this table is
controlled by the value of
docsIfCmtsQosProfilePermissions.

If implemented as read-only, entries are created based
on information in REG-REQ

MAC messages received from

cable modems (for Cable Modem Termination System), or
based on information extracted from the TFTP option file
(for Cable Modem).

In the Cable Modem Termination System, read-only entries
are removed if no longer referenced by
docsIfCmtsServiceTable.

An entry in this table **MUST** not be removed while it is
referenced by an entry in docsIfCmServiceTable (Cable
Modem) or docsIfCmtsServiceTable (Cable Modem Termination
System).

An entry in this table **SHOULD NOT** be changeable while
it is referenced by an entry in docsIfCmtsServiceTable.

If this table is created automatically, there **SHOULD** only

be a single entry for each Class of Service. Multiple entries with the same Class of Service parameters are NOT RECOMMENDED."

```
INDEX { docsIfQosProfIndex }  
::= { docsIfQosProfileTable 1 }
```

DocsIfQosProfileEntry

```
::= SEQUENCE {  
    docsIfQosProfIndex      Integer32,  
    docsIfQosProfPriority   Integer32,  
    docsIfQosProfMaxUpBandwidth  Integer32,  
    docsIfQosProfGuarUpBandwidth  Integer32,  
    docsIfQosProfMaxDownBandwidth Integer32,  
    docsIfQosProfMaxTxBurst   Integer32, -- deprecated  
    docsIfQosProfBaselinePrivacy TruthValue,  
    docsIfQosProfStatus      RowStatus,  
    docsIfQosProfMaxTransmitBurst Integer32,  
    docsIfQosProfStorageType StorageType  
}
```

docsIfQosProfIndex OBJECT-TYPE

SYNTAX Integer32 (1..16383)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The index value that uniquely identifies an entry in the docsIfQosProfileTable."

```
::= { docsIfQosProfileEntry 1 }
```

docsIfQosProfPriority OBJECT-TYPE

SYNTAX Integer32 (0..7)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A relative priority assigned to this service when allocating bandwidth. Zero indicates lowest priority and seven indicates highest priority.

Interpretation of priority is device-specific.

MUST NOT be changed while this row is active."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex C.1.1.4."

```
DEFVAL { 0 }
```

::= { docsIfQosProfileEntry 2 }

docsIfQosProfMaxUpBandwidth OBJECT-TYPE

SYNTAX Integer32 (0..100000000)

UNITS "bits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum upstream bandwidth, in bits per second,
allowed for a service with this service class.

Zero if there is no restriction of upstream bandwidth.

MUST NOT be changed while this row is active."

REFERENCE

"Data-Over-Cable Service

Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,
Annex C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 3 }

docsIfQosProfGuarUpBandwidth OBJECT-TYPE

SYNTAX Integer32 (0..100000000)

UNITS "bits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Minimum guaranteed upstream bandwidth, in bits per second,

allowed for a service with this service class.

MUST NOT be changed while this row is active."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,
Annex C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 4 }

docsIfQosProfMaxDownBandwidth OBJECT-TYPE

SYNTAX Integer32 (0..100000000)

UNITS "bits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum downstream bandwidth,
in bits per second,

allowed for a service with this service class.

Zero if there is no restriction of downstream bandwidth.

MUST NOT be changed while this row is active."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Annex C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 5 }

docsIfQosProfMaxTxBurst OBJECT-TYPE

SYNTAX Integer32 (0..255)

UNITS "mini-slots"

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The maximum number of mini-slots that may be requested
for a single upstream transmission.

A value of zero means there is no limit.

MUST NOT be changed while this row is active.

This object has been deprecated and replaced by
docsIfQosProfMaxTransmitBurst, to fix a mismatch
of the units and value range with respect to

the DOCSIS

Maximum Upstream Channel Transmit Burst Configuration
Setting."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 6 }

docsIfQosProfBaselinePrivacy OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether Baseline Privacy is enabled for this
service class.

MUST NOT be changed while this row is active."

DEFVAL { false }

::= { docsIfQosProfileEntry 7 }

docsIfQosProfStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used to create or delete rows in this table. This object MUST NOT be changed from active while the row is referenced by any entry in either docsIfCmServiceTable

(on the CM) or

docsIfCmtsServiceTable (on the CMTS)."

::= { docsIfQosProfileEntry 8 }

docsIfQosProfMaxTransmitBurst OBJECT-TYPE

SYNTAX Integer32 (0..65535)

UNITS "bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of bytes that may be requested for a single upstream transmission. A value of zero means there is no limit. Note: This value does not include any physical layer overhead.

MUST NOT be changed while this row is active."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex C.1.1.4."

DEFVAL { 0 }

::= { docsIfQosProfileEntry 9 }

docsIfQosProfStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The storage type for this conceptual row.

Entries with this object set to permanent(4)

do not require write operations for writable objects."

::= { docsIfQosProfileEntry 10 }

docsIfSignalQualityTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfSignalQualityEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"At the CM, describes the PHY signal quality of downstream channels. At the CMTS, this object describes the PHY signal quality of upstream channels. At the CMTS, this table MAY exclude contention intervals."

::= { docsIfBaseObjects 4 }

docsIfSignalQualityEntry OBJECT-TYPE

SYNTAX DocsIfSignalQualityEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"At the CM, this object describes the PHY characteristics of a downstream channel. At the CMTS, it describes the PHY signal quality of an upstream channel.

An entry in this table exists

for each ifEntry with an

ifType of docsCableDownstream(128) for Cable Modems.

For DOCSIS 1.1 Cable Modem Termination Systems, an entry exists for each ifEntry with an ifType of docsCableUpstream (129).

For DOCSIS 2.0 Cable Modem Termination Systems, an entry exists for each ifEntry with an ifType of docsCableUpstreamChannel (205)."

INDEX { ifIndex }

::= { docsIfSignalQualityTable 1 }

DocsIfSignalQualityEntry ::= SEQUENCE {

docsIfSigQIncludesContention TruthValue,

docsIfSigQUnerroreds Counter32,

docsIfSigQCorrecteds Counter32,

docsIfSigQUncorrectables Counter32,

docsIfSigQSignalNoise TenthdB,

docsIfSigQMicrorreflections Integer32,

docsIfSigQEqualizationData DocsEqualizerData,

docsIfSigQExtUnerroreds Counter64,

docsIfSigQExtCorrecteds Counter64,

docsIfSigQExtUncorrectables

Counter64

}

docsIfSigQIncludesContention OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"true(1) if this CMTS includes contention intervals in the counters in this table. Always false(2) for CMs."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4.1"

::= { docsIfSignalQualityEntry 1 }

docsIfSigQUnerrored OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel without error.

This includes all codewords, whether or not they were part of frames destined for this device.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated

by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 2 }

docsIfSigQCorrecteds OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel with correctable errors. This includes all codewords, whether or not they were part of frames destined for this device.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency

Interface Specification SP-RFIV2.0-I10-051209,

Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 3 }

docsIfSigQUncorrectables OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel with uncorrectable errors. This includes all codewords, whether or not they were part of frames destined for this device.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 4 }

docsIfSigQSignalNoise OBJECT-TYPE

SYNTAX TenthdB

UNITS "TenthdB"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Signal/Noise ratio as perceived for this channel.

At the CM, this object describes the Signal/Noise of the downstream channel. At the CMTS, it describes the average Signal/Noise of the upstream channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 4-1 and 4-2"

::= { docsIfSignalQualityEntry 5 }

docsIfSigQMicroreflections OBJECT-TYPE

SYNTAX Integer32 (0..255)

UNITS "-dBc"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Microreflections, including in-channel response as perceived on this interface, measured in dBc below the signal level.

This object is not assumed to return an absolutely accurate value, but it gives a rough indication

of microreflections received on this interface.
It is up to the implementer to provide information as accurately as possible."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 4-1 and 4-2"

::= { docsIfSignalQualityEntry 6 }

docsIfSigQEqualizationData OBJECT-TYPE

SYNTAX DocsEqualizerData

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CM, this object returns the equalization data for the downstream channel.

At the CMTS, this object is not applicable and is not instantiated. Note that previous CMTS implementations may instantiate this object in two ways:

- An equalization value indicating an equalization average for the upstream channel. Those values have vendor-dependent

interpretations.

- Return a zero-length OCTET STRING to indicate that the value is unknown or if there is no equalization data available or defined."

REFERENCE

"DOCSIS Radio Frequency Interface Specification, Figure 6-23."

::= { docsIfSignalQualityEntry 7 }

docsIfSigQExtUnerroreds OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel without error.

This includes all codewords, whether or not they were part of frames destined for this device.

This is the 64-bit version of docsIfSigQUnerroreds.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 8 }

docsIfSigQExtCorrecteds OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel with correctable errors. This includes all codewords, whether or not they were part of frames destined for this device. This is the 64-bit version of docsIfSigQCorrecteds. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Sections 6.2.4, and 6.3.6."

::= { docsIfSignalQualityEntry 9 }

docsIfSigQExtUncorrectables OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received on this channel with uncorrectable errors. This includes all codewords, whether or not they were part of frames destined for this device. This is the 64-bit version of docsIfSigQUncorrectables. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

```

    "Data-Over-Cable Service Interface Specifications: Radio
    Frequency Interface Specification SP-RFIV2.0-I10-051209,
    Sections 6.2.4, 6.3.6."
    ::= { docsIfSignalQualityEntry 10 }

--
-- DOCSIS Version of
the device
--

docsIfDocsisBaseCapability OBJECT-TYPE
    SYNTAX      DocsisVersion
    MAX-ACCESS  read-only
    STATUS      current
    DESCRIPTION
        "Indication of the DOCSIS capability of the device."
    REFERENCE
        "Data-Over-Cable Service Interface Specifications: Radio
        Frequency Interface Specification SP-RFIV2.0-I10-051209,
        Annex G."
    ::= { docsIfBaseObjects 5 }

--
-- CABLE MODEM GROUP
--

--
-- The CM MAC Table
--

docsIfCmMacTable OBJECT-TYPE
    SYNTAX      SEQUENCE OF DocsIfCmMacEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "Describes the attributes of each CM MAC interface,
        extending the information available from ifEntry."
    ::= { docsIfCmObjects 1 }

docsIfCmMacEntry OBJECT-TYPE
    SYNTAX      DocsIfCmMacEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "An entry containing objects describing attributes

```

of
each MAC entry, extending the information in ifEntry.
An entry in this table exists for each ifEntry with an
ifType of docsCableMaclayer(127)."
INDEX { ifIndex }
::= { docsIfCmMacTable 1 }

```
DocsIfCmMacEntry ::= SEQUENCE {  
    docsIfCmCmtsAddress    MacAddress,  
    docsIfCmCapabilities    BITS,  
    docsIfCmRangingRespTimeout  TimeTicks,  
    docsIfCmRangingTimeout    TimeInterval  
}
```

docsIfCmCmtsAddress OBJECT-TYPE

SYNTAX MacAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Identifies the CMTS that is believed to control this MAC domain. At the CM, this will be the source address from SYNC, MAP, and other MAC-layer messages. If the CMTS is unknown, returns 00-00-00-00-00-00."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.2.2."

```
::= { docsIfCmMacEntry 1 }
```

docsIfCmCapabilities OBJECT-TYPE

```
SYNTAX BITS {
```

```
    atmCells(0),
```

```
    concatenation(1)
```

```
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Identifies the capabilities of the MAC implementation at this interface. Note that packet transmission is always supported. Therefore, there is no specific bit required to explicitly indicate this capability.

Note that BITS objects are encoded most significant bit first. For example, if bit 1 is set, the value of this object is the octet string '40'H."

```
::= { docsIfCmMacEntry 2 }
```

docsIfCmRangingRespTimeout OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-write

STATUS obsolete

DESCRIPTION

"Waiting time for a Ranging Response packet.

This object has been obsoleted and replaced by
docsIfCmRangingTimeout to correct

the typing to

TimeInterval."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 9.1.6."

DEFVAL { 20 }

::= { docsIfCmMacEntry 3 }

docsIfCmRangingTimeout OBJECT-TYPE

SYNTAX TimeInterval

UNITS "HundredOfSeconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Waiting time for a Ranging Response packet.

This object MUST NOT persist at reinitialization
of the managed system."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 9.1.6, timer T3."

DEFVAL { 20 }

::= { docsIfCmMacEntry 4 }

--

-- CM status table.

-- This table is implemented only at the CM.

--

docsIfCmStatusTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table maintains a number of status objects

and counters for Cable Modems."
 ::= { docsIfCmObjects 2 }

docsIfCmStatusEntry OBJECT-TYPE

SYNTAX DocsIfCmStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of status objects and counters for a single MAC layer instance in Cable Modem.

An entry in this table exists for each ifEntry with an ifType of docsCableMaclayer(127)."

INDEX { ifIndex }

::= { docsIfCmStatusTable 1 }

DocsIfCmStatusEntry ::= SEQUENCE {

docsIfCmStatusValue INTEGER,
docsIfCmStatusCode OCTET STRING,
docsIfCmStatusTxPower TenthdBmV,
docsIfCmStatusResets Counter32,
docsIfCmStatusLostSyncs Counter32,

docsIfCmStatusInvalidMaps Counter32,
docsIfCmStatusInvalidUcDs

Counter32,

docsIfCmStatusInvalidRangingResponses Counter32,

docsIfCmStatusInvalidRegistrationResponses Counter32,

docsIfCmStatusT1Timeouts Counter32,

docsIfCmStatusT2Timeouts Counter32,

docsIfCmStatusT3Timeouts Counter32,

docsIfCmStatusT4Timeouts Counter32,

docsIfCmStatusRangingAborted Counter32,

docsIfCmStatusDocsisOperMode DocsisQosVersion,

docsIfCmStatusModulationType DocsisUpstreamType,

docsIfCmStatusEqualizationData DocsEqualizerData,

docsIfCmStatusUCCs Counter32,

docsIfCmStatusUCCFails Counter32

}

docsIfCmStatusValue OBJECT-TYPE

SYNTAX INTEGER {

other(1),

notReady(2),

notSynchronized(3),

phySynchronized(4),

usParametersAcquired(5),

```
rangingComplete(6),
ipComplete(7),
todEstablished(8),
securityEstablished(9),
paramTransferComplete(10),
registrationComplete(11),
operational(12),
accessDenied(13)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current Cable Modem connectivity state, as specified in the RF Interface Specification. Interpretations for state values 1-12 are clearly outlined in the SP-RFI reference given below.

The state value accessDenied(13) indicates the CMTS has sent a Registration Aborted message to the CM. The same state is reported as accessDenied(7) by the CMTS object docsIfCmtsCmStatusValue."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIv2.0-I10-051209, Section 11.2.

Data-Over-Cable Service Interface Specifications:

Operations Support System Interface Specification
SP-OSSIv2.0-I09-050812,

Section 6.3.4.2."

```
::= { docsIfCmStatusEntry 1 }
```

docsIfCmStatusCode OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0 | 5 | 6))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Status code for a Cable Modem as defined in the OSSI Specification. The status code consists of a single character indicating error groups, followed by a two- or three-digit number indicating the status condition, followed by a decimal.

An example of a returned value could be 'T101.0'.

The zero-length OCTET STRING indicates no status code yet registered."

REFERENCE

"Data-Over-Cable Service Interface Specifications:

Operations Support System Interface Specification

SP-OSSIV2.0-I09-050812, Annex D."

::= { docsIfCmStatusEntry 2 }

docsIfCmStatusTxPower OBJECT-TYPE

SYNTAX TenthdBmV

UNITS "TenthdBmV"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The operational transmit power for the attached upstream channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.18."

::= { docsIfCmStatusEntry 3 }

docsIfCmStatusResets OBJECT-TYPE

SYNTAX Counter32

UNITS "resets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM reset or initialized this interface.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmStatusEntry 4 }

docsIfCmStatusLostSyncs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM lost synchronization with the downstream channel.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.3.2."

::= { docsIfCmStatusEntry 5 }

docsIfCmStatusInvalidMaps OBJECT-TYPE

SYNTAX Counter32

UNITS "maps"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid MAP messages.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.3.4."

::= { docsIfCmStatusEntry 6 }

docsIfCmStatusInvalidUcds OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid UCD messages.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.3.3."

::= { docsIfCmStatusEntry 7 }

docsIfCmStatusInvalidRangingResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid ranging response messages.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.6."

::= { docsIfCmStatusEntry 8 }

docsIfCmStatusInvalidRegistrationResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the CM received invalid registration response messages.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as

indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 8.3.8."

::= { docsIfCmStatusEntry 9 }

docsIfCmStatusT1Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times counter T1 expired in the CM.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Figure 9-2."

::= { docsIfCmStatusEntry 10 }

docsIfCmStatusT2Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times counter T2 expired in the CM.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Figure 9-2."

::= { docsIfCmStatusEntry 11 }

docsIfCmStatusT3Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times counter T3 expired in the CM.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times
as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Figure 9-2."

::= { docsIfCmStatusEntry 12 }

docsIfCmStatusT4Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times counter T4 expired in the CM.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Figure 9-2."

::= { docsIfCmStatusEntry 13 }

docsIfCmStatusRangingAborted

OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times the ranging process was aborted
by the CMTS.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 9.3.3."

::= { docsIfCmStatusEntry 14 }

docsIfCmStatusDocsisOperMode OBJECT-TYPE

SYNTAX DocsisQosVersion

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indication of whether the device has registered using 1.0
Class of Service or 1.1 Quality of Service.
An unregistered CM SHOULD indicate 'docsis11'

for a

docsIfDocsisBaseCapability value of DOCSIS 1.1/2.0. An
unregistered CM SHOULD indicate 'docsis10' for a
docsIfDocsisBaseCapability value of DOCSIS 1.0."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Annex G."

::= { docsIfCmStatusEntry 15 }

docsIfCmStatusModulationType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates modulation type status currently used by the CM. Since this object specifically identifies PHY mode, the shared upstream channel type is not permitted."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.1."

::= { docsIfCmStatusEntry 16 }

docsIfCmStatusEqualizationData OBJECT-TYPE

SYNTAX DocsEqualizerData

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Pre-equalization data for this CM after convolution with data indicated in the RNG-RSP. This data is valid when docsIfUpChannelPreEqEnable is set to true."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Figure 8-23."

::= { docsIfCmStatusEntry 17 }

docsIfCmStatusUCCs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of successful Upstream Channel Change transactions.
Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmStatusEntry 18 }

docsIfCmStatusUCCFails OBJECT-TYPE


```
SYNTAX      Counter32
UNITS       "attempts"
```

```
MAX-ACCESS  read-only
STATUS      current
DESCRIPTION
```

```
"The number of failed Upstream Channel Change
transactions.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."
```

```
::= { docsIfCmStatusEntry 19 }
```

```
--
-- The Cable Modem Service Table
--
```

```
docsIfCmServiceTable OBJECT-TYPE
```

```
SYNTAX      SEQUENCE OF DocsIfCmServiceEntry
MAX-ACCESS  not-accessible
STATUS      current
DESCRIPTION
```

```
"Describes the attributes of each upstream service queue
on a CM."
```

```
::= { docsIfCmObjects 3 }
```

```
docsIfCmServiceEntry OBJECT-TYPE
```

```
SYNTAX      DocsIfCmServiceEntry
MAX-ACCESS  not-accessible
STATUS      current
DESCRIPTION
```

```
"Describes the attributes of an upstream bandwidth service
queue.
An entry in this table exists for each Service ID.
The primary index is an ifIndex with an ifType of
docsCableMaclayer(127)."
```

```
INDEX { ifIndex, docsIfCmServiceId }
```

```
::= { docsIfCmServiceTable 1 }
```

```
DocsIfCmServiceEntry ::= SEQUENCE {
```

```
docsIfCmServiceId      Integer32,
docsIfCmServiceQosProfile Integer32,
docsIfCmServiceTxSlotsImmed Counter32,
docsIfCmServiceTxSlotsDed Counter32,
```

```
docsIfCmServiceTxRetries    Counter32,  
docsIfCmServiceTxExceededs Counter32,  
docsIfCmServiceRqRetries   Counter32,  
docsIfCmServiceRqExceededs Counter32,  
docsIfCmServiceExtTxSlotsImmed Counter64,  
docsIfCmServiceExtTxSlotsDed Counter64
```

```
}
```

docsIfCmServiceId OBJECT-TYPE

SYNTAX Integer32 (1..16383)

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"Identifies a service queue for upstream bandwidth. The attributes of this service queue are shared between the CM and the CMTS. The CMTS allocates upstream bandwidth to this service queue based on requests from the CM and on the class of service associated with this queue."

::= { docsIfCmServiceEntry 1 }

docsIfCmServiceQosProfile OBJECT-TYPE

SYNTAX Integer32 (0..16383)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index in docsIfQosProfileTable describing the quality of service attributes associated with this particular service. If no associated entry in docsIfQosProfileTable exists, this object returns a value of zero."

::= { docsIfCmServiceEntry 2 }

docsIfCmServiceTxSlotsImmed OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in immediate (contention) mode. This includes only those PDUs that are presumed to have arrived at the head-end (i.e., those that were explicitly acknowledged). It does not include retransmission attempts or mini-slots used by requests."

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 3 }

docsIfCmServiceTxSlotsDed OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in dedicated mode (i.e., as a result of a unicast Data Grant).

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 4 }

docsIfCmServiceTxRetries OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of attempts to transmit data PDUs containing requests for acknowledgment that did not result in acknowledgment.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 9.4."

::= { docsIfCmServiceEntry 5 }

docsIfCmServiceTxExceededs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of data PDU transmission failures due to
excessive retries without acknowledgment.

Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications:

Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 9.4."

::= { docsIfCmServiceEntry 6 }

docsIfCmServiceRqRetries OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of attempts to transmit bandwidth requests
that did not result in acknowledgment.

Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 9.4."

::= { docsIfCmServiceEntry 7 }

docsIfCmServiceRqExceededs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"The number of requests for bandwidth that failed due to excessive retries without acknowledgment.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 8 }

docsIfCmServiceExtTxSlotsImmed OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in immediate (contention) mode. This includes only those PDUs that are presumed to have arrived at the head-end

(i.e., those that were explicitly

acknowledged). It does not include retransmission attempts or mini-slots used by requests.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 9 }

docsIfCmServiceExtTxSlotsDed OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of upstream mini-slots that have been used to transmit data PDUs in dedicated mode (i.e., as a result of a unicast Data Grant).

Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.4."

::= { docsIfCmServiceEntry 10 }

--

-- CMTS GROUP

--

--

-- The CMTS MAC Table

--

docsIfCmtsMacTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes of each CMTS MAC interface, extending the information available from ifEntry.

Mandatory for all CMTS devices."

::= { docsIfCmtsObjects 1 }

docsIfCmtsMacEntry OBJECT-TYPE

SYNTAX DocsIfCmtsMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry containing objects describing attributes of each MAC entry, extending the information in ifEntry.

An entry in this table exists for each ifEntry with an ifType of docsCableMaclayer(127)."

INDEX { ifIndex }

::= { docsIfCmtsMacTable 1 }

DocsIfCmtsMacEntry ::= SEQUENCE {

```

docsIfCmtsCapabilities      BITS,
docsIfCmtsSyncInterval     Integer32,
docsIfCmtsUcdInterval      Integer32,
docsIfCmtsMaxServiceIds    Integer32,
docsIfCmtsInsertionInterval TimeTicks, -- Obsolete
docsIfCmtsInvitedRangingAttempts Integer32,
docsIfCmtsInsertInterval   TimeInterval,
docsIfCmtsMacStorageType   StorageType
}

```

docsIfCmtsCapabilities OBJECT-TYPE

```

SYNTAX  BITS {
    atmCells(0),
    concatenation(1)
}

```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Identifies the capabilities of the CMTS MAC implementation at this interface. Note that packet transmission is always supported. Therefore, there is no specific bit required to explicitly indicate this capability. Note that BITS objects are encoded most significant bit first. For example, if bit 1 is set, the value of this object is the octet string '40'H."
 ::= { docsIfCmtsMacEntry 1 }

docsIfCmtsSyncInterval OBJECT-TYPE

```

SYNTAX  Integer32 (1..200)

```

```

UNITS   "Milliseconds"

```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The interval between CMTS transmission of successive SYNC messages at this interface."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.3."

```

::= { docsIfCmtsMacEntry 2 }

```

docsIfCmtsUcdInterval OBJECT-TYPE

```

SYNTAX  Integer32 (1..2000)

```

UNITS "Milliseconds"
MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The interval between CMTS transmission of successive Upstream Channel Descriptor messages for each upstream channel at this interface."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.3"

::= { docsIfCmtsMacEntry 3 }

docsIfCmtsMaxServiceIds OBJECT-TYPE

SYNTAX Integer32 (1..16383)

UNITS "SIDs"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum number of service IDs that may be simultaneously active."

::= { docsIfCmtsMacEntry 4 }

docsIfCmtsInsertionInterval OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-write

STATUS obsolete

DESCRIPTION

"The amount of time to elapse between each broadcast initial maintenance grant. Broadcast initial maintenance grants are used to allow

new cable modems to join the

network. Zero indicates that a vendor-specific algorithm is used instead of a fixed time. The maximum amount of

time permitted by the specification is 2 seconds.

This object has been obsoleted and replaced by docsIfCmtsInsertInterval to fix a SYNTAX typing problem."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex B."

::= { docsIfCmtsMacEntry 5 }

docsIfCmtsInvitedRangingAttempts OBJECT-TYPE

SYNTAX Integer32 (0..1024)
UNITS "attempts"
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"The maximum number of attempts to make on invitations for ranging requests. A value of zero means the system SHOULD attempt to range forever."
REFERENCE
"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 9.3.3 and Annex B."
::= { docsIfCmtsMacEntry 6 }

docsIfCmtsInsertInterval OBJECT-TYPE

SYNTAX TimeInterval
UNITS "HundredOfSeconds"
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"The amount of time to elapse between each broadcast initial maintenance grant. Broadcast initial maintenance grants are used to allow new cable modems to join the network. Zero indicates that a vendor-specific algorithm is used instead of a fixed time. The maximum amount of time permitted by the specification is 2 seconds."
REFERENCE
"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex B."
::= { docsIfCmtsMacEntry 7 }

docsIfCmtsMacStorageType OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-only
STATUS
current
DESCRIPTION
"The storage type for this conceptual row.

Entries with this object set to permanent(4) do not require write operations for read-write objects."
::= { docsIfCmtsMacEntry 8 }

--
--
-- CMTS status table.
--

docsIfCmtsStatusTable OBJECT-TYPE
SYNTAX SEQUENCE OF DocsIfCmtsStatusEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"For the MAC layer, this group maintains a number of
status objects and counters."
::= { docsIfCmtsObjects 2 }

docsIfCmtsStatusEntry OBJECT-TYPE
SYNTAX DocsIfCmtsStatusEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Status entry for a single MAC layer.
An entry in this table exists for each ifEntry with an
ifType of docsCableMaclayer(127)."
INDEX { ifIndex }
::= { docsIfCmtsStatusTable 1 }

DocsIfCmtsStatusEntry ::= SEQUENCE {
docsIfCmtsStatusInvalidRangeReqs
Counter32,
docsIfCmtsStatusRangingAborted Counter32,
docsIfCmtsStatusInvalidRegReqs Counter32,
docsIfCmtsStatusFailedRegReqs Counter32,
docsIfCmtsStatusInvalidDataReqs Counter32,
docsIfCmtsStatusT5Timeouts Counter32
}

docsIfCmtsStatusInvalidRangeReqs OBJECT-TYPE
SYNTAX Counter32
UNITS "messages"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This object counts invalid RNG-REQ messages received on
this interface.
Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other

times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.3.5."

::= { docsIfCmtsStatusEntry 1 }

docsIfCmtsStatusRangingAborted OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts ranging attempts that were explicitly
aborted by the CMTS.

Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.3.6."

::= { docsIfCmtsStatusEntry 2 }

docsIfCmtsStatusInvalidRegReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts invalid REG-REQ messages
received on

this interface; that is, syntax, out of range parameters,
or erroneous requests.

Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.3.7."

::= { docsIfCmtsStatusEntry 3 }

docsIfCmtsStatusFailedRegReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "attempts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts failed registration attempts. Included are docsIfCmtsStatusInvalidRegReqs, authentication, and class of service failures.

Discontinuities in the value of this counter can occur at reinitialization

of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFiv2.0-I10-051209, Section 8.3.7."

::= { docsIfCmtsStatusEntry 4 }

docsIfCmtsStatusInvalidDataReqs OBJECT-TYPE

SYNTAX Counter32

UNITS "messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts invalid data request messages received on this interface.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsStatusEntry 5 }

docsIfCmtsStatusT5Timeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts the number of times counter T5 expired on this interface.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Figure 9-2."

::= { docsIfCmtsStatusEntry 6 }

--
-- CM status table (within CMTS).
-- This table is implemented only at the CMTS.
-- It contains per-CM status information available in the CMTS.
--

docsIfCmtsCmStatusTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsCmStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of objects in the CMTS, maintained for each
cable modem connected to this CMTS."

::= { docsIfCmtsObjects 3 }

docsIfCmtsCmStatusEntry OBJECT-TYPE

SYNTAX DocsIfCmtsCmStatusEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Status information for a single cable modem.
An entry in this table exists for each cable modem
that is connected to the CMTS implementing this table."

INDEX { docsIfCmtsCmStatusIndex }

::= { docsIfCmtsCmStatusTable 1 }

DocsIfCmtsCmStatusEntry ::= SEQUENCE {

docsIfCmtsCmStatusIndex Integer32,
docsIfCmtsCmStatusMacAddress MacAddress,
docsIfCmtsCmStatusIpAddress IpAddress, -- deprecated
docsIfCmtsCmStatusDownChannelIfIndex InterfaceIndexOrZero,
docsIfCmtsCmStatusUpChannelIfIndex InterfaceIndexOrZero,
docsIfCmtsCmStatusRxPower TenthdBmV,
docsIfCmtsCmStatusTimingOffset Unsigned32,
docsIfCmtsCmStatusEqualizationData

DocsEqualizerData,

docsIfCmtsCmStatusValue INTEGER,
docsIfCmtsCmStatusUnerroreds Counter32,
docsIfCmtsCmStatusCorrecteds Counter32,
docsIfCmtsCmStatusUncorrectables Counter32,
docsIfCmtsCmStatusSignalNoise TenthdB,

docsIfCmtsCmStatusMicroreflections Integer32,
docsIfCmtsCmStatusExtUnerrored Counter64,
docsIfCmtsCmStatusExtCorrecteds Counter64,
docsIfCmtsCmStatusExtUncorrectables Counter64,
docsIfCmtsCmStatusDocsisRegMode DocsisQosVersion,
docsIfCmtsCmStatusModulationType DocsisUpstreamType,
docsIfCmtsCmStatusInetAddressType InetAddressType,
docsIfCmtsCmStatusInetAddress InetAddress,

docsIfCmtsCmStatusValueLastUpdate TimeStamp,
docsIfCmtsCmStatusHighResolutionTimingOffset Unsigned32
}

docsIfCmtsCmStatusIndex OBJECT-TYPE

SYNTAX

Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Index value to uniquely identify an entry in this table.

For an individual cable modem, this index value SHOULD
NOT change during CMTS uptime."

::= { docsIfCmtsCmStatusEntry 1 }

docsIfCmtsCmStatusMacAddress OBJECT-TYPE

SYNTAX MacAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"MAC address of the cable modem. If the cable modem has
multiple MAC addresses, this is the MAC address associated
with the Cable interface."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 8.2.2."

::= { docsIfCmtsCmStatusEntry 2 }

docsIfCmtsCmStatusIpAddress OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"IP address

of this cable modem. If the cable modem has no

IP address assigned, or the IP address is unknown, this

object returns a value of 0.0.0.0. If the cable modem has multiple IP addresses, this object returns the IP address associated with the Cable interface.

This object has been deprecated and replaced by docsIfCmtsCmStatusInetAddressType and docsIfCmtsCmStatusInetAddress, to enable IPv6 addressing in the future."

::= { docsIfCmtsCmStatusEntry 3 }

docsIfCmtsCmStatusDownChannelIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"IfIndex of the downstream channel that this CM is connected to. If the downstream channel is unknown, this object returns a value of zero."

::= { docsIfCmtsCmStatusEntry 4 }

docsIfCmtsCmStatusUpChannelIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"For DOCSIS 2.0, indicates the ifIndex of the logical upstream channel (ifType 205) this CM is connected to. For DOCSIS 1.x, indicates the ifIndex of the upstream channel (ifType 129) this CM is connected to. If the upstream channel is unknown, this object returns a value of zero."

::= { docsIfCmtsCmStatusEntry 5 }

docsIfCmtsCmStatusRxPower OBJECT-TYPE

SYNTAX TenthdBmV

UNITS "TenthdBmV"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The receive power as perceived for upstream data from this cable modem. If the receive power is unknown, this object returns a value of zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.18."

```
::= { docsIfCmtsCmStatusEntry 6  
}
```

docsIfCmtsCmStatusTimingOffset OBJECT-TYPE

SYNTAX Unsigned32 (0..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A measure of the current round trip time for this CM.

Used for timing of CM upstream transmissions to ensure
synchronized arrivals at the CMTS. Units are in terms
of (6.25 microseconds/64). Returns zero if the value
is unknown.

For channels requiring finer resolution, please refer to
object docsIfCmtsCmStatusHighResolutionTimingOffset."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.17."

```
::= { docsIfCmtsCmStatusEntry 7 }
```

docsIfCmtsCmStatusEqualizationData OBJECT-TYPE

SYNTAX DocsEqualizerData

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Equalization data for this CM, as measured by the CMTS.

Returns the zero-length OCTET STRING if the value is
unknown or if there is no equalization data available
or defined."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Figure 8-23."

```
::= { docsIfCmtsCmStatusEntry 8 }
```

docsIfCmtsCmStatusValue OBJECT-TYPE

SYNTAX INTEGER {

other(1),

ranging(2),

rangingAborted(3),

rangingComplete(4),

ipComplete(5),


```

registrationComplete(6),
accessDenied(7),
operational(8),
-- value 8 should not be used
registeredBPIInitializing(9)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Current cable modem connectivity state, as specified
in the RF Interface Specification. Returned status
information is the CM status, as assumed by the CMTS,
and indicates
the following events:
other(1)
    Any state other than below.
ranging(2)
    The CMTS has received an Initial Ranging Request
    message from the CM, and the ranging process is not
    yet complete.
rangingAborted(3)
    The CMTS has sent a Ranging Abort message to the CM.

rangingComplete(4)
    The CMTS has sent a Ranging Complete message to the CM.
ipComplete(5)
    The CMTS has received a DHCP reply message and
    forwarded it to the CM.
registrationComplete(6)
    The CMTS has sent a Registration Response message to
    the CM.
accessDenied(7)
    The CMTS has sent a Registration Aborted message
    to the CM.
operational(8)
    Value 8 is considered reserved and should not be defined
    in future revisions of this MIB module to avoid conflict
    with documented
implementations that support value 8 to
    indicate operational state after completing the BPI
    initialization process.
registeredBPIInitializing(9)
    Baseline Privacy (BPI) is enabled and the CMTS is in the
    process of completing BPI initialization. This state
    MAY last for a significant length of time if failures
    occur during the initialization process. After

```

completion of BPI initialization, the CMTS will report registrationComplete(6).

The CMTS only needs to report states it is able to detect."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 11.2."

::= { docsIfCmtsCmStatusEntry 9 }

docsIfCmtsCmStatusUnerrored OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received without error from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.4."

::= { docsIfCmtsCmStatusEntry 10 }

docsIfCmtsCmStatusCorrected OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received with correctable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime

for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.4."

::= { docsIfCmtsCmStatusEntry 11 }

docsIfCmtsCmStatusUncorrectables OBJECT-TYPE

SYNTAX Counter32

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received with uncorrectable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.4."

::= { docsIfCmtsCmStatusEntry 12 }

docsIfCmtsCmStatusSignalNoise OBJECT-TYPE

SYNTAX TenthdB

UNITS "TenthdB"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Signal/Noise ratio as perceived for upstream data from this cable modem.

If the Signal/Noise is unknown, this object returns a value of zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 4-1 and 4-2."

::= { docsIfCmtsCmStatusEntry 13 }

docsIfCmtsCmStatusMicroreflections OBJECT-TYPE

SYNTAX Integer32 (0..255)

UNITS "-dBc"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Total microreflections, including in-channel response as perceived on this interface, measured in dBc below the signal level.

This object is not assumed to return an absolutely

accurate value, but it gives a rough indication of microreflections received on this interface.

It is up to the implementer to provide information as accurately as possible.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 4-1 and 4-2"

::= { docsIfCmtsCmStatusEntry 14 }

docsIfCmtsCmStatusExtUnerrored OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received without error from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the

value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.5."

::= { docsIfCmtsCmStatusEntry 15 }

docsIfCmtsCmStatusExtCorrecteds OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received with correctable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.5."

```
::= { docsIfCmtsCmStatusEntry  
16 }
```

docsIfCmtsCmStatusExtUncorrectables OBJECT-TYPE

SYNTAX Counter64

UNITS "codewords"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Codewords received with uncorrectable errors from this cable modem.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Section 6.2.5."

```
::= { docsIfCmtsCmStatusEntry 17 }
```

docsIfCmtsCmStatusDocsisRegMode OBJECT-TYPE

SYNTAX DocsisQosVersion

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indication of whether the CM has registered using 1.0 Class of Service or 1.1 Quality of Service."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Annex G."

```
::= { docsIfCmtsCmStatusEntry 18 }
```

docsIfCmtsCmStatusModulationType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates modulation type currently used by the CM. Since this object specifically identifies PHY mode, the shared

type is not permitted. If the upstream channel is unknown, this object returns a value of zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

::= { docsIfCmtsCmStatusEntry 19 }

docsIfCmtsCmStatusInetAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of internet address of docsIfCmtsCmStatusInetAddress. If the cable modem internet address is unassigned or unknown, then the value of this object is unknown(0)."

::= { docsIfCmtsCmStatusEntry 20 }

docsIfCmtsCmStatusInetAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Internet address of this cable modem. If the Cable Modem has no Internet address assigned, or the Internet address is unknown, the value of this object is the zero-length OCTET STRING. If the cable modem has multiple Internet addresses, this object returns the Internet address associated with the Cable (i.e., RF MAC) interface."

::= { docsIfCmtsCmStatusEntry 21 }

docsIfCmtsCmStatusValueLastUpdate OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when docsIfCmtsCmStatusValue was last updated."

::= { docsIfCmtsCmStatusEntry 22 }

docsIfCmtsCmStatusHighResolutionTimingOffset OBJECT-TYPE

SYNTAX Unsigned32 (0..4294967295)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A measure of the current round trip time for this CM.
Used for timing of CM upstream transmissions to ensure
synchronized arrivals at the CMTS. Units are in terms
of (6.25 microseconds/(64*256)). Returns zero if the value
is unknown.

This is the high resolution version of object
docsIfCmtsCmStatusTimingOffset, for channels requiring
finer resolution."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Section 6.2.17."

::= { docsIfCmtsCmStatusEntry
23 }

--

-- The CMTS Service Table.

--

docsIfCmtsServiceTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsServiceEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes of upstream service queues
in a Cable Modem Termination System."

::= { docsIfCmtsObjects 4 }

docsIfCmtsServiceEntry OBJECT-TYPE

SYNTAX DocsIfCmtsServiceEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes the attributes of a single upstream bandwidth
service queue.

Entries in this table exist for each ifEntry with an
ifType of docsCableMaclayer(127), and for each service
queue (Service ID) within this MAC layer.

Entries in this table are created with the creation of
individual Service IDs by the MAC layer and removed
when a Service ID is removed."

INDEX { ifIndex, docsIfCmtsServiceId }

::= { docsIfCmtsServiceTable
1 }

DocsIfCmtsServiceEntry ::= SEQUENCE {

```

docsIfCmtsServiceId      Integer32,
docsIfCmtsServiceCmStatusIndex  Integer32, -- deprecated
docsIfCmtsServiceAdminStatus  INTEGER,
docsIfCmtsServiceQosProfile   Integer32,
docsIfCmtsServiceCreateTime   TimeStamp,
docsIfCmtsServiceInOctets     Counter32,
docsIfCmtsServiceInPackets    Counter32,
docsIfCmtsServiceNewCmStatusIndex Integer32
}

```

docsIfCmtsServiceId OBJECT-TYPE

SYNTAX Integer32 (1..16383)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Identifies a service queue for upstream bandwidth. The attributes of this service queue are shared between the Cable Modem and the Cable Modem Termination System. The CMTS allocates upstream bandwidth to this service queue based on requests from the CM and on the class of service

associated with this queue."

::= { docsIfCmtsServiceEntry 1 }

docsIfCmtsServiceCmStatusIndex OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"Pointer to an entry in docsIfCmtsCmStatusTable identifying the cable modem using this Service Queue. If multiple cable modems are using this Service Queue, the value of this object is zero.

This object has been deprecated and replaced by docsIfCmtsServiceNewCmStatusIndex, to fix a mismatch of the value range with respect to docsIfCmtsCmStatusIndex (1..2147483647)."

::= { docsIfCmtsServiceEntry 2 }

docsIfCmtsServiceAdminStatus OBJECT-TYPE

SYNTAX INTEGER {

enabled(1),

disabled(2),

destroyed(3) }

MAX-ACCESS read-write

STATUS current
DESCRIPTION
"Allows a service class for a particular modem to be suppressed, (re-)enabled, or deleted altogether."

::= { docsIfCmtsServiceEntry 3 }

docsIfCmtsServiceQosProfile OBJECT-TYPE

SYNTAX Integer32 (0..16383)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index in docsIfQosProfileTable describing the quality of service attributes associated with this particular service. If no associated docsIfQosProfileTable entry exists, this object returns a value of zero."

::= { docsIfCmtsServiceEntry 4 }

docsIfCmtsServiceCreateTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was created."

::= { docsIfCmtsServiceEntry 5 }

docsIfCmtsServiceInOctets OBJECT-TYPE

SYNTAX Counter32

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The cumulative number of Packet Data octets received on this Service

ID. The count does not include the size of the Cable MAC header. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsServiceEntry 6 }

docsIfCmtsServiceInPackets OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The cumulative number of Packet Data packets received on this Service ID.
Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsServiceEntry 7 }

docsIfCmtsServiceNewCmStatusIndex OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"Pointer (via docsIfCmtsCmStatusIndex) to an entry in docsIfCmtsCmStatusTable identifying the cable modem using this Service Queue. If multiple cable modems are using this Service Queue, the value of this object is zero."

::= { docsIfCmtsServiceEntry 8 }

--

-- The following table provides upstream channel modulation profiles.

-- Entries in this table can be

-- re-used by one or more upstream channels. An upstream channel

-- will have a modulation profile for each value of

-- docsIfModIntervalUsageCode.

--

docsIfCmtsModulationTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsModulationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a modulation profile associated with one or more upstream channels."

::= { docsIfCmtsObjects 5 }

docsIfCmtsModulationEntry OBJECT-TYPE

SYNTAX DocsIfCmtsModulationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a modulation profile for an Interval Usage Code for one or more upstream channels.
Entries in this table are created by the operator.

Initial default entries MAY be created at system initialization time, which could report a value of 'permanent' or 'readOnly' for docsIfCmtsModStorageType. A CMTS MAY reject the creation of additional Interval Usage Codes for a modulation profile being defined at Initialization time.
No individual objects have to be specified in order to create an entry in this table.

Note that some objects do not have DEFVAL clauses but do have calculated defaults and need not be specified during row creation."

```
INDEX { docsIfCmtsModIndex, docsIfCmtsModIntervalUsageCode }  
::= { docsIfCmtsModulationTable 1 }
```

DocsIfCmtsModulationEntry

```
::= SEQUENCE {  
    docsIfCmtsModIndex          Integer32,  
    docsIfCmtsModIntervalUsageCode  INTEGER,  
    docsIfCmtsModControl        RowStatus,  
    docsIfCmtsModType           INTEGER,  
    docsIfCmtsModPreambleLen     Integer32,  
    docsIfCmtsModDifferentialEncoding  TruthValue,  
    docsIfCmtsModFECErrorCorrection  Integer32,  
    docsIfCmtsModFECCodewordLength  Integer32,  
    docsIfCmtsModScramblerSeed     Integer32,  
    docsIfCmtsModMaxBurstSize      Integer32,  
    docsIfCmtsModGuardTimeSize     Unsigned32,  
    docsIfCmtsModLastCodewordShortened  TruthValue,  
    docsIfCmtsModScrambler        TruthValue,  
    docsIfCmtsModByteInterleaverDepth  Unsigned32,  
    docsIfCmtsModByteInterleaverBlockSize  Unsigned32,  
    docsIfCmtsModPreambleType      INTEGER,  
    docsIfCmtsModTcmErrorCorrectionOn  TruthValue,  
    docsIfCmtsModScdmaInterleaverStepSize  Unsigned32,  
    docsIfCmtsModScdmaSpreaderEnable  TruthValue,  
    docsIfCmtsModScdmaSubframeCodes  Unsigned32,  
    docsIfCmtsModChannelType        DocsisUpstreamType,  
    docsIfCmtsModStorageType        StorageType  
}
```

docsIfCmtsModIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index into the Channel Modulation table representing a group of Interval Usage Codes, all associated with the same channel."

::= { docsIfCmtsModulationEntry 1 }

docsIfCmtsModIntervalUsageCode OBJECT-TYPE

SYNTAX INTEGER {

request(1),

requestData(2),

initialRanging(3),

periodicRanging(4),

shortData(5),

longData(6),

advPhyShortData(9),

advPhyLongData(10),

ugs(11)

}

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index into the Channel Modulation table that, when grouped with other Interval Usage Codes, fully instantiates all modulation sets for a given upstream channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-20."

::= { docsIfCmtsModulationEntry 2 }

docsIfCmtsModControl OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Controls and reflects the status of rows in this table. There is no restriction on the changing of values in this table while their associated rows are active, with the exception of:

1. If a modulation profile is being referenced by one or more upstream channels, an attempt to set the value of docsIfCmtsModChannelType returns an 'inconsistentValue' error.

2. If a modulation profile is being referenced by one or more upstream channels, an attempt to set docsIfCmtsModControl to destroy(6) or notInService(2) returns an 'inconsistentValue' error."

```
::= { docsIfCmtsModulationEntry 3 }
```

docsIfCmtsModType OBJECT-TYPE

SYNTAX INTEGER {

other(1),
 qpsk(2),
 qam16(3),
 qam8(4),
 qam32(5),
 qam64(6),
 qam128(7)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The modulation type used on this channel. Returns other(1) if the modulation type is not qpsk, qam16, qam8, qam32, qam64, or qam128. Type qam128 is used for SCDMA channels only. See the reference for the modulation profiles implied by different modulation types."

REFERENCE

"Data-Over-Cable Service Interface Specifications:

Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { qpsk }

```
::= { docsIfCmtsModulationEntry 4 }
```

docsIfCmtsModPreambleLen OBJECT-TYPE

SYNTAX Integer32 (0..1536)

UNITS "bits"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The preamble length for this modulation profile in bits.
Default value is the minimum needed by the implementation
at the CMTS for the given modulation profile."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Tables 6-7, and 8-19."

::= { docsIfCmtsModulationEntry 5 }

docsIfCmtsModDifferentialEncoding OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Specifies whether or not differential encoding is used
on this channel."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Tables 6-7, and 8-19."

DEFVAL { false }

::= { docsIfCmtsModulationEntry 6 }

docsIfCmtsModFECErrorCorrection OBJECT-TYPE

SYNTAX Integer32 (0..16)

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of correctable errored bytes (t) used in
forward error correction code. The value of 0 indicates
that no correction is employed. The number of check bytes
appended will be twice this value."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio
Frequency Interface Specification SP-RFIV2.0-I10-051209,
Tables 6-7, and 8-19."

DEFVAL { 0 }

::= { docsIfCmtsModulationEntry 7 }

docsIfCmtsModFECCodewordLength OBJECT-TYPE

SYNTAX Integer32 (1..255)

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of data bytes (k) in the forward error correction codeword.

This object is not used if docsIfCmtsModFECErrorCorrection is zero."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { 32 }

::= { docsIfCmtsModulationEntry 8 }

docsIfCmtsModScramblerSeed OBJECT-TYPE

SYNTAX Integer32 (0..32767)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The 15-bit seed value for the scrambler polynomial."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

DEFVAL { 0 }

::= { docsIfCmtsModulationEntry 9 }

docsIfCmtsModMaxBurstSize OBJECT-TYPE

SYNTAX Integer32

(0..255)

UNITS "mini-slots"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of mini-slots that can be transmitted during this channel's burst time. Returns zero if the burst length is bounded by the allocation MAP rather than by this profile.

Default value is 0, except for shortData, where it is 8."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

::= { docsIfCmtsModulationEntry 10 }

docsIfCmtsModGuardTimeSize OBJECT-TYPE

SYNTAX Unsigned32

UNITS "Symbol-times"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of symbol-times that MUST follow the end of this channel's burst. Default value is the minimum time needed by the implementation for this modulation profile."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

::= { docsIfCmtsModulationEntry 11 }

docsIfCmtsModLastCodewordShortened OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the last FEC codeword is truncated."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { true }

::= { docsIfCmtsModulationEntry 12 }

docsIfCmtsModScrambler OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the scrambler is employed."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { false }

::= { docsIfCmtsModulationEntry 13 }

docsIfCmtsModByteInterleaverDepth OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"ATDMA Byte Interleaver Depth (Ir). This object returns 1 for non-ATDMA profiles."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { 1 }

::= { docsIfCmtsModulationEntry 14 }

docsIfCmtsModByteInterleaverBlockSize OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"ATDMA Byte Interleaver Block size (Br). This object returns zero for non-ATDMA profiles "

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { 18 }

::= { docsIfCmtsModulationEntry 15 }

docsIfCmtsModPreambleType OBJECT-TYPE

SYNTAX INTEGER {

unknown(0),

qpsk0(1),

qpsk1(2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Preamble type for DOCSIS 2.0 bursts. The value 'unknown(0)' represents a row entry consisting only of DOCSIS 1.x bursts"

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { qpsk0 }

::= { docsIfCmtsModulationEntry 16 }

docsIfCmtsModTcmErrorCorrectionOn OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Trellis Code Modulation (TCM) On/Off. This value returns false for non-S-CDMA profiles."

REFERENCE

"Data-Over-Cable

Service Interface Specifications: Radio

Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { false }

::= { docsIfCmtsModulationEntry 17 }

docsIfCmtsModScdmaInterleaverStepSize OBJECT-TYPE

SYNTAX Unsigned32 (0 | 1..32)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" S-CDMA Interleaver step size. This value returns zero for non-S-CDMA profiles."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

DEFVAL { 1 }

::= { docsIfCmtsModulationEntry 18 }

docsIfCmtsModScdmaSpreaderEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" S-CDMA spreader. This value returns false for non-S-CDMA profiles. Default value for IUC 3 and 4 is OFF; for

all other IUCs it is ON."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Tables 6-7, and 8-19."

::= { docsIfCmtsModulationEntry 19 }

docsIfCmtsModScdmaSubframeCodes OBJECT-TYPE

SYNTAX Unsigned32 (0 | 1..128)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" S-CDMA sub-frame size. This value returns zero for non-S-CDMA profiles."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 6-7, and 8-19."

DEFVAL { 1 }

::= { docsIfCmtsModulationEntry 20 }

docsIfCmtsModChannelType OBJECT-TYPE

SYNTAX DocsisUpstreamType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Describes the modulation channel type for this modulation entry.

All the active

entries in a modulation profile (that is all

active entries that share a common docsIfCmtsModIndex)

MUST have the same value of docsIfCmtsModChannelType."

REFERENCE

"Data-Over-Cable Service Interface Specifications: Radio Frequency Interface Specification SP-RFIV2.0-I10-051209, Table 8-19."

DEFVAL { tdma }

::= { docsIfCmtsModulationEntry 21 }

docsIfCmtsModStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The storage type for this conceptual row.

Entries with this object set to permanent(4)

do not require write operations for read-write objects."

DEFVAL { nonVolatile }

::= { docsIfCmtsModulationEntry 22 }

docsIfCmtsQosProfilePermissions OBJECT-TYPE

SYNTAX BITS {

createByManagement(0),

updateByManagement(1),

createByModems(2)

```
}  
MAX-ACCESS read-write  
STATUS current  
DESCRIPTION
```

"This object specifies permitted methods of creating entries in docsIfQosProfileTable. createByManagement(0) is set if entries can be created using SNMP. updateByManagement(1) is set if updating entries using SNMP is permitted. createByModems(2) is set if entries can be created based on information in REG-REQ MAC messages received from cable modems. Information in this object is only applicable if docsIfQosProfileTable is implemented as read-create. Otherwise, this object is implemented as read-only and returns createByModems(2). Either createByManagement(0) or updateByManagement(1) MUST be set when writing to this object. Note that BITS objects are encoded most significant bit first. For example, if bit 2 is set, the value of this object is the octet string '20H."

```
::= { docsIfCmtsObjects  
6 }
```

docsIfCmtsMacToCmTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF DocsIfCmtsMacToCmEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION
```

"This is a table to provide a quick access index into the docsIfCmtsCmStatusTable. There is exactly one row in this table for each row in the docsIfCmtsCmStatusTable. In general, the management station SHOULD use this table only to get a pointer into the docsIfCmtsCmStatusTable (which corresponds to the CM's RF interface MAC address) and SHOULD not iterate (e.g., GetNext through) this table."

```
::= { docsIfCmtsObjects 7 }
```

docsIfCmtsMacToCmEntry OBJECT-TYPE

```
SYNTAX DocsIfCmtsMacToCmEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION
```

"A row in the docsIfCmtsMacToCmTable. An entry in this table exists for each cable modem that is connected to the CMTS implementing this table."

```
INDEX { docsIfCmtsCmMac }  
::= { docsIfCmtsMacToCmTable 1 }
```

DocsIfCmtsMacToCmEntry ::= SEQUENCE {

```
    docsIfCmtsCmMac   MacAddress,
    docsIfCmtsCmPtr   Integer32
}
```

docsIfCmtsCmMac OBJECT-TYPE

SYNTAX MacAddress

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The RF side MAC address for the referenced CM (e.g., the interface on the CM that has docsCableMacLayer(127) as its ifType)."

::= { docsIfCmtsMacToCmEntry 1 }

docsIfCmtsCmPtr OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"An row index into docsIfCmtsCmStatusTable. When queried with the correct instance value (e.g., a CM's MAC address), returns the index in docsIfCmtsCmStatusTable that represents that CM."

::= { docsIfCmtsMacToCmEntry 2 }

-- The following independent object and associated table provide

-- operators with a mechanism to evaluate the load/utilization of
-- both upstream and downstream physical channels. This information
-- may be used for capacity planning and incident analysis and may
-- be particularly helpful in provisioning of high value QOS.

--

-- Utilization is expressed as an index representing the calculated
-- percentage utilization of the upstream or downstream channel in
-- the most recent sampling interval (i.e., utilization interval).
-- Refer to the DESCRIPTION field of the
-- docsIfCmtsChannelUtUtilization object for definitions and
-- calculation details.

docsIfCmtsChannelUtilizationInterval OBJECT-TYPE

SYNTAX Integer32 (0..86400)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The time interval in seconds over which the channel utilization index is calculated. All upstream/downstream channels use the same docsIfCmtsChannelUtilizationInterval.

Setting a value of zero disables utilization reporting. A channel utilization index is calculated over a fixed window applying to the most recent docsIfCmtsChannelUtilizationInterval. It would therefore be prudent to use a relatively short docsIfCmtsChannelUtilizationInterval.

It is a vendor decision whether to reset the timer when docsIfCmtsChannelUtilizationInterval is changed during a utilization sampling period."

::= { docsIfCmtsObjects 8 }

docsIfCmtsChannelUtilizationTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsChannelUtilizationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Reports utilization statistics for attached upstream and downstream physical channels."

::= { docsIfCmtsObjects 9 }

docsIfCmtsChannelUtilizationEntry OBJECT-TYPE

SYNTAX DocsIfCmtsChannelUtilizationEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Utilization statistics for a single upstream or downstream physical channel. An entry exists in this table for each ifEntry with an ifType equal to docsCableDownstream (128) or docsCableUpstream (129)."

INDEX { ifIndex, docsIfCmtsChannelUtilIfType, docsIfCmtsChannelUtilId }

::= { docsIfCmtsChannelUtilizationTable 1 }

```
DocsIfCmtsChannelUtilizationEntry ::= SEQUENCE {  
    docsIfCmtsChannelUtilIfType    IANAIfType,  
    docsIfCmtsChannelUtilId        Integer32,  
    docsIfCmtsChannelUtUtilization Integer32  
}
```

docsIfCmtsChannelUtilType OBJECT-TYPE

SYNTAX IANAifType

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The secondary index into this table. Indicates the IANA interface type associated with this physical channel. Only docsCableDownstream (128) and

docsCableUpstream

(129) are valid."

::= { docsIfCmtsChannelUtilizationEntry 1 }

docsIfCmtsChannelUtilId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The tertiary index into this table. Indicates the CMTS identifier for this physical channel."

::= { docsIfCmtsChannelUtilizationEntry 2 }

docsIfCmtsChannelUtilization OBJECT-TYPE

SYNTAX Integer32 (0..100)

UNITS "percent"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The calculated and truncated utilization index for this physical upstream or downstream channel, accurate as of the most recent docsIfCmtsChannelUtilizationInterval.

Upstream Channel Utilization Index:

The upstream channel utilization index is expressed as a percentage of mini-slots utilized on the physical channel, regardless of burst type. For an Initial Maintenance region, the mini-slots for the complete region are considered utilized if the CMTS received an upstream burst within the region from any CM on the physical channel. For contention REQ and REQ/DATA regions, the mini-slots for a transmission opportunity within the region are considered utilized if the CMTS received an upstream burst within the opportunity from any CM on the physical channel. For all other regions, utilized mini-slots are those in which the CMTS granted

bandwidth to any unicast SID on the physical channel.

For an upstream interface that has multiple logical upstream channels enabled, the utilization index is a weighted sum of utilization indices for the logical channels. The weight for each utilization index is the percentage of upstream mini-slots allocated for the corresponding logical channel.

Example:

If 75% of bandwidth is allocated to the first logical channel and 25% to the second, and the utilization indices for each are 60 and 40, respectively, the

utilization index for the upstream physical channel is $(60 * 0.75) + (40 * 0.25) = 55$. This figure applies to the most recent utilization interval.

Downstream Channel Utilization Index:

The downstream channel utilization index is a percentage expressing the ratio between bytes used to transmit data versus the total number of bytes transmitted in the raw bandwidth of the MPEG channel. As with the upstream utilization index, the calculated value represents the most recent utilization interval.

Formula:

Downstream utilization index =
 $(100 * (\text{data bytes} / \text{raw bytes}))$

Definitions:

Data bytes: Number of bytes transmitted as data in the

`docsIfCmtsChannelUtilizationInterval`.

Identical to `docsIfCmtsDownChannelCtrUsed`
Bytes measured over the utilization
interval.

Raw bandwidth: Total number of bytes available for
transmitting data, not including bytes
used for headers and other overhead.

Raw bytes: $(\text{raw bandwidth} * \text{docsIfCmtsChannelUtilizationInterval})$.
Identical to `docsIfCmtsDownChannelCtrTotal`
Bytes measured over the utilization
interval."

::= { docsIfCmtsChannelUtilizationEntry 3 }

-- The following table provides operators with input data
 -- appropriate for calculating downstream channel utilization.
 -- Operators may use the docsIfCmtsChannelUtilizationTable or
 -- perform their own polling of the
 -- docsIfCmtsDownChannelCounterTable objects to characterize
 --
 their downstream channel usage. The 32-bit counter objects are
 -- included to provide backward compatibility with SNMPv1 managers,
 -- which cannot access 64-bit counter objects.

docsIfCmtsDownChannelCounterTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsDownChannelCounterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is implemented at the CMTS to collect
 downstream channel statistics for utilization

calculations."

::= { docsIfCmtsObjects 10 }

docsIfCmtsDownChannelCounterEntry OBJECT-TYPE

SYNTAX DocsIfCmtsDownChannelCounterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry provides a list of traffic counters for a single
 downstream channel.

An entry in this table exists for each ifEntry with an
 ifType of docsCableDownstream(128)."

INDEX { ifIndex }

::= { docsIfCmtsDownChannelCounterTable

1 }

DocsIfCmtsDownChannelCounterEntry ::= SEQUENCE {

docsIfCmtsDownChnlCtrId Integer32,

docsIfCmtsDownChnlCtrTotalBytes Counter32,

docsIfCmtsDownChnlCtrUsedBytes Counter32,

docsIfCmtsDownChnlCtrExtTotalBytes Counter64,

docsIfCmtsDownChnlCtrExtUsedBytes Counter64

}

docsIfCmtsDownChnlCtrId OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Cable Modem Termination System identification of the downstream channel within this particular MAC interface. If the interface is down, the object returns the most current value. If the downstream channel ID is unknown, this object returns a value of 0."

::= { docsIfCmtsDownChannelCounterEntry 1 }

docsIfCmtsDownChnlCtrTotalBytes OBJECT-TYPE

SYNTAX Counter32

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of bytes in the Payload portion of MPEG Packets (i.e., not including MPEG header or pointer_field) transported by this downstream channel. This is the 32-bit version of docsIfCmtsDownChnlCtrExtTotalBytes, included to provide back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsDownChannelCounterEntry 2 }

docsIfCmtsDownChnlCtrUsedBytes OBJECT-TYPE

SYNTAX Counter32

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of DOCSIS data bytes transported by this downstream channel.

The number of data bytes is defined as the total number

of bytes transported in DOCSIS payloads minus the number of stuff bytes transported in DOCSIS payloads.

This is the 32-bit version of

docsIfCmtsDownChnlCtrExtUsedBytes, included to provide back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsDownChannelCounterEntry 3 }

docsIfCmtsDownChnlCtrExtTotalBytes OBJECT-TYPE

SYNTAX Counter64

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of bytes in the Payload portion of MPEG Packets (i.e., not including MPEG header or pointer_field) transported by this downstream channel.

This is the 64-bit version of

docsIfCmtsDownChnlCtrTotalBytes and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsDownChannelCounterEntry 4 }

docsIfCmtsDownChnlCtrExtUsedBytes OBJECT-TYPE

SYNTAX Counter64

UNITS "Bytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"At the CMTS, the total number of DOCSIS data bytes transported by this downstream channel. The number of data bytes is defined as the total number of bytes transported in DOCSIS payloads minus the number of stuff bytes transported in DOCSIS payloads.

This is the 64-bit version of

docsIfCmtsDownChnlCtrUsedBytes and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsDownChannelCounterEntry 5 }

-- The following table provides operators with input data appropriate

-- for calculating upstream channel utilization, and for determining

-- the traffic characteristics of upstream channels. Operators may
 -- use the docsIfCmtsChannelUtilizationTable or perform their own
 -- polling of the docsIfCmtsUpChannelCounterTable objects for
 -- utilization determination.
 -- The first four 32 and 64 objects in this table are mandatory.
 -- Vendors may choose to implement the remaining optional objects to
 -- provide operators with finer characterization of upstream channel
 -- traffic patterns. The 32-bit counter objects are included to
 -- provide backward compatibility with SNMPv1 managers, which cannot
 -- access
 64-bit counter objects.

docsIfCmtsUpChannelCounterTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsIfCmtsUpChannelCounterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is implemented at the CMTS to provide upstream
 channel statistics appropriate for channel utilization
 calculations."

::= { docsIfCmtsObjects 11 }

docsIfCmtsUpChannelCounterEntry OBJECT-TYPE

SYNTAX DocsIfCmtsUpChannelCounterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"List of traffic statistics for a single upstream channel.

For DOCSIS 2.0 CMTSs, an entry in this table
 exists for each ifEntry with an ifType of
 docsCableUpstreamChannel (205).

For DOCSIS 1.x CMTSs, an entry in this table
 exists for each ifEntry with an ifType of
 docsCableUpstream (129)."

INDEX { ifIndex }

::= { docsIfCmtsUpChannelCounterTable 1 }

DocsIfCmtsUpChannelCounterEntry

::= SEQUENCE {

docsIfCmtsUpChnlCtrId	Integer32,
docsIfCmtsUpChnlCtrTotalMslots	Counter32,
docsIfCmtsUpChnlCtrUcastGrantedMslots	Counter32,
docsIfCmtsUpChnlCtrTotalCntnMslots	Counter32,
docsIfCmtsUpChnlCtrUsedCntnMslots	Counter32,
docsIfCmtsUpChnlCtrExtTotalMslots	Counter64,

```

docsIfCmtsUpChnlCtrExtUcastGrantedMslots Counter64,
docsIfCmtsUpChnlCtrExtTotalCntnMslots Counter64,
docsIfCmtsUpChnlCtrExtUsedCntnMslots Counter64,
docsIfCmtsUpChnlCtrCollCntnMslots Counter32,
docsIfCmtsUpChnlCtrTotalCntnReqMslots Counter32,
docsIfCmtsUpChnlCtrUsedCntnReqMslots Counter32,
docsIfCmtsUpChnlCtrCollCntnReqMslots Counter32,
docsIfCmtsUpChnlCtrTotalCntnReqDataMslots Counter32,
docsIfCmtsUpChnlCtrUsedCntnReqDataMslots
Counter32,
docsIfCmtsUpChnlCtrCollCntnReqDataMslots Counter32,
docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots Counter32,
docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots Counter32,
docsIfCmtsUpChnlCtrCollCntnInitMaintMslots Counter32,
docsIfCmtsUpChnlCtrExtCollCntnMslots Counter64,
docsIfCmtsUpChnlCtrExtTotalCntnReqMslots Counter64,
docsIfCmtsUpChnlCtrExtUsedCntnReqMslots Counter64,
docsIfCmtsUpChnlCtrExtCollCntnReqMslots Counter64,
docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots Counter64,
docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots Counter64,
docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots Counter64,
docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots Counter64,
docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots Counter64,
docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots Counter64
}

```

docsIfCmtsUpChnlCtrId

OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The CMTS identification of the upstream channel."

::= { docsIfCmtsUpChannelCounterEntry 1 }

docsIfCmtsUpChnlCtrTotalMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of all mini-slots defined for this upstream logical channel. This count includes all IUCs and SIDs, even those allocated to the NULL SID for a 2.0 logical channel that is inactive. This

is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalMslots and is included for back compatibility with SNMPv1 managers. Support for this object is mandatory. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at

other

times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 2 }

docsIfCmtsUpChnlCtrUcastGrantedMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of unicast granted mini-slots on the upstream logical channel, regardless of burst type. Unicast granted mini-slots are those in which the CMTS assigned bandwidth to any unicast SID on the logical channel. However, this object does not include minis-lots for reserved IUCs, or grants to SIDs designated as meaning 'no CM'. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUcastGrantedMslots, and is included for back compatibility with SNMPv1 managers. Support for this object is mandatory.

Discontinuities

in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 3 }

docsIfCmtsUpChnlCtrTotalCntnMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots defined for this upstream logical channel. This count includes all mini-slots assigned to a broadcast or

multicast SID on the logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalCntnMslots, and is included for back compatibility with SNMPv1 managers.

Support for this object is mandatory.
Discontinuities in the value of this counter can occur
at reinitialization of the managed
system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."
::= { docsIfCmtsUpChannelCounterEntry 4 }

docsIfCmtsUpChnlCtrUsedCntnMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention
mini-slots utilized on the upstream logical channel. For
contention regions, utilized mini-slots are those in which
the CMTS correctly received an upstream burst from any CM
on the upstream logical channel. This is the 32-bit
version of docsIfCmtsUpChnlCtrExtUsedCntnMslots and is
included for back compatibility with SNMPv1 managers.
Support for this object is mandatory.
Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other

times as indicated by the value of
ifCounterDiscontinuityTime for the associated ifIndex."
::= { docsIfCmtsUpChannelCounterEntry 5 }

docsIfCmtsUpChnlCtrExtTotalMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of all mini-slots
defined for this upstream logical channel. This count
includes all IUCs and SIDs, even those allocated to the
NULL SID for a 2.0 logical channel that is inactive. This
is the 64-bit version of docsIfCmtsUpChnlCtrTotalMslots
and will not be accessible to SNMPv1 managers.
Support for this object is mandatory.

Discontinuities in the value of this counter can occur
at reinitialization of the managed system, and at other
times as indicated by the value of
ifCounterDiscontinuityTime for the associated

ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 6 }

docsIfCmtsUpChnlCtrExtUcastGrantedMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of unicast granted mini-slots on the upstream logical channel, regardless of burst type. Unicast granted mini-slots are those in which the CMTS assigned bandwidth to any unicast SID on the logical channel. However, this object does not include mini-slots for reserved IUCs, or grants to SIDs designated as meaning 'no CM'. This is the 64-bit version of docsIfCmtsUpChnlCtrUcastGrantedMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 7 }

docsIfCmtsUpChnlCtrExtTotalCntnMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots defined for this upstream logical channel. This count includes all mini-slots assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 8 }

docsIfCmtsUpChnlCtrExtUsedCntnMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"Current count, from CMTS initialization, of contention

mini-slots utilized on the upstream logical channel. For contention regions, utilized mini-slots are those in which the CMTS correctly received an upstream burst from any CM on the upstream logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnMslots and will not be accessible to SNMPv1 managers.

Support for this object is mandatory.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry  
9 }
```

docsIfCmtsUpChnlCtrCollCntnMslots OBJECT-TYPE

SYNTAX Counter32
UNITS "mini-slots"
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"Current count, from CMTS initialization, of contention mini-slots subjected to collisions on the upstream logical channel. For contention regions, these are the mini-slots applicable to bursts that the CMTS detected but could not correctly receive. This is the 32-bit version of docsIfCmtsUpChnlCtrExtCollCntnMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

```
::= { docsIfCmtsUpChannelCounterEntry 10 }
```

docsIfCmtsUpChnlCtrTotalCntnReqMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC1 assigned to a broadcast or multicast SID on the logical channel. This is the 32-bit version of docsIfCmtsUpChnlCtrExtTotalCntnReqMslots and is included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsUpChannelCounterEntry 11 }

docsIfCmtsUpChnlCtrUsedCntnReqMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots utilized on this upstream logical channel. This count includes all contention mini-slots for IUC1 applicable to bursts that the CMTS correctly received. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUsedCntnReqMslots and is included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsUpChannelCounterEntry 12 }

docsIfCmtsUpChnlCtrCollCntnReqMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC1 applicable to bursts that the CMTS detected but could not correctly receive. This is the 32-bit version of

docsIfCmtsUpChnlCtrExtCollCntnReqMslots and is included for back compatibility with SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsUpChannelCounterEntry 13 }

docsIfCmtsUpChnlCtrTotalCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention

request data mini-slots defined for this upstream logical channel. This count includes all

mini-slots for IUC2

assigned to a broadcast or multicast SID on the logical channel. This is the 32-bit version of

docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 14 }

docsIfCmtsUpChnlCtrUsedCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC2 applicable to bursts that the CMTS correctly received.

This is the 32-bit version of

docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsUpChannelCounterEntry 15 }

docsIfCmtsUpChnlCtrCollCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC2 applicable to bursts that the CMTS detected, but could not correctly receive. This is the 32-bit version of

docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots

and is

included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsUpChannelCounterEntry 16 }

docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention initial maintenance mini-slots defined for this upstream logical channel. This includes all mini-slots for IUC3 assigned to a broadcast or multicast SID on the logical channel. This is the 32-bit version of

docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots

and is included for back compatibility

with SNMPv1

managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 17 }

docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention initial maintenance mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS correctly received. This is the 32-bit version of docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 18 }

docsIfCmtsUpChnlCtrCollCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter32

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention initial maintenance mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS detected, but could not correctly receive.

This is the 32-bit version of docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots and is included for back compatibility with SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization

of the managed system, and at other

times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 19 }

docsIfCmtsUpChnlCtrExtCollCntnMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of collision contention mini-slots on the upstream logical channel. For contention regions, these are the mini-slots applicable to bursts that the CMTS detected, but could not correctly receive. This is the 64-bit version of docsIfCmtsUpChnlCtrCollCntnMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime

for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 20 }

docsIfCmtsUpChnlCtrExtTotalCntnReqMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC1 assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnReqMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 21 }

docsIfCmtsUpChnlCtrExtUsedCntnReqMslots

OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots utilized on this upstream logical channel. This count includes all contention mini-slots for

IUC1 applicable to bursts that the CMTS correctly received. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnReqMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 22 }

docsIfCmtsUpChnlCtrExtCollCntnReqMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS

current

DESCRIPTION

"Current count, from CMTS initialization, of contention request mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC1 applicable to bursts that the CMTS detected, but could not correctly receive. This is the 64-bit version of docsIfCmtsUpChnlCtrCollCntnReqMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 23 }

docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC2 assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnReqDataMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."
 ::= { docsIfCmtsUpChannelCounterEntry 24 }

docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots utilized on this upstream logical channel. This

includes all contention mini-slots for IUC2

applicable to bursts that the CMTS correctly received.

This is the 64-bit version of

docsIfCmtsUpChnlCtrUsedCntnReqDataMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 25 }

docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention request data mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC2 applicable to bursts that the CMTS

detected, but could not correctly receive. This is the

64-bit version of

docsIfCmtsUpChnlCtrCollCntnReqDataMslots

and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 26 }

docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of initial maintenance mini-slots defined for this upstream logical channel. This count includes all mini-slots for IUC3 assigned to a broadcast or multicast SID on the logical channel. This is the 64-bit version of docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots and will not be accessible to SNMPv1 managers. Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 27 }

docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of initial maintenance mini-slots utilized on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS correctly received. This is the 64-bit version of docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots and will not be accessible to SNMPv1 managers. Discontinuities

in the value of this counter can occur

at reinitialization of the managed system, and at other times as indicated by the value of

ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 28 }

docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots OBJECT-TYPE

SYNTAX Counter64

UNITS "mini-slots"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Current count, from CMTS initialization, of contention initial maintenance mini-slots subjected to collisions on this upstream logical channel. This includes all contention mini-slots for IUC3 applicable to bursts that the CMTS detected, but could not correctly receive.

This is the 64-bit version of docsIfCmtsUpChnlCtrCollCntnInitMaintMslots and will not be accessible to SNMPv1 managers.

Discontinuities in the value of this counter can occur at reinitialization of the managed system, and at other times as indicated by the value of ifCounterDiscontinuityTime for the associated ifIndex."

::= { docsIfCmtsUpChannelCounterEntry 29 }

--

-- notification group is for future extension.

--

docsIfNotification OBJECT IDENTIFIER ::= { docsIfMib 2 }

--

-- MIB Compliance statements.

--

--

-- Conformance definitions

--

docsIfConformance OBJECT IDENTIFIER ::= { docsIfMib 3 }

docsIfCompliances OBJECT IDENTIFIER ::= { docsIfConformance 1 }

docsIfGroups OBJECT IDENTIFIER ::= { docsIfConformance 2 }

docsIfBasicCompliance MODULE-COMPLIANCE

STATUS deprecated

DESCRIPTION

"The compliance statement for devices that implement DOCSIS 1.x compliant Radio Frequency Interfaces."

MODULE -- docsIfMib

-- unconditionally mandatory groups

MANDATORY-GROUPS {

docsIfBasicGroup

}

-- conditionally mandatory group

GROUP docsIfCmGroup

DESCRIPTION

"This group is implemented only in cable modems, not in cable modem termination systems."

-- conditionally mandatory group

GROUP docsIfCmtsGroup

DESCRIPTION

"This group is implemented only in cable modem termination systems, not in cable modems."

OBJECT docsIfDownChannelFrequency

WRITE-SYNTAX Integer32 (54000000..86000000)

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems; read-only in cable modems. The values above are appropriate for a cable plant using a Sub-Split channel plan. If DOCSIS is extended to cover other types of channel plans (and frequency allocations), this object will be modified accordingly."

OBJECT docsIfDownChannelWidth

WRITE-SYNTAX Integer32 (6000000)

MIN-ACCESS read-only

DESCRIPTION

"It is important to implement this object as read-only. In cable modems, this object is always implemented as read-only. The above value is appropriate for cable plants running under NTSC (National Television Standards Committee) standards. If DOCSIS is extended to work with other standards (e.g., European standards), this object will be modified accordingly."

OBJECT docsIfDownChannelModulation

WRITE-SYNTAX INTEGER {
 qam64 (3),
 qam256 (4)
}

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems; read-only in cable modems."

OBJECT docsIfDownChannelInterleave

WRITE-SYNTAX INTEGER {

taps8Increment16(3),

taps16Increment8(4),

taps32Increment4(5),

taps64Increment2(6),

taps128Increment1(7)

}

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;

read-only in cable modems."

OBJECT docsIfDownChannelPower

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;

read-only in cable modems."

OBJECT docsIfUpChannelFrequency

WRITE-SYNTAX Integer32 (5000000..42000000)

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems; read-only in cable modems. The values above are appropriate for a cable plant using a Sub-Split channel plan. If DOCSIS is extended to cover other types of channel plans (and frequency allocations), this object will be modified accordingly."

OBJECT docsIfUpChannelWidth

WRITE-SYNTAX Integer32 (200000..3200000)

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems; read-only in cable modems. The above value is appropriate for cable plants running under NTSC (National Television Standards Committee) standards. If DOCSIS is extended to work with other standards (e.g., European standards), this object will be modified accordingly."

OBJECT docsIfUpChannelModulationProfile

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;

read-only in cable modems."

OBJECT docsIfUpChannelSlotSize
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfUpChannelRangingBackoffStart
MIN-ACCESS read-only
DESCRIPTION
"Read-write in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelRangingBackoffEnd
MIN-ACCESS read-only
DESCRIPTION
"Read-write in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffStart
MIN-ACCESS read-only
DESCRIPTION
"Read-write in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffEnd
MIN-ACCESS read-only
DESCRIPTION
"Read-write in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfQosProfPriority
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfMaxUpBandwidth
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfGuarUpBandwidth
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant
to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfMaxDownBandwidth
MIN-ACCESS read-only
DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfMaxTxBurst
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfBaselinePrivacy
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfStatus
MIN-ACCESS read-only
DESCRIPTION
"This object is always read-only in cable modems.
It is compliant
to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfCmtsServiceAdminStatus
MIN-ACCESS read-only
DESCRIPTION
"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsSyncInterval
MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsUcdInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInsertInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInvitedRangingAttempts

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsQosProfilePermissions

WRITE-SYNTAX BITS {
 createByManagement(0),
 updateByManagement(1)
}

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsModType

WRITE-SYNTAX INTEGER {
 qpsk (2),
 qam16 (3)
}

DESCRIPTION

"A management station MAY only set 16QAM or QPSK modulation, but others might be possible, based on device configuration."

OBJECT docsIfCmtsModPreambleLen

SYNTAX Integer32 (0..1024)

DESCRIPTION

"The range of the values for this MODULE-COMPLIANCE is 0..1024."

OBJECT docsIfCmtsModFECErrorCorrection

SYNTAX Integer32 (0..10)

DESCRIPTION

"The range of the values for this MODULE-COMPLIANCE is 0..10."

::= { docsIfCompliances 1 }

docsIfBasicComplianceV2 MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for devices that implement DOCSIS 2.0 Radio Frequency Interfaces."

MODULE -- docsIfMib

-- unconditionally

mandatory groups

MANDATORY-GROUPS {

docsIfBasicGroupV2

}

-- conditionally mandatory group

GROUP docsIfCmGroupV2

DESCRIPTION

"This group is implemented only in cable modems, not in cable modem termination systems."

-- conditionally mandatory group

GROUP docsIfCmtsGroupV2

DESCRIPTION

"This group is implemented only in cable modem termination systems, not in cable modems."

OBJECT docsIfDownChannelFrequency

WRITE-SYNTAX Integer32 (47000000..862000000)

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems; read-only in cable modems.

A range of 54MHz to 860MHz is appropriate for a cable plant using a North American Sub-Split channel plan.

The spectrum range has been expanded to accommodate a lower edge of 47MHz and an upper edge of 862MHz for some European channel plans.

If DOCSIS is extended to cover other

types of channel

plans (and frequency allocations), this object will be modified accordingly."

OBJECT docsIfDownChannelWidth

WRITE-SYNTAX Integer32 (6000000 | 8000000)

MIN-ACCESS read-only

DESCRIPTION

"It is important to implement this object as read-only. In cable modems, this object is always implemented as read-only. The value of 6 MHz is appropriate for cable plants running under NTSC (National Television Standards Committee) standards. The value of 8 MHz is appropriate for cable plants running under ETSI standards. For other regional standards, this object will be modified accordingly."

OBJECT docsIfDownChannelModulation

WRITE-SYNTAX INTEGER {
 qam64 (3),
 qam256 (4)
}

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;

read-only in cable modems."

OBJECT docsIfDownChannelInterleave

WRITE-SYNTAX INTEGER {
 taps8Increment16(3),
 taps16Increment8(4),
 taps32Increment4(5),
 taps64Increment2(6),
 taps128Increment1(7),
 taps12increment17(8)
}

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfDownChannelPower

MIN-ACCESS read-only

DESCRIPTION

"Read-write in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelFrequency

WRITE-SYNTAX Integer32 (5000000..65000000)

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems.

A range of 5MHz to 42MHz is appropriate for a cable
plant using a North American Sub-Split channel plan.

The spectrum range has been expanded to accommodate
an upper edge of 65MHz for some European channel plans.

If DOCSIS is extended to cover other types of channel
plans (and frequency allocations), this object will
be modified accordingly."

OBJECT docsIfUpChannelWidth

WRITE-SYNTAX Integer32 (200000..6400000)

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems,
read-only in cable modems. The above value is appropriate
for cable plants running under NTSC (National Television
Standards Committee) standards. If DOCSIS is extended to
work with other standards (e.g., European standards), this
object will be modified accordingly."

OBJECT docsIfUpChannelModulationProfile

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelSlotSize

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfUpChannelRangingBackoffStart

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;

read-only in cable modems."

OBJECT docsIfUpChannelRangingBackoffEnd

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffStart

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelTxBackoffEnd

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelScdmaActiveCodes

MIN-ACCESS

read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems.

The number of active codes when SCDMA is in use MUST range
from 64 to 128 and MUST be a non-Prime value.

Providing this range allows for the following features
and capabilities:

1) Power management in S-CDMA spreader-on frames
(with a 3 dB spread).

2) Avoidance of code 0.

3) Flexible mini-slot sizes with and without the use of
code 0."

OBJECT docsIfUpChannelScdmaCodesPerSlot

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelScdmaFrameSize

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelScdmaHoppingSeed

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelCloneFrom

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelUpdate

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfUpChannelStatus

MIN-ACCESS read-only

DESCRIPTION

"Read-create in Cable Modem Termination Systems;
read-only in Cable Modems.
Entries associated to physical interfaces only support
the read-only value 'active'."

OBJECT docsIfUpChannelPreEqEnable

MIN-ACCESS read-only

DESCRIPTION

"Read-create in cable modem termination systems;
read-only in cable modems."

OBJECT docsIfQosProfPriority

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfMaxUpBandwidth

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfGuarUpBandwidth

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfMaxDownBandwidth

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfBaselinePrivacy

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfStatus

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfQosProfMaxTransmitBurst

MIN-ACCESS read-only

DESCRIPTION

"This object is always read-only in cable modems.
It is compliant to implement this object as read-only
in cable modem termination systems."

OBJECT docsIfCmRangingTimeout

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmStatusModulationType

SYNTAX INTEGER {
 unknown(0),
 tdma(1),
 atdma(2),
 scdma(3)
}

DESCRIPTION

"CM does not use both modulation burst profiles of a
'tdmAndAtdma' ChannelType; therefore, 'tdmAndAtdma' is
not supported."

OBJECT docsIfCmtsServiceAdminStatus

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsSyncInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsUcdInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInsertInterval

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsInvitedRangingAttempts

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsQosProfilePermissions

WRITE-SYNTAX BITS {
 createByManagement(0),
 updateByManagement(1)
}

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsIfCmtsModType

```
WRITE-SYNTAX    INTEGER {  
    qpsk(2),  
    qam16(3),  
    qam64(6)  
}
```

DESCRIPTION

"A management station MAY only set 64QAM, 16QAM, or QPSK modulation for Time or Code division Multiple Access, but others might be possible based on device configuration."

OBJECT docsIfCmtsCmStatusModulationType

```
SYNTAX          INTEGER {  
    unknown(0),  
    tdma(1),  
    atdma(2),  
    scdma(3)  
}
```

DESCRIPTION

"CM does not use both modulation burst profiles of a 'tdmAndAtdma' ChannelType; therefore, 'tdmAndAtdma' is not supported."

::= { docsIfCompliances 2 }

docsIfBasicGroup OBJECT-GROUP

```
OBJECTS {  
    docsIfDownChannelId,  
    docsIfDownChannelFrequency,  
    docsIfDownChannelWidth,  
    docsIfDownChannelModulation,  
    docsIfDownChannelInterleave,  
    docsIfDownChannelPower,  
    docsIfUpChannelId,  
    docsIfUpChannelFrequency,  
    docsIfUpChannelWidth,  
    docsIfUpChannelModulationProfile,  
    docsIfUpChannelSlotSize,  
    docsIfUpChannelTxTimingOffset,  
    docsIfUpChannelRangingBackoffStart,  
    docsIfUpChannelRangingBackoffEnd,  
    docsIfUpChannelTxBackoffStart,  
    docsIfUpChannelTxBackoffEnd,  
    docsIfQosProfPriority,  
}
```

```

docsIfQosProfMaxUpBandwidth,
docsIfQosProfGuarUpBandwidth,
docsIfQosProfMaxDownBandwidth,
docsIfQosProfMaxTxBurst,
docsIfQosProfBaselinePrivacy,
docsIfQosProfStatus,
docsIfSigQIncludesContention,
docsIfSigQUnerrored,
docsIfSigQCorrected,
docsIfSigQUncorrectable,
docsIfSigQSignalNoise,
docsIfSigQMicroreflections,
docsIfSigQEqualizationData
}
STATUS    deprecated
DESCRIPTION
    "Group of objects implemented in both cable modems and
    cable modem termination systems."
::= { docsIfGroups 1 }

```

docsIfCmGroup OBJECT-GROUP

```

OBJECTS {
docsIfCmCmtsAddress,
docsIfCmCapabilities,
docsIfCmRangingTimeout,
docsIfCmStatusValue,
docsIfCmStatusCode,
docsIfCmStatusTxPower,
docsIfCmStatusResets,
docsIfCmStatusLostSyncs,
docsIfCmStatusInvalidMaps,
docsIfCmStatusInvalidUcds,
docsIfCmStatusInvalidRangingResponses,
docsIfCmStatusInvalidRegistrationResponses,
docsIfCmStatusT1Timeouts,
docsIfCmStatusT2Timeouts,
docsIfCmStatusT3Timeouts,
docsIfCmStatusT4Timeouts,
docsIfCmStatusRangingAborted,
docsIfCmServiceQosProfile,
docsIfCmServiceTxSlotsImmed,
docsIfCmServiceTxSlotsDed,
docsIfCmServiceTxRetries,
docsIfCmServiceTxExceeds,
docsIfCmServiceRqRetries,
docsIfCmServiceRqExceeds
}

```


STATUS deprecated

DESCRIPTION

"Group of objects implemented in cable modems."

::= { docsIfGroups 2 }

docsIfCmtsGroup OBJECT-GROUP

OBJECTS {

docsIfCmtsCapabilities,
docsIfCmtsSyncInterval,
docsIfCmtsUcdInterval,
docsIfCmtsMaxServiceIds,
docsIfCmtsInvitedRangingAttempts,
docsIfCmtsInsertInterval,
docsIfCmtsStatusInvalidRangeReqs,
docsIfCmtsStatusRangingAborted,
docsIfCmtsStatusInvalidRegReqs,
docsIfCmtsStatusFailedRegReqs,
docsIfCmtsStatusInvalidDataReqs,
docsIfCmtsStatusT5Timeouts,
docsIfCmtsCmStatusMacAddress,
docsIfCmtsCmStatusIpAddress,
docsIfCmtsCmStatusDownChannelIfIndex,
docsIfCmtsCmStatusUpChannelIfIndex,
docsIfCmtsCmStatusRxPower,
docsIfCmtsCmStatusTimingOffset,
docsIfCmtsCmStatusEqualizationData,
docsIfCmtsCmStatusValue,
docsIfCmtsCmStatusUnerrored,
docsIfCmtsCmStatusCorrected,
docsIfCmtsCmStatusUncorrectable,
docsIfCmtsCmStatusSignalNoise,
docsIfCmtsCmStatusMicroreflections,
docsIfCmtsServiceCmStatusIndex,
docsIfCmtsServiceAdminStatus,
docsIfCmtsServiceQosProfile,
docsIfCmtsServiceCreateTime,
docsIfCmtsServiceInOctets,
docsIfCmtsServiceInPackets,
docsIfCmtsModType,
docsIfCmtsModControl,
docsIfCmtsModPreambleLen,
docsIfCmtsModDifferentialEncoding,
docsIfCmtsModFECErrorCorrection,
docsIfCmtsModFECCodeWordLength,
docsIfCmtsModScramblerSeed,

```
docsIfCmtsModMaxBurstSize,  
docsIfCmtsModGuardTimeSize,  
docsIfCmtsModLastCodewordShortened,  
docsIfCmtsModScrambler,
```

```
docsIfCmtsQosProfilePermissions,  
docsIfCmtsCmPtr
```

```
}
```

```
STATUS deprecated
```

```
DESCRIPTION
```

```
"Group of objects  
implemented in Cable Modem Termination  
Systems."
```

```
::= { docsIfGroups 3 }
```

```
-- obsolete group
```

```
-- RFC 2670 already had a obsolete group, even though RFC2670
```

```
-- was the first version of this MIB Module.
```

```
docsIfObsoleteGroup OBJECT-GROUP
```

```
OBJECTS {
```

```
docsIfCmRangingRespTimeout,
```

```
docsIfCmtsInsertionInterval
```

```
}
```

```
STATUS obsolete
```

```
DESCRIPTION
```

```
"Group of objects obsoleted."
```

```
::= { docsIfGroups 4 }
```

```
docsIfBasicGroupV2 OBJECT-GROUP
```

```
OBJECTS {
```

```
docsIfDownChannelId,
```

```
docsIfDownChannelFrequency,
```

```
docsIfDownChannelWidth,
```

```
docsIfDownChannelModulation,
```

```
docsIfDownChannelInterleave,
```

```
docsIfDownChannelPower,
```

```
docsIfDownChannelAnnex,
```

```
docsIfUpChannelId,
```

```
docsIfUpChannelFrequency,
```

```
docsIfUpChannelWidth,
```

```
docsIfUpChannelModulationProfile,
```

```
docsIfUpChannelSlotSize,
```

```
docsIfUpChannelTxTimingOffset,
```

```
docsIfUpChannelRangingBackoffStart,
```

docsIfUpChannelRangingBackoffEnd,
docsIfUpChannelTxBackoffStart,
docsIfUpChannelTxBackoffEnd,
docsIfUpChannelScdmaActiveCodes,
docsIfUpChannelScdmaCodesPerSlot,
docsIfUpChannelScdmaFrameSize,
docsIfUpChannelScdmaHoppingSeed,
docsIfUpChannelType,
docsIfUpChannelCloneFrom,

docsIfUpChannelUpdate,
docsIfUpChannelStatus,
docsIfUpChannelPreEqEnable,
docsIfQosProfPriority,
docsIfQosProfMaxUpBandwidth,
docsIfQosProfGuarUpBandwidth,
docsIfQosProfMaxDownBandwidth,
docsIfQosProfBaselinePrivacy,
docsIfQosProfStatus,
docsIfQosProfMaxTransmitBurst,
docsIfSigQIncludesContention,
docsIfSigQUnerrored,
docsIfSigQCorrected,
docsIfSigQUncorrectable,
docsIfSigQSignalNoise,
docsIfSigQMicroreflections,
docsIfSigQExtUnerrored,
docsIfSigQExtCorrected,
docsIfSigQExtUncorrectable,
docsIfDocsisBaseCapability

}

STATUS current

DESCRIPTION

"Group of objects implemented in both cable modems and
cable modem termination systems."

::= { docsIfGroups 5 }

docsIfCmGroupV2 OBJECT-GROUP

OBJECTS {

docsIfCmCmtsAddress,
docsIfCmCapabilities,
docsIfCmRangingTimeout,
docsIfCmStatusValue,
docsIfCmStatusCode,
docsIfCmStatusTxPower,
docsIfCmStatusResets,

docsIfCmStatusLostSyncs,
docsIfCmStatusInvalidMaps,
docsIfCmStatusInvalidUcds,
docsIfCmStatusInvalidRangingResponses,
docsIfCmStatusInvalidRegistrationResponses,
docsIfCmStatusT1Timeouts,
docsIfCmStatusT2Timeouts,
docsIfCmStatusT3Timeouts,
docsIfCmStatusT4Timeouts,
docsIfCmStatusRangingAborted,
docsIfCmStatusDocsisOperMode,
docsIfCmStatusModulationType,

docsIfCmStatusEqualizationData,
docsIfCmStatusUCCs,
docsIfCmStatusUCCFails,
docsIfCmServiceQosProfile,
docsIfCmServiceTxSlotsImmed,
docsIfCmServiceTxSlotsDed,
docsIfCmServiceTxRetries,
docsIfCmServiceTxExceededs,
docsIfCmServiceRqRetries,
docsIfCmServiceRqExceededs,
docsIfCmServiceExtTxSlotsImmed,
docsIfCmServiceExtTxSlotsDed,
docsIfSigQEqualizationData

}

STATUS current

DESCRIPTION

"Group of objects implemented in cable modems."

::= { docsIfGroups 6 }

docsIfCmtsGroupV2 OBJECT-GROUP

OBJECTS {

docsIfCmtsCapabilities,
docsIfCmtsSyncInterval,
docsIfCmtsUcdInterval,
docsIfCmtsMaxServiceIds,
docsIfCmtsInvitedRangingAttempts,
docsIfCmtsInsertInterval,
docsIfCmtsMacStorageType,
docsIfCmtsStatusInvalidRangeReqs,
docsIfCmtsStatusRangingAborted,
docsIfCmtsStatusInvalidRegReqs,
docsIfCmtsStatusFailedRegReqs,
docsIfCmtsStatusInvalidDataReqs,

docsIfCmtsStatusT5Timeouts,
docsIfCmtsCmStatusMacAddress,
docsIfCmtsCmStatusDownChannelIfIndex,
docsIfCmtsCmStatusUpChannelIfIndex,
docsIfCmtsCmStatusRxPower,
docsIfCmtsCmStatusTimingOffset,
docsIfCmtsCmStatusEqualizationData,
docsIfCmtsCmStatusValue,
docsIfCmtsCmStatusUnerrored,
docsIfCmtsCmStatusCorrected,
docsIfCmtsCmStatusUncorrectable,
docsIfCmtsCmStatusSignalNoise,
docsIfCmtsCmStatusMicroreflections,
docsIfCmtsCmStatusExtUnerrored,
docsIfCmtsCmStatusExtCorrected,

docsIfCmtsCmStatusExtUncorrectable,
docsIfCmtsCmStatusDocsisRegMode,
docsIfCmtsCmStatusModulationType,
docsIfCmtsCmStatusInetAddressType,
docsIfCmtsCmStatusInetAddress,
docsIfCmtsCmStatusValueLastUpdate,
docsIfCmtsCmStatusHighResolutionTimingOffset,
docsIfCmtsServiceAdminStatus,
docsIfCmtsServiceQosProfile,
docsIfCmtsServiceCreateTime,
docsIfCmtsServiceInOctets,
docsIfCmtsServiceInPackets,
docsIfCmtsServiceNewCmStatusIndex,
docsIfCmtsModType,
docsIfCmtsModControl,
docsIfCmtsModPreambleLen,
docsIfCmtsModDifferentialEncoding,
docsIfCmtsModFECErrorCorrection,
docsIfCmtsModFECCodeWordLength,
docsIfCmtsModScramblerSeed,
docsIfCmtsModMaxBurstSize,
docsIfCmtsModGuardTimeSize,
docsIfCmtsModLastCodeWordShortened,
docsIfCmtsModScrambler,
docsIfCmtsModByteInterleaverDepth,
docsIfCmtsModByteInterleaverBlockSize,
docsIfCmtsModPreambleType,
docsIfCmtsModTcmErrorCorrectionOn,
docsIfCmtsModScdmaInterleaverStepSize,
docsIfCmtsModScdmaSpreaderEnable,

docsIfCmtsModScdmaSubframeCodes,
docsIfCmtsModChannelType,

docsIfCmtsModStorageType,
docsIfCmtsQosProfilePermissions,
docsIfCmtsCmPtr,
docsIfCmtsChannelUtilizationInterval,
docsIfCmtsChannelUtUtilization,
docsIfCmtsDownChnlCtrId,
docsIfCmtsDownChnlCtrTotalBytes,
docsIfCmtsDownChnlCtrUsedBytes,
docsIfCmtsDownChnlCtrExtTotalBytes,
docsIfCmtsDownChnlCtrExtUsedBytes,
docsIfCmtsUpChnlCtrId,
docsIfCmtsUpChnlCtrTotalMslots,
docsIfCmtsUpChnlCtrUcastGrantedMslots,
docsIfCmtsUpChnlCtrTotalCntnMslots,
docsIfCmtsUpChnlCtrUsedCntnMslots,
docsIfCmtsUpChnlCtrExtTotalMslots,

docsIfCmtsUpChnlCtrExtUcastGrantedMslots,
docsIfCmtsUpChnlCtrExtTotalCntnMslots,
docsIfCmtsUpChnlCtrExtUsedCntnMslots,
docsIfCmtsUpChnlCtrCollCntnMslots,
docsIfCmtsUpChnlCtrTotalCntnReqMslots,
docsIfCmtsUpChnlCtrUsedCntnReqMslots,
docsIfCmtsUpChnlCtrCollCntnReqMslots,
docsIfCmtsUpChnlCtrTotalCntnReqDataMslots,
docsIfCmtsUpChnlCtrUsedCntnReqDataMslots,
docsIfCmtsUpChnlCtrCollCntnReqDataMslots,
docsIfCmtsUpChnlCtrTotalCntnInitMaintMslots,
docsIfCmtsUpChnlCtrUsedCntnInitMaintMslots,
docsIfCmtsUpChnlCtrCollCntnInitMaintMslots,
docsIfCmtsUpChnlCtrExtCollCntnMslots,
docsIfCmtsUpChnlCtrExtTotalCntnReqMslots,
docsIfCmtsUpChnlCtrExtUsedCntnReqMslots,
docsIfCmtsUpChnlCtrExtCollCntnReqMslots,
docsIfCmtsUpChnlCtrExtTotalCntnReqDataMslots,
docsIfCmtsUpChnlCtrExtUsedCntnReqDataMslots,
docsIfCmtsUpChnlCtrExtCollCntnReqDataMslots,
docsIfCmtsUpChnlCtrExtTotalCntnInitMaintMslots,
docsIfCmtsUpChnlCtrExtUsedCntnInitMaintMslots,
docsIfCmtsUpChnlCtrExtCollCntnInitMaintMslots,
docsIfDownChannelStorageType,
docsIfQosProfStorageType

```
}
STATUS    current
DESCRIPTION
    "Group of objects implemented in Cable Modem
Termination
    Systems."
 ::= { docsIfGroups 7 }

END
```

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DOCS-IF-
MIB
```

No license file was found, but licenses were detected in source scan.

```
SNMP-USM-DH-OBJECTS-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
MODULE-IDENTITY, OBJECT-TYPE,
-- OBJECT-IDENTITY,
experimental, Integer32
    FROM SNMPv2-SMI
TEXTUAL-CONVENTION
    FROM SNMPv2-TC
MODULE-COMPLIANCE, OBJECT-GROUP
    FROM SNMPv2-CONF
usmUserEntry
    FROM SNMP-USER-BASED-SM-MIB
SnmAdminString
    FROM SNMP-FRAMEWORK-MIB;
```

```
snmpUsmDHObjectsMIB MODULE-IDENTITY
```

```
LAST-UPDATED "200003060000Z" -- 6 March 2000, Midnight
ORGANIZATION "Excite@Home"
CONTACT-INFO "Author: Mike StJohns
    Postal: Excite@Home
    450 Broadway
    Redwood City, CA 94063
    Email: stjohs@corp.home.net
    Phone: +1-650-556-5368"
```

```
DESCRIPTION
```

```
"The management information definitions for providing forward
secrecy for key changes for the usmUserTable, and for providing a
method
```

```
for 'kickstarting' access to the agent via a Diffie-Helman
key agreement."
```

REVISION "200003060000Z"

DESCRIPTION

"Initial version published as RFC 2786."

::= { experimental 101 } -- IANA DHKEY-CHANGE 101

-- Administrative assignments

usmDHKeyObjects OBJECT IDENTIFIER ::= { snmpUsmDHObjectsMIB 1 }

usmDHKeyConformance OBJECT IDENTIFIER ::= { snmpUsmDHObjectsMIB 2 }

-- Textual conventions

DHKeyChange ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Upon initialization, or upon creation of a row containing an object of this type, and after any successful SET of this value, a GET of this value returns 'y' where $y = g^{xa} \text{ MOD } p$, and where g is the base from usmDHParameters, p is the prime from usmDHParameters, and xa is a new random integer selected by the agent in the interval $2^{l-1} \leq xa < 2^l < p-1$. 'l' is the optional privateValueLength from usmDHParameters in bits. If 'l' is omitted,

then xa (and xr below) is selected in the interval 0

$\leq xa < p-1$. y is expressed as an OCTET STRING 'PV' of length 'k' which satisfies

$$y = \sum_{i=1}^k 2^{8(k-i)} PV^i$$

where PV1,...,PVk are the octets of PV from first to last, and where $PV1 \neq 0$.

A successful SET consists of the value 'y' expressed as an OCTET STRING as above concatenated with the value 'z'(expressed as an OCTET STRING in the same manner as y) where $z = g^{xr} \text{ MOD } p$, where g, p and l are as above, and where xr is a new random integer selected by the manager in the interval $2^{l-1} \leq xr < 2^l < p-1$. A SET to an object of this type will fail with the error wrongValue if the current 'y' does not match the 'y' portion of the value of the varbind for the object. (E.g. GET yout, SET concat(yin, z), yout \neq yin).

Note that the private values xa and xr are never transmitted from manager to device or vice versa, only the values

y and z.

Obviously, these values must be retained until a successful SET on the associated object.

The shared secret 'sk' is calculated at the agent as $sk = z^x \text{ MOD } p$, and at the manager as $sk = y^x \text{ MOD } p$.

Each object definition of this type MUST describe how to map from the shared secret 'sk' to the operational key value used by the protocols and operations related to the object. In general, if n bits of key are required, the author suggests using the n right-most bits of the shared secret as the operational key value."

REFERENCE

-- Diffie-Hellman Key-Agreement Standard, PKCS #3;
RSA Laboratories, November 1993"

SYNTAX OCTET STRING

-- Diffie Hellman public values

usmDHPublicObjects OBJECT IDENTIFIER ::= { usmDHKeyObjects 1 }

usmDHPParameters OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The public Diffie-Hellman parameters for doing a Diffie-Hellman key agreement for this device. This is encoded as an ASN.1 DHPParameter per PKCS #3, section 9. E.g.

```
DHPParameter ::= SEQUENCE {  
    prime INTEGER, -- p  
    base INTEGER, -- g  
    privateValueLength INTEGER OPTIONAL }
```

Implementors are encouraged to use either the values from Oakley Group 1 or the values of from Oakley Group 2 as specified in RFC-2409, The Internet Key Exchange, Section 6.1, 6.2 as the default for this object. Other values may be used, but the security properties of those values MUST be well understood and MUST meet the requirements of PKCS #3 for the selection of Diffie-Hellman primes.

In addition, any time usmDHPParameters changes, all values of type DHKeyChange will change and new random numbers MUST be generated by the agent for each DHKeyChange object."

REFERENCE

-- Diffie-Hellman Key-Agreement Standard, PKCS #3,
RSA Laboratories,
November 1993
-- The Internet Key Exchange, RFC 2409, November 1998,
Sec 6.1, 6.2"
::= { usmDHPublicObjects 1 }

usmDHUserKeyTable OBJECT-TYPE

SYNTAX SEQUENCE OF UsmDHUserKeyEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table augments and extends the usmUserTable and provides 4 objects which exactly mirror the objects in that table with the textual convention of 'KeyChange'. This extension allows key changes to be done in a manner where the knowledge of the current secret plus knowledge of the key change data exchanges (e.g. via wiretapping) will not reveal the new key."

::= { usmDHPublicObjects 2 }

usmDHUserKeyEntry OBJECT-TYPE

SYNTAX UsmDHUserKeyEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row of DHKeyChange objects which augment or replace the functionality of the KeyChange objects in the base table row."

AUGMENTS { usmUserEntry }

::= { usmDHUserKeyTable 1 }

UsmDHUserKeyEntry ::= SEQUENCE {

usmDHUserAuthKeyChange DHKeyChange,
usmDHUserOwnAuthKeyChange DHKeyChange,
usmDHUserPrivKeyChange DHKeyChange,
usmDHUserOwnPrivKeyChange DHKeyChange
}

usmDHUserAuthKeyChange OBJECT-TYPE

SYNTAX DHKeyChange

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object used to change any given user's Authentication Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by

usmUserAuthProtocol, are installed as the operational authentication key for this row after a successful SET."
::= { usmDHUserKeyEntry 1 }

usmDHUserOwnAuthKeyChange OBJECT-TYPE

SYNTAX DHKeyChange

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object used to change the agents own Authentication Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by usmUserAuthProtocol, are installed as the operational authentication key for this row after a successful SET."
::= { usmDHUserKeyEntry 2 }

usmDHUserPrivKeyChange OBJECT-TYPE

SYNTAX DHKeyChange

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object used to change any given user's Privacy Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by usmUserPrivProtocol, are installed as the operational privacy key for this row after a successful SET."
::= { usmDHUserKeyEntry 3 }

usmDHUserOwnPrivKeyChange OBJECT-TYPE

SYNTAX DHKeyChange

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object used to change the agent's own Privacy Key using a Diffie-Hellman key exchange.

The right-most n bits of the shared secret 'sk', where 'n' is the number of bits required for the protocol defined by usmUserPrivProtocol, are installed as the operational privacy key for this row after a successful SET."
::= { usmDHUserKeyEntry 4 }

usmDHKickstartGroup OBJECT IDENTIFIER ::= { usmDHKeyObjects 2 }

usmDhKickstartTable OBJECT-TYPE

SYNTAX SEQUENCE OF UsmDhKickstartEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table of mappings between zero or more Diffie-Helman key agreement values and entries in the usmUserTable. Entries in this table are created by providing the associated device with a Diffie-Helman public value and a usmUserName/usmUserSecurityName pair during initialization. How these values are provided is outside the scope of this MIB, but could be provided manually, or through a configuration file. Valid public value/name pairs result

in the creation of a row in this table as well as the creation of an associated row (with keys derived as indicated) in the usmUserTable. The actual access the related usmSecurityName has is dependent on the entries in the VACM tables. In general, an implementor will specify one or more standard security names and will provide entries in the VACM tables granting various levels of access to those names. The actual content of the VACM table is beyond the scope of this MIB.

Note: This table is expected to be readable without authentication using the usmUserSecurityName 'dhKickstart'. See the conformance statements for details."

::= { usmDhKickstartGroup 1 }

usmDhKickstartEntry OBJECT-TYPE

SYNTAX UsmDhKickstartEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the usmDhKickstartTable. The agent SHOULD either delete this entry or mark it as inactive upon a successful SET of any of the KeyChange-typed objects in the usmUserEntry or upon a successful SET of any of the DhKeyChange-typed objects in the usmDhKeyChangeEntry where the related usmSecurityName (e.g. row of usmUserTable or row of usmDhKeyChangeTable) equals this entry's usmDhKickstartSecurityName. In other words, once you've changed one or more of the keys for a row in usmUserTable with a particular security name, the row in this table with that same security name is no longer useful or meaningful."

INDEX { usmDhKickstartIndex }

::= { usmDhKickstartTable 1 }

```

UsmDHKickstartEntry ::= SEQUENCE {
    usmDHKickstartIndex Integer32,
    usmDHKickstartMyPublic OCTET STRING,
    usmDHKickstartMgrPublic OCTET STRING,
    usmDHKickstartSecurityName SnmpAdminString
}

```

```

usmDHKickstartIndex OBJECT-TYPE
SYNTAX Integer32 (1..2147483647)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "Index value for
this row."
 ::= { usmDHKickstartEntry 1 }

```

```

usmDHKickstartMyPublic OBJECT-TYPE
SYNTAX OCTET STRING
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The agent's Diffie-Hellman public value for this row. At
initialization, the agent generates a random number and derives
its public value from that number. This public value is published
here. This public value 'y' equals g^r MOD p where g is the from
the set of Diffie-Hellman parameters, p is the prime from those
parameters, and r is a random integer selected by the agent in the
interval 2^(l-1) <= r < p-1 < 2^l. If l is unspecified, then r is
a random integer selected in the interval 0 <= r < p-1

```

The public value is expressed as an OCTET STRING 'PV' of length 'k' which satisfies

$$y = \sum_{i=1}^k 2^{8(k-i)} PV^i$$

where PV1,...,PVk are the octets of PV from first to last, and where PV1 != 0.

The following DH parameters (Oakley group #2, RFC 2409, sec 6.1, 6.2) are used for this object:

```

g = 2
p = FFFFFFFF FFFFFFFF C90FDAA2 2168C234 C4C6628B 80DC1CD1
29024E08 8A67CC74 020BBEA6 3B139B22 514A0879 8E3404DD

```

```
EF9519B3 CD3A431B 302B0A6D F25F1437 4FE1356D 6D51C245
E485B576 625E7EC6 F44C42E9 A637ED6B 0BFF5CB6 F406B7ED
EE386BFB 5A899FA5 AE9F2411 7C4B1FE6 49286651 ECE65381
FFFFFFFF FFFFFFFF
```

l=1024

"

REFERENCE

-- Diffie-Hellman Key-Agreement Standard, PKCS#3v1.4;
RSA Laboratories, November 1993
-- The Internet Key Exchange, RFC2409;
Harkins, D., Carrel, D.; November 1998"

::= { usmDHKickstartEntry 2 }

usmDHKickstartMgrPublic OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The manager's Diffie-Hellman public value for this row. Note that this value is not set via the SNMP agent, but may be set via some out of band

method, such as the device's configuration file.

The manager calculates this value in the same manner and using the same parameter set as the agent does. E.g. it selects a random number 'r', calculates $y = g^r \text{ mod } p$ and provides 'y' as the public number expressed as an OCTET STRING. See usmDHKickstartMyPublic for details.

When this object is set with a valid value during initialization, a row is created in the usmUserTable with the following values:

usmUserEngineID	localEngineID
usmUserName	[value of usmDHKickstartSecurityName]
usmUserSecurityName	[value of usmDHKickstartSecurityName]
usmUserCloneFrom	ZeroDotZero
usmUserAuthProtocol	usmHMACMD5AuthProtocol
usmUserAuthKeyChange	-- derived from set value
usmUserOwnAuthKeyChange	-- derived from set value
usmUserPrivProtocol	usmDESPrivProtocol
usmUserPrivKeyChange	-- derived from set value
usmUserOwnPrivKeyChange	-- derived from set value
usmUserPublic	"
usmUserStorageType	permanent
usmUserStatus	active

A shared secret 'sk' is calculated at the agent as $sk = mgrPublic^r \text{ mod } p$ where r is the agents random number and p is the

DH prime from the common parameters. The underlying privacy key for this row is derived from sk by applying the key derivation function PBKDF2 defined in PKCS#5v2.0 with a salt of 0xd1310ba6, and iterationCount of 500, a keyLength of 16 (for usmDESPrivProtocol), and a prf (pseudo random function) of 'id-hmacWithSHA1'. The underlying authentication key for this row is derived from sk by applying the key derivation function PBKDF2 with a salt of 0x98dfb5ac , an interation count of 500, a keyLength of 16 (for usmHMAC5AuthProtocol), and a prf of 'id-hmacWithSHA1'. Note: The salts are the first two words in the ks0 [key schedule 0] of the BLOWFISH cipher from 'Applied Cryptography' by Bruce Schneier - they could be any relatively random string of bits.

The manager can use its knowledge of its own random number and the agent's public value to kickstart its access to the agent in a secure manner. Note that the security of this approach is directly related to the strength of the authorization security of the out of band provisioning of the managers public value (e.g. the configuration file), but is not dependent at all on the strength of the confidentiality of the out of band provisioning data."

REFERENCE

- Password-Based Cryptography Standard, PKCS#5v2.0; RSA Laboratories, March 1999
- Applied Cryptography, 2nd Ed.; B. Schneier, Counterpane Systems; John Wiley & Sons, 1996"

::= { usmDhKickstartEntry 3 }

usmDhKickstartSecurityName OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The usmUserName and usmUserSecurityName in the usmUserTable associated with this row. This is provided in the same manner and at the same time as the usmDhKickstartMgrPublic value - e.g. possibly manually, or via the device's configuration file."

::= { usmDhKickstartEntry 4 }

-- Conformance Information

usmDhKeyMIBCompliances OBJECT IDENTIFIER ::= { usmDhKeyConformance 1 }

usmDhKeyMIBGroups OBJECT IDENTIFIER ::= { usmDhKeyConformance 2 }

-- Compliance statements

usmDHKeyMIBCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for this module."

MODULE

GROUP usmDHKeyMIBBasicGroup

DESCRIPTION

"This group MAY be implemented by any agent which implements the usmUserTable and which wishes to provide the ability to change user and agent authentication and privacy keys via Diffie-Hellman key exchanges."

GROUP usmDHKeyParamGroup

DESCRIPTION

"This group MUST be implemented by any agent which implements a MIB containing the DHKeyChange Textual Convention defined in this module."

GROUP usmDHKeyKickstartGroup

DESCRIPTION

"This group MAY be implemented by any agent which implements the usmUserTable and which wishes the ability to populate the USM table based on out-of-band provided DH ignition values.

Any agent implementing this group is expected to provide preinstalled entries in the vacm tables as follows:

In the usmUserTable: This entry allows access to the system and dhKickstart groups

```
usmUserEngineID    localEngineID
usmUserName        'dhKickstart'
usmUserSecurityName 'dhKickstart'
usmUserCloneFrom   ZeroDotZero
usmUserAuthProtocol none
usmUserAuthKeyChange ""
usmUserOwnAuthKeyChange ""
usmUserPrivProtocol
none
usmUserPrivKeyChange ""
usmUserOwnPrivKeyChange ""
usmUserPublic      ""
usmUserStorageType permanent
usmUserStatus      active
```

In the vacmSecurityToGroupTable: This maps the initial user into the accessible objects.


```
vacmSecurityModel      3 (USM)
vacmSecurityName       'dhKickstart'
vacmGroupName          'dhKickstart'
vacmSecurityToGroupStorageType permanent
vacmSecurityToGroupStatus active
```

In the vacmAccessTable: Group name to view name translation.

```
vacmGroupName          'dhKickstart'
vacmAccessContextPrefix ""
vacmAccessSecurityModel 3 (USM)
vacmAccessSecurityLevel noAuthNoPriv
vacmAccessContextMatch exact
vacmAccessReadViewName 'dhKickRestricted'
vacmAccessWriteViewName ""
vacmAccessNotifyViewName
'dhKickRestricted'
vacmAccessStorageType  permanent
vacmAccessStatus       active
```

In the vacmViewTreeFamilyTable: Two entries to allow the initial entry to access the system and kickstart groups.

```
vacmViewTreeFamilyViewName 'dhKickRestricted'
vacmViewTreeFamilySubtree  1.3.6.1.2.1.1 (system)
vacmViewTreeFamilyMask     ""
vacmViewTreeFamilyType     1
vacmViewTreeFamilyStorageType permanent
vacmViewTreeFamilyStatus  active
```

```
vacmViewTreeFamilyViewName 'dhKickRestricted'
vacmViewTreeFamilySubtree  (usmDHKickstartTable OID)
vacmViewTreeFamilyMask     ""
vacmViewTreeFamilyType     1
vacmViewTreeFamilyStorageType permanent
vacmViewTreeFamilyStatus  active
"
```

OBJECT usmDHParameters

MIN-ACCESS read-only

DESCRIPTION

"It

is compliant to implement this object as read-only for any device."

::= { usmDHKeyMIBCompliances 1 }

-- Units of Compliance

usmDHKeyMIBBasicGroup OBJECT-GROUP

```
OBJECTS {
    usmDHUserAuthKeyChange,
    usmDHUserOwnAuthKeyChange,
    usmDHUserPrivKeyChange,
    usmDHUserOwnPrivKeyChange
}
STATUS current
DESCRIPTION
    ""
::= { usmDHKeyMIBGroups 1 }
```

usmDHKeyParamGroup OBJECT-GROUP

```
OBJECTS {
    usmDHParameters
}
STATUS current
DESCRIPTION
    "The mandatory object for all MIBs which use the DHKeyChange
    textual convention."
::= { usmDHKeyMIBGroups 2 }
```

usmDHKeyKickstartGroup OBJECT-GROUP

```
OBJECTS {
    usmDHKickstartMyPublic,
    usmDHKickstartMgrPublic,
    usmDHKickstartSecurityName
}
STATUS current
DESCRIPTION
    "The objects used
    for kickstarting one or more SNMPv3 USM
    associations via a configuration file or other out of band,
    non-confidential access."
::= { usmDHKeyMIBGroups 3 }
```

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNMP-USM-DH-OBJECTS-MIB

No license file was found, but licenses were detected in source scan.

IANA-ITU-ALARM-TC-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, mib-2
FROM SNMPv2-SMI -- [RFC2578]
TEXTUAL-CONVENTION
FROM SNMPv2-TC; -- [RFC2579]

ianaItuAlarmNumbers MODULE-IDENTITY

LAST-UPDATED "200409090000Z" -- September 09, 2004

ORGANIZATION "IANA"

CONTACT-INFO

"Postal: Internet Assigned Numbers Authority
Internet Corporation for Assigned Names
and Numbers
4676 Admiralty Way, Suite 330
Marina del Rey, CA 90292-6601
USA

Tel: +1 310-823-9358

E-Mail: iana@iana.org"

DESCRIPTION

"The MIB module defines the ITU Alarm
textual convention for objects expected to require
regular extension.

Copyright (C) The Internet Society (2004). The
initial version of this MIB module

was published

in RFC 3877. For full legal notices see the RFC
itself. Supplementary information may be available on:
<http://www.ietf.org/copyrights/ianamib.html>"

REVISION "200409090000Z" -- September 09, 2004

DESCRIPTION

"Initial version, published as RFC 3877."

::= { mib-2 119 }

IANAItuProbableCause ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"ITU-T probable cause values. Duplicate values defined in
X.733 are appended with X733 to ensure syntactic uniqueness.
Probable cause value 0 is reserved for special purposes.

The Internet Assigned Number Authority (IANA) is responsible
for the assignment of the enumerations in this TC.

IANAItuProbableCause value of 0 is reserved for special
purposes and MUST NOT be assigned.

Values of IANAItuProbableCause in the range 1 to 1023 are reserved for causes that correspond to ITU-T probable cause.

All other requests for new causes will be handled on a first-come, first served basis and will be assigned enumeration values starting with 1025.

Request should come in the form of well-formed

SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

While some effort will be taken to ensure that new probable causes do not conceptually duplicate existing probable causes it is acknowledged that the existence of conceptual duplicates in the starting probable cause list is an known industry reality.

To aid IANA in the administration of probable cause names and values, the OPS Area Director will appoint one or more experts to help review requests.

See <http://www.iana.org>"

REFERENCE

"ITU Recommendation M.3100, 'Generic Network Information Model', 1995

ITU Recommendation X.733, 'Information Technology

- Open

Systems Interconnection - System Management: Alarm Reporting Function', 1992

ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

SYNTAX INTEGER

```
{
-- The following probable causes were defined in M.3100
aIS (1),
callSetUpFailure (2),
degradedSignal (3),
farEndReceiverFailure (4),
framingError (5),
lossOfFrame (6),
lossOfPointer (7),
lossOfSignal (8),
payloadTypeMismatch (9),
transmissionError (10),
```

remoteAlarmInterface (11),
excessiveBER (12),
pathTraceMismatch (13),
unavailable (14),
signalLabelMismatch (15),
lossOfMultiFrame (16),
receiveFailure (17),

transmitFailure (18),
modulationFailure (19),
demodulationFailure (20),
broadcastChannelFailure (21),

connectionEstablishmentError (22),
invalidMessageReceived (23),
localNodeTransmissionError (24),
remoteNodeTransmissionError (25),
routingFailure (26),

--Values 27-50 are reserved for communications alarm related
--probable causes
-- The following are used with equipment alarm.

backplaneFailure (51),
dataSetProblem (52),
equipmentIdentifierDuplication (53),
externalIFDeviceProblem (54),
lineCardProblem (55),
multiplexerProblem (56),
nEIdentifierDuplication (57),
powerProblem (58),
processorProblem (59),
protectionPathFailure (60),
receiverFailure (61),
replaceableUnitMissing (62),
replaceableUnitTypeMismatch
(63),
synchronizationSourceMismatch (64),
terminalProblem (65),
timingProblem (66),
transmitterFailure (67),
trunkCardProblem (68),
replaceableUnitProblem (69),
realTimeClockFailure (70),

--An equipment alarm to be issued if the system detects that the
--real time clock has failed
antennaFailure (71),

batteryChargingFailure (72),
diskFailure (73),
frequencyHoppingFailure (74),
iODeviceError (75),
lossOfSynchronisation (76),
lossOfRedundancy (77),
powerSupplyFailure (78),
signalQualityEvaluationFailure (79),
tranceiverFailure (80),
protectionMechanismFailure (81),
protectingResourceFailure (82),
-- Values 83-100 are reserved for equipment alarm related probable
-- causes
-- The following are used with environmental alarm.

airCompressorFailure (101),

airConditioningFailure (102),
airDryerFailure (103),
batteryDischarging (104),
batteryFailure (105),
commercialPowerFailure (106),
coolingFanFailure (107),
engineFailure (108),
fireDetectorFailure (109),
fuseFailure (110),
generatorFailure (111),
lowBatteryThreshold (112),
pumpFailure (113),
rectifierFailure (114),
rectifierHighVoltage (115),
rectifierLowVoltage (116),
ventilationsSystemFailure (117),
enclosureDoorOpen (118),
explosiveGas (119),
fire (120),
flood (121),
highHumidity (122),
highTemperature (123),
highWind (124),
iceBuildUp (125),
intrusionDetection (126),
lowFuel
(127),
lowHumidity (128),
lowCablePressure (129),
lowTemperature (130),
lowWater (131),

- smoke (132),
- toxicGas (133),
- coolingSystemFailure (134),
- externalEquipmentFailure (135),
- externalPointFailure (136),
- Values 137-150 are reserved for environmental alarm related
- probable causes
- The following are used with Processing error alarm.
 - storageCapacityProblem (151),
 - memoryMismatch (152),
 - corruptData (153),
 - outOfCPUCycles (154),
 - sfwrEnvironmentProblem (155),
 - sfwrDownloadFailure (156),
 - lossOfRealTime (157),
- A processing error alarm to be issued after the system has
- reinitialised. This will indicate
- to the management systems that the view they have of the managed

- system may no longer
- be valid. Usage example: The managed
- system issues this alarm
- after a reinitialization with severity
- warning to inform the
- management system about the event. No clearing notification will
- be sent.

- applicationSubsystemFailure (158),
- configurationOrCustomisationError (159),
- databaseInconsistency (160),
- fileError (161),
- outOfMemory (162),
- softwareError (163),
- timeoutExpired (164),
- underlyingResourceUnavailable (165),
- versionMismatch (166),
- Values 168-200 are reserved for processing error alarm related
- probable causes.

- bandwidthReduced (201),
- congestion (202),
- excessiveErrorRate (203),
- excessiveResponseTime (204),
- excessiveRetransmissionRate (205),
- reducedLoggingCapability (206),
- systemResourcesOverload (207),
- The following were defined X.733
- adapterError (500),
- applicationSubsystemFailure

(501),
bandwidthReducedX733 (502),
callEstablishmentError (503),
communicationsProtocolError (504),
communicationsSubsystemFailure (505),
configurationOrCustomizationError (506),
congestionX733 (507),
corruptData (508),
cpuCyclesLimitExceeded (509),
dataSetOrModemError (510),
degradedSignalX733 (511),
dteDceInterfaceError (512),
enclosureDoorOpenX733 (513),
equipmentMalfunction (514),
excessiveVibration (515),
fileErrorX733 (516),
fireDetected (517),
framingErrorX733 (518),
heatingVentCoolingSystemProblem (519),
humidityUnacceptable (520),
inputOutputDeviceError (521),
inputDeviceError (522),

lanError (523),
leakDetected (524),
localNodeTransmissionErrorX733 (525),

lossOfFrameX733 (526),
lossOfSignalX733 (527),
materialSupplyExhausted (528),
multiplexerProblemX733 (529),
outOfMemoryX733 (530),
outputDeviceError (531),
performanceDegraded (532),
powerProblems (533),
pressureUnacceptable (534),
processorProblems (535),
pumpFailureX733 (536),
queueSizeExceeded (537),
receiveFailureX733 (538),
receiverFailureX733 (539),
remoteNodeTransmissionErrorX733 (540),
resourceAtOrNearingCapacity (541),
responseTimeExcessive (542),
retransmissionRateExcessive (543),
softwareErrorX733 (544),
softwareProgramAbnormallyTerminated (545),


```

softwareProgramError (546),
storageCapacityProblemX733 (547),
temperatureUnacceptable (548),
thresholdCrossed (549),
timingProblemX733
(550),
toxicLeakDetected (551),
transmitFailureX733 (552),
transmitterFailure (553),
underlyingResourceUnavailable (554),
versionMismatchX733 (555),
-- The following are defined in X.736
authenticationFailure (600),
breachOfConfidentiality (601),
cableTamper (602),
delayedInformation (603),
denialOfService (604),
duplicateInformation (605),
informationMissing (606),
informationModificationDetected (607),
informationOutOfSequence (608),
keyExpired (609),
nonRepudiationFailure (610),
outOfHoursActivity (611),
outOfService (612),
proceduralError (613),

unauthorizedAccessAttempt (614),
unexpectedInformation (615),

other (1024)
}

```

IANAItuEventType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The ITU event Type values.

The Internet Assigned Number Authority (IANA) is responsible for the assignment of the enumerations in this TC.

Request should come in the form of well-formed SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

See <http://www.iana.org> "

REFERENCE

"ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

SYNTAX INTEGER

```
{
  other (1),
  communicationsAlarm (2),
  qualityOfServiceAlarm (3),
  processingErrorAlarm (4),
  equipmentAlarm (5),
  environmentalAlarm (6),
  integrityViolation (7),
  operationalViolation (8),
  physicalViolation (9),
  securityServiceOrMechanismViolation
(10),
  timeDomainViolation (11)
}
```

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/IANA-ITU-ALARM-TC-MIB

No license file was found, but licenses were detected in source scan.

Modem-MIB DEFINITIONS ::= BEGIN

IMPORTS

```
MODULE-IDENTITY, OBJECT-TYPE, OBJECT-IDENTITY,
Counter32, Integer32 FROM SNMPv2-SMI
DisplayString FROM SNMPv2-TC
MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF
mib-2 FROM RFC1213-MIB;
```

mdmMIB MODULE-IDENTITY

LAST-UPDATED "9406120000Z"

ORGANIZATION "IETF Modem Management Working Group"

CONTACT-INFO

" Steven Waldbusser

Postal: Carnegie Mellon University

5000 Forbes Ave

Pittsburgh, PA, 15213

US

Tel: +1 412 268 6628

Fax: +1 412 268 4987

E-mail: waldbusser@cmu.edu"

DESCRIPTION

"The MIB module for management of dial-up modems."

::= { mdmMib 1 }

mdmMib OBJECT IDENTIFIER ::= { mib-2 38 }

mdmMIBObjects OBJECT IDENTIFIER ::= { mdmMIB 1 }

-- conformance information

mdmConformance OBJECT IDENTIFIER

::= { mdmMIB 2 }

mdmCompliances OBJECT IDENTIFIER ::= { mdmConformance 1 }

mdmGroups OBJECT IDENTIFIER ::= { mdmConformance 2 }

-- units of conformance

mdmIDGroup OBJECT-GROUP

OBJECTS { mdmIDManufacturerOID, mdmIDProductDetails }

STATUS current

DESCRIPTION

"A collection of objects that identify the manufacturer and model information for a modem."

::= { mdmGroups 1 }

mdmLineInterfaceGroup OBJECT-GROUP

OBJECTS { mdmLineCarrierLossTime,
mdmLineState, mdmLineCapabilitiesID,
mdmLineCapabilitiesEnableRequested,
mdmLineCapabilitiesEnableGranted }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and state of the modem's line interface."

::= { mdmGroups 2 }

mdmDTEInterfaceGroup OBJECT-GROUP

OBJECTS { mdmDTEActionDTROnToOff, mdmDTEActionDTROffToOn,
mdmDTESyncTimingSource, mdmDTESyncAsyncMode,

mdmDTEInactivityTimeout }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and state of the modem's DTE interface."

::= { mdmGroups 3 }

mdmCallControlGroup OBJECT-GROUP

OBJECTS { mdmCCRingsBeforeAnswer,
mdmCCCSetupFailTimer, mdmCCResultCodeEnable,
mdmCCEscapeAction, mdmCCCDuration,
mdmCCConnectionFailReason, mdmCCStoredDialString }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration of call control capabilities on the modem and the status of calls placed with this modem."

::= { mdmGroups 4 }

mdmErrorControlGroup OBJECT-GROUP

OBJECTS { mdmECEErrorControlUsed }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and state of error control on a modem."

::= { mdmGroups 5 }

mdmDataCompressionGroup OBJECT-GROUP

OBJECTS

{ mdmDCCompressionTypeUsed }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and state of data compression on a modem."

::= { mdmGroups 6 }

mdmSignalConvertorGroup OBJECT-GROUP

OBJECTS { mdmSCCurrentLineReceiveRate, mdmSCCurrentLineTransmitRate,
mdmSCInitialLineReceiveRate, mdmSCInitialLineTransmitRate,
mdmSCModulationSchemeUsed }

STATUS current

DESCRIPTION

"A collection of objects that describe the configuration and state of error control on a modem."

::= { mdmGroups 7 }

mdmStatisticsGroup OBJECT-GROUP

OBJECTS { mdmStatsRingNoAnswers,
mdmStatsIncomingConnectionFailures,
mdmStatsIncomingConnectionCompletions,
mdmStatsFailedDialAttempts,

mdmStatsOutgoingConnectionFailures,
mdmStatsOutgoingConnectionCompletions,
mdmStatsRetrains,
mdmStats2400OrLessConnections, mdmStats2400To14400Connections,
mdmStatsGreaterThan14400Connections,
mdmStatsErrorControlledConnections,
mdmStatsCompressedConnections,
mdmStatsCompressionEfficiency,
mdmStatsSentOctets, mdmStatsReceivedOctets,
mdmStatsSentDataFrames, mdmStatsReceivedDataFrames,
mdmStatsResentFrames, mdmStatsErrorFrames }

STATUS current

DESCRIPTION

"A collection of objects that describe the state of calls on
this modem."

::= { mdmGroups 8 }

mdmNumber OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of modem rows in the modem table. This value
defines the maximum value of the mdmIndex object."

::= { mdmMIBObjects 1 }

-- The modem ID table.

mdmIDTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmIDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The base table for the modems managed by this MIB. The
mdmLineTable,

mdmDTEInterfaceTable, mdmCallControlTable, and

mdmStatsTable all augment the rows defined in this table."

::= { mdmMIBObjects 2 }

mdmIDEntry OBJECT-TYPE

SYNTAX MdmIDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One
entry exists for each modem managed by the agent."

INDEX { mdmIndex }

::= { mdmIDTable 1 }

```
MdmIDEntry ::= SEQUENCE {
    mdmIndex          Integer32,
    mdmIDManufacturerOID OBJECT IDENTIFIER,
    mdmIDProductDetails DisplayString
}
```

mdmIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique number for each modem that ranges from 1 to mdmNumber. The value must remain constant at least from one re-initialization of the network management agent to the next."

::= { mdmIDEntry 1

}

mdmIDManufacturerOID OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value is intended to identify the manufacturer, model, and version of this modem. This may be used to identify the existence of enterprise-specific functions and behaviours."

REFERENCE

"V.58 attribute manufacturerID subfield ManufacturerOI"

::= { mdmIDEntry 2 }

mdmIDProductDetails OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..79))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A textual description of this device, including the manufacturer's name, modem model name, hardware revision, firmware revision, and optionally, its serial number. The exact format of this description is defined by the vendor. This description may only contain characters from the NVT ASCII character set."

REFERENCE

"V.58 attribute manufacturerID subfield productDetails"

::= { mdmIDEntry 3 }

-- The modem Line Interface Table

mdmLineTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmLineEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem Line Table augments the modem ID table."

::= { mdmMIBObjects 3 }

mdmLineEntry OBJECT-TYPE

SYNTAX MdmLineEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmLineTable 1 }

MdmLineEntry ::= SEQUENCE {

mdmLineCarrierLossTime Integer32,

mdmLineState INTEGER

}

mdmLineCarrierLossTime OBJECT-TYPE

SYNTAX Integer32 (1..255)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Duration in 10ths of a second the modem waits after loss of

carrier before hanging up. If this value is set to `255', the modem will not hang up upon loss of carrier. This allows the modem to distinguish between a momentary lapse in line quality and a true disconnect and can be useful to tune the tolerance of the modem to lines of poor quality."

REFERENCE "V.58 lineSignalFailDisconnectTimer"

::= { mdmLineEntry 1 }

mdmLineState OBJECT-TYPE

SYNTAX INTEGER {

unknown(1),

onHook(2),

offHook(3), -- and not connected

connected(4),

busiedOut(5),

reset(6)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Allows the inspection and alteration of the state of the modem. Management commands may change the state to `on-hook`, `busied-out`, or `reset` from any state. No other

alterations are permitted from the management protocol.

When this object is set to reset, the modem shall be reset and the value will change to the modem's new, implementation dependent state."

::= { mdmLineEntry 2 }

mdmLineCapabilitiesTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmLineCapabilitiesEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of protocol capabilities for this modem."

::= { mdmMIBObjects 4 }

mdmLineCapabilitiesEntry OBJECT-TYPE

SYNTAX MdmLineCapabilitiesEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A listing of the protocol(s) that this modem is capable of.

Entries in this table are created only by the agent. One entry exists for each protocol that the modem is capable of, regardless of whether that protocol is enabled or not.

This table is useful for providing an inventory of the capabilities on a modem, and allowing the manager to enable or disable capabilities from the menu of available possibilities. Row creation is not required to enable or disable capabilities."

INDEX { mdmIndex, mdmLineCapabilitiesIndex }

::= { mdmLineCapabilitiesTable 1 }

MdmLineCapabilitiesEntry ::= SEQUENCE {

mdmLineCapabilitiesIndex Integer32,
mdmLineCapabilitiesID OBJECT IDENTIFIER,
mdmLineCapabilitiesEnableRequested INTEGER,
mdmLineCapabilitiesEnableGranted INTEGER
}

mdmLineCapabilitiesIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"A unique index for this capabilities entry."
::= { mdmLineCapabilitiesEntry 1 }

mdmLineCapabilitiesID OBJECT-TYPE
SYNTAX OBJECT IDENTIFIER
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"An identifier for
this capability. Standard protocol
capabilities will have identifiers registered in this
document or other companion standards documents.
Proprietary protocol capabilities will be registered by
their respective organization. All capabilities, standard
or vendor-specific, shall be registered in this table."
::= { mdmLineCapabilitiesEntry 2 }

mdmLineCapabilitiesEnableRequested OBJECT-TYPE
SYNTAX INTEGER {
disabled(1),
optional(2),
preferred(3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"The requested configuration of this capability. If this
value is 'disabled(1)', this is a request to disable this
protocol. If this value is 'preferred(3)', this is a
request to enable this protocol, and to prefer it in any
negotiation over other appropriate protocols
that have a
value of 'optional(2)'."
DEFVAL { preferred }
::= { mdmLineCapabilitiesEntry 3 }

mdmLineCapabilitiesEnableGranted OBJECT-TYPE
SYNTAX INTEGER {
disabled(1),
optional(2),
preferred(3)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The actual configuration of this capability. The agent shall attempt to set this as close as possible to the associated mdmLineCapabilitiesEnableRequested value. The agent shall make this determination in an implementation-specific manner that may take into account the configuration of other capabilities or other considerations. The modem will choose in an implementation-specific manner between multiple mutually-exclusive capabilities that each have the same (non-disabled) value. However, the modem must prefer all capabilities with a value of 'preferred(3)' over all capabilities with a value of 'optional(2)'.

In other words, if there are one or more mutually-exclusive capabilities (e.g. V.32 and V.32bis) that are set to 'preferred', the agent must choose one in an implementation-specific manner. Otherwise, if there are one or more mutually-exclusive capabilities that are set to 'optional', the agent must choose one in an implementation-specific manner."

::= { mdmLineCapabilitiesEntry 4 }

mdmLineCapabilities OBJECT IDENTIFIER ::= { mdmMIBObjects 5 }

mdmLineCapabilitiesV21 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.21"

::= { mdmLineCapabilities 1 }

mdmLineCapabilitiesV22 OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.22"

::= { mdmLineCapabilities 2 }

mdmLineCapabilitiesV22bis OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.22bis"

::= { mdmLineCapabilities 3 }

mdmLineCapabilitiesV23CC OBJECT-IDENTITY

STATUS current

DESCRIPTION

"ITU V.23CC"

::= { mdmLineCapabilities 4 }

mdmLineCapabilitiesV23SC OBJECT-IDENTITY

STATUS current
DESCRIPTION
"ITU V.23SC"
::= { mdmLineCapabilities 5 }

mdmLineCapabilitiesV25bis OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.25bis"
::= { mdmLineCapabilities 6 }

mdmLineCapabilitiesV26bis OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.26bis"
::= { mdmLineCapabilities 7 }

mdmLineCapabilitiesV26ter OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.26ter"
::= { mdmLineCapabilities 8 }

mdmLineCapabilitiesV27ter OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.27ter"
::= { mdmLineCapabilities 9 }

mdmLineCapabilitiesV32 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.32"
::= { mdmLineCapabilities 10 }

mdmLineCapabilitiesV32bis OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.32bis"
::= { mdmLineCapabilities 11 }

mdmLineCapabilitiesV32terbo OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.32terbo"
::= { mdmLineCapabilities 12 }

mdmLineCapabilitiesVFC OBJECT-IDENTITY

STATUS current
DESCRIPTION
"ITU V.FC"
::= { mdmLineCapabilities 13 }

mdmLineCapabilitiesV34 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.34"
::= { mdmLineCapabilities 14 }

mdmLineCapabilitiesV42 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.42"
::= { mdmLineCapabilities 15 }

mdmLineCapabilitiesV42bis OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.42bis"
::= { mdmLineCapabilities 16 }

mdmLineCapabilitiesMNP1 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP1"
::= { mdmLineCapabilities 17 }

mdmLineCapabilitiesMNP2
OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP2"
::= { mdmLineCapabilities 18 }

mdmLineCapabilitiesMNP3 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP3"
::= { mdmLineCapabilities 19 }

mdmLineCapabilitiesMNP4 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP4"
::= { mdmLineCapabilities 20 }

mdmLineCapabilitiesMNP5 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP5"
::= { mdmLineCapabilities 21 }

mdmLineCapabilitiesMNP6 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP6"
::= { mdmLineCapabilities 22 }

mdmLineCapabilitiesMNP7 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP7"
::= { mdmLineCapabilities 23 }

mdmLineCapabilitiesMNP8 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP8"
::= { mdmLineCapabilities 24 }

mdmLineCapabilitiesMNP9 OBJECT-IDENTITY
STATUS current
DESCRIPTION

"MNP9"
::= { mdmLineCapabilities 25 }

mdmLineCapabilitiesMNP10 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"MNP10"
::= { mdmLineCapabilities 26 }

mdmLineCapabilitiesV29 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.29"
::= { mdmLineCapabilities 27 }

mdmLineCapabilitiesV33 OBJECT-IDENTITY
STATUS current
DESCRIPTION
"ITU V.33"
::= { mdmLineCapabilities 28 }

```

mdmLineCapabilitiesBell208 OBJECT-IDENTITY
  STATUS current
  DESCRIPTION
    "Bell 208"
  ::= { mdmLineCapabilities 29 }

-- DTE Interface Table

mdmDTEInterfaceTable OBJECT-TYPE
  SYNTAX SEQUENCE OF MdmDTEInterfaceEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "The modem DTE Interface Table augments the modem ID table."
  ::= { mdmMIBObjects 6 }

mdmDTEInterfaceEntry OBJECT-TYPE
  SYNTAX MdmDTEInterfaceEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "Entries in this table are created only by the agent. One
    entry exists for each modem managed by the agent."
  AUGMENTS { mdmIDEntry }
  ::= { mdmDTEInterfaceTable 1 }

MdmDTEInterfaceEntry ::= SEQUENCE {
  mdmDTEActionDTROnToOff INTEGER,
  mdmDTEActionDTROffToOn INTEGER,
  mdmDTESyncTimingSource INTEGER,
  mdmDTESyncAsyncMode INTEGER,
  mdmDTEInactivityTimeout Integer32
}

mdmDTEActionDTROnToOff OBJECT-TYPE
  SYNTAX INTEGER {
    ignore(1),
    escapeToCommandMode(2),
    disconnectCall(3),
    resetModem(4)
  }
  MAX-ACCESS read-write
  STATUS current
  DESCRIPTION
    "Defines the action the modem will take when DTR drops.

```

If the value is set to ignore(1), the modem takes no action when DTR drops. Typically, mdmDTEActionDTROffToOn would also be set to ignore(1) if this object is set to ignore(1).

If the value is escapeToCommandMode(2), the modem remains connected and enters command mode. If the value is disconnectCall(3), the current call (if any) is terminated and the modem will not auto-answer while DTR is off. If the value is resetModem(4), the current call (if any) is terminated and the modem is reset."

```
DEFVAL { disconnectCall }  
::= { mdmDTEInterfaceEntry 1 }
```

mdmDTEActionDTROffToOn OBJECT-TYPE

```
SYNTAX INTEGER {  
    ignore(1),  
    enableDial(2),  
    autoAnswerEnable(3),  
    establishConnection(4)  
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Defines the action the modem will take when DTR is raised.

If the value is set to ignore(1), the modem takes no action when DTR is raised. Typically, mdmDTEActionDTROnToOff would also be set to ignore(1) if this object is set to ignore(1).

If the value is set to enableDial(2), the modem prepares to dial an outgoing call. If the value is set to autoAnswerEnable(3), the modem will be configured to answer any incoming call. If the value is set to establishConnection(4), the modem dials an implementation specific number.

Immediately after any reset or power-on of the modem, if the DTR is high, the action specified here will be executed."

```
DEFVAL { autoAnswerEnable }  
::= { mdmDTEInterfaceEntry 2 }
```

mdmDTESyncTimingSource OBJECT-TYPE

```
SYNTAX INTEGER {  
    internal(1),  
    external(2),  
    loopback(3),  
    network(4)
```

```

    }
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "The clock source for synchronous transmissions. If set to
    internal(1), the modem is the clock source and sends the
    clock signals to the DTE. If set to external(2), the
    transmit clock signals are provided by the DTE. If
    loopback(3), the modem receiver clock is used for the
    transmit clock. If network(4), the clock signals are
    supplied by the DCE interface.

    If the modem is not in synchronous mode, setting this object
    will have no effect on the current operations of the modem."
REFERENCE "V.58 transmitClockSource"
DEFVAL { internal }
::= { mdmDTEInterfaceEntry 3 }

```

mdmDTESyncAsyncMode OBJECT-TYPE

```

SYNTAX INTEGER {
    async(1),
    sync(2),
    syncAfterDial(3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "The operational mode of the modem. If the value is
    syncAfterDial(3), the modem will accept commands in

    asynchronous mode and change to synchronous mode to pass
    data after a dial sequence has been executed."
DEFVAL { async }
::= { mdmDTEInterfaceEntry 4 }

```

mdmDTEInactivityTimeout OBJECT-TYPE

```

SYNTAX Integer32 (0..65535)
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "The amount of idle time in minutes that the modem will wait
    before disconnecting a connection. When a call is connected
    and no data is transferred (continuous marking condition) on
    both circuits 103 and 104 for the specified time, the DCE
    disconnects the call. If the value is 0, no idle disconnect
    will occur. This function applies to asynchronous dial
    operations only and is intended for administrative control
    over idle connections."

```


REFERENCE "V.58 inactivityTimerSelect"

DEFVAL { 0 }

::= { mdmDTEInterfaceEntry 5 }

-- The Call Control Table

mdmCallControlTable

OBJECT-TYPE

SYNTAX SEQUENCE OF MdmCallControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem Call Control Table augments the modem ID table."

::= { mdmMIBObjects 7 }

mdmCallControlEntry OBJECT-TYPE

SYNTAX MdmCallControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmCallControlTable 1 }

MdmCallControlEntry ::= SEQUENCE {

mdmCCRingsBeforeAnswer Integer32,

mdmCCCallSetUpFailTimer Integer32,

mdmCCResultCodeEnable INTEGER,

mdmCCEscapeAction INTEGER,

mdmCCCallDuration Integer32,

mdmCCConnectionFailReason INTEGER

}

mdmCCRingsBeforeAnswer OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Determines which ring the modem will wait to answer the phone on. If this value is `0`, the modem will not go offhook and answer a call when a ring signal is detected."

REFERENCE "V.58 ringsBeforeAnswer"

DEFVAL { 1 }

::= { mdmCallControlEntry 1 }

mdmCCCallSetUpFailTimer OBJECT-TYPE

SYNTAX Integer32 (0..255)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This parameter specifies the amount of time, in seconds, that the modem shall allow between either answering a call (automatically or manually) or completion of dialing, and establishment of a connection with the remote modem. If no connection is established during this time, the modem disconnects from the line and returns a result code indicating the cause of the disconnection. In TIA-602, this is controlled by the value in the S7 register."

REFERENCE "V.58

callSetUpFailTimer"

DEFVAL { 30 }

::= { mdmCallControlEntry 2 }

mdmCCResultCodeEnable OBJECT-TYPE

SYNTAX INTEGER {
disabled(1),
numericEnabled(2),
verboseEnabled(3)
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"When disabled, the DCE shall issue no 'result codes' of any kind to the DTE either in response to unsolicited events (eg. ring signal), or commands. In TIA-602, this is controlled by the ATQ command. When numericEnabled, the DCE shall issue result codes in numeric form. When verboseEnabled, the DCE shall issue result codes in a verbose, textual form."

REFERENCE "V.58 responseModeSelect"

DEFVAL { verboseEnabled }

::= { mdmCallControlEntry 3 }

mdmCCEscapeAction OBJECT-TYPE

SYNTAX INTEGER {
ignoreEscape(1),

hangUp(2),
enterCommandMode(3)
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The modem's action upon successfully recognizing the
'escape to command mode' character sequence."

DEFVAL { ignoreEscape }
::= { mdmCallControlEntry 4 }

-- Call status portion of the call control table

mdmCCCallDuration OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Present or last completed connection time in seconds. If
there have been no previous connections, this value should
be -1."

::= { mdmCallControlEntry 5 }

mdmCCConnectionFailReason OBJECT-TYPE

SYNTAX INTEGER {

-- General

unknown(1),

other(2),

managementCommand(3),

inactivityTimeout(4),

mnpIncompatibility(5),

protocolError(6),

-- DCE

powerLoss(10),

equipmentFailure(11),

-- DTE Interface

dtrDrop(20),

-- Line Interface

noDialTone(30),

lineBusy(31),

noAnswer(32),

voiceDetected(33),

-- Signal Converter

carrierLost(40),

trainingFailed(41),

faxDetected(42)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates the reason that the last connection or attempt

failed. The meaning of each reason code is explained below.

unknown:

This code means the failure reason is unknown or there has been no previous call.

other:

This code used when no other code is applicable. Additional vendor information may be available elsewhere.

managementCommand:

A management command terminated the call. These commands include escaping to command mode, initiating dialing, restoring lines, and disconnecting.

inactivityTimeout:

The call was terminated because it was inactive for at the minimum duration specified.

mnpIncompatibility:

The modems are unable to resolve MNP protocol differences.

protocolError:

An error occurred in one of protocol in use. Further information is required to determine in which protocol the error occurred, and the exact nature of the error.

powerLoss:

The modem lost power and disconnected the call.

equipmentFailure:

The modem equipment failed.

dtrDrop:

DTR has been turned off while the modem is to disconnect on DTR drop. (Ref: V.58 cct108TurnedOff)

noDialTone:

If the modem is to monitor for call progress tones, but the modem has failed to detect dial tone while attempting to dial a number.

lineBusy:

Busy signal is detected while busy signal detection

is enabled, or while the 'W' or '@' dial modifier is used. (Ref: V.58 engagedTone)

noAnswer:

The call was not answered.

voiceDetected:

A voice was detected on the call.

carrierLost:

Indicates that the modem has disconnected due to detection of loss of carrier. In TIA-602, the S10 register determines the time that loss of carrier must be detected before the modem disconnects.

trainingFailed:

Indicates that the modems did not successfully train and reach data mode on the previous connection.

faxDetected:

A fax was detected on the call."

REFERENCE "V.58 callCleared"

::= { mdmCallControlEntry 6 }

-- The Stored Dial String table

mdmCCStoredDialStringTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmCCStoredDialStringEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table of stored dial strings."

REFERENCE "V.58 telephoneNumbers"

::= { mdmMIBObjects 8 }

mdmCCStoredDialStringEntry OBJECT-TYPE

SYNTAX MdmCCStoredDialStringEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A stored dial string."

INDEX { mdmIndex, mdmCCStoredDialStringIndex }

::= { mdmCCStoredDialStringTable 1 }

MdmCCStoredDialStringEntry ::= SEQUENCE {

mdmCCStoredDialStringIndex Integer32,

mdmCCStoredDialString DisplayString

}

mdmCCStoredDialStringIndex OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The unique index of a particular dial string."

::= { mdmCCStoredDialStringEntry 1 }

mdmCCStoredDialString OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..64))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"A dial string stored in the modem."

::= { mdmCCStoredDialStringEntry 2 }

-- The modem Error Correcting Group

mdmECTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmECEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem error correcting table augments the modem ID table."

::= { mdmMIBObjects 9 }

mdmECEntry OBJECT-TYPE

SYNTAX MdmECEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS

{ mdmIDEntry }

::= { mdmECTable 1 }

MdmECEntry ::= SEQUENCE {

mdmECEErrorControlUsed OBJECT IDENTIFIER

}

mdmECEErrorControlUsed OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates the error control method used during the current or previous call. This shall be one of the values for error control protocols registered in the capabilities table for this modem. If no error control protocol is in use, this object shall have the value '{0 0}'."

REFERENCE "V.58 errorControlActive"

::= { mdmECEnter 1 }

-- The modem Data Compression Group

mdmDCTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmDCEnter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem data compression table augments the modem ID table."

::= { mdmMIBObjects 10 }

mdmDCEnter OBJECT-TYPE

SYNTAX MdmDCEnter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmDCTable 1 }

MdmDCEnter ::= SEQUENCE {

mdmDCCompressionTypeUsed OBJECT IDENTIFIER

}

mdmDCCompressionTypeUsed OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Indicates the data compression method used during the current or previous call. This shall be one of the values for compression protocols registered in the capabilities table for this modem. If no compression protocol is in use, this object shall have the value '{0 0}'."

::= { mdmDCEnter 1 }

-- The modem Signal Convertor Group

mdmSCTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmSCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem signal convertor table augments the modem ID table."

::= { mdmMIBObjects 11 }

mdmSCEntry OBJECT-TYPE

SYNTAX MdmSCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }

::= { mdmSCTable 1 }

MdmSCEntry ::= SEQUENCE {

mdmSCCurrentLineTransmitRate Integer32,

mdmSCCurrentLineReceiveRate Integer32,

mdmSCInitialLineTransmitRate Integer32,

mdmSCInitialLineReceiveRate Integer32,

mdmSCModulationSchemeUsed OBJECT IDENTIFIER

}

mdmSCCurrentLineTransmitRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current link transmit rate of a connection, or the last link transmit rate of the last connection

in bits per

second."

REFERENCE "V.58 transmissionSignallingRateActive"

::= { mdmSCEntry 1 }

mdmSCCurrentLineReceiveRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current link receive rate of a connection, or the last link receive rate of the last connection in bits per second."

REFERENCE "V.58 transmissionSignallingRateActive"

::= { mdmSCEnterY 2 }

mdmSCInitialLineTransmitRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The initial link transmit rate of the current connection,
or the initial link transmit rate of the last connection in
bits per second."

::= { mdmSCEnterY 3 }

mdmSCInitialLineReceiveRate OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The initial link receive rate of the
current connection, or
the initial link receive rate of the last connection in bits
per second."

::= { mdmSCEnterY 4 }

mdmSCModulationSchemeUsed OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The modulation scheme of the current or previous call.
This shall be one of the values for modulation protocols
registered in the capabilities table for this modem."

REFERENCE "V.58 gstmModulationSchemeActive"

::= { mdmSCEnterY 5 }

-- The Modem Statistics Table

mdmStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF MdmStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The modem statistics Table augments the modem ID table."

::= { mdmMIBObjects 12 }

mdmStatsEntry OBJECT-TYPE

SYNTAX MdmStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entries in this table are created only by the agent. One entry exists for each modem managed by the agent."

AUGMENTS { mdmIDEntry }
::= { mdmStatsTable 1 }

MdmStatsEntry ::= SEQUENCE {
mdmStatsRingNoAnswers Counter32,
mdmStatsIncomingConnectionFailures Counter32,
mdmStatsIncomingConnectionCompletions Counter32,
mdmStatsFailedDialAttempts Counter32,
mdmStatsOutgoingConnectionFailures Counter32,
mdmStatsOutgoingConnectionCompletions Counter32,
mdmStatsRetrains Counter32,
mdmStats2400OrLessConnections Counter32,
mdmStats2400To14400Connections Counter32,
mdmStatsGreaterThan14400Connections Counter32,
mdmStatsErrorControlledConnections Counter32,
mdmStatsCompressedConnections Counter32,
mdmStatsCompressionEfficiency Integer32,
mdmStatsSentOctets Counter32,
mdmStatsReceivedOctets Counter32,
mdmStatsSentDataFrames Counter32,
mdmStatsReceivedDataFrames Counter32,
mdmStatsResentFrames Counter32,
mdmStatsErrorFrames Counter32
}

mdmStatsRingNoAnswers OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of events in which ringing was detected but the call was not answered."

::= { mdmStatsEntry 1 }

mdmStatsIncomingConnectionFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of incoming connection requests that this modem answered in which it could not train with the other DCE."

::= { mdmStatsEntry 2 }

mdmStatsIncomingConnectionCompletions OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of incoming connection requests
that this modem
answered and successfully trained with the other DCE."

::= { mdmStatsEntry 3 }

mdmStatsFailedDialAttempts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of call attempts that failed because the modem
didn't go off hook, or there was no dialtone."

::= { mdmStatsEntry 4 }

mdmStatsOutgoingConnectionFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of outgoing calls from this modem which
successfully went off hook and dialed, in which it could not
train with the other DCE."

::= { mdmStatsEntry 5 }

mdmStatsOutgoingConnectionCompletions OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of outgoing calls from this modem which resulted

in successfully training with the other DCE."

::= { mdmStatsEntry 6 }

mdmStatsRetrains OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of retrains experienced on connections on this
line."

::= { mdmStatsEntry 7 }

-- Utilization counters

mdmStats2400OrLessConnections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of connections initially established at a modulation speed of 2400 bits per second or less."

::= { mdmStatsEntry 8 }

mdmStats2400To14400Connections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of connections initially established at a modulation speed of greater than 2400 bits per second and less than 14400 bits per second."

::= { mdmStatsEntry 9 }

mdmStatsGreaterThan14400Connections

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of connections initially established at a modulation speed of greater than 14400 bits per second."

::= { mdmStatsEntry 10 }

mdmStatsErrorControlledConnections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of established connections using an error control protocol."

::= { mdmStatsEntry 11 }

mdmStatsCompressedConnections OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of established connections using a compression

protocol."
 ::= { mdmStatsEntry 12 }

mdmStatsCompressionEfficiency OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of bytes transferred
into the compression
encoder divided by the number of bytes transferred out of
the encoder, multiplied by 100 for either the current or
last call. If a data compression protocol is not in use,
this value shall be `100`."

REFERENCE "V.58 compressionEfficiency"

::= { mdmStatsEntry 13 }

mdmStatsSentOctets OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets presented to the modem by the DTE."

::= { mdmStatsEntry 14 }

mdmStatsReceivedOctets OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets presented to the DTE by the modem."

::= { mdmStatsEntry 15 }

mdmStatsSentDataFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of data frames sent on the line interface. If

there is no frame-oriented protocol in use on the line
interface, this counter shall not increment."

::= { mdmStatsEntry 16 }

mdmStatsReceivedDataFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of data frames received on the line interface.
If there is no frame-oriented protocol in use on the line
interface, this counter shall not increment."

::= { mdmStatsEntry 17 }

mdmStatsResentFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times this modem retransmits frames on the
line interface. If there is no frame-oriented protocol in
use on the line interface, this counter shall not
increment."

::= { mdmStatsEntry 18 }

mdmStatsErrorFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of block errors received on the link. If there
is no frame-oriented protocol in use on the line interface,
this counter shall not increment."

::= { mdmStatsEntry 19 }

-- compliance statements

mdmCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for SNMPv2 entities which
implement the modem MIB."

MODULE -- this module

MANDATORY-GROUPS { mdmIDGroup, mdmLineInterfaceGroup,
mdmDTEInterfaceGroup, mdmCallControlGroup,
mdmSignalConvertorGroup, mdmStatisticsGroup }

GROUP mdmErrorControlGroup

DESCRIPTION

"This group is mandatory only for those modems that
implement an error correction protocol."

GROUP mdmDataCompressionGroup

DESCRIPTION

"This group is mandatory only for those modems that
implement a data compression protocol."

::= { mdmCompliances 1 }

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/Modem-MIB

No license file was found, but licenses were detected in source scan.

SYSAPPL-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, OBJECT-TYPE,

Unsigned32, TimeTicks, Counter32, Gauge32

FROM SNMPv2-SMI

DateAndTime, TEXTUAL-CONVENTION

FROM SNMPv2-TC

MODULE-COMPLIANCE, OBJECT-GROUP

FROM SNMPv2-CONF

mib-2 FROM SNMPv2-SMI;

-- System Application MIB

sysApplMIB MODULE-IDENTITY

LAST-UPDATED "9710200000Z"

ORGANIZATION "IETF Applications MIB Working Group"

CONTACT-INFO

"Cheryl Krupczak (Editor, WG Advisor)

Postal: Empire Technologies, Inc.

541 Tenth Street NW

Suite 169

Atlanta, GA 30318

USA

Phone: (770) 384-0184

Email: cheryl@empiretech.com

Jon Saperia (WG Chair)

Postal: BGS Systems, Inc.

One First Avenue

Waltham, MA 02254-9111

USA

Phone: (617) 891-0000

Email: saperia@networks.bgs.com"

DESCRIPTION

"The MIB module defines management objects that model applications as collections of executables and files installed and executing on a host system. The MIB presents a system-level view of applications; i.e., objects in this MIB are limited to those attributes that can typically be obtained from the system itself without adding special instrumentation to the applications."
 ::= { mib-2 54 }

sysApplOBJ OBJECT IDENTIFIER ::= { sysApplMIB 1 }
sysApplInstalled OBJECT IDENTIFIER ::= { sysApplOBJ 1 }
sysApplRun OBJECT IDENTIFIER ::= { sysApplOBJ 2 }
sysApplMap OBJECT IDENTIFIER ::= { sysApplOBJ 3 }
sysApplNotifications OBJECT IDENTIFIER ::= { sysApplMIB 2 }
sysApplConformance OBJECT IDENTIFIER ::= { sysApplMIB 3 }

-- Textual Conventions

RunState ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TC describes the current execution state of a running application or process. The possible values are:

running(1),
runnable(2), - waiting for a resource (CPU, etc.)
waiting(3), - waiting for an event
exiting(4),
other(5) - other invalid state"

SYNTAX INTEGER {

running (1),
runnable (2), -- waiting for resource (CPU, etc.)
waiting (3), -- waiting for event
exiting (4),
other (5) -- other invalid state
}

LongUtf8String ::= TEXTUAL-CONVENTION

DISPLAY-HINT "1024a"

STATUS current

DESCRIPTION

"To facilitate internationalization, this TC represents information taken from the ISO/IEC IS 10646-1 character set, encoded as an octet string using the UTF-8 character encoding scheme described in RFC 2044 [10]. For strings in 7-bit US-ASCII, there is no impact since the UTF-8 representation

is identical to the US-ASCII encoding."
SYNTAX OCTET STRING (SIZE (0..1024))

Utf8String ::= TEXTUAL-CONVENTION

DISPLAY-HINT "255a"

STATUS current

DESCRIPTION

"To facilitate internationalization, this TC represents information taken from the ISO/IEC IS 10646-1 character set, encoded as an octet string using the UTF-8 character encoding scheme described in RFC 2044 [10]. For strings in 7-bit US-ASCII, there is no impact since the UTF-8 representation is identical to the US-ASCII encoding."

SYNTAX OCTET STRING (SIZE (0..255))

-- sysApplInstalled Group

-- This group provides information about application packages

-- that have been installed on the host computer. The group contains two tables. The first, the sysApplInstallPkgTable, describes the application packages, the second, the sysApplInstallElmtTable, describes the constituent elements (files and executables) which compose an application package.

--

-- In order to appear in this group, an application and its component files must be discoverable by the system itself, possibly through some type of software installation mechanism or registry.

-- sysApplInstallPkgTable

-- The system installed application packages table provides information on the software packages installed on a system. These packages may consist of many different files including executable and non-executable files.

sysApplInstallPkgTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplInstallPkgEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table listing the software application packages installed on a host computer. In order to appear in this table, it may be necessary for the application

to be installed using some type of software installation mechanism or global registry so that its existence can be detected by the agent implementation."

::= { sysApplInstalled 1 }

sysApplInstallPkgEntry OBJECT-TYPE

SYNTAX SysApplInstallPkgEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing an installed application package."

INDEX { sysApplInstallPkgIndex }

::= { sysApplInstallPkgTable 1 }

SysApplInstallPkgEntry ::= SEQUENCE {

sysApplInstallPkgIndex Unsigned32,

sysApplInstallPkgManufacturer Utf8String,

sysApplInstallPkgProductName Utf8String,

sysApplInstallPkgVersion Utf8String,

sysApplInstallPkgSerialNumber

Utf8String,

sysApplInstallPkgDate DateAndTime,

sysApplInstallPkgLocation LongUtf8String

}

sysApplInstallPkgIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An integer used only for indexing purposes. Generally monotonically increasing from 1 as new applications are installed.

The value for each installed application must remain constant at least from one re-initialization of the network management entity which implements this MIB module to the next re-initialization.

The specific value is meaningful only within a given SNMP entity. A sysApplInstallPkgIndex value must not be re-used until the next agent entity restart in the event the installed application entry is deleted."

::= { sysApplInstallPkgEntry 1 }

sysApplInstallPkgManufacturer

OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Manufacturer of the software application package."

::= { sysAppInstallPkgEntry 2 }

sysAppInstallPkgProductName OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The name assigned to the software application package
by the Manufacturer."

::= { sysAppInstallPkgEntry 3 }

sysAppInstallPkgVersion OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The version number assigned to the application package
by the manufacturer of the software."

::= { sysAppInstallPkgEntry 4 }

sysAppInstallPkgSerialNumber OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The serial number of the software assigned
by the
manufacturer."

::= { sysAppInstallPkgEntry 5 }

sysAppInstallPkgDate OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The date and time this software application was installed
on the host."

::= { sysAppInstallPkgEntry 6 }

sysAppInstallPkgLocation OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-only

```

STATUS    current
DESCRIPTION
    "The complete path name where the application package
    is installed. For example, the value would be
    /opt/MyapplDir' if the application package was installed
    in the /opt/MyapplDir directory."
::= { sysApplInstallPkgEntry 7 }

-- sysApplInstallElmtTable
-- The table describing the individual application package
-- elements (files and executables) installed on the host computer.

sysApplInstallElmtTable OBJECT-TYPE
    SYNTAX    SEQUENCE OF SysApplInstallElmtEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "This table details the individual application package
        elements (files and executables) which comprise the
        applications defined in the sysApplInstallPkg Table.
        Each entry in this table has an index to the
        sysApplInstallPkg table to identify the application
        package of which it is a part. As a result, there may
        be many entries in this table for each instance in the
        sysApplInstallPkg Table.

        Table entries are indexed by sysApplInstallPkgIndex,
        sysApplInstallElmtIndex to facilitate retrieval of
        all elements associated with a particular installed
        application package."
    ::= { sysApplInstalled 2 }

sysApplInstallElmtEntry OBJECT-TYPE
    SYNTAX    SysApplInstallElmtEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "The logical row
        describing an element of an installed
        application. The element may be an executable or
        non-executable file."
    INDEX    {sysApplInstallPkgIndex, sysApplInstallElmtIndex}
    ::= { sysApplInstallElmtTable 1 }

SysApplInstallElmtEntry ::= SEQUENCE {
    sysApplInstallElmtIndex    Unsigned32,
    sysApplInstallElmtName    Utf8String,

```

```

sysAppInstallElmtType      INTEGER,
sysAppInstallElmtDate     DateAndTime,
sysAppInstallElmtPath     LongUtf8String,
sysAppInstallElmtSizeHigh Unsigned32,
sysAppInstallElmtSizeLow  Unsigned32,
sysAppInstallElmtRole     BITS,
sysAppInstallElmtModifyDate DateAndTime,
sysAppInstallElmtCurSizeHigh Unsigned32,
sysAppInstallElmtCurSizeLow Unsigned32
}

```

```

sysAppInstallElmtIndex OBJECT-TYPE
    SYNTAX      Unsigned32 (1..'ffffff'h)
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "An arbitrary integer used for indexing. The value
         of this index is unique among all rows in this table
         that exist or have existed since the last agent restart."
    ::= { sysAppInstallElmtEntry 1 }

```

```

sysAppInstallElmtName OBJECT-TYPE
    SYNTAX      Utf8String
    MAX-ACCESS  read-only
    STATUS      current
    DESCRIPTION
        "The name of this element which is contained in the
         application."
    ::= { sysAppInstallElmtEntry 2 }

```

```

sysAppInstallElmtType OBJECT-TYPE
    SYNTAX      INTEGER {
        unknown(1),
        nonexecutable(2),
        operatingSystem(3), -- executable
        deviceDriver(4),   -- executable
        application(5)    -- executable
    }
    MAX-ACCESS  read-only
    STATUS      current
    DESCRIPTION
        "The type of element that is
         part of the installed
         application."
    ::= { sysAppInstallElmtEntry 3 }

```

sysApplInstallElmtDate OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The date and time that this component was installed on the system."

::= { sysApplInstallElmtEntry 4 }

sysApplInstallElmtPath OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The full directory path where this element is installed. For example, the value would be '/opt/EMPuma/bin' for an element installed in the directory '/opt/EMPuma/bin'. Most application packages include information about the elements contained in the package. In addition, elements are typically installed in sub-directories under the package installation directory. In cases where the element path names are not included

in the package

information itself, the path can usually be determined by a simple search of the sub-directories. If the element is not installed in that location and there is no other information available to the agent implementation, then the path is unknown and null is returned."

::= { sysApplInstallElmtEntry 5 }

sysApplInstallElmtSizeHigh OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The installed file size in 2³² byte blocks. This is the size of the file on disk immediately after installation.

For example, for a file with a total size of 4,294,967,296 bytes, this variable would have a value of 1; for a file with a total size of 4,294,967,295 bytes this variable would be 0."

::= { sysApplInstallElmtEntry 6 }

sysApplInstallElmtSizeLow OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The installed file size modulo 2³² bytes. This is the size of the file on disk immediately after installation.

For example, for a file with a total size of 4,294,967,296 bytes this variable would have a value of 0; for a file with a total size of 4,294,967,295 bytes this variable would be 4,294,967,295."

::= { sysApplInstallElmtEntry 7 }

sysApplInstallElmtRole OBJECT-TYPE

SYNTAX BITS {

executable(0),

-- An application may have one or
-- more executable elements. The rest of the
-- bits have no meaning if the element is not
-- executable.

exclusive(1),

-- Only one copy of an exclusive element may be
-- running per invocation of the running
-- application.

primary(2),

-- The primary executable. An application can
-- have one, and only one element that is designated
-- as the primary executable. The execution of
-- this element constitutes an invocation of
-- the application. This is used by the agent
-- implementation to determine the initiation of
-- an application. The primary executable must
-- remain running long enough for the agent
-- implementation to detect its presence.

required(3),

-- An application may have zero or more required
-- elements. All required elements must be running

-- in order for the application to be judged to be
-- running and healthy.

dependent(4),

-- An application may have

zero or more

-- dependent elements. Dependent elements may
-- not be running unless required elements are.

unknown(5)

-- Default value for the case when an operator
-- has not yet assigned one of the other values.

-- When set, bits 1, 2, 3, and 4 have no meaning.

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"An operator assigned value used in the determination of application status. This value is used by the agent to determine both the mapping of started processes to the initiation of an application, as well as to allow for a determination of application health. The default value, unknown(5), is used when an operator has not yet assigned one of the other values. If unknown(5) is set, bits 1 - 4 have no meaning. The possible values are:

executable(0),

An application may have one or more executable elements. The rest of the bits have no meaning if the element is not executable.

exclusive(1),

Only one copy of an exclusive element may be running per invocation of the running application.

primary(2),

The primary executable. An application can have one, and only one element that is designated as the primary executable. The execution of this element constitutes an invocation of the application. This is used by the agent implementation to determine the initiation of an application. The primary executable must remain running long enough for

the agent

implementation to detect its presence.

required(3),

An application may have zero or more required elements. All required elements must be running in order for the application to be judged to be running and healthy.

dependent(4),

An application may have zero or more dependent elements. Dependent elements may not be running unless required elements are.

unknown(5)

Default value for the case when an operator has not yet assigned one of the other values. When set, bits 1, 2, 3, and 4 have no meaning.

sysApplInstallElmtRole is used by the agent implementation in determining the initiation of an application, the current state of a running application (see sysApplRunCurrentState), when an application invocation is no longer running, and the exit status of a terminated application invocation (see sysApplPastRunExitState)."

```
DEFVAL { { unknown } }  
::= { sysApplInstallElmtEntry 8 }
```

sysApplInstallElmtModifyDate OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The date and time that this element was last modified. Modification of the sysApplInstallElmtRole columnar object does NOT constitute a modification of the element itself and should not affect the value of this object."

```
::= { sysApplInstallElmtEntry 9 }
```

sysApplInstallElmtCurSizeHigh OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current file size in 2³² byte blocks. For example, for a file with a total size of 4,294,967,296 bytes,

this variable would have a value of 1; for a file with a total size of 4,294,967,295 bytes this variable would be 0."

```
::= { sysApplInstallElmtEntry 10 }
```

sysApplInstallElmtCurSizeLow OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current file size modulo 2³² bytes. For example, for a file with a total size of 4,294,967,296 bytes this variable would have a value of 0; for a file with a total size of 4,294,967,295 bytes this variable would be 4,294,967,295."

```
::= { sysApplInstallElmtEntry 11 }
```

```

-- sysApplRun Group
-- This group models activity information for applications
-- that have been invoked and are either currently running,
-- or have previously run on the host system. Likewise,
-- the individual elements of an invoked application are
-- also modeled to show currently running processes, and
-- processes that
have run in the past.

-- sysApplRunTable
-- The sysApplRunTable contains the application instances
-- which are currently running on the host. Since a single
-- application might be invoked multiple times, an entry is
-- added to this table for each INVOCATION of an application.
-- The table is indexed by sysApplInstallPkgIndex, sysApplRunIndex
-- to enable managers to easily locate all invocations of
-- a particular application package.

```

sysApplRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table describes the applications which are executing on the host. Each time an application is invoked, an entry is created in this table. When an application ends, the entry is removed from this table and a corresponding entry is created in the SysApplPastRunTable.

A new entry is created in this table whenever the agent implementation detects a new running process that is an installed application element whose sysApplInstallElmtRole designates it as being the application's primary executable (sysApplInstallElmtRole = primary(2)).

The table is indexed by sysApplInstallPkgIndex, sysApplRunIndex to enable managers to easily locate all invocations of a particular application package."

::= { sysApplRun 1 }

sysApplRunEntry OBJECT-TYPE

SYNTAX SysApplRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing an application which is currently running on this host."

```
INDEX { sysApplInstallPkgIndex, sysApplRunIndex }
 ::= { sysApplRunTable 1 }
```

```
SysApplRunEntry ::= SEQUENCE {
  sysApplRunIndex          Unsigned32,
  sysApplRunStarted       DateAndTime,
  sysApplRunCurrentState
    RunState
}
```

sysApplRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table. An arbitrary integer used only for indexing purposes. Generally monotonically increasing from 1 as new applications are started on the host, it uniquely identifies application invocations.

The numbering for this index increases by 1 for each INVOCATION of an application, regardless of which installed application package this entry represents a running instance of.

An example of the indexing for a couple of entries is shown below.

```
      :
      sysApplRunStarted.17.14
      sysApplRunStarted.17.63
      sysApplRunStarted.18.13
      :
```

In this example, the agent has observed 12 application invocations when the application represented by entry 18 in the sysApplInstallPkgTable is invoked. The next invocation detected by the agent is an invocation of installed application package 17. Some time later, installed application 17 is invoked a second time.

NOTE: this index is not intended to reflect a real-time (wall clock time) ordering of application invocations; it is merely intended to uniquely identify running instances of applications. Although the sysApplInstallPkgIndex is included in the INDEX clause

for this table, it serves only to ease searching of this table by installed application and does not contribute to uniquely identifying table entries."

::= { sysApplRunEntry 1 }

sysApplRunStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The

date and time that the application was started."

::= { sysApplRunEntry 2 }

sysApplRunCurrentState OBJECT-TYPE

SYNTAX RunState

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current state of the running application instance.

The possible values are running(1), runnable(2) but waiting

for a resource such as CPU, waiting(3) for an event,

exiting(4), or other(5). This value is based on an evaluation

of the running elements of this application instance (see

sysApplElmRunState) and their Roles as defined by

sysApplInstallElmRole. An agent implementation may

detect that an application instance is in the process of

exiting if one or more of its REQUIRED elements are no

longer running. Most agent implementations will wait until

a second internal poll has been completed to give the

system time to start REQUIRED elements before

marking the

application instance as exiting."

::= { sysApplRunEntry 3 }

-- sysApplPastRunTable

-- The sysApplPastRunTable provides a history of applications

-- previously run on the host computer. Entries are removed from

-- the sysApplRunTable and corresponding entries are added to this

-- table when an application becomes inactive. Entries remain in

-- this table until they are aged out when either the table size

-- reaches a maximum as determined by the sysApplPastRunMaxRows,

-- or when an entry has aged to exceed a time limit as set be

-- sysApplPastRunTblTimeLimit.

--

-- When aging out entries, the oldest entry, as determined by

-- the value of sysApplPastRunTimeEnded, will be removed first.

sysApplPastRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplPastRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A history of the applications that have previously run on the host

computer. An entry's information is moved to this table from the sysApplRunTable when the invoked application represented by the entry ceases to be running.

An agent implementation can determine that an application invocation is no longer running by evaluating the running elements of the application instance and their Roles as defined by sysApplInstallElmtRole. Obviously, if there are no running elements for the application instance, then the application invocation is no longer running. If any one of the REQUIRED elements is not running, the application instance may be in the process of exiting. Most agent implementations will wait until a second internal poll has been completed to give the system time to either restart partial failures or to give all elements time to exit. If, after the second poll, there are REQUIRED elements that

are not running, then the application instance may be considered by the agent implementation to no longer be running.

Entries remain in the sysApplPastRunTable until they are aged out when either the table size reaches a maximum as determined by the sysApplPastRunMaxRows, or when an entry has aged to exceed a time limit as set by sysApplPastRunTblTimeLimit.

Entries in this table are indexed by sysApplInstallPkgIndex, sysApplPastRunIndex to facilitate retrieval of all past run invocations of a particular installed application."

::= { sysApplRun 2 }

sysApplPastRunEntry OBJECT-TYPE

SYNTAX SysApplPastRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing an invocation of an application which was previously run and has terminated. The entry

is basically copied from the sysApplRunTable when the application instance terminates. Hence, the entry's value for sysApplPastRunIndex is the same as its value was for sysApplRunIndex."

```
INDEX { sysApplInstallPkgIndex, sysApplPastRunIndex }  
::= { sysApplPastRunTable 1 }
```

```
SysApplPastRunEntry ::= SEQUENCE {  
    sysApplPastRunIndex      Unsigned32,  
    sysApplPastRunStarted    DateAndTime,  
    sysApplPastRunExitState  INTEGER,  
    sysApplPastRunTimeEnded  DateAndTime  
}
```

sysApplPastRunIndex OBJECT-TYPE

```
SYNTAX Unsigned32 (1..'ffffff'h)
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

"Part of the index for this table. An integer matching the value of the removed sysApplRunIndex corresponding to this row."

```
::= { sysApplPastRunEntry 1 }
```

sysApplPastRunStarted OBJECT-TYPE

```
SYNTAX DateAndTime
```

```
MAX-ACCESS read-only
```

```
STATUS
```

```
current
```

```
DESCRIPTION
```

"The date and time that the application was started."

```
::= { sysApplPastRunEntry 2 }
```

sysApplPastRunExitState OBJECT-TYPE

```
SYNTAX INTEGER {
```

```
    complete (1), -- normal exit at sysApplRunTimeEnded
```

```
    failed (2), -- abnormal exit
```

```
    other (3)
```

```
}
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

"The state of the application instance when it terminated. This value is based on an evaluation of the running elements of an application and their Roles as defined by sysApplInstallElmtRole. An application instance is said to have exited in a COMPLETE state and its entry is removed

from the sysApplRunTable and added to the sysApplPastRunTable when the agent detects that ALL elements of an application invocation are no longer running. Most agent implementations will wait until a second internal poll has been completed to give the system time to either restart partial failures or to give all elements time to exit. A failed state occurs if, after the second poll, any elements continue to run but one or more of the REQUIRED elements are no longer running. All other combinations MUST be defined as OTHER."
::= { sysApplPastRunEntry 3 }

sysApplPastRunTimeEnded OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The DateAndTime the application instance was determined to be no longer running."

::= { sysApplPastRunEntry 4 }

-- sysApplElmtRunTable

-- The sysApplElmtRunTable contains an entry for each process that
-- is currently running on the host. An entry is created in
-- this table for each process at the time it is started, and will
-- remain in the table until the process terminates.

--

-- The table

is indexed by sysApplElmtRunInstallPkg,

-- sysApplElmtRunInvocID, and sysApplElmtRunIndex to make it easy

-- to locate all running elements of a particular invoked application

-- which has been installed on the system.

sysApplElmtRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplElmtRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table describes the processes which are currently executing on the host system. Each entry represents a running process and is associated with the invoked application of which that process is a part, if possible. This table contains an entry for every process currently running on the system, regardless of whether its 'parent' application can be determined. So, for example, processes like 'ps' and 'grep' will have entries though they are not associated with an installed application package.

Because
a running application may involve
more than one executable, it is possible to have
multiple entries in this table for each application.
Entries are removed from this table when the process
terminates.
The table is indexed by sysAppElmtRunInstallPkg,
sysAppElmtRunInvocID, and sysAppElmtRunIndex to
facilitate the retrieval of all running elements of a
particular invoked application which has been installed on
the system."
::= { sysAppRun 3 }

sysAppElmtRunEntry OBJECT-TYPE
SYNTAX SysAppElmtRunEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The logical row describing a process currently
running on this host. When possible, the entry is
associated with the invoked application of which it
is a part."
INDEX { sysAppElmtRunInstallPkg, sysAppElmtRunInvocID,
sysAppElmtRunIndex
}
::= { sysAppElmtRunTable 1 }

SysAppElmtRunEntry ::= SEQUENCE {
sysAppElmtRunInstallPkg Unsigned32,
sysAppElmtRunInvocID Unsigned32,
sysAppElmtRunIndex Unsigned32,
sysAppElmtRunInstallIID Unsigned32,
sysAppElmtRunTimeStarted DateAndTime,
sysAppElmtRunState RunState,
sysAppElmtRunName LongUtf8String,
sysAppElmtRunParameters Utf8String,
sysAppElmtRunCPU TimeTicks,
sysAppElmtRunMemory Gauge32,
sysAppElmtRunNumFiles Gauge32,
sysAppElmtRunUser Utf8String
}

sysAppElmtRunInstallPkg OBJECT-TYPE
SYNTAX Unsigned32 (0..'ffffff'h)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"Part of the index for this table, this value identifies the installed software package for the application of which this process is a part. Provided that the process's 'parent' application can be determined, the value of this object is the same value as the sysApplInstallPkgIndex for the entry in the sysApplInstallPkgTable that corresponds to the installed application of which this process is a part.

If, however, the 'parent' application cannot be determined, (for example the process is not part of a particular installed application), the value for this object is then '0', signifying that this process cannot be related back to an application, and in turn, an installed software package."

::= { sysApplElmtRunEntry 1 }

sysApplElmtRunInvocID OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table, this value identifies the invocation of an application of which this process is a part. Provided that the 'parent' application can be determined, the value of this object is the same value as the sysApplRunIndex for the corresponding application invocation in the sysApplRunTable.

If, however, the 'parent' application cannot be determined, the value for this object is then '0', signifying that this process cannot be related back to an invocation of an application in the sysApplRunTable."

::= { sysApplElmtRunEntry 2 }

sysApplElmtRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table. A unique value for each process running on the host. Wherever possible, this should be the system's native, unique identification number."

::= { sysAppElmtRunEntry 3 }

sysAppElmtRunInstallID

OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index into the sysAppInstallElmtTable. The value of this object is the same value as the sysAppInstallElmtIndex for the application element of which this entry represents a running instance. If this process cannot be associated with an installed executable, the value should be '0'."

::= { sysAppElmtRunEntry 4 }

sysAppElmtRunTimeStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time the process was started."

::= { sysAppElmtRunEntry 5 }

sysAppElmtRunState OBJECT-TYPE

SYNTAX RunState

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current state of the running process. The possible values are running(1), runnable(2) but waiting for a resource such as CPU, waiting(3) for an event, exiting(4), or other(5)."

::= { sysAppElmtRunEntry 6 }

sysAppElmtRunName OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The full path and filename of the process. For example, '/opt/MYYpkg/bin/myyproc' would be returned for process 'myyproc' whose execution path is '/opt/MYYpkg/bin/myyproc'."

::= { sysAppElmtRunEntry 7 }

sysAppElmtRunParameters OBJECT-TYPE

SYNTAX Utf8String
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The starting parameters for the process."
::= { sysAppElmtRunEntry 8 }

sysAppElmtRunCPU OBJECT-TYPE

SYNTAX TimeTicks
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of centi-seconds of the total system's
CPU resources consumed by this process.
Note that
on a multi-processor system, this value may
have been incremented by more than one centi-second
in one centi-second of real (wall clock) time."
::= { sysAppElmtRunEntry 9 }

sysAppElmtRunMemory OBJECT-TYPE

SYNTAX Gauge32
UNITS "Kbytes"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The total amount of real system memory measured in
Kbytes currently allocated to this process."

::= { sysAppElmtRunEntry 10 }

sysAppElmtRunNumFiles OBJECT-TYPE

SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of regular files currently open by the
process. Transport connections (sockets)
should NOT be included in the calculation of
this value, nor should operating system specific
special file types."
::= { sysAppElmtRunEntry 11 }

sysAppElmtRunUser OBJECT-TYPE

SYNTAX Utf8String
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The process owner's login name (e.g. root)."
 ::= { sysAppElmtRunEntry 12 }

-- sysAppElmtPastRunTable
 -- The sysAppElmtPastRunTable maintains a history of
 -- processes which have previously executed on
 -- the host as part of an application. Upon termination
 -- of a process, the entry representing the process is removed from
 -- the sysAppElmtRunTable and a corresponding entry is created in
 -- this table provided that the process was part of an
 -- identifiable application. If the process could not be associated
 -- with an invoked application, no corresponding entry is created.
 -- Hence, whereas the sysAppElmtRunTable contains an entry for
 -- every process currently executing on the system, the
 -- sysAppElmtPastRunTable only contains entries for processes
 -- that previously executed as part of an invoked application.
 --
 -- Entries
 remain in this table until they are aged out when
 -- either the number of entries in the table reaches a
 -- maximum as determined by sysAppElmtPastRunMaxRows, or
 -- when an entry has aged to exceed a time limit as set by
 -- sysAppElmtPastRunTblTimeLimit. When aging out entries,
 -- the oldest entry, as determined by the value of
 -- sysAppElmtPastRunTimeEnded, will be removed first.
 --
 -- The table is indexed by sysAppInstallPkgIndex (from the
 -- sysAppInstallPkgTable), sysAppElmtPastRunInvocID, and
 -- sysAppElmtPastRunIndex to make it easy to locate all
 -- previously executed processes of a particular invoked application
 -- that has been installed on the system.

sysAppElmtPastRunTable OBJECT-TYPE

SYNTAX SEQUENCE OF SysAppElmtPastRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The table describes the processes which have previously
 executed on the host system as part of an application.

Each entry represents a process which has previously
 executed and is associated with the invoked application
 of which it was a part. Because an invoked application
 may involve more than one executable, it is possible
 to have multiple entries in this table for
 each application invocation. Entries are added
 to this table when the corresponding process in the

sysAppElmtRun Table terminates.

Entries remain in this table until they are aged out when either the number of entries in the table reaches a maximum as determined by sysAppElmtPastRunMaxRows, or when an entry has aged to exceed a time limit as set by sysAppElmtPastRunTblTimeLimit. When aging out entries, the oldest entry, as determined by the value of sysAppElmtPastRunTimeEnded, will be removed first.

The table is indexed by sysAppInstallPkgIndex (from the sysAppInstallPkgTable), sysAppElmtPastRunInvocID, and sysAppElmtPastRunIndex to make it easy to locate all previously executed processes of a particular invoked application that has been installed on the system."

```
::= { sysAppRun 4 }
```

sysAppElmtPastRunEntry OBJECT-TYPE

SYNTAX SysAppElmtPastRunEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The logical row describing a process which was previously executed on this host as part of an installed application. The entry is basically copied from the sysAppElmtRunTable when the process terminates. Hence, the entry's value for sysAppElmtPastRunIndex is the same as its value was for sysAppElmtRunIndex. Note carefully: only those processes which could be associated with an identified application are included in this table."

```
INDEX { sysAppInstallPkgIndex,  
sysAppElmtPastRunInvocID,  
sysAppElmtPastRunIndex }  
::= { sysAppElmtPastRunTable 1 }
```

SysAppElmtPastRunEntry ::= SEQUENCE {

```
sysAppElmtPastRunInvocID Unsigned32,  
sysAppElmtPastRunIndex Unsigned32,  
sysAppElmtPastRunInstallID Unsigned32,  
sysAppElmtPastRunTimeStarted DateAndTime,  
sysAppElmtPastRunTimeEnded DateAndTime,  
sysAppElmtPastRunName LongUtf8String,  
sysAppElmtPastRunParameters Utf8String,  
sysAppElmtPastRunCPU TimeTicks,  
sysAppElmtPastRunMemory Unsigned32,  
sysAppElmtPastRunNumFiles Unsigned32,  
sysAppElmtPastRunUser Utf8String
```

}

sysAppElmtPastRunInvocID OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table, this value identifies

the invocation of an application of which

the process represented by this entry was a part.

The value of this object is the same value as the sysAppRunIndex for the corresponding application invocation in the sysAppRunTable. If the invoked application as a whole has terminated, it will be the same as the sysAppPastRunIndex."

::= { sysAppElmtPastRunEntry 1 }

sysAppElmtPastRunIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Part of the index for this table. An integer assigned by the agent equal to the corresponding sysAppElmtRunIndex which was removed from the sysAppElmtRunTable and moved to this table when the element terminated.

Note: entries in this table are indexed by sysAppElmtPastRunInvocID, sysAppElmtPastRunIndex.

The possibility

exists, though unlikely, of a

collision occurring by a new entry which was run by the same invoked application (InvocID), and was assigned the same process identification number (ElmtRunIndex) as an element which was previously run by the same invoked application.

Should this situation occur, the new entry replaces the old entry.

See Section: 'Implementation Issues - sysAppElmtPastRunTable Entry Collisions' for the conditions that would have to occur in order for a collision to occur."

::= { sysAppElmtPastRunEntry 2 }

sysAppElmtPastRunInstallID OBJECT-TYPE

SYNTAX Unsigned32 (1..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The index into the installed element table. The value of this object is the same value as the sysAppInstallElmtIndex for the application element

of which this entry represents a previously executed process."

::= { sysAppElmtPastRunEntry 3 }

sysAppElmtPastRunTimeStarted OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time the process was started."

::= { sysAppElmtPastRunEntry 4 }

sysAppElmtPastRunTimeEnded OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time the process ended."

::= { sysAppElmtPastRunEntry 5 }

sysAppElmtPastRunName OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The full path and filename of the process. For example, '/opt/MYYpkg/bin/myyproc' would be returned for process 'myyproc' whose execution path was '/opt/MYYpkg/bin/myyproc'."

::= { sysAppElmtPastRunEntry 6 }

sysAppElmtPastRunParameters

OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The starting parameters for the process."

```
::= { sysAppElmtPastRunEntry 7 }
```

sysAppElmtPastRunCPU OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last known number of centi-seconds of the total system's CPU resources consumed by this process.

Note that on a multi-processor system, this value may increment by more than one centi-second in one centi-second of real (wall clock) time."

```
::= { sysAppElmtPastRunEntry 8 }
```

sysAppElmtPastRunMemory OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "Kbytes"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last known total amount of real system memory measured in Kbytes allocated to this process before it

terminated."

```
::= { sysAppElmtPastRunEntry 9 }
```

sysAppElmtPastRunNumFiles OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last known number of files open by the process before it terminated. Transport connections (sockets) should NOT be included in the calculation of this value."

```
::= { sysAppElmtPastRunEntry 10 }
```

sysAppElmtPastRunUser OBJECT-TYPE

SYNTAX Utf8String

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The process owner's login name (e.g. root)."

```
::= { sysAppElmtPastRunEntry 11 }
```

-- Additional Scalar objects to control table sizes

sysApplPastRunMaxRows OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum number of entries allowed in the sysApplPastRunTable.

Once the number of rows in

the sysApplPastRunTable reaches this value, the management subsystem will remove the oldest entry in the table to make room for the new entry to be added. Entries will be removed on the basis of oldest sysApplPastRunTimeEnded value first.

This object may be used to control the amount of system resources that can be used for sysApplPastRunTable entries. A conforming implementation should attempt to support the default value, however, a lesser value may be necessary due to implementation-dependent issues and resource availability."

DEFVAL { 500 }

::= { sysApplRun 5 }

sysApplPastRunTableRemItems OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A counter of the number of entries removed from the sysApplPastRunTable because of table size limitations

as set in sysApplPastRunMaxRows. This counter is the number of entries the management subsystem has had to remove in order to make room for new entries (so as not to exceed the limit set by sysApplPastRunMaxRows) since the last initialization of the management subsystem."

::= { sysApplRun 6 }

sysApplPastRunTblTimeLimit OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum time in seconds which an entry in the sysApplPastRunTable may exist before it is removed.

Any entry that is older than this value will be removed (aged out) from the table.

Note that an entry may be aged out prior to reaching this time limit if it is the oldest entry in the table and must be removed to make space for a new entry so as to not exceed sysApplPastRunMaxRows."
DEFVAL { 7200 }
::= { sysApplRun 7 }

sysApplElemPastRunMaxRows OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum number of entries allowed in the sysApplElmtPastRunTable. Once the number of rows in the sysApplElmtPastRunTable reaches this value, the management subsystem will remove the oldest entry to make room for the new entry to be added. Entries will be removed on the basis of oldest sysApplElmtPastRunTimeEnded value first. This object may be used to control the amount of system resources that can be used for sysApplElemPastRunTable entries. A conforming implementation should attempt to support the default value, however, a lesser value may be necessary due to implementation-dependent issues and resource availability."

DEFVAL

{ 500 }

::= { sysApplRun 8 }

sysApplElemPastRunTableRemItems OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A counter of the number of entries removed from the sysApplElemPastRunTable because of table size limitations as set in sysApplElemPastRunMaxRows. This counter is the number of entries the management subsystem has had to remove in order to make room for new entries (so as not to exceed the limit set by sysApplElemPastRunMaxRows) since the last initialization of the management subsystem."

::= { sysApplRun 9 }

sysApplElemPastRunTblTimeLimit OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum time in seconds which an entry in the sysAppElemPastRunTable may exist before it is removed.

Any entry that is older than this value will be removed (aged out) from the table.

Note that an entry may be aged out prior to reaching this time limit if it is the oldest entry in the table and must be removed to make space for a new entry so as to not exceed sysAppElemPastRunMaxRows."

DEFVAL { 7200 }

::= { sysAppRun 10 }

sysAppAgentPollInterval OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The minimum interval in seconds that the management subsystem implementing this MIB will poll the status of the managed resources. Because of the non-trivial effort involved in polling the managed resources, and because the method for obtaining the status of the managed resources is implementation-dependent, a conformant implementation

may chose a lower bound greater than 0.

A value of 0 indicates that there is no delay in the passing of information from the managed resources to the agent."

DEFVAL { 60 }

::= { sysAppRun 11 }

-- sysAppMap Group

-- This group contains a table, the sysAppMapTable,
-- whose sole purpose is to provide a 'backwards'
-- mapping so that, given a known sysAppElmtRunIndex
-- (process identification number), the corresponding invoked
-- application (sysAppRunIndex), installed element
-- (sysAppInstallElmtIndex), and installed application
-- package (sysAppInstallPkgIndex) can be quickly determined.

--

-- The table will contain one entry for each process

-- currently running on the system.
--
-- A backwards mapping is extremely useful since the tables
-- in this MIB module are typically indexed with the
-- installed application package (sysApplInstallPkgIndex)
-- as the primary key, and on down
as required by the
-- specific table, with the process ID number (sysApplElmtRunIndex)
-- being the least significant key.
--
-- It is expected that management applications will use
-- this mapping table by doing a 'GetNext' operation with
-- the known process ID number (sysApplElmtRunIndex) as the partial
-- instance identifier. Assuming that there is an entry for
-- the process, the result should return a single columnar value,
-- the sysApplMapInstallPkgIndex, with the sysApplElmtRunIndex,
-- sysApplRunIndex, and sysApplInstallElmtIndex contained in the
-- instance identifier for the returned MIB object value.
--
-- NOTE: if the process can not be associated back to an
-- invoked application installed on the system, then the
-- value returned for the columnar value sysApplMapInstallPkgIndex
-- will be '0' and the instance portion of the object-identifier
-- will be the process ID number (sysApplElmtRunIndex) followed

-- by 0.0.

sysApplMapTable

OBJECT-TYPE

SYNTAX SEQUENCE OF SysApplMapEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The sole purpose of this table is to provide a
'backwards' mapping so that, given a known
sysApplElmtRunIndex (process identification number),
the corresponding invoked application (sysApplRunIndex),
installed element (sysApplInstallElmtIndex), and
installed application package (sysApplInstallPkgIndex)
can be quickly determined.

This table will contain one entry for each process
that is currently executing on the system.

It is expected that management applications will use
this mapping table by doing a 'GetNext' operation with
the known process ID number (sysApplElmtRunIndex) as the
partial instance identifier. Assuming that there is an

entry for the process, the result should return a single columnar value, the sysApplMapInstallPkgIndex, with the sysApplElmtRunIndex, sysApplRunIndex, and sysApplInstallElmtIndex contained in the instance identifier for the returned MIB object value.

NOTE: if the process can not be associated back to an invoked application installed on the system, then the value returned for the columnar value sysApplMapInstallPkgIndex will be '0' and the instance portion of the object-identifier will be the process ID number (sysApplElmtRunIndex) followed by 0.0."

::= { sysApplMap 1 }

sysApplMapEntry OBJECT-TYPE

SYNTAX SysApplMapEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A logical row representing a process currently running on the system. This entry provides the index mapping from process identifier, back to the invoked application, installed element, and finally, the

installed application

package. The entry includes only one accessible columnar object, the sysApplMapInstallPkgIndex, but the invoked application and installed element can be determined from the instance identifier since they form part of the index clause."

INDEX { sysApplElmtRunIndex, sysApplElmtRunInvocID,
sysApplMapInstallElmtIndex }

::= { sysApplMapTable 1 }

SysApplMapEntry ::= SEQUENCE {

sysApplMapInstallElmtIndex Unsigned32,

sysApplMapInstallPkgIndex Unsigned32

}

sysApplMapInstallElmtIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The index into the sysApplInstallElmtTable. The value of this object is the same value as the sysApplInstallElmtIndex for the application element of which this entry represents a running instance.

If this
process cannot be associated to an installed
executable, the value should be '0'.
::= { sysApplMapEntry 1 }

sysApplMapInstallPkgIndex OBJECT-TYPE

SYNTAX Unsigned32 (0..'ffffff'h)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of this object identifies the installed software package for the application of which this process is a part. Provided that the process's 'parent' application can be determined, the value of this object is the same value as the sysApplInstallPkgIndex for the entry in the sysApplInstallPkgTable that corresponds to the installed application of which this process is a part.

If, however, the 'parent' application cannot be determined, (for example the process is not part of a particular installed application), the value for this object is then '0', signifying that this

process cannot be related back to an application,
and in turn, an installed software package."
::= { sysApplMapEntry 2 }

-- Conformance Macros

sysApplMIBCompliances OBJECT IDENTIFIER ::= { sysApplConformance 1 }

sysApplMIBGroups OBJECT IDENTIFIER ::= { sysApplConformance 2 }

sysApplMIBCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the System Application MIB"

MODULE -- this module

MANDATORY-GROUPS { sysApplInstalledGroup,
sysApplRunGroup, sysApplMapGroup }

::= { sysApplMIBCompliances 1 }

sysApplInstalledGroup OBJECT-GROUP

OBJECTS { sysApplInstallPkgManufacturer,

sysApplInstallPkgProductName,

sysApplInstallPkgVersion,

sysApplInstallPkgSerialNumber,

```
sysApplInstallPkgDate,  
sysApplInstallPkgLocation,  
sysApplInstallElmtName,  
  sysApplInstallElmtType,  
sysApplInstallElmtDate,  
sysApplInstallElmtPath,  
sysApplInstallElmtSizeHigh,  
sysApplInstallElmtSizeLow,  
sysApplInstallElmtRole,  
sysApplInstallElmtModifyDate,  
sysApplInstallElmtCurSizeHigh,  
sysApplInstallElmtCurSizeLow }
```

STATUS current

DESCRIPTION

"The system application installed group contains information about applications and their constituent components which have been installed on the host system."

::= { sysApplMIBGroups 1 }

sysApplRunGroup OBJECT-GROUP

```
OBJECTS { sysApplRunStarted,  
  sysApplRunCurrentState,  
  sysApplPastRunStarted,  
  sysApplPastRunExitState,  
  sysApplPastRunTimeEnded,  
  sysApplElmtRunInstallID,  
  sysApplElmtRunTimeStarted,  
  sysApplElmtRunState,  
  sysApplElmtRunName,  
  sysApplElmtRunParameters,  
  sysApplElmtRunCPU,  
  sysApplElmtRunMemory,  
  sysApplElmtRunNumFiles,  
  sysApplElmtRunUser,  
  sysApplElmtPastRunInstallID,  
  sysApplElmtPastRunTimeStarted,  
  sysApplElmtPastRunTimeEnded,  
  sysApplElmtPastRunName,  
  sysApplElmtPastRunParameters,  
  sysApplElmtPastRunCPU,  
  sysApplElmtPastRunMemory,  
  sysApplElmtPastRunNumFiles,  
  sysApplElmtPastRunUser,  
  sysApplPastRunMaxRows,  
  sysApplPastRunTableRemItems,  
  sysApplPastRunTblTimeLimit,  
  sysApplElemPastRunMaxRows,  
  sysApplElemPastRunTableRemItems,
```

```

        sysApplElemPastRunTblTimeLimit,
        sysApplAgentPollInterval }
STATUS current
DESCRIPTION
    "The system application
run group contains information
    about applications and associated elements which have
    run or are currently running on the host system."
 ::= { sysApplMIBGroups 2 }

sysApplMapGroup OBJECT-GROUP
OBJECTS { sysApplMapInstallPkgIndex }
STATUS current
DESCRIPTION
    "The Map Group contains a single table, sysApplMapTable,
    that provides a backwards mapping for determining the
    invoked application, installed element, and installed
    application package given a known process identification
    number."
 ::= { sysApplMIBGroups 3 }

END

```

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SYSAPPL-MIB
```

No license file was found, but licenses were detected in source scan.

DIFFSERV-MIB DEFINITIONS ::= BEGIN

```

IMPORTS
    Unsigned32, Counter64, MODULE-IDENTITY, OBJECT-TYPE,
    OBJECT-IDENTITY, zeroDotZero, mib-2
    FROM SNMPv2-SMI
    TEXTUAL-CONVENTION, RowStatus, RowPointer,
    StorageType, AutonomousType
    FROM SNMPv2-TC
    MODULE-COMPLIANCE, OBJECT-GROUP
    FROM SNMPv2-CONF
    ifIndex, InterfaceIndexOrZero
    FROM IF-MIB
    InetAddressType, InetAddress, InetAddressPrefixLength,
    InetPortNumber
    FROM INET-ADDRESS-MIB
    BurstSize
    FROM INTEGRATED-SERVICES-MIB
    Dscp, DscpOrAny
    FROM DIFFSERV-DSCP-TC;

```


diffServMib MODULE-IDENTITY
LAST-UPDATED "200202070000Z"
ORGANIZATION "IETF Differentiated Services WG"
CONTACT-INFO

" Fred Baker
Cisco Systems
1121 Via Del Rey
Santa Barbara, CA 93117, USA
E-mail: fred@cisco.com

Kwok Ho Chan

Nortel Networks
600 Technology Park Drive
Billerica, MA 01821, USA
E-mail: khchan@nortelnetworks.com

Andrew Smith
Harbour Networks
Jiuling Building

21 North Xisanhuan Ave.
Beijing, 100089, PRC
E-mail: ah_smith@acm.org

Differentiated Services Working Group:
diffserv@ietf.org"

DESCRIPTION

"This MIB defines the objects necessary to manage a device that uses the Differentiated Services Architecture described in RFC 2475. The Conceptual Model of a Differentiated Services Router provides supporting information on how such a router is modeled."

REVISION "200202070000Z"

DESCRIPTION

"Initial version, published as RFC 3289."

::= { mib-2 97 }

diffServMIBObjects OBJECT IDENTIFIER ::= { diffServMib 1 }
diffServMIBConformance OBJECT IDENTIFIER ::= { diffServMib 2 }
diffServMIBAdmin
OBJECT IDENTIFIER ::= { diffServMib 3 }

IndexInteger ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d"

STATUS current

DESCRIPTION

"An integer which may be used as a table index."

SYNTAX Unsigned32 (1..4294967295)

IndexIntegerNextFree ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d"

STATUS current

DESCRIPTION

"An integer which may be used as a new Index in a table.

The special value of 0 indicates that no more new entries can be created in the relevant table.

When a MIB is used for configuration, an object with this SYNTAX always contains a legal value (if non-zero) for an index that is not currently used in the relevant table. The Command Generator (Network Management Application) reads this variable and uses the (non-zero) value read when creating a new row with an SNMP SET. When the SET is performed, the Command Responder (agent) must determine whether the value is indeed

still unused; Two Network

Management Applications may attempt to create a row (configuration entry) simultaneously and use the same value. If it is currently unused, the SET succeeds and the Command Responder (agent) changes the value of this object, according to an implementation-specific algorithm. If the value is in use,

however, the SET fails. The Network Management Application must then re-read this variable to obtain a new usable value.

An OBJECT-TYPE definition using this SYNTAX MUST specify the relevant table for which the object is providing this functionality."

SYNTAX Unsigned32 (0..4294967295)

IfDirection ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"IfDirection specifies a direction of data travel on an interface. 'inbound' traffic is operated on during reception from the interface, while 'outbound' traffic is operated on prior to transmission on

the interface."

SYNTAX INTEGER {

inbound(1), -- ingress interface

outbound(2) -- egress interface

}

--
-- Data Path
--
diffServDataPath OBJECT IDENTIFIER ::= { diffServMIBObjects 1 }

--
-- Data Path Table
--
-- The Data Path Table enumerates the Differentiated Services
-- Functional Data Paths within this device. Each entry in this table
-- is indexed by ifIndex and ifDirection. Each entry provides the
-- first Differentiated Services Functional Data Path Element to
-- process data flowing along specific data path. This table should
-- have at most two entries for each interface capable of
-- Differentiated Services processing on this device: ingress and
-- egress.

-- Note that Differentiated Services Functional Data Path Elements
-- linked together using their individual next pointers and anchored by
-- an entry of the diffServDataPathTable constitute a functional data
-- path.
--

diffServDataPathTable OBJECT-TYPE
SYNTAX
SEQUENCE OF DiffServDataPathEntry
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

"The data path table contains RowPointers indicating the start of the functional data path for each interface and traffic direction in this device. These may merge, or be separated into parallel data paths."

::= { diffServDataPath 1 }

diffServDataPathEntry OBJECT-TYPE
SYNTAX DiffServDataPathEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"An entry in the data path table indicates the start of a single Differentiated Services Functional Data Path in this device."

These are associated with individual interfaces, logical or physical, and therefore are instantiated by ifIndex. Therefore, the interface index must have been assigned, according to the procedures applicable to that, before it can be meaningfully used. Generally, this means that the interface must exist.

When diffServDataPathStorage is of type nonVolatile, however, this may reflect the configuration for an interface whose ifIndex has been assigned but for which the supporting implementation is not currently present."

```
INDEX { ifIndex, diffServDataPathIfDirection }  
::= { diffServDataPathTable 1 }
```

```
DiffServDataPathEntry ::= SEQUENCE {  
    diffServDataPathIfDirection  IfDirection,  
    diffServDataPathStart        RowPointer,  
    diffServDataPathStorage      StorageType,  
    diffServDataPathStatus       RowStatus  
}
```

diffServDataPathIfDirection OBJECT-TYPE

```
SYNTAX      IfDirection  
MAX-ACCESS  not-accessible  
STATUS      current  
DESCRIPTION  
    "IfDirection specifies whether the reception or transmission path  
    for this interface is in view."  
::= { diffServDataPathEntry 1 }
```

diffServDataPathStart OBJECT-TYPE

```
SYNTAX      RowPointer  
MAX-ACCESS  read-create  
STATUS      current
```

DESCRIPTION

"This selects the first Differentiated Services Functional Data Path Element to handle traffic for this data path. This RowPointer should point to an instance of one of:
diffServClfrEntry
diffServMeterEntry
diffServActionEntry
diffServAlgDropEntry
diffServQEntry

A value of zeroDotZero in this attribute indicates that no

Differentiated Services treatment is performed on traffic of this data path. A pointer with the value zeroDotZero normally terminates a functional data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
::= { diffServDataPathEntry 2 }
```

diffServDataPathStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

```
::= { diffServDataPathEntry 3 }
```

diffServDataPathStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time."

```
::= { diffServDataPathEntry 4 }
```

--

-- Classifiers

--

```
diffServClassifier OBJECT IDENTIFIER ::= { diffServMIBObjects 2 }
```

--

-- Classifier Table

--

-- The Classifier Table allows multiple classifier elements, of same or
-- different types, to be used together. A classifier must completely
-- classify all packets presented to it. This means that all traffic
-- presented to a classifier must match at least one classifier element
-- within the classifier, with the classifier element parameters

--

specified by a filter.

- If there is ambiguity between classifier elements of different classifier, classifier linkage order indicates their precedence; the first classifier in the link is applied to the traffic first.

- Entries in the classifier element table serves as the anchor for each classification pattern, defined in filter table entries. Each classifier element table entry also specifies the subsequent downstream Differentiated Services Functional Data Path Element when the classification pattern is satisfied. Each entry in the classifier element table describes one branch of the fan-out characteristic of a classifier indicated in the Informal Differentiated Services Model section 4.1. A classifier is composed of one or more classifier elements.

diffServClfrNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServClfrId,

or a

zero to indicate that none exist."

::= { diffServClassifier 1 }

diffServClfrTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServClfrEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table enumerates all the diffserv classifier functional data path elements of this device. The actual classification definitions are defined in diffServClfrElementTable entries belonging to each classifier.

An entry in this table, pointed to by a RowPointer specifying an instance of diffServClfrStatus, is frequently used as the name for a set of classifier elements, which all use the index diffServClfrId. Per the semantics of the classifier element table, these entries constitute one or more unordered sets of tests which may be simultaneously applied to a message to

classify it.

The primary function of this table is to ensure that the value of

diffServClfrId

is unique before attempting to use it in creating

a diffServClfrElementEntry. Therefore, the diffServClfrEntry must be created on the same SET as the diffServClfrElementEntry, or before the diffServClfrElementEntry is created."

::= { diffServClassifier 2 }

diffServClfrEntry OBJECT-TYPE

SYNTAX DiffServClfrEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the classifier table describes a single classifier.

All classifier elements belonging to the same classifier use the classifier's diffServClfrId as part of their index."

INDEX { diffServClfrId }

::= { diffServClfrTable 1 }

DiffServClfrEntry ::= SEQUENCE {

diffServClfrId IndexInteger,

diffServClfrStorage StorageType,

diffServClfrStatus RowStatus

}

diffServClfrId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the classifier entries. Managers should obtain new values for row creation in this table by reading diffServClfrNextFree."

::= { diffServClfrEntry 1 }

diffServClfrStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServClfrEntry 2 }

diffServClfrStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."
 ::= { diffServClfrEntry 3 }

--

-- Classifier Element Table

--

diffServClfrElementNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This object contains an unused value for diffServClfrElementId, or a zero to indicate that none exist."
 ::= { diffServClassifier 3 }

diffServClfrElementTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServClfrElementEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The classifier element table enumerates the relationship between classification patterns and subsequent downstream Differentiated Services Functional Data Path elements.
diffServClfrElementSpecific points to a filter that specifies the classification parameters. A classifier may use filter tables of different types together.

One example of a filter table defined in this MIB is

diffServMultiFieldClfrTable, for

IP Multi-Field Classifiers

(MFCs). Such an entry might identify anything from a single micro-flow (an identifiable sub-session packet stream directed from one sending transport to the receiving transport or transports), or aggregates of those such as the traffic from a host, traffic for an application, or traffic between two hosts using an application and a given DSCP. The standard Behavior Aggregate used in the Differentiated Services Architecture is encoded as a degenerate case of such an aggregate - the traffic

using a particular DSCP value.

Filter tables for other filter types may be defined elsewhere."

```
::= { diffServClassifier 4 }
```

diffServClfrElementEntry OBJECT-TYPE

SYNTAX DiffServClfrElementEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the classifier element table describes a single element of the classifier."

INDEX { diffServClfrId,
diffServClfrElementId }

```
::= { diffServClfrElementTable 1 }
```

DiffServClfrElementEntry ::= SEQUENCE {

diffServClfrElementId IndexInteger,
diffServClfrElementPrecedence Unsigned32,
diffServClfrElementNext RowPointer,
diffServClfrElementSpecific RowPointer,
diffServClfrElementStorage StorageType,
diffServClfrElementStatus RowStatus

}

diffServClfrElementId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Classifier Element entries. Managers obtain new values for row creation in this table by reading diffServClfrElementNextFree."

```
::= { diffServClfrElementEntry 1 }
```

diffServClfrElementPrecedence OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The relative order in which classifier elements are applied: higher numbers

represent classifier element with higher

precedence. Classifier elements with the same order must be unambiguous i.e. they must define non-overlapping patterns, and

are considered to be applied simultaneously to the traffic stream. Classifier elements with different order may overlap in their filters: the classifier element with the highest order that matches is taken.

On a given interface, there must be a complete classifier in place at all times in the ingress direction. This means one or more filters must match any possible pattern. There is no such

requirement in the egress direction."
::= { diffServClfrElementEntry 2 }

diffServClfrElementNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This attribute provides one branch of the fan-out functionality of a classifier described in the Informal Differentiated Services

Model section 4.1.

This selects the next Differentiated Services Functional Data Path Element to handle traffic for this data path. This RowPointer should point to an instance of one of:

diffServClfrEntry

diffServMeterEntry

diffServActionEntry

diffServAlgDropEntry

diffServQEntry

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServClfrElementEntry 3 }

diffServClfrElementSpecific OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A pointer to a valid entry in another table, filter table, that describes the applicable classification parameters, e.g. an entry in diffServMultiFieldClfrTable.

The value zeroDotZero is interpreted to match anything not matched by another classifier element - only one such entry may exist for each classifier.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or

becomes inactive by other means, the element is ignored."

::= { diffServClfrElementEntry 4 }

diffServClfrElementStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL

{ nonVolatile }

::= { diffServClfrElementEntry 5 }

diffServClfrElementStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServClfrElementEntry 6 }

--

-- IP Multi-field Classification Table

--

-- Classification based on six different fields in the IP header.

-- Functional Data Paths may share definitions by using the same entry.

--

diffServMultiFieldClfrNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for
diffServMultiFieldClfrId, or a zero to indicate that none exist."

::= {

diffServClassifier 5 }

diffServMultiFieldClfrTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMultiFieldClfrEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table of IP Multi-field Classifier filter entries that a

system may use to identify IP traffic."

::= { diffServClassifier 6 }

diffServMultiFieldClfrEntry OBJECT-TYPE

SYNTAX DiffServMultiFieldClfrEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An IP Multi-field Classifier entry describes a single filter."

INDEX { diffServMultiFieldClfrId }

::= { diffServMultiFieldClfrTable 1 }

DiffServMultiFieldClfrEntry ::= SEQUENCE {

diffServMultiFieldClfrId IndexInteger,

diffServMultiFieldClfrAddrType InetAddressType,

diffServMultiFieldClfrDstAddr InetAddress,

diffServMultiFieldClfrDstPrefixLength InetAddressPrefixLength,

diffServMultiFieldClfrSrcAddr InetAddress,

diffServMultiFieldClfrSrcPrefixLength

InetAddressPrefixLength,

diffServMultiFieldClfrDscp DscpOrAny,

diffServMultiFieldClfrFlowId Unsigned32,

diffServMultiFieldClfrProtocol Unsigned32,

diffServMultiFieldClfrDstL4PortMin InetPortNumber,

diffServMultiFieldClfrDstL4PortMax InetPortNumber,

diffServMultiFieldClfrSrcL4PortMin InetPortNumber,

diffServMultiFieldClfrSrcL4PortMax InetPortNumber,

```
diffServMultiFieldClfrStorage StorageType,  
diffServMultiFieldClfrStatus RowStatus  
}
```

diffServMultiFieldClfrId OBJECT-TYPE

```
SYNTAX IndexInteger  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION
```

"An index that enumerates the MultiField Classifier filter entries. Managers obtain new values for row creation in this table by reading diffServMultiFieldClfrNextFree."

```
::= { diffServMultiFieldClfrEntry 1 }
```

diffServMultiFieldClfrAddrType OBJECT-TYPE

```
SYNTAX InetAddressType  
MAX-ACCESS read-create
```

```
STATUS current  
DESCRIPTION
```

"The type of IP address used by this classifier entry. While other types of addresses are defined in the InetAddressType

textual convention, and DNS names, a classifier can only look at packets on the wire. Therefore, this object is limited to IPv4 and IPv6 addresses."

```
::= { diffServMultiFieldClfrEntry 2 }
```

diffServMultiFieldClfrDstAddr OBJECT-TYPE

```
SYNTAX InetAddress  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"The IP address to match against the packet's destination IP address. This may not be a DNS name, but may be an IPv4 or IPv6 prefix. diffServMultiFieldClfrDstPrefixLength indicates the number of bits that are relevant."

```
::= { diffServMultiFieldClfrEntry 3 }
```

diffServMultiFieldClfrDstPrefixLength OBJECT-TYPE

```
SYNTAX InetAddressPrefixLength  
UNITS "bits"  
MAX-ACCESS read-create  
STATUS
```

current

DESCRIPTION

"The length of the CIDR Prefix carried in diffServMultiFieldClfrDstAddr. In IPv4 addresses, a length of 0 indicates a match of any address; a length of 32 indicates a match of a single host address, and a length between 0 and 32 indicates the use of a CIDR Prefix. IPv6 is similar, except that prefix lengths range from 0..128."

DEFVAL { 0 }

::= { diffServMultiFieldClfrEntry 4 }

diffServMultiFieldClfrSrcAddr OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The IP address to match against the packet's source IP address. This may not be a DNS name, but may be an IPv4 or IPv6 prefix. diffServMultiFieldClfrSrcPrefixLength indicates the number of bits that are relevant."

::= { diffServMultiFieldClfrEntry 5 }

diffServMultiFieldClfrSrcPrefixLength OBJECT-TYPE

SYNTAX InetAddressPrefixLength

UNITS

"bits"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The length of the CIDR Prefix carried in diffServMultiFieldClfrSrcAddr. In IPv4 addresses, a length of 0 indicates a match of any address; a length of 32 indicates a match of a single host address, and a length between 0 and 32 indicates the use of a CIDR Prefix. IPv6 is similar, except that prefix lengths range from 0..128."

DEFVAL { 0 }

::= { diffServMultiFieldClfrEntry 6 }

diffServMultiFieldClfrDscp OBJECT-TYPE

SYNTAX DscpOrAny

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value that the DSCP in the packet must have to match this entry. A value of -1 indicates that a specific DSCP value has not

been defined and thus all DSCP values are considered a match."

```
DEFVAL    { -1 }  
::= { diffServMultiFieldClfrEntry 7 }
```

diffServMultiFieldClfrFlowId OBJECT-TYPE

```
SYNTAX    Unsigned32 (0..1048575)  
MAX-ACCESS read-create  
STATUS    current  
DESCRIPTION  
    "The flow identifier in an IPv6 header."  
::= { diffServMultiFieldClfrEntry 8 }
```

diffServMultiFieldClfrProtocol OBJECT-TYPE

```
SYNTAX    Unsigned32 (0..255)  
MAX-ACCESS read-create  
STATUS    current  
DESCRIPTION  
    "The IP protocol to match against the IPv4 protocol number or the  
    IPv6 Next- Header number in the packet. A value of 255 means  
    match all. Note the protocol number of 255 is reserved by IANA,  
    and Next-Header number of 0 is used in IPv6."  
DEFVAL    { 255 }  
::= { diffServMultiFieldClfrEntry 9 }
```

diffServMultiFieldClfrDstL4PortMin OBJECT-TYPE

```
SYNTAX    InetPortNumber  
MAX-ACCESS read-create  
STATUS    current  
DESCRIPTION  
    "The minimum value that the layer-4 destination port number in  
    the packet must have in order to match this classifier entry."  
DEFVAL  
    { 0 }
```

```
::= { diffServMultiFieldClfrEntry 10 }
```

diffServMultiFieldClfrDstL4PortMax OBJECT-TYPE

```
SYNTAX    InetPortNumber  
MAX-ACCESS read-create  
STATUS    current  
DESCRIPTION  
    "The maximum value that the layer-4 destination port number in  
    the packet must have in order to match this classifier entry.  
    This value must be equal to or greater than the value specified  
    for this entry in diffServMultiFieldClfrDstL4PortMin."
```

DEFVAL { 65535 }
::= { diffServMultiFieldClfrEntry 11 }

diffServMultiFieldClfrSrcL4PortMin OBJECT-TYPE

SYNTAX InetPortNumber

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The minimum value that the layer-4 source port number in the packet must have in order to match this classifier entry."

DEFVAL { 0 }

::= { diffServMultiFieldClfrEntry 12 }

diffServMultiFieldClfrSrcL4PortMax OBJECT-TYPE

SYNTAX InetPortNumber

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum value that the layer-4 source port number in the packet must have in order to match this classifier entry. This value must be equal to or greater than the value specified for this entry in diffServMultiFieldClfrSrcL4PortMin."

DEFVAL { 65535 }

::= { diffServMultiFieldClfrEntry 13 }

diffServMultiFieldClfrStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServMultiFieldClfrEntry 14 }

diffServMultiFieldClfrStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing

to it results in destruction being delayed until the row is no longer used."

```
 ::= { diffServMultiFieldClfrEntry 15 }
```

--

-- Meters

--

```
diffServMeter      OBJECT IDENTIFIER ::= { diffServMIBObjects 3 }
```

--

-- This MIB supports a variety of Meters. It includes a specific definition for Token Bucket Meter, which are but one type of specification. Other metering parameter sets can be defined in other MIBs.

-- Multiple meter elements may be logically cascaded using their diffServMeterSucceedNext and diffServMeterFailNext pointers if required. One example of this might be for an AF PHB implementation that uses multiple level conformance meters.

-- Cascading of individual meter elements in the MIB is intended to be functionally equivalent to multiple level conformance determination of a packet.

The sequential nature of the representation is merely

-- a notational convenience for this MIB.

-- srTCM meters (RFC 2697) can be specified using two sets of diffServMeterEntry and diffServTBParamEntry. The first set specifies the Committed Information Rate and Committed Burst Size token-bucket. The second set specifies the Excess Burst Size token-bucket.

-- trTCM meters (RFC 2698) can be specified using two sets of diffServMeterEntry and diffServTBParamEntry. The first set specifies the Committed Information Rate and Committed Burst Size token-bucket. The second set specifies the Peak Information Rate and Peak Burst Size token-bucket.

-- tswTCM meters (RFC 2859) can be specified using two sets of diffServMeterEntry and diffServTBParamEntry. The first set specifies the Committed Target Rate token-bucket. The second set specifies

-- the Peak Target Rate token-bucket. diffServTBParamInterval in each token bucket reflects the Average Interval.

--

diffServMeterNextFree

OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServMeterId, or a zero to indicate that none exist."

::= { diffServMeter 1 }

diffServMeterTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMeterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table enumerates specific meters that a system may use to police a stream of traffic. The traffic stream to be metered is determined by the Differentiated Services Functional Data Path Element(s) upstream of the meter i.e. by the object(s) that point to each entry in this table. This may include all traffic on an interface.

Specific meter details are to be found in table entry referenced by diffServMeterSpecific."

::= { diffServMeter 2 }

diffServMeterEntry OBJECT-TYPE

SYNTAX DiffServMeterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the meter table describes a single conformance level of a meter."

INDEX { diffServMeterId }

::= { diffServMeterTable 1 }

DiffServMeterEntry ::= SEQUENCE {

diffServMeterId IndexInteger,

diffServMeterSucceedNext RowPointer,

diffServMeterFailNext RowPointer,

diffServMeterSpecific RowPointer,

diffServMeterStorage StorageType,

diffServMeterStatus RowStatus

}

diffServMeterId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Meter entries. Managers obtain new values for row creation in this table by reading diffServMeterNextFree."

::= { diffServMeterEntry 1 }

diffServMeterSucceedNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS

current

DESCRIPTION

"If the traffic does conform, this selects the next Differentiated Services Functional Data Path element to handle traffic for this data path. This RowPointer should point to an instance of one of:

diffServClfrEntry

diffServMeterEntry

diffServActionEntry

diffServAlgDropEntry

diffServQEntry

A value of zeroDotZero in this attribute indicates that no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

DEFVAL { zeroDotZero }

::= { diffServMeterEntry

2 }

diffServMeterFailNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"If the traffic does not conform, this selects the next Differentiated Services Functional Data Path element to handle traffic for this data path. This RowPointer should point to an

instance of one of:
diffServClfrEntry
diffServMeterEntry

diffServActionEntry
diffServAlgDropEntry
diffServQEntry

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the last functional data path element of the current data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
DEFVAL { zeroDotZero }  
::= { diffServMeterEntry 3 }
```

diffServMeterSpecific OBJECT-TYPE

```
SYNTAX RowPointer  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"This indicates the behavior of the meter by pointing to an entry containing detailed parameters. Note that entries in that specific table must be managed explicitly.

For example, diffServMeterSpecific may point to an entry in diffServTBParamTable, which contains an instance of a single set of Token Bucket parameters.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the meter always succeeds."

```
::= { diffServMeterEntry 4 }
```

diffServMeterStorage OBJECT-TYPE

```
SYNTAX StorageType  
MAX-ACCESS read-create  
STATUS current  
DESCRIPTION
```

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any

```

        columnar objects in the row."
    DEFVAL { nonVolatile }
    ::= { diffServMeterEntry 5 }

diffServMeterStatus OBJECT-TYPE
    SYNTAX    RowStatus
    MAX-ACCESS read-create

    STATUS    current
    DESCRIPTION
        "The status of this conceptual row. All writable objects in this
        row may be modified at any time. Setting this variable to
        'destroy' when the MIB contains one or more RowPointers pointing
        to it results in destruction being delayed until the row is no
        longer used."
    ::= { diffServMeterEntry 6 }

--
-- Token Bucket Parameter Table
--

diffServTBParam    OBJECT IDENTIFIER ::= { diffServMIBObjects 4 }

-- Each entry in the Token Bucket Parameter Table parameterize a single
-- token bucket. Multiple token buckets can be used together to
-- parameterize multiple levels of conformance.

-- Note that
-- an entry in the Token Bucket Parameter Table can be shared
-- by multiple diffServMeterTable entries.
--

diffServTBParamNextFree OBJECT-TYPE
    SYNTAX    IndexIntegerNextFree
    MAX-ACCESS read-only
    STATUS    current
    DESCRIPTION
        "This object contains an unused value for diffServTBParamId, or a
        zero to indicate that none exist."
    ::= { diffServTBParam 1 }

diffServTBParamTable OBJECT-TYPE
    SYNTAX    SEQUENCE OF DiffServTBParamEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION

```

"This table enumerates a single set of token bucket meter parameters that a system may use to police a stream of traffic. Such meters are modeled here as having a single rate and a single burst size. Multiple entries are used when multiple rates/burst sizes are needed."

::= { diffServTBParam 2 }

diffServTBParamEntry OBJECT-TYPE

SYNTAX DiffServTBParamEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"An entry that describes a single set of token bucket parameters."

INDEX { diffServTBParamId }

::= { diffServTBParamTable 1 }

DiffServTBParamEntry ::= SEQUENCE {

diffServTBParamId IndexInteger,

diffServTBParamType AutonomousType,

diffServTBParamRate Unsigned32,

diffServTBParamBurstSize BurstSize,

diffServTBParamInterval Unsigned32,

diffServTBParamStorage StorageType,

diffServTBParamStatus RowStatus

}

diffServTBParamId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Token Bucket Parameter entries.

Managers obtain new values for row creation in this table by reading diffServTBParamNextFree."

::= { diffServTBParamEntry 1 }

diffServTBParamType OBJECT-TYPE

SYNTAX AutonomousType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The Metering algorithm associated with the Token Bucket

parameters. zeroDotZero indicates this is unknown.

Standard values for generic algorithms:

diffServTBParamSimpleTokenBucket, diffServTBParamAvgRate,
diffServTBParamSrTCMBlind, diffServTBParamSrTCMAware,
diffServTBParamTrTCMBlind, diffServTBParamTrTCMAware, and
diffServTBParamTswTCM are specified in this MIB as OBJECT-
IDENTITYs; additional values may be further specified in other
MIBs."

::= { diffServTBParamEntry 2 }

diffServTBParamRate OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "kilobits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The token-bucket rate, in kilobits per second (kbps). This
attribute is used for:

1. CIR in RFC 2697 for srTCM
2. CIR and PIR in RFC 2698 for trTCM
3. CTR and PTR in RFC 2859 for TSWTCM

4. AverageRate in RFC 3290."

::= { diffServTBParamEntry 3 }

diffServTBParamBurstSize OBJECT-TYPE

SYNTAX BurstSize

UNITS "Bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of bytes in a single transmission burst. This
attribute is used for:

1. CBS and EBS in RFC 2697 for srTCM
2. CBS and PBS in RFC 2698 for trTCM
3. Burst Size in RFC 3290."

::= { diffServTBParamEntry 4 }

diffServTBParamInterval OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "microseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The time interval used with the token bucket. For:

1. Average Rate Meter, the Informal Differentiated Services Model section 5.2.1, - Delta.
2. Simple Token Bucket Meter, the Informal Differentiated Services Model section 5.1, - time interval t.
3. RFC 2859 TSWTCM, - AVG_INTERVAL.
4. RFC 2697 srTCM, RFC 2698 trTCM, - token bucket update time interval."

::= { diffServTBParamEntry 5 }

diffServTBParamStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServTBParamEntry 6 }

diffServTBParamStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServTBParamEntry 7 }

--

-- OIDs for diffServTBParamType definitions.

--

diffServTBMeters OBJECT IDENTIFIER ::= { diffServMIBAdmin 1 }

diffServTBParamSimpleTokenBucket OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Two Parameter Token Bucket Meter as described in the Informal Differentiated Services Model section 5.2.3."

::= { diffServTBMeters 1 }

diffServTBParamAvgRate OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Average Rate Meter as described in the Informal Differentiated Services Model section 5.2.1."

::= { diffServTBMeters 2 }

diffServTBParamSrTCMBlind OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Single Rate Three Color Marker Metering as defined by RFC 2697, in the 'Color Blind' mode as described by the RFC."

REFERENCE

"RFC 2697"

::= { diffServTBMeters 3 }

diffServTBParamSrTCMAware OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Single Rate Three Color Marker Metering as defined by RFC 2697, in the

'Color Aware' mode as described by the RFC."

REFERENCE

"RFC 2697"

::= { diffServTBMeters 4 }

diffServTBParamTrTCMBlind OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Two Rate Three Color Marker Metering as defined by RFC 2698, in the 'Color Blind' mode as described by the RFC."

REFERENCE

"RFC 2698"

::= { diffServTBMeters 5 }

diffServTBParamTrTCMAware OBJECT-IDENTITY

STATUS current

DESCRIPTION

"Two Rate Three Color Marker Metering as defined by RFC 2698, in the 'Color Aware' mode as described by the RFC."

REFERENCE

"RFC 2698"

::= { diffServTBMeters 6 }

```

diffServTBParamTswTCM OBJECT-IDENTITY
  STATUS    current
  DESCRIPTION
    "Time Sliding Window Three Color Marker Metering as defined by
    RFC 2859."
  REFERENCE
    "RFC 2859"
  ::= { diffServTBMeters 7 }

--
-- Actions
--

diffServAction    OBJECT IDENTIFIER ::= { diffServMIBObjects 5 }

--
-- The Action
Table allows enumeration of the different types of
-- actions to be applied to a traffic flow.
--

diffServActionNextFree OBJECT-TYPE
  SYNTAX    IndexIntegerNextFree
  MAX-ACCESS read-only
  STATUS    current
  DESCRIPTION
    "This object contains an unused value for diffServActionId, or a
    zero to indicate that none exist."
  ::= { diffServAction 1 }

diffServActionTable OBJECT-TYPE
  SYNTAX    SEQUENCE OF DiffServActionEntry
  MAX-ACCESS not-accessible
  STATUS    current
  DESCRIPTION
    "The Action Table enumerates actions that can be performed to a
    stream of traffic. Multiple actions can be concatenated. For
    example, traffic exiting from a meter may be counted, marked, and
    potentially dropped before entering a queue.

    Specific actions are indicated by diffServActionSpecific which
    points to an entry of a specific action type parameterizing the
    action in detail."
  ::= { diffServAction
  2 }

```

diffServActionEntry OBJECT-TYPE

SYNTAX DiffServActionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each entry in the action table allows description of one specific action to be applied to traffic."

INDEX { diffServActionId }

::= { diffServActionTable 1 }

DiffServActionEntry ::= SEQUENCE {

diffServActionId IndexInteger,

diffServActionInterface InterfaceIndexOrZero,

diffServActionNext RowPointer,

diffServActionSpecific RowPointer,

diffServActionStorage StorageType,

diffServActionStatus RowStatus

}

diffServActionId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Action entries. Managers obtain new values for row creation in this table by reading diffServActionNextFree."

::= { diffServActionEntry 1 }

diffServActionInterface

OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The interface index (value of ifIndex) that this action occurs on. This may be derived from the diffServDataPathStartEntry's index by extension through the various RowPointers. However, as this may be difficult for a network management station, it is placed here as well. If this is indeterminate, the value is zero.

This is of especial relevance when reporting the counters which may apply to traffic crossing an interface:

diffServCountActOctets,

diffServCountActPkts,
diffServAlgDropOctets,
diffServAlgDropPkts,
diffServAlgRandomDropOctets, and
diffServAlgRandomDropPkts.

It is also especially relevant to the queue and scheduler which
may be subsequently applied."

::= { diffServActionEntry 2 }

diffServActionNext

OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This selects the next Differentiated Services Functional Data
Path Element to handle traffic for this data path. This
RowPointer should point to an instance of one of:

diffServClfrEntry

diffServMeterEntry

diffServActionEntry

diffServAlgDropEntry

diffServQEntry

A value of zeroDotZero in this attribute indicates no further
Differentiated Services treatment is performed on traffic of this
data path. The use of zeroDotZero is the normal usage for the
last functional data path element of the current data path.

Setting this to point to a target that does not exist results in
an inconsistentValue error. If the row pointed to is removed or
becomes inactive by other means, the treatment is as if this
attribute contains a value of zeroDotZero."

DEFVAL

{ zeroDotZero }

::= { diffServActionEntry 3 }

diffServActionSpecific OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A pointer to an object instance providing additional information
for the type of action indicated by this action table entry.

For the standard actions defined by this MIB module, this should point to either a diffServDscpMarkActEntry or a diffServCountActEntry. For other actions, it may point to an object instance defined in some other MIB.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the Meter should be treated as if it were not present. This may lead to incorrect policy behavior."

```
::= { diffServActionEntry 4 }
```

diffServActionStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

```
::= { diffServActionEntry 5 }
```

diffServActionStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

```
::= { diffServActionEntry 6 }
```

```
-- DSCP Mark Action Table
```

```
--
```

```
-- Rows of this table are pointed to by diffServActionSpecific to
```

```
-- provide detailed parameters specific to the DSCP Mark action.
```

```
--
```

```
-- A single entry in this table can be shared by multiple
```

```
-- diffServActionTable entries.
```

```
--
```

diffServDscpMarkActTable

OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServDscpMarkActEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table enumerates specific DSCPs used for marking or remarking the DSCP field of IP packets. The entries of this table may be referenced by a diffServActionSpecific attribute."

::= { diffServAction 3 }

diffServDscpMarkActEntry OBJECT-TYPE

SYNTAX DiffServDscpMarkActEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the DSCP mark action table that describes a single DSCP used for marking."

INDEX { diffServDscpMarkActDscp }

::= { diffServDscpMarkActTable 1 }

DiffServDscpMarkActEntry ::= SEQUENCE {

diffServDscpMarkActDscp Dscp

}

diffServDscpMarkActDscp OBJECT-TYPE

SYNTAX Dscp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The DSCP that this Action will store into the DSCP field of the

subject. It is quite possible that the only packets subject to this Action are already marked with this DSCP. Note also that Differentiated Services processing may result in packet being marked on both ingress to a network and on egress from it, and that ingress and egress can occur in the same router."

::= { diffServDscpMarkActEntry 1 }

--

-- Count Action Table

--

-- Because the MIB structure allows multiple cascading

-- diffServActionEntry be used to describe multiple actions for a data

-- path, the counter became an optional action type. In normal

-- implementation, either a data path has counters or it does not, as

-- opposed to being configurable. The management entity may choose to

-- read the counter or not. Hence it is recommended for implementation
-- that have counters to always configure the count action as the first
-- of multiple actions.
--

diffServCountActNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This object contains an unused value for
diffServCountActId, or a zero to indicate that none exist."
::= { diffServAction 4 }

diffServCountActTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServCountActEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"This table contains counters for all the traffic passing through
an action element."
::= { diffServAction 5 }

diffServCountActEntry OBJECT-TYPE

SYNTAX DiffServCountActEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"An entry in the count action table describes a single set of
traffic counters."
INDEX { diffServCountActId }
::= { diffServCountActTable 1 }

DiffServCountActEntry ::= SEQUENCE {

diffServCountActId IndexInteger,
diffServCountActOctets Counter64,
diffServCountActPkts Counter64,

diffServCountActStorage StorageType,
diffServCountActStatus RowStatus
}

diffServCountActId OBJECT-TYPE

SYNTAX IndexInteger
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

"An index that enumerates the Count Action entries. Managers obtain new values for row creation in this table by reading

```
diffServCountActNextFree."  
::= { diffServCountActEntry 1 }
```

diffServCountActOctets OBJECT-TYPE

```
SYNTAX Counter64  
MAX-ACCESS read-only  
STATUS current
```

DESCRIPTION

"The number of octets at the Action data path element.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

```
::= { diffServCountActEntry 2 }
```

diffServCountActPkts OBJECT-TYPE

```
SYNTAX Counter64  
MAX-ACCESS read-only  
STATUS  
current
```

DESCRIPTION

"The number of packets at the Action data path element.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

```
::= { diffServCountActEntry 3 }
```

diffServCountActStorage OBJECT-TYPE

```
SYNTAX StorageType  
MAX-ACCESS read-create  
STATUS current
```

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

```
DEFVAL { nonVolatile }  
::= { diffServCountActEntry 4 }
```

diffServCountActStatus OBJECT-TYPE


```

SYNTAX    RowStatus
MAX-ACCESS read-create
STATUS    current
DESCRIPTION
    "The status of this conceptual row. All writable objects in this
    row may be modified at any time. Setting this variable to
    'destroy' when the MIB contains one or more RowPointers pointing

    to it results in destruction being delayed until the row is no
    longer used."
 ::= { diffServCountActEntry 5 }

--
-- Algorithmic Drop Table
--

diffServAlgDrop    OBJECT IDENTIFIER ::= { diffServMIBObjects 6 }

diffServAlgDropNextFree OBJECT-TYPE
SYNTAX    IndexIntegerNextFree
MAX-ACCESS read-only
STATUS    current
DESCRIPTION
    "This object contains an unused value for diffServAlgDropId, or a
    zero to indicate that none exist."
 ::= { diffServAlgDrop 1 }

diffServAlgDropTable OBJECT-TYPE
SYNTAX    SEQUENCE OF DiffServAlgDropEntry
MAX-ACCESS not-accessible
STATUS    current
DESCRIPTION
    "The algorithmic drop table contains entries describing an
    element that drops packets according to some algorithm."
 ::= { diffServAlgDrop 2 }

diffServAlgDropEntry OBJECT-TYPE
SYNTAX    DiffServAlgDropEntry
MAX-ACCESS
not-accessible
STATUS    current
DESCRIPTION
    "An entry describes a process that drops packets according to
    some algorithm. Further details of the algorithm type are to be
    found in diffServAlgDropType and with more detail parameter entry
    pointed to by diffServAlgDropSpecific when necessary."

```

```
INDEX { diffServAlgDropId }
 ::= { diffServAlgDropTable 1 }
```

```
DiffServAlgDropEntry ::= SEQUENCE {
    diffServAlgDropId      IndexInteger,
    diffServAlgDropType    INTEGER,
    diffServAlgDropNext    RowPointer,
    diffServAlgDropQMeasure    RowPointer,
    diffServAlgDropQThreshold    Unsigned32,
    diffServAlgDropSpecific    RowPointer,
    diffServAlgDropOctets    Counter64,
```

```
    diffServAlgDropPkts      Counter64,
    diffServAlgRandomDropOctets    Counter64,
    diffServAlgRandomDropPkts    Counter64,
    diffServAlgDropStorage    StorageType,
    diffServAlgDropStatus
    RowStatus
}
```

diffServAlgDropId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Algorithmic Dropper entries.

Managers obtain new values for row creation in this table by reading diffServAlgDropNextFree."

```
::= { diffServAlgDropEntry 1 }
```

diffServAlgDropType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

tailDrop(2),

headDrop(3),

randomDrop(4),

alwaysDrop(5)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The type of algorithm used by this dropper. The value other(1) requires further specification in some other MIB module.

In the tailDrop(2) algorithm, diffServAlgDropQThreshold represents the maximum depth of the queue, pointed to by

diffServAlgDropQMeasure, beyond which all newly arriving packets will be dropped.

In the headDrop(3) algorithm, if a packet arrives when the current depth of the queue, pointed to by diffServAlgDropQMeasure, is at diffServAlgDropQThreshold, packets currently at the head of the queue are dropped to make room for the new packet to be enqueued at the tail of the queue.

In the randomDrop(4) algorithm, on packet arrival, an Active Queue Management algorithm is executed which may randomly drop a packet. This algorithm may be proprietary, and it may drop either the arriving packet or another packet in the queue. diffServAlgDropSpecific points to a diffServRandomDropEntry that describes the algorithm. For this algorithm,

diffServAlgDropQThreshold is understood to be the absolute maximum size of the queue and additional parameters are described in diffServRandomDropTable.

The alwaysDrop(5) algorithm is as its name specifies; always drop. In this case, the other configuration values in this Entry are not meaningful; There is no useful 'next' processing step, there is no queue, and parameters describing the queue are not useful. Therefore, diffServAlgDropNext, diffServAlgDropMeasure, and diffServAlgDropSpecific are all zeroDotZero."
::= { diffServAlgDropEntry 2 }

diffServAlgDropNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This selects the next Differentiated Services Functional Data Path Element to handle traffic for this data path. This RowPointer should point to an instance of one of:

diffServClfrEntry

diffServMeterEntry

diffServActionEntry

diffServQEntry

A value of zeroDotZero in this attribute indicates no further Differentiated Services treatment is performed on traffic of this data path. The use of zeroDotZero is the normal usage for the

last functional data path element of the current data path.

When `diffServAlgDropType` is `alwaysDrop(5)`, this object is ignored.

Setting this to point to a target that does not exist results in an `inconsistentValue` error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of `zeroDotZero`."

```
::= { diffServAlgDropEntry 3 }
```

`diffServAlgDropQMeasure` OBJECT-TYPE

SYNTAX `RowPointer`

MAX-ACCESS `read-create`

STATUS `current`

DESCRIPTION

"Points to an entry in the `diffServQTable` to indicate the queue that a drop algorithm is to monitor when deciding whether to drop a packet. If the row pointed to does not exist, the algorithmic dropper element is considered inactive.

Setting this to point to a target that does not exist results in an `inconsistentValue` error. If the row pointed to is removed or becomes

inactive by other means, the treatment is as if this attribute contains a value of `zeroDotZero`."

```
::= { diffServAlgDropEntry 4 }
```

`diffServAlgDropQThreshold` OBJECT-TYPE

SYNTAX `Unsigned32 (1..4294967295)`

UNITS `"Bytes"`

MAX-ACCESS `read-create`

STATUS `current`

DESCRIPTION

"A threshold on the depth in bytes of the queue being measured at which a trigger is generated to the dropping algorithm, unless `diffServAlgDropType` is `alwaysDrop(5)` where this object is ignored.

For the `tailDrop(2)` or `headDrop(3)` algorithms, this represents the depth of the queue, pointed to by `diffServAlgDropQMeasure`, at which the drop action will take place. Other algorithms will need to define their own semantics for this threshold."

```
::= { diffServAlgDropEntry 5 }
```

`diffServAlgDropSpecific` OBJECT-TYPE

SYNTAX RowPointer
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"Points to a table entry that provides further detail regarding a drop algorithm.

Entries with diffServAlgDropType equal to other(1) may have this point to a table defined in another MIB module.

Entries with diffServAlgDropType equal to randomDrop(4) must have this point to an entry in diffServRandomDropTable.

For all other algorithms specified in this MIB, this should take the value zeroDotZero.

The diffServAlgDropType is authoritative for the type of the drop algorithm and the specific parameters for the drop algorithm needs to be evaluated based on the diffServAlgDropType.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServAlgDropEntry 6 }

diffServAlgDropOctets OBJECT-TYPE

SYNTAX Counter64
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The number of octets that have been deterministically dropped by this drop process.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 7 }

diffServAlgDropPkts OBJECT-TYPE

SYNTAX Counter64
MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets that have been deterministically dropped by this drop process.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 8 }

diffServAlgRandomDropOctets OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets that have been randomly dropped by this drop process. This counter applies, therefore, only to random droppers.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 9 }

diffServAlgRandomDropPkts OBJECT-TYPE

SYNTAX Counter64

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets that have been randomly dropped by this drop process. This counter applies, therefore, only to random droppers.

Discontinuities in the value of this counter can occur at re-initialization of the management system and at other times as indicated by the value of ifCounterDiscontinuityTime on the relevant interface."

::= { diffServAlgDropEntry 10 }

diffServAlgDropStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."
DEFVAL { nonVolatile }
::= { diffServAlgDropEntry 11 }

diffServAlgDropStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."
::= { diffServAlgDropEntry 12 }

--
-- Random Drop Table
--

diffServRandomDropNextFree OBJECT-TYPE
SYNTAX
IndexIntegerNextFree
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This object contains an unused value for diffServRandomDropId, or a zero to indicate that none exist."
::= { diffServAlgDrop 3 }

diffServRandomDropTable OBJECT-TYPE
SYNTAX SEQUENCE OF DiffServRandomDropEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The random drop table contains entries describing a process that drops packets randomly. Entries in this table are pointed to by diffServAlgDropSpecific."
::= { diffServAlgDrop 4 }

diffServRandomDropEntry OBJECT-TYPE

SYNTAX DiffServRandomDropEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry describes a process that drops packets according to a random algorithm."

INDEX { diffServRandomDropId }

::= { diffServRandomDropTable 1 }

DiffServRandomDropEntry ::= SEQUENCE {

diffServRandomDropId

IndexInteger,

diffServRandomDropMinThreshBytes Unsigned32,

diffServRandomDropMinThreshPkts Unsigned32,

diffServRandomDropMaxThreshBytes Unsigned32,

diffServRandomDropMaxThreshPkts Unsigned32,

diffServRandomDropProbMax Unsigned32,

diffServRandomDropWeight Unsigned32,

diffServRandomDropSamplingRate Unsigned32,

diffServRandomDropStorage StorageType,

diffServRandomDropStatus RowStatus

}

diffServRandomDropId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Random Drop entries. Managers obtain new values for row creation in this table by reading diffServRandomDropNextFree."

::= { diffServRandomDropEntry 1 }

diffServRandomDropMinThreshBytes OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth in bytes, beyond which traffic has a non-zero probability of being dropped. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMinThreshPkts."

::= { diffServRandomDropEntry 2 }

diffServRandomDropMinThreshPkts OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "packets"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth in packets, beyond which traffic has a non-zero probability of being dropped. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMinThreshBytes."

::= { diffServRandomDropEntry 3 }

diffServRandomDropMaxThreshBytes OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "bytes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth beyond which traffic has a probability indicated by diffServRandomDropProbMax of being dropped or marked. Note that this differs from the physical queue limit, which is stored in diffServAlgDropQThreshold. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMaxThreshPkts."

::= { diffServRandomDropEntry 4 }

diffServRandomDropMaxThreshPkts OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "packets"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The average queue depth beyond which traffic has a probability indicated by diffServRandomDropProbMax of being dropped or marked. Note that this differs from the physical queue limit, which is stored in diffServAlgDropQThreshold. Changes in this variable may or may not be reflected in the reported value of diffServRandomDropMaxThreshBytes."

::= { diffServRandomDropEntry 5 }

diffServRandomDropProbMax

OBJECT-TYPE

SYNTAX Unsigned32 (0..1000)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The worst case random drop probability, expressed in drops per thousand packets.

For example, if in the worst case every arriving packet may be dropped (100%) for a period, this has the value 1000.

Alternatively, if in the worst case only one percent (1%) of traffic may be dropped, it has the value 10."

::= { diffServRandomDropEntry 6 }

diffServRandomDropWeight OBJECT-TYPE

SYNTAX Unsigned32 (0..65536)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The weighting of past history in affecting the Exponentially Weighted Moving Average function that calculates the current average queue depth. The equation uses $\text{diffServRandomDropWeight}/65536$ as the coefficient for the new sample in the equation, and $(65536 - \text{diffServRandomDropWeight})/65536$

as the coefficient of the old value.

Implementations may limit the values of diffServRandomDropWeight to a subset of the possible range of values, such as powers of two. Doing this would facilitate implementation of the Exponentially Weighted Moving Average using shift instructions or registers."

::= { diffServRandomDropEntry 7 }

diffServRandomDropSamplingRate OBJECT-TYPE

SYNTAX Unsigned32 (0..1000000)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of times per second the queue is sampled for queue average calculation. A value of zero is used to mean that the queue is sampled approximately each time a packet is enqueued (or dequeued)."

::= { diffServRandomDropEntry 8 }

diffServRandomDropStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServRandomDropEntry 9 }

diffServRandomDropStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServRandomDropEntry 10 }

--

-- Queue Table

--

diffServQueue OBJECT IDENTIFIER ::= { diffServMIBObjects 7 }

--

-- An entry of diffServQTable represents a FIFO queue Differentiated Services Functional Data Path element as described in the Informal Differentiated Services Model section 7.1.1. Note that the specification of scheduling parameters for a queue as part of the input to a scheduler functional data path element as described in the Informal Differentiated Services Model section 7.1.2. This allows building of hierarchical queuing/scheduling. A queue therefore has these attributes:

--

- 1. Which scheduler will service this queue, diffServQNext.
- 2. How the scheduler will service this queue, with respect to all the other queues the same scheduler needs to service, diffServQMinRate.

--

-- Note that upstream Differentiated Services Functional Data Path elements may point to a shared diffServQTable entry as described in the Informal Differentiated Services Model section 7.1.1.

--

diffServQNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServQId, or a zero to indicate that none exist."

::= { diffServQueue 1 }

diffServQTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServQEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Queue Table enumerates the individual queues. Note that the MIB models queuing systems as composed of individual queues, one per class of traffic, even though they may in fact be structured as classes of traffic scheduled using a common calendar queue, or in other ways."

::= { diffServQueue 2 }

diffServQEntry OBJECT-TYPE

SYNTAX DiffServQEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Queue Table describes a single queue or class of traffic."

INDEX { diffServQId }

::= { diffServQTable 1 }

DiffServQEntry ::= SEQUENCE {

diffServQId IndexInteger,

diffServQNext RowPointer,

diffServQMinRate RowPointer,

diffServQMaxRate RowPointer,

diffServQStorage

StorageType,

diffServQStatus RowStatus

}

diffServQId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Queue entries. Managers obtain new values for row creation in this table by reading diffServQNextFree."

::= { diffServQEntry 1 }

diffServQNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This selects the next Differentiated Services Scheduler. The RowPointer must point to a diffServSchedulerEntry.

A value of zeroDotZero in this attribute indicates an incomplete diffServQEntry instance. In such a case, the entry has no operational effect, since it has no parameters to give it meaning.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or

becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServQEntry 2 }

diffServQMinRate OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This RowPointer indicates the diffServMinRateEntry that the scheduler, pointed to by diffServQNext, should use to service this queue.

If the row pointed to is zeroDotZero, the minimum rate and priority is unspecified.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServQEntry 3 }

diffServQMaxRate OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This RowPointer indicates the diffServMaxRateEntry that the scheduler, pointed to by diffServQNext, should use to service this queue.

If the row pointed to is zeroDotZero, the maximum rate is the line speed of the interface.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

::= { diffServQEntry 4 }

diffServQStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }

::= { diffServQEntry 5 }

diffServQStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServQEntry 6 }

--

```

-- Scheduler Table
--

diffServScheduler OBJECT IDENTIFIER ::= { diffServMIBObjects 8 }

--
-- A Scheduler Entry represents a packet scheduler, such as a priority
-- scheduler or a WFQ scheduler. It provides flexibility for multiple
-- scheduling algorithms, each servicing multiple queues, to be used on
-- the same logical/physical interface.
--
-- Note that upstream queues or schedulers specify several of the
-- scheduler's parameters. These must be properly specified if the
-- scheduler is to behave as expected.
--
-- The diffServSchedulerMaxRate attribute specifies the parameters when
-- a scheduler's output is sent to another scheduler. This is used in
-- building
hierarchical queues or schedulers.

--
-- More discussion of the scheduler functional data path element is in
-- the Informal Differentiated Services Model section 7.1.2.
--

diffServSchedulerNextFree OBJECT-TYPE
    SYNTAX      IndexIntegerNextFree
    MAX-ACCESS  read-only
    STATUS      current
    DESCRIPTION
        "This object contains an unused value for diffServSchedulerId, or
        a zero to indicate that none exist."
    ::= { diffServScheduler 1 }

diffServSchedulerTable OBJECT-TYPE
    SYNTAX      SEQUENCE OF DiffServSchedulerEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "The Scheduler Table enumerates packet schedulers. Multiple
        scheduling algorithms can be used on a given data path, with each
        algorithm described by one diffServSchedulerEntry."
    ::= { diffServScheduler 2 }

diffServSchedulerEntry OBJECT-TYPE
    SYNTAX      DiffServSchedulerEntry

```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Scheduler Table describing a single instance of a scheduling algorithm."

INDEX { diffServSchedulerId }

::= { diffServSchedulerTable 1 }

DiffServSchedulerEntry ::= SEQUENCE {

diffServSchedulerId IndexInteger,

diffServSchedulerNext RowPointer,

diffServSchedulerMethod AutonomousType,

diffServSchedulerMinRate RowPointer,

diffServSchedulerMaxRate RowPointer,

diffServSchedulerStorage StorageType,

diffServSchedulerStatus RowStatus

}

diffServSchedulerId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Scheduler entries. Managers obtain new values for row creation in this table by reading diffServSchedulerNextFree."

::= { diffServSchedulerEntry 1 }

diffServSchedulerNext OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This selects the next Differentiated Services Functional Data Path Element to handle traffic for this data path. This normally is null (zeroDotZero), or points to a diffServSchedulerEntry or a diffServQEntry.

However, this RowPointer may also point to an instance of:

diffServClfrEntry,

diffServMeterEntry,

diffServActionEntry,

diffServAlgDropEntry.

It would point another diffServSchedulerEntry when implementing multiple scheduler methods for the same data path, such as having one set of queues scheduled by WRR and that group participating in a priority scheduling system in which other queues compete with it in that way. It might also point to a second scheduler in a hierarchical scheduling system.

If the row pointed to is zeroDotZero, no further Differentiated Services treatment is performed on traffic of this data path.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
DEFVAL { zeroDotZero }  
::= { diffServSchedulerEntry 2 }
```

diffServSchedulerMethod OBJECT-TYPE

SYNTAX AutonomousType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The scheduling algorithm used by this Scheduler. zeroDotZero indicates that this is unknown. Standard values for generic algorithms: diffServSchedulerPriority, diffServSchedulerWRR, and diffServSchedulerWFQ are specified in this MIB; additional values

may be further specified in other MIBs."

```
::= { diffServSchedulerEntry 3 }
```

diffServSchedulerMinRate OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This RowPointer indicates the entry in diffServMinRateTable which indicates the priority or minimum output rate from this scheduler. This attribute is used only when there is more than one level of scheduler.

When it has the value zeroDotZero, it indicates that no minimum rate or priority is imposed.

Setting this to point to a target that does not exist results in

an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
DEFVAL { zeroDotZero }  
::= { diffServSchedulerEntry 4 }
```

diffServSchedulerMaxRate OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This RowPointer indicates the entry in diffServMaxRateTable which indicates the maximum output rate from this scheduler.

When

more than one maximum rate applies (eg, when a multi-rate shaper is in view), it points to the first of those rate entries.

This attribute is used only when there is more than one level of scheduler.

When it has the value zeroDotZero, it indicates that no maximum rate is imposed.

Setting this to point to a target that does not exist results in an inconsistentValue error. If the row pointed to is removed or becomes inactive by other means, the treatment is as if this attribute contains a value of zeroDotZero."

```
DEFVAL { zeroDotZero }  
::= { diffServSchedulerEntry 5 }
```

diffServSchedulerStorage OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

```
DEFVAL { nonVolatile }
```

```
::=
```

```
{ diffServSchedulerEntry 6 }
```

diffServSchedulerStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServSchedulerEntry 7 }

--

-- OIDs for diffServTBParamType definitions.

--

diffServSchedulers OBJECT IDENTIFIER ::= { diffServMIBAdmin 2 }

diffServSchedulerPriority OBJECT-IDENTITY

STATUS current

DESCRIPTION

"For use with diffServSchedulerMethod to indicate the Priority scheduling method. This is defined as an algorithm in which the presence of data in a queue or set of queues absolutely precludes dequeue from another queue or set of queues of lower priority.

Note

that attributes from diffServMinRateEntry of the queues/schedulers feeding this scheduler are used when determining the next packet to schedule."

::= { diffServSchedulers 1 }

diffServSchedulerWRR OBJECT-IDENTITY

STATUS current

DESCRIPTION

"For use with diffServSchedulerMethod to indicate the Weighted Round Robin scheduling method, defined as any algorithm in which a set of queues are visited in a fixed order, and varying amounts of traffic are removed from each queue in turn to implement an average output rate by class. Notice attributes from diffServMinRateEntry of the queues/schedulers feeding this scheduler are used when determining the next packet to schedule."

::= { diffServSchedulers 2 }

diffServSchedulerWFQ OBJECT-IDENTITY

STATUS current

DESCRIPTION

"For use with diffServSchedulerMethod to indicate the Weighted Fair Queuing scheduling method, defined as any algorithm

in which

a set of queues are conceptually visited in some order, to implement an average output rate by class. Notice attributes from diffServMinRateEntry of the queues/schedulers feeding this scheduler are used when determining the next packet to schedule."

::= { diffServSchedulers 3 }

--

-- Minimum Rate Parameters Table

--

-- The parameters used by a scheduler for its inputs or outputs are maintained separately from the Queue or Scheduler table entries for reusability reasons and so that they may be used by both queues and schedulers. This follows the approach for separation of data path elements from parameterization that is used throughout this MIB. Use of these Minimum Rate Parameter Table entries by Queues and Schedulers allows the modeling of hierarchical scheduling systems.

--

-- Specifically, a Scheduler has one or more inputs and one output. Any queue feeding a scheduler, or any scheduler which feeds a second scheduler, might specify a minimum transfer rate by pointing to an Minimum Rate Parameter Table entry.

--

-- The diffServMinRatePriority/Abs/Rel attributes are used as parameters to the work-conserving portion of a scheduler: "work-conserving" implies that the scheduler can continue to emit data as long as there is data available at its input(s). This has the effect of guaranteeing a certain priority relative to other scheduler inputs and/or a certain minimum proportion of the available output bandwidth. Properly configured, this means a certain minimum rate, which may be exceeded should traffic be available should there be spare bandwidth after all other classes have had opportunities to consume their own minimum rates.

--

diffServMinRateNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServMinRateId, or a zero to indicate that none exist."

::= { diffServScheduler 3 }

diffServMinRateTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMinRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Minimum Rate Parameters Table enumerates individual sets of scheduling parameter that can be used/reused by Queues and Schedulers."

::= { diffServScheduler 4 }

diffServMinRateEntry OBJECT-TYPE

SYNTAX DiffServMinRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the Minimum Rate Parameters Table describes a single set of scheduling parameters for use by one or more queues or schedulers."

INDEX { diffServMinRateId }

::= { diffServMinRateTable 1 }

DiffServMinRateEntry ::= SEQUENCE {

diffServMinRateId IndexInteger,

diffServMinRatePriority Unsigned32,

diffServMinRateAbsolute Unsigned32,

diffServMinRateRelative Unsigned32,

diffServMinRateStorage StorageType,

diffServMinRateStatus RowStatus

}

diffServMinRateId OBJECT-TYPE

SYNTAX IndexInteger

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that enumerates the Scheduler Parameter entries.

Managers obtain new values for row creation in this table by reading diffServMinRateNextFree."

::= { diffServMinRateEntry 1 }

diffServMinRatePriority OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The priority of this input to the associated scheduler, relative

to the scheduler's other inputs. A queue or scheduler with a larger numeric value will be served before another with a smaller numeric value."

::= { diffServMinRateEntry 2 }

diffServMinRateAbsolute OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

UNITS "kilobits per second"

MAX-ACCESS

read-create

STATUS current

DESCRIPTION

"The minimum absolute rate, in kilobits/sec, that a downstream scheduler element should allocate to this queue. If the value is zero, then there is effectively no minimum rate guarantee. If the value is non-zero, the scheduler will assure the servicing of this queue to at least this rate.

Note that this attribute value and that of diffServMinRateRelative are coupled: changes to one will affect the value of the other. They are linked by the following equation, in that setting one will change the other:

$$\text{diffServMinRateRelative} = (\text{diffServMinRateAbsolute} * 1000000) / \text{ifSpeed}$$

or, if appropriate:

$$\text{diffServMinRateRelative} = \text{diffServMinRateAbsolute} / \text{ifHighSpeed}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"

::= { diffServMinRateEntry 3 }

diffServMinRateRelative OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The minimum rate that a downstream scheduler element should allocate to this queue, relative to the maximum rate of the interface as reported by ifSpeed or ifHighSpeed, in units of 1/1000 of 1. If the value is zero, then there is effectively no minimum rate guarantee. If the value is non-zero, the scheduler will assure the servicing of this queue to at least this rate.

Note that this attribute value and that of

diffServMinRateAbsolute are coupled: changes to one will affect the value of the other. They are linked by the following equation, in that setting one will change the other:

```
diffServMinRateRelative =  
    (diffServMinRateAbsolute*1000000)/ifSpeed
```

or, if appropriate:

```
diffServMinRateRelative = diffServMinRateAbsolute/ifHighSpeed"
```

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB,
RFC 2863"

```
::= { diffServMinRateEntry 4 }
```

diffServMinRateStorage OBJECT-TYPE

```
SYNTAX      StorageType  
MAX-ACCESS  read-create  
STATUS      current  
DESCRIPTION
```

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

```
DEFVAL { nonVolatile }  
::= { diffServMinRateEntry 5 }
```

diffServMinRateStatus OBJECT-TYPE

```
SYNTAX      RowStatus  
MAX-ACCESS  read-create  
STATUS      current  
DESCRIPTION
```

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

```
::= { diffServMinRateEntry 6 }
```

--

-- Maximum Rate Parameter Table

--

-- The parameters used by a scheduler for its inputs or outputs are
-- maintained

separately from the Queue or Scheduler table entries for

-- reusability reasons and so that they may be used by both queues and

-- schedulers. This follows the approach for separation of data path

-- elements from parameterization that is used throughout this MIB.
 -- Use of these Maximum Rate Parameter Table entries by Queues and
 -- Schedulers allows the modeling of hierarchical scheduling systems.
 --
 -- Specifically, a Scheduler has one or more inputs and one output.
 -- Any queue feeding a scheduler, or any scheduler which feeds a second
 -- scheduler, might specify a maximum transfer rate by pointing to a
 -- Maximum Rate Parameter Table entry. Multi-rate shapers, such as a

 -- Dual Leaky Bucket algorithm, specify their rates using multiple
 -- Maximum Rate Parameter Entries with the same diffServMaxRateId but
 -- different diffServMaxRateLevels.
 --
 -- The diffServMaxRateLevel/Abs/Rel attributes are used as
 -- parameters to the non-work-conserving portion of a scheduler:
 -- non-work-conserving
 implies that the scheduler may sometimes not
 -- emit a packet, even if there is data available at its input(s).
 -- This has the effect of limiting the servicing of the queue/scheduler
 -- input or output, in effect performing shaping of the packet stream
 -- passing through the queue/scheduler, as described in the Informal
 -- Differentiated Services Model section 7.2.
 --

diffServMaxRateNextFree OBJECT-TYPE

SYNTAX IndexIntegerNextFree

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains an unused value for diffServMaxRateId, or a
 zero to indicate that none exist."

::= { diffServScheduler 5 }

diffServMaxRateTable OBJECT-TYPE

SYNTAX SEQUENCE OF DiffServMaxRateEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The Maximum Rate Parameter Table enumerates individual sets of
 scheduling parameter that can be used/reused by Queues and
 Schedulers."

::=

{ diffServScheduler 6 }

diffServMaxRateEntry OBJECT-TYPE

SYNTAX DiffServMaxRateEntry

MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "An entry in the Maximum Rate Parameter Table describes a single set of scheduling parameters for use by one or more queues or schedulers."
 INDEX { diffServMaxRateId, diffServMaxRateLevel }
 ::= { diffServMaxRateTable 1 }

DiffServMaxRateEntry ::= SEQUENCE {
 diffServMaxRateId IndexInteger,
 diffServMaxRateLevel Unsigned32,
 diffServMaxRateAbsolute Unsigned32,

 diffServMaxRateRelative Unsigned32,
 diffServMaxRateThreshold BurstSize,
 diffServMaxRateStorage StorageType,
 diffServMaxRateStatus RowStatus
 }

diffServMaxRateId OBJECT-TYPE
 SYNTAX IndexInteger
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "An index that enumerates the Maximum Rate Parameter entries.

 Managers obtain new values for row creation in this table by reading diffServMaxRateNextFree."
 ::= { diffServMaxRateEntry 1 }

diffServMaxRateLevel OBJECT-TYPE
 SYNTAX Unsigned32 (1..32)
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "An index that indicates which level of a multi-rate shaper is being given its parameters. A multi-rate shaper has some number of rate levels. Frame Relay's dual rate specification refers to a 'committed' and an 'excess' rate; ATM's dual rate specification refers to a 'mean' and a 'peak' rate. This table is generalized to support an arbitrary number of rates. The committed or mean rate is level 1, the peak rate (if any) is the highest level rate configured, and if there are other rates they are distributed in monotonically increasing order between them."
 ::= { diffServMaxRateEntry 2 }

diffServMaxRateAbsolute OBJECT-TYPE

SYNTAX Unsigned32

(1..4294967295)

UNITS "kilobits per second"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum rate in kilobits/sec that a downstream scheduler element should allocate to this queue. If the value is zero, then there is effectively no maximum rate limit and that the scheduler should attempt to be work conserving for this queue. If the value is non-zero, the scheduler will limit the servicing of this queue to, at most, this rate in a non-work-conserving manner.

Note that this attribute value and that of diffServMaxRateRelative are coupled: changes to one will affect the value of the other. They are linked by the following

equation, in that setting one will change the other:

$$\text{diffServMaxRateRelative} = (\text{diffServMaxRateAbsolute} * 1000000) / \text{ifSpeed}$$

or, if appropriate:

$$\text{diffServMaxRateRelative} = \text{diffServMaxRateAbsolute} / \text{ifHighSpeed}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"

::= { diffServMaxRateEntry 3 }

diffServMaxRateRelative OBJECT-TYPE

SYNTAX Unsigned32 (1..4294967295)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum rate that a downstream scheduler element should allocate to this queue, relative to the maximum rate of the interface as reported by ifSpeed or ifHighSpeed, in units of 1/1000 of 1. If the value is zero, then there is effectively no maximum rate limit and the scheduler should attempt to be work conserving for this queue. If the value is non-zero, the scheduler will limit the servicing of this queue to, at most, this rate in a non-work-conserving manner.

Note that this attribute value and that of

diffServMaxRateAbsolute are coupled: changes to one will affect the value of the other. They are linked by the following equation, in that setting one will change the other:

$$\text{diffServMaxRateRelative} = \frac{\text{diffServMaxRateAbsolute} * 1000000}{\text{ifSpeed}}$$

or, if appropriate:

$$\text{diffServMaxRateRelative} = \text{diffServMaxRateAbsolute} / \text{ifHighSpeed}$$

REFERENCE

"ifSpeed, ifHighSpeed, Interface MIB, RFC 2863"
::= { diffServMaxRateEntry 4 }

diffServMaxRateThreshold OBJECT-TYPE

SYNTAX BurstSize
UNITS "Bytes"
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The number of bytes of queue depth at which the rate of a

multi-rate scheduler will increase to the next output rate. In the last conceptual row for such a shaper, this threshold is ignored and by convention is zero."

REFERENCE

"Adaptive rate Shaper, RFC 2963"
::= { diffServMaxRateEntry 5 }

diffServMaxRateStorage OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type for this conceptual row. Conceptual rows having the value 'permanent' need not allow write-access to any columnar objects in the row."

DEFVAL { nonVolatile }
::= { diffServMaxRateEntry 6 }

diffServMaxRateStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current

DESCRIPTION

"The status of this conceptual row. All writable objects in this row may be modified at any time. Setting this variable to 'destroy' when the MIB contains one or more RowPointers pointing to it results in destruction being delayed until the row is no longer used."

::= { diffServMaxRateEntry 7 }

--

-- MIB Compliance statements.

--

diffServMIBCompliances OBJECT IDENTIFIER ::=

{ diffServMIBConformance 1 }

diffServMIBGroups OBJECT IDENTIFIER ::=

{ diffServMIBConformance 2 }

diffServMIBFullCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"When this MIB is implemented with support for read-create, then such an implementation can claim full compliance. Such devices can then be both monitored and configured with this MIB."

MODULE IF-MIB -- The interfaces MIB, RFC2863

MANDATORY-GROUPS {

ifCounterDiscontinuityGroup

}

MODULE -- This Module

MANDATORY-GROUPS {

diffServMIBDataPathGroup, diffServMIBClfrGroup,
diffServMIBClfrElementGroup, diffServMIBMultiFieldClfrGroup,
diffServMIBActionGroup, diffServMIBAlgDropGroup,
diffServMIBQGroup, diffServMIBSchedulerGroup,
diffServMIBMaxRateGroup, diffServMIBMinRateGroup,
diffServMIBCounterGroup

}

GROUP diffServMIBMeterGroup

DESCRIPTION

"This group is mandatory for devices that implement metering functions."

GROUP diffServMIBTBParamGroup

DESCRIPTION

"This group is mandatory for devices that implement token-bucket metering functions."

GROUP diffServMIBDscpMarkActGroup

DESCRIPTION

"This group is mandatory for devices that implement DSCP-Marking functions."

GROUP diffServMIBRandomDropGroup

DESCRIPTION

"This group is mandatory for devices that implement Random Drop functions."

OBJECT diffServDataPathStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServClfrStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServClfrElementStatus

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServMultiFieldClfrAddrType

SYNTAX InetAddressType

{ unknown(0), ipv4(1), ipv6(2) }

DESCRIPTION

"An implementation is only required to support IPv4 and IPv6 addresses."

OBJECT diffServMultiFieldClfrDstAddr

SYNTAX InetAddress (SIZE(0|4|16))

DESCRIPTION

"An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT diffServAlgDropStatus
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
"Support for createAndWait and notInService is not required."

OBJECT diffServRandomDropStatus
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
"Support for createAndWait and notInService is not required."

OBJECT diffServQStatus
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
"Support for createAndWait and notInService is not required."

OBJECT diffServSchedulerStatus
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
"Support for createAndWait and notInService is not required."

OBJECT diffServMinRateStatus
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }
DESCRIPTION
"Support for createAndWait and notInService is not required."

OBJECT diffServMaxRateStatus
SYNTAX RowStatus { active(1) }
WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION
"Support for createAndWait and notInService is not required."

::= { diffServMIBCompliances 1 }

--
-- Read-Only Compliance
--

diffServMIBReadOnlyCompliance MODULE-COMPLIANCE
STATUS current

DESCRIPTION

"When this MIB is implemented without support for read-create (i.e. in read-only mode), then such an implementation can claim read-only compliance. Such a device can then be monitored but can not be configured with this MIB."

MODULE IF-MIB -- The interfaces MIB, RFC2863

```
MANDATORY-GROUPS {  
    ifCounterDiscontinuityGroup  
}
```

MODULE -- This Module

```
MANDATORY-GROUPS {  
    diffServMIBDataPathGroup, diffServMIBClfrGroup,  
    diffServMIBClfrElementGroup, diffServMIBMultiFieldClfrGroup,  
    diffServMIBActionGroup, diffServMIBAlgDropGroup,  
    diffServMIBQGroup, diffServMIBSchedulerGroup,  
    diffServMIBMaxRateGroup, diffServMIBMinRateGroup,  
    diffServMIBCounterGroup  
}
```

GROUP diffServMIBMeterGroup

DESCRIPTION

"This group is mandatory for devices that implement metering functions."

GROUP diffServMIBTBParamGroup

DESCRIPTION

"This group is mandatory for devices that implement token-bucket metering functions."

GROUP diffServMIBDscpMarkActGroup

DESCRIPTION

"This group is mandatory for devices that implement DSCP-Marking functions."

GROUP diffServMIBRandomDropGroup

DESCRIPTION

"This group is mandatory for devices that implement Random Drop functions."

OBJECT diffServDataPathStart

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServDataPathStorage
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServDataPathStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServClfrNextFree
MIN-ACCESS not-accessible
DESCRIPTION

"Object not needed when diffServClfrTable is implemented read-only"

OBJECT diffServClfrStorage
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServClfrStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServClfrElementNextFree
MIN-ACCESS not-accessible
DESCRIPTION

"Object not needed when diffServClfrelementTable is implemented read-only"

OBJECT diffServClfrElementPrecedence
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementNext
MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServClfrElementStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServMultiFieldClfrNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServMultiFieldClfrTable is implemented in read-only mode."

OBJECT diffServMultiFieldClfrAddrType

SYNTAX InetAddressType { unknown(0), ipv4(1), ipv6(2) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required. An implementation is only required to support IPv4 and IPv6 addresses."

OBJECT diffServMultiFieldClfrDstAddr

SYNTAX InetAddress (SIZE(0|4|16))

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required. An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT diffServMultiFieldClfrDstPrefixLength

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrSrcAddr

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required. An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT diffServMultiFieldClfrSrcPrefixLength

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrDscp

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrFlowId

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrProtocol

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrDstL4PortMin

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrDstL4PortMax

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrSrcL4PortMin

MIN-ACCESS

read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrSrcL4PortMax

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMultiFieldClfrStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, createAndWait and notInService support is not required."

OBJECT diffServMeterNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServMultiFieldClfrTable is implemented in read-only mode."

OBJECT diffServMeterSucceedNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterFailNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMeterStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServTBParamNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServTBParamTable is implemented in read-only mode."

OBJECT diffServTBParamType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServTBParamRate
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServTBParamBurstSize
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT
diffServTBParamInterval
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServTBParamStorage
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServTBParamStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServActionNextFree
MIN-ACCESS not-accessible
DESCRIPTION
"Object is not needed when diffServActionTable is implemented in read-only mode."

OBJECT diffServActionInterface
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServActionNext
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServActionSpecific
MIN-ACCESS read-only
DESCRIPTION
"Write access
is not required."

OBJECT diffServActionStorage
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServActionStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required, and active is the only status that
needs to be supported."

OBJECT diffServCountActNextFree
MIN-ACCESS not-accessible
DESCRIPTION
"Object is not needed when diffServCountActTable is implemented
in read-only mode."

OBJECT diffServCountActStorage
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServCountActStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required, and active is the only status that
needs to be supported."

OBJECT diffServAlgDropNextFree
MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServAlgDropTable is implemented in read-only mode."

OBJECT diffServAlgDropType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropQMeasure

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropQThreshold

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropSpecific

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServAlgDropStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required,
and active is the only status that
needs to be supported."

OBJECT diffServRandomDropNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServRandomDropTable is implemented in read-only mode."

OBJECT diffServRandomDropMinThreshBytes
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropMinThreshPkts
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropMaxThreshBytes
MIN-ACCESS read-only

DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropMaxThreshPkts
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropProbMax
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropWeight
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropSamplingRate
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropStorage
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT diffServRandomDropStatus
SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServQNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServQTable is implemented in read-only mode."

OBJECT diffServQNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQMinRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQMaxRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServQStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServSchedulerNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServSchedulerTable is implemented in read-only mode."

OBJECT diffServSchedulerNext

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServSchedulerMethod

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServSchedulerMinRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServSchedulerMaxRate

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServSchedulerStorage

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServSchedulerStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServMinRateNextFree

MIN-ACCESS not-accessible

DESCRIPTION

"Object is not needed when diffServMinRateTable is implemented in read-only mode."

OBJECT diffServMinRatePriority

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMinRateAbsolute

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT diffServMinRateRelative
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMinRateStorage
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMinRateStatus
SYNTAX RowStatus { active(1) }
MIN-ACCESS read-only
DESCRIPTION

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

OBJECT diffServMaxRateNextFree
MIN-ACCESS not-accessible
DESCRIPTION

"Object is not needed when diffServMaxrateTable is implemented in read-only mode."

OBJECT diffServMaxRateAbsolute
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateRelative
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateThreshold
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateStorage
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT diffServMaxRateStatus

SYNTAX RowStatus { active(1) }

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required, and active is the only status that needs to be supported."

::= { diffServMIBCompliances 2 }

diffServMIBDataPathGroup OBJECT-GROUP

OBJECTS {

diffServDataPathStart, diffServDataPathStorage,
diffServDataPathStatus

}

STATUS current

DESCRIPTION

"The Data Path Group defines the MIB Objects that describe a functional data path."

::= { diffServMIBGroups 1 }

diffServMIBClfrGroup OBJECT-GROUP

OBJECTS {

diffServClfrNextFree, diffServClfrStorage,
diffServClfrStatus

}

STATUS current

DESCRIPTION

"The Classifier Group defines the MIB Objects that describe the

list the starts of individual classifiers."

::= { diffServMIBGroups 2 }

diffServMIBClfrElementGroup

OBJECT-GROUP

OBJECTS {

diffServClfrElementNextFree,
diffServClfrElementPrecedence, diffServClfrElementNext,
diffServClfrElementSpecific, diffServClfrElementStorage,
diffServClfrElementStatus

}

STATUS current

DESCRIPTION

"The Classifier Element Group defines the MIB Objects that describe the classifier elements that make up a generic classifier."

::= { diffServMIBGroups 3 }

diffServMIBMultiFieldClfrGroup OBJECT-GROUP

```
OBJECTS {
    diffServMultiFieldClfrNextFree,
    diffServMultiFieldClfrAddrType,
    diffServMultiFieldClfrDstAddr,
    diffServMultiFieldClfrDstPrefixLength,
    diffServMultiFieldClfrFlowId,
    diffServMultiFieldClfrSrcAddr,
    diffServMultiFieldClfrSrcPrefixLength,
    diffServMultiFieldClfrDscp,
    diffServMultiFieldClfrProtocol,
    diffServMultiFieldClfrDstL4PortMin,
    diffServMultiFieldClfrDstL4PortMax,
    diffServMultiFieldClfrSrcL4PortMin,
    diffServMultiFieldClfrSrcL4PortMax,
    diffServMultiFieldClfrStorage,
    diffServMultiFieldClfrStatus
}
```

STATUS current

DESCRIPTION

"The Multi-field Classifier Group defines the MIB Objects that describe a classifier element for matching on various fields of an IP and upper-layer protocol header."

::= { diffServMIBGroups 4 }

diffServMIBMeterGroup OBJECT-GROUP

```
OBJECTS {
    diffServMeterNextFree, diffServMeterSucceedNext,
    diffServMeterFailNext, diffServMeterSpecific,
    diffServMeterStorage, diffServMeterStatus
}
```

STATUS current

DESCRIPTION

"The Meter Group defines the objects used in describing a generic meter element."

::= { diffServMIBGroups 5 }

diffServMIBTBParamGroup OBJECT-GROUP

```
OBJECTS {
    diffServTBParamNextFree,
diffServTBParamType,
    diffServTBParamRate, diffServTBParamBurstSize,
    diffServTBParamInterval, diffServTBParamStorage,
    diffServTBParamStatus
}
```

STATUS current

DESCRIPTION

"The Token-Bucket Meter Group defines the objects used in describing a token bucket meter element."

::= { diffServMIBGroups 6 }

diffServMIBActionGroup OBJECT-GROUP

OBJECTS {

diffServActionNextFree, diffServActionNext,
diffServActionSpecific, diffServActionStorage,
diffServActionInterface, diffServActionStatus

}

STATUS current

DESCRIPTION

"The Action Group defines the objects used in describing a generic action element."

::= { diffServMIBGroups 7 }

diffServMIBDscpMarkActGroup OBJECT-GROUP

OBJECTS {

diffServDscpMarkActDscp

}

STATUS current

DESCRIPTION

"The DSCP Mark Action Group defines the objects used in describing a DSCP Marking Action element."

::= { diffServMIBGroups 8 }

diffServMIBCounterGroup OBJECT-GROUP

OBJECTS {

diffServCountActOctets, diffServCountActPkts,
diffServAlgDropOctets, diffServAlgDropPkts,
diffServAlgRandomDropOctets, diffServAlgRandomDropPkts,
diffServCountActStorage, diffServCountActStatus,
diffServCountActNextFree

}

STATUS current

DESCRIPTION

"A collection of objects providing information specific to packet-oriented network interfaces."

::= { diffServMIBGroups 9 }

diffServMIBAlgDropGroup OBJECT-GROUP

OBJECTS {

diffServAlgDropNextFree, diffServAlgDropType,

```

        diffServAlgDropNext, diffServAlgDropQMeasure,
        diffServAlgDropQThreshold, diffServAlgDropSpecific,
        diffServAlgDropStorage, diffServAlgDropStatus
    }
    STATUS    current
    DESCRIPTION
        "The Algorithmic Drop Group contains
the objects that describe
        algorithmic dropper operation and configuration."
    ::= { diffServMIBGroups 10 }

diffServMIBRandomDropGroup OBJECT-GROUP
OBJECTS {
    diffServRandomDropNextFree,
    diffServRandomDropMinThreshBytes,
    diffServRandomDropMinThreshPkts,
    diffServRandomDropMaxThreshBytes,
    diffServRandomDropMaxThreshPkts,
    diffServRandomDropProbMax,
    diffServRandomDropWeight,
    diffServRandomDropSamplingRate,
    diffServRandomDropStorage,
    diffServRandomDropStatus
}
STATUS    current
DESCRIPTION
    "The Random Drop Group augments the Algorithmic Drop Group for
random dropper operation and configuration."
    ::= { diffServMIBGroups 11 }

diffServMIBQGroup OBJECT-GROUP

OBJECTS {
    diffServQNextFree, diffServQNext, diffServQMinRate,
    diffServQMaxRate, diffServQStorage, diffServQStatus
}
STATUS    current
DESCRIPTION
    "The Queue Group contains the objects that describe an

interface's queues."
    ::= { diffServMIBGroups 12 }

diffServMIBSchedulerGroup OBJECT-GROUP
OBJECTS {

```

```

        diffServSchedulerNextFree, diffServSchedulerNext,
        diffServSchedulerMethod, diffServSchedulerMinRate,
        diffServSchedulerMaxRate, diffServSchedulerStorage,
        diffServSchedulerStatus
    }
    STATUS    current
    DESCRIPTION
        "The Scheduler Group contains the objects that describe packet
        schedulers on interfaces."
    ::= { diffServMIBGroups 13 }

diffServMIBMinRateGroup OBJECT-GROUP
    OBJECTS {
        diffServMinRateNextFree, diffServMinRatePriority,
        diffServMinRateAbsolute, diffServMinRateRelative,
        diffServMinRateStorage, diffServMinRateStatus
    }
    STATUS    current
    DESCRIPTION
        "The Minimum Rate Parameter Group contains the objects that

        describe packet schedulers' minimum rate or priority guarantees."
    ::= { diffServMIBGroups 14 }

diffServMIBMaxRateGroup OBJECT-GROUP
    OBJECTS {
        diffServMaxRateNextFree, diffServMaxRateAbsolute,
        diffServMaxRateRelative, diffServMaxRateThreshold,
        diffServMaxRateStorage, diffServMaxRateStatus
    }
    STATUS    current
    DESCRIPTION
        "The Maximum Rate Parameter Group contains the objects that
        describe packet schedulers' maximum rate guarantees."
    ::= { diffServMIBGroups 15 }

END

Found in path(s):
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DIFFSERV-
MIB
No license file was found, but licenses were detected in source scan.

DLSW-MIB DEFINITIONS ::= BEGIN

IMPORTS
    DisplayString, RowStatus,
    RowPointer, TruthValue,

```

TEXTUAL-CONVENTION FROM SNMPv2-TC
Counter32, Gauge32, TimeTicks,
OBJECT-TYPE, MODULE-IDENTITY,
NOTIFICATION-TYPE, mib-2 FROM SNMPv2-SMI
MODULE-COMPLIANCE, OBJECT-GROUP,
NOTIFICATION-GROUP FROM SNMPv2-CONF
ifIndex FROM IF-MIB
sdLcLSAddress FROM SNA-SDLC-MIB;

dlsW MODULE-IDENTITY

LAST-UPDATED "9606040900Z"

ORGANIZATION "AIW DLSw MIB RIGLET and IETF DLSw MIB Working Group"

CONTACT-INFO

"David D. Chen
IBM Corporation
800 Park, Highway 54
Research Triangle Park, NC 27709-9990
Tel: 1 919 254 6182
E-mail: dchen@vnet.ibm.com"

DESCRIPTION

"This MIB module contains objects to manage Data Link
Switches."

::= { mib-2 46 }

dlsW MIB OBJECT IDENTIFIER ::= { dlsW 1 }

dlsW Domains OBJECT IDENTIFIER ::= { dlsW 2 }

-- *****
-- Textual convention definitions
-- *****

NBName ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Represents a single qualified NetBIOS name, which can include
'don't care' and 'wildcard' characters to represent a number
of real NetBIOS names. If an individual character position in
the qualified name contains a '?', the corresponding character
position in a real NetBIOS name is a 'don't care'. If the
qualified name ends in '*', the remainder of a real NetBIOS
name is a 'don't care'. '*' is only considered a wildcard if it
appears at the end of a name."

SYNTAX OCTET STRING (SIZE

(0..16))

MacAddressNC ::= TEXTUAL-CONVENTION

DISPLAY-HINT "1x:"

STATUS current
DESCRIPTION
"Represents an 802 MAC address represented in non-canonical format. That is, the most significant bit will be transmitted first. If this information is not available, the value is a zero length string."
SYNTAX OCTET STRING (SIZE (0 | 6))

TAddress ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"Denotes a transport service address.
For dlswTCPDomain, a TAddress is 4 octets long, containing the IP-address in network-byte order."
SYNTAX OCTET STRING (SIZE (0..255))

EndStationLocation ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"Representing the location of an end station related to the managed DLSw node."
SYNTAX INTEGER {
 other (1),
 internal (2), -- local virtual MAC address
 remote (3), -- via
DLSw partner
 local (4) -- locally attached
}

DlcType ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"Representing the type of DLC of an end station, if applicable."
SYNTAX INTEGER {
 other (1), -- not assigned yet
 na (2), -- not applicable
 llc (3), -- 802.2 Logical Link Control
 sdlc (4), -- SDLC
 qllc (5) -- QLLC
}

LFSize ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"The largest size of the INFO field (including DLC header, not including any MAC-level or framing octets).
64 valid values as defined by the IEEE 802.1D

Addendum are acceptable."

```
SYNTAX INTEGER {  
    lfs516(516), lfs635(635), lfs754(754), lfs873(873),  
    lfs993(993), lfs1112(1112), lfs1231(1231),  
    lfs1350(1350), lfs1470(1470),  
lfs1542(1542),  
    lfs1615(1615), lfs1688(1688), lfs1761(1761),  
    lfs1833(1833), lfs1906(1906), lfs1979(1979),  
    lfs2052(2052), lfs2345(2345), lfs2638(2638),  
    lfs2932(2932), lfs3225(3225), lfs3518(3518),  
    lfs3812(3812), lfs4105(4105), lfs4399(4399),  
    lfs4865(4865), lfs5331(5331), lfs5798(5798),  
    lfs6264(6264), lfs6730(6730), lfs7197(7197),  
    lfs7663(7663), lfs8130(8130), lfs8539(8539),  
    lfs8949(8949), lfs9358(9358), lfs9768(9768),  
    lfs10178(10178), lfs10587(10587), lfs10997(10997),  
    lfs11407(11407), lfs12199(12199), lfs12992(12992),  
    lfs13785(13785), lfs14578(14578), lfs15370(15370),  
    lfs16163(16163), lfs16956(16956), lfs17749(17749),  
    lfs20730(20730), lfs23711(23711), lfs26693(26693),  
    lfs29674(29674), lfs32655(32655), lfs38618(38618),  
    lfs41600(41600), lfs44591(44591),  
lfs47583(47583),  
    lfs50575(50575), lfs53567(53567), lfs56559(56559),  
    lfs59551(59551), lfs65535(65535)  
}
```

```
null OBJECT IDENTIFIER ::= { 0 0 }
```

```
-- *****  
-- DLSw Transport Domain definitions  
-- *****
```

```
-- DLSw over TCP  
dlswTCPDomain OBJECT IDENTIFIER ::= { dlswDomains 1 }
```

```
-- for an IP address of length 4:  
--  
-- octets contents encoding  
-- 1-4 IP-address network-byte order  
--
```

```
DlswTCPAddress ::= TEXTUAL-CONVENTION  
    DISPLAY-HINT "1d.1d.1d.1d"  
    STATUS current  
    DESCRIPTION  
        "Represents the IP address of a DLSw which uses  
        TCP as a transport protocol."  
    SYNTAX OCTET STRING (SIZE (4))
```

```
-- *****
-- DLSw MIB Definition
-- *****
```

```
-- The
DLSw MIB module contains an object part and a conformance part.
-- Object part is organized in the following groups:
-- (1) dlswNode - information about this DLSw
-- (2) dlswTConn - about adjacent DLSw partners
-- (3) dlswInterface - about which interfaces DLSw is active on
-- (4) dlswDirectory - about any directory of local/remote resources
-- (5) dlswCircuit - about established circuits.
-- (6) dlswSdlc - about SDLC data link switched devices
```

```
dlswNode OBJECT IDENTIFIER ::= { dlswMIB 1 }
dlswTConn OBJECT IDENTIFIER ::= { dlswMIB 2 }
dlswInterface OBJECT IDENTIFIER ::= { dlswMIB 3 }
dlswDirectory OBJECT IDENTIFIER ::= { dlswMIB 4 }
dlswCircuit OBJECT IDENTIFIER ::= { dlswMIB 5 }
dlswSdlc OBJECT IDENTIFIER ::= { dlswMIB 6 } -- SDLC
```

```
-- *****
-- THE NODE GROUP
-- *****
```

```
-----
```

```
--
```

DLSw Node Identity

```
-----
```

```
dlswNodeVersion OBJECT-TYPE
SYNTAX OCTET STRING (SIZE (2))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "This value identifies the particular version of the DLSw
    standard supported by this DLSw. The first octet is a
    hexadecimal value representing the DLSw standard Version
    number of this DLSw, and the second is a hexadecimal value
    representing the DLSw standard Release number. This
    information is reported in DLSw Capabilities Exchange."
REFERENCE
    "DLSW: Switch-to-Switch Protocol RFC 1795"
::= { dlswNode 1 }
```

```
dlswNodeVendorID OBJECT-TYPE
SYNTAX OCTET STRING (SIZE (3))
```

MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The value identifies the manufacturer's IEEE-assigned
organizationally Unique Identifier (OUI) of this DLSw.
This information
is reported in DLSw Capabilities
Exchange."
REFERENCE
"DLSW: Switch-to-Switch Protocol RFC 1795"
::= { dlswNode 2 }

dlswNodeVersionString OBJECT-TYPE
SYNTAX DisplayString
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"This string gives product-specific information about
this DLSw (e.g., product name, code release and fix level).
This flows in Capabilities Exchange messages."
REFERENCE
"DLSW: Switch-to-Switch Protocol RFC 1795"
::= { dlswNode 3 }

-- DLSw Code Capability

dlswNodeStdPacingSupport OBJECT-TYPE
SYNTAX INTEGER {
none (1), -- does not support DLSw
-- Standard pacing scheme
adaptiveRcvWindow (2), -- the receive window size
-- varies
fixedRcvWindow
(3) -- the receive window size
-- remains constant
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Circuit pacing, as defined in the DLSw Standard, allows each
of the two DLSw nodes on a circuit to control the amount
of data the other is permitted to send to them. This object
reflects the level of support the DLSw node has for this
protocol. (1) means the node has no support for the standard
circuit pacing flows; it may use RFC 1434+ methods only, or
a proprietary flow control scheme. (2) means the node supports
the standard scheme and can vary the window sizes it grants as

a data receiver. (3) means the node supports the standard scheme but never varies its receive window size."

::= { dlswnode 4 }

-- DLSw Node Operational Objects

dlswnodeStatus

OBJECT-TYPE

SYNTAX INTEGER {

active (1),

inactive (2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The status of the DLSw part of the system. Changing the value from active to inactive causes DLSw to take the following actions - (1) it disconnects all circuits through all DLSw partners, (2) it disconnects all transport connections to all DLSw partners, (3) it disconnects all local DLC connections, and (4) it stops processing all DLC connection set-up traffic.

Since these are destructive actions, the user should query the circuit and transport connection tables in advance to understand the effect this action will have.

Changing the value from inactive to active causes DLSw to come up in its initial state, i.e., transport connections established and ready to bring up circuits."

::= { dlswnode 5 }

dlswnodeUpTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The amount of time (in hundredths of a second) since the DLSw portion of the system was last re-initialized.

That is, if dlswnodeState is in the active state, the time the dlswnodeState entered the active state.

It will remain zero if dlswnodeState is in the inactive state."

::= { dlswnode 6 }

dlswnodeVirtualSegmentLFSize OBJECT-TYPE

SYNTAX LFSize

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The largest frame size (including DLC header and info field but not any MAC-level or framing octets) this DLSw can forward on any path through itself. This object can represent any box-level frame size forwarding restriction (e.g., from the use of fixed-size buffers). Some DLSw implementations will have no such restriction.

This value will affect the LF size of circuits during circuit creation. The LF size of an existing circuit can be found in the RIF (Routing Information Field)."

DEFVAL { lfs65535 }

::= { dlswnode 7 }

--
-- NETBIOS Resources
--

dlswnodeResourceNBExclusivity OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The value of true indicates that the NetBIOS Names configured in dlswnodeDirNBTable are the only ones accessible via this DLSw.

If a node supports sending run-time capabilities exchange messages, changes to this object should cause that action. It is up to the implementation exactly when to start the run-time capabilities exchange."

::= { dlswnode 8 }

--
--
MAC Address List
--

dlswnodeResourceMacExclusivity OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The value of true indicates that the MAC addresses configured in the dlswnodeDirMacTable are the only ones accessible via this DLSw.

If a node supports sending run-time capabilities exchange messages, changes to this object should cause that action. It is up to the implementation exactly when to start the run-time capabilities exchange."

::= { dlswnode 9 }

```
-- *****  
-- TRANSPORT CONNECTION (aka: PARTNER DLSW)  
-- *****
```

-- Transport Connection Statistics Objects

dlswTConnStat

OBJECT IDENTIFIER ::= { dlswTConn 1 }

dlswTConnStatActiveConnections OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of transport connections that are not in
`disconnected' state."

::= { dlswTConnStat 1 }

dlswTConnStatCloseIdles OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times transport connections in this node
exited the connected state with zero active circuits on
the transport connection."

::= { dlswTConnStat 2 }

dlswTConnStatCloseBusys OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This node exited the connected state with some non-zero number
of active circuits on the transport connection. Normally
this means the transport connection failed unexpectedly."

::= { dlswTConnStat 3 }

-- Transport Connection Configuration Table

dlswTConnConfigTable OBJECT-TYPE
SYNTAX SEQUENCE OF DlswTConnConfigEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"This table defines the transport connections
that will be initiated or accepted by this
DLSw. Structure of masks allows wildcard
definition for a collection of transport
connections by a conceptual row. For a
specific transport connection, there may
be multiple of conceptual rows match the
transport address. The `best' match will
the one to determine the characteristics
of the transport connection."
 ::= { dlswTConn 2 }

dlswTConnConfigEntry OBJECT-TYPE
SYNTAX DlswTConnConfigEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Each conceptual row defines a collection of
transport connections."
INDEX { dlswTConnConfigIndex }
 ::= { dlswTConnConfigTable 1 }

DlswTConnConfigEntry ::= SEQUENCE {
dlswTConnConfigIndex INTEGER,
dlswTConnConfigTDomain OBJECT IDENTIFIER,
dlswTConnConfigLocalTAddr TAddress,
dlswTConnConfigRemoteTAddr TAddress,
dlswTConnConfigLastModifyTime TimeTicks,
dlswTConnConfigEntryType INTEGER,
dlswTConnConfigGroupDefinition RowPointer,
dlswTConnConfigSetupType INTEGER,
dlswTConnConfigSapList OCTET STRING,
dlswTConnConfigAdvertiseMacNB TruthValue,
dlswTConnConfigInitCirRecvWndw INTEGER,
dlswTConnConfigOpens Counter32,
dlswTConnConfigRowStatus RowStatus
}

dlswTConnConfigIndex OBJECT-TYPE
SYNTAX INTEGER (0..2147483647)

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"The index to the conceptual row of the table. Negative numbers are not allowed. There are objects defined that point to conceptual rows of this table with this index value. Zero is used to denote that no corresponding row exists.

Index values are assigned by the agent, and should not be reused but should continue to increase in value."

::= { dlswTConnConfigEntry 1 }

dlswTConnConfigTDomain OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object identifier which indicates the transport domain of this conceptual row."

::= { dlswTConnConfigEntry 2 }

dlswTConnConfigLocalTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The local transport address for this conceptual row of the transport connection definition."

::= { dlswTConnConfigEntry 3 }

dlswTConnConfigRemoteTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The remote transport address. Together with dlswTConnConfigEntryType and dlswTConnConfigGroupDefinition, the object instance of this conceptual row identifies a collection of the transport connections that will be either initiated by this DLSw or initiated by a partner DLSw and accepted by this DLSw."

::= { dlswTConnConfigEntry 4 }

dlsWTConnConfigLastModifyTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time (in hundredths of a second) since the value of any object in this conceptual row except for dlsWTConnConfigOpens was last changed. This value may be compared to dlsWTConnOperConnectTime to determine whether

values in this row are completely valid for a transport connection created using this row definition."

::= { dlsWTConnConfigEntry 5 }

dlsWTConnConfigEntryType OBJECT-TYPE

SYNTAX INTEGER {

individual (1),

global (2),

group (3)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object instance signifies the type of entry in the associated conceptual row. The value of `individual' means that the entry applies to a specific partner DLSw node as identified by dlsWTConnConfigRemoteTAddr and dlsWTConnConfigTDomain. The value of `global' means that the entry applies to all partner DLSw nodes of the TDomain. The value of 'group' means that the entry applies to a specific set of DLSw nodes in the TDomain. Any group definitions are enterprise-specific and are pointed to by dlsWTConnConfigGroupDefinition. In the

cases of

`global' and `group', the value in dlsWTConnConfigRemoteTAddr may not have any significance."

::= { dlsWTConnConfigEntry 6 }

dlsWTConnConfigGroupDefinition OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"For conceptual rows of `individual' and `global' as specified in dlsWTConnConfigEntryType, the instance of this object is `0.0'. For conceptual rows of

```
`group', the instance points to the specific
group definition."
::= { dlsWTConnConfigEntry 7 }
```

dlsWTConnConfigSetupType OBJECT-TYPE

```
SYNTAX INTEGER {
    other          (1),
    activePersistent (2),
    activeOnDemand (3),
    passive        (4),
    excluded       (5)
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value of the instance of a conceptual row identifies the behavior of the collection of transport

connections that this conceptual row

defines. The value of activePersistent, activeOnDemand and passive means this DLSw will accept any transport connections, initiated by partner DLSw nodes, which are defined by this conceptual row. The value of activePersistent means this DLSw will also initiate the transport connections of this conceptual row and retry periodically if necessary. The value of activeOnDemand means this DLSw will initiate a transport connection of this conceptual row, if there is a directory cache hits. The value of other is implementation specific. The value of exclude means that the specified node is not allowed to be a partner to this DLSw node. To take a certain conceptual row definition out of service, a value of notInService for dlsWTConnConfigRowStatus should be used."

DEFVAL { passive }

```
::= { dlsWTConnConfigEntry 8
```

```
}
```

dlsWTConnConfigSapList OBJECT-TYPE

```
SYNTAX OCTET STRING (SIZE(16))
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The SAP list indicates which SAPs are advertised to the transport connection defined by this conceptual row. Only SAPs with even numbers are represented,

in the form of the most significant bit of the first octet representing the SAP 0, the next most significant bit representing the SAP 2, to the least significant bit of the last octet representing the SAP 254. Data link switching is allowed for those SAPs which have one in its corresponding bit, not allowed otherwise. The whole SAP list has to be changed together. Changing the SAP list affects only new circuit establishments and has no effect on established circuits.

This list can be used to restrict specific partners from knowing about all the SAPs used by DLSw on all its

interfaces (these are represented in `dlsWIfSapList` for each interface). For instance, one may want to run NetBIOS with some partners but not others.

If a node supports sending run-time capabilities exchange messages, changes to this object should cause that action. When to start the run-time capabilities exchange is implementation-specific.

The DEFVAL below indicates support for SAPs 0, 4, 8, and C."

```
DEFVAL { 'AA0000000000000000000000000000'H }  
::= { dlsWConnConfigEntry 9 }
```

`dlsWConnConfigAdvertiseMacNB` OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value of true indicates that any defined local MAC addresses and NetBIOS names will be advertised to a partner node via initial and (if supported) run-time capabilities exchange messages. The DLSw node should send the appropriate exclusivity control vector to accompany each list it sends, or to represent that the node is explicitly configured to have a null list.

The value of false indicates that the DLSw node should not send a MAC address list or NetBIOS name list, and should also not send their corresponding exclusivity control vectors."

```
DEFVAL { true }  
::= { dlsWConnConfigEntry 10 }
```

`dlsWConnConfigInitCirRecvWdw` OBJECT-TYPE

SYNTAX INTEGER (0..65535)

UNITS "SSP messages"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The initial circuit receive pacing window size, in the unit of SSP messages, to be used for future transport connections activated using this table row. The managed node sends this value as its initial receive pacing window in its initial capabilities exchange message. Changing this value does not affect the initial circuit receive pacing window size of currently active

transport connections. If the standard window pacing scheme is not supported, the value is zero.

A larger receive window value may be appropriate for partners that are reachable only via physical paths that have longer network delays."

DEFVAL { 1 }

::= { dlswTConnConfigEntry 11 }

dlswTConnConfigOpens OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Number of times transport connections entered connected state according to the definition of this conceptual row."

::= { dlswTConnConfigEntry 12 }

dlswTConnConfigRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by the manager to create or delete the row entry in the dlswTConnConfigTable following the RowStatus textual convention. The value of notInService will be used to take a conceptual row

definition out of use."

::= { dlswTConnConfigEntry 13 }

-- Transport Connection Operation Table

-- (1) At most one transport connection can be connected between
-- this DLSw and one of its DLSw partners at a given time.

-- (2) Multiple transport types are supported.

-- (3) Since the entries may be reused, dlswTConnOperEntryTime
-- needs to be consulted for the possibility of counter reset.

dlswTConnOperTable OBJECT-TYPE
SYNTAX SEQUENCE OF DlswTConnOperEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"A list of transport connections. It is optional but
desirable for the agent to keep an entry for some
period of time after the transport connection is
disconnected. This allows the manager to capture
additional useful information about the connection, in
particular, statistical information and the cause of the
disconnection."
 ::= { dlswTConn 3 }

dlswTConnOperEntry OBJECT-TYPE
SYNTAX DlswTConnOperEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
""
INDEX { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr }
 ::= { dlswTConnOperTable 1 }

DlswTConnOperEntry ::= SEQUENCE {
dlswTConnOperTDomain OBJECT IDENTIFIER,
dlswTConnOperLocalTAddr TAddress,
dlswTConnOperRemoteTAddr TAddress,

dlswTConnOperEntryTime TimeTicks,
dlswTConnOperConnectTime TimeTicks,
dlswTConnOperState INTEGER,
dlswTConnOperConfigIndex INTEGER,
dlswTConnOperFlowCntlMode INTEGER,

dlswTConnOperPartnerVersion OCTET STRING,
dlswTConnOperPartnerVendorID OCTET STRING,
dlswTConnOperPartnerVersionStr
DisplayString,
dlswTConnOperPartnerInitPacingWndw INTEGER,

dlswTConnOperPartnerSapList OCTET STRING,
dlswTConnOperPartnerNBExcl TruthValue,
dlswTConnOperPartnerMacExcl TruthValue,
dlswTConnOperPartnerNBInfo INTEGER,

```

dlsWTConnOperPartnerMacInfo    INTEGER,

dlsWTConnOperDiscTime          TimeTicks,
dlsWTConnOperDiscReason        INTEGER,
dlsWTConnOperDiscActiveCir     INTEGER,

dlsWTConnOperInDataPkts        Counter32,
dlsWTConnOperOutDataPkts       Counter32,
dlsWTConnOperInDataOctets      Counter32,
dlsWTConnOperOutDataOctets     Counter32,

dlsWTConnOperInCntlPkts        Counter32,
dlsWTConnOperOutCntlPkts       Counter32,

dlsWTConnOperCURExSents        Counter32,
dlsWTConnOperICRexRcvds        Counter32,
dlsWTConnOperCURExRcvds        Counter32,
dlsWTConnOperICRexSents        Counter32,

dlsWTConnOperNQexSents         Counter32,
dlsWTConnOperNRexRcvds         Counter32,
dlsWTConnOperNQexRcvds         Counter32,
dlsWTConnOperNRexSents         Counter32,
dlsWTConnOperCirCreates        Counter32,
dlsWTConnOperCircuits          Gauge32
}

```

dlsWTConnOperTDomain OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The object identifier indicates the transport domain
of this transport connection."

::= { dlsWTConnOperEntry 1 }

dlsWTConnOperLocalTAddr OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The local transport address for this transport connection.

This value could be different from dlsWTConnConfigLocalAddr,
if the value of the latter were changed after this transport
connection was

established."

::= { dlsWTConnOperEntry 2 }

dlsWConnOperRemoteTAddr OBJECT-TYPE
SYNTAX TAddress
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The remote transport address of this transport connection."
 ::= { dlsWConnOperEntry 3 }

dlsWConnOperEntryTime OBJECT-TYPE
SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The amount of time (in hundredths of a second) since this
transport connection conceptual row was created."
 ::= { dlsWConnOperEntry 4 }

--
-- DLSw Transport Connection Operational Objects
--

dlsWConnOperConnectTime OBJECT-TYPE
SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The amount of time (in hundredths
of a second) since this
transport connection last entered the 'connected' state.
A value of zero means this transport connection has never
been established."
 ::= { dlsWConnOperEntry 5 }

dlsWConnOperState OBJECT-TYPE
SYNTAX INTEGER {
connecting (1),
initCapExchange (2),
connected (3),
quiescing (4),
disconnecting (5),
disconnected (6)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"The state of this transport connection. The transport

connection enters `connecting' state when DLSw makes a connection request to the transport layer. Once initial Capabilities Exchange is sent, the transport connection enters `initCapExchange' state. When partner capabilities have been determined and the transport connection is ready for sending CanUReach (CUR) messages, it moves to the `connected' state. When DLSw is in the process of bringing down the connection, it is in the `disconnecting' state. When the transport layer indicates one of its connections is disconnected, the transport connection moves to the `disconnected' state.

Whereas all of the values will be returned in response to a management protocol retrieval operation, only two values may be specified in a management protocol set operation: `quiescing' and `disconnecting'. Changing the value to `quiescing' prevents new circuits from being established, and will cause a transport disconnect when the last circuit on the connection goes away. Changing the value to `disconnecting' will force off all circuits immediately and bring the connection to `disconnected' state."

```
::= { dlswTConnOperEntry 6 }
```

dlswTConnOperConfigIndex OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The value of dlswTConnConfigIndex of the dlswTConnConfigEntry that governs the configuration information used by this dlswTConnOperEntry. The manager can therefore normally examine both configured and operational information for this transport connection.

This value is zero if the corresponding dlswTConnConfigEntry was deleted after the creation of this dlswTConnOperEntry. If some fields in the former were changed but the conceptual row was not deleted, some configuration information may not be valid for this operational transport connection. The manager can compare dlswTConnOperConnectTime and dlswTConnConfigLastModifyTime to determine if this condition exists."

```
::= { dlswTConnOperEntry 7 }
```

--

-- Transport Connection Characteristics

--

dlswTConnOperFlowCntlMode

OBJECT-TYPE

SYNTAX INTEGER {

undetermined (1),

 pacing (2), -- DLSw standard flow control

 other (3) -- non-DLSw standard flow control

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The flow control mechanism in use on this transport connection.

This value is undetermined (1) before the mode of flow control can be established on a new transport connection (i.e., after CapEx is sent but before Capex or other SSP control messages have been received). Pacing (2) indicates that the standard RFC 1795 pacing mechanism is in use. Other (3) may be either the RFC 1434+ xBusy mechanism operating to a back-level DLSw, or a vendor-specific flow control method. Whether it is xBusy or not can be inferred from dlswTConnOperPartnerVersion."

::= { dlswTConnOperEntry 8 }

--

.....

dlswTConnOperPartnerVersion OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 2))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies which version (first octet) and release (second octet) of the DLSw standard is supported by this partner DLSw. This information is obtained from a DLSw capabilities exchange message received from the partner DLSw.

A string of zero length is returned before a Capabilities Exchange message is received, or if one is never received.

A conceptual row with a dlswTConnOperState of `connected' but a zero length partner version indicates that the partner is a non-standard DLSw partner.

If an implementation chooses to keep dlswTConnOperEntry in the `disconnected' state, this value should remain unchanged."

REFERENCE

"DLSW: Switch-to-Switch Protocol RFC 1795"

::= { dlsWTConnOperEntry 9 }

dlsWTConnOperPartnerVendorID OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 3))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the IEEE-assigned organizationally Unique Identifier (OUI) of the maker of this partner DLSw. This information is obtained from a DLSw capabilities exchange message received from the partner DLSw. A string of zero length is returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlsWTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

::= { dlsWTConnOperEntry 10 }

dlsWTConnOperPartnerVersionStr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..253))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the particular product version (e.g., product name, code level, fix level) of this partner DLSw. The format of the actual version string is vendor-specific. This information is obtained from a DLSw capabilities exchange message received from the partner DLSw. A string of zero length is returned before a Capabilities Exchange message is received, if one is never received, or if one is received but it does not contain a version string. If an implementation chooses to keep dlsWTConnOperEntrys in the `disconnected' state, this value should remain unchanged."

REFERENCE

"DLSW: Switch-to-Switch Protocol RFC 1795"

::= { dlsWTConnOperEntry 11 }

dlsWTConnOperPartnerInitPacingWndw OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of the partner initial receive pacing window. This is our initial send pacing window for all new circuits on this transport connection, as modified and granted by the first flow control indication the partner sends on each circuit.

This information is obtained from a DLSw capabilities exchange message received from the partner DLSw.

A value of zero is returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlswTConnOperEntry in the 'disconnected' state, this value should remain unchanged."

REFERENCE

"DLSW: Switch-to-Switch Protocol RFC 1795"

::= { dlswTConnOperEntry 12 }

--

dlswTConnOperPartnerSapList OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 16))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Supported SAP List received in the capabilities exchange message from the partner DLSw. This list has the same format described for dlswTConnConfigSapList.

A string of zero length is returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlswTConnOperEntry in the 'disconnected' state, this value should remain unchanged."

::= { dlswTConnOperEntry 13 }

dlswTConnOperPartnerNBExcl OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of true signifies that the NetBIOS names received from this partner in the NetBIOS name list in its capabilities exchange message are the only NetBIOS names reachable by that partner. 'False' indicates that other NetBIOS names may be reachable. 'False' should be returned before a Capabilities Exchange message is received, if one is never received, or if one is received without a NB Name Exclusivity CV.

If an implementation chooses to keep dlswTConnOperEntry in the 'disconnected' state, this value should remain unchanged."

::= { dlswTConnOperEntry 14 }

dlswTConnOperPartnerMacExcl OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The value of true signifies that the MAC addresses received from this partner in the MAC address list in its capabilities exchange message are the only MAC addresses reachable by that partner. `False' indicates that other MAC addresses may be reachable. `False' should be returned before a Capabilities Exchange message is received, if one is never received, or if one is received without a MAC Address Exclusivity CV.

If an implementation chooses to keep dlsWTConnOperEntry in the `disconnected' state, this value should remain unchanged."
::= { dlsWTConnOperEntry 15 }

dlsWTConnOperPartnerNBInfo OBJECT-TYPE

SYNTAX INTEGER {
none (1), -- none is kept
partial (2), -- partial list is kept

complete (3), -- complete list is kept
notApplicable (4)
}

MAX-ACCESS read-only
STATUS current
DESCRIPTION

"It is up to this DSLw whether to keep either none, some, or all of the NetBIOS name list that was received in the capabilities exchange message sent by this partner DLSw. This object identifies how much information was kept by this DLSw. These names are stored as userConfigured remote entries in dlsWDirNBTable. A value of (4), notApplicable, should be returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlsWTConnOperEntry in the `disconnected' state, this value should remain unchanged."
::= { dlsWTConnOperEntry 16 }

dlsWTConnOperPartnerMacInfo OBJECT-TYPE

SYNTAX INTEGER {
none (1), -- none is kept
partial (2), -- partial list is kept
complete (3), -- complete list is kept
notApplicable (4)
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"It is up to this DLSw whether to keep either none, some, or all of the MAC address list that was received in the capabilities exchange message sent by this partner DLSw. This object identifies how much information was kept by this DLSw. These names are stored as userConfigured remote entries in dlswDirMACTable.

A value of (4), notApplicable, should be returned before a Capabilities Exchange message is received, or if one is never received.

If an implementation chooses to keep dlswTConnOperEntry in the `disconnected' state, this value should remain unchanged."

::= { dlswTConnOperEntry 17 }

--
-- Information about the last disconnect of this transport connection.
-- These objects
make sense only for implementations that keep
-- transport connection information around after disconnection.
--

dlswTConnOperDiscTime OBJECT-TYPE

SYNTAX TimeTicks

UNITS "hundredths of a second"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The amount of time (in hundredths of a second) since the dlswTConnOperState last entered `disconnected' state."

::= { dlswTConnOperEntry 18 }

dlswTConnOperDiscReason OBJECT-TYPE

SYNTAX INTEGER {

other (1),

capExFailed (2),

transportLayerDisc (3),

operatorCommand (4),

lastCircuitDiscd (5),

protocolError (6)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object signifies the reason that either prevented the transport connection from entering the connected state, or caused the transport

connection to enter the disconnected

state."

::= { dlswTConnOperEntry 19 }

dlswTConnOperDiscActiveCir OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of circuits active (not in DISCONNECTED state) at the time the transport connection was last disconnected.

This value is zero if the transport connection has never been connected."

::= { dlswTConnOperEntry 20 }

--

-- Transport Connection Statistics

-- (1) Traffic counts

--

dlswTConnOperInDataPkts OBJECT-TYPE

SYNTAX Counter32

UNITS "SSP messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME received on this transport connection."

::= { dlswTConnOperEntry 21 }

dlswTConnOperOutDataPkts OBJECT-TYPE

SYNTAX Counter32

UNITS "SSP messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME transmitted on this transport connection."

::= { dlswTConnOperEntry 22 }

dlswTConnOperInDataOctets OBJECT-TYPE

SYNTAX Counter32

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number octets in Switch-to-Switch Protocol (SSP) messages

of type DGRMFRAME, DATAFRAME, or INFOFRAME received on this transport connection. Each message is counted starting with the first octet following the SSP message header."

::= { dlswTConnOperEntry 23 }

dlswTConnOperOutDataOctets OBJECT-TYPE

SYNTAX Counter32

UNITS "octets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number octets in Switch-to-Switch Protocol (SSP) messages of type DGRMFRAME, DATAFRAME, or INFOFRAME transmitted on this transport connection. Each message is counted starting with the first octet following the SSP message header."

::= { dlswTConnOperEntry 24 }

dlswTConnOperInCntlPkts OBJECT-TYPE

SYNTAX Counter32

UNITS "SSP messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Switch-to-Switch Protocol (SSP) messages received on this transport connection which were not of type DGRMFRAME, DATAFRAME, or INFOFRAME."

::= { dlswTConnOperEntry 25 }

dlswTConnOperOutCntlPkts OBJECT-TYPE

SYNTAX Counter32

UNITS "SSP messages"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Switch-to-Switch Protocol (SSP) messages of transmitted on this transport connection which were not of type DGRMFRAME, DATAFRAME, or INFOFRAME."

::= { dlswTConnOperEntry 26 }

--
-- (2) Directory activities (Explorer messages)
--

dlswTConnOperCURExSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of CanUReach_ex messages sent on this transport connection."

::= { dlswTConnOperEntry 27 }

dlswTConnOperICRexRcvds OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of ICanReach_ex messages received on this transport connection."

::= { dlswTConnOperEntry 28 }

dlswTConnOperCURExRcvds OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of CanUReach_ex messages received on this transport connection."

::= { dlswTConnOperEntry 29 }

dlswTConnOperICRexSents

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of ICanReach_ex messages sent on this transport connection."

::= { dlswTConnOperEntry 30 }

--

dlswTConnOperNQexSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of NetBIOS_NQ_ex (NetBIOS Name Query-explorer) messages sent on this transport connection."

::= { dlswTConnOperEntry 31 }

dlswTConnOperNRexRcvds OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of NETBIOS_NR_ex (NetBIOS Name Recognized-explorer) messages received on this transport connection."

::= { dlswTConnOperEntry 32 }

dlswTConnOperNQexRcvds OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of NETBIOS_NQ_ex messages received on this transport connection."

::= { dlswTConnOperEntry 33 }

dlswTConnOperNRexSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of NETBIOS_NR_ex messages sent on this transport connection."

::= { dlswTConnOperEntry 34 }

--
-- (3) Circuit activities on each transport connection

dlswTConnOperCirCreates OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times that circuits entered `circuit_established' state (not counting transitions from `circuit_restart')."

::= { dlswTConnOperEntry 35 }

dlswTConnOperCircuits OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of currently active circuits on this transport connection, where `active' means not in `disconnected' state."

::= { dlswTConnOperEntry 36 }

-- Transport Connection Specific

```
dlsWTCnnSpecific OBJECT IDENTIFIER ::= { dlsWTCnn 4 }
dlsWTCnnTcp    OBJECT IDENTIFIER ::= { dlsWTCnnSpecific 1 }
```

```
-- .....
-- TCP Transport Connection Specific - Configuration
-- .....
```

```
dlsWTCnnTcpConfigTable OBJECT-TYPE
  SYNTAX    SEQUENCE OF DlsWTCnnTcpConfigEntry
  MAX-ACCESS not-accessible
  STATUS    current
  DESCRIPTION
    "This table defines the TCP transport connections that
     will be either initiated by or accepted by this DSLw.
     It augments the entries in dlsWTCnnConfigTable
     whose domain
     is dlsWTCPDomain."
 ::= { dlsWTCnnTcp 1 }
```

```
dlsWTCnnTcpConfigEntry OBJECT-TYPE
  SYNTAX    DlsWTCnnTcpConfigEntry
  MAX-ACCESS not-accessible
  STATUS    current
  DESCRIPTION
    "Each conceptual row defines parameters that are
     specific to dlsWTCPDomain transport connections."
  INDEX    { dlsWTCnnConfigIndex }
 ::= { dlsWTCnnTcpConfigTable 1 }
```

```
DlsWTCnnTcpConfigEntry ::= SEQUENCE {
  dlsWTCnnTcpConfigKeepAliveInt    INTEGER,
  dlsWTCnnTcpConfigTcpConnections  INTEGER,
  dlsWTCnnTcpConfigMaxSegmentSize  INTEGER
}
```

```
dlsWTCnnTcpConfigKeepAliveInt OBJECT-TYPE
  SYNTAX    INTEGER (0..1800)
  UNITS    "seconds"
  MAX-ACCESS read-create
  STATUS    current
  DESCRIPTION
    "The time in seconds between TCP keepAlive messages when
     no traffic is flowing. Zero signifies no keepAlive protocol.
     Changes take effect only for new TCP connections."
  DEFVAL    { 0 }
 ::= { dlsWTCnnTcpConfigEntry
 1 }
```

```
dlsWTCnnTcpConfigTcpConnections OBJECT-TYPE
```

SYNTAX INTEGER (1..16)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This is our preferred number of TCP connections within a TCP transport connection. The actual number used is negotiated at capabilities exchange time. Changes take effect only for new transport connections."

DEFVAL { 2 }

::= { dlswTConnTcpConfigEntry 2 }

dlswTConnTcpConfigMaxSegmentSize OBJECT-TYPE

SYNTAX INTEGER (0..65535)

UNITS "packets"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This is the number of bytes that this node is willing to receive over the read TCP connection(s). Changes take effect for new transport connections."

DEFVAL { 4096 }

::= { dlswTConnTcpConfigEntry 3 }

--
-- TCP Transport Connection Specific - Operation
--

dlswTConnTcpOperTable

OBJECT-TYPE

SYNTAX SEQUENCE OF DlswTConnTcpOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of TCP transport connections. It is optional but desirable for the agent to keep an entry for some period of time after the transport connection is disconnected. This allows the manager to capture additional useful information about the connection, in particular, statistical information and the cause of the disconnection."

::= { dlswTConnTcp 2 }

dlswTConnTcpOperEntry OBJECT-TYPE

SYNTAX DlswTConnTcpOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

""

```
INDEX { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr }
 ::= { dlswTConnTcpOperTable 1 }
```

```
DlswTConnTcpOperEntry ::= SEQUENCE {
  dlswTConnTcpOperKeepAliveInt      INTEGER,
  dlswTConnTcpOperPrefTcpConnections
    INTEGER,
  dlswTConnTcpOperTcpConnections    INTEGER
}
```

dlswTConnTcpOperKeepAliveInt OBJECT-TYPE

SYNTAX INTEGER (0..1800)

UNITS "seconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time in seconds between TCP keepAlive messages when no traffic is flowing. Zero signifies no keepAlive protocol is operating."

::= { dlswTConnTcpOperEntry 1 }

dlswTConnTcpOperPrefTcpConnections OBJECT-TYPE

SYNTAX INTEGER (1..16)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This is the number of TCP connections preferred by this DLSw partner, as received in its capabilities exchange message."

::= { dlswTConnTcpOperEntry 2 }

dlswTConnTcpOperTcpConnections OBJECT-TYPE

SYNTAX INTEGER (1..16)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This is the actual current number of TCP connections within this transport connection."

::= { dlswTConnTcpOperEntry 3 }

-- *****

-- DLSW INTERFACE GROUP

-- *****

dlswIfTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswIfEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The list of interfaces on which DLSw is active."

::= { dlswInterface 1 }

dlswIfEntry OBJECT-TYPE

SYNTAX DlswIfEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

""

INDEX { ifIndex }

::= { dlswIfTable 1 }

DlswIfEntry ::= SEQUENCE {

dlswIfRowStatus RowStatus,

dlswIfVirtualSegment INTEGER,

dlswIfSapList OCTET STRING

}

dlswIfRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by the manager to create
or delete the row entry in the dlswIfTable
following the

RowStatus textual convention."

::= { dlswIfEntry 1 }

dlswIfVirtualSegment OBJECT-TYPE

SYNTAX INTEGER (0..4095 | 65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The segment number that uniquely identifies the virtual
segment to which this DLSw interface is connected.

Current source routing protocols limit this value to
the range 0 - 4095. (The value 0 is used by some
management applications for special test cases.)

A value of 65535 signifies that no virtual segment
is assigned to this interface. For instance,
in a non-source routing environment, segment number
assignment is not required."

DEFVAL { 65535 }

::= { dlswIfEntry 2 }

dlswIfSapList OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(16))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The SAP list indicates which SAPs are allowed to be data link switched through this interface.

This list

has the same format described for dlswTConnConfigSapList.

When changes to this object take effect is implementation-specific. Turning off a particular SAP can destroy active circuits that are using that SAP. An agent implementation may reject such changes until there are no active circuits if it so chooses. In this case, it is up to the manager to close the circuits first, using dlswCircuitState.

The DEFVAL below indicates support for SAPs 0, 4, 8, and C."

DEFVAL { 'AA0000000000000000000000000000'H }

::= { dlswIfEntry 3 }

-- *****

-- DIRECTORY

-- Directory services caches the locations of MAC addresses and NetBIOS names. For resources which are attached via local interfaces, the ifIndex may be cached, and for resources which are reachable via a DLSw partner, the transport address of the DLSw partner is cached.

--

-- Directory Related Statistical Objects

dlswDirStat OBJECT IDENTIFIER ::= { dlswDirectory 1 }

dlswDirMacEntries OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current total number of entries in the dlswDirMacTable."

::= { dlswDirStat 1 }

dlswDirMacCacheHits OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current
DESCRIPTION
"The number of times a cache search for a particular MAC address
resulted in success."
::= { dlswDirStat 2 }

dlswDirMacCacheMisses OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of times a cache search for a particular MAC address
resulted in failure."
::= { dlswDirStat 3 }

dlswDirMacCacheNextIndex OBJECT-TYPE
SYNTAX INTEGER (0..2147483647)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The next value of dlswDirMacIndex to be assigned by
the agent. A retrieval of this object atomically reserves
the returned value for use by the manager to create a row
in dlswDirMacTable. This makes it possible for the agent
to control the index space of the MAC address cache, yet
allows the manager to administratively create new rows."
::= { dlswDirStat 4 }

dlswDirNBEntries OBJECT-TYPE
SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The current total number of entries in the dlswDirNBTable."
::= { dlswDirStat 5 }

dlswDirNBCacheHits OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of times a cache search for a particular NetBIOS
name resulted
in success."
::= { dlswDirStat 6 }

dlswDirNBCacheMisses OBJECT-TYPE
SYNTAX Counter32

STATUS current
DESCRIPTION
"This table contains locations of MAC addresses.
They could be either verified or not verified,
local or remote, and configured locally or learned
from either Capabilities Exchange messages or
directory searches."
::= { dlswDirCache 1 }

dlswDirMacEntry OBJECT-TYPE

SYNTAX DlswDirMacEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Indexed by dlswDirMacIndex."
INDEX { dlswDirMacIndex }
::= { dlswDirMacTable 1 }

DlswDirMacEntry ::= SEQUENCE {
dlswDirMacIndex INTEGER,
dlswDirMacMac MacAddressNC,
dlswDirMacMask MacAddressNC,
dlswDirMacEntryType INTEGER,
dlswDirMacLocationType INTEGER,
dlswDirMacLocation RowPointer,
dlswDirMacStatus INTEGER,
dlswDirMacLFSize
LFSize,
dlswDirMacRowStatus RowStatus
}

dlswDirMacIndex OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Uniquely identifies a conceptual row of this table."
::= { dlswDirMacEntry 1 }

dlswDirMacMac OBJECT-TYPE

SYNTAX MacAddressNC
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"The MAC address, together with the dlswDirMacMask,
specifies a set of MAC addresses that are defined or
discovered through an interface or partner DLSw nodes."
::= { dlswDirMacEntry 2 }

dlsDirMacMask OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The MAC address mask, together with the dlsDirMacMac, specifies a set of MAC addresses that are defined or discovered through an interface or partner DLSw nodes."

DEFVAL { 'FFFFFFFFFFFF'H }

::= { dlsDirMacEntry 3 }

dlsDirMacEntryType

OBJECT-TYPE

SYNTAX INTEGER {

other (1),

userConfiguredPublic (2),

userConfiguredPrivate (3),

partnerCapExMsg (4),

dynamic (5)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The cause of the creation of this conceptual row. It could be one of the three methods: (1) user configured, including via management protocol set operations, configuration file, command line or equivalent methods; (2) learned from the partner DLSw Capabilities Exchange messages; and (3) dynamic, e.g., learned from ICanReach messages, or LAN explorer frames. Since only individual MAC addresses can be dynamically learned, dynamic entries will all have a mask of all FFs.

The public versus private distinction for user-configured resources applies only to local resources (UC remote

resources are private), and indicates

whether that resource should be advertised in capabilities exchange messages sent by this node."

DEFVAL { userConfiguredPublic }

::= { dlsDirMacEntry 4 }

dlsDirMacLocationType OBJECT-TYPE

SYNTAX INTEGER {

other (1),

local (2),

```
remote      (3)
}
MAX-ACCESS read-create
STATUS     current
DESCRIPTION
"The location of the resource (or a collection of
resources using a mask) of this conceptual row
is either (1) local - the resource is reachable
via an interface, or (2) remote - the resource
is reachable via a partner DLSw node (or a set
of partner DLSw nodes)."
```

```
DEFVAL { local }
 ::= { dlswDirMacEntry 5 }
```

dlswDirMacLocation OBJECT-TYPE

```
SYNTAX     RowPointer
MAX-ACCESS read-create
STATUS     current
DESCRIPTION
"Points to either the ifEntry, dlswTConnConfigEntry,
dlswTConnOperEntry, 0.0, or something that is implementation
specific. It identifies the location of the MAC address
(or the collection of MAC addresses.)"
```

```
DEFVAL { null }
 ::= { dlswDirMacEntry 6 }
```

dlswDirMacStatus OBJECT-TYPE

```
SYNTAX     INTEGER {
    unknown      (1),
    reachable    (2),
    notReachable (3)
}
MAX-ACCESS read-create
STATUS     current
DESCRIPTION
"This object specifies whether DLSw currently believes
the MAC address to be accessible at the specified location.
The value `notReachable' allows a configured resource
definition to be taken out of service when a search to
that resource fails (avoiding a repeat of the search)."
```

```
DEFVAL { unknown }
 ::= { dlswDirMacEntry 7 }
```

dlswDirMacLFSize OBJECT-TYPE

```
SYNTAX     LFSize
MAX-ACCESS read-create
STATUS     current
DESCRIPTION
```

"The largest size of the MAC
 INFO field (LLC header and data)
 that a circuit to the MAC address can carry through this path."
 DEFVAL { lfs65535 }
 ::= { dlswDirMacEntry 8 }

dlswDirMacRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by the manager to create
 or delete the row entry in the dlswDirMacTable
 following the RowStatus textual convention."

::= { dlswDirMacEntry 9 }

```
-- .....
-- Directory for NetBIOS Names
-- All Possible combinations of values of these objects.
--
-- EntryType LocationType Location Status
-- -----
-- userConfigured local ifEntry or 0.0 reachable, or
-- notReachable, or
-- unknown
-- userConfigured remote TConnConfigEntry
-- reachable, or
-- notReachable, or
-- unknown
-- partnerCapExMsg remote TConnOperEntry unknown
-- dynamic local ifEntry or 0.0 reachable
-- dynamic remote TConnOperEntry reachable
--
-- .....
```

dlswDirNBTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswDirNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains locations of NetBIOS names.
 They could be either verified or not verified,
 local or remote, and configured locally or learned
 from either Capabilities Exchange messages or
 directory searches."

::= { dlswDirCache 2 }

dlswDirNBEntry OBJECT-TYPE

SYNTAX DlswDirNBEntry

```

MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "Indexed by dlswDirNBIndex."
INDEX {
dlswDirNBIndex }
 ::= { dlswDirNBTable 1 }

DlswDirNBEntry ::= SEQUENCE {
    dlswDirNBIndex INTEGER,
    dlswDirNBName NBName,
    dlswDirNBNameType INTEGER,
    dlswDirNBEntryType INTEGER,
    dlswDirNBLocationType INTEGER,
    dlswDirNBLocation RowPointer,
    dlswDirNBStatus INTEGER,
    dlswDirNBLFSize LFSize,
    dlswDirNBRowStatus RowStatus
}

dlswDirNBIndex OBJECT-TYPE
SYNTAX INTEGER (0..2147483647)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
    "Uniquely identifies a conceptual row of this table."
 ::= { dlswDirNBEntry 1 }

dlswDirNBName OBJECT-TYPE
SYNTAX NBName
MAX-ACCESS read-create
STATUS current
DESCRIPTION
    "The NetBIOS name (including `any char' and `wildcard'
    characters) specifies a set of NetBIOS names that are
    defined or discovered through an interface or partner
    DLSw nodes."
 ::= { dlswDirNBEntry
2 }

dlswDirNBNameType OBJECT-TYPE
SYNTAX INTEGER {
    unknown (1),
    individual (2),
    group (3)
}
MAX-ACCESS read-create
STATUS current

```

DESCRIPTION

"Whether dlswDirNBName represents an (or a set of) individual or group NetBIOS name(s)."

DEFVAL { unknown }

::= { dlswDirNBEntry 3 }

dlswDirNBEntryType OBJECT-TYPE

SYNTAX INTEGER {

other (1),
userConfiguredPublic (2),
userConfiguredPrivate (3),
partnerCapExMsg (4),
dynamic (5)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The cause of the creation of this conceptual row.

It could be one of the three methods: (1) user configured, including via management protocol set operations, configuration file, command line, or equivalent methods; (2) learned from the partner DLSw Capabilities

Exchange messages;

and (3) dynamic, e.g., learned from ICanReach messages, or test frames. Since only actual NetBIOS names can be dynamically learned, dynamic entries will not contain any char or wildcard characters.

The public versus private distinction for user-configured resources applies only to local resources (UC remote resources are private), and indicates whether that resource should be advertised in capabilities exchange messages sent by this node."

DEFVAL { userConfiguredPublic }

::= { dlswDirNBEntry 4 }

dlswDirNBLocationType OBJECT-TYPE

SYNTAX INTEGER {

other (1),
local (2),
remote (3)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The location of the resource (or a collection of resources

using any char/wildcard characters) of this conceptual row is either

- (1) local - the resource is reachable via an interface, or (2) remote - the resource is reachable via a partner DLSw node (or a set of partner DLSw nodes)."

DEFVAL { local }

::= { dlswDirNBEntry 5 }

dlswDirNBLocation OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Points to either the ifEntry, dlswTConnConfigEntry, dlswTConnOperEntry, 0.0, or something that is implementation specific. It identifies the location of the NetBIOS name or the set of NetBIOS names."

DEFVAL { null }

::= { dlswDirNBEntry 6 }

dlswDirNBStatus OBJECT-TYPE

SYNTAX INTEGER {

unknown (1),

reachable (2),

notReachable (3)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object specifies whether DLSw currently believes the NetBIOS name to be accessible at the specified location. The value 'notReachable' allows a configured resource definition to be taken out of service when a search to that resource fails (avoiding a repeat of the search)."

DEFVAL { unknown }

::= { dlswDirNBEntry 7 }

dlswDirNBLFSize OBJECT-TYPE

SYNTAX LFSize

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The largest size of the MAC INFO field (LLC header and data) that a circuit to the NB name can carry through this path."

DEFVAL { lfs65535 }

::= { dlswDirNBEntry 8 }

dlswDirNBRowStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This object is used by manager to create
or delete the row entry in the dlswDirNBTable
following the RowStatus textual convention."

::= { dlswDirNBEntry 9 }

-- Resource Locations

dlswDirLocate

OBJECT IDENTIFIER ::= { dlswDirectory 3 }

--
-- Locate Entries in the dlswDirMacTable for a given MAC address
--

dlswDirLocateMacTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswDirLocateMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is used to retrieve all entries in the
dlswDirMacTable that match a given MAC address,
in the order of the best matched first, the
second best matched second, and so on, till
no more entries match the given MAC address."

::= { dlswDirLocate 1 }

dlswDirLocateMacEntry OBJECT-TYPE

SYNTAX DlswDirLocateMacEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Indexed by dlswDirLocateMacMac and dlswDirLocateMacMatch.

The first object is the MAC address of interest,

and

the second object is the order in the list of all
entries that match the MAC address."

INDEX { dlswDirLocateMacMac, dlswDirLocateMacMatch }

::= { dlswDirLocateMacTable 1 }

DlswDirLocateMacEntry ::= SEQUENCE {

dlswDirLocateMacMac MacAddressNC,

dlswDirLocateMacMatch INTEGER,

dlswDirLocateMacLocation RowPointer

}

dlsDirLocateMacMac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The MAC address to be located."

::= { dlsDirLocateMacEntry 1 }

dlsDirLocateMacMatch OBJECT-TYPE

SYNTAX INTEGER (1..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The order of the entries of dlsDirMacTable that match dlsDirLocateMacMac. A value of one represents the entry that best matches the MAC address. A value of two represents the second best matched entry, and so on."

::= { dlsDirLocateMacEntry 2 }

dlsDirLocateMacLocation OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Points to the dlsDirMacEntry."

::= { dlsDirLocateMacEntry 3 }

--
-- Locate Entries in the dlsDirNBTable for a given NetBIOS name
--

dlsDirLocateNBTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlsDirLocateNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table is used to retrieve all entries in the dlsDirNBTable that match a given NetBIOS name, in the order of the best matched first, the second best matched second, and so on, till no more entries match the given NetBIOS name."

::= { dlsDirLocate 2 }

dlsDirLocateNBEntry OBJECT-TYPE

SYNTAX DlsDirLocateNBEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Indexed by dlswDirLocateNBName and dlswDirLocateNBMatch.
The first object is the NetBIOS name of interest, and
the second object is the order in the list of all
entries that match the NetBIOS name."

INDEX { dlswDirLocateNBName, dlswDirLocateNBMatch }

::= { dlswDirLocateNBTable 1 }

DlswDirLocateNBEntry ::= SEQUENCE {

dlswDirLocateNBName NBName,

dlswDirLocateNBMatch INTEGER,

dlswDirLocateNBLocation RowPointer

}

dlswDirLocateNBName OBJECT-TYPE

SYNTAX NBName

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The NetBIOS name to be located (no any char or wildcards)."

::= { dlswDirLocateNBEntry 1 }

dlswDirLocateNBMatch OBJECT-TYPE

SYNTAX INTEGER (1..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The order of the entries of dlswDirNBTable
that match dlswDirLocateNBName. A value of
one represents the entry that best matches the
NetBIOS name. A value of two represents the second
best matched entry, and so on."

::= { dlswDirLocateNBEntry 2 }

dlswDirLocateNBLocation OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Points to the dlswDirNBEntry."

::= { dlswDirLocateNBEntry 3 }

-- *****

-- CIRCUIT

```
-- A circuit is the end-to-end association of two DLSw entities
-- through one or two DLSw nodes. It is the concatenation of
-- two "data links", optionally with an intervening transport
-- connection. The origin of the circuit is the end station that
-- initiates the circuit. The target of the circuit is the end
-- station that receives the initiation.
-- *****
```

```
-----
-- Statistics Related to
Circuits
-----
```

```
dlswCircuitStat OBJECT IDENTIFIER ::= { dlswCircuit 1 }
```

```
dlswCircuitStatActives OBJECT-TYPE
SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The current number of circuits in dlswCircuitTable that are
    not in the disconnected state."
 ::= { dlswCircuitStat 1 }
```

```
dlswCircuitStatCreates OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The total number of entries ever added to dlswCircuitTable,
    or reactivated upon exiting `disconnected' state."
 ::= { dlswCircuitStat 2 }
```

```
-----
-- Circuit Table
--
-- This table is the DLSw entity's view of circuits. There will be
-- a conceptual row in the table associated with each data link.
--
-- The chart below lists the various possible combinations of
-- origin and target MAC
-- locations and the number of entries in
-- this Circuit Table:
```

```
--
--      number of | Origin End Station Location
--      entries in the |-----
--      Circuit Table | internal  local  remote
--      ----- |-----
```

```

-- Target | internal | NA    2    1
-- End   | local   | 2    2    1
-- Station | remote | 1    1    NA
-- Location |      |
--
-- NA: Not applicable
--
-- Note:
-- (a) IfIndex and RouteInfo are applied only if location is local.
-- (b) TDomain and TAddr are applied only if location is remote.
--
-- Most of statistics related to circuits can be collected
-- from LLC-2 Link Station Table.

```

dlswCircuitTable OBJECT-TYPE

SYNTAX SEQUENCE OF DlswCircuitEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"This table is the circuit representation in the DLsw entity. Virtual data links are used to represent any internal end stations. There is a conceptual row associated with each data link. Thus, for circuits without an intervening transport connection, there are two conceptual rows for each circuit.

The table consists of the circuits being established, established, and as an implementation option, circuits that have been disconnected. For circuits carried over transport connections, an entry is created after the CUR_cs was sent or received. For circuits between two locally attached devices, or internal virtual MAC addresses, an entry is created when the equivalent of CUR_cs sent/received status is reached.

End station 1 (S1) and End station 2 (S2) are used to represent the two end stations of the circuit.

S1 is always

an end station which is locally attached.

S2 may be locally attached or remote. If it is locally attached, the circuit will be represented by two rows indexed by (A, B) and (B, A) where A & B are the relevant MACs/SAPs.

The table may be used to store the causes of disconnection of circuits. It is recommended that the oldest disconnected circuit entry be removed from this table when the memory space of disconnected circuits is needed."

::= { dlsuCircuit 2 }

dlsuCircuitEntry OBJECT-TYPE

SYNTAX DlsuCircuitEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

""

INDEX { dlsuCircuitS1Mac,

dlsuCircuitS1Sap,

dlsuCircuitS2Mac,

dlsuCircuitS2Sap }

::= { dlsuCircuitTable 1 }

DlsuCircuitEntry ::= SEQUENCE {

dlsuCircuitS1Mac MacAddressNC,

dlsuCircuitS1Sap OCTET STRING,

dlsuCircuitS1IfIndex INTEGER,

dlsuCircuitS1DlcType DlcType,

dlsuCircuitS1RouteInfo OCTET STRING,

dlsuCircuitS1CircuitId OCTET STRING,

dlsuCircuitS1Dlc RowPointer,

dlsuCircuitS2Mac MacAddressNC,

dlsuCircuitS2Sap OCTET STRING,

dlsuCircuitS2Location EndStationLocation,

dlsuCircuitS2TDomain OBJECT IDENTIFIER,

dlsuCircuitS2TAddress TAddress,

dlsuCircuitS2CircuitId OCTET STRING,

dlsuCircuitOrigin INTEGER,

dlsuCircuitEntryTime TimeTicks,

dlsuCircuitStateTime TimeTicks,

dlsuCircuitState INTEGER,

dlsuCircuitPriority INTEGER,

dlsuCircuitFCSendGrantedUnits INTEGER,

dlsuCircuitFCSendCurrentWndw INTEGER,

dlsuCircuitFCRecvGrantedUnits INTEGER,

dlsuCircuitFCRecvCurrentWndw INTEGER,

dlsuCircuitFCLargestRecvGranted Gauge32,

dlsuCircuitFCLargestSendGranted

Gauge32,

dlsuCircuitFCHalveWndwSents Counter32,

dlsuCircuitFCResetOpSents Counter32,

dlsuCircuitFCHalveWndwRcvds Counter32,

```
dlswCircuitFCResetOpRcvds Counter32,  
dlswCircuitDiscReasonLocal INTEGER,  
dlswCircuitDiscReasonRemote INTEGER,  
dlswCircuitDiscReasonRemoteData OCTET STRING  
}
```

```
-- .....  
-- Information related to the End Station 1 (S1).  
-- .....
```

```
dlswCircuitS1Mac OBJECT-TYPE  
SYNTAX MacAddressNC  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"The MAC Address of End Station 1 (S1) used for this circuit."  
::= { dlswCircuitEntry 1 }
```

```
dlswCircuitS1Sap OBJECT-TYPE  
SYNTAX OCTET STRING (SIZE(1))  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
"The SAP at End Station 1 (S1) used for this circuit."  
::= { dlswCircuitEntry 2 }
```

```
dlswCircuitS1IfIndex  
OBJECT-TYPE  
SYNTAX INTEGER (0..2147483647)  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The ifEntry index of the local interface through which S1  
can be reached."  
::= { dlswCircuitEntry 3 }
```

```
dlswCircuitS1DlcType OBJECT-TYPE  
SYNTAX DlcType  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
"The DLC protocol in use between the DLSw node and S1."  
::= { dlswCircuitEntry 4 }
```

```
dlswCircuitS1RouteInfo OBJECT-TYPE  
SYNTAX OCTET STRING (SIZE (0..30))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION
```

"If source-route bridging is in use between the DLSw node and S1, this is the routing information field describing the path between the two devices. Otherwise the value will be an OCTET STRING of zero length."

::= { dlswCircuitEntry 5 }

dlswCircuitS1CircuitId OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 8))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Circuit ID assigned by this DLSw node to this circuit. The first four octets are the DLC port Id, and the second four octets are the Data Link Correlator. If the DLSw SSP was not used to establish this circuit, the value will be a string of zero length."

::= { dlswCircuitEntry 6 }

dlswCircuitS1Dlc OBJECT-TYPE

SYNTAX RowPointer

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Points to a conceptual row of the underlying DLC MIB, which could either be the standard MIBs (e.g., the SDLC), or an enterprise-specific DLC MIB."

::= { dlswCircuitEntry 7 }

--
-- Information related to the End Station 2 (S2).
--

dlswCircuitS2Mac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The MAC Address of End Station 2 (S2) used for this circuit."

::= { dlswCircuitEntry 8 }

dlswCircuitS2Sap OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The SAP at End Station 2 (S2) used for this circuit."

::= { dlswCircuitEntry 9 }

dlswCircuitS2Location OBJECT-TYPE

SYNTAX EndStationLocation

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The location of End Station 2 (S2).

If the location of End Station 2 is local, the interface information will be available in the conceptual row whose S1 and S2 are the S2 and the S1 of this conceptual row, respectively."

::= { dlswCircuitEntry 10 }

dlswCircuitS2TDomain OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the location of End Station 2 is remote, this value is the transport domain

of the

transport protocol the circuit is running over. Otherwise, the value is 0.0."

::= { dlswCircuitEntry 11 }

dlswCircuitS2TAddress OBJECT-TYPE

SYNTAX TAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the location of End Station 2 is remote, this object contains the address of the partner

DLSw, else it will be an OCTET STRING of zero length."

::= { dlswCircuitEntry 12 }

dlswCircuitS2CircuitId OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 8))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Circuit ID assigned to this circuit by the partner DLSw node. The first four octets are the DLC port Id, and the second four octets are the Data Link Correlator.

If the DLSw SSP was not used to establish this circuit, the value will be a string of zero length."

::= { dlswCircuitEntry 13 }

--

dlsuCircuitOrigin
OBJECT-TYPE
SYNTAX INTEGER {
 s1 (1),
 s2 (2)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "This object specifies which of the two end stations
 initiated the establishment of this circuit."
 ::= { dlsuCircuitEntry 14 }

--
-- Operational information related to this circuit.
--

dlsuCircuitEntryTime OBJECT-TYPE
SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The amount of time (in hundredths of a second) since this
 circuit table conceptual row was created."
 ::= { dlsuCircuitEntry 15 }

dlsuCircuitStateTime OBJECT-TYPE
SYNTAX TimeTicks
UNITS "hundredths of a second"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The amount of time (in hundredths of a second) since this
 circuit entered the current state."
 ::= { dlsuCircuitEntry 16 }

dlsuCircuitState OBJECT-TYPE
SYNTAX INTEGER {
 disconnected (1),
 circuitStart (2),
 resolvePending (3),
 circuitPending (4),
 circuitEstablished (5),
 connectPending (6),
 contactPending (7),
 connected (8),
 disconnectPending (9),
 haltPending (10),

```
haltPendingNoack    (11),
circuitRestart      (12),
restartPending      (13)
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The current state of this circuit. The agent, implementation specific, may choose to keep entries for some period of time after circuit disconnect, so the manager can gather the time and cause of disconnection.

While all of the specified values may be returned from a GET operation, the only SETable value is `disconnectPending'.

When this value is set, DLSw should perform the appropriate action given its previous state (e.g., send HALT_DL if the state was `connected') to bring the circuit down to the `disconnected' state. Both the partner DLSw and local end station(s) should be notified as appropriate.

This MIB provides no facility to re-establish a disconnected circuit, because in DLSw this should be an end station-driven function."

```
::= { dlswCircuitEntry 17 }
```

dlswCircuitPriority OBJECT-TYPE

```
SYNTAX INTEGER {
```

```
  unsupported (1),
```

```
  low (2),
```

```
  medium (3),
```

```
  high (4),
```

```
  highest (5)
```

```
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The transmission priority of this circuit as understood by this

DLSw node. This value is determined by the two DLSw nodes at circuit startup time. If this DLSw node does not support DLSw circuit priority, the value `unsupported' should be returned."

```
::= { dlswCircuitEntry 18 }
```

```
-- .....
```

```
-- Pacing Objects:
```

```
-- These objects are applicable if DLSw is using the SSP circuit
```

```
-- pacing protocol to control the flow between the two data links
```

-- in this circuit.

--

dlsuCircuitFCSendGrantedUnits OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of paced SSP messages that this DLSw is currently authorized to send on this circuit before it must stop and wait for an additional flow control indication from the partner DLSw.

The value zero should be returned if this circuit is not running

the DLSw pacing protocol."

::= { dlsuCircuitEntry 19 }

dlsuCircuitFCSendCurrentWndw OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current window size that this DLSw is using in its role as a data sender. This is the value by which this DLSw would increase the number of messages it is authorized to send, if it were to receive a flow control indication with the bits specifying `repeat window`.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlsuCircuitEntry 20 }

dlsuCircuitFCRecvGrantedUnits OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current number of paced SSP messages that this DLSw has authorized the partner DLSw to send on this circuit before the partner DLSw must stop and wait for an additional flow

control indication from this DLSw.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlsuCircuitEntry 21 }

dlsuCircuitFCRecvCurrentWndw OBJECT-TYPE

SYNTAX INTEGER (0..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current window size that this DLSw is using in its role as a data receiver. This is the number of additional paced SSP messages that this DLSw would be authorizing its DLSw partner to send, if this DLSw were to send a flow control indication with the bits specifying `repeat window`."

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 22 }

dlswCircuitFCLargestRecvGranted OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The largest receive window size granted by this DLSw during the current activation of this circuit. This is not the largest number of messages granted at any time, but the largest window size as represented by FCIND operator bits."

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 23 }

dlswCircuitFCLargestSendGranted OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The largest send (with respect to this DLSw) window size granted by the partner DLSw during the current activation of this circuit."

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 24 }

dlswCircuitFCHalveWndwSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Halve Window operations this DLSw has sent on this circuit, in its role as a data

receiver.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 25 }

dlswCircuitFCResetOpSents OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Reset Window operations this DLSw has sent on this circuit, in its role as a data receiver.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 26 }

dlswCircuitFCHalveWndwRcvds OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Halve Window operations this DLSw has received on this circuit, in its role as a data sender.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 27 }

dlswCircuitFCResetOpRcvds OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of Reset Window operations this DLSw has received on this circuit, in its role as a data sender.

The value zero should be returned if this circuit is not running the DLSw pacing protocol."

::= { dlswCircuitEntry 28 }

--
-- Information about the circuit disconnection
--

dlswCircuitDiscReasonLocal OBJECT-TYPE

SYNTAX INTEGER {

endStationDiscRcvd (1),

```

    endStationDlcError      (2),
    protocolError           (3),
    operatorCommand         (4),
    haltDIRcvd              (5),
    haltDINoAckRcvd         (6),
    transportConnClosed     (7)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The reason why this circuit was last
disconnected, as seen
    by this DLSw node.

    This object is present only if the agent keeps circuit
    table entries around for some period after circuit disconnect."
 ::= { dlswCircuitEntry 29 }

```

dlswCircuitDiscReasonRemote OBJECT-TYPE

```

SYNTAX INTEGER {
    unknown                (1),
    endStationDiscRcvd     (2),
    endStationDlcError     (3),
    protocolError          (4),
    operatorCommand        (5)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The generic reason code why this circuit was last
disconnected, as reported by the DLSw partner in a HALT_DL
or HALT_DL_NOACK. If the partner does not send a reason
code in these messages, or the DLSw implementation does
not report receiving one, the value `unknown' is returned.

    This object is present only if the agent keeps circuit table
    entries around for some period after
circuit disconnect."
 ::= { dlswCircuitEntry 30 }

```

dlswCircuitDiscReasonRemoteData OBJECT-TYPE

```

SYNTAX OCTET STRING (SIZE (0 | 4))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Implementation-specific data reported by the DLSw partner in
a HALT_DL or HALT_DL_NOACK, to help specify how and why this
circuit was last disconnected. If the partner does not send

```

this data in these messages, or the DLSw implementation does not report receiving it, a string of zero length is returned.

This object is present only if the agent keeps circuit table entries around for some period after circuit disconnect."

```
::= { dlswCircuitEntry 31 }
```

```
-- .....
```

```
-- Statistics related to this circuit.  
-- All statistics are in LLC-2 Link Station Statistical Table.  
-- All SDLC statistics are in SDLC MIB
```

```
-- .....
```

```
--
```

```
*****
```

```
-- DLSW SDLC EXTENSION
```

```
-- *****
```

```
dlswSdlcLsEntries OBJECT-TYPE
```

```
SYNTAX Gauge32
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The number of entries in dlswSdlcLsTable."
```

```
::= { dlswSdlc 1 }
```

```
-- .....
```

```
dlswSdlcLsTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF DlswSdlcLsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The table defines the virtual MAC addresses for those  
SDLC link stations that participate in data link switching."
```

```
::= { dlswSdlc 2 }
```

```
dlswSdlcLsEntry OBJECT-TYPE
```

```
SYNTAX DlswSdlcLsEntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The index of this table is the ifIndex value for the  
SDLC port which owns this link station and the poll  
address of
```

```
the particular SDLC link station."
```

```
INDEX { ifIndex, sdlcLSAddress }
```

```
::= { dlswSdlcLsTable 1 }
```



```

DlswSdlcLsEntry ::= SEQUENCE {
    dlswSdlcLsLocalMac      MacAddressNC,
    dlswSdlcLsLocalSap      OCTET STRING,
    dlswSdlcLsLocalIdBlock  DisplayString,
    dlswSdlcLsLocalIdNum    DisplayString,
    dlswSdlcLsRemoteMac     MacAddressNC,
    dlswSdlcLsRemoteSap     OCTET STRING,
    dlswSdlcLsRowStatus     RowStatus
}

```

dlswSdlcLsLocalMac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The virtual MAC address used to represent the SDLC-attached link station to the rest of the DLSw network."

::= { dlswSdlcLsEntry 1 }

dlswSdlcLsLocalSap OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The SAP used to represent this link station."

::= { dlswSdlcLsEntry 2 }

dlswSdlcLsLocalIdBlock OBJECT-TYPE

SYNTAX DisplayString (SIZE (0 | 3))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The block number is the first three digits of the node_id, if available. These 3 hexadecimal digits identify the product."

DEFVAL { "H" }

::= { dlswSdlcLsEntry 3 }

dlswSdlcLsLocalIdNum OBJECT-TYPE

SYNTAX DisplayString (SIZE (0 | 5))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The ID number is the last 5 digits of the node_id, if available. These 5 hexadecimal digits are administratively defined and combined with the 3 digit block number form the node_id. This node_id is used to

identify the local node and is included in SNA XIDs."

DEFVAL { "H }
::= { dlswSdlcLsEntry 4 }

dlswSdlcLsRemoteMac OBJECT-TYPE

SYNTAX MacAddressNC

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The MAC address to which DLSw should attempt to connect

this link station. If this information is not available, a length of zero for this object should be returned."

DEFVAL { "H }
::= { dlswSdlcLsEntry 5 }

dlswSdlcLsRemoteSap OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 1))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The SAP of the remote station to which this link station should be connected. If this information is not available, a length of zero for this object should be returned."

DEFVAL { "H }
::= { dlswSdlcLsEntry 6 }

dlswSdlcLsRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by the manager to create or delete the row entry in the dlswSdlcLsTable following the RowStatus textual convention."

::= { dlswSdlcLsEntry 7 }

-- *****

-- TRAP GENERATION CONTROL

--

dlswTrapControl OBJECT IDENTIFIER ::= { dlswNode 10 }

dlswTrapCntlTConnPartnerReject OBJECT-TYPE

SYNTAX INTEGER {

enabled (1),

```
    disabled (2),
    partial (3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"Indicates whether the DLSw is permitted to emit partner
reject related traps. With the value of `enabled`
the DLSw will emit all partner reject related traps.
With the value of `disabled` the DLSw will not emit
any partner reject related traps. With the value
of `partial` the DLSw will only emits partner reject
traps for CapEx reject. The changes take effect
immediately."
::= { dlswTrapControl 1 }
```

```
dlswTrapCntlTConnProtViolation OBJECT-TYPE
SYNTAX TruthValue
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"Indicates whether the DLSw is permitted to generate
protocol-violation traps on the events such as
window size violation. The changes take effect
immediately."
::= { dlswTrapControl 2 }
```

```
dlswTrapCntlTConn OBJECT-TYPE
SYNTAX INTEGER {
    enabled (1),
    disabled (2),
    partial (3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"Indicates whether the DLSw is permitted to emit transport
connection up and down traps. With the value of `enabled`
the DLSw will emit traps when connections enter `connected`
and `disconnected` states. With the value of `disabled`
the DLSw will not emit traps when connections enter of
`connected` and `disconnected` states. With the value
of `partial` the DLSw will only emits transport connection
down traps when the connection is closed with busy.
The changes take effect immediately."
::= { dlswTrapControl 3 }
```

```
dlswTrapCntlCircuit OBJECT-TYPE
```

```
SYNTAX  INTEGER {
    enabled  (1),
    disabled (2),
    partial  (3)
}
```

```
MAX-ACCESS read-write
```

```
STATUS    current
```

```
DESCRIPTION
```

```
"Indicates whether the DLSw is permitted to generate
circuit up and down traps.  With the value of `enabled'
the DLSw will emit traps when circuits enter `connected'
and `disconnected' states.  With the value of `disabled'
the DLSw will not emit traps when circuits enter of
`connected' and `disconnected' states.  With the value
of `partial' the DLSw will emit traps only for those
circuits that are initiated by this DLSw, e.g.,
originating the CUR_CS message.  The changes take effect
immediately."
```

```
::= { dlswTrapControl 4 }
```

```
-- *****
```

```
-- NOTIFICATIONS, i.e., TRAP DEFINITIONS
```

```
-- *****
```

```
dlswTraps      OBJECT IDENTIFIER
```

```
::= { dlswMIB 0 }
```

```
-----
-- This section defines the well-known notifications sent by
-- DLSW agents.
```

```
-- Care must be taken to insure that no particular notification
-- is sent to a single receiving entity more often than once
-- every five seconds.
```

```
--
```

```
-- Traps includes:
```

```
-- (1) Partner rejected (capEx rejection, not in partner list, etc.)
```

```
-- (2) DLSw protocol violation (e.g., window size violation, etc.)
```

```
-- (3) Transport connection up/down
```

```
-- (4) Circuit up/down
```

```
-----
```

```
--
```

```
dlswTrapTConnPartnerReject NOTIFICATION-TYPE
```

```
OBJECTS { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr
}
```

```
STATUS    current
```

```
DESCRIPTION
```

```
"This trap is sent each time a transport connection
```

```

    is rejected by a partner DLSw during Capabilities
    Exchanges. The emission of this trap is controlled
    by dlswTrapCntlTConnPartnerReject."
 ::= { dlswTraps
1 }

dlswTrapTConnProtViolation NOTIFICATION-TYPE
OBJECTS { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr
}
STATUS    current
DESCRIPTION
    "This trap is sent each time a protocol violation is
    detected for a transport connection. The emission of this
    trap is controlled by dlswTrapCntlTConnProtViolation."
 ::= { dlswTraps 2 }

dlswTrapTConnUp NOTIFICATION-TYPE
OBJECTS { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr
}
STATUS    current
DESCRIPTION
    "This trap is sent each time a transport connection
    enters `connected' state. The emission of this trap
    is controlled by dlswTrapCntlTConn."
 ::= { dlswTraps 3 }

dlswTrapTConnDown NOTIFICATION-TYPE
OBJECTS { dlswTConnOperTDomain, dlswTConnOperRemoteTAddr
}
STATUS    current
DESCRIPTION
    "This trap is sent each time a transport connection
    enters `disconnected' state. The emission of this trap
    is controlled by dlswTrapCntlTConn."
 ::= { dlswTraps 4 }

dlswTrapCircuitUp NOTIFICATION-TYPE
OBJECTS { dlswCircuitS1Mac, dlswCircuitS1Sap,
          dlswCircuitS2Mac, dlswCircuitS2Sap
}
STATUS    current
DESCRIPTION
    "This trap is sent each time a circuit enters `connected'
    state. The emission of this trap is controlled by
    dlswTrapCntlCircuit."
 ::= { dlswTraps 5 }

dlswTrapCircuitDown NOTIFICATION-TYPE

```

```

OBJECTS { dlsuCircuitS1Mac, dlsuCircuitS1Sap,
          dlsuCircuitS2Mac, dlsuCircuitS2Sap
}
STATUS   current
DESCRIPTION
  "This trap is sent each time a circuit enters `disconnected'
  state. The emission of this trap is controlled by
  dlswTrapCntlCircuit."
::= { dlswTraps 6 }

```

```
-- *****
```

```
-- CONFORMANCE INFORMATION
```

```
-- *****
```

```
dlswConformance   OBJECT IDENTIFIER ::= { dlsw 3 }
```

```
dlswCompliances
```

```
  OBJECT IDENTIFIER ::= { dlswConformance 1 }
```

```
dlswGroups        OBJECT IDENTIFIER ::= { dlswConformance 2 }
```

```
-----
-- COMPLIANCE STATEMENTS
-----
```

```
-- .....
-- Core compliance for all DLSw entities
-- .....
```

```
dlswCoreCompliance MODULE-COMPLIANCE
```

```
STATUS current
```

```
DESCRIPTION
```

```
  "The core compliance statement for all DLSw nodes."
```

```
MODULE
```

```
  MANDATORY-GROUPS {
    dlswNodeGroup,
    dlswTConnStatGroup,
    dlswTConnConfigGroup,
    dlswTConnOperGroup,
    dlswInterfaceGroup,
    dlswCircuitGroup,
    dlswCircuitStatGroup,
    dlswNotificationGroup }

```

```
GROUP dlswNodeNBGroup
```

```
DESCRIPTION
```

```
  "The DLSw NetBIOS Node group is mandatory only for
  those DLSw entities that implement NetBIOS."
```

GROUP dlswTConnNBGroup

DESCRIPTION

"The DLSw NetBIOS Transport Connection group is mandatory only for those DLSw entities that implement NetBIOS."

OBJECT dlswNodeStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswNodeVirtualSegmentLFSize

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswNodeResourceNBExclusivity

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswNodeResourceMacExclusivity

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTrapCntlTConnPartnerReject

MIN-ACCESS

read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTrapCntlTConnProtViolation

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTrapCntlTConn

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTrapCntlCircuit

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigTDomain

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigLocalTAddr

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigRemoteTAddr

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigEntryType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigGroupDefinition

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigSetupType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigSapList

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigAdvertiseMacNB

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigInitCirRecvWndw

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswTConnConfigRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is

not required."

OBJECT dlswTConnOperState
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswIfRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswIfVirtualSegment
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswIfSapList
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswCircuitState
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { dlswCompliances 1 }

--
-- Compliance for all DLSw entities that provide TCP transport.
--
dlswTConnTcpCompliance MODULE-COMPLIANCE

STATUS current
DESCRIPTION
"Compliance for DLSw nodes that use TCP as a
transport connection protocol."
MODULE
MANDATORY-GROUPS {
 dlswTConnTcpConfigGroup,
 dlswTConnTcpOperGroup }

OBJECT dlswTConnTcpConfigKeepAliveInt
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTConnTcpConfigTcpConnections
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswTConnTcpConfigMaxSegmentSize
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { dlswCompliances 2 }

--
-- Compliance for all DLSw Entities that implement a directory
--

dlswDirCompliance MODULE-COMPLIANCE

STATUS current
DESCRIPTION
"Compliance for DLSw nodes that provide a directory
function."

MODULE

MANDATORY-GROUPS {
dlswDirGroup }

GROUP dlswDirNBGroup
DESCRIPTION
"The DLSw NetBIOS group is mandatory only for
those DLSw entities that implement NetBIOS."

OBJECT dlswDirMacMac
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacMask
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacEntryType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacLocationType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacLocation
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacLFSize
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirMacRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirNBName
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirNBNameType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirNBEntryType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirNBLocationType
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBLocation
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswDirNBStatus
MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBLFSize

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT dlswDirNBRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

::= { dlswCompliances 3 }

--
-- Compliance for all DLSw entities that provide an ordered
-- list of directory entries that match a resource
--

dlswDirLocateCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Compliance for DLSw nodes that provide
an ordered
list of directory entries for a given resource."

MODULE

MANDATORY-GROUPS {
dlswDirLocateGroup }

GROUP dlswDirLocateNBGroup

DESCRIPTION

"The DLSw NetBIOS group is mandatory only for
those DLSw entities that implement NetBIOS."

::= { dlswCompliances 4 }

--
-- Compliance for all DLSw entities that support SDLC end stations
--

dlswSdlcCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Compliance for DLSw nodes that support SDLC."

MODULE

MANDATORY-GROUPS {
dlswSdlcGroup }

OBJECT dlswSdlcLsLocalMac

MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsLocalSap
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsLocalIdBlock
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsLocalIdNum
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsRemoteMac
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsRemoteSap
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT dlswSdlcLsRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { dlswCompliances 5 }

-- CONFORMANCE GROUPS

--
--
Node Conformance Group
--

dlswNodeGroup OBJECT-GROUP
OBJECTS {
 dlswNodeVersion,
 dlswNodeVendorID,

```

    dlswNodeVersionString,
    dlswNodeStdPacingSupport,
    dlswNodeStatus,
    dlswNodeUpTime,
    dlswNodeVirtualSegmentLFSize,
    dlswNodeResourceMacExclusivity,
    dlswTrapCntlTConnPartnerReject,
    dlswTrapCntlTConnProtViolation,
    dlswTrapCntlTConn,
    dlswTrapCntlCircuit
  }
STATUS current
DESCRIPTION
  "Conformance group for DLSw node general information."
::= { dlswGroups 1 }

```

```

-- .....
dlswNodeNBGroup OBJECT-GROUP
OBJECTS {
  dlswNodeResourceNBExclusivity
}
STATUS current
DESCRIPTION
  "Conformance group for DLSw node general information
  specifically for nodes that support NetBIOS."
::=
{ dlswGroups 2 }

```

```

-- .....
dlswTConnStatGroup OBJECT-GROUP
OBJECTS {
  dlswTConnStatActiveConnections,
  dlswTConnStatCloseIdles,
  dlswTConnStatCloseBusys
}
STATUS current
DESCRIPTION
  "Conformance group for statistics for transport
  connections."
::= { dlswGroups 3 }

```

```

-- .....
dlswTConnConfigGroup OBJECT-GROUP
OBJECTS {
  dlswTConnConfigTDomain,
  dlswTConnConfigLocalTAddr,
  dlswTConnConfigRemoteTAddr,
  dlswTConnConfigLastModifyTime,

```

```

    dlswTConnConfigEntryType,
    dlswTConnConfigGroupDefinition,
    dlswTConnConfigSetupType,
    dlswTConnConfigSapList,
    dlswTConnConfigAdvertiseMacNB,
    dlswTConnConfigInitCirRecvWndw,
    dlswTConnConfigOpens,
    dlswTConnConfigRowStatus
}
STATUS current
DESCRIPTION
    "Conformance
group for the configuration of
    transport connections."
::= { dlswGroups 4 }

-- .....
dlswTConnOperGroup OBJECT-GROUP
OBJECTS {
    dlswTConnOperLocalTAddr,
    dlswTConnOperEntryTime,
    dlswTConnOperConnectTime,
    dlswTConnOperState,
    dlswTConnOperConfigIndex,
    dlswTConnOperFlowCntlMode,
    dlswTConnOperPartnerVersion,
    dlswTConnOperPartnerVendorID,
    dlswTConnOperPartnerVersionStr,
    dlswTConnOperPartnerInitPacingWndw,
    dlswTConnOperPartnerSapList,
    dlswTConnOperPartnerMacExcl,
    dlswTConnOperPartnerMacInfo,
    dlswTConnOperDiscTime,
    dlswTConnOperDiscReason,
    dlswTConnOperDiscActiveCir,
    dlswTConnOperInDataPkts,
    dlswTConnOperOutDataPkts,
    dlswTConnOperInDataOctets,
    dlswTConnOperOutDataOctets,
    dlswTConnOperInCntlPkts,
    dlswTConnOperOutCntlPkts,
    dlswTConnOperCURExSents,
    dlswTConnOperICRExRcvds,
    dlswTConnOperCURExRcvds,
    dlswTConnOperICRExSents,
    dlswTConnOperCirCreates,
    dlswTConnOperCircuits
}

```

```

STATUS current
DESCRIPTION
    "Conformance group for operation information for
    transport connections."
::= { dlswGroups 5 }

-- .....
dlswTConnNBGroup OBJECT-GROUP
OBJECTS {
    dlswTConnOperPartnerNBExcl,
    dlswTConnOperPartnerNBInfo,
    dlswTConnOperNQexSents,
    dlswTConnOperNRexRcvds,
    dlswTConnOperNQexRcvds,
    dlswTConnOperNRexSents
}
STATUS current
DESCRIPTION
    "Conformance group for operation information for
    transport connections, specifically for nodes
    that support NetBIOS."
::= { dlswGroups 6 }

-- .....
dlswTConnTcpConfigGroup OBJECT-GROUP
OBJECTS {
    dlswTConnTcpConfigKeepAliveInt,
    dlswTConnTcpConfigTcpConnections,
    dlswTConnTcpConfigMaxSegmentSize
}
STATUS current
DESCRIPTION
    "Conformance group for configuration information for
    transport connections using TCP."
::= { dlswGroups 7 }

-- .....
dlswTConnTcpOperGroup OBJECT-GROUP
OBJECTS {
    dlswTConnTcpOperKeepAliveInt,
    dlswTConnTcpOperPrefTcpConnections,
    dlswTConnTcpOperTcpConnections
}
STATUS current
DESCRIPTION
    "Conformance group for operation information for
    transport connections using TCP."
::= { dlswGroups 8 }

```



```
-- .....  
dlswInterfaceGroup OBJECT-GROUP  
  OBJECTS {  
    dlswIfRowStatus,  
    dlswIfVirtualSegment,  
    dlswIfSapList  
  }  
  STATUS current  
  DESCRIPTION  
    "Conformance group for DLSw interfaces."  
  ::= { dlswGroups  
9 }
```

```
-- .....  
dlswDirGroup OBJECT-GROUP  
  OBJECTS {  
    dlswDirMacEntries,  
    dlswDirMacCacheHits,  
    dlswDirMacCacheMisses,  
    dlswDirMacCacheNextIndex,  
    dlswDirMacMac,  
    dlswDirMacMask,  
    dlswDirMacEntryType,  
    dlswDirMacLocationType,  
    dlswDirMacLocation,  
    dlswDirMacStatus,  
    dlswDirMacLFSize,  
    dlswDirMacRowStatus  
  }  
  STATUS current  
  DESCRIPTION  
    "Conformance group for DLSw directory using MAC  
    addresses."  
  ::= { dlswGroups 10 }
```

```
-- .....  
dlswDirNBGroup OBJECT-GROUP  
  OBJECTS {  
    dlswDirNBEntries,  
    dlswDirNBCacheHits,  
    dlswDirNBCacheMisses,  
    dlswDirNBCacheNextIndex,  
    dlswDirNBName,  
    dlswDirNBNameType,  
    dlswDirNBEntryType,  
    dlswDirNBLocationType,  
    dlswDirNBLocation,  
    dlswDirNBStatus,  
  }
```

```

    dlswDirNBLFSize,
    dlswDirNBRowStatus
  }
STATUS current
DESCRIPTION
  "Conformance group for DLsw directory using NetBIOS
  names."
::= { dlswGroups 11 }

-- .....
dlswDirLocateGroup OBJECT-GROUP
OBJECTS {
  dlswDirLocateMacLocation
}
STATUS current
DESCRIPTION
  "Conformance group for a node that can return directory
  entry order for a given MAC address."
::= { dlswGroups 12 }

-- .....
dlswDirLocateNBGroup OBJECT-GROUP
OBJECTS {
  dlswDirLocateNBLocation
}
STATUS current
DESCRIPTION
  "Conformance group for a node that can return directory
  entry order for a given NetBIOS name."
::= { dlswGroups 13 }

-- .....
dlswCircuitStatGroup OBJECT-GROUP
OBJECTS {
  dlswCircuitStatActives,
  dlswCircuitStatCreates
}
STATUS current
DESCRIPTION
  "Conformance group for statistics about circuits."
::= { dlswGroups 14 }

-- .....
dlswCircuitGroup OBJECT-GROUP
OBJECTS {
  dlswCircuitS1IfIndex,
  dlswCircuitS1DlcType,
  dlswCircuitS1RouteInfo,

```

```

dlswCircuitS1CircuitId,
dlswCircuitS1Dlc,
dlswCircuitS2Location,
dlswCircuitS2TDomain,
dlswCircuitS2TAddress,
dlswCircuitS2CircuitId,
dlswCircuitOrigin,
dlswCircuitEntryTime,
dlswCircuitStateTime,
dlswCircuitState,
dlswCircuitPriority,
dlswCircuitFCSendGrantedUnits,
dlswCircuitFCSendCurrentWndw,
dlswCircuitFCRecvGrantedUnits,
dlswCircuitFCRecvCurrentWndw,
dlswCircuitFCLargestRecvGranted,
dlswCircuitFCLargestSendGranted,
dlswCircuitFCHalveWndwSents,
dlswCircuitFCResetOpSents,
  dlswCircuitFCHalveWndwRcvds,
dlswCircuitFCResetOpRcvds,
dlswCircuitDiscReasonLocal,
dlswCircuitDiscReasonRemote,
dlswCircuitDiscReasonRemoteData
}

```

STATUS current

DESCRIPTION

"Conformance group for DLSw circuits."

::= { dlswGroups 15 }

--

dlswSdlcGroup OBJECT-GROUP

OBJECTS {

```

dlswSdlcLsEntries,
dlswSdlcLsLocalMac,
dlswSdlcLsLocalSap,
dlswSdlcLsLocalIdBlock,
dlswSdlcLsLocalIdNum,
dlswSdlcLsRemoteMac,
dlswSdlcLsRemoteSap,
dlswSdlcLsRowStatus
}

```

STATUS current

DESCRIPTION

"Conformance group for DLSw SDLC support."

::= { dlswGroups 16 }

--

dlsWNotificationGroup NOTIFICATION-GROUP

NOTIFICATIONS {

 dlsWTrapTConnPartnerReject,
 dlsWTrapTConnProtViolation,

 dlsWTrapTConnUp,
 dlsWTrapTConnDown,
 dlsWTrapCircuitUp,
 dlsWTrapCircuitDown
}

STATUS current

DESCRIPTION

 "Conformance group for DLSw notifications."

::= { dlsWGroups 17 }

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DLSW-MIB

No license file was found, but licenses were detected in source scan.

MIOX25-MIB DEFINITIONS ::= BEGIN

IMPORTS

 Counter,
 TimeTicks
 FROM RFC1155-SMI
 OBJECT-TYPE
 FROM RFC-1212
 DisplayString, transmission,
 ifIndex
 FROM RFC1213-MIB
 InstancePointer
 FROM RFC1316-MIB
 X121Address
 FROM RFC1382-MIB
 PositiveInteger
 FROM RFC1381-MIB;

 -- IP over X.25 MIB

miox OBJECT IDENTIFIER ::= { transmission 38 }

mioxPle OBJECT IDENTIFIER ::= { miox 1 }

mioxPeer OBJECT IDENTIFIER ::= { miox 2 }

-- #####

-- Ple Table

-- #####

-- Systems that implement RFC 1356 must also implement
-- all objects in this group.

mioxPleTable OBJECT-TYPE
SYNTAX SEQUENCE OF MioxPleEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
"This table contains information relative to
an interface to an X.25 Packet Level Entity
(PLE)."
::= { mioxPle 1 }

mioxPleEntry OBJECT-TYPE
SYNTAX MioxPleEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
"These objects manage the encapsulation of
other protocols within X.25."
INDEX { ifIndex }
::= { mioxPleTable 1 }

MioxPleEntry ::= SEQUENCE {
mioxPleMaxCircuits
INTEGER,
mioxPleRefusedConnections
Counter,
mioxPleEnAddrToX121LkupFlrs
Counter,
mioxPleLastFailedEnAddr
OCTET STRING,
mioxPleEnAddrToX121LkupFlrTime
TimeTicks,
mioxPleX121ToEnAddrLkupFlrs
Counter,
mioxPleLastFailedX121Address
X121Address,
mioxPleX121ToEnAddrLkupFlrTime
TimeTicks,
mioxPleQbitFailures
Counter,
mioxPleQbitFailureRemoteAddress
X121Address,
mioxPleQbitFailureTime
TimeTicks,

```

mioxPleMinimumOpenTimer
    PositiveInteger,
mioxPleInactivityTimer
    PositiveInteger,
mioxPleHoldDownTimer
    PositiveInteger,
mioxPleCollisionRetryTimer
    PositiveInteger,
mioxPleDefaultPeerId
    InstancePointer
}

```

mioxPleMaxCircuits OBJECT-TYPE

SYNTAX INTEGER (0..2147483647)

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The maximum number of X.25 circuits that can be open at one time for this interface.

A value of zero indicates the interface will not allow any additional circuits (as it may soon be shutdown). A value of 2147483647 allows an unlimited number of circuits."

::= { mioxPleEntry 1 }

mioxPleRefusedConnections OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of X.25 calls from a remote systems to this system that were cleared by this system. The interface instance should identify the X.25 interface the call came in on."

::= { mioxPleEntry 2 }

mioxPleEnAddrToX121LkupFlrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times a translation from an Encapsulated Address to an X.121 address failed to find a corresponding X.121 address. Encapsulated addresses can be looked up in the mioxPeerTable or translated via an algorithm as for the DDN. Addresses

that are successfully recognized do not increment this counter. Addresses that are not recognized (reflecting an abnormal packet delivery condition) increment this counter.

If an address translation fails, it may be difficult to determine which PLE entry should count the failure. In such cases the first likely entry in this table should be selected. Agents should record the failure even if they are unsure which PLE should be associated with the failure."

::= { mioxPleEntry 3 }

mioxPleLastFailedEnAddr OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(2..128))

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The last Encapsulated address that failed to find a corresponding X.121 address and caused mioxPleEnAddrToX121LkupFlrs

to be

incremented. The first octet of this object contains the encapsulation type, the remaining octets contain the address of that type that failed. Thus for an IP address, the length will be five octets, the first octet will contain 204 (hex CC), and the last four octets will contain the IP address. For a snap encapsulation, the first byte would be 128 (hex 80) and the rest of the octet string would have the snap header."

::= { mioxPleEntry 4 }

mioxPleEnAddrToX121LkupFlrTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The most recent value of sysUpTime when the translation from an Encapsulated Address to X.121 address failed to find a corresponding X.121 address."

::= { mioxPleEntry 5 }

mioxPleX121ToEnAddrLkupFlrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times the translation from an X.121 address to an Encapsulated Address failed to find a corresponding Encapsulated Address. Addresses successfully recognized by an algorithm do not increment this counter. This counter reflects the number of times call acceptance encountered the abnormal condition of not recognizing the peer."

::= { mioxPleEntry 6 }

mioxPleLastFailedX121Address OBJECT-TYPE

SYNTAX X121Address

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The last X.121 address that caused mioxPleX121ToEnAddrLkupFlrs to increase."

::= { mioxPleEntry 7 }

mioxPleX121ToEnAddrLkupFlrTime

OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The most recent value of sysUpTime when the translation from an X.121 address to an Encapsulated Address failed to find a corresponding Encapsulated Address."

::= { mioxPleEntry 8 }

mioxPleQbitFailures OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The number of times a connection was closed because of a Q-bit failure."

::= { mioxPleEntry 9 }

mioxPleQbitFailureRemoteAddress OBJECT-TYPE

SYNTAX X121Address

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The remote address of the most recent
(last) connection that was closed because of
a Q-bit failure."

::= { mioxPleEntry 10 }

mioxPleQbitFailureTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The most recent value of sysUpTime when a
connection was closed because of a Q-bit
failure. This will also be the last time
that mioxPleQbitFailures was incremented."

::= { mioxPleEntry 11 }

mioxPleMinimumOpenTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The minimum time in milliseconds this
interface will keep a connection open before
allowing it to be closed. A value of zero
indicates no timer."

DEFVAL { 0 }

::= { mioxPleEntry 12 }

mioxPleInactivityTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The amount of time time in milliseconds
this interface will

keep an idle connection

open before closing it. A value of
2147483647 indicates no timer."

DEFVAL { 10000 }

::= { mioxPleEntry 13 }

mioxPleHoldDownTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The hold down timer in milliseconds. This is the minimum amount of time to wait before trying another call to a host that was previously unsuccessful. A value of 2147483647 indicates the host will not be retried."

DEFVAL { 0 }

::= { mioxPleEntry 14 }

mioxPleCollisionRetryTimer OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The Collision Retry Timer in milliseconds. The time to delay between call attempts when the maximum number of circuits

is exceeded

in a call attempt."

DEFVAL { 0 }

::= { mioxPleEntry 15 }

mioxPleDefaultPeerId OBJECT-TYPE

SYNTAX InstancePointer

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This identifies the instance of the index in the mioxPeerTable for the default parameters to use with this interface.

The entry identified by this object may have a zero length Encapsulation address and a zero length X.121 address.

These default parameters are used with connections to hosts that do not have entries in the mioxPeerTable. Such connections occur when using ddn-x25 IP-X.25 address mapping or when accepting connections from other hosts not in the mioxPeerTable.

The mioxPeerEncTable entry with the same index as the mioxPeerTable entry specifies the call encapsulation types this PLE will accept for peers not in the mioxPeerTable. If the mioxPeerEncTable doesn't contain any entries, this PLE will not accept calls from entries not in the mioxPeerTable."
 ::= { mioxPleEntry 16 }

```
-- #####  
-- Peer Table  
-- #####  
  
-- Systems that implement RFC 1356 must also implement  
-- all objects in this group.
```

mioxPeerTable OBJECT-TYPE
SYNTAX SEQUENCE OF MioxPeerEntry
ACCESS not-accessible
STATUS mandatory
DESCRIPTION
"This table contains information about the possible peers this machine may exchange packets with."
 ::= { mioxPeer 1 }

mioxPeerEntry OBJECT-TYPE
SYNTAX MioxPeerEntry

ACCESS not-accessible
STATUS mandatory
DESCRIPTION
"Per peer information."
INDEX { mioxPeerIndex }
 ::= { mioxPeerTable 1 }

MioxPeerEntry ::= SEQUENCE {
mioxPeerIndex
PositiveInteger,
mioxPeerStatus
INTEGER,
mioxPeerMaxCircuits
PositiveInteger,

```

mioxPeerIfIndex
    PositiveInteger,
mioxPeerConnectSeconds
    Counter,
mioxPeerX25CallParamId
    InstancePointer,
mioxPeerEnAddr
    OCTET STRING,
mioxPeerX121Address
    X121Address,
mioxPeerX25CircuitId
    InstancePointer,
mioxPeerDescr
    DisplayString
}

```

mioxPeerIndex OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-only

STATUS mandatory

DESCRIPTION

"An index value that distinguished one entry
from another.

This index is independent of
any other index."

::= { mioxPeerEntry 1 }

```

-- Systems can claim conformance with this MIB without
-- implementing sets to mioxPeerStatus with a value of
-- clearCall or makeCall.
-- All other defined values must be accepted.
-- Implementors should realize that allowing these values
-- provides richer management, and implementations
-- are encouraged to accept these values.

```

mioxPeerStatus OBJECT-TYPE

SYNTAX INTEGER {

```

    valid (1),
    createRequest (2),
    underCreation (3),
    invalid (4),
    clearCall (5),
    makeCall (6)
}

```

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This reports the status of a peer entry.
A value of valid indicates a normal entry

that is in use by the agent. A value of

underCreation indicates a newly created entry which isn't yet in use because the creating management station is still setting values.

The value of invalid indicates the entry is no longer in use and the agent is free to delete the entry at any time. A management station is also free to use an entry in the invalid state.

Entries are created by setting a value of createRequest. Only non-existent or invalid entries can be set to createRequest. Upon receiving a valid createRequest, the agent will create an entry in the underCreation state. This object can not be set to a value of underCreation directly, entries can only be created by setting a value of createRequest. Entries that exist in other

than the invalid state can not be set to createRequest.

Entries with a value of underCreation are not used by the system and the management station can change the values of other objects in the table entry. Management stations should also remember to configure values in the mioPeerEncTable with the same peer index value as this peer entry.

An entry in the underCreation state can be set to valid or invalid. Entries in the underCreation state will stay in that state until 1) the agent times them out, 2) they are set to valid, 3) they are set to invalid. If an agent notices an entry has been in the underCreation state for an abnormally long time, it may decide the management station has failed and invalidate

the entry. A prudent agent will understand that the management station may need to wait for human input and will allow for that possibility in its determination of this

abnormally long period.

Once a management station has completed all fields of an entry, it will set a value of valid. This causes the entry to be activated.

Entries in the valid state may also be set to makeCall or clearCall to make or clear X.25 calls to the peer. After such a set request the entry will still be in the valid state. Setting a value of makeCall causes the agent to initiate an X.25 call request to the peer specified by the entry. Setting a value of clearCall causes the agent to initiate clearing one X.25 call present

to

the peer. Each set request will initiate another call or clear request (up to the maximum allowed); this means that management stations that fail to get a response to a set request should query to see if a call was in fact placed or cleared before retrying the request. Entries not in the valid state can not be set to makeCall or clearCall.

The values of makeCall and clearCall provide for circuit control on devices which perform Ethernet Bridging using static circuit assignment without address recognition; other devices which dynamically place calls based on destination addresses may reject such requests.

An agent that (re)creates a new entry because of a set with createRequest, should

also (re)create a mioPeerEncTable entry with a mioPeerEncIndex of 1, and a mioPeerEncType of 204 (hex CC)."
::= { mioPeerEntry 2 }

mioxPeerMaxCircuits OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The maximum number of X.25 circuits allowed to this peer."
DEFVAL { 1 }
::= { mioxPeerEntry 3 }

mioxPeerIfIndex OBJECT-TYPE

SYNTAX PositiveInteger
ACCESS read-write
STATUS mandatory
DESCRIPTION
"The value of the ifIndex object for the interface to X.25 to use to call the peer."
DEFVAL { 1 }
::= { mioxPeerEntry 4 }

mioxPeerConnectSeconds OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
DESCRIPTION
"The number of seconds a call to this peer was active. This counter will be incremented by one for every second a connection to a peer was open. If two calls are open at the same time, one second of elapsed real time will results in two seconds of connect time."
::= { mioxPeerEntry 5 }

mioxPeerX25CallParamId OBJECT-TYPE

SYNTAX InstancePointer
ACCESS read-write
STATUS mandatory
DESCRIPTION
"The instance of the index object in the x25CallParmTable from RFC 1382 for the X.25 call parameters used to communicate with the remote host. The well known value {0 0} indicates no call parameters specified."
DEFVAL { {0 0} }
::= { mioxPeerEntry 6 }

mioxPeerEnAddr OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0..128))
ACCESS read-write
STATUS mandatory
DESCRIPTION

"The Encapsulation address of the remote host mapped by this table entry. A length of zero indicates the remote IP address is unknown or unspecified for use as a PLE default.

The first octet of this object contains the encapsulation type, the remaining octets contain an address of that type. Thus for an IP address, the length will be five octets, the first octet will contain 204 (hex CC), and the last four octets will contain the IP address. For a snap encapsulation, the first byte would be 128 (hex 80) and the rest of the octet string would have the snap header."

```
DEFVAL { "h }  
::= { mioxPeerEntry 7 }
```

mioxPeerX121Address OBJECT-TYPE

SYNTAX X121Address

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The X.25 address of the remote host mapped by this table entry. A zero length string indicates the X.25 address is unspecified for use as the PLE default."

```
DEFVAL { "h }  
::= { mioxPeerEntry 8 }
```

- Systems can claim conformance to this MIB without
- implementing sets to mioxPeerX25CircuitId.
- However systems that use PVCs with RFC1356
- are encouraged to implement sets.

mioxPeerX25CircuitId OBJECT-TYPE

SYNTAX InstancePointer

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This object identifies the instance of the index for the X.25 circuit open to the peer mapped by this table entry. The well known value {0 0} indicates no connection currently active. For multiple connections, this identifies the index of a multiplexing table entry for the connections. This can

only be written to configure
use of PVCs
which means the identified circuit table
entry for a write must be a PVC."
DEFVAL { {0 0} }
::= { mioxPeerEntry 9 }

mioxPeerDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

DESCRIPTION

"This object returns any identification
information about the peer. An agent may
supply the comment information found in the
configuration file entry for this peer. A
zero length string indicates no information
available."

DEFVAL { "h" }

::= { mioxPeerEntry 10 }

```
-- #####  
--      Peer Encapsulation Table  
-- #####
```

mioxPeerEncTable OBJECT-TYPE

SYNTAX SEQUENCE OF MioxPeerEncEntry

ACCESS not-accessible

STATUS

mandatory

DESCRIPTION

"This table contains the list of
encapsulations used to communicate with a
peer. This table has two indexes, the first
identifies the peer, the second
distinguishes encapsulation types.

The first index identifies the corresponding
entry in the mioxPeerTable. The second
index gives the priority of the different
encapsulations.

The encapsulation types are ordered in
priority order. For calling a peer, the
first entry (mioxPeerEncIndex of 1) is tried
first. If the call doesn't succeed because

the remote host clears the call due to incompatible call user data, the next entry in the list is tried. Each entry is tried until the list is exhausted.

For answering a call, the encapsulation type requested by the peer must be found the list or the call will be refused. If there are no entries in this table for a peer, all call requests from the peer will be refused.

Objects in this table can only be set when the mioxPeerStatus object with the same index has a value of underCreation. When that status object is set to invalid and deleted, the entry in this table with that peer index must also be deleted."

::= { mioxPeer 2 }

mioxPeerEncEntry OBJECT-TYPE

SYNTAX MioxPeerEncEntry

ACCESS not-accessible

STATUS mandatory

DESCRIPTION

"Per connection information."

INDEX { mioxPeerIndex, mioxPeerEncIndex }

::= { mioxPeerEncTable 1 }

MioxPeerEncEntry ::= SEQUENCE {

mioxPeerEncIndex

PositiveInteger,

mioxPeerEncType

INTEGER

}

mioxPeerEncIndex OBJECT-TYPE

SYNTAX PositiveInteger

ACCESS read-only

STATUS mandatory

DESCRIPTION

"The second index in the table which distinguishes different encapsulation types."

::= { mioxPeerEncEntry 1 }

mioxPeerEncType OBJECT-TYPE

SYNTAX INTEGER (0..256)

ACCESS read-write

STATUS mandatory

DESCRIPTION

"The value of the encapsulation type. For IP encapsulation this will have a value of 204 (hex CC). For SNAP encapsulated packets, this will have a value of 128 (hex 80). For CLNP, ISO 8473, this will have a value of 129 (hex 81). For ES-ES, ISO 9542, this will have a value of 130 (hex 82). A value of 197 (hex C5) identifies the Blacker X.25 encapsulation. A value

of 0,

identifies the Null encapsulation.

This value can only be written when the mioxPeerStatus object with the same mioxPeerIndex has a value of underCreation. Setting this object to a value of 256 deletes the entry. When deleting an entry, all other entries in the mioxPeerEncTable with the same mioxPeerIndex and with an mioxPeerEncIndex higher then the deleted entry, will all have their mioxPeerEncIndex values decremented by one."

::= { mioxPeerEncEntry 2 }

-- #####

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/MIOX25-MIB

No license file was found, but licenses were detected in source scan.

IANAifType-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, mib-2 FROM SNMPv2-SMI
TEXTUAL-CONVENTION FROM SNMPv2-TC;

ianaifType MODULE-IDENTITY

LAST-UPDATED "200709130000Z" -- September 13, 2007

ORGANIZATION "IANA"

CONTACT-INFO " Internet Assigned Numbers Authority

Postal: ICANN

4676 Admiralty Way, Suite 330
Marina del Rey, CA 90292

Tel: +1 310 823 9358
E-Mail: iana&iana.org"

DESCRIPTION "This MIB module defines the IANAifType Textual
Convention, and thus the enumerated values of
the ifType object defined in MIB-II's ifTable."

REVISION "200709130000Z" -- September 13, 2007
DESCRIPTION "Registration of new IANAifTypes 243 and 244."

REVISION "200705290000Z"
-- May 29, 2007
DESCRIPTION "Changed the description for IANAifType 228."

REVISION "200703080000Z" -- March 08, 2007
DESCRIPTION "Registration of new IANAifType 242."

REVISION "200701230000Z" -- January 23, 2007
DESCRIPTION "Registration of new IANAifTypes 239, 240, and 241."

REVISION "200610170000Z" -- October 17, 2006
DESCRIPTION "Deprecated/Obsoleted IANAifType 230. Registration of
IANAifType 238."

REVISION "200609250000Z" -- September 25, 2006
DESCRIPTION "Changed the description for IANA ifType
184 and added new IANA ifType 237."

REVISION "200608170000Z" -- August 17, 2006
DESCRIPTION "Changed the descriptions for IANAifTypes
20 and 21."

REVISION "200608110000Z" -- August 11, 2006
DESCRIPTION "Changed the descriptions for IANAifTypes
7, 11, 62,
69, and 117."

REVISION "200607250000Z" -- July 25, 2006
DESCRIPTION "Registration of new IANA ifType 236."

REVISION "200606140000Z" -- June 14, 2006
DESCRIPTION "Registration of new IANA ifType 235."

REVISION "200603310000Z" -- March 31, 2006
DESCRIPTION "Registration of new IANA ifType 234."

REVISION "20060330000Z" -- March 30, 2006
DESCRIPTION "Registration of new IANA ifType 233."

REVISION "20051222000Z" -- December 22, 2005
DESCRIPTION "Registration of new IANA ifTypes 231 and 232."

REVISION "20051010000Z" -- October 10, 2005
DESCRIPTION "Registration of new IANA ifType 230."

REVISION "20050909000Z" -- September 09, 2005
DESCRIPTION "Registration of new IANA ifType 229."

REVISION "20050527000Z" -- May 27, 2005
DESCRIPTION "Registration of new IANA ifType 228."

REVISION "20050303000Z"
-- March 3, 2005
DESCRIPTION "Added the IANAtunnelType TC and deprecated
IANAifType sixToFour (215) per RFC4087."

REVISION "20041122000Z" -- November 22, 2004
DESCRIPTION "Registration of new IANA ifType 227 per RFC4631."

REVISION "20040617000Z" -- June 17, 2004
DESCRIPTION "Registration of new IANA ifType 226."

REVISION "20040512000Z" -- May 12, 2004
DESCRIPTION "Added description for IANAifType 6, and
changed the descriptions for IANAifTypes
180, 181, and 182."

REVISION "20040507000Z" -- May 7, 2004
DESCRIPTION "Registration of new IANAifType 225."

REVISION "20030825000Z" -- Aug 25, 2003
DESCRIPTION "Deprecated IANAifTypes 7 and 11. Obsoleted
IANAifTypes 62, 69, and 117. ethernetCsmacd (6)
should be used instead of these values"

REVISION "20030818000Z"
-- Aug 18, 2003
DESCRIPTION "Registration of new IANAifType
224."

REVISION "20030807000Z" -- Aug 7, 2003
DESCRIPTION "Registration of new IANAifTypes
222 and 223."

REVISION "200303180000Z" -- Mar 18, 2003
DESCRIPTION "Registration of new IANAifType
221."

REVISION "200301130000Z" -- Jan 13, 2003
DESCRIPTION "Registration of new IANAifType
220."

REVISION "200210170000Z" -- Oct 17, 2002
DESCRIPTION "Registration of new IANAifType
219."

REVISION "200207160000Z" -- Jul 16, 2002
DESCRIPTION "Registration of new IANAifTypes
217 and 218."

REVISION "200207100000Z" -- Jul 10, 2002
DESCRIPTION "Registration of new IANAifTypes
215 and 216."

REVISION "200206190000Z" -- Jun 19, 2002
DESCRIPTION "Registration
of new IANAifType
214."

REVISION "200201040000Z" -- Jan 4, 2002
DESCRIPTION "Registration of new IANAifTypes
211, 212 and 213."

REVISION "200112200000Z" -- Dec 20, 2001
DESCRIPTION "Registration of new IANAifTypes
209 and 210."

REVISION "200111150000Z" -- Nov 15, 2001
DESCRIPTION "Registration of new IANAifTypes
207 and 208."

REVISION "200111060000Z" -- Nov 6, 2001
DESCRIPTION "Registration of new IANAifType
206."

REVISION "200111020000Z" -- Nov 2, 2001
DESCRIPTION "Registration of new IANAifType
205."

REVISION "200110160000Z" -- Oct 16, 2001
DESCRIPTION "Registration of new IANAifTypes
199, 200, 201, 202, 203, and 204."

REVISION "200109190000Z" -- Sept 19, 2001
DESCRIPTION "Registration
of new IANAifType
198."

REVISION "200105110000Z" -- May 11, 2001
DESCRIPTION "Registration of new IANAifType
197."

REVISION "200101120000Z" -- Jan 12, 2001
DESCRIPTION "Registration of new IANAifTypes
195 and 196."

REVISION "200012190000Z" -- Dec 19, 2000
DESCRIPTION "Registration of new IANAifTypes
193 and 194."

REVISION "200012070000Z" -- Dec 07, 2000
DESCRIPTION "Registration of new IANAifTypes
191 and 192."

REVISION "200012040000Z" -- Dec 04, 2000
DESCRIPTION "Registration of new IANAifType
190."

REVISION "200010170000Z" -- Oct 17, 2000
DESCRIPTION "Registration of new IANAifTypes
188 and 189."

REVISION "200010020000Z" -- Oct 02, 2000
DESCRIPTION "Registration of new IANAifType
187."

REVISION "200009010000Z" -- Sept 01, 2000
DESCRIPTION "Registration of new IANAifTypes
184, 185, and 186."

REVISION "200008240000Z" -- Aug 24, 2000
DESCRIPTION "Registration of new IANAifType 183."

REVISION "200008230000Z" -- Aug 23, 2000

DESCRIPTION "Registration of new IANAifTypes
174-182."

REVISION "200008220000Z" -- Aug 22, 2000
DESCRIPTION "Registration of new IANAifTypes 170,
171, 172 and 173."

REVISION "200004250000Z" -- Apr 25, 2000
DESCRIPTION "Registration of new IANAifTypes 168 and 169."

REVISION "200003060000Z" -- Mar 6, 2000
DESCRIPTION "Fixed a missing semi-colon in the IMPORT.
Also cleaned up the REVISION log a bit.
It is not complete, but from now on it will
be maintained and kept up to date with

each

change to this MIB module."

REVISION "199910081430Z" -- Oct 08, 1999
DESCRIPTION "Include new name assignments up to cnr(85).
This is the first version available via the WWW
at: <ftp://ftp.isi.edu/mib/ianaiftype.mib>"

REVISION "199401310000Z" -- Jan 31, 1994
DESCRIPTION "Initial version of this MIB as published in
RFC 1573."

::= { mib-2 30 }

IANAifType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This data type is used as the syntax of the ifType
object in the (updated) definition of MIB-II's
ifTable.

The definition of this textual convention with the
addition of newly assigned values is published
periodically by the IANA, in either the Assigned
Numbers RFC, or some derivative of it specific to
Internet

Network Management number assignments. (The
latest arrangements can be obtained by contacting the
IANA.)

Requests for new values should be made to IANA via
email (iana@iana.org).

The relationship between the assignment of ifType values and of OIDs to particular media-specific MIBs is solely the purview of IANA and is subject to change without notice. Quite often, a media-specific MIB's OID-subtree assignment within MIB-II's 'transmission' subtree will be the same as its ifType value. However, in some circumstances this will not be the case, and implementors must not pre-assume any specific relationship between ifType values and transmission subtree OIDs."

```
SYNTAX INTEGER {
    other(1),      -- none of the following
    regular1822(2),
    hdh1822(3),
    ddnX25(4),
    rfc877x25(5),
    ethernetCsmacd(6), -- for all ethernet-like interfaces,
                        -- regardless of speed, as per RFC3635
    iso88023Csmacd(7), -- Deprecated via RFC3635
                        -- ethernetCsmacd (6) should be used instead
    iso88024TokenBus(8),
    iso88025TokenRing(9),
    iso88026Man(10),
    starLan(11), -- Deprecated via RFC3635
                -- ethernetCsmacd (6) should be used instead
    proteon10Mbit(12),
    proteon80Mbit(13),
    hyperchannel(14),
    fddi(15),
    lapb(16),
    sdlc(17),
    ds1(18),      -- DS1-MIB
    e1(19),       -- Obsolete see DS1-MIB
    basicISDN(20),
-- no longer used
                -- see also RFC2127
    primaryISDN(21), -- no longer used
                -- see also RFC2127
    propPointToPointSerial(22), -- proprietary serial
    ppp(23),
    softwareLoopback(24),
    eon(25),      -- CLNP over IP
    ethernet3Mbit(26),
    nsip(27),     -- XNS over IP
    slip(28),     -- generic SLIP
    ultra(29),   -- ULTRA technologies
    ds3(30),     -- DS3-MIB
```

```

sip(31),          -- SMDS, coffee
frameRelay(32),  -- DTE only.
rs232(33),
para(34),        -- parallel-port
arcnet(35),      -- arcnet
arcnetPlus(36), -- arcnet plus
atm(37),
-- ATM cells
miox25(38),
sonet(39),       -- SONET or SDH
x25ple(40),
iso88022llc(41),
localTalk(42),
smdsDxi(43),
frameRelayService(44), -- FRNETSERV-MIB
v35(45),
hssi(46),
hippi(47),
modem(48),      -- Generic modem
aal5(49),       -- AAL5 over ATM
sonetPath(50),
sonetVT(51),
smdsIcip(52),   -- SMDS InterCarrier Interface
propVirtual(53), -- proprietary virtual/internal
propMultiplexor(54), -- proprietary multiplexing
ieee80212(55),  -- 100BaseVG
fibreChannel(56), -- Fibre Channel
hippiInterface(57), -- HIPPI interfaces
frameRelayInterconnect(58), --
Obsolete use either
    -- frameRelay(32) or
    -- frameRelayService(44).
aflane8023(59), -- ATM Emulated LAN for 802.3
aflane8025(60), -- ATM Emulated LAN for 802.5
cctEmul(61),   -- ATM Emulated circuit
fastEther(62), -- Obsoleted via RFC3635
    -- ethernetCsmacd (6) should be used instead
isdn(63),      -- ISDN and X.25
v11(64),       -- CCITT V.11/X.21
v36(65),       -- CCITT V.36
g703at64k(66), -- CCITT G703 at 64Kbps
g703at2mb(67), -- Obsolete see DS1-MIB
qllc(68),      -- SNA QLLC
fastEtherFX(69), -- Obsoleted via RFC3635

-- ethernetCsmacd (6) should be used instead
channel(70),    -- channel
ieee80211(71), -- radio spread spectrum

```

ibm370parChan(72), -- IBM System 360/370 OEMI Channel
 escon(73), -- IBM Enterprise Systems Connection
 dlsw(74), -- Data Link Switching
 isdns(75), -- ISDN S/T interface
 isdnu(76), -- ISDN U interface
 lapd(77), -- Link Access Protocol D
 ipSwitch(78), -- IP Switching Objects
 rsrcb(79), -- Remote Source Route Bridging
 atmLogical(80), -- ATM Logical Port
 ds0(81), -- Digital Signal Level 0
 ds0Bundle(82), -- group of ds0s on the same ds1
 bsc(83), -- Bisynchronous Protocol

 async(84), -- Asynchronous Protocol
 cnr(85), -- Combat Net Radio
 iso88025Dtr(86), -- ISO 802.5r DTR
 eplrs(87), -- Ext Pos Loc Report Sys
 arap(88), -- Appletalk Remote Access Protocol
 propCnls(89), -- Proprietary Connectionless Protocol
 hostPad(90), -- CCITT-ITU X.29 PAD Protocol
 termPad(91), -- CCITT-ITU X.3 PAD Facility
 frameRelayMPI(92), -- Multiproto Interconnect over FR
 x213(93), -- CCITT-ITU X213
 adsl(94), -- Asymmetric Digital Subscriber Loop
 radsl(95), -- Rate-Adapt. Digital Subscriber Loop
 sdsl(96), -- Symmetric Digital Subscriber Loop
 vdsl(97), -- Very H-Speed Digital Subscrib. Loop
 iso88025CRFPInt(98),
 -- ISO 802.5 CRFP
 myrinet(99), -- Myricom Myrinet
 voiceEM(100), -- voice receive and transmit
 voiceFXO(101), -- voice Foreign Exchange Office
 voiceFXS(102), -- voice Foreign Exchange Station
 voiceEncap(103), -- voice encapsulation
 voiceOverIp(104), -- voice over IP encapsulation
 atmDxi(105), -- ATM DXI
 atmFuni(106), -- ATM FUNI
 atmIma (107), -- ATM IMA
 pppMultilinkBundle(108), -- PPP Multilink Bundle
 ipOverCdlc (109), -- IBM ipOverCdlc
 ipOverClaw (110), -- IBM Common Link Access to Workstn
 stackToStack (111), -- IBM stackToStack
 virtualIpAddress (112), -- IBM VIPA
 mpc (113), -- IBM multi-protocol channel support

 ipOverAtm (114), -- IBM ipOverAtm
 iso88025Fiber (115), -- ISO 802.5j Fiber Token Ring
 tdlc (116), -- IBM twinaxial data link control

gigabitEthernet (117), -- Obsoleted via RFC3635
 -- ethernetCsmacd (6) should be used instead
 hdlc (118), -- HDLC
 lapf (119), -- LAP F
 v37 (120), -- V.37
 x25mlp (121), -- Multi-Link Protocol
 x25huntGroup (122), -- X25 Hunt Group
 trasnpHdlc (123), -- Transp HDLC
 interleave (124), -- Interleave channel
 fast (125), -- Fast channel
 ip (126), -- IP (for APPN HPR in IP networks)
 docsCableMaclayer (127), -- CATV Mac Layer
 docsCableDownstream (128), -- CATV Downstream interface
 docsCableUpstream
 (129), -- CATV Upstream interface
 a12MppSwitch (130), -- Avalon Parallel Processor
 tunnel (131), -- Encapsulation interface
 coffee (132), -- coffee pot
 ces (133), -- Circuit Emulation Service
 atmSubInterface (134), -- ATM Sub Interface
 l2vlan (135), -- Layer 2 Virtual LAN using 802.1Q
 l3ipvlan (136), -- Layer 3 Virtual LAN using IP
 l3ipxvlan (137), -- Layer 3 Virtual LAN using IPX
 digitalPowerline (138), -- IP over Power Lines
 mediaMailOverIp (139), -- Multimedia Mail over IP
 dtm (140), -- Dynamic synchronous Transfer Mode
 dcn (141), -- Data Communications Network
 ipForward (142), -- IP Forwarding Interface
 msdsl (143), -- Multi-rate Symmetric DSL

 ieee1394 (144), -- IEEE1394 High Performance Serial Bus
 if-gsn (145), -- HIPPI-6400
 dvbRccMacLayer (146), -- DVB-RCC MAC Layer
 dvbRccDownstream (147), -- DVB-RCC Downstream Channel
 dvbRccUpstream (148), -- DVB-RCC Upstream Channel
 atmVirtual (149), -- ATM Virtual Interface
 mplsTunnel (150), -- MPLS Tunnel Virtual Interface
 srp (151), -- Spatial Reuse Protocol
 voiceOverAtm (152), -- Voice Over ATM
 voiceOverFrameRelay (153), -- Voice Over Frame Relay
 idsl (154), -- Digital Subscriber Loop over ISDN
 compositeLink (155), -- Avici Composite Link Interface
 ss7SigLink (156), -- SS7 Signaling Link
 propWirelessP2P (157), -- Prop. P2P wireless interface
 frForward (158), -- Frame Forward Interface
 rfc1483 (159), -- Multiprotocol over ATM AAL5
 usb (160), -- USB Interface
 ieee8023adLag (161), -- IEEE 802.3ad Link Aggregate

bgppolicyaccounting (162), -- BGP Policy Accounting
 frf16MfrBundle (163), -- FRF .16 Multilink Frame Relay
 h323Gatekeeper (164), -- H323 Gatekeeper
 h323Proxy (165), -- H323 Voice and Video Proxy
 mpls (166), -- MPLS
 mfSigLink (167), -- Multi-frequency signaling link
 hdsl2 (168), -- High Bit-Rate DSL - 2nd generation
 shdsl (169), -- Multirate HDSL2
 ds1FDL (170), -- Facility Data Link 4Kbps on a DS1
 pos (171), -- Packet over SONET/SDH Interface
 dvbAsiIn (172), -- DVB-ASI Input
 dvbAsiOut (173), -- DVB-ASI Output
 plc (174), -- Power Line Communications
 nfas (175), -- Non Facility Associated Signaling
 tr008 (176), -- TR008
 gr303RDT (177), -- Remote Digital Terminal
 gr303IDT (178), -- Integrated Digital Terminal
 isup (179), -- ISUP
 propDocsWirelessMaclayer (180), -- Cisco proprietary Maclayer
 propDocsWirelessDownstream (181), -- Cisco proprietary Downstream
 propDocsWirelessUpstream (182), -- Cisco proprietary Upstream
 hiperlan2 (183), -- HIPERLAN Type 2 Radio Interface
 propBWApt2Mp (184), -- PropBroadbandWirelessAccesspt2multipt
 -- use of this iftype for IEEE 802.16 WMAN
 -- interfaces as per IEEE Std 802.16f is
 -- deprecated and ifType 237 should be used instead.
 sonetOverheadChannel (185), -- SONET Overhead Channel
 digitalWrapperOverheadChannel
 (186), -- Digital Wrapper
 aal2 (187), -- ATM adaptation layer 2
 radioMAC (188), -- MAC layer over radio links
 atmRadio (189), -- ATM over radio links
 imt (190), -- Inter Machine Trunks
 mvl (191), -- Multiple Virtual Lines DSL
 reachDSL (192), -- Long Reach DSL
 frDlciEndPt (193), -- Frame Relay DLCI End Point
 atmVciEndPt (194), -- ATM VCI End Point
 opticalChannel (195), -- Optical Channel
 opticalTransport (196), -- Optical Transport
 propAtm (197), -- Proprietary ATM
 voiceOverCable (198), -- Voice Over Cable Interface
 infiniband (199), -- Infiniband
 teLink (200), -- TE Link
 q2931 (201), -- Q.2931
 virtualTg (202), -- Virtual Trunk Group

 sipTg (203), -- SIP Trunk Group
 sipSig (204), -- SIP Signaling

```

docsCableUpstreamChannel (205), -- CATV Upstream Channel
econet (206), -- Acorn Econet
pon155 (207), -- FSAN 155Mb Symetrical PON interface
pon622 (208), -- FSAN622Mb Symetrical PON interface
bridge (209), -- Transparent bridge interface
linegroup (210), -- Interface common to multiple lines
voiceEMFGD (211), -- voice E&M Feature Group D
voiceFGDEANA (212), -- voice FGD Exchange Access North American
voiceDID (213), -- voice Direct Inward Dialing
mpegTransport (214), -- MPEG transport interface
sixToFour (215), -- 6to4 interface (DEPRECATED)
gtp (216), -- GTP (GPRS Tunneling Protocol)
pdnEtherLoop1 (217), -- Paradyne EtherLoop 1
pdnEtherLoop2
(218), -- Paradyne EtherLoop 2
    opticalChannelGroup (219), -- Optical Channel Group
    homepna (220), -- HomePNA ITU-T G.989
    gfp (221), -- Generic Framing Procedure (GFP)
    ciscoISLvlan (222), -- Layer 2 Virtual LAN using Cisco ISL
    actelisMetaLOOP (223), -- Acteleis proprietary MetaLOOP High Speed Link
    fcipLink (224), -- FCIP Link
    rpr (225), -- Resilient Packet Ring Interface Type
    qam (226), -- RF Qam Interface
    lmp (227), -- Link Management Protocol
    cbIVectaStar (228), -- Cambridge Broadband Networks Limited VectaStar
    docsCableMCmtsDownstream (229), -- CATV Modular CMTS Downstream Interface
    adsl2 (230), -- Asymmetric Digital Subscriber Loop Version 2
        -- (DEPRECATED/OBSOLETED - please use adsl2plus 238 instead)

macSecControlledIF (231), -- MACSecControlled
    macSecUncontrolledIF (232), -- MACSecUncontrolled
    aviciOpticalEther (233), -- Avici Optical Ethernet Aggregate
    atmbond (234), -- atmbond
    voiceFGDOS (235), -- voice FGD Operator Services
    mocaVersion1 (236), -- MultiMedia over Coax Alliance (MoCA) Interface
        -- as documented in information provided privately to IANA
    ieee80216WMAN (237), -- IEEE 802.16 WMAN interface
    adsl2plus (238), -- Asymmetric Digital Subscriber Loop Version 2,
        -- Version 2 Plus and all variants
    dvbRcsMacLayer (239), -- DVB-RCS MAC Layer
    dvbTdm (240), -- DVB Satellite TDM
    dvbRcsTdma (241), -- DVB-RCS TDMA
    x86Laps (242), -- LAPS based on ITU-T X.86/Y.1323
    wwanPP (243), -- 3GPP

WWAN
    wwanPP2 (244) -- 3GPP2 WWAN
}

```

IANA_tunnelType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The encapsulation method used by a tunnel. The value direct indicates that a packet is encapsulated directly within a normal IP header, with no intermediate header, and unicast to the remote tunnel endpoint (e.g., an RFC 2003 IP-in-IP tunnel, or an RFC 1933 IPv6-in-IPv4 tunnel). The value minimal indicates that a Minimal Forwarding Header (RFC 2004) is inserted between the outer header and the payload packet. The value UDP indicates that the payload packet is encapsulated within a normal UDP packet (e.g., RFC 1234).

The values sixToFour, sixOverFour, and isatap indicates that an IPv6 packet is encapsulated directly within an IPv4 header, with no intermediate header, and unicast to the destination determined by the 6to4, 6over4, or ISATAP protocol.

The remaining protocol-specific values indicate that a header of the protocol of that name is inserted between the outer header and the payload header.

The assignment policy for IANA_tunnelType values is identical to the policy for assigning IANA_ifType values."

SYNTAX INTEGER {

other(1), -- none of the following
direct(2), -- no intermediate header
gre(3), -- GRE encapsulation
minimal(4), -- Minimal encapsulation
l2tp(5), -- L2TP encapsulation
pptp(6), -- PPTP encapsulation
l2f(7), -- L2F encapsulation
udp(8), -- UDP encapsulation
atmp(9), -- ATMP encapsulation

msdp(10), -- MSDP encapsulation
sixToFour(11), -- 6to4 encapsulation
sixOverFour(12), -- 6over4 encapsulation
isatap(13), -- ISATAP encapsulation
teredo(14) -- Teredo encapsulation

}

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/iana/IANAifType-MIB

No license file was found, but licenses were detected in source scan.

RFC1158-MIB DEFINITIONS ::= BEGIN

IMPORTS

 mgmt, OBJECT-TYPE, NetworkAddress, IPAddress,
 Counter, Gauge, TimeTicks
 FROM RFC1155-SMI;

DisplayString ::=

 OCTET STRING

mib-2 OBJECT IDENTIFIER ::= { mgmt 1 } -- MIB-II
 -- (same prefix as MIB-I)

system OBJECT IDENTIFIER ::= { mib-2 1 }

interfaces OBJECT IDENTIFIER ::= { mib-2 2 }

at OBJECT IDENTIFIER ::= { mib-2 3 }

ip OBJECT IDENTIFIER ::= { mib-2 4 }

icmp OBJECT IDENTIFIER ::= { mib-2 5 }

tcp OBJECT IDENTIFIER ::= { mib-2 6 }

udp OBJECT IDENTIFIER ::= { mib-2 7 }

egp OBJECT IDENTIFIER ::= { mib-2 8 }

-- cmot OBJECT IDENTIFIER ::= { mib-2 9 }

transmission OBJECT IDENTIFIER ::= { mib-2 10 }

snmp OBJECT IDENTIFIER ::= { mib-2 11 }

-- object types

-- the System group

sysDescr OBJECT-TYPE

 SYNTAX DisplayString (SIZE (0..255))

 ACCESS read-only

 STATUS mandatory

 ::= { system 1 }

sysObjectID OBJECT-TYPE

 SYNTAX OBJECT IDENTIFIER

 ACCESS read-only

 STATUS mandatory

 ::= { system 2 }

sysUpTime OBJECT-TYPE

SYNTAX TimeTicks

ACCESS read-only

STATUS mandatory

::= { system 3 }

sysContact OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

::= { system 4 }

sysName OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-write

STATUS mandatory

::= { system 5 }

sysLocation OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

ACCESS read-only

STATUS mandatory

::= { system 6 }

sysServices OBJECT-TYPE

SYNTAX INTEGER (0..127)

ACCESS read-only

STATUS mandatory

::= { system 7 }

-- the Interfaces group

ifNumber OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS

mandatory

::= { interfaces 1 }

-- the Interfaces table

ifTable OBJECT-TYPE

SYNTAX SEQUENCE OF IfEntry

ACCESS read-only

STATUS mandatory

::= { interfaces 2 }

ifEntry OBJECT-TYPE
SYNTAX IfEntry
ACCESS read-only
STATUS mandatory
::= { ifTable 1 }

IfEntry ::= SEQUENCE {
ifIndex
INTEGER,
ifDescr
DisplayString,
ifType
INTEGER,
ifMtu
INTEGER,
ifSpeed
Gauge,
ifPhysAddress
OCTET STRING,
ifAdminStatus
INTEGER,
ifOperStatus
INTEGER,
ifLastChange
TimeTicks,
ifInOctets
Counter,
ifInUcastPkts
Counter,
ifInNUcastPkts
Counter,
ifInDiscards
Counter,
ifInErrors
Counter,
ifInUnknownProtos
Counter,
ifOutOctets
Counter,
ifOutUcastPkts
Counter,
ifOutNUcastPkts
Counter,
ifOutDiscards
Counter,
ifOutErrors
Counter,
ifOutQLen

```
Gauge,  
ifSpecific  
  OBJECT IDENTIFIER  
}
```

```
ifIndex OBJECT-TYPE  
  SYNTAX INTEGER  
  ACCESS read-only  
  STATUS mandatory  
  ::= { ifEntry 1 }
```

```
ifDescr OBJECT-TYPE  
  SYNTAX DisplayString (SIZE (0..255))  
  ACCESS read-only  
  STATUS mandatory  
  ::= { ifEntry 2 }
```

```
ifType OBJECT-TYPE  
  SYNTAX INTEGER {  
    other(1),      -- none of the  
                  -- following  
    regular1822(2),  
    hdh1822(3),  
    ddn-x25(4),  
    rfc877-x25(5),  
    ethernet-csmacd(6),  
    iso88023-csmacd(7),  
    iso88024-tokenBus(8),  
    iso88025-tokenRing(9),  
    iso88026-man(10),  
    starLan(11),  
    proteon-10Mbit(12),  
    proteon-80Mbit(13),  
    hyperchannel(14),  
    fddi(15),  
    lapb(16),  
    sdlc(17),  
    t1-carrier(18),  
    cept(19),     -- european  
                  --equivalent of T-1  
    basicISDN(20),  
    primaryISDN(21),  
                  -- proprietary  
                  -- serial  
    propPointToPointSerial(22),  
    terminalServer-asyncPort(23),  
    softwareLoopback(24),  
    eon(25),      -- CLNP over IP
```

```

        ethernet-3Mbit(26),
        nsip(27),      -- XNS over IP
        slip(28)      -- generic SLIP
    }
ACCESS read-only
STATUS mandatory
::= { ifEntry 3 }

ifMtu OBJECT-TYPE
    SYNTAX INTEGER
    ACCESS read-only
    STATUS mandatory
    ::= { ifEntry 4 }

ifSpeed
OBJECT-TYPE
    SYNTAX Gauge
    ACCESS read-only
    STATUS mandatory
    ::= { ifEntry 5 }

ifPhysAddress OBJECT-TYPE
    SYNTAX OCTET STRING
    ACCESS read-only
    STATUS mandatory
    ::= { ifEntry 6 }

ifAdminStatus OBJECT-TYPE
    SYNTAX INTEGER {
        up(1),  -- ready to pass packets
        down(2),
        testing(3) -- in some test mode
    }
    ACCESS read-write
    STATUS mandatory
    ::= { ifEntry 7 }

ifOperStatus OBJECT-TYPE
    SYNTAX INTEGER {
        up(1),  -- ready to pass packets
        down(2),
        testing(3) -- in some test mode
    }
    ACCESS read-only
    STATUS mandatory
    ::= { ifEntry 8 }

ifLastChange OBJECT-TYPE

```

SYNTAX TimeTicks
ACCESS read-only
STATUS mandatory
::= { ifEntry 9 }

ifInOctets OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 10 }

ifInUcastPkts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 11 }

ifInNUcastPkts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 12 }

ifInDiscards OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 13 }

ifInErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 14 }

ifInUnknownProtos OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 15 }

ifOutOctets OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 16 }

ifOutUcastPkts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 17 }

ifOutNUcastPkts

OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 18 }

ifOutDiscards OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 19 }

ifOutErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ifEntry 20 }

ifOutQLen OBJECT-TYPE

SYNTAX Gauge
ACCESS read-only
STATUS mandatory
::= { ifEntry 21 }

ifSpecific OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER
ACCESS read-only
STATUS mandatory
::= { ifEntry 22 }

nullSpecific OBJECT IDENTIFIER ::= { 0 0 }

-- the Address Translation group (deprecated)

atTable OBJECT-TYPE

SYNTAX SEQUENCE OF AtEntry
ACCESS read-write
STATUS deprecated
::= { at 1 }

atEntry OBJECT-TYPE

SYNTAX AtEntry

ACCESS read-write
STATUS deprecated
::= { atTable 1 }

AtEntry ::=
SEQUENCE {
 atIfIndex
 INTEGER,
 atPhysAddress
 OCTET STRING,
 atNetAddress
 NetworkAddress
}

atIfIndex OBJECT-TYPE
 SYNTAX INTEGER
 ACCESS read-write
 STATUS deprecated
 ::= { atEntry 1 }

atPhysAddress OBJECT-TYPE
 SYNTAX OCTET STRING
 ACCESS read-write
 STATUS deprecated
 ::= { atEntry 2 }

atNetAddress OBJECT-TYPE
 SYNTAX NetworkAddress
 ACCESS read-write
 STATUS deprecated
 ::= { atEntry 3 }

-- the IP group

ipForwarding OBJECT-TYPE
 SYNTAX INTEGER {
 gateway(1), -- entity forwards
 -- datagrams
 host(2) -- entity does NOT
 -- forward datagrams
 }
 ACCESS read-write
 STATUS mandatory
 ::= { ip 1 }

ipDefaultTTL OBJECT-TYPE
 SYNTAX INTEGER

ACCESS read-write
STATUS mandatory
::=
{ ip 2 }

ipInReceives OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 3 }

ipInHdrErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 4 }

ipInAddrErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 5 }

ipForwDatagrams OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 6 }

ipInUnknownProtos OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 7 }

ipInDiscards OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 8 }

ipInDelivers OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 9 }

ipOutRequests OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= {
ip 10 }

ipOutDiscards OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 11 }

ipOutNoRoutes OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 12 }

ipReasmTimeout OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-only
STATUS mandatory
::= { ip 13 }

ipReasmReqds OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 14 }

ipReasmOKs OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 15 }

ipReasmFails OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 16 }

ipFragOKs OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 17 }

ipFragFails OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 18 }

ipFragCreates

OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { ip 19 }

-- the IP Interface table

ipAddrTable OBJECT-TYPE

SYNTAX SEQUENCE OF IpAddrEntry
ACCESS read-only
STATUS mandatory
::= { ip 20 }

ipAddrEntry OBJECT-TYPE

SYNTAX IpAddrEntry
ACCESS read-only
STATUS mandatory
::= { ipAddrTable 1 }

IpAddrEntry ::= SEQUENCE {

ipAdEntAddr
 IpAddress,
ipAdEntIfIndex
 INTEGER,
ipAdEntNetMask
 IpAddress,
ipAdEntBcastAddr
 INTEGER,
ipAdEntReasmMaxSize
 INTEGER (0..65535)
}

ipAdEntAddr OBJECT-TYPE

SYNTAX IpAddress
ACCESS read-only
STATUS mandatory
::= { ipAddrEntry 1 }

ipAdEntIfIndex OBJECT-TYPE

SYNTAX INTEGER

```

ACCESS read-only
STATUS mandatory
::= { ipAddrEntry 2 }

ipAdEntNetMask OBJECT-TYPE
    SYNTAX IpAddress
    ACCESS read-only
    STATUS mandatory
    ::= { ipAddrEntry 3 }

ipAdEntBcastAddr OBJECT-TYPE
    SYNTAX INTEGER
    ACCESS read-only
    STATUS mandatory
    ::= { ipAddrEntry 4 }

ipAdEntReasmMaxSize OBJECT-TYPE
    SYNTAX INTEGER (0..65535)
    ACCESS read-only
    STATUS mandatory
    ::= { ipAddrEntry 5 }

-- the IP Routing table

ipRoutingTable OBJECT-TYPE
    SYNTAX SEQUENCE OF IpRouteEntry
    ACCESS read-write
    STATUS mandatory
    ::= { ip 21 }

ipRouteEntry OBJECT-TYPE
    SYNTAX IpRouteEntry
    ACCESS read-write
    STATUS mandatory
    ::= { ipRoutingTable 1 }

IpRouteEntry ::= SEQUENCE {
    ipRouteDest
        IpAddress,
    ipRouteIfIndex
        INTEGER,
    ipRouteMetric1
        INTEGER,
    ipRouteMetric2
        INTEGER,
    ipRouteMetric3
        INTEGER,
    ipRouteMetric4

```

```
    INTEGER,  
    ipRouteNextHop  
        IPAddress,  
    ipRouteType  
        INTEGER,  
    ipRouteProto  
        INTEGER,  
    ipRouteAge  
        INTEGER,  
    ipRouteMask  
        IPAddress  
}
```

ipRouteDest OBJECT-TYPE

```
SYNTAX IPAddress  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 1 }
```

ipRouteIfIndex OBJECT-TYPE

```
SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 2 }
```

ipRouteMetric1 OBJECT-TYPE

```
SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 3 }
```

ipRouteMetric2 OBJECT-TYPE

```
SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 4 }
```

ipRouteMetric3 OBJECT-TYPE

```
SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 5 }
```

ipRouteMetric4 OBJECT-TYPE

```
SYNTAX INTEGER  
ACCESS read-write  
STATUS mandatory  
::= { ipRouteEntry 6 }
```

ipRouteNextHop OBJECT-TYPE

SYNTAX IpAddress
ACCESS read-write
STATUS mandatory

::= { ipRouteEntry 7 }

ipRouteType OBJECT-TYPE

SYNTAX INTEGER {
 other(1), -- none of the following

 invalid(2), -- an invalidated route

 -- route to directly
 direct(3), -- connected
 -- (sub-)network

 -- route to a non-local
 remote(4) -- host/network/
 -- sub-network
}

ACCESS read-write
STATUS mandatory
::= { ipRouteEntry 8 }

ipRouteProto OBJECT-TYPE

SYNTAX INTEGER {
 other(1), -- none of the following

 -- non-protocol
 -- information

 -- e.g., manually
 local(2), -- configured entries

 -- set via a network
 netmgmt(3),
-- management protocol

 -- obtained via ICMP,
 icmp(4), -- e.g., Redirect

 -- the following are
 -- gateway routing
 -- protocols
 egp(5),
 ggp(6),

```
        hello(7),
        rip(8),
        is-is(9),
        es-is(10),
        ciscoIgrp(11),
        bbnSpfIgp(12),
        ospf(13),
        bgp(14)
    }
ACCESS read-only
STATUS mandatory
::= { ipRouteEntry 9 }
```

```
ipRouteAge OBJECT-TYPE
SYNTAX INTEGER
ACCESS read-write
STATUS mandatory
::= { ipRouteEntry 10 }
```

```
ipRouteMask OBJECT-TYPE
SYNTAX IpAddress
ACCESS read-write
STATUS mandatory
::= { ipRouteEntry 11 }
```

-- the IP Address Translation tables

```
ipNetToMediaTable
OBJECT-TYPE
SYNTAX SEQUENCE OF IpNetToMediaEntry
ACCESS read-write
STATUS mandatory
::= { ip 22 }
```

```
ipNetToMediaEntry OBJECT-TYPE
SYNTAX IpNetToMediaEntry
ACCESS read-write
STATUS mandatory
::= { ipNetToMediaTable 1 }
```

```
IpNetToMediaEntry ::= SEQUENCE {
    ipNetToMediaIfIndex
        INTEGER,
    ipNetToMediaPhysAddress
        OCTET STRING,
    ipNetToMediaNetAddress
        IpAddress,
    ipNetToMediaType
```

```

    INTEGER
}

ipNetToMediaIfIndex OBJECT-TYPE
    SYNTAX INTEGER
    ACCESS read-write
    STATUS mandatory
    ::= { ipNetToMediaEntry 1 }

ipNetToMediaPhysAddress OBJECT-TYPE
    SYNTAX OCTET STRING
    ACCESS read-write
    STATUS mandatory
    ::= { ipNetToMediaEntry 2 }

ipNetToMediaNetAddress OBJECT-TYPE
    SYNTAX IpAddress
    ACCESS read-write
    STATUS mandatory
    ::= { ipNetToMediaEntry 3 }

ipNetToMediaType OBJECT-TYPE

    SYNTAX INTEGER {
        other(1), -- none of the following

        invalid(2), -- an invalidated mapping
        dynamic(3), -- connected (sub-)network

        static(4)
    }
    ACCESS read-write
    STATUS mandatory
    ::= { ipNetToMediaEntry 4 }

-- the ICMP group

icmpInMsgs OBJECT-TYPE
    SYNTAX Counter
    ACCESS read-only
    STATUS mandatory
    ::= { icmp 1 }

icmpInErrors OBJECT-TYPE
    SYNTAX Counter
    ACCESS read-only
    STATUS mandatory
    ::= { icmp 2 }

```

icmpInDestUnreachs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 3 }

icmpInTimeExcds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 4 }

icmpInParmProbs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 5 }

icmpInSrcQuenchs

OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 6 }

icmpInRedirects OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 7 }

icmpInEchos OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 8 }

icmpInEchoReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 9 }

icmpInTimestamps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 10 }

icmpInTimestampReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 11 }

icmpInAddrMasks OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 12 }

icmpInAddrMaskReps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 13 }

icmpOutMsgs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 14 }

icmpOutErrors OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 15 }

icmpOutDestUnreachs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 16 }

icmpOutTimeExcds OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { icmp 17 }

icmpOutParmProbs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory
::= { icmp 18 }

icmpOutSrcQuenches OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 19 }

icmpOutRedirects OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 20 }

icmpOutEchos OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 21 }

icmpOutEchoReps OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 22 }

icmpOutTimestamps OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 23 }

icmpOutTimestampReps OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 24 }

icmpOutAddrMasks OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { icmp 25 }

icmpOutAddrMaskReps OBJECT-TYPE

SYNTAX Counter
ACCESS read-only

```

STATUS mandatory
::= { icmp 26 }

-- the TCP group

tcpRtoAlgorithm OBJECT-TYPE
    SYNTAX INTEGER {
        other(1), -- none of the following
        constant(2), -- a constant rto
        rsre(3), -- MIL-STD-1778,
                -- Appendix B

        vanj(4) -- Van Jacobson's
                -- algorithm
    }
    ACCESS read-only
    STATUS mandatory
    ::= { tcp 1 }

tcpRtoMin OBJECT-TYPE
    SYNTAX INTEGER
    ACCESS read-only
    STATUS mandatory
    ::= { tcp 2 }

tcpRtoMax OBJECT-TYPE
    SYNTAX INTEGER
    ACCESS read-only
    STATUS mandatory
    ::= { tcp 3 }

tcpMaxConn OBJECT-TYPE
    SYNTAX INTEGER
    ACCESS read-only
    STATUS mandatory
    ::= { tcp 4 }

tcpActiveOpens OBJECT-TYPE
    SYNTAX Counter
    ACCESS read-only
    STATUS mandatory
    ::= { tcp 5 }

tcpPassiveOpens OBJECT-TYPE
    SYNTAX Counter
    ACCESS read-only
    STATUS mandatory

```

::= { tcp 6 }

tcpAttemptFails OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 7 }

tcpEstabResets OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 8 }

tcpCurrEstab OBJECT-TYPE

SYNTAX Gauge

ACCESS read-only

STATUS mandatory

::= { tcp 9 }

tcpInSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 10 }

tcpOutSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 11 }

tcpRetransSegs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { tcp 12 }

-- the TCP connections table

tcpConnTable OBJECT-TYPE

SYNTAX SEQUENCE OF TcpConnEntry

ACCESS read-only

STATUS mandatory

::= { tcp 13 }

tcpConnEntry OBJECT-TYPE

SYNTAX TcpConnEntry
ACCESS read-only
STATUS mandatory
::= { tcpConnTable 1 }

TcpConnEntry ::= SEQUENCE {
tcpConnState
INTEGER,
tcpConnLocalAddress
IpAddress,
tcpConnLocalPort
INTEGER (0..65535),
tcpConnRemAddress
IpAddress,
tcpConnRemPort
INTEGER (0..65535)
}

tcpConnState OBJECT-TYPE

SYNTAX INTEGER {
closed(1),
listen(2),
synSent(3),
synReceived(4),
established(5),
finWait1(6),
finWait2(7),
closeWait(8),
lastAck(9),
closing(10),
timeWait(11)
}

ACCESS read-only
STATUS mandatory
::= { tcpConnEntry 1 }

tcpConnLocalAddress OBJECT-TYPE

SYNTAX IpAddress
ACCESS read-only
STATUS mandatory
::= { tcpConnEntry 2 }

tcpConnLocalPort OBJECT-TYPE

SYNTAX INTEGER (0..65535)
ACCESS read-only
STATUS mandatory
::= { tcpConnEntry 3 }

tcpConnRemAddress OBJECT-TYPE

SYNTAX IpAddress
ACCESS read-only
STATUS mandatory
::= { tcpConnEntry 4 }

tcpConnRemPort OBJECT-TYPE

SYNTAX INTEGER (0..65535)
ACCESS read-only
STATUS mandatory
::= { tcpConnEntry 5 }

-- additional TCP variables

tcpInErrs OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { tcp 14 }

tcpOutRsts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { tcp 15 }

-- the UDP group

udpInDatagrams OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { udp 1 }

udpNoPorts OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { udp 2 }

udpInErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { udp 3 }

udpOutDatagrams OBJECT-TYPE

```

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { udp 4 }

-- the UDP listener table

udpTable
OBJECT-TYPE
    SYNTAX SEQUENCE OF UdpEntry
    ACCESS read-only
    STATUS mandatory
    ::= { udp 5 }

udpEntry OBJECT-TYPE
    SYNTAX UdpEntry
    ACCESS read-only
    STATUS mandatory
    ::= { udpTable 1 }

UdpEntry ::= SEQUENCE {
    udpLocalAddress
        IPAddress,
    udpLocalPort
        INTEGER (0..65535)
}

udpLocalAddress OBJECT-TYPE
    SYNTAX IPAddress
    ACCESS read-only
    STATUS mandatory
    ::= { udpEntry 1 }

udpLocalPort OBJECT-TYPE
    SYNTAX INTEGER (0..65535)
    ACCESS read-only
    STATUS mandatory
    ::= { udpEntry 2 }

-- the EGP group

egpInMsgs OBJECT-TYPE
    SYNTAX Counter
    ACCESS read-only
    STATUS mandatory
    ::= { egp 1 }

egpInErrors OBJECT-TYPE

```

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { egp 2 }

egpOutMsgs OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { egp 3 }

egpOutErrors OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { egp 4 }

-- the EGP Neighbor table

egpNeighTable OBJECT-TYPE

SYNTAX SEQUENCE OF EgpNeighEntry
ACCESS read-only
STATUS mandatory
::= { egp 5 }

egpNeighEntry OBJECT-TYPE

SYNTAX EgpNeighEntry
ACCESS read-only
STATUS mandatory
::= { egpNeighTable 1 }

EgpNeighEntry ::= SEQUENCE {

egpNeighState
INTEGER,
egpNeighAddr
IpAddress,
egpNeighAs
INTEGER,
egpNeighInMsgs
Counter,
egpNeighInErrs
Counter,
egpNeighOutMsgs
Counter,
egpNeighOutErrs
Counter,
egpNeighInErrMsgs
Counter,


```
egpNeighOutErrMsgs
  Counter,
egpNeighStateUps
  Counter,
egpNeighStateDowns
  Counter,
egpNeighIntervalHello
  INTEGER,
egpNeighIntervalPoll
  INTEGER,
egpNeighMode
  INTEGER,
egpNeighEventTrigger
  INTEGER
}
```

egpNeighState OBJECT-TYPE

```
SYNTAX INTEGER {
    idle(1),
    acquisition(2),
    down(3),
    up(4),
    cease(5)
}
```

ACCESS read-only

STATUS mandatory

::= { egpNeighEntry 1 }

egpNeighAddr OBJECT-TYPE

```
SYNTAX IpAddress
```

ACCESS read-only

STATUS mandatory

::= { egpNeighEntry 2 }

egpNeighAs OBJECT-TYPE

```
SYNTAX INTEGER
```

ACCESS read-only

STATUS mandatory

::= { egpNeighEntry 3 }

egpNeighInMsgs OBJECT-TYPE

```
SYNTAX Counter
```

ACCESS read-only

STATUS mandatory

::= { egpNeighEntry 4 }

egpNeighInErrs OBJECT-TYPE

```
SYNTAX Counter
```

ACCESS read-only
STATUS mandatory
::= { egpNeighEntry 5 }

egpNeighOutMsgs OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS

mandatory
::= { egpNeighEntry 6 }

egpNeighOutErrs OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

::= { egpNeighEntry 7 }

egpNeighInErrMsgs OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

::= { egpNeighEntry 8 }

egpNeighOutErrMsgs OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

::= { egpNeighEntry 9 }

egpNeighStateUps OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

::= { egpNeighEntry 10 }

egpNeighStateDowns OBJECT-TYPE

SYNTAX Counter
ACCESS read-only
STATUS mandatory

::= { egpNeighEntry 11 }

egpNeighIntervalHello OBJECT-TYPE

SYNTAX INTEGER
ACCESS read-only
STATUS mandatory

::= { egpNeighEntry 12 }

egpNeighIntervalPoll OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

::= { egpNeighEntry 13 }

egpNeighMode OBJECT-TYPE

SYNTAX INTEGER {

active(1),

passive(2)

}

ACCESS read-only

STATUS mandatory

::= { egpNeighEntry 14 }

egpNeighEventTrigger OBJECT-TYPE

SYNTAX INTEGER {

start(1),

stop(2)

}

ACCESS read-write

STATUS mandatory

::= { egpNeighEntry 15 }

-- additional EGP variables

egpAs OBJECT-TYPE

SYNTAX INTEGER

ACCESS read-only

STATUS mandatory

::= { egp 6 }

-- the Transmission group (empty at present)

-- the SNMP group

snmpInPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 1 }

snmpOutPkts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 2 }

snmpInBadVersions OBJECT-TYPE

SYNTAX Counter

ACCESS

read-only

STATUS mandatory

::= { snmp 3 }

snmpInBadCommunityNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 4 }

snmpInBadCommunityUses OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 5 }

snmpInASNParseErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 6 }

snmpInBadTypes OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 7 }

snmpInTooBigs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 8 }

snmpInNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 9 }

snmpInBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 10 }

snmpInReadOnlys OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 11 }

snmpInGenErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 12 }

snmpInTotalReqVars OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 13 }

snmpInTotalSetVars OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 14 }

snmpInGetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 15 }

snmpInGetNexts OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 16 }

snmpInSetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 17 }

snmpInGetResponses OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 18 }

snmpInTraps OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 19 }

snmpOutTooBigs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 20 }

snmpOutNoSuchNames OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 21 }

snmpOutBadValues OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 22 }

snmpOutReadOnlys OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 23 }

snmpOutGenErrs OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 24 }

snmpOutGetRequests OBJECT-TYPE

SYNTAX Counter

ACCESS read-only

STATUS mandatory

::= { snmp 25 }

snmpOutGetNexts OBJECT-TYPE

SYNTAX Counter

```

ACCESS read-only
STATUS mandatory
::= { snmp 26 }

snmpOutSetRequests OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { snmp 27 }

snmpOutGetResponses OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { snmp 28 }

snmpOutTraps OBJECT-TYPE
SYNTAX Counter
ACCESS read-only
STATUS mandatory
::= { snmp 29 }

snmpEnableAuthTraps OBJECT-TYPE
SYNTAX INTEGER {
    enabled(1),
    disabled(2)
}
ACCESS read-write
STATUS mandatory
::= { snmp 30 }

END

Found in path(s):
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/RFC1158-
MIB
No license file was found, but licenses were detected in source scan.

PKTC-IETF-MTA-MIB DEFINITIONS ::= BEGIN

IMPORTS
MODULE-IDENTITY,
OBJECT-TYPE,
OBJECT-IDENTITY,
Unsigned32,
Counter32,
NOTIFICATION-TYPE,
mib-2

```

FROM SNMPv2-SMI -- [RFC2578]
TEXTUAL-CONVENTION,
RowStatus,
TruthValue
FROM SNMPv2-TC -- [RFC2579]
OBJECT-GROUP,
MODULE-COMPLIANCE,
NOTIFICATION-GROUP
FROM SNMPv2-CONF -- [RFC2580]
InetAddressType,
InetAddress
FROM INET-ADDRESS-MIB -- [RFC4001]
sysDescr
FROM SNMPv2-MIB -- [RFC3418]
SnmAdminString
FROM SNMP-FRAMEWORK-MIB -- [RFC3411]
docsDevSoftwareGroupV2
FROM DOCS-CABLE-DEVICE-MIB -- [RFC4639]
DocsX509ASN1DEREncodedCertificate,
docsBpi2CodeDownloadGroup
FROM DOCS-IETF-BPI2-MIB -- [RFC4131]
LongUtf8String
FROM SYSAPPL-MIB -- [RFC2287]
ifPhysAddress
FROM IF-MIB; -- [RFC2863]

pkcIetfMtaMib MODULE-IDENTITY
LAST-UPDATED "200609180000Z" -- September 18, 2006
ORGANIZATION "IETF IP over Cable Data Network Working Group"
CONTACT-INFO

"Eugene Nechamkin
Broadcom Corporation,
200-13711 International Place,

Richmond, BC, V6V 2Z8
CANADA
Phone: +1 604 233 8500
Email: enechamkin@broadcom.com

Jean-Francois Mule
Cable Television Laboratories, Inc.
858 Coal Creek Circle
Louisville, CO 80027-9750
U.S.A.
Phone: +1 303 661 9100
Email: jf.mule@cablelabs.com

IETF IPCDN Working Group

General Discussion: ipcdn@ietf.org

Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>

Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>

Co-Chair: Jean-Francois Mule, jf.mule@cablelabs.com

Co-Chair: Richard Woundy, Richard_Woundy@cable.comcast.com

DESCRIPTION

"This MIB module defines the basic management object for the Multimedia Terminal Adapter devices compliant with PacketCable and IPCablecom requirements.

Copyright (C) The IETF Trust (2006). This version of this MIB module is part of RFC 4682; see the RFC itself for full legal notices."

REVISION "200609180000Z" -- September 18, 2006

DESCRIPTION

"Initial version, published as RFC 4682."

::= { mib-2 140 }

-- Textual Conventions

PktnMtaDevProvEncryptAlg ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

" This textual convention defines various types of the encryption algorithms used for the encryption of the MTA configuration file. The description of the encryption algorithm for each enumerated value is as follows:

'none(0)' no encryption

is used,

'des64CbcMode(1)' DES 64-bit key in CBC mode,

't3Des192CbcMode(2)' 3DES 192-bit key in CBC mode,

'aes128CbcMode(3)' AES 128-bit key in CBC mode,

'aes256CbcMode(4)' AES 256-bit key in CBC mode."

SYNTAX INTEGER {

none (0),

des64CbcMode (1),

t3Des192CbcMode (2),

aes128CbcMode (3),

```
    aes256CbcMode (4)
}
```

```
-----  
-- The MTA MIB module only supports a single Provisioning Server.  
-----
```

```
pktcMtaNotification OBJECT IDENTIFIER ::= { pkcIetfMtaMib 0 }  
pktcMtaMibObjects OBJECT IDENTIFIER ::= { pkcIetfMtaMib 1 }  
pktcMtaDevBase OBJECT IDENTIFIER ::= { pktcMtaMibObjects 1 }  
pktcMtaDevServer OBJECT IDENTIFIER ::= { pktcMtaMibObjects 2 }  
pktcMtaDevSecurity OBJECT IDENTIFIER ::= { pktcMtaMibObjects 3  
}  
pktcMtaDevErrors OBJECT IDENTIFIER ::= { pktcMtaMibObjects 4 }  
pktcMtaConformance OBJECT IDENTIFIER ::= { pkcIetfMtaMib 2 }
```

```
--  
-- The following pktcMtaDevBase group describes the base MTA objects  
--
```

```
pktcMtaDevResetNow OBJECT-TYPE
```

```
SYNTAX TruthValue
```

```
MAX-ACCESS read-write
```

```
STATUS current
```

```
DESCRIPTION
```

```
" This object controls the MTA software reset.  
Reading this object always returns 'false'. Setting this  
object to 'true' causes the device to reset immediately  
and the following actions to occur:  
1. All connections (if present) are flushed locally.  
2. All current actions such as ringing immediately  
terminate.  
3. Requests for signaling notifications, such as  
notification based on digit map recognition, are  
flushed.  
4. All endpoints are disabled.  
5. The provisioning flow is started at step MTA-1.
```

```
If a value is written into an instance of  
pktcMtaDevResetNow, the agent MUST NOT retain the supplied  
value across MTA re-initializations or reboots."
```

```
REFERENCE
```

```
" PacketCable MTA Device Provisioning Specification."  
::= { pktcMtaDevBase 1 }
```

pktcMtaDevSerialNumber OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object specifies the manufacturer's serial number of this MTA. The value of this object MUST be identical to the value specified in DHCP option 43, sub-option 4. The list of sub-options for DHCP option 43 are defined in the PacketCable MTA Device Provisioning Specification."

REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 2 }

pktcMtaDevSwCurrentVers OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object identifies the software version currently operating in the MTA. The MTA MUST return a string descriptive of the current software load. This object should use the syntax defined by the individual vendor to identify the software version. The data presented in this object MUST be identical to the software version information contained in the 'sysDescr' MIB object of the MTA. The value of this object MUST be identical to the value specified in DHCP option 43, sub-option 6. The list of sub-options for DHCP option 43 are defined in the PacketCable MTA Device Provisioning Specification."

REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 3 }

pktcMtaDevFQDN OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Fully Qualified Domain Name for this MTA. The MTA FQDN is used to uniquely identify the device to the PacketCable back office elements."

::= { pktcMtaDevBase 4 }

pktcMtaDevEndPntCount OBJECT-TYPE

SYNTAX Unsigned32 (1..255)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the number of physical endpoints for this MTA."

::= { pktcMtaDevBase 5 }

pktcMtaDevEnabled OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the MTA Admin Status of this device.

If this object is set to 'true', the MTA is administratively enabled, and the MTA MUST be able to interact with the PacketCable entities, such as CMS, Provisioning Server, KDC, and other MTAs and MGs on all PacketCable interfaces.

If this object is set to 'false', the MTA is administratively

disabled, and the MTA MUST perform the

following actions for all endpoints:

- Shut down all media sessions, if present.
- Shut down Network Control Signaling (NCS) signaling by following the Restart in Progress procedures in the PacketCable NCS specification.

The MTA must execute all actions required to enable or disable the telephony services for all endpoints immediately upon receipt of an SNMP SET operation.

Additionally, the MTA MUST maintain the SNMP Interface for management and also the SNMP Key management interface.

Also, the MTA MUST NOT continue Kerberized key management with CMSes until this object is set to 'true'.

Note: MTAs MUST renew the CMS Kerberos tickets according to the PacketCable Security or IPCablecom Specification.

If a value is written into an instance

of

pktcMtaDevEnabled, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
PacketCable Security Specification;
PacketCable Network-Based Call Signaling Protocol

Specification."

::= { pktcMtaDevBase 6 }

pktcMtaDevTypeIdentifier OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object provides the MTA device type identifier. The value of this object must be a copy of the DHCP option 60 value exchanged between the MTA and the DHCP server. The DHCP option 60 value contains an ASCII-encoded string identifying capabilities of the MTA as defined in the PacketCable MTA Device Provisioning Specification."

REFERENCE

" RFC 2132, DHCP Options and BOOTP Vendor Extensions;
PacketCable

MTA Device Provisioning Specification."

::= { pktcMtaDevBase 7 }

pktcMtaDevProvisioningState OBJECT-TYPE

SYNTAX INTEGER {

pass (1),

inProgress (2),

failConfigFileError (3),

passWithWarnings (4),

passWithIncompleteParsing (5),

failureInternalError (6),

failureOtherReason (7)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object indicates the completion state of the MTA device provisioning process.

pass:

If the configuration file could be parsed successfully and the MTA is able to reflect the same in its MIB, the MTA MUST return the value 'pass'.

inProgress:

If the MTA is in the process of being provisioned, the MTA MUST return the value 'InProgress'.

failConfigFileError:

If the configuration file was in error due to incorrect values in the mandatory parameters, the MTA MUST reject the configuration file, and the MTA MUST return the value

'failConfigFileError'.

passWithWarnings:

If the configuration file had proper values for all the mandatory parameters but has errors in any of the optional parameters (this includes any vendor-specific Object Identifiers (OIDs) that are incorrect or not known to the MTA), the MTA MUST return the value 'passWithWarnings'.

passWithIncompleteParsing:

If the configuration file is valid but the MTA cannot reflect the same in its configuration (for example, too many entries caused memory exhaustion), it must accept the CMS configuration entries related, and the MTA MUST return the value 'passWithIncompleteParsing'.

failureInternalError:

If the configuration file cannot be parsed due to an Internal error, the MTA MUST return the value 'failureInternalError'.

failureOtherReason:

If the MTA cannot accept the configuration file for any other reason than the ones stated above, the MTA MUST return the value 'failureOtherReason'.

When a final SNMP INFORM is sent as part of Step 25 of the MTA Provisioning process, this parameter is also included in the final INFORM message."

REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= { pktcMtaDevBase 8 }

pktcMtaDevHttpAccess OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object indicates whether the HTTP protocol is supported for the MTA configuration file transfer."

::= { pktcMtaDevBase 9 }

pktcMtaDevProvisioningTimer OBJECT-TYPE

SYNTAX Unsigned32

(0..30)

UNITS "minutes"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines the time interval for the provisioning flow to complete. The MTA MUST finish all provisioning operations starting from the moment when an MTA receives its DHCP ACK and ending at the moment when the MTA downloads its configuration file (e.g., MTA5 to MTA23) within the period of time set by this object.

Failure to comply with this condition constitutes a provisioning flow failure. If the object is set to 0, the MTA MUST ignore the provisioning timer condition.

If a value is written into an instance of pktcMtaDevProvisioningTimer, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification."

DEFVAL { 10 }

::= { pktcMtaDevBase 10 }

pktcMtaDevProvisioningCounter

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object counts the number of times the provisioning cycle has looped through step MTA-1."

::= { pktcMtaDevBase 11 }

pktcMtaDevErrorOidsTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcMtaDevErrorOidsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table contains the list of configuration errors or

warnings the MTA encountered when parsing the configuration file it received from the Provisioning Server.

For each error, an entry is created in this table, containing the configuration parameters the MTA rejected and the associated reason (e.g., wrong or unknown OID, inappropriate object values). If the MTA did not report a provisioning state of 'pass(1)' in the pktcMtaDevProvisioningState object, this

table MUST be

populated for each error or warning instance. Even if different parameters share the same error type (e.g., all realm name configuration parameters are invalid), all observed errors or warnings must be reported as different instances. Errors are placed into the table in no particular order. The table MUST be cleared each time

the MTA reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification."

::= {pktcMtaDevBase 12 }

pktcMtaDevErrorOidsEntry OBJECT-TYPE

SYNTAX PkctMtaDevErrorOidsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This entry contains the necessary information the MTA MUST attempt to provide in case of configuration file errors or warnings."

INDEX { pkctMtaDevErrorOidIndex }

::= {pktcMtaDevErrorOidsTable 1 }

PkctMtaDevErrorOidsEntry ::= SEQUENCE {

pkctMtaDevErrorOidIndex Unsigned32,
pkctMtaDevErrorOid SnmpAdminString,
pkctMtaDevErrorValue SnmpAdminString,
pkctMtaDevErrorReason SnmpAdminString
}

pkctMtaDevErrorOidIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..1024)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object is the index of the MTA configuration error

table. It is an integer value that starts at value '1' and is incremented for each encountered configuration file error or warning.

The maximum number of errors or warnings that can be recorded in the `pktcMtaDevErrorOidsTable` is set to 1024 as a configuration file is usually validated by operators before deployment. Given the possible number of configuration parameter assignments in the MTA configuration file, 1024 is perceived as a sufficient limit even with future extensions.

If the number of the errors in the configuration file exceeds 1024, all errors beyond the 1024th one MUST be ignored and not be reflected in the `pktcMtaDevErrorOidsTable`."

```
::= {pktcMtaDevErrorOidsEntry 1 }
```

`pktcMtaDevErrorOid` OBJECT-TYPE

SYNTAX `SnmpAdminString`

MAX-ACCESS `read-only`

STATUS `current`

DESCRIPTION

" This object contains a human readable representation (character string) of the OID corresponding to the configuration file parameter that caused the particular error.

For example, if the value of the `pktcMtaDevEnabled` object in the configuration file caused an error, then this object instance will contain the human-readable string of '1.3.6.1.2.1.140.1.1.6.0'.

If the MTA generated an error because it was not able to recognize a particular OID, then this object instance would contain an empty value (zero-length string).

For example,

if the value of an OID in the configuration file was interpreted by the MTA as being 1.2.3.4.5, and if the MTA was not able to recognize this OID as a valid one, this object instance will contain a zero-length string.

If the number of errors in the configuration file exceeds 1024, then for all subsequent errors, the

pktcMtaDevErrorOid of the table's 1024th entry MUST contain a human-readable representation of the pktcMtaDevErrorsTooManyErrors object; i.e., the string '1.3.6.1.2.1.140.1.1.4.1.0'.

Note that the syntax of this object is SnmpAdminString instead of OBJECT IDENTIFIER because the object value may not be a valid OID due to human or configuration tool encoding errors."

::= {pktcMtaDevErrorOidsEntry 2}

pktcMtaDevErrorValue OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This

object contains the value of the OID corresponding to

the configuration file parameter that caused the error.

If the MTA cannot recognize the OID of the configuration parameter causing the error, then this object instance contains the OID itself as interpreted by the MTA in human-readable representation.

If the MTA can recognize the OID but generate an error due to a wrong value of the parameter, then the object

instance contains the erroneous value of the parameter as read from the configuration file.

In both cases, the value of this object must be represented in human-readable form as a character string.

For example, if the value of the pktcMtaDevEnabled object in the configuration file was 3 (invalid value), then the pktcMtaDevErrorValue object instance will contain the human-readable (string) representation of value '3'.

Similarly, if the OID in the configuration file has been interpreted by the MTA as being 1.2.3.4.5 and the MTA cannot recognize this OID as a valid one, then this pktcMtaDevErrorValue object instance will contain human readable (string) representation of value '1.2.3.4.5'.

If the number of errors in the configuration file exceeds 1024, then for all subsequent errors, the pktcMtaDevErrorValue of the table's 1024th entry MUST contain a human-readable representation of the pktcMtaDevErrorsTooManyErrors object; i.e., the string

'1.3.6.1.2.1.140.1.1.4.1.0'."

::= {pktcMtaDevErrorOidsEntry 3}

pktcMtaDevErrorReason OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object indicates the reason for the error or warning,
as per the MTA's interpretation, in human-readable form.

For example:

'VALUE NOT IN RANGE', 'VALUE DOES NOT MATCH TYPE',
'UNSUPPORTED VALUE', 'LAST 4 BITS MUST BE SET TO ZERO',
'OUT OF MEMORY - CANNOT STORE'.

This object may also contain vendor specific errors for
private vendor OIDs and any proprietary error codes or
messages that can help diagnose configuration errors.

If the number of errors in the configuration file exceeds
1024, then for all subsequent errors, the
pktcMtaDevErrorReason of the table's 1024th entry MUST
contain a human-readable string indicating the reason
for an error; for example,

'Too many errors in the configuration file'."

::= {pktcMtaDevErrorOidsEntry 4}

--

-- The following group describes server access and parameters used

-- for the initial MTA provisioning and bootstrapping phases.

--

pktcMtaDevDhcpServerAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet address type for the
PacketCable DHCP servers specified in MTA MIB."

DEFVAL { ipv4 }

::= { pktcMtaDevServer 1 }

pktcMtaDevServerDhcp1 OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet Address of the primary DHCP server the MTA uses during provisioning. The type of this address is determined by the value of the pktcMtaDevDhcpServerAddressType object. When the latter has the value 'ipv4(1)', this object contains the IP address of the primary DHCP server. It is provided by the CM to the MTA via the DHCP option code 122, sub-option 1, as defined in RFC 3495.

The behavior of this object when the value of pktcMtaDevDhcpServerAddressType is other than 'ipv4(1)' is not presently specified, but it may be specified in future versions of this MIB module.

If this object is of value 0.0.0.0, the MTA MUST stop all provisioning attempts, as well as all other activities.

If this object is of value 255.255.255.255, it means that there was no preference given for the primary DHCP server, and, the MTA must follow the logic of RFC2131, and the value of DHCP option 122, sub-option 2, must be ignored."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 2131, Dynamic Host Configuration Protocol;
RFC 3495, DHCP Option for CableLabs Client Configuration."

::= { pktcMtaDevServer 2 }

pktcMtaDevServerDhcp2 OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet Address of the secondary DHCP server the MTA uses during provisioning. The type of this address is determined by the value of the pktcMtaDevDhcpServerAddressType object. When the latter has the value 'ipv4(1)', this object contains the IP address of the secondary DHCP server. It is provided by the CM to the MTA via the DHCP option code 122, sub-option 2, as defined in RFC 3495.

The behavior of this object when the value of `pktcMtaDevDhcpServerAddressType` is other than 'ipv4(1)' is not presently specified, but it may be specified in future versions of this MIB module.

If there was no secondary DHCP server provided in DHCP Option 122, sub-option 2, this object must return the value 0.0.0.0."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 3495, DHCP Option for CableLabs Client Configuration."
::= { pktcMtaDevServer 3 }

`pktcMtaDevDnsServerAddressType` OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

" This object contains the Internet address type for the PacketCable DNS servers specified in MTA MIB."

DEFVAL { ipv4 }

::= { pktcMtaDevServer 4 }

`pktcMtaDevServerDns1` OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the IP Address of the primary DNS server to be used by the MTA. The type of this address is determined by the value of the `pktcMtaDevDnsServerAddressType` object. When the latter has the value 'ipv4(1)', this object contains the IP address of the primary DNS server. As defined in RFC 2132, PacketCable-compliant MTAs receive the IP addresses of the DNS Servers in DHCP option 6. The behavior of this object when the value of `pktcMtaDevDnsServerAddressType` is other than 'ipv4(1)'

is not presently specified, but it may be specified

in future versions of this MIB module.

If a value is written into an instance of `pktcMtaDevServerDns1`, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 2132, DHCP Options and BOOTP Vendor Extensions."
::= { pktcMtaDevServer 5 }

pktcMtaDevServerDns2 OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the IP Address of the secondary
DNS server to be used by the MTA. The type of this address
is determined by the value of the
pktcMtaDevDnsServerAddressType object.
When the latter has the value 'ipv4(1)', this object
contains the IP address of the secondary DNS
server. As defined in RFC 2132, PacketCable-compliant MTAs
receive the IP addresses of

the DNS Servers in DHCP

option 6.

The behavior of this object when the value of
pktcMtaDevDnsServerAddressType is other than 'ipv4(1)'
is not presently specified, but it may be specified
in future versions of this MIB module.

If a value is written into an instance of
pktcMtaDevServerDns2, the agent MUST NOT retain the
supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 2132, DHCP Options and BOOTP Vendor Extensions."

::= { pktcMtaDevServer 6 }

pktcMtaDevTimeServerAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the Internet address type for the
PacketCable Time servers specified in MTA MIB."

DEFVAL { ipv4 }

::= { pktcMtaDevServer 7 }

pktcMtaDevTimeServer OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the Internet Address of the Time Server used by an S-MTA for Time Synchronization. The type of this address is determined by the value of the pktcMtaDevTimeServerAddressType object.

When the latter has the value 'ipv4(1)', this object contains the IP address of the Time Server used for Time Synchronization.

In the case of an S-MTA, this object must be populated with a value other than 0.0.0.0 as obtained from DHCP option 4. The protocol by which the time of day MUST be retrieved is defined in RFC 868.

In the case of an E-MTA, this object must contain a value of 0.0.0.0 if the address type is 'ipv4(1)' since an E-MTA does not use the Time Protocol for time synchronization (an E-MTA uses the time retrieved by the DOCSIS cable modem).

The behavior of this object when the value of pktcMtaDevTimeServerAddressType is other than 'ipv4(1)' is not presently specified, but it may be specified in future versions of this MIB module.

If a value is written into an instance of pktcMtaDevTimeServer, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" RFC 868, Time Protocol;

RFC 2131, Dynamic Host Configuration Protocol;

RFC 2132, DHCP Options and BOOTP Vendor Extensions."

::= { pktcMtaDevServer 8 }

pktcMtaDevConfigFile OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the MTA device configuration file information, including the access method, the server name, and the configuration file name. The value of this object is the Uniform Resource Locator (URL)

of the configuration

file for TFTP or HTTP download.

If this object value is a TFTP URL, it must be formatted as defined in RFC 3617.

If this object value is an HTTP URL, it must be formatted as defined in RFC 2616.

If the MTA SNMP Enrollment mechanism is used, then the MTA must download the file provided by the Provisioning Server

during provisioning via an SNMP SET on this object.
If the MTA SNMP Enrollment mechanism is not used, this object MUST contain the URL value corresponding to the 'siaddr' and 'file' fields received in the DHCP ACK to locate the configuration file: the 'siaddr' and 'file' fields represent the host and file of the TFTP URL, respectively. In this case, the MTA MUST return an 'inconsistentValue' error in response to SNMP SET operations.

The MTA MUST return a zero-length string if the server address (host part of the URL) is unknown.

If a value is written into an instance of `pktcMtaDevConfigFile`, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 3617, URI Scheme for TFTP; RFC 2616, HTTP 1.1"

::= { pktcMtaDevServer 9 }

`pktcMtaDevSnmEntity` OBJECT-TYPE

SYNTAX `SnmAdminString`

MAX-ACCESS `read-only`

STATUS `current`

DESCRIPTION

" This object contains the FQDN of the SNMP entity of the Provisioning Server. When the MTA SNMP Enrollment Mechanism is used, this object represents the server that the MTA communicates with, that it receives the configuration file URL from, and that it sends the enrollment notification to. The SNMP entity is also the destination entity for all the provisioning notifications. It

may be used for post-provisioning

SNMP operations. During the provisioning phase, this SNMP entity FQDN is supplied to the MTA via DHCP option 122, sub-option 3, as defined in RFC 3495. The MTA must resolve the FQDN value before its very first network interaction with the SNMP entity during the provisioning phase."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 3495, DHCP Option for CableLabs Client Configuration."

::= { pktcMtaDevServer 10 }

`pktcMtaDevProvConfigHash` OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(20))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the hash value of the contents of the configuration file.

The authentication algorithm is Secure Hashing Algorithm 1 (SHA-1), and the length is 160 bits. The hash calculation MUST follow the requirements defined in the

PacketCable Security Specification. When the MTA SNMP Enrollment mechanism is used, this hash value is calculated and sent to the MTA prior to sending the config file. This object value is then provided by the Provisioning server via an SNMP SET operation.

When the MTA SNMP Enrollment mechanism is not in use, the hash value is provided in the configuration file itself, and it is also calculated by the MTA. This object value MUST represent the hash value calculated by the MTA.

When the MTA SNMP Enrollment mechanism is not in use, the MTA must reject all SNMP SET operations on this object and return an 'inconsistentValue' error.

If a value is written into an instance of pktcMtaDevProvConfigHash, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification;

PacketCable Security Specification."

::= { pktcMtaDevServer 11 }

pktcMtaDevProvConfigKey OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(32))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the key used to encrypt/decrypt the configuration file when secure SNMPv3 provisioning is used.

The value of this object is provided along with the configuration file information (pktcMtaDevConfigFile) and hash (pktcMtaDevProvConfigHash) by the Provisioning Server via SNMP SET once the configuration file has been created, as defined by the PacketCable Security specification.

The privacy algorithm is defined by the `pktcMtaDevProvConfigEncryptAlg` MIB object. The MTA requirements related to the privacy algorithm are defined in the PacketCable Security Specification.

If this object is set at any other provisioning step than that allowed by the PacketCable MTA Device

Provisioning Specification, the MTA SHOULD return an 'inconsistentValue' error.

This object must not be used in non secure provisioning mode. In non-secure provisioning modes, the MTA SHOULD return an 'inconsistentValue' in response to SNMP SET operations, and the MTA SHOULD return a zero-length string in response to SNMP GET operations.

If a value is written into an instance of `pktcMtaDevProvConfigKey`, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
PacketCable Security Specification."

::= { pktcMtaDevServer 12 }

`pktcMtaDevProvConfigEncryptAlg` OBJECT-TYPE

SYNTAX `PktcMtaDevProvEncryptAlg`

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines the encryption algorithm used for privacy protection of the MTA Configuration File content."

DEFVAL { `des64CbcMode` }

::= { pktcMtaDevServer 13 }

`pktcMtaDevProvSolicitedKeyTimeout` OBJECT-TYPE

SYNTAX `Unsigned32 (0..180)`

UNITS "seconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines a Kerberos Key Management timer on the MTA. It is the time period during which the MTA saves the nonce and Server Kerberos Principal Identifier to match an AP Request and its associated AP Reply response from the

Provisioning Server.

After the timeout has been exceeded, the client discards this (nonce, Server Kerberos Principal Identifier) pair, after which it will no longer accept a matching AP Reply.

This timer only applies when the Provisioning Server initiated key management for SNMPv3 (with a Wake

Up message).

If this object is set to a zero value, the MTA MUST return an 'inconsistentValue' in response to SNMP SET operations.

This object should not be used in non-secure provisioning modes. In non-secure provisioning modes, the MTA MUST return an 'inconsistentValue' in response to SNMP SET operations, and the MTA MUST return a zero value in

response to SNMP GET operations.

If a value is written into an instance of pktcMtaDevProvSolicitedKeyTimeout, the agent MUST NOT retain the supplied value across MTA re-initializations or reboots."

DEFVAL { 3 }

::= { pktcMtaDevServer 14 }

```
-----  
--  
-- Unsolicited key updates are retransmitted according to an  
-- exponential back-off mechanism using two timers and a maximum  
-- retry counter for AS replies.  
-- The initial retransmission timer value is the nominal  
timer  
-- value (pktcMtaDevProvUnsolicitedKeyNomTimeout). The  
-- retransmissions occur with an exponentially increasing interval  
-- that caps at the maximum timeout value  
-- (pktcMtaDevProvUnsolicitedKeyMaxTimeout).  
-- Retransmissions stop when the maximum retry counter is reached  
-- (pktcMtaDevProvUnsolicitedKeyMaxRetries).  
-- For example, with values of 3 seconds for the nominal  
-- timer, 100 seconds for the maximum timeout, and 8 retries max,  
-- and with an exponential value of 2, this results in  
-- retransmission intervals will be 3 s, 6 s, 12 s, 24 s, 48 s,  
-- 96 s, 100 s, and 100 s;  
-- retransmissions then stop because the maximum number of  
-- retries (8) has been reached.  
--  
-----  
--
```

-- Timeouts for unsolicited key management updates are only
-- pertinent before the first SNMPv3 message is sent between the
-- MTA and the Provisioning Server and before the configuration
-- file is loaded.

--

=====

pktcMtaDevProvUnsolicitedKeyMaxTimeout

OBJECT-TYPE

SYNTAX Unsigned32 (0..600)

UNITS "seconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object defines the timeout value that applies to
an MTA-initiated AP-REQ/REP key management exchange with
the Provisioning Server in SNMPv3 provisioning.

It is the maximum timeout value, and it may not be exceeded
in the exponential back-off algorithm. If the DHCP option

code 122, sub-option 5, is provided to the MTA, it
overwrites this value.

In non-secure provisioning modes, the MTA MUST
return a zero value in response to SNMP GET
operations."

REFERENCE

" PacketCable Security Specification."

DEFVAL {600}

::= { pktcMtaDevServer 15 }

pktcMtaDevProvUnsolicitedKeyNomTimeout OBJECT-TYPE

SYNTAX Unsigned32 (0..600)

UNITS "seconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object defines the starting value of the timeout
for the AP-REQ/REP Backoff and Retry mechanism
with exponential timeout in SNMPv3 provisioning.

If the DHCP option code 122, sub-option 5, is provided
the MTA, it overwrites this value.

In non-secure provisioning modes, the MTA MUST
return a zero value in response to SNMP GET
operations."

REFERENCE

" PacketCable Security Specification."

DEFVAL {3}
::= { pktcMtaDevServer 16}

pktcMtaDevProvUnsolicitedKeyMaxRetries OBJECT-TYPE

SYNTAX Unsigned32 (0..32)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains a retry counter that applies to an MTA-initiated AP-REQ/REP key management exchange with the Provisioning Server in secure SNMPv3 provisioning.

It is the maximum

number of retries before the MTA stops

attempting to establish a Security Association with Provisioning Server.

If the DHCP option code 122, sub-option 5, is provided to the MTA, it overwrites this value.

If this object is set to a zero value, the MTA MUST return an 'inconsistentValue' in response to SNMP SET operations.

In non-secure provisioning modes, the MTA MUST return a zero value in response to SNMP GET operations."

REFERENCE

" PacketCable Security Specification."

DEFVAL {8}

::= { pktcMtaDevServer 17 }

pktcMtaDevProvKerbRealmName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the name of the associated provisioning Kerberos realm acquired during the MTA4 provisioning step (DHCP Ack) for SNMPv3 provisioning.

The uppercase ASCII representation

of the associated

Kerberos realm name MUST be used by both the Manager (SNMP entity) and the MTA.

The Kerberos realm name for the Provisioning Server is supplied to the MTA via DHCP option code 122, sub-option 6, as defined in RFC 3495. In secure SNMP provisioning mode,

the value of the Kerberos realm name for the Provisioning Server supplied in the MTA configuration file must match

the value supplied in the DHCP option code 122,

sub-option 6. Otherwise, the value of this object must contain the value supplied in DHCP Option 122, sub-option 6."

REFERENCE

" PacketCable MTA Device Provisioning Specification;
RFC 3495, DHCP Option for CableLabs Client Configuration."

::= { pktcMtaDevServer 18 }

pktcMtaDevProvState OBJECT-TYPE

```
SYNTAX INTEGER {  
    operational          (1),  
    waitingForSnmpSetInfo  
(2),  
    waitingForTftpAddrResponse (3),  
    waitingForConfigFile   (4)  
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object defines the MTA provisioning state.
If the state is:

'operational(1)', the device has completed the loading and processing of the initialization parameters.

'waitingForSnmpSetInfo(2)', the device is waiting on its configuration file download access information.
Note that this state is only reported when the MTA

SNMP enrollment mechanism is used.

'waitingForTftpAddrResponse(3)', the device has sent a DNS request to resolve the server providing the configuration file, and it is awaiting for a response.
Note that this state is only reported when the MTA SNMP enrollment mechanism is used.

'waitingForConfigFile(4)', the device has sent a request via TFTP or HTTP for the download of its configuration file, and it is awaiting for a response or the file download is in progress."

REFERENCE

" PacketCable MTA Device Provisioning Specification,
PacketCable Security Specification."

::= { pktcMtaDevServer 19 }

--
-- The following object group describes the security objects.
--

pktcMtaDevManufacturerCertificate OBJECT-TYPE

SYNTAX DocsX509ASN1DEREncodedCertificate

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the MTA Manufacturer Certificate.
The object value must be the ASN.1 DER encoding of the MTA
manufacturer's X.509 public key certificate. The MTA
Manufacturer Certificate is issued to each MTA
manufacturer and is installed into each MTA at the time of
manufacture or with a secure code download. The specific
requirements

related to this certificate are defined in

the PacketCable or IPCablecom Security specifications."

REFERENCE

" PacketCable Security Specification."

::= { pktcMtaDevSecurity 1 }

pktcMtaDevCertificate OBJECT-TYPE

SYNTAX DocsX509ASN1DEREncodedCertificate

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the MTA Device Certificate.
The object value must be the ASN.1 DER encoding of the
MTA's X.509 public-key certificate issued by the
manufacturer and installed into the MTA at the time of

manufacture or with a secure code download.

This certificate contains the MTA MAC address. The
specific requirements related to this certificate are
defined in the PacketCable or IPCablecom Security
specifications."

REFERENCE

" PacketCable Security Specification."

::= { pktcMtaDevSecurity 2 }

pktcMtaDevCorrelationId OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains a correlation ID, an arbitrary value generated by the MTA that will be exchanged as part of the device capability data to the Provisioning Application. This random value is used as an identifier to correlate related events in the MTA provisioning sequence. This value is intended for use only during the MTA initialization and configuration file download."

REFERENCE

" PacketCable MTA Device Provisioning Specification."
::= { pktcMtaDevSecurity 3 }

pktcMtaDevTelephonyRootCertificate OBJECT-TYPE

SYNTAX DocsX509ASN1DEREncodedCertificate

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the telephony Service Provider Root certificate. The object value is the ASN.1 DER encoding of the IP Telephony Service Provider

Root X.509 public key

certificate. This certification is stored in the MTA non-volatile memory and can be updated with a secure code download. This certificate is used to validate the initial AS Reply received by the MTA from the Key Distribution Center (KDC) during the MTA initialization. The specific requirements related to this certificate are defined in the PacketCable or IPCablecom Security specifications."

REFERENCE

" PacketCable Security Specification."
::= { pktcMtaDevSecurity 4 }

--
-- Informative Procedures for Setting up Security Associations
--

-- A Security Association may be set up either via configuration or
-- via NCS signaling.

-- I. Security association setup via configuration.

-- The realm must be configured first. Associated with the realm
-- is a KDC. The realm table (pktcMtaDevRealmTable)

indicates

- information about the realm (e.g., name, organization name) and
- parameters associated with KDC communications (e.g., grace
- periods, AS Request/AS Reply adaptive back-off parameters).
-
- Once the realm is established, one or more CMS(es) may be
- defined in the realm. Associated with each CMS
- entry in the pktcMtaDevCmsTable is an explicit reference
- to a Realm via the realm name (pktcMtaDevCmsKerbRealmName),
- the FQDN of the CMS, and parameters associated with IPSec
- key management with the CMS (e.g., clock skew, AP Request/
- AP Reply adaptive back-off parameters).

-- II. Security association setup via NCS signaling.

-
- The procedure of establishing the Security Associations
- for NCS signaling is described in the PacketCable Security
- specification.
- It involves the analysis of the pktcNcsEndPntConfigTable row
- for the corresponding endpoint number and the correlation of
- the CMS FQDN from this row
- with the CMS Table and
- consequently, with the Realm Table. Both of these tables
- are defined below. The pktcNcsEndPntConfigTable is defined in
- the IP over Cable Data Network (IPCDN)
- NCS Signaling MIB [NCSSIGMIB].

-
- III. When the MTA receives wake-up or re-key messages from a
- CMS, it performs key management based on the corresponding
- entry in the CMS table. If the matching CMS entry does not
- exist, it must ignore the wake-up or re-key messages.

--=====

-- pktcMtaDevRealmTable

-
- The pktcMtaDevRealmTable shows the KDC realms. The table is
- indexed with pktcMtaDevRealmIndex. The Realm Table contains the
- pktcMtaDevRealmName in conjunction with any server that needs
- a Security Association with the MTA. Uppercase must be used
- to compare the pktcMtaDevRealmName content.

--=====

pktcMtaDevRealmAvailSlot

OBJECT-TYPE

SYNTAX Unsigned32 (0..64)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the index number of the first available entry in the realm table (pktcMtaDevRealmTable).

If all the entries in the realm table have been assigned, this object contains the value of zero.

A management station should create new entries in the realm table, using the following procedure:

First, issue a management protocol retrieval operation to determine the value of the first available index in the realm table (pktcMtaDevRealmAvailSlot).

Second, issue a management protocol SET operation to create an instance of the pktcMtaDevRealmStatus object by setting its value to 'createAndWait(5)'.

Third, if the SET operation succeeded, continue

modifying the object instances corresponding to the newly created conceptual row, without fear of collision with other management stations. When all necessary conceptual columns of the row are properly populated (via SET operations or default values), the management station may SET the pktcMtaDevRealmStatus object to 'active(1)'."

::= { pktcMtaDevSecurity 5 }

pktcMtaDevRealmTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcMtaDevRealmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object contains the realm table.

The CMS table (pktcMtaDevCmsTable) and the realm table (pktcMtaDevRealmTable) are used for managing the MTA-CMS Security Associations. The realm table defines the Kerberos realms for the Application Servers (CMSes and the Provisioning Server)."

::= { pktcMtaDevSecurity 6 }

pktcMtaDevRealmEntry OBJECT-TYPE

SYNTAX

PktcMtaDevRealmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table entry object lists the MTA security parameters for a single Kerberos realm. The conceptual rows MUST NOT persist across MTA reboots."

INDEX { pktcMtaDevRealmIndex }

::= { pktcMtaDevRealmTable 1 }

PktcMtaDevRealmEntry ::= SEQUENCE {

pktcMtaDevRealmIndex Unsigned32,
pktcMtaDevRealmName SnmpAdminString,
pktcMtaDevRealmPkinitGracePeriod Unsigned32,
pktcMtaDevRealmTgsGracePeriod Unsigned32,
pktcMtaDevRealmOrgName LongUtf8String,
pktcMtaDevRealmUnsolicitedKeyMaxTimeout Unsigned32,
pktcMtaDevRealmUnsolicitedKeyNomTimeout Unsigned32,
pktcMtaDevRealmUnsolicitedKeyMaxRetries Unsigned32,
pktcMtaDevRealmStatus RowStatus
}

pktcMtaDevRealmIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..64)

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

" This object defines the realm table index."

::= { pktcMtaDevRealmEntry 1 }

pktcMtaDevRealmName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..255))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object identifies the Kerberos realm name in all capitals. The MTA MUST prohibit the instantiation of any two rows with identical Kerberos realm names. The MTA MUST also verify that any search operation involving Kerberos realm names is done using the uppercase ASCII representation of the characters."

::= { pktcMtaDevRealmEntry 2 }

pktcMtaDevRealmPkinitGracePeriod OBJECT-TYPE

SYNTAX Unsigned32 (15..600)

UNITS "minutes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the PKINIT Grace Period. For the purpose of key management with Application Servers (CMSes

or

the Provisioning Server), the MTA must utilize the

PKINIT exchange to obtain Application Server tickets. The

MTA may utilize the PKINIT exchange to obtain Ticket

Granting Tickets (TGTs), which are then used to obtain

Application Server tickets in a TGS exchange.

The PKINIT exchange occurs according to the current Ticket

Expiration Time (TicketEXP) and on the PKINIT Grace Period

(PKINITGP). The MTA MUST initiate the PKINIT exchange at

the time: TicketEXP - PKINITGP."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 15 }

::= { pktcMtaDevRealmEntry 3 }

pktcMtaDevRealmTgsGracePeriod OBJECT-TYPE

SYNTAX Unsigned32 (1..600)

UNITS "minutes"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the Ticket Granting Server Grace

Period (TGSGP). The Ticket Granting Server (TGS)

Request/Reply exchange may be performed

by the MTA

on demand whenever an Application Server ticket is

needed to establish security parameters. If the MTA

possesses a ticket that corresponds to the Provisioning

Server or a CMS that currently exists in the CMS table,

the MTA MUST initiate the TGS Request/Reply exchange

at the time: TicketEXP - TGSGP."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 10 }

::= { pktcMtaDevRealmEntry 4 }

pktcMtaDevRealmOrgName OBJECT-TYPE

SYNTAX LongUtf8String

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the X.500 organization name attribute as defined in the subject name of the service provider certificate."

REFERENCE

" PacketCable Security Specification;
RFCs 3280 and 4630, Internet X.509 Public Key
Infrastructure Certificate and Certificate Revocation List
(CRL) Profile"

::= { pktcMtaDevRealmEntry 5 }

pktcMtaDevRealmUnsolicitedKeyMaxTimeout OBJECT-TYPE

SYNTAX Unsigned32 (1..600)

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object specifies the maximum time the MTA will attempt to perform the exponential back-off algorithm. This timer only applies when the MTA initiated key management. If the DHCP option code 122, sub-option 4, is provided to the MTA, it overwrites this value.

Unsolicited key updates are retransmitted according to an exponential back-off mechanism using two timers and a maximum retry counter for AS replies.

The initial retransmission timer value is the nominal timer value (pktcMtaDevRealmUnsolicitedKeyNomTimeout). The retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevRealmUnsolicitedKeyMaxTimeout).

Retransmissions stop when the maximum retry counter is reached (pktcMtaDevRealmUnsolicitedMaxRetries).

For example, with values of 3 seconds for the nominal timer, 20 seconds for the maximum timeout, and 5 retries max, retransmission intervals will be 3 s, 6 s, 12 s, 20 s, and 20 s, and retransmissions then stop because the maximum number of retries has been reached."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 100 }

::= { pktcMtaDevRealmEntry 6 }

pktcMtaDevRealmUnsolicitedKeyNomTimeout OBJECT-TYPE

SYNTAX Unsigned32 (100..600000)

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object specifies the initial timeout value for the AS-REQ/AS-REP exponential back-off and retry mechanism. If the DHCP option code 122, sub-option 4, is provided to the MTA, it

overwrites this value.

This value should account for the average roundtrip time between the MTA and the KDC, as well as the processing delay on the KDC.

Unsolicited key updates are retransmitted according to an exponential back-off mechanism using two timers and a maximum retry counter for AS replies.

The initial retransmission timer value is the nominal timer value (pktcMtaDevRealmUnsolicitedKeyNomTimeout). The retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevRealmUnsolicitedKeyMaxTimeout).

Retransmissions stop when the maximum retry counter is reached (pktcMtaDevRealmUnsolicitedMaxRetries).

For example, with values of 3 seconds for the nominal timer, 20 seconds for the maximum timeout, and 5 retries max, in retransmission intervals will be 3 s, 6 s,

12 s, 20 s, and 20 s; retransmissions then stop because the maximum number of retries has been reached."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 3000 }

::= { pktcMtaDevRealmEntry 7 }

pktcMtaDevRealmUnsolicitedKeyMaxRetries OBJECT-TYPE

SYNTAX Unsigned32 (0..1024)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object specifies the maximum number of retries the MTA attempts to obtain a ticket from the KDC.

Unsolicited key updates are retransmitted according to an

exponential back-off mechanism using two timers and a maximum retry counter for AS replies.

The initial retransmission timer value is the nominal timer value (pktcMtaDevRealmUnsolicitedKeyNomTimeout). The retransmissions occur with an exponentially increasing interval that caps at the maximum timeout value (pktcMtaDevRealmUnsolicitedKeyMaxTimeout).

Retransmissions stop when the maximum retry counter is reached (pktcMatDevRealmUnsolicitedMaxRetries).

For example, with values of 3 seconds for the nominal timer, 20 seconds for the maximum timeout, and 5 retries max, retransmission intervals will be 3 s, 6 s, 12 s, 20 s, and 20 s; retransmissions then stop because the maximum number of retries has been reached."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 5 }

::= { pktcMtaDevRealmEntry 8 }

pktcMtaDevRealmStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the row status of this realm in the realm table (pktcMtaDevRealmTable).

An entry in this table is not qualified for activation until the object instances of all corresponding columns have been initialized, either by default values, or

via

explicit SET operations. Until all object instances in this row are initialized, the status value for this realm must be 'notReady(3)'.
In particular, two columnar objects must be explicitly SET: the realm name (pktcMtaDevRealmName) and the organization name (pktcMtaDevRealmOrgName). Once these 2 objects have been set and the row status is SET to 'active(1)', the MTA MUST NOT allow any modification of these 2 object values.

The value of this object has no effect on whether other columnar objects in this row can be modified."

::= { pktcMtaDevRealmEntry 9 }

```

-----
--
-- The CMS table, pktcMtaDevCmsTable
--
-- The CMS table and the realm table (pktcMtaDevRealmTable) are used
-- for managing the MTA signaling security. The CMS table defines
-- the CMSes the MTA is allowed to communicate with and contains
-- the
parameters describing the SA establishment between the MTA
-- and a CMS.
-- The CMS table is indexed by pktcMtaDevCmsIndex. The table
-- contains the CMS FQDN (pktcMtaDevCmsFQDN) and the associated
-- Kerberos realm name (pktcMtaDevCmsKerbRealmName) so that the MTA
-- can find the corresponding Kerberos realm name in the
-- pktcMtaDevRealmTable.
--
-----

```

pktcMtaDevCmsAvailSlot OBJECT-TYPE

SYNTAX Unsigned32 (0..128)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the index number of the first available entry in the CMS table (pktcMtaDevCmsTable).

If all the entries in the CMS table have been assigned, this object contains the value of zero.

A management station should create new entries in the CMS table, using the following procedure:

First, issue a management protocol retrieval operation

to determine the value of the first available index in the CMS table (pktcMtaDevCmsAvailSlot).

Second, issue a management protocol SET operation to create an instance of the pktcMtaDevCmsStatus object by setting its value to 'createAndWait(5)'.

Third, if the SET operation succeeded, continue modifying the object instances corresponding to the newly created conceptual row, without fear of collision with other management stations. When all necessary conceptual columns of the row are properly populated (via SET operations or default values), the management station may

SET the pktcMtaDevCmsStatus object to 'active(1)'.
 ::= { pktcMtaDevSecurity 7 }

pktcMtaDevCmsTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcMtaDevCmsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object defines the CMS table.

The CMS table (pktcMtaDevCmsTable)

and the realm table

(pktcMtaDevRealmTable) are used for managing security between the MTA and CMSes. Each CMS table entry defines a CMS the managed MTA is allowed to communicate with and contains security parameters for key management with that CMS."

::= { pktcMtaDevSecurity 8 }

pktcMtaDevCmsEntry OBJECT-TYPE

SYNTAX PktcMtaDevCmsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table entry object lists the MTA key management parameters used when establishing Security Associations with a CMS. The conceptual rows MUST NOT persist across MTA reboots."

INDEX { pktcMtaDevCmsIndex }

::= { pktcMtaDevCmsTable 1 }

PktcMtaDevCmsEntry ::= SEQUENCE {

pktcMtaDevCmsIndex Unsigned32,

pktcMtaDevCmsFqdn SnmpAdminString,

pktcMtaDevCmsKerbRealmName SnmpAdminString,

pktcMtaDevCmsMaxClockSkew

Unsigned32,

pktcMtaDevCmsSolicitedKeyTimeout Unsigned32,

pktcMtaDevCmsUnsolicitedKeyMaxTimeout Unsigned32,

pktcMtaDevCmsUnsolicitedKeyNomTimeout Unsigned32,

pktcMtaDevCmsUnsolicitedKeyMaxRetries Unsigned32,

pktcMtaDevCmsIpsecCtrl TruthValue,

pktcMtaDevCmsStatus RowStatus

}

pktcMtaDevCmsIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..128)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
" This object defines the CMS table index."
::= { pktcMtaDevCmsEntry 1 }

pktcMtaDevCmsFqdn OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..255))
MAX-ACCESS read-create
STATUS current
DESCRIPTION
" This object specifies the CMS FQDN. The MTA must prohibit the instantiation of any two rows with identical FQDNs. The MTA must also verify that any search and/or comparison operation involving a CMS FQDN is case insensitive. The MTA must resolve the CMS FQDN as required by the corresponding PacketCable Specifications."
REFERENCE
" PacketCable MTA Device Provisioning Specification;
PacketCable Security Specification;
PacketCable Network-Based Call Signaling Protocol Specification."
::= { pktcMtaDevCmsEntry 2 }

pktcMtaDevCmsKerbRealmName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..255))
MAX-ACCESS read-create
STATUS current
DESCRIPTION
" This object identifies the Kerberos realm name in uppercase characters associated with the CMS defined in this conceptual row. The object value is a reference point to the corresponding Kerberos realm name in the realm table (pktcMtaDevRealmTable)."
::= { pktcMtaDevCmsEntry 3 }

pktcMtaDevCmsMaxClockSkew OBJECT-TYPE

SYNTAX Unsigned32 (1..1800)
UNITS "seconds"
MAX-ACCESS read-create
STATUS current
DESCRIPTION
" This object specifies the maximum allowable clock skew

between the MTA and the CMS defined in this row."

DEFVAL { 300 }

::= { pktcMtaDevCmsEntry 4 }

pktcMtaDevCmsSolicitedKeyTimeout OBJECT-TYPE

SYNTAX Unsigned32 (100..30000)

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines a Kerberos Key Management timer on the MTA. It is the time period during which the MTA saves the nonce and Server Kerberos Principal Identifier to match an AP Request and its associated AP Reply response from the CMS. This timer only applies when the CMS initiated key management (with a Wake Up message or a Rekey message)."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 1000 }

::= { pktcMtaDevCmsEntry 5 }

--

--

Unsolicited key updates are retransmitted according to an

-- exponential back-off mechanism using two timers and a maximum

-- retry counter for AS replies.

-- The initial retransmission timer value is the nominal timer

-- value (pktcMtaDevCmsUnsolicitedKeyNomTimeout). The

-- retransmissions occur with an exponentially increasing interval

-- that caps at the maximum timeout value

-- (pktcMtaDevCmsUnsolicitedKeyMaxTimeout).

-- Retransmissions stop when the maximum retry counter is reached

-- (pktcMtaDevCmsUnsolicitedMaxRetries).

-- For example, with values of 3 seconds for the nominal

-- timer, 20 seconds for the maximum timeout, and 5 retries max,

-- retransmission intervals will be 3 s, 6 s, 12 s,

-- 20 s, and 20 s; retransmissions then stop due to the

-- maximum number of retries reached.

--

pktcMtaDevCmsUnsolicitedKeyMaxTimeout OBJECT-TYPE

SYNTAX Unsigned32 (1..600)

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the timeout value that only applies to an MTA-initiated key management exchange. It is the maximum timeout, and it may not be exceeded in the exponential back-off algorithm."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 600 }

::= { pktcMtaDevCmsEntry 6 }

pktcMtaDevCmsUnsolicitedKeyNomTimeout OBJECT-TYPE

SYNTAX Unsigned32 (100..30000)

UNITS "milliseconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the starting value of the timeout for an MTA-initiated key management. It should account for the average roundtrip time between the MTA and the CMS and the processing time on the CMS."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 500 }

::= { pktcMtaDevCmsEntry 7 }

pktcMtaDevCmsUnsolicitedKeyMaxRetries

OBJECT-TYPE

SYNTAX Unsigned32 (0..1024)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the maximum number of retries before the MTA stops attempting to establish a Security Association with the CMS."

REFERENCE

" PacketCable Security Specification."

DEFVAL { 5 }

::= { pktcMtaDevCmsEntry 8 }

pktcMtaDevCmsIpsecCtrl OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object specifies the MTA IPsec control flag.
If the object value is 'true', the MTA must use Kerberos
Key Management and IPsec to communicate with this CMS. If
it is 'false', IPsec Signaling Security and Kerberos key
management are disabled for this specific CMS."

DEFVAL { true }

::= { pktcMtaDevCmsEntry 9 }

pktcMtaDevCmsStatus OBJECT-TYPE

SYNTAX

RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object defines the row status associated with this
particular CMS in the CMS table (pktcMtaDevCmsTable).

An entry in this table is not qualified for activation
until the object instances of all corresponding columns
have been initialized, either by default values or via
explicit SET operations. Until all object instances in
this row are initialized, the status value for this realm
must be 'notReady(3)'.
In particular, two columnar objects must be SET: the
CMS FQDN (pktcMtaDevCmsFqdn) and the Kerberos realm name
(pktcMtaDevCmsKerbRealmName). Once these 2 objects have
been set and the row status is SET to 'active(1)', the MTA
MUST NOT allow any modification of these 2 object values.

The value of this object has no effect on
whether other columnar objects
in this row can be
modified."

::= { pktcMtaDevCmsEntry 10 }

pktcMtaDevResetKrbTickets OBJECT-TYPE

SYNTAX BITS {

invalidateProvOnReboot (0),
invalidateAllCmsOnReboot (1)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object defines a Kerberos Ticket Control Mask that
instructs the MTA to invalidate the specific Application

Server Kerberos ticket(s) that are stored locally in the MTA NVRAM (non-volatile or persistent memory).

If the MTA does not store Kerberos tickets in NVRAM, it MUST ignore setting of this object and MUST report a BITS value of zero when the object is read.

If the MTA supports Kerberos tickets storage in NVRAM, the object value is encoded as follows:

- Setting the invalidateProvOnReboot bit (bit 0) to 1 means that the MTA MUST invalidate

the Kerberos

- Application Ticket(s) for the Provisioning Application at the next MTA reboot if secure SNMP provisioning mode is used. In non-secure provisioning modes, the MTA MUST return an 'inconsistentValue' in response to SNMP SET operations with a bit 0 set to 1.

- Setting the invalidateAllCmsOnReboot bit (bit 1) to 1 means that the MTA MUST invalidate the Kerberos Application Ticket(s) for all CMSes currently assigned to the MTA endpoints.

If a value is written into an instance of pktcMtaDevResetKrbTickets, the agent MUST retain the supplied value across an MTA re-initialization or reboot."

REFERENCE

"PacketCable Security Specification."

DEFVAL { { } }

::= { pktcMtaDevSecurity 9 }

--

-- The following group, pktcMtaDevErrors, defines an OID
-- corresponding to error conditions encountered during the MTA
-- provisioning.

--

pktcMtaDevErrorsTooManyErrors

OBJECT-IDENTITY

STATUS current

DESCRIPTION

"This object defines the OID corresponding to the error condition when too many errors are encountered in the MTA configuration file during provisioning."

::= { pktcMtaDevErrors 1 }

pktcMtaDevProvisioningEnrollment NOTIFICATION-TYPE

OBJECTS {

sysDescr,

pktcMtaDevSwCurrentVers,
pktcMtaDevTypeIdentifier,
ifPhysAddress,
pktcMtaDevCorrelationId

}

STATUS current

DESCRIPTION

" This INFORM notification is issued by the MTA to initiate the PacketCable provisioning process when the MTA SNMP enrollment mechanism is used.

It contains the system description, the current software version, the MTA device type identifier, the MTA MAC address (obtained in the MTA ifTable in the ifPhysAddress object that corresponds to the ifIndex

1), and a

correlation ID."

::= { pktcMtaNotification 1 }

pktcMtaDevProvisioningStatus NOTIFICATION-TYPE

OBJECTS {

ifPhysAddress,
pktcMtaDevCorrelationId,
pktcMtaDevProvisioningState

}

STATUS current

DESCRIPTION

" This INFORM notification may be issued by the MTA to confirm the completion of the PacketCable provisioning process, and to report its provisioning completion status.

It contains the MTA MAC address (obtained in the MTA ifTable in the ifPhysAddress object that corresponds to the ifIndex 1), a correlation ID and the MTA provisioning state as defined in pktcMtaDevProvisioningState."

::= { pktcMtaNotification 2 }

--

-- Compliance Statements

--

pktcMtaCompliances OBJECT IDENTIFIER ::= { pktcMtaConformance 1 }

pktcMtaGroups OBJECT IDENTIFIER ::= { pktcMtaConformance 2 }

pktcMtaBasicCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

" The compliance statement for MTA devices that implement PacketCable or IPCablecom requirements.

This compliance statement applies to MTA implementations that support PacketCable 1.0 or IPCablecom requirements, which are not IPv6-capable at the time of this

RFC publication."

MODULE -- Unconditionally mandatory groups for MTAs

```
MANDATORY-GROUPS {  
    pktcMtaGroup,  
    pktcMtaNotificationGroup  
}
```

OBJECT pktcMtaDevDhcpServerAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

" Support for address types other than 'ipv4(1)' is not presently specified and therefore is not required. It may be defined in future versions of this MIB module."

OBJECT pktcMtaDevDnsServerAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

" Support for address types other than 'ipv4(1)' is not presently specified and therefore is not required. It may be defined in future versions of this MIB module."

OBJECT pktcMtaDevTimeServerAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

" Support for address types other than 'ipv4(1)' is not presently specified and therefore is not required. It may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp1

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp2

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDns1

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDns2

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevTimeServer

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevProvConfigEncryptAlg

SYNTAX PkctcMtaDevProvEncryptAlg

DESCRIPTION

"An implementation is only required to support values of none(0) and des64Cbcmode(1). An IV of zero is used to encrypt in des64Cbcmode, and the length of pktcMtaDevProvConfigKey is 64 bits, as defined in the PacketCable Security specification. Other encryption types may be defined in future versions of this MIB module."

OBJECT pktcMtaDevRealmOrgName

SYNTAX LongUtf8String (SIZE (1..384))

DESCRIPTION

"The Organization Name field in X.509 certificates can contain up to 64 UTF-8 encoded characters, as defined in RFCs 3280 and 4630. Therefore, compliant devices are only required to support Organization Name values of up to 64 UTF-8 encoded characters.

Given that RFCs 3280 and 4630 define the UTF-8 encoding, compliant devices must support a maximum size of 384 octets for pktcMtaDevRealmOrgName. The calculation of 384 octets comes from the RFC 3629 UTF-8 encoding definition whereby the UTF-8 encoded characters are encoded as sequences of 1 to 6 octets, assuming that code points as high as 0x7fffffff might be used. Subsequent versions of Unicode and ISO 10646 have limited the upper bound to 0x10ffff.

Consequently, the current version of UTF-8, defined in RFC 3629, does not require more than four octets to encode a valid code point."

::= { pktcMtaCompliances 1 }

pktcMtaGroup OBJECT-GROUP

OBJECTS {

- pktcMtaDevResetNow,
- pktcMtaDevSerialNumber,
- pktcMtaDevSwCurrentVers,
- pktcMtaDevFQDN,
- pktcMtaDevEndPntCount,

- pktcMtaDevEnabled,
- pktcMtaDevProvisioningCounter,
- pktcMtaDevErrorOid,
- pktcMtaDevErrorValue,
- pktcMtaDevErrorReason,
- pktcMtaDevTypeIdentifier,
- pktcMtaDevProvisioningState,
- pktcMtaDevHttpAccess,
- pktcMtaDevCertificate,
- pktcMtaDevCorrelationId,
- pktcMtaDevManufacturerCertificate,
- pktcMtaDevDhcpServerAddressType,
- pktcMtaDevDnsServerAddressType,
- pktcMtaDevTimeServerAddressType,
- pktcMtaDevProvConfigEncryptAlg,

pktcMtaDevServerDhcp1,
pktcMtaDevServerDhcp2,
pktcMtaDevServerDns1,
pktcMtaDevServerDns2,
pktcMtaDevTimeServer,
pktcMtaDevConfigFile,
pktcMtaDevSnmEntity,
pktcMtaDevRealmPkinitGracePeriod,
pktcMtaDevRealmTgsGracePeriod,
pktcMtaDevRealmAvailSlot,
pktcMtaDevRealmName,
pktcMtaDevRealmOrgName,
pktcMtaDevRealmUnsolicitedKeyMaxTimeout,
pktcMtaDevRealmUnsolicitedKeyNomTimeout,
pktcMtaDevRealmUnsolicitedKeyMaxRetries,
pktcMtaDevRealmStatus,
pktcMtaDevCmsAvailSlot,
pktcMtaDevCmsFqdn,
pktcMtaDevCmsKerbRealmName,
pktcMtaDevCmsUnsolicitedKeyMaxTimeout,

pktcMtaDevCmsUnsolicitedKeyNomTimeout,
pktcMtaDevCmsUnsolicitedKeyMaxRetries,
pktcMtaDevCmsSolicitedKeyTimeout,
pktcMtaDevCmsMaxClockSkew,
pktcMtaDevCmsIpsecCtrl,
pktcMtaDevCmsStatus,
pktcMtaDevResetKrbTickets,
pktcMtaDevProvUnsolicitedKeyMaxTimeout,
pktcMtaDevProvUnsolicitedKeyNomTimeout,
pktcMtaDevProvUnsolicitedKeyMaxRetries,
pktcMtaDevProvKerbRealmName,
pktcMtaDevProvSolicitedKeyTimeout,
pktcMtaDevProvConfigHash,
pktcMtaDevProvConfigKey,
pktcMtaDevProvState,
pktcMtaDevProvisioningTimer,
pktcMtaDevTelephonyRootCertificate

}

STATUS current

DESCRIPTION

" A collection of objects for managing PacketCable or
IPCablecom MTA implementations."

::= { pktcMtaGroups 1 }

pktcMtaNotificationGroup NOTIFICATION-GROUP

```
NOTIFICATIONS {
    pktcMtaDevProvisioningStatus,
    pktcMtaDevProvisioningEnrollment
}
STATUS    current
DESCRIPTION
    " A collection of notifications dealing with the change of
      MTA provisioning status."
::= { pktcMtaGroups 2 }
```

pktcMtaBasicSmtaCompliance MODULE-COMPLIANCE

```
STATUS    current
```

```
DESCRIPTION
```

```
" The compliance statement for S-MTA devices
  that implement PacketCable or IPCablecom requirements.
```

```

  This compliance statement applies to S-MTA implementations
  that support PacketCable or IPCablecom requirements,
  which are not IPv6-capable
at the time of this
  RFC publication."
```

MODULE -- Unconditionally Mandatory Groups for S-MTA devices

```
MANDATORY-GROUPS {
```

```

    pktcMtaGroup,
    pktcMtaNotificationGroup
}
```

```
OBJECT pktcMtaDevDhcpServerAddressType
```

```
SYNTAX  InetAddressType { ipv4(1) }
```

```
DESCRIPTION
```

```
" Support for address types other than 'ipv4(1)'
  is not presently specified and therefore is not
  required. It may be defined in future versions of
  this MIB module."
```

```
OBJECT pktcMtaDevDnsServerAddressType
```

```
SYNTAX  InetAddressType { ipv4(1) }
```

```
DESCRIPTION
```

```
" Support for address types other than 'ipv4(1)'
  is not presently specified and therefore is not
  required. It may be defined in future versions of
  this MIB module."
```

```
OBJECT pktcMtaDevTimeServerAddressType
```

SYNTAX InetAddressType { ipv4(1)
}

DESCRIPTION

" Support for address types other than 'ipv4(1)' is not presently specified and therefore is not required. It may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp1

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDhcp2

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDns1

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevServerDns2

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevTimeServer

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses. Other address types support may be defined in future versions of this MIB module."

OBJECT pktcMtaDevProvConfigEncryptAlg

SYNTAX PkctMtaDevProvEncryptAlg

DESCRIPTION

"An implementation is only required to support values of none(0) and des64Cbcmode(1).

An IV of zero is used to encrypt in des64Cbcmode, and

the length of pkctMtaDevProvConfigKey is 64 bits, as defined in the PacketCable Security specification.

Other encryption types may be defined in future versions of this MIB module."

OBJECT pkctMtaDevRealmOrgName

SYNTAX LongUtf8String (SIZE (1..384))

DESCRIPTION

"The Organization Name field in X.509 certificates can contain up to 64 UTF-8 encoded characters, as defined in RFCs 3280 and 4630. Therefore, compliant devices are only required to support Organization Name values of up to 64 UTF-8 encoded characters. Given that RFCs 3280 and 4630 define the UTF-8 encoding, compliant devices must support a maximum size of 384 octets for pkctMtaDevRealmOrgName. The calculation of 384 octets comes from the RFC 3629 UTF-8 encoding definition whereby the UTF-8 encoded

characters

are encoded as sequences of 1 to 6 octets, assuming that code points as high as 0x7fffffff might be used. Subsequent versions of Unicode and ISO 10646 have limited the upper bound to 0x10ffff. Consequently, the current version of UTF-8, defined in RFC 3629 does not require more than four octets to encode a valid code point."

MODULE DOCS-CABLE-DEVICE-MIB

MANDATORY-GROUPS {

docsDevSoftwareGroupV2

}

MODULE DOCS-IETF-BPI2-MIB

MANDATORY-GROUPS {

docsBpi2CodeDownloadGroup

}

::= { pkctMtaCompliances 2 }

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/PKTC-IETF-MTA-MIB

No license file was found, but licenses were detected in source scan.

PKTC-IETF-SIG-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY,

OBJECT-TYPE,

Integer32,

Unsigned32,

mib-2

FROM SNMPv2-SMI -- [RFC2578]

InetAddressType,

InetAddress,

InetAddressPortNumber

FROM INET-ADDRESS-MIB -- [RFC4001]

TEXTUAL-CONVENTION,

RowStatus,

TruthValue

FROM SNMPv2-TC -- [RFC2579]

OBJECT-GROUP,

MODULE-COMPLIANCE

FROM SNMPv2-CONF -- [RFC2580]

SnmpAdminString

FROM SNMP-FRAMEWORK-MIB -- [RFC3411]

ifIndex

FROM IF-MIB -- [RFC2863]

Dscp

FROM DIFFSERV-DSCP-TC; -- [RFC3289]

pktcIetfSigMib MODULE-IDENTITY

LAST-UPDATED "200712180000Z" -- December 18, 2007

ORGANIZATION "IETF IPCDN Working Group"

CONTACT-INFO

"Sumanth Channabasappa

Cable Television

Laboratories, Inc.

858 Coal Creek Circle,

Louisville, CO 80027, USA

Phone: +1 303-661-3307

Email: Sumanth@cablelabs.com

Gordon Beacham
Motorola, Inc.
6450 Sequence Drive, Bldg. 1
San Diego, CA 92121, USA
Phone: +1 858-404-2334
Email: gordon.beacham@motorola.com

Satish Kumar Mudugere Eswaraiah
Texas Instruments India (P) Ltd.,
Golf view, Wind Tunnel Road
Murugesh Palya
Bangalore 560 017, INDIA
Phone: +91 80 5269451
Email: satish.kumar@ti.com

IETF IPCDN Working Group

General Discussion: ipcdn@ietf.org
Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>
Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>
Co-Chair: Jean-Francois Mule, jf.mule@cablelabs.com
Co-Chair: Richard Woundy, Richard_Woundy@cable.comcast.com

DESCRIPTION

"This MIB module supplies the basic management objects for the PacketCable and IPCablecom Signaling protocols. This version of the MIB includes common signaling and Network Call Signaling

(NCS)-related signaling objects.

Copyright (C) The IETF Trust (2008). This version of this MIB module is part of RFC 5098; see the RFC itself for full legal notices."

REVISION "200712180000Z"

DESCRIPTION

"Initial version, published as RFC 5098."

::= { mib-2 169 }

-- Textual Conventions

TenthdBm ::= TEXTUAL-CONVENTION

DISPLAY-HINT "d-1"

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION represents power levels that are

normally expressed in dBm. Units are in tenths of a dBm;
for example, -13.5 dBm will be represented as -135."

SYNTAX Integer32

PktnCodecType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

" This TEXTUAL-CONVENTION defines various types of codecs

that MAY be supported. The description for each
enumeration is listed below:

Enumeration	Description
other	a defined codec not in the enumeration
unknown	a codec not defined by the PacketCable
	Codec Specification
g729	ITU-T Recommendation G.729
reserved	for future use
g729E	ITU-T Recommendation G.729E
pcmu	Pulse Code Modulation u-law (PCMU)
g726at32	ITU-T Recommendation G.726-32 (32 kbit/s)
g728	ITU-T Recommendation G.728
pcma	Pulse Code Modulation a-law (PCMA)
g726at16	ITU-T Recommendation G.726-16 (16 kbit/s)
g726at24	ITU-T Recommendation G.726-24 (24 kbit/s)
g726at40	ITU-T Recommendation G.726-40 (40 kbit/s)
ilbc	IETF Internet low-bit rate codec
bv16	Broadcom BroadVoice16

The list of codecs is consistent with the IETF
Real-Time Transport Protocol (RTP) Profile registry and

the RTP Map Parameters Table in PacketCable Audio/Video
Codecs Specification [PKT-SP-CODEC]. The literal codec
name for each codec is listed below:

Codec	Literal Codec Name
g729	G729
g729E	G729E
pcmu	PCMU
g726at32	G726-32
g728	G728
pcma	PCMA
g726at16	G726-16
g726at24	G726-24
g726at40	G726-40

ilbc iLBC
bv16 BV16

The literal codec name is the second column of the table with codec RTP Map Parameters. The Literal Codec Name Column contains the codec name used in the local connection options (LCO) of the NCS messages create connection

(CRCX)/modify connection (MDCX) and is also used to identify the codec in the Call Management System (CMS) Provisioning Specification. The RTP Map Parameter column of the Table contains the string used in the media attribute line (a=) of the session description protocol (SDP) parameters in NCS messages."

```
SYNTAX INTEGER {  
    other (1),  
    unknown (2),  
    g729 (3),  
    reserved (4),  
    g729E (5),  
    pcmu (6),  
    g726at32 (7),  
    g728 (8),  
    pcma (9),  
    g726at16 (10),  
    g726at24 (11),  
    g726at40 (12),  
    ilbc (13),  
    bv16 (14)  
}
```

PktrRingCadence ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This object provides an encoding scheme for ring

cadences, including repeatability characteristics. All fields in this object MUST be encoded in network-byte order.

The first three higher-order octets are reserved. The octets that follow are used to encode a 'bit-string', with each bit corresponding to 50 milliseconds. A bit value of '1' indicates the presence of a ring-tone, and a bit value of '0' indicates the absence of a ring-tone, for that

duration (50 ms) (Note: A minimum number of octets required to encode the bit-string MUST be used).

The first two of the reserved octets MUST indicate the length of the encoded cadence (in bits) and MUST range between 1 and 264. (Note: The length in bits MUST also be consistent with the number of octets that encode the cadence). The MTA MUST ignore any unused bits in the last octet, but MUST reflect the value as provided on subsequent SNMP GETs.

The third of the reserved octets indicates 'repeatability' and MUST be either 0x80 or 0x00 -- the former value indicating 'non-repeatability', and the latter indicating 'repeatability'.

The MTA MUST reject attempts to set a value that violates any of the above requirements."

SYNTAX OCTET STRING (SIZE(4..36))

PktcSigType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

" This object lists the various types of signaling that may be supported:

other(1) - set when signaling other than NCS is used
ncs(2) - Network Call Signaling is a derivation of MGCP (Media Gateway Control Protocol) defined for IPcablecom/PacketCable MTAs."

SYNTAX INTEGER {

other(1),

ncs(2)

}

DtmfCode::=TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION represents the Dual-Tone

Multi-Frequency (DTMF) Character used
to indicate the start or end of the digit transition
sequence used for caller id or Visual Message Waiting
Indicator (VMWI).

Note: The DTMF code '*' is indicated using 'dtmfcodeStar',
and the DTMF code '#' is indicated using ' dtmfcodeHash'."

```
SYNTAX INTEGER {  
    dtmfcode0(0),  
    dtmfcode1(1),  
    dtmfcode2(2),  
    dtmfcode3(3),  
    dtmfcode4(4),  
    dtmfcode5(5),  
    dtmfcode6(6),  
    dtmfcode7(7),  
    dtmfcode8(8),  
    dtmfcode9(9),  
    dtmfcodeStar(10),  
    dtmfcodeHash(11),  
    dtmfcodeA(12),  
    dtmfcodeB(13),  
    dtmfcodeC(14),  
    dtmfcodeD(15)  
}
```

PktsSubscriberSideSigProtocol::=TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION
represents the Signaling
protocol being used for purposes such as caller id
or VMWI.

A value of fsk(1) indicates Frequency Shift Keying
(FSK).

A value of dtmf(2) indicates Dual-Tone Multi-Frequency
(DTMF)."

```
SYNTAX INTEGER {  
    fsk(1),  
    dtmf(2)  
}
```

pktsSigMibObjects OBJECT IDENTIFIER ::= { pktsIetfSigMib 1 }

pktsSigDevObjects OBJECT IDENTIFIER ::=

```

        { pktcSigMibObjects 1 }
pktcSigEndPntConfigObjects OBJECT IDENTIFIER ::=
        { pktcSigMibObjects 2 }
--
-- The codec table (pktcSigDevCodecTable) defines all combinations
-- of codecs supported by the Multimedia Terminal Adapter (MTA).
--
pktcSigDevCodecTable OBJECT-TYPE
    SYNTAX     SEQUENCE OF PktcSigDevCodecEntry
    MAX-ACCESS not-accessible
    STATUS     current
    DESCRIPTION
        " This table describes the MTA-supported codec types. An MTA
        MUST populate this table with all possible combinations of
        codecs it supports for simultaneous operation. For example,
        an MTA with two endpoints may be designed with a particular
        Digital Signal Processing (DSP) and memory architecture that
        allows it to support the following fixed combinations of
        codecs for simultaneous operation:

```

Codec Type	Maximum Number of Simultaneous Codecs
PCMA	3
PCMA	2
PCMU	1
PCMA	1
PCMU	2
PCMU	3
PCMA	1
G729	1
G729	2
PCMU	1
G729	1

Based on this example, the entries
in the codec table
would be:

pktcSigDev CodecComboIndex	pktcSigDev CodecType	pktcSigDev CodecMax
1	pcma	3
2	pcma	2

2	pcmu	1
3	pcma	1
3	pcmu	2
4	pcmu	3
5	pcma	1
5	g729	1
6	g729	2
7	pcmu	1
7	g729	1

An operator querying this table is able to determine all possible codec combinations the MTA is capable of simultaneously supporting.

This table MUST NOT include non-voice codecs."

```
 ::=
 { pktcSigDevObjects 1 }
```

pktcSigDevCodecEntry OBJECT-TYPE

SYNTAX PktcSigDevCodecEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each entry represents the maximum number of active connections with a particular codec the MTA is capable of supporting. Each row is indexed by a composite key consisting of a number enumerating the particular codec combination and the codec type."

INDEX { pktcSigDevCodecComboIndex, pktcSigDevCodecType }

```
 ::= { pktcSigDevCodecTable 1 }
```

PktcSigDevCodecEntry ::= SEQUENCE {

pktcSigDevCodecComboIndex Unsigned32,

pktcSigDevCodecType PktcCodecType,

pktcSigDevCodecMax Unsigned32

}

pktcSigDevCodecComboIndex OBJECT-TYPE

SYNTAX Unsigned32 (1..255)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The index value that enumerates a particular codec combination in the pktcSigDevCodecTable."

```
 ::=
```

{ pktcSigDevCodecEntry 1 }

pktcSigDevCodecType OBJECT-TYPE

SYNTAX PktcCodecType
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

" A codec type supported by this MTA."

::= { pktcSigDevCodecEntry 2 }

pktcSigDevCodecMax OBJECT-TYPE

SYNTAX Unsigned32(1..255)
MAX-ACCESS read-only
STATUS current

DESCRIPTION

" The maximum number of simultaneous sessions of a particular codec that the MTA can support."

::= { pktcSigDevCodecEntry 3 }

--

-- These are the common signaling-related definitions that affect
-- the entire MTA device.

--

pktcSigDevEchoCancellation OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-only
STATUS current

DESCRIPTION

" This object specifies if the device is capable of echo cancellation. The MTA MUST set this MIB object to a value of true(1) if it is capable of echo cancellation, and a value of false(2) if not."

::= { pktcSigDevObjects 2 }

pktcSigDevSilenceSuppression OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-only
STATUS current

DESCRIPTION

" This object specifies if the device is capable of silence suppression (as a result of Voice Activity Detection). The MTA MUST set this MIB object to a value of true(1) if it is capable of silence suppression, and a value of false(2) if not."

::= { pktcSigDevObjects 3 }

pktcSigDevCidSigProtocol OBJECT-TYPE

SYNTAX PktcSubscriberSideSigProtocol

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object is used to configure the subscriber-line protocol used for signaling on-hook caller id information.

Different countries define different caller id signaling protocols to support caller identification.

Setting this object at a value fsk(1) sets the subscriber line protocol to be Frequency Shift Keying (FSK).

Setting this object at a value dtmf(2) sets the subscriber line protocol to be Dual-Tone Multi-Frequency (DTMF).

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { fsk }

::= { pktcSigDevObjects 4 }

pktcSigDevR0Cadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 0 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 5 }

pktcSigDevR1Cadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 1 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 6 }

pktcSigDevR2Cadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 2 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 7 }

pktcSigDevR3Cadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 3 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 8 }

pktcSigDevR4Cadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 4 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 9 }

pktcSigDevR5Cadence OBJECT-TYPE

SYNTAX PktcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 5 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 10 }

pktcSigDevR6Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 6 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 11 }

pktcSigDevR7Cadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence 7 (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 12 }

pktcSigDevRgCadence OBJECT-TYPE

SYNTAX PkctRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence rg (a user-defined field).

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pktcSigDevObjects 13 }

pkcSigDevRsCadence OBJECT-TYPE

SYNTAX PkcRingCadence

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies ring cadence rs (a user-defined field). The MTA MUST reject any attempt to make this object repeatable.

The value of this MIB object MUST NOT persist across MTA reboots."

::= { pkcSigDevObjects 14 }

pkcSigDefCallSigDscp OBJECT-TYPE

SYNTAX Dscp -- RFC 3289: DIFFSERV-DSCP-TC

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"

The default value used in the IP header for setting the Differentiated Services Code Point (DSCP) value for call

signaling.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { 0 }

::= { pkcSigDevObjects 15 }

pkcSigDefMediaStreamDscp OBJECT-TYPE

SYNTAX Dscp -- RFC 3289: DIFFSERV-DSCP-TC

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object contains the default value used in the IP header for setting the Differentiated Services Code Point (DSCP) value for media stream packets. The MTA MUST NOT update this object with the value supplied by the CMS in the NCS messages (if present). Any currently active connections are not affected by updates to this object. When the value of this object is updated by SNMP, the MTA MUST use the new value as a default starting only from new connections.

```

        The value of this MIB object MUST NOT persist across MTA
        reboots."
    DEFVAL { 0 }
    ::= { pktcSigDevObjects 16 }

--
-- pktcSigCapabilityTable - This table defines the valid signaling
-- types supported by this MTA.
--

pktcSigCapabilityTable OBJECT-TYPE
    SYNTAX SEQUENCE OF PktcSigCapabilityEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        " This table describes the signaling types supported by this
        MTA."
    ::= { pktcSigDevObjects 17 }

pktcSigCapabilityEntry OBJECT-TYPE
    SYNTAX PktcSigCapabilityEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        " Entries in pktcMtaDevSigCapabilityTable - list of
        supported signaling types, versions, and vendor extensions

        for this MTA. Each entry in the list provides for one
        signaling type and version combination. If the device
        supports multiple versions of the same signaling
        type, it
        will require multiple entries."
    INDEX { pktcSigCapabilityIndex }
    ::= { pktcSigCapabilityTable 1 }

PktcSigCapabilityEntry ::= SEQUENCE {
    pktcSigCapabilityIndex Unsigned32,
    pktcSigCapabilityType PktcSigType,
    pktcSigCapabilityVersion SnmpAdminString,
    pktcSigCapabilityVendorExt SnmpAdminString
}

pktcSigCapabilityIndex OBJECT-TYPE
    SYNTAX Unsigned32 (1..255)
    MAX-ACCESS not-accessible
    STATUS current

```

DESCRIPTION

" The index value that uniquely identifies an entry in the
pktcSigCapabilityTable."

::= { pktcSigCapabilityEntry 1 }

pktcSigCapabilityType OBJECT-TYPE

SYNTAX PktcSigType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object identifies the type of signaling used. This
value has to be associated with a single signaling
version."

::= { pktcSigCapabilityEntry
2 }

pktcSigCapabilityVersion OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" Provides the version of the signaling type - reference
pktcSigCapabilityType. Examples would be 1.0 or 2.33 etc."

::= { pktcSigCapabilityEntry 3 }

pktcSigCapabilityVendorExt OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" The vendor extension allows vendors to provide a list of

additional capabilities.

The syntax for this MIB object in ABNF ([RFC5234]) is
specified to be zero or more occurrences of vendor
extensions, as follows:

```
pktcSigCapabilityVendorExt = *(vendor-extension)
vendor-extension = (ext symbol alphanum) DQUOTE ; DQUOTE
ext = DQUOTE %x58 DQUOTE
symbol = (DQUOTE %x2D DQUOTE)/(DQUOTE %x2D DQUOTE)
alphanum = 1*6(ALPHA/DIGIT)
```

"

::= { pktcSigCapabilityEntry 4 }

pktcSigDefNcsReceiveUdpPort OBJECT-TYPE

SYNTAX InetPortNumber (1025..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the MTA User Datagram Protocol (UDP) receive port that is being used for NCS call signaling. This object should only be changed by the configuration file.

Unless changed via configuration, this MIB object MUST reflect a value of '2427'."

REFERENCE

"PacketCable NCS Specification"

::= { pktcSigDevObjects 18 }

pktcSigPowerRingFrequency OBJECT-TYPE

SYNTAX INTEGER {

f20Hz(1),

f25Hz(2),

f33Point33Hz(3),

f50Hz(4),

f15Hz(5),

f16Hz(6),

f22Hz(7),

f23Hz(8),

f45Hz(9)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object must only be provided via the configuration file during the provisioning process. The power ring

frequency is the frequency at which the sinusoidal voltage must travel down the twisted pair to make terminal equipment ring. Different countries define different electrical characteristics to make terminal equipment ring.

The f20Hz setting corresponds to a power ring frequency of 20 Hertz. The f25Hz setting corresponds to a power ring frequency of 25 Hertz. The f33Point33Hz setting corresponds to a power ring frequency of 33.33 Hertz. The f50Hz setting corresponds to a power ring frequency of 50

Hertz. The f15Hz setting corresponds to a power ring frequency of 15 Hertz. The f16Hz setting corresponds to a power ring frequency of 16 Hertz. The f22Hz setting corresponds to a power ring frequency of 22 Hertz. The f23Hz setting corresponds to a power ring frequency of 23 Hertz. The f45Hz setting corresponds to a power ring frequency of 45 Hertz."

REFERENCE

"ETSI-EN-300-001"
::= { pktcSigDevObjects 19 }

pktcSigPulseSignalTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcSigPulseSignalEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The Pulse signal table defines the pulse signal operation. There are nine types of international pulse signals, with each signal having a set of provisionable parameters. The values of the MIB objects in this table take effect only if these parameters are not defined via signaling, in which case, the latter determines the values of the parameters. The MIB objects in this table do not persist across MTA reboots."

REFERENCE

"ETSI-TS-101-909-4 Specification"
::= { pktcSigDevObjects
20 }

pktcSigPulseSignalEntry OBJECT-TYPE

SYNTAX PktcSigPulseSignalEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This object defines the set of parameters associated with each particular value of pktcSigPulseSignalType. Each entry in the pktcSigPulseSignalTable is indexed by the pktcSigPulseSignalType object.

The conceptual rows MUST NOT persist across MTA reboots."

INDEX { pktcSigPulseSignalType }

::= { pktcSigPulseSignalTable 1 }

PktcSigPulseSignalEntry ::= SEQUENCE {
pktcSigPulseSignalType INTEGER,

```
pkcSigPulseSignalFrequency    INTEGER,
pkcSigPulseSignalDbLevel      TenthdBm,
pkcSigPulseSignalDuration     Unsigned32,
pkcSigPulseSignalPulseInterval Unsigned32,
pkcSigPulseSignalRepeatCount  Unsigned32
}
```

pkcSigPulseSignalType OBJECT-TYPE

SYNTAX INTEGER

```
{
    initialRing(1),
    pulseLoopClose(2),
    pulseLoopOpen(3),
    enableMeterPulse(4),
    meterPulseBurst(5),
    pulseNoBattery(6),
    pulseNormalPolarity(7),
    pulseReducedBattery(8),
    pulseReversePolarity(9)
}
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"There are nine types of international pulse signals. These signals are defined as follows:

initial ring

pulse loop close

pulse loop open

enable meter pulse

meter pulse burst

pulse no battery

pulse normal polarity

pulse reduced battery

pulse reverse polarity"

REFERENCE

"ETSI-EN-300-324-1 Specification"

::= { pkcSigPulseSignalEntry 1 }

pkcSigPulseSignalFrequency OBJECT-TYPE

SYNTAX INTEGER {

twentyfive(1),

twelvethousand(2),

sixteenthousand(3)


```
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
```

" This object is only applicable to the initialRing, enableMeterPulse, and meterPulseBurst signal types. This object identifies the frequency of the generated signal. The following table defines the default values for this object depending on signal type:

pktcSigPulseSignalType	Default
initialRing	25
enableMeterPulse	16000
meterPulseBurst	16000

The value of twentyfive MUST only be used for the initialRing signal type. The values of twelvethousand and sixteenthousand MUST only be used for enableMeterPulse and meterPulseBurst signal types. An attempt to set this object while the value of pktcSigPulseSignalType is not initialRing, enableMeterPulse, or meterPulseBurst will result in an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-001 Specification"
::= { pktcSigPulseSignalEntry 2 }

pktcSigPulseSignalDbLevel OBJECT-TYPE

```
SYNTAX TenthdBm (-350..0)
UNITS "1/10 of a dBm"
MAX-ACCESS read-write
STATUS current
DESCRIPTION
```

" This object is only applicable to the enableMeterPulse and meterPulseBurst signal types. This is the decibel level for each frequency at which tones could be generated at the a and b terminals (TE connection point). An attempt to set this object while the value of pktcSigPulseSignalType is not enableMeterPulse or meterPulseBurst will result in an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-001 Specification"

```
DEFVAL { -135 }
::={pktcSigPulseSignalEntry 3 }
```

pktcSigPulseSignalDuration OBJECT-TYPE

SYNTAX Unsigned32
 (0..5000)
 UNITS "Milliseconds"
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION

" This object specifies the pulse duration for each signal type. In addition, the MTA must accept the values in the incremental steps specific for each signal type. The following table defines the default values and the incremental steps for this object depending on the signal type:

pktcSigPulseSignaltype	Default (ms)	Increment (ms)
initialRing	200	50
pulseLoopClose	200	10
pulseLoopOpen	200	10
enableMeterPulse	150	10
meterPulseBurst	150	10
pulseNoBattery	200	10
pulseNormalPolarity	200	10
pulseReducedBattery	200	10
pulseReversePolarity	200	10

An attempt to set this object to a value that does not fall on one of the increment boundaries, or on the wrong increment boundary for the specific signal type, will result in an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-324-1 Specification"
 ::= { pktcSigPulseSignalEntry 4 }

pktcSigPulseSignalPulseInterval OBJECT-TYPE

SYNTAX Unsigned32 (0..5000)
 UNITS "Milliseconds"
 MAX-ACCESS read-write
 STATUS current
 DESCRIPTION

" This object specifies the repeat interval, or the period, for each signal type. In addition, the MTA must accept the values in the incremental steps specific for each signal type. The following table defines the default values and the incremental steps for this object, depending on the signal type:

pktcSigPulseSignaltype	Default (ms)	Increment (ms)
initialRing	200	50
pulseLoopClose	1000	10
pulseLoopOpen	1000	10

enableMeterPulse	1000	10
meterPulseBurst	1000	10
pulseNoBattery	1000	10
pulseNormalPolarity	1000	10
pulseReducedBattery	1000	10
pulseReversePolarity	1000	10

An attempt to set this object to a value that does not fall on one of the increment boundaries, or on the wrong increment boundary for the specific signal type, will result in an 'inconsistentValue' error."

REFERENCE

"ETSI-EN-300-324-1 Specification"
 ::= { pktcSigPulseSignalEntry 5 }

pktcSigPulseSignalRepeatCount OBJECT-TYPE

SYNTAX Unsigned32 (1..50)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies how many times to repeat a pulse. This object is not used by the enableMeterPulse signal type, and in that case, the value is irrelevant. The following table defines the default values and the valid ranges for this object, depending on the signal type:

pktcSigPulseSignaltype	Default	Range
initialRing	1	1-5
pulseLoopClose	1	1-50
pulseLoopOpen	1	1-50
enableMeterPulse	(any value)(but not used)	
meterPulseBurst	1	1-50
pulseNoBattery	1	1-50
pulseNormalPolarity	1	1-50
pulseReducedBattery	1	1-50
pulseReversePolarity	1	1-50

An attempt to set this object to a value that does not fall within the range for the specific

signal type will result in an
'inconsistentValue' error."
::={ pktcSigPulseSignalEntry 6 }

pktcSigDevCidMode OBJECT-TYPE

SYNTAX INTEGER {
 duringRingingETS(1),
 dtAsETS(2),
 rpAsETS(3),

 lrAsETS(4),
 lrETS(5)
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" For on-hook caller id, pktcSigDevCidMode selects the method for representing and signaling caller identification. For the duringRingingETS method, the Frequency Shift Keying (FSK) or the Dual-Tone Multi-Frequency (DTMF) containing the caller identification information is sent between the first and second ring pattern.

For the dtAsETS,rpAsETS, lrAsETS and lrETS methods, the FSK or DTMF containing the caller id information is sent before the first ring pattern.

For the dtAsETS method, the FSK or DTMF is sent after the Dual

Tone Alert Signal. For the rpAsETS method, the FSK or DTMF is sent after a Ring Pulse.

For the lrAsETS method, the Line Reversal occurs first, then the Dual Tone Alert Signal, and, finally, the FSK or DTMF is sent.

For the lrETS method, the Line Reversal occurs first, then the FSK or DTMF is sent.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { rpAsETS }
::= {pktcSigDevObjects 21 }

pktcSigDevCidAfterRing OBJECT-TYPE

SYNTAX Unsigned32 (0|50..2000)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of first ringing pattern and the start of the transmission of the FSK or DTMF containing the caller id information. It is only used when pktcSigDevCidMode is set to a value of 'duringRingingETS'.

The following table defines the default values for this MIB object, depending on the signal type

(pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode	Default value
duringringingETS	550 ms
dtAsETS	any value (not used)
rpAsETS	any value (not used)
lrAsETS	any value (not used)
lrETS	any value (not used)

An attempt to set this object while the value of pktcSigDevCidMode is not duringringingETS will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 550 }

::= {pktcSigDevObjects 22 }

pktcSigDevCidAfterDTAS OBJECT-TYPE

SYNTAX Unsigned32 (0|45..500)

UNITS "Milliseconds"

MAX-ACCESS

read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Dual Tone Alert Signal (DT-AS) and the start of the transmission of the FSK or DTMF containing the caller id

information. This object is only used when pktcSigDevCidMode is set to a value of 'dtAsETS' or 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode	Default value
duringringingETS	any value (not used)
dtAsETS	50 ms
rpAsETS	any value (not used)
lrAsETS	50 ms
lrETS	any value (not used)

An attempt to set this object while the value of

pktcSigDevCidMode is not 'dtAsETS' or 'lrAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 50 }

::= {pktcSigDevObjects 23 }

pktcSigDevCidAfterRPAS OBJECT-TYPE

SYNTAX Unsigned32 (0|500..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Ring Pulse Alert Signal (RP-AS) and the start of the transmission of the FSK or DTMF containing the caller id information. This MIB object is only used when pktcSigDevCidMode is set to a value of 'rpAsETS'. The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode	Default
----------------------------	---------

value

duringringingETS	any value (not used)
dtAsETS	any value (not used)
rpAsETS	650 ms
lrAsETS	any value (not used)
lrETS	any value (not used)

An attempt to set this object while the value of pktcSigDevCidMode is not 'rpAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 650 }

::= {pktcSigDevObjects 24 }

pktcSigDevRingAfterCID OBJECT-TYPE

SYNTAX Unsigned32 (0|50..500)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the complete transmission of the FSK or DTMF containing the caller

id information and the start of the first ring

pattern. It is only used when pktcSigDevCidMode is set to a value of 'dtAsETS', 'rpAsETS', 'lrAsETS' or 'lrETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode	Default value
----------------------------	---------------

duringringingETS	any value (not used)
dtAsETS	250 ms
rpAsETS	250 ms
lrAsETS	250 ms
lrETS	250 ms

An attempt to set this object while the value of `pktcSigDevCidMode` is not 'dtAsETS', 'rpAsETS', 'lrAsETS', or 'lrETS' will result in an 'inconsistent value' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 250 }

::= {pktcSigDevObjects 25 }

`pktcSigDevCidDTASAfterLR` OBJECT-TYPE

SYNTAX Unsigned32 (50..655)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Line Reversal and the start of the Dual Tone Alert Signal (DT-AS). This object is only used when `pktcSigDevCidMode` is set to a value of 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (`pktcSigDevCidMode`), and MUST be followed:

Value of <code>pktcSigDevCidMode</code>	Default value
<code>duringringingETS</code>	any value (not used)
<code>dtAsETS</code>	any value (not used)
<code>rpAsETS</code>	any value (not used)
<code>lrAsETS</code>	250 ms
<code>lrETS</code>	any value (not used)

An attempt to set this object while the value of `pktcSigDevCidMode` is not `lrAsETS` will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 250 }

::= {pktcSigDevObjects 26 }

pktcSigDevVmwiMode OBJECT-TYPE

SYNTAX INTEGER {
dtAsETS(1),
rpAsETS(2),
lrAsETS(3),
osi(4),
lrETS(5)
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" For visual message waiting indicator (VMWI),
pktcSigDevVmwiMode selects the alerting signal method. For
the dtAsETS, rpAsETS, lrAsETS, osi, and lrETS methods,
the FSK containing the VMWI information is sent after an
alerting signal.

For the dtAsETS method,
the FSK, or DTMF
is sent after the Dual Tone Alert Signal. For the rpAsETS
method, the FSK or DTMF is sent after a Ring Pulse.

For the lrAsETS method, the Line Reversal occurs first,
then the Dual Tone Alert Signal, and, finally, the FSK or
DTMF is sent.

For the OSI method, the FSK or DTMF is sent after the Open
Switching Interval.

For the lrETS method, the Line Reversal occurs first,
then the FSK or DTMF is sent.

The value of this MIB object MUST NOT persist across MTA
reboots."

DEFVAL { rpAsETS }

::= {pktcSigDevObjects 27 }

pktcSigDevVmwiAfterDTAS OBJECT-TYPE

SYNTAX Unsigned32 (0|45..500)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Dual Tone Alert Signal (DT-AS) and the start of the transmission of the

FSK or DTMF containing the VMWI information.

This object is only used when pktcSigDevVmwiMode is set to a value of 'dtAsETS' or 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevVmwiMode), and MUST be followed:

Value of pktcSigDevVmwiMode	Default value
dtAsETS	50 ms
rpAsETS	any value (not used)
lrAsETS	50 ms
lrETS	any value (not used)

An attempt to set this object while the value of pktcSigDevVmwiMode is not 'dtAsETS' or 'lrAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 50 }

::= {pktcSigDevObjects 28
}

pktcSigDevVmwiAfterRPAS OBJECT-TYPE

SYNTAX Unsigned32 (0|500..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Ring Pulse Alert Signal (RP-AS) and the start of the transmission of the FSK or DTMF containing the VMWI

information.

This object is only used when `pktcSigDevVmwiMode` is set to a value of 'rpAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (`pktcSigDevVmwiMode`), and MUST be followed:

Value of <code>pktcSigDevVmwiMode</code>	Default value
<code>dtAsETS</code>	any value (not used)
<code>rpAsETS</code>	650 ms
<code>lrAsETS</code>	any value (not used)
<code>lrETS</code>	any value (not used)

An attempt to set this object while the value of `pktcSigDevVmwiMode` is not 'rpAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 650 }

::= {pktcSigDevObjects 29 }

`pktcSigDevVmwiDTASAfterLR` OBJECT-TYPE

SYNTAX Unsigned32 (0|50..655)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the delay between the end of the Line Reversal and the start of the Dual Tone Alert Signal (DT-AS) for VMWI information. This object is only used when `pktcSigDevVmwiMode` is set to a value of 'lrAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (`pktcSigDevVmwiMode`), and MUST be followed:

Value of `pktcSigDevVmwiMode`

Default value

dtAsETS	any value (not used)
rpAsETS	any value (not used)
lrAsETS	250 ms
lrETS	any value (not used)

An attempt to set this object while the value of `pktcSigDevVmwiMode` is not 'lrAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification"

DEFVAL { 250 }

::= { pktcSigDevObjects 30 }

`pktcSigDevRingCadenceTable` OBJECT-TYPE

SYNTAX SEQUENCE OF `PktcSigDevRingCadenceEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Cadence rings are defined by the telco governing body for each country. The MTA must be able to support various ranges of cadence patterns and cadence periods. The

MTA will be able to support country-specific provisioning of the cadence and idle period. Each cadence pattern will be assigned a unique value ranging from 0-127 (inclusive) corresponding to the value of x, where x is the value sent in the cadence ringing (cr) signal `cr(x)`, requested per the appropriate NCS message, and defined in the E package. The MTA will derive the cadence periods from the ring cadence table entry, as provisioned by the customer. The MTA is allowed to provide appropriate default values for each of the ring cadences. This table only needs to be supported when the MTA implements the E package."

REFERENCE

"ETSI-TS-101-909-4 Specification"

::= { pktcSigDevObjects 31 }

`pktcSigDevRingCadenceEntry` OBJECT-TYPE

SYNTAX `PktcSigDevRingCadenceEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" Each entry in
this row corresponds to a ring cadence
that is being supported by the device. The conceptual
rows MUST NOT persist across MTA reboots."
INDEX { pktcSigDevRingCadenceIndex }
::= { pktcSigDevRingCadenceTable 1 }

```
PktcSigDevRingCadenceEntry ::= SEQUENCE {  
    pktcSigDevRingCadenceIndex    Unsigned32,  
    pktcSigDevRingCadence         PktcRingCadence  
}
```

```
pktcSigDevRingCadenceIndex OBJECT-TYPE  
SYNTAX    Unsigned32 (0..127)  
MAX-ACCESS not-accessible  
STATUS    current  
DESCRIPTION  
    " A unique value ranging from 0 to 127 that corresponds to the  
    value sent by the LE based on country-specific cadences,  
    one row per cadence cycle. In any given system  
    implementation for a particular country, it is anticipated  
    that a small number of ring cadences will be in use. Thus,  
    this table most likely will not be populated to its full  
    size."  
::= { pktcSigDevRingCadenceEntry  
1 }
```

```
pktcSigDevRingCadence OBJECT-TYPE  
SYNTAX    PktcRingCadence  
MAX-ACCESS read-write  
STATUS    current  
DESCRIPTION  
    "This is the Ring Cadence."  
::= { pktcSigDevRingCadenceEntry 2 }
```

```
pktcSigDevToneTable OBJECT-TYPE  
SYNTAX    SEQUENCE OF PktcSigDevToneEntry  
MAX-ACCESS not-accessible  
STATUS    current  
DESCRIPTION  
    " The Tone Table defines the composition of tones and  
    various tone operations.
```

The definition of the tones callWaiting1 through

callWaiting4 in this table MUST only contain the audible tone itself; the delay between tones or the value of the tone repeat count are not applicable for the call waiting tones.

The delay between tones or the repeat count is controlled by the objects pktcSigEndPntConfigCallWaitingDelay and pktcSigEndPntConfigCallWaitingMaxRep. If the pktcSigDevToneType is set to either of the values callWaiting1, callWaiting2, callWaiting3, or callWaiting4, then the value of the pktcSigDevToneWholeToneRepeatCount object indicates that the particular frequency group is applicable, as a repeatable part of the tone, based on the value of the MIB object pktcSigDevToneWholeToneRepeatCount.

The MTA MUST make sure that, after the provisioning cycle, the table is fully populated (i.e., for each possible index, an entry MUST be defined) using reasonable defaults for each row that was not defined by the provisioning information delivered via MTA Configuration.

The frequency composition of each tone is defined by the pktcSigDevMultiFreqToneTable. For each tone type defined in pktcSigDevToneTable, the MTA MUST populate at least one entry in the pktcSigDevMultiFreqToneTable.

For each particular value of pktcSigDevToneType, the pktcSigDevToneTable table can define non-repeating and repeating groups of the frequencies defined by the pktcSigDevMultiFreqToneTable, such that each group is represented by the set of the consecutive rows (frequency group) in the pktcSigDevMultiFreqToneTable.

Objects in this table do not persist across MTA reboots. For tones with multiple frequencies refer to the MIB table pktcSigDevMultiFreqToneTable."

REFERENCE

"PacketCable NCS Specification, ETSI-TS-101-909-4 Specification."

::= { pktcSigDevObjects 32 }

pkcSigDevToneEntry OBJECT-TYPE

SYNTAX PkcSigDevToneEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" The different tone types that can be provisioned based on country-specific needs.

Each entry contains the tone generation parameters for a specific frequency group of the specific Tone Type.

The different parameters can be provisioned via MTA configuration based on country specific needs.

An MTA MUST populate all entries of this table for each tone type."

INDEX { pkcSigDevToneType, pkcSigDevToneFreqGroup }

::= { pkcSigDevToneTable 1 }

PkcSigDevToneEntry ::= SEQUENCE {

pkcSigDevToneType INTEGER,
pkcSigDevToneFreqGroup Unsigned32,
pkcSigDevToneFreqCounter Unsigned32,
pkcSigDevToneWholeToneRepeatCount Unsigned32,
pkcSigDevToneSteady TruthValue
}

pkcSigDevToneType OBJECT-TYPE

SYNTAX INTEGER {

busy(1),
confirmation(2),
dial(3),
messageWaiting(4),
offHookWarning(5),
ringBack(6),
reOrder(7),
stutterdial(8),
callWaiting1(9),

callWaiting2(10),
callWaiting3(11),
callWaiting4(12),
alertingSignal(13),
specialDial(14),
specialInfo(15),
release(16),

```
congestion(17),
userDefined1(18),
userDefined2(19),
userDefined3(20),
userDefined4(21)
}
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique value that will correspond to the different tone types. These tones can be provisioned based on country-specific needs. This object defines the type of tone being accessed.

The alertingSignal, specialDial, specialInfo, release,

congestion, userDefined1, userDefined2, userDefined3, and userDefined4 tone types are used in the E line package."

::= { pktcSigDevToneEntry 1 }

pktcSigDevToneFreqGroup OBJECT-TYPE

SYNTAX Unsigned32(1..4)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This MIB object represents the Tone Sequence reference of a multi-sequence tone."

::={ pktcSigDevToneEntry 2 }

pktcSigDevToneFreqCounter OBJECT-TYPE

SYNTAX Unsigned32(1..8)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the number of consecutive multi-frequency tones for the particular tone type in the multi-frequency table (pktcSigDevMultiFreqToneTable).

Such a sequence of the consecutive multi-frequency tones forms the tone group for the particular tone type in the pktcSigDevToneTable."

::={ pktcSigDevToneEntry 3 }

pktcSigDevToneWholeToneRepeatCount OBJECT-TYPE

SYNTAX Unsigned32 (0..5000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This is the repeat count,
which signifies how many times

to repeat the entire on-off cadence sequence. Setting this object may result in a cadence duration longer or shorter than the overall signal duration specified by the time out (TO) object for a particular signal. If the repeat count results in a longer tone duration than the signal duration specified by the TO, the tone duration defined by the TO object for a particular signal always represents the overall signal duration for a tone. In this case, the tone duration repeat count will not be fully exercised, and the desired tone duration will be truncated per the TO setting. If the repeat count results in a shorter tone duration than the signal duration specified by the TO, the tone duration defined by the repeat count takes precedence over the TO and will end the signal event. In this case,

the TO represents a
time not to be exceeded for the signal.

It is recommended to ensure proper telephony signaling so that the TO duration setting should always be longer than the desired repeat count-time duration."

::={ pktcSigDevToneEntry 4 }

pktcSigDevToneSteady OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the steady tone status. A value of 'true(1)' indicates that the steady tone is applied, and a value of 'false(2)' indicates otherwise.

Devices must play out the on-off cadence sequence for the number of times indicated by the MIB object 'pktcSigDevToneWholeToneRepeatCount' prior to applying the last tone steadily, indefinitely. If the MIB table 'pktcSigDevToneTable' contains multiple rows with this Object set to a value of 'true(1)', the steady tone is applied to the last repeating frequency

group of the tone.

Setting this MIB object may result in a tone duration that is

longer or shorter than the overall signal duration specified by the time out (TO) MIB object for a particular signal. If the repeat count results in a longer tone duration than the signal duration specified by the TO, the tone duration defined by the TO object for a particular signal always represents the overall signal duration for a tone. In this case, the tone duration repeat count will not be fully exercised, and the desired tone duration will be truncated per the TO setting. If the repeat count results in a shorter tone duration than the signal duration specified by the TO, the tone duration defined by the repeat count takes precedence over the TO and will end the signal event. In this case, the TO represents a time not to be exceeded for the signal.

It is recommended to ensure proper telephony signaling that
The TO duration setting should always be longer than the desired repeat count-time duration, plus the desired maximum steady tone period."

```
::={ pktcSigDevToneEntry 5 }
```

```
pktcSigDevMultiFreqToneTable OBJECT-TYPE  
SYNTAX SEQUENCE OF PktcSigDevMultiFreqToneEntry  
MAX-ACCESS not-accessible  
STATUS current
```

DESCRIPTION

" This MIB table defines the characteristics of tones with multiple frequencies. The constraints imposed on the tones by the MIB table pktcSigDevToneTable need to be considered for MIB objects in this table as well.

The MTA MUST populate the corresponding row(s) of the pktcSigDevMultiFreqToneTable for each tone defined in the pktcSigDevToneTable.

The contents of the table may be provisioned via MTA configuration."

REFERENCE

"PacketCable NCS Specification, ETSI-TS-101-909-4 Specification."

```
::= { pktcSigDevObjects 33 }
```

```
pktcSigDevMultiFreqToneEntry OBJECT-TYPE
```

SYNTAX PkctSigDevMultiFreqToneEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 " The different tone types with multiple frequencies
 that can be provisioned based on country-specific
 needs."
 INDEX {pkctSigDevToneType, pkctSigDevToneNumber}
 ::= { pkctSigDevMultiFreqToneTable 1 }

PkctSigDevMultiFreqToneEntry ::= SEQUENCE {
 pkctSigDevToneNumber Unsigned32,
 pkctSigDevToneFirstFreqValue Unsigned32,
 pkctSigDevToneSecondFreqValue Unsigned32,
 pkctSigDevToneThirdFreqValue Unsigned32,
 pkctSigDevToneFourthFreqValue Unsigned32,
 pkctSigDevToneFreqMode INTEGER,
 pkctSigDevToneFreqAmpModePrtg
 Unsigned32,
 pkctSigDevToneDbLevel TenthdBm,
 pkctSigDevToneFreqOnDuration Unsigned32,
 pkctSigDevToneFreqOffDuration Unsigned32,
 pkctSigDevToneFreqRepeatCount Unsigned32
 }

pkctSigDevToneNumber OBJECT-TYPE

SYNTAX Unsigned32(1..8)
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION

"This MIB object represents the frequency reference
 of a multi-frequency tone."
 ::= { pkctSigDevMultiFreqToneEntry 1 }

pkctSigDevToneFirstFreqValue OBJECT-TYPE

SYNTAX Unsigned32(0..4000)
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION

"This MIB object represents the value of the first
 frequency of a tone type. A value of zero implies
 absence of the referenced frequency."
 ::= { pkctSigDevMultiFreqToneEntry 2 }

pkctSigDevToneSecondFreqValue

OBJECT-TYPE

SYNTAX Unsigned32(0..4000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the value of the second frequency of a tone type. A value of zero implies absence of the referenced frequency."

::={ pktcSigDevMultiFreqToneEntry 3 }

pktcSigDevToneThirdFreqValue OBJECT-TYPE

SYNTAX Unsigned32(0..4000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the value of the third frequency of a tone type. A value of zero implies absence of the referenced frequency."

::={ pktcSigDevMultiFreqToneEntry 4 }

pktcSigDevToneFourthFreqValue OBJECT-TYPE

SYNTAX Unsigned32(0..4000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the value of the fourth frequency of a tone type. A value of zero implies absence of the referenced frequency."

::={ pktcSigDevMultiFreqToneEntry 5 }

pktcSigDevToneFreqMode OBJECT-TYPE

SYNTAX INTEGER {
 firstModulatedBySecond(1),
 summation(2)
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object provides directive on the modulation or summation of the frequencies involved in the tone.

It is to be noted that while summation can be done without any constraint on the number

of frequencies, the modulation (amplitude)
holds good only when there are two frequencies
(first and second).

Thus:

- If the mode is set to a value of
'firstModulatedBySecond(1)', the first frequency
MUST be modulated by the second, and the remaining
frequencies (third and fourth) ignored. The
percentage
of amplitude modulation to be applied
is defined by the MIB object
pktcSigDevToneFreqAmpModePrtg.

- If the mode is set to a value of
'summation(2)', all the frequencies MUST be
summed without any modulation.

"

::={ pktcSigDevMultiFreqToneEntry 6}

pktcSigDevToneFreqAmpModePrtg OBJECT-TYPE

SYNTAX Unsigned32(0..100)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the percentage of amplitude
modulation applied to the second frequency
when the MIB object pktcSigDevToneFreqMode is
set to a value of 'firstModulatedBySecond (1)'.

If the MIB object pktcSigDevToneFreqMode is set to
value of 'summation (2)', then this MIB object MUST be
ignored."

::={ pktcSigDevMultiFreqToneEntry 7}

pktcSigDevToneDbLevel OBJECT-TYPE

SYNTAX TenthdBm (-250..-110)

UNITS

"1/10 of a dBm"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object contains the decibel level for each
analog signal (tone) that is locally generated
(versus in-band supervisory tones) and sourced to

the a-b terminals (TE connection point). Each tone in itself may consist of multiple frequencies, as defined by the MIB table pktcSigDevMultiFreqToneTable.

This MIB object reflects the desired level at the Telco (POTS) a-b (T/R) terminals, including the effect of any MTA receiver gain (loss). This is required so that locally generated tones are consistent with remotely generated in-band tones at the a-b terminals, consistent with user expectations.

This MIB object must be set for each tone. When tones are formed by combining multi-frequencies, the level of each frequency

shall be set so as to result

in the tone level specified in this object at the a-b (T/R) terminals.

The wide range of levels for this Object is required to provide signal-generator levels across the wide range of gains (losses) -- but does not imply the entire range is to be achievable given the range of gains (losses) in the MTA."

DEFVAL { -120 }

::={ pktcSigDevMultiFreqToneEntry 8 }

pktcSigDevToneFreqOnDuration OBJECT-TYPE

SYNTAX Unsigned32(0..5000)

UNITS "milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object represents the duration for which the frequency reference corresponding to the tone type is turned on."

::={ pktcSigDevMultiFreqToneEntry 9 }

pktcSigDevToneFreqOffDuration OBJECT-TYPE

SYNTAX Unsigned32(0..5000)

UNITS "milliseconds"

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"This MIB object represents the duration for which the

frequency reference corresponding to the tone type
is turned off."
::={ pktcSigDevMultiFreqToneEntry 10}

pktcSigDevToneFreqRepeatCount OBJECT-TYPE

SYNTAX Unsigned32(0..5000)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This MIB object indicates the number of times
to repeat the cadence cycle represented by the
on/off durations (refer to the MIB objects
pktcSigDevToneFreqOnDuration and
pktcSigDevToneFreqOffDuration).

Setting this object may result in a tone duration that is
longer or shorter than the overall signal duration
specified by the time out (TO) object for the
corresponding tone type. If the value of this MIB
Object indicates a longer duration than that
specified by the TO, the latter overrules
the former,
and the desired tone duration will be truncated according
to the TO.

However, if the repeat count results in a shorter
tone duration than the signal duration specified by
the TO, the tone duration defined by the repeat count
takes precedence over the TO and will end the signal
event. In this case, the TO represents a time not to
be exceeded for the signal. It is recommended, to
ensure proper telephony signaling, that the TO
duration setting should always be longer than the
desired repeat count-time duration. A value of zero
means the tone sequence is to be played once but not
repeated."

::={ pktcSigDevMultiFreqToneEntry 11}

pktcSigDevCidDelayAfterLR OBJECT-TYPE

SYNTAX Unsigned32 (300..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the delay between
the end of the
Line Reversal and the start of the FSK or DTMF signal.
This MIB object is used only when pktcSigDevCidMode is

set to a value of 'lrETS'. This timing has a range of 300 to 800 ms.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode	Default value
duringringingETS	any value (not used)
dtAsETS	any value (not used)
rpAsETS	any value (not used)
lrAsETS	any value (not used)
lrETS	400

An attempt to set this object while the value of pktcSigDevCidMode is not set to a value of 'lrETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

```
DEFVAL { 400 }  
 ::= { pktcSigDevObjects 34 }
```

pktcSigDevCidDtmfStartCode OBJECT-TYPE

```
SYNTAX DtmfCode  
MAX-ACCESS read-write  
STATUS current
```

DESCRIPTION

"This object identifies optional start codes used when the MIB object pktcSigDevCidSigProtocol is set to a value of 'dtmf(2)'.

Different countries define different caller id signaling codes to support caller identification. When Dual-Tone Multi-Frequency (DTMF) is used, the caller id digits are preceded by a 'start code' digit, followed by the digit transmission sequence <S1>...<Sn> (where Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

```
<A><S1>...<Sn> <D><S1>...<Sn> <B><S1>...<Sn> <C>.
```

The start code for calling number delivery may be DTMF

'A' or 'D'. The start code for redirecting a number may be DTMF 'D'. The DTMF code 'B' may be sent by the network as a start code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA

reboots."

REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL { dtmfcodeA }

::= { pktcSigDevObjects 35 }

pktcSigDevCidDtmfEndCode OBJECT-TYPE

SYNTAX DtmfCode

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object identifies optional end codes used when the pktcSigDevCidSigProtocol is set to a value of 'dtmf(2)'.

Different countries define different caller id signaling protocols to support caller identification. When

Dual-Tone Multi-Frequency (DTMF) is used, the caller id digits are preceded by a 'start code' digit, followed by the digit transmission sequence <S1>...<Sn> (where Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <S1>...<Sn> <C>.

The DTMF code 'C' may be sent by the network as an end code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL { dtmfcodeC }
 ::= { pktcSigDevObjects 36 }

pktcSigDevVmwiSigProtocol OBJECT-TYPE

SYNTAX PktcSubscriberSideSigProtocol

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object identifies the subscriber line protocol used for signaling the information on Visual Message Waiting Indicator (VMWI). Different countries define different VMWI signaling protocols to support VMWI service.

Frequency shift keying (FSK) is most commonly used. DTMF is an alternative.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL { fsk }
 ::= { pktcSigDevObjects 37 }

pktcSigDevVmwiDelayAfterLR OBJECT-TYPE

SYNTAX Unsigned32 (0|300..800)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the delay between the end of the Line Reversal and the start of the FSK or DTMF signal. This object is only used when pktcSigDevVmwiMode is set to a value of 'lrETS'. This timing has a range of 300 to 800 ms.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevVmwiMode), and MUST be followed:

Value of pktcSigDevVmwiMode	Default value
duringringingETS	any value (not used)
dtAsETS	any value (not used)
rpAsETS	any value (not used)
lrAsETS	any value (not used)
lrETS	400

An attempt to set this object while the value of pktcSigDevVmwiMode is not 'lrETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

DEFVAL {400}
 ::= { pktcSigDevObjects 38 }

pktcSigDevVmwiDtmfStartCode

OBJECT-TYPE

SYNTAX DtmfCode

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object identifies optional start codes used when

the pktcSigDevVmwiSigProtocol is set to a value of 'dtmf(2)'. Different countries define different On Hook Data Transmission Protocol signaling codes to support VMWI.

When Dual-Tone Multi-Frequency (DTMF) is used, the VMWI digits are preceded by a 'start code' digit, followed by the digit transmission sequence <S1>...<Sn> (where Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <S1>...<Sn> <C>.

The start code for redirecting VMWI may be DTMF 'D'. The DTMF code 'B' may be sent by the network as a start code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL {dtmfcodeA}
 ::= { pktcSigDevObjects 39 }

pktcSigDevVmwiDtmfEndCode OBJECT-TYPE

SYNTAX DtmfCode

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object identifies an optional end code used when the pktcSigDevVmwiSigProtocol is set to a value of 'dtmf(2)'. Different countries define different on-hook Data Transmission Protocol signaling codes to support VMWI.

When Dual-Tone Multi-Frequency (DTMF) is used, the VMWI digits are preceded by a 'start code' digit, followed by the digit transmission sequence

<S1>...<Sn> (where

Sx represents the digits 0-9), and terminated by the 'end code' digit.

For example,

<A><S1>...<Sn> <D><S1>...<Sn> <S1>...<Sn> <C>.

The DTMF code 'C' may be sent by the network as an end code for the transfer of information values, through which special events can be indicated to the user. In some countries, the '*' or '#' may be used instead of 'A', 'B', 'C', or 'D'.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 specification"

DEFVAL { dtmfcodeC }

::= { pktcSigDevObjects 40 }

pktcSigDevrpAsDtsDuration OBJECT-TYPE

SYNTAX Unsigned32 (0|200..500)

UNITS "Milliseconds"

MAX-ACCESS read-write

STATUS current

DESCRIPTION

" This object specifies the duration of the rpASDTS ring

pulse prior to the start of the transmission of the

FSK or DTMF containing the caller id information. It is only used when pktcSigDevCidMode is set to a value of

'rpAsETS'.

The following table defines the default values for this MIB object, depending on the signal type (pktcSigDevCidMode), and MUST be followed:

Value of pktcSigDevCidMode	Default value
duringringingETS	any value (not used)
dtAsETS	any value (not used)
rpAsETS	250
lrAsETS	any value (not used)
lrETS	any value (not used)

An attempt to set this object while the value of pktcSigDevCidMode is not 'rpAsETS' will result in an 'inconsistentValue' error.

The value of this MIB object MUST NOT persist across MTA reboots."

REFERENCE

"ETSI-EN-300-659-1 Specification and Belgacom BGC_D_48_9811_30_09_EDOC version 3.3"

DEFVAL { 250 }

::= {pktcSigDevObjects 41 }

--

-- The Endpoint Config Table is used to define attributes that
-- are specific to connection EndPoints.

--

pktcSigEndPntConfigTable OBJECT-TYPE

SYNTAX SEQUENCE OF PktcSigEndPntConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

" This table describes the information pertaining to each endpoint of the MTA. All entries in this table represent the provisioned endpoints provisioned with the information required by the MTA to maintain the NCS protocol communication with the CMS. Each endpoint can be assigned to its own CMS. If the specific endpoint does not have the corresponding CMS information in this table, the endpoint is considered as not

provisioned with voice
 services. Objects in this table do not persist across
 MTA reboots."
 ::= { pktcSigEndPntConfigObjects 1 }

pktcSigEndPntConfigEntry OBJECT-TYPE

SYNTAX PktcSigEndPntConfigEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Each entry in the pktcSigEndPntConfigTable represents
 required signaling parameters for the specific endpoint
 provisioned with voice services. The conceptual rows MUST
 NOT persist across MTA reboots."

INDEX { ifIndex }

::= { pktcSigEndPntConfigTable 1 }

PktcSigEndPntConfigEntry ::= SEQUENCE {

pktcSigEndPntConfigCallAgentId SnmpAdminString,
 pktcSigEndPntConfigCallAgentUdpPort InetPortNumber,
 pktcSigEndPntConfigPartialDialTO Unsigned32,
 pktcSigEndPntConfigCriticalDialTO Unsigned32,
 pktcSigEndPntConfigBusyToneTO Unsigned32,
 pktcSigEndPntConfigDialToneTO
 Unsigned32,
 pktcSigEndPntConfigMessageWaitingTO Unsigned32,
 pktcSigEndPntConfigOffHookWarnToneTO Unsigned32,
 pktcSigEndPntConfigRingingTO Unsigned32,
 pktcSigEndPntConfigRingBackTO Unsigned32,
 pktcSigEndPntConfigReorderToneTO Unsigned32,
 pktcSigEndPntConfigStutterDialToneTO Unsigned32,

pktcSigEndPntConfigTSMMax Unsigned32,
 pktcSigEndPntConfigMax1 Unsigned32,
 pktcSigEndPntConfigMax2 Unsigned32,
 pktcSigEndPntConfigMax1QEnable TruthValue,
 pktcSigEndPntConfigMax2QEnable TruthValue,
 pktcSigEndPntConfigMWD Unsigned32,
 pktcSigEndPntConfigTdinit Unsigned32,
 pktcSigEndPntConfigTdmin Unsigned32,
 pktcSigEndPntConfigTdmax Unsigned32,
 pktcSigEndPntConfigRtoMax Unsigned32,
 pktcSigEndPntConfigRtoInit
 Unsigned32,
 pktcSigEndPntConfigLongDurationKeepAlive Unsigned32,
 pktcSigEndPntConfigThist Unsigned32,

```

pktcSigEndPntConfigStatus      RowStatus,
pktcSigEndPntConfigCallWaitingMaxRep  Unsigned32,
pktcSigEndPntConfigCallWaitingDelay  Unsigned32,
pktcSigEndPntStatusCallIpAddressType  InetAddressType,
pktcSigEndPntStatusCallIpAddress  InetAddress,
pktcSigEndPntStatusError          INTEGER,
pktcSigEndPntConfigMinHookFlash    Unsigned32,
pktcSigEndPntConfigMaxHookFlash    Unsigned32,
pktcSigEndPntConfigPulseDialInterdigitTime Unsigned32,
pktcSigEndPntConfigPulseDialMinMakeTime Unsigned32,
pktcSigEndPntConfigPulseDialMaxMakeTime Unsigned32,
pktcSigEndPntConfigPulseDialMinBreakTime Unsigned32,
pktcSigEndPntConfigPulseDialMaxBreakTime Unsigned32
}

```

pktcSigEndPntConfigCallAgentId OBJECT-TYPE

SYNTAX SnmpAdminString(SIZE

(3..255))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains a string indicating the call agent name (e.g., ca@example.com). The call agent name, after the character '@', MUST be a fully qualified domain name (FQDN) and MUST have a corresponding pktcMtaDevCmsFqdn entry in the pktcMtaDevCmsTable. The object pktcMtaDevCmsFqdn is defined in the PacketCable MIBMTA Specification. For each particular endpoint, the MTA MUST use the current value of this object to communicate with the corresponding CMS. The MTA MUST update this object with the value of the 'Notified Entity' parameter of the NCS message. Because of the high importance of this object to the ability of the MTA to maintain reliable NCS communication with the CMS, it is highly recommended not to change this object's value using SNMP during normal

operation."

```
 ::= { pktcSigEndPntConfigEntry 1 }
```

pktcSigEndPntConfigCallAgentUdpPort OBJECT-TYPE

SYNTAX InetPortNumber (1025..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the current value of the User

Datagram Protocol (UDP) receive port on which the call agent will receive NCS from the endpoint.

For each particular endpoint, the MTA MUST use the current value of this object to communicate with the corresponding CMS. The MTA MUST update this object with the value of the 'Notified Entity' parameter of the NCS message. If the Notified Entity parameter does not contain a CallAgent port, the MTA MUST update this object with the default value of 2727. Because of the high importance of this object to the ability of the MTA to maintain reliable NCS communication with the CMS, it is highly recommended

not

to change this object's value using SNMP during normal operation."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 2727 }

::= { pktcSigEndPntConfigEntry 2 }

pktcSigEndPntConfigPartialDialTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the value of the partial dial time out.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 3 }

pktcSigEndPntConfigCriticalDialTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS

"seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the value of the critical dial time out.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 4 }

::= { pktcSigEndPntConfigEntry 4 }

pktcSigEndPntConfigBusyToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for busy tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the

value of the object is modified by the SNMP Management

Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 30 }

::= { pktcSigEndPntConfigEntry 5 }

pktcSigEndPntConfigDialToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for dial tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present).

If

the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 6 }

pktcSigEndPntConfigMessageWaitingTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for message waiting indicator. The MTA MUST NOT update this object with the value

provided in the NCS message (if

present). If the value of the object is modified by the SNMP Manager application, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 7 }

pktcSigEndPntConfigOffHookWarnToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for the

off-hook warning tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Manager

application, the MTA MUST use the new value as a default only for a new signal requested by the NCS message. The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 0 }

::= { pktcSigEndPntConfigEntry 8 }

pktcSigEndPntConfigRingingTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for ringing. The MTA

MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message. The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 180 }

::= { pktcSigEndPntConfigEntry 9 }

pktcSigEndPntConfigRingBackTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for ring

back. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time

a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 180 }

::= { pktcSigEndPntConfigEntry 10 }

pktcSigEndPntConfigReorderToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the default time out value for reorder

tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message.

The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 30 }

::= { pktcSigEndPntConfigEntry 11 }

pktcSigEndPntConfigStutterDialToneTO OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"
MAX-ACCESS read-create
STATUS current
DESCRIPTION

" This object contains the default time out value for stutter dial tone. The MTA MUST NOT update this object with the value provided in the NCS message (if present). If the value of the object is modified by the SNMP Management Station, the MTA MUST use the new value as a default only for a new signal requested by the NCS message. The time out (TO) elements are intended to limit the time a tone or frequency is generated. When this MIB object is set to a value of '0', the MTA MUST NOT generate the

corresponding frequency or tone, regardless of the definitions pertaining to frequency, tone duration, or cadence."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 16 }

::= { pktcSigEndPntConfigEntry 12 }

pktcSigEndPntConfigTSMMax OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This MIB object is used as part of an NCS retransmission algorithm. Prior to any retransmission, the MTA must check to make sure that the time elapsed since the sending of the initial datagram does not exceed the value specified by this MIB object. If more than Tsmax time has elapsed, then the retransmissions MUST cease.

Refer to the MIB object pktcSigEndPntConfigThist for information on when the endpoint becomes disconnected."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 20 }

::= { pktcSigEndPntConfigEntry 13 }

pktcSigEndPntConfigMax1 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the suspicious error threshold for signaling messages. The pktcSigEndPntConfigMax1 object indicates the retransmission threshold at which the MTA MAY actively query the domain name server (DNS) in order to detect the possible change of call agent interfaces."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 5 }

::= { pktcSigEndPntConfigEntry 14 }

pktcSigEndPntConfigMax2 OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object contains the disconnect error threshold for signaling messages. The pktcSigEndPntConfigMax2 object indicates the retransmission threshold at which the MTA SHOULD contact the DNS one more time to see if any other interfaces to the call agent have become available."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 7 }

::= { pktcSigEndPntConfigEntry 15 }

pktcSigEndPntConfigMax1QEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object enables/disables the Max1 domain name server (DNS) query operation when the pktcSigEndPntConfigMax1 threshold has been reached. A value of true(1) indicates enabling, and a value of false(2) indicates disabling."

DEFVAL { true }

::= { pktcSigEndPntConfigEntry 16 }

pktcSigEndPntConfigMax2QEnable OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object enables/disables the Max2 domain name server (DNS) query operation when the pktcSigEndPntConfigMax2 threshold has been reached.

A value of true(1) indicates enabling, and a value of false(2) indicates disabling."

DEFVAL { true }

::= { pktcSigEndPntConfigEntry 17 }

pktcSigEndPntConfigMWD OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Maximum Waiting Delay (MWD) contains the maximum number of seconds an MTA waits, after powering on, before initiating the restart procedure with the call agent."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 600 }

::= { pktcSigEndPntConfigEntry 18 }

pktcSigEndPntConfigTdinit OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This MIB object represents the 'disconnected' initial waiting delay within the context of an MTA's 'disconnected procedure'. The 'disconnected procedure' is initiated when an endpoint becomes 'disconnected' while attempting to communicate with a call agent.

The 'disconnected timer' associated with the 'disconnected Procedure' is initialized to a random value, uniformly distributed between zero and the value contained in this MIB object.

For more information on the usage of this timer, please refer to the PacketCable NCS Specification."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 15 }

::= { pktcSigEndPntConfigEntry 19 }

pktcSigEndPntConfigTadmin OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This MIB object represents the 'disconnected' minimum waiting delay within the context of an MTA's 'disconnected procedure', specifically when local user activity is detected.

The 'disconnected procedure' is initiated when an endpoint becomes 'disconnected' while attempting to communicate with a call agent.

For more information on the usage of this timer, please refer to the PacketCable NCS Specification."

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 15 }

::= { pktcSigEndPntConfigEntry 20 }

pktcSigEndPntConfigTdmax OBJECT-TYPE

SYNTAX Unsigned32

UNITS

"seconds"

MAX-ACCESS read-create

STATUS current

DESCRIPTION

" This object contains the maximum number of seconds the MTA waits, after a disconnect, before initiating the disconnected procedure with the call agent.

"

REFERENCE

"PacketCable NCS Specification"

DEFVAL { 600 }

::= { pktcSigEndPntConfigEntry 21 }

pktcSigEndPntConfigRtoMax OBJECT-TYPE

SYNTAX Unsigned32

UNITS "seconds"

MAX-ACCESS read-create

STATUS current
DESCRIPTION
"This object specifies the maximum number of seconds the MTA
waits for a response to an NCS message before initiating
a retransmission."
REFERENCE
"PacketCable NCS Specification"
DEFVAL { 4 }
::= { pktcSigEndPntConfigEntry 22 }

pktcSigEndPntConfigRtoInit OBJECT-TYPE
SYNTAX Unsigned32
UNITS "milliseconds"
MAX-ACCESS read-create
STATUS current
DESCRIPTION

" This object contains the initial number of seconds for the
retransmission timer."
REFERENCE
"PacketCable NCS Specification"
DEFVAL { 200 }
::= { pktcSigEndPntConfigEntry 23 }

pktcSigEndPntConfigLongDurationKeepAlive OBJECT-TYPE
SYNTAX Unsigned32
UNITS "minutes"
MAX-ACCESS read-create
STATUS current
DESCRIPTION
" Specifies a time out value, in minutes, for sending long
duration call notification messages."

REFERENCE
"PacketCable NCS Specification"
DEFVAL { 60 }
::= { pktcSigEndPntConfigEntry 24 }

pktcSigEndPntConfigThist OBJECT-TYPE
SYNTAX Unsigned32
UNITS "seconds"
MAX-ACCESS read-create
STATUS current
DESCRIPTION
" Time out period, in seconds, before no response is declared."
REFERENCE

"PacketCable NCS Specification"
DEFVAL { 30 }
::= { pktcSigEndPntConfigEntry 25 }

pktcSigEndPntConfigStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current

DESCRIPTION

" This object contains the Row Status associated with the
pktcSigEndPntConfigTable. There are no restrictions or
dependencies amidst the columnar objects before this
row can be activated or for modifications of the
columnar objects when this object is set to a
value of 'active(1)."

::= { pktcSigEndPntConfigEntry 26 }

pktcSigEndPntConfigCallWaitingMaxRep OBJECT-TYPE

SYNTAX Unsigned32 (0..10)
MAX-ACCESS read-create
STATUS current

DESCRIPTION

" This object contains the default value of the maximum
number of repetitions of the Call Waiting tone that the
MTA will play from a single CMS request. The MTA MUST NOT
update this object with the information provided in the
NCS message (if present). If the value of the object is
modified by the SNMP

Manager application, the MTA MUST use
the new value as a default only for a new signal
requested by the NCS message."

DEFVAL { 1 }

::= { pktcSigEndPntConfigEntry 27 }

pktcSigEndPntConfigCallWaitingDelay OBJECT-TYPE

SYNTAX Unsigned32 (1..100)

UNITS "seconds"

MAX-ACCESS read-create
STATUS current

DESCRIPTION

" This object contains the delay between repetitions of the
Call Waiting tone that the MTA will play from a single CMS
request."

DEFVAL { 10 }

::= { pktcSigEndPntConfigEntry 28 }

pkcSigEndPntStatusCallIpAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the type of Internet address contained in the MIB object 'pkcSigEndPntStatusCallIpAddress'.

Since pkcSigEndPntStatusCallIpAddress is expected to contain an IP address, a value of dns(16) is disallowed."

::= { pkcSigEndPntConfigEntry 29 }

pkcSigEndPntStatusCallIpAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This MIB object contains the chosen IP address of the CMS currently being used for the corresponding endpoint.

The device determines the IP address by using DNS to resolve the IP address of the CMS from the FQDN stored in the MIB object 'pkcSigEndPntConfigCallAgentId'. The processes are outlined in the PacketCable NCS and Security specifications, and MUST be followed by the MTA.

The IP address type contained in this MIB object is indicated by pkcSigEndPntStatusCallIpAddressType."

REFERENCE

"PacketCable NCS Specification;

PacketCable Security specification, [PKT-SP-SEC]."

::= { pkcSigEndPntConfigEntry 30 }

pkcSigEndPntStatusError OBJECT-TYPE

SYNTAX INTEGER {

operational

(1),

noSecurityAssociation (2),

disconnected (3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This object contains the error status for this interface.
The operational status indicates that all operations necessary to put the line in service have occurred, and the CMS has acknowledged the Restart In Progress (RSIP) message successfully. If pktcMtaDevCmsIpsecCtrl is enabled for the associated call agent, the noSecurityAssociation status indicates that no Security Association (SA) yet exists for this endpoint. If pktcMtaDevCmsIpsecCtrl is disabled for the associated call agent, the noSecurityAssociation status is not applicable and should not be used by the MTA. The disconnected status indicates one of the following two:
If pktcMtaDevCmsIpsecCtrl is disabled, then no security association

is involved with this endpoint. The NCS signaling software is in process of establishing the NCS signaling link via an RSIP exchange.
Otherwise, when pktcMtaDevCmsIpsecCtrl is enabled, security Association has been established, and the NCS signaling software is in process of establishing the NCS signaling link via an RSIP exchange."

::= { pktcSigEndPntConfigEntry 31 }

pktcSigEndPntConfigMinHookFlash OBJECT-TYPE

SYNTAX Unsigned32 (20..1550)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the minimum time a line needs to be on-hook for a valid hook flash. The value of this object MUST be greater than the value of pktcSigEndPntConfigPulseDialMaxBreakTime. The value of pktcSigEndPntConfigMinHookFlash MUST be less than pktcSigEndPntConfigMaxHookFlash. This object MUST only be set via the

MTA configuration during the provisioning process.

Furthermore, given the possibility for the 'pulse dial' and 'hook flash' to overlap, the value of this object MUST be greater than the value contained by the MIB Object 'pktcSigEndPntConfigPulseDialMaxMakeTime'."

DEFVAL { 300 }

::= { pktcSigEndPntConfigEntry 32 }

pkcSigEndPntConfigMaxHookFlash OBJECT-TYPE
SYNTAX Unsigned32 (20..1550)
UNITS "Milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
" This is the maximum time a line needs to be on-hook for a
valid hook flash. The value of
pkcSigEndPntConfigMaxHookFlash MUST be greater than
pkcSigEndPntConfigMinHookFlash. This object MUST only be
set via the MTA configuration during the provisioning
process."
DEFVAL { 800 }
 ::= { pkcSigEndPntConfigEntry 33 }

pkcSigEndPntConfigPulseDialInterdigitTime
OBJECT-TYPE
SYNTAX Unsigned32 (100..1500)
UNITS "Milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
" This is the pulse dial inter-digit time out. This object
MUST only be set via the MTA configuration during the
provisioning process."
DEFVAL { 100 }
 ::= { pkcSigEndPntConfigEntry 34 }

pkcSigEndPntConfigPulseDialMinMakeTime OBJECT-TYPE
SYNTAX Unsigned32 (20..200)
UNITS "Milliseconds"
MAX-ACCESS read-only
STATUS current
DESCRIPTION
" This is the minimum make pulse width for the dial pulse.
The value of pkcSigEndPntConfigPulseDialMinMakeTime MUST
be less than pkcSigEndPntConfigPulseDialMaxMakeTime. This
object MUST only be set via the MTA configuration during
the provisioning process."
DEFVAL { 25 }
 ::= { pkcSigEndPntConfigEntry 35 }

pkcSigEndPntConfigPulseDialMaxMakeTime OBJECT-TYPE
SYNTAX Unsigned32 (20..200)
UNITS "Milliseconds"
MAX-ACCESS read-only
STATUS current

DESCRIPTION

" This is the maximum make pulse width for the dial pulse.

The value of pktcSigEndPntConfigPulseDialMaxMakeTime MUST be greater than pktcSigEndPntConfigPulseDialMinMakeTime.

This object MUST only be provided via the configuration file during the provisioning process.

Furthermore, given the possibility for the 'pulse dial' and 'hook flash' to overlap, the value of this object MUST be less than the value contained by the MIB object pktcSigEndPntConfigMinHookFlash."

DEFVAL { 55 }

::= { pktcSigEndPntConfigEntry 36 }

pktcSigEndPntConfigPulseDialMinBreakTime OBJECT-TYPE

SYNTAX Unsigned32 (20..200)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the minimum break pulse width for the dial pulse.

The value of pktcSigEndPntConfigPulseDialMinBreakTime MUST be less than pktcSigEndPntConfigPulseDialMaxBreakTime.

This object must only be provided via the configuration file during the provisioning process."

DEFVAL { 45 }

::= { pktcSigEndPntConfigEntry 37 }

pktcSigEndPntConfigPulseDialMaxBreakTime OBJECT-TYPE

SYNTAX Unsigned32 (20..200)

UNITS "Milliseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

" This is the maximum break pulse width for the dial pulse.

The value of pktcSigEndPntConfigPulseDialMaxBreakTime MUST be greater than pktcSigEndPntConfigPulseDialMinBreakTime.

This object MUST only be provided via the configuration file during the provisioning process."

DEFVAL { 75 }

::= { pktcSigEndPntConfigEntry 38 }

--

-- notification group is for future extension.

--

```
pkcSigNotification OBJECT IDENTIFIER ::= {
    pkcIetfSigMib 0 }
pkcSigConformance OBJECT IDENTIFIER ::= { pkcIetfSigMib 2 }
pkcSigCompliances OBJECT IDENTIFIER ::= { pkcSigConformance 1 }
pkcSigGroups      OBJECT IDENTIFIER ::= { pkcSigConformance 2 }
```

```
--
```

```
-- compliance statements
```

```
--
```

```
pkcSigBasicCompliance MODULE-COMPLIANCE
    STATUS    current
    DESCRIPTION
        " The compliance statement for MTAs that implement
          NCS signaling."
```

```
MODULE -- pkcIetfSigMib
```

```
---
```

```
-- Unconditionally mandatory groups for all MTAs
```

```
---
```

```
MANDATORY-GROUPS {
    pkcSigDeviceGroup,
    pkcSigEndpointGroup
}
```

```
---
```

```
-- Conditionally mandatory groups for MTAs
```

```
---
```

```
GROUP pkcInternationalGroup
    DESCRIPTION
        " This group is mandatory only for MTAs implementing
          international telephony features."
```

```
GROUP pkcLLinePackageGroup
    DESCRIPTION
        " This group is mandatory only for MTAs implementing the L
          line package."
```

```
GROUP pkcELinePackageGroup
    DESCRIPTION
        " This group is mandatory only
          for MTAs implementing the E
          Line Package."
```

::={ pktcSigCompliances 1 }

pktcSigDeviceGroup OBJECT-GROUP

OBJECTS {

pktcSigDevCodecMax,
pktcSigDevEchoCancellation,
pktcSigDevSilenceSuppression,
pktcSigDevR0Cadence,
pktcSigDevR1Cadence,
pktcSigDevR2Cadence,
pktcSigDevR3Cadence,

pktcSigDevR4Cadence,
pktcSigDevR5Cadence,
pktcSigDevR6Cadence,
pktcSigDevR7Cadence,
pktcSigDevRgCadence,
pktcSigDevRsCadence,
pktcSigDefCallSigDscp,
pktcSigDefMediaStreamDscp,
pktcSigDevVmwiMode,
pktcSigCapabilityType,
pktcSigCapabilityVersion,
pktcSigCapabilityVendorExt,
pktcSigDefNcsReceiveUdpPort
}

STATUS current

DESCRIPTION

"Group of MIB objects containing signaling configuration information that is applicable per-device."

::= { pktcSigGroups 1 }

pktcSigEndpointGroup OBJECT-GROUP

OBJECTS {

pktcSigEndPntConfigCallAgentId,
pktcSigEndPntConfigCallAgentUdpPort,

pktcSigEndPntConfigPartialDialTO,
pktcSigEndPntConfigCriticalDialTO,
pktcSigEndPntConfigBusyToneTO,
pktcSigEndPntConfigDialToneTO,
pktcSigEndPntConfigMessageWaitingTO,
pktcSigEndPntConfigOffHookWarnToneTO,
pktcSigEndPntConfigRingingTO,
pktcSigEndPntConfigRingBackTO,
pktcSigEndPntConfigReorderToneTO,

pkteSigEndPntConfigStutterDialToneTO,
pkteSigEndPntConfigTSMMax,
pkteSigEndPntConfigMax1,
pkteSigEndPntConfigMax2,
pkteSigEndPntConfigMax1QEnable,
pkteSigEndPntConfigMax2QEnable,
pkteSigEndPntConfigMWD,
pkteSigEndPntConfigTdinit,
pkteSigEndPntConfigTdmin,
pkteSigEndPntConfigTdmax,
pkteSigEndPntConfigRtoMax,
pkteSigEndPntConfigRtoInit,
pkteSigEndPntConfigLongDurationKeepAlive,
pkteSigEndPntConfigThist,
pkteSigEndPntConfigStatus,

pkteSigEndPntConfigCallWaitingMaxRep,
pkteSigEndPntConfigCallWaitingDelay,
pkteSigEndPntStatusCallIpAddressType,
pkteSigEndPntStatusCallIpAddress,
pkteSigEndPntStatusError
}

STATUS current

DESCRIPTION

"Group of MIB objects containing signaling configuration information that is applicable per-endpoint."

::= { pkteSigGroups 2 }

pkteInternationalGroup OBJECT-GROUP

OBJECTS {

pkteSigEndPntConfigMinHookFlash,
pkteSigEndPntConfigMaxHookFlash,
pkteSigEndPntConfigPulseDialInterdigitTime,
pkteSigEndPntConfigPulseDialMinMakeTime,
pkteSigEndPntConfigPulseDialMaxMakeTime,
pkteSigEndPntConfigPulseDialMinBreakTime,
pkteSigEndPntConfigPulseDialMaxBreakTime,
pkteSigDevRingCadence,
pkteSigDevCidSigProtocol,
pkteSigDevCidDelayAfterLR,
pkteSigDevCidDtmfStartCode,
pkteSigDevCidDtmfEndCode,
pkteSigDevVmwiSigProtocol,
pkteSigDevVmwiDelayAfterLR,
pkteSigDevVmwiDtmfStartCode,
pkteSigDevVmwiDtmfEndCode,

pkteSigDevrpAsDtsDuration,
pkteSigDevCidMode,
pkteSigDevCidAfterRing,
pkteSigDevCidAfterDTAS,
pkteSigDevCidAfterRPAS,
pkteSigDevRingAfterCID,
pkteSigDevCidDTASAfterLR,
pkteSigDevVmwiMode,
pkteSigDevVmwiAfterDTAS,
pkteSigDevVmwiAfterRPAS,
pkteSigDevVmwiDTASAfterLR,
pkteSigPowerRingFrequency,
pkteSigPulseSignalFrequency,
pkteSigPulseSignalDbLevel,
pkteSigPulseSignalDuration,
pkteSigPulseSignalPulseInterval,
pkteSigPulseSignalRepeatCount,
pkteSigDevToneDbLevel,

pkteSigDevToneFreqCounter,
pkteSigDevToneWholeToneRepeatCount,
pkteSigDevToneSteady,
pkteSigDevToneFirstFreqValue,
pkteSigDevToneSecondFreqValue,
pkteSigDevToneThirdFreqValue,
pkteSigDevToneFourthFreqValue,
pkteSigDevToneFreqMode,
pkteSigDevToneFreqAmpModePrtg,
pkteSigDevToneFreqOnDuration,
pkteSigDevToneFreqOffDuration,
pkteSigDevToneFreqRepeatCount
}

STATUS current

DESCRIPTION

" Group of objects that extend the behavior of existing objects to support operations in the widest possible set of international marketplaces.

Note that many of these

objects represent a superset of behaviors described in other objects within this MIB module."

::= { pkteSigGroups 3 }

pkteLLinePackageGroup OBJECT-GROUP

OBJECTS {

pkteSigDevR0Cadence,

pkteSigDevR1Cadence,

```
pktcSigDevR2Cadence,  
pktcSigDevR3Cadence,  
pktcSigDevR4Cadence,  
pktcSigDevR5Cadence,  
pktcSigDevR6Cadence,  
pktcSigDevR7Cadence,  
pktcSigDevRgCadence,  
pktcSigDevRsCadence  
}  
STATUS current  
DESCRIPTION  
"Group of Objects to support the L line package."  
::= { pktcSigGroups 4 }
```

pktcELinePackageGroup OBJECT-GROUP

```
OBJECTS {  
pktcSigDevR0Cadence,  
pktcSigDevR1Cadence,  
pktcSigDevR2Cadence,  
pktcSigDevR3Cadence,  
pktcSigDevR4Cadence,  
pktcSigDevR5Cadence,  
  
pktcSigDevR6Cadence,  
pktcSigDevR7Cadence,  
pktcSigDevRgCadence,  
pktcSigDevRsCadence,  
pktcSigPulseSignalFrequency,  
pktcSigPulseSignalDbLevel,  
pktcSigPulseSignalDuration,  
pktcSigPulseSignalPulseInterval,  
pktcSigPulseSignalRepeatCount,  
pktcSigDevRingCadence  
}
```

```
STATUS current  
DESCRIPTION  
"Group of Objects to support the E line package."  
::= { pktcSigGroups 5 }
```

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/PKTC-IETF-SIG-MIB

No license file was found, but licenses were detected in source scan.

SNA-NAU-MIB DEFINITIONS ::= BEGIN

-- This MIB module contains objects necessary
-- for management of the following SNA devices: PU types 1.0, 2.0, 2.1
-- and LU types 0, 1, 2, 3, 4, 7. It also contains generic objects
-- which can be used to manage LU 6.2.

-- Naming conventions in this document:
-- The following names are used in object descriptors according to
-- SNA conventions.
-- The name 'PU' or 'Node' is used to describe Node type 1.0, 2.0 or
-- 2.1.
-- The name 'LU' is used to describe Logical Unit of type 0,1,2,3,
-- 4,7 or 6.2.

IMPORTS

DisplayString, RowStatus, TimeStamp, InstancePointer
FROM SNMPv2-TC

Counter32, Gauge32, Integer32, mib-2,
OBJECT-TYPE, MODULE-IDENTITY, NOTIFICATION-TYPE
FROM SNMPv2-SMI

MODULE-COMPLIANCE, OBJECT-GROUP
FROM SNMPv2-CONF;

snanauMIB MODULE-IDENTITY

LAST-UPDATED "9405120900Z"

ORGANIZATION "IETF SNA NAU MIB Working Group"

CONTACT-INFO

" Zbigniew Kielczewski
Eicon Technology Inc.
2196 32nd Avenue
Lachine, Que H8T 3H7
Canada
Tel: 1 514 631 2592
E-mail: zbig@eicon.qc.ca

Deirdre Kostick
Bellcore
331 Newman Springs Road
Red Bank, NJ 07701
Tel: 1 908 758 2642
E-mail: dck2@mail.bellcore.com

Kitty Shih (editor)
Novell
890 Ross Drive
Sunnyvale, CA 94089
Tel: 1 408 747 4305
E-mail: kmshih@novell.com"

DESCRIPTION

"This is the MIB module for objects used to
manage

SNA devices."

::= { mib-2 34 }

- The SNANAU MIB module contains an objects part and a conformance part.
- Objects are organized into the following groups:
- (1)snaNode group,
- (2)snaLU group,
- (3)snaMgtTools group.

snanauObjects OBJECT IDENTIFIER ::= { snanauMIB 1 }

snaNode OBJECT IDENTIFIER ::= { snanauObjects 1 }

snaLu OBJECT IDENTIFIER ::= { snanauObjects 2 }

snaMgtTools OBJECT IDENTIFIER ::= { snanauObjects 3 }

-- *****

-- snaNode group

--

- It contains Managed Objects related to any type of Node and
- some specific objects for Node Type 2.0.

-- *****

-- *****

-- The following table contains generic Node configuration

-- parameters.

-- *****

snaNodeAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains objects which describe the
configuration parameters for an SNA Node. Link
specific configuration objects are contained in
a separate MIB module (e.g., SNA DLC MIB)

corresponding to the link type.

The table `snaNodeAdminLinkTable` contains objects which identify the relationship between node instances and link instances.

The entries (i.e., rows) in this table can be created by either an Agent or a Management Station.

The Management Station can do this through setting the appropriate value in the `snaNodeAdminRowStatus`.

The `snaNodeAdminRowStatus` object describes the status of an entry and is used to change the status of an entry. The entry is deleted by an Agent based on the value of the `snaNodeAdminRowStatus`.

The `snaNodeAdminState` object describes the desired operational state of a Node and is used to change the operational state of a Node. For example, such information may be obtained from a configuration file.

How an Agent or a Management Station obtains the initial value of each object at creation time is an implementation specific issue.

For each entry in this table, there is a corresponding entry in the `snaNodeOperTable`.

While the objects in this table describe the desired or configured operational values of the SNA Node, the actual runtime values are contained in `snaNodeOperTable`."

```
::= { snaNode 1 }
```

`snaNodeAdminEntry` OBJECT-TYPE

SYNTAX `SnaNodeAdminEntry`

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry contains the configuration parameters for one SNA Node instance. The objects in the entry have read-create access.

An entry can be created, modified or deleted. The object `snaNodeAdminRowStatus` is used (i.e., set) to create or delete a row entry."

INDEX { `snaNodeAdminIndex` }

```
::= { snaNodeAdminTable 1 }
```

`SnaNodeAdminEntry` ::= SEQUENCE {

snaNodeAdminIndex
Integer32,
snaNodeAdminName
DisplayString,
snaNodeAdminType
INTEGER,
snaNodeAdminXidFormat
INTEGER,
snaNodeAdminBlockNum
DisplayString,
snaNodeAdminIdNum
DisplayString,
snaNodeAdminEnablingMethod
INTEGER,
snaNodeAdminLuTermDefault
INTEGER,
snaNodeAdminMaxLu

Integer32,
snaNodeAdminHostDescription
DisplayString,
snaNodeAdminStopMethod
INTEGER,
snaNodeAdminState
INTEGER,
snaNodeAdminRowStatus
RowStatus
}

snaNodeAdminIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Index used to uniquely identify each Node instance.

If an Agent creates the entry, then it will assign
this number otherwise a Management Station
generates a random number when it reserves the
entry for creation."

::= { snaNodeAdminEntry 1 }

snaNodeAdminName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..17))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired name of the
Node for use during Node activation.

In Type 2.1 networks, this is a fully-qualified name, meaning that the Node name is preceded by the NetId (if present) with a period as the delimiter.

A write operation to this object will not change the operational value reflected in snaNodeOperName until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 2 }

snaNodeAdminType OBJECT-TYPE

SYNTAX INTEGER {

other(1),
pu10(2),
pu20(3),
t21len(4),
endNode(5),
networkNode(6)
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the type of SNA Node.

A write operation to this object will not change the operational value reflected

in snaNodeOperType until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 3 }

snaNodeAdminXidFormat OBJECT-TYPE

SYNTAX INTEGER {

format0(1),
format1(2),
format3(3)
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the type of XID format used for this Node. Note that there is no format type 2.

A write operation to this object will not change the operational value reflected

in snaNodeOperAdminXidFormat until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 4 }

snaNodeAdminBlockNum OBJECT-TYPE

SYNTAX DisplayString (SIZE(3))

MAX-ACCESS read-create

STATUS

current

DESCRIPTION

"The value indicates the block number for this Node instance. It is the first 3 hexadecimal digits of the SNA Node id.

A write operation to this object will not change the operational value reflected in snaNodeOperBlockNum until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 5 }

snaNodeAdminIdNum OBJECT-TYPE

SYNTAX DisplayString (SIZE(5))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the ID number for this Node instance. This is the last 5 hexadecimal digits of the SNA Node id.

A write operation to this object will not change the operational value reflected in snaNodeOperIdNum until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaNodeAdminEntry 6 }

snaNodeAdminEnablingMethod OBJECT-TYPE

SYNTAX INTEGER {

other (1),

startup (2),

demand (3),

onlyMS (4)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates how the Node should be activated for the first time.

The values have the following meanings:

other (1) - may be used for proprietary methods not listed in this enumeration,

startup (2) - at SNA services' initialization time (this is the default),

demand (3) - only when LU is requested by application, or

onlyMS (4) - by a Management Station only.

A write operation

to this object may immediately

change the operational value reflected in `snaNodeOperEnablingMethod` depending on the Agent implementation. If the Agent implementation accepts immediate changes, then the behavior of the Node changes immediately and not only after the next system startup of the SNA services.

An immediate change may only apply when the current value 'demand (3)' is changed to 'onlyMS (4)' and vice versa."

```
::= { snaNodeAdminEntry 7 }
```

`snaNodeAdminLuTermDefault` OBJECT-TYPE

SYNTAX INTEGER {

unbind (1),

termself (2),

rshutd (3),

poweroff(4)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired default method used to deactivate LUs for this Node

For LU6.2s, 'unbind(1)' is the only valid value.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF (Terminate Self) request on the SSCP-LU session. The SSCP will inform the remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to

the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU session or an SNA NOTIFY request on the SSCP-LU session indicating that the LU has been powered off. Sending both is also acceptable. The result should be that the remote session LU partner will send an UNBIND to terminate the session.

The default behavior indicated by the value of this object may be overridden for an LU instance. The override is performed by setting the snaLuAdminTerm object instance in the snaLuAdminTable to the desired value.

A write operation to this object may immediately change the operational value reflected in snaNodeOperLuTermDefault depending on the Agent implementation."

```
::= { snaNodeAdminEntry 8 }
```

snaNodeAdminMaxLu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of LUs that may be activated for this Node. For PU2.1, this object refers to the number of dependent LUs.

A write operation to this object will not change the operational value reflected in snaNodeOperMaxLu until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

```
::= { snaNodeAdminEntry 9 }
```

snaNodeAdminHostDescription OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..128))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value identifies the remote host associated with this Node.

Since SSCP Id's may not be unique across hosts, the host description is required to uniquely identify the SSCP.

This object

is only applicable to PU2.0 type

Nodes. If the remote host is unknown, then the value is the null string.

A write operation to this object may immediately change the operational value reflected in `snaNodeOperHostDescription` depending on the Agent implementation."

```
::= { snaNodeAdminEntry 10 }
```

`snaNodeAdminStopMethod` OBJECT-TYPE

SYNTAX INTEGER {

other (1),
normal (2),
immed (3),
force (4)
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired method to be used by the Agent to stop a Node (i.e., change the Node's operational state to inactive(1)).

The values have the following meaning:

- other (1) - used for proprietary methods not listed in this enumeration.
- normal(2) - deactivate only when there is no more activity on this Node (i.e., all data flows have been completed and all sessions have been terminated).
- immed(3) - deactivate immediately regardless of current activities on this Node. Wait for deactivation responses (from remote Node) before changing the Node state to inactive.
- force(4) - deactivate immediately regardless of current activities on this Node. Do not wait for deactivation responses (from remote Node) before changing the Node state to inactive.

A write operation to this object may immediately change the operational value reflected in `snaNodeOperStopMethod`

depending

on the Agent implementation."

::= { snaNodeAdminEntry 11 }

snaNodeAdminState OBJECT-TYPE

SYNTAX INTEGER {

inactive (1),

active (2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value indicates the desired operational state of the SNA Node. This object is used by the Management Station to activate or deactivate the Node.

If the current value in snaNodeOperState is 'active (2)', then setting this object to 'inactive (1)' will initiate the Node shutdown process using the method indicated by snaNodeOperStopMethod.

If the current value in snaNodeOperState is 'inactive (1)', then setting this object to 'active (2)

will initiate the

Node's activation.

A Management Station can always set this object to 'active (2)' irrespective of the value in the snaOperEnablingMethod."

::= { snaNodeAdminEntry 12 }

snaNodeAdminRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by a Management Station to create or delete the row entry in the snaNodeAdminTable following the RowStatus textual convention.

Upon successful creation of the row, an Agent automatically creates a corresponding entry in the snaNodeOperTable with snaNodeOperState equal to 'inactive (1)'.
"

Row deletion can be Management Station or Agent initiated:

(a) The Management

Station can set the value to

'destroy (6)' only when the value of snaNodeOperState of this Node instance is 'inactive (1)'. The Agent will then delete the rows corresponding to this Node instance from the snaNodeAdminTable and the snaNodeOperTable.

(b) The Agent detects that a row is in the 'notReady (3)' state for greater than a default period of 5 minutes.

(c) All rows with the snaNodeAdminRowStatus object's value of 'notReady (3)' will be removed upon the next initialization of the SNA services."

```
::= { snaNodeAdminEntry 13 }
```

```
-- *****  
-- The following object is updated when there is a change to  
-- the value of any object in the snaNodeAdminTable.  
-- *****
```

snaNodeAdminTableLastChange

OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the timestamp (e.g., the Agent's sysUpTime value) of the last change made to any object in the snaNodeAdminTable, including row deletions/additions (e.g., changes to snaNodeAdminRowStatus values).

This object can be used to reduce frequent retrievals of the snaNodeAdminTable by a Management Station. It is expected that a Management Station will periodically poll this object and compare its current value with the previous one. A difference indicates that some Node configuration information has been changed. Only then will the Management Station retrieve the entire table."

```
::= { snaNode
```

```
2 }
```

-- *****
-- The following table contains Node operational parameters.
-- *****

snaNodeOperTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the dynamic parameters which have read-only access. These objects reflect the actual status of the Node. The entries in this table cannot be created or modified by a Management Station.

This table augments the snaNodeAdminTable."

::= { snaNode 3 }

snaNodeOperEntry OBJECT-TYPE

SYNTAX SnaNodeOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The entry contains parameters which describe the state of

one Node. The entries are created by the

Agent. They have read-only access."

AUGMENTS { snaNodeAdminEntry }

::= { snaNodeOperTable 1 }

SnaNodeOperEntry ::= SEQUENCE {

snaNodeOperName

DisplayString,

snaNodeOperType

INTEGER,

snaNodeOperXidFormat

INTEGER,

snaNodeOperBlockNum

DisplayString,

snaNodeOperIdNum

DisplayString,

snaNodeOperEnablingMethod

INTEGER,

snaNodeOperLuTermDefault

INTEGER,

snaNodeOperMaxLu

Integer32,

snaNodeOperHostDescription

DisplayString,

```

snaNodeOperStopMethod
    INTEGER,
snaNodeOperState
    INTEGER,
snaNodeOperHostSscpId
    OCTET STRING,
snaNodeOperStartTime
    TimeStamp,
snaNodeOperLastStateChange
    TimeStamp,
snaNodeOperActFailures
    Counter32,
snaNodeOperActFailureReason
    INTEGER
}

```

```

snaNodeOperName OBJECT-TYPE
    SYNTAX DisplayString (SIZE(0..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The value identifies the current name of the Node.
        In Type 2.1 networks, this
        is a fully-qualified name, meaning that the Node name
        is preceded by the NetId (if present) with a period
        as the delimiter."
    ::= { snaNodeOperEntry 1 }

```

```

snaNodeOperType OBJECT-TYPE
    SYNTAX INTEGER {
        other(1),
        pu10(2),
        pu20(3),
        t21LEN(4),
        endNode(5),
        networkNode(6)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The value identifies the current type of the Node."
    ::= { snaNodeOperEntry 2 }

```

```

snaNodeOperXidFormat OBJECT-TYPE
    SYNTAX INTEGER {
        format0 (1),
        format1 (2),
        format3 (3)
    }

```



```
    }  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the type of XID format currently  
    used for this Node.  
    Note that there is no format type 2."  
 ::= { snaNodeOperEntry 3 }
```

```
snaNodeOperBlockNum OBJECT-TYPE  
SYNTAX DisplayString (SIZE(3))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the block number for this Node  
    instance. It is the first 3 hexadecimal digits  
    of the SNA Node id."  
 ::= { snaNodeOperEntry 4 }
```

```
snaNodeOperIdNum OBJECT-TYPE  
SYNTAX DisplayString (SIZE(5))  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value identifies the ID number for this Node  
    instance. This is the last 5 hexadecimal digits of  
    the SNA Node id."  
 ::= { snaNodeOperEntry 5 }
```

```
snaNodeOperEnablingMethod OBJECT-TYPE  
SYNTAX INTEGER {  
    other (1),  
    startup (2),  
    demand (3),  
    onlyMS (4)  
}  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION  
    "The value indicates how the Node is activated for  
    the first time.  
    The values have the following meanings:  
    other (1) - not at boot time, LU activation  
    or by a Management Station;  
    startup (2) - at SNA services' initialization  
    time (this is the default),
```

demand (3) - only when LU is requested by
application,
onlyMS (4) - by a network Management Station
only."
::= { snaNodeOperEntry 6 }

snaNodeOperLuTermDefault OBJECT-TYPE

SYNTAX INTEGER {
unbind (1),
termself (2),
rshutd (3),
poweroff (4)
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the default method used to
deactivate LUs for this Node.
For LU6.2s, 'unbind(1)' is the only valid value.

unbind(1) - terminate the LU-LU session by sending
an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending
an SNA TERM-SELF (Terminate Self) request on
the SSCP-LU session. The SSCP will inform

the

remote session LU partner to send an UNBIND
request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending
an SNA RSHUTD (Request ShutDown) request to
the remote session LU partner. The remote LU
will then send an UNBIND request to terminate
the session.

poweroff(4) - terminate the LU-LU session by sending
either an SNA LUSTAT (LU Status) request on
the LU-LU session or an SNA NOTIFY request on
the SSCP-LU session indicating that the LU has
been powered off. Sending both is also
acceptable. The result should be that the
remote session LU partner will send an UNBIND
to terminate the session.

This object

describes the default behavior for this

Node; however, it is possible that for a specific LU
the behavior indicated by the snaLuOperTerm object is
different."

::= { snaNodeOperEntry 7 }

snaNodeOperMaxLu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the current, maximum number of LUs that are activated for this Node. For PU2.1, this object refers to the number of dependent LUs."

::= { snaNodeOperEntry 8 }

snaNodeOperHostDescription OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..128))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the remote host currently associated with this Node.

Since SSCP Id's may not be unique across hosts, the

host description

is required to uniquely identify the SSCP."

::= { snaNodeOperEntry 9 }

snaNodeOperStopMethod OBJECT-TYPE

SYNTAX INTEGER {

other (1),

normal (2),

immed (3),

force (4)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the current Node shutdown method to be used by the Agent to stop the Node. When the Agent changes the Node's state to 'inactive (1)', the Agent must use the shutdown method indicated by this object.

The values have the following meaning:

other (1) - proprietary method not listed in this enumeration

normal(2) - deactivate only when there is no more activity on this Node (i.e., all

data flows

have been completed and all sessions have

been terminated).

immed(3) - deactivate immediately regardless of current activities on this Node. Wait for deactivation responses (from remote Node) before changing the Node state to inactive.

force(4) - deactivate immediately regardless of current activities on this Node. Do not wait for deactivation responses (from remote Node) before changing the Node state to inactive.

Note that a write operation to `snaNodeAdminOperStopMethod` may immediately change the value of `snaNodeOperStopMethod` depending on the Agent implementation."

```
::= { snaNodeOperEntry 10 }
```

`snaNodeOperState` OBJECT-TYPE

```
SYNTAX INTEGER {
```

```
inactive (1),  
active (2),  
waiting (3),  
stopping (4)  
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The current state of the Node.

The values have the following meanings:

inactive (1), a row representing the Node has been created in the AdminTable and, the Node is ready for activation -or- an active Node has been stopped -or- a waiting Node has returned to the inactive state.

waiting (3), a request to have the Node activated has been issued, and the Node is pending activation.

active (2), the Node is ready and operating.

stopping (4), the request to stop the Node has been

issued while the StopMethod normal or immediate is used."

```
::= { snaNodeOperEntry 11 }
```

`snaNodeOperHostSscpId` OBJECT-TYPE

```
SYNTAX OCTET STRING (SIZE(0..6))
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the current SSCP Id associated with the Node. This object is only applicable to PU 2.0s. If the Node is not a PU 2.0 type, then this object contains a zero length string."

::= { snaNodeOperEntry 12 }

snaNodeOperStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g, the Agent's sysUpTime value) at the Node activation."

::= { snaNodeOperEntry 13 }

snaNodeOperLastStateChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value) at the last state change of the Node."

::= { snaNodeOperEntry 14 }

snaNodeOperActFailures OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the number of failed Node activation attempts."

::= { snaNodeOperEntry 15 }

snaNodeOperActFailureReason OBJECT-TYPE

SYNTAX INTEGER {

other (1),
linkFailure (2),
noResources (3),
badConfiguration (4),
internalError (5)
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the reason for the activation failure. The value 'other (1)' indicates a reason not listed in the enumeration. This object will be sent in the trap snaNodeActFailTrap."
::= { snaNodeOperEntry 16 }

-- *****
-- The following object is updated when there is a change to
-- the value of snaNodeOperState in any row or a row is
-- added/deleted from the snaNodeOperTable via the snaNodeAdminTable.
-- *****

snaNodeOperTableLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value) at the last change made to any object in the snaNodeOperTable, including row deletions/additions made as a result of changes to the snaNodeAdminRowStatus object.

This object can be used to reduce frequent retrievals of the snaNodeOperTable by a Management Station. It is expected that a Management Station will periodically poll this object and compare its current value with the previous one. A difference indicates that some Node operational information has been changed. Only then will the Management Station retrieve the entire table."

::= { snaNode 4 }

-- *****
-- The following table contains PU 2.0 statistics dynamic parameters.
-- *****

snaPu20StatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaPu20StatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the dynamic parameters which have read-only access. The entries in this table

correspond
to PU 2.0 entries in the snaNodeOperTable
and cannot be created by a Management Station."
::= { snaNode 5 }

snaPu20StatsEntry OBJECT-TYPE

SYNTAX SnaPu20StatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The entry contains parameters which describe the
statistics for one PU 2.0. They have read-only
access.

The counters represent traffic for all kinds
of sessions: LU-LU, SSCP-PU, SSCP-LU.

Each Node of PU Type 2.0 from the snaNodeAdminTable
has one entry in this table and the index used
here has the same value as snaNodeAdminIndex of
that PU. The entry is created by the Agent."

INDEX { snaNodeAdminIndex }

::= { snaPu20StatsTable 1 }

SnaPu20StatsEntry ::= SEQUENCE {

snaPu20StatsSentBytes

Counter32,

snaPu20StatsReceivedBytes

Counter32,

snaPu20StatsSentPius

Counter32,

snaPu20StatsReceivedPius

Counter32,

snaPu20StatsSentNegativeResps

Counter32,

snaPu20StatsReceivedNegativeResps

Counter32,

snaPu20StatsActLus

Gauge32,

snaPu20StatsInActLus

Gauge32,

snaPu20StatsBindLus

Gauge32

}

snaPu20StatsSentBytes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of bytes sent by this Node."

::= { snaPu20StatsEntry 1 }

snaPu20StatsReceivedBytes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of bytes received by this Node."

::= { snaPu20StatsEntry

2 }

snaPu20StatsSentPius OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of PIUs sent by this Node."

::= { snaPu20StatsEntry 3 }

snaPu20StatsReceivedPius OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of PIUs received by this Node."

::= { snaPu20StatsEntry 4 }

snaPu20StatsSentNegativeResps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of negative responses sent
by this Node."

::= { snaPu20StatsEntry 5 }

snaPu20StatsReceivedNegativeResps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of negative responses received

by this Node."

::= { snaPu20StatsEntry 6 }

snaPu20StatsActLus OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of LUs on this PU which have received and responded to ACTLU from the host."

::= { snaPu20StatsEntry 7 }

snaPu20StatsInActLus OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of LUs on this PU which have not received an ACTLU from the host. This is possible if the number of configured LUs exceeds that on the host."

::= { snaPu20StatsEntry 8 }

snaPu20StatsBindLus OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of LUs on this PU which have received and acknowledged

a BIND request from the host."

::= { snaPu20StatsEntry 9 }

-- *****
-- The following table contains the association between Nodes and
-- link identifiers.
-- It is used for configuration purposes.
-- *****

snaNodeLinkAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeLinkAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains the references to link specific tables. If a Node is configured for multiple links, then the Node will have multiple entries in this table.

The entries in this table can be generated initially, after initialization of SNA service,

by the Agent which uses information from Node configuration file.

Subsequent modifications of parameters, creation of new Nodes link entries and deletion of entries is possible.

The modification to this table can be saved in the Node configuration file for the next initialization of SNA service, but the mechanism for this function is not defined here."

::= { snaNode 6 }

snaNodeLinkAdminEntry OBJECT-TYPE

SYNTAX SnaNodeLinkAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entry contains the configuration information that associates a Node instance to one link instance.

The objects in the entry have read-create access.

Entry can be created, modified or deleted.

The object snaNodeLinkAdminRowStatus is used (set) to create or delete an entry.

The object

snaNodeLinkAdminSpecific can be set

later, after the entry has been created."

INDEX { snaNodeAdminIndex,
snaNodeLinkAdminIndex }

::= { snaNodeLinkAdminTable 1 }

SnaNodeLinkAdminEntry ::= SEQUENCE {

snaNodeLinkAdminIndex

Integer32,

snaNodeLinkAdminSpecific

InstancePointer,

snaNodeLinkAdminMaxPiu

Integer32,

snaNodeLinkAdminRowStatus

RowStatus

}

snaNodeLinkAdminIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This value is used to index the instances of objects.

If an Agent creates the entry, then it will assign

this number otherwise a Management Station generates a random number when it reserves the entry for creation."

::=

{ snaNodeLinkAdminEntry 1 }

snaNodeLinkAdminSpecific OBJECT-TYPE

SYNTAX InstancePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value points to the row in the table containing information on the link instance. (e.g., the sdlcLSAdminTable of the SNA DLC MIB module)."

::= { snaNodeLinkAdminEntry 2 }

snaNodeLinkAdminMaxPiu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the maximum number of octets that can be exchanged by this Node in one Path Information Unit (PIU)."

::= { snaNodeLinkAdminEntry 3 }

snaNodeLinkAdminRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by a Management Station to create or delete the row entry in the snaNodeLinkAdminTable. To activate a row, a Management Station sets the value to 'active (1)' or 'notReady (3)'. Upon successful creation of the row, the Agent automatically creates a corresponding entry in the snaNodeLinkOperTable.

Row deletion can be Management Station or Agent initiated:

(a) The Management Station can set the value to 'destroy (6)' only when the value of snaNodeLinkOperState of this Link instance is 'inactive (1)'. The Agent will then delete the row corresponding to this Link

instance from snaNodeLinkOperTable and
from snaNodeLinkAdminTable.

(b) The Agent detects that a row is in the
'notReady (3)' state for greater than a

default period of 5 minutes.

(c) The Agent will not include a row with RowStatus=
'notReady (3)', after SNA system re-initialization
(e.g., reboot)."

::= { snaNodeLinkAdminEntry 4 }

```
-- *****  
-- The following object is updated when there is a change to  
-- the value of any object in the snaNodeLinkAdminTable.  
-- *****
```

snaNodeLinkAdminTableLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp (e.g., the Agent's sysUpTime value)
at the last
change made to any object in the snaNodeLinkAdminTable,
including row deletions/additions (i.e., changes
to the snaNodeLinkAdminRowStatus object).

This object can be used to reduce
frequent
retrievals of the snaNodeLinkAdminTable by a
Management Station. It is expected that a
Management Station will periodically poll this
object and compare its current value with the
previous one.
A difference indicates that some Node operational
information has been changed. Only then will the
Management Station retrieve the entire table."

::= { snaNode 7 }

```
-- *****  
-- The following table contains the association between  
-- Nodes and link identifiers.  
-- It provides the current status.  
-- *****
```

snaNodeLinkOperTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaNodeLinkOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains all references

to link

specific tables for operational parameters.

If a Node is configured for multiple links,
then the Node will have multiple entries in

this table. This table augments the

snaNodeLinkAdminTable."

::= { snaNode 8 }

snaNodeLinkOperEntry OBJECT-TYPE

SYNTAX SnaNodeLinkOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entry contains all current parameters for one

Node link. The objects in the entry have

read-only access."

AUGMENTS { snaNodeLinkAdminEntry }

::= { snaNodeLinkOperTable 1 }

SnaNodeLinkOperEntry ::= SEQUENCE {

snaNodeLinkOperSpecific

InstancePointer,

snaNodeLinkOperMaxPiu

Integer32

}

snaNodeLinkOperSpecific OBJECT-TYPE

SYNTAX InstancePointer

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"This value points to the row in the table
containing information on the link instance.

(e.g., the sdlcLSOperTable of
the SNA DLC MIB module)."

::= { snaNodeLinkOperEntry 1 }

snaNodeLinkOperMaxPiu OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Maximum number of octets that can
be exchanged by this Node in one Path
Information Unit (PIU)."
::= { snaNodeLinkOperEntry 2 }

-- *****
-- The following object is updated when a row is added/deleted
-- from the snaNodeLinkOperTable.
-- *****

snaNodeLinkOperTableLastChange OBJECT-TYPE

SYNTAX TimeStamp
MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The timestamp of the last
change made to any object in the snaNodeLinkOperTable,
including row deletions/additions.

This object can be used to reduce frequent
retrievals of the snaNodeLinkOperTable by a
Management Station. It is expected that a
Management Station will periodically poll this
object and compare its current value with the
previous one.

A difference indicates that some Node operational
information has been changed. Only then will the
Management Station retrieve the entire table."

::= { snaNode 9 }

-- *****
-- Traps
-- *****

snaNodeTraps OBJECT IDENTIFIER ::= { snaNode 10 }

snaNodeStateChangeTrap

NOTIFICATION-TYPE

OBJECTS { snaNodeOperName,
snaNodeOperState }

STATUS current

DESCRIPTION

"This trap indicates that the operational state
(i.e., value of the snaNodeOperState object) of a Node
has changed. The following variables are returned:

snaNodeOperName - current name of the Node,

with the instance identifying the Node; and,
snaNodeOperState - current state after
the change."
::= { snaNodeTraps 1 }

snaNodeActFailTrap NOTIFICATION-TYPE

OBJECTS { snaNodeOperName,
snaNodeOperState,
snaNodeOperActFailureReason }

STATUS current

DESCRIPTION

"This trap indicates a Node activation failure.
The value of snaNodeOperState indicates the current
state after the activation attempt.
The value of snaNodeOperActFailureReason indicates
the failure reason."

::= { snaNodeTraps 2 }

-- *****
-- snaLu group
--
-- It contains Managed Objects related to LUs in general and some
-- specific for LUs of type 0, 1, 2, 3.
-- *****

-- *****
-- The following table contains LU configuration parameters.
-- *****

snaLuAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuAdminEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"This table contains LU configuration information.
The rows in this table can be created and deleted
by a Management Station.
Only objects which are common to all types of LUs

are included in this table."

::= { snaLu 1 }

snaLuAdminEntry OBJECT-TYPE

SYNTAX SnaLuAdminEntry
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

"Contains configuration variables for an LU."

INDEX { snaNodeAdminIndex, snaLuAdminLuIndex }

::= { snaLuAdminTable 1 }

SnaLuAdminEntry ::= SEQUENCE {

snaLuAdminLuIndex

Integer32,

snaLuAdminName

DisplayString,

snaLuAdminSnaName

DisplayString,

snaLuAdminType

INTEGER,

snaLuAdminDepType

INTEGER,

snaLuAdminLocalAddress

OCTET STRING,

snaLuAdminDisplayModel

INTEGER,

snaLuAdminTerm

INTEGER,

snaLuAdminRowStatus

RowStatus

}

snaLuAdminLuIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This value identifies the unique index for an
LU instance within a Node."

::= { snaLuAdminEntry 1 }

snaLuAdminName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..48))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the user configurable
name for this LU. If a name is not assigned to the LU,
then this object contains a zero length string.

A write operation to this object will
not change the operational value reflected
in snaLuOperName until the Node has
been re-activated (e.g., after the next

initialization of the SNA services)."
::= { snaLuAdminEntry 2 }

snaLuAdminSnaName OBJECT-TYPE

SYNTAX DisplayString (SIZE(1..17))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies
the SNA LU name
used in exchange of SNA data.

A write operation to this object will
not change the operational value reflected
in snaLuOperSnaName until the Node has
been re-activated (e.g., after the next
initialization of the SNA services)."

::= { snaLuAdminEntry 3 }

snaLuAdminType OBJECT-TYPE

SYNTAX INTEGER {

other(1),

lu0(2),

lu1(3),

lu2(4),

lu3(5),

lu4(6),

lu62(7),

lu7(8)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the LU type.

A write operation to this object will
not change the operational value reflected
in snaLuOperAdminType until the Node has
been re-activated (e.g., after the next
initialization of the SNA services)."

::= { snaLuAdminEntry 4 }

snaLuAdminDepType OBJECT-TYPE

SYNTAX INTEGER {

dependent(1),

independent(2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies whether the LU is dependent or independent.

A write operation to this object will not change the operational value reflected in snaLuOperDepType until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaLuAdminEntry 5 }

snaLuAdminLocalAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The local address for this LU is a byte with a value ranging from 0 to 254. For dependent LUs, this value ranges from 1 to 254 and for independent LUs this value is always 0.

A write operation to this object will not change the operational value reflected in snaLuOperLocalAddress until the Node has been re-activated (e.g., after the next initialization of the SNA services)."

::= { snaLuAdminEntry 6 }

snaLuAdminDisplayModel OBJECT-TYPE

SYNTAX INTEGER {

invalid(1),
model2A(2),
model2B(3),
model3A(4),
model3B(5),
model4A(6),
model4B(7),
model5A(8),
model5B(9),
dynamic(10)
}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The value of this object identifies the model type and screen size of the terminal connected to the host.
This

is only valid for LU Type 2. The values have the following meaning:

model2A(2) - Model 2 (24 rows x 80 cols) with base attributes
model2B(3) - Model 2 (24 rows x 80 cols) with extended attributes
model3A(4) - Model 3 (32 rows x 80 cols) with base attributes
model3B(5) - Model 3 (32 rows x 80 cols) with extended attributes
model4A(6) - Model 4 (43 rows x 80 cols) with base attributes
model4B(7) - Model 4 (43 rows x 80 cols) with extended attributes
model5A(8) - Model 5 (27 rows x 132 cols) with base attributes
model5B(9) - Model 5 (27 rows x 132 cols) with extended attributes
dynamic(10) - Screen size determine with

BIND and Read

Partition Query.

In case this LU is not Type 2, then this object should contain the invalid(1) value."

::= { snaLuAdminEntry 7 }

snaLuAdminTerm OBJECT-TYPE

```
SYNTAX INTEGER {  
    unbind (1),  
    termself (2),  
    rshutd (3),  
    poweroff (4)  
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This value identifies the desired method for deactivation of this LU. This value overrides the default method (snaNodeOperLuTermDefault) for this Node. For LU 6.2, only the value 'unbind (1)' applies.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF

(Terminate Self) request on

the SSCP-LU session. The SSCP will inform the remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU session or an SNA NOTIFY request on the SSCP-LU session indicating that the LU has been powered off. Sending both is also acceptable. The result should be that the remote session LU partner

will send an UNBIND

to terminate the session.

A write operation to this object may immediately change the operational value reflected in snaLuOperTerm depending on the Agent implementation."

::= { snaLuAdminEntry 8 }

snaLuAdminRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object is used by a Management Station to create or delete the row entry in the snaLuAdminTable.

To activate a row, the Management Station sets the value to 'active (1)' or 'notReady (3)'.
Upon successful creation of the row, the Agent automatically creates a corresponding entry in the snaLuOperTable with snaLuOperState equal to 'inactive (1)'.

Row deletion can be Management Station

or Agent

initiated:

(a) The Management Station can set the value to 'destroy (6)' only when the value of snaLuOperState of this LU instance is 'inactive (1)'. The Agent will then delete the row corresponding to this LU instance from snaLuAdminTable and from snaLuOperTable.

(b) The Agent detects that a row is in the 'notReady (3)' state for greater than a default period of 5 minutes.

(c) The Agent will not create a row with RowStatus equal to 'notReady (3)', after SNA system re-initialization (e.g., reboot)."

```
::= { snaLuAdminEntry 9 }
```

```
-- *****
-- The following table contains LU state dynamic parameters.
-- *****
```

snaLuOperTable OBJECT-TYPE

SYNTAX

SEQUENCE OF SnaLuOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains dynamic runtime information and control variables relating to LUs.

Only objects which are common to all types of LUs are included in this table. This table augments the snaLuAdminTable."

```
::= { snaLu 2 }
```

snaLuOperEntry OBJECT-TYPE

SYNTAX SnaLuOperEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains objects reflecting current information for an LU.

Each entry is created by the Agent. All entries have read-only access."

AUGMENTS { snaLuAdminEntry }

```
::= { snaLuOperTable 1 }
```

SnaLuOperEntry ::= SEQUENCE {

snaLuOperName

DisplayString,

snaLuOperSnaName

DisplayString,

snaLuOperType

INTEGER,

snaLuOperDepType

INTEGER,

```
snaLuOperLocalAddress
    OCTET STRING,
snaLuOperDisplayModel
    INTEGER,
snaLuOperTerm
    INTEGER,
snaLuOperState
    INTEGER,
snaLuOperSessnCount
    Gauge32
}
```

snaLuOperName OBJECT-TYPE

```
SYNTAX DisplayString (SIZE(0..48))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "User configurable name for this LU. If a name
    is not assigned, then this object contains a
    zero length string."
 ::= { snaLuOperEntry 1 }
```

snaLuOperSnaName OBJECT-TYPE

```
SYNTAX DisplayString (SIZE(1..17))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The value identifies the current SNA LU name."
 ::= { snaLuOperEntry 2 }
```

snaLuOperType OBJECT-TYPE

```
SYNTAX INTEGER {
    other(1),
    lu0(2),
    lu1(3),
    lu2(4),
    lu3(5),
    lu4(6),
    lu62(7),
    lu7(8)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The value identifies the current LU type."
 ::= { snaLuOperEntry 3 }
```

snaLuOperDepType OBJECT-TYPE

```

SYNTAX INTEGER {
    dependent(1),
    independent(2)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The value identifies whether the LU is currently
    dependent or independent.

    A write operation to this object will
    not change the operational value reflected
    in snaLuOperDepType until the Node has
    been re-activated (e.g., after the next
    initialization of the SNA services)."
 ::= { snaLuOperEntry 4 }

```

snaLuOperLocalAddress

```

OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE(1))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The local address for this LU is a byte with a value
        ranging from 0 to 254. For dependent LUs, this value
        ranges from 1 to 254; for independent LUs this value
        is always 0.

        A write operation to this object will
        not change the operational value reflected
        in snaLuOperLocalAddress until the Node has
        been re-activated (e.g., after the next
        initialization of the SNA services)."
 ::= { snaLuOperEntry 5 }

```

snaLuOperDisplayModel OBJECT-TYPE

```

SYNTAX INTEGER {
    invalid(1),
    model2A(2),
    model2B(3),
    model3A(4),
    model3B(5),
    model4A(6),
    model4B(7),
    model5A(8),
    model5B(9),
    dynamic(10)
}

```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The screen model type of the terminal connected to the host. If this LU is not Type 2, then this object should contain the 'invalid(1)' value."

::= { snaLuOperEntry 6 }

snaLuOperTerm OBJECT-TYPE

SYNTAX INTEGER {

unbind (1),
termself (2),
rshutd (3),
poweroff (4)
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the current method for deactivation of this LU. This value overrides the default method (snaNodeOperLuTermDefault) for this Node. For LU 6.2, only the value 'unbind (1)' applies.

unbind(1) - terminate the LU-LU session by sending an SNA UNBIND request.

termself(2) - terminate the LU-LU session by sending an SNA TERM-SELF (Terminate Self) request on the SSCP-LU session. The SSCP will inform the remote session LU partner to send an UNBIND request to terminate the session.

rshutd(3) - terminate the LU-LU session by sending an SNA RSHUTD (Request ShutDown) request to the remote session LU partner. The remote LU will then send an UNBIND request to terminate the session.

poweroff(4) - terminate the LU-LU session by sending either an SNA LUSTAT (LU Status) request on the LU-LU session or an SNA NOTIFY request on the SSCP-LU session indicating that the LU has been powered off. Sending both is also

acceptable. The result should be that the remote session LU partner will send an UNBIND to terminate the session."

::= { snaLuOperEntry 7 }

snaLuOperState OBJECT-TYPE

SYNTAX INTEGER {

inactive (1),

active (2)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the current operational state of this LU.

It has different meanings for dependent and independent LUs.

For dependent LUs the values indicate the following:

inactive (1) - LU didn't receive ACTLU, or

it received DACTLU, or received ACTLU and sent negative response.

active (2) - LU received ACTLU and acknowledged

positively.

For independent LUs the values

indicate the following:

active (2) - the LU is defined and is able to send and receive BIND.

inactive (1) - the LU has a session count equal to 0."

::= { snaLuOperEntry 8 }

snaLuOperSessnCount OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of currently active LU-LU sessions of this LU.

For the independent LU, if this object has value 0, it indicates that LU is inactive."

::= { snaLuOperEntry 9 }

-- *****

-- The following table contains LU session status parameters.

-- *****

snaLuSessnTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuSessnEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This is a table containing objects which describe the operational state of LU sessions. Only objects which are common to all types of LU sessions are included in this table.

When a session's snaLuSessnOperState value changes to 'pendingBind (2)', then the corresponding entry in the session table is created by the Agent.

When the session's snaLuSessnOperState value changes to 'unbound (1)', then the session will be removed from the session table by the Agent."

::= { snaLu 3 }

snaLuSessnEntry OBJECT-TYPE

SYNTAX SnaLuSessnEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry contains dynamic parameters for an LU-LU session.

The indices identify the Node, local LU, and remote LU for this session."

INDEX { snaNodeAdminIndex,
snaLuAdminLuIndex,
snaLuSessnRluIndex,
snaLuSessnIndex }

::= { snaLuSessnTable 1 }

SnaLuSessnEntry ::= SEQUENCE {

snaLuSessnRluIndex

Integer32,

snaLuSessnIndex

Integer32,

snaLuSessnLocalApplName

DisplayString,

snaLuSessnRemoteLuName

DisplayString,

snaLuSessnMaxSndRuSize

INTEGER,

snaLuSessnMaxRcvRuSize

INTEGER,

snaLuSessnSndPacingSize

INTEGER,

snaLuSessnRcvPacingSize

INTEGER,

snaLuSessnActiveTime

TimeStamp,

```

snaLuSessnAdminState
    INTEGER,
snaLuSessnOperState
    INTEGER,
snaLuSessnSenseData
    OCTET STRING,
snaLuSessnTerminationRu
    INTEGER,
snaLuSessnUnbindType
    OCTET STRING,
snaLuSessnLinkIndex
    Integer32
}

```

snaLuSessnRluIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value may be used to identify information about the session partner LU in a table of information about remote LUs. Such a table is not defined in this document. If a table of remote LU information is not implemented, or if the table is implemented but it does not contain information about the partner LU for a particular session (as for dependent LU-LU sessions) then this object will have a value of zero."

::= { snaLuSessnEntry 1 }

snaLuSessnIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the unique index of the session. It is recommended

that an Agent should not reuse the index of a deactivated session for a significant period of time (e.g., one week)."

::= { snaLuSessnEntry 2 }

snaLuSessnLocalApplName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..48))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The name of the local application using this LU. If the local application is unknown, then this object

contains a zero length string."
::= { snaLuSessnEntry 3 }

snaLuSessnRemoteLuName OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..17))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"For dependent LUs which are indicated by the
snaLuOperDepType object containing the value
'dependent (1)', this object contains the Primary
LU (PLU) name. For independent LUs,
this object contains the fully-qualified

remote LU

name of this 6.2 session.

A fully qualified name is an SNA NAU entity name
preceded by the NetId and a period as the delimiter."

::= { snaLuSessnEntry 4 }

snaLuSessnMaxSndRuSize OBJECT-TYPE

SYNTAX INTEGER (1..8192)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum RU size used on this session for sending
RUs."

::= { snaLuSessnEntry 5 }

snaLuSessnMaxRcvRuSize OBJECT-TYPE

SYNTAX INTEGER (1..8192)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum RU size used on this session for
receiving RUs."

::= { snaLuSessnEntry 6 }

snaLuSessnSndPacingSize OBJECT-TYPE

SYNTAX INTEGER (1..63)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The size of the send pacing window on this session."

::= {

snaLuSessnEntry 7 }

snaLuSessnRcvPacingSize OBJECT-TYPE

SYNTAX INTEGER (1..63)

MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The size of the receive pacing window on this session."
::= { snaLuSessnEntry 8 }

snaLuSessnActiveTime OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The timestamp (e.g., the Agent's sysUpTime value) when this session becomes active."
::= { snaLuSessnEntry 9 }

snaLuSessnAdminState OBJECT-TYPE
SYNTAX INTEGER {
 unbound (1),
 bound (3)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
 "The value indicates the desired operational state of the session. This object is used to change the operational state of the session. A Management Station can only change the operational state of the session to 'unbound (1)'.

Session deactivation:

If a session is in the operational state 'bound (3)' then setting the value of this object to 'unbound (1)' will initiate the session shutdown.

If a session is in the operational state 'pendingBind (2)' then setting the value of this object to 'unbound (1)' will initiate the session shutdown.

If a session is in the operational state 'pendingUnbind (4)' for an abnormally long period of time (e.g., three minutes) then setting the value of this object to 'unbound (1)' will change the session operational state to 'unbound (1)'.

Note: for dependent LUs, deactivating the session is

the same as deactivating
the LU."

::= { snaLuSessnEntry 10 }

snaLuSessnOperState OBJECT-TYPE

SYNTAX INTEGER {

unbound (1),

pendingBind (2),

bound (3),

pendingUnbind (4)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value indicates the current operational state of
the session.

'unbound (1)' - session has been unbound;
in this state it will be removed from the
session table by the Agent.

'pendingBind (2)' - this state has different
meanings for dependent and independent LUs;
for dependent LU - waiting for BIND from
the host, for independent LU - waiting for
BIND response. When a session enters this
state, the corresponding entry in the

session table is created by the Agent.

'bound (3)' - session has been successfully bound.

'pendingUnbind (4)' - session enters this state
when an UNBIND is sent and before the
rsp(UNBIND) is received."

::= { snaLuSessnEntry 11 }

snaLuSessnSenseData OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..8))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the sense code when there is
a BIND failure. It is taken from the negative BIND
response or UNBIND request.

This is displayed as 8 hexadecimal digits."

::= { snaLuSessnEntry 12 }

snaLuSessnTerminationRu OBJECT-TYPE

SYNTAX INTEGER {
 other (1),
 bindFailure (2),
 unbind (3)
}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value identifies the SNA RU that terminated the session.

If the session is not in the unbound state, this object has a value of 'other (1)'."

::= { snaLuSessnEntry 13 }

snaLuSessnUnbindType OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..1))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"If the session is in the unbound state, and it was terminated by an UNBIND, then this object contains the UNBIND type value (byte 1 of the UNBIND RU); otherwise the string is null."

::= { snaLuSessnEntry 14 }

snaLuSessnLinkIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value identifies the link over which the session passes. It is an index into snaNodeLinkAdminTable.

If the index value is not known,

the value of this

object shall be zero."

::= { snaLuSessnEntry 15 }

-- *****
-- The following table contains LU sessions statistics dynamic
-- parameters.
-- *****

snaLuSessnStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuSessnStatsEntry

MAX-ACCESS not-accessible

STATUS current
DESCRIPTION
"This table contains dynamic statistics information relating to LU sessions.
The entries in this table augment the entries in the snaLuSessnTable and cannot be created by a Management Station."
::= { snaLu 4 }

snaLuSessnStatsEntry OBJECT-TYPE
SYNTAX SnaLuSessnStatsEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Contains statistics information for an LU session.

Each entry is created by the Agent.
Objects in this table have read-only access.
Each session from snaLuSessnTable has one entry in this table."
AUGMENTS { snaLuSessnEntry }
::= { snaLuSessnStatsTable 1 }

SnaLuSessnStatsEntry ::= SEQUENCE {
snaLuSessnStatsSentBytes
Counter32,
snaLuSessnStatsReceivedBytes
Counter32,
snaLuSessnStatsSentRus
Counter32,
snaLuSessnStatsReceivedRus
Counter32,
snaLuSessnStatsSentNegativeResps
Counter32,
snaLuSessnStatsReceivedNegativeResps
Counter32
}

snaLuSessnStatsSentBytes OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The number of bytes sent by the local LU."
::= { snaLuSessnStatsEntry 1 }

snaLuSessnStatsReceivedBytes OBJECT-TYPE
SYNTAX

Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The number of bytes received by the local LU."
 ::= { snaLuSessnStatsEntry 2 }

snaLuSessnStatsSentRus OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The number of RUs sent by the local LU."
 ::= { snaLuSessnStatsEntry 3 }

snaLuSessnStatsReceivedRus OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The number of RUs received by the local LU."
 ::= { snaLuSessnStatsEntry 4 }

snaLuSessnStatsSentNegativeResps OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The number of negative responses sent by the
 local LU."
 ::= { snaLuSessnStatsEntry 5 }

snaLuSessnStatsReceivedNegativeResps OBJECT-TYPE
SYNTAX
Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
 "The number of negative responses received by the
 local LU."
 ::= { snaLuSessnStatsEntry 6 }

-- *****
-- Traps
-- *****

snaLuTraps OBJECT IDENTIFIER ::= { snaLu 5 }

snaLuStateChangeTrap NOTIFICATION-TYPE

OBJECTS { snaLuOperName,
snaLuOperSnaName,
snaLuOperState }

STATUS current

DESCRIPTION

"This trap indicates that the operational state
(i.e., snaLuOperState value) of the LU has changed.
The value of snaLuOperName indicates the name of the
LU.
The value of snaLuOperSnaName indicates the SNA name
of LU.
The value of snaLuOperState indicates the current
state after

change."

::= { snaLuTraps 1 }

snaLuSessnBindFailTrap NOTIFICATION-TYPE

OBJECTS { snaLuSessnLocalApplName,
snaLuSessnRemoteLuName,
snaLuSessnOperState,
snaLuSessnSenseData }

STATUS current

DESCRIPTION

"This trap indicates the failure of a BIND.
The value of snaLuSessnLocalApplName indicates the local
application name.
The value of snaLuSessnPartnerName indicates the partner
name.
The value of snaLuSessnOperState indicates the current
state after change.
The value of snaLuSessnBindFailureReason
indicates the failure reason.
The Agent should not generate more than 1 trap of this
type per minute to minimize the level of management
traffic on the network."

::= { snaLuTraps 2 }

-- *****

--

snaMgtTools group

--

-- Currently this group contains only one table.

-- *****

-- *****

```

-- The following table contains Response Time Monitoring (RTM)
-- configuration information and statistics for LU Type 2s.
-- RTM supports the capability to measure and report end-user
-- response times for dependent LUs. When the RTM state of an LU
-- is 'on', response times for each LU transaction are monitored.
-- A set of ranges is defined (e.g., Range 1 includes the number of
-- transactions with response times less than 1 second) using the
-- "boundary" definitions (e.g., boundary #2 is defined as 3 seconds).
-- A set of counters (one per range) identifies
-- the number of transactions within each response time range.
-- *****

```

snaLuRtmTable OBJECT-TYPE

SYNTAX SEQUENCE OF SnaLuRtmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains Response Time Monitoring (RTM) information relating to an LU (Type 2). Each entry corresponds to an LU 2 entry in snaLuAdminTable."

::= { snaMgtTools 1 }

snaLuRtmEntry OBJECT-TYPE

SYNTAX SnaLuRtmEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains RTM information for an LU (Type 2). Each entry is created by the Agent."

INDEX { snaLuRtmPuIndex, snaLuRtmLuIndex }

::= { snaLuRtmTable 1 }

SnaLuRtmEntry ::= SEQUENCE {

snaLuRtmPuIndex

Integer32,

snaLuRtmLuIndex

Integer32,

snaLuRtmState

INTEGER,

snaLuRtmStateTime

TimeStamp,

snaLuRtmDef

INTEGER,

snaLuRtmBoundary1

Integer32,

snaLuRtmBoundary2

Integer32,

```

snaLuRtmBoundary3
    Integer32,
snaLuRtmBoundary4
    Integer32,
snaLuRtmCounter1
    Counter32,
snaLuRtmCounter2
    Counter32,
snaLuRtmCounter3
    Counter32,
snaLuRtmCounter4
    Counter32,
snaLuRtmOverFlows
    Counter32,
snaLuRtmObjPercent
    Integer32,
snaLuRtmObjRange
    INTEGER,
snaLuRtmNumTrans
    Integer32,
snaLuRtmLastRspTime
    Integer32,
snaLuRtmAvgRspTime
    Integer32
}

```

snaLuRtmPuIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The value identifies the PU 2.0 with which this LU is associated."

::= { snaLuRtmEntry 1 }

snaLuRtmLuIndex OBJECT-TYPE

SYNTAX

Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The value uniquely identifies an LU in a PU 2.0."

::= { snaLuRtmEntry 2 }

snaLuRtmState OBJECT-TYPE

SYNTAX INTEGER {

off(1),

on(2)

```
    }  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The value indicates the current RTM state of an LU."  
    ::= { snaLuRtmEntry 3 }
```

snaLuRtmStateTime OBJECT-TYPE

```
    SYNTAX TimeStamp  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The timestamp (e.g., the Agent's sysUpTime value)  
        when this session's RTM state (e.g., snaLuRtmState)  
        changes value."  
    ::= { snaLuRtmEntry 4 }
```

snaLuRtmDef OBJECT-TYPE

```
    SYNTAX INTEGER {  
        firstChar(1),  
        kb(2),  
        cdeb(3)  
    }  
    MAX-ACCESS read-only
```

STATUS current

```
    DESCRIPTION  
        "The value indicates the mode of measurement for this  
        RTM request. The values have following meaning:  
        firstChar(1) - time to first character on screen  
        kb(2) - time to keyboard usable by operator  
        cdeb(3) - time to Change Direction/End Bracket."  
    ::= { snaLuRtmEntry 5 }
```

snaLuRtmBoundary1 OBJECT-TYPE

```
    SYNTAX Integer32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "This object contains the value of the first boundary  
        in units of 1/10th of a second."  
    ::= { snaLuRtmEntry 6 }
```

snaLuRtmBoundary2 OBJECT-TYPE

```
    SYNTAX Integer32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION
```

"This object contains the value of the second boundary
in units of 1/10th of a second."
::= { snaLuRtmEntry 7 }

snaLuRtmBoundary3 OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the value of the third boundary
in units of 1/10th of a second."

::= { snaLuRtmEntry 8 }

snaLuRtmBoundary4 OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object contains the value of the fourth boundary
in units of 1/10th of a second."

::= { snaLuRtmEntry 9 }

snaLuRtmCounter1 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which
fall in the range specified by the first boundary."

::= { snaLuRtmEntry 10 }

snaLuRtmCounter2 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates
the number of transactions which
fall in the range specified by the second boundary."

::= { snaLuRtmEntry 11 }

snaLuRtmCounter3 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which
fall in the range specified by the third boundary."

::= { snaLuRtmEntry 12 }

snaLuRtmCounter4 OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which fall in the range specified by the fourth boundary."

::= { snaLuRtmEntry 13 }

snaLuRtmOverFlows OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the number of transactions which exceed the highest range specified by

the

boundaries."

::= { snaLuRtmEntry 14 }

snaLuRtmObjPercent OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the desired percentage of transactions which should be under a designated boundary range indicated by snaLuRtmObjRange."

::= { snaLuRtmEntry 15 }

snaLuRtmObjRange OBJECT-TYPE

SYNTAX INTEGER {

other(1),

range1(2),

range2(3),

range3(4),

range4(5),

range5(6)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the designated boundary range to which the snaLuRtmObject refers.

The values have the following meanings:

other(1) - not specified

range1(2) - less than boundary
1
range2(3) - between boundary 1 and 2
range3(4) - between boundary 2 and 3
range4(5) - between boundary 3 and 4
range5(6) - greater than boundary 4."
::= { snaLuRtmEntry 16 }

snaLuRtmNumTrans OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the total number of transactions
executed since the RTM monitoring began (i.e.,
snaLuRtmState changed to 'on(2)') for this LU."

::= { snaLuRtmEntry 17 }

snaLuRtmLastRspTime OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the response time for the last
transaction in units of 1/10th of a second."

::= { snaLuRtmEntry 18 }

snaLuRtmAvgRspTime OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This value indicates the average response time for all
transactions in units of 1/10th of a second."

::= { snaLuRtmEntry 19 }

-- *****
-- Conformance information
-- *****

snanauConformance OBJECT IDENTIFIER ::= { snanauMIB 2 }

snanauCompliances OBJECT IDENTIFIER ::= { snanauConformance 1 }

snanauGroups OBJECT IDENTIFIER ::= { snanauConformance 2 }

-- Compliance statements

snanauCompliance MODULE-COMPLIANCE


```

STATUS current
DESCRIPTION
    "The compliance statement for the SNMPv2 entities
    which implement the snanau MIB."
MODULE -- this module

-- Unconditionally mandatory groups
    MANDATORY-GROUPS { snaNodeGroup,
        snaLuGroup,
        snaSessionGroup
    }

-- Conditionally mandatory groups
    GROUP snaPu20Group
    DESCRIPTION
        "The snaPu20Group is mandatory only for those
        entities which implement PU type 2.0"
    GROUP snaMgtToolsRtmGroup
    DESCRIPTION
        "The snaMgtToolsGroup is mandatory only for
        those entities which implement LU type 2
        and RTM."

-- Refinement of requirements for objects access.
-- The Agent which does not implement row creation for
-- snaNodeAdminTable, snaNodeLinkAdminTable and
-- snaLuAdminTable must at least accept
-- objects modification (read-write access instead of
-- read-create).

    OBJECT snaNodeAdminName
    MIN-ACCESS read-write
    DESCRIPTION
        "An Agent is required to implement read-write
        access to this object."

    OBJECT snaNodeAdminType
    MIN-ACCESS read-write
    DESCRIPTION
        "An Agent is required to implement read-write
        access to this object."

    OBJECT snaNodeAdminXidFormat
    MIN-ACCESS read-write
    DESCRIPTION
        "An Agent is required to implement read-write
        access to this object."

```

OBJECT snaNodeAdminBlockNum
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminIdNum
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminEnablingMethod
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminLuTermDefault
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminMaxLu
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminHostDescription
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminStopMethod
MIN-ACCESS read-write
DESCRIPTION
"An
Agent is required to implement read-write
access to this object."

OBJECT snaNodeAdminState
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeLinkAdminSpecific
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaNodeLinkAdminMaxPiu
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaLuAdminName
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this
object."

OBJECT snaLuAdminSnaName
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaLuAdminType
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaLuAdminDepType
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaLuAdminLocalAddress
MIN-ACCESS read-write
DESCRIPTION
"An Agent is required to implement read-write
access to this object."

OBJECT snaLuAdminDisplayModel
MIN-ACCESS
read-write
DESCRIPTION
"An Agent is required to implement read-write

access to this object."

OBJECT snaLuAdminTerm

MIN-ACCESS read-write

DESCRIPTION

"An Agent is required to implement read-write
access to this object."

::= { snanauCompliances 1 }

-- Units of conformance

snaNodeGroup OBJECT-GROUP

OBJECTS { snaNodeAdminName,
snaNodeAdminType,
snaNodeAdminXidFormat,
snaNodeAdminBlockNum,
snaNodeAdminIdNum,
snaNodeAdminEnablingMethod,
snaNodeAdminLuTermDefault,
snaNodeAdminMaxLu,
snaNodeAdminHostDescription,
snaNodeAdminStopMethod,
snaNodeAdminState,
snaNodeAdminRowStatus,
snaNodeAdminTableLastChange,
snaNodeOperName,
snaNodeOperType,
snaNodeOperXidFormat,
snaNodeOperBlockNum,
snaNodeOperIdNum,
snaNodeOperEnablingMethod,
snaNodeOperLuTermDefault,
snaNodeOperMaxLu,
snaNodeOperHostDescription,
snaNodeOperStopMethod,
snaNodeOperState,
snaNodeOperHostSscpId,
snaNodeOperStartTime,
snaNodeOperLastStateChange,
snaNodeOperActFailures,
snaNodeOperActFailureReason,
snaNodeOperTableLastChange,
snaNodeLinkAdminSpecific,
snaNodeLinkAdminMaxPiu,
snaNodeLinkAdminRowStatus,
snaNodeLinkAdminTableLastChange,

snaNodeLinkOperSpecific,
snaNodeLinkOperMaxPiu,
snaNodeLinkOperTableLastChange }
STATUS current
DESCRIPTION

"A collection of objects providing the
instrumentation of SNA nodes."

::= { snanauGroups 1 }

snaLuGroup OBJECT-GROUP

OBJECTS { snaLuAdminName,
snaLuAdminSnaName,
snaLuAdminType,
snaLuAdminDepType,
snaLuAdminLocalAddress,
snaLuAdminDisplayModel,
snaLuAdminTerm,
snaLuAdminRowStatus,
snaLuOperName,
snaLuOperSnaName,
snaLuOperType,
snaLuOperDepType,
snaLuOperLocalAddress,
snaLuOperDisplayModel,
snaLuOperTerm,
snaLuOperState,
snaLuOperSessnCount }

STATUS current

DESCRIPTION

"A collection of objects providing the
instrumentation of SNA LUs."

::= { snanauGroups 2 }

snaSessionGroup OBJECT-GROUP

OBJECTS { snaLuSessnRluIndex,

snaLuSessnIndex,
snaLuSessnLocalApplName,
snaLuSessnRemoteLuName,
snaLuSessnMaxSndRuSize,
snaLuSessnMaxRcvRuSize,
snaLuSessnSndPacingSize,
snaLuSessnRcvPacingSize,
snaLuSessnActiveTime,
snaLuSessnAdminState,
snaLuSessnOperState,
snaLuSessnSenseData,

```

snaLuSessnTerminationRu,
snaLuSessnUnbindType,
snaLuSessnLinkIndex,
snaLuSessnStatsSentBytes,
snaLuSessnStatsReceivedBytes,
snaLuSessnStatsSentRus,
snaLuSessnStatsReceivedRus,
snaLuSessnStatsSentNegativeResps,
snaLuSessnStatsReceivedNegativeResps }
STATUS current
DESCRIPTION
    "A collection of objects providing the
    instrumentation of SNA sessions."
::= { snanauGroups 3 }

```

snaPu20Group

```

OBJECT-GROUP
OBJECTS { snaPu20StatsSentBytes,
snaPu20StatsReceivedBytes,
snaPu20StatsSentPius,
snaPu20StatsReceivedPius,
snaPu20StatsSentNegativeResps,
snaPu20StatsReceivedNegativeResps,
snaPu20StatsActLus,
snaPu20StatsInActLus,
snaPu20StatsBindLus }
STATUS current
DESCRIPTION
    "A collection of objects providing the
    instrumentation of PU 2.0."
::= { snanauGroups 4 }

```

snaMgtToolsRtmGroup OBJECT-GROUP

```

OBJECTS { snaLuRtmState,
snaLuRtmStateTime,
snaLuRtmDef,
snaLuRtmBoundary1,
snaLuRtmBoundary2,
snaLuRtmBoundary3,
snaLuRtmBoundary4,
snaLuRtmCounter1,
snaLuRtmCounter2,
snaLuRtmCounter3,
snaLuRtmCounter4,
snaLuRtmOverFlows,
snaLuRtmObjPercent,
snaLuRtmObjRange,
snaLuRtmNumTrans,

```

```
        snaLuRtmLastRspTime,
        snaLuRtmAvgRspTime }
STATUS current
DESCRIPTION
    "A collection of objects providing the
    instrumentation of RTM for SNA LU 2.0."
 ::= { snanauGroups 5 }

-- end of conformance statement

END
```

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNA-NAU-
MIB
```

No license file was found, but licenses were detected in source scan.

```
SNMPv2-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
    MODULE-IDENTITY, OBJECT-TYPE, NOTIFICATION-TYPE,
    TimeTicks, Counter32, snmpModules, mib-2
```

```
    FROM SNMPv2-SMI
```

```
    DisplayString, TestAndIncr, TimeStamp
```

```
    FROM SNMPv2-TC
```

```
    MODULE-COMPLIANCE, OBJECT-GROUP, NOTIFICATION-GROUP
```

```
    FROM SNMPv2-CONF;
```

```
snmpMIB MODULE-IDENTITY
```

```
    LAST-UPDATED "200210160000Z"
```

```
    ORGANIZATION "IETF SNMPv3 Working Group"
```

```
    CONTACT-INFO
```

```
        "WG-EMail: snmpv3@lists.tislabs.com
```

```
        Subscribe: snmpv3-request@lists.tislabs.com
```

```
    Co-Chair: Russ Mundy
```

```
        Network Associates Laboratories
```

```
    postal: 15204 Omega Drive, Suite 300
```

```
        Rockville, MD 20850-4601
```

```
        USA
```

```
    EMail: mundy@tislabs.com
```

```
    phone: +1 301 947-7107
```

```
    Co-Chair: David Harrington
```

Enterasys

Networks

postal: 35 Industrial Way
P. O. Box 5005
Rochester, NH 03866-5005
USA
EMail: dbh@enterasys.com
phone: +1 603 337-2614

Editor: Randy Presuhn
BMC Software, Inc.
postal: 2141 North First Street
San Jose, CA 95131
USA
EMail: randy_presuhn@bmc.com
phone: +1 408 546-1006"

DESCRIPTION

"The MIB module for SNMP entities.

Copyright (C) The Internet Society (2002). This
version of this MIB module is part of RFC 3418;
see the RFC itself for full legal notices.

"

REVISION "200210160000Z"

DESCRIPTION

"This revision of this MIB module was published as
RFC 3418."

REVISION "199511090000Z"

DESCRIPTION

"This revision of this MIB module was published as
RFC 1907."

REVISION "199304010000Z"

DESCRIPTION

"The initial revision of this MIB module was published
as RFC 1450."

::= { snmpModules 1 }

snmpMIBObjects OBJECT IDENTIFIER ::= { snmpMIB 1 }

-- ::= { snmpMIBObjects 1 } this OID is obsolete
-- ::= { snmpMIBObjects 2 } this OID is obsolete
-- ::= { snmpMIBObjects 3 } this OID is obsolete

-- the System group

--

-- a collection of objects common to all managed systems.

system OBJECT IDENTIFIER ::= { mib-2 1 }

sysDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A textual description of the entity. This value should include the full name and version identification of the system's hardware type, software operating-system, and networking software."

::= { system 1 }

sysObjectID

OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The vendor's authoritative identification of the network management subsystem contained in the entity. This value is allocated within the SMI enterprises subtree (1.3.6.1.4.1) and provides an easy and unambiguous means for determining `what kind of box' is being managed. For example, if vendor `Flintstones, Inc.' was assigned the subtree 1.3.6.1.4.1.424242, it could assign the identifier 1.3.6.1.4.1.424242.1.1 to its `Fred Router'."

::= { system 2 }

sysUpTime OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time (in hundredths of a second) since the network management portion of the system was last re-initialized."

::= { system 3 }

sysContact OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The textual identification of the contact person for this managed node, together with information on how to contact this person. If no contact information is known, the value is the zero-length string."

::= { system 4 }

sysName OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"An administratively-assigned name for this managed node. By convention, this is the node's fully-qualified domain name. If the name is unknown, the value is the zero-length string."

::= { system 5 }

sysLocation OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The physical location of this node (e.g., 'telephone closet, 3rd floor'). If the location is unknown, the value is the zero-length string."

::= { system 6 }

sysServices OBJECT-TYPE

SYNTAX INTEGER (0..127)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"A value which indicates the set of services that this entity may potentially offer. The value is a sum.

This sum initially takes the value zero. Then, for each layer, L, in the range 1 through 7, that this node performs transactions for, 2 raised to (L - 1) is added to the sum. For example, a node which performs only routing functions would have a value of 4 (2³⁻¹).

In contrast, a node which is a host offering application

services would have a value of 72 ($2^{(4-1)} + 2^{(7-1)}$).

Note that in the context of the Internet suite of protocols, values should be calculated accordingly:

layer	functionality
1	physical (e.g., repeaters)
2	datalink/subnetwork (e.g., bridges)
3	internet (e.g., supports the IP)
4	end-to-end (e.g., supports the TCP)
7	applications (e.g., supports the SMTP)

For systems including OSI protocols, layers 5 and 6 may also be counted."

```
::= { system 7 }
```

```
-- object resource information
```

```
--
```

```
-- a collection of objects which describe the SNMP entity's
```

```
-- (statically and dynamically configurable) support of
```

```
-- various MIB modules.
```

```
sysORLastChange OBJECT-TYPE
```

```
SYNTAX TimeStamp
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The value of sysUpTime at the time of the most recent  
change in state or value of any instance of sysORID."
```

```
::= { system 8 }
```

```
sysORTable OBJECT-TYPE
```

```
SYNTAX SEQUENCE OF SysOREntry
```

```
MAX-ACCESS not-accessible
```

```
STATUS current
```

```
DESCRIPTION
```

```
"The (conceptual) table listing the capabilities of  
the local SNMP application acting as a command  
responder with respect to various MIB modules.  
SNMP entities having dynamically-configurable support  
of MIB modules will have a dynamically-varying number  
of conceptual rows."
```

```
::= { system 9 }
```

```
sysOREntry OBJECT-TYPE
```

```
SYNTAX SysOREntry
```

```
MAX-ACCESS not-accessible
```

STATUS current
DESCRIPTION
"An entry (conceptual row) in the sysORTable."
INDEX { sysORIndex }
::= { sysORTable 1 }

SysOREntry ::= SEQUENCE {
sysORIndex INTEGER,
sysORID OBJECT IDENTIFIER,
sysORDescr DisplayString,
sysORUpTime TimeStamp
}

sysORIndex OBJECT-TYPE
SYNTAX INTEGER (1..2147483647)
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The auxiliary variable used for identifying instances
of the columnar
objects in the sysORTable."
::= { sysOREntry 1 }

sysORID OBJECT-TYPE
SYNTAX OBJECT IDENTIFIER
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"An authoritative identification of a capabilities
statement with respect to various MIB modules supported
by the local SNMP application acting as a command
responder."
::= { sysOREntry 2 }

sysORDescr OBJECT-TYPE
SYNTAX DisplayString
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"A textual description of the capabilities identified
by the corresponding instance of sysORID."
::= { sysOREntry 3 }

sysORUpTime OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only

```

STATUS    current
DESCRIPTION
    "The value of sysUpTime at the time this conceptual
    row was last instantiated."
 ::= { sysOREntry 4 }

-- the SNMP group
--
-- a collection of objects providing basic instrumentation
and
-- control of an SNMP entity.

snmp    OBJECT IDENTIFIER ::= { mib-2 11 }

snmpInPkts OBJECT-TYPE
    SYNTAX    Counter32
    MAX-ACCESS read-only
    STATUS    current
    DESCRIPTION
        "The total number of messages delivered to the SNMP
        entity from the transport service."
    ::= { snmp 1 }

snmpInBadVersions OBJECT-TYPE
    SYNTAX    Counter32
    MAX-ACCESS read-only
    STATUS    current
    DESCRIPTION
        "The total number of SNMP messages which were delivered
        to the SNMP entity and were for an unsupported SNMP
        version."
    ::= { snmp 3 }

snmpInBadCommunityNames OBJECT-TYPE
    SYNTAX    Counter32
    MAX-ACCESS read-only
    STATUS    current
    DESCRIPTION
        "The total number of community-based SNMP messages (for
        example, SNMPv1) delivered to the SNMP entity which
        used an SNMP community name not known to said entity.
        Also, implementations which authenticate community-based
        SNMP messages using check(s) in addition to matching
        the community name (for example, by also checking
        whether the message originated from a transport address
        allowed to use a specified community name) MAY include

```

in this value the number of messages which failed the additional check(s). It is strongly RECOMMENDED that

the documentation for any security model which is used to authenticate community-based SNMP messages specify the precise conditions that contribute to this value."

::= { snmp 4 }

snmpInBadCommunityUses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of community-based SNMP messages (for example, SNMPv1) delivered to the SNMP entity which represented an SNMP operation that was not allowed for the SNMP community named in the message. The precise conditions under which this counter is incremented (if at all) depend on how the SNMP entity implements its access control mechanism and how its applications interact with that access control mechanism. It is strongly RECOMMENDED that the documentation for any access control mechanism which is used to control access to and visibility of MIB instrumentation specify the precise conditions that contribute to this value."

::= { snmp 5 }

snmpInASNParseErrs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of ASN.1 or BER errors encountered by the SNMP entity when decoding received SNMP messages."

::= { snmp 6 }

snmpEnableAuthenTraps OBJECT-TYPE

SYNTAX INTEGER { enabled(1), disabled(2) }

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Indicates whether the SNMP entity is permitted to generate authenticationFailure traps. The value of this object overrides any configuration information; as such, it provides a means whereby all authenticationFailure

traps may be disabled.

Note that it is strongly recommended that this object be stored in non-volatile memory so that it remains constant across re-initializations of the network management system."

```
::= { snmp 30 }
```

snmpSilentDrops OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of Confirmed Class PDUs (such as GetRequest-PDUs, GetNextRequest-PDUs, GetBulkRequest-PDUs, SetRequest-PDUs, and InformRequest-PDUs) delivered to the SNMP entity which were silently dropped because the size of a reply containing an alternate Response Class PDU (such as a

Response-PDU) with an empty variable-bindings field was greater than either a local constraint or the maximum message size associated with the originator of the request."

```
::= { snmp 31 }
```

snmpProxyDrops OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of Confirmed Class PDUs (such as GetRequest-PDUs, GetNextRequest-PDUs, GetBulkRequest-PDUs, SetRequest-PDUs, and InformRequest-PDUs) delivered to the SNMP entity which were silently dropped because the transmission of the (possibly translated) message to a proxy target failed in a manner (other than a time-out) such that no Response Class PDU (such as a Response-PDU) could be returned."

```
::= { snmp 32 }
```

-- information for notifications

--

-- a collection of objects which allow the SNMP entity, when

```
-- supporting a notification
originator application,
-- to be configured to generate SNMPv2-Trap-PDUs.

snmpTrap    OBJECT IDENTIFIER ::= { snmpMIBObjects 4 }
```

```
snmpTrapOID OBJECT-TYPE
SYNTAX    OBJECT IDENTIFIER
MAX-ACCESS accessible-for-notify
STATUS    current
DESCRIPTION
```

```
    "The authoritative identification of the notification
    currently being sent. This variable occurs as
    the second varbind in every SNMPv2-Trap-PDU and
    InformRequest-PDU."
```

```
 ::= { snmpTrap 1 }
```

```
-- ::= { snmpTrap 2 } this OID is obsolete
```

```
snmpTrapEnterprise OBJECT-TYPE
SYNTAX    OBJECT IDENTIFIER
MAX-ACCESS accessible-for-notify
STATUS    current
DESCRIPTION
```

```
    "The authoritative identification of the enterprise
    associated with the trap currently being sent. When an
    SNMP proxy agent is mapping an RFC1157 Trap-PDU
    into a SNMPv2-Trap-PDU, this variable occurs as the
    last varbind."
```

```
 ::= { snmpTrap
3 }
```

```
-- ::= { snmpTrap 4 } this OID is obsolete
```

```
-- well-known traps
```

```
snmpTraps    OBJECT IDENTIFIER ::= { snmpMIBObjects 5 }
```

```
coldStart NOTIFICATION-TYPE
STATUS    current
DESCRIPTION
```

```
    "A coldStart trap signifies that the SNMP entity,
    supporting a notification originator application, is
    reinitializing itself and that its configuration may
```



```
        have been altered."
 ::= { snmpTraps 1 }

warmStart NOTIFICATION-TYPE
  STATUS current
  DESCRIPTION
    "A warmStart trap signifies that the SNMP entity,
    supporting a notification originator application,
    is reinitializing itself such that its configuration
    is unaltered."
 ::= { snmpTraps 2 }

-- Note the linkDown NOTIFICATION-TYPE ::= { snmpTraps 3 }
-- and the linkUp NOTIFICATION-TYPE ::= { snmpTraps 4 }
-- are defined in RFC 2863 [RFC2863]
```

```
authenticationFailure NOTIFICATION-TYPE
  STATUS current
  DESCRIPTION
    "An
    authenticationFailure trap signifies that the SNMP
    entity has received a protocol message that is not
    properly authenticated. While all implementations
    of SNMP entities MAY be capable of generating this
    trap, the snmpEnableAuthenTraps object indicates
    whether this trap will be generated."
 ::= { snmpTraps 5 }

-- Note the egpNeighborLoss notification is defined
-- as { snmpTraps 6 } in RFC 1213

-- the set group
--
-- a collection of objects which allow several cooperating
-- command generator applications to coordinate their use of the
-- set operation.

snmpSet OBJECT IDENTIFIER ::= { snmpMIBObjects 6 }
```

```
snmpSetSerialNo OBJECT-TYPE
  SYNTAX TestAndIncr
  MAX-ACCESS read-write
  STATUS current
  DESCRIPTION
    "An advisory lock used to allow several cooperating
    command generator applications to coordinate their
```

use of the SNMP set operation.

This
object is used for coarse-grain coordination.
To achieve fine-grain coordination, one or more similar
objects might be defined within each MIB group, as
appropriate."
::= { snmpSet 1 }

-- conformance information

snmpMIBConformance
OBJECT IDENTIFIER ::= { snmpMIB 2 }

snmpMIBCompliances
OBJECT IDENTIFIER ::= { snmpMIBConformance 1 }
snmpMIBGroups OBJECT IDENTIFIER ::= { snmpMIBConformance 2 }

-- compliance statements

-- ::= { snmpMIBCompliances 1 } this OID is obsolete

snmpBasicCompliance MODULE-COMPLIANCE
STATUS deprecated
DESCRIPTION
"The compliance statement for SNMPv2 entities which
implement the SNMPv2 MIB.

This compliance statement is replaced by
snmpBasicComplianceRev2."

MODULE -- this module
MANDATORY-GROUPS { snmpGroup, snmpSetGroup, systemGroup,
snmpBasicNotificationsGroup }

GROUP snmpCommunityGroup
DESCRIPTION
"This group is mandatory for SNMPv2 entities which
support community-based authentication."

::= { snmpMIBCompliances 2 }

snmpBasicComplianceRev2 MODULE-COMPLIANCE
STATUS current
DESCRIPTION
"The compliance statement for SNMP entities which
implement this MIB module."

```

MODULE -- this module
    MANDATORY-GROUPS { snmpGroup, snmpSetGroup, systemGroup,
                        snmpBasicNotificationsGroup }

    GROUP snmpCommunityGroup
    DESCRIPTION
        "This group is mandatory for SNMP entities which
        support community-based authentication."

    GROUP snmpWarmStartNotificationGroup
    DESCRIPTION
        "This group is mandatory for an SNMP entity which
        supports command responder applications, and is
        able to reinitialize itself such that its
        configuration is unaltered."

    ::= { snmpMIBCompliances
    3 }

-- units of conformance

-- ::= { snmpMIBGroups 1 }      this OID is obsolete
-- ::= { snmpMIBGroups 2 }      this OID is obsolete
-- ::= { snmpMIBGroups 3 }      this OID is obsolete

-- ::= { snmpMIBGroups 4 }      this OID is obsolete

snmpGroup OBJECT-GROUP
    OBJECTS { snmpInPkts,
              snmpInBadVersions,
              snmpInASNParseErrs,
              snmpSilentDrops,
              snmpProxyDrops,
              snmpEnableAuthenTraps }
    STATUS current
    DESCRIPTION
        "A collection of objects providing basic instrumentation
        and control of an SNMP entity."
    ::= { snmpMIBGroups 8 }

snmpCommunityGroup OBJECT-GROUP
    OBJECTS { snmpInBadCommunityNames,
              snmpInBadCommunityUses }
    STATUS current
    DESCRIPTION
        "A collection of objects providing basic instrumentation

```

of a SNMP entity which supports community-based authentication."
 ::= { snmpMIBGroups 9 }

snmpSetGroup

OBJECT-GROUP

OBJECTS { snmpSetSerialNo }

STATUS current

DESCRIPTION

"A collection of objects which allow several cooperating command generator applications to coordinate their use of the set operation."

::= { snmpMIBGroups 5 }

systemGroup OBJECT-GROUP

OBJECTS { sysDescr, sysObjectID, sysUpTime,
 sysContact, sysName, sysLocation,
 sysServices,
 sysORLastChange, sysORID,
 sysORUpTime, sysORDescr }

STATUS current

DESCRIPTION

"The system group defines objects which are common to all managed systems."

::= { snmpMIBGroups 6 }

snmpBasicNotificationsGroup NOTIFICATION-GROUP

NOTIFICATIONS { coldStart, authenticationFailure }

STATUS current

DESCRIPTION

"The basic notifications implemented by an SNMP entity supporting command responder applications."

::= { snmpMIBGroups 7 }

snmpWarmStartNotificationGroup

NOTIFICATION-GROUP

NOTIFICATIONS { warmStart }

STATUS current

DESCRIPTION

"An additional notification for an SNMP entity supporting command responder applications, if it is able to reinitialize itself such that its configuration is unaltered."

::= { snmpMIBGroups 11 }

snmpNotificationGroup OBJECT-GROUP

```
OBJECTS { snmpTrapOID, snmpTrapEnterprise }
STATUS current
DESCRIPTION
    "These objects are required for entities
    which support notification originator applications."
::= { snmpMIBGroups 12 }

-- definitions in RFC 1213 made obsolete by the inclusion of a
-- subset of the snmp group in this MIB
```

```
snmpOutPkts OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION
    "The total number of SNMP Messages which were
    passed from the SNMP protocol entity to the
    transport service."
::= { snmp 2 }
```

```
-- { snmp 7 } is not used
```

```
snmpInTooBigs
OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION
    "The total number of SNMP PDUs which were
    delivered to the SNMP protocol entity and for
    which the value of the error-status field was
    `tooBig'."
::= { snmp 8 }
```

```
snmpInNoSuchNames OBJECT-TYPE
SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION
    "The total number of SNMP PDUs which were
    delivered to the SNMP protocol entity and for
    which the value of the error-status field was
    `noSuchName'."
::= { snmp 9 }
```

```
snmpInBadValues OBJECT-TYPE
```

SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field was `badValue`."

::= { snmp 10 }

snmpInReadOnlys

OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION

"The total number valid SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field was `readOnly`. It should be noted that it is a protocol error to generate an SNMP PDU which contains the value `readOnly` in the error-status field, as such this object is provided as a means of detecting incorrect implementations of the SNMP."

::= { snmp 11 }

snmpInGenErrs OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION

"The total number of SNMP PDUs which were delivered to the SNMP protocol entity and for which the value of the error-status field was `genErr`."

::= { snmp 12 }

snmpInTotalReqVars OBJECT-TYPE

SYNTAX Counter32
MAX-ACCESS read-only
STATUS obsolete
DESCRIPTION

"The total number of MIB objects which have been retrieved successfully by the SNMP protocol entity as the result of receiving valid SNMP Get-Request and Get-Next PDUs."

::= { snmp 13 }

snmpInTotalSetVars OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of MIB objects which have been altered successfully by the SNMP protocol entity as the result of receiving valid SNMP Set-Request PDUs."

::= { snmp 14 }

snmpInGetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Request PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 15 }

snmpInGetNexts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS

read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Next PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 16 }

snmpInSetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Set-Request PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 17 }

snmpInGetResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Response PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 18 }

snmpInTraps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Trap PDUs which have been accepted and processed by the SNMP protocol entity."

::= { snmp 19 }

snmpOutTooBig OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field was `tooBig`."

::= { snmp 20 }

snmpOutNoSuchNames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status was `noSuchName`."

::= { snmp 21 }

snmpOutBadValues OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field was `badValue`."

::= { snmp 22 }

-- { snmp 23 } is not used

snmpOutGenErrs OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP PDUs which were generated by the SNMP protocol entity and for which the value of the error-status field was `genErr'."

::= { snmp 24 }

snmpOutGetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Request PDUs which have been generated by the SNMP protocol entity."

::= { snmp 25 }

snmpOutGetNexts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Next PDUs which have been generated by the SNMP protocol entity."

::= { snmp 26 }

snmpOutSetRequests OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Set-Request PDUs which have been generated by the SNMP protocol entity."

::= { snmp 27 }

snmpOutGetResponses OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Get-Response PDUs which have been generated by the SNMP protocol entity."

::= { snmp 28 }

snmpOutTraps OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS obsolete

DESCRIPTION

"The total number of SNMP Trap PDUs which have
been generated by the SNMP protocol entity."

::= { snmp 29 }

snmpObsoleteGroup OBJECT-GROUP

OBJECTS { snmpOutPkts, snmpInTooBigs, snmpInNoSuchNames,
snmpInBadValues, snmpInReadOnlys, snmpInGenErrs,
snmpInTotalReqVars, snmpInTotalSetVars,
snmpInGetRequests, snmpInGetNexts, snmpInSetRequests,

snmpInGetResponses, snmpInTraps, snmpOutTooBigs,
snmpOutNoSuchNames, snmpOutBadValues,
snmpOutGenErrs, snmpOutGetRequests, snmpOutGetNexts,
snmpOutSetRequests, snmpOutGetResponses, snmpOutTraps
}

STATUS obsolete

DESCRIPTION

"A collection of objects from RFC 1213 made obsolete
by this MIB module."

::= { snmpMIBGroups 10 }

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNMPv2-MIB

No license file was found, but licenses were detected in source scan.

RADIUS-ACC-CLIENT-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, OBJECT-TYPE, OBJECT-IDENTITY,
Counter32, Integer32, Gauge32,
IpAddress, TimeTicks, mib-2 FROM SNMPv2-SMI
SnmpAdminString FROM SNMP-FRAMEWORK-MIB
InetAddressType, InetAddress,
InetPortNumber FROM INET-ADDRESS-MIB
MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF;

radiusAccClientMIB MODULE-IDENTITY

LAST-UPDATED "200608210000Z" -- 21 August 2006

ORGANIZATION "IETF RADIUS Extensions Working Group."

CONTACT-INFO

" Bernard Aboba
Microsoft
One Microsoft Way

Redmond, WA 98052
US
Phone: +1 425 936 6605
EMail: bernarda@microsoft.com"

DESCRIPTION

"The MIB module for entities implementing the client side of the Remote

Authentication Dial-In User Service

(RADIUS) accounting protocol. Copyright (C) The Internet Society (2006). This version of this MIB module is part of RFC 4670; see the RFC itself for full legal notices."

REVISION "200608210000Z" -- 21 August 2006

DESCRIPTION

"Revised version as published in RFC 4670. This version obsoletes that of RFC 2620 by deprecating the MIB table containing IPv4-only address formats and defining a new table to add support for version-neutral IP address formats. The remaining MIB objects from RFC 2620 are carried forward into this version."

REVISION "199906110000Z" -- 11 Jun 1999

DESCRIPTION "Initial version as published in RFC 2620."

::= { radiusAccounting 2 }

radiusMIB OBJECT-IDENTITY

STATUS current

DESCRIPTION

"The OID assigned to RADIUS MIB work by the IANA."

::= { mib-2 67 }

radiusAccounting OBJECT IDENTIFIER ::= { radiusMIB 2 }

radiusAccClientMIBObjects OBJECT IDENTIFIER

::= { radiusAccClientMIB 1 }

radiusAccClient OBJECT IDENTIFIER

::= { radiusAccClientMIBObjects 1 }

radiusAccClientInvalidServerAddresses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS Accounting-Response packets received from unknown addresses."

::= { radiusAccClient 1 }

radiusAccClientIdentifier OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The NAS-Identifier of the RADIUS accounting client. This is not necessarily the same as sysName in MIB II."

REFERENCE "RFC 2865 section 5.32"

::= { radiusAccClient 2 }

radiusAccServerTable OBJECT-TYPE

SYNTAX SEQUENCE OF RadiusAccServerEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"The (conceptual) table listing the RADIUS accounting servers with which the client shares a secret."

::= { radiusAccClient 3 }

radiusAccServerEntry OBJECT-TYPE

SYNTAX RadiusAccServerEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry (conceptual row) representing a RADIUS accounting server with which the client shares a secret."

INDEX { radiusAccServerIndex }

::= { radiusAccServerTable 1 }

RadiusAccServerEntry ::= SEQUENCE {

radiusAccServerIndex Integer32,

radiusAccServerAddress	IpAddress,
radiusAccClientServerPortNumber	Integer32,
radiusAccClientRoundTripTime	TimeTicks,
radiusAccClientRequests	Counter32,
radiusAccClientRetransmissions	Counter32,
radiusAccClientResponses	Counter32,
radiusAccClientMalformedResponses	Counter32,
radiusAccClientBadAuthenticators	Counter32,
radiusAccClientPendingRequests	Gauge32,
radiusAccClientTimeouts	Counter32,
radiusAccClientUnknownTypes	Counter32,
radiusAccClientPacketsDropped	Counter32

}

radiusAccServerIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A number uniquely identifying each RADIUS Accounting server with which this client communicates."

::= { radiusAccServerEntry 1 }

radiusAccServerAddress OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The IP address of the RADIUS accounting server

referred to in this table entry."

::= { radiusAccServerEntry 2 }

radiusAccClientServerPortNumber OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The UDP port the client is using to send requests to this server."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerEntry 3 }

radiusAccClientRoundTripTime OBJECT-TYPE
SYNTAX TimeTicks
MAX-ACCESS read-only
STATUS deprecated
DESCRIPTION
 "The time interval between the most recent
 Accounting-Response and the Accounting-Request that
 matched it from this RADIUS accounting server."
REFERENCE "RFC 2866 section 2"
::= { radiusAccServerEntry 4 }

-- Request/Response statistics
--
-- Requests = Responses + PendingRequests + ClientTimeouts
--
-- Responses - MalformedResponses - BadAuthenticators -
-- UnknownTypes - PacketsDropped = Successfully received

radiusAccClientRequests
OBJECT-TYPE
SYNTAX Counter32
UNITS "packets"
MAX-ACCESS read-only
STATUS deprecated
DESCRIPTION
 "The number of RADIUS Accounting-Request packets
 sent. This does not include retransmissions."
REFERENCE "RFC 2866 section 4.1"
::= { radiusAccServerEntry 5 }

radiusAccClientRetransmissions OBJECT-TYPE
SYNTAX Counter32
UNITS "packets"
MAX-ACCESS read-only
STATUS deprecated
DESCRIPTION
 "The number of RADIUS Accounting-Request packets
 retransmitted to this RADIUS accounting server.
 Retransmissions include retries where the
 Identifier and Acct-Delay have been updated, as
 well as those in which they remain the same."
REFERENCE "RFC 2866 section 2"
::= { radiusAccServerEntry 6 }

radiusAccClientResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS packets received on the
accounting port from this server."

REFERENCE "RFC 2866 section 4.2"

::= { radiusAccServerEntry 7 }

radiusAccClientMalformedResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of malformed RADIUS Accounting-Response
packets received from this server. Malformed packets
include packets with an invalid length. Bad
authenticators and unknown types are not included as
malformed accounting responses."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerEntry 8 }

radiusAccClientBadAuthenticators OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS Accounting-Response
packets that contained invalid
authenticators
received from this server."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerEntry 9 }

radiusAccClientPendingRequests OBJECT-TYPE

SYNTAX Gauge32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS Accounting-Request packets sent to this server that have not yet timed out or received a response. This variable is incremented when an Accounting-Request is sent and decremented due to receipt of an Accounting-Response, a timeout, or a retransmission."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerEntry 10 }

radiusAccClientTimeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of accounting timeouts to this server.
After a timeout, the client may retry to the same

server, send to a different server, or give up.

A retry to the same server is counted as a retransmit as well as a timeout. A send to a different server is counted as an Accounting-Request as well as a timeout."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerEntry 11 }

radiusAccClientUnknownTypes OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS packets of unknown type that were received from this server on the accounting port."

REFERENCE "RFC 2866 section 4"

::= { radiusAccServerEntry 12 }

radiusAccClientPacketsDropped OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The number of RADIUS packets that were received from this server on the accounting port and dropped for some

other reason."
 ::= { radiusAccServerEntry 13 }

-- New MIB objects added in this revision

radiusAccServerExtTable OBJECT-TYPE
SYNTAX SEQUENCE OF RadiusAccServerExtEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The (conceptual) table listing the RADIUS accounting
servers with which the client shares a secret."
 ::= { radiusAccClient 4 }

radiusAccServerExtEntry OBJECT-TYPE
SYNTAX RadiusAccServerExtEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"An entry (conceptual row) representing a RADIUS
accounting server with which the client shares a
secret."
INDEX { radiusAccServerExtIndex }
 ::= { radiusAccServerExtTable 1 }

RadiusAccServerExtEntry ::= SEQUENCE {
radiusAccServerExtIndex Integer32,
radiusAccServerInetAddressType InetAddressType,
radiusAccServerInetAddress
InetAddress,
radiusAccClientServerInetPortNumber InetPortNumber,
radiusAccClientExtRoundTripTime TimeTicks,

radiusAccClientExtRequests Counter32,
radiusAccClientExtRetransmissions Counter32,
radiusAccClientExtResponses Counter32,
radiusAccClientExtMalformedResponses Counter32,
radiusAccClientExtBadAuthenticators Counter32,
radiusAccClientExtPendingRequests Gauge32,
radiusAccClientExtTimeouts Counter32,
radiusAccClientExtUnknownTypes Counter32,
radiusAccClientExtPacketsDropped Counter32,
radiusAccClientCounterDiscontinuity TimeTicks
}

radiusAccServerExtIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A number uniquely identifying each RADIUS

Accounting server

with which this client

communicates."

::= { radiusAccServerExtEntry 1 }

radiusAccServerInetAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of address format used for the

radiusAccServerInetAddress object."

::= { radiusAccServerExtEntry 2 }

radiusAccServerInetAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The IP address of the RADIUS accounting

server referred to in this table entry, using

the version-neutral IP address format."

::= { radiusAccServerExtEntry 3 }

radiusAccClientServerInetPortNumber OBJECT-TYPE

SYNTAX InetPortNumber (1..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The UDP port the client is using

to send requests

to this accounting server. The value zero (0) is

invalid."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerExtEntry 4 }

radiusAccClientExtRoundTripTime OBJECT-TYPE

SYNTAX TimeTicks

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The time interval between the most recent Accounting-Response and the Accounting-Request that matched it from this RADIUS accounting server."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 5 }

-- Request/Response statistics

--

-- Requests = Responses + PendingRequests + ClientTimeouts

--

-- Responses - MalformedResponses - BadAuthenticators -

-- UnknownTypes - PacketsDropped = Successfully received

radiusAccClientExtRequests OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS Accounting-Request packets

sent. This does not include retransmissions.

This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 4.1"

::= { radiusAccServerExtEntry 6 }

radiusAccClientExtRetransmissions OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS Accounting-Request packets retransmitted to this RADIUS accounting server.

Retransmissions include retries where the Identifier and Acct-Delay have been updated, as

well as those in which they remain the same.
This counter may experience a discontinuity when the
RADIUS Accounting Client module within the managed

entity is reinitialized, as indicated by the current
value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 7 }

radiusAccClientExtResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS packets received on the
accounting port from this server. This counter
may experience a discontinuity when the RADIUS
Accounting Client module within the managed entity is
reinitialized, as indicated by the current value of
radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 4.2"

::= { radiusAccServerExtEntry 8 }

radiusAccClientExtMalformedResponses OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of malformed RADIUS Accounting-Response
packets received from this server. Malformed packets
include packets with an invalid length. Bad
authenticators and unknown types are not included as
malformed accounting responses. This counter may
experience a discontinuity when the RADIUS Accounting
Client module within the managed entity is
reinitialized, as indicated by the current
value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerExtEntry 9 }

radiusAccClientExtBadAuthenticators OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS Accounting-Response packets that contained invalid authenticators received from this server. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 3"

::= { radiusAccServerExtEntry 10 }

radiusAccClientExtPendingRequests OBJECT-TYPE

SYNTAX Gauge32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS Accounting-Request packets sent to this server that have not yet timed out or received a response. This variable is incremented when an Accounting-Request is sent and decremented due to receipt of an Accounting-Response, a timeout, or a retransmission. This counter may experience a discontinuity when the RADIUS Accounting Client module within the managed entity is reinitialized, as indicated by the current value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 11 }

radiusAccClientExtTimeouts OBJECT-TYPE

SYNTAX Counter32

UNITS "timeouts"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of accounting timeouts to this server. After a timeout, the client may retry to the same server, send to a different server, or give up. A retry to the same server is counted as a retransmit as well as a timeout. A send to a different server is counted as an Accounting-Request as well as a timeout. This counter may experience a discontinuity when the RADIUS Accounting Client module within the

managed entity is reinitialized, as indicated by the
current value of radiusAccClientCounterDiscontinuity."
REFERENCE "RFC 2866 section 2"

::= { radiusAccServerExtEntry 12 }

radiusAccClientExtUnknownTypes OBJECT-TYPE

SYNTAX

Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS packets of unknown type that
were received from this server on the accounting port.
This counter may experience a discontinuity when the
RADIUS Accounting Client module within the managed
entity is reinitialized, as indicated by the current
value of radiusAccClientCounterDiscontinuity."

REFERENCE "RFC 2866 section 4"

::= { radiusAccServerExtEntry 13 }

radiusAccClientExtPacketsDropped OBJECT-TYPE

SYNTAX Counter32

UNITS "packets"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of RADIUS packets that were received from
this server on the accounting port and dropped for some
other reason. This counter may experience a
discontinuity when the RADIUS Accounting Client module
within

the managed entity is reinitialized, as indicated
by the current value of
radiusAccClientCounterDiscontinuity."

::= { radiusAccServerExtEntry 14 }

radiusAccClientCounterDiscontinuity OBJECT-TYPE

SYNTAX TimeTicks

UNITS "centiseconds"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of centiseconds since the last
discontinuity in the RADIUS Accounting Client

counters. A discontinuity may be the result of a reinitialization of the RADIUS Accounting Client module within the managed entity."
 ::= { radiusAccServerExtEntry 15 }

-- conformance information

radiusAccClientMIBConformance OBJECT IDENTIFIER
 ::= { radiusAccClientMIB 2 }

radiusAccClientMIBCompliances OBJECT IDENTIFIER
 ::= { radiusAccClientMIBConformance 1 }

radiusAccClientMIBGroups OBJECT IDENTIFIER
 ::= { radiusAccClientMIBConformance
 2 }

-- units of conformance

radiusAccClientMIBCompliance MODULE-COMPLIANCE
 STATUS deprecated
 DESCRIPTION
 "The compliance statement for accounting clients implementing the RADIUS Accounting Client MIB. Implementation of this module is for IPv4-only entities, or for backwards compatibility use with entities that support both IPv4 and IPv6."
 MODULE -- this module
 MANDATORY-GROUPS { radiusAccClientMIBGroup }

 ::= { radiusAccClientMIBCompliances 1 }

radiusAccClientExtMIBCompliance MODULE-COMPLIANCE
 STATUS current
 DESCRIPTION
 "The compliance statement for accounting clients implementing the RADIUS Accounting Client IPv6 Extensions MIB. Implementation of this module is for entities that support IPv6, or support IPv4 and IPv6."

MODULE -- this module

MANDATORY-GROUPS { radiusAccClientExtMIBGroup }

OBJECT

radiusAccServerInetAddressType

SYNTAX InetAddressType { ipv4(1), ipv6(2) }

DESCRIPTION

"An implementation is only required to support IPv4 and globally unique IPv6 addresses."

OBJECT radiusAccServerInetAddress

SYNTAX InetAddress (SIZE (4|16))

DESCRIPTION

"An implementation is only required to support IPv4 and globally unique IPv6 addresses."

::= { radiusAccClientMIBCompliances 2 }

-- units of conformance

radiusAccClientMIBGroup OBJECT-GROUP

OBJECTS { radiusAccClientIdentifier,
radiusAccClientInvalidServerAddresses,
radiusAccServerAddress,
radiusAccClientServerPortNumber,
radiusAccClientRoundTripTime,
radiusAccClientRequests,
radiusAccClientRetransmissions,
radiusAccClientResponses,
radiusAccClientMalformedResponses,
radiusAccClientBadAuthenticators,

radiusAccClientPendingRequests,
radiusAccClientTimeouts,
radiusAccClientUnknownTypes,
radiusAccClientPacketsDropped

}

STATUS deprecated

DESCRIPTION

"The basic collection of objects providing management of RADIUS Accounting Clients."

::= { radiusAccClientMIBGroups 1 }

radiusAccClientExtMIBGroup OBJECT-GROUP

```
OBJECTS { radiusAccClientIdentifier,  
          radiusAccClientInvalidServerAddresses,  
          radiusAccServerInetAddressType,  
          radiusAccServerInetAddress,  
          radiusAccClientServerInetPortNumber,  
          radiusAccClientExtRoundTripTime,  
          radiusAccClientExtRequests,  
          radiusAccClientExtRetransmissions,  
          radiusAccClientExtResponses,  
          radiusAccClientExtMalformedResponses,  
          radiusAccClientExtBadAuthenticators,  
          radiusAccClientExtPendingRequests,
```

```
          radiusAccClientExtTimeouts,  
          radiusAccClientExtUnknownTypes,  
          radiusAccClientExtPacketsDropped,  
          radiusAccClientCounterDiscontinuity
```

```
}
```

STATUS current

DESCRIPTION

"The basic collection of objects providing management of
RADIUS Accounting Clients."

```
::= { radiusAccClientMIBGroups 2 }
```

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/RADIUS-ACC-CLIENT-MIB

No license file was found, but licenses were detected in source scan.

DOCS-CABLE-DEVICE-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY,

OBJECT-TYPE,

IpAddress,

Unsigned32,

Counter32,

Integer32,

zeroDotZero,

mib-2

FROM SNMPv2-SMI -- RFC 2578

RowStatus,
 RowPointer,
 DateAndTime,
 TruthValue,
 StorageType
 FROM SNMPv2-TC -- RFC 2579
 InetAddressType,
 InetAddress
 FROM INET-ADDRESS-MIB -- RFC 4001
 OBJECT-GROUP,
 MODULE-COMPLIANCE
 FROM SNMPv2-CONF -- RFC 2580
 SnmpAdminString
 FROM SNMP-FRAMEWORK-MIB -- RFC 3411
 InterfaceIndexOrZero
 FROM IF-MIB -- RFC 2863
 ZeroBasedCounter32
 FROM RMON2-MIB -- RFC 4502
 diffServMIBDataPathGroup,
 diffServMIBClfrGroup,

 diffServMIBClfrElementGroup,
 diffServMIBMultiFieldClfrGroup,
 diffServMIBActionGroup,
 diffServMIBDscpMarkActGroup,
 diffServMIBCounterGroup,
 diffServMIBAlgDropGroup,

 diffServDataPathStatus,
 diffServClfrStatus,
 diffServClfrElementStatus,
 diffServMultiFieldClfrAddrType,
 diffServMultiFieldClfrSrcAddr,
 diffServMultiFieldClfrDstAddr,
 diffServAlgDropStatus,
 diffServDataPathStorage,
 diffServClfrStorage,
 diffServClfrElementStorage,
 diffServMultiFieldClfrStorage,
 diffServActionStorage,
 diffServCountActStorage,
 diffServAlgDropStorage,
 diffServAlgDropType
 FROM DIFFSERV-MIB; -- RFC 3289

docsDev MODULE-IDENTITY

LAST-UPDATED "200612200000Z" -- December 20, 2006

ORGANIZATION "IETF IP over Cable Data Network
Working Group"

CONTACT-INFO

" Rich

Woundy

Postal: Comcast Cable
27 Industrial Avenue
Chelmsford, MA 01824 U.S.A.
Phone: +1 978 244 4010
E-mail: richard_woundy@cable.comcast.com

Kevin Marez
Postal: Motorola Corporation
6450 Sequence Drive
San Diego, CA 92121 U.S.A.
Phone: +1 858 404 3785
E-mail: kevin.marez@motorola.com

IETF IPCDN Working Group
General Discussion: ipcdn@ietf.org
Subscribe: <http://www.ietf.org/mailman/listinfo/ipcdn>
Archive: <ftp://ftp.ietf.org/ietf-mail-archive/ipcdn>
Co-chairs: Richard Woundy,
richard_woundy@cable.comcast.com
Jean-Francois Mule,
jf.mule@cablelabs.com"

DESCRIPTION

"This is the MIB Module for DOCSIS-compliant cable modems

and cable-modem
termination systems.

Copyright (C) The IETF Trust (2006). This version
of this MIB module was published in RFC 4639; for full
legal notices see the RFC itself."

REVISION "200612200000Z" -- December 20, 2006

DESCRIPTION

"Second version, published as RFC 4639.

Modifications to this MIB module since RFC 2669 include:

- Deprecation of the docsDevFilter group in favor of the
DiffServ MIB groups, to enable support for IPv6

- filtering and DiffServ Code Point (DSCP) marking.
- Deprecation of the docsDevCpeGroup in favor of the docsDevCpeInetGroup, to enable support of IPv6.
- Addition of various InetAddress objects to enable support of IPv6.
- Deprecation of docsDevNmAccessTable in favor of SNMP Coexistence and SNMPv3 -- yet adding docsDevNmAccessTrapVersion and clarifying docsDevNmAccessIp for current use of this table,
- Addition of docsDevIcmpModeControl for management and control of the IGMP mode of operation,
- Addition of docsDevMaxCpe for management of the maximum number of CPEs permitted access through a cable modem,
- Addition of docsDevSwServerTransportProtocol, and modifications to docsDevSoftware object DESCRIPTIONS, to enable software downloads via either TFTP or HTTP,
- Replacement of docsDevEvThrottleInhibited with docsDevEvThrottleThresholdExceeded to simplify event threshold management,
- Modification of docsDevEvReporting to enable local logging to the internal volatile log, and not to the internal non-volatile log,
- Modification of the compliance statement to make the docsDevCpe objects optional
- Created placeholders for two OIDs in the docsDevFilterPolicyTable that were never used
- Modified the DESCRIPTION of docsDevSwServerTransportProtocol and docsDevSwServerAddressType to address the dependence between each object
- Added a reference to docsDevServerConfigTftpAddress
- Clarified the scope of notifications that are covered by docsDevEvThrottleThreshold
- Clarified an error condition that could occur when

doing a SET to docsDevEvReporting

- Defined each of the enumerated types for both docsDevEvLevel and docsDevEvPriority
- Added UNITS clause to docsDevFilterLLCMatches, docsDevFilterIpMatches, docsDevMaxCpe, docsDevEvThrottleThreshold and docsDevEvCounts.
- Added REFERENCE clause to docsDevFilterIpProtocol
- Modified DESCRIPTION

of docsDevCpeInetAddr to be
more protocol-neutral

- Removed the enumerated value (1) from both docsDevCpeInetSource and docsDevCpeSource
- Covered additional read-write and read-create objects in the Security Considerations section
- Modified the default value of docsDevNmAccessIpMask to be consistent with OSSI specification
- Modified the SYNTAX of docsDevNmAccessCommunity and docsDevNmAccessInterfaces in the Conformance Statement section
- Added SYNTAX clause to docsDevEvReporting in the Conformance Statement section
- Modified SYNTAX clause of docsDevEvReporting to move new enumerated type to byte boundary
- Added references to DOCSIS 2.0 specifications to multiple objects
- Clarified non-persistence across reboots for all

tables

- Clarified functionality of docsDevSw objects as they relate to docsDevSwOperStatus
- Clarified enumerated types (9) and (10) for docsDevServerBootState
- Defined the state of unknown(0) for the following objects: docsDevServerDhcpAddressType, docsDevServerTimeAddressType, docsDevServerConfigTftpAddressType and docsDevServerConfigTftpAddressType
- Modified the value in docsDevFilterIpDaddr to be consistent with the SYNTAX
- Specified which rows could be modified in an active row for docsDevFilterPolicyStatus
- Defined the term 'manually' in docsDevCpeEnroll
- Clarified the description for docsDevFilterTosOrMask
- Covered the case of a non-existent row for docsDevFilterPolicyPtr
- Added DEFVAL clauses for multiple

objects

- Replaced docsDevNotification OBJECT IDENTIFIER with docsDevNotifications to address possible compatibility issues

- Added support for the usage of RFC 3413 and RFC 3014 as event notification mechanisms
- Removed docsDevFilterPolicyObsoleteGroup
- Added stdInterface(9) type to docsDevEvReporting to

support the usage of RFC3413 and RFC3014
- Modified DESCRIPTION for docsDevMaxCpe"

REVISION "199908190000Z"

DESCRIPTION

"Initial version, published as RFC 2669."

::= { mib-2 69 }

docsDevMIBObjects OBJECT IDENTIFIER ::= { docsDev 1 }

docsDevBase OBJECT IDENTIFIER ::= { docsDevMIBObjects 1 }

--

-- For the following object, there is no concept in the
-- RFI specification corresponding to a backup CMTS. The
-- enumeration is provided here in case someone is able
-- to define such a role or device.

--

docsDevRole OBJECT-TYPE

SYNTAX INTEGER {

cm(1),

cmtsActive(2),

cmtsBackup(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Defines the current role of this device. cm(1) is a
Cable Modem, cmtsActive(2) is a Cable Modem Termination
System that is controlling the system of cable modems,
and cmtsBackup(3) is a CMTS that is currently connected
but is not controlling the system (not currently used).

In general, if this device is a 'cm', its role will not
change during operation or between reboots. If the
device is a 'cmts' it may change between cmtsActive and
cmtsBackup and back again during normal operation. NB:
At this time, the DOCSIS standards do not support the
concept of a backup CMTS, but cmtsBackup is included for
completeness."

::= { docsDevBase 1 }

docsDevDateTime

OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The current date and time, with time zone information (if known).

If the real data and time cannot be determined, this shall represent elapsed time from boot relative to the standard epoch '1970-1-1,0:0:0.0'. In other words, if this agent has been up for 3 minutes and not been able to determine what the actual date and time are, this object will return the value '1970-1-1,0:03:0.0'."

::= { docsDevBase 2 }

docsDevResetNow OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Setting this object to true(1) causes the device to reset. Reading this object always returns false(2)."

::= { docsDevBase 3 }

docsDevSerialNumber

OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The manufacturer's serial number for this device."

::= { docsDevBase 4 }

docsDevSTPControl OBJECT-TYPE

SYNTAX INTEGER {

stEnabled(1),

noStFilterBpdu(2),

noStPassBpdu(3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls operation of the spanning tree protocol (as distinguished from transparent bridging).

If set to stEnabled(1), then the spanning tree protocol

is enabled, subject to bridging constraints.

If noStFilterBpdu(2), then spanning tree is not active, and Bridge PDUs received are discarded.

If noStPassBpdu(3), then spanning tree is not active, and Bridge PDUs are transparently forwarded.

Note that a device need not implement all of these options, but that noStFilterBpdu(2) is required."

```
DEFVAL { noStFilterBpdu }  
::= { docsDevBase 5 }
```

docsDevIgmpModeControl OBJECT-TYPE

```
SYNTAX INTEGER {  
    passive(1),  
    active(2)  
}
```

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls the IGMP mode of operation for the CM or CMTS. In passive mode, the device forwards IGMP between interfaces as based on knowledge of Multicast Session activity on the subscriber side interface and the rules defined in the DOCSIS RFI specification. In active mode, the device terminates at and initiates IGMP through its interfaces as based on the knowledge of Multicast Session activity on the subscriber side interface."

REFERENCE

"DOCSIS RFI 1.1 Specification, Section 3.3.1. and

DOCSIS RFI 2.0 Specification, Section 5.3.1."

```
DEFVAL { passive }
```

```
::= { docsDevBase 6 }
```

docsDevMaxCpe OBJECT-TYPE

```
SYNTAX Unsigned32 (0..255)
```

```
UNITS "CPEs"
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum number of CPEs that can be granted access through a CM during a CM epoch. This value can be

obtained from the CM configuration file; however, it may be adjusted by the CM according to hardware or software limitations that have been imposed on the implementation."

REFERENCE

"DOCSIS RFI 1.0 Specification, Appendix C.7.20., and

DOCSIS RFI 1.1 Specification, Appendix C.1.1.7. and

DOCSIS RFI 2.0 Specification, Appendix C.1.1.7."

::= { docsDevBase 7 }

--

-- The following table provides one level of security for access
-- to the device by network management stations.

--

Note that access is also constrained by the

-- community strings and any vendor-specific security.

--

docsDevNmAccessTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevNmAccessEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"This table controls access to SNMP objects by network management stations. If the table is empty, access to SNMP objects is unrestricted. The objects in this table MUST NOT persist across reboots. The objects in this table are only accessible from cable devices that are not capable of operating in SNMP Coexistence mode (RFC 3584) or in SNMPv3 mode (RFC 3410).

See the conformance section for

details. Note that some devices are required by other specifications (e.g., the DOCSIS OSSIV1.1 specification)

to support the legacy SNMPv1/v2c docsDevNmAccess mode for

backward compatibility.

This table is deprecated. Instead, use the SNMP coexistence MIBs from RFC 3584, the TARGET and NOTIFICATION MIBs from RFC 3413, and

the View-Based Access Control Model (VACM) MIBs for all SNMP protocol versions from RFC 3415."

::= { docsDevMIBObjects 2 }

docsDevNmAccessEntry OBJECT-TYPE

SYNTAX DocsDevNmAccessEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry describing access to SNMP objects by a particular network management station. An entry in this table is not readable unless the management station has read-write permission (either implicit if the table is empty, or explicit through an entry in this table). Entries are ordered by docsDevNmAccessIndex. The first

matching entry (e.g., matching IP address and community

string) is used to derive access."

INDEX { docsDevNmAccessIndex }

::= { docsDevNmAccessTable 1 }

DocsDevNmAccessEntry ::= SEQUENCE {

docsDevNmAccessIndex Integer32,
docsDevNmAccessIp IPAddress,
docsDevNmAccessIpMask IPAddress,
docsDevNmAccessCommunity OCTET STRING,
docsDevNmAccessControl INTEGER,
docsDevNmAccessInterfaces OCTET STRING,
docsDevNmAccessStatus RowStatus,
docsDevNmAccessTrapVersion INTEGER

}

docsDevNmAccessIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Index used to order the application of access entries."

::= { docsDevNmAccessEntry 1 }

docsDevNmAccessIp OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The IP address (or subnet) of the network management station. The address 0.0.0.0 is defined to mean any Network Management Station (NMS). If traps are

enabled for this entry, then the value must be the address of a specific device. Implementations MAY recognize 255.255.255.255 as equivalent to 0.0.0.0."
DEFVAL { '00000000'h }
::= { docsDevNmAccessEntry 2 }

docsDevNmAccessIpMask OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The IP subnet mask of the network management stations.

If traps are enabled for this entry, then the value must be 0.0.0.0. Implementations MAY recognize 255.255.255.255 as equivalent to 0.0.0.0."

DEFVAL { '00000000'h }

::= { docsDevNmAccessEntry 3 }

docsDevNmAccessCommunity OBJECT-TYPE

SYNTAX OCTET

STRING

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The community string to be matched for access by this entry. If set to a zero-length string, then any community string will match. When read, this object SHOULD return a zero-length string."

DEFVAL { "public" }

::= { docsDevNmAccessEntry 4 }

docsDevNmAccessControl OBJECT-TYPE

SYNTAX INTEGER {

none(1),

read(2),

readWrite(3),

roWithTraps(4),

rwWithTraps(5),

trapsOnly(6)

}

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Specifies the type of access allowed to this NMS. Setting this object to none(1) causes the table entry

to be destroyed. Read(2) allows access by 'get' and 'get-next' PDUs. ReadWrite(3) allows access by 'set' as well.

RoWithtraps(4), rwWithTraps(5), and trapsOnly(6) control distribution of Trap PDUs transmitted by this device."

DEFVAL { read }

::= { docsDevNmAccessEntry 5 }

-- The syntax of the following object was copied from RFC 1493,

-- dot1dStaticAllowedToGoTo.

docsDevNmAccessInterfaces OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..32))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Specifies the set of interfaces from which requests from this NMS will be accepted. Each octet within the value of this object specifies a set of eight

interfaces, the first octet specifying ports 1 through 8, the second octet specifying interfaces 9 through 16, etc. Within each octet, the most significant bit represents the lowest numbered interface, and the least significant bit represents the highest numbered

interface. Thus, each interface is

represented by a single bit within the value of this object. If that bit has a value of '1' then that interface is included in the set.

Note that entries in this table apply only to link-layer interfaces (e.g., Ethernet and CATV MAC). Bits representing upstream and downstream channel interfaces MUST NOT be set to '1'.

Note that if bits corresponding to non-existing interfaces are set, the result is implementation specific.

Note that according to the DOCSIS OSSIV1.1 specification, when ifIndex '1' is included in the set, then this row applies to all CPE (customer-facing) interfaces.

The size of this object is the minimum required to represent all configured interfaces for this device."
 ::= { docsDevNmAccessEntry 6 }

docsDevNmAccessStatus

OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION

"Controls and reflects the status of rows in this table. Rows in this table may be created by either the create-and-go or create-and-wait paradigm. There is no restriction on changing values in a row of this table while the row is active.

The following objects MUST have valid values before this object can be set to active: docsDevNmAccessIp, docsDevNmAccessStatus, docsDevNmAccessIpMask, docsDevNmAccessCommunity, docsDevNmAccessControl, and docsDevNmAccessInterfaces."

::= { docsDevNmAccessEntry 7 }

docsDevNmAccessTrapVersion OBJECT-TYPE

SYNTAX INTEGER {

disableSNMPv2trap(1),
enableSNMPv2trap(2)
}

MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION

"Specifies the TRAP version that is sent to this NMS. Setting this object to disableSNMPv2trap (1) causes the trap in SNMPv1 format to be sent to a particular NMS. Setting this object to enableSNMPv2trap (2) causes the trap in SNMPv2 format be sent to a particular NMS."

DEFVAL { disableSNMPv2trap }
 ::= { docsDevNmAccessEntry 8 }

--
-- The following group describes control objects used for downloading
-- firmware to a cable device. Procedures for software download are
-- described in Section 3.2.1 of the RFC containing this MIB module.
--

docsDevSoftware OBJECT IDENTIFIER ::= { docsDevMIBObjects 3 }

docsDevSwServer OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The address of the TFTP server used for software upgrades. If the TFTP server is unknown or is a non-IPv4 address, return

0.0.0.0.

This object is deprecated. See docsDevSwServerAddress for its replacement. This object will have its value modified, given a valid SET to docsDevSwServerAddress."

::= { docsDevSoftware 1 }

docsDevSwFilename OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE (0..64))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The filename of the software image to be downloaded via TFTP, or the abs_path (as defined in RFC 2616) of the software image to be downloaded via HTTP.

Unless set via SNMP, this is the filename or abs_path specified by the provisioning server during the boot process that corresponds to the software version that

is desired for this device.

If unknown, the value of this object is the zero-length string."

::= { docsDevSoftware 2 }

docsDevSwAdminStatus OBJECT-TYPE

SYNTAX INTEGER {

upgradeFromMgt(1),

allowProvisioningUpgrade(2),

ignoreProvisioningUpgrade(3)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"If set to upgradeFromMgt(1), the device will initiate a

TFTP or HTTP software image download. After successfully receiving an image, the device will set its state to ignoreProvisioningUpgrade(3) and reboot. If the download process is interrupted (e.g., by a reset or power failure), the device will load the previous image and, after re-initialization, continue to attempt loading the image specified in docsDevSwFilename.

If set to allowProvisioningUpgrade(2), the device will use the software version information supplied by the provisioning server when next rebooting (this does not cause a reboot).

When set to ignoreProvisioningUpgrade(3), the device will disregard software image upgrade information from the provisioning server.

Note that reading this object can return upgradeFromMgt(1). This indicates that a software download is currently in progress, and that the device will reboot after successfully receiving an image."

```
DEFVAL { allowProvisioningUpgrade }  
::= { docsDevSoftware 3 }
```

docsDevSwOperStatus OBJECT-TYPE

```
SYNTAX INTEGER {  
    inProgress(1),  
    completeFromProvisioning(2),  
    completeFromMgt(3),  
    failed(4),  
    other(5)  
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"InProgress(1) indicates that a TFTP or HTTP download is underway, either as a result of a version mismatch at provisioning or as a result of a upgradeFromMgt request.

No other docsDevSw* objects can be modified in this state.

CompleteFromProvisioning(2) indicates that the last software upgrade was a result of version mismatch at

provisioning.

CompleteFromMgt(3) indicates that the last software upgrade was a result of setting docsDevSwAdminStatus to upgradeFromMgt.

Failed(4) indicates that the last attempted download failed, ordinarily due to TFTP or HTTP timeout."

REFERENCE

"DOCSIS RFI 1.0 Specification, Section 8.2., and
DOCSIS RFI 1.1 Specification, Section 10.1. and
DOCSIS RFI 2.0 Specification, Section 12.1."

::= { docsDevSoftware 4 }

docsDevSwCurrentVers OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The software version currently operating in this device.

This

string's syntax is that used by the

individual vendor to identify software versions.

For a CM, this string will describe the current software load. For a CMTS, this object SHOULD contain a human-readable representation either of the vendor specific designation of the software for the chassis, or of the software for the control processor. If neither of these is applicable, the value MUST be a zero-length string."

::= { docsDevSoftware 5 }

docsDevSwServerAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The type of address of the TFTP or HTTP server used for

software upgrades.

If docsDevSwServerTransportProtocol is currently set to tftp(1), attempting to set this object to dns(16) MUST result in an error."

::=

{ docsDevSoftware 6 }

docsDevSwServerAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The address of the TFTP or HTTP server used for software upgrades.

If the TFTP/HTTP server is unknown, return the zero-length address string (see the TextualConvention).

If docsDevSwServer is also implemented in this agent, this object is tied to it. A set of this object to an IPv4 address will result in also setting the value of docsDevSwServer to that address. If this object is set to an IPv6 address, docsDevSwServer is set to 0.0.0.0. If docsDevSwServer is set, this object is also set to that value. Note that if both are set in the same action, the order of which one sets the other is undefined."

::= { docsDevSoftware 7 }

docsDevSwServerTransportProtocol

OBJECT-TYPE

SYNTAX INTEGER {

tftp(1),

http(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object specifies the transport protocol (TFTP or HTTP) to be used for software upgrades.

If the value of this object is tftp(1), then the cable device uses TFTP (RFC 1350) read request packets to download the docsDevSwFilename from the docsDevSwServerAddress in octet mode.

If the value of this object is http(2), then the cable device uses HTTP 1.0 (RFC 1945) or HTTP 1.1 (RFC 2616) GET requests sent to host docsDevSwServerAddress to

download the software image from path docsDevSwFilename.

If docsDevSwServerAddressType is currently set to dns(16), attempting to set this object to tftp(1) MUST result in an error."

DEFVAL

```
{ tftp }  
 ::= { docsDevSoftware 8 }
```

```
--  
-- The following group describes server access and parameters used  
-- for initial provisioning and bootstrapping.  
--
```

```
docsDevServer OBJECT IDENTIFIER ::= { docsDevMIBObjects 4 }
```

```
docsDevServerBootState OBJECT-TYPE
```

```
SYNTAX INTEGER {
```

```
    operational(1),  
    disabled(2),  
    waitingForDhcpOffer(3),  
    waitingForDhcpResponse(4),  
    waitingForTimeServer(5),  
    waitingForTftp(6),  
    refusedByCmts(7),  
    forwardingDenied(8),  
    other(9),  
    unknown(10)
```

```
}
```

```
MAX-ACCESS read-only
```

```
STATUS current
```

```
DESCRIPTION
```

"If operational(1), the device has completed loading and processing of configuration parameters, and the CMTS has completed the Registration exchange.

If disabled(2), then the device was administratively disabled, possibly by being refused network access

in

the configuration file.

If waitingForDhcpOffer(3), then a Dynamic Host Configuration Protocol (DHCP) Discover has been transmitted, and no offer has yet been received.

If waitingForDhcpResponse(4), then a DHCP Request has been transmitted, and no response has yet been received.

If waitingForTimeServer(5), then a Time Request has been

transmitted, and no response has yet been received.

If waitingForTftp(6), then a request to the TFTP parameter server has been made, and no response received.

If refusedByCmts(7), then the Registration Request/Response exchange with the CMTS failed.

If forwardingDenied(8), then the registration process was completed, but the network access option in the received configuration file prohibits forwarding.

If other(9), then the registration process reached a point that does not fall into one of the above categories.

If unknown(10), then the device has not yet begun the registration process or is in some other indeterminate state."

REFERENCE

"DOCSIS RFI 1.0 Specification, Figure 7-1, and DOCSIS RFI 1.1 Specification, Figure 9-1 and DOCSIS RFI 2.0 Specification, Figure 11-1."

::= { docsDevServer 1 }

docsDevServerDhcp OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The IP address of the DHCP server that assigned an IP address to this device. Returns 0.0.0.0 if DHCP is not used for IP address assignment, or if this agent is not assigned an IPv4 address.

This object is deprecated and is replaced by docsDevServerDhcpAddress."

::= { docsDevServer

2 }

docsDevServerTime OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The IP address of the Time server (RFC 0868). Returns 0.0.0.0 if the time server IP address is unknown, or if the time server is not an IPv4 server.

This object is deprecated and is replaced by

docsDevServerTimeAddress."

::= { docsDevServer 3 }

docsDevServerTftp OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The IP address of the TFTP server responsible for downloading provisioning and configuration parameters to this device. Returns 0.0.0.0 if the TFTP server address is unknown or is not an IPv4 address.

This object is deprecated and is replaced by

docsDevServerConfigTftpAddress."

::= { docsDevServer

4 }

docsDevServerConfigFile OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The name of the device configuration file read from the TFTP server. Returns a zero-length string if the configuration file name is unknown."

::= { docsDevServer 5 }

docsDevServerDhcpAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of address of docsDevServerDhcpAddress. If DHCP was not used, this value should return unknown(0)."

::= { docsDevServer 6 }

docsDevServerDhcpAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The internet address of the DHCP server that assigned an IP address to this device. Returns the zero length

octet string if DHCP was not used for IP address assignment."

::= { docsDevServer 7 }

docsDevServerTimeAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of address of docsDevServerTimeAddress. If no time server exists, this value should return unknown(0)."

::= { docsDevServer 8 }

docsDevServerTimeAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The Internet address of the RFC 868 Time server, as provided by DHCP option 4.

Note that if multiple values are provided to the CM in DHCP option 4, the value of this MIB object MUST be the Time server address from which the Time of Day reference was acquired as based on the DOCSIS RFI specification.

During the period of time where

the Time of Day have not been acquired, the Time server address reported by the CM may report the first address value in the DHCP option value or the last server address the CM attempted to get the Time of day value.

Returns the zero-length octet string if the time server IP address is not provisioned."

REFERENCE

"DOCSIS RFI 1.1 Specification, Section 9.2.7. and

DOCSIS RFI 2.0 Specification, Section 11.2.7."
 ::= { docsDevServer 9 }

docsDevServerConfigTftpAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of address of docsDevServerConfigTftpAddress.
If no TFTP server exists, this value should return
unknown(0)."

::= { docsDevServer 10 }

docsDevServerConfigTftpAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The internet address of the TFTP server responsible for
downloading provisioning and configuration parameters
to this device. Returns the zero-length octet string if
the config server address is unknown. There are certain
security risks that are involved with using TFTP."

REFERENCE

"RFC 3617, Section 5"

::= { docsDevServer 11 }

--
-- Event Reporting
--

docsDevEvent OBJECT IDENTIFIER ::= { docsDevMIBObjects 5 }

docsDevEvControl OBJECT-TYPE

SYNTAX INTEGER {

resetLog(1),

useDefaultReporting(2)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Setting this object to resetLog(1) empties the event
log. All data is deleted. Setting it to
useDefaultReporting(2) returns all event

priorities to

their factory-default reporting. Reading this object always returns useDefaultReporting(2)."

::= { docsDevEvent 1 }

docsDevEvSyslog OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The IP address of the Syslog server. If 0.0.0.0, either syslog transmission is inhibited, or the Syslog server address is not an IPv4 address.

This object is deprecated and is replaced by docsDevEvSyslogAddress."

::= { docsDevEvent 2 }

docsDevEvThrottleAdminStatus OBJECT-TYPE

SYNTAX INTEGER {

unconstrained(1),
maintainBelowThreshold(2),
stopAtThreshold(3),
inhibited(4)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Controls the transmission of traps and syslog messages with respect to the trap pacing threshold.

unconstrained(1) causes traps and syslog messages to be transmitted without regard to the threshold settings.

maintainBelowThreshold(2) causes trap transmission and syslog messages to be suppressed if the number of traps would otherwise exceed the threshold.

stopAtThreshold(3) causes trap transmission to cease at the threshold and not to resume until directed to do so.

inhibited(4) causes all trap transmission and syslog messages to be suppressed.

A single event is always treated as a single event for threshold counting. That is, an event causing both a trap and a syslog message is still treated as a single event.

Writing to this object resets the thresholding state."

```
DEFVAL { unconstrained }  
::= { docsDevEvent 3 }
```

docsDevEvThrottleInhibited OBJECT-TYPE

```
SYNTAX TruthValue  
MAX-ACCESS read-only  
STATUS deprecated
```

DESCRIPTION

"If true(1), trap and syslog transmission is currently inhibited due to thresholds and/or the current setting of docsDevEvThrottleAdminStatus. In addition, this is true(1) when transmission is inhibited because no syslog (docsDevEvSyslog) or trap (docsDevNmAccessEntry) destinations have been set.

This object is deprecated and is replaced by docsDevEvThrottleThresholdExceeded."

```
::= { docsDevEvent 4 }
```

docsDevEvThrottleThreshold OBJECT-TYPE

```
SYNTAX Unsigned32  
UNITS "events"  
MAX-ACCESS read-write  
STATUS current
```

DESCRIPTION

"Number of events per docsDevEvThrottleInterval permitted before throttling is to occur.

A single event, whether the notification could result in messages transmitted using syslog, SNMP, or both protocols, and regardless of the number of destinations, (including zero) is always treated as a single event for threshold counting. For example, an event causing both a trap and a syslog message is still treated as a single event.

All system notifications that occur within the device should be taken into consideration when calculating


```

    and monitoring the threshold."
    DEFVAL { 0 }
    ::= { docsDevEvent 5 }

docsDevEvThrottleInterval OBJECT-TYPE
    SYNTAX      Integer32 (1..2147483647)
    UNITS       "seconds"
    MAX-ACCESS  read-write
    STATUS      current
    DESCRIPTION
        "The interval over which docsDevEvThrottleThreshold
        applies."
    DEFVAL { 1 }
    ::= { docsDevEvent 6 }

--
-- The following table controls the reporting of the various classes
-- of events.
--

docsDevEvControlTable
    OBJECT-TYPE
        SYNTAX      SEQUENCE OF DocsDevEvControlEntry
        MAX-ACCESS  not-accessible
        STATUS      current
        DESCRIPTION
            "This table allows control of the reporting of event
            classes. For each event priority, a combination of

            logging and reporting mechanisms may be chosen. The
            mapping of event types to priorities is
            vendor dependent. Vendors may also choose to allow
            the user to control that mapping through proprietary
            means. Table entries MUST persist across reboots for
            CMTS devices and MUST NOT persist across reboots for CM
            devices."
        ::= { docsDevEvent 7 }

docsDevEvControlEntry OBJECT-TYPE
    SYNTAX      DocsDevEvControlEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "Allows configuration of the reporting mechanisms for a
        particular

```

```
event priority."
  INDEX { docsDevEvPriority }
  ::= { docsDevEvControlTable 1 }
```

```
DocsDevEvControlEntry ::= SEQUENCE {
  docsDevEvPriority    INTEGER,
  docsDevEvReporting  BITS
}
```

docsDevEvPriority OBJECT-TYPE

```
SYNTAX INTEGER {
  emergency(1),
  alert(2),
  critical(3),
  error(4),
  warning(5),
  notice(6),
  information(7),
  debug(8)
}
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority level that is controlled by this entry. These are ordered from most (emergency) to least (debug) critical. Each event with a CM or CMTS has a particular priority level associated with it (as defined by the vendor).

emergency(1) events indicate vendor-specific fatal hardware or software errors that prevent normal system operation.

alert(2) events indicate a serious failure that causes the reporting system to reboot but is not caused by hardware or software malfunctioning.

critical(3) events indicate a serious failure that requires attention and prevents the device from transmitting data but that could be recovered without rebooting the system.

error(4) and warning(5) events indicate that a failure occurred that could interrupt the normal data flow but that does not cause the device to re-register.

notice(6) and information(7) events indicate a milestone or checkpoint in normal operation that could be of particular importance for troubleshooting.

debug(8) events are reserved for vendor-specific events.

During normal operation, no event more critical than notice(6) should be generated. Events between warning and emergency should be generated at appropriate levels of problems (e.g., emergency when the box is about to crash)."

```
::= { docsDevEvControlEntry 1 }
```

docsDevEvReporting OBJECT-TYPE

SYNTAX BITS {

local(0),

traps(1),

syslog(2),

-- The following are extensions to the original set of

-- labels. The extensions start at an octet boundary.

-- So for bits 3 - 7, one MUST set them to zero on send

-- and one MUST ignore them on receipt.

localVolatile(8),

stdInterface(9)

}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Defines the action to be taken on occurrence of this event class. Implementations may not necessarily support all options for all event classes but at minimum must allow traps and

syslogging to be

disabled.

If the local(0) bit is set, then log to the internal log and update non-volatile store, for backward compatibility with the original RFC 2669 definition.

If the traps(1) bit is set, then generate an SNMP trap; if the syslog(2) bit is set, then send a syslog message (assuming that the syslog address is set). If the localVolatile(8) bit is set, then

log to the internal log without updating non-volatile store. If the stdInterface(9) bit is set, then the agent ignores all other bits except the local(0), syslog(2), and localVolatile(8) bits. Setting the stdInterface(9) bit indicates that RFC3413 and RFC3014 are being used to control event reporting mechanisms."

::= { docsDevEvControlEntry 2 }

docsDevEventTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevEventEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains a log of network and device events that may be of interest in fault isolation and troubleshooting.

If the local(0) bit is set in docsDevEvReporting, entries in this table MUST persist across reboots."

::= { docsDevEvent 8 }

docsDevEventEntry OBJECT-TYPE

SYNTAX DocsDevEventEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a network or device event that may be of interest in fault isolation and troubleshooting.

Multiple sequential identical events are represented by incrementing docsDevEvCounts and setting docsDevEvLastTime to the current time rather than creating multiple rows.

Entries are created with the first occurrence of an event. docsDevEvControl can be used to clear the table. Individual events cannot be deleted."

INDEX { docsDevEvIndex }

::= { docsDevEventTable 1 }

DocsDevEventEntry ::= SEQUENCE {

docsDevEvIndex Integer32,

docsDevEvFirstTime DateAndTime,

docsDevEvLastTime DateAndTime,

docsDevEvCounts Counter32,

docsDevEvLevel INTEGER,

```
docsDevEvId      Unsigned32,
docsDevEvText    SnmpAdminString
}
```

docsDevEvIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Provides relative ordering of the objects in the event log. This object will always increase except when (a) the log is reset via docsDevEvControl, (b) the device reboots and does not implement non-volatile storage for this log, or (c)

it reaches

the value 2³¹. The next entry for all the above cases is 1."

::= { docsDevEventEntry 1 }

docsDevEvFirstTime OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of docsDevDateTime at the time this entry was created."

::= { docsDevEventEntry 2 }

docsDevEvLastTime OBJECT-TYPE

SYNTAX DateAndTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"When an entry reports only one event, this object will have the same value as the corresponding instance of docsDevEvFirstTime. When an entry reports multiple events, this object will record the value that docsDevDateTime had when the most recent event for this entry occurred."

::= { docsDevEventEntry 3 }

-- This object was renamed from docsDevEvCount to meet naming

--

requirements for Counter32

docsDevEvCounts OBJECT-TYPE

SYNTAX Counter32

UNITS "events"

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of consecutive event instances reported by this entry. This starts at 1 with the creation of this row and increments by 1 for each subsequent duplicate event."

::= { docsDevEventEntry 4 }

docsDevEvLevel OBJECT-TYPE

SYNTAX INTEGER {

emergency(1),

alert(2),

critical(3),

error(4),

warning(5),

notice(6),

information(7),

debug(8)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The priority level of this event, as defined by the vendor. These are ordered from most serious (emergency) to least serious (debug).

emergency(1) events

indicate vendor-specific fatal

hardware or software errors that prevent normal system operation.

alert(2) events indicate a serious failure that causes the reporting system to reboot but that is not caused by hardware or software malfunctioning.

critical(3) events indicate a serious failure that requires attention and prevents the device from transmitting data but that could be recovered without rebooting the system.

error(4) and warning(5) events indicate that a failure occurred that could interrupt the normal data flow but that does not cause the device to re-register.

notice(6) and information(7) events indicate a milestone or checkpoint in normal operation that could

be of particular importance for troubleshooting.

debug(8) events are reserved for vendor-specific

events.

During normal operation, no event more critical than notice(6) should be generated. Events between warning and emergency should be generated at appropriate levels of problems (e.g., emergency when the box is about to crash)."

::= { docsDevEventEntry 5 }

--
-- It is strongly recommended that implementors follow the CableLabs
-- enumerations for docsDevEvId, per the DOCSIS OSSIV1.1 spec
-- and follow-on specifications.
--

docsDevEvId OBJECT-TYPE

SYNTAX Unsigned32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"For this product, uniquely identifies the type of event that is reported by this entry."

REFERENCE

"DOCSIS OSSI 1.1 Specification, Appendix H and DOCSIS OSSI 2.0 Specification, Annex D."

::= { docsDevEventEntry 6 }

docsDevEvText OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Provides a human-readable description of the event, including all relevant context (interface numbers, etc.)."

::= { docsDevEventEntry 7 }

docsDevEvSyslogAddressType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS read-write

STATUS current
DESCRIPTION
"The type of address of docsDevEvSyslogAddress. If
no syslog server exists, this value should return
unknown(0)."
DEFVAL { unknown }
::= { docsDevEvent 9 }

docsDevEvSyslogAddress OBJECT-TYPE

SYNTAX InetAddress
MAX-ACCESS read-write
STATUS current
DESCRIPTION

"The Internet address of the Syslog server, as provided
by DHCP option 7 or set via SNMP management. If the
address of the server is set to the zero-length
string, the 0.0.0.0

IPv4 address, or the 0: IPv6
address, Syslog transmission is inhibited.

Note that if multiple values are provided to the CM in
DHCP option 7, the value of this MIB object MUST be the
first Syslog server address received.

By default at agent boot, this object returns the zero
length string."

::= { docsDevEvent 10 }

docsDevEvThrottleThresholdExceeded OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"If true(1), trap and syslog transmission is currently
inhibited due to exceeding the trap/syslog event
threshold in the current interval."

::= { docsDevEvent 11 }

--
-- Link Level Control Filtering
--

docsDevFilter OBJECT IDENTIFIER ::= { docsDevMIBObjects 6 }

docsDevFilterLLCUnmatchedAction OBJECT-TYPE

SYNTAX INTEGER {

discard(1),

accept(2)

}

MAX-ACCESS

read-write

STATUS current

DESCRIPTION

"LLC (Link Level Control) filters can be defined on an inclusive or exclusive basis: CMs can be configured to forward only packets matching a set of layer three protocols, or to drop packets matching a set of layer three protocols. Typical use of these filters is to

filter out possibly harmful (given the context of a large metropolitan LAN) protocols.

If set to discard(1), any L2 packet that does not match at least one filter in the docsDevFilterLLCTable will be discarded. If set to accept(2), any L2 packet that does not match at least one filter in the docsDevFilterLLCTable will be accepted for further processing (e.g., bridging). In other words, if the packet does not match an entry in the table, it takes this action;

if it does match an entry in the table, it takes the opposite of this action."

DEFVAL { accept }

::= { docsDevFilter 1 }

docsDevFilterLLCTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterLLCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of filters to apply to (bridged) LLC traffic. The filters in this table are applied to incoming traffic on the appropriate interface(s) prior to any further processing (e.g., before the packet is handed off for level 3 processing, or for bridging). The specific action taken when no filter is matched is controlled by docsDevFilterLLCUnmatchedAction. Table entries MUST NOT persist across reboots for any device."

::= { docsDevFilter 2 }

docsDevFilterLLCEntry OBJECT-TYPE

SYNTAX DocsDevFilterLLCEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Describes a single filter to apply to (bridged) LLC traffic received on a specified interface. "

INDEX { docsDevFilterLLCIndex }

::= { docsDevFilterLLCTable 1 }

DocsDevFilterLLCEntry ::= SEQUENCE {

docsDevFilterLLCIndex Integer32,
docsDevFilterLLCStatus RowStatus,
docsDevFilterLLCIfIndex InterfaceIndexOrZero,
docsDevFilterLLCProtocolType INTEGER,
docsDevFilterLLCProtocol Integer32,
docsDevFilterLLCMatches Counter32

}

docsDevFilterLLCIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Index used for the identification of filters (note that LLC filter order is irrelevant)."

::= { docsDevFilterLLCEntry 1 }

docsDevFilterLLCStatus

OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Controls and reflects the status of rows in this table. There is no restriction on changing any of the associated columns for this row while this object is set to active.

Specifying only this object (with the appropriate index) on a CM is sufficient to create a filter row that matches all inbound packets on the ethernet interface and results in the packets being discarded. docsDevFilterLLCIfIndex (at least) must be specified on a CMTS to create a row."

::= { docsDevFilterLLCEntry 2 }

docsDevFilterLLCIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entry interface to which this filter applies. The value corresponds

to ifIndex for either a CATV MAC or

another network interface. If the value is zero, the filter applies to all interfaces. In Cable Modems, the default value is the customer side interface(s). In CMTSs, this object has to be specified to create a row in this table.

Note that according to the DOCSIS OSSIV1.1 specification, ifIndex '1' in the CM means that this row applies to all Cable Modem-to-CPE Interfaces (CMCI)."

REFERENCE

"DOCSIS OSSI 1.1 Specification, Section 3.3.4.1. and DOCSIS OSSI 2.0 Specification, Section 6.3.4.1."

::= { docsDevFilterLLCEntry 3 }

docsDevFilterLLCProtocolType OBJECT-TYPE

SYNTAX INTEGER {

ethertype(1),

dsap(2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The format of the value in docsDevFilterLLCProtocol: either a two-byte Ethernet Ethertype, or a one-byte 802.2 Service Access Point (SAP) value. ethertype(1) also applies to Standard Network Access Protocol (SNAP) encapsulated frames."

DEFVAL { ethertype }

::= { docsDevFilterLLCEntry 4 }

docsDevFilterLLCProtocol OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The layer-three protocol for which this filter applies.

The protocol value format depends on docsDevFilterLLCProtocolType. Note that for SNAP frames, ethertype filtering is performed rather than Destination Service Access Point (DSAP) =0xAA."
DEFVAL { 0 }
::= { docsDevFilterLLCEntry 5 }

docsDevFilterLLCMatches OBJECT-TYPE

SYNTAX Counter32
UNITS "matches"
MAX-ACCESS read-only
STATUS current

DESCRIPTION

"Counts the number of times this filter was matched."
::= { docsDevFilterLLCEntry 6 }

--
-- IPv4 Filtering
--

docsDevFilterIpDefault OBJECT-TYPE

SYNTAX INTEGER {
discard(1),
accept(2)
}
MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The default behavior for (bridged) packets that do not match IP filters (or Internet filters, if implemented) is defined by docsDevFilterIpDefault.

If set to discard(1), all packets not matching an IP filter in docsDevFilterIpTable will be discarded. If set to accept(2), all packets not matching an IP filter or an Internet filter will be accepted for further processing (e.g., bridging)."

DEFVAL { accept }
::= { docsDevFilter 3 }

docsDevFilterIpTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterIpEntry
MAX-ACCESS

not-accessible

STATUS deprecated

DESCRIPTION

"An ordered list of filters or classifiers to apply to IP traffic. Filter application is ordered by the filter index, rather than by a best match algorithm (note that this implies that the filter table may have gaps in the index values). Packets that match no filters will have policy 0 in the docsDevFilterPolicyTable applied to them, if it exists. Otherwise, Packets that match no filters are discarded or forwarded according to the setting of docsDevFilterIpDefault.

Any IP packet can theoretically match multiple rows of this table. When considering a packet, the table is scanned in row index order (e.g., filter 10 is checked before filter 20). If the packet matches that filter (which means that it matches ALL criteria for that row),

actions appropriate to docsDevFilterIpControl and docsDevFilterPolicyId are taken. If the packet was discarded processing is complete. If docsDevFilterIpContinue is set to true, the filter comparison continues with the next row in the table, looking for additional matches.

If the packet matches no filter in the table, the packet is accepted or dropped for further processing according to the setting of docsDevFilterIpDefault. If the packet is accepted, the actions specified by policy group 0 (e.g., the rows in docsDevFilterPolicyTable that have a value of 0 for docsDevFilterPolicyId) are taken, if that policy

group exists.

Logically, this table is consulted twice during the processing of any IP packet: once upon its acceptance from the L2 entity, and once upon its transmission to

the L2 entity. In actuality, for cable modems, IP filtering is generally the only IP processing done for transit traffic. This means that inbound and outbound filtering can generally be done at the same time with one pass through the filter table.

The objects in this table are only accessible from cable devices that are not operating in DiffServ MIB mode (RFC 3289). See the conformance section for details.

Note that some devices are required by other specifications (e.g., the DOCSIS OSSIV1.1 specification) to support the legacy SNMPv1/v2c docsDevFilter mode for backward compatibility.

Table entries MUST NOT persist across reboots for any device.

This table is deprecated. Instead, use the DiffServ MIB from RFC 3289."

::= { docsDevFilter 4 }

docsDevFilterIpEntry

OBJECT-TYPE

SYNTAX DocsDevFilterIpEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Describes a filter to apply to IP traffic received on a specified interface. All identity objects in this table (e.g., source and destination address/mask, protocol, source/dest port, TOS/mask, interface and direction) must match their respective fields in the packet for any given filter to match.

To create an entry in this table, docsDevFilterIpIfIndex must be specified."

INDEX { docsDevFilterIpIndex }

::= { docsDevFilterIpTable 1 }

DocsDevFilterIpEntry ::= SEQUENCE {

docsDevFilterIpIndex Integer32,
docsDevFilterIpStatus RowStatus,
docsDevFilterIpControl INTEGER,

docsDevFilterIpIfIndex InterfaceIndexOrZero,

docsDevFilterIpDirection INTEGER,
docsDevFilterIpBroadcast TruthValue,
docsDevFilterIpSaddr IpAddress,
docsDevFilterIpSmask IpAddress,
docsDevFilterIpDaddr IpAddress,

```

docsDevFilterIpDmask      IPAddress,
docsDevFilterIpProtocol   Integer32,
docsDevFilterIpSourcePortLow Integer32,
docsDevFilterIpSourcePortHigh Integer32,
docsDevFilterIpDestPortLow Integer32,
docsDevFilterIpDestPortHigh Integer32,
docsDevFilterIpMatches    ZeroBasedCounter32,
docsDevFilterIpTos        OCTET STRING,
docsDevFilterIpTosMask    OCTET STRING,
docsDevFilterIpContinue   TruthValue,
docsDevFilterIpPolicyId   Integer32
}

```

docsDevFilterIpIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Index used to order the application of filters.

The filter with the lowest index is always applied first."

::= { docsDevFilterIpEntry 1 }

docsDevFilterIpStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Controls and reflects the status of rows in this table. Specifying only this object (with the appropriate index) on a CM is sufficient to create a filter row that matches all inbound packets on the ethernet interface and results in the packets being discarded. docsDevFilterIpIfIndex (at least) must be specified on a CMTS to create a row. Creation of the rows may be done via either create-and-wait or create-and-go, but the filter is not applied until this

object is set to (or changes to) active. There is no restriction in changing any object in a row while this object is set to active."

::= { docsDevFilterIpEntry 2 }

docsDevFilterIpControl OBJECT-TYPE

SYNTAX INTEGER {

discard(1),
accept(2),
policy(3)

}

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"If set to discard(1), all packets matching this filter will be discarded, and scanning of the remainder of the filter list will be aborted. If set to accept(2), all packets matching this filter will be accepted for further processing (e.g., bridging). If docsDevFilterIpContinue is set to true, see if there are other matches; otherwise, done. If set to policy (3), execute the policy entries matched by docsDevFilterIpPolicyId in docsDevFilterPolicyTable.

If docsDevFilterIpContinue is set to true, continue scanning the table for other matches; otherwise, done."

DEFVAL { discard }

::= { docsDevFilterIpEntry 3 }

docsDevFilterIpIfIndex OBJECT-TYPE

SYNTAX InterfaceIndexOrZero

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The entry interface to which this filter applies. The value corresponds to ifIndex for either a CATV MAC or another interface. If the value is zero, the filter applies to all interfaces. Default value in CMs is the index of the customer-side (e.g., ethernet) interface(s). In CMTSes, this object MUST be specified to create a row in this table.

Note that according to the DOCSIS OSSIV1.1 specification, ifIndex '1' in the Cable Modem means that this row applies to all CMCI (customer-facing) interfaces."

REFERENCE

"DOCSIS OSSIV 1.1 Specification, Section 3.3.4.1. and DOCSIS OSSIV 2.0 Specification, Section 6.3.4.1."

::= { docsDevFilterIpEntry 4 }

docsDevFilterIpDirection OBJECT-TYPE

SYNTAX INTEGER {
 inbound(1),
 outbound(2),
 both(3)
}
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
 "Determines whether the filter is applied to inbound(1)
 traffic, outbound(2) traffic, or traffic in both(3)
 directions."
DEFVAL { inbound }
::= { docsDevFilterIpEntry 5 }

docsDevFilterIpBroadcast OBJECT-TYPE

SYNTAX TruthValue
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
 "If set to true(1), the filter only applies to multicast
 and broadcast traffic. If set to false(2), the filter
 applies to all traffic."

DEFVAL { false }
::= { docsDevFilterIpEntry 6 }

docsDevFilterIpSaddr OBJECT-TYPE

SYNTAX IpAddress
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
 "The source IP address, or portion thereof, that is to be
 matched for this filter. The source address is first
 masked (ANDed) against docsDevFilterIpSmask before
 being compared to this value. A value of 0 for this
 object and 0 for the mask matches all IP addresses."
DEFVAL { '00000000'h }
::= { docsDevFilterIpEntry 7 }

docsDevFilterIpSmask OBJECT-TYPE

SYNTAX IpAddress
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
 "A bit mask that is to be applied to the source address
 prior to matching. This mask is not necessarily the

same as a subnet mask, but 1s bits must be leftmost and contiguous."

DEFVAL
{ '00000000'h }

::= { docsDevFilterIpEntry 8 }

docsDevFilterIpDaddr OBJECT-TYPE

SYNTAX IpAddress
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION

"The destination IP address, or portion thereof, that is to be matched for this filter. The destination address is first masked (ANDed) against docsDevFilterIpDmask before being compared to this value. A value of 00000000 for this object and 00000000 for the mask matches all IP addresses."

DEFVAL { '00000000'h }
::= { docsDevFilterIpEntry 9 }

docsDevFilterIpDmask OBJECT-TYPE

SYNTAX IpAddress
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION

"A bit mask that is to be applied to the destination address prior to matching. This mask is not necessarily the same as a subnet mask, but 1s bits MUST be leftmost

and contiguous."

DEFVAL { '00000000'h }
::= { docsDevFilterIpEntry 10 }

docsDevFilterIpProtocol OBJECT-TYPE

SYNTAX Integer32 (0..256)
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION

"The IP protocol value that is to be matched. For example, icmp is 1, tcp is 6, and udp is 17. A value of 256 matches ANY protocol."

REFERENCE "www.iana.org/assignments/protocol-numbers"
DEFVAL { 256 }
::= { docsDevFilterIpEntry 11 }

docsDevFilterIpSourcePortLow OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This is the inclusive lower bound of the transport-layer source port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this

object is ignored during matching."

REFERENCE "www.iana.org/assignments/port-numbers"

DEFVAL { 0 }

::= { docsDevFilterIpEntry 12 }

docsDevFilterIpSourcePortHigh OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This is the inclusive upper bound of the transport-layer source port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."

REFERENCE "www.iana.org/assignments/port-numbers"

DEFVAL { 65535 }

::= { docsDevFilterIpEntry 13 }

docsDevFilterIpDestPortLow OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This is the inclusive lower bound of the transport-layer destination port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this

object is ignored during matching."

REFERENCE "www.iana.org/assignments/port-numbers"

DEFVAL { 0 }

::= { docsDevFilterIpEntry 14 }

docsDevFilterIpDestPortHigh OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This is the inclusive upper bound of the transport-layer destination port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."

REFERENCE "www.iana.org/assignments/port-numbers"

DEFVAL { 65535 }

::= { docsDevFilterIpEntry 15 }

"This is the inclusive upper bound of the transport-layer destination port range that is to be matched. If the IP protocol of the packet is neither UDP nor TCP, this object is ignored during matching."

REFERENCE "www.iana.org/assignments/port-numbers"

DEFVAL { 65535 }

::= { docsDevFilterIpEntry 15 }

docsDevFilterIpMatches OBJECT-TYPE

SYNTAX ZeroBasedCounter32

UNITS "matches"

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"Counts the number of times this filter was matched.

This object is initialized

to 0 at boot, or at row

creation, and is reset only upon reboot."

::= { docsDevFilterIpEntry 16 }

docsDevFilterIpTos OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This is the value to be matched to the packet's

TOS (Type of Service) value (after the TOS value

is ANDed with docsDevFilterIpTosMask). A value for this

object of 0 and a mask of 0 matches all TOS values."

DEFVAL { '00'h }

::= { docsDevFilterIpEntry 17 }

docsDevFilterIpTosMask OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The mask to be applied to the packet's TOS value before matching."

DEFVAL { '00'h }

::= { docsDevFilterIpEntry 18 }

docsDevFilterIpContinue OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"If this value is set to true and docsDevFilterIpControl is anything but discard (1), continue scanning and applying policies. See Section 3.3.3 for more details."

DEFVAL { false }

::= { docsDevFilterIpEntry 19 }

docsDevFilterIpPolicyId OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This object points to an entry in docsDevFilterPolicyTable. If docsDevFilterIpControl

is set to policy (3), execute all matching policies in docsDevFilterPolicyTable. If no matching policy exists, treat as if docsDevFilterIpControl were set to accept (1). If this object is set to the value of 0, there is no matching policy, and docsDevFilterPolicyTable MUST NOT be consulted."

DEFVAL { 0 }

::= { docsDevFilterIpEntry 20 }

--

-- Policy Mapping Table

--

docsDevFilterPolicyTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterPolicyEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A Table that maps between a policy group ID and a set of pointers to policies to be applied. All rows with the same docsDevFilterPolicyId are part of the same group of policy pointers and are applied in the order in this table. docsDevFilterPolicyTable exists to allow multiple policy actions (referenced by policy pointers) to be applied to any given classified packet. The policy actions are applied in index order. For example:

Index	ID	Type	Action
1	1	TOS	1
9	5	TOS	1
12	1	IPSEC	3

This says that a packet that matches a filter with policy id 1 first has TOS policy 1 applied (which might set the TOS bits to enable a higher priority) and next has the IPSEC policy 3 applied (which may result in the packets being dumped into a secure VPN to a remote encryptor).

Policy ID 0 is reserved for default actions and is applied only to packets that match no filters in docsDevFilterIpTable.

Table entries MUST NOT persist across reboots for any device.

This table is deprecated. Instead, use the DiffServ MIB

from RFC 3289."

```
::= { docsDevFilter 5 }
```

docsDevFilterPolicyEntry OBJECT-TYPE

SYNTAX DocsDevFilterPolicyEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry in the docsDevFilterPolicyTable. Entries are created by Network

Management. To create an entry,

docsDevFilterPolicyId MUST be specified."

INDEX { docsDevFilterPolicyIndex }

```
::= { docsDevFilterPolicyTable 1 }
```

DocsDevFilterPolicyEntry ::= SEQUENCE {

docsDevFilterPolicyIndex Integer32,

docsDevFilterPolicyId Integer32,

-- docsDevFilterPolicyType INTEGER,

-- docsDevFilterPolicyAction Integer32,

docsDevFilterPolicyStatus RowStatus,

docsDevFilterPolicyPtr RowPointer

}

docsDevFilterPolicyIndex OBJECT-TYPE
SYNTAX Integer32 (1..2147483647)
MAX-ACCESS not-accessible
STATUS deprecated
DESCRIPTION "Index value for the table."
::= { docsDevFilterPolicyEntry 1 }

docsDevFilterPolicyId OBJECT-TYPE
SYNTAX Integer32 (0..2147483647)
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"Policy ID for this entry. If a policy ID can apply
to
multiple rows of this table, all relevant policies are
executed. Policy 0 (if populated) is applied to all
packets that do not match any of the filters. N.B. If
docsDevFilterIpPolicyId is set to 0, it DOES NOT match
policy 0 of this table."
::= { docsDevFilterPolicyEntry 2 }

-- The following two objects were removed and never used; however,
-- to preserve OID numbering, they are simply commented out to
-- to ensure that they are not used again.
-- docsDevFilterPolicyType ::= { docsDevFilterPolicyEntry 3 }
-- docsDevFilterPolicyAction ::= { docsDevFilterPolicyEntry 4 }

docsDevFilterPolicyStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"Object used to create an entry in this table. There is
no restriction in changing any object in a row while
this object is set to active.
The
following object MUST have a valid value before this
object can be set to active: docsDevFilterPolicyPtr."
::= { docsDevFilterPolicyEntry 5 }

docsDevFilterPolicyPtr OBJECT-TYPE
SYNTAX RowPointer
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"This object points to a row in an applicable filter

policy table. Currently, the only standard policy table is docsDevFilterTosTable.

Per the textual convention, this object points to the first accessible object in the row; e.g., to point to a row in docsDevFilterTosTable with an index of 21, the value of this object would be the object identifier docsDevTosStatus.21.

Vendors are recommended to adhere to the same convention when adding vendor-specific policy table extensions.

If this pointer references an empty or non-existent

row, then no policy action is taken.

The default upon row creation is a null pointer that results in no policy action being taken."

```
DEFVAL { zeroDotZero }  
::= { docsDevFilterPolicyEntry 6 }
```

--

-- TOS Policy action table

--

docsDevFilterTosTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevFilterTosEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Table used to describe Type of Service (TOS) bits

processing.

This table is an adjunct to the docsDevFilterIpTable and the docsDevFilterPolicy table. Entries in the latter table can point to specific rows in this (and other) tables and cause specific actions to be taken.

This table permits the manipulation of the value of the Type of Service bits in the IP header of the matched packet as follows:

Set the tosBits
of the packet to
(tosBits & docsDevFilterTosAndMask) |
docsDevFilterTosOrMask

This construct allows you to do a clear and set of all the TOS bits in a flexible manner.

Table entries **MUST NOT** persist across reboots for any device.

This table is deprecated. Instead, use the DiffServ MIB from RFC 3289."

```
::= { docsDevFilter 6 }
```

docsDevFilterTosEntry OBJECT-TYPE

SYNTAX DocsDevFilterTosEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A TOS policy entry."

INDEX { docsDevFilterTosIndex }

```
::= { docsDevFilterTosTable 1 }
```

DocsDevFilterTosEntry ::= SEQUENCE {

docsDevFilterTosIndex Integer32,

docsDevFilterTosStatus RowStatus,

docsDevFilterTosAndMask OCTET STRING,

docsDevFilterTosOrMask OCTET STRING

}

docsDevFilterTosIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"The unique index for this row. There are no ordering requirements for this table, and any valid index may be specified."

```
::= { docsDevFilterTosEntry 1 }
```

docsDevFilterTosStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The object used to create and delete entries in this table. A row created by specifying just this object results in a row that specifies no change to the TOS

bits. A row may be created using either the create-and-go or create-and-wait paradigms. There is no restriction on the ability to change values in this row while the row is active."
::= { docsDevFilterTosEntry 2 }

docsDevFilterTosAndMask OBJECT-TYPE
SYNTAX OCTET STRING (SIZE (1))
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"This value is bitwise ANDed with the matched packet's TOS bits."
DEFVAL { 'ff'h }
::= { docsDevFilterTosEntry 3 }

docsDevFilterTosOrMask OBJECT-TYPE
SYNTAX OCTET STRING (SIZE (1))
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"This value is bitwise ORed with the result from the AND procedure (tosBits & docsDevFilterTosAndMask). The result then replaces the packet's TOS bits."
DEFVAL { '00'h }
::= { docsDevFilterTosEntry 4 }

--
-- CPE IP Management and anti-spoofing group. Only implemented on
-- Cable Modems.
--

docsDevCpe OBJECT IDENTIFIER ::= { docsDevMIBObjects 7 }

docsDevCpeEnroll OBJECT-TYPE
SYNTAX INTEGER {
none(1),
any(2)
}
MAX-ACCESS read-write

STATUS current
DESCRIPTION
"This object controls the population of docsDevFilterCpeTable."

If set to none, the filters must be set manually by a network management action (either configuration or SNMP set).

If set to any, the CM wiretaps the packets originating from the ethernet and enrolls up to docsDevCpeIpMax addresses as based on the source IPv4 or v6 addresses of those packets."

DEFVAL { any }

::= { docsDevCpe 1 }

docsDevCpeIpMax OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object controls the maximum number of CPEs allowed to be learned behind this device. If set to zero, any number of CPEs may connect up to the maximum permitted for the device.

If set to -1, no filtering

is done on CPE source

addresses, and no entries are made in the docsDevFilterCpeTable via learning. If an attempt is made to set this to a number greater than that permitted for the device, it is set to that maximum."

DEFVAL { -1 }

::= { docsDevCpe 2 }

docsDevCpeTable OBJECT-TYPE

SYNTAX SEQUENCE OF DocsDevCpeEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"This table lists the IPv4 addresses seen (or permitted) as source addresses in packets originating from the customer interface on this device. In addition, this table can be provisioned with the specific addresses permitted for the CPEs via the normal row creation mechanisms. Table entries MUST NOT persist across reboots for any device.

N.B. Management action can add entries in this table and

in docsDevCpeIpTable past the value of

docsDevCpeIpMax. docsDevCpeIpMax ONLY restricts the

ability of the CM to add learned addresses automatically.

This table is deprecated and is replaced by docsDevCpeInetTable."

::= { docsDevCpe 3 }

docsDevCpeEntry OBJECT-TYPE

SYNTAX DocsDevCpeEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"An entry in the docsDevFilterCpeTable. There is one entry for each IPv4 CPE seen or provisioned. If docsDevCpeIpMax is set to -1, this table is ignored; otherwise, upon receipt of an IP packet from the customer interface of the CM, the source IP address is checked against this table. If the address is in the table, packet processing continues. If the address is not in the table but docsDevCpeEnroll is set to any

and the sum of the table sizes of docsDevCpeTable and docsDevCpeInetTable is less than docsDevCpeIpMax, the address is added to the table, and packet processing continues. Otherwise, the packet is dropped.

The filtering actions specified by this table occur after any LLC filtering (docsDevFilterLLCTable), but prior to any IP filtering (docsDevFilterIpTable, docsDevNmAccessTable)."

INDEX { docsDevCpeIp }

::= { docsDevCpeTable 1 }

DocsDevCpeEntry ::= SEQUENCE {

docsDevCpeIp IpAddress,

docsDevCpeSource INTEGER,

docsDevCpeStatus RowStatus

}

docsDevCpeIp OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"The IPv4 address to which this entry applies.

N.B. Attempts to set all zeros or all ones address values MUST

be rejected."

```
::= { docsDevCpeEntry 1 }
```

docsDevCpeSource OBJECT-TYPE

```
SYNTAX INTEGER {  
    other(1),  
    manual(2),  
    learned(3)  
}
```

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"This object describes how this entry was created. If the value is manual(2), this row was created by a network management action (either configuration or SNMP set). If set to learned(3), then it was found via looking at the source IPv4 address of a received packet. The value other(1) is used for any entries that do not meet manual(2) or learned(3) criteria."

```
::= { docsDevCpeEntry 2 }
```

docsDevCpeStatus OBJECT-TYPE

```
SYNTAX RowStatus
```

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"Standard object to manipulate rows. To create a row in this table, one only needs to specify this object.

Management stations SHOULD use the create-and-go mechanism for creating rows in this table."

```
::= { docsDevCpeEntry 3 }
```

--

-- Internet CPE Management and anti spoofing group, for support of
-- non-IPv4 CPEs.

--

docsDevCpeInetTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF DocsDevCpeInetEntry
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table lists the IP addresses seen (or permitted) as

source addresses in packets originating from the customer interface on this device. In addition, this table can be provisioned with the specific addresses permitted for the CPEs via the normal row creation mechanisms.

N.B. Management action can add entries in this table and in docsDevCpeIpTable past the value of docsDevCpeIpMax. docsDevCpeIpMax ONLY restricts the

ability of the CM to add learned addresses automatically.

Table entries MUST NOT persist across reboots for any device.

This table exactly mirrors docsDevCpeTable and applies to IPv4 and IPv6 addresses."

```
::= { docsDevCpe 4 }
```

docsDevCpeInetEntry OBJECT-TYPE

SYNTAX DocsDevCpeInetEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the docsDevFilterCpeInetTable. There is one entry for each IP CPE seen or provisioned. If docsDevCpeIpMax is set to -1, this table is ignored; otherwise, upon receipt of an IP packet from the customer interface of the CM, the source IP address is checked against this table. If the address is in the table, packet processing continues. If the address is not in the table but docsDevCpeEnroll is set to any and the

sum of the table sizes for docsDevCpeTable and docsDevCpeInetTable is less than docsDevCpeIpMax, the address is added to the table, and packet processing continues. Otherwise, the packet is dropped.

The filtering actions specified by this table occur after any LLC filtering (docsDevFilterLLCTable), but prior to any IP filtering (docsDevFilterIpTable, docsDevNmAccessTable).

When an agent (cable modem) restarts, then all dynamically created rows are lost."

```
INDEX { docsDevCpeInetType, docsDevCpeInetAddr }  
::= { docsDevCpeInetTable 1 }
```

```
DocsDevCpeInetEntry ::= SEQUENCE {  
    docsDevCpeInetType InetAddressType,  
    docsDevCpeInetAddr InetAddress,  
    docsDevCpeInetSource INTEGER,  
    docsDevCpeInetRowStatus RowStatus  
}
```

```
docsDevCpeInetType OBJECT-TYPE  
    SYNTAX InetAddressType  
    MAX-ACCESS  
not-accessible  
    STATUS current  
    DESCRIPTION  
        "The type of internet address of docsDevCpeInetAddr."  
    ::= { docsDevCpeInetEntry 1 }
```

```
docsDevCpeInetAddr OBJECT-TYPE  
    SYNTAX InetAddress  
    MAX-ACCESS not-accessible  
    STATUS current  
    DESCRIPTION  
        "The Internet address to which this entry applies."  
  
    Implementors need to be aware that if the size of  
    docsDevCpeInetAddr exceeds 114 octets OIDs of  
    instances of columns in this row will have more  
    than 128 sub-identifiers and cannot be accessed  
    using SNMPv1, SNMPv2c, or SNMPv3. Only unicast  
    address are allowed for this object."  
    ::= { docsDevCpeInetEntry 2 }
```

```
docsDevCpeInetSource OBJECT-TYPE  
    SYNTAX INTEGER {  
        manual(2),  
        learned(3)  
    }  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "This object  
describes how this entry was created. If  
the value is manual(2), this row was created by a
```

network management action (either configuration or SNMP set). If set to learned(3), then it was found via looking at the source IP address of a received packet."

::= { docsDevCpeInetEntry 3 }

docsDevCpeInetRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Standard object to manipulate rows. To create a row in this table, one only needs to specify this object.

Management stations SHOULD use the create-and-go mechanism for creating rows in this table."

::= { docsDevCpeInetEntry 4 }

--

-- Placeholder for notifications/traps.

--

-- erroneous, DO NOT USE docsDevNotification

docsDevNotification OBJECT IDENTIFIER ::= { docsDev 2 }

-- erroneous, DO NOT USE docsDevNotification

docsDevNotifications

OBJECT IDENTIFIER ::= { docsDev 0 }

--

-- RFC 2669 Conformance definitions

--

docsDevConformance OBJECT IDENTIFIER ::= { docsDev 3 }

docsDevGroups OBJECT IDENTIFIER ::= { docsDevConformance 1 }

docsDevCompliances OBJECT IDENTIFIER ::= { docsDevConformance 2 }

docsDevBasicCompliance MODULE-COMPLIANCE

STATUS deprecated

DESCRIPTION

"The RFC 2669 compliance statement for MCNS/DOCSIS Cable Modems and Cable Modem Termination Systems."

MODULE -- docsDev

-- conditionally mandatory groups

GROUP docsDevBaseGroup

DESCRIPTION

"Mandatory in Cable Modems, optional in Cable Modem Termination Systems."

GROUP docsDevEventGroup

DESCRIPTION

"Mandatory in Cable Modems, optional in Cable Modem Termination Systems."

GROUP docsDevFilterGroup

DESCRIPTION

"Mandatory in Cable Modems, optional in Cable Modem Termination Systems."

GROUP

docsDevNmAccessGroup

DESCRIPTION

"This group is only implemented in devices that do not implement the SNMPv3 User Security Model. It SHOULD NOT be implemented by devices that conform to SNMPv3.

For devices that do not implement SNMPv3 or later, this group is Mandatory in Cable Modems and is optional in Cable Modem Termination Systems."

GROUP docsDevServerGroup

DESCRIPTION

"This group is implemented only in Cable Modems, and is not implemented in Cable Modem Termination Systems."

GROUP docsDevSoftwareGroup

DESCRIPTION

"This group is Mandatory in Cable Modems and optional in Cable Modem Termination Systems."

GROUP docsDevCpeGroup

DESCRIPTION

"This group is Mandatory in Cable Modems, and is not implemented in Cable Modem Termination Systems."

OBJECT docsDevSTPControl

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.
Devices need only support noStFilterBpdu(2)."

OBJECT docsDevNmAccessIp

DESCRIPTION

"It is compliant to recognize the IP address
255.255.255.255 as referring to any NMS."

OBJECT docsDevEvReporting

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.
Devices need only support local(0). An agent need not
enforce that trap or syslog logging be accompanied
by local(0) or localVolatile(3) logging."

::= { docsDevCompliances 1 }

docsDevBaseGroup OBJECT-GROUP

OBJECTS {

docsDevRole,
docsDevDateTime,

docsDevResetNow,
docsDevSerialNumber,
docsDevSTPControl

}

STATUS current

DESCRIPTION

"A collection of objects providing device status

and

control."

::= { docsDevGroups 1 }

docsDevNmAccessGroup OBJECT-GROUP

OBJECTS {

docsDevNmAccessIp,
docsDevNmAccessIpMask,
docsDevNmAccessCommunity,
docsDevNmAccessControl,
docsDevNmAccessInterfaces,
docsDevNmAccessStatus

}

STATUS deprecated

DESCRIPTION

"A collection of objects for controlling access to SNMP objects on cable devices.

This group has been deprecated because all the objects have been deprecated in favor of SNMPv3 and Coexistence MIBs."

::= { docsDevGroups 2 }

docsDevSoftwareGroup OBJECT-GROUP

OBJECTS {

docsDevSwServer,
docsDevSwFilename,
docsDevSwAdminStatus,
docsDevSwOperStatus,
docsDevSwCurrentVers

}

STATUS deprecated

DESCRIPTION

"A collection of objects for controlling software downloads.

This group has been deprecated and replaced by docsDevSoftwareGroupV2. Object docsDevSwServer has been replaced by docsDevSwServerAddressType and docsDevSwServerAddress, and docsDevSwServerTransportProtocol has been added to support TFTP and HTTP firmware downloads."

::= { docsDevGroups 3 }

docsDevServerGroup OBJECT-GROUP

OBJECTS {

docsDevServerBootState,
docsDevServerDhcp,
docsDevServerTime,
docsDevServerTftp,
docsDevServerConfigFile

}

STATUS deprecated

DESCRIPTION

"A collection of objects providing status about server provisioning.

This group has been deprecated and replaced by docsDevServerGroupV2. The objects docsDevServerDhcp,

docsDevServerTime, and docsDevServerTftp have
been replaced by docsDevServerDhcpAddressType,
docsDevServerDhcpAddress, docsDevServerTimeAddressType,
docsDevServerTimeAddress,
docsDevServerConfigTftpAddressType, and
docsDevServerConfigTftpAddress."
::= { docsDevGroups 4 }

docsDevEventGroup OBJECT-GROUP

OBJECTS {
docsDevEvControl,
docsDevEvSyslog,
docsDevEvThrottleAdminStatus,
docsDevEvThrottleInhibited,
docsDevEvThrottleThreshold,
docsDevEvThrottleInterval,
docsDevEvReporting,
docsDevEvFirstTime,
docsDevEvLastTime,
docsDevEvCounts,
docsDevEvLevel,
docsDevEvId,
docsDevEvText
}
STATUS deprecated
DESCRIPTION
"A collection of objects used to control and monitor
events.

This group has been deprecated and replaced by
docsDevEventGroupV2.
The object docsDevEvSyslog has

been replaced by docsDevEvSyslogAddressType and
docsDevEvSyslogAddress, and docsDevEvThrottleInhibited
has been replaced by
docsDevEvThrottleThresholdExceeded."
::= { docsDevGroups 5 }

docsDevFilterGroup OBJECT-GROUP

OBJECTS {
docsDevFilterLLCUnmatchedAction,
docsDevFilterIpDefault,
docsDevFilterLLCStatus,
docsDevFilterLLCIfIndex,

```

docsDevFilterLLCProtocolType,
docsDevFilterLLCProtocol,
docsDevFilterLLCMatches,
docsDevFilterIpControl,
docsDevFilterIpIfIndex,
docsDevFilterIpStatus,
docsDevFilterIpDirection,
docsDevFilterIpBroadcast,
docsDevFilterIpSaddr,
docsDevFilterIpSmask,
docsDevFilterIpDaddr,
docsDevFilterIpDmask,
docsDevFilterIpProtocol,
docsDevFilterIpSourcePortLow,
docsDevFilterIpSourcePortHigh,
docsDevFilterIpDestPortLow,
docsDevFilterIpDestPortHigh,
docsDevFilterIpMatches,
docsDevFilterIpTos,
docsDevFilterIpTosMask,
docsDevFilterIpContinue,
docsDevFilterIpPolicyId,
docsDevFilterPolicyId,
docsDevFilterPolicyStatus,
docsDevFilterPolicyPtr,
docsDevFilterTosStatus,
docsDevFilterTosAndMask,
docsDevFilterTosOrMask
}
STATUS    deprecated
DESCRIPTION
    "A collection of objects to specify filters at the link
    layer and IPv4 layer.

```

This group has been deprecated and replaced by various groups from the DiffServ MIB."

```
 ::= { docsDevGroups 6 }
```

```
docsDevCpeGroup OBJECT-GROUP
```

```

OBJECTS {
docsDevCpeEnroll,
docsDevCpeIpMax,
docsDevCpeSource,
docsDevCpeStatus

```

```

}
STATUS deprecated
DESCRIPTION
    "A collection of objects used to control the number
    and specific values of IPv4 addresses allowed for
    associated Customer Premises Equipment (CPE).

    This group has been deprecated and replaced by
    docsDevInetCpeGroup. The object docsDevCpeSource has
    been replaced by docsDevCpeInetSource, and
    docsDevCpeStatus has been replaced by
    docsDevCpeInetRowStatus."
 ::= { docsDevGroups 7 }

--
-- RFC 4639 Conformance definitions
--

docsDevGroupsV2 OBJECT IDENTIFIER ::= { docsDevConformance 3 }
docsDevCompliancesV2 OBJECT IDENTIFIER ::= { docsDevConformance 4 }

docsDevCmCompliance MODULE-COMPLIANCE
    STATUS current
    DESCRIPTION
        "The compliance statement for DOCSIS Cable Modems.

        This compliance statement applies to implementations
        of DOCSIS versions that are not
        IPv6 capable."

MODULE DIFFSERV-MIB -- RFC 3289

MANDATORY-GROUPS {
    diffServMIBDataPathGroup,
    diffServMIBClfrGroup,
    diffServMIBClfrElementGroup,
    diffServMIBMultiFieldClfrGroup,
    diffServMIBActionGroup,
    diffServMIBDscpMarkActGroup,
    diffServMIBCounterGroup,
    diffServMIBAlgDropGroup

}

OBJECT diffServDataPathStatus -- same as RFC 3289
SYNTAX RowStatus { active(1) }

```

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServClfrStatus -- same as RFC 3289

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServClfrElementStatus -- same as RFC 3289

SYNTAX RowStatus { active(1)

}

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServMultiFieldClfrAddrType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT diffServMultiFieldClfrSrcAddr

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT diffServMultiFieldClfrDstAddr

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4 addresses."

OBJECT diffServAlgDropStatus -- same as RFC 3289

SYNTAX RowStatus { active(1) }

WRITE-SYNTAX RowStatus { createAndGo(4), destroy(6) }

DESCRIPTION

"Support for createAndWait and notInService is not required."

OBJECT diffServDataPathStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServClfrStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServClfrElementStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServMultiFieldClfrStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServActionStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServCountActStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServAlgDropStorage
SYNTAX StorageType { volatile(2) }
DESCRIPTION
"An implementation is only required to support volatile storage."

OBJECT diffServAlgDropType
SYNTAX INTEGER { alwaysDrop(5) }
DESCRIPTION
"This object is only used to provide packet filtering. Implementations need not support other

values of this enumeration."

MODULE -- docsDev

```
MANDATORY-GROUPS {
    docsDevBaseGroup,
    docsDevBaseIgmpGroup,
    docsDevBaseMaxCpeGroup,
    docsDevSoftwareGroupV2,
    docsDevServerGroupV2,
    docsDevEventGroupV2,
    docsDevFilterLLCGroup
}
```

-- conditionally mandatory groups

GROUP docsDevInetCpeGroup

DESCRIPTION

"This group is
optional in Cable Modems."

OBJECT docsDevDateTime

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsDevSTPControl

SYNTAX INTEGER { noStFilterBpdu(2) }

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.
Devices need only support noStFilterBpdu(2)."

OBJECT docsDevIgmpModeControl

SYNTAX INTEGER { passive(1) }

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.
Devices need only support passive(1)."

OBJECT docsDevSwServerAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4
addresses."

OBJECT docsDevSwServerAddress
SYNTAX InetAddress (SIZE(4))
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevServerDhcpAddressType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevServerDhcpAddress
SYNTAX InetAddress (SIZE(4))
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevServerTimeAddressType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevServerTimeAddress
SYNTAX InetAddress (SIZE(4))
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevServerConfigTftpAddressType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT
docsDevServerConfigTftpAddress
SYNTAX InetAddress (SIZE(4))
DESCRIPTION
"An implementation is only required to support IPv4 addresses."

OBJECT docsDevEvReporting
MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.
Devices need only support local(0)."

OBJECT docsDevEvSyslogAddressType

SYNTAX InetAddressType { ipv4(1) }

DESCRIPTION

"An implementation is only required to support IPv4
addresses."

OBJECT docsDevEvSyslogAddress

SYNTAX InetAddress (SIZE(4))

DESCRIPTION

"An implementation is only required to support IPv4
addresses."

OBJECT docsDevSwServerTransportProtocol

SYNTAX INTEGER { tftp(1) }

DESCRIPTION

"An implementation is only required to support TFTP
software image downloads."

::= { docsDevCompliancesV2

1 }

docsDevCmtsCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"The compliance statement for DOCSIS Cable Modem
Termination Systems.

This compliance statement applies to implementations
of DOCSIS versions that are not IPv6 capable."

MODULE -- docsDev

-- conditionally mandatory groups

GROUP docsDevBaseGroup

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevBaseIcmpGroup

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevBaseMaxCpeGroup

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems."

GROUP docsDevSoftwareGroupV2

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevServerGroupV2

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems."

GROUP docsDevEventGroupV2

DESCRIPTION

"Optional in Cable Modem Termination Systems."

GROUP docsDevFilterLLCGroup

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems. See the Subscriber Management MIB for similar CMTS capability."

GROUP docsDevInetCpeGroup

DESCRIPTION

"This group MUST NOT be implemented in Cable Modem Termination Systems. See the Subscriber Management MIB for similar CMTS capability."

OBJECT docsDevDateTime

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only."

OBJECT docsDevSTPControl

SYNTAX INTEGER { noStFilterBpdu(2) }

MIN-ACCESS read-only

DESCRIPTION

"It is compliant to implement this object as read-only.

Devices need only support noStFilterBpdu(2)."

OBJECT docsDevIcmpModeControl

SYNTAX INTEGER { passive(1)

}
MIN-ACCESS read-only
DESCRIPTION
"It is compliant to implement this object as read-only.
Devices need only support passive(1)."

OBJECT docsDevSwServerAddressType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
"An implementation is only required to support IPv4
addresses."

OBJECT docsDevSwServerAddress
SYNTAX InetAddress (SIZE(4))
DESCRIPTION
"An implementation is only required to support IPv4
addresses."

OBJECT docsDevEvReporting

MIN-ACCESS read-only
DESCRIPTION
"It is compliant to implement this object as read-only.
Devices need only support local(0)."

OBJECT docsDevEvSyslogAddressType
SYNTAX InetAddressType { ipv4(1) }
DESCRIPTION
"An implementation is only required to support IPv4
addresses."

OBJECT docsDevEvSyslogAddress
SYNTAX InetAddress
(SIZE(4))
DESCRIPTION
"An implementation is only required to support IPv4
addresses."

OBJECT docsDevSwServerTransportProtocol
SYNTAX INTEGER { tftp(1) }
DESCRIPTION
"An implementation is only required to support TFTP
software image downloads."

::= { docsDevCompliancesV2 2 }

docsDevBaseIgmpGroup OBJECT-GROUP

OBJECTS {

docsDevIgmpModeControl

}

STATUS current

DESCRIPTION

"An object providing cable device IGMP status and control."

::= { docsDevGroupsV2 1 }

docsDevBaseMaxCpeGroup OBJECT-GROUP

OBJECTS {

docsDevMaxCpe

}

STATUS current

DESCRIPTION

"An object providing management of the maximum number of CPEs permitted access through a cable modem."

::= { docsDevGroupsV2 2 }

docsDevNmAccessExtGroup OBJECT-GROUP

OBJECTS {

docsDevNmAccessTrapVersion

}

STATUS deprecated

DESCRIPTION

"An object, in addition to the objects in docsDevNmAccessGroup, for controlling access to SNMP objects on cable devices.

This group is included in this MIB due to existing implementations of docsDevNmAccessTrapVersion in DOCSIS cable modems.

This group has been deprecated because the object has been deprecated in favor of SNMPv3 and Coexistence MIBs."

::= { docsDevGroupsV2 3 }

docsDevSoftwareGroupV2 OBJECT-GROUP

OBJECTS {

docsDevSwFilename,

docsDevSwAdminStatus,

docsDevSwOperStatus,

```

docsDevSwCurrentVers,
docsDevSwServerAddressType,
docsDevSwServerAddress,
docsDevSwServerTransportProtocol
}
STATUS    current
DESCRIPTION
    "A collection of
objects for controlling software
    downloads. This group replaces docsDevSoftwareGroup."
::= { docsDevGroupsV2 4 }

```

docsDevServerGroupV2 OBJECT-GROUP

```

OBJECTS {
docsDevServerBootState,
docsDevServerDhcpAddressType,
docsDevServerDhcpAddress,
docsDevServerTimeAddressType,
docsDevServerTimeAddress,
docsDevServerConfigTftpAddressType,
docsDevServerConfigTftpAddress,
docsDevServerConfigFile
}
STATUS    current
DESCRIPTION
    "A collection of objects providing status about server
provisioning. This group replaces docsDevServerGroup."
::= { docsDevGroupsV2 5 }

```

docsDevEventGroupV2 OBJECT-GROUP

```

OBJECTS {
docsDevEvControl,
docsDevEvThrottleAdminStatus,
docsDevEvThrottleThreshold,
docsDevEvThrottleInterval,
docsDevEvReporting,
docsDevEvFirstTime,
docsDevEvLastTime,
docsDevEvCounts,
docsDevEvLevel,
docsDevEvId,
docsDevEvText,
docsDevEvSyslogAddressType,
docsDevEvSyslogAddress,
docsDevEvThrottleThresholdExceeded
}

```

STATUS current
DESCRIPTION
"A collection of objects used to control and monitor events. This group replaces docsDevEventGroup. The event reporting mechanism, and more specifically docsDevEvReporting, can be used to take advantage of the event reporting features of RFC3413 and RFC3014."
::= { docsDevGroupsV2 6 }

docsDevFilterLLCGroup OBJECT-GROUP

OBJECTS {
docsDevFilterLLCUnmatchedAction,
docsDevFilterLLCStatus,
docsDevFilterLLCIfIndex,
docsDevFilterLLCProtocolType,
docsDevFilterLLCProtocol,
docsDevFilterLLCMatches
}
STATUS
current
DESCRIPTION
"A collection of objects to specify link layer filters."
::= { docsDevGroupsV2 7 }

docsDevInetCpeGroup OBJECT-GROUP

OBJECTS {
docsDevCpeEnroll,
docsDevCpeIpMax,
docsDevCpeInetSource,
docsDevCpeInetRowStatus
}
STATUS current

DESCRIPTION
"A collection of objects used to control the number and specific values of Internet (e.g., IPv4 and IPv6) addresses allowed for associated Customer Premises Equipment (CPE)."
::= { docsDevGroupsV2 8 }

END

Found in path(s):

* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/DOCS-CABLE-DEVICE-MIB

No license file was found, but licenses were detected in source scan.

IANA-ITU-ALARM-TC-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, mib-2 FROM SNMPv2-SMI
TEXTUAL-CONVENTION FROM SNMPv2-TC;

ianaItuAlarmNumbers MODULE-IDENTITY

LAST-UPDATED "200409090000Z" -- September 09, 2004

ORGANIZATION "IANA"

CONTACT-INFO

"Postal: Internet Assigned Numbers Authority
Internet Corporation for Assigned Names
and Numbers
4676 Admiralty Way, Suite 330
Marina del Rey, CA 90292-6601
USA

Tel: +1 310-823-9358

E-Mail: iana&iana.org"

DESCRIPTION

"The MIB module defines the ITU Alarm
textual convention for objects expected to require
regular extension.

Copyright (C) The Internet Society (2004). The
initial version

of this MIB module was published

in RFC 3877. For full legal notices see the RFC
itself. Supplementary information may be available on:
<http://www.ietf.org/copyrights/ianamib.html>"

REVISION "200409090000Z"

DESCRIPTION

"Initial version, published as RFC 3877."

::= { mib-2 119 }

IANAItuProbableCause ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"ITU-T probable cause values. Duplicate values defined in
X.733 are appended with X733 to ensure syntactic uniqueness.
Probable cause value 0 is reserved for special purposes.

The Internet Assigned Number Authority (IANA) is responsible
for the assignment of the enumerations in this TC.

IANAItuProbableCause value of 0 is reserved for special

purposes and MUST NOT be assigned.

Values of IANAItuProbableCause in the range 1 to 1023 are reserved for causes that correspond to ITU-T probable cause.

All other requests for new causes will be handled on a first-come, first served basis and will be assigned enumeration values starting with 1025.

Request should come in the form of well-formed SMI [RFC2578] for enumeration names that are unique and sufficiently descriptive.

While some effort will be taken to ensure that new probable causes do not conceptually duplicate existing probable causes it is acknowledged that the existence of conceptual duplicates in the starting probable cause list is an known industry reality.

To aid IANA in the administration of probable cause names and values, the OPS Area Director will appoint one or more experts to help review requests.

See <http://www.iana.org>"

REFERENCE

"ITU Recommendation M.3100, 'Generic Network Information Model', 1995
ITU Recommendation X.733, 'Information Technology - Open Systems Interconnection - System Management: Alarm Reporting Function', 1992
ITU Recommendation X.736, 'Information Technology - Open Systems Interconnection - System Management: Security Alarm Reporting Function', 1992"

SYNTAX INTEGER

```
{  
-- The following probable causes were defined in M.3100  
aIS (1),  
callSetUpFailure (2),  
degradedSignal (3),  
farEndReceiverFailure (4),  
framingError (5),  
lossOfFrame (6),  
lossOfPointer (7),  
lossOfSignal (8),  
payloadTypeMismatch (9),
```

transmissionError (10),
 remoteAlarmInterface (11),
 excessiveBER (12),

 pathTraceMismatch (13),
 unavailable (14),
 signalLabelMismatch (15),
 lossOfMultiFrame (16),
 receiveFailure (17),
 transmitFailure (18),
 modulationFailure (19),
 demodulationFailure (20),
 broadcastChannelFailure (21),
 connectionEstablishmentError (22),
 invalidMessageReceived (23),
 localNodeTransmissionError (24),
 remoteNodeTransmissionError (25),
 routingFailure (26),
 --Values 27-50 are reserved for communications alarm related
 --probable causes
 -- The following are used with equipment alarm.
 backplaneFailure (51),
 dataSetProblem (52),
 equipmentIdentifierDuplication (53),
 externalIFDeviceProblem (54),
 lineCardProblem (55),
 multiplexerProblem (56),
 nEIdentifierDuplication
 (57),
 powerProblem (58),
 processorProblem (59),
 protectionPathFailure (60),
 receiverFailure (61),
 replaceableUnitMissing (62),
 replaceableUnitTypeMismatch (63),
 synchronizationSourceMismatch (64),
 terminalProblem (65),
 timingProblem (66),
 transmitterFailure (67),
 trunkCardProblem (68),
 replaceableUnitProblem (69),
 realTimeClockFailure (70),
 --An equipment alarm to be issued if the system detects that the
 --real time clock has failed
 antennaFailure (71),
 batteryChargingFailure (72),
 diskFailure (73),
 frequencyHoppingFailure (74),

- iODeviceError (75),
- lossOfSynchronisation (76),
- lossOfRedundancy (77),
- powerSupplyFailure (78),
- signalQualityEvaluationFailure (79),
- tranceiverFailure (80),
- protectionMechanismFailure (81),
- protectingResourceFailure (82),
- Values 83-100 are reserved for equipment alarm related probable
- causes
- The following are used with environmental alarm.
 - airCompressorFailure (101),
 - airConditioningFailure (102),
 - airDryerFailure (103),
 - batteryDischarging (104),
 - batteryFailure (105),
 - commercialPowerFailure (106),
 - coolingFanFailure (107),
 - engineFailure (108),
 - fireDetectorFailure (109),
 - fuseFailure (110),
 - generatorFailure (111),
 - lowBatteryThreshold (112),
 - pumpFailure (113),
 - rectifierFailure (114),
 - rectifierHighVoltage (115),
 - rectifierLowFVvoltage
- (116),
 - ventilationsSystemFailure (117),
 - enclosureDoorOpen (118),
 - explosiveGas (119),
 - fire (120),
 - flood (121),
 - highHumidity (122),
 - highTemperature (123),
 - highWind (124),
 - iceBuildUp (125),
 - intrusionDetection (126),
 - lowFuel (127),
 - lowHumidity (128),
 - lowCablePressure (129),
 - lowTemperature (130),
 - lowWater (131),
 - smoke (132),
 - toxicGas (133),
 - coolingSystemFailure (134),
 - externalEquipmentFailure (135),
 - externalPointFailure (136),

- Values 137-150 are reserved for environmental alarm related
- probable causes
- The following are used with Processing error alarm.
 - storageCapacityProblem (151),
 - memoryMismatch (152),
 - corruptData (153),
 - outOfCPUCycles (154),
 - sfwrEnvironmentProblem (155),
 - sfwrDownloadFailure (156),
 - lossOfRealTime (157),
- A processing error alarm to be issued after the system has
- reinitialised. This will indicate
- to the management systems that the view they have of the managed
- system may no longer
- be valid. Usage example: The managed
- system issues this alarm after a reinitialization with severity
- warning to inform the
- management system about the event. No clearing notification will
- be sent.
 - applicationSubsystemFailure (158),
 - configurationOrCustomisationError (159),
 - databaseInconsistency (160),
 - fileError (161),
 - outOfMemory (162),
 - softwareError (163),
 - timeoutExpired (164),
 - underlyingResourceUnavailable (165),
 - versionMismatch
- (166),
- Values 168-200 are reserved for processing error alarm related
- probable causes.
 - bandwidthReduced (201),
 - congestion (202),
 - excessiveErrorRate (203),
 - excessiveResponseTime (204),
 - excessiveRetransmissionRate (205),
 - reducedLoggingCapability (206),
 - systemResourcesOverload (207),
 - The following were defined X.733
 - adapterError (500),
 - applicationSubsystemFailure (501),
 - bandwidthReducedX733 (502),
 - callEstablishmentError (503),
 - communicationsProtocolError (504),
 - communicationsSubsystemFailure (505),
 - configurationOrCustomizationError (506),
 - congestionX733 (507),

corruptData (508),
cpuCyclesLimitExceeded (509),
dataSetOrModemError (510),
degradedSignalX733
(511),
dteDceInterfaceError (512),
enclosureDoorOpenX733 (513),
equipmentMalfunction (514),
excessiveVibration (515),
fileErrorX733 (516),
fireDetected (517),
framingErrorX733 (518),
heatingVentCoolingSystemProblem (519),
humidityUnacceptable (520),
inputOutputDeviceError (521),
inputDeviceError (522),
lanError (523),
leakDetected (524),
localNodeTransmissionErrorX733 (525),
lossOfFrameX733 (526),
lossOfSignalX733 (527),
materialSupplyExhausted (528),
multiplexerProblemX733 (529),
outOfMemoryX733 (530),
ouputDeviceError (531),
performanceDegraded (532),
powerProblems (533),
pressureUnacceptable (534),

processorProblems (535),
pumpFailureX733 (536),
queueSizeExceeded (537),
receiveFailureX733 (538),
receiverFailureX733 (539),
remoteNodeTransmissionErrorX733 (540),
resourceAtOrNearingCapacity (541),
responseTimeExcessive (542),
retransmissionRateExcessive (543),
softwareErrorX733 (544),
softwareProgramAbnormallyTerminated (545),
softwareProgramError (546),
storageCapacityProblemX733 (547),
temperatureUnacceptable (548),
thresholdCrossed (549),
timingProblemX733 (550),
toxicLeakDetected (551),
transmitFailureX733 (552),
transmitterFailure (553),

underlyingResourceUnavailable (554),
versionMismatchX733 (555),
-- The following are defined in X.736

authenticationFailure (600),
breachOfConfidentiality (601),
cableTamper (602),
delayedInformation (603),
denialOfService (604),
duplicateInformation (605),
informationMissing (606),
informationModificationDetected (607),
informationOutOfSequence (608),
keyExpired (609),
nonRepudiationFailure (610),
outOfHoursActivity (611),
outOfService (612),
proceduralError (613),
unauthorizedAccessAttempt (614),
unexpectedInformation (615),

other (1024)
}

IANAItuEventType ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"The ITU event Type values.

The Internet Assigned Number Authority (IANA) is
responsible for the assignment of the enumerations

in this TC.

Request should come in the form of well-formed
SMI [RFC2578] for enumeration names that are unique
and sufficiently descriptive.

See <http://www.iana.org> "

REFERENCE

"ITU Recommendation X.736, 'Information Technology - Open
Systems Interconnection - System Management: Security
Alarm Reporting Function', 1992"

SYNTAX INTEGER

{
other (1),
communicationsAlarm (2),
qualityOfServiceAlarm (3),

```
processingErrorAlarm (4),
equipmentAlarm (5),
environmentalAlarm (6),
integrityViolation (7),
operationalViolation (8),
physicalViolation (9),
securityServiceOrMechanismViolation (10),
timeDomainViolation (11)
}
```

END

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/iana/IANA-ITU-ALARM-TC-MIB
```

No license file was found, but licenses were detected in source scan.

```
RMON2-MIB DEFINITIONS ::= BEGIN
```

```
IMPORTS
```

```
MODULE-IDENTITY, OBJECT-TYPE, Counter32, Integer32,
Gauge32, IpAddress, TimeTicks, mib-2 FROM SNMPv2-SMI
TEXTUAL-CONVENTION, RowStatus, DisplayString, TimeStamp
FROM SNMPv2-TC
```

```
MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF
```

```
ifIndex FROM IF-MIB
```

```
OwnerString, statistics, history, hosts,
matrix, filter, etherStatsEntry, historyControlEntry,
hostControlEntry, matrixControlEntry, filterEntry,
channelEntry FROM RMON-MIB
tokenRing, tokenRingMLStatsEntry, tokenRingPStatsEntry,
```

```
ringStationControlEntry, sourceRoutingStatsEntry
FROM TOKEN-RING-RMON-MIB;
```

```
-- Remote Network Monitoring MIB
```

```
rmon MODULE-IDENTITY
```

```
LAST-UPDATED "200605020000Z" -- May 2, 2006
```

```
ORGANIZATION "IETF RMON
```

```
MIB Working Group"
```

```
CONTACT-INFO
```

```
"Author:
```

```
Steve Waldbusser
```

```
Phone: +1-650-948-6500
```

```
Fax : +1-650-745-0671
```

```
Email: waldbusser@nextbeacon.com
```


Working Group Chair:
Andy Bierman
E-mail: ietf@andybierman.com

Working Group Mailing List: <rmonmib@ietf.org>

To subscribe send email to: <rmonmib-request@ietf.org> "

DESCRIPTION

"The MIB module for managing remote monitoring device implementations. This MIB module extends the architecture introduced in the original RMON MIB as specified in RFC 2819.

Copyright (C) The Internet Society (2006). This version of this MIB module is part of RFC 4502; see the RFC itself for full legal notices."

REVISION "200605020000Z" -- May 2, 2006

DESCRIPTION

"This version updates the proposed-standard version of the RMON2 MIB (published as RFC 2021) by adding 2 new enumerations to the nIMatrixTopNControlRateBase object and 4 new enumerations to the aIMatrixTopNControlRateBase object. These new enumerations support the creation of high-capacity topN reports in the High Capacity RMON MIB [RFC3273].

Additionally, the following objects have been deprecated, as they have not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard:

probeDownloadFile
probeDownloadTFTPServer
probeDownloadAction
probeDownloadStatus

serialMode
serialProtocol
serialTimeout
serialModemInitString
serialModemHangUpString
serialModemConnectResp
serialModemNoConnectResp
serialDialoutTimeout
serialStatus
serialConnectDestIpAddress

serialConnectType
serialConnectDialString
serialConnectSwitchConnectSeq
serialConnectSwitchDisconnectSeq
serialConnectSwitchResetSeq
serialConnectOwner
serialConnectStatus
netConfigIPAddress
netConfigSubnetMask
netConfigStatus
netDefaultGateway
tokenRingMLStats2DroppedFrames
tokenRingMLStats2CreateTime
tokenRingPStats2DroppedFrames
tokenRingPStats2CreateTime
ringStationControl2DroppedFrames
ringStationControl2CreateTime
sourceRoutingStats2DroppedFrames
sourceRoutingStats2CreateTime
trapDestIndex
trapDestCommunity
trapDestProtocol
trapDestAddress
trapDestOwner
trapDestStatus

In addition, two corrections were made. The LastCreateTime Textual Convention had been defined with a base type of another textual convention, which isn't allowed in SMIV2. The definition has been modified to use TimeTicks as the base type.

Further,
the SerialConfigEntry SEQUENCE definition included sub-typing information that is not allowed in SMIV2. This information has been deleted. Ranges were added to a number of objects and textual-conventions to constrain their maximum (and sometimes minimum) sizes. The addition of these ranges documents existing practice for these objects. These objects

are:

ControlString
protocolDirID
protocolDirParameters
addressMapNetworkAddress
nlHostAddress

nlMatrixSDSourceAddress
nlMatrixSDDestAddress
nlMatrixDSSourceAddress
nlMatrixDSDestAddress
nlMatrixTopNSourceAddress
nlMatrixTopNDestAddress
alHostEntry
alMatrixSDEntry
alMatrixDSEntry
alMatrixTopNSourceAddress
alMatrixTopNDestAddress

Finally, the TimeFilter TC has been updated to encourage agent implementations that allow a MIB walk to behave well even when performed by an application that is not aware of the special TimeFilter semantics."

REVISION "200207080000Z" -- 08 July, 2002

DESCRIPTION

"Added new enumerations to support the High-Capacity RMON MIB as defined in RFC 3273. Also fixed some typos and added clarifications."

REVISION "199605270000Z" -- 27 May, 1996

DESCRIPTION

"Original version. Published as RFC 2021."

::= { mib-2 16 }

-- { rmon 1 } through { rmon 10 } are defined in RMON and
-- the Token Ring RMON MIB [RFC1513]

protocolDir OBJECT IDENTIFIER ::= { rmon 11 }
protocolDist OBJECT IDENTIFIER ::= { rmon 12 }
addressMap OBJECT IDENTIFIER ::= { rmon 13 }
nlHost OBJECT IDENTIFIER ::= { rmon 14 }
nlMatrix OBJECT IDENTIFIER ::= { rmon 15 }
alHost OBJECT IDENTIFIER ::= { rmon 16 }
alMatrix OBJECT IDENTIFIER
::= { rmon 17 }
usrHistory OBJECT IDENTIFIER ::= { rmon 18 }
probeConfig OBJECT IDENTIFIER ::= { rmon 19 }
rmonConformance OBJECT IDENTIFIER ::= { rmon 20 }

-- Textual Conventions

ZeroBasedCounter32 ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TC describes an object that counts events with the following semantics: objects of this type will be set to zero(0) on creation and will thereafter count appropriate events, wrapping back to zero(0) when the value 2^{32} is reached.

Provided that an application discovers the new object within the minimum time to wrap, it can use the initial value as a delta since it last polled the table of which this object is part. It is important for a management station to be aware of this minimum time and the actual time between polls, and to discard data if the actual time is too long or there is no defined minimum time.

Typically, this TC is used in tables where the INDEX space is constantly changing and/or the TimeFilter mechanism is in use."

SYNTAX Gauge32

LastCreateTime ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TC describes an object that stores the value of the sysUpTime object at the last time its entry was created.

This can be used for polling applications to determine that an entry has been deleted and re-created between polls, causing an otherwise undetectable discontinuity in the data.

If sysUpTime is reset to zero as a result of a re-initialization of the network management (sub)system, then the values of all LastCreateTime objects are also reset. However, after approximately 497 days without a re-initialization, the sysUpTime object will reach $2^{32}-1$ and then increment to zero; in this case, existing values of TimeStamp objects do not change.

This can lead to

ambiguities in the value of TimeStamp objects."

SYNTAX TimeTicks

TimeFilter ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"To be used for the index to a table. Allows an application to download only those rows changed since a particular time.

Note that this is not a history mechanism. Only current values of underlying objects are returned; saved instance values associated with particular values of sysUpTime are not.

An entry is considered changed if the value of any object in the entry changes, if the row is created, or if any object in the entry is created or deleted. Note that deleted entries cannot be detected or downloaded.

A time-filtered conceptual table is created by inserting a single object of SYNTAX TimeFilter as the first INDEX component in a copy of an existing basic conceptual table (i.e., any SEQUENCE without a TimeFilter INDEX component). Thus, for each conceptual entry 'I' in the basic table, there exists N conceptual entries in the time-filtered version, indexed N.I, where 'N' is equal to the value of sysUpTime.

When an application retrieves conceptual instances from a time-filtered table, and an INDEX value is provided for the TimeFilter INDEX component 'N', the agent will only consider returning basic conceptual entries (e.g., 'fooColumn.N.I') if any column within the basic conceptual entry has changed since sysUpTime 'N'. If not, the basic conceptual entry will be ignored for the particular retrieval operation.

When sysUpTime is equal to zero, this table shall be empty.

One conceptual entry exists for each past value of sysUpTime, except that the whole table is purged should sysUpTime wrap.

As an entry in a time-filtered table is updated (i.e., one of the columns in the basic conceptual table is changed), new conceptual entries are also created in the time-filtered version (which still shares the now updated object values with all other instances). The number of unique time-filtered instances that are created is determined by the value of sysUpTime at which the basic entry was last updated. One unique instance will exist for each value of sysUpTime at the last update time for the row. However, a new TimeFilter index instance is created for each new sysUpTime value. The TimeFilter index values not associated with entry updates are called duplicate time-filtered instances.

After some deployment experience, it has been determined that a time-filtered table is more efficient if the agent

stops a MIB walk operation by skipping over rows with a TimeFilter index value higher than the value in the received GetNext/GetBulk request. That is, instead of incrementing a TimeFilter index value, the agent will continue to the next

object or table. As a consequence, GetNext or GetBulk operations will provide only one pass through a time-filtered table.

It is suggested that an agent implement a time-filtered table in this manner to improve performance and avoid a MIB walk getting stuck in time-filtered tables. It is, however, still acceptable for an agent to implement a time-filtered table in the traditional manner (i.e., every conceptual time-filtered instance is returned in GetNext and GetBulk PDU responses), and management applications must be able to deal with such traditional implementations.

See the appendix for further discussion of this textual convention.

The following example is provided to demonstrate TimeFilter behavior:

Consider the following basic conceptual table, basicFooTable. (Note that the basic version of a time-filtered table may not actually be defined.)

basicFooTable:

```
basicFooTable ...
INDEX { fooIndex }

BasicFooEntry {
    fooIndex    Integer32,
    fooCounts   Counter32
}
```

For this example, the basicFooTable contains two static conceptual entries (fooIndex equals '1' and '2'), created at time zero. It also contains one dynamic conceptual entry (fooIndex equals '3'), which is created at time '3' and deleted at time '7'.

The time-filtered version of the basicFooTable could be defined

as follows:

FooTable:

fooTable ...

INDEX { fooTimeMark, fooIndex }

FooEntry {

```
    fooTimeMark  TimeFilter,
    fooIndex     Integer32,
    fooCounts    Counter32
}
```

Note that entries exist in the time-filtered conceptual table only if they actually exist in the underlying (basic) table.

For this example, the fooTable will have three underlying basic entries (fooIndex == 1, 2, and 3), with the following activity (for sysUpTime equal 0 to 9):

- fooEntry.N.1 is created at time '0' and most recently updated at time '6' to the value '5'.
- fooEntry.N.2 is created at time '0' and most recently updated at time '8' to the value '9'.
- fooEntry.N.3 is created at time '3', updated at time '5' to the value '17', and deleted at time '7'.

The following tables show the values that would be returned for MIB walk operations with various TimeFilter values, done at different times. An application issues a retrieval request at time 'T', with a TimeFilter value, 'N' (typically set to a lower value, such as the value of sysUpTime at the last polling cycle).

The following values would be returned in a MIB walk of fooCounts.N if T equals '0' and N equals '0':

```
fooCounts.N.I  Value
=====
fooCounts.0.1
0
fooCounts.0.2  0
```

Note that nothing is returned for fooCounts.0.3, since that

entry does not exist at sysUpTime equals '0'.

The following values would be returned in a full (traditional) MIB walk of fooCounts.N if T equals '3' and N equals '0':

fooCounts.N.I	Value
fooCounts.0.1	0
fooCounts.0.2	0
fooCounts.0.3	0
fooCounts.1.3	0
fooCounts.2.3	0
fooCounts.3.3	0

Note that there are no instances for T equals 1 or 2 for the first two values of N, as these entries did not change since they were created at time '0'.

Note that the current value for 'fooCounts.N.3' is returned here, even for values of N less than '3' (when the entry was created). The agent only considers the current existence of an entry in the TimeFilter algorithm, not the time when the entry was created.

Note that the instances 'fooCounts.0.3', 'fooCounts.1.3', and 'fooCounts.2.3' are duplicates and can be suppressed by the agent in a MIB walk.

The following values would be returned in a full (traditional) MIB walk of fooCounts.N if T equals '6' and N equals '3':

fooCounts.N.I	Value
fooCounts.3.1	5
fooCounts.3.3	17
fooCounts.4.1	5
fooCounts.4.3	17
fooCounts.5.1	5
fooCounts.5.3	17
fooCounts.6.1	5

Note that no instances for entry 'fooCounts.N.2' are returned, since it has not changed since time '3'.

Note that all instances except 'fooCounts.5.3' and

'fooCounts.6.1' are duplicates and can be suppressed by the agent in a MIB walk.

The following values would be returned in a full (traditional) MIB walk of fooCounts.N if T equals '9' and N equals '6':

fooCounts.N.I	Value
fooCounts.6.1	5
fooCounts.6.2	9
fooCounts.7.2	9
fooCounts.8.2	9

Note that no instances for entry 'fooCounts.N.3' are returned, since it was deleted at time '7'.

Note that instances 'fooCounts.6.2' and 'fooCounts.7.2'

are duplicates and can be suppressed by the agent in a MIB walk."

SYNTAX TimeTicks

DataSource ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"Identifies the source of the data that the associated function is configured to analyze. This source can be any interface on this device.

In order to identify a particular interface, this object shall identify the instance of the ifIndex object, defined in [RFC2863], for the desired interface.

For example, if an entry were to receive data from interface #1, this object would be set to ifIndex.1."

SYNTAX OBJECT IDENTIFIER

--

-- Protocol Directory Group

--

-- Lists the inventory of protocols the probe has the capability of monitoring and allows the addition, deletion, and configuration of entries in this list.

protocolDirLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time the protocol directory was last modified, either through insertions or deletions, or through modifications of the protocolDirAddressMapConfig, protocolDirHostConfig, or protocolDirMatrixConfig."

::= { protocolDir 1 }

protocolDirTable OBJECT-TYPE

SYNTAX SEQUENCE OF ProtocolDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table lists the protocols that this agent has the capability to decode and count. There is one entry in this table for each such protocol.

These protocols represent

different network-layer, transport-layer, and higher-layer

protocols. The agent should boot up with this table preconfigured with those protocols that it knows about and wishes to monitor. Implementations are strongly encouraged to support protocols higher than the network layer (at least for the protocol distribution group), even for implementations that don't support the application-layer groups."

::= { protocolDir 2 }

protocolDirEntry OBJECT-TYPE

SYNTAX ProtocolDirEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the protocolDirTable.

An example of the indexing of this entry is protocolDirLocalIndex.8.0.0.0.1.0.0.8.0.2.0.0, which is the encoding of a length of 8, followed by 8 subids encoding the protocolDirID of 1.2048, followed by a length of 2 and the 2 subids encoding zero-valued

parameters.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { protocolDirID, protocolDirParameters }  
 ::= { protocolDirTable 1 }
```

```
ProtocolDirEntry ::= SEQUENCE {  
    protocolDirID          OCTET STRING,  
    protocolDirParameters  OCTET STRING,  
    protocolDirLocalIndex  Integer32,  
    protocolDirDescr       DisplayString,  
    protocolDirType        BITS,  
    protocolDirAddressMapConfig  INTEGER,  
    protocolDirHostConfig   INTEGER,  
    protocolDirMatrixConfig  INTEGER,  
    protocolDirOwner        OwnerString,  
    protocolDirStatus       RowStatus  
}
```

protocolDirID OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (4..128))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique identifier for a particular protocol. Standard identifiers will be defined in such a manner that they

can often be used as specifications for new protocols - i.e., a tree-structured assignment mechanism that matches the protocol encapsulation 'tree' and that has algorithmic assignment mechanisms for certain subtrees. See RFC 2074 for more details.

Despite the algorithmic mechanism, the probe will only place entries in here for those protocols it chooses to collect. In other words, it need not populate this table with all possible ethernet protocol types, nor need it create them on the fly when it sees them. Whether it does these things is a matter of product definition (cost/benefit, usability) and is up to the designer of the product.

If an entry is written to this table with a protocolDirID that the agent doesn't understand, either directly or

algorithmically, the SET request will be rejected with an

inconsistentName or badValue (for SNMPv1) error."

::= { protocolDirEntry 1 }

protocolDirParameters OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of parameters for the associated protocolDirID. See the associated RMON2 Protocol Identifiers document for a description of the possible parameters. There will be one octet in this string for each sub-identifier in the protocolDirID, and the parameters will appear here in the same order as the associated sub-identifiers appear in the protocolDirID.

Every node in the protocolDirID tree has a different, optional set of parameters defined (that is, the definition of parameters for a node is optional). The proper parameter value for each node is included in this string. Note that the

inclusion of a parameter value in this string for each node is not optional. What is optional is that a node may have no parameters defined, in which case the parameter field for that node will be zero."

::= { protocolDirEntry 2 }

protocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The locally arbitrary but unique identifier associated with this protocolDir entry.

The value for each supported protocol must remain constant at least from one re-initialization of the entity's network management system to the next re-initialization, except that if a protocol is deleted and re-created, it must be re-created with a new value that has not been used since the last re-initialization.

The specific value is meaningful only within a given SNMP entity. A protocolDirLocalIndex must not

be re-used until the
next agent restart in the event that the protocol directory
entry is deleted."
 ::= { protocolDirEntry 3 }

protocolDirDescr OBJECT-TYPE

SYNTAX DisplayString (SIZE (1..64))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A textual description of the protocol encapsulation.
A probe may choose to describe only a subset of the
entire encapsulation (e.g., only the highest layer).

This object is intended for human consumption only.

This object may not be modified if the associated
protocolDirStatus object is equal to active(1)."

::= { protocolDirEntry 4 }

protocolDirType OBJECT-TYPE

SYNTAX BITS {

 extensible(0),

 addressRecognitionCapable(1)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object describes 2 attributes of this protocol
directory entry.

The presence or absence of the 'extensible' bit describes
whether this protocol directory entry can be extended
by the user by creating protocol directory entries that are
children of this protocol.

An example of an entry that will often allow extensibility is

'ip.udp'. The probe may automatically populate some children
of this node, such as 'ip.udp.snmp' and 'ip.udp.dns'.

A probe administrator or user may also populate additional
children via remote SNMP requests that create entries in this
table. When a child node is added for a protocol for which the
probe has no built-in support extending a parent node (for
which the probe does have built-in support),

that child node is not extendable. This is termed 'limited extensibility'.

When a child node is added through this extensibility mechanism, the values of protocolDirLocalIndex and protocolDirType shall be assigned by the agent.

The other objects in the entry will be assigned by the manager who is creating the new entry.

This object also describes whether this agent can recognize addresses for this protocol, should it be a network-level protocol. That is, while a probe may be able to recognize packets of a particular network-layer protocol and count them, it takes additional logic to be able to recognize the addresses in this protocol and to populate network-layer or application-layer tables with the addresses in this protocol. If this bit is set, the agent will recognize network-layer addresses for this protocol and populate the network- and application-layer host and matrix tables with these protocols.

Note that when an entry is created, the agent will supply values for the bits that match the capabilities of the agent

with respect to this protocol. Note that since row creations usually exercise the limited extensibility feature, these bits will usually be set to zero."

```
::= { protocolDirEntry 5 }
```

protocolDirAddressMapConfig OBJECT-TYPE

```
SYNTAX    INTEGER {  
            notSupported(1),  
            supportedOff(2),  
            supportedOn(3)  
        }
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object describes and configures the probe's support for address mapping for this protocol. When the probe creates entries in this table for all protocols that it understands,

it will set the entry to notSupported(1) if it doesn't have the capability to perform address mapping for the protocol or

if this protocol is not a network-layer protocol. When an entry is created in this table by a management operation as part of the limited extensibility feature, the probe must set this value to notSupported(1), because limited extensibility of the protocolDirTable does not extend to interpreting addresses of the extended protocols.

If the value of this object is notSupported(1), the probe will not perform address mapping for this protocol and shall not allow this object to be changed to any other value. If the value of this object is supportedOn(3), the probe supports address mapping for this protocol and is configured to perform address mapping for this protocol for all addressMappingControlEntries and all interfaces. If the value of this object is supportedOff(2), the probe supports address mapping for this protocol but is configured to not perform address mapping for this protocol for any addressMappingControlEntries and all interfaces. Whenever this value changes from supportedOn(3) to supportedOff(2), the probe

shall delete all related entries in the addressMappingTable."
 ::= { protocolDirEntry 6 }

protocolDirHostConfig OBJECT-TYPE

```
SYNTAX    INTEGER {  
            notSupported(1),  
            supportedOff(2),  
            supportedOn(3)  
        }
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object describes and configures the probe's support for the network-layer and application-layer host tables for this protocol. When the probe creates entries in this table for all protocols that it understands, it will set the entry to notSupported(1) if it doesn't have the capability to track the nlHostTable for this protocol or if the alHostTable is implemented but doesn't have the capability to track this protocol. Note that if the alHostTable is implemented, the probe may only support a protocol if it is supported in both the nlHostTable and the alHostTable.

If the associated protocolDirType object has the addressRecognitionCapable bit set, then this is a network-

layer protocol for which the probe recognizes addresses, and

thus the probe will populate the nlHostTable and alHostTable with addresses it discovers for this protocol.

If the value of this object is notSupported(1), the probe will not track the nlHostTable or alHostTable for this protocol and shall not allow this object to be changed to any other value. If the value of this object is supportedOn(3), the probe supports tracking of the nlHostTable and alHostTable for this protocol and is configured to track both tables for this protocol for all control entries and all interfaces.

If the value of this object is supportedOff(2), the probe supports tracking of the nlHostTable and alHostTable for this protocol but is configured to not track these

tables

for any control entries or interfaces.

Whenever this value changes from supportedOn(3) to supportedOff(2), the probe shall delete all related entries in the nlHostTable and alHostTable.

Note that since each alHostEntry references 2 protocol directory entries, one for the network address and one for the type of the highest protocol recognized, an entry will only be created in that table if this value is supportedOn(3) for both protocols."

```
::= { protocolDirEntry 7 }
```

protocolDirMatrixConfig OBJECT-TYPE

```
SYNTAX INTEGER {  
    notSupported(1),  
    supportedOff(2),  
    supportedOn(3)  
}
```

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object describes and configures the probe's support for the network-layer and application-layer matrix tables for this protocol. When the probe creates entries

in this table for

all protocols that it understands, it will set the entry to notSupported(1) if it doesn't have the capability to track the nlMatrixTables for this protocol or if the alMatrixTables are implemented but don't have the capability to track this protocol. Note that if the alMatrix tables are implemented,

the probe may only support a protocol if it is supported in both of the nlMatrixTables and both of the alMatrixTables.

If the associated protocolDirType object has the addressRecognitionCapable bit set, then this is a network-

layer protocol for which the probe recognizes addresses, and thus the probe will populate both of the nlMatrixTables and both of the alMatrixTables with addresses it discovers for this protocol.

If the value of this object is notSupported(1), the probe will not track either of the nlMatrixTables or the alMatrixTables

for this protocol and shall not allow this

object to be changed to any other value. If the value of this object is supportedOn(3), the probe supports tracking of both of the nlMatrixTables and (if implemented) both of the alMatrixTables for this protocol and is configured to track these tables for this protocol for all control entries and all interfaces. If the value of this object is supportedOff(2), the probe supports tracking of both of the nlMatrixTables and (if implemented) both of the alMatrixTables for this protocol but is configured to not track these tables for this protocol for any control entries or interfaces.

Whenever this value changes from supportedOn(3) to supportedOff(2), the probe shall delete all related entries in the nlMatrixTables and the alMatrixTables.

Note that since each alMatrixEntry references 2 protocol directory entries, one for

the network address and one for the

type of the highest protocol recognized, an entry will only be created in that table if this value is supportedOn(3) for both protocols."

```
::= { protocolDirEntry 8 }
```

protocolDirOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

```
::= { protocolDirEntry 9 }
```

protocolDirStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this protocol directory entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlHostTable, nlMatrixSDTable, nlMatrixDSTable, alHostTable, alMatrixSDTable, and alMatrixDSTable shall be deleted."

::= { protocolDirEntry 10 }

--

-- Protocol Distribution Group (protocolDist)

--

-- Collects the relative amounts of octets and packets for the
-- different protocols detected on a network segment.

-- protocolDistControlTable,

-- protocolDistStatsTable

protocolDistControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF ProtocolDistControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Controls the setup of protocol type distribution statistics tables.

Implementations are encouraged to add an entry per monitored interface upon initialization so that a default collection of protocol statistics is available.

Rationale:

This table controls collection of very basic statistics for any or all of the protocols detected on a given interface. An NMS can use this table to quickly determine bandwidth allocation utilized by different protocols.

A media-specific

statistics collection could also

be configured (e.g., etherStats, trPStats) to easily obtain total frame, octet, and droppedEvents for the same interface."

::= { protocolDist 1 }

protocolDistControlEntry OBJECT-TYPE

SYNTAX ProtocolDistControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the protocolDistControlTable.

An example of the indexing of this entry is protocolDistControlDroppedFrames.7"

INDEX { protocolDistControlIndex }

::= { protocolDistControlTable 1 }

ProtocolDistControlEntry ::= SEQUENCE {

protocolDistControlIndex Integer32,
protocolDistControlDataSource DataSource,
protocolDistControlDroppedFrames Counter32,
protocolDistControlCreateTime LastCreateTime,
protocolDistControlOwner OwnerString,
protocolDistControlStatus RowStatus
}

protocolDistControlIndex

OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A unique index for this protocolDistControlEntry."

::= { protocolDistControlEntry 1 }

protocolDistControlDataSource OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of data for the this protocol distribution.

The statistics in this group reflect all packets on the local network segment attached to the

identified interface.

This object may not be modified if the associated protocolDistControlStatus object is equal to active(1)."

::= { protocolDistControlEntry 2 }

protocolDistControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents,

but

that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { protocolDistControlEntry 3 }

protocolDistControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { protocolDistControlEntry 4 }

protocolDistControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { protocolDistControlEntry 5 }

protocolDistControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this row.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the protocolDistStatsTable shall be deleted."

::= { protocolDistControlEntry 6 }

-- per interface protocol distribution statistics table

protocolDistStatsTable OBJECT-TYPE

SYNTAX SEQUENCE OF ProtocolDistStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry is made in this table for every protocol in the protocolDirTable that has been seen in at least one packet.

Counters are updated

in this table for every protocol type

that is encountered when parsing a packet, but no counters are

updated for packets with MAC-layer errors.

Note that if a protocolDirEntry is deleted, all associated entries in this table are removed."

::= { protocolDist 2 }

protocolDistStatsEntry OBJECT-TYPE

SYNTAX ProtocolDistStatsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the protocolDistStatsTable.

The index is composed of the protocolDistControlIndex of the associated protocolDistControlEntry, followed by the protocolDirLocalIndex of the associated protocol that this entry represents. In other words, the index identifies the protocol distribution an entry is a part of and the particular protocol that it represents.

An example of the indexing of this entry is
 protocolDistStatsPkts.1.18"
 INDEX { protocolDistControlIndex,
 protocolDirLocalIndex }
 ::= { protocolDistStatsTable 1 }

ProtocolDistStatsEntry ::= SEQUENCE {
 protocolDistStatsPkts ZeroBasedCounter32,
 protocolDistStatsOctets ZeroBasedCounter32
 }

protocolDistStatsPkts OBJECT-TYPE
 SYNTAX ZeroBasedCounter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of packets of this protocol type received
 without errors. Note that this is the number of
 link-layer packets, so if a single network-layer packet
 is fragmented into several link-layer frames, this counter
 is incremented several times."
 ::= { protocolDistStatsEntry 1 }

protocolDistStatsOctets OBJECT-TYPE
 SYNTAX ZeroBasedCounter32
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The number of octets in packets of this protocol type

received since it was added to the protocolDistStatsTable
 (excluding framing bits,
 but including FCS octets), except for
 those octets in packets that contained errors.

Note that this doesn't count just those octets in the
 particular protocol frames but includes the entire packet
 that contained the protocol."
 ::= { protocolDistStatsEntry 2 }

--
 -- Address Map Group (addressMap)
 --
 -- Lists MAC address to network address bindings discovered by the
 -- probe and what interface they were last seen on.
 -- addressMapControlTable

-- addressMapTable

addressMapInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an address mapping entry has been inserted into the addressMapTable. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2.

Note that the table size can be determined by subtracting addressMapDeletes from addressMapInserts."

::= { addressMap 1 }

addressMapDeletes

OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an address mapping entry has been deleted from the addressMapTable (for any reason). If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2.

Note that the table size can be determined by subtracting addressMapDeletes from addressMapInserts."

::= { addressMap 2 }

addressMapMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the addressMapTable. The probe will not create more than this number of entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number

of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { addressMap 3 }

addressMapControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF AddressMapControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A table to control the collection of mappings from network layer address to physical address to interface.

Note that this is not like the typical RMON controlTable and dataTable in which each entry creates its own data table. Each entry in this table enables the discovery of addresses on a new interface and the placement of address

mappings into the central addressMapTable.

Implementations are encouraged to add an entry per monitored interface upon initialization so that a default collection of address mappings is available."

::= { addressMap 4 }

addressMapControlEntry OBJECT-TYPE

SYNTAX AddressMapControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the addressMapControlTable.

An example of the indexing of this entry is addressMapControlDroppedFrames.1"

INDEX { addressMapControlIndex }

::= { addressMapControlTable 1 }

AddressMapControlEntry ::= SEQUENCE {

addressMapControlIndex Integer32,

addressMapControlDataSource DataSource,

addressMapControlDroppedFrames Counter32,


```
addressMapControlOwner      OwnerString,
addressMapControlStatus     RowStatus
}
```

addressMapControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS

not-accessible

STATUS current

DESCRIPTION

"A unique index for this entry in the addressMapControlTable."

::= { addressMapControlEntry 1 }

addressMapControlDataSource OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of data for this addressMapControlEntry."

::= { addressMapControlEntry 2 }

addressMapControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { addressMapControlEntry 3 }

addressMapControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."
::= { addressMapControlEntry 4 }

addressMapControlStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The status of this addressMap control entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the addressMapTable shall be deleted."

::= { addressMapControlEntry 5 }

addressMapTable OBJECT-TYPE

SYNTAX SEQUENCE OF AddressMapEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"A table of mappings from network layer address to physical address to interface.

The probe will add entries to this table based on the source MAC and network addresses seen in packets without MAC-level errors. The probe will populate this table for all protocols in the protocol directory table whose value of protocolDirAddressMapConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirAddressMapConfig value of supportedOff(2)."

::= { addressMap 5 }

addressMapEntry OBJECT-TYPE

SYNTAX AddressMapEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"A conceptual row in the addressMapTable.

The protocolDirLocalIndex in the index identifies the network layer protocol of the addressMapNetworkAddress.

An example of the indexing of this entry is

addressMapSource.783495.18.4.128.2.6.6.11.1.3.6.1.2.1.2.2.1.1.1.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { addressMapTimeMark, protocolDirLocalIndex,  
        addressMapNetworkAddress, addressMapSource }  
 ::= { addressMapTable 1 }
```

```
AddressMapEntry ::= SEQUENCE {  
    addressMapTimeMark      TimeFilter,  
    addressMapNetworkAddress OCTET STRING,  
    addressMapSource        OBJECT IDENTIFIER,  
    addressMapPhysicalAddress OCTET STRING,  
    addressMapLastChange    TimeStamp  
}
```

addressMapTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this

works."

```
::= { addressMapEntry 1 }
```

addressMapNetworkAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network address for this relation.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of ip, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

```
::= { addressMapEntry 2 }
```

addressMapSource OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The interface or port on which the associated network address was most recently seen.

If this address mapping was discovered on an interface, this object shall

identify the instance of the ifIndex

object, defined in [RFC2863], for the desired interface.

For example, if an entry were to receive data from interface #1, this object would be set to ifIndex.1.

If this address mapping was discovered on a port, this object shall identify the instance of the rptrGroupPortIndex object, defined in [RFC2108], for the desired port.

For example, if an entry were to receive data from group #1, port #1, this object would be set to rptrGroupPortIndex.1.1.

Note that while the dataSource associated with this entry may only point to index objects, this object may at times point to repeater port objects. This situation occurs when the dataSource points to an interface that is a locally attached repeater and the agent has additional information about the source port of traffic seen on that repeater."

::= { addressMapEntry 3 }

addressMapPhysicalAddress

OBJECT-TYPE

SYNTAX OCTET STRING

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The last source physical address on which the associated network address was seen. If the protocol of the associated network address was encapsulated inside of a network-level or higher protocol, this will be the address of the next-lower protocol with the addressRecognitionCapable bit enabled and will be formatted as specified for that protocol."

::= { addressMapEntry 4 }

addressMapLastChange OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the time this entry was last created or the values of the physical address changed.

This can be used to help detect duplicate address problems, in which case this object will be updated frequently."

::= { addressMapEntry 5 }

--

-- Network Layer Host Group

--

--

Counts the amount of traffic sent from and to each network address

-- discovered by the probe.

-- Note that while the hIHostControlTable also has objects that

-- control an optional alHostTable, implementation of the alHostTable is

-- not required to fully implement this group.

hIHostControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF HIHostControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of higher-layer (i.e., non-MAC) host table control entries.

These entries will enable the collection of the network- and application-level host tables indexed by network addresses.

Both the network- and application-level host tables are controlled by this table so that they will both be created and deleted at the same time, further increasing the ease with which they can be implemented as a single datastore. (Note that if an implementation stores application-layer host records

in

memory, it can derive network-layer host records from them.)

Entries in the nIHostTable will be created on behalf of each entry in this table. Additionally, if this probe implements the alHostTable, entries in the alHostTable will be created on behalf of each entry in this table.

Implementations are encouraged to add an entry per monitored interface upon initialization so that a default collection

of host statistics is available."

::= { nlHost 1 }

hlHostControlEntry OBJECT-TYPE

SYNTAX HIHostControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the hlHostControlTable.

An example of the indexing of this entry is

hlHostControlNIDroppedFrames.1"

INDEX { hlHostControlIndex }

::= { hlHostControlTable 1 }

HIHostControlEntry ::= SEQUENCE {

hlHostControlIndex Integer32,

hlHostControlDataSource

DataSource,

hlHostControlNIDroppedFrames Counter32,

hlHostControlNIInserts Counter32,

hlHostControlNIDeletes Counter32,

hlHostControlNIMaxDesiredEntries Integer32,

hlHostControlAIDroppedFrames Counter32,

hlHostControlAIInserts Counter32,

hlHostControlAIDeletes Counter32,

hlHostControlAIMaxDesiredEntries Integer32,

hlHostControlOwner OwnerString,

hlHostControlStatus RowStatus

}

hlHostControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the hlHostControlTable. Each such entry defines a function that discovers hosts on a particular interface and places statistics about them in the nlHostTable, and optionally in the alHostTable, on behalf of this hlHostControlEntry."

::= { hlHostControlEntry 1 }

hlHostControlDataSource

OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of data for the associated host tables.

The statistics in this group reflect all packets on the local network segment attached to the identified interface.

This object may not be modified if the associated hIHostControlStatus object is equal to active(1)."

::= { hIHostControlEntry 2 }

hIHostControlNIDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for the associated nIHost entries for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the nIHostTable is inactive because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { hIHostControlEntry 3 }

hIHostControlNIInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an nIHost entry has been inserted into the nIHost table. If an entry is inserted, then

deleted, and then inserted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlHostControlNIDeletes from hlHostControlNIInserts."
::= { hlHostControlEntry 4 }

hlHostControlNIDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an nlHost entry has been

deleted from the nlHost table (for any reason). If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlHostControlNIDeletes from hlHostControlNIInserts."
::= { hlHostControlEntry 5 }

hlHostControlNIMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the nlHostTable on behalf of this control entry. The probe will not create more than this number of associated entries in the

table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlHostControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

```
::= { hlHostControlEntry 6 }
```

hlHostControlAIDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for the associated

alHost entries for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the alHostTable is not implemented or is inactive

because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { hlHostControlEntry 7 }
```

hlHostControlAllInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an alHost entry has been inserted into the alHost table. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting
hlHostControlAIDeletes from hlHostControlAllInserts."
::= { hlHostControlEntry 8 }

hlHostControlAIDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an alHost entry has been deleted from the alHost table (for any reason). If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2.

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For

example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting
hlHostControlAIDeletes from hlHostControlAllInserts."

::= { hlHostControlEntry 9 }

hlHostControlAlMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the alHost table on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlHostControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlHostControlEntry 10 }

hlHostControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { hlHostControlEntry 11 }

hlHostControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this hlHostControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlHostTable and alHostTable shall be deleted."

::= { hlHostControlEntry 12 }

nlHostTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIHostEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"A collection of statistics for a particular network layer address that has been discovered on an interface of this device.

The probe will populate this table for all network layer protocols in the protocol directory table whose value of protocolDirHostConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirHostConfig value of supportedOff(2).

The probe will add to this table all addresses seen as the source or destination address in all packets with no MAC errors, and will increment octet and packet counts in the table for all packets with no MAC errors."

::= { nlHost 2 }

nlHostEntry OBJECT-TYPE

SYNTAX NIHostEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlHostTable.

The hlHostControlIndex value in the index identifies the hlHostControlEntry on whose behalf this entry was created. The protocolDirLocalIndex value in the index identifies the network layer protocol of the nlHostAddress.

An example of the indexing of this entry is
nlHostOutPkts.1.783495.18.4.128.2.6.6.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take

care to avoid such combinations."

INDEX { hlHostControlIndex, nlHostTimeMark,
protocolDirLocalIndex, nlHostAddress }

::= { nlHostTable 1 }

```

nlHostEntry ::= SEQUENCE {
    nlHostTimeMark      TimeFilter,
    nlHostAddress       OCTET STRING,
    nlHostInPkts       ZeroBasedCounter32,
    nlHostOutPkts      ZeroBasedCounter32,
    nlHostInOctets     ZeroBasedCounter32,
    nlHostOutOctets    ZeroBasedCounter32,
    nlHostOutMacNonUnicastPkts ZeroBasedCounter32,
    nlHostCreateTime   LastCreateTime
}

```

nlHostTimeMark OBJECT-TYPE

```

SYNTAX      TimeFilter
MAX-ACCESS  not-accessible
STATUS      current
DESCRIPTION
    "A TimeFilter for this entry. See the TimeFilter textual
    convention to see how this works."
 ::= { nlHostEntry 1 }

```

nlHostAddress OBJECT-TYPE

```

SYNTAX      OCTET STRING (SIZE (1..255))
MAX-ACCESS  not-accessible
STATUS      current
DESCRIPTION
    "The network address for this nlHostEntry.

    This is represented as an octet string with
    specific semantics and length as identified
    by the protocolDirLocalIndex component of the index.

    For example, if the protocolDirLocalIndex indicates an
    encapsulation of IP, this object is encoded as a length
    octet of 4, followed by the 4 octets of the IP address,
    in network byte order."
 ::= { nlHostEntry 2 }

```

nlHostInPkts OBJECT-TYPE

```

SYNTAX      ZeroBasedCounter32
MAX-ACCESS  read-only
STATUS      current
DESCRIPTION
    "The number of packets without errors transmitted to

```

this address since it was added to the nlHostTable. Note that

this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlHostEntry 3 }

nlHostOutPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted by this address since it was added to the nlHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlHostEntry 4 }

nlHostInOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The number of octets transmitted to this address since it was added to the nlHostTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { nlHostEntry 5 }

nlHostOutOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted by this address since it was added to the nlHostTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::=

{ nIHostEntry 6 }

nIHostOutMacNonUnicastPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted by this address that were directed to any MAC broadcast addresses or to any MAC multicast addresses since this host was added to the nIHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nIHostEntry 7 }

nIHostCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated. This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { nIHostEntry 8 }

--

-- Network Layer Matrix

Group

--

-- Counts the amount of traffic sent between each pair of network addresses discovered by the probe.

-- Note that while the hIMatrixControlTable also has objects that control optional alMatrixTables, implementation of the alMatrixTables is not required to fully implement this group.

hIMatrixControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF HIMatrixControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of higher-layer (i.e., non-MAC) matrix control entries.

These entries will enable the collection of the network- and application-level matrix tables containing conversation

statistics indexed by pairs of network addresses.

Both the network- and application-level matrix tables are controlled by this table so that they will both be created and deleted at the same time, further increasing the ease with which they can be implemented as a single datastore. (Note that if an implementation stores application-layer matrix records

in memory, it can derive network-layer matrix records from them.)

Entries in the nlMatrixSDTable and nlMatrixDSTable will be created on behalf of each entry in this table. Additionally, if this probe implements the alMatrix tables, entries in the alMatrix tables will be created on behalf of each entry in this table."

```
::= { nlMatrix 1 }
```

hlMatrixControlEntry OBJECT-TYPE

SYNTAX HlMatrixControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the hlMatrixControlTable.

An example of indexing of this entry is

hlMatrixControlNIDroppedFrames.1"

```
INDEX { hlMatrixControlIndex }
```

```
::= { hlMatrixControlTable 1 }
```

```
HlMatrixControlEntry ::= SEQUENCE {
```

```
hlMatrixControlIndex Integer32,
```

```
hlMatrixControlDataSource DataSource,
```

```
hlMatrixControlNIDroppedFrames
```

```
Counter32,
```

```
hlMatrixControlNIInserts Counter32,
```

```
hlMatrixControlNIDeletes Counter32,
```

```
hlMatrixControlNIMaxDesiredEntries Integer32,
```

```
hlMatrixControlAIDroppedFrames Counter32,
```

```
hlMatrixControlAIInserts Counter32,
```

```
hlMatrixControlAIDeletes Counter32,
```

```
hlMatrixControlAIMaxDesiredEntries Integer32,
```

```
hlMatrixControlOwner OwnerString,
```

```
hlMatrixControlStatus RowStatus
```

```
}
```

hlMatrixControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the hlMatrixControlTable. Each such entry defines a function that discovers conversations on a particular interface and places statistics about them in the nlMatrixSDTable and the nlMatrixDSTable, and optionally the alMatrixSDTable and alMatrixDSTable, on behalf of this

hlMatrixControlEntry."

::= { hlMatrixControlEntry 1 }

hlMatrixControlDataSource OBJECT-TYPE

SYNTAX DataSource

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The source of the data for the associated matrix tables.

The statistics in this group reflect all packets on the local network segment attached to the identified interface.

This object may not be modified if the associated hlMatrixControlStatus object is equal to active(1)."

::= { hlMatrixControlEntry 2 }

hlMatrixControlNIDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of

some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the nlMatrixTables are inactive because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { hlMatrixControlEntry 3 }

hlMatrixControlNIInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an nlMatrix entry has been inserted into the nlMatrix tables. If an entry is inserted,

then deleted, and then inserted, this counter will be incremented by 2. The addition of a conversation into both the nlMatrixSDTable and nlMatrixDSTable shall be counted as two insertions (even though every addition into one table must be accompanied by an insertion into the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the sum of then nlMatrixSDTable and nlMatrixDSTable sizes can be determined by subtracting

hlMatrixControlNIDeletes from hlMatrixControlNIInserts."

::= { hlMatrixControlEntry 4 }

hlMatrixControlNIDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an nlMatrix entry has been deleted from the nlMatrix tables (for any reason). If an entry is deleted, then inserted, and then deleted, this counter

will be incremented by 2. The deletion of a conversation from both the nlMatrixSDTable and nlMatrixDSTable shall be counted as two deletions (even though every deletion

from one table must be accompanied by a deletion from the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlMatrixControlNIDeletes from hlMatrixControlNIInserts."

::= { hlMatrixControlEntry 5 }

hlMatrixControlNIMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the nlMatrix tables on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlMatrixControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlMatrixControlEntry 6 }

hlMatrixControlAIDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that if the alMatrixTables are not implemented or are inactive because no protocols are enabled in the protocol directory, this value should be 0.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { hlMatrixControlEntry 7 }
```

hlMatrixControlAllInserts OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an alMatrix entry has been inserted into the alMatrix tables. If an entry is inserted, then deleted, and then inserted, this counter will be incremented by 2. The addition of a conversation into both the alMatrixSDTable and alMatrixDSTable shall be counted as two insertions (even though every addition into one table must be accompanied by an insertion into the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note that the table size can be determined by subtracting hlMatrixControlAllDeletes from hlMatrixControlAllInserts."

```
::= { hlMatrixControlEntry  
8 }
```

hlMatrixControlAllDeletes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of times an alMatrix entry has been deleted from the alMatrix tables. If an entry is deleted, then inserted, and then deleted, this counter will be incremented by 2. The deletion of a conversation from both the alMatrixSDTable and alMatrixDSTable shall be counted as two deletions (even though every deletion from one table must be accompanied by a deletion from the other).

To allow for efficient implementation strategies, agents may delay updating this object for short periods of time. For example, an implementation strategy may allow internal data structures to differ from those visible via SNMP for short periods of time. This counter may reflect the internal data structures for those short periods of time.

Note

that the table size can be determined by subtracting

hlMatrixControlAlDeletes from hlMatrixControlAlInserts."

::= { hlMatrixControlEntry 9 }

hlMatrixControlAlMaxDesiredEntries OBJECT-TYPE

SYNTAX Integer32 (-1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of entries that are desired in the alMatrix tables on behalf of this control entry. The probe will not create more than this number of associated entries in the table but may choose to create fewer entries in this table for any reason, including the lack of resources.

If this object is set to a value less than the current number of entries, enough entries are chosen in an implementation-dependent manner and deleted so that the number of entries in the table equals the value of this object.

If this value is set to -1, the probe may create any number of entries in this table. If the associated hlMatrixControlStatus object is equal to 'active', this object may not be modified.

This object may be used to control how resources are allocated on the probe for the various RMON functions."

::= { hlMatrixControlEntry 10 }

hlMatrixControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { hlMatrixControlEntry 11 }

hlMatrixControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this hlMatrixControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlMatrixSDTable, nlMatrixDSTable, alMatrixSDTable,

and alMatrixDSTable

shall be deleted by the agent."

::= { hlMatrixControlEntry 12 }

nlMatrixSDTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of traffic matrix entries that collect statistics for conversations between two network-level addresses. This table is indexed first by the source address and then by the destination address to make it convenient to collect all conversations from a particular address.

The probe will populate this table for all network layer protocols in the protocol directory table whose value of protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or

has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors.

Further, this table will only contain entries that have a corresponding entry in the nlMatrixDSTable with the same source address and destination address."

::= { nlMatrix 2 }

nlMatrixSDEntry OBJECT-TYPE

SYNTAX NlMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlMatrixSDTable.

The hlMatrixControlIndex value in the index identifies the hlMatrixControlEntry on whose behalf this entry was created.

The protocolDirLocalIndex value in the index identifies the network-layer protocol of the nlMatrixSDSourceAddress and nlMatrixSDDestAddress.

An example of the indexing of this table is

nlMatrixSDPkts.1.783495.18.4.128.2.6.6.4.128.2.6.7.

Note that some combinations of index values may result in an

index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

INDEX { hlMatrixControlIndex, nlMatrixSDTimeMark,
protocolDirLocalIndex,
nlMatrixSDSourceAddress, nlMatrixSDDestAddress }

::= { nlMatrixSDTable 1 }

NlMatrixSDEntry ::= SEQUENCE {

nlMatrixSDTimeMark TimeFilter,
nlMatrixSDSourceAddress OCTET STRING,
nlMatrixSDDestAddress OCTET STRING,
nlMatrixSDPkts ZeroBasedCounter32,
nlMatrixSDOctets ZeroBasedCounter32,
nlMatrixSDCreateTime LastCreateTime

}

nlMatrixSDTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

::= { nlMatrixSDEntry 1 }

nlMatrixSDSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network source address for this nlMatrixSDEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixSDEntry 2 }

nlMatrixSDDestAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network destination address for this nlMatrixSDEntry.

This is represented as an octet string with specific semantics and length as identified by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an

encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixSDEntry 3 }

nlMatrixSDPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted from the source address to the destination address since this entry was added to the nlMatrixSDTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nlMatrixSDEntry 4 }

nlMatrixSDOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted from the source address to the destination address since this entry was added to the nlMatrixSDTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { nlMatrixSDEntry 5 }

nlMatrixSDCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated. This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { nlMatrixSDEntry 6 }

-- Traffic matrix tables from destination to source

nlMatrixDSTable OBJECT-TYPE

SYNTAX SEQUENCE OF nIMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of traffic matrix entries that collect statistics for conversations between two network-level addresses. This table is indexed first by the destination address and then by the source address to make it convenient to collect all conversations to a particular address.

The probe will populate this table for all network layer protocols in the protocol directory table whose value of protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors.

Further, this table will only contain entries that have a corresponding entry in the nlMatrixSDTable with the same source address and destination address."

::= { nIMatrix 3 }

nIMatrixDSEntry OBJECT-TYPE

SYNTAX NIMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlMatrixDSTable.

The hlMatrixControlIndex value in the index identifies the hlMatrixControlEntry on whose behalf this entry was created. The protocolDirLocalIndex value in the index identifies the network-layer protocol of the nlMatrixDSSourceAddress and nlMatrixDSDestAddress.

An example of the indexing of this table is
nlMatrixDSPkts.1.783495.18.4.128.2.6.7.4.128.2.6.6.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

INDEX { hlMatrixControlIndex, nlMatrixDSTimeMark,
protocolDirLocalIndex,

nlMatrixDSDestAddress,
nlMatrixDSSourceAddress }
::= { nlMatrixDSTable 1 }

NlMatrixDSEntry ::= SEQUENCE {
nlMatrixDSTimeMark TimeFilter,
nlMatrixDSSourceAddress OCTET STRING,
nlMatrixDSDestAddress OCTET STRING,
nlMatrixDSPkts ZeroBasedCounter32,
nlMatrixDSOctets ZeroBasedCounter32,
nlMatrixDSCreateTime LastCreateTime
}

nlMatrixDSTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual
convention to see how this works."

::= { nlMatrixDSEntry 1 }

nlMatrixDSSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network source address for this nlMatrixDSEntry.

This is represented as an octet string with
specific semantics and

length as identified

by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an
encapsulation of IP, this object is encoded as a length
octet of 4, followed by the 4 octets of the IP address,
in network byte order."

::= { nlMatrixDSEntry 2 }

nlMatrixDSDestAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The network destination address for this nMatrixDSEntry.

This is represented as an octet string with specific semantics and length as identified

by the protocolDirLocalIndex component of the index.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nMatrixDSEntry 3 }

nMatrixDSPkts

OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets without errors transmitted from the source address to the destination address since this entry was added to the nMatrixDSTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { nMatrixDSEntry 4 }

nMatrixDSOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted from the source address to the destination address since this entry was added to the nMatrixDSTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { nMatrixDSEntry 5 }

nlMatrixDSCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { nlMatrixDSEntry 6 }

nlMatrixTopNControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of parameters that control the creation of a report of the top N matrix entries according to a selected metric."

::= { nlMatrix 4 }

nlMatrixTopNControlEntry OBJECT-TYPE

SYNTAX NIMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row
in the nlMatrixTopNControlTable.

An example of the indexing of this table is

nlMatrixTopNControlDuration.3"

INDEX { nlMatrixTopNControlIndex }

::= { nlMatrixTopNControlTable 1 }

NIMatrixTopNControlEntry ::= SEQUENCE {
nlMatrixTopNControlIndex Integer32,
nlMatrixTopNControlMatrixIndex Integer32,
nlMatrixTopNControlRateBase INTEGER,
nlMatrixTopNControlTimeRemaining Integer32,
nlMatrixTopNControlGeneratedReports Counter32,
nlMatrixTopNControlDuration Integer32,
nlMatrixTopNControlRequestedSize Integer32,
nlMatrixTopNControlGrantedSize Integer32,
nlMatrixTopNControlStartTime TimeStamp,
nlMatrixTopNControlOwner OwnerString,
nlMatrixTopNControlStatus RowStatus

}

nlMatrixTopNControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the nlMatrixTopNControlTable. Each such entry defines one topN report prepared for one interface."

::= { nlMatrixTopNControlEntry 1 }

nlMatrixTopNControlMatrixIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The nlMatrix[SD/DS] table for which a topN report will be prepared on behalf of this entry. The nlMatrix[SD/DS] table is identified by the value of the hlMatrixControlIndex for that table - that value is used here to identify the particular table.

This object may not be modified if the associated nlMatrixTopNControlStatus object is equal to active(1)."

::= { nlMatrixTopNControlEntry 2 }

nlMatrixTopNControlRateBase OBJECT-TYPE

SYNTAX INTEGER {

nlMatrixTopNPkts(1),

nlMatrixTopNOctets(2),

nlMatrixTopNHighCapacityPkts(3),

nlMatrixTopNHighCapacityOctets(4)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The variable for each nlMatrix[SD/DS] entry that the nlMatrixTopNEntries are sorted by, as well as a control for the table that the results will be reported in.

This object may not be modified if the associated nlMatrixTopNControlStatus object is equal to active(1).

If this value is less than or equal to 2, when the report is prepared, entries are created in the nlMatrixTopNTable associated with this object.

If this value is greater than or equal to 3, when the report is prepared, entries are created in the nlMatrixTopNHighCapacityTable associated with this object."

::= { nlMatrixTopNControlEntry 3 }

nlMatrixTopNControlTimeRemaining OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of seconds left

in the report currently

being collected. When this object is modified by the management station, a new collection is started, possibly aborting a currently running report. The new value is used as the requested duration of this

report and is immediately loaded into the associated nlMatrixTopNControlDuration object.

When the report finishes, the probe will automatically start another collection with the same initial value of nlMatrixTopNControlTimeRemaining. Thus, the management station may simply read the resulting reports repeatedly, checking the startTime and duration each time to ensure that a report was not missed or that the report parameters were not changed.

While the value of this object is non-zero, it decrements by one per second until it reaches zero. At the time that this object decrements to zero, the report is made accessible

in the nlMatrixTopNTable, overwriting any report that may be there.

When this object is modified by the management station, any associated entries in the nlMatrixTopNTable shall be deleted.

(Note that this is a different algorithm than the one used in the hostTopNTable)."

DEFVAL { 1800 }

::= { nlMatrixTopNControlEntry 4 }

nlMatrixTopNControlGeneratedReports OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of reports that have been generated by this entry."

::= { nlMatrixTopNControlEntry 5 }

nlMatrixTopNControlDuration OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of seconds that this report has collected during the last sampling interval.

When the associated nlMatrixTopNControlTimeRemaining object is set, this object shall be set by the probe to the same

value and shall not be modified until the next time the nlMatrixTopNControlTimeRemaining is set.

This value shall be zero if no reports have been requested for this nlMatrixTopNControlEntry."

::= { nlMatrixTopNControlEntry 6 }

nlMatrixTopNControlRequestedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of matrix entries requested for this report.

When this object is created or modified, the probe should set nlMatrixTopNControlGrantedSize as closely to this object as possible for the particular probe implementation and available resources."

DEFVAL { 150 }

::= { nlMatrixTopNControlEntry 7 }

nlMatrixTopNControlGrantedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum number of matrix entries in this report.

When

the associated nlMatrixTopNControlRequestedSize object is created or modified, the probe should set this object as closely to the requested value as possible for the particular implementation and available resources. The probe must not lower this value except as a side-effect of a set to the associated nlMatrixTopNControlRequestedSize object.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNPkts, when the next topN report is generated, matrix entries with the highest value of nlMatrixTopNPktRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNOctets, when the next topN report is generated, matrix entries with the highest value of nlMatrixTopNOctetRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

It is an implementation-specific matter how entries with the same value of nlMatrixTopNPktRate or nlMatrixTopNOctetRate are sorted. It is also an implementation-specific matter as to

whether zero-valued entries are available."

::= { nlMatrixTopNControlEntry 8 }

nlMatrixTopNControlStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this topN report was last started. In other words, this is the time that the associated nlMatrixTopNControlTimeRemaining object was modified to start the requested report or the time the report was last automatically (re)started.

This object may be used by the management station to determine whether a report was missed."

::= { nlMatrixTopNControlEntry 9 }

nlMatrixTopNControlOwner

OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { nlMatrixTopNControlEntry 10 }

nlMatrixTopNControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this nlMatrixTopNControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the nlMatrixTopNTable shall be deleted by the agent."

::= { nlMatrixTopNControlEntry 11 }

nlMatrixTopNTable OBJECT-TYPE

SYNTAX SEQUENCE OF NIMatrixTopNEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of statistics for those network-layer matrix entries

that have

counted the highest number of octets or packets."

::= { nlMatrix 5 }

nlMatrixTopNEntry OBJECT-TYPE

SYNTAX NIMatrixTopNEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the nlMatrixTopNTable.

The nlMatrixTopNControlIndex value in the index identifies the

nlMatrixTopNControlEntry on whose behalf this entry was created.

An example of the indexing of this table is

nlMatrixTopNPktRate.3.10"

INDEX { nlMatrixTopNControlIndex, nlMatrixTopNIndex }

::= { nlMatrixTopNTable 1 }

```
nlMatrixTopNEntry ::= SEQUENCE {
    nlMatrixTopNIndex          Integer32,
    nlMatrixTopNProtocolDirLocalIndex Integer32,
    nlMatrixTopNSourceAddress  OCTET STRING,
    nlMatrixTopNDestAddress    OCTET STRING,
    nlMatrixTopNPktRate        Gauge32,
    nlMatrixTopNReversePktRate Gauge32,
    nlMatrixTopNOctetRate      Gauge32,
    nlMatrixTopNReverseOctetRate
    Gauge32
}
```

nlMatrixTopNIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the nlMatrixTopNTable among those in the same report. This index is between 1 and N, where N is the number of entries in this report.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNPkts, increasing values of nlMatrixTopNIndex shall be assigned to entries with decreasing values of nlMatrixTopNPktRate until index N is assigned or there are no more nlMatrixTopNEntries.

If the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNOctets, increasing values of nlMatrixTopNIndex

shall be assigned to entries with decreasing values of nlMatrixTopNOctetRate until index N is assigned or there are no more nlMatrixTopNEntries."

::= { nlMatrixTopNEntry 1 }

nlMatrixTopNProtocolDirLocalIndex

OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The protocolDirLocalIndex of the network-layer protocol of this entry's network address."

::= { nlMatrixTopNEntry 2 }

nlMatrixTopNSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the source host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated nlMatrixTopNProtocolDirLocalIndex.

For example, if the protocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixTopNEntry 3 }

nlMatrixTopNDestAddress OBJECT-TYPE

SYNTAX OCTET

STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the destination host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated nlMatrixTopNProtocolDirLocalIndex.

For example, if the nlMatrixTopNProtocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { nlMatrixTopNEntry 4 }

nlMatrixTopNPktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen from the source host to the destination host during this sampling interval, counted using the rules for counting the nlMatrixSDPkts object.

If the value of nlMatrixTopNControlRateBase is nlMatrixTopNPkts,

this variable will be used to sort this report."

::= { nlMatrixTopNEntry 5 }

nlMatrixTopNReversePktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen from the destination host to the source host during this sampling interval, counted using the rules for counting the nlMatrixSDPkts object. (Note that the corresponding nlMatrixSDPkts object selected is the one whose source address is equal to nlMatrixTopNDestAddress and whose destination address is equal to nlMatrixTopNSourceAddress.)

Note that if the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNPkts, the sort of topN entries is based entirely on nlMatrixTopNPktRate, and not on the value of this object."

::= { nlMatrixTopNEntry 6 }

nlMatrixTopNOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen from the source host to the destination host during this sampling interval, counted using the rules for counting the nlMatrixSDOctets object. If the value of nlMatrixTopNControlRateBase is nlMatrixTopNOctets, this variable will be used to sort this report."

::= { nlMatrixTopNEntry 7 }

nlMatrixTopNReverseOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen from the destination host to the source host during this sampling interval, counted using the rules for counting the nlMatrixDSOctets object. (Note that the corresponding nlMatrixSDOctets object selected is the one whose source address is equal to nlMatrixTopNDestAddress and whose destination address is equal to nlMatrixTopNSourceAddress.)

Note that if the value of nlMatrixTopNControlRateBase is equal to nlMatrixTopNOctets, the sort of topN entries is based entirely on nlMatrixTopNOctetRate, and not on the value of this object."

::= { nlMatrixTopNEntry 8 }

-- Application Layer Functions

--

-- The application layer host, matrix, and matrixTopN functions report on protocol usage at the network layer or higher. Note that the use of the term application layer does not imply that only application-layer protocols are counted, rather it means that protocols up to and including the application layer are supported.

--

-- Application Layer Host Group

--

-- Counts the amount of traffic, by protocol, sent from and to each network address discovered by the probe.
-- Implementation of this group requires implementation of the Network Layer Host Group.

alHostTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlHostEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A collection of statistics for a particular protocol from a particular network address that has been discovered on an interface of this device.

The probe will populate this table for all protocols in the protocol directory table whose value of protocolDirHostConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirHostConfig value of supportedOff(2).

The probe will add to this table all addresses seen as the source or destination address in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors. Further, entries will only be added to this table if their address exists in the nlHostTable and will be deleted from this table if their address is deleted from the nlHostTable."

::= { alHost 1 }

alHostEntry OBJECT-TYPE

SYNTAX AIHostEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"A conceptual row in the alHostTable.

The hlHostControlIndex value in the index identifies the hlHostControlEntry on whose behalf this entry was created.

The first protocolDirLocalIndex value in the index identifies the network-layer protocol of the address.

The nlHostAddress value in the index identifies the network-layer address of this entry.

The second protocolDirLocalIndex value in the index identifies the protocol that is counted by this entry.

An example of the indexing in this entry is
alHostOutPkts.1.783495.18.4.128.2.6.6.34.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

INDEX { hlHostControlIndex, alHostTimeMark,

protocolDirLocalIndex,

nlHostAddress,

protocolDirLocalIndex }

::= { alHostTable 1 }

AIHostEntry ::= SEQUENCE {

```
alHostTimeMark      TimeFilter,
alHostInPkts        ZeroBasedCounter32,
alHostOutPkts       ZeroBasedCounter32,
alHostInOctets      ZeroBasedCounter32,
alHostOutOctets     ZeroBasedCounter32,
alHostCreateTime    LastCreateTime
}
```

alHostTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

::= { alHostEntry 1 }

alHostInPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted to this address since it was added to the alHostTable. Note that this is the number

of link-layer

packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { alHostEntry 2 }

alHostOutPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted by this address since it was added to the alHostTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

::= { alHostEntry 3 }

alHostInOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted to this address of this protocol type since it was added to the alHostTable (excluding framing bits, but including

FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alHostEntry 4 }

alHostOutOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets transmitted by this address of this protocol type since it was added to the alHostTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alHostEntry 5 }

alHostCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { alHostEntry 6 }

--

-- Application Layer Matrix Group

--

- Counts the amount of traffic, by protocol, sent between each pair
- of network addresses discovered by the probe.
- Implementation of this group requires implementation of the Network
- Layer Matrix Group.

alMatrixSDTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of application traffic matrix entries that collect statistics for conversations of a particular protocol between two network-level addresses. This table is indexed first by the source address and then by the destination address to make it convenient to collect all statistics from a particular address.

The probe will populate this table for all protocols in the protocol directory table whose value of

protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses for all protocols seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors. Further, entries will only be added to this table if their address pair exists in the nlMatrixSDTable and will be deleted from this table if the address pair is deleted from the nlMatrixSDTable."

::= { alMatrix 1 }

alMatrixSDEntry OBJECT-TYPE

SYNTAX AlMatrixSDEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixSDTable.

The hlMatrixControlIndex value in the index identifies the hlMatrixControlEntry on whose behalf this entry was created. The first protocolDirLocalIndex value in the index identifies the network-layer protocol of the nlMatrixSDSourceAddress and

nlMatrixSDDestAddress.

The nlMatrixSDSourceAddress value in the index identifies the network-layer address of the source host in this conversation.

The nlMatrixSDDestAddress value in the index identifies the network-layer address of the destination host in this conversation.

The second protocolDirLocalIndex value in the index identifies the protocol that is counted by this entry.

An example of the indexing of this entry is
alMatrixSDPkts.1.783495.18.4.128.2.6.6.4.128.2.6.7.34.

Note that some combinations of index values may result in an index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take

care to avoid such combinations."

```
INDEX { hlMatrixControlIndex, alMatrixSDTimeMark,  
        protocolDirLocalIndex,  
        nlMatrixSDSourceAddress, nlMatrixSDDestAddress,  
        protocolDirLocalIndex }  
 ::= { alMatrixSDTable 1 }
```

```
AlMatrixSDEntry ::= SEQUENCE {  
    alMatrixSDTimeMark      TimeFilter,
```

```
    alMatrixSDPkts          ZeroBasedCounter32,  
    alMatrixSDOctets        ZeroBasedCounter32,  
    alMatrixSDCreateTime    LastCreateTime  
}
```

alMatrixSDTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

```
::= { alMatrixSDEntry 1 }
```

alMatrixSDPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors

transmitted
from the source address to the destination address
since this entry was added to the alMatrixSDTable. Note that
this is the number of link-layer packets, so if a single
network-layer packet is fragmented into several link-layer
frames, this counter is incremented several times."
::= { alMatrixSDEntry 2 }

alMatrixSDOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets in packets of this protocol type
transmitted from the source address to the destination address
since this entry was added to the alMatrixSDTable (excluding
framing bits, but including FCS octets), excluding octets
in packets that contained errors.

Note that this doesn't count just those octets in the particular
protocol frames but includes the entire packet that contained
the protocol."

::= { alMatrixSDEntry 3 }

alMatrixSDCreateTime

OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.
This can be used by the management station to ensure that the
entry has not been deleted and recreated between polls."

::= { alMatrixSDEntry 4 }

-- Traffic matrix tables from destination to source

alMatrixDSTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of application traffic matrix entries that collect
statistics for conversations of a particular protocol between
two network-level addresses. This table is indexed first by

the destination address and then by the source address to make it convenient to collect all statistics to a particular address.

The probe will populate this table for all protocols in the protocol directory table whose value of protocolDirMatrixConfig is equal to supportedOn(3), and will delete any entries whose protocolDirEntry is deleted or has a protocolDirMatrixConfig value of supportedOff(2).

The probe will add to this table all pairs of addresses for all protocols seen in all packets with no MAC errors and will increment octet and packet counts in the table for all packets with no MAC errors. Further, entries will only be added to this table if their address pair exists in the nlMatrixDSTable and will be deleted from this table if the address pair is deleted from the nlMatrixDSTable."

```
::= { alMatrix 2 }
```

alMatrixDSEntry OBJECT-TYPE

SYNTAX AlMatrixDSEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixDSTable.

The hlMatrixControlIndex value in the index identifies the hlMatrixControlEntry on whose behalf this entry was created.

The first protocolDirLocalIndex value in the index identifies the network-layer protocol of the alMatrixDSSourceAddress and alMatrixDSDestAddress.

The nlMatrixDSDestAddress value in the index identifies the network-layer address of the destination host in this

conversation.

The nlMatrixDSSourceAddress value in the index identifies the network-layer address of the source host in this conversation.

The second protocolDirLocalIndex value in the index identifies the protocol that is counted by this entry.

An example of the indexing of this entry is

```
alMatrixDSPkts.1.783495.18.4.128.2.6.7.4.128.2.6.6.34.
```

Note that some combinations of index values may result in an

index that exceeds 128 sub-identifiers in length, which exceeds the maximum for the SNMP protocol. Implementations should take care to avoid such combinations."

```
INDEX { hlMatrixControlIndex,  
alMatrixDSTimeMark,  
    protocolDirLocalIndex,  
    nlMatrixDSDestAddress, nlMatrixDSSourceAddress,  
    protocolDirLocalIndex }  
::= { alMatrixDSTable 1 }
```

```
AlMatrixDSEntry ::= SEQUENCE {  
    alMatrixDSTimeMark      TimeFilter,  
    alMatrixDSPkts         ZeroBasedCounter32,  
    alMatrixDSOctets       ZeroBasedCounter32,  
    alMatrixDSCreateTime   LastCreateTime  
}
```

alMatrixDSTimeMark OBJECT-TYPE

SYNTAX TimeFilter

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A TimeFilter for this entry. See the TimeFilter textual convention to see how this works."

```
::= { alMatrixDSEntry 1 }
```

alMatrixDSPkts OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets of this protocol type without errors transmitted from the source address to the destination address

since this entry was added to the alMatrixDSTable. Note that this is the number of link-layer packets, so if a single network-layer packet is fragmented into several link-layer frames, this counter is incremented several times."

```
::= { alMatrixDSEntry 2 }
```

alMatrixDSOctets OBJECT-TYPE

SYNTAX ZeroBasedCounter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets in packets of this protocol type transmitted from the source address to the destination address since this entry was added to the alMatrixDSTable (excluding framing bits, but including FCS octets), excluding octets in packets that contained errors.

Note that this doesn't count just those octets in the particular protocol frames but includes the entire packet that contained the protocol."

::= { alMatrixDSEntry 3 }

alMatrixDSCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS

read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this entry was last activated.

This can be used by the management station to ensure that the entry has not been deleted and recreated between polls."

::= { alMatrixDSEntry 4 }

alMatrixTopNControlTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of parameters that control the creation of a report of the top N matrix entries according to a selected metric."

::= { alMatrix 3 }

alMatrixTopNControlEntry OBJECT-TYPE

SYNTAX AlMatrixTopNControlEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixTopNControlTable.

An example of the indexing of this table is

alMatrixTopNControlDuration.3"

INDEX { alMatrixTopNControlIndex }

::= { alMatrixTopNControlTable 1 }

AlMatrixTopNControlEntry

```

 ::= SEQUENCE {
   alMatrixTopNControlIndex      Integer32,
   alMatrixTopNControlMatrixIndex Integer32,
   alMatrixTopNControlRateBase   INTEGER,
   alMatrixTopNControlTimeRemaining Integer32,
   alMatrixTopNControlGeneratedReports Counter32,
   alMatrixTopNControlDuration   Integer32,
   alMatrixTopNControlRequestedSize Integer32,
   alMatrixTopNControlGrantedSize Integer32,
   alMatrixTopNControlStartTime  TimeStamp,
   alMatrixTopNControlOwner      OwnerString,
   alMatrixTopNControlStatus     RowStatus
 }

```

alMatrixTopNControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the alMatrixTopNControlTable. Each such entry defines one topN report prepared for one interface."

::= { alMatrixTopNControlEntry 1 }

alMatrixTopNControlMatrixIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The alMatrix[SD/DS] table for which a topN report will be prepared on behalf of this entry. The alMatrix[SD/DS] table is identified by the value of the hlMatrixControlIndex for that table - that value is used here to identify the particular table.

This object may not be modified if the associated alMatrixTopNControlStatus object is equal to active(1)."

::= { alMatrixTopNControlEntry 2 }

alMatrixTopNControlRateBase OBJECT-TYPE

SYNTAX INTEGER {

alMatrixTopNTerminalsPkts(1),
 alMatrixTopNTerminalsOctets(2),
 alMatrixTopNAllPkts(3),
 alMatrixTopNAllOctets(4),
 alMatrixTopNTerminalsHighCapacityPkts(5),
 alMatrixTopNTerminalsHighCapacityOctets(6),

alMatrixTopNAllHighCapacityPkts(7),

alMatrixTopNAllHighCapacityOctets(8)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object controls which alMatrix[SD/DS] entry that the alMatrixTopNEntries are sorted by, which view of the matrix table that will be used, as well as which table the results will be reported in.

The values alMatrixTopNTerminalsPkts, alMatrixTopNTerminalsOctets, alMatrixTopNTerminalsHighCapacityPkts, and alMatrixTopNTerminalsHighCapacityOctets cause collection only from protocols that have no child protocols that are counted. The values alMatrixTopNAllPkts, alMatrixTopNAllOctets, alMatrixTopNAllHighCapacityPkts, and alMatrixTopNAllHighCapacityOctets cause collection from all alMatrix entries.

This object may not be modified if the associated alMatrixTopNControlStatus object is equal to active(1)."

::= { alMatrixTopNControlEntry
3 }

alMatrixTopNControlTimeRemaining OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of seconds left in the report currently being collected. When this object is modified by the management station, a new collection is started, possibly aborting a currently running report. The new value is used as the requested duration of this report and is immediately loaded into the associated alMatrixTopNControlDuration object.

When the report finishes, the probe will automatically start another collection with the same initial value of alMatrixTopNControlTimeRemaining. Thus, the management station may simply read the resulting reports repeatedly, checking the startTime and duration each time to ensure that a

report was not missed or that the report parameters were not changed.

While the value of this object is non-zero, it decrements by one per second until it reaches zero. At the time

that this object decrements to zero, the report is made accessible in the alMatrixTopNTable, overwriting any report that may be there.

When this object is modified by the management station, any associated entries in the alMatrixTopNTable shall be deleted.

(Note that this is a different algorithm than the one used in the hostTopNTable)."

DEFVAL { 1800 }

::= { alMatrixTopNControlEntry 4 }

alMatrixTopNControlGeneratedReports OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of reports that have been generated by this entry."

::= { alMatrixTopNControlEntry 5 }

alMatrixTopNControlDuration OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of seconds that this report has collected during the last sampling interval.

When the associated alMatrixTopNControlTimeRemaining object is set, this object shall be set by the probe to the same value and shall not be modified until the next time the alMatrixTopNControlTimeRemaining is set.

This value shall be zero if no reports have been requested for this alMatrixTopNControlEntry."

::= { alMatrixTopNControlEntry 6 }

alMatrixTopNControlRequestedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The maximum number of matrix entries requested for this report.

When this object is created or modified, the probe should set alMatrixTopNControlGrantedSize as closely to this object as possible for the particular probe implementation and available resources."

DEFVAL { 150 }

::= { alMatrixTopNControlEntry 7 }

alMatrixTopNControlGrantedSize OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The maximum number of matrix entries in this report.

When the associated alMatrixTopNControlRequestedSize object is created or modified, the probe should set this object as closely to the requested value as possible for the particular implementation and available resources. The probe must not lower this value except as a side-effect of a set to the associated alMatrixTopNControlRequestedSize object.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, when the next topN report is generated, matrix entries with the highest value of alMatrixTopNPktRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

If the value of alMatrixTopNControlRateBase is equal to

alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, when the next topN report is generated, matrix entries with the highest value of alMatrixTopNOctetRate shall be placed in this table in decreasing order of this rate until there is no more room or until there are no more matrix entries.

It is an implementation-specific matter how entries with the same value of alMatrixTopNPktRate or alMatrixTopNOctetRate are sorted. It is also an implementation-specific matter as to

whether zero-valued entries are available."
 ::= { alMatrixTopNControlEntry 8 }

alMatrixTopNControlStartTime OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this topN report was last started. In other words, this is the time that the associated alMatrixTopNControlTimeRemaining object was modified

to start the requested report or the time the report was last automatically (re)started.

This object may be used by the management station to determine whether a report was missed."

::= { alMatrixTopNControlEntry 9 }

alMatrixTopNControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { alMatrixTopNControlEntry 10 }

alMatrixTopNControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this alMatrixTopNControlEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries in the alMatrixTopNTable shall be deleted by the agent."

::= { alMatrixTopNControlEntry
11 }

alMatrixTopNTable OBJECT-TYPE

SYNTAX SEQUENCE OF AlMatrixTopNEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A set of statistics for those application-layer matrix entries that have counted the highest number of octets or packets."

::= { alMatrix 4 }

alMatrixTopNEntry OBJECT-TYPE

SYNTAX AlMatrixTopNEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A conceptual row in the alMatrixTopNTable.

The alMatrixTopNControlIndex value in the index identifies the alMatrixTopNControlEntry on whose behalf this entry was created.

An example of the indexing of this table is

alMatrixTopNPktRate.3.10"

INDEX { alMatrixTopNControlIndex, alMatrixTopNIndex }

::= { alMatrixTopNTable 1 }

AlMatrixTopNEntry ::= SEQUENCE {

alMatrixTopNIndex Integer32,

alMatrixTopNProtocolDirLocalIndex Integer32,

alMatrixTopNSourceAddress OCTET STRING,

alMatrixTopNDestAddress OCTET STRING,

alMatrixTopNAppProtocolDirLocalIndex Integer32,

alMatrixTopNPktRate Gauge32,

alMatrixTopNReversePktRate Gauge32,

alMatrixTopNOctetRate Gauge32,

alMatrixTopNReverseOctetRate Gauge32

}

alMatrixTopNIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the alMatrixTopNTable among those in the same report.

This index is between 1 and N, where N is the

number of entries in this report.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, increasing values of alMatrixTopNIndex shall be assigned to entries with decreasing values of alMatrixTopNPktRate until index N is

assigned or there are no more alMatrixTopNEntries.

If the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, increasing values of alMatrixTopNIndex shall be assigned to entries with decreasing values of alMatrixTopNOctetRate until index N is assigned or there are no more alMatrixTopNEntries."

::= { alMatrixTopNEntry 1 }

alMatrixTopNProtocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The protocolDirLocalIndex of the network-layer protocol of this entry's network address."

::= { alMatrixTopNEntry 2 }

alMatrixTopNSourceAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the source host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated alMatrixTopNProtocolDirLocalIndex.

For example, if the alMatrixTopNProtocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network byte order."

::= { alMatrixTopNEntry 3 }

alMatrixTopNDestAddress OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (1..255))

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The network-layer address of the destination host in this conversation.

This is represented as an octet string with specific semantics and length as identified by the associated alMatrixTopNProtocolDirLocalIndex.

For example, if the alMatrixTopNProtocolDirLocalIndex indicates an encapsulation of IP, this object is encoded as a length octet of 4, followed by the 4 octets of the IP address, in network

byte order."

::= { alMatrixTopNEntry 4 }

alMatrixTopNAppProtocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The type of the protocol counted by this matrix entry."

::= { alMatrixTopNEntry 5 }

alMatrixTopNPktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen of this protocol from the source host to the destination host during this sampling interval, counted using the rules for counting the alMatrixSDPkts object.

If the value of alMatrixTopNControlRateBase is alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, this variable will be used to sort this report."

::= { alMatrixTopNEntry 6 }

alMatrixTopNReversePktRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of packets seen of this protocol from the destination host to the source host during this sampling interval, counted using the rules for counting the alMatrixDSPkts object. (Note that the corresponding alMatrixSDPkts object selected is the one whose source address is equal to alMatrixTopNDestAddress and whose destination address is equal to alMatrixTopNSourceAddress.)"

Note that if the value of alMatrixTopNControlRateBase is equal to alMatrixTopNTerminalsPkts or alMatrixTopNAllPkts, the sort of topN entries is based entirely on alMatrixTopNPktRate, and not on the value of this object."

::= { alMatrixTopNEntry 7 }

alMatrixTopNOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen of this protocol from the source host to the destination host during this sampling interval, counted using the rules for counting the alMatrixSDOctets object."

If the value of alMatrixTopNControlRateBase is alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, this variable will be used to sort this report."

::= { alMatrixTopNEntry 8 }

alMatrixTopNReverseOctetRate OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of octets seen of this protocol from the destination host to the source host during this sampling interval, counted using the rules for counting the alMatrixDSOctets object. (Note that the corresponding alMatrixSDOctets object selected is the one whose source address is equal to alMatrixTopNDestAddress and whose destination address is equal to alMatrixTopNSourceAddress.)"

Note that if the value of alMatrixTopNControlRateBase is equal


```

to alMatrixTopNTerminalsOctets or alMatrixTopNAllOctets, the
sort of topN entries is based
entirely on
    alMatrixTopNOctetRate, and not on the value of this object."
 ::= { alMatrixTopNEntry 9 }

--
-- User History Collection Group (usrHistory)
--
-- The usrHistory group combines mechanisms seen in the alarm and
-- history groups to provide user-specified history collection,
-- utilizing two additional control tables and one additional data
-- table. This function has traditionally been done by NMS
-- applications, via periodic polling. The usrHistory group allows
-- this task to be offloaded to an RMON probe.
--
-- Data (an ASN.1 INTEGER based object) is collected in the same
-- manner as any history data table (e.g., etherHistoryTable) except
-- that the user specifies the MIB instances to be collected. Objects
-- are collected in bucket-groups, with the intent that all MIB
-- instances in the same bucket-group are collected as atomically as
-- possible by the RMON probe.
--
-- The usrHistoryControlTable is a one-dimensional read-create table.
-- Each row configures
a collection of user history buckets, much
-- the same as a historyControlEntry, except that the creation of a
-- row in this table will cause one or more associated instances in
-- the usrHistoryObjectTable to be created. The user specifies the
-- number of bucket elements (rows in the usrHistoryObjectTable)
-- requested, as well as the number of buckets requested.
--
-- The usrHistoryObjectTable is a 2-d read-write table.
-- Each row configures a single MIB instance to be collected.
-- All rows with the same major index constitute a bucket-group.
--
-- The usrHistoryTable is a 3-d read-only table containing

-- the data of associated usrHistoryControlEntries. Each
-- entry represents the value of a single MIB instance
-- during a specific sampling interval (or the rate of
-- change during the interval).
--
-- A sample value is stored in two objects - an absolute value and
-- a status object. This allows numbers from -(2G-1) to +4G to be
-- stored. The status object also indicates

```

whether a sample is
 -- valid. This allows data collection to continue if periodic
 -- retrieval of a particular instance fails for any reason.
 --
 -- Row Creation Order Relationships
 --
 -- The static nature of the usrHistoryObjectTable creates
 -- some row creation/modification issues. The rows in this
 -- table need to be set before the associated
 -- usrHistoryControlEntry can be activated.
 --
 -- Note that the usrHistoryObject entries associated with a
 -- particular usrHistoryControlEntry are not required to
 -- be active before the control entry is activated. However,
 -- the usrHistory data entries associated with an inactive
 -- usrHistoryObject entry will be inactive (i.e.,
 -- usrHistoryValStatus == valueNotAvailable).
 --

```
usrHistoryControlTable OBJECT-TYPE
    SYNTAX SEQUENCE OF UsrHistoryControlEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "A list of data-collection configuration entries."
    ::= { usrHistory 1 }
```

```
usrHistoryControlEntry OBJECT-TYPE
    SYNTAX UsrHistoryControlEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "A list of parameters that set up a group of user-defined
        MIB objects to be sampled periodically (called a
        bucket-group).

        For example, an instance of usrHistoryControlInterval
        might be named usrHistoryControlInterval.1"
    INDEX { usrHistoryControlIndex }
    ::= { usrHistoryControlTable 1 }
```

```
UsrHistoryControlEntry ::= SEQUENCE {
    usrHistoryControlIndex      Integer32,
    usrHistoryControlObjects    Integer32,
    usrHistoryControlBucketsRequested Integer32,
```

```
usrHistoryControlBucketsGranted Integer32,  
usrHistoryControlInterval Integer32,  
usrHistoryControlOwner OwnerString,  
usrHistoryControlStatus RowStatus  
}
```

usrHistoryControlIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index that uniquely identifies an entry in the usrHistoryControlTable. Each such entry defines a set of samples at a particular interval for a specified set of MIB instances available from the managed system."

::= { usrHistoryControlEntry 1 }

usrHistoryControlObjects OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The number of MIB objects to be collected in the portion of usrHistoryTable associated with this usrHistoryControlEntry.

This object may not be modified if the associated instance of usrHistoryControlStatus is equal to active(1)."

::= { usrHistoryControlEntry 2 }

usrHistoryControlBucketsRequested OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The requested number of discrete time intervals over which data is to be saved in the part of the usrHistoryTable associated with this usrHistoryControlEntry.

When this object is created or modified, the probe should set usrHistoryControlBucketsGranted as closely to this object as possible for the particular probe implementation and available resources."

DEFVAL { 50 }

::= { usrHistoryControlEntry 3 }

usrHistoryControlBucketsGranted OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of discrete sampling intervals over which data shall be saved in the part of the usrHistoryTable associated with this usrHistoryControlEntry.

When the associated usrHistoryControlBucketsRequested object is created or modified, the probe should set this object as closely to the requested value as possible for the particular probe implementation and available resources. The probe must not lower this value except as a result of a modification to the associated usrHistoryControlBucketsRequested object.

The associated usrHistoryControlBucketsRequested object should be set before or at the same time as this object to allow the probe to accurately estimate the resources required for this usrHistoryControlEntry.

There will be times when the actual number of buckets associated with this entry is less than the value of this object. In this case, at the end of each sampling interval, a new bucket will be added to the usrHistoryTable.

When the number of buckets reaches the value of this object and a new bucket is to be added to the usrHistoryTable, the oldest bucket associated with this usrHistoryControlEntry shall be deleted by the agent so that the new bucket can be added.

When the value of this object changes to a value less than the current value, entries are deleted from the usrHistoryTable associated with this usrHistoryControlEntry.

Enough of the oldest of these entries shall be deleted by the agent so that their number remains less than or equal to the new value of this object.

When the value of this object changes to a value greater than the current value, the number of associated usrHistory entries may be allowed to grow."

::= { usrHistoryControlEntry 4 }

usrHistoryControlInterval OBJECT-TYPE

SYNTAX Integer32 (1..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The interval in seconds over which the data is sampled for each bucket in the part of the usrHistory table associated with this usrHistoryControlEntry.

Because the counters in a bucket may overflow at their maximum value with no indication, a prudent manager will take into account the possibility of overflow in any of the associated counters. It is important to consider the

minimum time in which any counter could overflow on a particular media type and to set the usrHistoryControlInterval object to a value less than this interval.

This object may not be modified if the associated usrHistoryControlStatus object is equal to active(1)."

DEFVAL { 1800 }

::= { usrHistoryControlEntry 5 }

usrHistoryControlOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { usrHistoryControlEntry 6 }

usrHistoryControlStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The status of this variable history control entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value.

If this object is not equal to active(1), all associated entries

in the usrHistoryTable shall be deleted."

::= { usrHistoryControlEntry 7 }

-- Object table

usrHistoryObjectTable OBJECT-TYPE

SYNTAX SEQUENCE OF UsrHistoryObjectEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of data-collection configuration entries."

::= { usrHistory 2 }

usrHistoryObjectEntry OBJECT-TYPE

SYNTAX UsrHistoryObjectEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A list of MIB instances to be sampled periodically.

Entries in this table are created when an associated
usrHistoryControlObjects object is created.

The usrHistoryControlIndex value in the index is
that of the associated usrHistoryControlEntry.

For example, an instance of usrHistoryObjectVariable might be
usrHistoryObjectVariable.1.3"

INDEX { usrHistoryControlIndex, usrHistoryObjectIndex }

::= { usrHistoryObjectTable 1 }

UsrHistoryObjectEntry ::= SEQUENCE {

usrHistoryObjectIndex Integer32,

usrHistoryObjectVariable OBJECT IDENTIFIER,

usrHistoryObjectSampleType INTEGER

}

usrHistoryObjectIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An index used to uniquely identify an entry in the
usrHistoryObject table. Each such entry defines a

MIB instance to be collected periodically."

::= { usrHistoryObjectEntry 1 }

usrHistoryObjectVariable OBJECT-TYPE

SYNTAX OBJECT IDENTIFIER

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The object identifier of the particular variable to be

sampled.

Only variables that resolve to an ASN.1 primitive type of Integer32 (Integer32, Counter, Gauge, or TimeTicks) may be sampled.

Because SNMP access control is articulated entirely in terms of the contents of MIB views, no access control mechanism

exists that can restrict the value of this object to identify

only those objects that exist in a particular MIB view.

Because there is thus no acceptable means of restricting the read access that could be obtained through the user history mechanism, the probe must only grant write access to this object in those views that have read access to all objects on the probe. See USM [RFC3414] and VACM [RFC3415] for more information.

During a set operation, if the supplied variable name is not available in the selected MIB view, a badValue error must be returned.

This object may not be modified if the associated usrHistoryControlStatus object is equal to active(1)."

::= { usrHistoryObjectEntry 2 }

usrHistoryObjectSampleType OBJECT-TYPE

SYNTAX INTEGER {

absoluteValue(1),

deltaValue(2)

}

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The method of sampling the selected variable for storage in the usrHistoryTable.

If the value of this object is absoluteValue(1), the value of the selected variable will be copied directly into the history bucket.

If the value of this object is deltaValue(2), the value of the selected variable at the last sample will be subtracted from the current value, and the difference will be stored in the history bucket. If the associated usrHistoryObjectVariable instance could not be obtained at the previous sample interval, then a delta sample is not possible, and the value of the associated usrHistoryValStatus object for this interval will be valueNotAvailable(1).

This object may not be modified if the associated usrHistoryControlStatus object is equal to active(1)."

```
::= { usrHistoryObjectEntry 3 }
```

```
-- data table
```

```
usrHistoryTable OBJECT-TYPE  
SYNTAX SEQUENCE OF UsrHistoryEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
    "A list of user-defined history entries."  
 ::= { usrHistory 3 }
```

```
usrHistoryEntry OBJECT-TYPE  
SYNTAX UsrHistoryEntry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION  
    "A historical sample of user-defined variables. This sample  
    is associated with the usrHistoryControlEntry that set up the  
    parameters for a regular collection of these samples.
```

The usrHistoryControlIndex value in the index identifies the usrHistoryControlEntry on whose behalf this entry was created.
The usrHistoryObjectIndex value in the index identifies the usrHistoryObjectEntry on whose behalf this entry was created.

For example, an instance of usrHistoryAbsValue, which represents the 14th sample of a variable collected as specified by

usrHistoryControlEntry.1 and usrHistoryObjectEntry.1.5,
would be named usrHistoryAbsValue.1.14.5"
INDEX { usrHistoryControlIndex, usrHistorySampleIndex,
usrHistoryObjectIndex }
::= { usrHistoryTable 1 }

UsrHistoryEntry ::= SEQUENCE {
usrHistorySampleIndex Integer32,
usrHistoryIntervalStart TimeStamp,
usrHistoryIntervalEnd TimeStamp,
usrHistoryAbsValue Gauge32,
usrHistoryValStatus INTEGER
}

usrHistorySampleIndex OBJECT-TYPE
SYNTAX Integer32 (1..2147483647)
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

"An index that uniquely identifies the particular sample this entry represents among all samples associated with the same usrHistoryControlEntry. This index starts at 1 and increases by one as each new sample is taken."

::= { usrHistoryEntry 1 }

usrHistoryIntervalStart OBJECT-TYPE
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current

DESCRIPTION

"The value of sysUpTime at the start of the interval over which this sample was measured. If the probe keeps track of the time of day, it should start the first sample of the history at a time such that when the next hour of the day begins, a sample is started at that instant.

Note that following this rule may require that the probe delay collecting the first sample of the history, as each sample must be of the same interval. Also note that the sample that is currently being collected is not accessible in this table until the end of its interval."

::= { usrHistoryEntry 2 }

usrHistoryIntervalEnd OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime at the end of the interval over which this sample was measured."

::= { usrHistoryEntry 3 }

usrHistoryAbsValue OBJECT-TYPE

SYNTAX Gauge32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The absolute value (i.e., unsigned value) of the

user-specified statistic during the last sampling period. The value during the current sampling period is not made available until the period is completed.

To obtain the true value for this sampling interval, the associated instance of usrHistoryValStatus must be checked, and usrHistoryAbsValue adjusted as necessary.

If the MIB instance could not be accessed during the sampling interval, then this object will have a value of zero, and the associated instance of usrHistoryValStatus will be set to 'valueNotAvailable(1)'.

The access control check prescribed in the definition of usrHistoryObjectVariable SHOULD be checked for each sampling interval. If this check determines that access should not be allowed, then this object will have a value of zero, and the associated instance of usrHistoryValStatus will be set to 'valueNotAvailable(1)'."

::= { usrHistoryEntry
4 }

usrHistoryValStatus OBJECT-TYPE

SYNTAX INTEGER {

valueNotAvailable(1),

valuePositive(2),

valueNegative(3)

}

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object indicates the validity and sign of the data in the associated instance of usrHistoryAbsValue.

If the MIB instance could not be accessed during the sampling interval, then 'valueNotAvailable(1)' will be returned.

If the sample is valid and the actual value of the sample is greater than or equal to zero, then 'valuePositive(2)' is returned.

If the sample is valid and the actual value of the sample is less than zero, 'valueNegative(3)' will be returned. The associated instance of usrHistoryAbsValue should be multiplied by -1 to obtain the true sample value."

::= { usrHistoryEntry 5 }

-- The Probe Configuration Group

--

-- This group controls the configuration of various operating

--

parameters of the probe.

ControlString ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This data type is used to communicate with a modem or a

serial data switch. A ControlString contains embedded commands to control how the device will interact with the remote device through the serial interface. Commands are represented as two-character sequences beginning with the '^' character.

The following commands are recognized by the device (note that command characters are case sensitive):

^s Send string that follows, which is terminated by the next command or the end of string.

^c Delay for the number of seconds that follows. Toss out any data received rather than store it in a buffer for parsing.

^t Set timeout to the value represented by the decimal digits that follow. The default timeout is 20

seconds. Note that this timeout may be overridden by a smaller serialTimeout configured for the associated serial interface (see serialConfigTable).

^w Wait for the reply string that follows, which is terminated by the next command or the end of string. Partial and case-insensitive matching is applied, i.e., if the reply string (any case combination) is found anywhere in the received string, then the a match is found. If the current timeout elapses without a match, then the remaining control string is ignored.

^! The ^ character.

^d Delay the number of seconds specified by the decimal digits that follow.

^b Send break for the number of milliseconds specified by the decimal digits that follow. If no digits follow, break will be enforced for 250 milliseconds by default.

The following ASCII control characters may be inserted into the '^s' send string or the '^w' reply string:

^@ 0x00
^A 0x01
..
^M 0x0D
..
^Z 0x1A
^[0x1B
^ 0x1C
^] 0x1D
^^ 0x1E
^_ 0x1F

Binary data may also be inserted into the data stream. The control sequence for each byte of binary data is **^0x##**, where **##** is the hexadecimal representation of the data byte. Two ASCII characters (0-9, a-f, A-F) must follow the '^0x' control prefix. For example, '^0x0D^0x0A' is interpreted as a carriage return followed by a line feed."

SYNTAX OCTET STRING (SIZE (0..255))

probeCapabilities OBJECT-TYPE

SYNTAX BITS {
etherStats(0),
historyControl(1),
etherHistory(2),

```

alarm(3),
hosts(4),
hostTopN(5),
matrix(6),
filter(7),
capture(8),
event(9),
tokenRingMLStats(10),
tokenRingPStats(11),
tokenRingMLHistory(12),
tokenRingPHistory(13),
ringStation(14),
ringStationOrder(15),
ringStationConfig(16),
sourceRouting(17),
protocolDirectory(18),
protocolDistribution(19),
addressMapping(20),
nlHost(21),
nlMatrix(22),
alHost(23),
alMatrix(24),
usrHistory(25),
probeConfig(26)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "An indication of the RMON MIB groups supported
    on at least one interface by this probe."
 ::= { probeConfig 1 }

```

```

probeSoftwareRev OBJECT-TYPE
SYNTAX DisplayString (SIZE(0..15))
MAX-ACCESS read-only

```

```

STATUS current
DESCRIPTION
    "The software revision of this device. This string will have
    a zero length if the revision is unknown."
 ::= { probeConfig 2 }

```

```

probeHardwareRev
OBJECT-TYPE
SYNTAX DisplayString (SIZE(0..31))
MAX-ACCESS read-only

```

STATUS current

DESCRIPTION

"The hardware revision of this device. This string will have a zero length if the revision is unknown."

::= { probeConfig 3 }

probeDateTime OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0 | 8 | 11))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Probe's current date and time.

field	octets	contents	range
1	1-2	year	0..65536
2	3	month	1..12
3	4	day	1..31
4	5	hour	0..23
5	6	minutes	0..59
6	7	seconds	0..60 (use 60 for leap-second)
7	8	deci-seconds	0..9
8	9	direction from UTC	'+' / '-'
9	10	hours from UTC	0..11
10	11	minutes from UTC	0..59

For example, Tuesday May 26, 1992 at 1:30:15 PM EDT would be displayed as:

1992-5-26,13:30:15.0,-4:0

Note that if only local time is known, then time zone information (fields 8-10) is not present, and that if no time information is known, the null string is returned."

::= { probeConfig 4 }

probeResetControl OBJECT-TYPE

SYNTAX INTEGER {
 running(1),
 warmBoot(2),
 coldBoot(3)
}

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Setting this object to warmBoot(2) causes the device to restart the application software with current configuration parameters saved in non-volatile memory. Setting this

object to coldBoot(3) causes the device to reinitialize configuration parameters in non-volatile memory to default values and to restart the application software. When the device is running normally, this variable has a value of running(1)."

::= { probeConfig 5 }

-- The following download objects do not restrict an implementation
-- from implementing additional download mechanisms (controlled in an
-- implementation-specific manner). Further, in the case where the RMON
-- agent shares a processor with other types of systems, the
-- implementation is not required to download those non-RMON functions
-- with this mechanism.

probeDownloadFile OBJECT-TYPE

SYNTAX DisplayString (SIZE(0..127))

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The file name to be downloaded from the TFTP server when a download is next requested via this MIB. This value is set to the zero-length string when no file name has been specified.

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 6 }

probeDownloadTFTPSTServer OBJECT-TYPE

SYNTAX IpAddress

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The IP address of the TFTP server that contains the boot image to load when a download is next requested via this MIB. This value is set to '0.0.0.0' when no IP address has been

specified.

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 7 }

probeDownloadAction OBJECT-TYPE

SYNTAX INTEGER {
 notDownloading(1),
 downloadToPROM(2),
 downloadToRAM(3)
}

MAX-ACCESS

read-write

STATUS deprecated

DESCRIPTION

"When this object is set to downloadToRAM(3) or downloadToPROM(2), the device will discontinue its normal operation and begin download of the image specified by probeDownloadFile from the server specified by probeDownloadTFTPServer using the TFTP protocol. If downloadToRAM(3) is specified, the new image is copied to RAM only (the old image remains unaltered in the flash EPROM). If downloadToPROM(2) is specified, the new image is written to the flash EPROM memory after its checksum has been verified to be correct. When the download process is completed, the device will warm boot to restart the newly loaded application. When the device is not downloading, this object will have a value of notDownloading(1).

This object has been deprecated, as it has not had enough independent implementations to demonstrate

interoperability to

meet the requirements of a Draft Standard."

::= { probeConfig 8 }

probeDownloadStatus OBJECT-TYPE

SYNTAX INTEGER {
 downloadSuccess(1),
 downloadStatusUnknown(2),
 downloadGeneralError(3),
 downloadNoResponseFromServer(4),
 downloadChecksumError(5),
 downloadIncompatibleImage(6),
 downloadTftpFileNotFound(7),
 downloadTftpAccessViolation(8)

}
MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The status of the last download procedure, if any. This object will have a value of downloadStatusUnknown(2) if no download process has been performed.

This object has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 9 }

serialConfigTable OBJECT-TYPE

SYNTAX SEQUENCE OF SerialConfigEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A table of serial interface configuration entries. This data will be stored in non-volatile memory and preserved across probe resets or power loss.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 10 }

serialConfigEntry OBJECT-TYPE

SYNTAX SerialConfigEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A set of configuration parameters for a particular serial interface on this device. If the device has no serial interfaces, this table is empty.

The index is composed of the ifIndex assigned to this serial line interface."

INDEX { ifIndex }

::=

{ serialConfigTable 1 }

SerialConfigEntry ::= SEQUENCE {

serialMode INTEGER,

serialProtocol INTEGER,

serialTimeout Integer32,
serialModemInitString ControlString,
serialModemHangUpString ControlString,
serialModemConnectResp DisplayString,
serialModemNoConnectResp DisplayString,
serialDialoutTimeout Integer32,

serialStatus RowStatus
}

serialMode OBJECT-TYPE

SYNTAX INTEGER {
 direct(1),
 modem(2)
}

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The type of incoming connection to be expected on this
serial interface."

DEFVAL { direct }

::= { serialConfigEntry 1 }

serialProtocol OBJECT-TYPE

SYNTAX INTEGER {
 other(1),
 slip(2),
 ppp(3)
}

MAX-ACCESS read-create

STATUS

deprecated

DESCRIPTION

"The type of data link encapsulation to be used on this
serial interface."

DEFVAL { slip }

::= { serialConfigEntry 2 }

serialTimeout OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"This timeout value is used when the Management Station has
initiated the conversation over the serial link. This variable
represents the number of seconds of inactivity allowed before

terminating the connection on this serial interface. Use the serialDialoutTimeout in the case where the probe has initiated the connection for the purpose of sending a trap."

DEFVAL { 300 }

::= { serialConfigEntry 3 }

serialModemInitString OBJECT-TYPE

SYNTAX ControlString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that controls how a modem attached to this

serial interface should be initialized. The initialization is performed once during startup and again after each connection is terminated if the associated serialMode has the value of modem(2).

A control string that is appropriate for a wide variety of modems is: '^s^MATE0Q0V1X4 S0=1 S2=43^M'."

::= { serialConfigEntry 4 }

serialModemHangUpString OBJECT-TYPE

SYNTAX ControlString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to disconnect a modem connection on this serial interface. This object is only meaningful if the associated serialMode has the value of modem(2).

A control string that is appropriate for a wide variety of modems is: '^d2^s+++^d2^sATH0^M^d2'."

::= { serialConfigEntry 5 }

serialModemConnectResp OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"An ASCII string containing substrings that describe the expected modem connection response code and associated bps rate. The substrings are delimited by the first character

in the string, for example:

```
/CONNECT/300/CONNECT 1200/1200/CONNECT 2400/2400/  
CONNECT 4800/4800/CONNECT 9600/9600
```

will be interpreted as:

```
response code  bps rate  
CONNECT        300  
CONNECT 1200    1200  
CONNECT 2400    2400  
CONNECT 4800    4800  
CONNECT 9600    9600
```

The agent will use the information in this string to adjust the bps rate of this serial interface once a modem connection is established.

A value that is appropriate for a wide variety of modems is:

```
'/CONNECT/300/CONNECT 1200/1200/CONNECT 2400/2400/  
CONNECT 4800/4800/CONNECT 9600/9600/CONNECT 14400/14400/  
CONNECT  
19200/19200/CONNECT 38400/38400/.'  
::= { serialConfigEntry 6 }
```

serialModemNoConnectResp OBJECT-TYPE

SYNTAX DisplayString (SIZE (0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"An ASCII string containing response codes that may be generated by a modem to report the reason why a connection attempt has failed. The response codes are delimited by the first character in the string, for example:

```
/NO CARRIER/BUSY/NO DIALTONE/NO ANSWER/ERROR/
```

If one of these response codes is received via this serial interface while attempting to make a modem connection, the agent will issue the hang up command as specified by serialModemHangUpString.

A value that is appropriate for a wide variety of modems is:

```
'/NO CARRIER/BUSY/NO DIALTONE/NO ANSWER/ERROR/.'  
::= { serialConfigEntry 7 }
```

serialDialoutTimeout OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS

read-create
STATUS deprecated
DESCRIPTION
"This timeout value is used when the probe initiates the serial connection with the intention of contacting a management station. This variable represents the number of seconds of inactivity allowed before terminating the connection on this serial interface."
DEFVAL { 20 }
::= { serialConfigEntry 8 }

serialStatus OBJECT-TYPE
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"The status of this serialConfigEntry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value."
::= { serialConfigEntry 9 }

netConfigTable OBJECT-TYPE
SYNTAX SEQUENCE OF NetConfigEntry
MAX-ACCESS not-accessible
STATUS deprecated
DESCRIPTION
"A table of netConfigEntries.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."
::= { probeConfig 11 }

netConfigEntry OBJECT-TYPE
SYNTAX NetConfigEntry
MAX-ACCESS not-accessible
STATUS deprecated
DESCRIPTION
"A set of configuration parameters for a particular network interface on this device. If the device has no network interface, this table is empty.

The index is composed of the ifIndex assigned to the corresponding interface."

```
INDEX { ifIndex }  
::= { netConfigTable 1 }
```

```
NetConfigEntry ::= SEQUENCE {  
    netConfigIPAddress    IPAddress,  
    netConfigSubnetMask   IPAddress,  
    netConfigStatus       RowStatus  
}
```

netConfigIPAddress OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The IP address of this Net interface. The default value for this object is 0.0.0.0. If either the netConfigIPAddress or netConfigSubnetMask is 0.0.0.0, then when the device boots, it may use BOOTP to try to figure out what these values should be. If BOOTP fails before the device can talk on the network, this value must be configured (e.g., through a terminal attached to the device). If BOOTP is used, care should be taken to not send BOOTP broadcasts too frequently and to eventually send them very infrequently if no replies are received."

```
::= { netConfigEntry 1 }
```

netConfigSubnetMask OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The subnet mask of this Net interface. The default value for this object is 0.0.0.0. If either the netConfigIPAddress or netConfigSubnetMask is 0.0.0.0, then when the device boots, it may use BOOTP to try to figure out what these values should be. If BOOTP fails before the device can talk on
the network, this value must be configured
(e.g., through a terminal attached to the device). If BOOTP is used, care should be taken to not send BOOTP broadcasts too frequently and to eventually send them very infrequently if no replies are received."

```
::= { netConfigEntry 2 }
```

netConfigStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The status of this netConfigEntry.

An entry may not exist in the active state unless all

objects in the entry have an appropriate value."

::= { netConfigEntry 3 }

netDefaultGateway OBJECT-TYPE

SYNTAX IPAddress

MAX-ACCESS read-write

STATUS deprecated

DESCRIPTION

"The IP Address of the default gateway. If this value is

undefined or unknown, it shall have the value 0.0.0.0."

::= { probeConfig 12 }

-- Trap Destination Table

--

-- This table defines the destination addresses for traps
generated

-- from the device. This table maps a community to one or more trap
-- destination entries.

--

-- The same trap will be sent to all destinations specified in the
-- entries that have the same trapDestCommunity as the eventCommunity
-- (as defined by RMON MIB), as long as no access control mechanism
-- (e.g., VACM) prohibits sending to one or more of the destinations.
-- Information in this table will be stored in non-volatile memory.

-- If the device has gone through a hard restart, this information

-- will be reset to its default state.

trapDestTable OBJECT-TYPE

SYNTAX SEQUENCE OF TrapDestEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A list of trap destination entries."

::= { probeConfig 13 }

trapDestEntry OBJECT-TYPE

SYNTAX TrapDestEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"This entry includes a destination IP address to which traps are sent for this community."

INDEX { trapDestIndex }
 ::= { trapDestTable 1 }

TrapDestEntry ::= SEQUENCE {
 trapDestIndex Integer32,
 trapDestCommunity OCTET STRING,
 trapDestProtocol INTEGER,
 trapDestAddress OCTET STRING,
 trapDestOwner OwnerString,
 trapDestStatus RowStatus
 }

trapDestIndex OBJECT-TYPE

SYNTAX Integer32 (1..65535)

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A value that uniquely identifies this trapDestEntry."

::= { trapDestEntry 1 }

trapDestCommunity OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(0..127))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A community to which this destination address belongs.

This entry is associated with any eventEntries in the RMON

MIB whose value of eventCommunity is equal to the value of this object. Every time an associated event entry sends a

trap due to an event, that trap will be sent to each

address in the trapDestTable with a trapDestCommunity equal to eventCommunity, as long as no access control mechanism precludes it (e.g., VACM).

This object may not be modified if the associated

trapDestStatus object is equal to active(1)."

::= { trapDestEntry 2 }

trapDestProtocol OBJECT-TYPE

SYNTAX INTEGER {

ip(1),


```

        ipx(2)
    }
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
    "The protocol with which this trap is to be sent."
 ::= { trapDestEntry 3 }

trapDestAddress OBJECT-TYPE
SYNTAX OCTET STRING
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
    "The destination address for traps on behalf of this entry.

    If the associated trapDestProtocol object is equal to ip(1),
    the encoding of this object is the same as the snmpUDPAddress
    textual
    convention in RFC 3417, 'Transport Mappings for the
    Simple Network Management Protocol (SNMP)' [RFC3417]:
    -- for a SnmpUDPAddress of length 6:
    --
    -- octets contents encoding
    -- 1-4 IP-address network-byte order
    -- 5-6 UDP-port network-byte order

    If the associated trapDestProtocol object is equal to ipx(2),
    the encoding of this object is the same as the snmpIPXAddress
    textual convention in RFC 3417, 'Transport Mappings for the
    Simple Network Management Protocol (SNMP)' [RFC3417]:
    -- for a SnmpIPXAddress of length 12:
    --
    -- octets contents encoding
    -- 1-4 network-number network-byte order
    -- 5-10 physical-address network-byte order
    -- 11-12 socket-number network-byte order

    This object may not be modified if the associated

    trapDestStatus object
    is equal to active(1)."
 ::= { trapDestEntry 4 }

trapDestOwner OBJECT-TYPE
SYNTAX OwnerString
MAX-ACCESS read-create

```

STATUS deprecated

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { trapDestEntry 5 }

trapDestStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The status of this trap destination entry.

An entry may not exist in the active state unless all objects in the entry have an appropriate value."

::= { trapDestEntry 6 }

-- Serial Connection Table

--

-- The device may communicate with a management station using
-- SLIP. In order for the device to send traps via SLIP, it must
-- be able to initiate a connection over the serial interface. The
-- serialConnectionTable stores the parameters for such connection
-- initiation.

serialConnectionTable OBJECT-TYPE

SYNTAX SEQUENCE

OF SerialConnectionEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"A list of serialConnectionEntries.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { probeConfig 14 }

serialConnectionEntry OBJECT-TYPE

SYNTAX SerialConnectionEntry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Configuration for a SLIP link over a serial line."

INDEX { serialConnectIndex }

::= { serialConnectionTable 1 }

```
SerialConnectionEntry ::= SEQUENCE {
    serialConnectIndex      Integer32,
    serialConnectDestIpAddress  IpAddress,
    serialConnectType      INTEGER,
    serialConnectDialString  ControlString,
    serialConnectSwitchConnectSeq  ControlString,
    serialConnectSwitchDisconnectSeq  ControlString,
    serialConnectSwitchResetSeq  ControlString,
    serialConnectOwner      OwnerString,
    serialConnectStatus     RowStatus
}
```

serialConnectIndex OBJECT-TYPE
SYNTAX Integer32 (1..65535)
MAX-ACCESS not-accessible
STATUS deprecated
DESCRIPTION
"A value that uniquely identifies this serialConnection entry."
::= { serialConnectionEntry 1 }

serialConnectDestIpAddress OBJECT-TYPE
SYNTAX IpAddress
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION
"The IP Address that can be reached at the other end of this serial connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."
::= { serialConnectionEntry 2 }

serialConnectType OBJECT-TYPE
SYNTAX INTEGER {
 direct(1),
 modem(2),
 switch(3),
 modemSwitch(4)
}
MAX-ACCESS read-create
STATUS deprecated
DESCRIPTION

"The type of outgoing connection to be made. If this object has the value direct(1), then a direct serial connection is assumed. If this object has the value modem(2), then serialConnectDialString will be used to make a modem connection. If this object has the value switch(3), then serialConnectSwitchConnectSeq will be used to establish the connection over a serial data switch, and serialConnectSwitchDisconnectSeq will be used to terminate the connection. If this object has the value modem-switch(4), then a modem connection will be made first, followed by the switch connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

DEFVAL { direct }
::= { serialConnectionEntry 3 }

serialConnectDialString OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to dial the phone number in order to establish a modem connection. The string should include the dialing prefix and suffix. For example: '^s^MATD9,888-1234^M' will instruct the Probe to send a carriage return, followed by the dialing prefix 'ATD', the phone number '9,888-1234', and a carriage return as the dialing suffix.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 4 }

serialConnectSwitchConnectSeq OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to establish a data switch connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 5 }

serialConnectSwitchDisconnectSeq OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to terminate a data switch connection.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 6 }

serialConnectSwitchResetSeq OBJECT-TYPE

SYNTAX ControlString (SIZE(0..255))

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"A control string that specifies how to reset a data switch in the event of a timeout.

This object may not be modified if the associated serialConnectStatus object is equal to active(1)."

::= { serialConnectionEntry 7 }

serialConnectOwner OBJECT-TYPE

SYNTAX OwnerString

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The entity that configured this entry and is therefore using the resources assigned to it."

::= { serialConnectionEntry 8 }

serialConnectStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS deprecated

DESCRIPTION

"The status of this serialConnectionEntry.

If the manager attempts to set this object to active(1) when the serialConnectType is set to modem(2) or modem-switch(4) and the serialConnectDialString is a zero-length string or cannot be correctly parsed as a ConnectString, the set

request will be rejected with badValue(3).

If the manager attempts to set this object to active(1) when the serialConnectType is set to switch(3) or modem-switch(4) and the serialConnectSwitchConnectSeq, the serialConnectSwitchDisconnectSeq, or

the serialConnectSwitchResetSeq is a zero-length string or cannot be correctly parsed as a ConnectString, the set request will be rejected with badValue(3).

An entry may not exist in the active state unless all objects in the entry have an appropriate value."

::= { serialConnectionEntry 9 }

--

-- Extensions to the RMON 1 MIB for RMON 2 devices

--

-- These extensions include the standard LastCreateTime Textual Convention for all control tables, as well as an augmentation of the filter entry that provides variable-length offsets into packets.

-- Each of the following, except for filterDroppedFrames, is a read-only object which, if implemented, automatically appears when the RMON1 row it is associated with is created.

etherStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF EtherStats2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

::= { statistics 4 }

etherStats2Entry OBJECT-TYPE

SYNTAX EtherStats2Entry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { etherStatsEntry }

::= { etherStats2Table 1 }

```
EtherStats2Entry ::= SEQUENCE {  
    etherStatsDroppedFrames Counter32,  
    etherStatsCreateTime LastCreateTime  
}
```

etherStatsDroppedFrames OBJECT-TYPE

```
SYNTAX Counter32  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION
```

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { etherStats2Entry  
1 }
```

etherStatsCreateTime OBJECT-TYPE

```
SYNTAX LastCreateTime  
MAX-ACCESS read-only  
STATUS current  
DESCRIPTION
```

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

```
::= { etherStats2Entry 2 }
```

historyControl2Table OBJECT-TYPE

```
SYNTAX SEQUENCE OF HistoryControl2Entry  
MAX-ACCESS not-accessible  
STATUS current  
DESCRIPTION
```

"Contains the RMON-2 augmentations to RMON-1."

```
::= { history 5 }
```

historyControl2Entry OBJECT-TYPE
SYNTAX HistoryControl2Entry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Contains the RMON-2 augmentations to RMON-1."
AUGMENTS { historyControlEntry }
::= { historyControl2Table 1 }

HistoryControl2Entry ::= SEQUENCE {
historyControlDroppedFrames Counter32
}

historyControlDroppedFrames
OBJECT-TYPE
SYNTAX Counter32

MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { historyControl2Entry 1 }

hostControl2Table OBJECT-TYPE
SYNTAX SEQUENCE OF HostControl2Entry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Contains the RMON-2 augmentations to RMON-1."
::= { hosts 4 }

hostControl2Entry OBJECT-TYPE
SYNTAX HostControl2Entry
MAX-ACCESS not-accessible
STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { hostControlEntry }

::= { hostControl2Table 1 }

HostControl2Entry ::= SEQUENCE {
 hostControlDroppedFrames Counter32,
 hostControlCreateTime LastCreateTime
}

hostControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the

probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { hostControl2Entry 1 }

hostControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { hostControl2Entry 2 }

matrixControl2Table OBJECT-TYPE

SYNTAX SEQUENCE OF MatrixControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

::= { matrix 4 }

matrixControl2Entry OBJECT-TYPE

SYNTAX MatrixControl2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { matrixControlEntry }

::= { matrixControl2Table 1 }

MatrixControl2Entry ::= SEQUENCE {

matrixControlDroppedFrames Counter32,

matrixControlCreateTime LastCreateTime

}

matrixControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { matrixControl2Entry 1 }

matrixControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last

activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

```
::= { matrixControl2Entry 2 }
```

channel2Table OBJECT-TYPE

SYNTAX SEQUENCE OF Channel2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

```
::= { filter 3 }
```

channel2Entry OBJECT-TYPE

SYNTAX Channel2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { channelEntry }

```
::= { channel2Table 1 }
```

Channel2Entry ::= SEQUENCE {

channelDroppedFrames Counter32,

channelCreateTime LastCreateTime

}

channelDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents,

but

that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { channel2Entry 1 }

channelCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { channel2Entry 2 }

tokenRingMLStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF TokenRingMLStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { statistics 5 }

tokenRingMLStats2Entry OBJECT-TYPE

SYNTAX TokenRingMLStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { tokenRingMLStatsEntry }

::= { tokenRingMLStats2Table 1 }

TokenRingMLStats2Entry ::= SEQUENCE {

tokenRingMLStatsDroppedFrames Counter32,

tokenRingMLStatsCreateTime LastCreateTime

}

tokenRingMLStatsDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count for this entry for whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { tokenRingMLStats2Entry 1 }

tokenRingMLStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { tokenRingMLStats2Entry 2 }

tokenRingPStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF TokenRingPStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { statistics 6 }

tokenRingPStats2Entry OBJECT-TYPE

SYNTAX TokenRingPStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { tokenRingPStatsEntry }

::= { tokenRingPStats2Table 1 }

```
TokenRingPStats2Entry ::= SEQUENCE {  
    tokenRingPStatsDroppedFrames Counter32,  
    tokenRingPStatsCreateTime LastCreateTime  
}
```

tokenRingPStatsDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to count

for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

```
::= { tokenRingPStats2Entry 1 }
```

tokenRingPStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

```
::= { tokenRingPStats2Entry 2 }
```

ringStationControl2Table OBJECT-TYPE

SYNTAX SEQUENCE OF RingStationControl2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

::= { tokenRing 7 }

ringStationControl2Entry OBJECT-TYPE

SYNTAX RingStationControl2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { ringStationControlEntry }

::= { ringStationControl2Table 1 }

RingStationControl2Entry ::= SEQUENCE {

ringStationControlDroppedFrames Counter32,

ringStationControlCreateTime LastCreateTime

}

ringStationControlDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose not to

count for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the exact number of frames dropped."

::= { ringStationControl2Entry 1 }

ringStationControlCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to

ensure that the table has not been deleted and recreated between polls."

```
::= { ringStationControl2Entry 2 }
```

sourceRoutingStats2Table OBJECT-TYPE

SYNTAX SEQUENCE OF SourceRoutingStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1.

This table has been deprecated, as it has not had enough independent implementations to demonstrate interoperability to meet the requirements of a Draft Standard."

```
::= { tokenRing 8 }
```

sourceRoutingStats2Entry OBJECT-TYPE

SYNTAX SourceRoutingStats2Entry

MAX-ACCESS not-accessible

STATUS deprecated

DESCRIPTION

"Contains the RMON-2 augmentations to RMON-1."

AUGMENTS { sourceRoutingStatsEntry }

```
::= { sourceRoutingStats2Table 1 }
```

SourceRoutingStats2Entry ::= SEQUENCE {

sourceRoutingStatsDroppedFrames Counter32,

sourceRoutingStatsCreateTime LastCreateTime

}

sourceRoutingStatsDroppedFrames OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The total number of frames that were received by the probe and therefore not accounted for in the *StatsDropEvents, but that the probe chose

not to count for this entry for

whatever reason. Most often, this event occurs when the probe is out of some resources and decides to shed load from this collection.

This count does not include packets that were not counted because they had MAC-layer errors.

Note that, unlike the dropEvents counter, this number is the

exact number of frames dropped."
::= { sourceRoutingStats2Entry 1 }

sourceRoutingStatsCreateTime OBJECT-TYPE

SYNTAX LastCreateTime

MAX-ACCESS read-only

STATUS deprecated

DESCRIPTION

"The value of sysUpTime when this control entry was last activated. This can be used by the management station to ensure that the table has not been deleted and recreated between polls."

::= { sourceRoutingStats2Entry 2 }

filter2Table OBJECT-TYPE

SYNTAX SEQUENCE OF Filter2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Provides a variable-length packet filter feature to the RMON-1 filter table."

::= { filter 4 }

filter2Entry OBJECT-TYPE

SYNTAX Filter2Entry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Provides a variable-length packet filter feature to the RMON-1 filter table."

AUGMENTS { filterEntry }

::= { filter2Table 1 }

Filter2Entry ::= SEQUENCE {

filterProtocolDirDataLocalIndex Integer32,

filterProtocolDirLocalIndex Integer32

}

filterProtocolDirDataLocalIndex OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"When this object is set to a non-zero value, the filter that it is associated with performs the following operations on

every packet:

- 1) If the packet doesn't match the protocol directory entry identified by this object, discard the packet and exit (i.e., discard the packet if it is not of the identified protocol).
- 2) If the associated filterProtocolDirLocalIndex is non-zero and the packet doesn't match the protocol directory entry identified by that object, discard the packet and exit.
- 3) If the packet matches, perform the regular filter algorithm as if the beginning of this named protocol is the beginning of the packet, potentially applying the filterOffset value to move further into the packet."

DEFVAL { 0 }

::= { filter2Entry 1 }

filterProtocolDirLocalIndex OBJECT-TYPE

SYNTAX Integer32 (0..2147483647)

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"When this object is set to a non-zero value, the filter that it is associated with will discard the packet if the packet doesn't match this protocol directory entry."

DEFVAL { 0 }

::= { filter2Entry 2 }

-- Conformance Macros

rmon2MIBCompliances OBJECT

IDENTIFIER ::= { rmonConformance 1 }

rmon2MIBGroups OBJECT IDENTIFIER ::= { rmonConformance 2 }

rmon2MIBCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the RMON2 MIB"

MODULE -- this module

MANDATORY-GROUPS { protocolDirectoryGroup,
protocolDistributionGroup,
addressMapGroup,

nlHostGroup,
nlMatrixGroup,
usrHistoryGroup,
probeInformationGroup }

OBJECT nlMatrixTopNControlRateBase

SYNTAX INTEGER {
nlMatrixTopNPkts(1),
nlMatrixTopNOctets(2)
}

DESCRIPTION

"Conformance to RMON2 requires only support for these values of nlMatrixTopNControlRateBase."

GROUP rmon1EnhancementGroup

DESCRIPTION

"The rmon1EnhancementGroup is mandatory for systems that implement RMON [RFC2819]."

GROUP rmon1EthernetEnhancementGroup

DESCRIPTION

"The rmon1EthernetEnhancementGroup is optional and is appropriate for systems that implement the Ethernet group of RMON [RFC2819]."

::= { rmon2MIBCompliances 1 }

rmon2MIBApplicationLayerCompliance MODULE-COMPLIANCE

STATUS current

DESCRIPTION

"Describes the requirements for conformance to the RMON2 MIB with Application-Layer Enhancements."

MODULE -- this module

MANDATORY-GROUPS { protocolDirectoryGroup,
protocolDistributionGroup,
addressMapGroup,
nlHostGroup,
nlMatrixGroup,
alHostGroup,
alMatrixGroup,
usrHistoryGroup,
probeInformationGroup }

OBJECT nlMatrixTopNControlRateBase

SYNTAX INTEGER {
nlMatrixTopNPkts(1),
nlMatrixTopNOctets(2)

}
DESCRIPTION
"Conformance to RMON2 requires only support for these values of nlMatrixTopNControlRateBase."

OBJECT alMatrixTopNControlRateBase
SYNTAX INTEGER {
 alMatrixTopNTerminalsPkts(1),
 alMatrixTopNTerminalsOctets(2),
 alMatrixTopNAllPkts(3),
 alMatrixTopNAllOctets(4)
}

DESCRIPTION
"Conformance to RMON2 requires only support for these values of alMatrixTopNControlRateBase."

GROUP rmon1EnhancementGroup
DESCRIPTION
"The rmon1EnhancementGroup is mandatory for systems that implement RMON [RFC2819]."

GROUP rmon1EthernetEnhancementGroup
DESCRIPTION
"The rmon1EthernetEnhancementGroup is optional and is appropriate for systems that implement the Ethernet group of RMON [RFC2819]."

::= { rmon2MIBCompliances 2 }

protocolDirectoryGroup OBJECT-GROUP
OBJECTS { protocolDirLastChange,
 protocolDirLocalIndex, protocolDirDescr,
 protocolDirType, protocolDirAddressMapConfig,
 protocolDirHostConfig, protocolDirMatrixConfig,
 protocolDirOwner, protocolDirStatus }

STATUS current
DESCRIPTION
"Lists the inventory of protocols the probe has the capability of monitoring and allows the addition, deletion, and configuration of entries in this list."
::= { rmon2MIBGroups 1 }

protocolDistributionGroup OBJECT-GROUP
OBJECTS { protocolDistControlDataSource,
 protocolDistControlDroppedFrames,

protocolDistControlCreateTime,
protocolDistControlOwner, protocolDistControlStatus,
protocolDistStatsPkts, protocolDistStatsOctets }

STATUS current

DESCRIPTION

"Collects the relative amounts of octets and packets for the
different protocols detected on a network segment."

::= { rmon2MIBGroups 2 }

addressMapGroup OBJECT-GROUP

OBJECTS { addressMapInserts, addressMapDeletes,
addressMapMaxDesiredEntries,
addressMapControlDataSource,
addressMapControlDroppedFrames,
addressMapControlOwner, addressMapControlStatus,
addressMapPhysicalAddress,
addressMapLastChange }

STATUS current

DESCRIPTION

"Lists MAC address to network address bindings discovered by
the probe and what interface they were last seen on."

::= { rmon2MIBGroups 3 }

nlHostGroup OBJECT-GROUP

OBJECTS { hlHostControlDataSource,
hlHostControlNIDroppedFrames, hlHostControlNIInserts,
hlHostControlNIDeletes,
hlHostControlNIMaxDesiredEntries,
hlHostControlAIDroppedFrames, hlHostControlAIInserts,
hlHostControlAIDeletes,
hlHostControlAIMaxDesiredEntries, hlHostControlOwner,
hlHostControlStatus, nlHostInPkts, nlHostOutPkts,
nlHostInOctets, nlHostOutOctets,
nlHostOutMacNonUnicastPkts, nlHostCreateTime }

STATUS current

DESCRIPTION

"Counts the amount of traffic sent from and to each network
address discovered by the probe. Note that while the
hlHostControlTable also has objects that control an optional
alHostTable, implementation of the alHostTable is not
required to fully implement this group."

::= { rmon2MIBGroups 4 }

nlMatrixGroup OBJECT-GROUP

OBJECTS { hlMatrixControlDataSource,

```

hlMatrixControlNIDroppedFrames,
hlMatrixControlNIInserts, hlMatrixControlNIDeletes,
hlMatrixControlNIMaxDesiredEntries,
hlMatrixControlAIDroppedFrames,
hlMatrixControlAIInserts, hlMatrixControlAIDeletes,
hlMatrixControlAIMaxDesiredEntries,
hlMatrixControlOwner, hlMatrixControlStatus,
nlMatrixSDPkts, nlMatrixSDOctets, nlMatrixSDCreateTime,
nlMatrixDSPkts, nlMatrixDSOctets, nlMatrixDSCreateTime,
nlMatrixTopNControlMatrixIndex,
nlMatrixTopNControlRateBase,
nlMatrixTopNControlTimeRemaining,
nlMatrixTopNControlGeneratedReports,
nlMatrixTopNControlDuration,
nlMatrixTopNControlRequestedSize,
nlMatrixTopNControlGrantedSize,
nlMatrixTopNControlStartTime,
nlMatrixTopNControlOwner, nlMatrixTopNControlStatus,
nlMatrixTopNProtocolDirLocalIndex,
nlMatrixTopNSourceAddress,
nlMatrixTopNDestAddress,
nlMatrixTopNPktRate, nlMatrixTopNReversePktRate,

```

```

nlMatrixTopNOctetRate, nlMatrixTopNReverseOctetRate }

```

STATUS current

DESCRIPTION

"Counts the amount of traffic sent between each pair of network addresses discovered by the probe. Note that while the hlMatrixControlTable also has objects that control optional alMatrixTables, implementation of the alMatrixTables is not required to fully implement this group."

```

::= { rmon2MIBGroups 5 }

```

alHostGroup OBJECT-GROUP

```

OBJECTS { alHostInPkts, alHostOutPkts,
alHostInOctets, alHostOutOctets, alHostCreateTime }

```

STATUS current

DESCRIPTION

"Counts the amount of traffic, by protocol, sent from and to each network address discovered by the probe. Implementation of this group requires implementation of the Network-Layer Host Group."

```

::= { rmon2MIBGroups 6 }

```

alMatrixGroup

OBJECT-GROUP

OBJECTS { alMatrixSDPkts, alMatrixSDOctets, alMatrixSDCreateTime,
alMatrixDSPkts, alMatrixDSOctets, alMatrixDSCreateTime,
alMatrixTopNControlMatrixIndex,
alMatrixTopNControlRateBase,
alMatrixTopNControlTimeRemaining,
alMatrixTopNControlGeneratedReports,
alMatrixTopNControlDuration,
alMatrixTopNControlRequestedSize,
alMatrixTopNControlGrantedSize,
alMatrixTopNControlStartTime,
alMatrixTopNControlOwner, alMatrixTopNControlStatus,
alMatrixTopNProtocolDirLocalIndex,
alMatrixTopNSourceAddress, alMatrixTopNDestAddress,
alMatrixTopNAppProtocolDirLocalIndex,
alMatrixTopNPktRate, alMatrixTopNReversePktRate,
alMatrixTopNOctetRate, alMatrixTopNReverseOctetRate }

STATUS current

DESCRIPTION

"Counts the amount of traffic, by protocol, sent between each pair of network addresses discovered by the probe. Implementation of this group requires implementation of the Network-Layer Matrix Group."

::= { rmon2MIBGroups 7 }

usrHistoryGroup OBJECT-GROUP

OBJECTS { usrHistoryControlObjects,
usrHistoryControlBucketsRequested,
usrHistoryControlBucketsGranted,
usrHistoryControlInterval,
usrHistoryControlOwner, usrHistoryControlStatus,
usrHistoryObjectVariable, usrHistoryObjectSampleType,
usrHistoryIntervalStart, usrHistoryIntervalEnd,
usrHistoryAbsValue, usrHistoryValStatus }

STATUS current

DESCRIPTION

"The usrHistoryGroup provides user-defined collection of historical information from MIB objects on the probe."

::= { rmon2MIBGroups 8 }

probeInformationGroup OBJECT-GROUP

OBJECTS { probeCapabilities,
probeSoftwareRev, probeHardwareRev, probeDateTime }

STATUS current

DESCRIPTION

"This group describes various operating parameters of the probe and controls the local time of the probe."

::= { rmon2MIBGroups 9 }

probeConfigurationGroup OBJECT-GROUP

OBJECTS { probeResetControl, probeDownloadFile,
probeDownloadTFTPSTServer, probeDownloadAction,
probeDownloadStatus,
serialMode, serialProtocol, serialTimeout,
serialModemInitString, serialModemHangUpString,
serialModemConnectResp, serialModemNoConnectResp,
serialDialoutTimeout, serialStatus,
netConfigIPAddress, netConfigSubnetMask,
netConfigStatus, netDefaultGateway,
trapDestCommunity, trapDestProtocol, trapDestAddress,
trapDestOwner, trapDestStatus,
serialConnectDestIpAddress, serialConnectType,
serialConnectDialString, serialConnectSwitchConnectSeq,
serialConnectSwitchDisconnectSeq,
serialConnectSwitchResetSeq,
serialConnectOwner, serialConnectStatus }

STATUS deprecated

DESCRIPTION

"This group controls the configuration of various operating parameters of the probe. This group is not referenced by any MODULE-COMPLIANCE macro because it is 'grandfathered' from more recent MIB review rules that would require it."

::= { rmon2MIBGroups 10 }

rmon1EnhancementGroup OBJECT-GROUP

OBJECTS { historyControlDroppedFrames, hostControlDroppedFrames,
hostControlCreateTime, matrixControlDroppedFrames,
matrixControlCreateTime, channelDroppedFrames,
channelCreateTime, filterProtocolDirDataLocalIndex,
filterProtocolDirLocalIndex }

STATUS current

DESCRIPTION

"This group adds some enhancements to RMON-1 that help management stations."

::= { rmon2MIBGroups 11 }

rmon1EthernetEnhancementGroup OBJECT-GROUP

OBJECTS { etherStatsDroppedFrames,


```

etherStatsCreateTime }
STATUS current
DESCRIPTION
    "This group adds some enhancements to RMON-1 that help
    management stations."
::= { rmon2MIBGroups 12 }

rmon1TokenRingEnhancementGroup OBJECT-GROUP
OBJECTS { tokenRingMLStatsDroppedFrames,
    tokenRingMLStatsCreateTime,
    tokenRingPStatsDroppedFrames, tokenRingPStatsCreateTime,
    ringStationControlDroppedFrames,
    ringStationControlCreateTime,
    sourceRoutingStatsDroppedFrames,
    sourceRoutingStatsCreateTime }
STATUS deprecated
DESCRIPTION
    "This group adds some enhancements to RMON-1 that help
    management stations. This group is not referenced by any
    MODULE-COMPLIANCE macro because it is 'grandfathered' from
    more recent MIB review rules that would require it."
::= { rmon2MIBGroups 13 }
END

```

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibbl-commercial-mibs-2-9-3-jar/mibs/ietf/RMON2-MIB
```

No license file was found, but licenses were detected in source scan.

SNMP-FRAMEWORK-MIB DEFINITIONS ::= BEGIN

IMPORTS

```

MODULE-IDENTITY, OBJECT-TYPE,
OBJECT-IDENTITY,
snmpModules          FROM SNMPv2-SMI
TEXTUAL-CONVENTION   FROM SNMPv2-TC
MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF;

```

snmpFrameworkMIB MODULE-IDENTITY

```

LAST-UPDATED "200210140000Z"
ORGANIZATION "SNMPv3 Working Group"
CONTACT-INFO "WG-EMail: snmpv3@lists.tislabs.com
    Subscribe: snmpv3-request@lists.tislabs.com

```

```

Co-Chair: Russ Mundy
           Network Associates Laboratories
postal:   15204 Omega Drive, Suite 300
           Rockville, MD 20850-4601

```

USA

E-Mail: mundy@tislabs.com

phone: +1 301-947-7107

Co-Chair &

Co-editor: David Harrington

Enterasys Networks

postal: 35 Industrial Way

P. O. Box 5005

Rochester, New Hampshire 03866-5005

USA

E-Mail: dbh@enterasys.com

phone: +1 603-337-2614

Co-editor: Randy Presuhn

BMC Software, Inc.

postal: 2141 North First Street

San Jose, California 95131

USA

E-Mail: randy_presuhn@bmc.com

phone: +1 408-546-1006

Co-editor: Bert Wijnen

Lucent Technologies

postal: Schagen 33

3461 GL Linschoten

Netherlands

E-Mail: bwijnen@lucent.com

phone: +31 348-680-485

"

DESCRIPTION "The SNMP Management Architecture MIB

Copyright (C) The Internet Society (2002). This
version of this MIB module is part of RFC 3411;
see the RFC itself for full legal notices.

"

REVISION "200210140000Z" -- 14 October 2002

DESCRIPTION "Changes in this revision:

- Updated various administrative information.
- Corrected some typos.
- Corrected typo in description of SnmpEngineID
that led to range overlap for 127.

- Changed '255a' to '255t' in definition of SnmpAdminString to align with current SMI.
- Reworded 'reserved' for value zero in DESCRIPTION of SnmpSecurityModel.
- The algorithm for allocating security models should give

256 per enterprise block, rather than 255.

- The example engine ID of 'abcd' is not legal. Replaced with '800002b804616263'H based on example enterprise 696, string 'abc'.
- Added clarification that engineID should persist across re-initializations.

This revision published as RFC 3411.

"

REVISION "199901190000Z" -- 19 January 1999

DESCRIPTION "Updated editors' addresses, fixed typos. Published as RFC 2571.

"

REVISION "199711200000Z" -- 20 November 1997

DESCRIPTION "The initial version, published in RFC 2271.

"

::= { snmpModules 10 }

-- Textual Conventions used in the SNMP Management Architecture ***

SnmpEngineID ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION "An SNMP engine's administratively-unique identifier.

Objects of this type are for identification, not for addressing, even though it is possible that an address may have been used in the generation of a specific value.

The value for this object may not be all zeros or all 'ff'H or the empty (zero length) string.

The initial value for this object may be configured via an operator console entry or via an algorithmic function. In the latter case, the following example algorithm is recommended.

In cases where there are multiple engines on the same system, the use of this algorithm is NOT appropriate, as it would result in all of those

engines ending up with the same ID value.

1) The very first bit is used to indicate how the

rest of the data is composed.

0 - as defined by enterprise using former methods that existed before SNMPv3. See item 2 below.

1 - as defined by this architecture, see item 3 below.

Note that this allows existing uses of the engineID (also known as AgentID [RFC1910]) to co-exist with any new uses.

2) The snmpEngineID has a length of 12 octets.

The first four octets are set to the binary equivalent of the agent's SNMP management private enterprise number as assigned by the Internet Assigned Numbers Authority (IANA). For example, if Acme Networks has been assigned { enterprises 696 }, the first four octets would be assigned '000002b8'H.

The remaining eight octets are determined via

one or more enterprise-specific methods. Such methods must be designed so as to maximize the possibility that the value of this object will be unique in the agent's administrative domain. For example, it may be the IP address of the SNMP entity, or the MAC address of one of the interfaces, with each address suitably padded with random octets. If multiple methods are defined, then it is recommended that the first octet indicate the method being used and the remaining octets be a function of the method.

3) The length of the octet string varies.

The first four octets are set to the binary equivalent of the agent's SNMP management private enterprise number as assigned by the

Internet Assigned Numbers Authority (IANA).
For example, if Acme Networks has been assigned
{ enterprises 696 }, the first four octets would
be assigned '000002b8'H.

The very first bit is set to 1. For example, the
above value for Acme Networks now changes to be
'800002b8'H.

The fifth octet indicates how the rest (6th and
following octets) are formatted. The values for
the fifth octet are:

- 0 - reserved, unused.
- 1 - IPv4 address (4 octets)
lowest non-special IP address
- 2 - IPv6 address (16 octets)
lowest non-special IP address
- 3 - MAC address (6 octets)
lowest IEEE MAC address, canonical

order

- 4 - Text, administratively assigned
Maximum remaining length 27
- 5 - Octets, administratively assigned
Maximum remaining length 27

6-127 - reserved, unused

128-255 - as defined by the enterprise
Maximum remaining length 27

"

SYNTAX OCTET STRING (SIZE(5..32))

SnmpSecurityModel ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION "An identifier that uniquely identifies a Security Model of the Security Subsystem within this SNMP Management Architecture.

The values for securityModel are allocated as follows:

- The zero value does not identify any particular security model.

- Values between 1 and 255, inclusive,

are reserved

- for standards-track Security Models and are managed by the Internet Assigned Numbers Authority (IANA).

- Values greater than 255 are allocated to enterprise-specific Security Models. An enterprise-specific securityModel value is defined to be:

$\text{enterpriseID} * 256 + \text{security model}$ within enterprise

For example, the fourth Security Model defined by the enterprise whose enterpriseID is 1 would be 259.

This scheme for allocation of securityModel values allows for a maximum of 255 standards-based Security Models, and for a maximum of 256 Security Models per enterprise.

It is believed that the assignment of new securityModel values will be rare in

practice

because the larger the number of simultaneously utilized Security Models, the larger the chance that interoperability will suffer.

Consequently, it is believed that such a range will be sufficient. In the unlikely event that the standards committee finds this number to be insufficient over time, an enterprise number can be allocated to obtain an additional 256 possible values.

Note that the most significant bit must be zero; hence, there are 23 bits allocated for various

organizations to design and define non-standard

securityModels. This limits the ability to define new proprietary implementations of Security Models to the first 8,388,608 enterprises.

It is worthwhile to note that, in its encoded

form, the securityModel value will normally require only a single byte since, in practice, the leftmost bits will be zero for most messages and sign extension is suppressed by the encoding rules.

As of this writing, there are several values of securityModel defined for use with SNMP or reserved for use with supporting MIB objects. They are as follows:

- 0 reserved for 'any'
- 1 reserved for SNMPv1
- 2 reserved for SNMPv2c
- 3 User-Based Security Model (USM)

"

SYNTAX INTEGER(0 .. 2147483647)

SnmProcessingModel ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION "An identifier that uniquely identifies a Message Processing Model of the Message Processing Subsystem within this SNMP Management Architecture.

The values for messageProcessingModel are allocated as follows:

- Values between 0 and 255, inclusive, are reserved for standards-track Message Processing Models and are managed by the Internet Assigned Numbers Authority (IANA).
- Values greater than 255 are allocated to enterprise-specific Message Processing Models. An enterprise messageProcessingModel value is defined to be:

enterpriseID * 256 +
messageProcessingModel within enterprise

For example, the fourth Message Processing Model defined by the enterprise whose enterpriseID

is 1 would be 259.

This scheme for allocating messageProcessingModel values allows for a maximum of 255 standards-based Message Processing Models, and for a maximum of 256 Message Processing Models per enterprise.

It is believed that the assignment of new messageProcessingModel values will be rare in practice because the larger the number of simultaneously utilized Message Processing Models, the larger the chance that interoperability will suffer. It is believed that such a range will be sufficient. In the unlikely event that the standards committee finds this number to be insufficient over time, an enterprise number can be allocated to obtain an additional 256 possible values.

Note that the most significant bit must be zero; hence, there are 23 bits allocated for various organizations to design and define non-standard messageProcessingModels. This limits the ability to define new proprietary implementations of Message Processing Models to the first 8,388,608 enterprises.

It is worthwhile to note that, in its encoded form, the messageProcessingModel value will normally require only a single byte since, in practice, the leftmost bits will be zero for most messages and sign extension is suppressed by the encoding rules.

As of this writing, there are several values of messageProcessingModel defined for use with SNMP. They are as follows:

0 reserved for SNMPv1
1 reserved for SNMPv2c
2 reserved for SNMPv2u and SNMPv2*
3 reserved for SNMPv3

"

SYNTAX INTEGER(0 .. 2147483647)

SnmSecurityLevel

::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION "A Level of Security at which SNMP messages can be sent or with which operations are being processed; in particular, one of:

noAuthNoPriv - without authentication and
without privacy,
authNoPriv - with authentication but
without privacy,
authPriv - with authentication and
with privacy.

These three values are ordered such that noAuthNoPriv is less than authNoPriv and authNoPriv is less than authPriv.

"

SYNTAX INTEGER { noAuthNoPriv(1),
authNoPriv(2),
authPriv(3)
}

SnmAdminString ::= TEXTUAL-CONVENTION

DISPLAY-HINT "255t"

STATUS

current

DESCRIPTION "An octet string containing administrative information, preferably in human-readable form.

To facilitate internationalization, this information is represented using the ISO/IEC IS 10646-1 character set, encoded as an octet string using the UTF-8 transformation format described in [RFC2279].

Since additional code points are added by amendments to the 10646 standard from time to time, implementations must be prepared to encounter any code point from 0x00000000 to 0x7fffffff. Byte sequences that do not correspond to the valid UTF-8 encoding of a code point or are outside this range are prohibited.

The use of control codes should be avoided.

When it is necessary to represent a newline,

the control code sequence CR LF should be used.

The use of leading or trailing white space should be avoided.

For code points not directly supported by user interface hardware or software, an alternative means of entry and display, such as hexadecimal, may be provided.

For information encoded in 7-bit US-ASCII, the UTF-8 encoding is identical to the US-ASCII encoding.

UTF-8 may require multiple bytes to represent a single character / code point; thus the length of this object in octets may be different from the number of characters encoded. Similarly, size constraints refer to the number of encoded octets, not the number of characters represented by an encoding.

Note that when this TC is used for an object that is used or envisioned to be used as an index, then a SIZE restriction MUST be specified so that the number of sub-identifiers for any object instance does not exceed the limit of 128, as defined by [RFC3416].

Note that the size of an SnmpAdminString object is measured in octets, not characters.

```

"
SYNTAX    OCTET STRING (SIZE (0..255))

-- Administrative assignments *****

snmpFrameworkAdmin
  OBJECT IDENTIFIER ::= { snmpFrameworkMIB 1 }
snmpFrameworkMIBObjects
  OBJECT IDENTIFIER ::= { snmpFrameworkMIB 2 }
snmpFrameworkMIBConformance
  OBJECT IDENTIFIER ::= { snmpFrameworkMIB 3 }

-- the snmpEngine Group *****

snmpEngine OBJECT IDENTIFIER ::= { snmpFrameworkMIBObjects 1 }

snmpEngineID OBJECT-TYPE
  SYNTAX    SnmpEngineID
  MAX-ACCESS read-only
  STATUS    current
  DESCRIPTION "An SNMP engine's administratively-unique identifier.

              This information SHOULD be stored in non-volatile
              storage so that it remains constant across
              re-initializations of the SNMP engine.
              "
  ::= { snmpEngine 1 }

snmpEngineBoots OBJECT-TYPE
  SYNTAX    INTEGER (1..2147483647)
  MAX-ACCESS read-only
  STATUS    current
  DESCRIPTION "The number of times that the SNMP engine has
              (re-)initialized itself since snmpEngineID
              was last configured.
              "
  ::= { snmpEngine 2 }

snmpEngineTime OBJECT-TYPE
  SYNTAX    INTEGER (0..2147483647)
  UNITS     "seconds"
  MAX-ACCESS read-only

```

STATUS current
DESCRIPTION "The number of seconds since the value of
the snmpEngineBoots object last changed.
When incrementing this object's value would
cause it to exceed its maximum,
snmpEngineBoots is incremented as if a
re-initialization had occurred, and this
object's value consequently reverts to zero."
::= { snmpEngine 3 }

snmpEngineMaxMessageSize OBJECT-TYPE
SYNTAX INTEGER (484..2147483647)
MAX-ACCESS read-only
STATUS current
DESCRIPTION "The maximum length in octets of an SNMP message
which this SNMP engine can send or receive and
process, determined as the minimum of the maximum
message size values supported among all of the
transports available to and supported by the engine."
::= { snmpEngine 4 }

-- Registration Points for Authentication and Privacy Protocols **

snmpAuthProtocols OBJECT-IDENTITY
STATUS current
DESCRIPTION "Registration point for standards-track
authentication protocols
used in SNMP Management
Frameworks."
::= { snmpFrameworkAdmin 1 }

snmpPrivProtocols OBJECT-IDENTITY
STATUS current
DESCRIPTION "Registration point for standards-track privacy
protocols used in SNMP Management Frameworks."
::= { snmpFrameworkAdmin 2 }

-- Conformance information *****

snmpFrameworkMIBCompliances
OBJECT IDENTIFIER ::= { snmpFrameworkMIBConformance 1 }
snmpFrameworkMIBGroups

```

OBJECT IDENTIFIER ::= { snmpFrameworkMIBConformance 2 }

-- compliance statements

snmpFrameworkMIBCompliance MODULE-COMPLIANCE
  STATUS    current
  DESCRIPTION "The compliance statement for SNMP engines which
              implement the SNMP Management Framework MIB.
              "
  MODULE   -- this module
  MANDATORY-GROUPS { snmpEngineGroup }

  ::= { snmpFrameworkMIBCompliances 1 }

-- units of conformance

snmpEngineGroup
  OBJECT-GROUP
  OBJECTS {
    snmpEngineID,
    snmpEngineBoots,
    snmpEngineTime,
    snmpEngineMaxMessageSize
  }
  STATUS    current
  DESCRIPTION "A collection of objects for identifying and
              determining the configuration and current timeliness

              values of an SNMP engine.
              "
  ::= { snmpFrameworkMIBGroups 1 }

END

Found in path(s):
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/SNMP-
FRAMEWORK-MIB
No license file was found, but licenses were detected in source scan.

IPSEC-SPD-MIB DEFINITIONS ::= BEGIN

IMPORTS
  MODULE-IDENTITY, OBJECT-TYPE, NOTIFICATION-TYPE, Integer32,
  Unsigned32, mib-2      FROM SNMPv2-SMI
                        -- [RFC2578]

```

TEXTUAL-CONVENTION, RowStatus, TruthValue,
TimeStamp, StorageType, VariablePointer
FROM SNMPv2-TC
-- [RFC2579]

MODULE-COMPLIANCE, OBJECT-GROUP, NOTIFICATION-GROUP
FROM SNMPv2-CONF
-- [RFC2580]

InterfaceIndex
FROM IF-MIB
-- [RFC2863]

diffServMIBMultiFieldClfrGroup, IfDirection,
diffServMultiFieldClfrNextFree
FROM DIFFSERV-MIB
-- [RFC3289]

InetAddressType, InetAddress
FROM INET-ADDRESS-MIB
-- [RFC4001]

SnmAdminString FROM SNMP-FRAMEWORK-MIB
-- [RFC3411]

;

--
-- module identity
--

spdMIB MODULE-IDENTITY

LAST-UPDATED "200702070000Z" -- 7 February 2007
ORGANIZATION "IETF IP Security Policy Working Group"
CONTACT-INFO "Michael Baer

P.O. Box 72682
Davis, CA 95617
Phone: +1 530 902 3131
Email: baerm@tislabs.com

Ricky Charlet
Email: rcharlet@alumni.calpoly.edu

Wes Hardaker
Sparta, Inc.

P.O. Box 382
Davis, CA 95617
Phone: +1 530 792 1913
Email: hardaker@tislabs.com

Robert Story
Revelstone Software
PO Box 1812

Tucker, GA 30085
Phone: +1 770 617 3722
Email: rstory@ipsp.revelstone.com

Cliff Wang
ARO
4300 S. Miami Blvd.
Durham, NC 27703
E-Mail: cliffwangmail@yahoo.com"

DESCRIPTION

"This MIB module defines configuration objects for managing IPsec Security Policies. In general, this MIB can be implemented anywhere IPsec security services exist (e.g., bump-in-the-wire, host, gateway, firewall, router, etc.).

Copyright (C) The IETF Trust (2007). This version of this MIB module is part of RFC 4807; see the RFC itself for full legal notices."

-- Revision History

REVISION "200702070000Z" -- 7 February 2007
DESCRIPTION "Initial version, published as RFC 4807."

::= { mib-2 153 }

--

-- groups of related objects

--

spdConfigObjects OBJECT IDENTIFIER
 ::= { spdMIB 1 }
spdNotificationObjects
 OBJECT IDENTIFIER
 ::= { spdMIB 2 }
spdConformanceObjects OBJECT IDENTIFIER

```

 ::= { spdMIB 3 }
spdActions          OBJECT IDENTIFIER
 ::= { spdMIB 4 }

--
-- Textual Conventions
--

SpdBooleanOperator ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"The SpdBooleanOperator operator is used to specify
whether sub-components in a decision-making process are

ANDed or ORed together to decide if the resulting
expression is true or false."
SYNTAX INTEGER { or(1), and(2) }

```

```

SpdAdminStatus ::= TEXTUAL-CONVENTION
STATUS current
DESCRIPTION
"The SpdAdminStatus is used to specify the administrative
status of an object. Objects that are disabled MUST NOT
be used by the packet processing engine."
SYNTAX INTEGER { enabled(1), disabled(2) }

```

```

SpdIPPacketLogging ::= TEXTUAL-CONVENTION
DISPLAY-HINT "d"
STATUS current
DESCRIPTION
"SpdIPPacketLogging specifies
whether an audit message
SHOULD be logged if a packet is passed through a Security
Association (SA) and if some of that packet is included in
the log event. A value of '-1' indicates no logging. A
value of '0' or greater indicates that logging SHOULD be
done and indicates the number of bytes starting at the
beginning of the packet to place in the log. Values greater
than the size of the packet being processed indicate that
the entire packet SHOULD be sent.

Examples:
'-1' no logging
'0' log but do not include any of the packet in the log
'20' log and include the first 20 bytes of the packet
in the log."

```


SYNTAX Integer32 (-1..65535)

SpdTimePeriod ::= TEXTUAL-CONVENTION

DISPLAY-HINT "31t"

STATUS current

DESCRIPTION

"This property identifies an overall range of calendar dates and time. In a boolean context, a value within this time range, inclusive, is considered true.

This information is encoded as an octet string using the UTF-8 transformation format described in STD 63, RFC 3629.

It uses the format suggested in RFC 3060. An octet string

represents a start date and time and an end date and time. For example:

yyyymmddThhmmss/yyyymmddThhmmss

Where: yyyy = year mm = month dd = day
hh = hour mm = minute ss = second

The first 'yyyymmddThhmmss' sub-string indicates the start date and time. The second 'yyyymmddThhmmss' sub-string indicates the end date and time. The character 'T' within these sub-strings indicates the beginning of the time portion of each sub-string. The solidus character '/' separates the start from the end date and time. The end date and time MUST be subsequent to the start date and

time.

There are also two allowed substitutes for a 'yyyymmddThhmmss' sub-string: one for the start date and time, and one for the end date and time.

If the start date and time are replaced with the string 'THISANDPRIOR', this sub-string would indicate the current date and time and the previous dates and time.

If the end date and time are replaced with the string

'THISANDFUTURE', this sub-string would indicate the current date and time and the subsequent dates and time.

Any of the following SHOULD be considered a 'wrongValue' error:

- Setting a value with the end date and time earlier than or equal to the start date and time.
- Setting the start date and time to 'THISANDFUTURE'.
- Setting the end date and time to 'THISANDPRIOR'."

REFERENCE "RFC 3060, 3269"

SYNTAX OCTET STRING (SIZE (0..31))

--

-- Policy group definitions

--

spdLocalConfigObjects

OBJECT IDENTIFIER

::= { spdConfigObjects 1 }

spdIngressPolicyGroupName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(0..32))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object indicates the global system policy group that is to be applied on ingress packets (i.e., arriving at an interface from a network) when a given endpoint does not contain a policy definition in the spdEndpointToGroupTable. Its value can be used as an index into the spdGroupContentsTable to retrieve a list of policies. A zero length string indicates that no system-wide policy exists and the default policy of 'drop' SHOULD be executed for ingress packets until one is imposed by either this object or by the endpoint processing a given packet.

This object MUST be persistent"

DEFVAL { "" }

::= { spdLocalConfigObjects 1 }

spdEgressPolicyGroupName OBJECT-TYPE

SYNTAX

SnmpAdminString (SIZE(0..32))

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"This object indicates the policy group containing the global system policy that is to be applied on egress packets (i.e., packets leaving an interface and entering a network) when a given endpoint does not contain a policy definition in the spdEndpointToGroupTable. Its value can be used as an index into the spdGroupContentsTable to retrieve a list of policies. A zero length string indicates that no system-wide policy exists and the default policy of 'drop' SHOULD be executed for egress packets until one is imposed by either this object or by the endpoint processing a given packet.

This object MUST be persistent"

DEFVAL { "" }

::= { spdLocalConfigObjects 2 }

spdEndpointToGroupTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdEndpointToGroupEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table maps policies (groupings) onto an endpoint (interface). A policy group assigned to an endpoint is then used to control access to the network traffic passing through that endpoint.

If an endpoint has been configured with a policy group and no rule within that policy group matches that packet, the default action in this case SHALL be to drop the packet.

If no policy group has been assigned to an endpoint, then the policy group specified by spdIngressPolicyGroupName MUST be used on traffic inbound from the network through that endpoint, and the policy group specified by spdEgressPolicyGroupName MUST be used for traffic outbound to the network through that endpoint."

::= { spdConfigObjects 2 }

spdEndpointToGroupEntry OBJECT-TYPE

SYNTAX SpdEndpointToGroupEntry

MAX-ACCESS not-accessible

STATUS

current

DESCRIPTION

"A mapping assigning a policy group to an endpoint."

INDEX { spdEndGroupDirection, spdEndGroupInterface }
 ::= { spdEndpointToGroupTable 1 }

SpdEndpointToGroupEntry ::= SEQUENCE {
 spdEndGroupDirection IfDirection,
 spdEndGroupInterface InterfaceIndex,
 spdEndGroupName SnmpAdminString,
 spdEndGroupLastChanged TimeStamp,
 spdEndGroupStorageType StorageType,
 spdEndGroupRowStatus RowStatus
}

spdEndGroupDirection OBJECT-TYPE

SYNTAX IfDirection

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This object indicates which direction of packets crossing the interface are associated with which spdEndGroupName object. Ingress packets, or packets into the device match when this value is inbound(1). Egress packets or packets out

of the device match when this value is outbound(2)."

::= { spdEndpointToGroupEntry 1 }

spdEndGroupInterface OBJECT-TYPE

SYNTAX InterfaceIndex

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This value matches the IF-MIB's ifTable's ifIndex column and indicates the interface associated with a given endpoint. This object can be used to uniquely identify an endpoint that a set of policy groups are applied to."

::= { spdEndpointToGroupEntry 2 }

spdEndGroupName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The policy group name to apply at this endpoint. The value of the spdEndGroupName object is then used as an

index into the spdGroupContentsTable to come up with a list of rules that MUST be applied at this endpoint."
::= { spdEndpointToGroupEntry 3 }

spdEndGroupLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdEndpointToGroupEntry 4 }

spdEndGroupStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdEndpointToGroupEntry 5 }

spdEndGroupRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object is considered 'notReady' and MUST NOT be set to active until one or more active rows exist within the

```

    spdGroupContentsTable for the group referenced by the
    spdEndGroupName object."
 ::= { spdEndpointToGroupEntry 6 }

--
-- policy group definition table
--

spdGroupContentsTable OBJECT-TYPE
    SYNTAX    SEQUENCE OF SpdGroupContentsEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "This table contains a list of rules and/or subgroups
        contained within a given policy group. For a given value
        of spdGroupContName, the set of rows sharing that value
        forms a 'group'. The rows in a group MUST be processed
        according to the value of the spdGroupContPriority
        object
        in each row. The processing MUST be executed starting with
        the lowest value of spdGroupContPriority and in ascending
        order thereafter.

        If an action is executed as the result of the processing of
        a row in a group, the processing of further rows in that
        group MUST stop. Iterating to the next policy group row by
        finding the next largest spdGroupContPriority object SHALL
        only be done if no actions were run while processing the
        current row for a given packet."
 ::= { spdConfigObjects 3 }

spdGroupContentsEntry OBJECT-TYPE
    SYNTAX    SpdGroupContentsEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "Defines a given sub-component within a policy group. A
        sub-component is either a rule or another group as
        indicated by spdGroupContComponentType and referenced by
        spdGroupContComponentName."

    INDEX { spdGroupContName,
            spdGroupContPriority }
 ::= { spdGroupContentsTable 1 }

SpdGroupContentsEntry ::= SEQUENCE {

```

```

spdGroupContName          SnmpAdminString,
spdGroupContPriority      Integer32,
spdGroupContFilter        VariablePointer,
spdGroupContComponentType INTEGER,
spdGroupContComponentName SnmpAdminString,
spdGroupContLastChanged   TimeStamp,
spdGroupContStorageType   StorageType,
spdGroupContRowStatus     RowStatus
}

```

spdGroupContName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The administrative name of the group associated with this row. A 'group' is formed by all the rows in this table that have the same value of this object."

::= { spdGroupContentsEntry 1 }

spdGroupContPriority OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority (sequence number) of the sub-component in a group that this row represents. This value indicates the order that each row of this table MUST be processed from low to high. For example, a row with a priority of 0 is processed before a row with a priority of 1, a 1 before a 2, etc."

::= { spdGroupContentsEntry 2 }

spdGroupContFilter OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"spdGroupContFilter points to a filter that is evaluated to determine whether the spdGroupContComponentName within this row is exercised. Managers can use this object to classify groups of rules, or subgroups, together in order to achieve a greater degree of control and optimization over the execution order of the items within the group. If the

filter evaluates to false, the rule or subgroup will be skipped and the next rule or subgroup will be evaluated instead. This value can be used to indicate a scalar or row in a table. When indicating a row in a table, this value MUST point to the first column instance in that row.

An example usage of this object would be to limit a group of rules to executing only when the IP packet being processed is designated to be processed by IKE. This effectively creates a group of IKE-specific rules.

The following tables and scalars can be pointed to by this column. All but diffServMultiFieldClfrTable are defined in this MIB:

- diffServMultiFieldClfrTable
- spdIpOffsetFilterTable
- spdTimeFilterTable
- spdCompoundFilterTable
- spdTrueFilter
- spdIpsoHeaderFilterTable

Implementations MAY choose to provide support for other filter tables or scalars.

If this column is set to a VariablePointer value, which references a non-existent row in an otherwise supported table, the inconsistentName exception MUST be returned. If the table or scalar pointed to by the VariablePointer is not supported at all, then an inconsistentValue exception MUST be returned.

If, during packet processing, a row in this table is applied to a packet and the value of this column in that row references a non-existent or non-supported object, the packet MUST be dropped."

REFERENCE "RFC 3289"

DEFVAL { spdTrueFilterInstance }

::= { spdGroupContentsEntry 3 }

spdGroupContComponentType OBJECT-TYPE

SYNTAX INTEGER { group(1), rule(2) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the spdGroupContComponentName object

is the name of another group
defined within the
spdGroupContentsTable or is the name of a rule defined

within the spdRuleDefinitionTable."

DEFVAL { rule }

::= { spdGroupContentsEntry 4 }

spdGroupContComponentName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The name of the policy rule or subgroup contained within
this row, as indicated by the spdGroupContComponentType
object."

::= { spdGroupContentsEntry 5 }

spdGroupContLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified
or created either through SNMP SETs or by some other
external means.

If this row has not been modified since the last
re-initialization of the network management subsystem,
this object SHOULD have a zero value."

::= { spdGroupContentsEntry

6 }

spdGroupContStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that
were created through an external process MAY have a storage
type of readOnly or permanent.

For a storage type of permanent, none of the columns have
to be writable."

DEFVAL { nonVolatile }

::= { spdGroupContentsEntry 7 }

spdGroupContRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object MUST NOT be set to active until the row to which the spdGroupContComponentName points to exists and is active.

If active, this object MUST remain active unless one of the

following two conditions are met:

I. No active row in spdEndpointToGroupTable exists that references this row's group (i.e., indicate this row's spdGroupContName).

II. Or at least one other active row in this table has a matching spdGroupContName.

If neither condition is met, an attempt to set this row to something other than active MUST result in an inconsistentValue error."

::= { spdGroupContentsEntry 8 }

--

-- policy definition table

--

spdRuleDefinitionTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdRuleDefinitionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table defines a rule by associating a filter or a set of filters to an action to be executed."

::= { spdConfigObjects 4 }

spdRuleDefinitionEntry OBJECT-TYPE

SYNTAX SpdRuleDefinitionEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "A row defining a particular rule definition. A rule definition binds a filter pointer to an action pointer."
 INDEX { spdRuleDefName }
 ::= { spdRuleDefinitionTable 1 }

SpdRuleDefinitionEntry ::= SEQUENCE {
 spdRuleDefName SnmpAdminString,

 spdRuleDefDescription SnmpAdminString,
 spdRuleDefFilter VariablePointer,
 spdRuleDefFilterNegated TruthValue,
 spdRuleDefAction VariablePointer,
 spdRuleDefAdminStatus SpdAdminStatus,
 spdRuleDefLastChanged TimeStamp,
 spdRuleDefStorageType StorageType,
 spdRuleDefRowStatus RowStatus
 }

spdRuleDefName OBJECT-TYPE
 SYNTAX SnmpAdminString (SIZE(1..32))
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "spdRuleDefName is the administratively assigned name of

 the rule referred to by the spdGroupContComponentName
 object."
 ::= { spdRuleDefinitionEntry 1 }

spdRuleDefDescription OBJECT-TYPE
 SYNTAX SnmpAdminString
 MAX-ACCESS read-create
 STATUS current
 DESCRIPTION
 "A user defined string. This field MAY be used for
 administrative tracking purposes."
 DEFVAL { "" }
 ::= { spdRuleDefinitionEntry 2 }

spdRuleDefFilter OBJECT-TYPE
 SYNTAX VariablePointer
 MAX-ACCESS read-create

STATUS current

DESCRIPTION

"spdRuleDefFilter points to a filter that is used to evaluate whether the action associated with this row is executed or not. The action will only execute if the filter referenced by this object evaluates to TRUE after first applying any negation required by the spdRuleDefFilterNegated object.

The following tables and scalars can be pointed to by this column. All but diffServMultiFieldClfrTable are defined in this MIB. Implementations MAY choose to provide support for other filter tables or scalars as well:

diffServMultiFieldClfrTable

spdIpOffsetFilterTable
spdTimeFilterTable
spdCompoundFilterTable
spdTrueFilter

If this column is set to a VariablePointer value, which references a non-existent row in an otherwise supported table, the inconsistentName exception MUST be returned. If the table or scalar pointed to by the VariablePointer is not supported at all, then an inconsistentValue exception MUST be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet MUST be dropped."

REFERENCE "RFC 3289"

::= { spdRuleDefinitionEntry 3 }

spdRuleDefFilterNegated OBJECT-TYPE

SYNTAX TruthValue

MAX-ACCESS

read-create

STATUS current

DESCRIPTION

"spdRuleDefFilterNegated specifies whether or not the results of the filter referenced by the spdRuleDefFilter object is negated."

DEFVAL { false }

::= { spdRuleDefinitionEntry 4 }

spdRuleDefAction OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This column points to the action to be taken. It MAY, but is not limited to, point to a row in one of the following tables:

spdCompoundActionTable
ipsaSaPreconfiguredActionTable
ipiaIkeActionTable
ipiaIpssecActionTable

It MAY also point to one of the scalar objects beneath spdStaticActions.

If this object is set to a pointer to a row in an unsupported (or unknown) table, an inconsistentValue

error MUST be returned.

If this object is set to point to a non-existent row in an otherwise supported table, an inconsistentName error MUST be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet MUST be dropped."

::= { spdRuleDefinitionEntry 5 }

spdRuleDefAdminStatus OBJECT-TYPE

SYNTAX SpdAdminStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the current rule definition is considered active. If the value is enabled, the rule MUST be evaluated when processing packets. If the value is disabled, the packet processing MUST continue as if this rule's filter had effectively failed."

DEFVAL { enabled }

::= { spdRuleDefinitionEntry 6 }

spdRuleDefLastChanged OBJECT-TYPE

SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The value of sysUpTime when this row was last modified

or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdRuleDefinitionEntry 7 }

spdRuleDefStorageType OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have

to be writable."

DEFVAL { nonVolatile }
::= { spdRuleDefinitionEntry 8 }

spdRuleDefRowStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object MUST NOT be set to active until the containing conditions, filters, and actions have been defined. Once active, it MUST remain active until no active policyGroupContents entries are referencing it. A failed attempt to do so MUST return an inconsistentValue error."

```

 ::= { spdRuleDefinitionEntry 9 }

--
-- Policy compound filter definition table
--

spdCompoundFilterTable OBJECT-TYPE
    SYNTAX    SEQUENCE OF SpdCompoundFilterEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "A table defining compound filters and their associated
        parameters. A row in this table can be pointed to by a
        spdRuleDefFilter object."
 ::= { spdConfigObjects 5 }

spdCompoundFilterEntry OBJECT-TYPE
    SYNTAX    SpdCompoundFilterEntry
    MAX-ACCESS not-accessible
    STATUS    current
    DESCRIPTION
        "An entry
in the spdCompoundFilterTable. Each entry in this
        table represents a compound filter. A filter defined by
        this table is considered to have a TRUE return value if and
        only if:

        spdCompFiltLogicType is AND and all of the sub-filters
        associated with it, as defined in the spdSubfiltersTable,
        are all true themselves (after applying any required

        negation, as defined by the ficFilterIsNegated object).

        spdCompFiltLogicType is OR and at least one of the
        sub-filters associated with it, as defined in the
        spdSubfiltersTable, is true itself (after applying any
        required negation, as defined by the ficFilterIsNegated
        object."
    INDEX    { spdCompFiltName }
 ::= { spdCompoundFilterTable 1 }

SpdCompoundFilterEntry ::= SEQUENCE {
    spdCompFiltName          SnmpAdminString,
    spdCompFiltDescription   SnmpAdminString,
    spdCompFiltLogicType

```

```

        SpdBooleanOperator,
spdCompFiltLastChanged      TimeStamp,
spdCompFiltStorageType     StorageType,
spdCompFiltRowStatus       RowStatus
}

```

spdCompFiltName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A user definable string. This value is used as an index into this table."

::= { spdCompoundFilterEntry 1 }

spdCompFiltDescription OBJECT-TYPE

SYNTAX SnmpAdminString

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A user definable string. This field MAY be used for your administrative tracking purposes."

DEFVAL { "" }

::= { spdCompoundFilterEntry 2 }

spdCompFiltLogicType OBJECT-TYPE

SYNTAX SpdBooleanOperator

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates whether the sub-component filters of this compound

filter are functionally ANDed or ORed together."

DEFVAL { and }

::= { spdCompoundFilterEntry 3 }

spdCompFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means."

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."
::= { spdCompoundFilterEntry 4 }

spdCompFiltStorageType OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdCompoundFilterEntry 5 }

spdCompFiltRowStatus OBJECT-TYPE

SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

Once active, it MUST NOT have its value changed if any active rows in the spdRuleDefinitionTable are currently pointing at this row."

::= { spdCompoundFilterEntry 6 }

--

-- Policy filters in a cf table

--

spdSubfiltersTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdSubfiltersEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION

"This table defines a list of filters contained within a

given compound filter defined in the
spdCompoundFilterTable."
::= { spdConfigObjects 6 }

spdSubfiltersEntry OBJECT-TYPE

SYNTAX SpdSubfiltersEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An entry in the spdSubfiltersTable. There is an entry in
this table for each sub-filter of all compound filters
present in the spdCompoundFilterTable."

INDEX { spdCompFiltName, spdSubFiltPriority }

::= { spdSubfiltersTable 1 }

SpdSubfiltersEntry ::= SEQUENCE {

spdSubFiltPriority Integer32,

spdSubFiltSubfilter VariablePointer,

spdSubFiltSubfilterIsNegated TruthValue,

spdSubFiltLastChanged TimeStamp,

spdSubFiltStorageType StorageType,

spdSubFiltRowStatus RowStatus

}

spdSubFiltPriority OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority of a given filter within a compound filter.
The order of execution is from lowest to highest priority
value (i.e., priority 0 before priority 1, 1 before 2,
etc.). Implementations MAY choose to follow this ordering,
as set by the manager that created the rows. This can allow
a manager to intelligently construct filter lists such that
faster filters are evaluated first."

::= { spdSubfiltersEntry 1 }

spdSubFiltSubfilter OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The OID of the contained filter. The value of this
object is a VariablePointer that references the filter to

be included in this compound filter.

The following tables and scalars can be pointed to by this column. All but diffServMultiFieldClfrTable are defined in this MIB. Implementations MAY choose to provide support for other filter tables or scalars as well:

```
diffServMultiFieldClfrTable
spdIpsoHeaderFilterTable
spdIpOffsetFilterTable
spdTimeFilterTable
spdCompoundFilterTable
spdTrueFilter
```

If this column is set to a VariablePointer value that references a non-existent row in an otherwise supported table, the inconsistentName exception MUST be returned. If the table or scalar pointed to by the VariablePointer is not supported at all, then an inconsistentValue exception MUST be returned.

If, during packet processing, this column has a value that references a non-existent or non-supported object, the packet MUST be dropped."

```
REFERENCE "RFC 3289"
::= { spdSubfiltersEntry 2 }
```

spdSubFiltSubfilterIsNegated OBJECT-TYPE

```
SYNTAX TruthValue
MAX-ACCESS read-create
STATUS current
DESCRIPTION
```

"Indicates whether or not the result of applying this sub-filter is negated."

```
DEFVAL { false }
::= { spdSubfiltersEntry
3 }
```

spdSubFiltLastChanged OBJECT-TYPE

```
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION
```

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdSubfiltersEntry 4 }

spdSubFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdSubfiltersEntry 5 }

spdSubFiltRowStatus OBJECT-TYPE

SYNTAX

RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

This object cannot be made active until a filter referenced by the spdSubFiltSubfilter object is both defined and active. An attempt to do so MUST result in an inconsistentValue error.

If active, this object MUST remain active unless one of the following two conditions are met:

- I. No active row in the SpdCompoundFilterTable exists that has a matching spdCompFiltName.
- II. Or, at least one other active row in this table has a matching spdCompFiltName.

If neither condition is met, an attempt to set this row to something other than active MUST result in an

```

    inconsistentValue error."
 ::=
 { spdSubfiltersEntry 6 }

--
-- Static Filters
--

spdStaticFilters OBJECT IDENTIFIER ::= { spdConfigObjects 7 }

spdTrueFilter OBJECT-TYPE
    SYNTAX      Integer32 (1)
    MAX-ACCESS  read-only
    STATUS      current
    DESCRIPTION
        "This scalar indicates a (automatic) true result for
        a filter. That is, this is a filter that is always
        true; it is useful for adding as a default filter for a
        default action or a set of actions."
    ::= { spdStaticFilters 1 }

spdTrueFilterInstance OBJECT IDENTIFIER ::= { spdTrueFilter 0 }

--
-- Policy IP Offset filter definition table
--

spdIpOffsetFilterTable OBJECT-TYPE
    SYNTAX      SEQUENCE OF SpdIpOffsetFilterEntry
    MAX-ACCESS  not-accessible
    STATUS      current
    DESCRIPTION
        "This table contains a list of filter definitions to be
        used within the spdRuleDefinitionTable or the
        spdSubfiltersTable.

        This type of filter is used
        to compare an administrator
        specified octet string to the octets at a particular
        location in a packet."
    ::= { spdConfigObjects 8 }

spdIpOffsetFilterEntry OBJECT-TYPE

```

SYNTAX SpdIpOffsetFilterEntry
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "A definition of a particular filter."
 INDEX { spdIpOffFiltName }
 ::= { spdIpOffsetFilterTable 1 }

```
SpdIpOffsetFilterEntry ::= SEQUENCE {
    spdIpOffFiltName      SnmpAdminString,
    spdIpOffFiltOffset    Unsigned32,
    spdIpOffFiltType      INTEGER,
    spdIpOffFiltValue     OCTET STRING,
    spdIpOffFiltLastChanged TimeStamp,
    spdIpOffFiltStorageType StorageType,
    spdIpOffFiltRowStatus RowStatus
}
```

spdIpOffFiltName OBJECT-TYPE
 SYNTAX SnmpAdminString (SIZE(1..32))
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "The administrative name for this filter."
 ::= { spdIpOffsetFilterEntry 1 }

spdIpOffFiltOffset OBJECT-TYPE
 SYNTAX Unsigned32 (0..65535)
 MAX-ACCESS read-create
 STATUS current
 DESCRIPTION
 "This is the byte offset from the front of the entire IP packet where the value or arithmetic comparison is done. A value of '0' indicates the first byte of the packet header. If this value is greater than the length of the packet, the filter represented by this row should be considered to fail."
 ::= { spdIpOffsetFilterEntry 2 }

spdIpOffFiltType OBJECT-TYPE
 SYNTAX INTEGER { equal(1),
 notEqual(2),
 arithmeticLess(3),
 arithmeticGreaterOrEqual(4),
 arithmeticGreater(5),

arithmeticLessOrEqual(6) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This defines the various tests that are used when evaluating a given filter.

The various tests definable in this table are as follows:

equal:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', matches

a value in the packet starting at the given offset in the packet and comparing the entire OCTET STRING of 'spdIpOffFiltValue'. Any values compared this way are assumed to be unsigned integer values in network byte order of the same length as 'spdIpOffFiltValue'.

notEqual:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', does not match a value in the packet starting at the given offset in the packet and comparing to the entire OCTET STRING of 'spdIpOffFiltValue'. Any values compared this way are assumed to be unsigned integer values in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticLess:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically less than ('<') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticGreaterOrEqual:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically greater than or equal to ('>=') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticGreater:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is

arithmetically greater than ('>') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'.

arithmeticLessOrEqual:

- Tests if the OCTET STRING, 'spdIpOffFiltValue', is arithmetically less than or equal to ('<=') the value starting at the given offset within the packet. The value in the packet is assumed to be an unsigned integer in network byte order of the same length as 'spdIpOffFiltValue'."

::= { spdIpOffsetFilterEntry 3 }

spdIpOffFiltValue OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(1..1024))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"spdIpOffFiltValue is used for match comparisons of a packet at spdIpOffFiltOffset."

::= { spdIpOffsetFilterEntry 4 }

spdIpOffFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdIpOffsetFilterEntry 5 }

spdIpOffFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdIpOffsetFilterEntry 6 }

spdIpOffFiltRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

If active, this object MUST remain active if it is

referenced by an active row in another table. An attempt to set it to anything other than active while it is referenced by an active row in another table MUST result in an inconsistentValue error."

::= { spdIpOffsetFilterEntry 7 }

--

-- Time/scheduling filter table

--

spdTimeFilterTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdTimeFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Defines a table of filters that can be used to effectively enable or disable policies based on a valid time range."

::= { spdConfigObjects 9 }

spdTimeFilterEntry OBJECT-TYPE

SYNTAX SpdTimeFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row describing a given time frame for which a policy is filtered on to activate or deactivate the rule.

If all the column objects in a row are true for the current time, the row evaluates as 'true'. More explicitly, the time matching column objects in a row MUST be logically ANDed together to form the boolean true/false for the row."

INDEX { spdTimeFiltName }

::= { spdTimeFilterTable 1 }

SpdTimeFilterEntry ::= SEQUENCE {

spdTimeFiltName SnmpAdminString,
spdTimeFiltPeriod SpdTimePeriod,
spdTimeFiltMonthOfYearMask BITS,
spdTimeFiltDayOfMonthMask OCTET STRING,
spdTimeFiltDayOfWeekMask BITS,
spdTimeFiltTimeOfDayMask SpdTimePeriod,
spdTimeFiltLastChanged TimeStamp,
spdTimeFiltStorageType StorageType,
spdTimeFiltRowStatus RowStatus

}

spdTimeFiltName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"An administratively assigned name for this filter."

::= { spdTimeFilterEntry 1 }

spdTimeFiltPeriod OBJECT-TYPE

SYNTAX SpdTimePeriod

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The valid time period for this filter. This column is considered 'true' if the current time is within the range of this object."

DEFVAL { "THISANDPRIOR/THISANDFUTURE" }

::= { spdTimeFilterEntry 2 }

spdTimeFiltMonthOfYearMask OBJECT-TYPE

SYNTAX BITS { january(0), february(1), march(2),
april(3), may(4), june(5), july(6),
august(7), september(8), october(9),
november(10), december(11) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A bit mask that indicates acceptable months of the year.

This column evaluates to 'true' if the current month's bit is set."

DEFVAL { { january, february, march,
april, may, june, july,
august, september, october, november, december } }
::= { spdTimeFilterEntry 3 }

spdTimeFiltDayOfMonthMask OBJECT-TYPE

SYNTAX OCTET STRING (SIZE(8))

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Defines which days of the month the current time is valid for. It is a sequence of 64 BITS, where each BIT represents a corresponding day of the month in forward or reverse order. Starting from the left-most bit, the first 31 bits identify the day of the month, counting from the beginning of the month. The following 31 bits (bits 32-62) indicate the day of the month, counting from the end of the

month. For months with fewer than 31 days, the bits that correspond to the non-existent days of that month are ignored (e.g., for non-leap year Februarys, bits 29-31 and 60-62 are ignored).

This column evaluates to 'true' if the current day of the month's bit is set.

For example, a value of 0X'80 00 00 01 00 00 00 00' indicates that this column evaluates to true on the first and last days of the month.

The last two bits in the string MUST be zero."

DEFVAL { 'ffffffffffffe'H }

::= { spdTimeFilterEntry 4 }

spdTimeFiltDayOfWeekMask OBJECT-TYPE

SYNTAX BITS { sunday(0), monday(1), tuesday(2),
wednesday(3), thursday(4), friday(5),
saturday(6) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"A bit mask that defines which days of the week that the current time is valid for. This column evaluates to 'true' if the current day of the week's bit is set."

DEFVAL { { monday, tuesday, wednesday, thursday, friday,
saturday, sunday } }

::= { spdTimeFilterEntry 5 }

spdTimeFiltTimeOfDayMask OBJECT-TYPE

SYNTAX SpdTimePeriod

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"Indicates the start and end time of the day for which this filter evaluates to true. The date portions of the spdTimePeriod TC are ignored for purposes of evaluating this mask, and only the time-specific portions are used.

This column evaluates to 'true' if the current time of day is within the range of the start and end times of the day indicated by this object."

DEFVAL { "00000000T000000/00000000T240000" }

::= { spdTimeFilterEntry 6 }

spdTimeFiltLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this

object SHOULD have a zero value."

::= { spdTimeFilterEntry 7 }

spdTimeFiltStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdTimeFilterEntry 8 }

spdTimeFiltRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

If active, this object MUST remain active if it is referenced by an active row in another table. An attempt to set

it to anything other than active while it is

referenced by an active row in another table MUST result in an inconsistentValue error."

::= { spdTimeFilterEntry 9 }

--

-- IPSO protection authority filtering

--

spdIpsHeaderFilterTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdIpsHeaderFilterEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains a list of IPSO header filter definitions to be used within the spdRuleDefinitionTable or

the spdSubfiltersTable. IPSO headers and their values are described in RFC 1108."
REFERENCE "RFC 1108"
::= { spdConfigObjects 10 }

spdIpsHeaderFilterEntry OBJECT-TYPE

SYNTAX SpdIpsHeaderFilterEntry
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"A definition of a particular filter."
INDEX { spdIpsHeaderFilterName }
::= { spdIpsHeaderFilterTable 1 }

SpdIpsHeaderFilterEntry ::= SEQUENCE

```
{  
    spdIpsHeaderFilterName          SmpAdminString,  
    spdIpsHeaderFilterType          BITS,  
    spdIpsHeaderFilterClassification INTEGER,  
    spdIpsHeaderFilterProtectionAuth INTEGER,  
    spdIpsHeaderFilterLastChanged   TimeStamp,  
    spdIpsHeaderFilterStorageType   StorageType,  
    spdIpsHeaderFilterRowStatus     RowStatus  
}
```

spdIpsHeaderFilterName OBJECT-TYPE

SYNTAX SmpAdminString (SIZE(1..32))
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The administrative name for this filter."
::= { spdIpsHeaderFilterEntry 1 }

spdIpsHeaderFilterType OBJECT-TYPE

SYNTAX BITS { classificationLevel(0),
 protectionAuthority(1) }
MAX-ACCESS read-create
STATUS current
DESCRIPTION
"This object indicates which of the IPSO header field a packet is filtered on for this row. If this object is set to classification(0), the spdIpsHeaderFilterClassification

object indicates how the packet is filtered. If this object is set to protectionAuthority(1), the spdIpsHeaderFilterProtectionAuth object indicates how the

packet is filtered."

::= { spdIpsHeaderFilterEntry 2 }

spdIpsHeaderFilterClassification OBJECT-TYPE

SYNTAX INTEGER { topSecret(61), secret(90),
confidential(150), unclassified(171) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the IPSO classification header field value that the packet MUST have for this row to evaluate to 'true'.

The values of these enumerations are defined by RFC 1108."

REFERENCE "RFC 1108"

::= { spdIpsHeaderFilterEntry 3 }

spdIpsHeaderFilterProtectionAuth OBJECT-TYPE

SYNTAX INTEGER { genser(0), siopesi(1), sci(2),
nsa(3), doe(4) }

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the IPSO protection authority header field value that the packet MUST have for this row to evaluate to 'true'.

The values of these enumerations are defined by RFC 1108.

Hence the reason the SMIV2 convention of not using 0 in enumerated lists is violated here."

REFERENCE "RFC 1108"

::= { spdIpsHeaderFilterEntry 4 }

spdIpsHeaderFilterLastChanged OBJECT-TYPE

SYNTAX TimeStamp

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

::= { spdIpsHeaderFilterEntry 5 }

spdIpsHeaderFilterStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS

current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdIpsHeaderFilterEntry 6 }

spdIpsHeaderFilterRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

However, this object MUST NOT be set to active if the requirements of the spdIpsHeaderFilterType object are not met. Specifically, if the spdIpsHeaderFilterType bit for classification(0) is set, the spdIpsHeaderFilterClassification column MUST have a valid value for the row

status to be set

to active. If the spdIpsHeaderFilterType bit for protectionAuthority(1) is set, the spdIpsHeaderFilterProtectionAuth column MUST have a valid value for the row status to be set to active.

If active, this object MUST remain active if it is referenced by an active row in another table. An attempt to set it to anything other than active while it is referenced by an active row in another table MUST result in an inconsistentValue error."

::= { spdIpsHeaderFilterEntry 7 }

--

-- compound actions table

--

spdCompoundActionTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdCompoundActionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Table used to allow multiple actions to be associated with a rule. It uses the spdSubactionsTable to do this.

The rows from spdSubactionsTable that are partially indexed by spdCompActName form the set of compound actions to be performed. The spdCompActExecutionStrategy column in this table indicates how those actions are processed."

::= { spdConfigObjects 11 }

spdCompoundActionEntry OBJECT-TYPE

SYNTAX SpdCompoundActionEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row in the spdCompoundActionTable."

INDEX { spdCompActName }

::= { spdCompoundActionTable 1 }

```
SpdCompoundActionEntry ::= SEQUENCE {  
    spdCompActName          SnmpAdminString,  
    spdCompActExecutionStrategy  INTEGER,  
    spdCompActLastChanged    TimeStamp,  
    spdCompActStorageType    StorageType,  
    spdCompActRowStatus      RowStatus  
}
```

spdCompActName OBJECT-TYPE

SYNTAX SnmpAdminString (SIZE(1..32))

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This is an administratively assigned name of this compound action."

::= { spdCompoundActionEntry
1 }

spdCompActExecutionStrategy OBJECT-TYPE

SYNTAX INTEGER { doAll(1),

doUntilSuccess(2),

```
doUntilFailure(3) }
MAX-ACCESS read-create
STATUS current
DESCRIPTION
    "This object indicates how the sub-actions are executed
    based on the success of the actions as they finish
    executing.
```

```
doAll - run each sub-action regardless of the
exit status of the previous action.
This parent action is always
considered to have acted successfully.
```

```
doUntilSuccess - run each sub-action until one succeeds,
at which point stop processing the
sub-actions within this parent
compound action. If one of the
sub-actions did execute successfully,
this parent
action is also considered
to have executed successfully.
```

```
doUntilFailure - run each sub-action until one fails,
at which point stop processing the
sub-actions within this compound
action. If any sub-action fails, the
result of this parent action is
considered to have failed."
```

```
DEFVAL { doUntilSuccess }
::= { spdCompoundActionEntry 2 }
```

spdCompActLastChanged OBJECT-TYPE

```
SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
```

DESCRIPTION

"The value of sysUpTime when this row was last modified or created either through SNMP SETs or by some other external means.

If this row has not been modified since the last re-initialization of the network management subsystem, this object SHOULD have a zero value."

```
::= { spdCompoundActionEntry
3 }
```

spdCompActStorageType OBJECT-TYPE

SYNTAX StorageType

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"The storage type for this row. Rows in this table that were created through an external process MAY have a storage type of readOnly or permanent.

For a storage type of permanent, none of the columns have to be writable."

DEFVAL { nonVolatile }

::= { spdCompoundActionEntry 4 }

spdCompActRowStatus OBJECT-TYPE

SYNTAX RowStatus

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

Once a row in the spdCompoundActionTable has been made active, this object MUST NOT be set to destroy without first destroying all the contained rows listed in the spdSubactionsTable."

::= { spdCompoundActionEntry 5 }

--

-- actions contained within a compound action

--

spdSubactionsTable OBJECT-TYPE

SYNTAX SEQUENCE OF SpdSubactionsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This table contains a list of the sub-actions within a given compound action. Compound actions executing these actions MUST execute them in series based on the spdSubActPriority value, with the lowest value executing first."

::= { spdConfigObjects 12 }

spdSubactionsEntry OBJECT-TYPE

SYNTAX SpdSubactionsEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"A row containing a reference to a given compound-action sub-action."

INDEX { spdCompActName, spdSubActPriority }

::= { spdSubactionsTable 1 }

SpdSubactionsEntry ::= SEQUENCE {

spdSubActPriority Integer32,

spdSubActSubActionName

VariablePointer,

spdSubActLastChanged TimeStamp,

spdSubActStorageType StorageType,

spdSubActRowStatus RowStatus

}

spdSubActPriority OBJECT-TYPE

SYNTAX Integer32 (0..65535)

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"The priority of a given sub-action within a compound action. The order in which sub-actions MUST be executed are based on the value from this column, with the lowest numeric value executing first (i.e., priority 0 before priority 1, 1 before 2, etc.)."

::= { spdSubactionsEntry 1 }

spdSubActSubActionName OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS read-create

STATUS current

DESCRIPTION

"This column points to the action to be taken. It MAY, but is not limited to, point to a row in one of the following tables:

spdCompoundActionTable

- Allowing recursion

ipsaSaPreconfiguredActionTable

ipiaIkeActionTable
ipiaIpsecActionTable

It MAY also point to one of the scalar objects beneath
spdStaticActions.

If this object is set to a pointer to a row in an
unsupported (or unknown) table, an inconsistentValue
error MUST be returned.

If this object is set to point to a non-existent row in
an otherwise supported table, an inconsistentName error
MUST be returned.

If, during packet processing, this column has a value that
references a non-existent or non-supported object, the
packet MUST be dropped."

::= { spdSubactionsEntry 2 }

spdSubActLastChanged OBJECT-TYPE

SYNTAX TimeStamp
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"The value of sysUpTime when this row was last modified
or created either through SNMP SETs or by some other
external

means.

If this row has not been modified since the last
re-initialization of the network management subsystem, this
object SHOULD have a zero value."

::= { spdSubactionsEntry 3 }

spdSubActStorageType OBJECT-TYPE

SYNTAX StorageType
MAX-ACCESS read-create
STATUS current
DESCRIPTION

"The storage type for this row. Rows in this table that
were created through an external process MAY have a storage
type of readOnly or permanent.

For a storage type of permanent, none of the columns have
to be writable."

```
DEFVAL { nonVolatile }
::= { spdSubactionsEntry 4 }
```

spdSubActRowStatus OBJECT-TYPE

```
SYNTAX RowStatus
MAX-ACCESS read-create
STATUS current
DESCRIPTION
```

"This object indicates the conceptual status of this row.

The value of this object has no effect on whether other objects in this conceptual row can be modified.

If active, this object MUST remain active unless one of the following two conditions are met. An attempt to set it to anything other than active while the following conditions are not met MUST result in an inconsistentValue error. The two conditions are:

I. No active row in the spdCompoundActionTable exists which has a matching spdCompActName.

II. Or, at least one other active row in this table has a matching spdCompActName."

```
::= { spdSubactionsEntry 5 }
```

```
--
```

```
-- Static Actions
```

```
--
```

```
-- these are static actions that can be pointed to by the
-- spdRuleDefAction or the spdSubActSubActionName objects to
-- drop, accept, or reject packets.
```

```
spdStaticActions OBJECT IDENTIFIER ::= { spdConfigObjects 13 }
```

spdDropAction OBJECT-TYPE

```
SYNTAX Integer32 (1)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
```

"This scalar indicates that a packet MUST be dropped and SHOULD

NOT have action/packet logging."

::= { spdStaticActions 1 }

spdDropActionLog OBJECT-TYPE

SYNTAX Integer32 (1)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This scalar indicates that a packet MUST be dropped
and SHOULD have action/packet logging."

::= { spdStaticActions 2 }

spdAcceptAction OBJECT-TYPE

SYNTAX Integer32 (1)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This Scalar indicates that a packet MUST be accepted
(pass-through) and SHOULD NOT have action/packet logging."

::= { spdStaticActions 3 }

spdAcceptActionLog OBJECT-TYPE

SYNTAX Integer32 (1)

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This scalar indicates that a packet MUST be accepted
(pass-through) and SHOULD have action/packet logging."

::= { spdStaticActions 4 }

--

--

-- Notification objects information

--

--

spdNotificationVariables OBJECT IDENTIFIER

::=

{ spdNotificationObjects 1 }

spdNotifications OBJECT IDENTIFIER ::=

{ spdNotificationObjects 0 }

spdActionExecuted OBJECT-TYPE

SYNTAX VariablePointer

MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"Points to the action instance that was executed that
resulted in the notification being sent."
::= { spdNotificationVariables 1 }

spdIPEndpointAddType OBJECT-TYPE
SYNTAX InetAddressType
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"Contains the address type for the interface that the
notification triggering packet is passing through."
::= { spdNotificationVariables 2 }

spdIPEndpointAddress OBJECT-TYPE
SYNTAX InetAddress
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"Contains the interface address for the interface that the
notification triggering packet is passing through.

The format of
this object is specified by the
spdIPEndpointAddType object."
::= { spdNotificationVariables 3 }

spdIPSourceType OBJECT-TYPE
SYNTAX InetAddressType
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"Contains the source address type of the packet that

triggered the notification."
::= { spdNotificationVariables 4 }

spdIPSourceAddress OBJECT-TYPE
SYNTAX InetAddress
MAX-ACCESS accessible-for-notify
STATUS current
DESCRIPTION
"Contains the source address of the packet that
triggered the notification.

The format of this object is specified by the
spdIPSourceType object."

::= { spdNotificationVariables 5 }

spdIPDestinationType OBJECT-TYPE

SYNTAX InetAddressType

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"Contains the destination address type of the packet
that triggered the notification."

::= { spdNotificationVariables 6 }

spdIPDestinationAddress OBJECT-TYPE

SYNTAX InetAddress

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"Contains the destination address of the packet that
triggered the notification.

The format of this object is specified by the
spdIPDestinationType object."

::= { spdNotificationVariables 7 }

spdPacketDirection OBJECT-TYPE

SYNTAX IfDirection

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"Indicates if the packet that triggered the action in
questions was ingress (inbound) or egress (outbound)."

::= { spdNotificationVariables 8 }

spdPacketPart OBJECT-TYPE

SYNTAX OCTET STRING (SIZE (0..65535))

MAX-ACCESS accessible-for-notify

STATUS current

DESCRIPTION

"spdPacketPart is the front part of the full IP packet that
triggered this notification. The initial size limit

is

determined by the smaller of the size, indicated by:

- I. The value of the object with the TC syntax 'SpdIPPacketLogging' that indicated the packet SHOULD be logged and
- II. The size of the triggering packet.

The final limit is determined by the SNMP packet size when sending the notification. The maximum size that can be included will be the smaller of the initial size, given the above, and the length that will fit in a single SNMP notification packet after the rest of the notification's objects and any other necessary packet data (headers encoding, etc.) have been included in the packet."

::= { spdNotificationVariables 9 }

spdActionNotification NOTIFICATION-TYPE

OBJECTS { spdActionExecuted, spdIPEndpointAddType, spdIPEndpointAddress, spdIPSourceType, spdIPSourceAddress, spdIPDestinationType, spdIPDestinationAddress, spdPacketDirection }

STATUS current

DESCRIPTION

"Notification that an action was executed by a rule.

Only actions with logging enabled will result in this notification getting sent. The object includes the spdActionExecuted object, which will indicate which action was executed within the scope of the rule. Additionally, the spdIPSourceType, spdIPSourceAddress, spdIPDestinationType, and spdIPDestinationAddress objects are included to indicate the packet source and destination of the packet that triggered the action. Finally, the spdIPEndpointAddType, spdIPEndpointAddress, and spdPacketDirection objects indicate which interface the executed action was associated with, and if the packet was ingress or egress through the endpoint.

A spdActionNotification SHOULD be limited to a maximum of one notification sent per minute

for any action

notifications that do not have any other configuration controlling their send rate.

Note that compound actions with multiple executed sub-actions may result in multiple notifications being sent

from a single rule execution."

::= { spdNotifications 1 }

spdPacketNotification NOTIFICATION-TYPE

OBJECTS { spdActionExecuted, spdIPEndpointAddType,
spdIPEndpointAddress,
spdIPSourceType, spdIPSourceAddress,
spdIPDestinationType,
spdIPDestinationAddress,
spdPacketDirection,
spdPacketPart }

STATUS current

DESCRIPTION

"Notification that a packet passed through a Security Association (SA). Only SAs created by actions with packet logging enabled will result in this notification getting sent. The objects sent MUST include the spdActionExecuted, which will indicate which action was executed

within the

scope of the rule. Additionally, the spdIPSourceType, spdIPSourceAddress, spdIPDestinationType, and spdIPDestinationAddress objects MUST be included to indicate the packet source and destination of the packet that triggered the action. The spdIPEndpointAddType, spdIPEndpointAddress, and spdPacketDirection objects are included to indicate which endpoint the packet was associated with. Finally, spdPacketPart is included to enable sending a variable sized part of the front of the packet with the size dependent on the value of the object of TC syntax 'SpdIPPacketLogging', which indicated that logging should be done.

A spdPacketNotification SHOULD be limited to a maximum of one notification sent per minute for any action notifications that do not have any other configuration controlling their send rate.

An action notification

SHOULD be limited to a maximum of

one notification sent per minute for any action notifications that do not have any other configuration controlling their send rate."

::= { spdNotifications 2 }

--

--

-- Conformance information

```

--
--

spdCompliances OBJECT IDENTIFIER
    ::= { spdConformanceObjects 1 }
spdGroups OBJECT IDENTIFIER
    ::= { spdConformanceObjects 2 }

--
-- Compliance statements
--
--

spdRuleFilterFullCompliance MODULE-COMPLIANCE
    STATUS current
    DESCRIPTION
        "The compliance statement for SNMP entities that include
        an IPsec MIB implementation with Endpoint, Rules, and
        filters support.

        When this MIB is implemented with support for read-create,
        then such an implementation can claim full compliance. Such
        devices can then be both monitored and configured with this
        MIB."

MODULE -- This Module
    MANDATORY-GROUPS { spdEndpointGroup,

    spdGroupContentsGroup,
        spdRuleDefinitionGroup,
        spdStaticFilterGroup,
        spdStaticActionGroup ,
        diffServMIBMultiFieldClfrGroup }

GROUP spdIpsecSystemPolicyNameGroup
DESCRIPTION
    "This group is mandatory for IPsec Policy
    implementations that support a system policy group
    name."

GROUP spdCompoundFilterGroup
DESCRIPTION
    "This group is mandatory for IPsec Policy
    implementations that support compound filters."

GROUP spdIPOffsetFilterGroup

```

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support IP Offset filters. In general, this SHOULD be supported by a compliant IPsec

Policy implementation."

GROUP spdTimeFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support time filters."

GROUP spdIpsHeaderFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support IPSO Header filters."

GROUP spdCompoundActionGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support compound actions."

OBJECT spdEndGroupLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdGroupContComponentType

SYNTAX INTEGER {
 rule(2)
}

DESCRIPTION

"Support of the value group(1) is only required for implementations that support Policy Groups within Policy Groups."

OBJECT spdGroupContLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdRuleDefLastChanged

MIN-ACCESS not-accessible

DESCRIPTION

"This object not required for compliance."

OBJECT spdCompFiltLastChanged
MIN-ACCESS not-accessible
DESCRIPTION
"This object not required for compliance."

OBJECT spdSubFiltLastChanged
MIN-ACCESS not-accessible

DESCRIPTION
"This object not required for compliance."

OBJECT spdIpOffFiltLastChanged
MIN-ACCESS not-accessible
DESCRIPTION
"This object not required for compliance."

OBJECT spdTimeFiltLastChanged
MIN-ACCESS not-accessible
DESCRIPTION
"This object not required for compliance."

OBJECT spdIpsoHeadFiltLastChanged
MIN-ACCESS not-accessible
DESCRIPTION
"This object not required for compliance."

OBJECT spdCompActLastChanged
MIN-ACCESS
not-accessible
DESCRIPTION
"This object not required for compliance."

OBJECT spdSubActLastChanged
MIN-ACCESS not-accessible
DESCRIPTION
"This object not required for compliance."

OBJECT diffServMultiFieldClfrNextFree
MIN-ACCESS not-accessible
DESCRIPTION
"This object is not required for compliance."

::= { spdCompliances 1 }

spdLoggingCompliance MODULE-COMPLIANCE

```

STATUS    current
DESCRIPTION
    "The compliance statement for SNMP entities that support
    sending notifications when actions are invoked."
MODULE -- This Module
    MANDATORY-GROUPS { spdActionLoggingObjectGroup,
        spdActionNotificationGroup }

 ::= { spdCompliances 2 }

--

-- ReadOnly Compliances
--
spdRuleFilterReadOnlyCompliance MODULE-COMPLIANCE
STATUS    current
DESCRIPTION
    "The compliance statement for SNMP entities that include
    an IPsec MIB implementation with Endpoint, Rules, and
    filters support.

    If this MIB is implemented without support for read-create
    (i.e., in read-only), it is not in full compliance, but it
    can claim read-only compliance. Such a device can then be
    monitored, but cannot be configured with this MIB."

MODULE -- This Module
    MANDATORY-GROUPS { spdEndpointGroup,
        spdGroupContentsGroup,
        spdRuleDefinitionGroup,
        spdStaticFilterGroup,
        spdStaticActionGroup ,
        diffServMIBMultiFieldClfrGroup }

GROUP spdIpsecSystemPolicyNameGroup
DESCRIPTION
    "This group is mandatory for IPsec Policy
    implementations that support a system policy group
    name."

GROUP spdCompoundFilterGroup
DESCRIPTION
    "This group is mandatory for IPsec Policy
    implementations that support compound filters."

GROUP spdIPOffsetFilterGroup

```

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support IP Offset filters. In general, this SHOULD be supported by a compliant IPsec Policy implementation."

GROUP spdTimeFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support time filters."

GROUP spdIpsHeaderFilterGroup

DESCRIPTION

"This group is mandatory for IPsec Policy

implementations that support IPSO Header filters."

GROUP spdCompoundActionGroup

DESCRIPTION

"This group is mandatory for IPsec Policy implementations that support compound actions."

OBJECT spdCompActExecutionStrategy

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompActLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdCompActRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompActStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompFiltDescription

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdCompFiltLastChanged
DESCRIPTION
"This object is not required for compliance."

OBJECT spdCompFiltLogicType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdCompFiltRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdCompFiltStorageType

MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdEgressPolicyGroupName
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdEndGroupLastChanged
DESCRIPTION
"This object is not required for compliance."

OBJECT spdEndGroupName
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdEndGroupRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdEndGroupStorageType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdGroupContComponentName
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdGroupContComponentType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdGroupContFilter
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdGroupContLastChanged
DESCRIPTION
"This object is not required for compliance."

OBJECT spdGroupContRowStatus
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdGroupContStorageType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdIngressPolicyGroupName
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdIpOffFiltLastChanged
DESCRIPTION
"This object is not required for compliance."

OBJECT spdIpOffFiltOffset
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdIpOffFiltRowStatus
MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpOffFiltValue

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsoHeadFiltClassification

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsoHeadFiltLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdIpsoHeadFiltProtectionAuth

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsoHeadFiltRowStatus

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsoHeadFiltStorageType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdIpsoHeadFiltType

MIN-ACCESS read-only

DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefAction
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefAdminStatus
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefDescription
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefFilter
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefFilterNegated
MIN-ACCESS
read-only
DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefLastChanged

DESCRIPTION

"This object is not required for compliance."

OBJECT spdRuleDefRowStatus
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdRuleDefStorageType
MIN-ACCESS read-only
DESCRIPTION

"Write access is not required."

OBJECT spdSubActLastChanged
DESCRIPTION

"This object is not required for compliance."

OBJECT spdSubActRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdSubActStorageType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdSubActSubActionName
MIN-ACCESS read-only
DESCRIPTION
"Write access
is not required."

OBJECT spdSubFiltLastChanged
DESCRIPTION
"This object is not required for compliance."

OBJECT spdSubFiltRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdSubFiltStorageType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdSubFiltSubfilter
MIN-ACCESS read-only

DESCRIPTION
"Write access is not required."

OBJECT spdSubFiltSubfilterIsNegated
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdTimeFiltDayOfMonthMask
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdTimeFiltDayOfWeekMask
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT
spdTimeFiltLastChanged
DESCRIPTION
"This object is not required for compliance."

OBJECT spdTimeFiltMonthOfYearMask
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdTimeFiltPeriod
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdTimeFiltRowStatus
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdTimeFiltTimeOfDayMask
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

OBJECT spdTimeFiltStorageType
MIN-ACCESS read-only
DESCRIPTION
"Write access is not required."

::= { spdCompliances 3 }

--
--
-- Compliance Groups Definitions
--
--
-- Endpoint, Rule, Filter Compliance Groups
--

spdEndpointGroup OBJECT-GROUP
OBJECTS {
 spdEndGroupName,
 spdEndGroupLastChanged,
 spdEndGroupStorageType, spdEndGroupRowStatus
}
STATUS current
DESCRIPTION
 "This group is made up of objects from the IPsec Policy
 Endpoint Table."
::= { spdGroups 1 }

spdGroupContentsGroup OBJECT-GROUP
OBJECTS {
 spdGroupContComponentType, spdGroupContFilter,
 spdGroupContComponentName, spdGroupContLastChanged,
 spdGroupContStorageType, spdGroupContRowStatus
}
STATUS current
DESCRIPTION
 "This group is made up of objects from the IPsec Policy
 Group Contents Table."
::= { spdGroups 2 }

spdIpssecSystemPolicyNameGroup OBJECT-GROUP
OBJECTS {
 spdIngressPolicyGroupName,
 spdEgressPolicyGroupName
}
STATUS current
DESCRIPTION
 "This group is made up of objects represent the System
 Policy Group Names."
::= { spdGroups 3 }

spdRuleDefinitionGroup OBJECT-GROUP
OBJECTS {
 spdRuleDefDescription, spdRuleDefFilter,
 spdRuleDefFilterNegated, spdRuleDefAction,
 spdRuleDefAdminStatus, spdRuleDefLastChanged,

 spdRuleDefStorageType, spdRuleDefRowStatus
}
STATUS current
DESCRIPTION

"This group is made up of objects from the IPsec Policy Rule Definition Table."

::= { spdGroups 4 }

spdCompoundFilterGroup OBJECT-GROUP

OBJECTS {

spdCompFiltDescription, spdCompFiltLogicType,
spdCompFiltLastChanged, spdCompFiltStorageType,
spdCompFiltRowStatus, spdSubFiltSubfilter,
spdSubFiltSubfilterIsNegated, spdSubFiltLastChanged,
spdSubFiltStorageType, spdSubFiltRowStatus

}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy Compound Filter Table and Sub-Filter Table Group."

::= { spdGroups 5 }

spdStaticFilterGroup OBJECT-GROUP

OBJECTS { spdTrueFilter }

STATUS current

DESCRIPTION

"The static filter group. Currently this is just a true

filter."

::= { spdGroups 6 }

spdIPOffsetFilterGroup OBJECT-GROUP

OBJECTS {

spdIpOffFiltOffset, spdIpOffFiltType,
spdIpOffFiltValue, spdIpOffFiltLastChanged,
spdIpOffFiltStorageType, spdIpOffFiltRowStatus

}

STATUS current

DESCRIPTION

"This group is made up of objects from the IPsec Policy IP Offset Filter Table."

::= { spdGroups 7 }

spdTimeFilterGroup OBJECT-GROUP

OBJECTS {

spdTimeFiltPeriod,
spdTimeFiltMonthOfYearMask, spdTimeFiltDayOfMonthMask,
spdTimeFiltDayOfWeekMask, spdTimeFiltTimeOfDayMask,


```

    spdTimeFiltLastChanged,
    spdTimeFiltStorageType, spdTimeFiltRowStatus
}
STATUS current
DESCRIPTION
    "This group is made up of objects from the IPsec Policy Time
    Filter Table."
::= { spdGroups 8 }

spdIpsHeaderFilterGroup OBJECT-GROUP
OBJECTS {
    spdIpsHeaderFiltType, spdIpsHeaderFiltClassification,
    spdIpsHeaderFiltProtectionAuth,
    spdIpsHeaderFiltLastChanged,
    spdIpsHeaderFiltStorageType, spdIpsHeaderFiltRowStatus
}
STATUS current
DESCRIPTION
    "This group is made up of objects from the IPsec Policy IPSO
    Header Filter Table."
::= { spdGroups 9 }

--
-- action compliance groups
--

spdStaticActionGroup OBJECT-GROUP
OBJECTS {
    spdDropAction, spdAcceptAction,
    spdDropActionLog, spdAcceptActionLog
}
STATUS current
DESCRIPTION
    "This group is made up of objects from the IPsec Policy
    Static Actions."
::= { spdGroups 10 }

spdCompoundActionGroup OBJECT-GROUP
OBJECTS {
    spdCompActExecutionStrategy, spdCompActLastChanged,
    spdCompActStorageType,

    spdCompActRowStatus, spdSubActSubActionName,
    spdSubActLastChanged, spdSubActStorageType,
    spdSubActRowStatus
}
STATUS current
DESCRIPTION

```

"The IPsec Policy Compound Action Table and Actions In

```
Compound Action Table
Group."
 ::= { spdGroups 11 }

spdActionLoggingObjectGroup OBJECT-GROUP
OBJECTS {
    spdActionExecuted,
    spdIPEndpointAddType, spdIPEndpointAddress,
    spdIPSourceType,    spdIPSourceAddress,
    spdIPDestinationType, spdIPDestinationAddress,
    spdPacketDirection, spdPacketPart
}
STATUS current
DESCRIPTION
    "This group is made up of all the Notification objects for
    this MIB."
 ::= { spdGroups 12 }

spdActionNotificationGroup NOTIFICATION-GROUP
NOTIFICATIONS {
    spdActionNotification,
    spdPacketNotification
}
STATUS current
DESCRIPTION
    "This group is made up of all the Notifications for this MIB."
 ::= { spdGroups 13 }

END
```

Found in path(s):

```
* /opt/cola/permits/1114224902_1674671410.9193063/0/mibble-commercial-mibs-2-9-3-jar/mibs/ietf/IPSEC-SPD-
MIB
```

1.535 springsource-javax-jms 1.1.0

1.535.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* @(#)QueueRequestor.java 1.21 02/04/09
*
```

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueRequestor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)InvalidClientIDException.java 1.8 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/InvalidClientIDException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ExceptionListener.java 1.8 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ExceptionListener.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageNotReadableException.java 1.7 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageNotReadableException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageNotWriteableException.java 1.7 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageNotWriteableException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TransactionInProgressException.java 1.8 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TransactionInProgressException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)BytesMessage.java 1.31 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/BytesMessage.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TopicConnection.java 1.19 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TopicConnection.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageConsumer.java 1.19 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageConsumer.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XAConnectionFactory.java 1.14 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XATopicConnectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)Connection.java 1.22 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/Connection.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)QueueBrowser.java 1.20 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueBrowser.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ObjectMessage.java 1.19 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ObjectMessage.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ConnectionConsumer.java 1.16 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ConnectionConsumer.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XAConnectionFactory.java 1.10 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XAConnectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TemporaryQueue.java 1.13 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TemporaryQueue.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ResourceAllocationException.java 1.6 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ResourceAllocationException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)QueueReceiver.java 1.21 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueReceiver.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)JMSSecurityException.java 1.8 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/JMSSecurityException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XAQueueConnectionFactory.java 1.14 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XAQueueConnectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XAQueueSession.java 1.11 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XAQueueSession.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)DeliveryMode.java 1.9 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/DeliveryMode.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TopicRequestor.java 1.20 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TopicRequestor.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)IllegalStateException.java 1.7 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/IllegalStateException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)InvalidSelectorException.java 1.6 02/04/09
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/InvalidSelectorException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageProducer.java 1.25 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageProducer.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MapMessage.java 1.35 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MapMessage.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)QueueConnection.java 1.22 02/04/10
*
*/

* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueConnection.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ResourceAllocationException.java 1.4 01/02/16
*
* Copyright 1997-1999 Sun Microsystems, Inc. All Rights Reserved.
*
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ServerSession.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)JMSEException.java 1.15 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/JMSEException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)Message.java 1.60 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/Message.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)QueueConnectionFactory.java 1.14 02/04/23
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueConnectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XASession.java 1.18 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XASession.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)QueueSession.java 1.26 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueSession.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)QueueSender.java 1.29 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/QueueSender.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TransactionRolledBackException.java 1.7 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TransactionRolledBackException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XATopicSession.java 1.12 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XATopicSession.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ServerSessionPool.java 1.12 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ServerSessionPool.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XAConnection.java 1.8 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XAConnection.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)Topic.java 1.17 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/Topic.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)StreamMessage.java 1.40 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/StreamMessage.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TextMessage.java 1.17 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TextMessage.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TopicPublisher.java 1.30 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TopicPublisher.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)InvalidDestinationException.java 1.8 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/InvalidDestinationException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageListener.java 1.14 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageListener.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TopicConnectionFactory.java 1.15 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TopicConnectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)Destination.java 1.16 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/Destination.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ConnectionFactory.java 1.11 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ConnectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)Session.java 1.44 02/04/10
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/Session.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)ConnectionMetaData.java 1.11 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/ConnectionMetaData.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TopicSession.java 1.40 02/04/10
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TopicSession.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageFormatException.java 1.7 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageFormatException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XATopicConnection.java 1.17 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XATopicConnection.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TemporaryTopic.java 1.11 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TemporaryTopic.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)Queue.java 1.16 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/Queue.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)XAQueueConnection.java 1.17 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/XAQueueConnection.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)MessageEOFException.java 1.8 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.
*
* SUN PROPRIETARY/CONFIDENTIAL.
* This software is the proprietary information of Sun Microsystems, Inc.
* Use is subject to license terms.
*
*/

Found in path(s):

* /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/MessageEOFException.java
No license file was found, but licenses were detected in source scan.

/*
* @(#)TopicSubscriber.java 1.28 02/04/09
*
* Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.

- *
 - * SUN PROPRIETARY/CONFIDENTIAL.
 - * This software is the proprietary information of Sun Microsystems, Inc.
 - * Use is subject to license terms.
- *
 - * /

Found in path(s):

- * /opt/cola/permits/1114224947_1611258261.97/0/com-springsource-javax-jms-sources-1-1-0-jar-zip/com-springsource-javax-jms-sources-1-1-0-jar/javax/jms/TopicSubscriber.java

1.536 yang-model-api 0.8.4-Beryllium-SR4

1.536.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.537 spring-security-acl 3.2.4.RELEASE

1.537.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /*
 - * Copyright 2002-2013 the original author or authors.
 - *
 - * Licensed under the Apache License, Version 2.0 (the "License");
 - * you may not use this file except in compliance with the License.
 - * You may obtain a copy of the License at
 - *
 - * <http://www.apache.org/licenses/LICENSE-2.0>
 - *
 - * Unless required by applicable law or agreed to in writing, software
 - * distributed under the License is distributed on an "AS IS" BASIS,
 - * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 - * See the License for the specific language governing permissions and
 - * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/SpringCacheBasedAclCache.java

No license file was found, but licenses were detected in source scan.

/* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/Acl.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/PrincipalSid.java

*

/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/BasePermission.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/afterinvocation/AclEntryAfterInvocationProvider.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/AclCache.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/AuditableAcl.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/MutableAcl.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/ObjectIdentityRetrievalStrategyImpl.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/AuditableAccessControlEntry.java

*

/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/afterinvocation/AbstractAclProvider.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/CumulativePermission.java

* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-

jar/org/springframework/security/acls/domain/EhCacheBasedAclCache.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/OwnershipAcl.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/IdentityUnavailableException.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/Permission.java
*
/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/AclService.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/ObjectIdentityImpl.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/AlreadyExistsException.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/GrantedAuthoritySid.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/MutableAclService.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/afterinvocation/Filterer.java
*
/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/jdbc/LookupStrategy.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/AccessControlEntry.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/AclAuthorizationStrategyImpl.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/Sid.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/SidRetrievalStrategyImpl.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/ConsoleAuditLogger.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/afterinvocation/AclEntryAfterInvocationCollectionFilteringProvider.java
*
/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/AclAuthorizationStrategy.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/domain/AclImpl.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/afterinvocation/CollectionFilterer.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/model/ObjectIdentity.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/jdbc/BasicLookupStrategy.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-
jar/org/springframework/security/acls/jdbc/JdbcMutableAclService.java

*
/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/AclEntryVoter.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/afterinvocation/ArrayFilterer.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/NotFoundException.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/UnloadedSidException.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/AclFormattingUtils.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/ObjectIdentityRetrievalStrategy.java
*
/opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/SidRetrievalStrategy.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/model/ChildrenExistException.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/AccessControlEntryImpl.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/jdbc/JdbcAclService.java
* /opt/cola/permits/1114224794_1607455091.57/0/spring-security-acl-3-2-4-release-sources-jar/org/springframework/security/acls/domain/AuditLogger.java

1.538 httpmime 4.2.3

1.538.1 Available under license :

Apache HttpComponents HttpMime
Copyright 1999-2013 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.539 springsourcehibernatevalidator

4.1.0.GA

1.539.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * JBoss, Home of Professional Open Source
- * Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag. See the copyright.txt in the distribution for a
- * full listing of individual contributors.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForCollection.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetDeclaredField.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/DecimalMaxValidatorForNumber.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/NotEmpty.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/groups/GroupChain.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/LuhnValidator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForString.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/xml/ValidationBootstrapParameters.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/PathImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/PropertyDescriptorImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/IdentitySet.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetClassLoader.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/AnnotationIgnores.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/MessageAndPath.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/MaxValidatorForString.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/xml/ValidationXmlParser.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/Length.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/groups/GroupChainGenerator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetMethods.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/LazyValidatorFactory.java

```

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/BeanMetaDataCache.java
*
/opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/resolver/SingleThreadCachedTraversableResolver.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/ElementDescriptorImpl.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetDeclaredFields.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/DecimalMaxValidatorForString.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfInt.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/MessageInterpolatorContext.java
*
/opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfBoolean.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/DecimalMinValidatorForNumber.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/LoadClass.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/FutureValidatorForDate.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/PastValidatorForCalendar.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/HibernateValidator.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ConstraintViolationImpl.java
*
/opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfByte.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/ValidatorTypeHelper.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfLong.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/xml/XmlMappingParser.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ValueContext.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetConstructor.java
*
/opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/NodeImpl.java
* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/BeanDescriptorImpl.java

```

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfFloat.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ConstraintValidatorFactoryImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetAnnotationParameter.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/MinValidatorForString.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/DigitsValidatorForString.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/DecimalMinValidatorForString.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/AssertTrueValidator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForMap.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/DigitsValidatorForNumber.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfChar.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/BeanMetaData.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetDeclaredMethods.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/resolver/DefaultTraversableResolver.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetMethodFromPropertyName.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ConstraintValidatorContextImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ValidatorContextImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/annotationfactory/AnnotationFactory.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfDouble.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/ConstraintDescriptorImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/NewInstance.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/Range.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/ConstraintOrigin.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-


```
zip/org/hibernate/validator/util/privilegedactions/SetAccessibility.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/messageinterpolation/ResourceBundleMessageInterpolator.java
*
/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfShort.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/MinValidatorForNumber.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/FutureValidatorForCalendar.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/AssertFalseValidator.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArraysOfPrimitives.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/Email.java
*
/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/ConstraintHelper.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/GetMethod.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/resolver/JPATraversableResolver.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/SizeValidatorForArray.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/groups/Group.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/HibernateValidatorConfiguration.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/LengthValidator.java
*
/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/NullValidator.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/PastValidatorForDate.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ValidatorFactoryImpl.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/CreditCardNumber.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/NotNullValidator.java
No license file was found, but licenses were detected in source scan.

/*
* JBoss, Home of Professional Open Source
* Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
```

- * full listing of individual contributors.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/NotEmptyDef.java
- *
- /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/AssertFalseDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/LengthDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/MinDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/FutureDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/MaxDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/ConstraintDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/SizeDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/ConstructorInstance.java
- *
- /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/DigitsDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/CreditCardNumberDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/NullDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/NotNullDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/PatternDef.java
- * /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/ScriptAssertDef.java
- *

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/RangeDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/DecimalMinDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/PastDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/CascadeDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/ConstraintMapping.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/DecimalMaxDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/NotBlankDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/ConstraintsForType.java
*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/AssertTrueDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/ConstraintDefWrapper.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/GenericConstraintDef.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/EmailDef.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: ConstraintTree.java 19781 2010-06-22 16:30:24Z hardy.ferentschik \$

*

* JBoss, Home of Professional Open Source

* Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-

zip/org/hibernate/validator/engine/ConstraintTree.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: NotBlankValidator.java 19090 2010-03-23 15:22:59Z hardy.ferentschik \$

*

* JBoss, Home of Professional Open Source

* Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/NotBlankValidator.java

No license file was found, but licenses were detected in source scan.

25 18:21:27Z hardy.ferentschik \$

~

~ JBoss, Home of Professional Open Source

~ Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

~ by the @authors tag. See the copyright.txt in the distribution for a

~ full listing of individual contributors.

~

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~ <http://www.apache.org/licenses/LICENSE>

2.0

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/package.html

No license file was found, but licenses were detected in source scan.

```
/*
 * JBoss, Home of Professional Open Source
 * Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors
 * by the @authors tag. See the copyright.txt in the distribution for a
 * full listing of individual contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/MaxValidatorForNumber.java
*
 /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ConfigurationImpl.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/ScriptAssert.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/annotationfactory/AnnotationProxy.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/annotationfactory/AnnotationDescriptor.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/ScriptAssertValidator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * JBoss, Home of Professional Open Source
 * Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors
 * by the @authors tag. See the copyright.txt in the distribution for a
 * full listing of individual contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/scriptassert/ScriptEvaluator.java

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/resourceloading/AggregateResourceBundleLocator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/resourceloading/CachingResourceBundleLocator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/scriptassert/ScriptEvaluatorFactory.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: IteratorEnumeration.java 19090 2010-03-23 15:22:59Z hardy.ferentschik \$

*

* JBoss, Home of Professional Open Source

* Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/IteratorEnumeration.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: NotBlank.java 19327 2010-04-30 08:11:15Z hardy.ferentschik \$

*

* JBoss, Home of Professional Open Source

* Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/NotBlank.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source
* Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.

*/

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/MetaConstraint.java

*/

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/PatternValidator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ValidationContext.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/resourceloading/PlatformResourceBundleLocator.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/Version.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/BeanMetaDataImpl.java

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-

zip/org/hibernate/validator/util/LoggerFactory.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/ReflectionHelper.java
*
/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/resourceloading/DelegatingResourceBundleLocator.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/resourceloading/ResourceBundleLocator.java
* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/ValidatorImpl.java
No license file was found, but licenses were detected in source scan.

24 10:31:09Z hardy.ferentschik \$

~

~ JBoss, Home of Professional Open Source

~ Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

~ by the @authors tag. See the copyright.txt in the distribution for a

~ full listing of individual contributors.

~

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~ <http://www.apache.org/licenses/LICENSE>

2.0

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/xml/package.html

*

/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/resolver/package.html

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/package.html

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/engine/groups/package.html

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/annotationfactory/package.html

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/privilegedactions/package.html

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/package.html

* /opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/scriptassert/package.html

*

/opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/package.html

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/package.html

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/messageinterpolation/package.html

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/util/package.html

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/metadata/package.html

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/resourceloading/package.html

No license file was found, but licenses were detected in source scan.

~ JBoss, Home of Professional Open Source

~ Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

~ by the @authors tag. See the copyright.txt in the distribution for a

~ full listing of individual contributors.

~

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~ <http://www.apache.org/licenses/LICENSE>

2.0

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

Found in path(s):

* /opt/cola/permits/1114224921_1611281833.65/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/package.html

No license file was found, but licenses were detected in source scan.

/* JBoss, Home of Professional Open Source

* Copyright 2010, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

*/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/cfg/defs/URLDef.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source
* Copyright 2008, Red Hat Middleware LLC, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

*/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/impl/URLValidator.java

*

*/opt/cola/permits/1114224921_1611281833.65/0/hibernate-validator-4-1-0-final-sources-
zip/org/hibernate/validator/constraints/URL.java

1.540 yang-model-util 0.8.4-Beryllium-SR4

1.540.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015 Pantheon Technologies s.r.o. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2014 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2013 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public

License v1.0 which accompanies this distribution,'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2015 Cisco Systems, Inc. and others. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v1.0 which accompanies this distribution,'

1.541 hibernate-core 3.6.9.Final

1.541.1 Available under license :

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* as indicated by the @authors tag. All rights reserved. * This copyrighted material is made available to anyone wishing to use, * modify, copy, or redistribute it subject to the terms and conditions * of the GNU Lesser General Public License, v. 2.1. * This program is distributed in the hope that it will be useful, but WITHOUT A * WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A * PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public License, * MA 02110-1301, USA.'

Found license 'GNU Lesser General Public License' in '~ indicated by the @author tags or express copyright attribution ~ distributed under license by Red Hat Middleware LLC. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* copyright attribution statements applied by the authors. All * third-party contributions are distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * Support for the oracle proprietary join syntax...'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * version.'

Found license 'GNU Lesser General Public License' in '~ copyright attribution statements applied by the authors. All ~ third-party contributions are distributed under license by Red Hat Inc. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA * related tasks users must utilize a proprietary API known as'

Found license 'GNU Lesser General Public License' in '~ indicated by the @author tags or express copyright attribution ~ distributed under license by Red Hat Inc. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '* indicated by the @author tags or express copyright attribution * distributed under license by Red Hat, Inc. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

1.542 jakarta-json-api 1.1.5

1.542.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file

in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the

rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance

claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other

software

or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code.

And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to

this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that

system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH

YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse Project for JSON Processing

This content is produced and maintained by the Eclipse Project for JSON Processing project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jsonp>

Trademarks

Eclipse Project for JSON Processing is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jsonp>

Third-party Content

JUnit (4.12)

* License: Eclipse Public License

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.543 bean-validation-api 1.1.0.Final

1.543.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * JBoss, Home of Professional Open Source
 * Copyright 2011-2013, Red Hat, Inc. and/or its affiliates, and individual contributors
 * by the @authors tag. See the copyright.txt in the distribution for a
 * full listing of individual contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/metadata/ParameterDescriptor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * JBoss, Home of Professional Open Source
 * Copyright 2013, Red Hat, Inc. and/or its affiliates, and individual contributors
 * by the @authors tag. See the copyright.txt in the distribution for a
 * full listing of individual contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/CrossParameterDescriptor.java

*

/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/package-info.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraintvalidation/SupportedValidationTarget.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraintvalidation/ValidationTarget.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/executable/package-info.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraintvalidation/package-info.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/bootstrap/package-info.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/package-info.java

*

/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/CascadableDescriptor.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/GroupConversionDescriptor.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/package-info.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ConstraintTarget.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/spi/package-info.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2009-2012, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag. See the copyright.txt in the distribution for a
- * full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/Configuration.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source

* Copyright 2013, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/MethodType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012-2013, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/BootstrapConfiguration.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source
* Copyright 2012, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ParameterNameProvider.java

*

/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/ConstructorDescriptor.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source
* Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/Valid.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/Past.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/Payload.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ConstraintValidator.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/ConstraintDescriptor.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/Min.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/spi/ValidationProvider.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/AssertFalse.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/Constraint.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ConstraintDefinitionException.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/Future.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/Digits.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/UnexpectedTypeException.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/NotNull.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/AssertTrue.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ValidationProviderResolver.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/ConstraintDeclarationException.java

*

/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/constraints/Max.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/OverridesAttribute.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/ValidationException.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/groups/Default.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/spi/BootstrapState.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/Validation.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/metadata/PropertyDescriptor.java

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/TraversableResolver.java

*

/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/constraints/Size.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source

* Copyright 2012-2013, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a

* full listing of individual contributors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/metadata/ExecutableDescriptor.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source

* Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/GroupSequence.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source
* Copyright 2011, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/metadata/MethodDescriptor.java

No license file was found, but licenses were detected in source scan.

/*

* JBoss, Home of Professional Open Source
* Copyright 2012-2013, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ElementKind.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/executable/ExecutableType.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/executable/ExecutableValidator.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/metadata/ReturnValueDescriptor.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/executable/ValidateOnExecution.java
No license file was found, but licenses were detected in source scan.

/*
* JBoss, Home of Professional Open Source
* Copyright 2009-2013, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/ConstraintViolation.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-jar/javax/validation/constraints/DecimalMax.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-

jar/javax/validation/groups/package-info.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/ConstraintValidatorContext.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/Path.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/Validator.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/ReportAsSingleViolation.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/MessageInterpolator.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/metadata/BeanDescriptor.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/constraints/DecimalMin.java
No license file was found, but licenses were detected in source scan.

/*
* JBoss, Home of Professional Open Source
* Copyright 2009-2012, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <http://www.apache.org/licenses/LICENSE-2.0>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/ConstraintViolationException.java
*
/opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/spi/ConfigurationState.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/ConstraintValidatorFactory.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/ValidatorFactory.java

No license file was found, but licenses were detected in source scan.

```
/*
 * JBoss, Home of Professional Open Source
 * Copyright 2012, Red Hat, Inc. and/or its affiliates, and individual contributors
 * by the @authors tag. See the copyright.txt in the distribution for a
 * full listing of individual contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1114844475_1607559692.86/0/validation-api-1-1-0-final-sources-5-
jar/javax/validation/groups/ConvertGroup.java
```

1.544 jta 1.1

1.544.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in '* The contents of this file are subject to the terms * of the Common Development and Distribution License * (the License). You may not use this file except in * Copyright 2006 Sun Microsystems, Inc. All rights reserved.'

1.545 jms 1.1

1.545.1 Available under license :

```
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
//
// Version 2.0, in this case for JMS 1.1
// -----
```

JMS 1.1
Copyright 2003-2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
Apache License

Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as

required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.546 core-js 2.6.12

1.546.1 Available under license :

Copyright (c) 2014-2020 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.547 aspectj-tools 1.9.6

1.547.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available
under the terms of the Eclipse Public License 2.0 " * All Rights Reserved.\n" + //\$NON-NLS-1\$'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2005 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2006 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available under the terms of the Eclipse Public License 2.0'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2006 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Common Public License 1.0 (CPLv1.0)' in '* and others. All rights reserved. * This program and the accompanying materials are made available under * the terms of the Common Public License v1.0 which accompanies this'

Found license 'Eclipse Public License 1.0' in '# This program and the accompanying materials # are made available under the terms of the Eclipse Public License 2.0'

Found license 'Common Public License 1.0 (CPLv1.0)' in '* All rights reserved. * This program and the accompanying materials are made available * under the terms of the Common Public License v1.0'

Found license 'Common Public License 1.0 (CPLv1.0)' in '* All rights reserved. This program and the accompanying materials * are made available under the terms of the Common Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0 "This software is distributed under the Eclipse Public License\n" +'

Found license 'Eclipse Public License 1.0' in '# This program and the accompanying materials # are made available under the terms of the Eclipse Public License 2.0 compiler.copyright = Copyright IBM Corp 2000, 2020. All rights reserved.'

Found license 'Eclipse Public License 1.0' in '// * All rights reserved. // * This program and the accompanying materials are made available // * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2006, 2010 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2010 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available under the terms of the Eclipse Public License 2.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available under the terms of the Eclipse Public License 2.0 in all these cases the incoming type binding is for Z, but annotations are for different levels. We need to align their layout for proper attribution.'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2008 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available under the terms of the Eclipse Public License 2.0 Binary vs source, substitutions, annotation re-attribution from SE7 locations etc trigger these'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2007 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available under the terms of the Eclipse Public License 2.0 * more details.'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. This program and the accompanying materials * are made available under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* This program and the accompanying materials * are made available under the terms of the Eclipse Public License 2.0 * lookup3.c, by Bob Jenkins, May 2006, Public Domain. * the public domain. It has no warranty.'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. This program and the accompanying materials * are made available under the terms of the Eclipse Public License v2.0'

1.548 aop-alliance 1.0

1.548.1 Available under license :

Public Domain

1.549 stream-exhaust 1.0.2

1.549.1 Available under license :

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.550 tapable 1.1.3

1.550.1 Available under license :

The MIT License

Copyright (c) Tobias Koppers @sokra

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.551 fancy-log 1.3.3

1.551.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014, 2015, 2018 Blaine Bublitz <blaine.bublitz@gmail.com> and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.552 memory-fs 0.5.0

1.552.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.553 glob-watcher 5.0.5

1.553.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.554 is-negated-glob 1.0.0

1.554.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.555 async-done 1.3.2

1.555.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.556 acorn 6.4.2

1.556.1 Available under license :

Copyright (C) 2012-2018 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.557 undertaker-registry 1.0.1

1.557.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.558 semver-greatest-satisfied-range 1.1.0

1.558.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.559 vinyl-sourcemap 1.1.0

1.559.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors (Based on code from gulp-sourcemaps - ISC License - Copyright (c) 2014, Florian Reiterer)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.560 undertaker 1.3.0

1.560.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.561 postcss-load-config 2.1.2

1.561.1 Available under license :

License (MIT)

Copyright (c) Michael Ciniawsky <michael.ciniawsky@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.562 to-through 2.0.0

1.562.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.563 term-size 2.2.1

1.563.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.564 resolve-options 1.1.0

1.564.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.565 cacache 12.0.4

1.565.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.566 collection-map 1.0.0

1.566.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.567 fs-mkdirp-stream 1.0.0

1.567.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors (Originally based on code from node-mkdirp - MIT/X11 license - Copyright 2010 James Halliday)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.568 global-dirs 2.1.0

1.568.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.569 figgy-pudding 3.5.2

1.569.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.570 array-initial 1.1.0

1.570.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jon Schlinkert, contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.571 last-run 1.1.1

1.571.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.572 arr-map 2.0.2

1.572.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.573 append-buffer 1.0.2

1.573.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017, Brian Woodward.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.574 async-settle 1.0.0

1.574.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.575 sparkles 1.0.1

1.575.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blaine Bublitz <blaine.bublitz@gmail.com> and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.576 arr-filter 1.1.2

1.576.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.577 default-compare 1.0.0

1.577.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017, Brian Woodward.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.578 is-installed-globally 0.3.2

1.578.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.579 each-props 1.3.2

1.579.1 Available under license :

MIT License

Copyright (c) 2016 Takayuki Sato

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.580 replace-homedir 1.0.0

1.580.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.581 parallel-transform 1.2.0

1.581.1 Available under license :

Copyright 2013 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE
OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.582 worker-farm 1.7.0

1.582.1 Available under license :

The MIT License (MIT)

=====

Copyright (c) 2014 LevelUP contributors

LevelUP contributors listed at <<https://github.com/rvagg/node-levelup#contributors>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.583 mute-stdout 1.0.1

1.583.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2018 Blaine Bublitz <blaine.bublitz@gmail.com> and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.584 sver-compat 1.5.0

1.584.1 Available under license :

MIT License

Copyright (C) 2017 Guy Bedford

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.585 remove-bom-buffer 3.0.0

1.585.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.586 lead 1.0.0

1.586.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.587 object-reduce 1.0.1

1.587.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.588 bach 1.2.0

1.588.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.589 cloneable-readable 1.1.3

1.589.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Matteo Collina

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.590 boxen 4.2.0

1.590.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.591 through2-filter 3.0.0

1.591.1 Available under license :

(The MIT License)

Copyright (c) Bryce B. Baril <bryce@ravenwall.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.592 flagged-respawn 1.0.1

1.592.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018 Tyler Kellen <tyler@sleekcode.net>, Blaine Bublitz <blaine.bublitz@gmail.com>, and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.593 is-valid-glob 1.0.0

1.593.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.594 value-or-function 3.0.0

1.594.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.595 default-resolution 2.0.0

1.595.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.596 to-absolute-glob 2.0.2

1.596.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.597 array-sort 1.0.0

1.597.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.598 now-and-later 2.0.1

1.598.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.599 array-last 1.3.0

1.599.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.600 remove-bom-stream 1.2.0

1.600.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.601 glogg 1.0.2

1.601.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014, 2015, 2018 Blaine Bublitz <blaine.bublitz@gmail.com> and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.602 fined 1.2.0

1.602.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016, 2017, 2018 Blaine Bublitz <blaine.bublitz@gmail.com> and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.603 matchdep 2.0.0

1.603.1 Available under license :

Copyright (c) 2013 Tyler Kellen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.604 spring-messaging 4.3.30.RELEASE

1.604.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/StompHeaders.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/DefaultMessageHandlerMethodFactory.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/PayloadArgumentResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/tcp/reactor/Reactor2TcpConnection.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/MessageChannel.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/BufferingStompDecoder.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/Reactor2StompCodec.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/user/SimpUserRegistry.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/user/UserSessionRegistryAdapter.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/core/GenericMessagingTemplate.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/converter/GenericMessageConverter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
```

jar/org/springframework/messaging/simp/stomp/StompCommand.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/ConnectionLostException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/DestinationVariableMethodArgumentResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/MessageMethodArgumentResolver.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/tcp/reactor/AbstractPromiseToListenableFutureAdapter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/SendTo.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/annotation/SendToUser.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/config/AbstractBrokerRegistration.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2017 the original author or authors.7
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/config/ChannelRegistration.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/MessageExceptionHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/ValueConstants.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/Headers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/MessagePostProcessor.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/PollableChannel.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/DestinationResolvingMessageRequestReplyOperations.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/StompConversionException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpMessageType.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/DestinationResolutionException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/broker/BrokerAvailabilityEvent.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/SubscribableChannel.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/BeanFactoryMessageChannelDestinationResolver.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/DestinationResolvingMessageSendingOperations.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/MessageDeliveryException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/annotation/support/PrincipalMethodArgumentResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/DestinationResolvingMessageReceivingOperations.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/tcp/FixedIntervalReconnectStrategy.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/annotation/support/MissingSessionUserException.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/ChannelInterceptorAdapter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/DestinationVariable.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2019 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/HandlerMethodArgumentResolverComposite.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/MultiServerUserRegistry.java
*
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/AsyncHandlerMethodReturnValueHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/StompSession.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/config/AbstractMessageBrokerConfiguration.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/broker/SubscriptionRegistry.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/config/SimpleBrokerRegistration.java
*

```
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/AbstractHeaderMapper.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/tcp/reactor/Reactor2TcpClient.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/HeadersMethodArgumentResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/broker/AbstractBrokerMessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/broker/SimpleBrokerMessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/invocation/AbstractMethodMessageHandler.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/broker/DefaultSubscriptionRegistry.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/user/UserDestinationMessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/annotation/support/SimpAnnotationMethodMessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/MessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/user/DefaultUserDestinationResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/invocation/InvocableHandlerMethod.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/converter/CompositeMessageConverter.java
No license file was found, but licenses were detected in source scan.
```



```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/MethodArgumentTypeMismatchException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/IdTimestampMessageHeaderInitializer.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/user/UserRegistryMessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/core/AbstractMessageSendingTemplate.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/SimpSessionScope.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/AbstractMethodArgumentResolutionException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/HandlerMethod.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/invocation/MethodArgumentResolutionException.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/broker/AbstractSubscriptionRegistry.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/StompBrokerRelayMessageHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/converter/ContentTypeResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/StompHeaderAccessor.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/SimpMessageHeaderAccessor.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/invocation/CompletableFutureReturn ValueHandler.java
*
```

/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/config/MessageBrokerRegistry.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/support/MethodArgumentNotValidException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/HandlerMethodReturnValueHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/annotation/support/SendToMethodReturnValueHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/StompClientSupport.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/MessageMapping.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/ExecutorSubscribableChannel.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/MessageHeaderAccessor.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/UserDestinationResult.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/MessagingException.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpAttributesContextHolder.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/Reactor2TcpStompClient.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/DestinationPatternsMessageCondition.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/annotation/support/SubscriptionMethodReturnValueHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/AbstractExceptionHandlerMethodResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpMessagingTemplate.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/tcp/ReconnectStrategy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2015 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/UserDestinationResolver.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/SimpSession.java
- *
- /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/DefaultUserSessionRegistry.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/ByteArrayMessageConverter.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/StompFrameHandler.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/HandlerMethodSelector.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/tcp/TcpOperations.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/SimpSubscriptionMatcher.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/UserSessionRegistry.java
- *
- /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/MessageReceivingOperations.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/Payload.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/MessageRequestReplyOperations.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/MessageHeaders.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/AbstractAsyncReturnValueHandler.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpMessageSendingOperations.java
- *
- /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/StringMessageConverter.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/tcp/TcpConnection.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/tcp/reactor/PassThroughPromiseToListenableFutureAdapter.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/MessagingAdviceBean.java

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/ListenableFutureReturnValueHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/Header.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/DestinationUserNameProvider.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/AbstractMessageCondition.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/tcp/TcpConnectionHandler.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/support/AnnotationExceptionHandlerMethodResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/annotation/SubscribeMapping.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/StompSessionHandler.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/SimpUser.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/MessageConverter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/StompSessionHandlerAdapter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/SmartMessageConverter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/HandlerMethodArgumentResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/MessageCondition.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/stomp/ConnectionHandlingStompSession.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpMessageTypeMessageCondition.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/MessageSendingOperations.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/user/SimpSubscription.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2014 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/MessageConversionException.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/SimpleMessageConverter.java
- *
- /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/AbstractSubscribableChannel.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/CachingDestinationResolverProxy.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/ChannelInterceptor.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/ErrorMessage.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/MessageHandlingException.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/ExecutorChannelInterceptor.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/Message.java
- *
- /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpAttributes.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/simp/SimpMessageMappingInfo.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/annotation/support/MessageHandlerMethodFactory.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/MessageHeaderInitializer.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/handler/invocation/HandlerMethodReturnValueHandlerComposite.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/core/AbstractMessagingTemplate.java
- *
- /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/converter/DefaultContentTypeResolver.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-jar/org/springframework/messaging/support/ImmutableMessageChannelInterceptor.java
- * /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-

jar/org/springframework/messaging/support/HeaderMapper.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/core/AbstractDestinationResolvingMessagingTemplate.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/core/DestinationResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/MessageBuilder.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/core/AbstractMessageReceivingTemplate.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/GenericMessage.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/HeaderMethodArgumentResolver.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/InterceptableChannel.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/MessageHandlingRunnable.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/converter/AbstractMessageConverter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/converter/MarshallingMessageConverter.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/handler/annotation/support/AbstractNamedValueMethodArgumentResolver.j
a
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/config/StompBrokerRelayRegistration.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-

```
jar/org/springframework/messaging/simp/stomp/StompDecoder.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/converter/MappingJackson2MessageConverter.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/AbstractMessageChannel.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/StompEncoder.java
*
/opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/support/NativeMessageHeaderAccessor.java
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/stomp/DefaultStompSession.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Set the max pool size of the ThreadPoolExecutor.
* <p><strong>NOTE:</strong> When an unbounded
* { @link #queueCapacity(int) queueCapacity} is configured (the default), the
* max pool size is effectively ignored. See the "Unbounded queues" strategy
* in { @link java.util.concurrent.ThreadPoolExecutor
ThreadPoolExecutor} for
* more details.
* <p>By default this is set to { @code Integer.MAX_VALUE}.
*/
```

Found in path(s):

```
* /opt/cola/permits/1120268575_1609904332.77/0/spring-messaging-4-3-30-release-sources-
jar/org/springframework/messaging/simp/config/TaskExecutorRegistration.java
```

1.605 tough-cookie 2.5.0

1.605.1 Available under license :

Copyright (c) 2015, Salesforce.com, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of Salesforce.com nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.606 springsource-javax-validation 1.0.0.GA

1.606.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * JBoss, Home of Professional Open Source
- * Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag. See the copyright.txt in the distribution for a
- * full listing of individual contributors.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/ConstraintDeclarationException.java

*

/opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/Min.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/Max.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/spi/BootstrapState.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/ValidatorFactory.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/spi/ConfigurationState.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/Future.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/metadata/Scope.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/groups/package-info.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/ReportAsSingleViolation.java

*

/opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/metadata/ElementDescriptor.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/ConstraintValidatorFactory.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/Size.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/spi/ValidationProvider.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/Past.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/AssertFalse.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/Validator.java

*

/opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/Valid.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/ConstraintDefinitionException.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/GroupDefinitionException.java

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/constraints/DecimalMax.java

```

* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/Validation.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/groups/Default.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/MessageInterpolator.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ConstraintViolation.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/UnexpectedTypeException.java
*
/opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/constraints/NotNull.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/Configuration.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ConstraintValidator.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/metadata/ConstraintDescriptor.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ValidationProviderResolver.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ConstraintValidatorContext.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/metadata/PropertyDescriptor.java
*
/opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ConstraintViolationException.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/TraversableResolver.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/Payload.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/metadata/BeanDescriptor.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/OverridesAttribute.java
*
/opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-jar/javax/validation/Path.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/constraints/DecimalMin.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/constraints/AssertTrue.java

```

```
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/Constraint.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/constraints/Digits.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/ValidationException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* JBoss, Home of Professional Open Source
* Copyright 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag. See the copyright.txt in the distribution for a
* full listing of individual contributors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* http://www.apache.org/licenses/LICENSE-2.0
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1125288542_1611281834.47/0/validation-api-1-0-0-ga-sources-
jar/javax/validation/GroupSequence.java
```

1.607 shiro-core 1.6.0

1.607.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

1.608 diff 1.4.0

1.608.1 Available under license :

Diff

Copyright (c) 2002-2015, Sebastian Bergmann <sebastian@phpunit.de>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Sebastian Bergmann nor the names of his contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.609 tr46 0.0.3

1.609.1 Available under license :

The MIT License (MIT)

Copyright (c) Sebastian Mayr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.610 webidl-conversions 3.0.1

1.610.1 Available under license :

The BSD 2-Clause License

Copyright (c) 2014, Domenic Denicola
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.611 braces 3.0.2

1.611.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.612 braces 1.8.5

1.612.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.613 minimatch 2.0.10

1.613.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.614 uri-js 4.4.1

1.614.1 Available under license :

Copyright 2011 Gary Court. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY GARY COURT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL GARY COURT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Gary Court.

1.615 xpp3-min 1.1.4c

1.615.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2003 Extreme! Lab, Indiana University. All rights reserved.
 *
 * This software is open source. See the bottom of this file for the license.
 *
 * $Id: MXParser.java,v 1.52 2006/11/09 18:29:37 aslom Exp $
 */
/*
 * Indiana University Extreme! Lab Software License, Version 1.2
 *
 * Copyright (C) 2003 The Trustees of Indiana University.
 * All rights reserved.
```

- *
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
*
- * 1) All redistributions of source code must retain the above
* copyright notice, the list of authors in the original source
* code, this list of conditions and the disclaimer listed in this
* license;
*
- * 2) All redistributions in binary form must reproduce the above
* copyright notice, this list of conditions and the disclaimer
* listed in this license in the documentation
and/or other
* materials provided with the distribution;
*
- * 3) Any documentation included with all redistributions must include
* the following acknowledgement:
*
* "This product includes software developed by the Indiana
* University Extreme! Lab. For further information please visit
* <http://www.extreme.indiana.edu/>"
*
* Alternatively, this acknowledgment may appear in the software
* itself, and wherever such third-party acknowledgments normally
* appear.
*
- * 4) The name "Indiana University" or "Indiana University
* Extreme! Lab" shall not be used to endorse or promote
* products derived from this software without prior written
* permission from Indiana University. For written permission,
* please contact <http://www.extreme.indiana.edu/>.
*
- * 5) Products derived from this software may not use "Indiana
* University" name nor may "Indiana University" appear in their name,
* without prior written permission
of the Indiana University.
*
- * Indiana University provides no reassurances that the source code
* provided does not infringe the patent or any other intellectual
* property rights of any other entity. Indiana University disclaims any
* liability to any recipient for claims brought by any other entity
* based on infringement of intellectual property rights or otherwise.
*
- * LICENSEE UNDERSTANDS THAT SOFTWARE IS PROVIDED "AS IS" FOR WHICH
* NO WARRANTIES AS TO CAPABILITIES OR ACCURACY ARE MADE. INDIANA
* UNIVERSITY GIVES NO WARRANTIES AND MAKES NO REPRESENTATION THAT
* SOFTWARE IS FREE OF INFRINGEMENT OF THIRD PARTY PATENT, COPYRIGHT, OR

* OTHER PROPRIETARY RIGHTS. INDIANA UNIVERSITY MAKES NO WARRANTIES THAT
* SOFTWARE IS FREE FROM "BUGS", "VIRUSES", "TROJAN HORSES", "TRAP
* DOORS", "WORMS", OR OTHER HARMFUL CODE. LICENSEE ASSUMES THE ENTIRE
* RISK AS TO THE PERFORMANCE OF SOFTWARE AND/OR ASSOCIATED MATERIALS,
* AND TO THE PERFORMANCE AND VALIDITY OF INFORMATION GENERATED
USING
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135891472_1613626397.91/0/xpp3-min-1-1-4c-sources-1-
jar/org/xmlpull/mxp1/MXParser.java

1.616 commons-digester 1.8.1

1.616.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Digester

Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.617 commons-codec 1.9

1.617.1 Available under license :

Apache Commons Codec

Copyright 2002-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.618 commons-lang3 2.4

1.618.1 Available under license :

Apache Commons Lang
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.619 cli-width 1.1.1

1.619.1 Available under license :

Copyright (c) 2015, Ilya Radchenko <ilya@burstcreations.com>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.620 gulp-conflict 0.4.0

1.620.1 Available under license :

Copyright 2014 Joakim Bengtson <joakim@klei.se>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.621 inquirer 0.8.5

1.621.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the MIT license.

Found in path(s):

* /opt/cola/permits/1136070539_1613674293.32/0/inquirer-0-8-5-2-tgz/package/README.md

1.622 node-localstorage 0.6.0

1.622.1 Available under license :

No license file was found, but licenses were detected in source scan.

[![build status](https://secure.travis-ci.org/lmaccherone/node-localstorage.png)](http://travis-ci.org/lmaccherone/node-localstorage)
[![bitHound Score](https://www.bithound.io/github/lmaccherone/node-localstorage/badges/score.svg)](https://www.bithound.io/github/lmaccherone/node-localstorage)
node-localstorage

Copyright (c) 2012, Lawrence S. Maccherone, Jr.

A drop-in substitute for the browser native localStorage API that runs on node.js.

Working

* All methods in the [localStorage spec](http://www.w3.org/TR/webstorage/#storage) interface including:

* length

* setItem(key, value)

* getItem(key)

* removeItem(key)

* key(n)

* clear()

* Serializes to disk in the location specified during instantiation

* Supports the setting of a quota (default 5MB)

* Events. This doesn't exactly follow the spec which states that events are NOT supposed to be emitted to the

browser window
that took the
action that triggered the event in the first place. They are only to be emitted to listeners in
other browser windows. Early browser implementations actually did it this way and we don't really have the
equivalent
of a browser window in node.js, so we choose to implement them in the current process. We did, however, include
the pid
information in place of the window uri, so if we later wanted to say think of other node.js processes accessing
the same file system, we could actually implement it correctly. That would involve file watchers though and was
more
than we wanted to implement for now. Maybe later.

Unsupported

* Associative array syntax `localStorage['myKey'] = 'myValue`

Credits

Author: [Larry Maccherone](http://maccherone.com)

Usage

CoffeeScript

```
unless localStorage?  
  {LocalStorage} = require('../') # require('node-localstorage') for you  
  localStorage = new LocalStorage('./scratch')  
  
  localStorage.setItem('myFirstKey',  
    'myFirstValue')  
  console.log(localStorage.getItem('myFirstKey'))  
  # myFirstValue  
  
  localStorage._deleteLocation() # cleans up ./scratch created during doctest
```

JavaScript

```
```JavaScript  
if (typeof localStorage === "undefined" || localStorage === null) {
 var LocalStorage = require('node-localstorage').LocalStorage;
 localStorage = new LocalStorage('./scratch');
}

localStorage.setItem('myFirstKey', 'myFirstValue');
console.log(localStorage.getItem('myFirstKey'));
```
```

Installation

```
`npm install node-localstorage`
```

Changelog

- * 0.6.0 - 2015-09-11 - Removed references to deprecated fs.existsSync() (thanks, josephbosire)
- * 0.5.2 - 2015-08-01 - Fixed defect where keys were not being updated correctly by removeItem() (thanks, ed69140)
- * 0.5.1 - 2015-06-01 - Added support for events
- * 0.5.0 - 2015-02-02 - Added JSONStorage class which allows you set and get native JSON
- * 0.4.1 - 2015-02-02 - More robust publishing/tagging (like Lumenize)
- * 0.4.0
 - 2015-02-02 - Uses more efficient fs.statSync to set initial size (thanks, sudheer594)
- * 0.3.6 - 2014-12-24 - Allows usage without `new`
- * 0.3.5 - 2014-12-23 - Fixed toString() for QuotaExceededError
- * 0.3.4 - 2013-07-07 - Moved CoffeeScript to devDependencies
- * 0.3.3 - 2013-04-05 - Added support for '/' in keys by escaping before creating file names
- * 0.3.2 - 2013-01-19 - Renamed QuotaExceededError to QUOTA_EXCEEDED_ERR to match most browsers
- * 0.3.1 - 2013-01-19 - Fixed bug where it threw plain old Error instead of new QuotaExceededError
- * 0.3.0 - 2013-01-19 - Added QuotaExceededError support
- * 0.2.0 - 2013-01-03 - Added quota support
- * 0.1.2 - 2012-11-02 - Finally got Travis CI working
- * 0.1.1 - 2012-10-29 - Update to support Travis CI
- * 0.1.0 - 2012-10-29 - Original version

MIT License

Copyright (c) 2011, 2012, Lawrence S. Maccherone, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

* /opt/cola/permits/1136083240_1613674646.22/0/lmaccherone-node-localstorage-v0-6-0-0-g2d5360b-1-tar-gz/lmaccherone-node-localstorage-2d5360b/README.md

1.623 react-proxy 1.1.8

1.623.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2013-2015, Facebook, Inc.

* All rights reserved.

*

* This source code is licensed under the BSD-style license found in the

* LICENSE file in the root directory of React source tree. An additional grant

* of patent rights can be found in the PATENTS file in the same directory.

*

* Original:

*

<https://github.com/facebook/react/blob/6508b1ad273a6f371e8d90ae676e5390199461b4/src/isomorphic/classic/class/ReactClass.js#L650-L713>

*/

Found in path(s):

* /opt/cola/permits/1136086842_1613675022.57/0/react-proxy-1-1-8-1-tgz/package/src/bindAutoBindMethods.js

* /opt/cola/permits/1136086842_1613675022.57/0/react-proxy-1-1-8-1-

tgz/package/modules/bindAutoBindMethods.js

No license file was found, but licenses were detected in source scan.

/**

* Creates an array of the own enumerable property names of `object`.

*

* **Note:** Non-object values are coerced to objects. See the

* [ES spec](<http://ecma-international.org/ecma-262/6.0/#sec-object.keys>)

* for more details.

*

* @static

* @memberOf _

* @category Object

* @param {Object} object The object to query.

* @returns {Array} Returns the array of property names.

* @example

*

* function Foo() {

* this.a = 1;

* this.b = 2;

* }

*


```

* Foo.prototype.c = 3;
*
* _keys(new Foo);
* // => ['a', 'b'] (iteration order is not guaranteed)
*
* _keys('hi');
* // => ['0', '1']
*/
/**
 * Copyright 2013-2015, Facebook, Inc.
 * All rights reserved.
 *
 * This source code is licensed under the BSD-style license found in the
 * LICENSE file in the root directory of React source tree. An additional grant
 * of patent rights can be found in the PATENTS file in the same
directory.
 *
 * Original:
 *
https://github.com/facebook/react/blob/6508b1ad273a6f371e8d90ae676e5390199461b4/src/isomorphic/classic/class/ReactClass.js#L650-L713
 */

```

Found in path(s):

```
* /opt/cola/permits/1136086842_1613675022.57/0/react-proxy-1-1-8-1-tgz/package/dist/ReactProxy.js
```

1.624 react-transform-catch-errors 1.0.2

1.624.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.625 randomatic 3.1.1

1.625.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.626 react-transform-hmr 1.0.4

1.626.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.627 react-deep-force-update 1.1.2

1.627.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 library-boilerplate-author

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.628 readline2 0.1.1

1.628.1 Available under license :

No license file was found, but licenses were detected in source scan.

readline2 [![Build Status](https://travis-ci.org/SBoudrias/readline2.png?branch=master)](https://travis-ci.org/SBoudrias/readline2)

=====

Node.js (v0.8 and v0.10) had some bugs and issues with the default [Readline](http://nodejs.org/api/readline.html) module.

This module include fixes seen in later version (0.11) and ease some undesirable behavior one could see using the readline to create interatives prompts. This means `readline2` change some behaviors and as so is **not** meant to be a drop-in replacement.

This project is extracted from the core of [Inquirer.js interactive prompt interface](https://github.com/SBoudrias/Inquirer.js) to be available as a standalone module.

Documentation

****Installation****: `npm install --save readline2`

`readline2.createInterface(options); -> {Interface}`

Present the same API as [Node.js `readline.createInterface()`](http://nodejs.org/api/readline.html)

####

Improvements

- Default `options.input` as `process.stdin`
- Default `options.output` as `process.stdout`
- `interface.stdout` is wrapped in a [MuteStream](https://github.com/isaacs/mute-stream)
- Prevent `up` and `down` keys from moving through history inside the readline
- Fix cursor position after a line refresh when the `Interface` prompt contains ANSI colors

License

Copyright (c) 2012 Simon Boudrias (twitter: [@vaxilart](https://twitter.com/Vaxilart))

Licensed under the MIT license.

Found in path(s):

* /opt/cola/permits/1136087520_1613674941.97/0/readline2-0-1-1-1-tgz/package/README.md

1.629 rx 2.5.3

1.629.1 Available under license :

Copyright (c) Microsoft Open Technologies, Inc. All rights reserved.
Microsoft Open Technologies would like to thank its contributors, a list of whom are at <http://rx.codeplex.com/wikipage?title=Contributors>.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied. See the License for the specific language governing permissions and limitations under the License.

1.630 string-template 1.0.0

1.630.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 MacFJA

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.631 transform-loader 0.2.4

1.631.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.632 vorpal 1.12.0

1.632.1 Available under license :

(The MIT License)

Copyright (c) 2015-2016 DC <threedeecee@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.633 commons-dbcp 2.0.1

1.633.1 Available under license :

Apache Commons DBCP

Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

1.635 woodstox-core 6.2.4

1.635.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.636 Iodash 4.17.21

1.636.1 Available under license :

Software License Agreement (BSD License)

Copyright (c) 2007, Parakey Inc.

All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Parakey Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission of Parakey Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Copyright (c) 2010-2016 Jeremy Ashkenas, DocumentCloud

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009-2016 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.637 vinyl-fs 3.0.3

1.637.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.638 findup-sync 3.0.0

1.638.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018 Ben Alman <cowboy@rj3.net>, Blaine Bublitz <blaine.bublitz@gmail.com>, and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.639 ordered-read-streams 1.0.1

1.639.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Artem Medeusheyev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.640 clone-stats 1.0.0

1.640.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Hugh Kennedy

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.641 fast-levenshtein 1.1.4

1.641.1 Available under license :

(MIT License)

Copyright (c) 2013 [Ramesh Nair](<http://www.hiddentao.com/>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.642 v8flags 3.2.0

1.642.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018 Tyler Kellen <tyler@sleekcode.net>, Blaine Bublitz <blaine.bublitz@gmail.com>, and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.643 vinyl 2.2.1

1.643.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.644 liftoff 3.1.0

1.644.1 Available under license :

Copyright (c) 2014 Tyler Kellen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.645 glob-stream 6.1.0

1.645.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.646 unique-stream 2.3.1

1.646.1 Available under license :

Copyright 2014 Eugene Ware

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.647 replace-ext 1.0.1

1.647.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.648 gulp 4.0.2

1.648.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018 Blaine Bublitz <blaine.bublitz@gmail.com>, Eric Schoffstall <yo@contra.io> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.649 error_prone_annotations 2.1.3

1.649.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean

the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that

remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an

addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.650 j2objc-annotations 1.1

1.650.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.651 jsr305 1.3.9

1.651.1 Available under license :

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.652 log4j-over-slf4j 1.7.21

1.652.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Log4jLoggerFactory.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/ErrorHandler.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/OptionHandler.java
*
/opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/LogManager.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/PatternLayout.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/MDC.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/LoggerFactory.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Priority.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/LoggerRepository.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Logger.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/AppenderSkeleton.java
*
```



```
/opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/Configurator.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/Filter.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/SimpleLayout.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/PropertyConfigurator.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/WriterAppender.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Level.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Category.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/helpers/LogLog.java
*
/opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/FileAppender.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Appender.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-jar/org/apache/log4j/NDC.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/ConsoleAppender.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/Layout.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/BasicConfigurator.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/RollingFileAppender.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/LoggingEvent.java
* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/xml/DOMConfigurator.java
*
/opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-
jar/org/apache/log4j/spi/HierarchyEventListener.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791542_1617098519.69/0/log4j-over-slf4j-1-7-21-sources-2-jar/org/apache/log4j/helpers/NullEnumeration.java

1.653 spring-binding 2.5.1.RELEASE

1.653.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/SimpleParserContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/spel/SpringELExpression.java
*

/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/impl/DefaultMappingResults.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/spel/SpringELExpressionParser.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004-2008 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/format/IntegerNumberFormatFactory.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/MappingResultsCriteria.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/RequiredError.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/beanwrapper/BeanWrapperExpressionParser.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/MessageCriteria.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/StateManageableMessageContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/ExpressionVariable.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/format/DefaultNumberFormatFactory.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/format/AbstractNumberFormatFactory.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/format/CurrencyNumberFormatFactory.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/DefaultMessageResolver.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/DefaultELContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/SourceAccessError.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/TypeConversionError.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/MessageContext.java
*

/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/TargetAccessError.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/Severity.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/Success.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/DefaultElContextFactory.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/format/PercentNumberFormatFactory.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/ELContextFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/MappingResults.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/MappingResult.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/collection/SharedMapDecorator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004-2008 the original author oimport java.io.Serializable;

import org.springframework.core.style.ToStringCreator;
ou may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/Message.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004-2008 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/ConversionException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/InvalidFormatException.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/method/MethodInvocationException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/impl/DefaultMapping.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/ParserException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/Mapping.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/Mapper.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/ExpressionParser.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/DefaultConversionService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/spel/EvaluationContextFactory.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/spel/SimpleEvaluationContextFactory.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/spel/StandardEvaluationContextFactory.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/StringToBigDecimal.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/StringToInteger.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/method/MethodKey.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/ReverseConverter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/CompositeStringExpression.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/StringToByte.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/collection/MapAdaptable.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/ConversionService.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/PropertyEditorConverter.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/StaticConversionExecutor.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/ConversionExecutorNotFoundException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/method/Parameter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/StringToEnum.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/method/Parameters.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/ConversionExecutionException.java

```

*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/expression/support/StaticExpression.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToClass.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/ConversionExecutor.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/expression/EvaluationException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToLocale.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/Converter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/ArrayToCollection.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToFloat.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToBigInteger.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/ObjectToCollection.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToObject.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToShort.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToLong.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/TwoWayConverter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToCharacter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/mapping/impl/DefaultMapper.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/method/InvalidMethodKeyException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/ObjectToArray.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/method/MethodSignature.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/converters/StringToDouble.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/convert/service/GenericConversionService.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-
jar/org/springframework/binding/expression/Expression.java

```


* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/StringToBoolean.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/ArrayToArray.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/NoOpConverter.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2008 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/validation/ValidationContext.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004-2012 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/MessageResolver.java

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/PropertyNotFoundException.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/AbstractGetValueExpression.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/DefaultELResolver.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/FormattedStringToNumber.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/format/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/SpringConvertingConverterAdapter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/beanwrapper/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/package-info.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/CollectionAddingExpression.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/impl/DefaultMappingContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/validation/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/MessageContextErrors.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/beanwrapper/BeanWrapperExpression.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/NullParserContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/ParserContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/collection/MapAccessor.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/DefaultMessageContext.java

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/TwoWayCapableConversionExecutor.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/MessageBuilder.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/collection/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/RuntimeBindingConversionExecutor.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/ELExpressionParser.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/ValueCoercionException.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/results/AbstractMappingResult.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/service/SpringBindingConverterAdapter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/ELExpression.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/el/MapAdaptableELResolver.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/package-info.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/collection/StringKeyedMapAdapter.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/collection/SharedMap.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/convert/converters/StringToDate.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/message/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/method/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/method/MethodInvoker.java
*
/opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/mapping/impl/package-info.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/FluentParserContext.java
* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/LiteralExpression.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791594_1617098784.08/0/spring-binding-2-5-1-release-sources-2-jar/org/springframework/binding/expression/support/AbstractExpressionParser.java

1.654 spring-webmvc-portlet 4.3.19.RELEASE

1.654.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2008 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/PortletModeParameterLookupKey.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/multipart/MultipartActionRequest.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletConfigPropertySource.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletContextPropertySource.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/handler/AbstractHandlerMapping.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/ConfigurablePortletApplicationContext.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/mvc/AbstractController.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/StaticPortletApplicationContext.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/mvc/ParameterizableViewController.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/StandardPortletEnvironment.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/handler/UserRoleAuthorizationInterceptor.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/HandlerInterceptor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *
```

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/PortletWrappingController.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/DispatcherPortlet.java
*

/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletRequestAttributes.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletApplicationContextUtils.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/multipart/CommonsPortletMultipartResolver.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/SimplePortletPostProcessor.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/HandlerExceptionResolver.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/HandlerAdapter.java
*

/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletContextResource.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletRequestHandledEvent.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/ModelAndViewDefiningException.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/MissingPortletRequestParameterException.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/HandlerInterceptorAdapter.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/ParameterHandlerMapping.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/PortletModeHandlerMapping.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/AbstractRefreshablePortletApplicationContext.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/PortletRequestMethodNotSupportedException.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/PortletModeNameViewController.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/GenericPortletBean.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/PortletRequestUtils.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/multipart/DefaultMultipartActionRequest.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/util/PortletUtils.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/PortletRequestDataBinder.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/ModelAndView.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/ParameterMappingInterceptor.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/SimpleControllerHandlerAdapter.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/AbstractMapBasedHandlerMapping.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/SimplePortletHandlerAdapter.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/PortletContentGenerator.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletContextAware.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-

jar/org/springframework/web/portlet/NoHandlerFoundException.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/handler/WebRequestHandlerInterceptorAdapter.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/handler/PortletModeParameterHandlerMapping.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletApplicationObjectSupport.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/mvc/ResourceAwareController.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletContextResourcePatternResolver.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/HandlerMapping.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletContextAwareProcessor.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/mvc/Controller.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/bind/PortletRequestBindingException.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletContextScope.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/context/PortletConfigAware.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/handler/PortletSessionRequiredException.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-
jar/org/springframework/web/portlet/bind/PortletRequestParameterPropertyValues.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2006 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletContextResourceLoader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2017 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/HandlerExecutionChain.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2018 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/annotation/AnnotationMethodHandlerAdapter.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/annotation/DefaultAnnotationHandlerMapping.java

*

/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/annotation/PortletAnnotationMappingUtils.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2015 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/PortletWebRequest.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/multipart/PortletMultipartResolver.java

*

/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/annotation/ActionMapping.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/annotation/AnnotationMethodHandlerExceptionHandlerResolver.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/FrameworkPortlet.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/annotation/RenderMapping.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/SimpleMappingExceptionHandlerResolver.java

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/handler/AbstractHandlerExceptionHandlerResolver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2009 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/mvc/EventAwareController.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/context/XmlPortletApplicationContext.java
*
/opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/annotation/ResourceMapping.java
* /opt/cola/permits/1147791638_1617098878.97/0/spring-webmvc-portlet-4-3-19-release-sources-2-jar/org/springframework/web/portlet/bind/annotation/EventMapping.java

1.655 spring-oxm 4.3.19.RELEASE

1.655.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/config/Jaxb2MarshallerBeanDefinitionParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2013 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/config/JibxMarshallerBeanDefinitionParser.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/config/XmlBeansMarshallerBeanDefinitionParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/mime/MimeMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/mime/MimeUnmarshaller.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/xstream/XStreamMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/config/OxmNamespaceHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/castor/CastorMappingException.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/castor/CastorMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/config/CastorMarshallerBeanDefinitionParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/jibx/JibxMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/jaxb/ClassPathJaxb2TypeScanner.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/jaxb/Jaxb2Marshaller.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/xstream/CatchAllConverter.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/support/AbstractMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/Marshaller.java
*
/opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-jar/org/springframework/oxm/Unmarshaller.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/xmlbeans/XmlBeansMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/xmlbeans/XmlOptionsFactoryBean.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/ValidationFailureException.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/support/SaxResourceUtils.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/MarshallingException.java
```

```

*
/opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/UncategorizedMappingException.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/support/MarshallingSource.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/mime/MimeContainer.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/MarshallingFailureException.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/UnmarshallingFailureException.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/GenericMarshaller.java
* /opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/XmlMappingException.java
*
/opt/cola/permits/1147791470_1617249191.35/0/spring-oxm-4-3-19-release-sources-3-
jar/org/springframework/oxm/GenericUnmarshaller.java

```

1.656 spring-context-support

4.3.19.RELEASE

1.656.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

#####
# Copyright 2002-2018 the original author or authors.
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
#   http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#####

#####
#
# Defaults for the Java Activation Framework (revised).
# Modified extensions registered

```



```

in this file:
# text/plain java c c++ cpp pl cc h
# image/png png
#
#####

text/html html htm HTML HTM
text/plain txt text TXT TEXT java c c++ cpp pl cc h
image/gif gif GIF
image/ief ief
image/jpeg jpeg jpg jpe JPG
image/tiff tiff tif
image/x-xwindowdump xwd
application/postscript ai eps ps
application/rtf rtf
application/x-tex tex
application/x-texinfo texinfo texi
application/x-troff t tr roff
audio/basic au
audio/midi midi mid
audio/x-aifc aifc
audio/x-aiff aif aiff
audio/x-mpeg mpeg mpg
audio/x-wav wav
video/mpeg mpeg mpg mpe
video/quicktime qt mov
video/x-msvideo avi

#####
#
# Additional file types adapted from
# http://www.utoronto.ca/webdocs/HTMLdocs/Book/Book-3ed/appb/mimetype.html
# kindly re-licensed to Apache Software License 2.0 by Ian Graham.
#
#####

#
TEXT TYPES

text/x-speech talk
text/css css
text/csv csv

# IMAGE TYPES

# X-Windows bitmap (b/w)
image/x-xbitmap xbm
# X-Windows pixmap (8-bit color)

```

```
image/x-xpixmap  xpm
# Portable Network Graphics
image/png  png
# Image Exchange Format (RFC 1314)
image/ief  ief
# RGB
image/rgb  rgb
# Group III Fax (RFC 1494)
image/g3fax  g3f
# X Windowdump format
image/x-xwindowdump  xwd
# Macintosh PICT format
image/x-pict  pict
# PPM (UNIX PPM package)
image/x-portable-pixmap  ppm
# PGM (UNIX PPM package)
image/x-portable-graymap  pgm
# PBM (UNIX PPM package)
image/x-portable-bitmap  pbm
# PNM (UNIX PPM package)
image/x-portable-anymap  pnm
# Microsoft Windows bitmap
image/x-ms-bmp  bmp
# CMU raster
image/x-cmu-raster  ras
# Kodak Photo-CD
image/x-photo-cd  pcd
# Computer Graphics Metafile
image/cgm  cgm
# CALS Type 1 or 2
image/x-cals  mil cal
# Fractal Image Format (Iterated Systems)
image/fif  fif
#
QuickSilver active image (Micrografx)
image/x-mgx-dsf  dsf
# CMX vector image (Corel)
image/x-cmx  cmx
# Wavelet-compressed (Summus)
image/wavelet  wi
# AutoCad Drawing (SoftSource)
image/vnd.dwg  dwg
# AutoCad DXF file (SoftSource)
image/vnd.dxf  dxf
# Simple Vector Format (SoftSource)
image/vnd.svf  svf

# AUDIO/VOICE/MUSIC RELATED TYPES
```

```
# ""basic"" audio - 8-bit u-law PCM"
audio/basic  au snd
# Macintosh audio format (AIpple)
audio/x-aiff  aif aiff aifc
# Microsoft audio
audio/x-wav  wav
# MPEG audio
audio/x-mpeg  mpa abs mpega
# MPEG-2 audio
audio/x-mpeg-2  mp2a mpa2
# compressed speech (Echo Speech Corp.)
audio/echospeech  es
# Toolvox speech audio (Voxware)
audio/voxware  vox
# RapidTransit compressed audio (Fast Man)
application/fastman  lcc
# Realaudio (Progressive Networks)
application/x-pn-realaudio  ra ram
# MIDI music data
x-music/x-midi  mmid
# Koan music data (SSeyo)
application/vnd.koan  skp
# Speech synthesis data (MVP Solutions)
text/x-speech  talk

#
VIDEO TYPES

# MPEG video
video/mpeg  mpeg mpg mpe
# MPEG-2 video
video/mpeg-2  mpv2 mp2v
# Macintosh Quicktime
video/quicktime  qt mov
# Microsoft video
video/x-msvideo  avi
# SGI Movie format
video/x-sgi-movie  movie
# VDOLive streaming video (VDOnet)
video/vdo  vdo
# Vivo streaming video (Vivo software)
video/vnd.vivo  viv

# SPECIAL HTTP/WEB APPLICATION TYPES

# Proxy autoconfiguration (Netscape browsers)
application/x-ns-proxy-autoconfig  pac
```

Netscape Cooltalk chat data (Netscape)

x-conference/x-cooltalk ice

TEXT-RELATED

PostScript

application/postscript ai eps ps

Microsoft Rich Text Format

application/rtf rtf

Adobe Acrobat PDF

application/pdf pdf

Maker Interchange Format (FrameMaker)

application/vnd.mif mif

Troff document

application/x-troff t tr roff

Troff document with MAN macros

application/x-troff-man man

Troff document with ME macros

application/x-troff-me me

Troff document with MS macros

application/x-troff-ms ms

#

LaTeX document

application/x-latex latex

Tex/LaTeX document

application/x-tex tex

GNU TexInfo document

application/x-texinfo texinfo texi

TeX dvi format

application/x-dvi dvi

MS word document

application/msword doc DOC

Office Document Architecture

application/oda oda

Envoy Document

application/envoy evy

ARCHIVE/COMPRESSED ARCHIVES

Gnu tar format

application/x-gtar gtar

4.3BSD tar format

application/x-tar tar

POSIX tar format

application/x-ustar ustar

Old CPIO format

application/x-bcpio bcpio

POSIX CPIO format

application/x-cpio cpio
UNIX sh shell archive
application/x-shar shar
DOS/PC - Pkzipped archive
application/zip zip
Macintosh Binhexed archive
application/mac-binhex40 hqx
Macintosh Stuffit Archive
application/x-stuffit sit sea
Fractal Image Format
application/fractals fif
"Binary UUencoded"
application/octet-stream bin uu
PC executable
application/octet-stream exe
"WAIS ""sources"""
application/x-wais-source src
wsrc
NCSA HDF data format
application/hdf hdf

DOWNLOADABLE PROGRAM/SCRIPTS

Javascript program
text/javascript js ls mocha
UNIX bourne shell program
application/x-sh sh
UNIX c-shell program
application/x-csh csh
Perl program
application/x-perl pl
Tcl (Tool Control Language) program
application/x-tcl tcl

ANIMATION/MULTIMEDIA

FutureSplash vector animation (FutureWave)
application/futuresplash spl
mBED multimedia data (mBED)
application/mbedlet mbd
PowerMedia multimedia (RadMedia)
application/x-rad-powermedia rad

PRESENTATION

PowerPoint presentation (Microsoft)
application/mspowerpoint ppz
ASAP WordPower (Software Publishing Corp.)

application/x-asap asp
Astound Web Player multimedia data (GoldDisk)
application/astound asn

SPECIAL EMBEDDED OBJECT

OLE script e.g. Visual Basic (Ncompass)
application/x-olescript axs
OLE Object (Microsoft/NCompass)
application/x-oleobject ods
OpenScape
OLE/OCX objects (Business@Web)
x-form/x-openscape opp
Visual Basic objects (Amara)
application/x-webbasic wba
Specialized data entry forms (Alpha Software)
application/x-alpha-form frm
client-server objects (Wayfarer Communications)
x-script/x-wfxclient wfx

GENERAL APPLICATIONS

Undefined binary data (often executable progs)
application/octet-stream exe com
Pointcast news data (Pointcast)
application/x-pcn pcn
Excel spreadsheet (Microsoft)
application/vnd.ms-excel xls
PowerPoint (Microsoft)
application/vnd.ms-powerpoint ppt
Microsoft Project (Microsoft)
application/vnd.ms-project mpp
SourceView document (Dataware Electronics)
application/vnd.svd svd
Net Install - software install (20/20 Software)
application/x-net-install ins
Carbon Copy - remote control/access (Microcom)
application/ccv ccv
Spreadsheets (Visual Components)
workbook/formulaone vts

2D/3D DATA/VIRTUAL REALITY TYPES

VRML data file
x-world/x-vrml wrl vrml
WIRL -
VRML data (VREAM)
x-world/x-vream vrw

```
# Play3D 3d scene data (Play3D)
application/x-p3d p3d
# Viscape Interactive 3d world data (Superscape)
x-world/x-svr svr
# WebActive 3d data (Plastic Thought)
x-world/x-wvr wvr
# QuickDraw3D scene data (Apple)
x-world/x-3dmf 3dmf
```

SCIENTIFIC/MATH/CAD TYPES

```
# Mathematica notebook
application/mathematica ma
# Computational meshes for numerical simulations
x-model/x-mesh msh
# Vis5D 5-dimensional data
application/vis5d v5d
# IGES models -- CAD/CAM (CGM) data
application/iges igs
# Autocad WHIP vector drawings
drawing/x-dwf dwf
```

Found in path(s):

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/mail/javamail/mime.types
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2012 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/commonj/DelegatingWork.java
```

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/mail/MailParseException.java
```

*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/commonj/TimerManagerFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/MailSendException.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/MailPreparationException.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/JobMethodInvocationFailedException.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/transaction/AbstractTransactionSupportingCacheManager.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/MailAuthenticationException.java
*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/velocity/VelocityEngineFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/MimeMessagePreparator.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/SmartMimeMessage.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/DelegatingJob.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/commonj/DelegatingTimerListener.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/freemarker/FreeMarkerConfigurationFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/commonj/TimerManagerAccessor.java
*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/velocity/SpringResourceLoader.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/MailException.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/SimpleThreadPoolTaskExecutor.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/MimeMessageHelper.java

*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/velocity/VelocityEngineFactory.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/velocity/VelocityEngineUtils.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2011 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/SchedulerContextAware.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2015 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/guava/GuavaCache.java
 - * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/DefaultJCacheOperationSource.java
 - *
 - /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/config/AbstractJCacheConfiguration.java
 - * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/AnnotationJCacheOperationSource.java
 - * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/JCacheOperation.java
 - * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/JavaMailSenderImpl.java
 - * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/ehcache/EhCacheCacheManager.java
- No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2002-2014 the original author or authors.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CachePutInterceptor.java
- * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/MethodInvokingJobDetailFactoryBean.java
- *
- /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/ehcache/EhCacheManagerUtils.java
- * /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/transaction/TransactionAwareCacheManagerProxy.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/freemarker/SpringTemplateLoader.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/ehcache/EhCacheFactoryBean.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/AbstractCacheInterceptor.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/JCacheInterceptor.java

*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/AbstractJCacheOperation.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/JCacheOperationSource.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/MailSender.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CacheResultOperation.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/jasperreports/JasperReportsUtils.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/DefaultCacheMethodDetails.java

*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/config/JCacheConfigurerSupport.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/AbstractJCacheKeyOperation.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/JavaMailSender.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/BeanFactoryJCacheOperationSourceAdvisor.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CacheRemoveAllInterceptor.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/MimeMailMessage.java

*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/SimpleExceptionCacheResolver.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/AdaptableJobFactory.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/DefaultCacheKeyInvocationContext.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/ui/freemarker/FreeMarkerTemplateUtils.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CacheRemoveAllOperation.java

* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/LocalTaskExecutorThreadPool.java

*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/LocalDataSourceJobStore.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/QuartzJobBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/SchedulerAccessorBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CacheRemoveOperation.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CachePutOperation.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/AbstractKeyCacheInterceptor.java
*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/config/JCacheConfigurer.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/guava/GuavaCacheManager.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/JCacheManagerFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/scheduling/quartz/JobDetailFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/InternetAddressEditor.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/JCacheOperationSourcePointcut.java
*

/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/cache/jcache/interceptor/CacheRemoveEntryInterceptor.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-jar/org/springframework/mail/javamail/ConfigurableMimeFileTypeMap.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2017 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/transaction/TransactionAwareCacheDecorator.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/commonj/ScheduledTimerListener.java
*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/interceptor/CacheResultInterceptor.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/ui/freemarker/FreeMarkerConfigurationFactory.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/JCacheCacheManager.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/interceptor/DefaultCacheInvocationContext.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/mail/MailMessage.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/interceptor/JCacheAspectSupport.java
No license file was found, but licenses were detected in source scan.
```

/*

```
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/interceptor/AbstractFallbackJCacheOperationSource.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/commonj/TimerManagerTaskScheduler.java
*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/ehcache/EhCacheManagerFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/quartz/ResourceLoaderClassLoadHelper.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/quartz/CronTriggerFactoryBean.java
```

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/quartz/SpringBeanJobFactory.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/caffeine/CaffeineCacheManager.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/quartz/SimpleTriggerFactoryBean.java
*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/caffeine/CaffeineCache.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/commonj/WorkManagerTaskExecutor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/interceptor/KeyGeneratorAdapter.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/config/ProxyJCacheConfiguration.java
*
/opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/interceptor/CacheResolverAdapter.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/quartz/SchedulerFactoryBean.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/mail/SimpleMailMessage.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/ehcache/EhCacheCache.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/scheduling/quartz/SchedulerAccessor.java
* /opt/cola/permits/1147791426_1617249220.74/0/spring-context-support-4-3-19-release-sources-2-
jar/org/springframework/cache/jcache/JCacheCache.java
```

1.657 commons-dbc 1.2.2.osgi

1.657.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DelegatingPreparedStatement.java
- *
- */opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/SharedPoolDataSourceFactory.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/PoolingConnection.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/jocl/JOCLContentHandler.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/SequencedHashMap.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DriverManagerConnectionFactory.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/PerUserPoolDataSourceFactory.java
- *
- */opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DataSourceConnectionFactory.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/ConnectionFactory.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DelegatingCallableStatement.java
- * /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-

sources-jar/org/apache/commons/dbcp/datasources/InstanceKeyDataSource.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/PooledConnectionAndInfo.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/cpdsadapter/PooledConnectionImpl.java

*

/opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/cpdsadapter/DriverAdapterCPDS.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/cpdsadapter/PoolablePreparedStatementStub.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/BasicDataSourceFactory.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/PoolablePreparedStatement.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/PoolingDataSource.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/UserPassKey.java

*

/opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DbcException.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/AbandonedConfig.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DelegatingConnection.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/SQLNestedException.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/AbandonedTrace.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/PoolableConnection.java

*

/opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/PoolingDriver.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/cpdsadapter/ConnectionImpl.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/PerUserPoolDataSource.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/jocl/ConstructorUtil.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/AbandonedObjectPool.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DelegatingResultSet.java

*

/opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/PoolKey.java

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-

sources-jar/org/apache/commons/dbcp/datasources/LRUMap.java
* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DriverConnectionFactory.java
* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/BasicDataSource.java
* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/DelegatingStatement.java
* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/SharedPoolDataSource.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/PoolableConnectionFactory.java
*
/opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/InstanceKeyObjectFactory.java
* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/CPDSCONNECTIONFACTORY.java
* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/KeyedCPDSCONNECTIONFACTORY.java
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/overview.html

*

/opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/package.html

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/cpdsadapter/package.html

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/jocl/package.html

* /opt/cola/permits/1006521779_1602614316.44/0/com-springsource-org-apache-commons-dbc-1-2-2-osgi-sources-jar/org/apache/commons/dbcp/datasources/package.html

1.658 commons-logging 1.1.1

1.658.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for Commons Logging
```

// -----

Commons Logging

Copyright 2001-2007 The Apache Software Foundation

This product includes/uses software(s) developed by 'an unknown organization'

- Unnamed - avalon-framework:avalon-framework:jar:4.1.3

- Unnamed - log4j:log4j:jar:1.2.12

- Unnamed - logkit:logkit:jar:1.0.1

1.659 commons-cli 1.2

1.659.1 Available under license :

Apache Commons CLI

Copyright 2001-2009 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.660 dom4j 1.6.1

1.660.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

File: ConcurrentReaderHashMap

Written by Doug Lea. Adapted and released, under explicit

permission, from JDK1.2 HashMap.java and Hashtable.java which carries the following copyright:

- * Copyright 1997 by Sun Microsystems, Inc.,
- * 901 San Antonio Road, Palo Alto, California, 94303, U.S.A.
- * All rights reserved.
- *
- * This software is the confidential and proprietary information
- * of Sun Microsystems, Inc. ("Confidential Information"). You
- * shall not disclose such Confidential Information and shall use
- * it only in accordance with the terms of the license agreement
- * you entered into with Sun.

History:

| Date | Who | What |
|-----------|-----|------------------------------------|
| 28oct1999 | dl | Created |
| 14dec1999 | dl | jmm snapshot |
| 19apr2000 | dl | use barrierLock |
| 12jan2001 | dl | public release |
| 17nov2001 | dl | Minor tunings |
| 20may2002 | dl | BarrierLock can now be serialized. |
| 09dec2002 | dl | Fix interference checks. |

*/

Found in path(s):

* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/ConcurrentReaderHashMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.
*
* This software is open source.
* See the bottom of this file for the licence.
*/
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided that the
* following conditions are met:
*
* 1. Redistributions of source code must retain copyright statements and
* notices. Redistributions must also contain a copy of this document.
*
* 2. Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
*
* 3. The name "DOM4J" must not be used to endorse or promote products derived

* from this Software without prior written permission of MetaStuff, Ltd. For
 * written permission, please contact dom4j-info@metastuff.com.
 *
 * 4. Products derived from this Software may not be called "DOM4J" nor may
 * "DOM4J" appear in their names without prior written permission of MetaStuff,
 * Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
 *
 * 5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>
 *
 * THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN
 ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 * POSSIBILITY OF SUCH DAMAGE.
 *
 * Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.
 */

Found in path(s):

* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
 jar/org/dom4j/InvalidXPathException.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/ProcessingInstruction.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/swing/LeafTreeNode.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/XPath.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/IndexedElement.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultAttribute.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Branch.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
 jar/org/dom4j/swing/XMLTableColumnDefinition.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/AttributeHelper.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/NodeComparator.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/SingleIterator.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/XPPReader.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Node.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/NullAction.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/DocumentHelper.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/DocumentSource.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractNode.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMDocument.java
 *

/opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/STAXEventWriter.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractText.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractBranch.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXEventRecorder.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMNamespace.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FlyweightEntity.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/NonLazyElement.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/NamespaceStack.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/BaseElement.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMElement.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/pattern/NodeTypePattern.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/jaxb/JAXBRuntimeException.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/xpp/ProxyXmlStartTag.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/bean/BeanAttribute.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/Stylesheet.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMEntityReference.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FlyweightAttribute.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultText.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/XMLResult.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMNodeHelper.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/XPathException.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractElement.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Namespace.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/Pattern.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/DOMWriter.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/IllegalAddException.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMCDATA.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/datatype/DatatypeDocumentFactory.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dtd/AttributeDecl.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/UserDataDocumentFactory.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/jaxb/JAXBWriter.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Attribute.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/bean/BeanDocumentFactory.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/ElementHandler.java

* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FlyweightText.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/JAXPHelper.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/PerThreadSingleton.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/QNameCache.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/VisitorSupport.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/DocumentResult.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Entity.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/NodeFilter.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultElement.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/Rule.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/CharacterData.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/PruningDispatchHandler.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMDocumentType.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/jaxb/JAXBSupport.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/DocumentFactory.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/ElementStack.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/xpath/DefaultXPath.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/XMLWriter.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/STAXEventReader.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/swing/XMLTableDefinition.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXModifyContentHandler.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXValidator.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/jaxb/JAXBReader.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXModifyReader.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FilterIterator.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/BackedList.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/DocumentException.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Comment.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dtd/ExternalEntityDecl.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/DOMReader.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/XMLErrorHandler.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Text.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/datatype/InvalidSchemaException.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/swing/BranchTreeNode.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dtd/ElementDecl.java

* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractEntity.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/HTMLWriter.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/datatype/DatatypeAttribute.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/UserDataElement.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/DocumentType.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXModifyElementHandler.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultNamespace.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/RuleManager.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/Action.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/ElementModifier.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/ElementNameIterator.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/QName.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/NonLazyDocumentFactory.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMText.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultDocument.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMAttributeNodeMap.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/IndexedDocumentFactory.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/datatype/DatatypeElementFactory.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMProcessingInstruction.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultDocumentType.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dtd/InternalEntityDecl.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultProcessingInstruction.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMComment.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/UserDataAttribute.java
 *
 /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FlyweightComment.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FlyweightProcessingInstruction.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/PruningElementStack.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/NamespaceCache.java
 * /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-

jar/org/dom4j/datatype/SchemaParser.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/tree/AbstractComment.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/tree/AbstractDocumentType.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/io/SAXContentHandler.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/jaxb/JAXBModifier.java
*
/opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXWriter.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/swing/DocumentTreeModel.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/SingletonStrategy.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/XPP3Reader.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/OutputFormat.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/tree/AbstractDocument.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Visitor.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultComment.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/tree/ElementQNameIterator.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/datatype/DatatypeElement.java
*
/opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/SimpleSingleton.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/swing/XMLTableModel.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/RuleSet.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Element.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/jaxb/JAXBObjectModifier.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractAttribute.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultCDATA.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/bean/BeanMetaData.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/DispatchHandler.java
*
/opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/ContentListFacade.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/Document.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/rule/pattern/DefaultPattern.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/ElementPath.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/ElementIterator.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/jaxb/JAXBObjectHandler.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/datatype/NamedTypeResolver.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-
jar/org/dom4j/xpath/DefaultNamespaceContext.java

* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMDocumentFactory.java
*
/opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXModifyException.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractProcessingInstruction.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/xpath/XPathPattern.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/CDATA.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractCharacterData.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXReader.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/rule/Mode.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/FlyweightCDATA.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/DefaultEntity.java
*
/opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/dom/DOMAttribute.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXHelper.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/util/ProxyDocumentFactory.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/bean/BeanAttributeList.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/bean/BeanElement.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/tree/AbstractCDATA.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/DocumentInputSource.java
* /opt/cola/permits/1150916825_1617719489.56/0/dom4j-1-6-1-sources-4-jar/org/dom4j/io/SAXModifier.java

1.661 httpclient 4.4.1

1.661.1 Available under license :

Apache HttpClient

Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.662 jaxb-runtime 2.2.11

1.662.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * The caller is still free to modify the array it passed to this method.'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '# Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. # The contents of this file are subject to the terms of either the GNU # General Public License Version 2 only ("GPL") or the Common Development # and Distribution License("CDDL") (collectively, the "License"). You # may not use this file except in compliance with the License. You can # Oracle designates this particular file as subject to the "Classpath" # exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain. * Public Domain, and comes with NO WARRANTY.'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

1.663 txw2 2.2.11

1.663.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // This class is in the Public Domain. NO WARRANTY! * Public Domain, and comes with NO WARRANTY.'

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain.'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.664 react 17.0.2

1.664.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.665 y18n 3.2.2

1.665.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.666 event-emitter 0.3.5

1.666.1 Available under license :

Copyright (C) 2012-2015 Mariusz Nowak (www.medikoo.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.667 dot-prop 4.2.1

1.667.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.668 aspectj-weaver 1.9.6

1.668.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2005 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2006 Contributors. All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. * This program and the accompanying materials are made available * under the terms of the Eclipse Public License v1.0'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. This program and the accompanying materials * are made available under the terms of the Eclipse Public License v1.0'

1.669 escalade 3.1.1

1.669.1 Available under license :

MIT License

Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.670 cisco-velocity 1.7c

1.670.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/LogChute.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/Renderable.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/util/StringResourceRepositoryImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/io/UnicodeInputStream.java
```

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/loader/FileResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/Runtime.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/util/introspection/SecureIntrospectorImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/RuntimeConstants.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ParserVisitor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/Template.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/util/ArrayListWrapper.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/loader/StringResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/ResourceManagerImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/util/introspection/AbstractChainableUberspector.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/util/StringResource.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/exception/MacroOverflowException.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/util/introspection/ChainableUberspector.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/util/StringResourceRepository.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/exception/MethodInvocationException.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/VelocityEngine.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/directive/RuntimeMacro.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/Node.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Scope.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Parse.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/tools/VelocityFormatter.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/SetExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/ExceptionUtils.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/MacroParseException.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/SimplePool.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/EscapeSqlReference.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/IntrospectionCacheData.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/context/InternalHousekeepingContext.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/UberspectImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/HoldingLogChute.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/context/AbstractContext.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/VelMethod.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/context/InternalContextAdapterImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/EventHandlerUtil.java
*

```

/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/visitor/BaseVisitor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/InvalidReferenceInfo.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/VelocimacroFactory.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/loader/URLResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/loader/ClasspathResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTText.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTEscapedDirective.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/RuntimeLoggerLog.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/ResourceCache.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Directive.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/loader/JarResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/Log.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/MapGetExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/RuntimeServices.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/EscapeJavaScriptReference.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Include.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/IntrospectionUtils.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/VelocimacroManager.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/TemplateName.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/Uberspect.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/ForeachScope.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/EscapeReference.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-

```

```

jar/org/apache/velocity/runtime/parser/node/ASTElseIfStatement.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/exception/ExtendedParseException.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTVariable.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTNENode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/DirectiveConstants.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/Log4JLogChute.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTEQNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/SecureUberspector.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Foreach.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/LogChuteSystem.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/Velocity.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/exception/TemplateInitException.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/exception/VelocityException.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/context/ProxyVMContext.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/LogSystem.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/SetPropertyExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTNotNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/InputBase.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/Info.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/MethodMap.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/IncludeRelativePath.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/IntrospectorCache.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/UberspectLoggable.java

```


* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTDivNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/event/implement/EscapeHtmlReference.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTIdentifier.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTObjectArray.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTSubtractNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/MapSetExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/directive/StopCommand.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/VelocityCharStream.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/BooleanPropertyExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTDirective.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTExpression.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTIfStatement.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/log/LogManager.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/context/EvaluateContext.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTMethod.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/event/InvalidReferenceEventHandler.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTMap.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/log/NullLogSystem.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTBlock.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/directive/BlockMacro.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTParameters.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/event/EventHandlerMethodExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-

```

jar/org/apache/velocity/context/InternalEventContext.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/JdkLogChute.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/PropertyExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/PutExecutor.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Evaluate.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTEscape.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/SimpleLog4JLogSystem.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTGTNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/loader/ResourceLoaderFactory.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTIntegerLiteral.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/VelocimacroProxy.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/AbstractExecutor.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/LogDisplayWrapper.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTAssignment.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Stop.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/PrimordialLogSystem.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/ResourceManager.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTGENode.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/EscapeXmlReference.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/VelPropertyGet.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/StringUtils.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTMathNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/RuntimeLogger.java

```

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/log/SystemLogChute.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/context/InternalContextAdapter.java

*

/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/context/Context.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTLTNode.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/VelocityContext.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/context/InternalContextBase.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/loader/JarHolder.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTTextblock.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/util/ArrayIterator.java

*

/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/GetExecutor.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/directive/Macro.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/ResourceFactory.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/directive/Define.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTIndex.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/exception/MathException.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/resource/Resource.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTComment.java

*

/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/event/implement/PrintExceptions.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/event/implement/ReportInvalidReferences.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/exception/ResourceNotFoundException.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/node/ASTLNode.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/app/event/MethodExceptionEventHandler.java

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-

jar/org/apache/velocity/runtime/parser/node/ASTFalse.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTFloatingPointLiteral.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/RuntimeServicesAware.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/loader/ResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/EventHandler.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/ReferenceInsertionEventHandler.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/ContentResource.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Block.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/SecureIntrospectorControl.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTAndNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/MathUtils.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Break.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/io/VelocityWriter.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTOrNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/Introspector.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/ResourceCacheImpl.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/IntrospectorBase.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTAddNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/EnumerationIterator.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTTrue.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/ClassUtils.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/ClassMap.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTElseStatement.java

```

*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/ContextAware.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/resource/loader/DataSourceResourceLoader.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/MapFactory.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/Log4JLogSystem.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/NullSetEventHandler.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/TemplateParseException.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/ParserPool.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/visitor/NodeViewMode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/FieldMethodizer.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/context/InternalWrapperContext.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTprocess.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/directive/Literal.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/SimpleNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/IntrospectorCacheImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTIncludeStatement.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/log/NullLogChute.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/IncludeEventHandler.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/LinkingUberspector.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTIntegerRange.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTModNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/ParserPoolImpl.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTWord.java
*

```

```
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/util/introspection/VelPropertySet.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/implement/IncludeNotFound.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/RuntimeSingleton.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/context/ChainedInternalContextAdapter.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTMulNode.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTSetDirective.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/exception/ParseException.java
*
/opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/RuntimeInstance.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTReference.java
* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/NodeUtils.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
```

```
*/
/**
* Stores the event handlers. Event handlers can be assigned on a per
* VelocityEngine instance basis by specifying
the class names in the
* velocity.properties file. Event handlers may also be assigned on a per-page
* basis by creating a new instance of EventCartridge, adding the event
* handlers, and then calling attachToContext. For clarity, it's recommended
```

* that one approach or the other be followed, as the second method is primarily
* presented for backwards compatibility.
*
* <P>
* Note that Event Handlers follow a filter pattern, with multiple event
* handlers allowed for each event. When the appropriate event occurs, all the
* appropriate event handlers are called in the sequence they were added to the
* Event Cartridge. See the javadocs of the specific event handler interfaces
* for more details.
*
* @author Will Glass-Husain
* @author Geir Magnusson Jr.
* @author Jose Alberto Fernandez
* @version \$Id: EventCartridge.java 685685 2008-08-13
21:43:27Z nbubna \$
*/

Found in path(s):

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/app/event/EventCartridge.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with this
* work for additional information regarding copyright ownership. The ASF
* licenses this file to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-
jar/org/apache/velocity/runtime/parser/node/ASTStringLiteral.java
No license file was found, but licenses were detected in source scan.

to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at
<http://www.apache.org/licenses/LICENSE-2.0>

software distributed under the License is distributed on an

Found in path(s):

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/defaults/velocity.properties

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/parser/build.sh

* /opt/cola/permits/1114224856_1699262790.6534128/0/cisco-velocity-1-7c-sources-jar/org/apache/velocity/runtime/defaults/directive.properties

1.671 postcss-modules-values 3.0.0

1.671.1 Available under license :

ISC License (ISC)

Copyright (c) 2015, Glen Maddern

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.672 string_decoder 1.1.1

1.672.1 Available under license :

Node.js is licensed for use as follows:

""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.673 normalize-range 0.1.2

1.673.1 Available under license :

The MIT License (MIT)

Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.674 camel-case 3.0.0

1.674.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.675 pump 3.0.0

1.675.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.676 strip-json-comments 2.0.1

1.676.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.677 pinkie-promise 2.0.1

1.677.1 Available under license :

The MIT License (MIT)

Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.678 onetime 1.1.0

1.678.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.679 object.pick 1.3.0

1.679.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.680 end-of-stream 1.4.4

1.680.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.681 chalk 3.0.0

1.681.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.682 cipher-base 1.0.4

1.682.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 crypto-browserify contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.683 amdefine 1.0.1

1.683.1 Available under license :

Dojo is available under *either* the terms of the modified BSD license *or* the Academic Free License version 2.1. As a recipient of Dojo, you may choose which license to receive this code under (except as noted in per-module LICENSE files). Some modules may not be the copyright of the Dojo Foundation. These modules contain explicit declarations of copyright in both the LICENSE files in the directories in which they reside and in the code itself. No external contributions are allowed under licenses which are fundamentally incompatible with the AFL or BSD licenses that Dojo is distributed under.

The text of the AFL and BSD licenses is reproduced below.

The "New" BSD License:

Copyright (c) 2005-2009, The Dojo Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Academic Free License, v. 2.1:

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

a) to reproduce the Original Work in copies;

b) to prepare derivative works ("Derivative Works")
based upon the Original
Work;

c) to distribute copies of the Original Work and Derivative Works to the public;

d) to perform the Original Work publicly; and

e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred

form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes.

Licensor reserves the right to satisfy this obligation by placing a machine-readable

copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No

license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use

of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so

except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the

Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous.

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner. amdefine is released under two licenses: new BSD, and MIT. You may pick the license that best suits your development needs. The text of both licenses are provided below.

The "New" BSD License:

Copyright (c) 2011-2016, The Dojo Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED
BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2011-2016, The Dojo Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including
without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.684 asap 2.0.6

1.684.1 Available under license :

Copyright 20092014 Contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.685 cli-cursor 1.0.2

1.685.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.686 etag 1.8.1

1.686.1 Available under license :

(The MIT License)

Copyright (c) 2014-2016 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.687 fast-json-stable-stringify 2.1.0

1.687.1 Available under license :

This software is released under the MIT license:

Copyright (c) 2017 Evgeny Poberezkin

Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.688 object-visit 1.0.1

1.688.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.689 commander 2.17.1

1.689.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.690 source-map 0.5.7

1.690.1 Available under license :

Copyright (c) 2009-2011, Mozilla Foundation and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the names of the Mozilla Foundation nor the names of project contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.691 encodeurl 1.0.2

1.691.1 Available under license :

(The MIT License)

Copyright (c) 2016 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.692 commander 2.20.3

1.692.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.693 source-map 0.6.1

1.693.1 Available under license :

Copyright (c) 2009-2011, Mozilla Foundation and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the names of the Mozilla Foundation nor the names of project contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.694 ansi-escapes 1.4.0

1.694.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.695 boolbase 1.0.0

1.695.1 Available under license :

Copyright (c) 2014-2015, Felix Boehm <me@feedic.com>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.696 define-property 0.2.5

1.696.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.697 @babel/plugin-syntax-object-rest-spread 7.8.3

1.697.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.698 split-on-first 1.1.0

1.698.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.699 chalk 1.1.3

1.699.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.700 remove-trailing-separator 1.1.0

1.700.1 Available under license :

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.701 braces 2.3.2

1.701.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.702 snapdragon 0.8.2

1.702.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.703 is-fullwidth-code-point 1.0.0

1.703.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.704 get-stream 4.1.0

1.704.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.705 normalize-path 2.1.1

1.705.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.706 path-to-regexp 1.8.0

1.706.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.707 has-ansi 2.0.0

1.707.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.708 xtend 4.0.2

1.708.1 Available under license :

The MIT License (MIT)

Copyright (c) 2012-2014 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.709 read-pkg 1.1.0

1.709.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.710 cache-base 1.0.1

1.710.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.711 strip-bom 2.0.0

1.711.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.712 globals 11.12.0

1.712.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.713 function-bind 1.1.1

1.713.1 Available under license :

Copyright (c) 2013 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.714 node-fetch 1.7.3

1.714.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.715 upper-case 1.1.3

1.715.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.716 color-convert 2.0.1

1.716.1 Available under license :

Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.717 find-up 1.1.2

1.717.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

1.718 which-boxed-primitive 1.0.2

1.718.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.719 ansi-regex 2.1.1

1.719.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.720 define-property 1.0.0

1.720.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.721 jsbn 0.1.1

1.721.1 Available under license :

Licensing

This software is covered under the following copyright:

/*

* Copyright (c) 2003-2005 Tom Wu

* All Rights Reserved.

*

- * Permission is hereby granted, free of charge, to any person obtaining
- * a copy of this software and associated documentation files (the
- * "Software"), to deal in the Software without restriction, including
- * without limitation the rights to use, copy, modify, merge, publish,
- * distribute, sublicense, and/or sell copies of the Software, and to
- * permit persons to whom the Software is furnished to do so, subject to
- * the following conditions:
- *
- * The above copyright notice and this permission notice shall be
- * included in all copies or substantial portions of the Software.
- *
- * THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,
- * EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY
- * WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- *
- * IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL,
- INCIDENTAL,
- * INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER
- * RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF
- * THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT
- * OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- *
- * In addition, the following condition applies:
- *
- * All redistributions must retain an intact copy of this copyright notice
- * and disclaimer.
- */

Address all questions regarding this license to:

Tom Wu
 tjw@cs.Stanford.EDU

1.722 is-wsl 1.1.0

1.722.1 Available under license :

MIT License

Copyright (c) 2020 Anand Chowdhary <mail@anandchowdhary.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.723 is-directory 0.3.1

1.723.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.724 safe-regex 1.1.0

1.724.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to

use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.725 gaze 1.1.3

1.725.1 Available under license :

Copyright (c) 2018 Kyle Robinson Young

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.726 ee-first 1.1.1

1.726.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong me@jungleberry.com

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.727 nopt 3.0.6

1.727.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.728 require-main-filename 2.0.0

1.728.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.729 has-flag 3.0.0

1.729.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.730 http-signature 1.2.0

1.730.1 Available under license :

Copyright Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.731 gauge 2.7.4

1.731.1 Available under license :

Copyright (c) 2014, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.732 tty-browserify 0.0.0

1.732.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to

use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.733 camelcase 3.0.0

1.733.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.734 kind-of 6.0.3

1.734.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.735 get-caller-file 1.0.3

1.735.1 Available under license :

ISC License (ISC)

Copyright 2018 Stefan Penner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.736 readable-stream 1.0.34

1.736.1 Available under license :

Copyright Joyent, Inc. and other Node contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.737 tunnel-agent 0.6.0

1.737.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean

the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall

any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf

and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.738 clone 1.0.4

1.738.1 Available under license :

Copyright 2011-2015 Paul Vorbach <paul@vorba.ch>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.739 domain-browser 1.2.0

1.739.1 Available under license :

<!-- LICENSEFILE/ -->

<h1>License</h1>

Unless stated otherwise all works are:

Copyright © 2013+ Bevry Pty Ltd

and licensed under:

MIT License

<h2>MIT License</h2>

<pre>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

<!-- /LICENSEFILE -->

1.740 require-main-filename 1.0.1

1.740.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.741 is-accessor-descriptor 0.1.6

1.741.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.742 wrap-ansi 2.1.0

1.742.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.743 core-js 1.2.7

1.743.1 Available under license :

Copyright (c) 2015 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.744 delayed-stream 1.0.0

1.744.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# delayed-stream
```

Buffers events from a stream until you are ready to handle them.

```
## Installation
```

```
``` bash
npm install delayed-stream
```
```

```
## Usage
```

The following example shows how to write a http echo server that delays its response by 1000 ms.

```
``` javascript
var DelayedStream = require('delayed-stream');
var http = require('http');

http.createServer(function(req, res) {
```



```
var delayed = DelayedStream.create(req);
```

```
setTimeout(function() {
 res.writeHead(200);
 delayed.pipe(res);
}, 1000);
});
````
```

If you are not using `Stream#pipe``, you can also manually release the buffered events by calling `delayedStream.resume()``:

```
```` javascript  
var delayed = DelayedStream.create(req);

setTimeout(function() {
 // Emit all buffered events and resume underlying source
 delayed.resume();
}, 1000);
````
```

Implementation

In order to use this meta stream properly, here are a few things you should know about the implementation.

###

Event Buffering / Proxying

All events of the `source`` stream are hijacked by overwriting the `source.emit`` method. Until node implements a catch-all event listener, this is the only way.

However, `delayed-stream` still continues to emit all events it captures on the `source``, regardless of whether you have released the delayed stream yet or not.

Upon creation, `delayed-stream` captures all `source`` events and stores them in an internal event buffer. Once `delayedStream.release()`` is called, all buffered events are emitted on the `delayedStream``, and the event buffer is cleared. After that, `delayed-stream` merely acts as a proxy for the underlying source.

Error handling

Error events on `source`` are buffered / proxied just like any other events. However, `delayedStream.create`` attaches a no-op `'error`` listener to the `source``. This way you only have to handle errors on the `delayedStream`` object, rather than in two places.

Buffer limits

delayed-stream provides

a `maxDataSize`` property that can be used to limit the amount of data being buffered. In order to protect you from bad `source`` streams that don't react to `source.pause()``, this feature is enabled by default.

API

DelayedStream.create(source, [options])

Returns a new `delayedStream``. Available options are:

- * `pauseStream``
- * `maxDataSize``

The description for those properties can be found below.

delayedStream.source

The `source`` stream managed by this object. This is useful if you are passing your `delayedStream`` around, and you still want to access properties on the `source`` object.

delayedStream.pauseStream = true

Whether to pause the underlying `source`` when calling `DelayedStream.create()``. Modifying this property afterwards has no effect.

delayedStream.maxDataSize = 1024 * 1024

The amount of data to buffer before emitting an `error``.

If the underlying source is emitting `Buffer`` objects, the `maxDataSize`` refers to bytes.

If the underlying source is emitting JavaScript strings, the size refers to characters.

If you know what you are doing, you can set this property to `Infinity`` to disable this feature. You can also modify this property during runtime.

delayedStream.dataSize = 0

The amount of data buffered so far.

```
### delayedStream.readable
```

An ECMA5 getter that returns the value of ``source.readable``.

```
### delayedStream.resume()
```

If the ``delayedStream`` has not been released so far, ``delayedStream.release()`` is called.

In either case, ``source.resume()`` is called.

```
### delayedStream.pause()
```

Calls ``source.pause()``.

```
### delayedStream.pipe(dest)
```

Calls ``delayedStream.resume()`` and then proxies the arguments to ``source.pipe``.

```
### delayedStream.release()
```

Emits and clears all events that have been buffered up so far. This does not resume the underlying source, use ``delayedStream.resume()`` instead.

```
## License
```

delayed-stream is licensed under the MIT license.

Found in path(s):

```
* /opt/cola/permits/1162004278_1620773882.0/0/fis-components-delayed-stream-1-0-0-0-g42ac44e-1-tar-gz/fis-components-delayed-stream-3c3d86f/Readme.md
```

1.745 is-fullwidth-code-point 2.0.0

1.745.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.746 component-emitter 1.3.0

1.746.1 Available under license :

(The MIT License)

Copyright (c) 2014 Component contributors <dev@component.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.747 pseudomap 1.0.2

1.747.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.748 rc 1.2.8

1.748.1 Available under license :

The MIT License

Copyright (c) 2011 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License, Version 2.0

Copyright (c) 2011 Dominic Tarr

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2013, Dominic Tarr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of the FreeBSD Project.

1.749 slash 2.0.0

1.749.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.750 pify 2.3.0

1.750.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.751 resolve-from 3.0.0

1.751.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.752 define-property 2.0.2

1.752.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.753 base 0.11.2

1.753.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.754 has-unicode 2.0.1

1.754.1 Available under license :

Copyright (c) 2014, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.755 kind-of 4.0.0

1.755.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.756 vary 1.1.2

1.756.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.757 constants-browserify 1.0.0

1.757.1 Available under license :

No license file was found, but licenses were detected in source scan.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal to use, copy, modify, merge, publish, distribute, sublicense, and/or sell furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

* /opt/cola/permits/1161998706_1620773988.92/0/juliangruber-constants-browserify-v1-0-0-ge0ee990-1-targz/juliangruber-constants-browserify-1ec9662/README.md

1.758 rimraf 2.7.1

1.758.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.759 set-blocking 2.0.0

1.759.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.760 path-is-absolute 1.0.1

1.760.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.761 isomorphic-fetch 2.2.1

1.761.1 Available under license :

No license file was found, but licenses were detected in source scan.

isomorphic-fetch [![Build Status](https://travis-ci.org/matthew-andrews/isomorphic-fetch.svg?branch=master)](https://travis-ci.org/matthew-andrews/isomorphic-fetch)

=====

Fetch for node and Browserify. Built on top of [GitHub's WHATWG Fetch polyfill](https://github.com/github/fetch).

Warnings

- This adds `fetch` as a global so that its API is consistent between client and server.
- You must bring your own ES6 Promise compatible polyfill, I suggest [es6-promise](https://github.com/jakearchibald/es6-promise).

For [ease-of-maintenance and backward-compatibility reasons][why polyfill], this library will always be a polyfill. As a "safe" alternative, which does not modify the global, consider [fetch-ponyfill][].

[why polyfill]: <https://github.com/matthew-andrews/isomorphic-fetch/issues/31#issuecomment-149668361>

[fetch-ponyfill]: <https://github.com/qubyte/fetch-ponyfill>

Installation

NPM

```
```sh
npm
install --save isomorphic-fetch es6-promise
```
```

Bower

```
```sh
bower install --save isomorphic-fetch es6-promise
```
```

Usage

```
```js
require('es6-promise').polyfill();
require('isomorphic-fetch');

fetch('//offline-news-api.herokuapp.com/stories')
 .then(function(response) {
```

```
if (response.status >= 400) {
 throw new Error("Bad response from server");
}
return response.json();
})
.then(function(stories) {
 console.log(stories);
});
...

```

## ## License

All open source code released by FT Labs is licenced under the MIT licence. Based on [the fine work by](<https://github.com/github/fetch/pull/31>) **[jxck](https://github.com/Jxck)**\*\*.

Found in path(s):

```
* /opt/cola/permits/1162011754_1620774811.96/0/fis-components-isomorphic-fetch-2-2-1-0-g4801b9c-1-tar-gz/fis-components-isomorphic-fetch-9599403/README.md
```

# 1.762 es-to-primitive 1.2.1

## 1.762.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.763 fragment-cache 0.2.1

## 1.763.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.764 yallist 2.1.2

## 1.764.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.765 union-value 1.0.1

## 1.765.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.766 kind-of 5.1.0

## 1.766.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE



AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.767 Iodash.debounce 4.0.8

## 1.767.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the

documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.768 is-accessor-descriptor 1.0.0

### 1.768.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.769 util-deprecate 1.0.2

### 1.769.1 Available under license :

No license file was found, but licenses were detected in source scan.

util-deprecate

=====

```
The Node.js `util.deprecate()` function with browser support
```

In Node.js, this module simply re-exports the `util.deprecate()` function.

In the web browser (i.e. via browserify), a browser-specific implementation of the `util.deprecate()` function is used.

## API

A `deprecate()` function is the only thing exposed by this module.

```
``` javascript
// setup:
exports.foo = deprecate(foo, 'foo() is deprecated, use bar() instead');

// users see:
foo();
// foo() is deprecated, use bar() instead
foo();
foo();
```
```

## License

(The MIT License)

Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1162001807\_1620776304.13/0/fis-components-util-deprecate-1-0-2-0-geb62f48-1-tar-gz/fis-components-util-deprecate-d252d2b/README.md

## 1.770 wrappy 1.0.2

### 1.770.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.771 rx-lite 3.1.2

### 1.771.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) Microsoft Open Technologies, Inc. All rights reserved. See License.txt in the project root for license information.\*/

Found in path(s):

\* /opt/cola/permits/1161996598\_1620773696.33/0/rx-lite-3-1-2-3-tgz/package/rx.lite.min.js

No license file was found, but licenses were detected in source scan.

Copyright (c) Microsoft Open Technologies, Inc. All rights reserved.  
Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may <http://www.apache.org/licenses/LICENSE-2.0>  
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1161996598\_1620773696.33/0/rx-lite-3-1-2-3-tgz/package/readme.md

No license file was found, but licenses were detected in source scan.

// Copyright (c) Microsoft Open Technologies, Inc. All rights reserved. See License.txt in the project root for license information.

Found in path(s):

\* /opt/cola/permits/1161996598\_1620773696.33/0/rx-lite-3-1-2-3-tgz/package/rx.lite.js

## 1.772 object-assign 4.1.1

### 1.772.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.773 copy-descriptor 0.1.1

### 1.773.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.774 safe-buffer 5.1.2

### 1.774.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.775 har-schema 2.0.0

### 1.775.1 Available under license :

Copyright (c) 2015, Ahmad Nassri <ahmad@ahmadnassri.com>

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.776 loose-envify 1.4.0

### 1.776.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Andres Suarez <zertosh@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.777 concat-map 0.0.1

### 1.777.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.778 utils-merge 1.0.1

### 1.778.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2017 Jared Hanson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.779 isobject 2.1.0

### 1.779.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.780 encoding 0.1.13

### 1.780.1 Available under license :

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.781 to-arraybuffer 1.0.1

### 1.781.1 Available under license :

The MIT License

Copyright (c) 2016 John Hiesey

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.782 pinkie 2.0.4

### 1.782.1 Available under license :

The MIT License (MIT)

Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.783 pify 4.0.1

## 1.783.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.784 acorn 7.4.1

## 1.784.1 Available under license :

MIT License

Copyright (C) 2012-2018 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.785 assign-symbols 1.0.0

### 1.785.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.786 base64-js 1.5.1

### 1.786.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jameson Little

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.787 fs.realpath 1.0.0

## 1.787.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

----

This library bundles a version of the `fs.realpath`` and `fs.realpathSync`` methods from Node.js v0.10 under the terms of the Node.js MIT license.

Node's license follows, also included at the header of `old.js`` which contains the licensed code:

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.788 has-values 0.1.4

### 1.788.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.789 is-number 2.1.0

### 1.789.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.790 babel-plugin-syntax-nullish-coalescing-operator 7.8.3

## 1.790.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.791 no-case 2.3.2

## 1.791.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.792 @babel/plugin-syntax-dynamic-import

## 7.8.3

### 1.792.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.793 miller-rabin 4.0.1

### 1.793.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Miller-Rabin
```

```
LICENSE
```

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2014.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

```
* /opt/cola/permits/1162010844_1620776239.17/0/indutny-miller-rabin-v4-0-1-0-gbda17a3-1-tar-gz/indutny-miller-rabin-2778e2d/README.md
```

# 1.794 is-number 4.0.0

## 1.794.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.795 color-name 1.1.4

## 1.795.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

## 1.796 is-obj 1.0.1

### 1.796.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.797 jsesc 2.5.2

### 1.797.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.798 json-loader 0.5.7

### 1.798.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.799 mixin-deep 1.3.2

### 1.799.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.800 brace-expansion 1.1.11

### 1.800.1 Available under license :

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.801 setimmediate 1.0.5

### 1.801.1 Available under license :

Copyright (c) 2012 Barnesandnoble.com, llc, Donavon West, and Domenic Denicola

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.802 urix 0.1.0

### 1.802.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.803 array-flatten 1.1.1

## 1.803.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.804 map-cache 0.2.2

### 1.804.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.805 param-case 2.1.1

### 1.805.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.806 ci-info 2.0.0

### 1.806.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2018 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.807 esprima 4.0.1

### 1.807.1 Available under license :

Copyright JS Foundation and other contributors, <https://js.foundation/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.808 ms 2.0.0

### 1.808.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.809 os-homedir 1.0.2

### 1.809.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.810 has-value 0.3.1

## 1.810.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.811 json-stable-stringify-without-jsonify

## 1.0.1

### 1.811.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.812 regenerator-runtime 0.11.1

### 1.812.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2014-present, Facebook, Inc.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*/

Found in path(s):

\* /opt/cola/permits/1161996138\_1620777407.68/0/regenerator-runtime-0-11-1-5-tgz/package/path.js

\* /opt/cola/permits/1161996138\_1620777407.68/0/regenerator-runtime-0-11-1-5-tgz/package/runtime-module.js

\* /opt/cola/permits/1161996138\_1620777407.68/0/regenerator-runtime-0-11-1-5-tgz/package/runtime.js

## 1.813 is-utf8 0.2.1

### 1.813.1 Available under license :

The MIT License (MIT)

Copyright (C) 2014 Wei Fanzhe

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.814 caller-callsite 2.0.0

## 1.814.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.815 fsevents 1.2.13

### 1.815.1 Available under license :

MIT License

-----

Copyright (C) 2010-2014 Philipp Dunkel

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.816 normalize-package-data 2.5.0

### 1.816.1 Available under license :

This package contains code originally written by Isaac Z. Schlueter.  
Used with permission.

Copyright (c) Meryn Stol ("Author")  
All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.817 inflight 1.0.6

### 1.817.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.818 @babel/plugin-syntax-export-namespace-from 7.8.3

### 1.818.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.819 har-validator 5.1.5

## 1.819.1 Available under license :

MIT License

Copyright (c) 2018 Ahmad Nassri <ahmad@ahmadnassri.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.820 ecc-jsbn 0.1.2

### 1.820.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jeremie Miller

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



## Licensing

-----

This software is covered under the following copyright:

/\*

\* Copyright (c) 2003-2005 Tom Wu

\* All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY

\* WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

\*

\* IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL,

INCIDENTAL,

\* INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER

\* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF

\* THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT

\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* In addition, the following condition applies:

\*

\* All redistributions must retain an intact copy of this copyright notice

\* and disclaimer.

\*/

Address all questions regarding this license to:

Tom Wu

tjw@cs.Stanford.EDU

# 1.821 ieee754 1.2.1

## 1.821.1 Available under license :

Copyright 2008 Fair Oaks Labs, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.822 callsites 2.0.0

### 1.822.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.823 nanomatch 1.2.13

### 1.823.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.824 find-cache-dir 2.1.0

### 1.824.1 Available under license :

MIT License

Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.825 commander 2.19.0

### 1.825.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.826 concat-stream 1.6.2

### 1.826.1 Available under license :

The MIT License

Copyright (c) 2013 Max Ogden

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.827 pkg-dir 3.0.0

### 1.827.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.828 inherits 2.0.4

## 1.828.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.829 typedarray 0.0.6

### 1.829.1 Available under license :

/\*

Copyright (c) 2010, Linden Research, Inc.

Copyright (c) 2012, Joshua Bell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\$/LicenseInfo\$

\*/

// Original can be found at:

// <https://bitbucket.org/lindenlab/llsd>

```
// Modifications by Joshua Bell inexorable@tash@gmail.com
// https://github.com/inexorabletash/polyfill

// ES3/ES5 implementation of the Khronos Typed Array Specification
// Ref: http://www.khronos.org/registry/typedarray/specs/latest/
// Date: 2011-02-01
//
// Variations:
// * Allows typed_array.get/set() as alias for subscripts (typed_array[])
```

## 1.830 make-dir 2.1.0

### 1.830.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.831 merge-descriptors 1.0.1

### 1.831.1 Available under license :

(The MIT License)

Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.832 private 0.1.8

### 1.832.1 Available under license :

Copyright (c) 2014 Ben Newman <bn@cs.stanford.edu>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.833 array-unique 0.3.2

### 1.833.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.834 form-data 2.3.3

### 1.834.1 Available under license :

Copyright (c) 2012 Felix Geisendrfer (felix@debuggable.com) and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.835 anymatch 2.0.0

## 1.835.1 Available under license :

The ISC License

Copyright (c) 2014 Elan Shanker

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.836 Iru-cache 4.1.5

## 1.836.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.837 validate-npm-package-license 3.0.4

## 1.837.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

validate-npm-package-license

=====

Give me a string and I'll tell you if it's a valid npm package license string.

```
```javascript
var valid = require('validate-npm-package-license');
```
```

SPDX license identifiers are valid license strings:

```
```javascript

var assert = require('assert');
var validSPDXExpression = {
  validForNewPackages: true,
  validForOldPackages: true,
  spdx: true
};

assert.deepEqual(valid('MIT'), validSPDXExpression);
assert.deepEqual(valid('BSD-2-Clause'), validSPDXExpression);
assert.deepEqual(valid('Apache-2.0'), validSPDXExpression);
assert.deepEqual(valid('ISC'), validSPDXExpression);
```
```

The function will return a warning and suggestion for nearly-correct license identifiers:

```
```javascript
assert.deepEqual(
  valid('Apache 2.0'),
  {
    validForOldPackages: false,
    validForNewPackages: false,
    warnings: [

```

```

    'license should be ' +
    'a valid SPDX license expression (without "LicenseRef"), ' +
    '"UNLICENSED", or ' +
    '"SEE LICENSE IN <filename>"',
    'license is similar to the valid expression "Apache-2.0"'
  ]
}
);
```

```

SPDX expressions are valid, too ...

```

```javascript
// Simple SPDX license expression for dual licensing
assert.deepEqual(
  valid('(GPL-3.0-only OR BSD-2-Clause)'),
  validSPDXExpression
);
```

```

... except if they contain `LicenseRef`:

```

```javascript
var warningAboutLicenseRef = {
  validForOldPackages: false,
  validForNewPackages: false,
  spdx: true,
  warnings: [
    'license should be ' +
    'a valid SPDX license expression (without "LicenseRef"), ' +
    '"UNLICENSED", or ' +
    '"SEE LICENSE IN <filename>"',
  ]
};

assert.deepEqual(
  valid('LicenseRef-Made-Up'),
  warningAboutLicenseRef
);

assert.deepEqual(
  valid('(MIT OR LicenseRef-Made-Up)'),
  warningAboutLicenseRef
);
```

```

If you can't describe your licensing terms with standardized SPDX identifiers, put the terms in a file in the package and point users there:



```

```javascript
assert.deepEqual(
  valid('SEE
LICENSE IN LICENSE.txt'),
  {
    validForNewPackages: true,
    validForOldPackages: true,
    inFile: 'LICENSE.txt'
  }
);

assert.deepEqual(
  valid('SEE LICENSE IN license.md'),
  {
    validForNewPackages: true,
    validForOldPackages: true,
    inFile: 'license.md'
  }
);
```

```

If there aren't any licensing terms, use `UNLICENSED`:

```

```javascript
var unlicensed = {
  validForNewPackages: true,
  validForOldPackages: true,
  unlicensed: true
};
assert.deepEqual(valid('UNLICENSED'), unlicensed);
assert.deepEqual(valid('UNLICENSED'), unlicensed);
```

```

## 1.838 iconv-lite 0.4.24

### 1.838.1 Available under license :

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.839 get-caller-file 2.0.5

### 1.839.1 Available under license :

ISC License (ISC)  
Copyright 2018 Stefan Penner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.840 js-yaml 3.14.1

### 1.840.1 Available under license :

(The MIT License)

Copyright (C) 2011-2015 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.841 source-map-url 0.4.1

### 1.841.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.842 Icid 1.0.0

### 1.842.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.843 repeat-string 1.6.1

### 1.843.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.844 performance-now 2.1.0

## 1.844.1 Available under license :

Copyright (c) 2013 BravegIrl

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.845 is-ci 2.0.0

## 1.845.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2018 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.846 invert-kv 1.0.0

## 1.846.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.847 oauth-sign 0.9.0

## 1.847.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are

under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean

the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual

or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a

Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall



any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.848 esrecurse 4.3.0

### 1.848.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright (C) 2014 Yusuke Suzuki <utatane.tea@gmail.com>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1161999567\_1620774774.28/0/estools-esrecurse-v4-3-0-0-g8ceb637-1-tar-gz/estools-esrecurse-f285b57/esrecurse.js

No license file was found, but licenses were detected in source scan.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Found in path(s):

\* /opt/cola/permits/1161999567\_1620774774.28/0/estools-esrecurse-v4-3-0-0-g8ceb637-1-tar-gz/estools-esrecurse-f285b57/README.md

No license file was found, but licenses were detected in source scan.

```
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are met:
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
```

Found in path(s):

\* /opt/cola/permits/1161999567\_1620774774.28/0/estools-esrecurse-v4-3-0-0-g8ceb637-1-tar-gz/estools-esrecurse-f285b57/test/traverse.js

\* /opt/cola/permits/1161999567\_1620774774.28/0/estools-esrecurse-v4-3-0-0-g8ceb637-1-tar-gz/estools-esrecurse-f285b57/gulpfile.babel.js

## 1.849 comondir 1.0.1

### 1.849.1 Available under license :

The MIT License

Copyright (c) 2013 James Halliday (mail@substack.net)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice

shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.850 is-data-descriptor 1.0.0

### 1.850.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.851 wordwrap 1.0.0

### 1.851.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Colin Arenz

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.852 growly 1.3.0

### 1.852.1 Available under license :

No license file was found, but licenses were detected in source scan.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1162002276\_1620776662.08/0/growly-1-3-0-5-tgz/package/README.md

## 1.853 extsprintf 1.3.0

### 1.853.1 Available under license :

Copyright (c) 2012, Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER



LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN  
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE

# 1.854 debounce 1.2.1

## 1.854.1 Available under license :

MIT License

Copyright (c) 2012-2018 The Debounce Contributors. See CONTRIBUTORS.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Ben Carpenter

Billy Moon

Josh Goldberg

Julian Gruber

Kristofer Selbekk

Matt Mueller

Matthew Mueller

Nathan Rajlich

Oleg Pudeyev

Stephen Mathieson

TJ Holwaychuk

suhaotian

ven

# 1.855 mime 1.6.0

## 1.855.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010 Benjamin Thomas, Robert Kieffer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.856 set-value 2.0.1

## 1.856.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.857 glob-parent 3.1.0

### 1.857.1 Available under license :

The ISC License

Copyright (c) 2015 Elan Shanker

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.858 cliui 3.2.0

### 1.858.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.859 call-bind 1.0.2

## 1.859.1 Available under license :

MIT License

Copyright (c) 2020 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.860 safer-buffer 2.1.2

## 1.860.1 Available under license :

MIT License

Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.861 object-copy 0.1.0

### 1.861.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.862 @babel/plugin-syntax-optional-catch-binding 7.8.3

### 1.862.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.863 spd-expression-parse 3.0.1

### 1.863.1 Available under license :

The MIT License

Copyright (c) 2015 Kyle E. Mitchell & other authors listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.864 kind-of 3.2.2

## 1.864.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.865 cosmiconfig 5.2.1

### 1.865.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 David Clark

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.866 array-uniq 1.0.3

### 1.866.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.867 brorand 1.1.0

### 1.867.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Brorand
```

```
LICENSE
```

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2014.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,



distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1162006210\_1620777374.31/0/indutny-brorand-v1-1-0-0-gddc4f93-1-tar-gz/indutny-brorand-0f106b1/README.md

## 1.868 atob 2.1.2

### 1.868.1 Available under license :

Creative Commons Legal Code

Attribution 3.0 Unported

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

## 1. Definitions

- a. "Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered an Adaptation for the purpose of this License.
- b. "Collection" means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.
- c. "Distribute" means to make available to the public the original and copies of the Work or Adaptation, as appropriate, through sale or other transfer of ownership.
- d. "Licensor" means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.
- e. "Original Author" means, in the case of a literary or artistic work, the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians, dancers, and other persons who act, sing, deliver, declaim, play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.
- f. "Work" means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work

of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.

- g. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.
- h. "Publicly Perform" means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.
- i. "Reproduce" means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.

2. Fair Dealing Rights. Nothing in this License is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

- a. to Reproduce the Work, to incorporate the Work into one or more

- Collections, and to Reproduce the Work as incorporated in the Collections;
- b. to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked "The original work was translated from English to Spanish," or a modification could indicate "The original work has been modified.";
- c. to Distribute and Publicly Perform the Work including as incorporated in Collections; and,
- d. to Distribute and Publicly Perform Adaptations.
- e. For the avoidance of doubt:
- i. Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;
- ii. Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,
- iii. Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

a. You may Distribute or Publicly Perform the Work only under the terms

of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the

Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, remove from the Collection any credit as required by Section 4(b), as requested. If You create an Adaptation, upon notice from any Licensor You must, to the extent practicable, remove from the Adaptation any credit as required by Section 4(b), as requested.

- b. If You Distribute, or Publicly Perform the Work or any Adaptations or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution ("Attribution Parties") in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and (iv) , consistent with Section 3(b), in the case of an Adaptation, a credit identifying the use of the Work in the Adaptation (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). The credit required by this Section 4 (b) may be implemented in any reasonable manner; provided, however, that in the case of a Adaptation or Collection, at a minimum such credit will appear, if a credit for all contributing authors of the Adaptation or Collection appears, then as part of these credits and in a manner at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.

c. Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or Publicly Perform the Work either by itself or as part of any Adaptations or Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the Work which would be prejudicial

to the Original Author's honor or reputation. Licensor agrees that in those jurisdictions (e.g. Japan), in which any exercise of the right granted in Section 3(b) of this License (the right to make Adaptations) would be deemed to be a distortion, mutilation, modification or other derogatory action prejudicial to the Original Author's honor and reputation, the Licensor will waive or not assert, as appropriate, this Section, to the fullest extent permitted by the applicable national law, to enable You to reasonably exercise Your right under Section 3(b) of this License (right to make Adaptations) but not otherwise.

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

a. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses.

Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

b. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the

Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

#### 8. Miscellaneous

- a. Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.
- b. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.
- c. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
- d. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.
- e. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.
- f. The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.

## Creative Commons Notice

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, Creative Commons does not authorize the use by either party of the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time. For the avoidance of doubt, this trademark restriction does not form part of this License.

Creative Commons may be contacted at <http://creativecommons.org/>.  
At your option you may choose either of the following licenses:

- \* The MIT License (MIT)
- \* The Apache License 2.0 (Apache-2.0)

The MIT License (MIT)

Copyright (c) 2015 AJ O'Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE



LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means

any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent

infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices

cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2015 AJ O'Neal

Licensed  
under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.869 figures 1.7.0

### 1.869.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.870 eslint-visitor-keys 1.3.0

## 1.870.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.



5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

#### Copyright contributors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.871 color-support 1.1.3

## 1.871.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.872 path-type 1.1.0

## 1.872.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.873 locate-path 3.0.0

## 1.873.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER  
DEALINGS IN THE SOFTWARE.

# 1.874 cookie-signature 1.0.6

## 1.874.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
cookie-signature
```

```
Sign and unsign cookies.
```

```
Example
```

```
```js
```

```
var cookie = require('cookie-signature');
```

```
var val = cookie.sign('hello', 'tobiiscool');
```

```
val.should.equal('hello.DGDUkGIikCzPz+C0B064FNgHdEjox7ch8tOBGslZ5QI');
```

```
var val = cookie.sign('hello', 'tobiiscool');
```

```
cookie.unsign(val, 'tobiiscool').should.equal('hello');
```

```
cookie.unsign(val, 'luna').should.be.false;
```

```
```
```

```
License
```

```
(The MIT License)
```

```
Copyright (c) 2012 LearnBoost <tj@learnboost.com>
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1161995369\_1620776587.95/0/cookie-signature-1-0-6-7-tgz/package/Readme.md

## 1.875 once 1.4.0

### 1.875.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.876 isarray 1.0.0

### 1.876.1 Available under license :

No license file was found, but licenses were detected in source scan.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1161998761\_1620775399.84/0/juliangruber-isarray-v1-0-0-0-g2a23a28-1-tar-gz/juliangruber-isarray-4d60ca8/README.md

# 1.877 resolve-url 0.2.1

## 1.877.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.878 map-obj 1.0.1

## 1.878.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.879 core-util-is 1.0.2

### 1.879.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Permission is hereby granted, free of charge, to any person obtaining a
// copy of this software and associated documentation files (the
// "Software"), to deal in the Software without restriction, including
// without limitation the rights to use, copy, modify, merge, publish,
// distribute, sublicense, and/or sell copies of the Software, and to permit
// The above copyright notice and this permission notice shall be included
// in all copies or substantial portions of the Software.
```

Found in path(s):

```
* /opt/cola/permits/1162010998_1620777481.68/0/fis-components-core-util-is-1-0-2-0-gb94b22f-1-tar-gz/fis-components-core-util-is-5917000/lib/util.js
```

## 1.880 is-extglob 2.1.1

### 1.880.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.881 isarray 0.0.1

### 1.881.1 Available under license :

No license file was found, but licenses were detected in source scan.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1161998804\_1620773489.43/0/fis-components-isarray-0-0-1-0-g1f8a1d4-1-tar-gz/fis-components-isarray-84d6fbc/README.md

## 1.882 string-width 1.0.2

### 1.882.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.883 hmac-drbg 1.0.1

## 1.883.1 Available under license :

No license file was found, but licenses were detected in source scan.

This software is licensed under the MIT License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1162001527\_1620775055.23/0/indutny-hmac-drbg-v1-0-1-0-g2592375-1-tar-gz/indutny-hmac-drbg-eecfb7f/README.md

# 1.884 run-async 0.1.0

## 1.884.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Boudrias

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.885 exit-hook 1.1.1

## 1.885.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.886 os-locale 1.4.0

## 1.886.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.887 json-parse-better-errors 1.0.2

### 1.887.1 Available under license :

Copyright 2017 Kat Marchn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.888 bindings 1.5.0

### 1.888.1 Available under license :

(The MIT License)

Copyright (c) 2012 Nathan Rajlich &lt;nathan@tootallnate.net&gt;

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.889 builtin-status-codes 3.0.0

### 1.889.1 Available under license :

The MIT License (MIT)

Copyright (c) Ben Drucker <bvdrucker@gmail.com> (bendrucker.me)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.890 fill-range 2.2.4

### 1.890.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.891 collection-visit 1.0.0

### 1.891.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.892 extend-shallow 2.0.1

### 1.892.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.893 lower-case 1.1.4

### 1.893.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.894 type-detect 4.0.8

## 1.894.1 Available under license :

Copyright (c) 2013 Jake Luer <jake@alogicalparadox.com> (<http://alogicalparadox.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.895 to-object-path 0.3.0

## 1.895.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT  
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.896 is-svg 2.1.0

### 1.896.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.897 prr 1.0.1

### 1.897.1 Available under license :

The MIT License (MIT)

=====

Copyright (c) 2014 Rod Vagg

-----

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.898 process 0.11.10

### 1.898.1 Available under license :

(The MIT License)

Copyright (c) 2013 Roman Shtylman <shtylman@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.899 esutils 2.0.3

### 1.899.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.900 which 1.3.1

### 1.900.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.901 punycode 1.4.1

### 1.901.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.902 estraverse 4.3.0

### 1.902.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.903 ansi-styles 4.3.0

### 1.903.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.904 side-channel 1.0.4

### 1.904.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.905 dashdash 1.14.1

### 1.905.1 Available under license :

# This is the MIT license

Copyright (c) 2013 Trent Mick. All rights reserved.

Copyright (c) 2013 Joyent Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.906 posix-character-classes 0.1.1

### 1.906.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.907 upath 1.2.0

## 1.907.1 Available under license :

Copyright(c) 2014-2019 Angelos Pikoulas (agelos.pikoulas@gmail.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.908 jsesc 0.5.0

## 1.908.1 Available under license :

Copyright Mathias Bynens <<http://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.909 chalk 2.4.2

### 1.909.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.910 promise 7.3.1

### 1.910.1 Available under license :

Copyright (c) 2014 Forbes Lindesay

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.911 aproba 1.2.0

### 1.911.1 Available under license :

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.912 to-regex-range 2.1.1

### 1.912.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER



LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT  
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.913 braces 1.8.5

### 1.913.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT  
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.914 @babel/plugin-syntax-json-strings 7.8.3

### 1.914.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.915 process-nextick-args 2.0.1

### 1.915.1 Available under license :

# Copyright (c) 2015 Calvin Metcalf

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

\*\*THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.\*\*

## 1.916 map-visit 1.0.0

### 1.916.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.917 expand-range 1.8.2

### 1.917.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.918 use 3.1.1

## 1.918.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.919 fill-range 4.0.0

## 1.919.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.920 request 2.88.2

## 1.920.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)

to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the

License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall

any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.921 regex-not 1.0.2

### 1.921.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016, 2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.922 tslib 1.14.1

### 1.922.1 Available under license :

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/\*! \*\*\*\*\*

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



## 1.923 arr-flatten 1.1.0

### 1.923.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.924 is-binary-path 1.0.1

### 1.924.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.925 strict-uri-encode 2.0.0

### 1.925.1 Available under license :

The MIT License (MIT)

Copyright (c) Kevin Martensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.926 argparse 1.0.10

### 1.926.1 Available under license :

(The MIT License)

Copyright (C) 2012 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.927 isstream 0.1.2

### 1.927.1 Available under license :

The MIT License (MIT)

=====

Copyright (c) 2015 Rod Vagg

-----

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.928 forever-agent 0.6.1

### 1.928.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean

the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual

or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall

any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.929 normalize-path 3.0.0

### 1.929.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.930 get-value 2.0.6

### 1.930.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.931 is-glob 3.1.0

### 1.931.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.932 regenerator-runtime 0.10.5

### 1.932.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2014, Facebook, Inc.
 * All rights reserved.
 *
 * This source code is licensed under the BSD-style license found in the
 * https://raw.githubusercontent.com/facebook/regenerator/master/LICENSE file. An
 * additional grant of patent rights can be found in the PATENTS file in
 * the same directory.
 */
```

Found in path(s):

\* /opt/cola/permits/1161996129\_1620776744.14/0/regenerator-runtime-0-10-5-6-tgz/package/runtime.js

## 1.933 object-keys 1.1.1

### 1.933.1 Available under license :

The MIT License (MIT)

Copyright (C) 2013 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR



IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.934 babel-plugin-syntax-optional-chaining

### 7.8.3

#### 1.934.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.935 osenv 0.1.5

#### 1.935.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.936 debug 2.6.9

### 1.936.1 Available under license :

Copyright (c) 2004-2015 Fabien Potencier

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.937 unpipe 1.0.0

### 1.937.1 Available under license :

(The MIT License)

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.938 isobject 3.0.1

### 1.938.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.939 code-point-at 1.1.0

## 1.939.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](https://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.940 binary-extensions 2.2.0

### 1.940.1 Available under license :

MIT License

Copyright (c) 2019 Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>), Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.941 has 1.0.3

## 1.941.1 Available under license :

Copyright (c) 2013 Thiago de Arruda

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.942 react-lifecycles-compat 3.0.4

## 1.942.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.943 emoji-regex 8.0.0

### 1.943.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.944 parse-json 4.0.0

### 1.944.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.945 path-exists 3.0.0

### 1.945.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](https://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.946 is-binary-path 2.1.0

### 1.946.1 Available under license :

MIT License

Copyright (c) 2019 Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>), Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.947 emojis-list 2.1.0

### 1.947.1 Available under license :

The MIT License (MIT)

Copyright 2015 Kiko Beats

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.948 npmlog 4.1.2

### 1.948.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above



copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.949 caseless 0.12.0

### 1.949.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred

form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices

from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional

attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the

Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR

PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable

to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such

Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.950 has-values 1.0.0

### 1.950.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.951 parseurl 1.3.3

## 1.951.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jungleberry.com>

Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.952 is-windows 1.0.2

### 1.952.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.953 arr-union 3.1.0

### 1.953.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.954 minimalistic-crypto-utils 1.0.1

### 1.954.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
minimalistic-crypto-utils
```

```
[![Build Status](https://secure.travis-ci.org/indutny/minimalistic-crypto-utils.svg)](http://travis-ci.org/indutny/minimalistic-crypto-utils)
```

```
[![NPM version](https://badge.fury.io/js/minimalistic-crypto-utils.svg)](http://badge.fury.io/js/minimalistic-crypto-utils)
```

Very minimal utils that are required in order to write reasonable JS-only crypto module.

## Usage

```
```js
const utils = require('minimalistic-crypto-utils');
```

```
utils.toArray('abcd', 'hex');
utils.encode([ 1, 2, 3, 4 ], 'hex');
utils.toHex([ 1, 2, 3, 4 ]);
```
```

#### LICENSE

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2017.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[0]: <http://tools.ietf.org/html/rfc6979>  
[1]: <https://github.com/indutny/bn.js>  
[2]: <https://github.com/indutny/hash.js>  
[3]: <https://github.com/bitchan/eccrypto>  
[4]: <https://github.com/wanderer/secp256k1-node>

Found in path(s):

\* /opt/cola/permits/1161995550\_1620775855.97/0/indutny-minimalistic-crypto-utils-v1-0-1-0-gf4f2b13-1-tar-gz/indutny-minimalistic-crypto-utils-46ed260/README.md

# 1.955 import-fresh 2.0.0

## 1.955.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.956 is-extendable 1.0.1

## 1.956.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.957 async-limiter 1.0.1

### 1.957.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Samuel Reed <samuel.trace.reed@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.958 to-regexp 3.0.2

### 1.958.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR



IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.959 tweetnacl 0.14.5

### 1.959.1 Available under license :

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org>>

## 1.960 static-extend 0.1.2

### 1.960.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.961 sprintf-js 1.0.3

### 1.961.1 Available under license :

MIT License

Copyright (c) 2019 Johannes Tegnér / Jitesoft

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.962 mute-stream 0.0.5

## 1.962.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.963 micromatch 3.1.10

### 1.963.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.964 pascalcase 0.1.1

## 1.964.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.965 ret 0.1.15

## 1.965.1 Available under license :

Copyright (C) 2011 by Roly Fentanes

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH  
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.966 ansi-styles 3.2.1

### 1.966.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.967 is-buffer 1.1.6

### 1.967.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.968 is-data-descriptor 0.1.4

### 1.968.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.969 for-in 1.0.2

### 1.969.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.970 glob-parent 5.1.2

### 1.970.1 Available under license :

The ISC License

Copyright (c) 2015, 2019 Elan Shanker

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.971 arr-diff 4.0.0

### 1.971.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.972 class-utils 0.3.6

### 1.972.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.973 parse-json 2.2.0

### 1.973.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy



of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.974 strip-ansi 3.0.1

### 1.974.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.975 universalify 0.1.2

## 1.975.1 Available under license :

(The MIT License)

Copyright (c) 2017, Ryan Zimmerman <opensrc@ryanzim.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.976 console-control-strings 1.1.0

## 1.976.1 Available under license :

Copyright (c) 2014, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.977 snapdragon-util 3.0.1

## 1.977.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.978 postcss 6.0.23

### 1.978.1 Available under license :

The MIT License (MIT)

Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN  
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.979 tough-cookie 2.5.0

### 1.979.1 Available under license :

Copyright (c) 2015, Salesforce.com, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of Salesforce.com nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.980 buffer-xor 1.0.3

### 1.980.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Daniel Cousens

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.981 block-stream 0.0.9

### 1.981.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Isaac Z. Schlueter

All rights reserved.

The BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE

GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.982 supports-color 7.2.0

### 1.982.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.983 is-stream 1.1.0

### 1.983.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.984 load-json-file 1.1.0

### 1.984.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.985 gensync 1.0.0-beta.2

### 1.985.1 Available under license :

Copyright 2018 Logan Smyth <loganfsmyth@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.986 to-fast-properties 2.0.0

### 1.986.1 Available under license :

MIT License

Copyright (c) 2014 Petka Antonov  
2015 Sindre Sorhus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.987 babel-polyfill 6.26.0

### 1.987.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2014, Facebook, Inc.

\* All rights reserved.



\*  
\* This source code is licensed under the BSD-style license found in the  
\* <https://raw.githubusercontent.com/facebook/regenerator/master/LICENSE> file. An  
\* additional grant of patent rights can be found in the PATENTS file in  
\* the same directory.  
\*/

Found in path(s):

\* /opt/cola/permits/1162006770\_1620775613.24/0/babel-polyfill-6-26-0-5-tgz/package/dist/polyfill.js

## 1.988 number-is-nan 1.0.1

### 1.988.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.989 file-uri-to-path 1.0.0

### 1.989.1 Available under license :

Copyright (c) 2014 Nathan Rajlich <[nathan@tootallnate.net](mailto:nathan@tootallnate.net)>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.990 util 0.10.4

### 1.990.1 Available under license :

Copyright 2017 WalmartLabs

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.991 @babel/plugin-syntax-numeric-separator 7.10.4

### 1.991.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.992 has-flag 4.0.0

### 1.992.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.993 readdirp 2.2.1

### 1.993.1 Available under license :

This software is released under the MIT license:

Copyright (c) 2012-2015 Thorsten Lorenz

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.994 is-plain-object 2.0.4

### 1.994.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.995 esprima 3.1.3

## 1.995.1 Available under license :

Copyright JS Foundation and other contributors, <https://js.foundation/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.996 shellwords 0.1.1

### 1.996.1 Available under license :

Copyright (C) 2011 by Jimmy Cuadra

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.997 supports-color 5.5.0

## 1.997.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.998 @babel/plugin-syntax-class-properties

## 7.12.13

### 1.998.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.999 repeating 2.0.1

### 1.999.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1000 extend-shallow 3.0.2

### 1.1000.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1001 os-tmpdir 1.0.2

### 1.1001.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1002 has-value 1.0.0

### 1.1002.1 Available under license :

Creative Commons Legal Code

CC0 1.0 Universal



CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

#### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work,

- subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
  - vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
  - vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder

of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

## 1.1003 imurmurhash 0.1.4

### 1.1003.1 Available under license :

No license file was found, but licenses were detected in source scan.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1162004726\_1620774102.75/0/imurmurhash-0-1-4-6-tgz/package/README.md

# 1.1004 abbrev 1.1.1

## 1.1004.1 Available under license :

This software is dual-licensed under the ISC and MIT licenses.

You may use this software under EITHER of the following licenses.

-----

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

-----

Copyright Isaac Z. Schlueter and Contributors

All rights reserved.

Permission is

hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1005 source-map 0.4.4

### 1.1005.1 Available under license :

Copyright (c) 2009-2011, Mozilla Foundation and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of the Mozilla Foundation nor the names of project contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1006 escape-string-regexp 1.0.5

### 1.1006.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1007 for-each 0.3.3

### 1.1007.1 Available under license :

The MIT License (MIT)

Copyright (c) 2012 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1008 unset-value 1.0.0

## 1.1008.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1009 range-parser 1.2.1

## 1.1009.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1010 isexe 2.0.0

### 1.1010.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1011 camelcase 5.3.1

### 1.1011.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN



AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER  
DEALINGS IN THE SOFTWARE.

## 1.1012 source-map-resolve 0.5.3

### 1.1012.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014, 2015, 2016, 2017, 2018, 2019 Simon Lydell

Copyright (c) 2019 ZHAO Jinxiang

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1013 mkdirp 0.5.5

### 1.1013.1 Available under license :

Copyright 2010 James Halliday (mail@substack.net)

This project is free software released under the MIT/X11 license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1014 escape-html 1.0.3

### 1.1014.1 Available under license :

(The MIT License)

Copyright (c) 2012-2013 TJ Holowaychuk

Copyright (c) 2015 Andreas Lubbe

Copyright (c) 2015 Tiancheng "Timothy" Gu

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1015 asynckit 0.4.0

### 1.1015.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Alex Indigo

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1016 @babel/plugin-syntax-async-generators 7.8.4

## 1.1016.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1017 is-typedarray 1.0.0

### 1.1017.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1018 expand-brackets 2.1.4

### 1.1018.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1019 is-extendable 0.1.1

### 1.1019.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1020 require-directory 2.1.1

### 1.1020.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1021 escalate 3.1.1

### 1.1021.1 Available under license :

MIT License

Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1022 inherits 2.0.3

### 1.1022.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH

REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1023 which-module 1.0.0

### 1.1023.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1024 color-string 0.3.0

### 1.1024.1 Available under license :

Copyright (c) 2011 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR  
IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1025 snapdragon-node 2.1.1

### 1.1025.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1026 media-typer 0.3.0

### 1.1026.1 Available under license :

(The MIT License)

Copyright (c) 2014 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be



included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1027 readable-stream 1.1.14

### 1.1027.1 Available under license :

Copyright Joyent, Inc. and other Node contributors. All rights reserved.  
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1028 memory-fs 0.4.1

### 1.1028.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
MIT License http://www.opensource.org/licenses/mit-license.php
Author Tobias Koppers @sokra
*/
```

Found in path(s):

```
* /opt/cola/permits/1162007869_1620774027.43/0/webpack-memory-fs-v0-4-1-0-g1b3c357-tar-gz/webpack-
```

# 1.1029 requires-port 1.0.0

## 1.1029.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1030 bcrypt-pbkdf 1.0.2

## 1.1030.1 Available under license :

The Blowfish portions are under the following license:

Blowfish block cipher for OpenBSD

Copyright 1997 Niels Provos <provos@physnet.uni-hamburg.de>

All rights reserved.

Implementation advice by David Mazieres <dm@lcs.mit.edu>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The bcrypt\_pbkdf portions are under the following license:

Copyright (c) 2013 Ted Unangst <tedu@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING

ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Performance improvements (Javascript-specific):

Copyright 2016, Joyent Inc

Author: Alex Wilson <alex.wilson@joyent.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1031 path-exists 2.1.0

### 1.1031.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1032 ajv 6.12.6

### 1.1032.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1033 verror 1.10.0

### 1.1033.1 Available under license :

Copyright (c) 2016, Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1034 json-schema-traverse 0.4.1

### 1.1034.1 Available under license :

MIT License

Copyright (c) 2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1035 preserve 0.2.0

### 1.1035.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1036 read-pkg-up 1.0.1

## 1.1036.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1037 deep-extend 0.6.0

## 1.1037.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018, Viacheslav Lotsmanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1038 js-tokens 4.0.0

### 1.1038.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014, 2015, 2016, 2017, 2018 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1039 assert-plus 1.0.0

### 1.1039.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1161997271\_1620776129.65/0/assert-plus-1-0-0-5-tgz/package/README.md



No license file was found, but licenses were detected in source scan.

// Copyright (c) 2012, Mark Cavage. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1161997271\_1620776129.65/0/assert-plus-1-0-0-5-tgz/package/assert.js

## 1.1040 ansi-styles 2.2.1

### 1.1040.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1041 is-descriptor 0.1.6

### 1.1041.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1042 @babel/plugin-syntax-logical-assignment-operators 7.10.4

### 1.1042.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1043 filter-obj 1.1.0

## 1.1043.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1044 parse-node-version 1.0.1

### 1.1044.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 Blaine Bublitz <blaine.bublitz@gmail.com> and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN

ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.1045 regenerate 1.4.2

### 1.1045.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1046 aws-sign2 0.7.0

### 1.1046.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean  
the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)  
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual  
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by

combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing,

shall

any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.1047 extglob 2.0.4

### 1.1047.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1048 extend 3.0.2

## 1.1048.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Stefan Thomas

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1049 path-dirname 1.0.2

### 1.1049.1 Available under license :

The MIT License (MIT)

Copyright (c) Elan Shanker and Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER



LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING  
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS  
IN THE SOFTWARE.

## 1.1050 split-string 3.1.0

### 1.1050.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1051 getpass 0.1.7

### 1.1051.1 Available under license :

Copyright Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1052 through 2.3.8

## 1.1052.1 Available under license :

The MIT License

Copyright (c) 2011 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License, Version 2.0

Copyright (c) 2011 Dominic Tarr

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.1053 relateurl 0.2.7

### 1.1053.1 Available under license :

The MIT License (MIT)

Copyright (c) Steven Vachon <contact@svachon.com> (svachon.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1054 caller-path 2.0.0

### 1.1054.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1055 decamelize 1.2.0

### 1.1055.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1056 methods 1.1.2

### 1.1056.1 Available under license :

(The MIT License)

Copyright (c) 2013-2014 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2015-2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1057 supports-color 2.0.0

### 1.1057.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1058 error-ex 1.3.2

## 1.1058.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 JD Ballard

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1059 json-stringify-safe 5.0.1

## 1.1059.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1060 restore-cursor 1.0.1

## 1.1060.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1061 spdx-exceptions 2.3.0

## 1.1061.1 Available under license :

No license file was found, but licenses were detected in source scan.

The package exports an array of strings. Each string is an identifier for a license exception under the [Software Package Data Exchange (SPDX)][SPDX] software license metadata standard.

[SPDX]: <https://spdx.org>

## Copyright and Licensing

### SPDX

"SPDX" is a federally registered United States trademark of The Linux Foundation Corporation.

From version 2.0 of the [SPDX] specification:

> Copyright © 2010-2015 Linux Foundation and its Contributors. Licensed  
> under the Creative Commons Attribution License 3.0 Unported. All other  
> rights are expressly reserved.

The Linux Foundation and the SPDX working groups are good people. Only they decide what "SPDX" means, as a standard and otherwise. I respect their work and their rights. You should, too.

### This Package

> I created this package by copying exception identifiers out of the  
> SPDX specification. That work was mechanical, routine, and required no  
> creativity  
whatsoever. - Kyle Mitchell, package author

United States users concerned about intellectual property may wish to discuss the following Supreme Court decisions with their attorneys:

- *Baker v. Selden*, 101 U.S. 99 (1879)

- *Feist Publications, Inc., v. Rural Telephone Service Co.*,  
499 U.S. 340 (1991)

Found in path(s):

\* /opt/cola/permits/1162002920\_1620777403.28/0/spdx-exceptions-2-3-0-8-tgz/package/README.md

# 1.1062 is-fullwidth-code-point 3.0.0

## 1.1062.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,



ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1063 fs-readdir-recursive 1.1.0

### 1.1063.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong [me@jungleberry.com](mailto:me@jungleberry.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1064 is-descriptor 1.0.2

### 1.1064.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1065 is-number 3.0.0

### 1.1065.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1066 array-find-index 1.0.2

### 1.1066.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1067 fresh 0.5.2

### 1.1067.1 Available under license :

(The MIT License)

Copyright (c) 2012 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2016-2017 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1068 combined-stream 1.0.8

## 1.1068.1 Available under license :

Copyright (c) 2011 Debuggable Limited <felix@debuggable.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1069 delegates 1.0.0

## 1.1069.1 Available under license :

Copyright (c) 2015 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1070 through 2.0.5

### 1.1070.1 Available under license :

# The MIT License (MIT)

\*\*Copyright (c) Rod Vagg (the "Original Author") and additional contributors\*\*

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1071 uri-js 4.4.1

### 1.1071.1 Available under license :

Copyright 2011 Gary Court. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY GARY COURT "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL GARY COURT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR

BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Gary Court.

## 1.1072 scheduler 0.20.2

### 1.1072.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1073 jta 1.1.0

### 1.1073.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works



that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Meccrowave :: JTA

Copyright 2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.1074 webpack-bundle-analyzer 3.9.0

### 1.1074.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1075 glob-parent 5.1.2

## 1.1075.1 Available under license :

The ISC License

Copyright (c) 2015, 2019 Elan Shanker

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1076 check-types 8.0.3

### 1.1076.1 Available under license :

Copyright 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019 Phil Booth

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1077 gzip-size 5.1.1

## 1.1077.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1078 types-hoist-non-react-statics 3.3.1

### 1.1078.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

# 1.1079 babel-plugin-add-module-exports 1.0.4

## 1.1079.1 Available under license :

MIT license

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1080 lz4 1.2.0

## 1.1080.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1168013945_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4UnsafeUtils.java
* /opt/cola/permits/1168013945_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/XXHashJNI.java
* /opt/cola/permits/1168013945_1622634812.48/0/lz4-1-2-0-sources-1-
jar/net/jpountz/lz4/LZ4BlockOutputStream.java
* /opt/cola/permits/1168013945_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4Factory.java
```

\*  
/opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4Constants.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4HCJNICompressor.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4Exception.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4FastDecompressor.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/XXHashConstants.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/StreamingXXHash32JNI.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/util/Native.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/AbstractStreamingXXHash32Java.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4JNICompressor.java  
\*  
/opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/util/UnsafeUtils.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/XXHashFactory.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/util/Utils.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4BlockInputStream.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/XXHash32.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/XXHash32JNI.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4Decompressor.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/StreamingXXHash32.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4SafeDecompressor.java  
\*  
/opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4JNI.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4Utils.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4JNISafeDecompressor.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4Compressor.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4UnknownSizeDecompressor.java  
\* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/LZ4JNIFastDecompressor.java  
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

- \* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/overview.html
- \* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/lz4/package.html
- \* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/xxhash/package.html
- \* /opt/cola/permits/1168013945\_1622634812.48/0/lz4-1-2-0-sources-1-jar/net/jpountz/util/package.html

## 1.1081 normalize-url 4.5.1

### 1.1081.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1082 unique-slug 2.0.2

### 1.1082.1 Available under license :

The ISC License

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES



WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1083 create-hmac 1.1.7

### 1.1083.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 crypto-browserify contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1084 yallist 3.1.1

### 1.1084.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1085 node-libs-browser 2.2.1

### 1.1085.1 Available under license :

(The MIT License)

Copyright (c) 2012 Tobias Koppers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1086 loader-runner 2.4.0

### 1.1086.1 Available under license :

The MIT License

Copyright (c) Tobias Koppers @sokra

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1087 find-up 4.1.0

### 1.1087.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1088 Iru-cache 5.1.1

### 1.1088.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1089 typedarray-to-buffer 3.1.5

### 1.1089.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1090 symbol-observable 1.2.0

### 1.1090.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Copyright (c) Ben Lesh <ben@benlesh.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1091 find-up 3.0.0

### 1.1091.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1092 browserify-des 1.0.2

### 1.1092.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017 Calvin Metcalf, Fedor Indutny & contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1093 repeat-element 1.1.4

### 1.1093.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1094 util 0.11.1

## 1.1094.1 Available under license :

Copyright Joyent, Inc. and other Node contributors. All rights reserved.  
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1095 is-symbol 1.0.4

## 1.1095.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1096 binary-extensions 1.13.1

### 1.1096.1 Available under license :

MIT License

Copyright (c) 2019 Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com), Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1097 infer-owner 1.0.4

### 1.1097.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



# 1.1098 hosted-git-info 2.8.9

## 1.1098.1 Available under license :

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1099 public-encrypt 4.0.3

## 1.1099.1 Available under license :

Copyright (c) 2017 Calvin Metcalf

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1100 create-hash 1.2.0

## 1.1100.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 crypto-browserify contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1101 cliui 5.0.0

### 1.1101.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1102 jsonfile 4.0.0

## 1.1102.1 Available under license :

(The MIT License)

Copyright (c) 2012-2015, JP Richardson <jprichardson@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1103 emoji-regex 7.0.3

### 1.1103.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1104 path-exists 4.0.0

### 1.1104.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1105 wrap-ansi 5.1.0

### 1.1105.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1106 @babel/plugin-syntax-import-meta

### 7.10.4

#### 1.1106.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1107 minimalistic-assert 1.0.1

#### 1.1107.1 Available under license :

Copyright 2015 Calvin Metcalf

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE

OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1108 pumpify 1.5.1

### 1.1108.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1109 p-locate 3.0.0

### 1.1109.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1110 https-browserify 1.0.0

### 1.1110.1 Available under license :

This software is released under the MIT license:

Copyright (c) James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1111 balanced-match 1.0.2

### 1.1111.1 Available under license :

(MIT)

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1112 browserify-aes 1.2.0

### 1.1112.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017 browserify-aes contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1113 pkg-dir 4.2.0

### 1.1113.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the



rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1114 randomfill 1.0.4

### 1.1114.1 Available under license :

MIT License

Copyright (c) 2017 crypto-browserify

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1115 @xtuc/ieee754 1.2.0

### 1.1115.1 Available under license :

Copyright 2008 Fair Oaks Labs, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the

following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1116 ms 2.1.2

### 1.1116.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1117 promise-inflight 1.0.1

## 1.1117.1 Available under license :

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1118 duplexify 3.7.1

## 1.1118.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1119 webpack-sources 1.4.3

## 1.1119.1 Available under license :

MIT License

Copyright (c) 2017 JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1120 buffer 4.9.2

## 1.1120.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh, and other contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1121 prepend-http 2.0.0

### 1.1121.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1122 stream-http 2.8.3

### 1.1122.1 Available under license :

The MIT License

Copyright (c) 2015 John Hiesey

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1123 os-browserify 0.3.0

### 1.1123.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 CoderPuppy

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1124 locate-path 5.0.0

### 1.1124.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1125 diffie-hellman 5.0.3

### 1.1125.1 Available under license :

Copyright (c) 2017 Calvin Metcalf

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1126 unique-filename 1.1.1

### 1.1126.1 Available under license :

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1127 stream-browserify 2.0.2

### 1.1127.1 Available under license :

This software is released under the MIT license:

Copyright (c) James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1128 vm-browserify 1.1.2

### 1.1128.1 Available under license :

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1129 fs-extra 7.0.1

### 1.1129.1 Available under license :

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1130 pump 2.0.1

### 1.1130.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1131 shallow-clone 3.0.1

### 1.1131.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1132 strip-ansi 5.2.0

## 1.1132.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1133 Iodash 4.17.21

## 1.1133.1 Available under license :

Software License Agreement (BSD License)

Copyright (c) 2007, Parakey Inc.

All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Parakey Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior

written permission of Parakey Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Copyright (c) 2010-2016 Jeremy Ashkenas, DocumentCloud

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009-2016 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1134 y18n 4.0.3

### 1.1134.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1135 console-browserify 1.2.0

### 1.1135.1 Available under license :

Copyright (c) 2012 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1136 chokidar 2.1.8

### 1.1136.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal to use, copy, modify, merge, publish, distribute, sublicense, and/or sell furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1168296035\_1621972005.94/0/chokidar-2-1-8-9-tgz/package/README.md

## 1.1137 p-try 2.2.0

### 1.1137.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1138 write-file-atomic 3.0.3

### 1.1138.1 Available under license :

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1139 clone-deep 4.0.1

### 1.1139.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT



OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1140 @xtuc/long 4.2.2

## 1.1140.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.1141 bluebird 3.7.2

### 1.1141.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018 Petka Antonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1142 d 1.0.1

### 1.1142.1 Available under license :

ISC License

Copyright (c) 2013-2019, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1143 isarray 2.0.5

### 1.1143.1 Available under license :

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.1144 crypto-browserify 3.12.0

### 1.1144.1 Available under license :

The MIT License

Copyright (c) 2013 Dominic Tarr

Permission is hereby granted, free of charge,  
to any person obtaining a copy of this software and  
associated documentation files (the "Software"), to  
deal in the Software without restriction, including  
without limitation the rights to use, copy, modify,  
merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom  
the Software is furnished to do so,  
subject to the following conditions:

The above copyright notice and this permission notice  
shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES  
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR  
ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT  
OF OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1145 randombytes 2.1.0

### 1.1145.1 Available under license :

MIT License

Copyright (c) 2017 crypto-browserify

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1146 p-locate 4.1.0

### 1.1146.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1147 stream-shift 1.0.1

### 1.1147.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights



to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1148 source-list-map 2.0.1

### 1.1148.1 Available under license :

Copyright 2017 JS Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1149 path-browserify 0.0.1

### 1.1149.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1150 glob 7.1.7

### 1.1150.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## Glob Logo

Glob's logo created by Tanya Brassie <<http://tanyabrassie.com/>>, licensed under a Creative Commons Attribution-ShareAlike 4.0 International License <https://creativecommons.org/licenses/by-sa/4.0/>

## 1.1151 browserify-cipher 1.0.1

### 1.1151.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017 Calvin Metcalf & contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1152 browserify-zlib 0.2.0

## 1.1152.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015 Devon Govett <devongovett@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This project contains parts of Node.js.

Node.js is licensed for use as follows:

""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

""

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

# 1.1153 string-width 3.1.0

## 1.1153.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1154 log4j-rolling-appender 20131024-2017

## 1.1154.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law



(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1155 forwarded 0.2.0

## 1.1155.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1156 @sinonjs/fake-timers 7.1.2

## 1.1156.1 Available under license :

Copyright (c) 2010-2014, Christian Johansen, christian@cjhansen.no. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1157 cisco-serializer 2.7.2b

### 1.1157.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or

portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the

Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF

THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. " 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire

Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the



software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more

than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY

TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained



within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

## CONTRIBUTIONS TO THE ORIGINAL CODEBASE

Apache FontBox is based on contributions made to the original FontBox project:

Copyright (c) 2006-2007, [www.fontbox.org](http://www.fontbox.org)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of fontbox; nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt,v 1.2 2005/06/03 22:49:13 mrglavas Exp \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-software-20021231>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree

that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005/06/03 22:49:13 \$

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 201084  
2002-12-09 16:15:21Z vhardy \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-19990405>

## W3C" DOCUMENT NOTICE AND LICENSE

Copyright " 1994-2001 World

Wide Web Consortium, <a href="http://www.w3.org/">World

Wide Web Consortium</a>, (<a href="

"http://www.lcs.mit.edu/">Massachusetts Institute of

Technology</a>, <a href="http://www.inria.fr/">Institut National de

Recherche en Informatique et en Automatique</a>, <a href="

"http://www.keio.ac.jp/">Keio University</a>). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Public documents on the W3C site are provided by the copyright holders under the following license. The software or Document Type Definitions (DTDs) associated with W3C specifications are governed by the Software Notice. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that

you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

A link or URL to the original W3C document.

The pre-existing copyright notice of the original author, or if it doesn't exist, a notice of the form: "Copyright " [\$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>" (Hypertext is preferred, but a textual representation is permitted.)

If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on April 05 1999 so as to account for the treatment of DTDs, schema's and bindings. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

webmaster  
(last updated by reagle on 1999/04/99.)  
<thirdparty-licenses>  
<module name='ant'

```

 licenseType='apache-2.0'
 version='1.8.2'
 projectHome='http://ant.apache.org/'
 description='ANT (compile time)'>
 <jar name='ant.jar' />
</module>
<module name='ant-launcher'
 licenseType='apache-2.0'
 version='1.8.2'
 projectHome='http://ant.apache.org/'
 description='ANT launcher (compile time)'>
 <jar name='ant-launcher.jar' />
</module>
<module name='ant-junit'
 licenseType='apache-2.0'
 version='1.8.2'
 projectHome='http://ant.apache.org/'
 description='ANT junit support (compile time)'>
 <jar name='ant-junit.jar' />
</module>

<module name='BND'
 licenseType='apache-2.0'
 version='1.44.0'
 projectHome='http://www.aqute.biz/Bnd/Bnd'
 description='Used to generate an OSGI compliant conf/MANIFEST.MF'>
 <jar name='bnd.jar'
/>
</module>
<module name='Bouncy castle'
 licenseType='bouncycastle'
 version='1.17'
 projectHome='http://www.bouncycastle.org'
 description='Encryption algorithms. Used by ENCRYPT and AUTH (runtime)'>
 <jar name='bouncycastle.jar' />
</module>
<module name='Beanshell'
 licenseType='lgpl (dual license, but LGPL may be chosen)'
 version='2.0b5'
 projectHome='http://www.beanshell.org'
 description='Lightweight Scripting for Java. Used mainly by the BSH protocol (uncomplete) (runtime)'>
 <jar name='bsh.jar' />
</module>
<module name='byteman'
 licenseType='LGPL 2.1'
 version='2.1.0'
 projectHome='http://www.jboss.org/byteman'>
 <jar name='byteman.jar' />

```

```

</module>
<module name='byteman-bmunit'
 licenseType='LGPL 2.1'
 version='2.1.0'
 projectHome='http://www.jboss.org/byteman'>
 <jar name='byteman-bmunit.jar' />
</module>
<module name='byteman-install'
 licenseType='LGPL 2.1'
 version='2.1.0'
 projectHome='http://www.jboss.org/byteman'>
 <jar name='byteman-install.jar' />
</module>
<module name='byteman-submit'
 licenseType='LGPL 2.1'
 version='2.1.0'
 projectHome='http://www.jboss.org/byteman'>
 <jar name='byteman-submit.jar' />
</module>
<module name='creative-commons'
 licenseType='creative-commons'
 version='2.5'
 projectHome='http://creativecommons.org/licenses/by/2.5/'
 description='Annotations of JCIP'>
 <jar name='none (part of src tree: org.jgroups.annotations)' />
</module>
<module name='log4j'
 licenseType='apache-2.0'
 version='1.2.14'
 projectHome='http://logging.apache.org/'
 description='Java logging framework (runtime)'>
 <jar name='log4j.jar'
/>
</module>
<module name='serializer'
 licenseType='apache-2.0'
 version='1.6.5'
 projectHome='http://ant.apache.org/'
 description='ANT (compile time), needed for generation of test reports'>
 <jar name='serializer.jar' />
</module>
<module name='testng'
 licenseType='apache-2.0'
 version='6.8'
 projectHome='http://www.testng.org'
 description='Used for unit testing'>
 <jar name='testng-6.8.jar' />
</module>

```



```
<module name='xalan'
 licenseType='apache-2.0'
 version='2.4.D1'
 projectHome='http://xml.apache.org/xalan-j/'
 description='Xalan-Java is an XSLT processor for transforming XML documents.
 Used to generate HTML test reports from XML (testing time)'
 <jar name='xalan.jar' />
</module>
</thirdparty-licenses>
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt,v 1.2
2005/06/03 22:49:13 mrglavas Exp $
```

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in

the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005/06/03 22:49:13 \$

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 201084 2002-12-09 16:15:21Z vhardy \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-software-19980720>

### W3C" SOFTWARE NOTICE AND LICENSE

Copyright " 1994-2001 World

Wide Web Consortium, (<a href="http://www.w3.org/">World

Wide Web Consortium</a>, (<a href=

"http://www.lcs.mit.edu/">Massachusetts Institute of

Technology</a>, <a href="http://www.inria.fr/">Institut National de

Recherche en Informatique et en Automatique</a>, <a href=

"http://www.keio.ac.jp/">Keio University</a>). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and

its documentation, with or without modification," for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, a short notice of the following form (hypertext is preferred, text is permitted) should be used within the body of any redistributed or derivative code:

"Copyright " [\$date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de

Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>"

Notice of any changes or modifications to the W3C files,  
including the date changes were made. (We recommend you provide  
URIs  
to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND  
COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF  
MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE  
USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD  
PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.  
COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT,  
SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE  
SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in  
advertising or publicity pertaining to the software without  
specific, written prior permission. Title to copyright in this  
software and any associated documentation will at all times remain  
with copyright holders.

---

This formulation of W3C's notice and license became active on  
August 14 1998 so as to improve compatibility with GPL.

This  
version ensures that W3C software licensing terms are no more  
restrictive than GPL and consequently W3C software may be  
distributed in GPL packages. See the older formulation for the  
policy prior to this date. Please see our Copyright FAQ for common  
questions about using materials from  
our site, including specific terms and conditions for packages like  
libwww, Amaya, and Jigsaw.

Other questions about this notice can be  
directed to [site-policy@w3.org](mailto:site-policy@w3.org).

webmaster

(last updated \$Date: 2002-12-10 03:15:21 +1100 (Tue, 10 Dec 2002) \$)

Copyright (c) 2013, Harald Walker (bitwalker.eu)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the



following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of bitwalker nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,



except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### APACHE POI SUBCOMPONENTS:

Apache POI includes subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses:

#### Office Open XML schemas (ooxml-schemas-1.1.jar)

The Office Open XML schema definitions used by Apache POI are a part of the Office Open XML ECMA Specification (ECMA-376, [1]). As defined in section 9.4 of the ECMA bylaws [2], this specification is available to all interested parties without restriction:

9.4 All documents when approved shall be made available to all interested parties without restriction.

Furthermore, both Microsoft and Adobe have granted patent licenses to this work [3,4,5].

[1] <http://www.ecma-international.org/publications/standards/Ecma-376.htm>

[2] <http://www.ecma-international.org/memento/Ecmabylaws.htm>

[3] <http://www.microsoft.com/interop/osp/>

[4] <http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/ECMA-376%20Edition%201%20Microsoft%20Patent%20Declaration.pdf>

[5] <http://www.ecma-international.org/publications/files/ECMA-ST/Ecma%20PATENT/ga-2006-191.pdf>

#### DOM4J library (dom4j-1.6.1.jar)

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JUnit test library (junit-3.8.1.jar)

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and

documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and

object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall

apply to

the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility

to secure any other intellectual property rights

needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of

merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each

Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified

Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual

or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement,  
and without further  
action by the parties hereto, such provision shall be reformed to the  
minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with  
respect to a patent applicable to software (including a cross-claim or  
counterclaim in a lawsuit), then any patent licenses granted by that  
Contributor to such Recipient under this Agreement shall terminate as of  
the date such litigation is filed. In addition, if Recipient institutes  
patent litigation against any entity (including a cross-claim or  
counterclaim in a lawsuit) alleging that the Program itself (excluding  
combinations of the Program with other software or hardware) infringes  
such Recipient's patent(s), then such Recipient's rights granted under  
Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails  
to comply  
with any of the material terms or conditions of this Agreement  
and does not cure such failure in a reasonable period of time after  
becoming aware of such noncompliance. If all Recipient's rights under  
this Agreement terminate, Recipient agrees to cease use and distribution  
of the Program as soon as reasonably practicable. However, Recipient's  
obligations under this Agreement and any licenses granted by Recipient  
relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,  
but in order to avoid inconsistency the Agreement is copyrighted and may  
only be modified in the following manner. The Agreement Steward reserves  
the right to publish new versions (including revisions) of this Agreement  
from time to time. No one other than the Agreement Steward has the right  
to modify this Agreement. IBM is the initial Agreement Steward. IBM may  
assign the responsibility to serve as  
the Agreement Steward to a suitable  
separate entity. Each new version of the Agreement will be given a  
distinguishing version number. The Program (including Contributions) may  
always be distributed subject to the version of the Agreement under which  
it was received. In addition, after a new version of the Agreement is  
published, Contributor may elect to distribute the Program (including  
its Contributions) under the new version. Except as expressly stated in  
Sections 2(a) and 2(b) above, Recipient receives no rights or licenses  
to the intellectual property of any Contributor under this Agreement,  
whether expressly, by implication, estoppel or otherwise. All rights in  
the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the  
intellectual property laws of the United States of America. No party to  
this Agreement will bring a legal action under this Agreement



more than

one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/\*

\* \$Header: /home/cvs/jakarta-commons/discovery/LICENSE.txt,v 1.1 2002/07/25 02:36:45 jvanzyl Exp \$

\* \$Revision: 1.1 \$

\* \$Date: 2002/07/25 02:36:45 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

\*

\* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache" nor may "Apache" appear in their names without prior written permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of  
conditions and the following disclaimer. Redistributions in binary form must reproduce  
the above copyright notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse  
or promote products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY  
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT  
SHALL THE COPYRIGHT OWNER  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED  
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN  
ANY  
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and



- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

#### SPRING FRAMEWORK 4.0.5.RELEASE SUBCOMPONENTS:

Spring Framework 4.0.5.RELEASE includes a number of subcomponents  
with separate copyright notices and license terms. The product that  
includes this file does not necessarily use all the open source  
subcomponents referred to below. Your use of the source  
code for these subcomponents is subject to the terms and  
conditions of the following licenses.

>>> ASM 4.0 (org.ow2.asm:asm:4.0, org.ow2.asm:asm-commons:4.0):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary  
forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<http://www.ow2.org/>>

>>> CGLIB 3.0 (cglib:cglib:3.0):

Per the LICENSE file in the CGLIB JAR distribution downloaded from  
<http://sourceforge.net/projects/cglib/files/cglib3/3.0/cglib-3.0.jar/download>,  
CGLIB 3.0 is licensed under the Apache License, version 2.0, the text of which  
is included above.

=====  
To the extent any open source subcomponents are licensed under the EPL and/or  
other similar licenses that require the source code and/or modifications to  
source code to be made available  
(as would be noted above), you may obtain a  
copy of the source code corresponding to the binaries for such open source  
components and modifications thereto, if any, (the "Source Files"), by  
downloading the Source Files from <http://www.springsource.org/download>, or by  
sending a request, with your name and address to:

Pivotal, Inc., 875 Howard St,  
San Francisco, CA 94103  
United States of America

or email [info@gopivotal.com](mailto:info@gopivotal.com). All such requests should clearly specify:

OPEN SOURCE FILES REQUEST  
Attention General Counsel

Pivotal shall mail a copy of the Source Files to you on a CD or equivalent  
physical medium. This offer to obtain a copy of the Source Files is valid for  
three years from the date you acquired this Software product.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.



Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation  
("Software"), with or without modification, are permitted provided  
that the following conditions are met:

1. Redistributions of source code must retain copyright  
statements and notices. Redistributions must also contain a  
copy of this document.
2. Redistributions in binary form must reproduce the  
above copyright notice, this list of conditions and the  
following disclaimer in the documentation and/or other  
materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote  
products derived from this Software without prior written  
permission of MetaStuff, Ltd. For written permission,  
please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J"  
nor may "DOM4J" appear in their names without prior written  
permission of MetaStuff, Ltd. DOM4J is a registered  
trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project -  
<http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS  
``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices and license terms. Your use of these components is subject to the terms and conditions of the following licenses.

Contributions made to the original PDFBox project:

Copyright (c) 2002-2007, [www.pdfbox.org](http://www.pdfbox.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions

in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (<http://opensource.adobe.com/wiki/display/cmap/Downloads>)

Copyright 1990-2009 Adobe Systems Incorporated.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (<http://www.adobe.com/devnet/opentype/archives/glyph.html>)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file to use, copy, publish, distribute, sublicense, and/or sell copies of the documentation, and to permit others to do the same, provided that:

- No modification, editing or other alteration of this document is allowed; and
- The above copyright notice and this permission notice shall be included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the derivative works, and to permit others to do the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.



```
/*
* $Header: /home/cvs/jakarta-commons/LICENSE,v 1.4 2002/04/11 13:24:02 dion Exp $
* $Revision: 1.4 $
* $Date: 2002/04/11 13:24:02 $
*
* =====
*
* The Apache Software License, Version 1.1
*
* Copyright (c) 1999-2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution, if
* any, must include the following acknowledgement:
*
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgement may appear in the software itself,
* if and wherever such third-party acknowledgements normally appear.
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
* Foundation" must not be used to endorse or promote products derived
* from this software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS
* BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
```

\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

The majority of Rhino is licensed under the MPL 2.0:

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to  
the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used  
by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached  
the notice in Exhibit A, the Executable Form of such Source Code  
Form, and Modifications of such Source Code Form, in each case  
including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described  
in Exhibit B to the Covered Software; or

(b) that the Covered

Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the

terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that

controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any

jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

- (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*  
\*

\*

\* 6. Disclaimer of Warranty \*  
 \* ----- \*  
 \* \*  
 \* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*  
 \* \*  
 \* \*\*\*\*\*

\*\*\*\*\*

\*

\* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \*  
 \* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of  
 \* any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*  
 \* \*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts



of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----  
This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----  
This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>  
\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the

\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.

\*

\* "Source" form shall mean the preferred form for making modifications,

\* including but not limited to software source code, documentation  
\* source, and configuration files.

\*  
\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.

\*  
\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).

\*  
\* "Derivative Works" shall mean any work, whether in Source or Object  
\*  
\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\*  
\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,

including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\*  
\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\*  
\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the

\*

Work and such Derivative Works in Source or Object form.

\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\*

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\*

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\*

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\*

\* (d) If the Work includes a "NOTICE"

text file as part of its

\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution

\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that  
such additional attribution notices cannot be construed  
\* as modifying the License.

\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability.

In no event and under no legal theory,  
\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*  
\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other  
liability obligations and/or rights consistent with this  
\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\* APPENDIX: How to apply the Apache License to your work.

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose  
be included on the  
\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\* Copyright [yyyy] [name of copyright owner]

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

#### WODEN SUBCOMPONENTS:

For any subcomponents included with the Woden source code that contain  
separate copyright and license terms, their License information is appended  
below, in this file.

For any binary subcomponents redistributed

with Woden under separate licenses, their license files are included alongside those binary packages in the Woden release files (for example, alongside the dependant jar files in the /lib directory of the Woden zip file).

=====  
For the W3C schema and DTD files in the org.apache.woden.resolver package:

#### W3C" SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted,  
provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or

publicity pertaining to the software without specific, written prior permission.  
Title to copyright in this software and any associated documentation will at all  
times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.  
This version removes the copyright ownership notice such that this license can  
be used with materials other than those owned by the W3C, reflects that ERCIM is  
now a host of the W3C, includes references to this specific dated version of the  
license, and removes the ambiguous grant of "use". Otherwise, this version is the  
same as the previous version and is written so as to preserve the Free Software  
Foundation's assessment of GPL compatibility and OSI's certification under the  
Open Source Definition. Please see our Copyright FAQ for common questions about  
using materials from our site, including specific terms and conditions for packages  
like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed  
to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised \$Id: copyright-software-20021231.html,v 1.11 2004/07/06 16:02:49 slesch Exp \$

=====  
xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt,v 1.1 2002/01/31 23:26:48 curcuru Exp \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for  
XML), and release all of the SAX 2.0 source code, compiled code, and  
documentation contained in this distribution into the Public Domain.  
SAX comes with NO WARRANTY or guarantee of fitness for any  
purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf



of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

#### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
  - 1) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following

the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf



of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.



6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means  
having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent

(50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable

by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant. Conditioned upon

Your compliance with Section 3.1 below

and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the

date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally

received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON

AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO

THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the

Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE

POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This

License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL): This code is released under the CDDL and shall be governed by the laws

of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

# 1.1158 cisco-xalan 2.7.2b

## 1.1158.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work



(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt,v 1.2 2005/06/03 22:49:13 mrglavas Exp \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

## W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose

and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is

now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005/06/03 22:49:13 \$  
xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt,v 1.2 2005/06/03 22:49:13 mrglavas Exp \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-software-20021231>

### W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR  
CONSEQUENTIAL  
DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or  
publicity pertaining to the software without specific, written prior permission.  
Title to copyright in this software and any associated documentation will at  
all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.  
This version removes the copyright ownership notice such that this license can  
be used with materials other than those owned by the W3C, reflects that ERCIM  
is now a host of the W3C, includes references to this specific dated version of  
the license, and removes the ambiguous grant of "use". Otherwise, this version  
is the same as the previous version and is written so as to preserve the Free  
Software Foundation's assessment of GPL compatibility and OSI's certification  
under the Open Source Definition. Please  
see our Copyright FAQ for common  
questions about using materials from our site, including specific terms and  
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about  
this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005/06/03 22:49:13 \$

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

[xml-commons/java/external/LICENSE.sax.txt](http://xml-commons/java/external/LICENSE.sax.txt) \$Id: LICENSE.sax.txt,v 1.1 2002/01/31 23:26:48 curcuru Exp \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at <http://www.saxproject.org/> for more up-to-date releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com  
2000-05-05

## 1.1159 path-parse 1.0.7

### 1.1159.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Javier Blanco

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1160 p-limit 2.3.0



## 1.1160.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1161 uuid 3.4.0

### 1.1161.1 Available under license :

Copyright (c) 2012-2016 Ben Ramsey <ben@benramsey.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1162 iconv-lite 0.6.3

## 1.1162.1 Available under license :

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1163 fstream 1.0.12

## 1.1163.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1164 pako 1.0.11

## 1.1164.1 Available under license :

(The MIT License)

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1165 exit-on-epipe 1.0.1

## 1.1165.1 Available under license :

Copyright (C) 2015-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1166 rimraf 3.0.2

## 1.1166.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1167 uuid 8.3.2

## 1.1167.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010-2020 Robert Kieffer and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1168 camelcase 2.1.1

## 1.1168.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1169 tar 2.2.2

### 1.1169.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1170 ast-types 0.9.6

### 1.1170.1 Available under license :

Copyright (c) 2013 Ben Newman <bn@cs.stanford.edu>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1171 hash.js 1.1.7

### 1.1171.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
hash.js [![Build Status](https://secure.travis-ci.org/indutny/hash.js.svg)](http://travis-ci.org/indutny/hash.js)
```

Just a bike-shed.

```
Install
```

```
```sh
npm install hash.js
```
```

```
Usage
```

```
```js
var hash = require('hash.js')
hash.sha256().update('abc').digest('hex')
```
```

```
Selective hash usage
```

```
```js
var sha512 = require('hash.js/lib/hash/sha/512');
sha512().update('abc').digest('hex');
```
```

#### LICENSE

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2014.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1172910322\_1623401781.5/0/indutny-hash-js-v1-1-7-0-gfcd35ed-1-tar-gz/indutny-hash-js-d861f26/README.md

No license file was found, but licenses were detected in source scan.

// Apache License 2.0

Found in path(s):

\* /opt/cola/permits/1172910322\_1623401781.5/0/indutny-hash-js-v1-1-7-0-gfcd35ed-1-tar-gz/indutny-hash-js-d861f26/lib/hash/utils.js

# 1.1172 redent 1.0.0

## 1.1172.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1173 true-case-path 1.0.3

### 1.1173.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,



including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

### 3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.1174 lowercase-keys 1.0.1

## 1.1174.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1175 md5.js 1.3.5

### 1.1175.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Kirill Fomichev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1176 get-stdin 4.0.1

### 1.1176.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1177 strip-indent 1.0.1

### 1.1177.1 Available under license :

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified copies of this license document, and changing it is allowed as long as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.

# 1.1178 trim-newlines 1.0.0

## 1.1178.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1179 sha.js 2.4.11

## 1.1179.1 Available under license :

Copyright (c) 2013-2018 sha.js contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

Copyright (c) 1998 - 2009, Paul Johnston & Contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this  
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this  
list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

Neither the name of the author nor the names of its contributors may be used to  
endorse or promote products derived from this software without specific prior  
written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS  
FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1180 recast 0.11.23

### 1.1180.1 Available under license :

Copyright (c) 2012 Ben Newman <bn@cs.stanford.edu>

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Software, and to  
permit persons to whom the Software is furnished to do so, subject to  
the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1181 fastparse 1.1.2

### 1.1181.1 Available under license :

Copyright 2018 Tobias Koppers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1182 es6-templates 0.2.3

### 1.1182.1 Available under license :

Copyright 2014 Square Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.1183 stdout-stream 1.4.1

### 1.1183.1 Available under license :

Copyright 2013 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1184 scss-tokenizer 0.2.3

### 1.1184.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 sasstools

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1185 type 1.2.0

### 1.1185.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*!
* mocha
* Copyright(c) 2011 TJ Holowaychuk <tj@vision-media.ca>
* MIT Licensed
*/
```

Found in path(s):

```
* /opt/cola/permits/1172910176_1623401590.71/0/component-type-v1-2-0-0-g168462c-1-tar-gz/component-type-cdacb78/test/mocha.js
```

## 1.1186 semver 5.3.0

### 1.1186.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1187 async-foreach 0.1.3

## 1.1187.1 Available under license :

Copyright (c) 2011 "Cowboy" Ben Alman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1188 cross-spawn 3.0.1

## 1.1188.1 Available under license :

Copyright (c) 2014 IndigoUnited

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1189 es6-weak-map 2.0.3

### 1.1189.1 Available under license :

ISC License

Copyright (c) 2013-2018, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1190 num2fraction 1.2.2

### 1.1190.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 PostCSS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.1191 es6-iterator 2.0.3

### 1.1191.1 Available under license :

The MIT License (MIT)

Copyright (C) 2013-2017 Mariusz Nowak ([www.medikoo.com](http://www.medikoo.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1192 html-comment-regex 1.1.2

### 1.1192.1 Available under license :

Copyright 2018 Steve Mao

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1193 ripemd160 2.0.2

### 1.1193.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 crypto-browserify

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1194 big.js 5.2.2

### 1.1194.1 Available under license :

The MIT License (Expat).

Copyright (c) 2018 Michael Mclaughlin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://github.com/iriscouch/bigdecimal.js>

BigDecimal for Javascript is licensed under the Apache License, version 2.0:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright

statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may  
not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2012 Daniel Trebbien and other contributors  
Portions Copyright (c) 2003 STZ-IDA and PTV AG, Karlsruhe, Germany  
Portions Copyright (c) 1995-2001 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

ICU4J license - ICU4J 1.3.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2001 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the

Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

-----  
All trademarks and registered trademarks mentioned herein are the property of their respective owners.

# 1.1195 html-minifier 3.5.21

## 1.1195.1 Available under license :

Copyright (c) 2010-2018 Juriy "kangax" Zaytsev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1196 meow 3.7.0

## 1.1196.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1197 import-lazy 2.1.0

### 1.1197.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1198 currently-unhandled 0.4.1

### 1.1198.1 Available under license :

The MIT License (MIT)

Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1199 readline2 1.0.1

### 1.1199.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Boudrias

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1200 indent-string 2.1.0

### 1.1200.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy



of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1201 node-gyp 3.8.0

## 1.1201.1 Available under license :

(The MIT License)

Copyright (c) 2012 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1202 postcss-value-parser 3.3.1

### 1.1202.1 Available under license :

Copyright (c) Bogdan Chadkin <trysound@yandex.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1203 camelcase-keys 2.1.0

### 1.1203.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1204 type-is 1.6.18

### 1.1204.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1205 es6-symbol 3.1.3

### 1.1205.1 Available under license :

ISC License

Copyright (c) 2013-2019, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1206 querystring-es3 0.2.1

### 1.1206.1 Available under license :

Copyright 2012 Irakli Gozalishvili. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1207 uglify-js 3.4.10

### 1.1207.1 Available under license :

UglifyJS is released under the BSD license:

Copyright 2012-2018 (c) Mihai Bazon <mihai.bazon@gmail.com>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1208 loud-rejection 1.6.0

## 1.1208.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1209 for-own 1.0.0

## 1.1209.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1210 evp\_bytestokey 1.0.3

### 1.1210.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 crypto-browserify contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1211 events 3.3.0

### 1.1211.1 Available under license :

MIT

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the

following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1212 cors 2.8.5

### 1.1212.1 Available under license :

(The MIT License)

Copyright (c) 2013 Troy Goode <troygoode@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1213 yargs 13.3.2



## 1.1213.1 Available under license :

Copyright 2010 James Halliday (mail@substack.net)  
Modified work Copyright 2014 Contributors (ben@npmjs.com)

This project is free software released under the MIT/X11 license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1214 safe-buffer 5.2.1

### 1.1214.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR  
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.1215 lowercase-keys 2.0.0

### 1.1215.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](https://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1216 get-stream 5.2.0

### 1.1216.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT  
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE  
OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1217 next-tick 1.1.0

### 1.1217.1 Available under license :

ISC License

Copyright (c) 2012-2020, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1218 stack-trace 0.0.10

### 1.1218.1 Available under license :

Copyright (c) 2011 Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1219 neo-async 2.6.2

## 1.1219.1 Available under license :

MIT License

Copyright (c) 2014-2018 Suguru Motegi  
Based on Async.js, Copyright Caolan McMahon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1220 yargs-parser 13.1.2

## 1.1220.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1221 ini 1.3.8

## 1.1221.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1222 debug 3.2.7

## 1.1222.1 Available under license :

(The MIT License)

Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1223 mimic-response 1.0.1

## 1.1223.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1224 chownr 1.1.4

## 1.1224.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1225 is-number 7.0.0

## 1.1225.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1226 fill-range 7.0.1

## 1.1226.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1227 braces 3.0.2

### 1.1227.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1228 is-path-inside 3.0.3

### 1.1228.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1229 to-regex-range 5.0.1

### 1.1229.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1230 escape-goat 2.1.1

### 1.1230.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1231 crypto-random-string 2.0.0

### 1.1231.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1232 semver-diff 3.1.1

### 1.1232.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1233 szmarczak-http-timer 1.1.2

### 1.1233.1 Available under license :

MIT License

Copyright (c) 2018 Szymon Marczak

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1234 pupa 2.1.1

### 1.1234.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1235 xdg-basedir 4.0.0

### 1.1235.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1236 sindresorhus-is 0.14.0

### 1.1236.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1237 cssesc 3.0.0

### 1.1237.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1238 got 9.6.0

### 1.1238.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1239 ajv-keywords 3.5.2

### 1.1239.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1240 ipaddr.js 1.9.1

## 1.1240.1 Available under license :

Copyright (C) 2011-2017 whitequark <whitequark@whitequark.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1241 duplexer 0.1.2

### 1.1241.1 Available under license :

Copyright (c) 2012 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1242 keyv 3.1.0

## 1.1242.1 Available under license :

MIT License

Copyright (c) 2017 Luke Childs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1243 url-parse-lax 3.0.0

## 1.1243.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,



ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1244 string\_decoder 0.10.31

### 1.1244.1 Available under license :

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1245 watchpack-chokidar 2.0.1

### 1.1245.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

IN THE SOFTWARE.

# 1.1246 acorn-walk 7.2.0

## 1.1246.1 Available under license :

Copyright (C) 2012-2018 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1247 emojis-list 3.0.0

## 1.1247.1 Available under license :

The MIT License (MIT)

Copyright 2015 Kiko Beats

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1248 latest-version 5.1.0

## 1.1248.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1249 responselike 1.0.2

## 1.1249.1 Available under license :

Copyright (c) 2017 Luke Childs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE

OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.1250 widest-line 3.1.0

### 1.1250.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1251 asn1.js 5.4.1

### 1.1251.1 Available under license :

MIT License

Copyright (c) 2017 Fedor Indutny

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1252 json-buffer 3.0.0

### 1.1252.1 Available under license :

Copyright (c) 2013 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1253 dot-prop 5.3.0

### 1.1253.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1254 watchpack 1.7.5

### 1.1254.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1255 is-yarn-global 0.3.0

### 1.1255.1 Available under license :

MIT License

Copyright (c) 2018 LitoMore

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1256 type-fest 0.8.1

## 1.1256.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM

THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED  
HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation



thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

## 1.1257 package-json 6.5.0

### 1.1257.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1258 commander 4.1.1

## 1.1258.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1259 has-yarn 2.1.0

## 1.1259.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER  
DEALINGS IN THE SOFTWARE.

## 1.1260 parse-asn1 5.1.6

### 1.1260.1 Available under license :

Copyright (c) 2017, crypto-browserify contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1261 timers-browserify 2.0.12

### 1.1261.1 Available under license :

# timers-browserify

This project uses the [MIT](<http://jryans.mit-license.org/>) license:

Copyright 2012 J. Ryan Stinnett <jryans@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# lib/node

The `lib/node` directory borrows files from joyent/node which uses the following license:

Copyright Joyent, Inc. and other Node contributors. All rights reserved.  
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1262 p-cancelable 1.1.0

### 1.1262.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1263 cacheable-request 6.1.0

### 1.1263.1 Available under license :

MIT License

Copyright (c) 2017 Luke Childs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1264 registry-url 5.1.0

### 1.1264.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1265 hash-base 3.1.0

### 1.1265.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Kirill Fomichev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1266 is-obj 2.0.0

### 1.1266.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1267 to-readable-stream 1.0.0

### 1.1267.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1268 defer-to-connect 1.1.3

### 1.1268.1 Available under license :

MIT License

Copyright (c) 2018 Szymon Marczak

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1269 interpret 1.4.0

### 1.1269.1 Available under license :

Copyright (c) 2014-2018 Tyler Kellen <tyler@sleekcode.net>, Blaine Bublitz <blaine.bublitz@gmail.com>, and Eric Schoffstall <yo@contra.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1270 unique-string 2.0.0

### 1.1270.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1271 decompress-response 3.3.0

### 1.1271.1 Available under license :

^The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1272 create-ecdh 4.0.4

## 1.1272.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017 createECDH contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1273 browserify-rsa 4.1.0

### 1.1273.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016 Calvin Metcalf & contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.1274 serialize-javascript 4.0.0

### 1.1274.1 Available under license :

Copyright 2014 Yahoo! Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the Yahoo! Inc. nor the  
names of its contributors may be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO  
EVENT SHALL YAHOO! INC. BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1275 make-dir 3.1.0

### 1.1275.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the  
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1276 browserify-sign 4.2.1

### 1.1276.1 Available under license :

Copyright (c) 2014-2015 Calvin Metcalf and browserify-sign contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1277 cli-boxes 2.2.1

### 1.1277.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1278 opener 1.5.2

## 1.1278.1 Available under license :

Dual licensed under WTFPL and MIT:

---

Copyright 20122020 Domenic Denicola <d@domenic.me>

This work is free. You can redistribute it and/or modify it under the terms of the Do What The Fuck You Want To Public License, Version 2, as published by Sam Hocevar. See below for more details.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified copies of this license document, and changing it is allowed as long as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.

---

The MIT License (MIT)

Copyright 20122020 Domenic Denicola <d@domenic.me>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1279 archy 1.0.0

### 1.1279.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1280 configstore 5.0.1

### 1.1280.1 Available under license :

BSD 2-Clause License

Copyright (c) Google  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1281 es6-promise 4.2.8

### 1.1281.1 Available under license :

Copyright (c) 2014 Yehuda Katz, Tom Dale, Stefan Penner and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1282 http-proxy 1.18.1



## 1.1282.1 Available under license :

node-http-proxy

Copyright (c) 2010-2016 Charlie Robbins, Jarrett Cruger & the Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1283 errno 0.1.8

### 1.1283.1 Available under license :

No license file was found, but licenses were detected in source scan.

Made available under the MIT licence:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal to use, copy, modify, merge, publish, distribute, sublicense, and/or sell to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1172957178\_1623408242.47/0/errno-0-1-8-6-tgz/package/README.md

## 1.1284 ms 2.1.3

## 1.1284.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020 Vercel, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1285 eventemitter3 4.0.7

### 1.1285.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Arnout Kazemier

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1286 @emotion/unitless 0.7.5

### 1.1286.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1287 lodash-es 4.17.21

### 1.1287.1 Available under license :

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

# 1.1288 react-dom 17.0.2

## 1.1288.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1289 is-what 3.14.1

### 1.1289.1 Available under license :

MIT License

Copyright (c) 2018 Luca Ban - Mesqueeb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1290 is-finite 1.1.0

### 1.1290.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1291 bn.js 4.12.0

### 1.1291.1 Available under license :

Copyright Fedor Indutny, 2015.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1292 react 17.0.2

## 1.1292.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1293 react-is 17.0.2

### 1.1293.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1294 deep-diff 0.3.8

### 1.1294.1 Available under license :

Copyright (c) 2011-2013 Phillip Clark

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1295 chrome-trace-event 1.0.3

### 1.1295.1 Available under license :

# This is the MIT license

Copyright (c) 2015 Joyent Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY



CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1296 elliptic 6.5.4

## 1.1296.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
!function(e){"object"==typeof exports&&"undefined"!=typeof module?module.exports=e():"function"==typeof define&&define.amd?define([],e):("undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof self?self:this).elliptic=e()}(function(){return function r(f,d,n){function a(t,e){if(!d[t]){if(!f[t]){var i="function"==typeof require&&require;if(!e&&i)return i(t,!0);if(s)return s(t,!0);throw(i=new Error("Cannot find module "+t+"")).code="MODULE_NOT_FOUND",i}i=d[t]={exports:{},f[t][0].call(i.exports,function(e){return a(f[t][1][e]|e)},i,i.exports,r,f,d,n)}return d[t].exports}for(var s="function"==typeof require&&require,e=0;e<n.length;e++)a(n[e]);return a}({1:[function(e,t,i){"use strict";i.version=e("../package.json").version,i.utils=e("./elliptic/utils"),i.rand=e("brorand"),i.curve=e("./elliptic/curve"),i.curves=e("./elliptic/curves"),i.ec=e("./elliptic/ec"),i.eddsa=e("./elliptic/eddsa")},{../package.json":35,./elliptic/curve":4,./elliptic/curves":7,./elliptic/ec":8,./elliptic/eddsa":11,./elliptic/utils":15,brorand:17}],2:[function(e,t,i){"use strict";var r=e("bn.js"),f=e("./utils"),x=f.getNAF,I=f.getJSF,o=f.assert;function d(e,t){this.type=e,this.p=new r(t.p,16),this.red=t.prime?r.red(t.prime):r.mont(this.p),this.zero=new r(0).toRed(this.red),this.one=new r(1).toRed(this.red),this.two=new r(2).toRed(this.red),this.n=t.n&&new r(t.n,16),this.g=t.g&&this.pointFromJSON(t.g.t.gRed),this._wnafT1=new Array(4),this._wnafT2=new Array(4),this._wnafT3=new Array(4),this._wnafT4=new Array(4),this._bitLength=this.n.bitLength():0;t=this.n&&this.p.div(this.n);!t||0<t.cmpn(100)?this.redN=null:(this._maxwellTrick=!0,this.redN=this.n.toRed(this.red))}function n(e,t){this.curve=e,this.type=t,this.precomputed=null}(t.exports=d).prototype.point=function(){throw new Error("Not implemented")},d.prototype.validate=function(){throw new Error("Not implemented")},d.prototype._fixedNafMul=function(e,t){o(e.precomputed);var i=e._getDoubles(),r=x(t,1,this._bitLength),t=(1<<i.step+1)-(i.step%2==0?2:1);t/=3;for(var f,d=[],n=0;n<r.length;n+=i.step){f=0;for(var a=n+i.step-1;n<=a;a--)f=(f<<1)+r[a];d.push(f)}for(var s=this.jpoint(null,null,null),c=this.jpoint(null,null,null),h=t;0<h;h--){for(n=0;n<d.length;n++)(f=d[n])===h?c=c.mixedAdd(i.points[n]):f===-h&&(c=c.mixedAdd(i.points[n].neg()));s=s.add(c)}return s.toP()},d.prototype._wnafMul=function(e,t){for(var i=e._getNAFPoints(4),r=i.wnd,f=i.points,d=x(t,r,this._bitLength),n=this.jpoint(null,null,null),a=d.length-1;0<=a;a--){for(var s=0;0<=a&&0===d[a];a--)s++;if(0<=a&&s++,n=n.dblp(s),a<0)break;var c=d[a];o(0!==c),n="affine"===e.type?0<c?n.mixedAdd(f[c-1>>1]):n.mixedAdd(f[-c-1>>1]).neg():0<c?n.add(f[c-1>>1]).neg():n.add(f[-c-1>>1].neg())}return"affine"===e.type?n.toP():n},d.prototype._wnafMulAdd=function(e,t,i,r,f){for(var d,n=this._wnafT1,a=this._wnafT2,s=this._wnafT3,c=0,h=0;h<r;h++){var o=(d=t[h])._getNAFPoints(e);n[h]=o.wnd,a[h]=o.points}for(h=r-1;1<=h;h-=2){var u=h-1,b=h;if(1===n[u]&&1===n[b]){var l=[t[u],null,null,t[b]];0===t[u].y.cmp(t[b].y)?(l[1]=t[u].add(t[b]),l[2]=t[u].toJ().mixedAdd(t[b].neg())):0===t[u].y.cmp(t[b].y.redNeg())?(l[1]=t[u].toJ().mixedAdd(t[b]),l[2]=t[u].add(t[b].neg())):(l[1]=t[u].toJ().mixedAdd(t[b]),l[2]=t
```

```

u].toJ().mixedAdd(t[b].neg()));var p=[-3,-1,-5,-7,0,7,5,1,3],m=I(i[u],i[b]),c=Math.max(m[0].length,c);for(s[u]=new
Array(c),s[b]=new Array(c),_=0;_<c;_++){var
v=0|m[0][_],g=0|m[1][_];s[u][_]=p[3*(1+v)+(1+g)],s[b][_]=0,a[u]=1} else
s[u]=x(i[u],n[u],this._bitLength),s[b]=x(i[b],n[b],this._bitLength),c=Math.max(s[u].length,c),c=Math.max(s[b].lengt
h,c)}var y=this.jpoint(null,null,null),M=this._wnafT4;for(h=c;0<=h;h--){for(var w=0;0<=h;){for(var
S=!0,_=0;_<r;_++){M[_]=0|s[_][h],0!==(M[_]&&(S=!1));if(!S)break;w++,h--
}if(0<=h&&w++,y=y.dblp(w),h<0)break;for(_=0;_<r;_++){var A=M[_];0!==(A&&(0<A?d=a[_][A-
1]>>1]:A<0&&(d=a[_][-A-
1]>>1].neg()),y="affine"===d.type?y.mixedAdd(d):y.add(d)}}for(h=0;h<r;h++)a[h]=null;return
f?y.y.toP(),(d.BasePoint=n).prototype.eq=function(){throw new Error("Not
implemented")},n.prototype.validate=function(){return
this.curve.validate(this)},d.prototype.decodePoint=function(e,t){e=f.toArray(e,t);t=this.p.byteLength();if((4===e[0]
|6===e[0]|7===e[0])&&e.length-1==2*t)return 6===e[0]?o(e[e.length-1]%2==0):7===e[0]&&o(e[e.length-
1]%2==1),this.point(e.slice(1,1+t),e.slice(1+t,1+2*t));if((2===e[0]|3===e[0])&&e.length-1===t)return
this.pointFromX(e.slice(1,1+t),3===e[0]);throw new Error("Unknown point
format")},n.prototype.encodeCompressed=function(e){return
this.encode(e,!0)},n.prototype._encode=function(e){var
t=this.curve.p.byteLength(),i=this.getX().toArray("be",t);return
e?[this.getY().isEven()?2:3].concat(i):[4].concat(i,this.getY().toArray("be",t))},n.prototype.encode=function(e,t){ret
urn f.encode(this._encode(t),e)},n.prototype.precompute=function(e){if(this.precomputed)return this;var
t={doubles:null,naf:null,beta:null};return
t.naf=this._getNAFPoints(8),t.doubles=this._getDoubles(4,e),t.beta=this._getBeta(),this.precomputed=t,this},n.proto
type._hasDoubles=function(e){if(!this.precomputed)return !1;var
t=this.precomputed.doubles;return!!t&&t.points.length>=Math.ceil((e.bitLength()+1)/t.step)},n.prototype._getDoubl
es=function(e,t){if(this.precomputed&&this.precomputed.doubles)return this.precomputed.doubles;for(var
i=[this],r=this,f=0;f<t;f+=e){for(var
d=0;d<e;d++)r=r.dbl();i.push(r)}return{step:e,points:i}},n.prototype._getNAFPoints=function(e){if(this.precompute
d&&this.precomputed.naf)return this.precomputed.naf;for(var t=[this],i=(1<<e)-
1,r=1==i?null:this.dbl(),f=1;f<i;f++)t[f]=t[f-
1].add(r);return{wnd:e,points:t}},n.prototype._getBeta=function(){return
null},n.prototype.dblp=function(e){for(var t=this,i=0;i<e;i++)t=t.dbl();return
t}},{"../utils":15,"bn.js":16}],3:[function(e,t,i){"use strict";var
r=e("../utils"),d=e("bn.js"),f=e("inherits"),n=e("./base"),a=r.assert;function
s(e){this.twisted=1!==(0|e.a),this.mOneA=this.twisted&&-
1==(0|e.a),this.extended=this.mOneA,n.call(this,"edwards",e),this.a=new
d(e.a,16).umod(this.red.m),this.a=this.a.toRed(this.red),this.c=new
d(e.c,16).toRed(this.red),this.c2=this.c.redSqr(),this.d=new
d(e.d,16).toRed(this.red),this.dd=this.d.redAdd(this.d),a!(this.twisted||0===this.c.fromRed().cmpn(1)),this.oneC=1=
=(0|e.c)}function
c(e,t,i,r,f){n.BasePoint.call(this,e,"projective"),null===t&&null===i&&null===r?(this.x=this.curve.zero,this.y=this.
curve.one,this.z=this.curve.one,this.t=this.curve.zero,this.zOne=!0):(this.x=new d(t,16),this.y=new
d(i,16),this.z=r?new d(r,16):this.curve.one,this.t=f&&new
d(f,16),this.x.red||(this.x=this.x.toRed(this.curve.red)),this.y.red||(this.y=this.y.toRed(this.curve.red)),this.z.red||(this.
z=this.z.toRed(this.curve.red)),this.t&&!this.t.red&&(this.t=this.t.toRed(this.curve.red)),this.zOne=this.z===this.cur
ve.one,this.curve.extended&&!this.t&&(this.t=this.x.redMul(this.y),this.zOne||(this.t=this.t.redMul(this.z.redInvm()
))))}f(s,n),(t.exports=s).prototype._mulA=function(e){return
this.mOneA?e.redNeg():this.a.redMul(e)},s.prototype._mulC=function(e){return
this.oneC?e.this.c.redMul(e)},s.prototype.jpoint=function(e,t,i,r){return

```

```

this.point(e,t,i,r)},s.prototype.pointFromX=function(e,t){var i=(e!=(e=new
d(e,16)).red?e.toRed(this.red):e).redSqr(),r=this.c2.redSub(this.a.redMul(i)),i=this.one.redSub(this.c2.redMul(this.d)
.redMul(i)),r=r.redMul(i.redInvm()),i=r.redSqr();if(0!==(i.redSqr()).redSub(r).cmp(this.zero))throw new
Error("invalid
point");r=i.fromRed().isOdd();return(t&&!r||!t&&r)&&(i=i.redNeg()),this.point(e,i)},s.prototype.pointFromY=funct
ion(e,t){var i=(e!=(e=new
d(e,16)).red?e.toRed(this.red):e).redSqr(),r=i.redSub(this.c2),i=i.redMul(this.d).redMul(this.c2).redSub(this.a),r=r.re
dMul(i.redInvm());if(0===r.cmp(this.zero)){if(t)throw new Error("invalid point");return
this.point(this.zero,e)}i=r.redSqr();if(0!==(i.redSqr()).redSub(r).cmp(this.zero))throw new Error("invalid
point");return
i.fromRed().isOdd()!==t&&(i=i.redNeg()),this.point(i,e)},s.prototype.validate=function(e){if(e.isInfinity())return!0;
e.normalize();var
t=e.x.redSqr(),i=e.y.redSqr(),e=t.redMul(this.a).redAdd(i),i=this.c2.redMul(this.one.redAdd(this.d.redMul(t).redMul
(i)));return 0===e.cmp(i),f(c,n.BasePoint),s.prototype.pointFromJSON=function(e){return
c.fromJSON(this,e)},s.prototype.point=function(e,t,i,r){return new c(this,e,t,i,r)},c.fromJSON=function(e,t){return
new c(e,t[0],t[1],t[2])},c.prototype.inspect=function(){return this.isInfinity()? "<EC Point Infinity>":"<EC Point x:
"+this.x.fromRed().toString(16,2)+" y: "+this.y.fromRed().toString(16,2)+" z:
"+this.z.fromRed().toString(16,2)+">"},c.prototype.isInfinity=function(){return
0===this.x.cmpn(0)&&(0===this.y.cmp(this.z)||this.zOne&&0===this.y.cmp(this.curve.c))},c.prototype._extDbl=f
unction(){var
e=this.x.redSqr(),t=this.y.redSqr(),i=(i=this.z.redSqr()).redIAdd(i),r=this.curve._mulA(e),f=this.x.redAdd(this.y).red
Sqr().redISub(e).redISub(t),d=r.redAdd(t),e=d.redSub(i),i=r.redSub(t),r=f.redMul(e),t=d.redMul(i),i=f.redMul(i),d=
e.redMul(d);return
this.curve.point(r,t,d,i)},c.prototype._projDbl=function(){var
e,t,i,r,f,d,n=this.x.redAdd(this.y).redSqr(),a=this.x.redSqr(),s=this.y.redSqr();return
d=this.curve.twisted?(f=(i=this.curve._mulA(a)).redAdd(s),this.zOne?(e=n.redSub(a).redSub(s).redMul(f.redSub(thi
s.curve.two)),t=f.redMul(i.redSub(s)),f.redSqr().redSub(f).redSub(f)):(r=this.z.redSqr(),d=f.redSub(r).redISub(r),e=n
.redSub(a).redISub(s).redMul(d),t=f.redMul(i.redSub(s)),f.redMul(d)):(i=a.redAdd(s),r=this.curve._mulC(this.z).re
dSqr(),d=i.redSub(r).redSub(r),e=this.curve._mulC(n.redISub(i)).redMul(d),t=this.curve._mulC(i).redMul(a.redISub
(s)),i.redMul(d)),this.curve.point(e,t,d)},c.prototype.dbl=function(){return
this.isInfinity()?this:this.curve.extended?this._extDbl():this._projDbl()},c.prototype._extAdd=function(e){var
t=this.y.redSub(this.x).redMul(e.y.redSub(e.x)),i=this.y.redAdd(this.x).redMul(e.y.redAdd(e.x)),r=this.t.redMul(this
.curve.dd).redMul(e.t),f=this.z.redMul(e.z.redAdd(e.z)),d=i.redSub(t),e=f.redSub(r),f=f.redAdd(r),r=i.redAdd(t),i=d
.redMul(e),t=f.redMul(r),r=d.redMul(r),f=e.redMul(f);return
this.curve.point(i,t,f,r)},c.prototype._projAdd=function(e){var
t,i=this.z.redMul(e.z),r=i.redSqr(),f=this.x.redMul(e.x),d=this.y.redMul(e.y),n=this.curve.d.redMul(f).redMul(d),a=r
.redSub(n),n=r.redAdd(n),e=this.x.redAdd(this.y).redMul(e.x.redAdd(e.y)).redISub(f).redISub(d),e=i.redMul(a).red
Mul(e),n=this.curve.twisted?(t=i.redMul(n).redMul(d.redSub(this.curve._mulA(f))),a.redMul(n)):(t=i.redMul(n).red
Mul(d.redSub(f)),this.curve._mulC(a).redMul(n));return this.curve.point(e,t,n)},c.prototype.add=function(e){return
this.isInfinity()?e:e.isInfinity()?this:this.curve.extended?this._extAdd(e):this._projAdd(e)},c.prototype.mul=function
(e){return
this._hasDoubles(e)?this.curve._fixedNafMul(this,e):this.curve._wnafMul(this,e)},c.prototype.mulAdd=function(e,t
,i){return this.curve._wnafMulAdd(1,[this,t],[e,i],2,!1)},c.prototype.jmulAdd=function(e,t,i){return
this.curve._wnafMulAdd(1,[this,t],[e,i],2,!0)},c.prototype.normalize=function(){if(this.zOne)return this;var
e=this.z.redInvm();return
this.x=this.x.redMul(e),this.y=this.y.redMul(e),this.t&&(this.t=this.t.redMul(e)),this.z=this.curve.one,this.zOne=!0,t
his},c.prototype.neg=function(){return
this.curve.point(this.x.redNeg(),this.y,this.z,this.t&&this.t.redNeg())},c.prototype.getX=function(){return

```

```

this.normalize(),this.x.fromRed()),c.prototype.getY=function(){return
this.normalize(),this.y.fromRed()),c.prototype.eq=function(e){return
this===e||0===this.getX().cmp(e.getX())&&0===this.getY().cmp(e.getY())},c.prototype.eqXToP=function(e){var
t=e.toRed(this.curve.red).redMul(this.z);if(0===this.x.cmp(t))return!0;for(var
i=e.clone(),r=this.curve.redN.redMul(this.z);)if(i.iadd(this.curve.n),0<=i.cmp(this.curve.p))return!1;if(t.redIAdd(r)
,0===this.x.cmp(t))return!0}},c.prototype.toP=c.prototype.normalize,c.prototype.mixedAdd=c.prototype.add},{"/.u
tils":15,"/base":2,"bn.js":16,inherits:32}],4:[function(e,t,i){ "use
strict";i.base=e("/base"),i.short=e("/short"),i.mont=e("/mont"),i.edwards=e("/edwards")},{"/base":2,"/edwards":3
,"/mont":5,"/short":6}],5:[function(e,t,i){ "use strict";var
r=e("bn.js"),f=e("inherits"),d=e("/base"),n=e("/utils");function a(e){d.call(this,"mont",e),this.a=new
r(e.a,16).toRed(this.red),this.b=new r(e.b,16).toRed(this.red),this.i4=new
r(4).toRed(this.red).redInvm(),this.two=new
r(2).toRed(this.red),this.a24=this.i4.redMul(this.a.redAdd(this.two))}function
s(e,t,i){d.BasePoint.call(this,e,"projective"),null===t&&null===i?(this.x=this.curve.one,this.z=this.curve.zero):(this
.x=new r(t,16),this.z=new
r(i,16),this.x.red||(this.x=this.x.toRed(this.curve.red)),this.z.red||(this.z=this.z.toRed(this.curve.red)))}f(a,d),(t.export
s=a).prototype.validate=function(e){var
t=e.normalize().x,e=t.redSqr(),t=e.redMul(t).redAdd(e.redMul(this.a)).redAdd(t);return
0===t.redSqr().redSqr().cmp(t)},f(s,d.BasePoint),a.prototype.decodePoint=function(e,t){return
this.point(n.toArray(e,t,1)},a.prototype.point=function(e,t){return new
s(this,e,t)},a.prototype.pointFromJSON=function(e){return
s.fromJSON(this,e)},s.prototype.precompute=function(){},s.prototype._encode=function(){return
this.getX().toArray("be",this.curve.p.byteLength())},s.fromJSON=function(e,t){return new
s(e,t[0],t[1]||e.one)},s.prototype.inspect=function(){return this.isInfinity()? "<EC Point Infinity>":"<EC Point x:
"+this.x.fromRed().toString(16,2)+" z:
"+this.z.fromRed().toString(16,2)+">"},s.prototype.isInfinity=function(){return
0===this.z.cmpn(0)},s.prototype.dbl=function(){var
e=this.x.redAdd(this.z).redSqr(),t=this.x.redSub(this.z).redSqr(),i=e.redSub(t),e=e.redMul(t),i=i.redMul(t.redAdd(th
is.curve.a24.redMul(i)));return this.curve.point(e,i)},s.prototype.add=function(){throw new Error("Not supported on
Montgomery curve")},s.prototype.diffAdd=function(e,t){var
i=this.x.redAdd(this.z),r=this.x.redSub(this.z),f=e.x.redAdd(e.z),i=e.x.redSub(e.z).redMul(i),f=f.redMul(r),r=t.z.red
Mul(i.redAdd(f).redSqr()),f=t.x.redMul(i.redISub(f).redSqr());return
this.curve.point(r,f)},s.prototype.mul=function(e){for(var
t=e.clone(),i=this,r=this.curve.point(null,null),f=[];0!==t.cmpn(0);t.iushrn(1))f.push(t.andln(1));for(var d=f.length-
1;0<=d;d--){0===f[d]?(i=i.diffAdd(r,this),r=r.dbl()):r=i.diffAdd(r,this),i=i.dbl();}return
r},s.prototype.mulAdd=function(){throw new Error("Not supported on Montgomery
curve")},s.prototype.jumlAdd=function(){throw new Error("Not supported on Montgomery
curve")},s.prototype.eq=function(e){return
0===this.getX().cmp(e.getX())},s.prototype.normalize=function(){return
this.x=this.x.redMul(this.z.redInvm()),this.z=this.curve.one,this},s.prototype.getX=function(){return
this.normalize(),this.x.fromRed()}},{"/.utils":15,"/base":2,"bn.js":16,inherits:32}],6:[function(e,t,i){ "use strict";var
r=e("/utils"),y=e("bn.js"),f=e("inherits"),d=e("/base"),n=r.assert;function a(e){d.call(this,"short",e),this.a=new
y(e.a,16).toRed(this.red),this.b=new
y(e.b,16).toRed(this.red),this.tinv=this.two.redInvm(),this.zeroA=0===this.a.fromRed().cmpn(0),this.threeA=0===t
his.a.fromRed().sub(this.p).cmpn(-3),this.endo=this._getEndomorphism(e),this._endoWnafT1=new
Array(4),this._endoWnafT2=new Array(4)}function
s(e,t,i,r){d.BasePoint.call(this,e,"affine"),null===t&&null===i?(this.x=null,this.y=null,this.inf=!0):(this.x=new
y(t,16),this.y=new

```

```

y(i,16),r&&(this.x.forceRed(this.curve.red),this.y.forceRed(this.curve.red)),this.x.red||(this.x=this.x.toRed(this.curve
.red)),this.y.red||(this.y=this.y.toRed(this.curve.red)),this.inf=!1)}function
c(e,t,i,r){d.BasePoint.call(this,e,"jacobian"),null===t&&null===i&&null===r?(this.x=this.curve.one,this.y=this.cur
ve.one,this.z=new y(0)):(this.x=new y(t,16),this.y=new y(i,16),this.z=new
y(r,16)),this.x.red||(this.x=this.x.toRed(this.curve.red)),this.y.red||(this.y=this.y.toRed(this.curve.red)),this.z.red||(this
.z=this.z.toRed(this.curve.red)),this.zOne=this.z===this.curve.one}f(a,d),(t.exports=a).prototype._getEndomorphis
m=function(e){var
t,i,r;if(this.zeroA&&this.g&&this.n&&1===this.p.modn(3))return i=(e.beta?new
y(e.beta,16):i=(r=this._getEndoRoots(this.p))[0].cmp(r[1]<0?r[0]:r[1]).toRed(this.red),e.lambda?t=new
y(e.lambda,16):(r=this._getEndoRoots(this.n),0===this.g.mul(r[0]).x.cmp(this.g.x.redMul(i))?t=r[0):(t=r[1],n(0===t
his.g.mul(t).x.cmp(this.g.x.redMul(i))))),{beta:i,lambda:t,basis:e.basis?e.basis.map(function(e){return{a:new
y(e.a,16),b:new y(e.b,16)}}):this._getEndoBasis(t)}),a.prototype._getEndoRoots=function(e){var
t=e===this.p?this.red.y.mont(e),i=new y(2).toRed(t).redInvn(),e=i.redNeg(),i=new
y(3).toRed(t).redNeg().redSqrt().redMul(i);return[e.redAdd(i).fromRed(),e.redSub(i).fromRed()]},a.prototype._getE
ndoBasis=function(e){for(var
t,i,r,f,d,n,a,s=this.n.ushrn(Math.floor(this.n.bitLength()/2)),c=e,h=this.n.clone(),o=new y(1),u=new y(0),b=new
y(0),l=new y(1),p=0;0!==c.cmpn(0);}var
m=h.div(c),v=h.sub(m.mul(c)),g=b.sub(m.mul(o)),m=l.sub(m.mul(u));if(!r&&v.cmp(s)<0)t=a.neg(),i=o,r=v.neg(),f
=g;else
if(r&&2===+p)break;h=c,c=a=v,b=o,o=g,l=u,u=m}d=v.neg(),n=g,e=r.sqr().add(f.sqr());return
0<=d.sqr().add(n.sqr()).cmp(e)&&(d=t,n=i),r.negative&&(r=r.neg(),f=f.neg(),d.d.negative&&(d=d.neg(),n=n.neg()),[
{a:r,b:f},{a:d,b:n}],a.prototype._endoSplit=function(e){var
t=this.endo.basis,i=t[0],r=t[1],f=r.b.mul(e).divRound(this.n),d=i.b.neg().mul(e).divRound(this.n),n=f.mul(i.a),t=d.m
ul(r.a),i=f.mul(i.b),r=d.mul(r.b);return{k1:e.sub(n).sub(t),k2:i.add(r).neg()}},a.prototype.pointFromX=function(e,t){
var i=(e=!e)new
y(e,16)).red?e.toRed(this.red):e.redSqr().redMul(e).redIAdd(e.redMul(this.a)).redIAdd(this.b),r=i.redSqr();if(0!==r
.redSqr().redSub(i).cmp(this.zero))throw new Error("invalid
point");i=r.fromRed().isOdd();return(t&&!t&&i||!t&&!i)&&(r=r.redNeg()),this.point(e,r)},a.prototype.validate=function(
e){if(e.inf)return!0;var t=e.x,i=e.y,e=this.a.redMul(t),e=t.redSqr().redMul(t).redIAdd(e).redIAdd(this.b);return
0===i.redSqr().redIAdd(e).cmpn(0)},a.prototype._endoWnafMulAdd=function(e,t,i){for(var
r=this._endoWnafT1,f=this._endoWnafT2,d=0;d<e.length;d++){var
n=this._endoSplit(t[d]),a=e[d],s=a._getBeta();n.k1.negative&&(n.k1.ineg(),a=a.neg(!0)),n.k2.negative&&(n.k2.ineg
(),s=s.neg(!0)),r[2*d]=a,r[2*d+1]=s,f[2*d]=n.k1,f[2*d+1]=n.k2}for(var
i=this._wnafMulAdd(1,r,f,2*d,i),c=0;c<2*d;c++)r[c]=null,f[c]=null;return
i},f(s,d.BasePoint),a.prototype.point=function(e,t,i){return new
s(this,e,t,i)},a.prototype.pointFromJSON=function(e,t){return
s.fromJSON(this,e,t)},s.prototype._getBeta=function(){if(this.curve.endo){var
e=this.precomputed;if(e&&e.beta)return e.beta;var
t,i,r=this.curve.point(this.x.redMul(this.curve.endo.beta),this.y);return e&&(t=this.curve,i=function(e){return
t.point(e.x.redMul(t.endo.beta),e.y)},(e.beta=r).precomputed={beta:null,naf:e.naf&&{wnd:e.naf.wnd,points:e.naf.po
ints.map(i)},doubles:e.doubles&&{step:e.doubles.step,points:e.doubles.points.map(i)},r}},s.prototype.toJSON=fun
ction(){return
this.precomputed?[this.x,this.y,this.precomputed&&{doubles:this.precomputed.doubles&&{step:this.precomputed.d
oubles.step,points:this.precomputed.doubles.points.slice(1)},naf:this.precomputed.naf&&{wnd:this.precomputed.na
f.wnd,points:this.precomputed.naf.points.slice(1)}]:[this.x,this.y]},s.fromJSON=function(t,e,i){"string"===typeof
e&&(e=JSON.parse(e));var r=t.point(e[0],e[1],i);if(!e[2])return r;function f(e){return
t.point(e[0],e[1],i)}e=e[2];return
r.precomputed={beta:null,doubles:e.doubles&&{step:e.doubles.step,points:[r].concat(e.doubles.points.map(f))},naf:

```

```

e.naf&&{wnd:e.naf.wnd,points:[r].concat(e.naf.points.map(f))},r},s.prototype.inspect=function(){return
this.isInfinity()?"<EC Point Infinity>":"<EC Point x: "+this.x.fromRed().toString(16,2)+" y:
"+this.y.fromRed().toString(16,2)+">",s.prototype.isInfinity=function(){return
this.inf},s.prototype.add=function(e){if(this.inf)return e;if(e.inf)return this;if(this.eq(e))return
this.dbl();if(this.neg().eq(e))return this.curve.point(null,null);if(0===this.x.cmp(e.x))return
this.curve.point(null,null);var
t=this.y.redSub(e.y),e=(t=0!==t.cmpn(0)?t.redMul(this.x.redSub(e.x).redInvn(0)):t.redSqr().redISub(this.x).redISub
(e.x),t=t.redMul(this.x.redSub(e)).redISub(this.y);return
this.curve.point(e,t)},s.prototype.dbl=function(){if(this.inf)return this;var
e=this.y.redAdd(this.y);if(0===e.cmpn(0))return this.curve.point(null,null);var
t=this.curve.a,i=this.x.redSqr(),e=e.redInvn(0),t=i.redAdd(i).redIAdd(i).redIAdd(t).redMul(e),e=t.redSqr().redISub(t
his.x.redAdd(this.x)),t=t.redMul(this.x.redSub(e)).redISub(this.y);return
this.curve.point(e,t)},s.prototype.getX=function(){return this.x.fromRed()},s.prototype.getY=function(){return
this.y.fromRed()},s.prototype.mul=function(e){return e=new
y(e,16),this.isInfinity()?this:this._hasDoubles(e)?this.curve._fixedNafMul(this,e):this.curve.endo?this.curve._endoW
nafMulAdd([this],[e]):this.curve._wnafMul(this,e)},s.prototype.mulAdd=function(e,t,i){t=[this,t],i=[e,i];return
this.curve.endo?this.curve._endoWnafMulAdd(t,i):this.curve._wnafMulAdd(1,t,i,2)},s.prototype.jmulAdd=function(
e,t,i){t=[this,t],i=[e,i];return
this.curve.endo?this.curve._endoWnafMulAdd(t,i,!0):this.curve._wnafMulAdd(1,t,i,2,!0)},s.prototype.eq=function(e
){return
this===e||this.inf===e.inf&&(this.inf||0===this.x.cmp(e.x)&&0===this.y.cmp(e.y))},s.prototype.neg=function(e){if
(this.inf)return this;var t,i=this.curve.point(this.x,this.y.redNeg());return
e&&this.precomputed&&(t=this.precomputed,e=function(e){return
e.neg()}),i.precomputed={naf:t.naf&&{wnd:t.naf.wnd,points:t.naf.points.map(e)},doubles:t.doubles&&{step:t.doubl
es.step,points:t.doubles.points.map(e)}},i},s.prototype.toJ=function(){return
this.inf?this.curve.jpoint(null,null,null):this.curve.jpoint(this.x,this.y,this.curve.one)},f(c,d.BasePoint),a.prototype.jp
oint=function(e,t,i){return new c(this,e,t,i)},c.prototype.toP=function(){if(this.isInfinity())return
this.curve.point(null,null);var e=this.z.redInvn(0),t=e.redSqr(),i=this.x.redMul(t),e=this.y.redMul(t).redMul(e);return
this.curve.point(i,e)},c.prototype.neg=function(){return
this.curve.jpoint(this.x,this.y.redNeg(),this.z)},c.prototype.add=function(e){if(this.isInfinity())return
e;if(e.isInfinity())return this;var
t=e.z.redSqr(),i=this.z.redSqr(),r=this.x.redMul(t),f=e.x.redMul(i),d=this.y.redMul(t.redMul(e.z)),n=e.y.redMul(i.re
dMul(this.z)),t=r.redSub(f),i=d.redSub(n);if(0===t.cmpn(0))return
0!==i.cmpn(0)?this.curve.jpoint(null,null,null):this.dbl();f=t.redSqr(),n=f.redMul(t),r=r.redMul(f),f=i.redSqr().redIA
dd(n).redISub(r).redISub(r),n=i.redMul(r.redISub(f)).redISub(d.redMul(n)),t=this.z.redMul(e.z).redMul(t);return
this.curve.jpoint(f,n,t)},c.prototype.mixedAdd=function(e){if(this.isInfinity())return e.toJ();if(e.isInfinity())return
this;var
t=this.z.redSqr(),i=this.x,r=e.x.redMul(t),f=this.y,d=e.y.redMul(t).redMul(this.z),e=i.redSub(r),t=f.redSub(d);if(0===
=e.cmpn(0))return
0!==t.cmpn(0)?this.curve.jpoint(null,null,null):this.dbl();r=e.redSqr(),d=r.redMul(e),i=i.redMul(r),r=t.redSqr().redI
Add(d).redISub(i).redISub(i),d=t.redMul(i.redISub(r)).redISub(f.redMul(d)),e=this.z.redMul(e);return
this.curve.jpoint(r,d,e)},c.prototype.dblp=function(e){if(0===e)return this;if(this.isInfinity())return this;if(!e)return
this.dbl();if(this.curve.zeroA||this.curve.threeA){for(var t=this,i=0;i<e;i++)t=t.dbl();return t}var
r=this.curve.a,f=this.curve.tinv,d=this.x,n=this.y,a=this.z,s=a.redSqr().redSqr(),c=n.redAdd(n);for(i=0;i<e;i++){var
h=d.redSqr(),o=c.redSqr(),u=o.redSqr(),b=h.redAdd(h).redIAdd(h).redIAdd(r.redMul(s)),h=d.redMul(o),o=b.redSqr
().redISub(h.redAdd(h)),h=h.redISub(o),b=(b=b.redMul(h)).redIAdd(b).redISub(u),h=c.redMul(a);i+1<e&&(s=s.red
Mul(u)),d=o,a=h,c=b}return this.curve.jpoint(d,c.redMul(f),a)},c.prototype.dbl=function(){return
this.isInfinity()?this:this.curve.zeroA?this._zeroDbl():this.curve.threeA?this._threeDbl():this.dbl()},c.prototype._ze

```

```

roDbI=function(){ var
e,t,i,r,f,d=this.zOne?(i=this.x.redSqr(),e=(r=this.y.redSqr()).redSqr(),f=(f=this.x.redAdd(r).redSqr()).redISub(i).redISub(e)).redIAdd(f),r=(t=i.redAdd(i).redIAdd(i)).redSqr()).redISub(f).redISub(f),i=(i=i.e.redIAdd(e)).redIAdd(i).redIAdd(i),e=r,t=t.redMul(f.redISub(r)).redISub(i),this.y.redAdd(this.y)):f=this.x.redSqr(),d=(r=this.y.redSqr()).redSqr(),i=(i=this.x.redAdd(r).redSqr()).redISub(f).redISub(d)).redIAdd(i),f=(r=f.redAdd(f).redIAdd(f)).redSqr(),d=(d=(d=d.redIAdd(d)).redIAdd(d)).redIAdd(d),e=f.redISub(i).redISub(i),t=r.redMul(i.redISub(e)).redISub(d),(d=this.y.redMul(this.z)).redIAdd(d));return
this.curve.jpoint(e,t,d)},c.prototype._threeDbI=function(){ var e,t,i,r,f,d,n,a;return
this.zOne?(e=this.x.redSqr(),r=(t=this.y.redSqr()).redSqr(),n=(n=this.x.redAdd(t).redSqr()).redISub(e).redISub(r)).redIAdd(n),i=f=(a=e.redAdd(e).redIAdd(e).redIAdd(this.curve.a)).redSqr()).redISub(n).redISub(n),d=(d=(d=r.redIAdd(r)).redIAdd(d)).redIAdd(d),t=a.redMul(n.redISub(f)).redISub(d),e=this.y.redAdd(this.y)):r=this.z.redSqr(),a=this.y.redSqr(),n=this.x.redMul(a),f=(f=this.x.redSub(r).redMul(this.x.redAdd(r))).redAdd(f).redIAdd(f),n=(d=(d=n.redIAdd(d)).redIAdd(d)).redAdd(d),i=f.redSqr()).redISub(n),e=this.y.redAdd(this.z).redSqr()).redISub(a).redISub(r),a=(a=(a=a.redSqr()).redIAdd(a)).redIAdd(a)).redIAdd(a),t=f.redMul(d.redISub(i)).redISub(a),this.curve.jpoint(i,t,e)},c.prototype._dbl=function(){ var
e=this.curve.a,t=this.x,i=this.y,r=this.z,f=r.redSqr()).redSqr(),d=t.redSqr(),n=i.redSqr(),e=d.redAdd(d).redIAdd(d).redIAdd(e.redMul(f)),f=t.redAdd(t),t=(f=f.redIAdd(f)).redMul(n),f=e.redSqr()).redISub(t.redAdd(t)),t=t.redISub(f),n=n.redSqr();n=(n=(n=n.redIAdd(n)).redIAdd(n)).redIAdd(n);n=e.redMul(t).redISub(n),r=i.redAdd(i).redMul(r);return
this.curve.jpoint(f,n,r)},c.prototype.trpl=function(){ if(!this.curve.zeroA)return this.dbl().add(this);var
e=this.x.redSqr(),t=this.y.redSqr(),i=this.z.redSqr(),r=t.redSqr(),f=e.redAdd(e).redIAdd(e),d=f.redSqr(),n=this.x.redAdd(t).redSqr()).redISub(e).redISub(r),e=(n=(n=(n=n.redIAdd(n)).redAdd(n).redIAdd(n)).redISub(d)).redSqr(),r=r.redIAdd(r);r=(r=(r=r.redIAdd(r)).redIAdd(r)).redIAdd(r);d=f.redIAdd(n).redSqr()).redISub(d).redISub(e).redISub(r),t=t.redMul(d);t=(t=t.redIAdd(t)).redIAdd(t);t=this.x.redMul(e).redISub(t);t=(t=t.redIAdd(t)).redIAdd(t);d=this.y.redMul(d.redMul(r.redISub(d)).redISub(n.redMul(e)));d=(d=(d=d.redIAdd(d)).redIAdd(d)).redIAdd(d);e=this.z.redAdd(n).redSqr()).redISub(i).redISub(e);return
this.curve.jpoint(t,d,e)},c.prototype.mul=function(e,t){ return e=new
y(e,t),this.curve._wnafMul(this,e)},c.prototype.eq=function(e){ if("affine"===e.type)return
this.eq(e.toJ());if(this===e)return!0;var
t=this.z.redSqr(),i=e.z.redSqr());if(0!==(this.x.redMul(i).redISub(e.x.redMul(t)).cmpn(0))return!1;t=t.redMul(this.z),i=i.redMul(e.z);return 0===this.y.redMul(i).redISub(e.y.redMul(t)).cmpn(0)},c.prototype.eqXTOP=function(e){ var
t=this.z.redSqr(),i=e.toRed(this.curve.red).redMul(t);if(0===this.x.cmp(i))return!0;for(var
r=e.clone(),f=this.curve.redN.redMul(t);;){ if(r.iadd(this.curve.n),0<=r.cmp(this.curve.p))return!1;if(i.redIAdd(f),0===this.x.cmp(i))return!0}},c.prototype.inspect=function(){ return
this.isInfinity()?<EC JPoint Infinity>:"<EC JPoint x: "+this.x.toString(16,2)+" y: "+this.y.toString(16,2)+" z: "+this.z.toString(16,2)+">",c.prototype.isInfinity=function(){ return
0===this.z.cmpn(0)},{"../utils":15,"./base":2,"bn.js":16,inherits:32}],7:[function(e,t,i){ "use strict";var
r,f,i,i=e("hash.js"),d=e("./curve"),n=e("./utils").assert;function a(e){ "short"===e.type?this.curve=new
d.short(e):"edwards"===e.type?this.curve=new d.edwards(e):this.curve=new
d.mont(e),this.g=this.curve.g,this.n=this.curve.n,this.hash=e.hash,n(this.g.validate(),"Invalid
curve"),n(this.g.mul(this.n).isInfinity(),"Invalid curve, G*N != O")}function
s(t,i){ Object.defineProperty(f,t,{ configurable:!0,enumerable:!0,get:function(){ var e=new a(i);return
Object.defineProperty(f,t,{ configurable:!0,enumerable:!0,value:e}),e}})f.PresetCurve=a,s("p192",{ type:"short",prime:"p192",p:"ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff",a:"ffffffff ffffffff
ffffffff ffffffff ffffffff ffffffff ffffffff",b:"64210519 e59c80e7 0fa7e9ab 72243049 feb8deec c146b9b1",n:"ffffffff ffffffff
ffffffff 99def836 146bc9b1 b4d22831",hash:i.sha256,gRed:!1,g:["188da80e b03090f6 7cbf20eb 43a18800 f4ff0afd
82ff1012","07192b95 ffc8da78 631011ed 6b24cdd5 73f977a1
1e794811"]}),s("p224",{ type:"short",prime:"p224",p:"ffffffff ffffffff ffffffff ffffffff 00000000 00000000
00000001",a:"ffffffff ffffffff ffffffff ffffffff ffffffff ffffffff",b:"b4050a85 0c04b3ab f5413256 5044b0b7

```





```

.g,this.g=e.curve.g,this.g.precompute(e.curve.n.bitLength()+1),this.hash=e.hash|e.curve.hash}(t.exports=s).prototype
e.keyPair=function(e){return
 new n(this,e)},s.prototype.keyFromPrivate=function(e,t){return
 n.fromPrivate(this,e,t)},s.prototype.keyFromPublic=function(e,t){return
 n.fromPublic(this,e,t)},s.prototype.genKeyPair=function(e){e=e||{};for(var t=new
 b({hash:this.hash,pers:e.pers,persEnc:e.persEnc||"utf8",entropy:e.entropy|d(this.hash.hmacStrength),entropyEnc:e.e
 ntropy&&e.entropyEnc||"utf8",nonce:this.n.toArray()}),i=this.n.byteLength(),r=this.n.sub(new u(2));){var f=new
 u(t.generate(i));if(!(0<f.cmp(r)))return
 f.iaddn(1),this.keyFromPrivate(f)},s.prototype._truncateToN=function(e,t){var i=8*e.byteLength()-
 this.n.bitLength();return
 0<i&&(e=e.ushrn(i)),!t&&0<=e.cmp(this.n)?e.sub(this.n):e},s.prototype.sign=function(e,t,i,r){"object"===typeof
 i&&(r=i,i=null),r=r||{};t=this.keyFromPrivate(t,i),e=this._truncateToN(new u(e,16));for(var
 f=this.n.byteLength(),i=t.getPrivate().toArray("be",f),f=e.toArray("be",f),d=new
 b({hash:this.hash,entropy:i,nonce:f,pers:r.pers,persEnc:r.persEnc||"utf8"}),n=this.n.sub(new
 u(1)),a=0;;a++){var s=r.k?r.k(a):new
 u(d.generate(this.n.byteLength()));if(!(s=this._truncateToN(s,!0)).cmpn(1)<=0||0<=s.cmp(n))){var
 c=this.g.mul(s);if(!c.isInfinity()){var
 h=c.getX(),o=h.umod(this.n);if(0!==(o.cmpn(0))){s=s.invm(this.n).mul(o.mul(t.getPrivate()).iadd(e));if(0!==(s=s.um
 od(this.n)).cmpn(0))){h=(c.getY().isOdd()?1:0)|(0!==(h.cmp(o)?2:0);return
 r.canonical&&0<s.cmp(this.nh)&&(s=this.n.sub(s),h^=1),new
 l({r:o,s:s,recoveryParam:h})}}}}},s.prototype.verify=function(e,t,i,r){e=this._truncateToN(new
 u(e,16)),i=this.keyFromPublic(i,r);r=(t=new
 l("hex"),r,t=s;if(r.cmpn(1)<0||0<=r.cmp(this.n))return!1;if(t.cmpn(1)<0||0<=t.cmp(this.n))return!1;var
 f=t.invm(this.n),e=t.mul(e).umod(this.n),t=t.mul(r).umod(this.n);return
 this.curve._maxwellTrick?(f=this.g.jmulAdd(e,i.getPublic(),t)).isInfinity()&&f.eqXToP(r):(f=this.g.mulAdd(e,i.ge
 tPublic(),t)).isInfinity()&&0===f.getX().umod(this.n).cmp(r)},s.prototype.recoverPubKey=function(e,t,i,r){a((3&i)
 ===i,"The
 recovery param is more than two bits"),t=new l(t,r);var f=this.n,d=new
 u(e),n=t.r,r=t.s,e=1&i,i=i>>1;if(0<=n.cmp(this.curve.p.umod(this.curve.n))&&i)throw new Error("Unable to find
 second key
 candidate");n=i?this.curve.pointFromX(n.add(this.curve.n),e):this.curve.pointFromX(n,e);t=t.r.invm(f),d=f.sub(d).m
 ul(t).umod(f),f=r.mul(t).umod(f);return
 this.g.mulAdd(d,n,f)},s.prototype.getKeyRecoveryParam=function(e,t,i,r){if(null!==(t=new
 l(t,r)).recoveryParam)return t.recoveryParam;for(var
 f,d=0;d<4;d++){try{f=this.recoverPubKey(e,t,d)}catch(e){continue}if(f.eq(i))return d}throw new Error("Unable to
 find valid recovery factor")},{"/curves":7,"/utils":15,"/key":9,"/signature":10,"bn.js":16,brorand:17,"hmac-
 drbg":31}],9:[function(e,t,i){"use strict";var r=e("bn.js"),f=e("../utils").assert;function
 d(e,t){this.ec=e,this.priv=null,this.pub=null,t.priv&&this._importPrivate(t.priv,t.privEnc),t.pub&&this._importPubli
 c(t.pub,t.pubEnc)}(t.exports=d).fromPublic=function(e,t,i){return
 t instanceof d?t:new d(e,{pub:t,pubEnc:i}),d.fromPrivate=function(e,t,i){return t instanceof d?t:new
 d(e,{priv:t,privEnc:i}),d.prototype.validate=function(){var e=this.getPublic();return
 e.isInfinity()?{result:!1,reason:"Invalid public
 key"}:e.validate()?e.mul(this.ec.curve.n).isInfinity()?{result:!0,reason:null}:{result:!1,reason:"Public key * N !=
 O"}:{result:!1,reason:"Public key is not a point"}},d.prototype.getPublic=function(e,t){return"string"===typeof
 e&&(t=e,e=null),this.pub||(this.pub=this.ec.g.mul(this.priv)),t?this.pub.encode(t,e):this.pub},d.prototype.getPrivate=
 function(e){return"hex"===e?this.priv.toString(16,2):this.priv},d.prototype._importPrivate=function(e,t){this.priv=
 new
 r(e,t||16),this.priv=this.priv.umod(this.ec.curve.n)},d.prototype._importPublic=function(e,t){if(e.x||e.y)return"mont"

```

```

===this.ec.curve.type?f(e.x,"Need x
coordinate"): "short"!==this.ec.curve.type&&"edwards"!==this.ec.curve.type||f(e.x&&e.y,"Need both x and y
coordinate"),void(this.pub=this.ec.curve.point(e.x,e.y));this.pub=this.ec.curve.decodePoint(e,t)},d.prototype.derive=
function(e){return
e.validate()||f(e.validate(),"public point not
validated"),e.mul(this.priv).getX(),d.prototype.sign=function(e,t,i){return
this.ec.sign(e,this,t,i)},d.prototype.verify=function(e,t){return
this.ec.verify(e,t,this)},d.prototype.inspect=function(){return"<Key priv: "+(this.priv&&this.priv.toString(16,2))+
pub: "+(this.pub&&this.pub.inspect())+" >"}},{"/utils":15,"bn.js":16}],10:[function(e,t,i){ "use strict";var
f=e("bn.js"),d=e("../utils"),r=d.assert;function n(e,t){if(e instanceof n)return
e;this._importDER(e,t)||r(e.r&&e.s,"Signature without r or s"),this.r=new f(e.r,16),this.s=new f(e.s,16),void
0===e.recoveryParam?this.recoveryParam=null:this.recoveryParam=e.recoveryParam)}function
a(){this.place=0}function s(e,t){var i=e[t.place++];if(!(128&i))return i;var r=15&i;if(0===r||4<r)return!1;for(var
f=0,d=0,n=t.place;d<r;d++,n++)f<<=8,f|=e[n],f>>=0;return!(f<=127)&&(t.place=n,f)}function
c(e){for(var t=0,i=e.length-1;!e[t]&&!(128&e[t+1])&&t<i;t++;return 0===t?e:e.slice(t)}function
h(e,t){if(t<128)e.push(t);else{var i=1+(Math.log(t)/Math.LN2>>>3);for(e.push(128|i);--
i);e.push(t>>>(i<<3)&255);e.push(t)}(t.exports=n).prototype._importDER=function(e,t){e=d.toArray(e,t);var
i=new a;if(48!==(e[i.place++]))return!1;var
r=s(e,i);if(!1===r)return!1;if(r+i.place!==(e.length))return!1;if(2!==(e[i.place++]))return!1;t=s(e,i);if(!1===t)return!1;r
=e.slice(i.place,t+i.place);if(i.place+t,2!==(e[i.place++]))return!1;t=s(e,i);if(!1===t)return!1;if(e.length!==(t+i.place)r
eturn!1;i=e.slice(i.place,t+i.place);if(0===r[0]){if(!(128&r[1]))return!1;r=r.slice(1)}if(0===i[0]){if(!(128&i[1]))retu
rn!1;i=i.slice(1)}return this.r=new f(r),this.s=new
f(i),!(this.recoveryParam=null)},n.prototype.toDER=function(e){var
t=this.r.toArray(),i=this.s.toArray();for(128&t[0]&&(t=[0].concat(t)),128&i[0]&&(i=[0].concat(i)),t=c(t),i=c(i);!(i[0
]||128&i[1]);i=i.slice(1);var r=[2];h(r,t.length),(r=r.concat(t)).push(2),h(r,i.length);t=r.concat(i),r=[48];return
h(r,t.length),r=r.concat(t),d.encode(r,e)},{"/utils":15,"bn.js":16}],11:[function(e,t,i){ "use strict";var
r=e("hash.js"),f=e("../curves"),d=e("../utils"),n=d.assert,a=d.parseBytes,s=e("./key"),c=e("./signature");function
h(e){if(n("ed25519"===e,"only tested with ed25519 so far"),!(this instanceof h))return new
h(e);e=f[e].curve,this.curve=e,this.g=e.g,this.g.precompute(e.n.bitLength()+1),this.pointClass=e.point().constructor,t
his.encodingLength=Math.ceil(e.n.bitLength()/8),this.hash=r.sha512}(t.exports=h).prototype.sign=function(e,t){e=a
(e);var
i=this.keyFromSecret(t),r=this.hashInt(i.messagePrefix(),e),f=this.g.mul(r),t=this.encodePoint(f),i=this.hashInt(t,i.pub
bBytes(),e).mul(i.priv()),i=r.add(i).umod(this.curve.n);return
this.makeSignature({R:f,S:i,Rencoded:t})},h.prototype.verify=function(e,t,i){e=a(e),t=this.makeSignature(t);var
r=this.keyFromPublic(i),i=this.hashInt(t.Rencoded(),r.pubBytes(),e),e=this.g.mul(t.S());return
t.R().add(r.pub()).mul(i).eq(e)},h.prototype.hashInt=function(){for(var
e=this.hash(),t=0;t<arguments.length;t++)e.update(arguments[t]);return
d.intFromLE(e.digest()).umod(this.curve.n)},h.prototype.keyFromPublic=function(e){return
s.fromPublic(this,e)},h.prototype.keyFromSecret=function(e){return
s.fromSecret(this,e)},h.prototype.makeSignature=function(e){return e instanceof c?e:new
c(this,e)},h.prototype.encodePoint=function(e){var t=e.getY().toArray("le",this.encodingLength);return
t[this.encodingLength-1]==e.getX().isOdd()?128:0,t},h.prototype.decodePoint=function(e){var
t=(e=d.parseBytes(e)).length-1,i=e.slice(0,t).concat(-129&e[t]),t=0!=(128&e[t]),i=d.intFromLE(i);return
this.curve.pointFromY(i,t)},h.prototype.encodeInt=function(e){return
e.toArray("le",this.encodingLength)},h.prototype.decodeInt=function(e){return
d.intFromLE(e)},h.prototype.isPoint=function(e){return e instanceof
this.pointClass}},{"/curves":7,"/utils":15,"/key":12,"/signature":13,"hash.js":19}],12:[function(e,t,i){ "use

```

```
strict";var r=e("../utils"),f=r.assert,d=r.parseBytes,e=r.cachedProperty;function
n(e,t){this.eddsa=e,this._secret=d(t.secret),e.isPoint(t.pub)?this._pub=t.pub:this._pubBytes=d(t.pub)}n.fromPublic=f
unction(e,t){return t instanceof n?t:new n(e,{pub:t})},n.fromSecret=function(e,t){return t instanceof n?t:new
n(e,{secret:t})},n.prototype.secret=function(){return this._secret},e(n,"pubBytes",function(){return
this.eddsa.encodePoint(this.pub()})),e(n,"pub",function(){return
this._pubBytes?this.eddsa.decodePoint(this._pubBytes):this.eddsa.g.mul(this.priv())}),e(n,"privBytes",function(){va
r e=this.eddsa,t=this.hash(),i=e.encodingLength-1,e=t.slice(0,e.encodingLength);return
e[0]&=248,e[i]&=127,e[i]=64,e}),e(n,"priv",function(){return
this.eddsa.decodeInt(this.privBytes()})),e(n,"hash",function(){return
this.eddsa.hash().update(this.secret()).digest()}),e(n,"messagePrefix",function(){return
this.hash().slice(this.eddsa.encodingLength)}),n.prototype.sign=function(e){return f(this._secret,"KeyPair
can only verify"),this.eddsa.sign(e,this)},n.prototype.verify=function(e,t){return
this.eddsa.verify(e,t,this)},n.prototype.getSecret=function(e){return f(this._secret,"KeyPair is public
only")},r.encode(this.secret(),e)},n.prototype.getPublic=function(e){return
r.encode(this.pubBytes(),e)},t.exports=n},{../utils":15}],13:[function(e,t,i){"use strict";var
r=e("bn.js"),f=e("../utils"),d=f.assert,e=f.cachedProperty,n=f.parseBytes;function
a(e,t){this.eddsa=e,"object"!==typeof
t&&(t=n(t)),Array.isArray(t)&&(t={R:t.slice(0,e.encodingLength),S:t.slice(e.encodingLength)}),d(t.R&&t.S,"Signa
ture without R or S"),e.isPoint(t.R)&&(this._R=t.R),t.S instanceof
r&&(this._S=t.S),this._Rencoded=Array.isArray(t.R)?t.R:Rencoded,this._Sencoded=Array.isArray(t.S)?t.S:Senc
oded}e(a,"S",function(){return this.eddsa.decodeInt(this.Sencoded())}),e(a,"R",function(){return
this.eddsa.decodePoint(this.Rencoded()})),e(a,"Rencoded",function(){return
this.eddsa.encodePoint(this.R())}),e(a,"Sencoded",function(){return
this.eddsa.encodeInt(this.S())}),a.prototype.toBytes=function(){return
this.Rencoded().concat(this.Sencoded()),a.prototype.toHex=function(){return
f.encode(this.toBytes(),"hex").toUpperCase()},t.exports=a},{../utils":15,"bn.js":16}],14:[function(e,t,i){t.exports={
doubles:{step:4,points:[["e60fce93b59e9ec53011aabc21c23e97b2a31369b87a5ae9c44ee89e2a6dec0a"],["f7e3507399
e595929db99f34f57937101296891e44d23f0be1f32cce69616821"],["8282263212c609d9ea2a6e3e172de238d8c39ca
bd5ac1ca10646e23fd5f51508"],["11f8a8098557dfe45e8256e830b60ace62d613ac2f7b17bed31b6eaff6e26caf"],["175e
159f728b865a72f99cc6c6fc846de0b93833fd222ed73fce5b551e5b739"],["d3506e0d9e3c79eba4ef97a51ff71f5eacb5
955add24345c6efa6ffef9fed695"],["363d90d447b00c9c99ceac05b6262ee053441c7e55552ffe526bad8f83ff4640"],["4
e273adfc732221953b445397f3363145b9a89008199ecb62003c7f3bee9de9"],["8b4b5f165df3c2be8c6244b5b745638
843e4a781a15bcd1b69f79a55dffdf80c"],["4aad0a6f68d308b4b3fbd7813ab0da04f9e336546162ee56b3eff0c65fd4fd3
6"],["723cbaa6e5db996d6bf771c00bd548c7b700dbffa6c0e77bcb6115925232fcd"],["96e867b5595cc498a921137488
824d6e2660a0653779494801dc069d9eb39f5f"],["eebfa4d493bebf98ba5feec812c2d3b50947961237a919839a533ec
a0e7dd7fa"],["5d9a8ca3970ef0f269ee7edaf178089d9ae4cdc3a711f712ddf4fd4e1de8999"],["100f44da696e71672791
d0a09b7bde459f1215a29b3c03bfef7835b39a48db0"],["cdd9e13192a00b772ec8f3300c090666b7ff4a18ff5195ac0fbd
5cd62bc65a09"],["e1031be262c7ed1b1dc9227a4a04c017a77f8d4464f3b3852c8acde6e534fd2d"],["9d706192894040
5e6bb6a4176597535af292dd419e1ced79a44f18f29456a00d"],["feea6cae46d55b530ac2839f143bd7ec5cf8b266a41d
6af52d5e688d9094696d"],["e57c6b6c97dce1bab06e4e12bf3ecd5c981c8957cc41442d3155deb1f8090088"],["da67a91
d91049cdcb367be4be6ffca3cfeed657d808583de33fa978bc1ec6cb1"],["9bacaa35481642bc41f463f7ec9780e5dec7adc
508f740a17e9ea8e27a68be1d"],["53904faa0b334cdda6e000935ef22151ec08d0f7bb11069f57545ccc1a37b7c0"],["5bc
087d0bc80106d88c9eccac20d3c1c13999981e14434699dcb096b022771c8"],["8e7bcd0bd35983a7719cca7764ca906
779b53a043a9b8bcaeff959f43ad86047"],["10b7770b2a3da4b3940310420ca9514579e88e2e47fd68b3ea10047e84603
72a"],["385eed34c1cdf21e6d0818689b81bde71a7f4f18397e6690a841e1599c43862"],["283bec3e8ea23f56701de19
e9ebf4576b304eec2086dc8cc0458fe5542e5453"],["6f9d9b803ecf191637c73a4413dfa180fddf84a5947fbc9c606ed8
6c3fac3a7"],["7c80c68e603059ba69b8e2a30e45c4d47ea4dd2f5c281002d86890603a842160"],["3322d401243c4e258
2a2147c104d6ecbf774d163db0f5e5313b7e0e742d0e6bd"],["56e70797e9664ef5bfb019bc4ddaf9b72805f63ea2873af6
```

24f3a2e96c28b2a0"],["85672c7d2de0b7da2bd1770d89665868741b3f9af7643397721d74d28134ab83","7c481b9b5b  
43b2eb6374049bfa62c2e5e77f17fcc5298f44c8e3094f790313a6"],["948bf809b1988a46b06c9f1919413b10f9226c60  
f668832ffd959af60c82a0a","53a562856dc6b6646dc6b74c5d1c3418c6d4dff08c97cd2bed4cb7f88d8c8e589"],["6260c  
e7f461801c34f067ce0f02873a8f1b0e44dfc69752acced819f38fd8e8","bc2da82b6fa5b571a7f09049776a1ef7ecd292  
238051c198c1a84e95b2b4ae17"],["e5037de0afc1d8d43d8348414bbf4103043ec8f575bfdc432953cc8d2037fa2d","4  
571534baa94d3b5f9f98d09fb990bddbd5f5b03ec481f10e0e5dc841d755bda"],["e06372b0f4a207adf5ea905e8f1771b  
4e7e8dbd1c6a6c5b725866a0ae4fce725","7a908974bce18cfe12a27bb2ad5a488cd7484a7787104870b27034f94eee31  
dd"],["213c7a715cd5d45358d0bbf9dc0ce02204b10bdde2a3f58540ad6908d0559754","4b6dad0b5ae462507013ad06  
245ba190bb4850f5f36a7eeddff2c27534b458f2"],["4e7c272a7af4b34e8dbb9352a5419a87e2838c70adc62cddf0cc3a  
3b08fbd53c","17749c766c9d0b18e16fd09f6def681b530b9614bff7dd33e0b3941817dcaae6"],["fea74e3dbe778b1b1  
0f238ad61686aa5c76e3db2be43057632427e2840fb27b6","6e0568db9b0b13297cf674deccb6af93126b596b973f7b7  
7701d3db7f23cb96f"],["76e64113f677cf0e10a2570d599968d31544e179b760432952c02a4417bdde39","c90ddf8dee  
4e95cf577066d70681f0d35e2a33d2b56d2032b4b1752d1901ac01"],["c738c56b03b2abe1e8281baa743f8f9a8f7cc64  
3df26cbee3ab150242cbb891","893fb578951ad2537f178f2eacbfbbb82314eef7880cfe917e735d9699a84c3"],["d89  
5626548b65b81e264c7637c972877d1d72e5f3a925014372e9f6588f6c14b","febfaa38f2bc7eae728ec60818c340eb03  
428d632bb067e179363ed75d7d991f"],["b8da94032a957518eb0f6433571e8761cefff37693e84edd49150a564f676e0  
3","2804dfa44805a1e4d7c99cc9762808b092cc584d95ff3b511488e4e74efdf6e7"],["e80fea14441fb33a7d8adab9475  
d7fab2019effb5156a792f1a11778e3c0df5d","eed1de7f638e00771e89768ca3ca94472d155e80af322ea9fcb4291b6ac  
9ec78"],["a301697bdfcd704313ba48e51d567543f2a182031efd6915ddc07bbcc4e16070","7370f91cfb67e4f5081809  
fa25d40f9b1735dbf7c0a11a130c0d1a041e177ea1"],["90ad85b389d6b936463f9d0512678de208cc330b11307fffab7a  
c63e3fb04ed4","e507a3620a38261affdcdb9427222b839aefabe1582894d991d4d48cb6ef150"],["8f68b9d2f63b5f339  
239c1ad981f162ee88c5678723ea3351b7b444c9ec4c0da","662a9f2dba063986de1d90c2b6be215dbbea2cfe95510bfd  
f23cbf79501fff82"],["e4f3fb0176af85d65ff99ff9198c36091f48e86503681e3e6686fd5053231e11","1e63633ad0ef4f  
1c1661a6d0ea02b7286cc7e74ec951d1c9822c38576feb73bc"],["8c00fa9b18ebf331eb961537a45a4266c7034f2f0d4e  
1d0716fb6eae20eae29e","efa47267fea521a1a9dc343a3736c974c2fadafa81e36c54e7d2a4c66702414b"],["e7a26ce6  
9dd4829f3e10ccc0a9e98ed3143d084f308b92c0997fddfc60cb3e41","2a758e300fa7984b471b006a1aafbb18d0a6b2c  
0420e83e20e8a9421cf2cfd51"],["b6459e0ee3662ec8d23540c223bcbdc571cbcb967d79424f3cf29eb3de6b80ef","67c  
876d06f3e06de1dadf16e5661db3c4b3ae6d48e35b2ff30fb0b61a71ba45"],["d68a80c8280bb840793234aa118f06231  
d6f1fc67e73c5a5deda0f5b496943e8","db8ba9fff4b586d00c4b1f9177b0e28b5b0e7b8f7845295a294c84266b133120  
"],["324aed7df65c804252dc0270907a30b09612aeb973449cea4095980fc28d3d5d","648a365774b61f2ff130c0c35ae  
c1f4f19213b0c7e332843967224af96ab7c84"],["4df9c14919cde61f6d51dfdbe5fee5dceec4143ba8d1ca888e8bd373fd  
054c96","35ec51092d8728050974c23a1d85d4b5d506cdc288490192ebac06cad10d5d"],["9c3919a84a474870faed8a  
9c1cc66021523489054d7f0308cbfc99c8ac1f98cd","ddb84f0f4a4ddd57584f044bf260e641905326f76c64c8e6be7e5e  
03d4fc599d"],["6057170b1dd12dfd8de05f281d8e06bb91e1493a8b91d4cc5a21382120a959e5","9a1af0b26a6a4807a  
dd9a2daf71df262465152bc3ee24c65e899be932385a2a8"],["a576df8e23a08411421439a4518da31880cef0fba7d4df1  
2b1a6973eecb94266","40a6bf20e76640b2c92b97afe58cd82c432e10a7f514d9f3ee8be11ae1b28ec8"],["7778a78c28  
dec3e30a05fe9629de8c38bb30d1f5cf9a3a208f763889be58ad71","34626d9ab5a5b22ff7098e12f2ff580087b38411ff  
24ac563b513fc1fd9f43ac"],["928955ee637a84463729fd30e7afd2ed5f96274e5ad7e5cb09eda9c06d903ac","c256210  
03d3f42a827b78a13093a95eeac3d26efa8a8d83fc5180e935bcd091f"],["85d0fef3ec6db109399064f3a0e3b2855645b  
4a907ad354527aae75163d82751","1f03648413a38c0be29d496e582cf5663e8751e96877331582c237a24eb1f962"],[  
"ff2b0dce97eece97c1c9b6041798b85dfdfb6d8882da20308f5404824526087e","493d13fef524ba188af4c4dc54d0793  
6c7b7ed6fb90e2ceb2c951e01f0c29907"],["827fbbe4b1e880ea9ed2b2e6301b212b57f1ee148cd6dd28780e5e2cf856e  
241","c60f9c923c727b0b71bef2c67d1d12687ff7a63186903166d605b68baec293ec"],["eaa649f21f51bdbae7be4ae34  
ce6e5217a58fdce7f47f9aa7f3b58fa2120e2b3","be3279ed5bbbbb03ac69a80f89879aa5a01a6b965f13f7e59d47a5305b  
a5ad93d"],["e4a42d43c5cf169d9391df6decf42ee541b6d8f0c9a137401e23632dda34d24f","4d9f92e716d1c73526fc9  
9ccfb8ad34ce886eedfa8d8e4f13a7f7131deba9414"],["1ec80fef360cbdd954160fadab352b6b92b53576a88fea494717  
3b9d4300bf19","aeefe93756b5340d2f3a4958a7abbf5e0146e77f6295a07b671cdc1cc107cefd"],["146a778c04670c2f  
91b00af4680dfa8bce3490717d58ba889ddb5928366642be","b318e0ec3354028add669827f9d4b2870aaa971d2f7e5e

d1d0b297483d83efd0"],["fa50c0f61d22e5f07e3acebb1aa07b128d0012209a28b9776d76a8793180eef9","6b84c6922397eba9b72cd2872281a68a5e683293a57a213b38cd8d7d3f4f2811"],["da1d61d0ca721a11b1a5bf6b7d88e8421a288ab5d5bba5220e53d32b5f067ec2","8157f55a7c99306c79c0766161c91e2966a73899d279b48a655fba0f1ad836f1"],["a8e282ff0c9706907215ff98e8fd416615311de0446f1e062a73b0610d064e13","7f97355b8db81c09abfb7f3c5b2515888b679a3e50dd6bd6cef7c73111f4cc0c"],["174a53b9c9a285872d39e56e6913cab15d59b1fa512508c022f382de8319497c","ccc9dc37abfc9c1657b4155f2c47f9e6646b3a1d8cb9854383da13ac079afa73"],["959396981943785c3d3e57edf5018cdbc039e730e4918b3d884fdff09475b7ba","2e7e552888c331dd8ba0386a4b9cd6849c653f64c8709385e9b8abf87524f2fd"],["d2a63a50ae401e56d645a1153b109a8fcc0a43d561fba2dbb51340c9d82b151","e82d86fb6443fcb7565ae58b2948220a70f750af484ca52d4142174dcf89405"],["64587e2335471eb890ee7896d7cfdc866bacbdb3839317b3436f9b45617e073","d99fcd5b6f902e2ae96dd6447c299a185b90a39133aeab358299e5e9faf6589"],["8481bde0e4e4d885b3a546d3e549de042f0aa6cea250e7fd358d6c86dd45e458","38ee7b8cba5404dd84a25bf39cecb2ca900a79c42b262e556d64b1b59779057e"],["13464a57a78102aa62b6979ae817f4637ffcfd3c4b1ce30bcd6303f6caf666b","69be159004614580ef7e433453ccb0ca48f300a81d0942e13f495a907f6ecc27"],["bc4a9df5b713fe2e9aef430bcc1dc97a0cd9ccede2f28588cada3a0d2d83f366","d3a81ca6e785c06383937adf4b798caa6e8a9bfba547b16d758d666581f33c1"],["8c28a97bf8298bc0d23d8c749452a32e694b65e30a9472a3954ab30fe5324caa","40a30463a3305193378fedf31f7cc0eb7ae784f0451cb9459e71dc73cbef9482"],["8ea9666139527a8c1dd94ce4f071fd23c8b350c5a4bb33748c4ba111faccae0","620efabbc8ee2782e24e7c0cfb95c5d735b783be9cf0f8e955af34a30e62b945"],["dd3625faef5ba06074669716bbd3788d89bdde815959968092f76cc4eb9a9787","7a188fa3520e30d461da2501045731ca941461982883395937f68d00c644a573"],["f710d79d9eb962297e4f6232b40e8f7feb2bc63814614d692c12de752408221e","ea98e67232d3b3295d3b535532115ccac8612c721851617526ae47a9c77bfc82"]],naf: {wnd:7,points:[["f9308a019258c31049344f85f89d5229b531c845836f99b08601f113bce036f9","388f7b0f632de8140fe337e62a37f3566500a99934c2231b6cb9fd7584b8e672"],["2f8bde4d1a07209355b4a7250a5c5128e88b84bddc619ab7cba8d569b240efe4","d8ac222636e5e3d6d4dba9dda6c9c426f788271bab0d6840dca87d3aa6ac62d6"],["5cbdf0646e5db4eaa398f365f2ea7a0e3d419b7e0330e39ce92bddedcac4f9bc","6aebca40ba255960a3178d6d861a54dba813d0b813fde7b5a5082628087264da"],["acd484e2f0c7f65309ad178a9f559abde09796974c57e714c35f110dfc27ccbe","cc338921b0a7d9fd64380971763b61e9add888a4375f8e0f05cc262ac64f9c37"],["774ae7f858a9411e5ef4246b70c65aac5649980be5c17891bbec17895da008cb","d984a032eb6b5e190243dd56d7b7b365372db1e2dff9d6a8301d74c9c953c61b"],["f28773c2d975288bc7d1d205c3748651b075fbc6610e58cddeeddf8f19405aa8","ab0902e8d880a89758212eb65cdfaf473a1a06da521fa91f29b5cb52bd03ed81"],["d7924d4f7d43ea965a465ae3095ff41131e5946f3c85f79e44adbcf8e27e080e","581e2872a86c72a683842ec228cc6defea40af2bd896d3a5c504dc9ff6a26b58"],["defdea4cbb677750a420fee807eacf21eb9898ae79b9768766e4faa04a2d4a34","4211ab0694635168e997b0ead2a93daeced1f4a04a95c0f6cfb199f69e56eb77"],["2b4ea0a797a443d293ef5cff444f4979f06acfbed7e86d277475656138385b6c","85e89bc037945d93b343083b5a1c86131a01f60c50269763b570c854e5c09b7a"],["352bbf4a4cdd12564f93fa332ce333301d9ad40271f8107181340aef25be59d5","321eb4075348f534d59c18259dda3e1f4a1b3b2e71b1039c67bd3d8bcf81998c"],["2fa2104d6b38d11b0230010559879124e42ab8dfeff5ff29dc9cdadd4ecacc3f","2de1068295dd865b64569335bd5dd80181d70ecfc882648423ba76b532b7d67"],["9248279b09b4d68dab21a9b066edda83263c3d84e09572e269ca0cd7f5453714","73016f7bf234aade5d1aa71bdea2b1ff3fc0de2a887912ffe54a32ce97cb3402"],["daed4f2be3a8bf278e70132fb0beb7522f570e144bf615c07e996d443dee8729","a69dce4a7d6c98e8d4a1aca87ef8d7003f83c230f3afa726ab40e52290be1c55"],["c44d12c7065d812e8acf28d7cbb19f9011ecd9e9fdf281b0e6a3b5e87d22e7db","2119a460ce326cdc76c45926c982fdac0e106e861edf61c5a039063f0e0e6482"],["6a245bf6dc698504c89a20cfded60853152b695336c28063b61c65cbd269e6b4","e022cf42c2bd4a708b3f5126f16a24ad8b33ba48d0423b6efd5e6348100d8a82"],["1697ffa6fd9de627c077e3d2fe541084ce13300b0bec1146f95ae57f0d0bd6a5","b9c398f186806f5d27561506e4557433a2cf15009e498ae7adee9d63d01b2396"],["605bdb019981718b986d0f07e834cb0d9deb8360ffb7f61df982345ef27a7479","2972d2de4f8d20681a78d93ec96fe23c26bfae84fb14db43b01e1e9056b8c49"],["62d14dab4150bf497402fde45a215e10dcb01c354959b10cfe31c7e9d87ff33d","80fc06bd8cc5b01098088a1950eed0db01aa132967ab472235f5642483b25eaf"],["80c60ad0040f27dade5b4b06c408e56b2c50e9f56b9b8b425e555c2f86308b6f","1c38303f1cc5c30f26e66bad7fe72f70a65eed4cbe7024eb1aa01f56430bd57a"],["7a9375ad6167ad54aa74c6348cc54d344cc5dc9487d847049d5eabb0fa03c8fb","d0e3fa9eca8726909559e0d79269046bdc59ea10c70ce2b02d499ec224dc7f7"],["d528ecd9b696b54c907a9ed045447a79bb408ec39b68df504bb51f459bc3ffc9","eecf41253

136e5f99966f21881fd656ebc4345405c520dbc063465b521409933"],["49370a4b5f43412ea25f514e8eccdad05266115  
e4a7ecb1387231808f8b45963","758f3f41afd6ed428b3081b0512fd62a54c3f3afbb5b6764b653052a12949c9a"],["77f  
230936ee88cbdb73df930d64702ef881d811e0e1498e2f1c13eb1fc345d74","958ef42a7886b6400a08266e9ba1b3789  
6c95330d97077cbbe8eb3c7671c60d6"],["f2dac991cc4ce4b9ea44887e5c7c0bce58c80074ab9d4dbaeb28531b7739f5  
30","e0dedc9b3b2f8dad4da1f32dec2531df9eb5fbeb0598e4fd1a117dba703a3c37"],["463b3d9f662621fb1b4be8fbbe  
2520125a216cdfc9dae3debcb4850c690d45b","5ed430d78c296c3543114306dd8622d7c622e27c970a1de31cb377b  
01af7307e"],["f16f804244e46e2a09232d4aff3b59976b98fac14328a2d1a32496b49998f247","cedabd9b82203f7e13d  
206fcdf4e33d92a6c53c26e5cce26d6579962c4e31df6"],["caf754272dc84563b0352b7a14311af55d245315ace27c653  
69e15f7151d41d1","cb474660ef35f5f2a41b643fa5e460575f4fa9b7962232a5c32f908318a04476"],["2600ca4b282cb  
986f85d0f1709979d8b44a09c07cb86d7c124497bc86f082120","4119b88753c15bd6a693b03fccdbb45d5ac6be74ab5  
f0ef44b0be9475a7e4b40"],["7635ca72d7e8432c338ec53cd12220bc01c48685e24f7dc8c602a7746998e435","91b649  
609489d613d1d5e590f78e6d74ecfc061d57048bad9e76f302c5b9c61"],["754e3239f325570cddb4a87deee8a66b7f2  
b33479d468fbc1a50743bf56cc18","673fb86e5bda30fb3cd0ed304ea49a023ee33d0197a695d0c5d98093c536683"],["  
e3e6bd1071a1e96aff57859c82d570f0330800661d1c952f9fe2694691d9b9e8","59c9e0bba394e76f40c0aa58379a3cb  
6a5a2283993e90c4167002af4920e37f5"],["186b483d056a033826ae73d88f732985c4ccb1f32ba35f4b4cc47dfdc04aa  
6eb","3b952d32c67cf77e2e17446e204180ab21fb8090895138b4a4a797f86e80888b"],["df9d70a6b9876ce544c9856  
1f4be4f725442e6d2b737d9c91a8321724ce0963f","55eb2dafd84d6ccd5f862b785dc39d4ab157222720ef9da217b8c4  
5cf2ba2417"],["5edd5cc23c51e87a497ca815d5dce0f8ab52554f849ed8995de64c5f34ce7143","efae9c8dbc14130661  
e8cec030c89ad0c13c66c0d17a2905cdc706ab7399a868"],["290798c2b6476830da12fe02287e9e777aa3fba1c355b17  
a722d362f84614fba","e38da76dcd440621988d00bcf79af25d5b29c094db2a23146d003afd41943e7a"],["af3c423a95  
d9f5b3054754efa150ac39cd29552fe360257362dfdecef4053b45","f98a3fd831eb2b749a93b0e6f35cfb40c8cd5aa667  
a15581bc2feded498fd9c6"],["766dbb24d134e745cccaa28c99bf274906bb66b26dcf98df8d2fed50d884249a","744b1  
152eacbe5e38dcc887980da38b897584a65fa06cedd2c924f97cbac5996"],["59dbf46f8c94759ba21277c33784f41645f  
7b44f6c596a58ce92e666191abe3e","c534ad44175fbc300f4ea6ce648309a042ce739a7919798cd85e216c4a307f6e"],["  
f13ada95103c4537305e691e74e9a4a8dd647e711a95e73cb62dc6018cfd87b8","e13817b44ee14de663bf4bc808341  
f326949e21a6a75c2570778419bdaf5733d"],["7754b4fa0e8aced06d4167a2c59cca4cda1869c06ebadfb6488550015a  
88522c","30e93e864e669d82224b967c3020b8fa8d1e4e350b6cbcc537a48b57841163a2"],["948dcadf5990e048aa38  
74d46abef9d701858f95de8041d2a6828c99e2262519","e491a42537f6e597d5d28a3224b1bc25df9154efbd2ef1d2cbb  
a2cae5347d57e"],["7962414450c76c1689c7b48f820ec37fb224cf5ac0bfa1570328a8a3d7c77ab","100b610ec4ffb47  
60d5c1fc133ef6f6b12507a051f04ac5760afa5b29db83437"],["3514087834964b54b15b160644d915485a16977225b  
8847bb0dd085137ec47ca","ef0afbb2056205448e1652c48e8127fc6039e77c15c2378b7e7d15a0de293311"],["d3cc30  
ad6b483e4bc79ce2c9dd8bc54993e947eb8df787b442943d3f7b527eaf","8b378a22d827278d89c5e9be8f9508ae3c2a  
d46290358630afb34db04eede0a4"],["1624d84780732860ce1c78fcbfefe08b2b29823db913f6493975ba0ff4847610",  
"68651cf9b6da903e0914448c6cd9d4ca896878f5282be4c8cc06e2a404078575"],["733ce80da955a8a26902c95633e6  
2a985192474b5af207da6df7b4fd5fc61cd4","f5435a2bd2badf7d485a4d8b8db9fce3e1ef8e0201e4578c54673bc1dc5  
ea1d"],["15d9441254945064cf1a1c33bbd3b49f8966c5092171e699ef258dfab81c045c","d56eb30b69463e7234f5137  
b73b84177434800bacebfc685fc37bbe9efe4070d"],["a1d0fcf2ec9de675b612136e5ce70d271c21417c9d2b8aaaac138  
599d0717940","edd77f50bcb5a3cab2e90737309667f2641462a54070f3d519212d39c197a629"],["e22fbe15c0af8ccc  
5780c0735f84dbe9a790badee8245c06c7ca37331cb36980","a855babad5cd60c88b430a69f53a1a7a38289154964799  
be43d06d77d31da06"],["311091dd9860e8e20ee13473c1155f5f69635e394704eaa74009452246cfa9b3","66db656f8  
7d1f04fffd1f04788c06830871ec5a64feee685bd80f0b1286d8374"],["34c1fd04d301be89b31c0442d3e6ac24883928b  
45a9340781867d4232ec2dbdf","9414685e97b1b5954bd46f730174136d57f1ceeb487443dc5321857ba73abee"],["f2  
19ea5d6b54701c1c14de5b557eb42a8d13f3abbc08affcc2a5e6b049b8d63","4cb95957e83d40b0f73af4544ccc6b1f4  
b08d3c07b27fb8d8c2962a400766d1"],["d7b8740f74a8fbaab1f683db8f45de26543a5490bca627087236912469a0b44  
8","fa77968128d9c92ee1010f337ad4717eff15db5ed3c049b3411e0315eaa4593b"],["32d31c222f8f6f0ef86f7c98d3a  
3335ead5bcd32abd94289fe4d3091aa824bf","5f3032f5892156e39ccd3d7915b9e1da2e6dac9e6f26e961118d14b846  
2e1661"],["7461f371914ab32671045a155d9831ea8793d77cd59592c4340f86cbc18347b5","8ec0ba238b96bec0cbdd  
dcae0aa442542eee1ff50c986ea6b39847b3cc092ff6"],["ee079adb1df1860074356a25aa38206a6d716b2c3e67453d28

7698bad7b2b2d6", "8dc2412aafe3be5c4c5f37e0ecc5f9f6a446989af04c4e25ebaac479ec1c8c1e"], ["16ec93e447ec83f0467b18302ee620f7e65de331874c9dc72bfd8616ba9da6b5", "5e4631150e62fb40d0e8c2a7ca5804a39d58186a50e497139626778e25b0674d"], ["eaa5f980c245f6f038978290afa70b6bd8855897f98b6aa485b96065d537bd99", "f65f5d3e292c2e0819a528391c994624d784869d7e6ea67fb18041024edc07dc"], ["78c9407544ac132692ee1910a02439958ae04877151342ea96c4b6b35a49f51", "f3e0319169eb9b85d5404795539a5e68fa1fbd583c064d2462b675f194a3ddb4"], ["494f4be219a1a77016dcd838431aea0001cdc8ae7a6fc688726578d9702857a5", "42242a969283a5f339ba7f075e36ba2af925ce30d767ed6e55f4b031880d562c"], ["a598a8030da6d86c6bc7f2f5144ea549d28211ea58faa70ebf4c1e665c1fe9b5", "204b5d6f84822c307e4b4a7140737aec23fc63b65b35f86a10026dbd2d864e6b"], ["c41916365abb2b5d09192f5f2dbeafec208f020f12570a184dbadc3e58595997", "4f14351d0087efa49d245b328984989d5caf9450f34bfc0ed16e96b58fa9913"], ["841d6063a586fa475a724604da03bc5b92a2e0d2e0a36acfe4c73a5514742881", "73867f59c0659e81904f9a1c7543698e62562d6744c169ce7a36de01a8d6154"], ["5e95bb399a6971d376026947f89bde2f282b33810928be4ded112ac4d70e20d5", "39f23f366809085beebfc71181313775a99c9aed7d8ba38b161384c746012865"], ["36e4641a53948fd476c39f8a99fd974e5ec07564b5315d8bf99471bca0ef2f66", "d2424b1b1abe4eb8164227b085c9aa9456ea13493fd563e06fd51cf5694c78fc"], ["336581ea7fbfbbb290c191a2f507a41cf5643842170e914faeab27c2c579f726", "ead12168595fe1be99252129b6e56b3391f7ab1410cd1e0ef3dcdcabd2fda224"], ["8ab89816dadfd6b6a1f2634fcf00ec8403781025ed6890c4849742706bd43ede", "6fdcef09f2f6d0a044e654aef624136f503d459c3e89845858a47a9129cdd24e"], ["1e33f1a746c9c5778133344d9299fcaa20b0938e8acff2544bb40284b8c5fb94", "60660257dd11b3aa9c8ed618d24edf2306d320f1d03010e33a7d2057f3b3b6"], ["85b7c1dcb3cec1b7ee7f30ded79dd20a0ed1f4cc18cbcfca410361fd8f08f31", "3d98a9cdd026dd43f39048f25a8847f4fcfad1895d7a633c6fed3c35e999511"], ["29df9fbd8d9e46509275f4b125d6d45d7f9e9a3b878a7af872a2800661ac5f51", "b4c4fe99c775a606e2d8862179139ffda61dc861c019e55cd2876eb2a27d84b"], ["a0b1cae06b0a847a3fea6e671aaf8adfdfe58ca2f768105c8082b2e449fce252", "ae434102edde0958ec4b19d917a6a28e6b72da1834aff0e650f049503a296cf2"], ["4e8ceafb9b3e9a136dc7ff67e840295b499dfb3b2133e4ba113f2e4c0e121e5", "cf2174118c8b6d7a4b48f6d534ce5c79422c086a63460502b827ce62a326683c"], ["d24a44e047e19b6f5afb81c7ca2f69080a5076689a010919f42725c2b789a33b", "6fb8d5591b466f8fc63db50f1c0f1c69013f996887b8244d2cdec417afea8fa3"], ["ea01606a7a6c9cdd249fdcfacfb99584001edd28abbab77b5104e98e8e3b35d4", "322af4908c7312b0cfbfe369f7a7b3cdb7d4494bc2823700cfd652188a3ea98d"], ["af8adddf2b661c8a6c6328655eb96651252007d8c5ea31be4ad196de8ce2131f", "6749e67c029b85f52a034eafd096836b2520818680e26ac8f3dfbcb71749700"], ["e3ae1974566ca06cc516d47e0fb165a674a3dabcfca15e722f0e3450f45889", "2aeabe7e4531510116217f07bf4d07300de97e4874f81f533420a72eeb0bd6a4"], ["591ee355313d99721cf6993ffed1e3e301993ff3ed258802075ea8ced397e246", "b0ea558a113c30bea60fc4775460c7901ff0b053d25ca2bdeee98f1a4be5d196"], ["11396d55fda54c49f19aa97318d8da61fa8584e47b084945077cf03255b52984", "998c74a8cd45ac01289d5833a7beb4744ff536b01b257be4c5767bea93ea57a4"], ["3c5d2a1ba39c5a1790000738c9e0c40b8dcdfd5468754b6405540157e017aa7a", "b2284279995a34e2f9d4de7396fc18b80f9b8b9fdd270f6661f79ca4c81bd257"], ["cc8704b8a60a0defa3a99a7299f2e9c3fbc395afb04ac078425ef8a1793cc030", "bdd46039feed17881d1e0862db347f8cf395b74fc4bc4c4e940b74e3ac1f1b13"], ["c533e4f7ea8555aacd9777ac5cad29b97dd4defccc53ee7ea204119b2889b197", "6f0a256bc5efdf429a2fb6242f1a43a2d9b925bb4a4b3a26bb8e0f45eb596096"], ["c14f8f2ccb27d6f109f6d08d03cc96a69ba8c34eec07bbc5f66d48e33da6593", "c359d6923bb398f7fd4473e16fe1c28475b740dd098075e6c0e8649113dc3a38"], ["a6cbc3046bc6a450bac24789fa17115a4c9739ed75f8f21ce441f72e0b90e6ef", "21ae7f4680e889bb130619e2c0f95a360ceb573c70603139862afd617fa9b9f"], ["347d6d9a02c48927ebfb86c1359b1caf130a3c0267d11ce6344b39f99d43cc38", "60ea7f61a353524d1c987f6cecc92f086d565ab687870cb12689ff1e31c74448"], ["da6545d2181db8d983f7dcb375ef5866d47c67b1bf31c8cf855ef7437b72656a", "49b96715ab6878a79e78f07ce5680c5d6673051b4935bd897fea824b77dc208a"], ["c40747cc9d012cb1a13b8148309c6de7ec25d6945d657146b9d5994b8feb1111", "5ca560753be2a12fc6de6caf2cb489565db936156b9514e1bb5e83037e0fa2d4"], ["4e42c8ec82c99798ccf3a610be870e78338c7f713348bd34c8203ef4037f3502", "7571d74ee5e0fb92a7a8b33a07783341a5492144cc54bcc40a94473693606437"], ["3775ab7089bc6af823aba2e1af70b236d251cadb0c86743287522a1b3b0dedea", "be52d107bcfa09d8bcb9736a828cfa7fac8db17bf7a76a2c42ad961409018cf7"], ["cee31cbf7e34ec379d94fb814d3d775ad954595d1314ba8846959e3e82f74e26", "8fd64a14c06b589c26b947ae2bcfb6fa0149ef0be14ed4d80f448a01c43b1c6d"], ["b4f9eaea09b6917619f6ea6a4eb5464efddb58fd45b1ebefcdc1a01d08b47986", "39e5c9925b5a54b07433a4f18c61726f8bb131c012ca542eb24a8ac07200682a"], ["d4263dfc3d2df923a0179a48966d30ce84e2515

afc3dccc1b77907792ebcc60e","62dfaf07a0f78feb30e30d6295853ce189e127760ad6cf7fae164e122a208d54"],["484  
57524820fa65a4f8d35eb6930857c0032acc0a4a2de422233eeda897612c4","25a748ab367979d98733c38a1fa1c2e7d  
c6cc07db2d60a9ae7a76aaa49bd0f77"],["dfceef1881101f2cb11644f3a2afdfc2045e19919152923f367a1767c11cceda  
","ecfb7056cf1de042f9420bab396793c0c390bde74b4bbdff16a83ae09a9a7517"],["6d7ef6b17543f8373c573f44e1f3  
89835d89bcbc6062ced36c82df83b8fae859","cd450ec335438986dfefa10c57fea9bcc521a0959b2d80bbf74b190dca7  
12d10"],["e75605d59102a5a2684500d3b991f2e3f3c88b93225547035af25af66e04541f","f5c54754a8f71ee540b9b4  
8728473e314f729ac5308b06938360990e2bfad125"],["eb98660f4c4d4faa06a2be453d5020bc99a0c2e60abe388457dd  
43fefb1ed620c","6cb9a8876d9cb8520609af3add26cd20a0a7cd8a9411131ce85f44100099223e"],["13e87b027d8514  
d35939f2e6892b19922154596941888336dc3563e3b8dba942","fef5a3c68059a6dec5d624114bf1e91aac2b9da568d6  
abeb2570d55646b8adf1"],["ee163026e9fd6fe017c38f06a5be6fc125424b371ce2708e7bf4491691e5764a","1acb250f  
255dd61c43d94ccc670d0f58f49ae3fa15b96623e5430da0ad6c62b2"],["b268f5ef9ad51e4d78de3a750c2dc89b1e626  
d43505867999932e5db33af3d80","5f310d4b3c99b9ebb19f77d41c1dee018cf0d34fd4191614003e945a1216e423"],["  
ff07f3118a9df035e9fad85eb6c7bfe42b02f01ca99ceea3bf7ffdba93c4750d","438136d603e858a3a5c440c38eccbadd  
c1d2942114e2eddd4740d09ced1f0d8"],["8d8b9855c7c052a34146fd20ffb658bea4b9f69e0d825ebec16e8c3ce2b52  
6a1","cdb559eedc2d79f926baf44fb84ea4d44bcf50fee51d7ceb30e2e7f463036758"],["52db0b5384dfbf05bfa9d472d  
7ae26dfe4b851ceca91b1eba54263180da32b63","c3b997d050ee5d423ebaf66a6db9f57b3180c902875679de924b69d  
84a7b375"],["e62f9490d3d51da6395efd24e80919cc7d0f29c3f3fa48c6fff543becbd43352","6d89ad7ba4876b0b22c2  
ca280c682862f342c8591f1daf5170e07bfd9ccafa7d"],["7f30ea2476b399b4957509c88f77d0191afa2ff5cb7b14fd6d8  
e7d65aaab1193","ca5ef7d4b231c94c3b15389a5f6311e9daff7bb67b103e9880ef4bff637acaec"],["5098ff1e1d9f14fb  
46a210fada6c903fef0fb7b4a1dd1d9ac60a0361800b7a00","9731141d81fc8f8084d37c6e7542006b3ee1b40d60dfe53  
62a5b132fd17ddc0"],["32b78c7de9ee512a72895be6b9cbefa6e2f3c4ccce445c96b9f2c81e2778ad58","ee1849f513df  
71e32efc3896ee28260c73bb80547ae2275ba497237794c8753c"],["e2cb74fdcc8e9fbcd076eef2a7c72b0ce37d50f082  
69dfc074b581550547a4f7","d3aa2ed71c9dd2247a62df062736eb0baddea9e36122d2be8641abcb005cc4a4"],["84384  
47566d4d7bedadc299496ab357426009a35f235cb141be0d99cd10ae3a8","c4e1020916980a4da5d01ac5e6ad330734e  
f0d7906631c4f2390426b2edd791f"],["4162d488b89402039b584c6fc6c308870587d9c46f660b878ab65c82c711d67  
e","67163e903236289f776f22c25fb8a3afc1732f2b84b4e95dbda47ae5a0852649"],["3fad3fa84caf0f34f0f89bfd2dcf5  
4fc175d767aec3e50684f3ba4a4bf5f683d","cd1bc7cb6cc407bb2f0ca647c718a730cf71872e7d0d2a53fa20efcdf6182  
6"],["674f2600a3007a00568c1a7ce05d0816c1fb84bf1370798f1c69532faeb1a86b","299d21f9413f33b3edf43b25700  
4580b70db57da0b182259e09eccc69e0d38a5"],["d32f4da54ade74abb81b815ad1fb3b263d82d6c692714bcff87d29bd  
5ee9f08f","f9429e738b8e53b968e99016c059707782e14f4535359d582fc416910b3eeaa87"],["30e4e670435385556e5  
93657135845d36fbb6931f72b08cb1ed954f1e3ce3ff6","462f9bce619898638499350113bbc9b10a878d35da70740dc  
695a559eb88db7b"],["be2062003c51cc3004682904330e4dee7f3dcd10b01e580bf1971b04d4cad297","62188bc49d6  
1e5428573d48a74e1c655b1c61090905682a0d5558ed72dccb9bc"],["93144423ace3451ed29e0fb9ac2af211cb6e84a6  
01df5993c419859fff5df04a","7c10dfb164c3425f5c71a3f9d7992038f1065224f72bb9d1d902a6d13037b47c"],["b015  
f8044f5fcbdcf21ca26d6c34fb8197829205c7b7d2a7cb66418c157b112c","ab8c1e086d04e813744a655b2df8d5f83b3  
cdc6faa3088c1d3aea1454e3a1d5f"],["d5e9e1da649d97d89e4868117a465a3a4f8a18de57a140d36b3f2af341a21b52"  
,"4cb04437f391ed73111a13cc1d4dd0db1693465c2240480d8955e8592f27447a"],["d3ae41047dd7ca065dbf8ed77b9  
92439983005cd72e16d6f996a5316d36966bb","bd1aeb21ad22ebb22a10f0303417c6d964f8cdd7df0aca614b10dc14d  
125ac46"],["463e2763d885f958fc66cdd22800f0a487197d0a82e377b49f80af87c897b065","bfefacbd0e5d0fd7df3a3  
11a94de062b26b80c61fbc97508b79992671ef7ca7f"],["7985fdfd127c0567c6f53ec1bb63ec3158e597c40bfe747c83c  
ddfc910641917","603c12daf3d9862ef2b25fe1de289aed24ed291e0ec6708703a5bd567f32ed03"],["74a1ad6b5f76e3  
9db2dd249410eac7f99e74c59cb83d2d0ed5ff1543da7703e9","cc6157ef18c9c63cd6193d83631bbea0093e0968942e  
8c33d5737fd790e0db08"],["30682a50703375f602d416664ba19b7fc9bab42c72747463a71d0896b22f6da3","553e04  
f6b018b4fa6c8f39e7f311d3176290d0e0f19ca73f17714d9977a22ff8"],["9e2158f0d7c0d5f26c3791efefa79597654e7  
a2b2464f52b1ee6c1347769ef57","712fcdd1b9053f09003a3481fa7762e9ffd7c8ef35a38509e2fbf2629008373"],["17  
6e26989a43c9cfeba4029c202538c28172e566e3c4fce7322857f3be327d66","ed8cc9d04b29eb877d270b4878dc43c1  
9aefd31f4eee09ee7b47834c1fa4b1c3"],["75d46feaa3771e6e68abb89a13ad747ecf1892393dfc4f1b7004788c50374da  
8","9852390a99507679fd0b86fd2b39a868d7efc22151346e1a3ca4726586a6bed8"],["809a20c67d64900ffb698c4c82



```
5f6d5f2310fb0451c869345b7319f645605721","9e994980d9917e22b76b061927fa04143d096ccc54963e6a5ebfa5f3f
8e286c1"],["1b38903a43f7f114ed4500b4eac7083fdefece1cf29c63528d563446f972c180","4036edc931a60ae889353
f77fd53de4a2708b26b6f5da72ad3394119daf408f9"]]}},{}},15:[function(e,t,i){"use
strict";var r=i,f=e("bn.js"),i=e("minimalistic-assert"),e=e("minimalistic-crypto-
utils");r.assert=i,r.toArray=e.toArray,r.zero2=e.zero2,r.toHex=e.toHex,r.encode=e.encode,r.getNAF=function(e,t,i){
var r=new Array(Math.max(e.bitLength(),i)+1),r.fill(0);for(var f=1<<t+1,d=e.clone(),n=0;n<r.length;n++){var
a,s=d.andln(f-1);d.isOdd()?(a=(f>>1)-1<s?(f>>1)-s:s,d.isubn(a)):a=0,r[n]=a,d.iushrn(1)}return
r},r.getJSF=function(e,t){var i=[[[],[]];e=e.clone(),t=t.clone();for(var r,f=0,d=0;0<e.cmpn(-f)||0<t.cmpn(-d);){var
n,a=e.andln(3)+f&3,s=t.andln(3)+d&3;3===s&&(s=-1),n=0==(1&(a=3===a?-
1:a))?0:3!==(r=e.andln(7)+f&7)&&5!==(r|2)!==s?a:-
a,i[0].push(n),s=0==(1&s)?0:3!==(r=t.andln(7)+d&7)&&5!==(r|2)!==a?s:-s,i[1].push(s),2*f===n+1&&(f=1-
f),2*d===s+1&&(d=1-d),e.iushrn(1),t.iushrn(1)}return
i},r.cachedProperty=function(e,t,i){var r="_"+t;e.prototype[t]=function(){return void
0!==(this[r]?this[r]:this[r]=i.call(this))},r.parseBytes=function(e){return"string"==typeof
e?r.toArray(e,"hex"):e},r.intFromLE=function(e){return new f(e,"hex","le")},{ "bn.js":16,"minimalistic-
assert":33,"minimalistic-crypto-utils":34}],16:[function(_ ,e,t){!function(e,t){"use strict";function p(e,t){if(!e)throw
new Error(t||"Assertion failed")}function i(e,t){e.super_=t;function i(){}i.prototype=t.prototype,e.prototype=new
i,e.prototype.constructor=e}function m(e,t,i){if(m.isBN(e))return
e;this.negative=0,this.words=null,this.length=0,(this.red=null)!==e&&("le"!==t&&"be"!==t||(i=t,t=10),this._init(e||0
,t||10,i||"be"))}var r;"object"==typeof
e?e.exports=m:t.BN=m,(m.BN=m).wordSize=26;try{r=_("buffer").Buffer}catch(e){}function
n(e,t,i){for(var r=0,f=Math.min(e.length,i),d=t;d<f;d++){var n=e.charCodeAt(d)-48;r<<=4,r|=49<=n&&n<=54?n-
49+10:17<=n&&n<=22?n-17+10:15&n}return r}function o(e,t,i,r){for(var
f=0,d=Math.min(e.length,i),n=t;n<d;n++){var a=e.charCodeAt(n)-48;f*=-r,f+=49<=a?a-49+10:17<=a?-
17+10:a}return f}m.isBN=function(e){return e instanceof m||null!==e&&"object"==typeof
e&&e.constructor.wordSize===m.wordSize&&Array.isArray(e.words)},m.max=function(e,t){return
0<e.cmp(t)?e:t},m.min=function(e,t){return e.cmp(t)<0?e:t},m.prototype._init=function(e,t,i){if("number"==typeof
e)return this._initNumber(e,t,i);if("object"==typeof e)return
this._initArray(e,t,i);p((t="hex"===t?16:t)===0?t)&&2<=t&&t<=36);var r=0;"-
"===e?(e=e.toString().replace(/s/g,""))[0]&&r++,16===t?this._parseHex(e,r):this._parseBase(e,t,r,"-
"===e[0]&&(this.negative=1),this.strip(),"le"===i&&this._initArray(this.toArray(),t,i)},m.prototype._initNumber=f
unction(e,t,i){e<0&&(this.negative=1,e=-
e),e<67108864?(this.words=[67108863&e],this.length=1):e<4503599627370496?(this.words=[67108863&e,e/6710
8864&67108863],this.length=2):(p(e<9007199254740992),this.words=[67108863&e,e/67108864&67108863,1],this
.length=3),"le"===i&&this._initArray(this.toArray(),t,i)},m.prototype._initArray=function(e,t,i){if(p("number"==ty
peof
e.length),e.length<=0)return this.words=[0],this.length=1,this;this.length=Math.ceil(e.length/3),this.words=new
Array(this.length);for(var r,f,d=0;d<this.length;d++){this.words[d]=0;var n=0;if("be"===i)for(d=e.length-
1,r=0;0<=d;d-=3)f=e[d]|e[d-1]<<8|e[d-2]<<16,this.words[r]=f<<n&67108863,this.words[r+1]=f>>>26-
n&67108863,26<=(n+=24)&&(n-=26,r++);else
if("le"===i)for(r=d=0;d<e.length;d+=3)f=e[d]|e[d+1]<<8|e[d+2]<<16,this.words[r]=f<<n&67108863,this.words[r+
1]=f>>>26-n&67108863,26<=(n+=24)&&(n-=26,r++);return
this.strip()},m.prototype._parseHex=function(e,t){this.length=Math.ceil((e.length-t)/6),this.words=new
Array(this.length);for(var i,r=0;r<this.length;r++)this.words[r]=0;for(var
f=0,r=e.length-6,d=0;t<=r;r-=6)i=n(e,r,r+6),this.words[d]=i<<f&67108863,this.words[d+1]=i>>>26-
f&4194303,26<=(f+=24)&&(f-
=26,d++);r+6!==(t&&(i=n(e,t,r+6),this.words[d]=i<<f&67108863,this.words[d+1]=i>>>26-
f&4194303),this.strip()),m.prototype._parseBase=function(e,t,i){this.words=[0];for(var
```



```

2,t>>>=2),0==(1&t)&&e++,e},m.prototype.bitLength=function(){var e=this.words[this.length-
1],e=this._countBits(e);return 26*(this.length-1)+e},m.prototype.zeroBits=function(){if(this.isZero())return
0;for(var e=0,t=0;t<this.length;t++){var i=this._zeroBits(this.words[t]);if(e+=i,26!==(i))break}return
e},m.prototype.byteLength=function(){return Math.ceil(this.bitLength()/8)},m.prototype.toTwos=function(e){return
0!==(this.negative?this.abs().inotn(e).iaddn(1):this.clone())},m.prototype.fromTwos=function(e){return this.testn(e-
1)?this.notn(e).iaddn(1).ineg():this.clone()}},m.prototype.isNeg=function(){return
0!==(this.negative)},m.prototype.neg=function(){return this.clone().ineg()}},m.prototype.ineg=function(){return
this.isZero()||(this.negative^=1),this},m.prototype.iuor=function(e){for(;this.length<e.length;)this.words[this.length
++] = 0;for(var t=0;t<e.length;t++)this.words[t]=this.words[t]|e.words[t];return
this.strip()}},m.prototype.ior=function(e){return
p(0==(this.negative|e.negative)),this.iuor(e)},m.prototype.or=function(e){return
this.length>e.length?this.clone().ior(e):e.clone().ior(this)},m.prototype.uor=function(e){return
this.length>e.length?this.clone().iuor(e):e.clone().iuor(this)},m.prototype.iuand=function(e){for(var
t=this.length>e.length?e:this,i=0;i<t.length;i++)this.words[i]=this.words[i]&e.words[i];return
this.length=t.length,this.strip()}},m.prototype.iand=function(e){return
p(0==(this.negative|e.negative)),this.iuand(e)},m.prototype.and=function(e){return
this.length>e.length?this.clone().iand(e):e.clone().iand(this)},m.prototype.uand=function(e){return
this.length>e.length?this.clone().iuand(e):e.clone().iuand(this)},m.prototype.iuxor=function(e){for(var
t,i=this.length>e.length?(t=this,e):(t=e,this),r=0;r<i.length;r++)this.words[r]=t.words[r]^i.words[r];if(this!==(t))for(;r<
t.length;r++)this.words[r]=t.words[r];return this.length=t.length,this.strip()}},m.prototype.ixor=function(e){return
p(0==(this.negative|e.negative)),this.iuxor(e)},m.prototype.xor=function(e){return
this.length>e.length?this.clone().ixor(e):e.clone().ixor(this)},m.prototype.uxor=function(e){return
this.length>e.length?this.clone().iuxor(e):e.clone().iuxor(this)},m.prototype.inotn=function(e){p("number"==typeof
e&&0<=e);var t=0|Math.ceil(e/26),e=e%26;this._expand(t,0<e&&t--);for(var
i=0;i<t;i++)this.words[i]=67108863&~this.words[i];return 0<e&&(this.words[i]=~this.words[i]&67108863)>>26-
e),this.strip()}},m.prototype.notn=function(e){return
this.clone().inotn(e)},m.prototype.setn=function(e,t){p("number"==typeof e&&0<=e);var i=e/26|0,e=e%26;return
this._expand(1+i),this.words[i]=t?this.words[i]|1<<e:this.words[i]&~(1<<e),this.strip()}},m.prototype.iadd=function(
e){var t,i,r;if(0!==(this.negative&&0===e.negative))return
this.negative=0,t=this.isub(e),this.negative^=1,this._normSign();if(0===this.negative&&0!==(e.negative))return
e.negative=0,t=this.isub(e),e.negative=1,t._normSign();r=this.length>e.length?(i=this,e):(i=e,this);for(var
f=0,d=0;d<r.length;d++)t=(0|i.words[d])+f,this.words[d]=67108863&t,f=t>>>26;for(;0!==(f&&d<i.le
ngth;d++)t=(0|i.words[d])+f,this.words[d]=67108863&t,f=t>>>26;if(this.length=i.length,0!==(f))this.words[this.lengt
h]=f,this.length++;else if(i!==(this))for(;d<i.length;d++)this.words[d]=i.words[d];return
this},m.prototype.add=function(e){var t;return
0!==(e.negative&&0===this.negative?(e.negative=0,t=this.sub(e),e.negative^=1,t):0===e.negative&&0!==(this.negat
ive?(this.negative=0,t=e.sub(this),this.negative=1,t):this.length>e.length?this.clone().iadd(e):e.clone().iadd(this)}},m.
prototype.isub=function(e){if(0!==(e.negative){e.negative=0;var
t=this.iadd(e);return e.negative=1,t._normSign()}if(0!==(this.negative))return
this.negative=0,this.iadd(e),this.negative=1,this._normSign();var i,r,f=this.cmp(e);if(0===f)return
this.negative=0,this.length=1,this.words[0]=0,this;r=0<f?(i=this,e):(i=e,this);for(var
d=0,n=0;n<r.length;n++)d=(t=(0|i.words[n])-
(0|r.words[n])+d)>>>26,this.words[n]=67108863&t;for(;0!==(d&&n<i.length;n++)d=(t=(0|i.words[n])+d)>>>26,this.w
ords[n]=67108863&t;if(0===d&&n<i.length&&i!==(this))for(;n<i.length;n++)this.words[n]=i.words[n];return
this.length=Math.max(this.length,n),i!==(this&&(this.negative=1),this.strip())},m.prototype.sub=function(e){return
this.clone().isub(e)};var d=function(e,t,i){var
r=e.words,f=t.words,d=i.words,n=0|r[0],a=8191&n,s=n>>>13,c=0|r[1],h=8191&c,o=c>>>13,u=0|r[2],b=8191&u,l=
u>>>13,p=0|r[3],m=8191&p,v=p>>>13,g=0|r[4],y=8191&g,M=g>>>13,w=0|r[5],S=8191&w,_=w>>>13,A=0|r[6],

```

```

x=8191&A,I=A>>>13,z=0|r[7],q=8191&z,R=z>>>13,k=0|r[8],P=8191&k,j=k>>>13,N=0|r[9],E=8191&N,B=N>>>
13,L=0|f[0],O=8191&L,F=L>>>13,T=0|f[1],C=8191&T,Z=T>>>13,J=0|f[2],H=8191&J,D=J>>>13,X=0|f[3],K=81
91&X,V=X>>>13,W=0|f[4],U=8191&W,Y=W>>>13,G=0|f[5],Q=8191&G,$=G>>>13,n=0|f[6],c=8191&n,u=n>>
>13,p=0|f[7],g=8191&p,w=p>>>13,A=0|f[8],z=8191&A,k=A>>>13,r=0|f[9],N=8191&r,L=r>>>13;i.negative=e.ne
gative^t.negative,i.length=19;var
X=(0+Math.imul(a,O)|0)+((8191&(J=Math.imul(a,F)+Math.imul(s,O)|0))<<13)|0,ee=(Math.imul(s,F)+(J>>>13)|0)+
(X>>>26)|0;X&=67108863,T=Math.imul(h,O),J=Math.imul(h,F)+Math.imul(o,O)|0,W=Math.imul(o,F);G=(ee+(T+
Math.imul(a,C)|0)|0)+((8191&(J=(J+Math.imul(a,Z)|0)+Math.imul(s,C)|0))<<13)|0;ee=((W+Math.imul(s,Z)|0)+(J>>
>13)|0)+(G>>>26)|0,G&=67108863,T=Math.imul(b,O),J=Math.imul(b,F)+Math.imul(l,O)|0,W=Math.imul(l,F),T=
T+Math.imul(h,C)|0,J=(J+Math.imul(h,Z)|0)+Math.imul(o,C)|0,W=W+Math.imul(o,Z)|0;n=(ee+(T+Math.imul(a,H)|
0)|0)+((8191&(J=(J+Math.imul(a,D)|0)+Math.imul(s,H)|0))<<13)|0;ee=((W+Math.imul(s,D)|0)+(J>>>13)|0)+(n>>>
26)|0,n&=67108863,T=Math.imul(m,O),J=Math.imul(m,F)+Math.imul(v,O)|0,W=Math.imul(v,F),T=T+Math.imul(
b,C)|0,J=(J+Math.imul(b,Z)|0)+Math.imul(l,C)|0,W=W+Math.imul(l,Z)|0,T=T+Math.imul(h,H)|0,J=(J+Math.imul(h
,D)|0)+Math.imul(o,H)|0,W=W+Math.imul(o,D)|0;p=(ee+(T+Math.imul(a,K)|0)|0)+((8191&(J=(J+Math.imul(a,V)|0
)+Math.imul(s,K)|0))<<13)|0;ee=((W+Math.imul(s,V)|0)+(J>>>13)|0)+(p>>>26)|0,p&=67108863,T=Math.imul(y,O
),J=Math.imul(y,F)+Math.imul(M,O)|0,W=Math.imul(M,F),T=T+Math.imul(m,C)|0,J=(J+Math.imul(m,Z)|0)+Math
.imul(v,C)|0,W=W+Math.imul(v,Z)|0,T=T+Math.imul(b,H)|0,J=(J+Math.imul(b,D)|0)+Math.imul(l,H)|0,W=W+Mat
h.imul(l,D)|0,T=T+Math.imul(h,K)|0,J=(J+Math.imul(h,V)|0)+Math.imul(o,K)|0,W=W+Math.imul(o,V)|0;A=(ee+(
T+Math.imul(a,U)|0)|0)+((8191&(J=(J+Math.imul(a,Y)|0)+Math.imul(s,U)|0))<<13)|0;ee=((W+Math.imul(s,Y)|0)+(
J>>>13)|0)+(A>>>26)|0,A&=67108863,T=Math.imul(S,O),J=Math.imul(S,F)+Math.imul(_O)|0,W=Math.imul(_F
),T=T+Math.imul(y,C)|0,J=(J+Math.imul(y,Z)|0)+Math.imul(M,C)|0,W=W+Math.imul(M,Z)|0,T=T+Math.imul(m,
H)|0,J=(J+Math.imul(m,D)|0)+Math.imul(v,H)|0,W=W+Math.imul(v,D)|0,T=T+Math.imul(b,K)|0,J=(J+Math.imul(
b,V)|0)+Math.imul(l,K)|0,W=W+Math.imul(l,V)|0,T=T+Math.imul(h,U)|0,J=(J+Math.imul(h,Y)|0)+Math.imul(o,U
)|0,W=W+Math.imul(o,Y)|0;f=(ee+(T+Math.imul(a,Q)|0)|0)+((8191&(J=(J+Math.imul(a,$)|0)+Math.imul(s,Q)|0))<<
13)|0;ee=((W+Math.imul(s,$)|0)+(J>>>13)|0)+(f>>>26)|0,f&=67108863,T=Math.imul(x,O),J=Math.imul(x,F)+Mat
h.imul(l,O)|0,W=Math.imul(l,F),T=T+Math.imul(S,C)|0,J=(J+Math.imul(S,Z)|0)+Math.imul(_C)|0,W=W+Math.im
ul(_Z)|0,T=T+Math.imul(y,H)|0,J=(J+Math.imul(y,D)|0)+Math.imul(M,H)|0,W=W+Math.imul(M,D)|0,T=T+Math.
imul(m,K)|0,J=(J+Math.imul(m,V)|0)+Math.imul(v,K)|0,W=W+Math.imul(v,V)|0,T=T+Math.imul(b,U)|0,J=(J+Mat
h.imul(b,Y)|0)+Math.imul(l,U)|0,W=W+Math.imul(l,Y)|0,T=T+Math.imul(h,Q)|0,J=(J+Math.imul(h,$)|0)+Math.im
ul(o,Q)|0,W=W+Math.imul(o,$)|0;r=(ee+(T+Math.imul(a,c)|0)|0)+((8191&(J=(J+Math.imul(a,u)|0)+Math.imul(s,c)
|0))<<13)|0;ee=((W+Math.imul(s,u)|0)+(J>>>13)|0)+(r>>>26)|0,r&=67108863,T=Math.imul(q,O),J=Math.imul(q,F)
+Math.imul(R,O)|0,W=Math.imul(R,F),T=T+Math.imul(x,C)|0,J=(J+Math.imul(x,Z)|0)+Math.imul(l,C)|0,W=W+M
ath.imul(l,Z)|0,T=T+Math.imul(S,H)|0,J=(J+Math.imul(S,D)|0)+Math.imul(_H)|0,W=W+Math.imul(_D)|0,T=T+
Math.imul(y,K)|0,J=(J+Math.imul(y,V)|0)+Math.imul(M,K)|0,W=W+Math.imul(M,V)|0,T=T+Math.imul(m,U)|0,J=
(J+Math.imul(m,Y)|0)+Math.imul(v,U)|0,W=W+Math.imul(v,Y)|0,T=T+Math.imul(b,Q)|0,J=(J+Math.imul(b,$)|0)+
Math.imul(l,Q)|0,W=W+Math.imul(l,$)|0,T=T+Math.imul(h,c)|0,J=(J+Math.imul(h,u)|0)+Math.imul(o,c)|0,W=W+
Math.imul(o,u)|0;e=(ee+(T+Math.imul(a,g)|0)|0)+((8191&(J=(J+Math.imul(a,w)|0)+Math.imul(s,g)|0))<<13)|0;ee=(
(W+Math.imul(s,w)|0)+(J>>>13)|0)+(e>>>26)|0,e&=67108863,T=Math.imul(P,O),J=Math.imul(P,F)+Math.imul(j,
O)|0,W=Math.imul(j,F),T=T+Math.imul(q,C)|0,J=(J+Math.imul(q,Z)|0)+Math.imul(R,C)|0,W=W+Math.imul(R,Z)|
0,T=T+Math.imul(x,H)|0,J=(J+Math.imul(x,D)|0)+Math.imul(l,H)|0,W=W+Math.imul(l,D)|0,T=T+Math.imul(S,K)|
0,J=(J+Math.imul(S,V)|0)+Math.imul(_K)|0,W=W+Math.imul(_V)|0,T=T+Math.imul(y,U)|0,J=(J+Math.imul(y,Y)
|0)+Math.imul(M,U)|0,W=W+Math.imul(M,Y)|0,T=T+Math.imul(m,Q)|0,J=(J+Math.imul(m,$)|0)+Math.imul(v,Q)|
0,W=W+Math.imul(v,$)|0,T=T+Math.imul(b,c)|0,J=(J+Math.imul(b,u)|0)+Math.imul(l,c)|0,W=W+Math.imul(l,u)|0,
T=T+Math.imul(h,g)|0,J=(J+Math.imul(h,w)|0)+Math.imul(o,g)|0,W=W+Math.imul(o,w)|0;t=(ee+(T+Math.imul(a,z
)|0)|0)+((8191&(J=(J+Math.imul(a,k)|0)+Math.imul(s,z)|0))<<13)|0;ee=((W+Math.imul(s,k)|0)+(J>>>13)|0)+(t>>>2
6)|0,t&=67108863,T=Math.imul(E,O),J=Math.imul(E,F)+Math.imul(B,O)|0,W=Math.imul(B,F),T=T+Math.imul(P,
C)|0,J=(J+Math.imul(P,Z)|0)+Math.imul(j,C)|0,W=W+Math.imul(j,Z)|0,T=T+Math.imul(q,H)|0,J=(J+Math.imul(q,
D)|0)+Math.imul(R,H)|0,W=W+Math.imul(R,D)|0,T=T+Math.imul(x,K)|0,J=(J+Math.imul(x,V)|0)+Math.imul(l,K)

```

$0, W=W+\text{Math.imul}(I, V)|0, T=T+\text{Math.imul}(S, U)|0, J=(J+\text{Math.imul}(S, Y)|0)+\text{Math.imul}(\_, U)|0, W=W+\text{Math.imul}(\_, Y)|0, T=T+\text{Math.imul}(y, Q)|0, J=(J+\text{Math.imul}(y, \$)|0)+\text{Math.imul}(M, Q)|0, W=W+\text{Math.imul}(M, \$)|0, T=T+\text{Math.imul}(m, c)|0, J=(J+\text{Math.imul}(m, u)|0)+\text{Math.imul}(v, c)|0, W=W+\text{Math.imul}(v, u)|0, T=T+\text{Math.imul}(b, g)|0, J=(J+\text{Math.imul}(b, w)|0)+\text{Math.imul}(l, g)|0, W=W+\text{Math.imul}(l, w)|0, T=T+\text{Math.imul}(h, z)|0, J=(J+\text{Math.imul}(h, k)|0)+\text{Math.imul}(o, z)|0, W=W+\text{Math.imul}(o, k)|0; a=(ee+(\text{Math.imul}(a, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(a, L)|0)+\text{Math.imul}(s, N)|0))\<<13)|0; ee=((\text{Math.imul}(s, L)|0)+(\text{J}>>>13)|0)+(\text{a}>>>26)|0, \text{a}\&=67108863, T=\text{Math.imul}(E, C), J=\text{Math.imul}(E, Z)+\text{Math.imul}(B, C)|0, W=\text{Math.imul}(B, Z), T=T+\text{Math.imul}(P, H)|0, J=(J+\text{Math.imul}(P, D)|0)+\text{Math.imul}(j, H)|0, W=W+\text{Math.imul}(j, D)|0, T=T+\text{Math.imul}(q, K)|0, J=(J+\text{Math.imul}(q, V)|0)+\text{Math.imul}(R, K)|0, W=W+\text{Math.imul}(R, V)|0, T=T+\text{Math.imul}(x, U)|0, J=(J+\text{Math.imul}(x, Y)|0)+\text{Math.imul}(I, U)|0, W=W+\text{Math.imul}(I, Y)|0, T=T+\text{Math.imul}(S, Q)|0, J=(J+\text{Math.imul}(S, \$)|0)+\text{Math.imul}(\_, Q)|0, W=W+\text{Math.imul}(\_, \$)|0, T=T+\text{Math.imul}(y, c)|0, J=(J+\text{Math.imul}(y, u)|0)+\text{Math.imul}(M, c)|0, W=W+\text{Math.imul}(M, u)|0, T=T+\text{Math.imul}(m, g)|0, J=(J+\text{Math.imul}(m, w)|0)+\text{Math.imul}(v, g)|0, W=W+\text{Math.imul}(v, w)|0, T=T+\text{Math.imul}(b, z)|0, J=(J+\text{Math.imul}(b, k)|0)+\text{Math.imul}(l, z)|0, W=W+\text{Math.imul}(l, k)|0; h=(ee+(\text{Math.imul}(h, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(h, L)|0)+\text{Math.imul}(o, N)|0))\<<13)|0; ee=((\text{Math.imul}(o, L)|0)+(\text{J}>>>13)|0)+(\text{h}>>>26)|0, \text{h}\&=67108863, T=\text{Math.imul}(E, H), J=\text{Math.imul}(E, D)+\text{Math.imul}(B, H)|0, W=\text{Math.imul}(B, D), T=T+\text{Math.imul}(P, K)|0, J=(J+\text{Math.imul}(P, V)|0)+\text{Math.imul}(j, K)|0, W=W+\text{Math.imul}(j, V)|0, T=T+\text{Math.imul}(q, U)|0, J=(J+\text{Math.imul}(q, Y)|0)+\text{Math.imul}(R, U)|0, W=W+\text{Math.imul}(R, Y)|0, T=T+\text{Math.imul}(x, Q)|0, J=(J+\text{Math.imul}(x, \$)|0)+\text{Math.imul}(I, Q)|0, W=W+\text{Math.imul}(I, \$)|0, T=T+\text{Math.imul}(S, c)|0, J=(J+\text{Math.imul}(S, u)|0)+\text{Math.imul}(\_, c)|0, W=W+\text{Math.imul}(\_, u)|0, T=T+\text{Math.imul}(y, g)|0, J=(J+\text{Math.imul}(y, w)|0)+\text{Math.imul}(M, g)|0, W=W+\text{Math.imul}(M, w)|0, T=T+\text{Math.imul}(m, z)|0, J=(J+\text{Math.imul}(m, k)|0)+\text{Math.imul}(v, z)|0, W=W+\text{Math.imul}(v, k)|0; b=(ee+(\text{Math.imul}(b, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(b, L)|0)+\text{Math.imul}(l, N)|0))\<<13)|0; ee=((\text{Math.imul}(l, L)|0)+(\text{J}>>>13)|0)+(\text{b}>>>26)|0, \text{b}\&=67108863, T=\text{Math.imul}(E, K), J=\text{Math.imul}(E, V)+\text{Math.imul}(B, K)|0, W=\text{Math.imul}(B, V), T=T+\text{Math.imul}(P, U)|0, J=(J+\text{Math.imul}(P, Y)|0)+\text{Math.imul}(j, U)|0, W=W+\text{Math.imul}(j, Y)|0, T=T+\text{Math.imul}(q, Q)|0, J=(J+\text{Math.imul}(q, \$)|0)+\text{Math.imul}(R, Q)|0, W=W+\text{Math.imul}(R, \$)|0, T=T+\text{Math.imul}(x, c)|0, J=(J+\text{Math.imul}(x, u)|0)+\text{Math.imul}(I, c)|0, W=W+\text{Math.imul}(I, u)|0, T=T+\text{Math.imul}(S, g)|0, J=(J+\text{Math.imul}(S, w)|0)+\text{Math.imul}(\_, g)|0, W=W+\text{Math.imul}(\_, w)|0, T=T+\text{Math.imul}(y, z)|0, J=(J+\text{Math.imul}(y, k)|0)+\text{Math.imul}(M, z)|0, W=W+\text{Math.imul}(M, k)|0; m=(ee+(\text{Math.imul}(m, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(m, L)|0)+\text{Math.imul}(v, N)|0))\<<13)|0; ee=((\text{Math.imul}(v, L)|0)+(\text{J}>>>13)|0)+(\text{m}>>>26)|0, \text{m}\&=67108863, T=\text{Math.imul}(E, U), J=\text{Math.imul}(E, Y)+\text{Math.imul}(B, U)|0, W=\text{Math.imul}(B, Y), T=T+\text{Math.imul}(P, Q)|0, J=(J+\text{Math.imul}(P, \$)|0)+\text{Math.imul}(j, Q)|0, W=W+\text{Math.imul}(j, \$)|0, T=T+\text{Math.imul}(q, c)|0, J=(J+\text{Math.imul}(q, u)|0)+\text{Math.imul}(R, c)|0, W=W+\text{Math.imul}(R, u)|0, T=T+\text{Math.imul}(x, g)|0, J=(J+\text{Math.imul}(x, w)|0)+\text{Math.imul}(I, g)|0, W=W+\text{Math.imul}(I, w)|0, T=T+\text{Math.imul}(S, z)|0, J=(J+\text{Math.imul}(S, k)|0)+\text{Math.imul}(\_, z)|0, W=W+\text{Math.imul}(\_, k)|0; y=(ee+(\text{Math.imul}(y, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(y, L)|0)+\text{Math.imul}(M, N)|0))\<<13)|0; ee=((\text{Math.imul}(M, L)|0)+(\text{J}>>>13)|0)+(\text{y}>>>26)|0, \text{y}\&=67108863, T=\text{Math.imul}(E, Q), J=\text{Math.imul}(E, \$)+\text{Math.imul}(B, Q)|0, W=\text{Math.imul}(B, \$), T=T+\text{Math.imul}(P, c)|0, J=(J+\text{Math.imul}(P, u)|0)+\text{Math.imul}(j, c)|0, W=W+\text{Math.imul}(j, u)|0, T=T+\text{Math.imul}(q, g)|0, J=(J+\text{Math.imul}(q, w)|0)+\text{Math.imul}(R, g)|0, W=W+\text{Math.imul}(R, w)|0, T=T+\text{Math.imul}(x, z)|0, J=(J+\text{Math.imul}(x, k)|0)+\text{Math.imul}(I, z)|0, W=W+\text{Math.imul}(I, k)|0; S=(ee+(\text{Math.imul}(S, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(S, L)|0)+\text{Math.imul}(\_, N)|0))\<<13)|0; ee=((\text{Math.imul}(\_, L)|0)+(\text{J}>>>13)|0)+(\text{S}>>>26)|0, \text{S}\&=67108863, T=\text{Math.imul}(E, c), J=\text{Math.imul}(E, u)+\text{Math.imul}(B, c)|0, W=\text{Math.imul}(B, u), T=T+\text{Math.imul}(P, g)|0, J=(J+\text{Math.imul}(P, w)|0)+\text{Math.imul}(j, g)|0, W=W+\text{Math.imul}(j, w)|0, T=T+\text{Math.imul}(q, z)|0, J=(J+\text{Math.imul}(q, k)|0)+\text{Math.imul}(R, z)|0, W=W+\text{Math.imul}(R, k)|0; x=(ee+(\text{Math.imul}(x, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(x, L)|0)+\text{Math.imul}(I, N)|0))\<<13)|0; ee=((\text{Math.imul}(I, L)|0)+(\text{J}>>>13)|0)+(\text{x}>>>26)|0, \text{x}\&=67108863, T=\text{Math.imul}(E, g), J=\text{Math.imul}(E, w)+\text{Math.imul}(B, g)|0, W=\text{Math.imul}(B, w), T=T+\text{Math.imul}(P, z)|0, J=(J+\text{Math.imul}(P, k)|0)+\text{Math.imul}(j, z)|0, W=W+\text{Math.imul}(j, k)|0; q=(ee+(\text{Math.imul}(q, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(q, L)|0)+\text{Math.imul}(R, N)|0))\<<13)|0; ee=((\text{Math.imul}(R, L)|0)+(\text{J}>>>13)|0)+(\text{q}>>>26)|0, \text{q}\&=67108863, T=\text{Math.imul}(E, z), J=\text{Math.imul}(E, k)+\text{Math.imul}(B, z)|0, W=\text{Math.imul}(B, k); P=(ee+(\text{Math.imul}(P, N)|0)|0)+((8191\&(J=(J+\text{Math.imul}(P, L)|0)+\text{Math.imul}(j, N)|0))\<<13)|0; ee=((\text{Math.imul}(j, L)|0)+(\text{J}>>>13)|0)+(\text{P}>>>26)|0, \text{P}\&=67108863; N=(ee+\text{Math.imul}(E, N)|0)+((8191\&(J=\text{Math.imul}(E, L)+\text{Math.imul}(B, N)|0))\<<13)|0; return$

$ee=(\text{Math.imul}(B, L)+(\text{J}>>>13)|0)+(\text{N}>>>26)|0, \text{N}\&=67108863, \text{d}[0]=X, \text{d}[1]=G, \text{d}[2]=n, \text{d}[3]=p, \text{d}[4]=A, \text{d}[5]=f, \text{d}[6]=r, \text{d}[7]=e, \text{d}[8]=t, \text{d}[9]=a, \text{d}[10]=h, \text{d}[11]=b, \text{d}[12]=m, \text{d}[13]=y, \text{d}[14]=S, \text{d}[15]=x, \text{d}[16]=q, \text{d}[17]=P, \text{d}[18]=N, 0!=ee\&\&(\text{d}[19$

```

]=e,e,i.length++),i};function a(e,t,i){return(new s).mulp(e,t,i)}function
s(e,t){this.x=e,this.y=t}Math.imul|(d=f),m.prototype.mulTo=function(e,t){var
i=this.length+e.length,t=(10===this.length&&10===e.length?d:i<63?f:i<1024?function(e,t,i){i.negative=t.negative^
e.negative,i.length=e.length+t.length;for(var r=0,f=0,d=0;d<i.length-1;d++){for(var
n=f,f=0,a=67108863&r,s=Math.min(d,t.length-1),c=Math.max(0,d-e.length+1);c<=s;c++){var h=d-
c,o=(0|e.words[h])*0|t.words[c],h=67108863&o,a=67108863&(h=h+a|0);f+=((n=n+(o/67108864|0)|0)+(h>>>2
6)|0)>>>26,n&=67108863}i.words[d]=a,r=n,n=f}return 0!==(r?i.words[d]=r:i.length--,i.strip()):a(this,e,t);return
t},s.prototype.makeRBT=function(e){for(var t=new Array(e),i=m.prototype._countBits(e)-
1,r=0;r<e;r++)t[r]=this.revBin(r,i,e);return t},s.prototype.revBin=function(e,t,i){if(0===e||e===i-1)return e;for(var
r=0,f=0;f<t;f++)r|=(1&e)<<t-f-1,e>>=1;return r},s.prototype.permute=function(e,t,i,r,f,d){for(var
n=0;n<d;n++)r[n]=t[e[n]],f[n]=i[e[n]]},s.prototype.transform=function(e,t,i,r,f,d){this.permute(d,e,t,i,r,f);for(var
n=1;n<f;n<<=1)for(var a=n<<1,s=Math.cos(2*Math.PI/a),c=Math.sin(2*Math.PI/a),h=0;h<f;h+=a)for(var
o=s,u=c,b=0;b<n;b++){var l=i[h+b],p=r[h+b],m=o*(g=i[h+b+n])-
u*(v=r[h+b+n]),v=o*v+u*g,g=m,i[h+b]=l+g,r[h+b]=p+v,i[h+b+n]=l-g,r[h+b+n]=p-v,b!==(a&&(m=s*o-
c*u,u=s*u+c*o,o=m))},s.prototype.guessLen13b=function(e,t){for(var
e=1&(r=1|Math.max(t,e)),i=0,r=r/2|0;r>>>=1)i++;return
1<<i+1+e},s.prototype.conjugate=function(e,t,i){if(!(i<=1))for(var r=0;r<i/2;r++){var f=e[r];e[r]=e[i-r-1],e[i-r-
1]=f,f=t[r],t[r]=t[i-r-1],t[i-r-1]=f}},s.prototype.normalize13b=function(e,t){for(var i=0,r=0;r<t/2;r++){var
f=8192*Math.round(e[2*r+1]/t)+Math.round(e[2*r]/t)+i;e[r]=67108863&f,i=f<67108864?0:f/67108864|0}return
e},s.prototype.convert13b=function(e,t,i,r){for(var
f=0,d=0;d<t;d++)f+=0|e[d],i[2*d]=8191&f,f>>>=13,i[2*d+1]=8191&f,f>>>=13;for(d=2*t;d<r;++d)i[d]=0;p(0===f
),p(0==(-8192&f)),s.prototype.stub=function(e){for(var t=new Array(e),i=0;i<e;i++)t[i]=0;return
t},s.prototype.mulp=function(e,t,i){var
r=2*this.guessLen13b(e.length,t.length),f=this.makeRBT(r),d=this.stub(r),n=new Array(r),a=new Array(r),s=new
Array(r),c=new Array(r),h=new Array(r),o=new
Array(r),u=i.words;u.length=r,this.convert13b(e.words,e.length,n,r),this.convert13b(t.words,t.length,c,r),this.transfor
m(n,d,a,s,r,f),this.transform(c,d,h,o,r,f);for(var
b=0;b<r;b++){var l=a[b]*h[b]-s[b]*o[b];s[b]=a[b]*o[b]+s[b]*h[b],a[b]=l}return
this.conjugate(a,s,r),this.transform(a,s,u,d,r,f),this.conjugate(u,d,r),this.normalize13b(u,r),i.negative=e.negative^t.ne
gative,i.length=e.length+t.length,i.strip()),m.prototype.mul=function(e){var t=new m(null);return t.words=new
Array(this.length+e.length),this.mulTo(e,t)},m.prototype.mulf=function(e){var t=new m(null);return t.words=new
Array(this.length+e.length),a(this,e,t)},m.prototype.imul=function(e){return
this.clone().mulTo(e,this)},m.prototype.imuln=function(e){p("number"===typeof e),p(e<67108864);for(var
t=0,i=0;i<this.length;i++){var
r=(0|this.words[i])*e,f=(67108863&r)+(67108863&t);t>>=26,t+=r/67108864|0,t+=f>>>26,this.words[i]=67108863
&f}return 0!==(t&&(this.words[i]=t,this.length++),this)},m.prototype.muln=function(e){return
this.clone().imuln(e)},m.prototype.sqr=function(){return this.mul(this)},m.prototype.isqr=function(){return
this.imul(this.clone())},m.prototype.pow=function(e){var
t=function(e){for(var t=new Array(e.bitLength()),i=0;i<t.length;i++){var
r=i/26|0,f=i%26;t[i]=(e.words[r]&1<<f)>>>f}return t}(e);if(0===t.length)return new m(1);for(var
i=this,r=0;r<t.length&&0===t[r];r++,i=i.sqr());if(++r<t.length)for(var
f=i.sqr();r<t.length;r++,f=f.sqr())0!==t[r]&&(i=i.mul(f));return
i},m.prototype.iushln=function(e){p("number"===typeof e&&0<=e);var t=e%26,i=(e-t)/26,r=67108863>>>26-
t<<26-t;if(0!=t){for(var f=0,d=0;d<this.length;d++){var n=this.words[d]&r,a=(0|this.words[d])-
n<<t;this.words[d]=a|f,f=n>>>26-t}f&&(this.words[d]=f,this.length++)}if(0!=i){for(d=this.length-1;0<=d;d--
)this.words[d+i]=this.words[d];for(d=0;d<i;d++)this.words[d]=0;this.length+=i}return
this.strip()},m.prototype.ishln=function(e){return
p(0===this.negative),this.iushln(e)},m.prototype.iushrn=function(e,t,i){var r;p("number"===typeof

```

```

e&&0<=e),r=t?(t-t%26)/26:0;var f=e%26,d=Math.min((e-f)/26,this.length),n=67108863^67108863>>>f<<<f,a=i;if(r-
=d,r=Math.max(0,r),a){for(var
s=0;s<d;s++)a.words[s]=this.words[s];a.length=d}if(0!==(d))if(this.length>d)for(this.length-
=d,s=0;s<this.length;s++)this.words[s]=this.words[s+d];else this.words[0]=0,this.length=1;for(var
c=0,s=this.length-1;0<=s&&(0!==(c||r<=s);s--){var h=0|this.words[s];this.words[s]=c<<<26-f|h>>>f,c=h&n}return
a&&0!==(c&&(a.words[a.length++]=c),0===this.length&&(this.words[0]=0,this.length=1),this.strip()),m.prototype.
ishrn=function(e,t,i){return p(0===this.negative),this.iushrn(e,t,i)},m.prototype.shln=function(e){return
this.clone().ishln(e)},m.prototype.ushln=function(e){return
this.clone().iushln(e)},m.prototype.shrn=function(e){return
this.clone().ishrn(e)},m.prototype.ushrn=function(e){return
this.clone().iushrn(e)},m.prototype.testn=function(e){p("number"===typeof e&&0<=e);var t=e%26,e=(e-
t)/26,t=1<<t;return!(this.length<=e)&&!(this.words[e]&t)},m.prototype.imaskn=function(e){p("number"===typeof
e&&0<=e);var t=e%26,e=(e-t)/26;return p(0===this.negative,"imaskn works only
with positive
numbers"),this.length<=e?this:(0!==(t&&e++,this.length=Math.min(e,this.length),0!==(t&&(t=67108863^67108863)>>
>t<<t,this.words[this.length-1]&t),this.strip()),m.prototype.maskn=function(e){return
this.clone().imaskn(e)},m.prototype.iaddn=function(e){return p("number"===typeof
e),p(e<67108864),e<0?this.isubn(-e):0!==(this.negative?(1===this.length&&(0|this.words[0])<e?(this.words[0]=e-
(0|this.words[0]),this.negative=0):(this.negative=0,this.isubn(e),this.negative=1),this):this._iaddn(e)},m.prototype._i
addn=function(e){this.words[0]+=e;for(var t=0;t<this.length&&67108864<=this.words[t];t++)this.words[t]-
=67108864,t===this.length-1?this.words[t+1]=1:this.words[t+1]++;return
this.length=Math.max(this.length,t+1),this},m.prototype.isubn=function(e){if(p("number"===typeof
e),p(e<67108864),e<0)return this.iaddn(-e);if(0!==(this.negative)return
this.negative=0,this.iaddn(e),this.negative=1,this;if(this.words[0]-
=e,1===this.length&&this.words[0]<0)this.words[0]=-this.words[0],this.negative=1;else
for(var t=0;t<this.length&&this.words[t]<0;t++)this.words[t]+=67108864,--this.words[t+1];return
this.strip()),m.prototype.addn=function(e){return this.clone().iaddn(e)},m.prototype.subn=function(e){return
this.clone().isubn(e)},m.prototype.iabs=function(){return this.negative=0,this},m.prototype.abs=function(){return
this.clone().iabs()},m.prototype._ishlnsubmul=function(e,t,i){var r,f=e.length+i;this._expand(f);for(var
d=0,n=0;n<e.length;n++){r=(0|this.words[n+i])+d;var a=(0|e.words[n])*t,d=((r-67108863&a)>>26)-
(a/67108864|0);this.words[n+i]=67108863&r}for(;n<this.length-
i;n++)d=(r=(0|this.words[n+i])+d)>>26,this.words[n+i]=67108863&r;if(0===d)return this.strip();for(p(-
1===d),n=d=0;n<this.length;n++)d=(r=(0|this.words[n])+d)>>26,this.words[n]=67108863&r;return
this.negative=1,this.strip()),m.prototype._wordDiv=function(e,t){var i=this.length-
e.length,r=this.clone(),f=e,d=0|f.words[f.length-1];0!==(i=26-
this._countBits(d))&&(f=f.ushln(i),r.iushln(i),d=0|f.words[f.length-1]);var
n,a=r.length-f.length;if("mod"!==t){(n=new m(null)).length=1+a,n.words=new Array(n.length);for(var
s=0;s<n.length;s++)n.words[s]=0}e=r.clone()._ishlnsubmul(f,1,a);0===e.negative&&(r=e,n&&(n.words[a]=1));for(
var c=a-1;0<=c;c--){var h=67108864*(0|r.words[f.length+c])+(0|r.words[f.length+c-
1]),h=Math.min(h/d|0,67108863);for(r._ishlnsubmul(f,h,c);0!==(r.negative);)h--
,r.negative=0,r._ishlnsubmul(f,1,c),r.isZero()||(r.negative^=1);n&&(n.words[c]=h)}return
n&&n.strip(),r.strip(),"div"===t&&0!==(i&&r.iushrn(i),{div:n|null,mod:r})},m.prototype.divmod=function(e,t,i){retur
n p(!e.isZero()),this.isZero(){div:new m(0),mod:new
m(0)}:0!==(this.negative&&0===e.negative?(d=this.neg().divmod(e,t),"mod"!==t&&(r=d.div.neg()),"div"===t&&(f
=d.mod.neg(),i&&0!==(f.negative&&f.iaddn(e)),{div:r,mod:f}):0===this.negative&&0!==(e.negative?(d=this.divmod
(e.neg(),t),{div:r="mod"===t?d.div.neg():r,mod:d.mod}):0!==(this.negative&e.negative)?(d=this.neg().divmod(e.neg(
),t),"div"===t&&(f=d.mod.neg(),i&&0!==(f.negative&&f.isubn(e)),{div:d.div,mod:f}):e.length>this.length||this.cmp(
e)<0){div:new

```

```

m(0),mod:this}:l===e.length?"div"===t?{div:this.divn(e.words[0]),mod:null}:"mod"===t?{div:null,mod:new
m(this.modn(e.words[0]))}:{div:this.divn(e.words[0]),mod:new m(this.modn(e.words[0]))}:this._wordDiv(e,t);var
r,f,d},m.prototype.div=function(e){return this.divmod(e,"div",!1).div},m.prototype.mod=function(e){return
this.divmod(e,"mod",!1).mod},m.prototype.umod=function(e){return
this.divmod(e,"mod",!0).mod},m.prototype.divRound=function(e){var t=this.divmod(e);if(t.mod.isZero())return
t.div;var i=0!==(t.div.negative?t.mod.isub(e):t.mod,r=e.ushrn(1),e=e.andln(1),r=i.cmp(r);return
r<0||1===e&&0===r?t.div:0!==(t.div.negative?t.div.isubn(1):t.div.iaddn(1)),m.prototype.modn=function(e){p(e<=6
7108863);for(var t=(1<<26)%e,i=0,r=this.length-1;0<=r;r--)=i*(t*i+(0|this.words[r]))%e;return
i},m.prototype.idivn=function(e){p(e<=67108863);for(var t=0,i=this.length-1;0<=i;i--){var
r=(0|this.words[i])+67108864*t;this.words[i]=r/e|0,t=r%e}return
this.strip()},m.prototype.divn=function(e){return
this.clone().idivn(e)},m.prototype.egcd=function(e){p(0===e.negative),p(!e.isZero());for(var
t=this,i=e.clone(),t=0!==(t.negative?t.umod(e):t.clone()),r=new m(1),f=new m(0),d=new m(0),n=new
m(1),a=0;t.isEven()&&i.isEven();t.iushrn(1),i.iushrn(1),++a;for(var s=i.clone(),c=t.clone();!t.isZero();){for(var
h=0,o=1;0==(t.words[0]&o)&&h<26;++h,o<=1);if(0<h)for(t.iushrn(h);0<h--
);(r.isOdd()||f.isOdd())&&(r.iadd(s),f.isub(c)),r.iushrn(1),f.iushrn(1);for(var
u=0,b=1;0==(i.words[0]&b)&&u<26;++u,b<=1);if(0<u)for(i.iushrn(u);0<u--
);(d.isOdd()||n.isOdd())&&(d.iadd(s),n.isub(c)),d.iushrn(1),n.iushrn(1);0<=t.cmp(i)?(t.isub(i),r.isub(d),f.isub(n)):(i.is
ub(t),d.isub(r),n.isub(f))}return {a:d,b:n,gcd:i.iushln(a)}},m.prototype._invmp=function(e){p(0===e.negative),p(!e.i
sZero());for(var t,i=this,r=e.clone(),i=0!==(i.negative?i.umod(e):i.clone()),f=new m(1),d=new
m(0),n=r.clone();0<i.cmpn(1)&&0<r.cmpn(1);){for(var
a=0,s=1;0==(i.words[0]&s)&&a<26;++a,s<=1);if(0<a)for(i.iushrn(a);0<a--
);f.isOdd()&&f.iadd(n),f.iushrn(1);for(var
c=0,h=1;0==(r.words[0]&h)&&c<26;++c,h<=1);if(0<c)for(r.iushrn(c);0<c--
);d.isOdd()&&d.iadd(n),d.iushrn(1);0<=i.cmp(r)?(i.isub(r),f.isub(d)):(r.isub(i),d.isub(f))}return(t=0===i.cmpn(1)?f:
d).cmpn(0)<0&&t.iadd(e),t},m.prototype.gcd=function(e){if(this.isZero())return e.abs();if(e.isZero())return
this.abs();var t=this.clone(),i=e.clone();t.negative=0;for(var
r=i.negative=0;t.isEven()&&i.isEven();r++)t.iushrn(1),i.iushrn(1);for(;;){for(;t.isEven();t.iushrn(1);for(;i.isEven();i
.iushrn(1);var f=t.cmp(i);if(f<0)var d=t,t=i,i=d;else if(0===f||0===i.cmpn(1))break;t.isub(i)}return
i.iushln(r)},m.prototype.invmp=function(e){return this.egcd(e).a.umod(e)},m.prototype.isEven=function(){return
0==(1&this.words[0])},m.prototype.isOdd=function(){return
1==(1&this.words[0])},m.prototype.andln=function(e){return
this.words[0]&e},m.prototype.bincn=function(e){p("number"===typeof e);var t=e%26,e=(e-
t)/26,t=1<<t;if(this.length<=e)return
this._expand(1+e),this.words[e]=t,this;for(var i=t,r=e;0!==(i&&r<this.length;r++){var
f=0|this.words[r],i=(f+i)>>>26;f&=67108863,this.words[r]=f}return
0!==(i&&(this.words[r]=i,this.length++),this)},m.prototype.isZero=function(){return
1===this.length&&0===this.words[0]},m.prototype.cmpn=function(e){var t=e<0;return
0===this.negative||t?0===this.negative&&t?1:(this.strip(),e=1<this.length?1:(p((e=t?-e:e)<=67108863,"Number is
too big"),(t=0|this.words[0])===e?0:t<e?-1:1),0!==(this.negative?0|-e:e):-
1},m.prototype.cmp=function(e){if(0!==(this.negative&&0===e.negative)return-
1;if(0===this.negative&&0!==(e.negative))return 1;e=this.ucmp(e);return 0!==(this.negative?0|-
e:e),m.prototype.ucmp=function(e){if(this.length>e.length)return 1;if(this.length<e.length)return-1;for(var
t=0,i=this.length-1;0<=i;i--){var r=0|this.words[i],f=0|e.words[i];if(r!=f){r<f?t=-1:f<r&&(t=1);break}}return
t},m.prototype.gtn=function(e){return 1===this.cmpn(e)},m.prototype.gt=function(e){return
1===this.cmp(e)},m.prototype.gten=function(e){return
0<=this.cmpn(e)},m.prototype.gte=function(e){return 0<=this.cmp(e)},m.prototype.ltn=function(e){return-
1===this.cmpn(e)},m.prototype.lt=function(e){return-1===this.cmp(e)},m.prototype.lten=function(e){return

```





```

0===e.words[e.length-1]&&(e.length-->0===e.words[e.length-1]&&e.length--
),e},i(g,h),i(y,h),i(M,h),M.prototype.imulK=function(e){for(var t=0,i=0;i<e.length;i++){var
r=19*(0|e.words[i])+t,f=67108863&r>>>=26,e.words[i]=f,t=r}return
0!==(t&&(e.words[e.length++]=t),e)},m._prime=function(e){if(c[e])return c[e];var t;if("k256"===e)t=new v;else
if("p224"===e)t=new g;else if("p192"===e)t=new
y;else if("p25519"===e)throw new Error("Unknown prime "+e);t=new M}return
c[e]=t},w.prototype._verify1=function(e){p(0===e.negative,"red works only with positives"),p(e.red,"red works
only with red numbers")},w.prototype._verify2=function(e,t){p(0==(e.negative|t.negative),"red works only with
positives"),p(e.red&&e.red===t.red,"red works only with red
numbers")},w.prototype.imod=function(e){return(this.prime?this.prime.ireduce(e):e.umod(this.m))._forceRed(this)}
,w.prototype.neg=function(e){return
e.isZero()?e.clone():this.m.sub(e)._forceRed(this)},w.prototype.add=function(e,t){this._verify2(e,t);t=e.add(t);return
0<=t.cmp(this.m)&&t.isub(this.m),t._forceRed(this)},w.prototype.iadd=function(e,t){this._verify2(e,t);t=e.iadd(t);re
turn 0<=t.cmp(this.m)&&t.isub(this.m),t},w.prototype.sub=function(e,t){this._verify2(e,t);t=e.sub(t);return
t.cmpn(0)<0&&t.iadd(this.m),t._forceRed(this)},w.prototype.isub=function(e,t){this._verify2(e,t);t=e.isub(t);return
t.cmpn(0)<0&&t.iadd(this.m),t},w.prototype.shl=function(e,t){return
this._verify1(e),this.imod(e.usln(t))},w.prototype.imul=function(e,t){return
this._verify2(e,t),this.imod(e.imul(t))},w.prototype.mul=function(e,t){return
this._verify2(e,t),this.imod(e.mul(t))},w.prototype.isqr=function(e){return
this.imul(e,e.clone())},w.prototype.sqr=function(e){return
this.mul(e,e)},w.prototype.sqrt=function(e){if(e.isZero())return e.clone();var
t=this.m.andln(3);if(p(t%2==1),3===t){t=this.m.add(new m(1)).iushrn(2);return this.pow(e,t)}for(var
i=this.m.subn(1),r=0;li.isZero()&&0===i.andln(1);r++,i.iushrn(1);p(!i.isZero());for(var f=new
m(1).toRed(this),d=f.redNeg(),n=this.m.subn(1).iushrn(1),a=new
m(2*(a=this.m.bitLength()*a).toRed(this);0!==(this.pow(a,n).cmp(d));a.redIAdd(d);for(var
s=this.pow(a,i),c=this.pow(e,i.addn(1).iushrn(1)),h=this.pow(e,i),o=r;0!==(h.cmp(f));{for(var
u=h,b=0;0!==(u.cmp(f);b++)u=u.redSqr();p(b<o);var l=this.pow(s,new m(1).iushln(o-b-
1)),c=c.redMul(l),s=l.redSqr(),h=h.redMul(s),o=b}return
c},w.prototype.invm=function(e){e=e._invmp(this.m);return
0!==(e.negative?(e.negative=0,this.imod(e).redNeg()):this.imod(e)},w.prototype.pow=function(e,t){if(t.isZero())retu
rn new m(1).toRed(this);if(0===t.cmpn(1))return e.clone();var i=new Array(16);i[0]=new
m(1).toRed(this),i[1]=e;for(var r=2;r<i.length;r++)i[r]=this.mul(i[r-1],e);var
f=i[0],d=0,n=0,a=t.bitLength()%26;for(0===a&&(a=26),r=t.length-1;0<=r;r--){for(var s=t.words[r],c=a-1;0<=c;c--
){var
h=s>>c&1;f!==(i[0]&&(f=this.sqr(f)),0!==(h|0!==(d?(d<<=1,d|=h,(4===++n||0===r&&0===c)&&(f=this.mul(f,i[d]),d
=n=0)):n=0)a=26}return f},w.prototype.convertTo=function(e){var t=e.umod(this.m);return
t===e?t.clone():t},w.prototype.convertFrom=function(e){e=e.clone();return
e.red=null,e},m.mont=function(e){return new S(e)},i(S,w),S.prototype.convertTo=function(e){return
this.imod(e.usln(this.shift))},S.prototype.convertFrom=function(e){e=this.imod(e.mul(this.rinv));return
e.red=null,e},S.prototype.imul=function(e,t){if(e.isZero()||t.isZero())return
e.words[0]=0,e.length=1,e;e=e.imul(t),t=e.maskn(this.shift).mul(this.minv).imaskn(this.shift).mul(this.m),e=e.isub(t
).iushrn(this.shift),t=e;return
0<=e.cmp(this.m)?t=e.isub(this.m):e.cmpn(0)<0&&(t=e.iadd(this.m)),t._forceRed(this)},S.prototype.mul=function(
e,t){if(e.isZero()||t.isZero())return new
m(0)._forceRed(this);e=e.mul(t),t=e.maskn(this.shift).mul(this.minv).imaskn(this.shift).mul(this.m),e=e.isub(t).iushr
n(this.shift),t=e;return
0<=e.cmp(this.m)?t=e.isub(this.m):e.cmpn(0)<0&&(t=e.iadd(this.m)),t._forceRed(this)},S.prototype.invm=function
(e){return this.imod(e._invmp(this.m).mul(this.r2))._forceRed(this)}(void

```

```

0===e||e,this)}, {buffer:18}],17:[function(e,t,i){var r;function
f(e){this.rand=e}if(t.exports=function(e){return(r=r||new
f(null)).generate(e)},(t.exports.Rand=f).prototype.generate=function(e){return
this._rand(e)},f.prototype._rand=function(e){if(this.rand.getBytes)return this.rand.getBytes(e);for(var t=new
Uint8Array(e),i=0;i<t.length;i++)t[i]=this.rand.getBytes();return t},"object"===typeof
self)self.crypto&&self.crypto.getRandomValues?f.prototype._rand=function(e){e=new Uint8Array(e);return
self.crypto.getRandomValues(e,e):self.msCrypto&&self.msCrypto.getRandomValues?f.prototype._rand=function(
e){e=new Uint8Array(e);return self.msCrypto.getRandomValues(e,e):"object"===typeof
window&&(f.prototype._rand=function(){throw new Error("Not implemented yet")});else try{var
d=e("crypto");if("function"!==typeof d.randomBytes)throw new Error("Not
supported");f.prototype._rand=function(e){return
d.randomBytes(e)}}catch(e){}}, {crypto:18}],18:[function(e,t,i){}, {}],19:[function(e,t,i){i.utils=e("./hash/utils"),i.co
mmon=e("./hash/common"),i.sha=e("./hash/sha"),i.ripemd=e("./hash/ripemd"),i.hmac=e("./hash/hmac"),i.sha1=i.sha
.sha1,i.sha256=i.sha.sha256,i.sha224=i.sha.sha224,i.sha384=i.sha.sha384,i.sha512=i.sha.sha512,i.ripemd160=i.ripe
md.ripemd160}, {"./hash/common":20,"./hash/hmac":21,"./hash/ripemd":22,"./hash/sha":23,"./hash/utils":30}],20:[fu
nction(e,t,i){"use strict";var
r=e("./utils"),f=e("minimalistic-assert");function
d(){this.pending=null,this.pendingTotal=0,this.blockSize=this.constructor.blockSize,this.outSize=this.constructor.o
utSize,this.hmacStrength=this.constructor.hmacStrength,this.padLength=this.constructor.padLength/8,this.endian="
big",this._delta8=this.blockSize/8,this._delta32=this.blockSize/32}(i.BlockHash=d).prototype.update=function(e,t){
if(e=r.toArray(e,t),this.pending?this.pending=this.pending.concat(e):this.pending=e,this.pendingTotal+=e.length,this
.pending.length>=this._delta8){t=(e=this.pending).length%this._delta8;this.pending=e.slice(e.length-
t,e.length),0===this.pending.length&&(this.pending=null),e=r.join32(e,0,e.length-t,this.endian);for(var
i=0;i<e.length;i+=this._delta32)this._update(e,i,i+this._delta32)}return this},d.prototype.digest=function(e){return
this.update(this._pad()),f(null===this.pending),this._digest(e)},d.prototype._pad=function(){var
e=this.pendingTotal,t=this._delta8,i=t-(e+this.padLength)%t,r=new Array(i+this.padLength);r[0]=128;for(var
f=1;f<i;f++)r[f]=0;if(e<<=3,"big"===this.endian){for(var
d=8;d<this.padLength;d++)r[f++]=0;r[f++]=0,r[f++]=0,r[f++]=0,r[f++]=0,r[f++]=0,r[f++]=e>>>24&255,r[f++]=e>>>16&25
5,r[f++]=e>>>8&255,r[f++]=255&e}else
for(r[f++]=255&e,r[f++]=e>>>8&255,r[f++]=e>>>16&255,r[f++]=e>>>24&255,r[f++]=0,r[f++]=0,r[f++]=0,r[f++
]=0,d=8;d<this.padLength;d++)r[f++]=0;return r}}, {"./utils":30,"minimalistic-assert":33}],21:[function(e,t,i){"use
strict";var r=e("./utils"),f=e("minimalistic-assert");function d(e,t,i){if(!(this instanceof d))return new
d(e,t,i);this.Hash=e,this.blockSize=e.blockSize/8,this.outSize=e.outSize/8,this.inner=null,this.outer=null,this._init(r.t
oArray(t,i))(t.exports=d).prototype._init=function(e){e.length>this.blockSize&&(e=(new
this.Hash).update(e).digest()),f(e.length<=this.blockSize);for(var
t=e.length;t<this.blockSize;t++)e.push(0);for(t=0;t<e.length;t++)e[t]^=54;for(this.inner=(new
this.Hash).update(e),t=0;t<e.length;t++)e[t]^=106;this.outer=(new
this.Hash).update(e)},d.prototype.update=function(e,t){return
this.inner.update(e,t),this},d.prototype.digest=function(e){return
this.outer.update(this.inner.digest()),this.outer.digest(e)}, {"./utils":30,"minimalistic-
assert":33}],22:[function(e,t,i){"use strict";var
r=e("./utils"),e=e("./common"),p=r.rotl32,m=r.sum32,v=r.sum32_3,g=r.sum32_4,f=e.BlockHash;function
d(){if(!(this instanceof d))return new
d;f.call(this),this.h=[1732584193,4023233417,2562383102,271733878,3285377520],this.endian="little"}function
y(e,t,i,r){return
e<=15?t^i^r:e<=31?t&i~t&r:e<=47?(t~i)^r:e<=63?t&r|i&~r:t^(i~r)}r.inherits(d,f),(i.ripemd160=d).blockSize=512,
d.outSize=160,d.hmacStrength=192,d.padLength=64,d.prototype._update=function(e,t){for(var
i,r=h=this.h[0],f=l=this.h[1],d=b=this.h[2],n=u=this.h[3],a=o=this.h[4],s=0;s<80;s++)var

```

```

c=m(p(g(h,y(s,l,b,u),e[M[s]+t]),(i=s)<=15?0:i<=31?1518500249:i<=47?1859775393:i<=63?2400959708:284085383
8),S[s]),o),h=o,o=u,u=p(b,10),b=l,l=c,c=m(p(g(r,y(79-
s,f,d,n),e[w[s]+t]),(i=s)<=15?1352829926:i<=31?1548603684:i<=47?1836072691:i<=63?2053994217:0),_[s]),a,r=a
,a=n,n=p(d,10),d=f,f=c;c=v(this.h[1],b,n),this.h[1]=v(this.h[2],u,a),this.h[2]=v(this.h[3],o,r),this.h[3]=v(this.h[4],h,f)
,this.h[4]=v(this.h[0],l,d),this.h[0]=c),d.prototype._digest=function(e){return"hex"===e?r.toHex32(this.h,"little"):r.
split32(this.h,"little");}var
M=[0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,7,4,13,1,10,6,15,3,12,0,9,5,2,14,11,8,3,10,14,4,9,15,8,1,2,7,0,6,13,11,5,12,
1,9,11,10,0,8,12,4,13,3,7,15,14,5,6,2,4,0,5,9,7,12,2,10,14,1,3,8,11,6,15,13],w=[5,14,7,0,9,2,11,4,13,6,15,8,1,10,3,12
,6,11,3,7,0,13,5,10,14,15,8,12,4,9,1,2,15,5,1,3,7,14,6,9,11,8,12,2,10,0,4,13,8,6,4,1,3,11,15,0,5,12,2,13,9,7,10,14,12,
15,10,4,1,5,8,7,6,2,13,14,0,3,9,11],S=[11,14,15,12,5,8,7,9,11,13,14,15,6,7,9,8,7,6,8,13,11,9,7,15,7,12,15,9,11,7,13,1
2,11,13,6,7,14,9,13,15,14,8,13,6,5,12,7,5,11,12,14,15,14,15,9,8,9,14,5,6,8,6,5,12,9,15,5,11,6,8,13,12,5,12,13,14,11,
8,5,6],_=[8,9,9,11,13,15,15,5,7,7,8,11,14,14,12,6,9,13,15,7,12,8,9,11,7,7,12,7,6,15,13,11,9,7,15,11,8,6,6,14,12,13,5,
14,13,13,7,5,15,5,8,11,14,14,6,14,6,9,12,9,12,5,15,8,8,5,12,9,12,5,14,6,8,13,6,5,15,13,11,11]],{"/common":20,"/ut
ils":30}],23:[function(e,t,i){"use
strict";i.sha1=e("/sha/1"),i.sha224=e("/sha/224"),i.sha256=e("/sha/256"),i.sha384=e("/sha/384"),i.sha512=e("/sha
/512")},{"/sha/1":24,"/sha/224":25,"/sha/256":26,"/sha/384":27,"/sha/512":28}],24:[function(e,t,i){"use
strict";var
r=e("/utils"),f=e("/common"),e=e("/common"),h=r.rotl32,o=r.sum32,u=r.sum32_5,b=e.ft_1,d=f.BlockHash,l=[15
18500249,1859775393,2400959708,3395469782];function n(){if(!(this instanceof n))return new
n;d.call(this),this.h=[1732584193,4023233417,2562383102,271733878,3285377520],this.W=new
Array(80)}r.inherits(n,d),(t.exports=n).blockSize=512,n.outSize=160,n.hmacStrength=80,n.padLength=64,n.prototy
pe._update=function(e,t){for(var i=this.W,r=0;r<16;r++)i[r]=e[t+r];for(;r<i.length;r++)i[r]=h(i[r-3]^i[r-8]^i[r-
14]^i[r-16],1);for(var f=this.h[0],d=this.h[1],n=this.h[2],a=this.h[3],s=this.h[4],r=0;r<i.length;r++)var
c=~~(r/20),c=u(h(f,5),b(c,d,n,a),s,i[r],l[c]),s=a,a=n,n=h(d,30),d=f,f=c;this.h[0]=o(this.h[0],f),this.h[1]=o(this.h[1],d),
this.h[2]=o(this.h[2],n),this.h[3]=o(this.h[3],a),this.h[4]=o(this.h[4],s)},n.prototype._digest=function(e){return"hex"
===e?r.toHex32(this.h,"big"):r.split32(this.h,"big")},{"/common":20,"/utils":30,"/common":29}],25:[function(e
,t,i){"use strict";var r=e("/utils"),f=e("/256");function d(){if(!(this instanceof d))return new
d;f.call(this),this.h=[3238371032,914150663,812702999,4144912697,4290775857,1750603025,1694076839,32040
75428]}r.inherits(d,f),(t.exports=d).blockSize=512,d.outSize=224,d.hmacStrength=192,d.padLength=64,d.prototype
._digest=function(e){return"hex"===e?r.toHex32(this.h.slice(0,7),"big"):r.split32(this.h.slice(0,7),"big")},{"/utils
":30,"/256":26}],26:[function(e,t,i){"use strict";var
r=e("/utils"),f=e("/common"),d=e("/common"),l=e("minimalistic-
assert"),p=r.sum32,m=r.sum32_4,v=r.sum32_5,g=d.ch32,y=d.maj32,M=d.s0_256,w=d.s1_256,S=d.g0_256,_=d.g1_
256,n=f.BlockHash,a=[1116352408,1899447441,3049323471,3921009573,961987163,1508970993,2453635748,28
70763221,3624381080,310598401,607225278,1426881987,1925078388,2162078206,2614888103,3248222580,383
5390401,4022224774,264347078,604807628,770255983,1249150122,1555081692,1996064986,2554220882,28218
34349,2952996808,3210313671,3336571891,3584528711,113926993,338241895,666307205,773529912,12947573
72,1396182291,1695183700,1986661051,2177026350,2456956037,2730485921,2820302411,3259730800,3345764
771,3516065817,3600352804,4094571909,275423344,430227734,506948616,659060556,883997877,958139571,1
322822218,1537002063,1747873779,1955562222,2024104815,2227730452,2361852424,2428436474,2756734187,
3204031479,3329325298];function
s(){if(!(this instanceof s))return new
s;n.call(this),this.h=[1779033703,3144134277,1013904242,2773480762,1359893119,2600822924,528734635,1541
459225],this.k=a,this.W=new
Array(64)}r.inherits(s,n),(t.exports=s).blockSize=512,s.outSize=256,s.hmacStrength=192,s.padLength=64,s.prototy
pe._update=function(e,t){for(var
i=this.W,r=0;r<16;r++)i[r]=e[t+r];for(;r<i.length;r++)i[r]=m(_(i[r-2]),i[r-7],S(i[r-15]),i[r-16]);var
f=this.h[0],d=this.h[1],n=this.h[2],a=this.h[3],s=this.h[4],c=this.h[5],h=this.h[6],o=this.h[7];for(l(this.k.length===i

```

```

length),r=0;r<i.length;r++)var
u=v(o,w(s),g(s,c,h),this.k[r],i[r]),b=p(M(f),y(f,d,n)),o=h,h=c,c=s,s=p(a,u),a=n,n=d,d=f,f=p(u,b);this.h[0]=p(this.h[0]
,f),this.h[1]=p(this.h[1],d),this.h[2]=p(this.h[2],n),this.h[3]=p(this.h[3],a),this.h[4]=p(this.h[4],s),this.h[5]=p(this.h[5
],c),this.h[6]=p(this.h[6],h),this.h[7]=p(this.h[7],o)},s.prototype._digest=function(e){return"hex"===e?r.toHex32(thi
s.h,"big"):r.split32(this.h,"big")},{"/.utils":20,"./utils":30,"./common":29,"minimalistic-
assert":33}],27:[function(e,t,i){"use strict";var r=e("./utils"),f=e("./512");function d(){if(!(this instanceof d))return
new
d:f.call(this),this.h=[3418070365,3238371032,1654270250,914150663,2438529370,812702999,355462360,414491
2697,1731405415,4290775857,2394180231,1750603025,3675008525,1694076839,1203062813,3204075428]}r.inh
erits(d,f),(t.exports=d).blockSize=1024,d.outSize=384,d.hmacStrength=192,d.padLength=128,d.prototype._digest=f
unction(e){return"hex"===e?r.toHex32(this.h.slice(0,12),"big"):r.split32(this.h.slice(0,12),"big")},{"/.utils":30,"./
512":28}],28:[function(e,t,i){"use
strict";var r=e("./utils"),f=e("./common"),P=e("minimalistic-
assert"),j=r.rotr64_hi,N=r.rotr64_lo,u=r.shr64_hi,b=r.shr64_lo,E=r.sum64,B=r.sum64_hi,L=r.sum64_lo,l=r.sum64_
4_hi,p=r.sum64_4_lo,O=r.sum64_5_hi,F=r.sum64_5_lo,d=f.BlockHash,n=[1116352408,3609767458,1899447441,
602891725,3049323471,3964484399,3921009573,2173295548,961987163,4081628472,1508970993,3053834265,2
453635748,2937671579,2870763221,3664609560,3624381080,2734883394,310598401,1164996542,607225278,13
23610764,1426881987,3590304994,1925078388,4068182383,2162078206,991336113,2614888103,633803317,324
8222580,3479774868,3835390401,2666613458,4022224774,944711139,264347078,2341262773,604807628,20078
00933,770255983,1495990901,1249150122,1856431235,1555081692,3175218132,1996064986,2198950837,25542
20882,3999719339,2821834349,766784016,2952996808,2566594879,3210313671,3203337956,3336571891,10344
57026,3584528711,2466948901,113926993,3758326383,338241895,168717936,666307205,1188179964,77352991
2,1546045734,1294757372,1522805485,1396182291,2643833823,1695183700,2343527390,1986661051,10144774
80,2177026350,1206759142,2456956037,344077627,2730485921,1290863460,2820302411,3158454273,32597308
00,3505952657,3345764771,106217008,3516065817,3606008344,3600352804,1432725776,4094571909,14670315
94,275423344,851169720,430227734,3100823752,506948616,1363258195,659060556,3750685593,883997877,37
85050280,958139571,3318307427,1322822218,3812723403,1537002063,2003034995,1747873779,3602036899,19
55562222,1575990012,2024104815,1125592928,2227730452,2716904306,2361852424,442776044,2428436474,59
3698344,2756734187,3733110249,3204031479,2999351573,3329325298,3815920427,3391569614,3928383900,35
15267271,566280711,3940187606,3454069534,4118630271,4000239992,116418474,1914138554,174292421,2731
055270,289380356,3203993006,460393269,320620315,685471733,587496836,852142971,1086792851,101703629
8,365543100,1126000580,2618297676,1288033470,3409855158,1501505948,4234509866,1607167915,987167468
,1816402316,1246189591];function
a(){if(!(this instanceof a))return new
a;d.call(this),this.h=[1779033703,4089235720,3144134277,2227873595,1013904242,4271175723,2773480762,159
5750129,1359893119,2917565137,2600822924,725511199,528734635,4215389547,1541459225,327033209],this.k
=n,this.W=new
Array(160)}r.inherits(a,d),(t.exports=a).blockSize=1024,a.outSize=512,a.hmacStrength=192,a.padLength=128,a.pro
totype._prepareBlock=function(e,t){for(var i=this.W,r=0;r<32;r++)i[r]=e[t+r];for(;r<i.length;r+=2){var
f=function(e,t){var i=j(e,t,19),r=j(t,e,29),t=u(e,t,6),t=i^r^t;t<0&&(t+=4294967296);return t}(i[r-4],i[r-
3]),d=function(e,t){var i=N(e,t,19),r=N(t,e,29),t=b(e,t,6),t=i^r^t;t<0&&(t+=4294967296);return
t}(i[r-4],i[r-3]),n=i[r-14],a=i[r-13],s=function(e,t){var
i=j(e,t,1),r=j(e,t,8),t=u(e,t,7),t=i^r^t;t<0&&(t+=4294967296);return t}(i[r-30],i[r-29]),c=function(e,t){var
i=N(e,t,1),r=N(e,t,8),t=b(e,t,7),t=i^r^t;t<0&&(t+=4294967296);return t}(i[r-30],i[r-29]),h=i[r-32],o=i[r-
31];i[r]=l(f,d,n,a,s,c,h,o),i[r+1]=p(f,d,n,a,s,c,h,o)},a.prototype._update=function(e,t){this._prepareBlock(e,t);var
i=this.W,r=this.h[0],f=this.h[1],d=this.h[2],n=this.h[3],a=this.h[4],s=this.h[5],c=this.h[6],h=this.h[7],o=this.h[8],u=t
his.h[9],b=this.h[10],l=this.h[11],p=this.h[12],m=this.h[13],v=this.h[14],g=this.h[15];P(this.k.length===i.length);for
(var y=0;y<i.length;y+=2)var M=v,w=g,S=function(e,t){var

```

```
i=j(e,t,14),r=j(e,t,18),e=j(t,e,9),e=i^r^e;e<0&&(e+=4294967296);return e}(o,u),_=function(e,t){var
i=N(e,t,14),r=N(e,t,18),e=N(t,e,9),e=i^r^e;e<0&&(e+=4294967296);return
e}(o,u),A=function(e,t,i){i=e&t^~e&i;i<0&&(i+=4294967296);return
i}(o,b,p),x=function(e,t,i){i=e&t^~e&i;i<0&&(i+=4294967296);return
i}(u,l,m),l=this.k[y],z=this.k[y+1],q=i[y],R=i[y+1],k=O(M,w,S,_,A,x,l,z,q,R),q=F(M,w,S,_,A,x,l,z,q,R),M=functio
n(e,t){var i=j(e,t,28),r=j(t,e,2),e=j(t,e,7),e=i^r^e;e<0&&(e+=4294967296);return e}(r,f),w=function(e,t){var
i=N(e,t,28),r=N(t,e,2),e=N(t,e,7),e=i^r^e;e<0&&(e+=4294967296);return
e}(r,f),S=function(e,t,i){i=e&t^e&i^t&i;i<0&&(i+=4294967296);return
i}(r,d,a),_=function(e,t,i){i=e&t^e&i^t&i;i<0&&(i+=4294967296);return
i}(f,n,s),R=B(M,w,S,_,_)=L(M,w,S,_,_)v=p,g=m,p=b,m=l,b=o,l=u,o=B(c,h,k,q),u=L(h,h,k,q),c=a,h=s,a=d,s=n,d=r,n
=f,r=B(k,q,R,_)f=L(k,q,R,_)E(this.h,0,r,f),E(this.h,2,d,n),E(this.h,4,a,s),E(this.h,6,c,h),E(this.h,8,o,u),E(this.h,10,b
,l),E(this.h,12,p,m),E(this.h,14,v,g)},a.prototype._digest=function(e){return"hex"===e?r.toHex32(this.h,"big"):r.split
32(this.h,"big")},{"../common":20,"../utils":30,"minimalistic-assert":33}],29:[function(e,t,i){"use strict";var
r=e("../utils").rotr32,function f(e,t,i){return e&t^~e&i}function d(e,t,i){return
e&t^e&i^t&i}function n(e,t,i){return e^t^i}.ft_1=function(e,t,i,r){return
0===e?f(t,i,r):1===e||3===e?t^i^r:2===e?d(t,i,r):void 0},i.ch32=f,i.maj32=d,i.p32=n,i.s0_256=function(e){return
r(e,2)^r(e,13)^r(e,22)},i.s1_256=function(e){return r(e,6)^r(e,11)^r(e,25)},i.g0_256=function(e){return
r(e,7)^r(e,18)^e>>>3},i.g1_256=function(e){return
r(e,17)^r(e,19)^e>>>10}},{"../utils":30}],30:[function(e,t,i){"use strict";var s=e("minimalistic-
assert"),e=e("inherits");function d(e){return(e>>>24|e>>>8&65280|e<<<8&16711680|(255&e)<<<24)>>>0}function
r(e){return 1===e.length?"0"+e:e}function n(e){return
7===e.length?"0"+e:6===e.length?"00"+e:5===e.length?"000"+e:4===e.length?"0000"+e:3===e.length?"00000"+
e:2===e.length?"000000"+e:1===e.length?"0000000"+e:e}.inherits=e,i.toArray=function(e,t){if(Array.isArray(e))r
eturn e.slice();if(!e)return[];var i,r,f=[];if("string"===typeof e)if(t){if("hex"===t)for((e=e.replace(/[\a-z0-
9]+/gi,"")).length%2!=0&&(e="0"+e),n=0;n<e.length;n+=2)f.push(parseInt(e[n]+e[n+1],16))}else
for(var d=0,n=0;n<e.length;n++){var
a=e.charCodeAtAt(n);a<128?f[d++]=[a]:a<2048?(f[d++]=[a>>6|192,f[d++]=[a>>6&a|128]):(r=n,55296!=(64512&(i=e).char
CodeAtAt(r))|r<0||r+1>=i.length||56320!=(64512&i.charCodeAtAt(r+1)))?f[d++]=[a>>12|224:(a=65536+((1023&a)<<<10)
+(1023&e.charCodeAtAt(++n)),f[d++]=[a>>18|240,f[d++]=[a>>12&63|128],f[d++]=[a>>6&63|128],f[d++]=[63&a|128])}
else for(n=0;n<e.length;n++)f[n]=0|e[n];return f},i.toHex=function(e){for(var
t="",i=0;i<e.length;i++)t+=r(e[i].toString(16));return t},i.htonl=d,i.toHex32=function(e,t){for(var
i="",r=0;r<e.length;r++){var f=e[r];i+=n((f="little"===t?f:d(f):f).toString(16))}return
i},i.zero2=r,i.zero8=n,i.join32=function(e,t,i,r){s((i-t)%4===0);for(var f=new
Array(i/4),d=0,n=t;d<f.length;d++,n+=4){var
a="big"===r?e[n]<<<24|e[n+1]<<<16|e[n+2]<<<8|e[n+3]:e[n+3]<<<24|e[n+2]<<<16|e[n+1]<<<8|e[n];f[d]=a>>>0}return
f},i.split32=function(e,t){for(var i=new Array(4*e.length),r=0,f=0;r<e.length;r++,f+=4){var
d=e[r];"big"===t?(i[f]=d>>>24,i[f+1]=d>>>16&255,i[f+2]=d>>>8&255,i[f+3]=255&d):(i[f+3]=d>>>24,i[f+2]=d>
>>16&255,i[f+1]=d>>>8&255,i[f]=255&d)}return
i},i.rotr32=function(e,t){return e>>>t|e<<<32-t},i.rotl32=function(e,t){return e<<<t|e>>>32-
t},i.sum32=function(e,t){return e+t>>>0},i.sum32_3=function(e,t,i){return
e+t+i>>>0},i.sum32_4=function(e,t,i,r){return e+t+i+r>>>0},i.sum32_5=function(e,t,i,r,f){return
e+t+i+r+f>>>0},i.sum64=function(e,t,i,r){var
f=e[t],d=r+e[t+1]>>>0,f=(d<r?1:0)+i+f;e[t]=f>>>0,e[t+1]=d},i.sum64_hi=function(e,t,i,r){return(t+r>>>0<t?1:0)+e
+i>>>0},i.sum64_lo=function(e,t,i,r){return t+r>>>0},i.sum64_4_hi=function(e,t,i,r,f,d,n,a){var s=0,c=t;return
s+=(c=c+r>>>0)<t?1:0,s+=(c=c+d>>>0)<d?1:0,e+i+f+n+(s+=(c=c+a>>>0)<a?1:0)>>>0},i.sum64_4_lo=function(e
,t,i,r,f,d,n,a){return t+r+d+a>>>0},i.sum64_5_hi=function(e,t,i,r,f,d,n,a,s,c){var h=0,o=t;return
h+=(o=o+r>>>0)<t?1:0,h+=(o=o+d>>>0)<d?1:0,h+=(o=o+a>>>0)<a?1:0,e+i+f+n+s+(h+=(o=o+c>>>0)<c?1:0)>>
>0},i.sum64_5_lo=function(e,t,i,r,f,d,n,a,s,c){return t+r+d+a+c>>>0},i.rotr64_hi=function(e,t,i){return(t<<<32-
```



Found

in path(s):

\* /opt/cola/permits/1172975406\_1623408751.18/0/indutny-elliptic-v6-5-4-0-g43ac7f2-1-tar-gz/indutny-elliptic-956793a/dist/elliptic.min.js

No license file was found, but licenses were detected in source scan.

/\*

\* Curve 25519-based cryptography collection.

\*

\* EC Diffie-Hellman (ECDH) based on Curve25519 and digital signatures (EdDSA)

\* based on Ed25519.

\*

\* Copyright (c) 2012 Ron Garret

\* Copyright (c) 2007, 2013, 2014 Michele Bini

\* Copyright (c) 2014 Mega Limited

\* under the MIT License.

\*

\* You should have received a copy of the license along with this program.

\*/

/\*\*

\* @license almond 0.2.9 Copyright (c) 2011-2014, The Dojo Foundation All Rights Reserved.

\* Available via the MIT or new BSD license.

\* see: <http://github.com/jrburke/almond> for details

\*/

// All Rights Reserved.

Found in path(s):

\* /opt/cola/permits/1172975406\_1623408751.18/0/indutny-elliptic-v6-5-4-0-g43ac7f2-1-tar-gz/indutny-elliptic-956793a/benchmarks/deps/jodid.js

No license file was found, but licenses were detected in source scan.

// Apache License 2.0

Found in path(s):

\* /opt/cola/permits/1172975406\_1623408751.18/0/indutny-elliptic-v6-5-4-0-g43ac7f2-1-tar-gz/indutny-elliptic-956793a/dist/elliptic.js

No license file was found, but licenses were detected in source scan.

This software is licensed under the MIT License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



Found in path(s):

\* /opt/cola/permits/1172975406\_1623408751.18/0/indutny-elliptic-v6-5-4-0-g43ac7f2-1-tar-gz/indutny-elliptic-956793a/README.md

No license file was found, but licenses were detected in source scan.

/\*

Copyright (c) 2013 Pieter Wuille

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1172975406\_1623408751.18/0/indutny-elliptic-v6-5-4-0-g43ac7f2-1-tar-gz/indutny-elliptic-956793a/benchmarks/deps/secp256k1.js

# 1.1297 image-size 0.5.5

## 1.1297.1 Available under license :

##### Contributors

- \* [Aditya Yadav](https://github.com/netroy)
- \* [Adam Renklint](https://github.com/adamrenklint) (6Wunderkinder GmbH)
- \* [Manfred Manik Nerurkar](https://github.com/Manny-MADE) (copyright owned by MADE, GmbH)
- \* [Rudy Krol](https://github.com/rkrol)
- \* [Linus Unnebck](https://github.com/LinusU)
- \* [Ross Johnson](https://github.com/rossj) (Mazira, LLC)
- \* [Shinnosuke Watanabe](https://github.com/shinnn)

The MIT License (MIT)

Copyright 2017 Aditya Yadav, http://netroy.in

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1298 clone 2.1.2

### 1.1298.1 Available under license :

Copyright 2011-2015 Paul Vorbach <paul@vorba.ch>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1299 ini 1.3.7

### 1.1299.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1300 is-npm 4.0.0

### 1.1300.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1301 hosted-git-info 2.8.9

### 1.1301.1 Available under license :

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1302 update-notifier 4.1.3

### 1.1302.1 Available under license :

Copyright Google

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1303 ws 6.2.2

### 1.1303.1 Available under license :

(The MIT License)

Copyright (c) 2017-2019 Kamil Myliwiec <<http://kamilmysliwiec.com>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1304 enhanced-resolve 4.5.0

### 1.1304.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1305 d3-color 2.0.0

### 1.1305.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1306 d3-interpolate 2.0.1

### 1.1306.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1307 d3-transition 2.0.0

## 1.1307.1 Available under license :

Copyright (c) 2010-2015, Michael Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* The name Michael Bostock may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL MICHAEL BOSTOCK BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

TERMS OF USE - EASING EQUATIONS

Open source under the BSD License.

Copyright 2001 Robert Penner  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1308 d3-path 2.0.0

### 1.1308.1 Available under license :

Copyright 2015-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND



ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1309 d3-contour 2.0.0

### 1.1309.1 Available under license :

Copyright 2012-2017 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1310 d3-time-format 3.0.0

## 1.1310.1 Available under license :

Copyright 2010-2017 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1311 d3-zoom 2.0.0

### 1.1311.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1312 d3-delaunay 5.3.0

### 1.1312.1 Available under license :

Copyright 2018 Observable, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1313 d3-fetch 2.0.0

### 1.1313.1 Available under license :

Copyright 2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1314 d3-format 2.0.0

### 1.1314.1 Available under license :

Copyright 2010-2015 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1315 d3-drag 2.0.0

### 1.1315.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1316 d3-brush 2.1.0

### 1.1316.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this

list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1317 d3-dispatch 2.0.0

### 1.1317.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1318 d3-quadtree 2.0.0

### 1.1318.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1319 d3-polygon 2.0.0

### 1.1319.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1320 d3-timer 2.0.0

### 1.1320.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND



ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1321 d3-selection 2.0.0

### 1.1321.1 Available under license :

Copyright (c) 2010-2018, Michael Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* The name Michael Bostock may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL MICHAEL BOSTOCK BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1322 d3-random 2.2.2

## 1.1322.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1323 d3-hierarchy 2.0.0

### 1.1323.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1324 d3-ease 2.0.0

### 1.1324.1 Available under license :

Copyright 2010-2016 Mike Bostock

Copyright 2001 Robert Penner

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1325 d3-force 2.1.1

## 1.1325.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1326 d3-dsv 2.0.0

## 1.1326.1 Available under license :

Copyright 2013-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1327 d3-scale-chromatic 2.0.0

## 1.1327.1 Available under license :

Copyright 2010-2018 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache-Style Software License for ColorBrewer software and ColorBrewer Color Schemes

Copyright (c) 2002 Cynthia Brewer, Mark Harrower, and The Pennsylvania State University.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.1328 d3-chord 2.0.0

### 1.1328.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1329 delaunator 4.0.1

### 1.1329.1 Available under license :

ISC License

Copyright (c) 2017, Mapbox

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1330 file-loader 4.3.0

### 1.1330.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1331 postcss-modules-local-by-default 3.0.3

### 1.1331.1 Available under license :

The MIT License (MIT)

Copyright 2015 Mark Dalgleish <mark.john.dalgleish@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1332 css-loader 3.6.0

### 1.1332.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be



included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1333 style-loader 1.3.0

### 1.1333.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1334 accessors-smart 1.2

### 1.1334.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 JSON-SMART authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1177937262\_1625568439.63/0/accessors-smart-1-2-sources-5-jar/net/minidev/asm/BeansAccess.java  
\* /opt/cola/permits/1177937262\_1625568439.63/0/accessors-smart-1-2-sources-5-jar/net/minidev/asm/DynamicClassLoader.java  
\* /opt/cola/permits/1177937262\_1625568439.63/0/accessors-smart-1-2-sources-5-jar/net/minidev/asm/Accessor.java  
\*  
/opt/cola/permits/1177937262\_1625568439.63/0/accessors-smart-1-2-sources-5-jar/net/minidev/asm/ASMUtil.java

## 1.1335 xsdlib 2013.6.1

### 1.1335.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its
from this software without specific prior written permission.
```

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/Messages.properties  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/Messages\_ja.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* - Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* - Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* - Neither the name of Oracle nor the names of its  
 \* contributors may be used to endorse or promote products derived  
 \* from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
 \* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,  
 \* BUT NOT LIMITED TO,  
 \* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
 \* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
 \* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
 \* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
 \* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/ShortType.java  
 \* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/datetime/DateTimeFactory.java  
 \* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/datetime/BigTimeDurationValueType.java  
 \*  
 /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/NonPositiveIntegerType.java  
 \* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/MinInclusiveFacet.java  
 \* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/SimpleURType.java  
 \* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/XSDatatype.java  
 \* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/xsd/WhiteSpaceFacet.java

```

* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/SerializationContext.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/XSDatatypeImpl.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/DataTypeWithLexicalConstraintFacet.java
*
/opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/UnsignedLongType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/Base64BinaryType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/IDType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/GYearMonthType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/IntegerType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/GDayType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/ListValueType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/DurationType.java
*
/opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/ConcreteType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/TokenType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/DataTypeWithFacet.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/AbstractCalendarParser.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/NmtokenType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/CalendarFormatter.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/Proxy.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/CalendarParser.java
*
/opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/TimeZone.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/TotalDigitsFacet.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/regex/RegExp.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlib-2013-6-1-sources-2-

```

jar/com/sun/msv/datatype/xsd/FinalComponent.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/GMonthType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/GMonthDayType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/PositiveIntegerType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/DateTimeBaseType.java  
\*  
/opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/UnsignedByteType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/BooleanType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/LengthFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/IntType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/GYearType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/LongType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/datetime/IDateTimeValueType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/EnumerationFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/datetime/AbstractCalendarFormatter.java  
\*  
/opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/DatabindableDatatype.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/DateTimeType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/UnicodeUtil.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/regex/XercesImpl.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/BinaryBaseType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/BuiltinAtomicType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/AnyURIType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/datetime/PreciseCalendarFormatter.java  
\*  
/opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/xsd/NcnameType.java

```

* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/UnsignedShortType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/NegativeIntegerType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/MaxExclusiveFacet.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/Discrete.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/IntegerDerivedType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/regex/JDKImpl.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/UnionType.java
*
/opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/Comparator.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/PreciseCalendarParser.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/NormalizedStringType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/QnameValueType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/xml/util/XmlChars.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/BigDateTimeValueType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/XmlNames.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/HexBinaryType.java
*
/opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/PatternFacet.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/DataTypeWithValueConstraintFacet.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/ngimpl/DatatypeBuilderImpl.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/UnsignedIntType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/TypeIncubator.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/FloatingNumberType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/IntegerValueType.java
* /opt/cola/permits/1177942015_1625571932.43/0/xsdlb-2013-6-1-sources-2-
jar/com/sun/msv/datatype/xsd/datetime/ITimeDurationValueType.java
*

```

/opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/RangeFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/NameType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/ListType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/TimeType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/MinExclusiveFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/StringType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/ErrorType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/NonNegativeIntegerType.java  
\*  
/opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/ErrorDatatypeLibrary.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/FloatType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/WhiteSpaceProcessor.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/DatatypeFactory.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/MinLengthFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/FractionDigitsFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/IDREFTType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/regex/RegExpFactory.java  
\*  
/opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/QnameType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/MaxLengthFacet.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/BinaryValueType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/ngimpl/DatatypeLibraryImpl.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/datetime/Util.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/NumberType.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/DateType.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/DoubleType.java

\*

/opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/LanguageType.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/MaxInclusiveFacet.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/ByteType.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/EntityType.java

No license file was found, but licenses were detected in source scan.

2013 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-jar/com/sun/msv/datatype/xsd/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* The Apache Software License, Version 1.1

\*



\*  
 \* Copyright (c) 1999-2003 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately,  
 \* this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Xerces" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT  
 \* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.apache.org>. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.  
\*/

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/regexp/ParserForXMLSchema.java  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/regexp/RegexParser.java

No license file was found, but licenses were detected in source scan.

# Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.  
# modification, are permitted provided that the following conditions are  
# - Redistributions of source code must retain the above copyright  
# notice, this list of conditions and the following disclaimer.  
# notice, this list of conditions and the following disclaimer in the  
# documentation and/or other materials provided with the distribution.  
# this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/regexp/message\_fr.properties  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/regexp/message\_ja.properties  
\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/regexp/message.properties

No license file was found, but licenses were detected in source scan.

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2013 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the  
 \* distribution.  
 \*

\* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately,  
 this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*

\* 4. The names "Xerces" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*

\* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT  
 OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*

\* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation and was  
 \* originally based on software copyright (c) 1999, International  
 \* Business Machines, Inc., [http://www.apache.org](http://www.apache.org/). For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*/

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlib-2013-6-1-sources-2-  
 jar/com/sun/msv/datatype/regexp/RangeToken.java

No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions are  
\* met:  
\*  
\* - Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\*  
\* - Redistribution in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\*  
\* Neither the name of Sun Microsystems, Inc. or the names of  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* This software is provided "AS IS," without  
a warranty of any kind. ALL  
\* EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES,  
\* INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A  
\* PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND  
\* ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES  
\* SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION  
\* OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL  
\* SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA,  
\* OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR  
\* PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF  
\* LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE,  
\* EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.  
\*/

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-  
jar/com/sun/msv/datatype/regexp/InternalImpl.java

No license file was found, but licenses were detected in source scan.

/\*  
\* The Apache Software License, Version 1.1  
\*  
\*  
\* Copyright (c) 1999-2002 The Apache Software Foundation. All rights  
\* reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately,  
 \* this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Xerces" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT  
 \* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation and was  
 \* originally based on software copyright (c) 1999, International  
 \* Business Machines, Inc., <http://www.apache.org>. For more  
 \* information on the Apache Software Foundation, please see

\* <<http://www.apache.org/>>.

\*/

Found in path(s):

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/Token.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/ParseException.java

\*

/opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/RegularExpression.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/Match.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/Op.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/REUtil.java

\* /opt/cola/permits/1177942015\_1625571932.43/0/xsdlb-2013-6-1-sources-2-jar/com/sun/msv/datatype/regexp/BMPattern.java

# 1.1336 cglib 3.0

## 1.1336.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Ant distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :  
- the W3C consortium (<http://www.w3c.org/>) ,  
- the SAX project (<http://www.saxproject.org/>)

Please read the different LICENSE files present in the root directory of  
this distribution.

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000,2002,2003 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,



each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*  
\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.  
\*  
\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\*  
outstanding shares, or (iii) beneficial ownership of such entity.  
\*  
\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*  
\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*  
\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.  
\*  
\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).  
\*  
\* "Derivative Works" shall mean any work, whether in Source or Object  
\*  
form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.  
\*  
\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,

including but not limited to

\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\*  
\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\*  
\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the

\*  
\* Work and such Derivative Works in Source or Object form.

\*  
\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*  
\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

- \*  
\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and  
\*  
\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and  
\*  
\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and

\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and  
\*  
\* (d) If the Work includes a "NOTICE"  
text file as part of its  
\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that  
such additional attribution notices cannot be construed  
\* as modifying the License.  
\*  
\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.  
\*  
\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.  
\*  
\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.  
\*  
\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions

\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\* END OF TERMS AND CONDITIONS

\* APPENDIX: How to apply the Apache License to your work.

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose

be included on the

\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\* Copyright [yyyy] [name of copyright owner]

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.1337 json-smart 2.3

### 1.1337.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2011 JSON-SMART authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONObject.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONNavi.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONArray.java
*
/opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/JSONStreamAwareEx.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/FakeMapper.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/JSONAwareEx.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONValue.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
```



```
jar/net/minidev/json/parser/ParseException.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JStylerObj.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONUtil.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserString.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/JsonReader.java
*
/opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserReader.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/BeansMapper.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/JSONStreamAware.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserBase.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/DefaultMapperOrdered.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserMemory.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/ArraysMapper.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/CollectionMapper.java
*
/opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParser.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/CompressorMapper.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/DefaultMapperCollection.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/writer/JsonReaderI.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserStream.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONStyle.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserInputStream.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/JSONAware.java
* /opt/cola/permits/1177952445_1625583906.57/0/json-smart-2-3-sources-4-
jar/net/minidev/json/parser/JSONParserByteArray.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011-2014 JSON-SMART authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1177952445\_1625583906.57/0/json-smart-2-3-sources-4-jar/net/minidev/json/writer/DefaultMapper.java

# 1.1338 d3-shape 2.1.0

## 1.1338.1 Available under license :

Copyright 2010-2015 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1339 d3-geo 2.0.2

## 1.1339.1 Available under license :

BSD-3-Clause

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license applies to GeographicLib, versions 1.12 and later.

Copyright (c) 2008-2012, Charles Karney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1340 d3-time 2.1.1

### 1.1340.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1341 d3-scale 3.3.0

## 1.1341.1 Available under license :

Copyright 2010-2015 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1342 d3-array 2.12.1

### 1.1342.1 Available under license :

Copyright 2010-2020 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1343 internmap 1.0.1

### 1.1343.1 Available under license :

Copyright 2021 Mike Bostock

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1344 d3 6.7.0

### 1.1344.1 Available under license :

Copyright 2010-2020 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1345 d3-axis 2.1.0

### 1.1345.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1346 babel-plugin-syntax-top-level-await

### 7.14.5

#### 1.1346.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1347 @babel/plugin-syntax-private-property-in-object

### 7.14.5

#### 1.1347.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,



distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1348 @babel/plugin-syntax-class-static-block 7.14.5

## 1.1348.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1349 url-loader 2.3.0

## 1.1349.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1350 webpack-manifest-plugin 2.2.0

## 1.1350.1 Available under license :

The MIT License (MIT)

Copyright (c) Dane Thurber <dane.thurber@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1351 node-notifier 5.4.5

### 1.1351.1 Available under license :

MIT

## 1.1352 sinon 11.1.2

### 1.1352.1 Available under license :

(The BSD License)

Copyright (c) 2010-2017, Christian Johansen, christian@cjhansen.no  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Christian Johansen nor the names of his contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1353 httpclient 3.10.0

## 1.1353.1 Available under license :

The MIT License (MIT)

Copyright (c) 2012-2019 Twilio SendGrid, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1354 groovy 3.0.8

### 1.1354.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* This file is adapted from the Antlr4 Java grammar which has the following license

\*

\* Copyright (c) 2013 Terence Parr, Sam Harwell

\* All rights reserved.

\* [The "BSD licence"]

\*

\* <http://www.opensource.org/licenses/bsd-license.php>

\*

\* Subsequent modifications by the Groovy community have been done under the Apache License v2:

\*

\* Licensed to the Apache Software Foundation (ASF) under one

\* or more contributor license agreements. See the NOTICE file

\* distributed with this work for additional information

\* regarding copyright ownership. The ASF licenses this file

\* to you under the Apache License, Version 2.0 (the

\* "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at

```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the
License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

/**
* The Groovy grammar is based on the official grammar for Java:
* https://github.com/antlr/grammars-v4/blob/master/java/Java.g4
*/
lexer grammar GroovyLexer;

options {
 superClass = AbstractLexer;
}

@header {
 import java.util.Deque;
 import java.util.ArrayDeque;
 import java.util.Map;
 import java.util.HashMap;
 import java.util.Set;
 import java.util.HashSet;
 import java.util.Collections;
 import java.util.Arrays;
 import java.util.stream.IntStream;
 import java.util.logging.Logger;
 import java.util.logging.Level;
 import java.util.EmptyStackException;
 import org.apache.groovy.util.Maps;
 import static org.apache.groovy.parser.antlr4.SemanticPredicates.*;
}

@members {
 private static final
Logger LOGGER = Logger.getLogger(GroovyLexer.class.getName());
 private long tokenIndex = 0;
 private int lastTokenType = 0;
 private int invalidDigitCount = 0;

/**
* Record the index and token type of the current token while emitting tokens.

```

```

*/
@Override
public void emit(Token token) {
 this.tokenIndex++;

 int tokenType = token.getType();
 if (Token.DEFAULT_CHANNEL == token.getChannel()) {
 this.lastTokenType = tokenType;
 }

 if (RollBackOne == tokenType) {
 this.rollbackOneChar();
 }

 super.emit(token);
}

private static final int[] REGEX_CHECK_ARRAY =
 IntStream.of(
 Identifier, CapitalizedIdentifier, NullLiteral, BooleanLiteral, THIS, RPAREN, RBRACK,
RBRACE,
 IntegerLiteral, FloatingPointLiteral, StringLiteral, GStringEnd, INC, DEC
).sorted().toArray();

private boolean isRegexAllowed() {
 if (Arrays.binarySearch(REGEX_CHECK_ARRAY, this.lastTokenType) >= 0) {
 return false;
 }

 return true;
}

/**
 * just a hook, which will be overridden by GroovyLangLexer
 */
protected void rollbackOneChar() {}

private static class Paren {
 private String text;
 private int lastTokenType;
 private int line;
 private int column;

 public Paren(String text, int lastTokenType, int line, int column) {
 this.text = text;
 this.lastTokenType = lastTokenType;
 this.line = line;
 }
}

```

```

 this.column = column;
 }

 public String getText() {
 return this.text;
 }

 public int getLastTokenType() {
 return this.lastTokenType;
 }

 public int getLine() {
 return line;
 }

 public int getColumn() {

return column;
 }

 @Override
 public int hashCode() {
 return (int) (text.hashCode() * line + column);
 }

 @Override
 public boolean equals(Object obj) {
 if (!(obj instanceof Paren)) {
 return false;
 }

 Paren other = (Paren) obj;

 return this.text.equals(other.text) && (this.line == other.line && this.column == other.column);
 }
}

protected void enterParenCallback(String text) {}

protected void exitParenCallback(String text) {}

private final Deque<Paren> parenStack = new ArrayDeque<>(32);

private void enterParen() {
 String text = getText();
 enterParenCallback(text);

 parenStack.push(new Paren(text, this.lastTokenType, getLine(), getCharPositionInLine()));
}

```

```

}

private void exitParen() {
 String text = getText();
 exitParenCallback(text);

 Paren paren = parenStack.peek();
 if (null
== paren) return;
 parenStack.pop();
}
private boolean isInsideParens() {
 Paren paren = parenStack.peek();

 // We just care about "(" and "[", inside which the new lines will be ignored.
 // Notice: the new lines between "{" and "}" can not be ignored.
 if (null == paren) {
 return false;
 }

 return ("(" .equals(paren.getText()) && TRY != paren.getLastTokenType()) // we don't treat try-paren(i.e. try
(...)) as parenthesis
 || "[" .equals(paren.getText()));
}
private void ignoreTokenInsideParens() {
 if (!this.isInsideParens()) {
 return;
 }

 this.setChannel(Token.HIDDEN_CHANNEL);
}
private void ignoreMultiLineCommentConditionally() {
 if (!this.isInsideParens() && isFollowedByWhiteSpaces(_input)) {
 return;
 }

 this.setChannel(Token.HIDDEN_CHANNEL);
}

@Override
public int getSyntaxErrorSource() {

 return GroovySyntaxError.LEXER;
}

@Override
public int getErrorLine() {
 return getLine();
}

```



```

}

@Override
public int getErrorColumn() {
 return getCharPositionInLine() + 1;
}

@Override
public int popMode() {
 try {
 return super.popMode();
 } catch (EmptyStackException ignored) { // raised when parens are unmatched: too many),], or }
 if (LOGGER.isLoggable(Level.FINEST)) {
 LOGGER.finest(org.codehaus.groovy.runtime.DefaultGroovyMethods.asString(ignored));
 }
 }

 return Integer.MIN_VALUE;
}

private static boolean isJavaIdentifierStartAndNotIdentifierIgnorable(int codePoint) {
 return Character.isJavaIdentifierStart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
}

private static boolean isJavaIdentifierPartAndNotIdentifierIgnorable(int codePoint) {
 return Character.isJavaIdentifierPart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
}
}

// 3.10.5 String Literals
StringLiteral
: GStringQuotationMark DqStringCharacter* GStringQuotationMark
| SqStringQuotationMark SqStringCharacter* SqStringQuotationMark

| Slash { this.isRegexAllowed() && _input.LA(1) != '*' }?
 SlashyStringCharacter+ Slash

| TdqStringQuotationMark TdqStringCharacter* TdqStringQuotationMark
| TsqStringQuotationMark TsqStringCharacter* TsqStringQuotationMark
| DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter+
DollarSlashyGStringQuotationMarkEnd
;

// Groovy gstring
GStringBegin
: GStringQuotationMark DqStringCharacter* Dollar -> pushMode(DQ_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)

```

```

;
TdqGStringBegin
: TdqStringQuotationMark TdqStringCharacter* Dollar -> type(GStringBegin),
pushMode(TDQ_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
SlashyGStringBegin
: Slash { this.isRegexAllowed()
&& _input.LA(1) != '*' }? SlashyStringCharacter* Dollar { isFollowedByJavaLetterInGString(_input) }? ->
type(GStringBegin), pushMode(SLASHY_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
DollarSlashyGStringBegin
: DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin),
pushMode(DOLLAR_SLASHY_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)
;

mode DQ_GSTRING_MODE;
GStringEnd
: GStringQuotationMark -> popMode
;
GStringPart
: Dollar -> pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
GStringCharacter
: DqStringCharacter -> more
;

mode TDQ_GSTRING_MODE;
TdqGStringEnd
: TdqStringQuotationMark -> type(GStringEnd), popMode
;
TdqGStringPart
: Dollar -> type(GStringPart), pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
TdqGStringCharacter
: TdqStringCharacter -> more
;

mode SLASHY_GSTRING_MODE;
SlashyGStringEnd
:
Dollar? Slash -> type(GStringEnd), popMode
;
SlashyGStringPart
: Dollar { isFollowedByJavaLetterInGString(_input) }? -> type(GStringPart),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;

```

```

SlashyGStringCharacter
: SlashyStringCharacter -> more
;

mode DOLLAR_SLASHY_GSTRING_MODE;
DollarSlashyGStringEnd
: DollarSlashyGStringQuotationMarkEnd -> type(GStringEnd), popMode
;
DollarSlashyGStringPart
: Dollar { isFollowedByJavaLetterInGString(_input) }? -> type(GStringPart),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
DollarSlashyGStringCharacter
: DollarSlashyStringCharacter -> more
;

mode GSTRING_TYPE_SELECTOR_MODE;
GStringLBrace
: '{ { this.enterParen(); } -> type(LBRACE), popMode, pushMode(DEFAULT_MODE)
;
GStringIdentifier
: IdentifierInGString -> type(Identifier), popMode, pushMode(GSTRING_PATH_MODE)
;

mode GSTRING_PATH_MODE;
GStringPathPart
: Dot IdentifierInGString
;
RollBackOne
: . {
//
a trick to handle GStrings followed by EOF properly
int readChar = _input.LA(-1);
if (EOF == _input.LA(1) && ("" == readChar || ' ' == readChar)) {
setType(GStringEnd);
} else {
setChannel(HIDDEN);
}
} -> popMode
;

mode DEFAULT_MODE;
// character in the double quotation string. e.g. "a"
fragment
DqStringCharacter
: ~["\r\n\\$]

```

```

| EscapeSequence
;

// character in the single quotation string. e.g. 'a'
fragment SqStringCharacter
: ~[\'r\n\\]
| EscapeSequence
;

// character in the triple double quotation string. e.g. ""a""
fragment TdqStringCharacter
: ~[\"\\$]
| GStringQuotationMark { _input.LA(1) != '"' || _input.LA(2) != '"' || _input.LA(3) == '"' && (_input.LA(4) != '"'
|| _input.LA(5) != '"') }?
| EscapeSequence
;

// character in the triple single quotation string. e.g. "a"
fragment TsqStringCharacter
: ~[\\]
| SqStringQuotationMark
{ _input.LA(1) != \' || _input.LA(2) != \' || _input.LA(3) == \' && (_input.LA(4) != \' || _input.LA(5) != \') }?
| EscapeSequence
;

// character in the slashy string. e.g. /a/
fragment SlashyStringCharacter
: SlashEscape
| Dollar { !isFollowedByJavaLetterInGString(_input) }?
| ~[/$\u0000]
;

// character in the dollar slashy string. e.g. $/a/$
fragment DollarSlashyStringCharacter
: DollarSlashEscape | DollarDollarEscape
| Slash { _input.LA(1) != '$' }?
| Dollar { !isFollowedByJavaLetterInGString(_input) }?
| ~[/$\u0000]
;

// Groovy keywords
AS : 'as';
DEF : 'def';
IN : 'in';
TRAIT : 'trait';
THREADSAFE : 'threadsafe'; // reserved keyword

```

```
// the reserved type name of Java10
```

```
VAR : 'var';
```

```
// 3.9 Keywords
```

```
BuiltInPrimitiveType
```

```
 : BOOLEAN
```

```
 | CHAR
```

```
 | BYTE
```

```
 | SHORT
```

```
 | INT
```

```
 | LONG
```

```
 | FLOAT
```

```
 | DOUBLE
```

```
 ;
```

```
ABSTRACT : 'abstract';
```

```
ASSERT : 'assert';
```

```
fragment
```

```
BOOLEAN : 'boolean';
```

```
BREAK : 'break';
```

```
fragment
```

```
BYTE : 'byte';
```

```
CASE : 'case';
```

```
CATCH : 'catch';
```

```
fragment
```

```
CHAR : 'char';
```

```
CLASS : 'class';
```

```
CONST : 'const';
```

```
CONTINUE : 'continue';
```

```
DEFAULT : 'default';
```

```
DO : 'do';
```

```
fragment
```

```
DOUBLE : 'double';
```

```
ELSE : 'else';
```

```
ENUM : 'enum';
```

```
EXTENDS : 'extends';
```

```
FINAL : 'final';
```

```
FINALLY : 'finally';
```

```
fragment
```

FLOAT : 'float';

FOR : 'for';

IF : 'if';

GOTO : 'goto';

IMPLEMENTS : 'implements';

IMPORT : 'import';

INSTANCEOF : 'instanceof';

fragment

INT : 'int';

INTERFACE : 'interface';

fragment

LONG : 'long';

NATIVE : 'native';

NEW : 'new';

PACKAGE : 'package';

PRIVATE : 'private';

PROTECTED : 'protected';

PUBLIC : 'public';

RETURN :

'return';

fragment

SHORT : 'short';

STATIC : 'static';

STRICTFP : 'strictfp';

SUPER : 'super';

SWITCH : 'switch';

SYNCHRONIZED : 'synchronized';

THIS : 'this';

THROW : 'throw';

THROWS : 'throws';

TRANSIENT : 'transient';

TRY : 'try';

VOID : 'void';

VOLATILE : 'volatile';

WHILE : 'while';

// 3.10.1 Integer Literals

IntegerLiteral

```
: (DecimalIntegerLiteral
 | HexIntegerLiteral
 | OctalIntegerLiteral
 | BinaryIntegerLiteral
)(Underscore { require(false, "Number ending with underscores is invalid", -1, true); })?
```

```
// !!! Error Alternative !!!
```

```
| Zero ([0-9] { invalidDigitCount++; })+ { require(false, "Invalid octal number", -(invalidDigitCount + 1), true);
} IntegerTypeSuffix?
;
```

fragment

Zero

```
: '0'
;
```

fragment

DecimalIntegerLiteral

```
: DecimalNumeral IntegerTypeSuffix?
;
```

fragment

HexIntegerLiteral

```
: HexNumeral
IntegerTypeSuffix?
;
```

fragment

OctalIntegerLiteral

```
: OctalNumeral IntegerTypeSuffix?
;
```

fragment

BinaryIntegerLiteral

```
: BinaryNumeral IntegerTypeSuffix?
;
```

fragment

IntegerTypeSuffix

```
: [LiIgG]
;
```

fragment

DecimalNumeral

```
: Zero
| NonZeroDigit (Digits? | Underscores Digits)
;
```

fragment  
Digits  
: Digit (DigitOrUnderscore\* Digit)?  
;

fragment  
Digit  
: Zero  
| NonZeroDigit  
;

fragment  
NonZeroDigit  
: [1-9]  
;

fragment  
DigitOrUnderscore  
: Digit  
| Underscore  
;

fragment  
Underscores  
: Underscore+  
;

fragment  
Underscore  
: '\_'  
;

fragment  
HexNumeral  
: Zero [xX] HexDigits  
;

fragment  
HexDigits  
: HexDigit (HexDigitOrUnderscore\* HexDigit)?  
;

fragment  
HexDigit  
: [0-9a-fA-F]  
;



fragment  
HexDigitOrUnderscore  
: HexDigit  
| Underscore  
;

fragment  
OctalNumeral  
: Zero Underscores? OctalDigits  
;

fragment  
OctalDigits  
: OctalDigit  
(OctalDigitOrUnderscore\* OctalDigit)?  
;

fragment  
OctalDigit  
: [0-7]  
;

fragment  
OctalDigitOrUnderscore  
: OctalDigit  
| Underscore  
;

fragment  
BinaryNumeral  
: Zero [bB] BinaryDigits  
;

fragment  
BinaryDigits  
: BinaryDigit (BinaryDigitOrUnderscore\* BinaryDigit)?  
;

fragment  
BinaryDigit  
: [01]  
;

fragment  
BinaryDigitOrUnderscore  
: BinaryDigit  
| Underscore  
;

// 3.10.2 Floating-Point Literals

FloatingPointLiteral

```
: (DecimalFloatingPointLiteral
 | HexadecimalFloatingPointLiteral
) (Underscore { require(false, "Number ending with underscores is invalid", -1, true); })?
;
```

fragment

DecimalFloatingPointLiteral

```
: Digits Dot Digits ExponentPart? FloatTypeSuffix?
| Digits ExponentPart FloatTypeSuffix?
| Digits FloatTypeSuffix
;
```

fragment

ExponentPart

```
: ExponentIndicator SignedInteger
;
```

fragment

ExponentIndicator

```
: [eE]
;
```

fragment

SignedInteger

```
: Sign? Digits
;
```

fragment

Sign

```
: [+\\-]
;
```

fragment

FloatTypeSuffix

```
: [fFdDgG]
;
```

fragment

HexadecimalFloatingPointLiteral

```
: HexSignificand BinaryExponent FloatTypeSuffix?
;
```

fragment

HexSignificand

```
: HexNumeral Dot?
| Zero [xX] HexDigits? Dot HexDigits
;
```

fragment

BinaryExponent

```
: BinaryExponentIndicator SignedInteger
;
```

fragment

BinaryExponentIndicator

```
: [pP]
;
```

fragment

Dot : '.'

```
;
```

// 3.10.3 Boolean Literals

BooleanLiteral

```
: 'true'
| 'false'
;
```

// 3.10.6 Escape Sequences for Character and String Literals

fragment

EscapeSequence

```
: Backslash [btnfrs"'\]
| OctalEscape
| UnicodeEscape
| DollarEscape
| LineEscape
;
```

fragment

OctalEscape

```
: Backslash OctalDigit
| Backslash OctalDigit OctalDigit
| Backslash ZeroToThree OctalDigit OctalDigit
;
```

// Groovy allows 1 or more u's after the backslash

fragment

UnicodeEscape

```
:
Backslash 'u' HexDigit HexDigit HexDigit HexDigit
;
```

```
fragment
ZeroToThree
: [0-3]
;
```

```
// Groovy Escape Sequences
```

```
fragment
DollarEscape
: Backslash Dollar
;
```

```
fragment
LineEscape
: Backslash LineTerminator
;
```

```
fragment
LineTerminator
: '\r'? '\n' | '\r'
;
```

```
fragment
SlashEscape
: Backslash Slash
;
```

```
fragment
Backslash
: '\\
;
```

```
fragment
Slash
: '/'
;
```

```
fragment
Dollar
: '$'
;
```

```
fragment
GStringQuotationMark
```

```

: ""
;

fragment
SqStringQuotationMark
: "\"
;

fragment
TdqStringQuotationMark
: """"
;

fragment
TsqsStringQuotationMark
: "\\\"
;

fragment
DollarSlashyGStringQuotationMarkBegin
: '$/'
;

fragment
DollarSlashyGStringQuotationMarkEnd
: '/'$'
;

fragment
DollarSlashEscape
: '$/'
;

fragment
DollarDollarEscape
: '$$'
;

// 3.10.7 The Null Literal
NullLiteral
: 'null'
;

// Groovy Operators

RANGE_INCLUSIVE :
'..';
RANGE_EXCLUSIVE : '..<';

```

```

SPREAD_DOT : '*.';
SAFE_DOT : '?.';
SAFE_CHAIN_DOT : '??.';
ELVIS : '?.';
METHOD_POINTER : '&.';
METHOD_REFERENCE : '::';
REGEX_FIND : '=~';
REGEX_MATCH : '==~';
POWER : '**';
POWER_ASSIGN : '**=';
SPACESHIP : '<=>';
IDENTICAL : '===';
NOT_IDENTICAL : '!==';
ARROW : '>';

// !internalPromise will be parsed as !in ternalPromise, so semantic predicates are necessary
NOT_INSTANCEOF : '!instanceof' { isFollowedBy(_input, '\t', '\r', '\n') }?;
NOT_IN : '!in' { isFollowedBy(_input, '\t', '\r', '\n', '[', '(', '{') }?;

// 3.11 Separators

LPAREN : '(' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RPAREN : ')' { this.exitParen(); } -> popMode;

LBRACE : '{' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RBRACE : '}' { this.exitParen();
} -> popMode;

LBRACK : '[' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RBRACK : ']' { this.exitParen(); } -> popMode;

SEMI : ';';
COMMA : ',';
DOT : Dot;

// 3.12 Operators

ASSIGN : '=';
GT : '>';
LT : '<';
NOT : '!';
BITNOT : '~';
QUESTION : '?';
COLON : ':';
EQUAL : '==';
LE : '<=';
GE : '>=';

```

NOTEQUAL : '!=';  
AND : '&&';  
OR : '||';  
INC : '++';  
DEC : '--';  
ADD : '+';  
SUB : '-';  
MUL : '\*';  
DIV : '/';  
BITAND : '&';  
BITOR : '|';  
XOR : '^';  
MOD : '%';

ADD\_ASSIGN : '+=';  
SUB\_ASSIGN : '-=';  
MUL\_ASSIGN : '\*=';  
DIV\_ASSIGN : '/=';  
AND\_ASSIGN : '&=';  
OR\_ASSIGN : '|=';  
XOR\_ASSIGN : '^=';  
MOD\_ASSIGN : '%=';  
LSHIFT\_ASSIGN :  
'<<=';  
RSHIFT\_ASSIGN : '>>=';  
URSHIFT\_ASSIGN : '>>>=';  
ELVIS\_ASSIGN : '?=';

// 3.8 Identifiers (must appear after all keywords in the grammar)

CapitalizedIdentifier

: JavaLetter {Character.isUpperCase(\_input.LA(-1))}? JavaLetterOrDigit\*  
;

Identifier

: JavaLetter JavaLetterOrDigit\*  
;

fragment

IdentifierInGString

: JavaLetterInGString JavaLetterOrDigitInGString\*  
;

fragment

JavaLetter

: [a-zA-Z\$\_] // these are the "java letters" below 0x7F  
| // covers all characters above 0x7F which are not a surrogate

```

~[\u0000-\u007F\uD800-\uDBFF]
{ isJavaIdentifierStartAndNotIdentifierIgnorable(_input.LA(-1)) }?
| // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF
[\uD800-\uDBFF] [\uDC00-\uDFFF]
{ Character.isJavaIdentifierStart(Character.toCodePoint((char) _input.LA(-2), (char) _input.LA(-1))) }?
;

fragment
JavaLetterInGString
: JavaLetter { _input.LA(-1) != '$' }?
;

fragment
JavaLetterOrDigit
: [a-zA-Z0-9$_] // these are the "java letters or digits" below 0x7F
| // covers all characters above 0x7F which are not a surrogate
~[\u0000-\u007F\uD800-\uDBFF]
{ isJavaIdentifierPartAndNotIdentifierIgnorable(_input.LA(-1)) }?
| // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF
[\uD800-\uDBFF] [\uDC00-\uDFFF]
{ Character.isJavaIdentifierPart(Character.toCodePoint((char) _input.LA(-2), (char) _input.LA(-1))) }?
;

fragment
JavaLetterOrDigitInGString
: JavaLetterOrDigit { _input.LA(-1) != '$' }?
;

fragment
ShCommand
: ~[\r\n\uFFFF]*
;

//
// Additional symbols not defined in the lexical specification
//

AT : '@';
ELLIPSIS : '...';

//
// Whitespace, line escape and comments
//
WS : ([\t]+ | LineEscape+) -> skip
;

// Inside (...) and [...] but not {...}, ignore newlines.
NL : LineTerminator { this.ignoreTokenInsideParens(); }

```



```

;

// Multiple-line comments (including
groovydoc comments)
ML_COMMENT
: '/' .*? '*' { this.ignoreMultiLineCommentConditionally(); } -> type(NL)
;

// Single-line comments
SL_COMMENT
: '/' ~[\r\n\uFFFF]* { this.ignoreTokenInsideParens(); } -> type(NL)
;

// Script-header comments.
// The very first characters of the file may be "#!". If so, ignore the first line.
SH_COMMENT
: '#' { require(0 == this.tokenIndex, "Shebang comment should appear at the first line", -2, true); } ShCommand
(LineTerminator '#' ShCommand)* -> skip
;

// Unexpected characters will be handled by groovy parser later.
UNEXPECTED_CHAR
: .
;

```

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/GroovyLexer.g4

No license file was found, but licenses were detected in source scan.

/\*\* JSR-241 Groovy Recognizer.

\*

\* Run 'java Main [-showtree] directory-full-of-groovy-files'

\*

\* [The -showtree option pops up a Swing frame that shows

\* the AST constructed from the parser.]

\*

\* Contributing authors:

|   |                   |                                  |
|---|-------------------|----------------------------------|
| * | John Mitchell     | johnm@non.net                    |
| * | Terence Parr      | parr@magelang.com                |
| * | John Lilley       | jlilley@empathy.com              |
| * | Scott Stanchfield | thetick@magelang.com             |
| * | Markus Mohren     | mohren@informatik.rwth-aachen.de |
| * | Peter Williams    | pete.williams@sun.com            |
| * | Allan Jacobs      | Allan.Jacobs@eng.sun.com         |
| * | Steve Messick     | messick@redhills.com             |
| * | James Strachan    | jstrachan@protique.com           |
| * | John Pybus        | john@pybus.org                   |
| * | John Rose         | rose00@mac.com                   |

- \* Jeremy Rayner  
groovy@ross-rayner.com
- \* Alex Popescu      the.mindstorm@gmail.com
- \* Martin Kempf      mkempf@hsr.ch
- \* Reto Kleeb      rkleeb@hsr.ch
- \*
- \* Version 1.00 December 9, 1997 -- initial release
- \* Version 1.01 December 10, 1997
- \*     fixed bug in octal def (0..7 not 0..8)
- \* Version 1.10 August 1998 (part)
- \*     added tree construction
- \*     fixed definition of WS,comments for mac,pc,unix newlines
- \*     added unary plus
- \* Version 1.11 (Nov 20, 1998)
- \*     Added "shutup" option to turn off last ambig warning.
- \*     Fixed inner class def to allow named class defs as statements
- \*     synchronized requires compound not simple statement
- \*     add [] after builtInType DOT class in primaryExpression
- \*     "const" is reserved but not valid..removed from modifiers
- \* Version 1.12 (Feb 2, 1999)
- \*     Changed LITERAL\_XXX to xxx in tree  
grammar.
- \*     Updated java.g to use tokens {...} now for 2.6.0 (new feature).
- \*
- \* Version 1.13 (Apr 23, 1999)
- \*     Didn't have (stat)? for else clause in tree parser.
- \*     Didn't gen ASTs for interface extends. Updated tree parser too.
- \*     Updated to 2.6.0.
- \* Version 1.14 (Jun 20, 1999)
- \*     Allowed final/abstract on local classes.
- \*     Removed local interfaces from methods
- \*     Put instanceof precedence where it belongs...in relationalExpr
- \*     It also had expr not type as arg; fixed it.
- \*     Missing ! on SEMI in classBlock
- \*     fixed: (expr) + "string" was parsed incorrectly (+ as unary plus).
- \*     fixed: didn't like Object[].class in parser or tree parser
- \* Version 1.15 (Jun 26, 1999)
- \*     Screwed up rule with instanceof in it. :( Fixed.
- \*     Tree parser didn't like (expr).something; fixed.
- \*     Allowed multiple inheritance  
in tree grammar. oops.
- \* Version 1.16 (August 22, 1999)
- \*     Extending an interface built a wacky tree: had extra EXTENDS.
- \*     Tree grammar didn't allow multiple superinterfaces.
- \*     Tree grammar didn't allow empty var initializer: { }
- \* Version 1.17 (October 12, 1999)
- \*     ESC lexer rule allowed 399 max not 377 max.
- \*     java.tree.g didn't handle the expression of synchronized

- \* statements.
- \* Version 1.18 (August 12, 2001)
- \* Terence updated to Java 2 Version 1.3 by
- \* observing/combining work of Allan Jacobs and Steve
- \* Messick. Handles 1.3 src. Summary:
- \* o primary didn't include boolean.class kind of thing
- \* o constructor calls parsed explicitly now:
- \* see explicitConstructorInvocation
- \* o add strictfp modifier
- \* o missing objBlock after new expression in tree grammar
- \* o
- merged local class definition alternatives, moved after declaration
- \* o fixed problem with ClassName.super.field
- \* o reordered some alternatives to make things more efficient
- \* o long and double constants were not differentiated from int/float
- \* o whitespace rule was inefficient: matched only one char
- \* o add an examples directory with some nasty 1.3 cases
- \* o made Main.java use buffered IO and a Reader for Unicode support
- \* o supports UNICODE?
- \* Using Unicode charVocabulary makes code file big, but only
- \* in the bitsets at the end. I need to make ANTLR generate
- \* unicode bitsets more efficiently.
- \* Version 1.19 (April 25, 2002)
- \* Terence added in nice fixes by John Pybus concerning floating
- \* constants and problems with super() calls. John did a nice
- \* reorg of the primary/postfix expression
- stuff to read better
- \* and makes f.g.super() parse properly (it was METHOD\_CALL not
- \* a SUPER\_CTOR\_CALL). Also:
- \* o "finally" clause was a root...made it a child of "try"
- \* o Added stuff for asserts too for Java 1.4, but \*commented out\*
- \* as it is not backward compatible.
- \* Version 1.20 (October 27, 2002)
- \* Terence ended up reorging John Pybus' stuff to
- \* remove some nondeterminisms and some syntactic predicates.
- \* Note that the grammar is stricter now; e.g., this(...) must
- \* be the first statement.
- \* Trinary ?: operator wasn't working as array name:
- \* (isBig ? bigDigits : digits)[i];
- \* Checked parser/tree parser on source for
- \* Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
- \* and the 110k-line jGuru server source.
- \*

- \* Version 1.21 (October 17, 2003)
- \* Fixed lots of problems including:
  - \* Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
  - \* He found a problem/fix with floating point that start with 0
  - \* Ray also fixed problem that (int.class) was not recognized.
  - \* Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
  - \* TJP fixed CHAR\_LITERAL analogously.
- \*
- \* Version 1.21.2 (March, 2003)
- \* Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
- \* Notes:
  - \* o We only allow the "extends" keyword and not the "implements" keyword, since that's what JSR14 seems to imply.
  - \* o Thanks to Monty Zukowski for his help on the antlr-interest mail list.
  - \* o Thanks to Alan Eliassen for testing the grammar over his Fink source base
- \*
- \* Version 1.22 (July, 2004)
- \* Changes by Michael Studman to support Java 1.5 language extensions
- \* Notes:
  - \* o Added support for annotations types
  - \* o Finished off Matt Quail's generics enhancements to support bound type arguments
    - \* o Added support for new for statement syntax
    - \* o Added support for static import syntax
    - \* o Added support for enum types
    - \* o Tested against JDK 1.5 source base and source base of jdigraph project
    - \* o Thanks to Matt Quail for doing the hard part by doing most of the generics work
- \*
- \* Version 1.22.1 (July 28, 2004)
- \* Bug/omission fixes for Java 1.5 language support
  - \* o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for spotting this
  - \* o Fixed bug where incorrect handling of SR and BSR tokens would cause type parameters to be recognised as type arguments.
  - \* o Enabled type parameters on constructors, annotations on enum constants and package definitions
  - \* o Fixed problems when parsing if ((char.class.equals(c))) {} - solution by Matt Quail at Cenqua
- \*
- \* Version 1.22.2 (July 28, 2004)
- \* Slight refactoring of Java 1.5 language support
  - \* o Refactored for/"foreach" productions so that original literal "for" literal is still used but the for sub-clauses vary by token type
  - \* o Fixed bug where type parameter was not included in generic constructor's branch of AST
- \*
- \* Version 1.22.3 (August 26, 2004)
- \* Bug fixes as identified by Michael Stahl; clean up of tabs/spaces

- \* and other refactorings
- \* o Fixed typeParameters omission in identPrimary and newStatement
- \* o Replaced GT reconciliation code with simple semantic predicate
- \* o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
- \* o Refactored typeDefinition production and field productions to reduce duplication
- \*
- \* Version 1.22.4 (October 21, 2004)
- \* Small bux fixes
- \* o Added typeArguments to explicitConstructorInvocation, e.g. new <String>MyParameterised()
- \* o Added typeArguments to postfixExpression
- productions for anonymous inner class super
- \* constructor invocation, e.g. new Outer().<String>super()
- \* o Fixed bug in array declarations identified by Geoff Roy
- \*
- \* Version 1.22.4.g.1
- \* o I have taken java.g for Java1.5 from Michael Studman (1.22.4)
- \* and have applied the groovy.diff from java.g (1.22) by John Rose
- \* back onto the new root (1.22.4) - Jeremy Rayner (Jan 2005)
- \*
- \* Version 1.22.4.g.2
- \* o mkempf, rkleeb, Dec 2007
- \* o fixed various rules so that they call the correct Create Method
- \* to make sure that the line information are correct
- \*
- \* Based on an original grammar released in the PUBLIC DOMAIN
- \*/

Found in path(s):

```
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/parser/GroovyRecognizer.java
```

No license file was found, but licenses were detected in source scan.

```
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
```

```
global transformation to handle @Grab annotation
```

groovy.grape.GrabAnnotationTransformation

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/META-INF/services/org.codehaus.groovy.transform.ASTTransformation  
No license file was found, but licenses were detected in source scan.

/\*

\* This file is adapted from the Antlr4 Java grammar which has the following license  
\*  
\* Copyright (c) 2013 Terence Parr, Sam Harwell  
\* All rights reserved.  
\* [The "BSD licence"]  
\*  
\* <http://www.opensource.org/licenses/bsd-license.php>  
\*  
\* Subsequent modifications by the Groovy community have been done under the Apache License v2:  
\*  
\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the  
License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

/\*\*

\* The Groovy grammar is based on the official grammar for Java:  
\* <https://github.com/antlr/grammars-v4/blob/master/java/Java.g4>  
\*/

parser grammar GroovyParser;

```
options {
 tokenVocab = GroovyLexer;
 contextSuperClass = GroovyParserRuleContext;
 superClass = AbstractParser;
}
```

```

@header {
 import java.util.Map;
 import org.codehaus.groovy.ast.NodeMetaDataHandler;
}

@members {

 public static class GroovyParserRuleContext extends ParserRuleContext implements NodeMetaDataHandler {
 private Map metaDataMap = null;

 public GroovyParserRuleContext() {}

 public GroovyParserRuleContext(ParserRuleContext parent, int invokingStateNumber) {
 super(parent, invokingStateNumber);
 }

 @Override
 public Map<?, ?> getMetaDataMap() {
 return this.metaDataMap;
 }

 @Override
 public void setMetaDataMap(Map<?, ?> metaDataMap) {
 this.metaDataMap = metaDataMap;
 }

 @Override
 public int getSyntaxErrorSource() {
 return GroovySyntaxError.PARSER;
 }

 @Override
 public int getErrorLine() {
 Token token = _input.LT(-1);

 if (null == token) {
 return -1;
 }

 return token.getLine();
 }

 @Override
 public int getErrorColumn() {
 Token token = _input.LT(-1);

```

```

 if (null == token) {
 return -1;
 }

 return token.getCharPositionInLine() + 1 + token.getText().length();
}
}

// starting point for parsing a groovy file
compilationUnit
: nls (packageDeclaration sep)? scriptStatements? EOF
;

scriptStatements
: scriptStatement (sep scriptStatement)* sep?
;

scriptStatement
: importDeclaration
// Import statement. Can be used in any scope. Has "import x as y" also.
| typeDeclaration
// validate the method in the AstBuilder#visitMethodDeclaration, e.g. method without method body is not allowed
| { !SemanticPredicates.isInvalidMethodDeclaration(_input) }?
methodDeclaration[3, 9]
| statement
;

packageDeclaration
: annotationsOpt PACKAGE qualifiedName
;

importDeclaration
: annotationsOpt IMPORT STATIC? qualifiedName (DOT MUL | AS alias=identifier)?
;

typeDeclaration
: classOrInterfaceModifiersOpt classDeclaration
;

modifier
: classOrInterfaceModifier
| m=(NATIVE
| SYNCHRONIZED
| TRANSIENT
| VOLATILE
| DEF
| VAR

```



```

)
;

modifiersOpt
: (modifiers nls)?
;

modifiers
: modifier (nls modifier)*
;

classOrInterfaceModifiersOpt
: (classOrInterfaceModifiers
 NL* /* Use `NL*` here for better performance,
so DON'T replace it with `nls` */
)?
;

classOrInterfaceModifiers
: classOrInterfaceModifier (nls classOrInterfaceModifier)*
;

classOrInterfaceModifier
: annotation // class or interface
| m=(PUBLIC // class or interface
 | PROTECTED // class or interface
 | PRIVATE // class or interface
 | STATIC // class or interface
 | ABSTRACT // class or interface
 | FINAL // class only -- does not apply to interfaces
 | STRICTFP // class or interface
 | DEFAULT // interface only -- does not apply to classes
)
;

variableModifier
: annotation
| m=(FINAL
 | DEF
 | VAR
 // Groovy supports declaring local variables as instance/class fields,
 // e.g. import groovy.transform.*; @Field static List awe = [1, 2, 3]
 // e.g. import groovy.transform.*; def a = { @Field public List awe
= [1, 2, 3] }
 // Notice: Groovy 2.4.7 just allows to declare local variables with the following modifiers when using
annotations(e.g. @Field)
 // TODO check whether the following modifiers accompany annotations or not. Because the legacy codes(e.g.
benchmark/bench/heapsort.groovy) allow to declare the special instance/class fields without annotations, we leave it

```

as it is for the time being

```
| PUBLIC
| PROTECTED
| PRIVATE
| STATIC
| ABSTRACT
| STRICTFP
)
```

;

variableModifiersOpt

```
: (variableModifiers nls)?
;
```

variableModifiers

```
: variableModifier (nls variableModifier)*
;
```

typeParameters

```
: LT nls typeParameter (COMMA nls typeParameter)* nls GT
;
```

typeParameter

```
: className (EXTENDS nls typeBound)?
;
```

typeBound

```
: type (BITAND nls type)*
;
```

typeList

```
: type (COMMA nls type)*
;
```

/\*\*

\* t 0: class; 1: interface; 2: enum; 3: annotation; 4:

trait

\*/

classDeclaration

locals[ int t ]

```
: (CLASS { $t = 0; }
| INTERFACE { $t = 1; }
| ENUM { $t = 2; }
| AT INTERFACE { $t = 3; }
| TRAIT { $t = 4; }
)
```

identifier

```

(nls typeParameters)?
(nls EXTENDS nls scs=typeList)?
(nls IMPLEMENTS nls is=typeList)?
nls classBody[$t]
;

// t see the comment of classDeclaration
classBody[int t]
: LBRACE nls
(
/* Only enum can have enum constants */
{ 2 == $t }?
enumConstants (nls COMMA)? sep?
|
)
(classBodyDeclaration[$t] (sep classBodyDeclaration[$t])*? sep? RBRACE
;

enumConstants
: enumConstant (nls COMMA nls enumConstant)*
;

enumConstant
: annotationsOpt identifier arguments? anonymousInnerClassDeclaration[1]?
;

classBodyDeclaration[int t]
: (STATIC nls)? block
| memberDeclaration[$t]
;

memberDeclaration[int t]
: methodDeclaration[0,
$t]
| fieldDeclaration
| modifiersOpt classDeclaration
;

/**
* t 0: *class member* all kinds of method declaration AND constructor declaration,
* 1: normal method declaration, 2: abstract method declaration
* 3: normal method declaration OR abstract method declaration
* ct 9: script, other see the comment of classDeclaration
*/
methodDeclaration[int t, int ct]
: modifiersOpt typeParameters? (returnType[$ct] nls)?
methodName formalParameters
(

```

```

 DEFAULT nls elementValue
 |
 (nls THROWS nls qualifiedClassNameList)?
 (nls methodBody)?
)?
;

methodName
: identifier
| stringLiteral
;

returnType[int ct]
:
 standardType
| VOID
;

fieldDeclaration
: variableDeclaration[1]
;

variableDeclarators
: variableDeclarator (COMMA nls variableDeclarator)*
;

variableDeclarator
: variableDeclaratorId (nls ASSIGN nls variableInitializer)?
;

variableDeclaratorId
: identifier
;

variableInitializer
: enhancedStatementExpression
;

variableInitializers
: variableInitializer (nls COMMA nls variableInitializer)* nls COMMA?
;

emptyDims
: (annotationsOpt LBRACK RBRACK)+
;

emptyDimsOpt
: emptyDims?

```

```

;

standardType
options { baseContext = type; }
: annotationsOpt
 (
 primitiveType
 |
 standardClassOrInterfaceType
)
emptyDimsOpt
;

type
: annotationsOpt
 (
 (
 primitiveType
 |
 // !!! Error Alternative !!!
 VOID
)
 |
 generalClassOrInterfaceType
)
emptyDimsOpt
;

classOrInterfaceType
: (qualifiedClassName
 | qualifiedStandardClassName
) typeArguments?
;

generalClassOrInterfaceType
options { baseContext = classOrInterfaceType; }

: qualifiedClassName typeArguments?
;

standardClassOrInterfaceType
options { baseContext = classOrInterfaceType; }
: qualifiedStandardClassName typeArguments?
;

primitiveType
: BuiltInPrimitiveType
;

```

```

typeArguments
 : LT nls typeArgument (COMMA nls typeArgument)* nls GT
 ;

typeArgument
 : type
 | annotationsOpt QUESTION ((EXTENDS | SUPER) nls type)?
 ;

annotatedQualifiedClassName
 : annotationsOpt qualifiedClassName
 ;

qualifiedClassNameList
 : annotatedQualifiedClassName (COMMA nls annotatedQualifiedClassName)*
 ;

formalParameters
 : LPAREN formalParameterList? rparen
 ;

formalParameterList
 : (formalParameter | thisFormalParameter) (COMMA nls formalParameter)*
 ;

thisFormalParameter
 : type THIS
 ;

formalParameter
 : variableModifiersOpt type? ELLIPSIS? variableDeclaratorId (nls ASSIGN nls expression)?
 ;

methodBody
 : block
 ;

qualifiedName
 : qualifiedNameElement
 (DOT qualifiedNameElement)*
 ;

/**
 * Java doesn't have the keywords 'as', 'in', 'def', 'trait' so we make some allowances
 * for them in package names for better integration with existing Java packages
 */
qualifiedNameElement

```

```

: identifier
| DEF
| IN
| AS
| TRAIT
;

qualifiedNameElements
: (qualifiedNameElement DOT)*
;

qualifiedClassName
: qualifiedNameElements identifier
;

qualifiedStandardClassName
: qualifiedNameElements className (DOT className)*
;

literal
: IntegerLiteral #integerLiteralAlt
| FloatingPointLiteral #floatingPointLiteralAlt
| stringLiteral #stringLiteralAlt
| BooleanLiteral #booleanLiteralAlt
| NullLiteral #nullLiteralAlt
;

// GSTRING

gstring
: GStringBegin gstringValue (GStringPart gstringValue)* GStringEnd
;

gstringValue
: gstringPath
| closure
;

gstringPath
: identifier GStringPathPart*
;

// LAMBDA EXPRESSION

lambdaExpression
options { baseContext = standardLambdaExpression; }
: lambdaParameters nls ARROW nls lambdaBody

```

```

;

// JAVA STANDARD LAMBDA EXPRESSION
standardLambdaExpression
: standardLambdaParameters nls ARROW nls lambdaBody
;

lambdaParameters
options { baseContext = standardLambdaParameters; }
: formalParameters

// { a -> a * 2 } can be parsed as a lambda expression in a block, but we expect a closure.
// So it is better to put parameters in the parentheses and the following single parameter without parentheses is
limited
// | variableDeclaratorId
;

standardLambdaParameters
: formalParameters
|
variableDeclaratorId
;

lambdaBody
: block
| statementExpression
;

// CLOSURE
closure
: LBRACE (nls (formalParameterList nls)? ARROW)? sep? blockStatementsOpt RBRACE
;

// GROOVY-8991: Difference in behaviour with closure and lambda
closureOrLambdaExpression
: closure
| lambdaExpression
;

blockStatementsOpt
: blockStatements?
;

blockStatements
: blockStatement (sep blockStatement)* sep?
;

// ANNOTATIONS

```



```

annotationsOpt
 : (annotation (nls annotation)* nls)?
 ;

annotation
 : AT annotationName (nls LPAREN elementValues? rparen)?
 ;

elementValues
 : elementValuePairs
 | elementValue
 ;

annotationName : qualifiedClassName ;

elementValuePairs
 : elementValuePair (COMMA elementValuePair)*
 ;

elementValuePair
 : elementValuePairName nls ASSIGN nls elementValue
 ;

elementValuePairName
 : identifier
 | keywords
 ;

// TODO verify the potential performance issue
// because rule expression contains sub-rule assignments(https://github.com/antlr/grammars-v4/issues/215)
elementValue
 : elementValueArrayInitializer
 | annotation
 | expression
 ;

elementValueArrayInitializer
 : LBRACK (elementValue (COMMA elementValue)* COMMA?)? RBRACK
 ;

// STATEMENTS / BLOCKS

block
 : LBRACE sep? blockStatementsOpt RBRACE
 ;

blockStatement

```

```

: localVariableDeclaration
| statement
;

localVariableDeclaration
: { !SemanticPredicates.isInvalidLocalVariableDeclaration(_input) }?
 variableDeclaration[0]
;

/**
 * t 0: local variable declaration; 1: field declaration
 */
variableDeclaration[int t]
: modifiers nls
 (type? variableDeclarators
 | typeNamePairs nls ASSIGN nls variableInitializer
)
|
 type variableDeclarators
;

typeNamePairs
: LPAREN typeNamePair (COMMA typeNamePair)* rparen
;

typeNamePair
: type? variableDeclaratorId
;

variableNames
: LPAREN variableDeclaratorId (COMMA variableDeclaratorId)+ rparen
;

conditionalStatement
: ifElseStatement
| switchStatement
;

ifElseStatement
: IF expressionInPar nls tb=statement ((nls | sep) ELSE nls fb=statement)?
;

switchStatement
: SWITCH expressionInPar nls LBRACE nls (switchBlockStatementGroup+ nls)? RBRACE
;

loopStatement
: FOR LPAREN forControl rparen nls statement #forStmtAlt

```

```

| WHILE expressionInPar nls statement #whileStmtAlt
| DO nls statement nls WHILE expressionInPar #doWhileStmtAlt
;

continueStatement
: CONTINUE
 identifier?
;

breakStatement
: BREAK
 identifier?
;

tryCatchStatement
: TRY resources? nls block
 (nls catchClause)*
 (nls finallyBlock)?
;

assertStatement
: ASSERT ce=expression (nls (COLON | COMMA) nls me=expression)?
;

statement
: block #blockStmtAlt
| conditionalStatement #conditionalStmtAlt
| loopStatement #loopStmtAlt
| tryCatchStatement #tryCatchStmtAlt
| SYNCHRONIZED expressionInPar nls block #synchronizedStmtAlt
| RETURN expression? #returnStmtAlt
| THROW expression #throwStmtAlt
| breakStatement
 #breakStmtAlt
| continueStatement #continueStmtAlt
| identifier COLON nls statement #labeledStmtAlt
| assertStatement #assertStmtAlt
| localVariableDeclaration #localVariableDeclarationStmtAlt
| statementExpression #expressionStmtAlt
| SEMI #emptyStmtAlt
;

catchClause
: CATCH LPAREN variableModifiersOpt catchType? identifier rparen nls block
;

catchType
: qualifiedClassName

```

(BITOR qualifiedClassName)\*

;

finallyBlock

: FINALLY nls block

;

resources

: LPAREN nls resourceList sep? rparen

;

resourceList

: resource (sep resource)\*

;

resource

: localVariableDeclaration

| expression

;

/\*\* Matches cases then statements, both of which are mandatory.

\* To handle empty cases at the end, we add switchLabel\* to statement.

\*/

switchBlockStatementGroup

: switchLabel (nls switchLabel)\* nls blockStatements

;

switchLabel

: CASE expression COLON

| DEFAULT COLON

;

forControl

: enhancedForControl

| classicalForControl

;

enhancedForControl

: variableModifiersOpt type? variableDeclaratorId (COLON | IN) expression

;

classicalForControl

: forInit? SEMI expression? SEMI forUpdate?

;

forInit

: localVariableDeclaration

```

 | expressionList[false]
 ;

forUpdate
: expressionList[false]
;

// EXPRESSIONS

castParExpression
:
LPAREN type rparen
;

parExpression
: expressionInPar
;

expressionInPar
: LPAREN enhancedStatementExpression rparen
;

expressionList[boolean canSpread]
: expressionListElement[$canSpread] (COMMA expressionListElement[$canSpread])*
;

expressionListElement[boolean canSpread]
: MUL? expression
;

enhancedStatementExpression
: statementExpression
| standardLambdaExpression
;

statementExpression
: commandExpression #commandExprAlt
;

postfixExpression
: pathExpression op=(INC | DEC)?
;

expression
// must come before postfixExpression to resolve the ambiguities between casting and call on parentheses
expression, e.g. (int)(1 / 2)
: castParExpression castOperandExpression #castExprAlt

```

```

// qualified names, array expressions, method invocation, post inc/dec
| postfixExpression
 #postfixExprAlt

// ~(BNOT)!/(LNOT) (level 1)
| (BITNOT | NOT) nls expression
 #unaryNotExprAlt

// math power operator (**) (level 2)
| left=expression op=POWER nls right=expression
 #powerExprAlt

// ++(prefix)--(prefix)/(unary)/(unary) (level 3)
| op=(INC | DEC | ADD | SUB) expression
 #unaryAddExprAlt

// multiplication/division/modulo (level 4)
| left=expression nls op=(MUL | DIV | MOD) nls right=expression
 #multiplicativeExprAlt

// binary addition/subtraction (level 5)
| left=expression op=(ADD | SUB) nls right=expression
 #additiveExprAlt

// bit shift expressions (level 6)
| left=expression nls
 (
 (dlOp=LT LT
 | tgOp=GT GT GT
 | dgOp=GT GT
)
 | rangeOp=(RANGE_INCLUSIVE
 | RANGE_EXCLUSIVE
)
) nls
 right=expression
 #shiftExprAlt

// boolean relational expressions (level 7)
| left=expression nls op=(AS | INSTANCEOF | NOT_INSTANCEOF) nls type
 #relationalExprAlt
| left=expression nls op=(LE | GE | GT | LT | IN | NOT_IN) nls right=expression
 #relationalExprAlt

// equality/inequality (==/!=) (level 8)
| left=expression nls
 op=(IDENTICAL
 | NOT_IDENTICAL
 | EQUAL
 | NOTEQUAL
 | SPACESHIP
) nls
 right=expression
 #equalityExprAlt

// regex find and match (=~ and ==~) (level 8.5)

```

```

// jez: moved =~ closer to precedence of == etc, as...

// 'if (foo =~ "a.c")' is very close in intent to 'if (foo == "abc")'
| left=expression nls op=(REGEX_FIND | REGEX_MATCH) nls right=expression #regexExprAlt

// bitwise or non-short-circuiting and (&) (level 9)
| left=expression nls op=BITAND nls right=expression #andExprAlt

// exclusive or (^) (level 10)
| left=expression nls op=XOR nls right=expression #exclusiveOrExprAlt

// bitwise or non-short-circuiting or (|) (level 11)
| left=expression nls op=BITOR nls right=expression #inclusiveOrExprAlt

// logical and (&&) (level 12)
| left=expression nls op=AND nls right=expression #logicalAndExprAlt

// logical or (||) (level 13)
| left=expression nls op=OR nls right=expression #logicalOrExprAlt

// conditional test (level 14)
| <assoc=right>
con=expression nls
 (QUESTION nls tb=expression nls COLON nls
 | ELVIS nls
)
 fb=expression #conditionalExprAlt

// assignment expression (level 15)
// "(a) = [1]" is a special case of multipleAssignmentExprAlt, it will be handle by assignmentExprAlt
| <assoc=right> left=variableNames nls op=ASSIGN nls right=statementExpression
#multipleAssignmentExprAlt
| <assoc=right> left=expression nls
 op=(ASSIGN
 | ADD_ASSIGN
 | SUB_ASSIGN
 | MUL_ASSIGN
 | DIV_ASSIGN
 | AND_ASSIGN
 | OR_ASSIGN
 | XOR_ASSIGN
 | RSHIFT_ASSIGN
 | URSHIFT_ASSIGN
 | LSHIFT_ASSIGN
 | MOD_ASSIGN
 | POWER_ASSIGN
 | ELVIS_ASSIGN
) nls

```

```

 enhancedStatementExpression #assignmentExprAlt
 ;

castOperandExpression
options { baseContext = expression; }
: castParExpression castOperandExpression #castExprAlt

| postfixExpression #postfixExprAlt

// ~(BNOT)!/(LNOT)
| (BITNOT | NOT) nls castOperandExpression #unaryNotExprAlt

// ++(prefix)--(prefix)/(unary)/(unary)
| op=(INC | DEC | ADD | SUB) castOperandExpression #unaryAddExprAlt
;

commandExpression
: expression
 (
 { !SemanticPredicates.isFollowingArgumentsOrClosure($expression.ctx) }?
 argumentList
 |
 /* if pathExpression is a method call, no need to have any more arguments */
)

 commandArgument*
;

commandArgument
: commandPrimary
 // what follows is either a normal argument, parens,
 // an appended block, an index operation, or nothing
 // parens (a b already processed):
 // a b c() d e -> a(b).c().d(e)
 // a b c()() d e -> a(b).c().call().d(e)
 // index (a b already processed):
 // a b c[x] d e -> a(b).c[x].d(e)
 // a b c[x][y] d e -> a(b).c[x][y].d(e)
 // block (a b already processed):
 // a b c {x} d e -> a(b).c({x}).d(e)
 //
 // parens/block completes method call
 // index makes method call to property get with index
 //
 (pathElement+
 | argumentList
)?
;

```



```

/**
 * A "path expression" is a name or other primary, possibly qualified by various
 * forms of dot, and/or
 * followed by various kinds of brackets.
 * It can be used for value or assigned to, or else further qualified, indexed, or called.
 * It is called a "path" because it looks like a linear path through a data structure.
 * Examples: x.y, x?.y, x*.y, x.@y; x[], x[y], x[y,z]; x(), x(y), x(y,z); x{s}; a.b[n].c(x).d{s}
 * (Compare to a C lvalue, or LeftHandSide in the JLS section 15.26.)
 * General expressions are built up from path expressions, using operators like '+' and '='.
 *
 * t 0: primary, 1: namePart, 2: arguments, 3: closureOrLambdaExpression, 4: indexPropertyArgs, 5:
 * namedPropertyArgs,
 * 6: non-static inner class creator
 */

```

```

pathExpression returns [int t]
: (
 primary
 |
 // if 'static' followed by DOT, we can treat them as identifiers, e.g. static.unused = { -> }
 { _input.LT(2).getType() == DOT }?
 STATIC
) (pathElement { $t = $pathElement.t; })*
;

```

```

pathElement returns [int t]
: nls

(
 // AT: foo.@bar selects the field (or attribute), not property
 (
 (DOT // The all-powerful dot.
 | SPREAD_DOT // Spread operator: x*.y === x?.collect{it.y}
 | SAFE_DOT // Optional-null operator: x?.y === (x==null)?null:x.y
 | SAFE_CHAIN_DOT // Optional-null chain operator: x??y.z === x?.y?.z
) nls (AT | nonWildcardTypeArguments)?
 |
 METHOD_POINTER nls // Method pointer operator: foo.&y == foo.metaClass.getMethodPointer(foo,
"y")
 |
 METHOD_REFERENCE nls // Method reference: System.out::println
)
 namePart
 { $t = 1; }
 |
 DOT nls NEW creator[1]
 { $t = 6; }
)

```

```

 // Can always append a block, as foo{bar}
 | closureOrLambdaExpression
 { $t = 3; }
)

| arguments

{ $t = 2; }

// Element selection is always an option, too.
// In Groovy, the stuff between brackets is a general argument list,
// since the bracket operator is transformed into a method call.
| indexPropertyArgs
 { $t = 4; }

| namedPropertyArgs
 { $t = 5; }
;

/**
 * This is the grammar for what can follow a dot: x.a, x.@a, x.&a, x.'a', etc.
 */
namePart
:
 (identifier

 // foo.'bar' is in all ways same as foo.bar, except that bar can have an arbitrary spelling
 | stringLiteral

 | dynamicMemberName

 /* just a PROPOSAL, which has not been implemented yet!
 // PROPOSAL, DECIDE: Is this inline form of the 'with' statement useful?
 // Definition: a.{foo} === {with(a) {foo}}
 // May cover some path expression use-cases previously handled by dynamic scoping (closure delegates).
 | block
 */

 // let's allow common keywords as property names
 |
 keywords
)
;

/**
 * If a dot is followed by a parenthesized or quoted expression, the member is computed dynamically,
 * and the member selection is done only at runtime. This forces a statically unchecked member access.
 */

```

dynamicMemberName

```
: parExpression
| gstring
;
```

/\*\* An expression may be followed by [...].

```
* Unlike Java, these brackets may contain a general argument list,
* which is passed to the array element operator, which can make of it what it wants.
* The brackets may also be empty, as in T[]. This is how Groovy names array types.
*/
```

indexPropertyArgs

```
: QUESTION? LBRACK expressionList[true]? RBRACK
;
```

namedPropertyArgs

```
: QUESTION? LBRACK (namedPropertyArgList | COLON) RBRACK
;
```

primary

```
:
// Append `typeArguments?` to `identifier` to support constructor reference with generics, e.g.
HashMap<String, Integer>::new
// Though this is not a graceful solution, it is much faster than replacing `builtInType`
with `type`
 identifier typeArguments? #identifierPrmrAlt
| literal #literalPrmrAlt
| gstring #gstringPrmrAlt
| NEW nls creator[0] #newPrmrAlt
| THIS #thisPrmrAlt
| SUPER #superPrmrAlt
| parExpression #parenPrmrAlt
| closureOrLambdaExpression #closureOrLambdaExpressionPrmrAlt
| list #listPrmrAlt
| map #mapPrmrAlt
| builtInType #builtInTypePrmrAlt
;
```

namedPropertyArgPrimary

```
options { baseContext = primary; }
: identifier #identifierPrmrAlt
| literal #literalPrmrAlt
| gstring #gstringPrmrAlt
| parExpression #parenPrmrAlt
;
```

namedArgPrimary

```
options { baseContext = primary; }
: identifier #identifierPrmrAlt
```

```

| literal #literalPrmrAlt
|
gstring #gstringPrmrAlt
;

commandPrimary
options { baseContext = primary; }
: identifier #identifierPrmrAlt
| literal #literalPrmrAlt
| gstring #gstringPrmrAlt
;

list
: LBRACK expressionList[true]? COMMA? RBRACK
;

map
: LBRACK
 (mapEntryList COMMA?
 | COLON
)
 RBRACK
;

mapEntryList
: mapEntry (COMMA mapEntry)*
;

namedPropertyArgList
options { baseContext = mapEntryList; }
: namedPropertyArg (COMMA namedPropertyArg)*
;

mapEntry
: mapEntryLabel COLON nls expression
| MUL COLON nls expression
;

namedPropertyArg
options { baseContext = mapEntry; }
: namedPropertyArgLabel
COLON nls expression
| MUL COLON nls expression
;

namedArg
options { baseContext = mapEntry; }
: namedArgLabel COLON nls expression

```

```

 | MUL COLON nls expression
 ;

mapEntryLabel
 : keywords
 | primary
 ;

namedPropertyArgLabel
options { baseContext = mapEntryLabel; }
 : keywords
 | namedPropertyArgPrimary
 ;

namedArgLabel
options { baseContext = mapEntryLabel; }
 : keywords
 | namedArgPrimary
 ;

/**
 * t 0: general creation; 1: non-static inner class creation
 */
creator[int t]
 : createdName
 (nls arguments anonymousInnerClassDeclaration[0]?
 | dim+ (nls arrayInitializer)?
)
 ;

dim
 : annotationsOpt LBRACK expression? RBRACK
 ;

arrayInitializer
 : LBRACE nls (variableInitializers nls)? RBRACE
 ;

/**
 * t 0: anonymous inner class; 1: anonymous enum
 */
anonymousInnerClassDeclaration[int t]
 : classBody[0]
 ;

createdName
 : annotationsOpt

```

```
(primitiveType
 | qualifiedClassName typeArgumentsOrDiamond?
)
;
```

```
nonWildcardTypeArguments
: LT nls typeList nls GT
;
```

```
typeArgumentsOrDiamond
: LT GT
| typeArguments
;
```

```
arguments
: LPAREN enhancedArgumentListInPar? COMMA? rparen
;
```

```
argumentList
options { baseContext = enhancedArgumentListInPar; }
: firstArgumentListElement
(COMMA nls
 argumentListElement
)*
;
```

```
enhancedArgumentList
options { baseContext = enhancedArgumentListInPar; }
: firstEnhancedArgumentListElement
(COMMA nls
 enhancedArgumentListElement
)*
;
```

```
enhancedArgumentListInPar
: enhancedArgumentListElement
(COMMA nls
 enhancedArgumentListElement
)*
;
```

```
firstArgumentListElement
options { baseContext = enhancedArgumentListElement; }
: expressionListElement[true]
| namedArg
;
```

```
argumentListElement
```

```
options { baseContext = enhancedArgumentListElement;
}
: expressionListElement[true]
| namedPropertyArg
;
```

```
firstEnhancedArgumentListElement
options { baseContext = enhancedArgumentListElement; }
: expressionListElement[true]
| standardLambdaExpression
| namedArg
;
```

```
enhancedArgumentListElement
: expressionListElement[true]
| standardLambdaExpression
| namedPropertyArg
;
```

```
stringLiteral
: StringLiteral
;
```

```
className
: CapitalizedIdentifier
;
```

```
identifier
: Identifier
| CapitalizedIdentifier
| VAR
| IN
// | DEF
| TRAIT
| AS
;
```

```
builtInType
: BuiltInPrimitiveType
| VOID
;
```

```
keywords
: ABSTRACT
| AS
| ASSERT
| BREAK
| CASE
```

| CATCH  
| CLASS  
| CONST  
| CONTINUE  
| DEF  
| DEFAULT  
| DO  
| ELSE  
| ENUM  
| EXTENDS  
| FINAL  
| FINALLY  
| FOR  
| GOTO  
| IF  
| IMPLEMENTS  
| IMPORT  
| IN  
| INSTANCEOF  
| INTERFACE  
| NATIVE  
| NEW  
| PACKAGE  
| RETURN  
| STATIC  
| STRICTFP  
| SUPER  
| SWITCH  
| SYNCHRONIZED  
| THIS  
| THROW  
| THROWS  
| TRANSIENT  
| TRAIT  
| THREADSAFE  
| TRY  
| VAR  
| VOLATILE  
| WHILE  
  
| NullLiteral  
| BooleanLiteral  
  
| BuiltInPrimitiveType  
| VOID  
  
| PUBLIC  
| PROTECTED



```
| PRIVATE
;

rparen
: RPAREN
;

nls
: NL*
;

sep : (NL | SEMI)+
;
```

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/GroovyParser.g4

No license file was found, but licenses were detected in source scan.

```
/** Java 1.5 Recognizer
*
* Run 'java Main [-showtree] directory-full-of-java-files'
*
* [The -showtree option pops up a Swing frame that shows
* the AST constructed from the parser.]
*
* Run 'java Main <directory full of java files>'
*
* Contributing authors:
* Jeremy Rayner groovy@ross-rayner.com
* John Mitchell johnm@non.net
* Terence Parr parrt@magelang.com
* John Lilley jlilley@empathy.com
* Scott Stanchfield thetick@magelang.com
* Markus Mohnen mohnen@informatik.rwth-aachen.de
* Peter Williams pete.williams@sun.com
* Allan Jacobs Allan.Jacobs@eng.sun.com
* Steve Messick messick@redhills.com
* John Pybus john@pybus.org
*
* Version 1.00 December 9, 1997 -- initial release
* Version 1.01 December 10, 1997
* fixed bug in octal def (0..7 not 0..8)
* Version 1.10 August 1998 (parrt)
* added tree construction
* fixed definition of WS,comments for mac,pc,unix newlines
* added unary plus
* Version 1.11 (Nov 20, 1998)
* Added "shutup" option to turn off last ambig warning.
```

- \* Fixed inner class def to allow named class defs as statements
- \* synchronized requires compound not simple statement
- \* add [] after builtInType DOT class in primaryExpression
- \* "const" is reserved but not valid..removed from modifiers
- \* Version 1.12 (Feb 2, 1999)
- \* Changed LITERAL\_XXX to xxx in tree grammar.
- \* Updated java.g to use tokens {...} now for 2.6.0 (new feature).
- \*
- \* Version 1.13 (Apr 23, 1999)
- \* Didn't have (stat)? for else clause in tree parser.
- \* Didn't gen ASTs for interface extends. Updated tree parser too.
- \* Updated to 2.6.0.
- \* Version 1.14 (Jun 20, 1999)
- \* Allowed final/abstract on local classes.
- \* Removed local interfaces from methods
- \* Put instanceof precedence where it belongs...in relationalExpr
- \* It also had expr not type as arg; fixed it.
- \* Missing ! on SEMI in classBlock
- \* fixed: (expr) + "string" was parsed incorrectly  
(+ as unary plus).
- \* fixed: didn't like Object[].class in parser or tree parser
- \* Version 1.15 (Jun 26, 1999)
- \* Screwed up rule with instanceof in it. :( Fixed.
- \* Tree parser didn't like (expr).something; fixed.
- \* Allowed multiple inheritance in tree grammar. oops.
- \* Version 1.16 (August 22, 1999)
- \* Extending an interface built a wacky tree: had extra EXTENDS.
- \* Tree grammar didn't allow multiple superinterfaces.
- \* Tree grammar didn't allow empty var initializer: { }
- \* Version 1.17 (October 12, 1999)
- \* ESC lexer rule allowed 399 max not 377 max.
- \* java.tree.g didn't handle the expression of synchronized
- \* statements.
- \* Version 1.18 (August 12, 2001)
- \* Terence updated to Java 2 Version 1.3 by
- \* observing/combining work of Allan Jacobs and Steve
- \* Messick. Handles 1.3 src. Summary:
- \* o primary didn't include boolean.class kind of thing
- \* o constructor calls parsed explicitly now:
- \* see explicitConstructorInvocation
- \* o add strictfp  
modifier
- \* o missing objBlock after new expression in tree grammar
- \* o merged local class definition alternatives, moved after declaration
- \* o fixed problem with ClassName.super.field
- \* o reordered some alternatives to make things more efficient
- \* o long and double constants were not differentiated from int/float
- \* o whitespace rule was inefficient: matched only one char

- \* o add an examples directory with some nasty 1.3 cases
- \* o made Main.java use buffered IO and a Reader for Unicode support
- \* o supports UNICODE?
- \* Using Unicode charVocabulay makes code file big, but only
- \* in the bitsets at the end. I need to make ANTLR generate
- \* unicode bitsets more efficiently.
- \* Version 1.19 (April 25, 2002)
- \* Terence added in nice fixes by John Pybus concerning floating
- \* constants and problems with super() calls. John did a nice
- \* reorg of the primary/postfix expression stuff to read better
- \* and makes f.g.super() parse properly (it was
- METHOD\_CALL not
- \* a SUPER\_CTOR\_CALL). Also:
- \*
- \* o "finally" clause was a root...made it a child of "try"
- \* o Added stuff for asserts too for Java 1.4, but \*commented out\*
- \* as it is not backward compatible.
- \*
- \* Version 1.20 (October 27, 2002)
- \*
- \* Terence ended up reorganizing John Pybus' stuff to
- \* remove some nondeterminisms and some syntactic predicates.
- \* Note that the grammar is stricter now; e.g., this(...) must
- \* be the first statement.
- \*
- \* Ternary ?: operator wasn't working as array name:
- \* (isBig ? bigDigits : digits)[i];
- \*
- \* Checked parser/tree parser on source for
- \* Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
- \* and the 110k-line jGuru server source.
- \*
- \* Version 1.21 (October 17, 2003)
- \* Fixed lots of problems including:
- \* Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
- \* He found a problem/fix with floating point that start with 0
- \* Ray also fixed problem that (int.class) was not recognized.
- \* Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
- \* TJP fixed CHAR\_LITERAL analogously.
- \*
- \* Version 1.21.2 (March, 2003)
- \* Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
- \* Notes:
- \* o We only allow the "extends" keyword and not the "implements"
- \* keyword, since that's what JSR14 seems to imply.
- \* o Thanks to Monty Zukowski for his help on the antlr-interest
- \* mail list.
- \* o Thanks to Alan Eliassen for testing the grammar over his

- \* Fink source base
- \*
- \* Version 1.22 (July, 2004)
- \* Changes by Michael Studman to support Java 1.5 language extensions
- \* Notes:
  - \* o Added support for annotations types
  - \* o Finished off Matt Quail's generics enhancements to support bound type arguments
  - \* o Added support for new for statement syntax
  - \* o Added support for static import syntax
  - \* o Added support for enum types
  - \* o Tested against JDK 1.5 source base and source base of jdigraph project
  - \* o Thanks to Matt Quail  
for doing the hard part by doing most of the generics work
- \*
- \* Version 1.22.1 (July 28, 2004)
- \* Bug/omission fixes for Java 1.5 language support
  - \* o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for spotting this
  - \* o Fixed bug where incorrect handling of SR and BSR tokens would cause type parameters to be recognised as type arguments.
  - \* o Enabled type parameters on constructors, annotations on enum constants and package definitions
  - \* o Fixed problems when parsing if ((char.class.equals(c))) {} - solution by Matt Quail at Cenqua
- \*
- \* Version 1.22.2 (July 28, 2004)
- \* Slight refactoring of Java 1.5 language support
  - \* o Refactored for/"foreach" productions so that original literal "for" literal is still used but the for sub-clauses vary by token type
  - \* o Fixed bug where type parameter was not included in generic constructor's branch of AST
- \*
- \* Version 1.22.3 (August 26, 2004)
- \* Bug fixes as identified by Michael Stahl; clean up of tabs/spaces and other refactorings
  - \* o Fixed typeParameters omission in identPrimary and newStatement
  - \* o Replaced GT reconciliation code with simple semantic predicate
  - \* o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
  - \* o Refactored typeDefinition production and field productions to reduce duplication
- \*
- \* Version 1.22.4 (October 21, 2004)
- \* Small bux fixes
  - \* o Added typeArguments to explicitConstructorInvocation, e.g. new <String>MyParameterised()
  - \* o Added typeArguments to postfixExpression productions for anonymous inner class super constructor invocation, e.g. new Outer().<String>super()
  - \* o Fixed bug in array declarations identified by Geoff Roy
- \*
- \* Version 1.22.4.j.1
- \* Changes by Jeremy Rayner to support java2groovy tool

- \* o I have taken java.g for Java 1.5 from Michael Studman (1.22.4)
- \* and have made some changes to enable use by java2groovy tool (Jan 2007)
- \*
- \* Based on an original grammar released in the PUBLIC DOMAIN
- \*/

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/java/JavaRecognizer.java

No license file was found, but licenses were detected in source scan.

- \* to you under the Apache License, Version 2.0 (the
- \* "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \* software distributed under the License is distributed on an
- \* Based on an original grammar released in the PUBLIC DOMAIN

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/groovy.g

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/java/java.g

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/io/package.html

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/package.html

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

jar/org/codehaus/groovy/tools/xml/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/inspect/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/time/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/security/package.html  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/messages/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/package.html  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/typehandling/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/grape/defaultGrapeConfig.xml  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/overview.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/package.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/overviewj.html  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v5/package.html  
\*

```
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/metaclass/package.html
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/package.html
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/treewalker/package.html
No license file was found, but licenses were detected in source scan.
```

```
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Format: one extension on each line without the leading "*"
Listed below are default groovy source file extensions.
```

```
NOTE: This implementation
of supporting multiple file extensions is experimental and
the exact implementation details may vary when modularization gets introduced in
groovy 2.0. However, in terms of the behavior, this support will remain intact.
groovy
```

```
Found in path(s):
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/META-
INF/groovy/org.codehaus.groovy.source.Extensions
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2010 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weigher.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/ConcurrentLinkedHashMap.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EvictionListener.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weighers.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 Google Inc. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/package-info.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/LinkedDeque.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one

\* or more contributor license agreements. See the NOTICE file

\* distributed with this work for additional information

\* regarding copyright ownership. The ASF licenses this file

\* to you under the Apache License, Version 2.0 (the

\* "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at

\*



- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing,
- \* software distributed under the License is distributed on an
- \* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- \* KIND, either express or implied. See the License for the
- \* specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/IntArrayIterator.java
- \*
- /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaClassRegistryChangeListener.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/SourceAwareCustomizer.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/MapEntry.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/m12n/SimpleExtensionModule.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/ListExpression.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/DelegateASTTransformation.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/ExtendedVerifier.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyObjectSupport.java
- \*
- /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayPutAtMetaMethod.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/messages/Message.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MissingPropertyExceptionNoStack.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/PropertyAccessInterceptor.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/shell/util/Logger.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayPutAtMetaMethod.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/MethodCall.java
- \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/EnumHelper.java
- \*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/AdaptingMetaClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ReadOnlyPropertyException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/AssertStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesClosureWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/metaclass/Realm.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/JavacJavaCompiler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/NullCheckASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/stdclasses/IntegerCachedClass.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/BuilderSupport.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/ASTRuntimeException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/CastExpressionOptimizer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/ui/GroovySocketServer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/IFilenameFinder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/trait/TraitASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/DynamicVariable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/SecondParam.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/AbstractConcurrentMap.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ASTTest.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/SpreadMapEvaluatingException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/ASTTransformationCollectorCodeVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/RawJavaFileObject.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/AbstractLexer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/stdclasses/BooleanCachedClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/builder/SourceAwareCustomizerFactory.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/EmptyExpression.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/vmplugin/v5/Java5.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/MethodPointerExpressionWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/SortableASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/internal/metaclass/MetaClassConstant.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/SocketGroovyMethods.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/builder/ExternalStrategy.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/callsite/CallSiteGenerator.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/vmplugin/v5/JUnit4Utils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/antlr/GroovySourceAST.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoPropertySite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/stmt/LoopingStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/sc/transformers/ListExpressionTransformer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/syntax/TokenException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/antlr/java/Java2GroovyConverter.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/NewMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/BinaryExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/lang/IncorrectClosureArgumentsException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/ExternalizeMethods.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/ModifierManager.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/security/GroovyCodeSourcePermission.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/MethodSelectionException.java  
 \*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/ImmutableASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/trait/TraitReceiverTransformer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaClassRegistry.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/ThreadInterruptibleASTTransformation.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/plugin/DefaultRunners.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/BytecodeDumper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/util/FactoryBuilderSupport.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/v7/GroovyClassValueJava7.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/util/IteratorBufferedIterator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/util/concurrent/LazyInitializable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/wrappers/ByteWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/m12n/PropertiesModuleFactory.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/ResourceGroovyMethods.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/TypedOption.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/stc/SignatureCodecVersion1.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/PropertyOptions.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/NewifyASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/tailrec/ReturnStatementToIterationConverter.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/builder/InitializerStrategy.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/builder/AstSpecificationCompiler.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/EncodingGroovyMethods.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/EmptyRange.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/OptionField.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/classgen/asm/sc/StaticInvocationWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/groovydoc/Groovydoc.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/ClosureExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayGetAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/CompileDynamicProcessor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v7/TypeTransformers.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/EnumConstantClassNode.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/logging/Log4j.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/decompiled/LazyFieldNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/customizers/builder/ASTTransformationCustomizerFactory.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/BlockStatement.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v7/MethodHandleWrapper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/PlatformLineWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/VerifierCodeVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/util/PermutationGenerator.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/ComposedClosure.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/lang/annotation/Incubating.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayGetAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/time/BaseDuration.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/java/Groovifier.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/sc/StaticCompileTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/TypeChooser.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/MethodCallExpression.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/syntax/SyntaxException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/apache/groovy/ast/tools/ImmutablePropertyUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/util/TypeUtil.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/control/customizers/ImportCustomizer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/MethodKey.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/powerassert/ValueRecorder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/expr/UnaryPlusExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple8.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/builder/Builder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/wrappers/IntWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/GeneratedClosure.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/indy/sc/IndyStaticTypesMultiTypeDispatcher.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/sc/StaticCompilationMetadataKeys.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple3.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/BinaryDoubleExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/expr/LambdaExpression.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/util/FastArray.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/lang/SpreadListEvaluatingException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/stc/SharedVariableCollector.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/decompiled/ClassStub.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/tools/ParameterUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/DefaultCachedMethodKey.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Script.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/stdclasses/CachedClosureClass.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/MultipleSetterProperty.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/AnnotationNode.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/ExpressionStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/UnicodeEscapingReader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ConfigSlurper.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/AnnotatedNode.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ParameterArray.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/InterfaceHelperClassNode.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/CategoryASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/ScriptReference.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoFieldSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ResourceConnector.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterController.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/StatementMetaTypeChooser.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/TraversalHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/NodePrinter.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/ReadWriteLockASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GrabConfig.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ReferenceManager.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/Unparsed.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/ClassExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/InheritConstructorsASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/CastExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/KnownImmutable.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/ScriptBytecodeAdapter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/BinaryLongExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/tailrec/VariableAccessReplacer.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/vmplugin/v8/Selector.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/SecondPassExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/CachedClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/LRUCache.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/metaclass/TemporaryMethodKey.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/CompilationUnitAware.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/syntax/ASTHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/sc/transformers/StaticCompilationTransformer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/MethodNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/trait/NaryOperationRewriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/InnerClassVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/GeneratedMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/EmptyStatement.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/decompiled/LazyConstructorNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/PrefixExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/internal/util/UncheckedThrow.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/decompiled/DecompiledClassNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/ListenerList.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/DefaultGroovyStaticMethods.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/NamedParams.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/ArrayExpression.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/util/Maps.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/MetaClassRegistryChangeEvent.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/tools/ClosureUtils.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```



```

jar/org/codehaus/groovy/control/io/NullWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/NotExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/options/Visibility.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/customizers/builder/PostCompletionFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/VisibilityOptions.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Field.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/NullProtectionStorage.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/messages/SyntaxErrorMessage.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/StaticMetaClassSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/util/ObjectHolder.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/DelegatingController.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/HandleMetaClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/MethodCallTransformation.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/MethodInvocationTrap.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/parser/antlr4/util/StringUtils.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/ParserPlugin.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/ArrayUtil.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/BytecodeProcessor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/WhileStatement.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/typehandling/IntegerMath.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/Finalizable.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/messages/SimpleMessage.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/InnerClassNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

```

jar/org/codehaus/groovy/control/ParserPluginFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/EncodingGroovyMethodsSupport.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/TraitTypeCheckingExtension.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/treewalker/PreOrderTraversal.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/BooleanArrayIterator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/tools/javac/JavaAwareResolveVisitor.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberPlus.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/LazyASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/BaseScriptASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/GroovySourceToken.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ProxyMetaClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/AbstractASTTransformUtil.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/DelegatingScript.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/ConvertedMap.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/AutoCloneASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMinus.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberDiv.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/AbstractConcurrentMapBase.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ByteArrayIterator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/AntlrParserPlugin.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/DoWhileStatement.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/typehandling/NumberMath.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/AbstractComparator.java

```

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/plugin/GroovyRunner.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ReferenceBundle.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/MultipleCompilationErrorsException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MutableMetaClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/TupleConstructorASTTransformation.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/groovydoc/GroovydocTag.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/SynchronizedASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/CompilePhase.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ClosureComparator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/CompositeVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/UnparsedField.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/CompilationUnit.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayPutAtMetaMethod.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v6/Java6.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/Reference.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/shell/util/Preferences.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/builder/InlinedASTCustomizerFactory.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesStatementWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/ConstructorSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovySystem.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/StaticMethodCallExpressionTransformer.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/EnumVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/GroovyException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/messages/LocatedMessage.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/runtime/WritableFile.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/CompileUnit.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/StringBufferWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/PropertyValue.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/IndentPrinter.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/io/ReaderSource.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/trait/Traits.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/antlr/LexerFrame.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/MopWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/customizers/builder/CustomizersFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple1.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/CurriedClosure.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ExpandoMetaClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ManagedConcurrentMap.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/InnerClassVisitorHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/StampedCommonCache.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/TryCatchStatement.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/groovydoc/GroovydocHolder.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/ErrorCollector.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ReferenceType.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/m12n/ExtensionModule.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/SingletonASTTransformation.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/MethodCaller.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/StringUtil.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/decompiled/ClassSignatureParser.java

```

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesTypeChooser.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/BenchmarkInterceptor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/indy/IndyCallSiteWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/ErrorReporter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/ClassInfo.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/IncorrectTypeHintException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/Reflector.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/ParserAtnManager.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/IfStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/stdclasses/DoubleCachedClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/ListOfExpressionsExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/AstToTextHelper.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/AbstractInterruptibleASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/BooleanReturningMethodInvoker.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/PackageNode.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/FieldNode.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/PropertyWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/VariableScopeVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/VisitorAdapter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/PackageScope.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/AutoImplementASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple7.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Closure.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/UnaryExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyObject.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/options/DefaultPropertyHandler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/TripleKeyHashMap.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/DelegatesTo.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/genDgmMath.groovy  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/LexerFrame.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/EncodingAwareBufferedWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/LineColumn.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/PropertyReader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/JavaStubCompilationUnit.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/grape/GrabAnnotationTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/stc/ExtensionMethodCache.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/NamedVariant.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/GenericsVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/StatementWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Interceptor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesLambdaWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/ReflectionMethodInvoker.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/SynchronizedStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/GroovyLangParser.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/PrimitiveHelper.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/internal/CliBuilderInternal.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterControllerFactoryImpl.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/gse/StringSetMap.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/CallSiteAwareMetaMethod.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple15.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/memoize/EvictableCache.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/m12n/MetaInfExtensionModule.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/builder/SimpleStrategy.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/Types.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Binding.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/indy/InvokeDynamicWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/FileVisitResult.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/OwnedMetaClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/AbstractFunctionalInterfaceWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesUnaryExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/ast/tools/ExpressionUtils.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaProperty.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ProxyGenerator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/StaticCompilationVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/CompileStack.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/MethodReferenceExpressionWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/PickAnyArgumentHint.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExceptionNoStack.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v9/ClassFindFailedException.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v7/TypeHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/GStringImpl.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple6.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/builder/AstStringCompiler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple12.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/SourceURI.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ToString.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/FileSystemCompiler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/JavaAwareCompilationUnit.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ExpandoMetaClassCreationHandle.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/ClassCompletionVerifier.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/StaticImportVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple10.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/NodeAsHTMLPrinter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/MetaClassConstructorSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/stc/TypeCheckingExtension.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/ListenerListASTTransformation.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/namespace/QName.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v7/IndyGuardsFiltersAndSignatures.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v7/IndyMath.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Singleton.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/typehandling/FloatingPointMath.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/IntRange.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/CompareToNullExpression.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MissingPropertyException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/GroovyASTTransformationClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MissingFieldException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/InstanceOfVerifier.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/internal/OptionAccessor.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/MemoizedASTTransformation.java



\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/Parameter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/LongArrayIterable.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/AbstractASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ConditionalInterrupt.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/GrapeUtil.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/SecureASTCustomizer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/TailRecursive.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/tailrec/AstHelper.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/GeneratedLambda.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/memoize/LRUProtectionStorage.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/PerInstancePojoMetaClassSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/Numbers.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/LongArrayIterator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/Main.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/IndexedPropertyASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/ClosureListExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/Vetoable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/BindableASTTransformation.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/ast/TransformTestHelper.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/MetaClassHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ClosureInvokingMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/ContinueStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/ClassNodeResolver.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/FileType.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/AstBuilder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/BreakStatement.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/AnnotationConstantsVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/logging/Log.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/SourceExtensionHandler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/ConstructorCallExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/BufferedIterator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/BytecodeInterface8.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/PickFirstResolver.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/powerassert/AssertionRenderer.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/GroovyClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/CompilerConfiguration.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/DoubleArrayIterator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/CharWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/MetaMethodSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/Proxy.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/GroovySunClassLoader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayPutAtMetaMethod.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/PropertyNode.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ExternalizeVerifier.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/shell/IO.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassGetPropertySite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/AutoFinal.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/CompilationFailedException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/classgen/GeneratorContext.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/ProtectionStorage.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayPutAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayGetAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/tailrec/StatementReplacer.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/VMPluginFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/stdclasses/FloatCachedClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/SourceUnit.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/ExpressionAsVariableSlot.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/PackageScopeTarget.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Lazy.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Memoized.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/tools/javac/MemJavaFileObject.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/treewalker/SourceCodeTraversal.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/stdclasses/ByteCachedClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/ASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/BaseScript.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ManagedLinkedList.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/PropertyLookupVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/treewalker/MindMapPrinter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/ModuleNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/ASTTestTransformation.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/UnionTypeClassNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/stdclasses/StringCachedClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

```

jar/org/codehaus/groovy/transform/NamedVariantASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/ExpressionTransformer.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/BooleanExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/ASTTransformationVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/IntArrayIterable.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/CallSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/typehandling/GroovyCastException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/DefaultMethodKey.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Range.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/metaclass/TransformMetaMethod.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/ArgumentListExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/MixinInMetaClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaBeanProperty.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/AbstractFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/TrampolineClosure.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/DelegationMetadata.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GString.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Mixin.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/RegexSupport.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/CallSiteWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayGetAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/InvokerInvocationException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/DefaultGroovyMethodsSupport.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/SourceBuffer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/sc/StaticPropertyAccessHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/io/StringBuilderWriter.java

```

\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/CompileStatic.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/AutoImplement.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyResourceLoader.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaClass.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/trait/SuperCallTraitTransformer.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/InheritConstructors.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/Bindable.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/SingleSignatureClosureHint.java  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MethodMetaProperty.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/util/ScriptRunner.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/ConstructorCallTransformer.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/ParserException.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/builder/DefaultStrategy.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/ClosureParams.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/Phases.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/genMathModification.groovy  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ManagedReference.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/logging/Commons.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyInterceptable.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/AutoFinalASTTransformation.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/NullCheck.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v7/Selector.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/builder/SecureASTCustomizerFactory.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/BytecodeExpression.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/MethodHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/powerassert/Value.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ObjectRange.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/NodeList.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/powerassert/SourceTextNotAvailableException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/antlr/java/Java2GroovyProcessor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/TimedInterruptibleASTTransformation.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/ExternalizeVerifierASTTransformation.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/tools/PropertyNodeUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/typehandling/ShortTypeHandling.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/StackTraceUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/wrappers/GroovyObjectWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/PackageScopeASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/BinaryFloatExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/RangeInfo.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/PositionInfo.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/sc/transformers/CompareIdentityExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyCodeSource.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/ReflectionUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/tools/javac/JavaStubGenerator.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/callsite/CallSiteClassLoader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/ast/tools/ClassNodeUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/sc/StaticCompilationMopWriter.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/ClassCodeVisitorSupport.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/MixinASTTransformation.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/CSTNode.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/NamedArgumentListExpression.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple14.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionMultiTypeDispatcher.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayGetAtMetaMethod.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ImmutableBase.java

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/CaseStatement.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/decompiled/MemberSignatureParser.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/java/PreJava2GroovyConverter.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/ProcessingUnit.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/util/LoggableTextifier.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/VariableExpressionTransformer.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/Reduction.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MetaMethodIndex.java

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/io/AbstractReaderSource.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ListHashMap.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/GroovyScriptEngine.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/decompiled/Annotations.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/decompiled/FormalParameterParser.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/decompiled/LazyMethodNode.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/DefaultPropertyWriter.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/memoize/ValueConvertible.java

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/AnnotationCollector.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/antlr/AntlrParserPluginFactory.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/tools/BeanUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/tailrec/VariableExpressionTransformer.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/beans/DefaultPropertyReader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/memoize/UnlimitedConcurrentCache.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/expr/StaticMethodCallExpression.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/tools/DgmConverter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/stmt/SwitchStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/expr/BinaryExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/stdclasses/NumberCachedClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/vmplugin/v7/Java7.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/antlr/UnicodeLexerSharedInputState.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/NonEmptySequence.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/stmt/ForStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/WriterControllerFactory.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/GroovyBugError.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/beans/VetoableASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/BinaryObjectExpressionHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple9.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/lang/DeprecationException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/ExternalizeMethodsASTTransformation.java



\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/android/AndroidSupport.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/StaticMetaMethodSite.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/util/BeanUtils.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaClassSite.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/time/TimeCategory.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/DeclarationExpression.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/ShortWrapper.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/logging/Slf4j.java  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/WriterController.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v9/Java9.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/DefaultGroovyMethods.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/Verifier.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/builder/CompilerCustomizationBuilder.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/ClassNode.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/io/StringReaderSource.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/util/Arrays.java  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleRegistry.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/tailrec/CollectRecursiveCalls.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/WithWriteLock.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/tools/ClassNodeUtils.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/builder/AstBuilderTransformation.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/powerassert/PowerAssertionError.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ManagedConcurrentValueMap.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Immutable.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/SpreadMap.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/VariableSlotLoader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/tools/shell/util/MessageSource.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/control/io/InputStreamReaderSource.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Generated.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/TryWithResourcesASTTransformation.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Trait.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/LambdaWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/GroovyClassValueFactory.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/xml/QName.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/control/StaticVerifier.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/util/SystemUtil.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/stdclasses/ArrayCachedClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/stc/TypeCheckingContext.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/callsite/PojoMetaMethodSite.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/GroovyPrintWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple2.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/SemanticPredicates.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/CacheAccessControlException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/internal/util/Function.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/util/CharSequenceReader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/stdclasses/BigIntegerCachedClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayPutAtMetaMethod.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/ReflectionMetaMethod.java

```

* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/GroovyCategorySupport.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleScanner.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Newify.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/BinaryExpressionWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/FieldExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/sc/TemporaryVariableExpression.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/metaclass/DefaultMetaClassInfo.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/SpreadExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ComplexKeyHashMap.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/StaticTypesTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/BinaryBooleanExpressionHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple11.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple4.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/metaclass/MetaClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/syntax/TokenUtil.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/ImportNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/GroovyRuntimeException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Grab.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/stc/ClosureSignatureHint.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/Java8.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaMethodSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/internal/util/Supplier.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/LazyReference.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Undefined.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/treewalker/NodePrinter.java

```

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/ThrowStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/PojoWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyShell.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/NodeBuilder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/OrderBy.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/PogoInterceptableSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/AsmClassGenerator.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/LoaderConfiguration.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/ASTTransformationCustomizer.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/DelegatingMetaClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/CachedConstructor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/options/LegacyHashMapPropertyHandler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/SourcePrinter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/util/LoggableClassVisitor.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/ReadException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaProperty.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/MapEntryExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple16.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/FloatWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/grape/GrapeEngine.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/stc/SignatureCodec.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/GroovyCollections.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/IllegalPropertyAccessException.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/ConstantExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ObjectGraphBuilder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/JavaCompilerFactory.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/ast/expr/ElvisOperatorExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/parser/antlr4/GroovySyntaxError.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/parser/antlr4/GroovyLangLexer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/ResolveVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/syntax/TokenMismatchException.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Buildable.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/Memoize.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/BinaryIntExpressionHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/tailrec/TernaryToIfStatementConverter.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/CompileDynamic.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/ast/tools/AnnotatedNodeUtils.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/CachedMethod.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/ClassGenerator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/customizers/builder/ImportCustomizerFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/AssertionWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/GroovyClassValue.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/genArrayAccess.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/StaticTypesMarker.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/ReverseListIterator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/MetaExpandProperty.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/AnnotationCollectorMode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/NamedDelegate.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

```

jar/org/codehaus/groovy/tools/RootLoader.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/CallSiteArray.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/tools/Compiler.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/ConstructorNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Sequence.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/SunClassLoader.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/typehandling/NumberMathModificationInfo.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/SingleKeyHashMap.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/tools/gse/DependencyTracker.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayPutAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v7/IndyArrayAccess.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/BytecodeSequence.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ListWithDefault.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/GStringExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/beans/PropertyAccessor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/IndyMath.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/TypeTransformers.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayGetAtMetaMethod.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/ConcurrentCommonCache.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Synchronized.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Internal.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/wrappers/DoubleWrapper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/internal/util/UnicodeConst.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/MetaClassSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

```

jar/org/codehaus/groovy/ast/expr/AttributeExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/ReturnStatement.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/tailrec/InWhileLoopWrapper.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MapWithDefault.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/EqualsAndHashCode.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/Factory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/PlainObjectMetaMethodSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/VMPlugin.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/InvocationWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Groovydoc.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/IndexedProperty.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/FinalVariableAnalyzer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/VariableScope.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/MethodPointerExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/ast/tools/MethodNodeUtils.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/GenericsType.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/IndyInterface.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ListBufferedIterator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/GroovyExceptionInterface.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v7/IndyInterface.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/MemoizeCache.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/HashCodeHelper.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/ConcurrentSoftCache.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoFieldSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/transform/tailrec/RecursivenessTester.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/control/HasCleanup.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/ArrayTypeUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingSupport.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/ast/tools/VisibilityUtils.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/stdclasses/CachedSAMClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/util/ReleaseInfo.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/LineColumnReader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/WithReadLock.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/Eval.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/stdclasses/ObjectCachedClass.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/wrappers/LongWrapper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/ConvertedClosure.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/BytecodeHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/MethodRankHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/time/TimeDuration.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/util/PositionConfigureUtils.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/classgen/asm/ClosureWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/vmplugin/v8/CacheableCallSite.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/ClosureStaticMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/GroovyCodeVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/stc/FromAbstractTypeMethods.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-



```

jar/org/codehaus/groovy/control/Janitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/customizers/CompilationCustomizer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/FlushingStreamWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/MapConstructorASTTransformation.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple0.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/tailrec/VariableExpressionReplacer.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/stdclasses/BigDecimalCachedClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GrabResolver.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/time/DatumDependentDuration.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/ReturnAdder.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/Expression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/stmt/Statement.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/StringGroovyMethods.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/decompiled/AsmDecompiler.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ScriptException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/ExtensionMethodNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/DummyCallSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/messages/WarningMessage.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/ASTTransformationsContext.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/AbstractCallSite.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/DefaultTypeCheckingExtension.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/MapExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ObservableMap.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/plugin/GroovyRunnerRegistry.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

```

jar/groovy/beans/DefaultPropertyAccessor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/FirstParam.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/BuilderASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/SelfType.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/typehandling/BigDecimalMath.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/parser/antlr4/AbstractParser.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/DummyClassGenerator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMultiply.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/sc/transformers/BinaryExpressionTransformer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/stc/FromString.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/BooleanClosureWrapper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/TimedInterrupt.groovy
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/FloatArrayIterator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/io/URLReaderSource.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/sc/transformers/ClosureExpressionTransformer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/LockableObject.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/stc/ClosureSignatureConflictResolver.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/CodeVisitorSupport.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/options/PropertyHandler.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/SourceURIASTTransformation.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/OptimizingStatementWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/LogASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/DoubleArrayIterable.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/metaclass/NewStaticMetaMethod.java

```

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/stdclasses/LongCachedClass.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/TupleExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/PogoGetPropertySite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/IOGroovyMethods.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Writable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/ConditionalInterruptibleASTTransformation.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Canonical.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/stmt/CatchStatement.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/EnumCompletionVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/ClosureException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/ProcessGroovyMethods.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ConfigObject.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesMethodReferenceExpressionWriter.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/stc/Receiver.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoPropertySite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ImmutableOptions.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MetaClassRegistryImpl.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/Node.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v9/ClassFinder.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/Utilities.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/Sortable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/TypeCheckingMode.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/messages/ExceptionMessage.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

jar/org/codehaus/groovy/antlr/AntlrASTProcessSnippets.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/antlr/treewalker/FlatNodeListTraversal.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/stc/AbstractExtensionMethodCache.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/util/FileNameByRegexFinder.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/ReflectionCache.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/ModifierNode.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/cli/CliBuilderException.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/transform/ToStringASTTransformation.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/internal/atnmanager/AtnManager.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/NamedParam.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/Antlr4PluginFactory.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple5.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/lang/MetaObjectProtocol.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExecutionFailed.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/lang/MissingClassException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/TupleConstructor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/groovy/transform/stc/MapEntryOrKeyValue.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/NullObject.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/runtime/callsite/ClassMetaClassGetPropertySite.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/apache/groovy/parser/antlr4/SyntaxErrorReportable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/ParameterTypes.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/reflection/CachedField.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-  
 jar/org/codehaus/groovy/ast/expr/BitwiseNegationExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Grapes.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ShortArrayIterator.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/MixinNode.java

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaClassImpl.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/ConversionHandler.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/MixedInMetaClass.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/RangeExpressionTransformer.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/TransformingCodeVisitor.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/typehandling/BigIntegerMath.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v5/PluginDefaultGroovyMethods.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/javac/JavacCompilerFactory.java

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v8/IndyGuardsFiltersAndSignatures.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/XStreamUtils.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/java/Java2GroovyMain.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/stc/GroovyTypeCheckingExtensionSupport.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/ClassHelper.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/logging/Log4j2.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/time/Duration.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/LexerAtnManager.java

\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/io/GroovyPrintStream.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/Token.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/stc/AbstractTypeCheckingExtension.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/MethodCallExpressionTransformer.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/options/ImmutablePropertyHandler.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v8/IndyArrayAccess.java

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-

```

jar/org/codehaus/groovy/tools/GroovyStarter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/TracingInterceptor.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/tools/WideningCategories.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/TernaryExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/grape/Grape.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/time/TimeDatumDependentDuration.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/CharArrayIterator.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/tools/GrapeMain.groovy
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/OptimizerVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/tools/javac/JavaCompiler.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/CharsetToolkit.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/tools/GeneralUtils.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/trait/TraitComposer.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/BytecodeInstruction.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/GroovyClassVisitor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/AutoCloneStyle.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesCallSiteWriter.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/typehandling/DefaultTypeTransformation.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/PogoMetaMethodSite.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/RangeExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/io/FileReaderSource.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/GroovyASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/TypeHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/StringWriterIOException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-

```

```

jar/org/codehaus/groovy/transform/AnnotationCollectorTransform.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/metaclass/ThreadManagedMetaBeanProperty.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/m12n/StandardPropertiesModuleFactory.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/antlr/SourceInfo.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/powerassert/SourceText.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesBinaryExpressionMultiTypeDispatcher.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/MethodClosure.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/InvokerHelper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/stdclasses/ShortCachedClass.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ObservableList.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/SpreadMapExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/stc/EnumTypeCheckingExtension.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/PluginDefaultGroovyMethods.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/memoize/CommonCache.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/decompiled/AsmReferenceResolver.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/MissingMethodException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassGetPropertySite.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/AccessPermissionChecker.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/cli/Option.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/internal/util/ReevaluatingReference.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/control/ConfigurationException.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/vmplugin/v8/MethodHandleWrapper.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/VariableExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/util/ManagedConcurrentLinkedQueue.java

```

\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/inspect/Inspector.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/typehandling/LongMath.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/antlr4ParserPlugin.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/MetaMethod.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/tailrec/TailRecursiveASTTransformation.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyClassLoader.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/NodeCollector.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/NullCallSite.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/Wrapper.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/PropertyExpression.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ArrayIterable.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/plugin/GroovyRunner.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/ASTParserException.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/URLStreams.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/LabelVerifier.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/ThreadInterrupt.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/ReflectorLoader.java  
 \*  
 /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/InnerClassCompletionVisitor.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/control/customizers/DelegatingCustomizer.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/FileTreeBuilder.groovy  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Delegate.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/ui/GroovyMain.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/NodeMetaDataHandler.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/tools/StringHelper.java  
 \* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/AnnotationVisitor.java



\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/ConcurrentReaderHashMap.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/AutoClone.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/decompiled/TypeSignatureParser.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/NumberRange.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/GroovydocManager.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/grape/GrapeIvy.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/AntlrASTProcessor.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/PostfixExpression.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/sc/transformers/BooleanExpressionTransformer.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/UnaryMinusExpression.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/EqualsAndHashCodeASTTransformation.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/ast/tools/ConstructorNodeUtils.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/genArrayUtil.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GrabExclude.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/ClassGeneratorException.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/ClassLoaderForClassArtifacts.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/indy/IndyBinHelper.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/wrappers/BooleanWrapper.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/util/ArrayIterator.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/tailrec/ReturnAdderForClosures.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/ClassCodeExpressionTransformer.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Reference.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GeneratedGroovyProxy.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/Expando.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/tools/GenericsUtils.java  
\*

/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/OperandStack.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ResourceException.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Category.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/ErrorCollecting.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/BytecodeVariable.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/transform/tailrec/HasRecursiveCalls.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/syntax/RuntimeParserException.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/classgen/asm/MethodCallerMultiAdapter.java  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassSite.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/metaclass/NewInstanceMetaMethod.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/apache/groovy/parser/antlr4/internal/DescriptiveErrorStrategy.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/DateGroovyMethods.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/ThirdParam.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/GroovyCallable.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/NumberAwareComparator.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/expr/AnnotationConstantExpression.java  
\*  
/opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/vmplugin/v7/CacheableCallSite.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/ast/builder/AstBuilder.groovy  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/stc/SimpleType.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/IteratorClosureAdapter.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/runtime/ProxyGeneratorAdapter.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/antlr/treewalker/Visitor.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/org/codehaus/groovy/reflection/GroovyClassValuePreJava7.java  
\* /opt/cola/permits/1200735281\_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/AutoExternalize.groovy  
\*

```
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/lang/Tuple13.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/reflection/stdclasses/CharacterCachedClass.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/ASTNode.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/expr/MethodReferenceExpression.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/FieldASTTransformation.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/transform/TypeChecked.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/lang/MetaArrayLengthProperty.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/ast/Variable.java
*
/opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-jar/groovy/util/ObservableSet.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/groovy/transform/MapConstructor.java
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/codehaus/groovy/transform/trait/TraitHelpersTuple.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1200735281_1630953839.08/0/groovy-3-0-8-sources-1-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EntryWeigher.java
```

## 1.1355 groovy-json 3.0.8

## 1.1355.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#
Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.
#
org.apache.groovy.json.DefaultFastStringServiceFactory
```

Found in path(s):

```
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/META-
INF/services/org.apache.groovy.json.FastStringServiceFactory
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/BaseJsonParser.java

\*

/opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonException.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/ValueMap.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/CacheType.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonParser.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/Value.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/ValueContainer.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/StreamingJsonBuilder.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/CharacterSource.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/CharScanner.java

\*

/opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/Cache.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/NumberValue.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/FastStringService.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/CharBuf.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/IO.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/Exceptions.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/DefaultJsonGenerator.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/JsonParserCharArray.java

\*

/opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/SimpleCache.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/FastStringServiceFactory.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonToken.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/internal/FastStringUtils.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/org/apache/groovy/json/DefaultFastStringService.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonOutput.java

\* /opt/cola/permits/1200735282\_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonBuilder.java

```

* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/LazyValueMap.java
*
/opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/JsonStringDecoder.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/ByteScanner.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/Type.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/JsonParserLax.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/groovy/json/JsonSlurperClassic.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonSlurper.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/CharSequenceValue.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/ValueMapImpl.java
*
/opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/JsonFastParser.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/ValueList.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/DefaultFastStringServiceFactory.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/ReaderCharacterSource.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/LazyMap.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonLexer.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/ArrayUtils.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonTokenType.java
*
/opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonParserType.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/MapItemValue.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/Sys.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/Dates.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonDelegate.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/org/apache/groovy/json/internal/JsonParserUsingCharacterSource.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-jar/groovy/json/JsonGenerator.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-
jar/groovy/json/StringEscapeUtils.java
* /opt/cola/permits/1200735282_1630953841.57/0/groovy-json-3-0-8-sources-

```

# 1.1356 is-date-object 1.0.5

## 1.1356.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1357 is-regex 1.1.4

## 1.1357.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1358 buffer-from 1.1.2

### 1.1358.1 Available under license :

MIT License

Copyright (c) 2016, 2018 Linus Unnebeck

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1359 is-string 1.0.7

### 1.1359.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1360 is-bigint 1.0.4

### 1.1360.1 Available under license :

MIT License

Copyright (c) 2018 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1361 has-tostringtag 1.0.0

### 1.1361.1 Available under license :

MIT License

Copyright (c) 2021 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1362 is-boolean-object 1.1.2

### 1.1362.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1363 available-typed-arrays 1.0.5

## 1.1363.1 Available under license :

MIT License

Copyright (c) 2020 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1364 get-symbol-description 1.0.0

## 1.1364.1 Available under license :

MIT License

Copyright (c) 2021 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1365 log-update 1.0.2

### 1.1365.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1366 gulp-template 5.0.0

### 1.1366.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1367 just-debounce 1.1.0

### 1.1367.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Michael Hayes

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1368 prepend 1.0.2

### 1.1368.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 coderaiser

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1369 webpack-inject-plugin 1.5.5

### 1.1369.1 Available under license :

MIT

## 1.1370 whatwg-url 5.0.0

### 1.1370.1 Available under license :

The MIT License (MIT)

Copyright (c) 20152016 Sebastian Mayr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1371 ip-address 5.3.3

## 1.1371.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 Sean C Foley
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 * or at
 * https://github.com/seancfoley/IPAddress/blob/master/LICENSE
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv4/IPv4AddressTrie.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AddressTrieOps.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv6/IPv6AddressTrie.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/BinaryTreeNode.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AddressTrieMap.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv6/IPv6AddressAssociativeTrie.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/mac/MACAddressTrie.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/util/TreeOps.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AddressTrieSet.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/util/Partition.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
```

```
jar/inet/ipaddr/mac/MACAddressAssociativeTrie.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv4/IPv4AddressAssociativeTrie.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AbstractTree.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AddressTrie.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AssociativeAddressTrie.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016-2018 Sean C Foley
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
* or at
* https://github.com/seancofoley/IPAddress/blob/master/LICENSE
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv4/IPv4AddressStringParameters.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/large/package-
info.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddressNetwork.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/AddressItem.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/standard/IPAddressJoinedSegments.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/standard/AddressCreator.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AddressSegmentParams.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/IPAddressStringParameters.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/sql/MySQLTranslator.java
```



\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddressString.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/util/sql/SQLStringMatcher.java  
 \*  
 /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/validate/Validator.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressSegment.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressStringParameters.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv6/IPv6AddressSegment.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressSection.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/string/IPAddressStringDivisionSeries.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/string/IPAddressStringDivision.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddress.java  
 \*  
 /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/IPAddressRange.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/large/IPAddressLargeDivisionGrouping.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/NetworkMismatchException.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv4/IPv4Address.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressComponent.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/string/package-info.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv6/IPv6AddressSection.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/validate/ParsedHostIdentifierStringQualifier.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/package-info.java  
 \*  
 /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/string/AddressStringDivisionSeries.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/AddressComponentRange.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressConversionException.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv6/IPv6AddressNetwork.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/standard/IPAddressBitsDivision.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/standard/package-info.java  
 \* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressStringException.java

```

* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/MACAddressString.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv4/IPv4AddressSegment.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/validate/ParsedAddressCreator.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv6/IPv6Address.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/mac/MACAddressNetwork.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/validate/IPAddressProvider.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/HostIdentifierException.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddressSegment.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/IPAddressDivisionSeries.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv6/IPv6AddressStringParameters.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/HostNameParameters.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/Address.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/SizeMismatchException.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/validate/AddressParseData.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressComparator.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/AddressValueException.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/string/AddressStringDivision.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/standard/IPAddressDivision.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/IPAddressPartStringCollection.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddressConverter.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/IPAddressStringWriter.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/mac/MACAddressSection.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/MACAddressStringParameters.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/standard/AddressDivisionGrouping.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/mac/MACAddress.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/ipv4/IPv4AddressNetwork.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-

```

jar/inet/ipaddr/format/AddressDivisionSeries.java  
\*  
/opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/ipv4/IPv4AddressSection.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/PrefixLenException.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/HostName.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/standard/AddressDivision.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/util/IPAddressPartStringSubCollection.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/ipv4/IPv4JoinedSegments.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/AddressItemRange.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/util/IPAddressPartConfiguredString.java  
\*  
/opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/AddressDivisionBase.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/validate/HostIdentifierStringValidator.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/InconsistentPrefixException.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/large/IPAddressLargeDivision.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/AddressPositionException.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/HostNameException.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/standard/AddressBitsDivision.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/mac/MACAddressSegment.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/AddressDivisionGroupingBase.java  
\*  
/opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/util/sql/IPAddressSQLTranslator.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/standard/IPAddressDivisionGrouping.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/IPAddressSegmentSeries.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/validate/ParsedHost.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/AddressSegmentSeries.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-  
jar/inet/ipaddr/format/util/IPAddressPartStringCollectionBase.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-

```
jar/inet/ipaddr/IncompatibleAddressException.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/HostIdentifierString.java
*
/opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/AddressNetwork.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/validate/MACAddressProvider.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/module-info.java
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/format/util/AddressDivisionWriter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016-2020 Sean C Foley
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
* or at
* https://github.com/seancoley/IPAddress/blob/master/LICENSE
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddressSection.java
No license file was found, but licenses were detected in source scan.
```

```
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,
```

```
Found in path(s):
* /opt/cola/permits/1209325125_1633047761.0/0/ipaddress-5-3-3-sources-
jar/inet/ipaddr/IPAddressResources.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2018 Sean C Foley
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* or at  
\* <https://github.com/seancofoley/IPAddress/blob/master/LICENSE>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/mac/package-info.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/util/package-info.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/validate/ParsedAddressGrouping.java  
\*  
/opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/AddressGenericDivision.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/validate/package-info.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/package-info.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv4/package-info.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/validate/ParsedMACAddress.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv4/IPv4AddressSeqRange.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/util/sql/package-info.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/validate/ParsedIPAddress.java  
\*  
/opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/format/IPAddressGenericDivision.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv6/IPv6AddressSeqRange.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/IPAddressSeqRange.java  
\* /opt/cola/permits/1209325125\_1633047761.0/0/ipaddress-5-3-3-sources-jar/inet/ipaddr/ipv6/package-info.java

## 1.1372 slf4j 1.5.8-PATCHED

## 1.1372.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004-2008 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining  
\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without limitation the rights to use, copy, modify, merge, publish,  
\* distribute, sublicense, and/or sell copies of the Software, and to  
\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/helpers/BasicMarker.java

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/Logger.java

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/Marker.java

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/helpers/BasicMDCAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining  
\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without limitation the rights to use, copy, modify, merge, publish,  
\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT.  
\* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/ILoggerFactory.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/spi/LocationAwareLogger.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/helpers/MarkerIgnoringBase.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/IMarkerFactory.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/impl/StaticMarkerBinder.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/helpers/Util.java  
\*  
/opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/impl/StaticLoggerBinder.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/helpers/MessageFormatter.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/spi/MDCAdapter.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/MDC.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/helpers/BasicMarkerFactory.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/MarkerFactory.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java5/org/slf4j/Logger.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004-2005 SLF4J.ORG

\* Copyright (c) 2004-2005 QOS.ch

\*

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining  
\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without limitation the rights to use, copy, modify, merge, publish,  
\* distribute, and/or sell copies of the Software, and to permit persons  
\* to whom the Software is furnished to do so, provided that the above  
\* copyright notice(s) and this permission notice appear in all copies of  
\* the Software and that both the above copyright notice(s) and this  
\* permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR  
\* A PARTICULAR PURPOSE AND NONINFRINGEMENT  
\* OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR  
\* HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY  
\* SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER  
\* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF  
\* CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN  
\* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder  
\* shall not be used in advertising or otherwise to promote the sale, use  
\* or other dealings in this Software without prior written authorization  
\* of the copyright holder.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/helpers/SubstituteLoggerFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004-2005 SLF4J.ORG

\* Copyright (c) 2004-2005 QOS.ch

\*

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining  
\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without limitation the rights to use, copy, modify, merge, publish,  
\* distribute, and/or sell copies of the Software, and to permit persons



\* to whom the Software is furnished to do so, provided that the above  
\* copyright notice(s) and this permission notice appear in all copies of  
\* the Software and that both the above copyright notice(s) and this  
\* permission notice appear in supporting documentation.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A  
\* PARTICULAR PURPOSE AND NONINFRINGEMENT  
\* OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR  
\* HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY  
\* SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER  
\* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF  
\* CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN  
\* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
\*  
\* Except as contained in this notice, the name of a copyright holder  
\* shall not be used in advertising or otherwise to promote the sale, use  
\* or other dealings in this Software without prior written authorization  
\* of the copyright holder.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/spi/LoggerFactoryBinder.java  
\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/spi/MarkerFactoryBinder.java  
\*

/opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-  
jar/java/org/slf4j/helpers/NOPLogger.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004-2008 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining  
\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without limitation the rights to use, copy, modify, merge, publish,  
\* distribute, sublicense, and/or sell copies of the Software, and to  
\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN  
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1209325982\_1633048070.9/0/slf4j-api-jdk15-1-5-8-patched-sources-jar/java/org/slf4j/LoggerFactory.java

# 1.1373 xz 1.4

## 1.1373.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* BCJDecoder
*
* Author: Lasse Collin <lasse.collin@tukaani.org>
*
* This file has been put into the public domain.
* You can do whatever you want with this file.
*/
```

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/BCJDecoder.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Hash Chain match finder with 2-, 3-, and 4-byte hashing
*
* Authors: Lasse Collin <lasse.collin@tukaani.org>
* Igor Pavlov <http://7-zip.org/>
*
* This file has been put into the public domain.
* You can do whatever you want with this file.
*/
```

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/HC4.java  
No license file was found, but licenses were detected in source scan.

```
/*
```

\* BCJEncoder  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/BCJEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* DeltaEncoder  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/DeltaEncoder.java

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/delta/DeltaEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* XZOutputStream  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/XZOutputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* ARMThumbOptions  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/ARMThumbOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* LZMA2Coder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMA2Coder.java

No license file was found, but licenses were detected in source scan.

/\*

\* RangeCoder

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/rangecoder/RangeCoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJ filter for SPARC instructions

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/SPARC.java

No license file was found, but licenses were detected in source scan.

/\*

\* RawCoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/RawCoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* CRC32

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/check/CRC32.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJ filter for Itanium (IA-64) instructions

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/IA64.java

No license file was found, but licenses were detected in source scan.

/\*

\* 2-, 3-, and 4-byte hashing

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/Hash234.java

No license file was found, but licenses were detected in source scan.

/\*

\* State

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lzma/State.java

No license file was found, but licenses were detected in source scan.

/\*

\* ARMOptions

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/ARMOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* BlockInputStream

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/BlockInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* IndexDecoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/index/IndexDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* CorruptedInputException  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/CorruptedInputException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* RangeDecoder  
\*  
\* Authors: Lasse Collin <lasse.collin@tukaani.org>  
\* Igor Pavlov <<http://7-zip.org/>>  
\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/rangecoder/RangeDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* IndexRecord  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/index/IndexRecord.java

No license file was found, but licenses were detected in source scan.

```
/*
 * DecoderUtil
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/common/DecoderUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Check
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/check/Check.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * LZMACoder
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
 * Igor Pavlov <http://7-zip.org/>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lzma/LZMACoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * LZMAEncoder
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
 * Igor Pavlov <http://7-zip.org/>
 *
 */
```



\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lzma/LZMAEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* CountingInputStream  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/CountingInputStream.java  
No license file was found, but licenses were detected in source scan.

/\*

\* SeekableXZInputStream  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SeekableXZInputStream.java  
No license file was found, but licenses were detected in source scan.

/\*

\* CRC32Hash  
\*  
\* Authors: Lasse Collin <lasse.collin@tukaani.org>  
\* Igor Pavlov <<http://7-zip.org/>>  
\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/CRC32Hash.java

No license file was found, but licenses were detected in source scan.

```
/*
 * XZIOException
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/XZIOException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * LZMA2InputStream
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
 * Igor Pavlov <http://7-zip.org/>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMA2InputStream.java

No license file was found, but licenses were detected in source scan.

```
/*
 * LZMAEncoderFast
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
 * Igor Pavlov <http://7-zip.org/>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lzma/LZMAEncoderFast.java

No license file was found, but licenses were detected in source scan.

```
/*
 * LZDecoder
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
```

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/LZDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* SPARCOptions

\*

\* Author: Lasse Collin <[lasse.collin@tukaani.org](mailto:lasse.collin@tukaani.org)>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SPARCOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* RangeDecoderFromStream

\*

\* Authors: Lasse Collin <[lasse.collin@tukaani.org](mailto:lasse.collin@tukaani.org)>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-

jar/org/tukaani/xz/rangecoder/RangeDecoderFromStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* MemoryLimitException

\*

\* Author: Lasse Collin <[lasse.collin@tukaani.org](mailto:lasse.collin@tukaani.org)>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/MemoryLimitException.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJOptions

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/BCJOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* LZMA2Encoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMA2Encoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJ filter for little endian ARM instructions

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/ARM.java

No license file was found, but licenses were detected in source scan.

/\*

\* UnsupportedOperationException

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/UnsupportedOptionsException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* IA64Options  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/IA64Options.java  
No license file was found, but licenses were detected in source scan.

/\*

\* SHA256  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/check/SHA256.java  
No license file was found, but licenses were detected in source scan.

/\*

\* SimpleOutputStream  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SimpleOutputStream.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * IndexEncoder
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/index/IndexEncoder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * LZMA2Decoder
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMA2Decoder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * SingleXZInputStream
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SingleXZInputStream.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * X86Options
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/X86Options.java

No license file was found, but licenses were detected in source scan.

/\*

\* XZInputStream

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/XZInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJ filter for little endian ARM instructions

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/SimpleFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* FilterDecoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/FilterDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* RangeDecoderFromBuffer

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/rangecoder/RangeDecoderFromBuffer.java

No license file was found, but licenses were detected in source scan.

/\*

\* IndexHash

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/index/IndexHash.java

No license file was found, but licenses were detected in source scan.

/\*

\* Binary Tree match finder with 2-, 3-, and 4-byte hashing

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/BT4.java

No license file was found, but licenses were detected in source scan.

/\*

\* CRC64

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/check/CRC64.java



No license file was found, but licenses were detected in source scan.

```
/*
 * BCJ filter for big endian PowerPC instructions
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
 * Igor Pavlov <http://7-zip.org/>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

`/opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/PowerPC.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * SimpleInputStream
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

`/opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SimpleInputStream.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * SeekableFileInputStream
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

`/opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SeekableFileInputStream.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * None
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 */
```

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/check/None.java  
No license file was found, but licenses were detected in source scan.

/\*

\* StreamFlags

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/common/StreamFlags.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Util

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/common/Util.java  
No license file was found, but licenses were detected in source scan.

/\*

\* DeltaOptions

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.  
\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/DeltaOptions.java  
No license file was found, but licenses were detected in source scan.

/\*

\* XZFormatException  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/XZFormatException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* LZMA2Options  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMA2Options.java  
No license file was found, but licenses were detected in source scan.

/\*

\* DeltaOutputStream  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/DeltaOutputStream.java  
No license file was found, but licenses were detected in source scan.

/\*

\* LZEncoder  
\*  
\* Authors: Lasse Collin <lasse.collin@tukaani.org>  
\* Igor Pavlov <<http://7-zip.org/>>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/LZEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* LZMAInputStream

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMAInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* Matches

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lz/Matches.java

No license file was found, but licenses were detected in source scan.

/\*

\* DeltaInputStream

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/DeltaInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* FilterEncoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/FilterEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* FilterCoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/FilterCoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* LZMAEncoderNormal

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-

jar/org/tukaani/xz/lzma/LZMAEncoderNormal.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* XZ data compression support.

\*

\* <h4>Introduction</h4>

\* <p>

\* This aims to be a complete implementation of XZ data compression

\* in pure Java. Features:

\* <ul>

\* <li>Full support for the .xz file format specification version 1.0.4</li>

\* <li>Single-threaded streamed compression and decompression</li>

- \* <li>Single-threaded decompression with limited random access support</li>
- \* <li>Raw streams (no .xz headers) for advanced users, including LZMA2
- \* with preset dictionary</li>
- \* </ul>
- \* <p>
- \* Threading is planned but it is unknown when it will be implemented.
- \* <p>
- \* For the latest source code, see the
- \* <a href="http://tukaani.org/xz/java.html">home page of XZ for Java</a>.
- \* </li>
- \* <h4>Getting started</h4>
- \* <p>
- \* Start by reading the documentation of { @link org.tukaani.xz.XZOutputStream }
- \* and { @link org.tukaani.xz.XZInputStream }.
- \* If you use XZ inside another file format or protocol,
- \* see also { @link org.tukaani.xz.SingleXZInputStream }.
- \* </li>
- \* <h4>Licensing</h4>
- \* <p>
- \* XZ for Java has been put into the public domain, thus you can do
- \* whatever you want with it. All the files in the package have been
- \* written by Lasse Collin and/or Igor Pavlov.
- \* <p>
- \* This software is provided "as is", without any warranty.
- \* /

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/package-info.java  
 No license file was found, but licenses were detected in source scan.

/\*

\* BCJ filter for x86 instructions

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <http://7-zip.org/>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/X86.java  
 No license file was found, but licenses were detected in source scan.

/\*

\* CountingOutputStream

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/CountingOutputStream.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* DeltaDecoder  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/delta/DeltaDecoder.java  
\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/DeltaDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* PowerPCOptions  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/PowerPCOptions.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* RangeEncoder  
\*  
\* Authors: Lasse Collin <lasse.collin@tukaani.org>  
\* Igor Pavlov <<http://7-zip.org/>>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-

jar/org/tukaani/xz/rangecoder/RangeEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* SeekableInputStream

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/SeekableInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJ filter for little endian ARM-Thumb instructions

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/simple/ARMThumb.java

No license file was found, but licenses were detected in source scan.

/\*

\* UncompressedLZMA2OutputStream

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/UncompressedLZMA2OutputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* BCJCoder

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>



\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/BCJCoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* DeltaCoder  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/DeltaCoder.java  
\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/delta/DeltaCoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* IndexBase  
\*  
\* Author: Lasse Collin <lasse.collin@tukaani.org>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/index/IndexBase.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Optimum  
\*  
\* Authors: Lasse Collin <lasse.collin@tukaani.org>  
\* Igor Pavlov <<http://7-zip.org/>>  
\*  
\* This file has been put into the public domain.  
\* You can do whatever you want with this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lzma/Optimum.java

No license file was found, but licenses were detected in source scan.

```
/*
 * XZ
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/XZ.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * BlockOutputStream
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/BlockOutputStream.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * BlockInfo
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/index/BlockInfo.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * FinishableOutputStream
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/FinishableOutputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* FilterOptions

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/FilterOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* LZMA2OutputStream

\*

\* Authors: Lasse Collin <lasse.collin@tukaani.org>

\* Igor Pavlov <<http://7-zip.org/>>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/LZMA2OutputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* IndexIndicatorException

\*

\* Author: Lasse Collin <lasse.collin@tukaani.org>

\*

\* This file has been put into the public domain.

\* You can do whatever you want with this file.

\*/

Found in path(s):

\* /opt/cola/permits/1209326471\_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/IndexIndicatorException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * LZMADecoder
 *
 * Authors: Lasse Collin <lasse.collin@tukaani.org>
 * Igor Pavlov <http://7-zip.org/>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/lzma/LZMADecoder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * EncoderUtil
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-jar/org/tukaani/xz/common/EncoderUtil.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * FinishableWrapperOutputStream
 *
 * Author: Lasse Collin <lasse.collin@tukaani.org>
 *
 * This file has been put into the public domain.
 * You can do whatever you want with this file.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209326471_1633048208.63/0/xz-1-4-sources-1-
jar/org/tukaani/xz/FinishableWrapperOutputStream.java
```

## 1.1374 ehcache-core 2.6.10

## 1.1374.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright Terracotta, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Returns a list of all element keys in the cache, whether or not they are expired.
 * <p/>
 * The returned keys are unique and can almost be considered a set. See { @link net.sf.ehcache.store.CacheKeySet
CacheKeySet} for
 * more details.
 * <p/>
 * The List returned is not live. It is a copy.
 * <p/>
 * The time taken is O(n). On a single CPU 1.8Ghz P4, approximately 8ms is required
 * for each 1000 entries.
 *
 * @return a list of { @link Object} keys
 * @throws IllegalStateException if the cache is not { @link Status#STATUS_ALIVE}
 * @see net.sf.ehcache.store.CacheKeySet
 */
```

Found in path(s):

```
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/Cache.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2006 Thomas Hawtin
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *

```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/util/lang/VicariousThreadLocal.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright Terracotta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/pool/PoolableStore.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/statistics/LiveCacheStatisticsWrapper.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/config/ManagementRESTServiceConfiguration.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/util/AtomicLongSequence.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/ClusterOperation.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/SingletonEhCacheRegionFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/distribution/CacheManagerPeerProviderFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/terracotta/TerracottaClientRejoinListener.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/store/compound/SerializationCopyStrategy.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/WeakIdentityConcurrentMap.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/TransactionTimeoutException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/compound/ReadWriteSerializationCopyStrategy.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/XidTransactionIDSerializedForm.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/OperationsFilter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/elements/ElementValueComparatorConfigurationElement.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/AgentSizeOf.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/MemoryOnlyStore.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/cluster/NoopCacheCluster.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/event/CacheManagerEventListenerRegistry.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/disk/ods/AATreeSet.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/management/api/HibernateStats.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/manager/selector/AtomikosSelector.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/ObjectGraphWalker.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/management/api/EhcacheStats.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/AtomicPoolAccessor.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/attribute/ReflectionAttributeExtractor.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/TransactionIDImpl.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/ManagedCacheManagerPeerProvider.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/EhcacheJtaTransactionManagerLookup.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/statistics/CacheUsageListener.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/FromLargestCacheOnDiskPoolEvictor.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```

jar/net/sf/ehcache/hibernate/AbstractEhcacheProvider.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/CacheConfigurationListener.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/exceptionhandler/CacheExceptionHandlerFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/LfuPolicy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/ClusteredInstanceFactoryWrapper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/DelegatingTransactionIDFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/NamedThreadFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/NotifyingMemoryStore.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/TerracottaClientConfiguration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/AbstractPool.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/ratestatistics/AtomicRateStatistic.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/impl/OrderComparator.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/blocking/BlockingCache.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/ConfigurationGenerator.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/MaxDepthExceededException.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/expression/GreaterThan.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/MemoryUnit.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/TerracottaStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/CacheEntry.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/PoolAccessor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehind.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/Element.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMICacheReplicatorFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```



jar/net/sf/ehcache/transaction/xa/SerializableXid.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/transaction/manager/selector/WeblogicSelector.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/DefaultElementEvictionData.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/util/PreferTCCLObjectInputStream.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/EhCacheRegionFactory.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderImpl.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/store/TransactionalExecutorServiceStore.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/store/DiskStoreBootstrapCacheLoader.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/pool/PoolEvictor.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/search/aggregator/Aggregator.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/management/impl/BeanUtils.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/writer/writebehind/operations/DeleteAllOperation.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/AbstractEhcacheRegionFactory.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/terracotta/TerracottaBootstrapCacheLoader.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/statistics/sampled/CacheStatisticsSampler.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/search/impl/ResultImpl.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/store/disk/ods/FileAllocationTree.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/management/CacheConfiguration.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/config/Configuration.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/search/aggregator/Min.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/management/impl/EhcacheStatsImpl.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/util/SlewClock.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/NonStopCacheException.java

```

*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/FromLargestCacheOnHeapPoolEvictor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/CacheTransactionHelper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NonstopStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/AbstractSoftLockManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/concurrent/CacheLockProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/BoundedPool.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/TransactionalEhcacheEntityRegionAccessStrategy.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehindQueueManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/RejoinAwareNonstopStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernate.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/GlassfishSelector.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/FrontEndCacheTier.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/impl/DynamicSearchChecker.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/ReadOnlyEhcacheEntityRegionAccessStrategy.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/CachePeer.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/SearchAttribute.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/FactoryConfigurationElement.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/CopyStrategyConfiguration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/aggregator/AggregatorException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/TransactionAwareAttributeExtractor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatistics.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/event/CacheEventListenerFactory.java

```

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/CacheStoreHelper.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/concurrency/ExplicitLockingContextThreadLocal.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/management/impl/CollectionStats.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/processor/XARequest.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/Not.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/CacheManager.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/sampled/ComprehensiveCacheSampler.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/CacheManagerPeerListenerFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/PinningConfiguration.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/manager/selector/IndiSelector.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/elements/SizeOfPolicyConfigurationElement.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/attribute/AttributeType.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/Decision.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/ConfigurationHelper.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/terracotta/ClusteredInstanceFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/filter/PassThroughFilter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/operations/SingleOperationType.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/LessThan.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/AbstractFromLargestCachePoolEvictor.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/RmiEventMessage.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/elements/PinningConfigurationElement.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/util/CountingThreadFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```

jar/net/sf/ehcache/util/TimeUtil.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/StripedReadWriteLockProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/commands/AbstractStoreCommand.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMISynchronousCacheReplicator.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMIBootstrapCacheLoader.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/EhcacheXAResourceImpl.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/Searchable.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/ReflectionSizeOf.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/EhcacheDecoratorAdapter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EntityStats.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/CacheManagerMBean.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/ratestatistics/package-info.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDSerializedForm.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/cluster/ClusterSchemeNotAvailableException.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/BalancedAccessOnHeapPoolEvictor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/CacheWriterConfigurationElement.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/SingletonEhCacheProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/SoftLockManagerImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/SizeOfFilter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/LargeSet.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/chm/SelectableConcurrentHashMap.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/impl/ResultsImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/Direction.java

```

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledRateCounterConfig.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/management/impl/NullHibernateStats.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/TransactionalRMICachePeer.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/FifoPolicy.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/RMICachePeer.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/SimpleNodeAttribute.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/ReadCommittedSoftLockImpl.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/exceptionhandler/CacheExceptionHandler.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/CoalesceKeysFilter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/SizeOf.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/JvmInformation.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/strategy/ReadWriteEhcacheEntityRegionAccessStrategy.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/RMIBootstrapCacheLoaderFactory.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/ElementValueComparator.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/TransactionIDNotFoundException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/MemoryEfficientByteArrayOutputStream.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/regions/EhcacheTransactionalDataRegion.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/AbstractTransactionIDFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/RemoteCacheException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/DefaultSizeOfEngine.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledRateCounterImpl.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/TerracottaConfiguration.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

jar/net/sf/ehcache/hibernate/management/impl/AggregateCacheRegionStats.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/hibernate/management/impl/ProviderMBeanRegistrationHelper.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/NonStopCacheKeySet.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/pool/sizeof/UnsafeSizeOf.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/transaction/SoftLockFactory.java  
 \*  
 /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/hibernate/EhCache.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/util/ratestatistics/AbstractRateStatistic.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/search/expression/NotEqualTo.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/management/sampled/CacheSamplerImpl.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/util/TimeProviderLoader.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/transaction/xa/commands/StoreRemoveCommand.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/EhcacheInit.java  
 \*  
 /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/MimeTypeByteArray.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/util/counter/CounterImpl.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/writer/CacheWriter.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/util/counter/Counter.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/search/expression/BaseCriteria.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/util/counter/sampled/SampledCounter.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/exceptionhandler/ExceptionHandlingDynamicCacheProxy.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/distribution/RMICacheManagerPeerListenerFactory.java  
 \*  
 /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/hibernate/management/impl/HibernateStatsImpl.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/hibernate/management/impl/BaseEmitterBean.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/event/NotificationScope.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/concurrent/Sync.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/event/TerracottaCacheEventReplication.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/manager/selector/NullSelector.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/LruPolicy.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/ManagementServer.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/AbstractCacheConfigurationListener.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/EhcacheCoreInit.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/VmUtils.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/attribute/JavaBeanAttributeExtractor.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/manager/TransactionManagerLookup.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/Timestamper.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/filter/AnnotationProxyFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/ElementIdAssigningStore.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/ReadCommittedSoftLockFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/ThrowTimeoutException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/blocking/CacheEntryFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/EhcacheXAResource.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/impl/GroupedResultImpl.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/EventMessage.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledCounterImpl.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/Store.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```

jar/net/sf/ehcache/event/RegisteredEventListeners.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/ElementValueComparatorConfiguration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/TaskNotSubmittedTimeoutException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/disk/HashEntry.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/Statistics.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMICacheManagerPeerListener.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/SizeOfPolicyConfiguration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehindManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/LegacyStoreWrapper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/extension/CacheExtensionFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernateMBeanRegistration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/PropertyUtil.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/AbstractStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/Query.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/provider/NullMBeanRegistrationProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/local/LocalTransactionContext.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/Size.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/LocalReadsOnTimeoutStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/TransactionalEhcacheCollectionRegionAccessStrategy.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/SoftLockID.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/compound/CopyStrategy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/AbstractBalancedAccessEvictor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NoOpOnTimeoutStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/TransactionID.java

```



\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/ConfigurationUtil.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/StoreQuery.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/LongSequence.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/elements/DefaultCacheConfigurationElement.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/NodeAttribute.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/aggregator/Count.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/operations/SingleOperation.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/AbstractPolicy.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/blocking/SelfPopulatingCache.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/SimpleNodeElement.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/compound/LegacyCopyStrategyAdapter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/NodeElement.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/counter/CounterConfig.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/concurrent/ReadWriteLockSync.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/NonstopExecutorService.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/concurrency/NonstopSync.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/elements/ConfigurationElement.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/ResourceClassLoader.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/AgentLoader.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/CircularLossyQueue.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/BalancedAccessOnDiskPoolEvictor.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/ClusterOperationCallable.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```

jar/net/sf/ehcache/transaction/xa/EhcacheXAException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/BatchOperation.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/blocking/LockTimeoutException.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/UpdateChecker.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writethrough/WriteThroughManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/aggregator/Max.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/operations/WriteOperation.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/event/TerracottaCacheEventReplicationFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/annotations/IgnoreSizeOf.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/ConfigurationFactory.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/expression/ILike.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/AnnotationSizeOfFilter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/CacheManagerPeerProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/FeaturesManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/CacheOperationUnderExplicitLockCallable.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NonstopTimeoutBehaviorStoreResolver.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/disk/DiskStore.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/concurrent/ConcurrencyUtil.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/LockOperationTimedOutNonstopException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/AbstractCacheWriter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/disk/StoreUpdateException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/ConfigError.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/sampled/SampledCacheManager.java

```

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/ccs/EhcacheReadWriteCache.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/StrictlyBoundedPool.java

\*

/opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/sampled/CacheManagerSampler.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/ManagementServerLoader.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/concurrent/StripedReadWriteLock.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/NotILike.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/SoftLockHelper.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/store/ExceptionOnTimeoutStore.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/InCollection.java

\*

/opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/event/CacheEventListener.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/processor/XARequestProcessor.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/processor/XAThreadPool.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/ratestatistics/UnlockedRateStatistic.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/distribution/MulticastKeepaliveHeartbeatReceiver.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/sampled/SampledCache.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/CacheConfigurationMBean.java

\*

/opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/store/RejoinAwareBlockingOperation.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/management/impl/CacheRegionUtils.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/NonstopConfiguration.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/CacheWriterManagerException.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/terracotta/InternalEhcache.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/manager/selector/Selector.java

\* /opt/cola/permits/1209647068\_1633109822.29/ehcache-core-2-6-10-sources-1-

```

jar/net/sf/ehcache/distribution/CacheReplicator.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/ExplicitLockingClusterOperation.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/ReadWriteEhcacheCollectionRegionAccessStrategy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/LibraryInit.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaClusteredInstanceHelper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/ExpiredTransactionIDImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/AbstractPoolAccessor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/CacheConfiguration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderFactoryImpl.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/commands/StorePutCommand.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/counter/CounterManagerImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/ElementIdHelper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/KeySnapshotter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/disk/DiskSizeOfEngine.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/ratestatistics/RateStatistic.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/WriteBehindQueue.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/cluster/ClusterScheme.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/blocking/UpdatingSelfPopulatingCache.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/NullStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/NonStrictReadWriteEhcacheEntityRegionAccessStrategy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/MulticastKeepaliveHeartbeatSender.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/concurrency/NonstopCacheLockProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/PersistenceConfiguration.java

```

\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/extension/CacheExtension.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/MemoryStoreEvictionPolicy.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/NodeElementVisitor.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/local/JtaLocalTransactionStore.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/NonstopThreadPool.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/ccs/EhcacheReadOnlyCache.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/Between.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/CacheStatistics.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/concurrency/NonstopThreadUniqueIdProvider.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/TierableStore.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/CacheStatisticsMBean.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/sampled/SampledEhcacheMBeans.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/DynamicSearchListener.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/cluster/ClusterTopologyListener.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderFactory.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/Policy.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/CacheManager.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/impl/UnboundedPool.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/operations/KeyBasedOperation.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/statistics/sampled/SampledCacheStatistics.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/attribute/AttributeExtractor.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/Or.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

jar/net/sf/ehcache/statistics/NullLiveCacheStatisticsData.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/management/sampled/SampledCacheMBean.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/config/generator/model/elements/DiskStoreConfigurationElement.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/management/impl/CacheRegionStats.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/util/counter/CounterManager.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/nonstop/NonstopAwareCollectionRegionAccessStrategy.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/util/counter/sampled/SampledRateCounter.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/store/CacheKeySet.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/NonstopThread.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernateMbeanNames.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/CacheException.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/nonstop/concurrency/ExplicitLockingContext.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/blocking/UpdatingCacheEntryFactory.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/search/expression/LessThanOrEqual.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/management/api/EhcacheHibernateMBean.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/distribution/CacheManagerPeerListener.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/transaction/SoftLock.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/hibernate/nonstop/HibernateNonstopCacheExceptionHandler.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/constructs/classloader/ClassLoaderAwareCache.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/config/generator/model/elements/TimeoutBehaviorConfigurationElement.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/config/generator/model/AbstractDepthFirstVisitor.java  
\*  
/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
jar/net/sf/ehcache/search/expression/Criteria.java  
\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-

jar/net/sf/ehcache/search/aggregator/Sum.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/search/attribute/DynamicAttributesExtractor.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/config/generator/model/XMLGeneratorVisitor.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/event/CacheManagerEventListenerFactory.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/util/FailSafeTimer.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/management/sampled/SampledMBeanRegistrationProvider.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/search/SearchException.java  
 \*  
 /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/ObjectExistsException.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/TerracottaConfigurationElement.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/ManagementRESTServiceConfigurationElement.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/search/aggregator/Average.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/transaction/DeadLockException.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/store/compound/NullReadWriteCopyStrategy.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/hibernate/regions/EhcacheQueryResultsRegion.java  
 \*  
 /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/hibernate/strategy/ReadOnlyEhcacheCollectionRegionAccessStrategy.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/constructs/nonstop/concurrency/InvalidLockStateAfterRejoinException.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/search/impl/SearchManager.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/PersistenceConfigurationElement.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/config/generator/model/elements/TerracottaConfigConfigurationElement.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/management/provider/MBeanRegistrationProvider.java  
 \*  
 /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/statistics/sampled/NullSampledCacheStatistics.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/store/DefaultElementValueComparator.java  
 \* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-  
 jar/net/sf/ehcache/statistics/sampled/SampledCacheStatisticsImpl.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/Ehcache.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/disk/ElementSubstituteFilter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/AbstractNodeElement.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/regions/EhcacheEntityRegion.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/CacheInitializationHelper.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/TransactionException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/store/ExecutorServiceStore.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/MergedEnumeration.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/disk/Segment.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/strategy/EhcacheAccessStrategyFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/operations/WriteAllOperation.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/TransactionInterruptedException.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/regions/EhcacheDataRegion.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/commands/Command.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/TimeoutBehaviorConfiguration.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/sizeof/filter/CombinationSizeOfFilter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/NonstopExecutorServiceFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/attribute/AttributeExtractorException.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/attribute/KeyObjectAttributeExtractor.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/util/OverrideCheck.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/SoftLockManager.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/TransactionController.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/CastingOperationConverter.java



\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/XATransactionContext.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/ElementEvictionData.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/DiskStoreConfiguration.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/compound/ImmutableValueElementCopyStrategy.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/BeanHandler.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/AbstractTransactionStore.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/generator/model/elements/NonstopConfigurationElement.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/pool/Pool.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/util/FindBugsSuppressWarnings.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/writer/writebehind/operations/DeleteOperation.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/XAExecutionListener.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/event/CacheEventListenerAdapter.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/disk/ods/Region.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/constructs/nonstop/CacheManagerExecutorServiceFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/manager/DefaultTransactionManagerLookup.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/Result.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/management/sampled/CacheManagerSamplerImpl.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/expression/AlwaysMatch.java

\*

/opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/loader/CacheLoaderFactory.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/search/NullResults.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/transaction/xa/XidTransactionID.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/hibernate/management/impl/QueryStats.java

\* /opt/cola/permits/1209647068\_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/config/FactoryConfiguration.java

```

* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/ccs/EhcacheNonstrictReadWriteCache.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/NonstopStoreImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/nonstop/NonstopAccessStrategyFactory.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/ExpiredXidTransactionIDImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/DiskBackedMemoryStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/CacheWriterManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/management/impl/EhcacheHibernateMBeanRegistrationImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMIAynchronousCacheReplicator.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/event/NonstopCacheEventListener.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/StoreListener.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/counter/sampled/TimeStampedCounterValue.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/attribute/ValueObjectAttributeExtractor.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/Cache.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/cluster/CacheCluster.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/Disposable.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/SizeOfEngine.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/disk/DiskStorageFactory.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/sampled/Utils.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/DisconnectedClusterNode.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/aggregator/Aggregators.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/ConfigurableRMIClientSocketFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/EhcacheAccessStrategyFactoryImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```

```

jar/net/sf/ehcache/search/expression/EqualTo.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/FactorySelector.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/MemoryLimitedCacheLoader.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/RotatingSnapshotFile.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/CacheQuery.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaClient.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopExecutorServiceImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/CacheMBean.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/XidTransactionIDImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/bootstrap/BootstrapCacheLoader.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/BitronixSelector.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/DiskStorePathManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/CacheWriterConfiguration.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/ManagementService.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/expression/GreaterThanOrEqual.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/CacheConfigurationElement.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/DiskStoreBootstrapCacheLoaderFactory.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/Status.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/sampled/CacheSampler.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/local/TransactionListener.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaNotRunningException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/classloader/InternalClassLoaderAwareCache.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-

```

```

jar/net/sf/ehcache/concurrent/StripedReadWriteLockSync.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/impl/BaseQueryInterpreter.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/Results.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/AbstractEhcacheAccessStrategy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/ProductInfo.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/nonstop/NonstopAwareEntityRegionAccessStrategy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatisticsImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/ManualRMICacheManagerPeerProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/SetAsList.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/HibernateUtil.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMICacheManagerPeerProviderFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/OptimisticLockFailureException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/event/CacheManagerEventListener.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaCacheCluster.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/AggregateIterator.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/expression/And.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/statistics/LiveCacheStatisticsData.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/impl/BaseResult.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/local/LocalTransactionStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/impl/AggregateOnlyResult.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/ClassLoaderUtil.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/sampled/SampledCacheManagerMBean.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/impl/LockedPoolAccessor.java

```

```

* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/compound/ReadWriteCopyStrategy.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-jar/net/sf/ehcache/store/Store.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/NonStrictReadWriteEhcacheCollectionRegionAccessStrategy.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/MemoryStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheTimestampsRegion.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/RMICacheManagerPeerProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/MemorySizeParser.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/store/ClusterOperationCallableImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/CacheWriterFactory.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/CopyStrategyConfigurationElement.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/AbstractWriteBehindQueue.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/disk/ods/RegionSet.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/web/ShutdownListener.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/ConfigurationSource.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/CacheConfigError.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/loader/CacheLoader.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/concurrent/LockType.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/EhCacheProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopTimeoutBehaviorFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/LoaderTimeoutException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/aggregator/AggregatorInstance.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/SerializationHelper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/Attribute.java

```

```

* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/ccs/AbstractEhcacheConcurrencyStrategy.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/FlyweightType.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/LegacyEventMessage.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/GenericIndiSelector.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/xa/XATransactionStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/counter/sampled/SampledCounterConfig.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/MulticastRMICacheManagerPeerProvider.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/generator/model/elements/SearchableConfigurationElement.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/manager/selector/ClassSelector.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/statistics/sampled/SampledCacheStatisticsWrapper.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheGeneralDataRegion.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/config/InvalidConfigurationException.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/local/LocalRecoveryManager.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/writer/writebehind/OperationConverter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/strategy/AbstractReadWriteEhcacheAccessStrategy.java
*
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/cluster/ClusterNode.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/store/LruMemoryStore.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/bootstrap/BootstrapCacheLoaderFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/search/expression/ComparableValue.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/terracotta/TerracottaBootstrapCacheLoaderFactory.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/distribution/PayloadUtil.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/CacheDecoratorFactory.java
*

```

```
/opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/management/sampled/ComprehensiveCacheSamplerImpl.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/util/LargeCollection.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/hibernate/regions/EhcacheCollectionRegion.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/filter/ResourceSizeOfFilter.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/constructs/nonstop/NonstopActiveDelegateHolder.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/pool/sizeof/PrimitiveType.java
* /opt/cola/permits/1209647068_1633109822.29/0/ehcache-core-2-6-10-sources-1-
jar/net/sf/ehcache/transaction/TransactionIDFactoryImpl.java
```

## 1.1375 netty-all 4.1.49.Final

### 1.1375.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.
* Keys can only be set on, not read to prevent a potential leak, as they are confidential.
* Allowing them being read would mean anyone with access to the channel could get them.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollServerSocketChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
// https://tools.ietf.org/html/rfc7540#section-8.1.2.2 makes a special exception for TE
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HttpConversionUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
//The MIT License
//Permission is hereby granted, free of charge, to any person obtaining a copy
//of this software and associated documentation files (the "Software"), to deal
//to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
//furnished to do so, subject to the following
conditions:
//The above copyright notice and this permission notice shall be included in
//all copies or substantial portions of the Software.
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
```



jar/io/netty/example/http/websocketx/client/WebSocketClientHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/MpscLinkedQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingIdentityHashMap.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCGrowArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingSetInt.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueueUtil.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Ordering.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedArrayQueue.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Preference.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/LinkedQueueNode.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicQueueFactory.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/RangeUtil.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpmcArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpscChunkedArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscChunkedAtomicArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseMpscLinkedArrayQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueue.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeLongArrayAccess.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/ConcurrentAutoTable.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/LinkedQueueAtomicNode.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/InternalAPI.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeJvmInfo.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddChunk.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/maps/AbstractEntry.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMapLong.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscAtomicArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscBlockingConsumerArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscCompoundQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SupportsIterator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentCircularArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseSpSCLinkedListArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscGrowableArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseLinkedListAtomicQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/ConcurrentQueueSpec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/IndexedQueueSizeUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCLinkedQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseLinkedQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddChunk.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/QueueFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCUnboundedArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashSet.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/util/Pow2.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/util/PortableJvmInfo.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscChunkedArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscArrayQueue.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeAccess.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeRefArrayAccess.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* A decoder that splits the received {@link ByteBuf}s dynamically by the
* value of the length field in the message. It is particularly useful when you
* decode a binary message which has an integer header field that represents the
* length of the message body or the whole message.
*
<p>
* {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
* that it can decode any message with a length field, which is often seen in
* proprietary client-server protocols. Here are some example that will give
* you the basic idea on which option does what.
*
* <h3>2 bytes length field at offset 0, do not strip header</h3>
*
* The value of the length field in this example is <tt>12 (0x0C)</tt> which
* represents the length of "HELLO, WORLD". By default, the decoder assumes
* that the length field represents the number of the bytes that follows the
* length field. Therefore, it can be decoded with the simplistic parameter
* combination.
*
<pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 0 (= do not strip header)
*
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content
* |---->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, strip header</h3>
*
* Because we can get the length of the content by calling
* {@link ByteBuf#readableBytes()}, you might want to strip the length
* field by specifying <tt>initialBytesToStrip</tt>. In this example, we
* specified <tt>2</tt>, that is same with the length of the length field, to

```

```

* strip the first two bytes.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 2 (= the length of the Length field)
*
* BEFORE DECODE (14 bytes) AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" | | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
* represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples. However, in some protocols, the
* length field represents the length of the whole message, including the
* message header. In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>. Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = -2 (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual
* Content |
* | 0x000E | "HELLO, WORLD" | | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into
* account during frame length calculation.
* <pre>
* lengthFieldOffset = 2 (= the length of Header 1)
* lengthFieldLength = 3
* lengthAdjustment = 0

```

```

* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" | |
* 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>

```

\* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>

\* This is an advanced example that shows the case where there is an extra header between the length field and the message body. You have to specify a positive <tt>lengthAdjustment</tt> so that the decoder counts the extra header into the frame length calculation.

```

* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* lengthAdjustment = 2 (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO,
* WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>

```

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header, strip the first header field and the length field</h3>

\* This is a combination of all the examples above. There are the prepended header before the length field and the extra header after the length field. The prepended header affects the <tt>lengthFieldOffset</tt> and the extra header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero <tt>initialBytesToStrip</tt> to strip the length field and the prepended header from the frame. If you don't want to strip the prepended header, you could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.

```

* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* lengthAdjustment = 1 (= the length of HDR2)
* initialBytesToStrip = 3 (= the length of HDR1 + LEN)
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+

```

```

* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* lengthAdjustment = -3 (= the length of HDR1 + LEN, negative)
* initialBytesToStrip = 3
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

```



\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/RedisMessagePool.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/RedisArrayAggregator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/RedisMessageType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/ArrayRedisMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/RedisConstants.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/ErrorRedisMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/redis/RedisClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/helloworld/multiplex/server/Http2OrHttpHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/helloworld/multiplex/server/HelloWorldHttp2Handler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/RedisEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/IntegerRedisMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/helloworld/frame/server/HelloWorldHttp2Handler.java
```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/RedisCodecUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/RedisMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/frame/server/Http2OrHttpHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/RedisCodecException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/RedisDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/redis/BulkStringRedisContent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectAggregator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cors/package-info.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/DefaultUdtServerChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/ResourceLeak.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/DefaultThreadFactory.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/SimpleLeakAwareByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultChannelProgressivePromise.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObject.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/AdvancedLeakAwareByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/AbstractReferenceCounted.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelOutboundBuffer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/ConcurrentSet.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/AppendableCharSequence.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/ResourceLeakDetector.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/DefaultChannelGroup.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/NoOpTypeParameterMatcher.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/ScheduledFutureTask.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/nio/SelectedSelectionKeySet.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/FullHttpResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheObjectAggregator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequest.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/ChannelMatchers.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/ProgressiveFuture.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyVersion.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksMessageType.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelProgressiveFuture.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/AbstractEventExecutor.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelProgressivePromise.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/ChannelMatcher.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectEncoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/ReadOnlyUnsafeDirectByteBuffer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/DefaultProgressivePromise.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/util/concurrent/GenericFutureListener.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/ResourceLeakException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/SocksProtocolVersion.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/ByteBufHolder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/ReferenceCounted.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/udt/UdtServerChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/logging/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/SocksAuthStatus.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/UnreleasableByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/DefaultFutureListeners.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/DefaultPromise.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheClientCodec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/CompleteFuture.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/bootstrap/ChannelFactory.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/DefaultByteBufHolder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/SocksAuthScheme.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/AddressedEnvelope.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksAddressType.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/ProgressivePromise.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/helloworld/HttpHelloWorldServerHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/ScheduledFuture.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/binary/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheOpcodes.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksVersion.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/Future.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheEncoder.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Crc32c.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHeaders.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ByteBufProcessor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/PooledUnsafeDirectByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/FixedCompositeByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/group/ChannelGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/GenericProgressiveFutureListener.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/PlatformDependent0.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/EmptyByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultChannelId.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheResponse.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ReadOnlyByteBufferBuf.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheServerCodec.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/ImmediateEventExecutor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/MemcacheObject.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/PromiseTask.java

```

```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/AbstractEventExecutorGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/DefaultMemcacheContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/rxtx/RxtxClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/Promise.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/ReadOnlyIterator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/FullMemcacheMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/helloworld/HttpHelloWorldServerInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/udt/UdtChannelOption.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/ReferenceCountUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ConnectTimeoutException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```



jar/io/netty/buffer/AbstractDerivedByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/FullHttpRequest.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/WrappedByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Version.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/MemcacheContent.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/ChannelHandlerAdapter.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/ChannelId.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/worldclock/WorldClockProtocol.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheRequest.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/xml/XmlFrameDecoder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/epoll/Native.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/ThreadPoolExecutor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseStatus.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/DefaultLastMemcacheContent.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/AbstractReferenceCountedByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/SimpleChannelInboundHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/DefaultMessageSizeEstimator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/group/ChannelGroupException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/MemcacheMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/PendingWrite.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/TypeParameterMatcher.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Recycler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/ImmediateExecutor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/DefaultAddressedEnvelope.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/FutureListener.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/rxtx/RxtxClientHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/ChannelProgressiveFutureListener.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/SocksRequestType.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheRequest.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/RecyclableArrayList.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/EmptyArrays.java  
\*

```
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/ConstantPool.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/memcache/LastMemcacheContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/MessageSizeEstimator.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// Try the OpenJDK's proprietary implementation.
```

```
Found in path(s):
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
No license file was found, but licenses were detected in source scan.
```

```
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/META-INF/maven/io.netty/netty-all/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/AuthoritativeDnsServerCache.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/NoopAuthoritativeDnsServerCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/Buffer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsRecordResolveContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/SimpleUserEventChannelHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/AuthoritativeDnsServerCacheAdapter.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/nio/NioChannelOption.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/NoopDnsCnameCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/NameServerComparator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslSession.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/CertificateCallback.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DefaultAuthoritativeDnsServerCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslPrivateKey.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsCnameCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsAddressResolveContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DefaultDnsCnameCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/SuppressJava6Requirement.java

```
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DirContextUtils.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsAddressDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslTlsv13X509ExtendedTrustManager.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/Cache.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without
* limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
```

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/logging/MessageFormatter.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/logging/FormattingTuple.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/local/LocalAddress.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/ChannelFlushPromiseNotifier.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/nio/NioEventLoopGroup.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/HashedWheelTimer.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/factorial/FactorialServerHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/bytes/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/PooledDirectByteBuf.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/ServerSocketChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/echo/EchoServer.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/file/HttpStaticFileServer.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/ChannelGroupFutureListener.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/protobuf/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/localecho/LocalEcho.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/oio/AbstractOioMessageChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/ZlibUtil.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannel.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdySession.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/MultithreadEventLoopGroup.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/timeout/WriteTimeoutException.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/bootstrap/ServerBootstrap.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/snoop/HttpSnoopServer.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/worldclock/WorldClockClientInitializer.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/AbstractByteBuf.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/upload/HttpUploadClientInitializer.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/UnpooledByteBufAllocator.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-



```

jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/logging/CommonsLoggerFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/DefaultEventExecutor.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PoolArena.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/PooledByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksAuthRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/proxy/HexDumpProxyBackendHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/ZlibWrapper.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/securechat/SecureChatServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/sctp/SctpEchoServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/marshalling/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/DefaultSocketChannelConfig.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/telnet/TelnetClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/rendezvous/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/file/FileServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/socksproxy/RelayHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

```

jar/io/netty/example/socksproxy/SocksServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ByteBufInputStream.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/worldclock/WorldClockClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/ClassResolver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/oio/OioDatagramChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/AbstractChannel.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/DefaultAttributeMap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/cors/HttpCorsServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/package-
info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/AttributeKey.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/message/MsgEchoServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/nio/AbstractNioMessageChannel.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/MixedAttribute.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/udt/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/string/StringEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/stream/package-info.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/socket/nio/NioServerSocketChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/example/securechat/SecureChatClientHandler.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/buffer/PoolChunk.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/local/LocalChannelRegistry.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/buffer/PoolChunkList.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/Delimiters.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/example/worldclock/WorldClockServer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/compression/JZlibEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/logging/package-info.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/example/securechat/SecureChatServer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/oio/AbstractOioByteChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/timeout/ReadTimeoutHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/sctp/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/example/udt/echo/message/MsgEchoClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/HttpResponseStatus.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/HttpVersion.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/example/objectecho/ObjectEchoClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/multipart/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/sctp/oio/OioSctpChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/HttpObjectAggregator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/example/worldclock/WorldClockClientHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/SocksResponse.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/DefaultCookie.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/proxy/HexDumpProxyFrontendHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/compression/ZlibEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/stream/ChunkedInput.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/compression/JZlibDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/HttpServerCodec.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/ChannelPipelineException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/stream/ChunkedNioStream.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/v5/DefaultSocks5InitialResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/timeout/ReadTimeoutException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/group/DefaultChannelGroupFuture.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/http/helloworld/HttpHelloWorldServer.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/FileRegion.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/socks/v5/Socks5PasswordAuthResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/HttpObjectEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/HttpContentCompressor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/timeout/IdleStateEvent.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/upload/HttpUploadClientHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Constant.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/CombinedIterator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/Channel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/message/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/util/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/UdtMessage.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpMethod.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/server/WebSocketFrameHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/timeout/TimeoutException.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/logging/JdkLoggerFactory.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/timeout/IdleStateHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/portunification/PortUnificationServerHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/QueryStringEncoder.java

```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/RecvByteBufAllocator.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerOne.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/rendezvous/Config.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/proxy/HexDumpProxyInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelOutboundHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/proxy/HexDumpProxy.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/ReplayingDecoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultEventLoop.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/logging/Slf4JLoggerFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/WeakReferenceMap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/discard/DiscardServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/FixedLengthFrameDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelConfig.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Timer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/logging/AbstractInternalLogger.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelPromise.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java

```

\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/discard/DiscardClient.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/oio/AbstractOioChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/nio/NioSocketChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/InternetProtocolFamily.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/LastHttpContent.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpHeaders.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/FixedRecvByteBufAllocator.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/socksproxy/SocksServerHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/embedded/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/ByteToMessageCodec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelHandlerContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/HttpData.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/MessageAggregator.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/VoidChannelPromise.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/file/HttpStaticFileServerHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/SucceededFuture.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/GlobalEventExecutor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/ChannelGroupFuture.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Signal.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/local/LocalEventLoopGroup.java

\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/ClassResolvers.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Attribute.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/server/WebSocketServerInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/DecoderResult.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/BlockingOperationException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/CookieDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/UdtChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/stream/ChunkedStream.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/embedded/EmbeddedEventLoop.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerBase.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/snoop/HttpSnoopServerHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/logging/InternalLoggerFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/logging/LogLevel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/telnet/TelnetClientInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Snappy.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/telnet/TelnetClient.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/LengthFieldPrepender.java  
\*



/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/telnet/TelnetServerHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/ReferenceMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ThreadPerChannelEventLoop.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/timeout/IdleState.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelPipeline.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/ByteBufAllocator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/portunification/PortUnificationServer.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/socksproxy/SocksServerUtils.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/EventLoopGroup.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/NetUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/CachingClassResolver.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutorGroup.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/securechat/SecureChatClientInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/qotm/QuoteOfTheMomentServer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/worldclock/WorldClockServerHandler.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/timeout/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/upload/HttpUploadServerHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/bytes/ByteEchoServer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/oio/package-info.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpObjectDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/CombinedChannelDuplexHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/server/WebSocketServer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/Attribute.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksInitResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/CompositeByteBuf.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/uptime/UptimeClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/logging/LoggingHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PoolThreadCache.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpContentDecompressor.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpResponseDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelFuture.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpResponseEncoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/sctp/SctpEchoClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultChannelPipeline.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/CompleteChannelFuture.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/factorial/FactorialServerInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/SingleThreadEventLoop.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/discard/DiscardServer.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerOne.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/PrematureChannelClosureException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/AbstractChannelHandlerContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/file/HttpStaticFileServerInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/base64/Base64Encoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpContentDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/ZlibDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelDuplexHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/sctp/SctpEchoServer.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/package-
info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/MessageToByteEncoder.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/nio/NioTask.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/EncoderException.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/FailedChannelFuture.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/factorial/FactorialServer.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/DefaultFileRegion.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/SocketChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/AbstractServerChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/EventExecutorGroup.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/ByteToMessageDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/TooLongFrameException.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksCommonUtils.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspHeaders.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/local/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/MessageToMessageDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerHandler.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/SwappedByteBuf.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/util/concurrent/FailedFuture.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/TimerTask.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/socksproxy/SocksServerInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/nio/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/ByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/socksproxy/DirectClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ReadOnlyByteBuf.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/sctp/oio/OioSctpServerChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/bytes/ByteEchoClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/StringUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/UnpooledHeapByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/Unpooled.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/EventLoopException.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/EventLoop.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/factorial/FactorialClientInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpContentEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/timeout/WriteTimeoutHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/LineBasedFrameDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/upload/HttpUploadClient.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/SocketChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/base64/Base64Decoder.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksCmdRequest.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/factorial/NumberEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/CharsetUtil.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpRequest.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/MultithreadEventExecutorGroup.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/Timeout.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/bootstrap/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/uptime/UptimeClientHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/embedded/EmbeddedSocketAddress.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/PlatformDependent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelFutureListener.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/oio/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/sctp/SctpOutboundByteStreamHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/securechat/SecureChatServerInitializer.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksMessage.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspMethods.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/securechat/SecureChatClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/snoop/HttpSnoopServerInitializer.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/UnpooledUnsafeDirectByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelPromiseAggregator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/discard/DiscardClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerTwo.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PooledByteBufAllocator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/DefaultEventLoopGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/qotm/QuoteOfTheMomentServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/rendezvousBytes/package-info.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/SingleThreadEventExecutor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerTwo.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/objectecho/ObjectEchoClientHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/DefaultHttpContent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/SlicedByteBuf.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/localecho/LocalEchoClientHandler.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpClientCodec.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/EventExecutor.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/stream/ChunkedNioFile.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/cors/HttpCorsServerInitializer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/nio/NioEventLoop.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/DefaultHttpResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelMetadata.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-



```

jar/io/netty/buffer/AbstractByteBufAllocator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/QueryStringDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/upload/HttpUploadServer.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ServerChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/telnet/TelnetServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/serialization/SoftReferenceMap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ByteBufUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/MessageToMessageCodec.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/UnpooledDirectByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/bootstrap/AbstractBootstrap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/bootstrap/Bootstrap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/MessageToMessageEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/Cookie.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/udt/DefaultUdtChannelConfig.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ByteBufOutputStream.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpObject.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerBase.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/embedded/EmbeddedChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/nio/AbstractNioChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/bytes/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/AbstractConstant.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/server/WebSocketIndexPageHandler.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/DefaultHttpRequest.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/CodecException.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/NotSslRecordException.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpRequestEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/logging/Log4JLoggerFactory.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/string/StringDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/compression/CompressionException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/SucceededChannelFuture.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/AttributeMap.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/nio/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksRequest.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/factorial/FactorialClient.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/telnet/TelnetServerInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelPromiseNotifier.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/worldclock/WorldClockServerInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/nio/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/multipart/FileUpload.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/udt/echo/bytes/ByteEchoClientHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/DatagramChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/nio/AbstractNioByteChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PoolSubpage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/IllegalReferenceCountException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/logging/InternalLogLevel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/DecoderException.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/echo/EchoServerHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelOption.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/logging/Slf4JLogger.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/local/LocalChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/qotm/QuoteOfTheMomentClient.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelInboundHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/local/LocalServerChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/sctp/SctpEchoClientHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/DecompressionException.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/DatagramChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/SocksMessage.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/snoop/HttpSnoopClient.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/DefaultChannelPromise.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/string/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/server/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SslHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/channel/socket/oio/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/snoop/HttpSnoopClientHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/SystemPropertyUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/message/MsgEchoClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/factorial/BigIntegerDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/factorial/FactorialClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/echo/EchoClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/base64/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollDatagramChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/objectecho/ObjectEchoServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HTTPHeaderDateFormat.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/qotm/QuoteOfTheMomentClientHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/marshalling/MarshallerProvider.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/localecho/LocalEchoServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java

```

```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/CorruptedFrameException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/upload/HttpUploadServerInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/objectecho/ObjectEchoServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/oio/OioEventLoopGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/websocketx/server/WebSocketServerIndexPage.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/bytes/ByteEchoServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/DatagramPacket.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpRequestDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/echo/EchoClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/snoop/HttpSnoopClientInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/socksproxy/SocksServerConnectHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/stream/ChunkedFile.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/udt/echo/message/MsgEchoServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socks/SocksInitRequest.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/DuplicatedByteBuf.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*

```

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompWebSocketProtocolCodec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompWebSocketChatServer.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/haproxy/HAProxyServer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/logging/ByteBufFormat.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompSubscription.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/haproxy/HAProxyMessageEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/haproxy/HAProxyHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompWebSocketChatServerInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/DomainWildcardMappingBuilder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompVersion.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompChatHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/address/ResolveAddressHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/StompWebSocketClientPageHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/haproxy/HAProxyClient.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/StreamByteDistributor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/MathUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/InboundHttp2ToHttpAdapterBuilder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/DecoratingHttp2ConnectionEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/DecoratingHttp2ConnectionDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/CharSequenceValueConverter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/DefaultHeadersImpl.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/WeightedFairQueueByteDistributor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/ValueConverter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/UniformStreamByteDistributor.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/DecoratingHttp2FrameWriter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/CoalescingBufferQueue.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/AbstractInboundHttp2ToHttpAdapterBuilder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
```



jar/io/netty/util/ByteProcessor.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http2/StreamBufferingEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http2/Http2PromisedRequestVerifier.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http2/Http2StreamVisitor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

// (BSD License: <http://www.opensource.org/licenses/bsd-license>)

// All rights reserved.

// Redistribution and use in source and binary forms, with or

// \* Redistributions of source code must retain the above

// copyright notice, this list of conditions and the

// following disclaimer.

// \* Redistributions

in binary form must reproduce the above

// following disclaimer in the documentation and/or other

// \* Neither the name of the Webbit nor the names of

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*  
\* Written by Robert Harder and released to the public domain, as explained at  
\* <http://creativecommons.org/licenses/publicdomain>  
\*/  
/\*\*  
\* Enumeration of supported Base64 dialects.  
\* <p>  
\* The internal lookup tables in this class has been derived from  
\* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert  
Harder's Public Domain  
\* Base64 Encoder/Decoder</a>.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/base64/Base64Dialect.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/ocsp/OcspServerExample.java

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/ocsp/OcspRequestBuilder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/ocsp/Digester.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/ocsp/OcspClientExample.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/ocsp/OcspUtils.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
/*
* Copyright 2014 Twitter, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable
law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackHeaderField.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackHuffmanEncoder.java
```

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackHuffmanDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackStaticTable.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackDynamicTable.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/HpackEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/Buffer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/SSLContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/Library.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/SSL.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtMessageRendezvousChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/UdtChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/sctp/SctpMessageCompletionHandler.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/sctp/SctpMessageToMessageDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtByteAcceptorChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtAcceptorChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtByteConnectorChannel.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtProvider.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/sctp/SctpInboundByteStreamHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtByteRendezvousChannel.java

\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/traffic/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/sctp/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtMessageConnectorChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/nio/NioUdtMessageAcceptorChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/traffic/TrafficCounter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2SettingsReceivedConsumer.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2EmptyDataFrameListener.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2EmptyDataFrameConnectionDecoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2ControlFrameLimitEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/ResourcesUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/ByteProcessorUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/internal/tcnative/SSLPrivateKeyMethodTask.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/ThreadExecutorMap.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/internal/tcnative/SSLPrivateKeyMethodSignTask.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/PreferredAddressTypeComparator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/Hidden.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelHandlerMask.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/SSLTask.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Lz4XXHash32.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/svm/PlatformDependentSubstitution.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/TcpDnsQueryEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/MaxCapacityQueue.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/TcpDnsResponseDecoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2SettingsAckFrame.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SslMasterKeyHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/ReferenceCountUpdater.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatBroker.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2SettingsAckFrame.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/SSLPrivateKeyMethodDecryptTask.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-



```

jar/io/netty/handler/codec/http2/AbstractHttp2StreamChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/TcpDnsQueryContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/svm/PlatformDependent0Substitution.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/address/DynamicAddressConnectHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatBrokerHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/ObjectPool.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/svm/CleanerJava6Substitution.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ExtendedClosedChannelException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsResponseDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/TrustManagerFactoryWrapper.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/svm/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/address/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2MultiplexHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/svm/UnsafeRefArrayAccessSubstitution.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/internal/tcnative/SSLPrivateKeyMethod.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/macos/package-info.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsCodecUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/CertificateVerifierTask.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/CertificateCallbackTask.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/PseudoRandomFunction.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsQueryEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/KeyManagerFactoryWrapper.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DatagramDnsQueryContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/EventLoopTaskQueueFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/macos/DnsResolver.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/DefaultSctpChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpMessage.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpNotificationHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpServerChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpServerChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/nio/NioSctpChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/worldclock/WorldClockProtocol.proto  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/nio/NioSctpServerChannel.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/IntCollections.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/EmptyHttp2Headers.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2HeadersDecoder.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2FrameWriter.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/ObjectUtil.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DelegatingDecompressorFrameListener.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameSizePolicy.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/client/Http2ClientInitializer.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2LifecycleManager.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameListener.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/EmptyHeaders.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2Stream.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2Settings.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/LongObjectHashMap.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/client/HttpResponseHandler.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2ConnectionHandler.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/client/Http2SettingsHandler.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2NoMoreStreamIdsException.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2RemoteFlowController.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/InboundHttp2ToHttpAdapter.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2ConnectionDecoder.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http2/Http2ClientUpgradeCodec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/DefaultHttp2Connection.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/DefaultHttp2Headers.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/http2/helloworld/client/Http2Client.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/ByteObjectHashMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/HttpToHttp2ConnectionHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2FrameListenerDecorator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/ByteCollections.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2Connection.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/IntObjectHashMap.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/CharObjectMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2Headers.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/mqtt/MqttQoS.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/http2/helloworld/server/Http2OrHttpHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2FrameReader.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2ConnectionAdapter.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/ByteObjectMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/CompressorHttp2ConnectionEncoder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2CodecUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2DataWriter.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/DefaultHttp2HeadersEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2HeadersEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/package-info.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2LocalFlowController.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2RemoteFlowController.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/server/HelloWorldHttp2Handler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2FrameReader.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameTypes.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/DefaultHeaders.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/LongObjectMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/CharObjectHashMap.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/ShortObjectHashMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/CharCollections.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/ShortCollections.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2Exception.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2ConnectionEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2ConnectionEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameWriter.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FlowController.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2LocalFlowController.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/Headers.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2Flags.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/collection/LongCollections.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

jar/io/netty/handler/codec/http2/Http2FrameAdapter.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/mqtt/package-info.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/IntObjectMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2Error.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/collection/ShortObjectMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2EventAdapter.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/http2/Http2ExampleUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2ConnectionDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2HeadersDecoder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http2/Http2ServerUpgradeCodec.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/search/SearchProcessorFactory.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/search/MultiSearchProcessorFactory.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/http2/helloworld/frame/client/Http2ClientFrameInitializer.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/MultiSearchProcessor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/AhoCorasicSearchProcessorFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/frame/client/Http2FrameClient.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/SearchProcessor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/KmpSearchProcessorFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/frame/client/Http2ClientStreamFrameResponseHandler.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/AbstractMultiSearchProcessorFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/BitapSearchProcessorFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/search/AbstractSearchProcessorFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/Cleaner.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/CleanerJava9.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocalRunnable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project



```
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*/
/**
* Utility class for {@link ByteBuf} that encodes and decodes to and from
* Base64 notation.
* <p>
*
* The encoding and decoding algorithm in this class has been derived from
* Robert Harder's Public Domain
* Base64 Encoder/Decoder.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/base64/Base64.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
```

\* Copyright (c) 2004-2011 QOS.ch  
 \* All rights reserved.  
 \*  
 \* Permission is hereby granted, free of charge, to any person obtaining  
 \* a copy of this software and associated documentation files (the  
 \* "Software"), to deal in the Software without restriction, including  
 \* without  
 limitation the rights to use, copy, modify, merge, publish,  
 \* distribute, sublicense, and/or sell copies of the Software, and to  
 \* permit persons to whom the Software is furnished to do so, subject to  
 \* the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be  
 \* included in all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
 \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
 \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
 \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
 \* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
 \* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
 \* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
 \*  
 \*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/internal/logging/Log4JLogger.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/internal/logging/InternalLogger.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/internal/logging/CommonsLogger.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/internal/logging/JdkLogger.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
 \* version 2.0 (the "License"); you may not use this file except in compliance  
 \* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2StreamChannel.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/TraceDnsQueryLifecycleObserverFactory.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/SingletonDnsServerAddressStreamProvider.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PooledByteBufAllocatorMetric.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownException.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2UnknownFrame.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/SniHostNameMatcher.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/ObjectCleaner.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/EmptyPriorityQueue.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsQueryLifecycleObserverFactory.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DefaultDnsServerAddressStreamProvider.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/NativeStaticallyReferencedJniMethods.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/SuppressForbidden.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsNameResolverTimeoutException.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/Conscrypt.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/internal/ChannelUtils.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/http2/DefaultHttp2UnknownFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/SslClientHelloHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/logging/LocationAwareSlf4JLogger.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsQueryLifecycleObserver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/SslCompletionEvent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/SniCompletionEvent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/uptime/UptimeServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2MultiplexCodecBuilder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2FrameStreamEvent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ByteBufAllocatorMetric.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/ocsp/package-info.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/HostsFileEntries.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2FrameCodecBuilder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/PendingBytesTracker.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsCacheEntry.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsServerAddressStreamProviders.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/ByteBufAllocatorMetricProvider.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/bootstrap/FailedChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/SequentialDnsServerAddressStreamProvider.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/ResolvedAddressTypes.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsServerAddressStreamProvider.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserverFactory.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/LongAdderCounter.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserver.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/PriorityQueue.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/AbstractSniHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/UnixChannelUtil.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/UniSequentialDnsServerAddressStreamProvider.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/MultiDnsServerAddressStreamProvider.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/TraceDnsQueryLifecycleObserver.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/UncheckedBooleanSupplier.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/NettyRuntime.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/UnixResolverDnsServerAddressStreamProvider.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/internal/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-



```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/CleanerJava6.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/UnsafeDirectSwappedByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/FastThreadLocalThread.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/UnsafeHeapSwappedByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultChannelHandlerContext.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: http://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):



```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/IntegerHolder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttPublishMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/spdy/server/SpdyServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/StompConstants.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/haproxy/HAProxyMessageDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2BitWriter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/helloworld/server/Http2Server.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttPublishVariableHeader.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollEventLoopGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollDatagramChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlDocumentStart.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/NoopAddressResolverGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2BitReader.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/InternalThreadLocalMap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/StompSubframeAggregator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

```

jar/io/netty/channel/unix/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlEntityReference.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/haproxy/HAProxyCommand.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttPubAckMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/AsciiString.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpChunkedInput.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/UniqueIpFilter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/StompFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/StompHeaders.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JdkSslServerContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/ResourceLeakHint.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.
java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/websocketx/client/WebSocketClient.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttUnsubscribeMessage.java

```

```

*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2SecurityUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/PendingWriteQueue.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttSubAckPayload.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttSubscribePayload.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttConnectMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/stomp/StompClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/package-info.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlDocumentEnd.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/DecoderResultProvider.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/haproxy/HaproxyProtocolVersion.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
*

```

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/HTTPHeaderValues.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/JdkSslEngine.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/resolver/dns/DnsNameResolver.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/mqtt/MqttSubscribeMessage.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/OpenSslClientContext.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/ApplicationProtocolUtil.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/mqtt/MqttConnectPayload.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/JettyNpnSslEngine.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/xml/XmlCharacters.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/unix/UnixChannelOption.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/epoll/EpollSocketChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/epoll/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/haproxy/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/proxy/HttpProxyHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/JdkSslClientContext.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/haproxy/HAProxyConstants.java  
 \*

```

/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/IpFilterRuleType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsQueryContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/SslContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollChannelOption.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/haproxy/HaproxyProtocolException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlAttribute.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2FrameLogger.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/proxy/ProxyConnectionEvent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlCdata.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/IpFilterRule.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttUnacceptableProtocolVersionException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/CipherSuiteFilter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/CipherSuiteConverter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/Epoll.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttFixedHeader.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlElementEnd.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2InboundFrameLogger.java
*

```

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/xml/package-info.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/proxy/ProxyHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/OpenSslEngine.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/concurrent/PromiseNotifier.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/mqtt/MqttDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/Mapping.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/compression/FastLz.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/PemReader.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/SslUtils.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/stomp/StompContentSubframe.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/resolver/NameResolver.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/socksx/v5/Socks5Message.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/SslProvider.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/stomp/DefaultStompHeadersSubframe.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/channel/epoll/NativeDatagramPacketArray.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/util/concurrent/PromiseAggregator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/xml/XmlElementStart.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/Http2OutboundFrameLogger.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/stomp/StompSubframeDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsResolveContext.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/client/SpdyClientInitializer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/proxy/ProxyConnectException.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollEventLoop.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServerInitializer.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/DomainNameMapping.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttConnAckVariableHeader.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttMessageFactory.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/stomp/StompHeadersSubframe.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/server/SpdyServerInitializer.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Rand.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttTopicSubscription.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslServerContext.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/client/SpdyClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/UnpaddedInternalThreadLocalMap.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttVersion.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/internal/tcnative/CertificateVerifier.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttUnsubAckMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslEngineMap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttCodecUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/NativeLibraryLoader.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Crc32.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/NoopAddressResolver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttMessageIdVariableHeader.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/json/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/LastStompContentSubframe.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/StompSubframe.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/ClientCookieEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttIdentifierRejectedException.java

```



```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollServerSocketChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/MessageAggregationException.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpMessageUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/proxy/Socks4ProxyHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/StompCommand.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/DefaultStompContentSubframe.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttConnectReturnCode.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/AbstractEventLoop.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/DefaultStompFrame.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/stomp/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/websocketx/benchmarkserver/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/handler/codec/mqtt/MqttEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/server/SpdyOrHttpHandler.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/haproxy/HAProxyProxiedProtocol.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/client/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpStatusClass.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/haproxy/HAProxyMessage.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/xml/XmlDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/client/SpdyClientStreamIdHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/LzfDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/xml/XmlDTD.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/stomp/DefaultStompHeaders.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollTcpInfo.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocal.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/xml/XmlElement.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttConnectVariableHeader.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/JdkSslContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/server/Http2ServerInitializer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttConnAckMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/server/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpHeaderNames.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/embedded/EmbeddedChannelId.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v4/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/memcache/binary/MemcacheClient.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/AbstractEpollChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Decoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsAddressResolverGroup.java

```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/SniHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/helloworld/server/HelloWorldHttp1Handler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ipfilter/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlComment.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/spdy/server/SpdyServer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslX509Certificate.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/file/FileServerHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/spdy/client/HttpResponseClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/xml/XmlProcessingInstruction.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/mqtt/MqttMessageType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelFactory.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java
*

```

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/IovArray.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/AddressResolverGroup.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/spdy/client/SpdyFrameLogger.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttSubAckMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/ThreadDeathWatcher.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/memcache/binary/MemcacheClientHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttUnsubscribePayload.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServerBenchmarkPage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/xml/XmlNamespace.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/stomp/DefaultLastStompContentSubframe.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ReflectiveChannelFactory.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/xml/XmlSpace.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/StompClient.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsServerAddresses.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/stomp/StompSubframeEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/mqtt/MqttMessage.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/AsciiHeadersEncoder.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Constants.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionStats.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*

\* Adaptation of <http://bjoern.hoehrmann.de/utf-8/decoder/dfa/>

\*

\* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to deal  
\* in the Software without restriction,

\* including without limitation the rights to use, copy, modify, merge, publish, distribute,  
\* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or  
\* substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING

\* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
\* PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE  
\* FOR ANY CLAIM,

\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
\* ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsQuestion.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/AddressResolver.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/HeadersUtils.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollMode.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollServerChannelConfig.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/AbstractDnsMessage.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/RotationalDnsServerAddresses.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/ProtocolDetectionState.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PoolChunkMetric.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java

\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/HttpToHttp2ConnectionHandlerBuilder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/tiles/Http2OrHttpHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNames.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/HostsFileParser.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/DomainSocketChannelConfig.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/tiles/Launcher.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/LongCounter.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsMessageUtil.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/InetAddressResolver.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DatagramDnsResponse.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsServerAddressStream.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/tiles/HttpRequestHandler.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/HeapByteBufUtil.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsNameResolverException.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cookie/CookieUtil.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsRecordEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsRecordDecoder.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-



jar/io/netty/handler/codec/dns/DatagramDnsResponseEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/unix/DomainSocketAddress.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/EmptyHttpHeaders.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/dns/AbstractDnsRecord.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/PriorityQueueNode.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/internal/DefaultPriorityQueue.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/pool/AbstractChannelPoolMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/dns/DatagramDnsResponseDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/buffer/PoolSubpageMetric.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/util/concurrent/AbstractScheduledEventExecutor.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/dns/DnsResponseCode.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/dns/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/channel/pool/ChannelPoolMap.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/HttpUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/resolver/CompositeNameResolver.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/example/sctp/multihoming/SctpMultiHomingEchoServer.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/dns/DnsRawRecord.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-  
jar/io/netty/handler/codec/http/cookie/CookieDecoder.java

```

* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/tiles/FallbackRequestHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/SingletonDnsServerAddresses.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/pool/AbstractChannelPoolHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/pool/ChannelPoolHandler.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/CharSequenceMap.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsRecordEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/ShuffledDnsServerAddressStream.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/CookieUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/DomainSocketReadMode.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/UnsafeByteBufUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollEventArray.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsOpCode.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/pool/ChannelPool.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/Socket.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/HashingStrategy.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

```

jar/io/netty/handler/codec/http/HttpScheme.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsNameResolverBuilder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsRecordType.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/tiles/Http2Server.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/PoolChunkListMetric.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/pool/package-info.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DefaultDnsServerAddresses.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslJavaxX509Certificate.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/pool/FixedChannelPool.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/AsyncMapping.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/HostsFileEntriesResolver.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/rtsp/RtspDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/ThreadProperties.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DatagramDnsQuery.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/tiles/Html.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsMessage.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DatagramDnsQueryEncoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/FileDescriptor.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/ProtocolDetectionResult.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ClientAuth.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PooledUnsafeHeapByteBuf.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/UnpooledUnsafeHeapByteBuf.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/UnpooledSlicedByteBuf.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/TcpMd5Util.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/tiles/ImageCache.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollChannelConfig.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/rtsp/RtspEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/server/HelloWorldHttp2HandlerBuilder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/sctp/multihoming/SctpMultiHomingEchoClient.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsSection.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsQuery.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/AbstractHttp2ConnectionHandlerBuilder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/UnpooledDuplicatedByteBuf.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/SslContextBuilder.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/ServerDomainSocketChannel.java  
 \*  
 /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsQuery.java  
 \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-

```

jar/io/netty/resolver/dns/SequentialDnsServerAddressStream.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/pool/ChannelHealthChecker.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/UnsupportedValueConverter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsRecordDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/cookie/package-info.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/DatagramSocketAddress.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2ConnectionHandlerBuilder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/NativeInetAddress.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/UnixChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsRecord.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/unix/DomainSocketChannel.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/cookie/Cookie.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DatagramDnsQueryDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DnsQueryContextManager.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DefaultDnsRawRecord.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/PoolArenaMetric.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/tiles/Http2RequestHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsQuestion.java

```

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/tiles/HttpServer.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/AbstractUnsafeSwappedByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsResponse.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/pool/SimpleChannelPool.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/DomainMappingBuilder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java

No license file was found, but licenses were detected in source scan.

/\*

Stomp Over WebSocket <http://www.jmesnil.net/stomp-websocket/doc/> | Apache License V2.0  
Copyright (C) 2010-2013 [Jeff Mesnil](<http://jmesnil.net/>)  
Copyright (C) 2012 [FuseSource, Inc.](<http://fusesource.com>)

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/stomp/websocket/stomp.js

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

```
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
 * Set the { @code TCP_MD5SIG } option on the socket. See { @code linux/tcp.h } for more details.
 * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
 * Allowing them being read would mean anyone with access to the channel could get them.
```

```
*/
/**
 * Set the { @code TCP_QUICKACK } option on the socket. See TCP_QUICKACK
 * for more details.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/epoll/EpollSocketChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/AbstractCoalescingBufferQueue.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2ConnectionPrefaceAndSettingsFrameWrittenEvent.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to the License at:
 *
*/
```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PooledHeapByteBuf.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http/cors/OkResponseHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cors/CorsHandler.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http/cors/CorsConfig.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/



- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/AbstractKQueueChannel.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpRequestEncoder.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/group/VoidChannelGroupFuture.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/BsdSocket.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/socket/DuplexChannel.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameStream.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/string/LineSeparator.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/flow/package-info.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/flush/package-info.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueDatagramChannelConfig.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueSocketChannel.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/UnpooledUnsafeNoCleanerDirectByteBuffer.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpResponseDecoder.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/OrderedEventExecutor.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/PemPrivateKey.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/NativeLibraryUtil.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpResponse.java
- \*

```

/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/kqueue/KQueueChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/redis/RedisClientHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/AbstractPooledDerivedByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsOptPseudoRecord.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtpContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/logging/Log4J2Logger.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/logging/Log4J2LoggerFactory.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/RejectedExecutionHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/buffer/SimpleLeakAwareCompositeByteBuf.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/AbstractHttp2StreamFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/OutOfDirectMemoryError.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/DefaultHttp2WindowUpdateFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/DatagramPacketDecoder.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/SelectStrategyFactory.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/example/http2/helloworld/frame/server/Http2ServerInitializer.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/ByteBufChecksum.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/ResourceLeakTracker.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/ChannelInboundInvoker.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultSmtpResponse.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/kqueue/KQueueRecvByteAllocatorHandle.java
*

```

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/haproxy/HAProxySSLTLV.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/Native.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2WindowUpdateFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/DomainNameMappingBuilder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/PreferHeapByteBufAllocator.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/multiplex/server/Http2ServerInitializer.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/PemValue.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2StreamFrameToHttpObjectCodec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/NonStickyEventExecutorGroup.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/DnsCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueServerSocketChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/AbstractKQueueServerChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/UnorderedThreadPoolEventExecutor.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueEventLoopGroup.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/SocketUtils.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/AbstractUnpooledSlicedByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2DataFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpRequests.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrapConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/PemX509Certificate.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2ResetFrame.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/DefaultSmtpContent.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/UnstableApi.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2HeadersFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2SettingsFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/DatagramPacketEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/DefaultSelectStrategy.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpRequest.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/frame/server/Http2Server.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/CodecOutputList.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/WriteBufferWaterMark.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/ResourceLeakDetectorFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/string/LineEncoder.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/DefaultLastSmtpContent.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/CertificateRequestedCallback.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueEventArray.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/DefaultSmtpRequest.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2SettingsFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpUtils.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/haproxy/HAProxyTLV.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueChannelOption.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/RoundRobinDnsAddressResolverGroup.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/Java8SslUtils.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/PromiseCombiner.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/bootstrap/ServerBootstrapConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2GoAwayFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/WrappedUnpooledUnsafeDirectByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PooledDuplicatedByteBuf.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameStreamException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/OpenSslCertificateException.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/SelectStrategy.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/EventExecutorChooserFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueServerDomainSocketChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/InflightNameResolver.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/DateFormatter.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/PeerCredentials.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/UnaryPromiseNotifier.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/RoundRobinInetAddressResolver.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/bootstrap/BootstrapConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueDomainSocketChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/PooledSlicedByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/PemEncoded.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/ReadOnlyHttp2Headers.java

```

*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/MacAddressUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/kqueue/KQueueServerChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/compression/CompressionUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/concurrent/RejectedExecutionHandlers.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/kqueue/KQueueSocketChannelConfig.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2GoAwayFrame.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/BooleanSupplier.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/kqueue/AcceptFilter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/resolver/dns/DefaultDnsCache.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2MultiplexCodec.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/dns/DnsOptEcsRecord.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/DefaultSelectStrategyFactory.java
*
/opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/DelegatingSslContext.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/channel/kqueue/NativeLongArray.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/DefaultHttp2PingFrame.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/smtp/LastSmtContent.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/InboundHttpToHttp2Adapter.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/util/internal/PromiseNotificationUtil.java
* /opt/cola/permits/1209648618_1633110199.44/0/netty-all-4-1-49-final-sources-1-
jar/io/netty/handler/codec/http2/Http2FrameStreamVisitor.java
*

```

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/IntSupplier.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/AbstractDnsOptPseudoRrRecord.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/AbstractKQueueStreamChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/resolver/dns/NoopDnsCache.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2ChannelDuplexHandler.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelOutboundInvoker.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/WrappedCompositeByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/SocketWritableByteChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2HeadersFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutorChooserFactory.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/flush/FlushConsolidationHandler.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2ResetFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueServerSocketChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2PingFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DnsPtrRecord.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsPtrRecord.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueDatagramChannel.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueDomainSocketChannelConfig.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/DefaultHttp2DataFrame.java  
\*  
/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/internal/tcnative/SessionTicketKey.java

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/buffer/AdvancedLeakAwareCompositeByteBuf.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/unix/Limits.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/package-info.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/epoll/LinuxSocket.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueEventLoop.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/ConstantTimeUtils.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/ThrowableUtil.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/smtp/SmtpCommand.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/example/http2/helloworld/multiplex/server/Http2Server.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2FrameCodec.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2StreamFrame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/http2/Http2Frame.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java  
\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/handler/codec/dns/DefaultDnsOptEcsRecord.java  
\*

/opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/kqueue/KQueueStaticallyReferencedJniMethods.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.



```

*/
/**
 * Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
 * its { @link ChannelPipeline }.
 *
 * <h3>Sub-types</h3>
 * <p>
 * { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its
 * subtypes:
 *
 * { @link
 * ChannelInboundHandler } to handle inbound I/O events, and
 * { @link ChannelOutboundHandler } to handle outbound I/O operations.
 *
 * </p>
 * <p>
 * Alternatively, the following adapter classes are provided for your convenience:
 *
 * { @link ChannelInboundHandlerAdapter } to handle inbound I/O events,
 * { @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and
 * { @link ChannelDuplexHandler } to handle both inbound and outbound events
 *
 * </p>
 * <p>
 * For more information, please refer to the documentation of each subtype.
 * </p>
 *
 * <h3>The context object</h3>
 * <p>
 * A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }
 * object. A { @link ChannelHandler } is supposed to interact with the
 * { @link ChannelPipeline } it belongs to via a context object. Using the
 * context object, the { @link ChannelHandler } can pass events upstream or
 * downstream, modify the pipeline dynamically,
 * or store the information
 * (using { @link AttributeKey }s) which is specific to the handler.
 *
 * <h3>State management</h3>
 *
 * A { @link ChannelHandler } often needs to store some stateful information.
 * The simplest and recommended approach is to use member variables:
 * <pre>
 * public interface Message {
 * // your methods here
 * }
 *
 * public class DataServerHandler extends { @link SimpleChannelInboundHandler }<Message> {
 *

```

```

* private boolean loggedIn;
*
* { @code @Override }
* public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) message);
* loggedIn = true;
* } else (message instanceof GetDataMessage) {
* if (loggedIn) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
* } else {
* fail();
* }
* }
* }
* ...
* }
* </pre>

```

\* Because the handler instance has a state variable which is dedicated to
 \* one connection, you have to create a new handler instance for each new
 \* channel to avoid a race condition where a unauthenticated client can get
 \* the confidential information:

```

* <pre>
* // Create a new handler instance per channel.
* // See { @link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends { @link ChannelInitializer}<{ @link Channel}> {
* { @code @Override }
* public void initChannel({ @link Channel } channel) {
* channel.pipeline().addLast("handler", new DataServerHandler());
* }
* }
*
* </pre>

```

\* <h4>Using { @link AttributeKey}s</h4>

\* Although it's recommended to use member variables to store the state of a
 \* handler, for some reason you might not want to create many handler instances.
 \* In such a case, you can use { @link AttributeKey}s which is provided by
 \* { @link ChannelHandlerContext}:

```

* <pre>
* public interface Message {
* // your methods here
* }
*
* { @code @Sharable }
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}<Message> {
* private final { @link AttributeKey}<{ @link Boolean}>; auth =

```

```

* {@link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")});
*
* {@code @Override}
* public void channelRead({@link ChannelHandlerContext} ctx, Message message) {
* {@link Attribute}<> attr = ctx.attr(auth);
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) o);
* attr.set(true);
* } else (message instanceof GetDataMessage) {
* if (Boolean.TRUE.equals(attr.get())) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
* } else {
* fail();
* }
* }
* }
* ...
* }
* </pre>

```

\* Now that the state of the handler is attached to the {@link ChannelHandlerContext}, you can add the same handler instance to different pipelines:

```

* <pre>
* public class DataServerInitializer extends {@link ChannelInitializer}<{@link Channel}> {
*
* private static final DataServerHandler SHARED = new DataServerHandler();
*
* {@code @Override}
* public void initChannel({@link Channel} channel) {
* channel.pipeline().addLast("handler", SHARED);
* }
* }
* </pre>

```

\* <h4>The {@code @Sharable} annotation</h4>

\* <p>In the example above which used an {@link AttributeKey}, you might have noticed the {@code @Sharable} annotation.</p>

\* If a {@link ChannelHandler} is annotated with the {@code @Sharable} annotation, it means you can create an instance of the handler just once and add it to one or more {@link ChannelPipeline}s multiple times without a race condition.

\* <p>If this annotation is not specified, you have to create a new handler

\* instance every time you add it to a pipeline because it has unshared state

\* such as member variables.  
\* <p>  
\* This annotation is provided for documentation purpose, just like  
\* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.  
\*  
\* <h3>Additional resources worth reading</h3>  
\* <p>  
\* Please refer to the { @link ChannelHandler}, and  
\* { @link ChannelPipeline} to find out more about inbound and outbound operations,  
\* what fundamental differences they have, how they flow in a pipeline, and how to handle  
\* the operation in your application.  
\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*/

Found in path(s):

\* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/util/internal/ThreadLocalRandom.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

- \* version 2.0 (the "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at:
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/rxtx/RxtxChannelConfig.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/rxtx/RxtxDeviceAddress.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/oio/OioByteStreamChannel.java
- \*
- /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/rxtx/DefaultRxtxChannelConfig.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/rxtx/RxtxChannelOption.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/rxtx/RxtxChannel.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/rxtx/package-info.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/sctp/SctpChannelOption.java
- \* /opt/cola/permits/1209648618\_1633110199.44/0/netty-all-4-1-49-final-sources-1-jar/io/netty/channel/udt/UdtServerChannel.java

## 1.1376 picocolors 0.2.1

### 1.1376.1 Available under license :

ISC License

Copyright (c) 2021 Alexey Raspopov, Kostiantyn Denysov, Anton Verinov

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1377 wide-align 1.1.5

### 1.1377.1 Available under license :

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1378 ansi-regex 5.0.1

### 1.1378.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1379 string-width 4.2.3

## 1.1379.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1380 lodash.isarguments 3.1.0

## 1.1380.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.1381 are-we-there-yet 1.1.7

### 1.1381.1 Available under license :

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



# 1.1382 strip-ansi 6.0.1

## 1.1382.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1383 forwarded 0.2.0

## 1.1383.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1384 is-plain-object 5.0.0

## 1.1384.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1385 readdirp 3.6.0

## 1.1385.1 Available under license :

MIT License

Copyright (c) 2012-2019 Thorsten Lorenz, Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1386 proxy-addr 2.0.7

### 1.1386.1 Available under license :

(The MIT License)

Copyright (c) 2014-2016 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1387 ws 6.2.2

### 1.1387.1 Available under license :

The MIT License (MIT)

Copyright (c) 2011 Einar Otto Stangvik <einaros@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1388 unicode-match-property-ecmascript 2.0.0

## 1.1388.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1389 core-util-is 1.0.3

## 1.1389.1 Available under license :

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1390 pbkdf2 3.1.2

## 1.1390.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Daniel Cousens

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR  
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.1391 is-glob 4.0.3

### 1.1391.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1392 find-cache-dir 3.3.2

### 1.1392.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1393 unicode-canonical-property-names-ecmascript 2.0.0

### 1.1393.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1394 pretty-hrtime 1.0.3

### 1.1394.1 Available under license :

Copyright (c) 2013 [Richardson & Sons, LLC](<http://richardsonandsons.com/>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1395 memoize-one 5.2.1

### 1.1395.1 Available under license :

MIT License

Copyright (c) 2019 Alexander Reardon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1396 ansi-html-community 0.0.8

### 1.1396.1 Available under license :

Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,  
or other modifications  
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.1397 normalize-url 4.5.1

### 1.1397.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1398 depd 2.0.0

### 1.1398.1 Available under license :

(The MIT License)

Copyright (c) 2014-2018 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1399 setprototypeof 1.2.0

### 1.1399.1 Available under license :

Copyright (c) 2015, Wes Todd

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1400 fbjs 0.8.18

### 1.1400.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1401 mime 2.6.0

### 1.1401.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010 Benjamin Thomas, Robert Kieffer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1402 picocolors 1.0.0

## 1.1402.1 Available under license :

ISC License

Copyright (c) 2021 Alexey Raspopov, Kostiantyn Denysov, Anton Verinov

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1403 postcss 7.0.39

### 1.1403.1 Available under license :

The MIT License (MIT)

Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1404 binary-extensions 2.3.0



## 1.1404.1 Available under license :

<!-- LICENSEFILE/ -->

<h1>License</h1>

Unless stated otherwise all works are:

<ul><li>Copyright &copy; 2013+ <a href="http://bevry.me">Bevry Pty Ltd</a></li></ul>

and licensed under:

<ul><li><a href="http://spdx.org/licenses/MIT.html">MIT License</a></li></ul>

<h2>MIT License</h2>

<pre>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO

THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

<!-- /LICENSEFILE -->

## 1.1405 source-map-support 0.5.21

### 1.1405.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Evan Wallace

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1406 postcss 7.0.39

### 1.1406.1 Available under license :

The MIT License (MIT)

Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1407 rc 1.2.8

### 1.1407.1 Available under license :

The MIT License

Copyright (c) 2011 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
Apache License, Version 2.0

Copyright (c) 2011 Dominic Tarr

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2013, Dominic Tarr  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of the FreeBSD Project.

# 1.1408 http-proxy 1.18.1

## 1.1408.1 Available under license :

node-http-proxy

Copyright (c) 2010-2016 Charlie Robbins, Jarrett Cruger & the Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1409 mixin-deep 1.3.2

## 1.1409.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, 2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1410 kind-of 6.0.3

## 1.1410.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1411 js-yaml 3.14.1

### 1.1411.1 Available under license :

(The MIT License)

Copyright (C) 2011-2015 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1412 mime 1.6.0

### 1.1412.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010 Benjamin Thomas, Robert Kieffer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1413 set-value 2.0.1

### 1.1413.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1414 ini 1.3.8

### 1.1414.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1415 nth-check 1.0.2

### 1.1415.1 Available under license :

Copyright (c) Felix Bhm  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;

OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1416 util 0.11.1

### 1.1416.1 Available under license :

ISC License (ISC)

Copyright 2017 Jaco Greeff <jacogr@gmail.com>

Permission to use, copy, modify, and/or distribute this software for any



purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1417 cssesc 3.0.0

### 1.1417.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1418 glob-parent 3.1.0

### 1.1418.1 Available under license :

The ISC License

Copyright (c) 2015 Elan Shanker

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1419 pinkie 2.0.4

### 1.1419.1 Available under license :

The MIT License (MIT)

Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> (github.com/floatdrop)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1420 shallowequal 1.1.0

### 1.1420.1 Available under license :

MIT License

Copyright (c) 2017 Alberto Leal <mailforalberto@gmail.com> (github.com/dashed)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1421 no-case 2.3.2

### 1.1421.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Blake Embrey (hello@blakeembrey.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1422 yargs-parser 13.1.2

## 1.1422.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1423 got 9.6.0

### 1.1423.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1424 dot-prop 5.3.0

### 1.1424.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1425 @babel/polyfill 7.12.1

### 1.1425.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1426 @webassemblyjs/helper-wasm-section 1.9.0

## 1.1426.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1427 @webassemblyjs/helper-code-frame

### 1.9.0

#### 1.1427.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1428 @webassemblyjs/wasm-parser 1.9.0

### 1.1428.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1429 @webassemblyjs/helper-module-context 1.9.0

### 1.1429.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <sven@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1430 @webassemblyjs/wasm-opt 1.9.0

### 1.1430.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1431 @webassemblyjs/leb128 1.9.0

### 1.1431.1 Available under license :

Copyright 2012 The Obvious Corporation.  
<http://obvious.com/>



Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----  
Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections  
1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation

or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2.

Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted.

If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution

notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works

that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations,  
You may act only  
on Your own behalf and on Your sole responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

# 1.1432 postcss-modules-extract-imports 2.0.0

## 1.1432.1 Available under license :

Copyright 2015 Glen Maddern

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1433 @webassemblyjs/wast-printer 1.9.0

## 1.1433.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1434 serialize-javascript 4.0.0

### 1.1434.1 Available under license :

Copyright 2014 Yahoo! Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Yahoo! Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL YAHOO! INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1435 @webassemblyjs/wasm-gen 1.9.0

### 1.1435.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1436 @webassemblyjs/utf8 1.9.0

## 1.1436.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1437 @webassemblyjs/helper-wasm-bytecode 1.9.0

## 1.1437.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1438 @webassemblyjs/wast-parser 1.9.0

## 1.1438.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR



IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1439 icss-utils 4.1.1

### 1.1439.1 Available under license :

ISC License (ISC)  
Copyright 2018 Glen Maddern

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1440 @webassemblyjs/helper-fsm 1.9.0

### 1.1440.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1441 @webassemblyjs/ast 1.9.0

### 1.1441.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1442 webpack-dev-middleware 3.7.3

### 1.1442.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1443 elliptic 6.5.4

### 1.1443.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright (c) 2013 Pieter Wuille

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1237943958\_1638869528.51/0/indutny-elliptic-v6-5-4-0-g43ac7f2-tar-gz/indutny-elliptic-956793a/benchmarks/deps/secp256k1.js

No license file was found, but licenses were detected in source scan.

/\*

\* Curve 25519-based cryptography collection.

\*

\* EC Diffie-Hellman (ECDH) based on Curve25519 and digital signatures (EdDSA)

```
* based on Ed25519.
*
* Copyright (c) 2012 Ron Garret
* Copyright (c) 2007, 2013, 2014 Michele Bini
* Copyright (c) 2014 Mega Limited
* under the MIT License.
*
* You should have received a copy of the license along with this program.
*/
/**
* @license almond 0.2.9 Copyright (c) 2011-2014, The Dojo Foundation All Rights Reserved.
* Available via the MIT or new BSD license.
* see: http://github.com/jrburke/almond for details
*/
// All Rights Reserved.
```

Found in path(s):

```
* /opt/cola/permits/1237943958_1638869528.51/0/indutny-elliptic-v6-5-4-0-g43ac7f2-tar-gz/indutny-elliptic-956793a/benchmarks/deps/jodid.js
```

No license file was found, but licenses were detected in source scan.

This software is licensed under the MIT License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

```
* /opt/cola/permits/1237943958_1638869528.51/0/indutny-elliptic-v6-5-4-0-g43ac7f2-tar-gz/indutny-elliptic-956793a/README.md
```

No license file was found, but licenses were detected in source scan.

```
// Apache License 2.0
```

Found in path(s):

```
* /opt/cola/permits/1237943958_1638869528.51/0/indutny-elliptic-v6-5-4-0-g43ac7f2-tar-gz/indutny-elliptic-956793a/dist/elliptic.js
```

## 1.1444 @webassemblyjs/floating-point-hex-parser 1.9.0

## 1.1444.1 Available under license :

MIT License

Copyright (c) 2017 Mauro Bringolf

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1445 postcss-modules-scope 2.2.0

### 1.1445.1 Available under license :

ISC License (ISC)

Copyright (c) 2015, Glen Maddern

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1446 terser-webpack-plugin 1.4.5

## 1.1446.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1447 @webassemblyjs/ieee754 1.9.0

### 1.1447.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1448 @webassemblyjs/wasm-edit 1.9.0

### 1.1448.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1449 @webassemblyjs/helper-api-error

### 1.9.0

### 1.1449.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1450 @webassemblyjs/helper-buffer 1.9.0

### 1.1450.1 Available under license :

MIT License

Copyright (c) 2018 Sven Sauleau <svn@sauleau.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1451 @emotion/stylis 0.8.5

### 1.1451.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal



in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1452 just-extend 4.2.1

### 1.1452.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1453 path-parse 1.0.7

## 1.1453.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Javier Blanco

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1454 ansi-regex 5.0.1

### 1.1454.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1455 xtend 4.0.2

## 1.1455.1 Available under license :

MIT

# 1.1456 ssri 6.0.2

## 1.1456.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1457 dom-walk 0.1.2

## 1.1457.1 Available under license :

Copyright (c) 2012 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE  
OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.1458 global 4.4.0

### 1.1458.1 Available under license :

Copyright (c) 2012 Colingo.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1459 tslib 1.14.1

### 1.1459.1 Available under license :

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

/\*! \*\*\*\*\*

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*\*\*\*\* \*/

## 1.1460 snake-yaml 1.21

### 1.1460.1 Available under license :

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

## 1.1461 log4j-api 2.17.1

### 1.1461.1 Available under license :

Apache Log4j 1.x Compatibility API  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each



Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1462 apache-log4j 2.17.1

## 1.1462.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.1463 log4j-api 2.17.1

## 1.1463.1 Available under license :

Apache Log4j 1.x Compatibility API  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses



granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.1464 apache-log4j 2.17.1

### 1.1464.1 Available under license :

Apache Log4j Core  
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java  
Copyright 2005-2006 Tim Fennell

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache license, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the license for the specific language governing permissions and
- \* limitations under the license.
- \*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1465 log4j-slf4j-impl 2.17.1

## 1.1465.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,



"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Log4j SLF4J Binding  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.1466 picomatch 2.3.1

### 1.1466.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1467 css-color-keywords 1.0.0

### 1.1467.1 Available under license :

ISC License

Copyright (c) 2017, Jakob Krigovsky

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1468 toidentifier 1.0.1

### 1.1468.1 Available under license :

MIT License

Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1469 supports-preserve-symlinks-flag 1.0.0

### 1.1469.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1470 json-schema 0.4.0

### 1.1470.1 Available under license :

Dojo is available under *either* the terms of the BSD 3-Clause "New" License *or* the Academic Free License version 2.1. As a recipient of Dojo, you may choose which license to receive this code under (except as noted in per-module LICENSE files). Some modules may not be the copyright of the Dojo Foundation. These modules contain explicit declarations of copyright in both the LICENSE files in the directories in which they reside and in the code itself. No external contributions are allowed under licenses which are fundamentally incompatible with the AFL-2.1 OR and BSD-3-Clause licenses that Dojo is distributed under.

The text of the AFL-2.1 and BSD-3-Clause licenses is reproduced below.

-----  
BSD 3-Clause "New" License:

\*\*\*\*\*

Copyright (c) 2005-2015, The Dojo Foundation  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
The Academic Free License, v. 2.1:

\*\*\*\*\*

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

- a) to reproduce the Original Work in copies;
- b) to prepare derivative works ("Derivative Works") based upon the Original Work;
- c) to distribute copies of the Original Work and Derivative Works to the public;
- d) to perform the Original Work publicly; and
- e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby



agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes.

Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to

recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

## 1.1471 jsprim 1.4.2

### 1.1471.1 Available under license :

Copyright (c) 2012, Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1472 postcss-value-parser 4.2.0

### 1.1472.1 Available under license :

Copyright (c) Bogdan Chadkin <trysound@yandex.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1473 stax-api 4.2.1

### 1.1473.1 Available under license :

This copy of Stax2 API is licensed under the Simplified BSD License (also known as "2-clause BSD", or "FreeBSD License") See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.opensource.org/licenses/bsd-license.php>

with details of:

<COPYRIGHT HOLDER> = FasterXML.com

<YEAR> = 2010-

## 1.1474 ramda 0.27.2

### 1.1474.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018 Scott Sauyet and Michael Hurley

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1475 reflectasm:shaded shaded:1.07

### 1.1475.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>New BSD License</name>

Found in path(s):

\* /opt/cola/permits/1258575879\_1652141956.7531848/reflectasm-1-07-shaded-jar-zip/reflectasm-1-07-shaded-jar/META-INF/maven/com.esotericsoftware.reflectasm/reflectasm/pom.xml

# 1.1476 bcprov-jdk15on 1.50

## 1.1476.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* The Bouncy Castle License

\*

\* Copyright (c) 2000-2013 The Legion Of The Bouncy Castle (<http://www.bouncycastle.org>)

\* <p>

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to deal in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,  
\* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,  
\* subject to the following conditions:

\* <p>

\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.

\* <p>

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED,

\* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A  
\* PARTICULAR

\* PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF  
\* CONTRACT, TORT OR

\* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
\* OTHER

\* DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-  
jar/org/bouncycastle/LICENSE.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Poly1305 message authentication code, designed by D. J. Bernstein.

\* <p>

\* Poly1305 computes a 128-bit (16 bytes) authenticator, using a 128 bit nonce and a 256 bit key  
\* consisting of a 128 bit key applied to an underlying cipher, and a 128 bit key (with 106  
\* effective key bits) used in the authenticator.

\* <p>

\* The polynomial calculation in this implementation is adapted from the public domain <a

\* href="https://github.com/floodyberry/poly1305-donna">poly1305-donna-unrolled</a> C implementation

\* by Andrew M (@floodyberry).

\* @see Poly1305KeyGenerator

\*/

Found in path(s):

\* /opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-jar/org/bouncycastle/crypto/mac/Poly1305.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-jar/org/bouncycastle/apache/bzip2/CRC.java

\*

/opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-jar/org/bouncycastle/apache/bzip2/CBZip2OutputStream.java

\* /opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-jar/org/bouncycastle/apache/bzip2/CBZip2InputStream.java

\* /opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-jar/org/bouncycastle/apache/bzip2/BZip2Constants.java

No license file was found, but licenses were detected in source scan.

// now keep space is free to use

Found in path(s):

\* /opt/cola/permits/1258575869\_1643088909.26/0/bcprov-jdk15on-1-50-sources-jar/org/bouncycastle/pqc/crypto/gmss/GMSSPrivateKeyParameters.java

## 1.1477 springsource-org-quartz 1.6.0

## 1.1477.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2004-2006 OpenSymphony
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy
 * of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/listeners/TriggerListenerSupport.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/listeners/SchedulerListenerSupport.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/plugins/SchedulerPluginWithUserTransactionSupport.java
*
/opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/jdbcjobstore/TablePrefixAware.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/jdbcjobstore/AttributeRestoringConnectionInvocationHandler.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/listeners/JobListenerSupport.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/utills/StringKeyDirtyFlagMap.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/utills/ExceptionHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2004-2006 OpenSymphony
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy
 * of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
```



\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/DBSemaphore.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/JTANonClusteredSemaphore.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/RemoteMBeanScheduler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2004-2006 OpenSymphony

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy  
\* of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/listeners/FilterAndBroadcastTriggerListener.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/listeners/FilterAndBroadcastJobListener.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/listeners/JobChainingJobListener.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/UpdateLockRowSemaphore.java

No license file was found, but licenses were detected in source scan.

All rights reserved.

Found in path(s):

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/xml/job\_scheduling\_data\_1\_5.xsd

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2004-2005 OpenSymphony

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy

\* of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/SchedulerFactory.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/simpl/SimpleInstanceIdGenerator.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/SchedulerConfigException.java

\*

/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/jdbcjobstore/LockException.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/SchedulerMetaData.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/utils/DirtyFlagMap.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/jobs/ee/jms/SendTopicMessageJob.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/ee/jta/UserTransactionHelper.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/helpers/VersionPrinter.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/JobPersistenceException.java

\*

/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/utils/Pair.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-

```

jar/org/quartz/spi/SchedulerPlugin.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/TriggerUtils.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/core/SchedulerSignalerImpl.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/SimpleTrigger.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/spi/JobFactory.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/calendar/WeeklyCalendar.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/StatefulJob.java
*
/opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/simpl/ThreadContextClassLoaderHelper.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/simpl/LoadingLoaderClassLoaderHelper.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/simpl/InitThreadContextClassLoaderHelper.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/jdbcjobstore/InvalidConfigurationException.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/jdbcjobstore/CloudscapeDelegate.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/helpers/TriggerUtils.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/core/QuartzSchedulerResources.java
*
/opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/jdbcjobstore/PointbaseDelegate.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/Calendar.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/CriticalSchedulerException.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/SchedulerRepository.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/calendar/BaseCalendar.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/JobExecutionException.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/utils/PropertiesParser.java
*
/opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/TriggerListener.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/impl/jdbcjobstore/DriverDelegate.java

```

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/SchedulerException.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/impl/jdbcjobstore/MSSQLDelegate.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/jobs/ee/jms/JmsHelper.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/jobs/NoOpJob.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/SchedulerContext.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/utils/ConnectionProvider.java  
 \*  
 /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/utils/TriggerStatus.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/jobs/ee/jms/SendDesitnationMessageJob.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/jobs/ee/jms/JmsMessageFactory.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/impl/jdbcjobstore/DB2v7Delegate.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/jobs/ee/jms/SendQueueMessageJob.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/impl/StdJobRunShellFactory.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/plugins/history/LoggingJobHistoryPlugin.java  
 \*  
 /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/NthIncludedDayTrigger.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/impl/jdbcjobstore/NoSuchDelegateException.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/jobs/ee/ejb/EJBInvokerJob.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/impl/jdbcjobstore/DB2v6Delegate.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/spi/ClassLoadHelper.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/impl/calendar/HolidayCalendar.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/InterruptableJob.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/spi/TriggerFiredBundle.java  
 \*  
 /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
 jar/org/quartz/utils/DBConnectionManager.java  
 \* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-

jar/org/quartz/simpl/HostnameInstanceIdGenerator.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/core/RemotableQuartzScheduler.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/StdJDBCDelegate.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/plugins/xml/JobInitializationPluginMultiple.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/simpl/PropertySettingJobFactory.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/spi/JobStore.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/core/SchedulingContext.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/utils/Key.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/QuartzServer.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/jobs/FileScanJob.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/core/JobRunShellFactory.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/plugins/history/LoggingTriggerHistoryPlugin.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/StdSchedulerFactory.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/StdJDBCConstants.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/SimpleSemaphore.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/JobDataMap.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/Constants.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/spi/TimeBroker.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/utils/JNDIConnectionProvider.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/StdScheduler.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/JobDetail.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/xml/JobSchedulingBundle.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/plugins/xml/JobInitializationPlugin.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/SchedulerListener.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/core/QuartzScheduler.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/JobExecutionContext.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/xml/ValidationException.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/ee/jta/JTAJobRunShell.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/core/JobRunShell.java

\*

/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/jdbcjobstore/JobStoreSupport.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/spi/SchedulerSignaler.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/Scheduler.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/simpl/SimpleTimeBroker.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/Trigger.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/calendar/AnnualCalendar.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/RemoteScheduler.java

\*

/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/jdbcjobstore/HSQldbDelegate.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/UnableToInterruptJobException.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/simpl/CascadingClassLoadHelper.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/jobs/ee/mail/SendMailJob.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/plugins/management/ShutdownHookPlugin.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/jobs/NativeJob.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/jdbcjobstore/SchedulerStateRecord.java

\*

/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/impl/calendar/MonthlyCalendar.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-jar/org/quartz/simpl/SimpleJobFactory.java

\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-

jar/org/quartz/simpl/SimpleClassLoadHelper.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/JobStoreCMT.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/ee/jta/JTAJobRunShellFactory.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/spi/ThreadPool.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/FiredTriggerRecord.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/Util.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/utils/PoolingConnectionProvider.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/DB2v8Delegate.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/simpl/RAMJobStore.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/Semaphore.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/xml/JobSchedulingDataProcessor.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/PostgreSQLDelegate.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/core/QuartzSchedulerThread.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/DirectSchedulerFactory.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/StdRowLockSemaphore.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/jobs/FileScanListener.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/ObjectAlreadyExistsException.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/Job.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/impl/jdbcjobstore/JobStoreTX.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/simpl/SimpleThreadPool.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/CronTrigger.java  
\*  
/opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/jobs/ee/jms/JmsJobException.java  
\* /opt/cola/permits/1258575874\_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-  
jar/org/quartz/jobs/ee/jmx/JMXInvokerJob.java

```
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/spi/InstanceIdGenerator.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/JobListener.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/xml/CalendarBundle.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2004-2005 OpenSymphony
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy
* of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/ee/servlet/QuartzInitializerListener.java
* /opt/cola/permits/1258575874_1643088917.31/0/com-springsource-org-quartz-1-6-0-sources-
jar/org/quartz/ee/servlet/QuartzInitializerServlet.java
```

# 1.1478 springframework-core 3.1.3.RELEASE

## 1.1478.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2007 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
```



- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/ContextResource.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/XmlValidationModeDetector.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/StringValueResolver.java
- \*

- /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/PatternMatchUtils.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/filter/AbstractClassTestingTypeFilter.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/style/ValueStyler.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/style/StylerUtils.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/FileSystemResourceLoader.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/EncodedResource.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/ResourceLoader.java
- \*

- /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/filter/AspectJTypeFilter.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/filter/TypeFilter.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/ResourcePatternResolver.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/task/TaskTimeoutException.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/filter/RegexPatternTypeFilter.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/SmartClassLoader.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/classreading/MetadataReaderFactory.java

No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2002-2007 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/filter/AssignableTypeFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/ClassUtils.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/MutablePropertySources.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/AntPathMatcher.java

\*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/LinkedCaseInsensitiveMap.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/UrlResource.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/ConfigurableEnvironment.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-

```

jar/org/springframework/core/type/classreading/AnnotationAttributesReadingVisitor.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/support/PropertiesLoaderSupport.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/VfsUtils.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/OrderComparator.java
*
/opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/classreading/MethodMetadataReadingVisitor.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/classreading/SimpleMetadataReader.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/annotation/AnnotationAttributes.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/annotation/AnnotationUtils.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/ResourceUtils.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/support/MapToMapConverter.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/Resource.java
*
/opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/StandardMethodMetadata.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/AntPathStringMatcher.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/Property.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/StandardAnnotationMetadata.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/CollectionFactory.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/support/PropertiesLoaderUtils.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/xml/StaxEventContentHandler.java
*
/opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/Constants.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/TypeDescriptor.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/classreading/AnnotationMetadataReadingVisitor.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/env/PropertySourcesPropertyResolver.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/ClassPathResource.java

```

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/AbstractResource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/PathMatchingResourcePatternResolver.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/CompositePropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/FileSystemResource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/PropertyPlaceholderHelper.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/VfsResource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/AbstractEnvironment.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/task/SyncTaskExecutor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/enums/LabeledEnumResolver.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/Conventions.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/StringToLocaleConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/NumberUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/NumberToCharacterConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-

jar/org/springframework/core/convert/support/StringToEnumConverterFactory.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/PriorityOrdered.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/type/filter/AnnotationTypeFilter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/enums/AbstractGenericLabeledEnum.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/support/ObjectToStringConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/support/StringToCharacterConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/task/support/TaskExecutorAdapter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/util/xml/StaxSource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/enums/ShortCodedLabeledEnum.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/type/classreading/SimpleMetadataReaderFactory.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/enums/LabeledEnum.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/support/StringToNumberConverterFactory.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/support/ArrayToStringConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/type/classreading/ClassMetadataReadingVisitor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/type/ClassMetadata.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/support/CharacterToNumberFactory.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/enums/AbstractCachingLabeledEnumResolver.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/converter/ConverterRegistry.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/Ordered.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/NestedIOException.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/task/AsyncTaskExecutor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/util/xml/AbstractXMLStreamReader.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-  
jar/org/springframework/core/convert/support/StringToPropertiesConverter.java

```

* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/converter/ConverterFactory.java
*
/opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/StandardClassMetadata.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/enums/LetterCodedLabeledEnum.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/enums/StaticLabeledEnumResolver.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/annotation/Order.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/support/PropertiesToStringConverter.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/xml/StaxResult.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/ClassRelativeResourceLoader.java
*
/opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/MethodMetadata.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/MultiValueMap.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/enums/StaticLabeledEnum.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/task/SimpleAsyncTaskExecutor.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/NestedCheckedException.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/CustomizableThreadCreator.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/DefaultResourceLoader.java
*
/opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/ConcurrentMap.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/support/IdToEntityConverter.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/task/support/ConcurrentExecutorAdapter.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/classreading/MetadataReader.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/JdkVersion.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/type/AnnotationMetadata.java
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/convert/converter/ConditionalGenericConverter.java
*

```

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/DigestUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/OverridingClassLoader.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/AbstractXMLReader.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/NumberToNumberConverterFactory.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/enums/AbstractLabeledEnum.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/MethodInvoker.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/CollectionToObjectConverter.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/CachingMapDecorator.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/DomContentHandler.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/converter/Converter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/task/support/ExecutorServiceAdapter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/EnumToStringConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/enums/StringCodedLabeledEnum.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/NestedRuntimeException.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/FallbackObjectToStringConverter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/Assert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/ConcurrencyThrottleSupport.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/NamedInheritableThreadLocal.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/InfrastructureProxy.java

\*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/AliasRegistry.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/FileCopyUtils.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/SimpleTransformErrorListener.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ControlFlowFactory.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/AutoPopulatingList.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/style/DefaultToStringStyler.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/DecoratingClassLoader.java

\*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/task/TaskExecutor.java



\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/Log4jConfigurer.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/CommonsLogWriter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/DefaultPropertiesPersister.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/PrioritizedParameterNameDiscoverer.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/comparator/ComparableComparator.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/DescriptiveResource.java  
\*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/task/TaskRejectedException.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/NestedExceptionUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/DomUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/style/ToStringCreator.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/comparator/BooleanComparator.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/style/ToStringStyler.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/comparator/CompoundComparator.java  
\*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/TransformerUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/style/DefaultValueStyler.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/NamedThreadLocal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2005 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/comparator/InvertibleComparator.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/comparator/NullSafeComparator.java
- No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2006 the original author or authors.
  - \*
  - \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/SpringVersion.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/LocalizedResourceHelper.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/annotation/AnnotationAwareOrderComparator.java
  - \*
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ConstantException.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/InputStreamResource.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ParameterNameDiscoverer.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/SimpleSaxErrorHandler.java
  - \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/AttributeAccessor.java
- No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/converter/GenericConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/AbstractPropertyResolver.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/CollectionToCollectionConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/AbstractDescriptor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ConversionUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ConfigurableObjectInputStream.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/ResourceArrayPropertyEditor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/ResourceEditor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/PropertySources.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/CollectionToArrayConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/SimpleCommandLinePropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ConfigurableConversionService.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/GenericConversionService.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/AttributeAccessorSupport.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/CollectionUtils.java

\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/StringUtils.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/MapPropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/ResourcePropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ArrayToCollectionConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/EnumerablePropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/AbstractFileResolvingResource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/ByteArrayResource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ArrayToArrayConverter.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ObjectToArrayConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/ParameterDescriptor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ArrayToObjectConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/GenericCollectionTypeResolver.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/FieldDescriptor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/CommandLineArgs.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/ConversionService.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/MethodParameter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/GenericTypeResolver.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ObjectToCollectionConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/BeanPropertyDescriptor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/SystemEnvironmentPropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/PropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/ConfigurablePropertyResolver.java  
\*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/ClassDescriptor.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/PropertyResolver.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ExceptionDepthComparator.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/WritableResource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/SimpleCommandLineArgsParser.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/BridgeMethodResolver.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/ReflectionUtils.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ConvertingPropertyEditorAdapter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/StandardEnvironment.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/filter/AbstractTypeHierarchyTraversingFilter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/CollectionToStringConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/ObjectUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/PropertiesPropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/JOptCommandLinePropertySource.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/ErrorHandler.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/DefaultConversionService.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/Environment.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/CommandLinePropertySource.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/ReadOnlySystemAttributesMap.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/StringToBooleanConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/XMLStreamReader.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/MissingRequiredPropertiesException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2004-2009 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/util/CompositeIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258605307_1643093783.67/0/spring-core-3-1-3-release-sources-
jar/org/springframework/core/io/InputStreamSource.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/DefaultSerializer.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/StringToCollectionConverter.java
- \*
- /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/support/SerializingConverter.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/SimpleAliasRegistry.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/StaxStreamXMLReader.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/type/classreading/CachingMetadataReaderFactory.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/DefaultDeserializer.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/Deserializer.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/StaxUtils.java
- \*
- /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/ConversionException.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ConversionServiceFactory.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/AbstractStaxContentHandler.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/Serializer.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/SerializationUtils.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/TypeUtils.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/support/DeserializingConverter.java
- \*

/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/StaxStreamContentHandler.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/StringToArrayConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/LocalVariableTableParameterNameDiscoverer.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/env/EnvironmentCapable.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/PathMatcher.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/support/ObjectToObjectConverter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/StopWatch.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/LinkedMultiValueMap.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/SystemPropertyUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/FileSystemUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/ConversionFailedException.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/VfsPatternUtils.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/AbstractStaxXMLReader.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/StaxEventXMLReader.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/WeakReferenceMonitor.java  
\*  
/opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/SimpleNamespaceContext.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/xml/XMLEventStreamWriter.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/serializer/support/SerializationFailedException.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/convert/ConverterNotFoundException.java  
\* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/io/support/ResourcePatternUtils.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");



- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/util/PropertiesPersister.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ControlFlow.java
- \* /opt/cola/permits/1258605307\_1643093783.67/0/spring-core-3-1-3-release-sources-jar/org/springframework/core/ErrorCodeed.java

# 1.1479 springframework-asm 3.1.3.RELEASE

## 1.1479.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Ivy

Copyright 2007-2009 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Ivy were originally developed by

Jayasoft SARL (<http://www.jayasoft.fr/>)  
and are licensed to the Apache Software Foundation under the  
"Software Grant License Agreement"

SSH and SFTP support is provided by the JCraft JSch package,  
which is open source software, available under  
the terms of a BSD style license.

The original software and related information is available  
at <http://www.jcraft.com/jsch/>.

Apache Jakarta HttpClient

Copyright 1999-2007 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for Commons Logging
// -----
```

Commons Logging

Copyright 2001-2007 The Apache Software Foundation

This product includes/uses software(s) developed by 'an unknown organization'

- Unnamed - avalon-framework:avalon-framework:jar:4.1.3

- Unnamed - log4j:log4j:jar:1.2.12

- Unnamed - logkit:logkit:jar:1.0.1

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Spring Framework 3.1

Copyright (c) 2002-2011 SpringSource, a division of VMware, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License").

You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and  
license terms. Your use of the source code for the these subcomponents is subject to  
the terms and conditions of the subcomponent's license, as noted in the LICENSE file.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and



attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

### SPRING FRAMEWORK 3.2.0.BUILD-SNAPSHOT SUBCOMPONENTS:

Spring Framework 3.2.0.BUILD-SNAPSHOT includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 4.0 (org.ow2.asm:asm:4.0, org.ow2.asm:asm-commons:4.0):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in

source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<http://www.ow2.org/>>

>>> CGLIB 3.0 (cglib:cglib:3.0):

Per the LICENSE file in the CGLIB JAR distribution downloaded from <http://sourceforge.net/projects/cglib/files/cglib3/3.0/cglib-3.0.jar/download>, CGLIB 3.0 is licensed under the Apache License, version 2.0, the text of which is included above.

=====

To the extent any open source subcomponents are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <http://www.springsource.org/download>, or by



sending a request, with your name and address to:

VMware, Inc., 3401 Hillview Avenue  
Palo Alto, CA 94304  
United States of America

or email [info@vmware.com](mailto:info@vmware.com). All such requests should clearly specify:

OPEN SOURCE FILES REQUEST  
Attention General Counsel

VMware shall mail a copy of the Source Files to you on a CD or equivalent physical medium. This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product.

Spring Framework 3.2.0.BUILD-SNAPSHOT

Copyright (c) 2002-2012 SpringSource, a division of VMware, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the



content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

#### SPRING FRAMEWORK 3.1 SUBCOMPONENTS:

Spring Framework 3.1 includes a number of subcomponents with  
separate copyright notices and license terms. The product that  
includes this file does not necessarily use all the open source  
subcomponents referred to below. Your use of the source  
code for these subcomponents is subject to the terms and  
conditions of the following licenses.

>>> asm-2.2.3:

Copyright (c) 2000-2005 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided  
that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<http://www.ow2.org/>>

=====

To the extent any open source subcomponents are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <http://www.springsource.org/download>, or by sending a request, with your name and address to: VMware, Inc., 3401 Hillview Avenue, Palo Alto, CA 94304, United States of America or email [info@vmware.com](mailto:info@vmware.com). All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. VMware shall mail a copy of the Source Files to you on a CD or equivalent physical medium. This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

-----  
License for JCraft JSch package  
-----

Copyright (c) 2002,2003,2004,2005,2006,2007 Atsuhiko Yamanaka, JCraft, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
License for jQuery  
-----

Copyright (c) 2007 John Resig, <http://jquery.com/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

# 1.1480 springframework-jdbc 3.1.3.RELEASE

## 1.1480.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/object/BatchSqlUpdate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/AbstractDriverBasedDataSource.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/SQLExceptionSubclassTranslator.java
- \*
- /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/AbstractFallbackSQLExceptionTranslator.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/RowMapperResultSetExtractor.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/HsqlSequenceMaxValueIncrementer.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/SqlValue.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/CannotGetJdbcConnectionException.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/support/AbstractLobCreatingPreparedStatementCallback.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/DatabaseStartupValidator.java
- \*
- /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/support/AbstractSqlTypeValue.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/WebSphereNativeJdbcExtractor.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/BeanPropertySqlParameterSource.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlTypeValue.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/support/JdbcDaoSupport.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ConnectionCallback.java
- \*
- /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/object/UpdatableSqlQuery.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/IsolationLevelDataSourceAdapter.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/ParameterizedRowMapper.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/ConnectionProxy.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/xml/XmlBinaryStreamProvider.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/PreparedStatementCallback.java
- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/SimpleJdbcInsert.java

\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/CallableStatementCallback.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/xml/SqlXmlFeatureNotImplementedException.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/xml/SqlXmlObjectMappingHandler.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/xml/XmlResultProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/StatementCallback.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/lookup/MapDataSourceLookup.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/object/SqlCall.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/object/StoredProcedure.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/PostgreSQLSequenceMaxValueIncrementer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/KeyHolder.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/ParsedSql.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/DB2SequenceMaxValueIncrementer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/MySQLMaxValueIncrementer.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/WebLogicNativeJdbcExtractor.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ResultSetExtractor.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/BadSqlGrammarException.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/IncorrectResultSetColumnCountException.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/HsqlMaxValueIncrementer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/H2SequenceMaxValueIncrementer.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/AbstractDataFieldMaxValueIncrementer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/DerbyMaxValueIncrementer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/CustomSQLExceptionCodesTranslation.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/nativejdbc/CommonsDbcpNativeJdbcExtractor.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/InvalidResultSetAccessException.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/object/SqlQuery.java  
 \*  
 /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/object/MappingSqlQueryWithParameters.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/core/CallableStatementCreatorFactory.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/object/MappingSqlQuery.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/object/RdbmsOperation.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/incrementer/AbstractSequenceMaxValueIncrementer.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/datasource/DriverManagerDataSource.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/core/simple/ParameterizedSingleColumnRowMapper.java  
 \*  
 /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/incrementer/AbstractColumnMaxValueIncrementer.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/core/DisposableSqlTypeValue.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/object/SqlUpdate.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/JdbcUtils.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/xml/SqlXmlValue.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/xml/XmlCharacterStreamProvider.java  
 \*  
 /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/core/namedparam/MapSqlParameterSource.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/SQLErrorCodeSQLExceptionTranslator.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/SQLStateSQLExceptionTranslator.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/support/incrementer/DB2MainframeSequenceMaxValueIncrementer.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/core/BatchUpdateUtils.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
 zip/org/springframework/jdbc/core/SqlParameter.java  
 \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-



zip/org/springframework/jdbc/object/SqlFunction.java

\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/GeneratedKeyHolder.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/xml/SqlXmlHandler.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/nativejdbc/NativeJdbcExtractorAdapter.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/core/namedparam/AbstractSqlParameterSource.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/incrementer/OracleSequenceMaxValueIncrementer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlInOutParameter.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlOutParameter.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/UncategorizedSQLException.java

\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/CallParameterMetaData.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/SmartDataSource.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/RowCallbackHandler.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ResultSetSupportingSqlParameter.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/HsqlTableMetaDataProvider.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/C3P0NativeJdbcExtractor.java  
\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/object/SqlOperation.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlParameterValue.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/support/AbstractInterruptibleBatchPreparedStatementSetter.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/NativeJdbcExtractor.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/DerbyTableMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/SimpleJdbcInsertOperations.java  
\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/SimpleNativeJdbcExtractor.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/PreparedStatementSetter.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ArgPreparedStatementSetter.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/SybaseCallMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/TableMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/lookup/BeanFactoryDataSourceLookup.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/SqlServerCallMetaDataProvider.java  
\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/incrementer/DataFieldMax ValueIncrementer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/SimpleJdbcDaoSupport.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlReturnType.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/OracleCallMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/JdbcAccessor.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ArgTypePreparedStatementSetter.java  
\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/BatchPreparedStatementSetter.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/TableParameterMetaData.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/SqlParameterSourceUtils.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/RowMapper.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/CallMetaDataProviderFactory.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/SimpleConnectionHandle.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/InterruptibleBatchPreparedStatementSetter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2011 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/AbstractJdbcCall.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/GenericCallMetaDataProvider.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/config/EmbeddedDatabaseBeanDefinitionParser.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/PostgresTableMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/NamedParameterBatchUpdateUtils.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/init/CompositeDatabasePopulator.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/OracleTableMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/config/DatabasePopulatorConfigUtils.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseFactoryBean.java

```
*
/opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/namedparam/NamedParameterJdbcTemplate.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/metadata/CallMetaDataContext.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/support/incrementer/SybaseAnywhereMaxValueIncrementer.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/ParameterizedPreparedStatementSetter.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/metadata/PostgresCallMetaDataProvider.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/datasource/init/DataSourceInitializer.java
*
/opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/datasource/WebSphereDataSourceAdapter.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/SqlRowSetResultSetExtractor.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/support/incrementer/SybaseMaxValueIncrementer.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/config/InitializeDatabaseBeanDefinitionParser.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseType.java
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/datasource/embedded/HsqlEmbeddedDatabaseConfigurer.java
*
```

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/SimpleJdbcOperations.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/JdbcTransactionObjectSupport.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/xml/Jdbc4SqlXmlHandler.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseConfigurerFactory.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseBuilder.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ColumnMapRowMapper.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/ParameterizedBeanPropertyRowMapper.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/OutputStreamFactory.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/BeanPropertyRowMapper.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/NamedParameterJdbcOperations.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/lookup/JndiDataSourceLookup.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/SqlParameterValue.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/SimpleDriverDataSource.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/DataSourceFactory.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabase.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/EmbeddedDatabaseConfigurer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/AbstractEmbeddedDatabaseConfigurer.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SingleColumnRowMapper.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/SimpleDriverDataSourceFactory.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/config/JdbcNamespaceHandler.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/embedded/ConnectionProperties.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/init/DatabasePopulator.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/core/simple/SimpleJdbcTemplate.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/datasource/embedded/H2EmbeddedDatabaseConfigurer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2010 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/lob/PassThroughBlob.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/datasource/embedded/DerbyEmbeddedDatabaseConfigurer.java

\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/datasource/DataSourceTransactionManager.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/rowset/SqlRowSet.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/datasource/lookup/IsolationLevelDataSourceRouter.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/rowset/ResultSetWrappingSqlRowSet.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/nativejdbc/OracleJdbc4NativeJdbcExtractor.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/core/JdbcOperations.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/core/simple/AbstractJdbcInsert.java

\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/support/lob/PassThroughClob.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/core/JdbcTemplate.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-

zip/org/springframework/jdbc/core/metadata/TableMetaDataContext.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/UserCredentialsDataSourceAdapter.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/lob/DefaultLobHandler.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/DerbyCallMetaDataProvider.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/SingleConnectionDataSource.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/TransactionAwareDataSourceProxy.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/SimpleJdbcCallOperations.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/ConnectionHolder.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/TableMetaDataProviderFactory.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/LazyConnectionDataSourceProxy.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/simple/SimpleJdbcCall.java  
\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/config/SortedResourcesFactoryBean.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/CallMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/Jdbc4NativeJdbcExtractor.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/Db2CallMetaDataProvider.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/DataSourceUtils.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

```

*/
/**
 * Implement this interface when parameters need to be customized based
 * on the connection. We might need to do this to make use of proprietary
 * features, available only with a specific Connection type.
 *
 * @author Rod Johnson
 * @author Thomas Risberg
 * @see CallableStatementCreatorFactory#newCallableStatementCreator(ParameterMapper)
 * @see org.springframework.jdbc.object.StoredProcedure#execute(ParameterMapper)
 */
/**
 * Create a Map of input parameters, keyed by name.
 * @param con JDBC connection. This is useful (and the purpose of this interface)
 * if we need to do something RDBMS-specific with a proprietary Connection
 * implementation class. This class conceals such proprietary details. However,
 * it is best to avoid using such proprietary RDBMS features if possible.
 * @throws SQLException if a SQLException is encountered setting
 * parameter values (that is, there's no need to catch SQLException)
 * @return Map of input parameters, keyed by name (never <code>null</code>)
 */

```

Found in path(s):

```

* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/ParameterMapper.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2002-2009 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Abstraction for handling large binary fields and large text fields in
 * specific databases, no matter if represented as simple types or Large Objects.
 * Its main purpose is to isolate Oracle's peculiar handling of LOBs in
 * { @link OracleLobHandler}; most other databases should be able to work
 * with

```



the provided { @link DefaultLobHandler}.

\*

\* <p>Provides accessor methods for BLOBs and CLOBs, and acts as factory for

\* LobCreator instances, to be used as sessions for creating BLOBs or CLOBs.

\* LobCreators are typically instantiated for each statement execution or for

\* each transaction; they are not thread-safe because they might track

\* allocated database resources in order to free them after execution.

\*

\* <p>Most databases/drivers should be able to work with { @link DefaultLobHandler},

\* which by default delegates to JDBC's direct accessor methods, avoiding the

\* <code>java.sql.Blob</code> and <code>java.sql.Clob</code> API completely.

\* { @link DefaultLobHandler} can also be configured to access LOBs using

\* <code>PreparedStatement.setBlob/setClob</code> (e.g. for PostgreSQL), through

\* setting the { @link DefaultLobHandler#setWrapAsLob "wrapAsLob"} property.

\*

\* <p>Unfortunately, Oracle 9i just accepts Blob/Clob instances created via its own

\* proprietary BLOB/CLOB

API, and additionally doesn't accept large streams for

\* PreparedStatement's corresponding setter methods. Therefore, you need to use

\* { @link OracleLobHandler} there, which uses Oracle's BLOB/CLOB API for both types

\* of access. The Oracle 10g JDBC driver should basically work with

\* { @link DefaultLobHandler} as well, with some limitations in terms of LOB sizes.

\*

\* <p>Of course, you need to declare different field types for each database.

\* In Oracle, any binary content needs to go into a BLOB, and all character content

\* beyond 4000 bytes needs to go into a CLOB. In MySQL, there is no notion of a

\* CLOB type but rather a LONGTEXT type that behaves like a VARCHAR. For complete

\* portability, use a LobHandler for fields that might typically require LOBs on

\* some database because of the field size (take Oracle's numbers as a guideline).

\*

\* <p><b>Summarizing the recommended options (for actual LOB fields):</b>

\* <ul>

\* <li><b>JDBC 4.0 driver:</b> { @link DefaultLobHandler}

with <code>streamAsLob=true</code>.

\* <li><b>PostgreSQL:</b> { @link DefaultLobHandler} with <code>wrapAsLob=true</code>.

\* <li><b>Oracle 9i/10g:</b> { @link OracleLobHandler} with a connection-pool-specific

\* { @link OracleLobHandler#setNativeJdbcExtractor NativeJdbcExtractor}.

\* <li>For all other database drivers (and for non-LOB fields that might potentially

\* turn into LOBs on some databases): a plain { @link DefaultLobHandler}.

\* </ul>

\*

\* @author Juergen Hoeller

\* @since 23.12.2003

\* @see DefaultLobHandler

\* @see OracleLobHandler

\* @see java.sql.ResultSet#getBlob

\* @see java.sql.ResultSet#getClob

\* @see java.sql.ResultSet#getBytes

```
* @see java.sql.ResultSet#getBinaryStream
* @see java.sql.ResultSet#getString
* @see java.sql.ResultSet#getAsciiStream
* @see java.sql.ResultSet#getCharacterStream
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/support/lob/LobHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2010 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/**
```

```
* Close this LobCreator session and free its temporarily created BLOBs and CLOBs.
```

```
* Will not need to do anything if using PreparedStatement's standard methods,
```

```
* but might be necessary to free database resources if using proprietary means.
```

```
* <p>NOTE: Needs to be invoked after the involved
```

```
PreparedStatement have
```

```
* been executed or the affected O/R mapping sessions have been flushed.
```

```
* Otherwise, the database resources for the temporary BLOBs might stay allocated.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/support/lob/LobCreator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2012 the original author or authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/init/DatabasePopulatorUtils.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/CustomSQLExceptionTranslatorRegistry.java
  - \*
  - /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/metadata/GenericTableMetaDataProvider.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/SQLErrorCodesFactory.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/SQLErrorCodes.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/nativejdbc/JBossNativeJdbcExtractor.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/PreparedStatementCreatorFactory.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/init/ScriptStatementFailedException.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/StatementCreatorUtils.java
  - \*
  - /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/lookup/AbstractRoutingDataSource.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/DelegatingDataSource.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/NamedParameterUtils.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/AbstractDataSource.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/CustomSQLExceptionTranslatorRegistrar.java
  - \* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/init/CannotReadScriptException.java
  - \*
  - /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/init/ResourceDatabasePopulator.java
- No license file was found, but licenses were detected in source scan.

/\*\*

```
*
* The classes in this package make JDBC easier to use and
* reduce the likelihood of common errors. In particular, they:
*
* Simplify error handling, avoiding the need for try/catch/final
* blocks in application code.
* Present exceptions to application code in a generic hierarchy of
* unchecked exceptions, enabling applications to catch data access
* exceptions without being dependent on JDBC, and to ignore fatal
* exceptions there is no value in catching.
* Allow the implementation of error handling to be modified
* to target different RDBMSes without introducing proprietary
* dependencies into application code.
*
*
* <p>This package and related packages are discussed in Chapter 9 of
* Expert One-On-One J2EE Design and
Development
* by Rod Johnson (Wrox, 2002).
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2006 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/core/support/SqlLobValue.java
```

```
* /opt/cola/permits/1258605368_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-
zip/org/springframework/jdbc/datasource/lookup/DataSourceLookup.java
```

\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlResultSet.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/support/JdbcBeanDefinitionReader.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/JdbcUpdateAffectedIncorrectNumberOfRowsException.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/MetaDataAccessException.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/lob/JtaLobCreatorSynchronization.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/namedparam/NamedParameterJdbcDaoSupport.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/SQLWarningException.java

\*  
/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/lookup/SingleDataSourceLookup.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/lob/SpringLobCreatorSynchronization.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/lob/LobCreatorUtils.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/lookup/DataSourceLookupFailureException.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/  
/\*\*  
\* Strategy interface for translating between { @link SQLException SQLExceptions }  
\* and Spring's data access strategy-agnostic { @link DataAccessException }  
\* hierarchy.  
\*  
\* <p>Implementations can be generic (for example, using  
\* { @link java.sql.SQLException#getSQLState() SQLState } codes for JDBC) or wholly

\* proprietary (for example, using Oracle error codes) for greater precision.  
\*  
\* @author Rod Johnson  
\* @author Juergen Hoeller  
\* @see org.springframework.dao.DataAccessException  
\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/SQLExceptionTranslator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2006 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/RowCountCallbackHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/lob/AbstractLobHandler.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/datasource/ConnectionHandle.java

\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/ParameterDisposer.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/LobRetrievalFailureException.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/rowset/ResultSetWrappingSqlRowSetMetaData.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/rowset/SqlRowSetMetaData.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/support/AbstractLobStreamingResultSetExtractor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2005 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/PreparedStatementCreator.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/SqlProvider.java

\*

/opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/core/CallableStatementCreator.java

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/DatabaseMetaDataCallback.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/object/GenericStoredProcedure.java  
\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/object/GenericSqlQuery.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2010 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

/\*\*  
\* { @link LobHandler } implementation for Oracle databases. Uses proprietary API  
\* to create `oracle.sql.BLOB` and `oracle.sql.CLOB`  
\* instances, as necessary when working with Oracle's JDBC driver.  
\* Note that this LobHandler requires Oracle JDBC driver 9i or higher!  
\*  
\* `<p>While`  
\* most databases are able to work with { @link DefaultLobHandler },  
\* Oracle just accepts Blob/Clob instances created via its own proprietary  
\* BLOB/CLOB API, and additionally doesn't accept large streams for  
\* PreparedStatement's corresponding setter methods. Therefore, you need



- \* to use a strategy like this LobHandler implementation.
- \*
- \* <p>Needs to work on a native JDBC Connection, to be able to cast it to
- \* <code>oracle.jdbc.OracleConnection</code>. If you pass in Connections from a
- \* connection pool (the usual case in a J2EE environment), you need to set an
- \* appropriate { @link org.springframework.jdbc.support.nativejdbc.NativeJdbcExtractor}
- \* to allow for automatical retrieval of the underlying native JDBC Connection.
- \* LobHandler and NativeJdbcExtractor are separate concerns, therefore they
- \* are represented by separate strategy interfaces.
- \*
- \* <p>Coded via reflection to avoid dependencies on Oracle classes.
- \* Even reads in Oracle constants via reflection because of
- different Oracle
- \* drivers (classes12, ojdbc14, ojdbc5, ojdbc6) having different constant values!
- \* As this LobHandler initializes Oracle classes on instantiation, do not define
- \* this as eager-initializing singleton if you do not want to depend on the Oracle
- \* JAR being in the class path: use "lazy-init=true" to avoid this issue.
- \*
- \* @author Juergen Hoeller
- \* @author Thomas Risberg
- \* @since 04.12.2003
- \* @see #setNativeJdbcExtractor
- \* @see oracle.sql.BLOB
- \* @see oracle.sql.CLOB
- \*/

Found in path(s):

\* /opt/cola/permits/1258605368\_1710740380.6093366/0/spring-jdbc-3-1-3-release-sources-  
zip/org/springframework/jdbc/support/lob/OracleLobHandler.java

## 1.1481 spring-framework-beans

### 3.1.3.RELEASE

#### 1.1481.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software

```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/SimpleConstructorNamespaceHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/PluggableSchemaResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/PropertiesEditor.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/TimeZoneEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/ListableBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/PropertyAccessException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/PropertyAccessor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/SingletonBeanRegistry.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/AbstractBeanDefinitionParser.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/NoSuchBeanDefinitionException.java  
\*

/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/AutowiredCandidateResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/QualifierAnnotationAutowiredCandidateResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/CustomEditorConfigurer.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/PropertyBatchUpdateException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/AbstractPropertyAccessor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/AutowiredCapableBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/ConfigurableBeanFactory.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/ParserContext.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/FileEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/MethodInvokingFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/StaticListableBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/wiring/BeanConfigurerSupport.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/TypeMismatchException.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/NamespaceHandlerSupport.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessorAdapter.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/DelegatingEntityResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/TypeConverter.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/DefaultNamespaceHandlerResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/BeanDefinitionReaderUtils.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/ServiceLocatorFactoryBean.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/ManagedMap.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/CustomScopeConfigurer.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

jar/org/springframework/beans/factory/xml/DocumentDefaultsDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/PropertyValues.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/EmptyReaderEventListener.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/ConversionNotSupportedException.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/PropertyOverrideConfigurer.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/CustomCollectionEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/BeanDefinitionHolder.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/BeansDtdResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/DocumentLoader.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/ManagedSet.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/annotation/Autowire.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/GenericTypeAwarePropertyDescriptor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/PropertyValue.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/ManagedList.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/ManagedArray.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/SimplePropertyNamespaceHandler.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/AbstractBeanDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/BeanExpressionContext.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/FieldRetrievingFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/ConfigurablePropertyAccessor.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/DependencyDescriptor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/BeanDefinitionValueResolver.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/SimpleInstantiationStrategy.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/DefaultListableBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/InjectionMetadata.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/BeanFactoryAnnotationUtils.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/AbstractBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/DefaultSingletonBeanRegistry.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/AutowiredAnnotationBeanPostProcessor.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/BeanFactoryUtils.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/ExtendedBeanInfo.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/AbstractAutowireCapableBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionParserDelegate.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/AnnotatedGenericBeanDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/TypeConverterDelegate.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/InitializingBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/BeanIsNotAFactoryException.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/support/SortDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/DisposableBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/BeanFactoryPostProcessor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/LocaleEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/access/BootstrapException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2011 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/Configurable.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/BeanWrapperImpl.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/Aware.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/CustomDateEditor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/BeanDefinition.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionParser.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/CurrencyEditor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/InitDestroyAnnotationBeanPostProcessor.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/BeanFactory.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/PropertyEditorRegistrySupport.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/PropertyPlaceholderConfigurer.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/Autowired.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/CustomNumberEditor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/BeanWrapper.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/support/ResourceEditorRegistrar.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/DirectFieldAccessor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/XmlBeanFactory.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/DestructionAwareAttributeHolder.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/PlaceholderConfigurerSupport.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/Qualifier.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

jar/org/springframework/beans/factory/config/BeanDefinitionVisitor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/BeanClassLoaderAware.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/StringArrayPropertyEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/StringTrimmerEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/annotation/Value.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/BeanNameAware.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/DefaultBeanDefinitionDocumentReader.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionBuilder.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/annotation/RequiredAnnotationBeanPostProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/SecurityContextProvider.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/SimpleSecurityContextProvider.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");



\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/CommonsLogFactoryBean.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/MethodReplacer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2006 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/URLEditor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/ResourceBundleEditor.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/PropertyEntry.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/BeanDefinitionParsingException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/NotReadablePropertyException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/InvalidPropertyException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/AbstractComponentDefinition.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionDocumentReader.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/SourceExtractor.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/NullValueInNestedPathException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/BeanEntry.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/NamedBean.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionDecorator.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/XmlBeanDefinitionStoreException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/BeanInstantiationException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/BeanMetadataElement.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/ComponentDefinition.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/PassThroughSourceExtractor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/BeanInitializationException.java

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/MethodInvocationException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/ByteArrayPropertyEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/BeanCreationNotAllowedException.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/propertyeditors/CharArrayPropertyEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/Location.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/FatalBeanException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/Mergeable.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/NullSourceExtractor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/NamespaceHandlerResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/BeanCurrentlyInCreationException.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/BeanReference.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/HierarchicalBeanFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/access/el/SimpleSpringBeanELResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

jar/org/springframework/beans/PropertyMatches.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/annotation/CustomAutowireConfigurer.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/DestructionAwareBeanPostProcessor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/ConfigurableListableBeanFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/access/SingletonBeanFactoryLocator.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/NotWritablePropertyException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/BeanCreationException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/ChildBeanDefinition.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/BeansException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/Problem.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/serviceloader/ServiceListFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/PropertiesBeanDefinitionReader.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionResource.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/BeanComponentDefinition.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/ParseState.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/CharacterEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/BeanExpressionResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionRegistry.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/access/el/SpringBeanELResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/ObjectFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/ListFactoryBean.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/ReplaceOverride.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

jar/org/springframework/beans/factory/BeanExpressionException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/support/PropertyComparator.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/SmartInstantiationAwareBeanPostProcessor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/PropertyAccessorFactory.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/CompositeComponentDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/CustomMapEditor.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/UnsatisfiedDependencyException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/SmartFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/MapFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/SetFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/SimpleBeanDefinitionRegistry.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/annotation/AnnotationBeanUtils.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/Scope.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/support/ArgumentConvertingMethodInvoker.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/MergedBeanDefinitionPostProcessor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/GenericBeanDefinition.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2007 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/PropertyValuesEditor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/DefaultsDefinition.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/BeanMetadataAttributeAccessor.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/UtilNamespaceHandler.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/support/MutableSortDefinition.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/FactoryBeanNotInitializedException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/ManagedProperties.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/annotation/AnnotationBeanWiringInfoResolver.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/PropertyEditorRegistrar.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/CannotLoadBeanClassException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/access/BeanFactoryReference.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/support/BeanDefinitionValidationException.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/RuntimeBeanReference.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/QualifierEntry.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/FailFastProblemReporter.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/config/BeanReferenceFactoryBean.java
- \*
- /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/wiring/ClassNameBeanWiringInfoResolver.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/XmlReaderContext.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/parsing/AliasDefinition.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-jar/org/springframework/beans/factory/xml/ResourceEntityResolver.java
- \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

jar/org/springframework/beans/factory/wiring/BeanWiringInfo.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/serviceloader/ServiceLoaderFactoryBean.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/wiring/BeanWiringInfoResolver.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/CustomBooleanEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/LookupOverride.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/BeanMetadataAttribute.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/DefaultDocumentLoader.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/BeanNotOfRequiredTypeException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/PreferencesPlaceholderConfigurer.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/propertyeditors/PatternEditor.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/ReaderContext.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/MethodOverride.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/BeanDefinitionStoreException.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/NamespaceHandler.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/annotation/Required.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/annotation/AnnotatedBeanDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/serviceloader/AbstractServiceLoaderBasedFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/xml/AbstractSimpleBeanDefinitionParser.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/AutowiredCandidateQualifier.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/CglibSubclassingInstantiationStrategy.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionDefaults.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/DefaultBeanNameGenerator.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

jar/org/springframework/beans/factory/serviceloader/ServiceFactoryBean.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/ReaderEventListener.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/ImportDefinition.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/PropertyEditorRegistry.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/ProblemReporter.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/BeanNameGenerator.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/RuntimeBeanNameReference.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/access/BeanFactoryLocator.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/parsing/ConstructorArgumentEntry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2010 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/MutablePropertyValues.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/support/InstantiationStrategy.java  
\*  
/opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/DeprecatedBeanWarner.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/config/PropertyResourceConfigurer.java  
\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
jar/org/springframework/beans/factory/BeanFactoryAware.java



\* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/BeanDefinitionRegistryPostProcessor.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/AbstractBeanDefinitionReader.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/MethodOverrides.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/config/ConstructorArgumentValues.java  
 \*  
 /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/BeanDefinitionReader.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/support/PagedListHolder.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/config/ProviderCreatingFactoryBean.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/BeanIsAbstractException.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/config/PropertiesFactoryBean.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/PropertyAccessorUtils.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/propertyeditors/URIEditor.java  
 \*  
 /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/propertyeditors/InputStreamEditor.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/FactoryBean.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/propertyeditors/InputStreamEditor.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/propertyeditors/ClassEditor.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/config/AbstractFactoryBean.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/SimpleAutowireCandidateResolver.java  
 \*  
 /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/AutowireUtils.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/propertyeditors/ClassArrayEditor.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/RootBeanDefinition.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/support/DisposableBeanAdapter.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-  
 jar/org/springframework/beans/factory/config/PropertyPathFactoryBean.java  
 \* /opt/cola/permits/1258605333\_1643093772.59/0/spring-beans-3-1-3-release-sources-

```

jar/org/springframework/beans/CachedIntrospectionResults.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/config/ObjectFactoryCreatingFactoryBean.java
*
/opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/xml/XmlBeanDefinitionReader.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/propertyeditors/CharsetEditor.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/xml/AbstractSingleBeanDefinitionParser.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/propertyeditors/UIEditor.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/SimpleTypeConverter.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/support/ConstructorResolver.java
*
/opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/config/BeanPostProcessor.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/config/TypedStringValue.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/factory/support/FactoryBeanRegistrySupport.java
* /opt/cola/permits/1258605333_1643093772.59/0/spring-beans-3-1-3-release-sources-
jar/org/springframework/beans/BeanUtils.java

```

# 1.1482 springframework-transaction

## 3.1.3.RELEASE

### 1.1482.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2002-2010 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

```

\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/work/jboss/JBossWorkManagerUtils.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/annotation/Transactional.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/connection/ConnectionSpecConnectionFactoryAdapter.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/support/PersistenceExceptionTranslationInterceptor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/DefaultTransactionAttribute.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/jta/WebSphereUowTransactionManager.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/work/jboss/JBossWorkManagerTaskExecutor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/TransactionDefinition.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/jta/JtaTransactionManager.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/jta/UserTransactionAdapter.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/jta/ManagedTransactionAdapter.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/annotation/AnnotationTransactionAttributeSource.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/NameMatchTransactionAttributeSource.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/MatchAlwaysTransactionAttributeSource.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/AbstractFallbackTransactionAttributeSource.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/TransactionInterceptor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/MethodMapTransactionAttributeSource.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/jta/SimpleTransactionFactory.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/work/glassfish/GlassFishWorkManagerTaskExecutor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/endpoint/AbstractMessageEndpointFactory.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/jta/WebLogicJtaTransactionManager.java

\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/interceptor/RuleBasedTransactionAttribute.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/jta/OC4JtaTransactionManager.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/interceptor/CompositeTransactionAttributeSource.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/annotation/PersistenceExceptionTranslationAdvisor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/context/BootstrapContextAwareProcessor.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/jta/SpringJtaSynchronizationAdapter.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/cci/connection/CciLocalTransactionManager.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/TransactionSystemException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/work/DelegatingWork.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/endpoint/GenericMessageEndpointFactory.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/annotation/TransactionAnnotationParser.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/interceptor/RollbackRuleAttribute.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/ResourceTransactionManager.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cdi/connection/DelegatingConnectionFactory.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/support/SimpleBootstrapContext.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2006 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/DataIntegrityViolationException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/DataAccessResourceFailureException.java

\*

/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/NoTransactionException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/InvalidTimeoutException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/support/PersistenceExceptionTranslator.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/PessimisticLockingFailureException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/CleanupFailureDataAccessException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/OptimisticLockingFailureException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/NestedTransactionNotSupportedException.java

\*

/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/support/DaoSupport.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/TypeMismatchDataAccessException.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-

jar/org/springframework/dao/IncorrectUpdateSemanticsDataAccessException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/CannotAcquireLockException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/HeuristicCompletionException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/InvalidDataAccessApiUsageException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/TransactionException.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/PermissionDeniedDataAccessException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/CannotSerializeTransactionException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/UnexpectedRollbackException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/InvalidIsolationLevelException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/CannotCreateTransactionException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/ConcurrencyFailureException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/UncategorizedDataAccessException.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/TransactionUsageException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/InvalidDataAccessResourceUsageException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/interceptor/TransactionAttributeEditor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/IllegalTransactionStateException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/TransactionTimedOutException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/DataRetrievalFailureException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/TransactionSuspensionNotSupportedException.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/DataAccessException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/DeadlockLoserDataAccessException.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2002-2009 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/TransactionSynchronizationUtils.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/context/ResourceAdapterApplicationContext.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/TransactionSynchronization.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/SimpleTransactionStatus.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/DuplicateKeyException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/AbstractTransactionStatus.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/config/JtaTransactionManagerBeanDefinitionParser.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/endpoint/GenericMessageEndpointManager.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/dao/support/DataAccessUtils.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/jta/JtaAfterCompletionSynchronization.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/cci/connection/ConnectionFactoryUtils.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/DelegatingTransactionDefinition.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/SmartTransactionObject.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/annotation/Ejb3TransactionAnnotationParser.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/config/TxNamespaceHandler.java  
\*

/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/TransactionCallbackWithoutResult.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/work/WorkManagerTaskExecutor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/jta/TransactionFactory.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/annotation/Isolation.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/support/ResourceAdapterFactoryBean.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/jta/JtaTransactionObject.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/annotation/Propagation.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/TransactionSynchronizationAdapter.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/work/SimpleTaskWorkManager.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/interceptor/TransactionAttribute.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/TransactionTemplate.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/support/LocalConnectionFactoryBean.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/support/CallbackPreferringPlatformTransactionManager.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/interceptor/DelegatingTransactionAttribute.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/TransactionStatus.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/transaction/config/TxAdviceBeanDefinitionParser.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2008 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.



- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSourceAdvisor.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/ConnectionCallback.java
- \*
- /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/CciTemplate.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSourcePointcut.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/TransientDataAccessException.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/PlatformTransactionManager.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/support/DefaultTransactionDefinition.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/RecordExtractor.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/support/ResourceHolderSupport.java
- \*
- /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/NonTransientDataAccessException.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/BeanFactoryTransactionAttributeSourceAdvisor.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/connection/TransactionAwareConnectionFactoryProxy.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/CciOperations.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/context/SpringContextResourceAdapter.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/support/ChainedPersistenceExceptionTranslator.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/support/CciDaoSupport.java
- \*
- /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/connection/SingleConnectionFactory.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/support/ResourceHolder.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/NonTransientDataAccessException.java
- \* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/InteractionCallback.java

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/TransactionAttributeSourceEditor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/TransientDataAccessResourceException.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/RecoverableDataAccessException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/connection/ConnectionHolder.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/InvalidResultSetAccessException.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/RecordCreator.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/object/MappingCommAreaOperation.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/CannotGetCciConnectionException.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/object/MappingRecordOperation.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/jca/cci/core/support/CommAreaRecord.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/interceptor/NoRollbackRuleAttribute.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2011 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/annotation/TransactionManagementConfigurer.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/annotation/EnableTransactionManagement.java  
\*  
/opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/support/TransactionOperations.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/support/TransactionCallback.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/dao/annotation/PersistenceExceptionTranslationPostProcessor.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/config/TransactionManagementConfigUtils.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-jar/org/springframework/transaction/config/AnnotationDrivenBeanDefinitionParser.java

```
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/support/TransactionSynchronizationManager.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/support/ResourceHolderSynchronization.java
*
/opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/annotation/SpringTransactionAnnotationParser.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/jca/context/BootstrapContextAware.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/annotation/TransactionManagementConfigurationSelector.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/interceptor/TransactionProxyFactoryBean.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/support/AbstractPlatformTransactionManager.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/support/DefaultTransactionStatus.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2005 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/jca/cci/RecordTypeNotSupportedException.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/jca/cci/CannotCreateRecordException.java
*
/opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/SavepointManager.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/jca/cci/object/EisOperation.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/jca/cci/CciOperationNotSupportedException.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
```

jar/org/springframework/jca/cci/object/SimpleRecordOperation.java  
\* /opt/cola/permits/1258605302\_1643093777.28/0/spring-tx-3-1-3-release-sources-  
jar/org/springframework/jca/cci/connection/NotSupportedRecordFactory.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/interceptor/TransactionAspectSupport.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/annotation/AbstractTransactionManagementConfiguration.java
*
/opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/dao/EmptyResultDataAccessException.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/dao/QueryTimeoutException.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/annotation/ProxyTransactionManagementConfiguration.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/dao/IncorrectResultSizeDataAccessException.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/interceptor/TransactionAttributeSource.java
* /opt/cola/permits/1258605302_1643093777.28/0/spring-tx-3-1-3-release-sources-
jar/org/springframework/transaction/interceptor/TransactionAspectUtils.java
```

# 1.1483 negotiator 0.6.3

## 1.1483.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Federico Romero

Copyright (c) 2012-2014 Isaac Z. Schlueter

Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1484 dot-prop 4.2.1

## 1.1484.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1485 netmask 2.0.2

## 1.1485.1 Available under license :

No license file was found, but licenses were detected in source scan.

(The MIT License)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1269182321\_1644503105.0/0/netmask-2-0-2-tgz/package/README.md

# 1.1486 @nicolo-ribaudo/chokidar-2 2.1.8-no-fsevents.3

## 1.1486.1 Available under license :

MIT

# 1.1487 json-path 2.7.0

## 1.1487.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2011 the original author or authors.
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/InvalidPathException.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/JsonPath.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/JsonPathException.java  
 \*  
 /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/path/PropertyPathToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/WriteContext.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/spi/json/GsonJsonProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/function/latebinding/PathLateBindingValue.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/InvalidJsonException.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/spi/mapper/JsonSmartMappingProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/spi/json/JettisonProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/InvalidCriteriaException.java  
 \*  
 /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/Option.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/Path.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/Configuration.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/path/CompiledPath.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/Criteria.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/spi/json/JsonProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/path/ScanPathToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/spi/json/JsonSmartJsonProvider.java  
 \*  
 /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/DocumentContext.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/MapFunction.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/path/EvaluationContextImpl.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/path/WildcardPathToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/Filter.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-



jar/com/jayway/jsonpath/internal/path/PredicatePathToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/EvaluationListener.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/InvalidModificationException.java  
 \*  
 /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/Predicate.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/TypeRef.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/ReadContext.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/path/ArrayIndexToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/mapper/JacksonMappingProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/path/ArraySliceToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/mapper/MappingProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/path/PathToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/EvaluationContext.java  
 \*  
 /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/cache/LRUCache.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/path/PredicateContextImpl.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/Utils.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/json/AbstractJsonProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/mapper/GsonMappingProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/path/ArrayPathToken.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/function/latebinding/JsonLateBindingValue.java  
 \*  
 /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/json/JacksonJsonProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/ValueCompareException.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/mapper/TapestryMappingProvider.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/spi/mapper/MappingException.java  
 \* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-  
 jar/com/jayway/jsonpath/internal/path/RootPathToken.java

\* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/spi/mapper/JakartaMappingProvider.java  
\* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/JsonFormatter.java  
\* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/JsonContext.java  
\*  
/opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/internal/function/latebinding/ILateBindingValue.java  
\* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/PathNotFoundException.java  
\* /opt/cola/permits/1271842986\_1644941733.33/0/json-path-2-7-0-sources-jar/com/jayway/jsonpath/ParseContext.java

## 1.1488 minimatch 3.1.2

### 1.1488.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1489 cookie 0.4.2

### 1.1489.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Roman Shtylman <shtylman@gmail.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1490 loadash 1.0.0

### 1.1490.1 Available under license :

ISC

## 1.1491 log4j-slf4j-impl 2.17.1

### 1.1491.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Log4j SLF4J Binding

Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.1492 javax-annotation-api 1.3.2

## 1.1492.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.



1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the

combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or

alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this

License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code

or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty

protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.



This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\*

Modifications:

- \* If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.
- \*/

# 1.1493 react-merge-refs 1.1.0

## 1.1493.1 Available under license :

MIT License

Copyright (c) 2020 Greg Berg

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1494 ansi-regex 4.1.1

## 1.1494.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1495 has-symbols 1.0.3

## 1.1495.1 Available under license :

MIT License

Copyright (c) 2016 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1496 accepts 1.3.8

### 1.1496.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jungleberry.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1497 signal-exit 3.0.7

### 1.1497.1 Available under license :

The ISC License

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE

LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1498 minimatch 3.1.2

### 1.1498.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1499 negotiator 0.6.3

### 1.1499.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Federico Romero

Copyright (c) 2012-2014 Isaac Z. Schlueter

Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES  
OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1500 node-sass 4.14.1

## 1.1500.1 Available under license :

Copyright (c) 2013-2016 Andrew Nesbitt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2012-2016 by the Sass Open Source Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE



AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The following files in the spec were taken from the original Ruby Sass project which is copyright Hampton Catlin, Nathan Weizenbaum, and Chris Eppstein and under the same license.

Copyright (C) 2012 by Hampton Catlin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The following files in the spec were taken from the original Ruby Sass project which is copyright Hampton Catlin, Nathan Weizenbaum, and Chris Eppstein and under the same license.

## 1.1501 debug 4.3.4

### 1.1501.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction,

including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1502 sshpk 1.17.0

### 1.1502.1 Available under license :

Copyright Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1503 metrics-servlets 4.1.0

### 1.1503.1 Available under license :

Apache-2.0

# 1.1504 metrics-jetty 4.1.0

## 1.1504.1 Available under license :

Apache-2.0

# 1.1505 metrics-health-checks 4.1.0

## 1.1505.1 Available under license :

Apache-2.0

# 1.1506 crc-32 1.2.2

## 1.1506.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2014-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1507 mime-types 2.1.35

## 1.1507.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1508 mime-db 1.52.0

### 1.1508.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2015-2022 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1509 http-errors 2.0.0



## 1.1509.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong me@jungleberry.com

Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1510 debug 4.3.4

### 1.1510.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1511 @types/prop-types 15.7.5

### 1.1511.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1512 send 0.18.0

### 1.1512.1 Available under license :

(The MIT License)

Copyright (c) 2012 TJ Holowaychuk

Copyright (c) 2014-2022 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1513 has-property-descriptors 1.0.0

### 1.1513.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1514 on-finished 2.4.1

### 1.1514.1 Available under license :

(The MIT License)

Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1515 statuses 2.0.1

### 1.1515.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1516 finalhandler 1.2.0

### 1.1516.1 Available under license :

(The MIT License)

Copyright (c) 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1517 serve-static 1.15.0

### 1.1517.1 Available under license :

(The MIT License)

Copyright (c) 2010 Sencha Inc.

Copyright (c) 2011 LearnBoost

Copyright (c) 2011 TJ Holowaychuk

Copyright (c) 2014-2016 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1518 destroy 1.2.0

### 1.1518.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong [me@jungleberry.com](mailto:me@jungleberry.com)

Copyright (c) 2015-2022 Douglas Christopher Wilson [doug@somethingdoug.com](mailto:doug@somethingdoug.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1519 send 0.18.0

## 1.1519.1 Available under license :

(The MIT License)

Copyright (c) 2012 TJ Holowaychuk

Copyright (c) 2014-2022 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1520 serve-static 1.15.0

### 1.1520.1 Available under license :

(The MIT License)

Copyright (c) 2010 Sencha Inc.

Copyright (c) 2011 LearnBoost

Copyright (c) 2011 TJ Holowaychuk

Copyright (c) 2014-2016 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1521 fast-infoset 1.2.15

### 1.1521.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License' COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.



1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce,

modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of

the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the

License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the

Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

NOTICE PURSUANT TO SECTION  
9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION  
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.



For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source

code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative

or  
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software

distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software Foundation

may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and

others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.



\*  
\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
\* or LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

# 1.1522 cookie 0.4.2

## 1.1522.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Roman Shtylman <shtylman@gmail.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1523 cookie 0.5.0

## 1.1523.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Roman Shtylman <shtylman@gmail.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1524 just-extend 4.2.1

## 1.1524.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 angus croll

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1525 diff 5.1.0

## 1.1525.1 Available under license :

Software License Agreement (BSD License)

Copyright (c) 2009-2015, Kevin Decker <kpdecker@gmail.com>

All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other

materials provided with the distribution.

\* Neither the name of Kevin Decker nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1526 source-map-js 1.0.2

### 1.1526.1 Available under license :

Copyright (c) 2009-2011, Mozilla Foundation and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of the Mozilla Foundation nor the names of project contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1527 is-weakref 1.0.2

### 1.1527.1 Available under license :

MIT License

Copyright (c) 2020 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1528 ansi-regex 4.1.1

### 1.1528.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1529 sshpk 1.17.0

### 1.1529.1 Available under license :

Copyright Joyent, Inc. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1530 minimatch 3.0.8

### 1.1530.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1531 clean-css 4.2.4

### 1.1531.1 Available under license :

Copyright (C) 2017 JakubPawlowicz.com

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1532 content-disposition 0.5.4

### 1.1532.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1533 bytes 3.1.2

### 1.1533.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2015 Jed Watson <jed.watson@me.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1534 asn1 0.2.6



## 1.1534.1 Available under license :

Copyright (c) 2011 Mark Cavage, All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.1535 chokidar 3.5.3

### 1.1535.1 Available under license :

The MIT License (MIT)

Copyright (c) 2012-2019 Paul Miller (<https://paulmillr.com>), Elan Shanker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1536 qs 6.5.3

## 1.1536.1 Available under license :

BSD 3-Clause License

Copyright (c) 2014, Nathan LaFreniere and other [contributors](<https://github.com/ljharb/qs/graphs/contributors>)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1537 sass-graph 2.2.5

## 1.1537.1 Available under license :

MIT

# 1.1538 is-negative-zero 2.0.2

## 1.1538.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1539 js-base64 2.6.4

### 1.1539.1 Available under license :

Copyright (c) 2014, Dan Kogai

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of {{{project}}} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1540 y18n 3.2.2

### 1.1540.1 Available under license :

ISC

## 1.1541 in-publish 2.0.1

### 1.1541.1 Available under license :

Copyright (c) 2015, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1542 raw-body 2.5.1

### 1.1542.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1543 estraverse 5.3.0

### 1.1543.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1544 glob 7.2.3

### 1.1544.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## Glob Logo

Glob's logo created by Tanya Brassie <<http://tanyabrassie.com/>>, licensed under a Creative Commons Attribution-ShareAlike 4.0 International License <https://creativecommons.org/licenses/by-sa/4.0/>

## 1.1545 bn.js 5.2.1

### 1.1545.1 Available under license :

Copyright Fedor Indutny, 2015.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1546 async 3.2.4

### 1.1546.1 Available under license :

Copyright (c) 2010-2018 Caolan McMahon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1547 async 3.2.4

### 1.1547.1 Available under license :

Copyright (c) 2010-2018 Caolan McMahon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1548 resilience4j-circuitbreaker 1.7.1

## 1.1548.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2019 Robert Winkler
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/internal/CircuitBreakerStateMachine.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2018: Clint Checketts
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
```



```
jar/io/github/resilience4j/circuitbreaker/internal/package-info.java
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/event/package-info.java
*
/opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2016 Robert Winkler and Bohdan Storozhuk
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/internal/CircuitBreakerMetrics.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2017: Robert Winkler
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/
```

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/Utils/package-info.java  
\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/CircuitBreaker.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright 2016 Robert Winkler

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*

\*/

Found in path(s):

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/internal/InMemoryCircuitBreakerRegistry.java

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerOnStateTransitionEvent.java

\*

/opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerOnErrorEvent.java

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerOnResetEvent.java

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/event/AbstractCircuitBreakerEvent.java

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/CircuitBreakerRegistry.java

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/CircuitBreakerConfig.java

\* /opt/cola/permits/1343828809\_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-jar/io/github/resilience4j/circuitbreaker/CallNotPermittedException.java

\*

```
/opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerOnIgnoredErrorEvent.java
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerOnCallNotPermittedEvent.java
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerOnSuccessEvent.java
* /opt/cola/permits/1343828809_1655158614.967719/0/resilience4j-circuitbreaker-1-7-1-sources-2-
jar/io/github/resilience4j/circuitbreaker/event/CircuitBreakerEvent.java
```

# 1.1549 resilience4j-core 1.7.1

## 1.1549.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 Ingyu Hwang
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/metrics/MetricsPublisher.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/registry/RegistryEventConsumer.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/registry/CompositeRegistryEventConsumer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2020 KrnSaurabh
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/InMemoryRegistryStore.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/RegistryStore.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/lang/NonNullApi.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/lang/NonNullFields.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/lang/NonNull.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/lang/Nullable.java

No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2016 Robert Winkler and Bohdan Storozhuk  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/ResultUtils.java

No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2017: Robert Winkler  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/EventConsumer.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/EventPublisher.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/EventProcessor.java  
\*  
/opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/StopWatch.java  
No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2020 krnsaurabh  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/ContextAwareScheduledThreadPoolExecutor.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/NamingThreadFactory.java  
\*  
/opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/ContextPropagator.java

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2020: Robert Winkler
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/exception/AcquirePermissionCancelledException.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/CallableUtils.java
*
/opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/SupplierUtils.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/StringUtils.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/CheckFunctionUtils.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/ClassUtils.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/CompletionStageUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2019 Robert Winkler and Bohdan Storozhuk
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/SnapshotImpl.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/Snapshot.java  
\*  
/opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/Measurement.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/PartialAggregation.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/SlidingTimeWindowMetrics.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/AbstractAggregation.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/Metrics.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/FixedSizeSlidingWindowMetrics.java  
\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/metrics/TotalAggregation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2019: Robert Winkler  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*



\*  
\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/EntryReplacedEvent.java

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/RegistryEvent.java

\*

/opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/AbstractRegistryEvent.java

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/EntryAddedEvent.java

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/EntryRemovedEvent.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright 2018: Clint Checketts

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*

\*/

Found in path(s):

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/package-info.java

\* /opt/cola/permits/1343828803\_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-jar/io/github/resilience4j/core/registry/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright 2019 Mahmoud Romeh

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

```
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/ConfigurationNotFoundException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
*
* Copyright 2019 Mahmoud Romeh, Robert Winkler
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/
```

Found in path(s):

```
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/registry/AbstractRegistry.java
* /opt/cola/permits/1343828803_1655158616.5115366/0/resilience4j-core-1-7-1-sources-2-
jar/io/github/resilience4j/core/Registry.java
```

## 1.1550 jaeger-thrift 0.28.0

## 1.1550.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2016, Uber Technologies, Inc

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101705\_1655310249.8010132/0/jaeger-thrift-0-28-0-sources-  
jar/io/jaegertracing/thrift/reporters/protocols/ThriftUdpTransport.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2016-2018, The Jaeger Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101705\_1655310249.8010132/0/jaeger-thrift-0-28-0-sources-  
jar/io/jaegertracing/thrift/senders/ThriftSenderBase.java

## 1.1551 jaeger-core 0.28.0

## 1.1551.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2017, Uber Technologies, Inc

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/Restriction.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/http/BaggageRestrictionResponse.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/BaggageRestrictionManager.java

\*

/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/propagation/B3TextMapCodec.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/BaggageSetter.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/Utils/Java6CompatibleThreadLocalRandom.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/Reference.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/BaggageRestrictionManagerException.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/HttpBaggageRestrictionManagerProxy.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/BaggageRestrictionManagerProxy.java

\*

/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/propagation/HexCodec.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/RemoteBaggageRestrictionManager.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/baggage/DefaultBaggageRestrictionManager.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2017, The Jaeger Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/metrics/NoopMetricsFactory.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/propagation/Codec.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/metrics/InMemoryMetricsFactory.java

\*

/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/metrics/MetricsFactory.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/propagation/CompositeCodec.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2018, The Jaeger Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-

jar/io/jaegertracing/PropagationRegistry.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2016, Uber Technologies, Inc

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/Constants.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/GuaranteedThroughputSampler.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/Utils/Http.java

\*

/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/UnsupportedFormatException.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/senders/Sender.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/reporters/CompositeReporter.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/Utils/RateLimiter.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/EmptyTracerStateStringException.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/reporters/InMemoryReporter.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/EmptyIpException.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/SenderException.java

\*

/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/senders/UdpSender.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/senders/HttpSender.java

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-

jar/io/jaegertracing/metrics/Timer.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/http/ProbabilisticSamplingStrategy.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/propagation/PrefixedKeys.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/reporters/LoggingReporter.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/http/OperationSamplingParameters.java  
\*  
/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/propagation/Injector.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/Tracer.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/RateLimitingSampler.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/PerOperationSampler.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/propagation/TextMapCodec.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/senders/ThriftSender.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/reporters/protocols/JaegerThriftSpanConverter.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/http/RateLimitingSamplingStrategy.java  
\*  
/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/Configuration.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/SpanContext.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/exceptions/NotFourOctetsException.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/Utils/Utils.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/http/PerOperationSamplingParameters.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/metrics/Metric.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/samplers/ProbabilisticSampler.java  
\*  
/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/metrics/Tag.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/Utils/SystemClock.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/Utils/Clock.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-

jar/io/jaegertracing/samplers/ConstSampler.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/MalformedTracerStateStringException.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/Sampler.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/metrics/Metrics.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/HttpSamplingManager.java  
\*  
/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/RemoteControlledSampler.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/reporters/Reporter.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/SamplingStatus.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/metrics/Counter.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/metrics/Gauge.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/http/SamplingStrategyResponse.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/exceptions/SamplingStrategyErrorException.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/Span.java  
\*  
/opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/LogData.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/reporters/NoopReporter.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/samplers/SamplingManager.java  
\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-  
jar/io/jaegertracing/propagation/Extractor.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2016-2017, Uber Technologies, Inc  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under



\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1345101700\_1655310251.6646187/0/jaeger-core-0-28-0-sources-jar/io/jaegertracing/reporters/RemoteReporter.java

## 1.1552 jackson-datatype-hibernate 2.12.7

### 1.1552.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.1553 qs 6.11.0

### 1.1553.1 Available under license :

BSD 3-Clause License

Copyright (c) 2014, Nathan LaFreniere and other [contributors](<https://github.com/ljharb/qs/graphs/contributors>)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1554 lazystream 1.0.1

### 1.1554.1 Available under license :

Copyright (c) 2013 J. Pommerening, contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1555 crc-32 1.2.2

### 1.1555.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2014-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.1556 globule 1.3.4

### 1.1556.1 Available under license :

Copyright (c) 2018 "Cowboy" Ben Alman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1557 prop-types 15.8.1

### 1.1557.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1558 @sinonjs/text-encoding 0.7.2

### 1.1558.1 Available under license :

The encoding indexes, algorithms, and many comments in the code derive from the Encoding Standard <https://encoding.spec.whatwg.org/>

Otherwise, the code of this repository is released under the Unlicense license and is also dual-licensed under an Apache 2.0 license. Both are included below.

# Unlicense

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.



IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org/>>

# Apache 2.0 License

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!)

The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1559 qs 6.11.0

## 1.1559.1 Available under license :

BSD 3-Clause License

Copyright (c) 2014, Nathan LaFreniere and other [contributors](<https://github.com/ljharb/qs/graphs/contributors>)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.1560 @babel/plugin-proposal-class-properties 7.18.6

### 1.1560.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1561 babel-plugin-proposal-nullish-coalescing-operator 7.18.6

## 1.1561.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1562 @babel/plugin-proposal-numeric-separator 7.18.6

## 1.1562.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1563 @jridgewell/set-array 1.1.2

### 1.1563.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1564 jackson-annotations 2.12.7

### 1.1564.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION



## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.1565 jackson-dataformat-yaml 2.12.7

## 1.1565.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the  
Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the  
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has  
been in development since 2007.

It is currently developed by a community of developers, as well as supported  
commercially by FasterXML.com.

### ## Licensing

Jackson core and extension components may be licensed under different licenses.  
To find the details that apply to this artifact see the accompanying LICENSE file.  
For more information, including possible other licensing options, contact  
FasterXML.com (<http://fasterxml.com>).

### ## Credits

A list of contributors may be found from CREDITS file, which is included  
in some artifacts (usually source distributions); but is always available  
from the source code management (SCM) system project uses.

# 1.1566 jackson-dataformat-smile 2.12.7

## 1.1566.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Copyright 2012 FasterXML.com
#
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
```

com.fasterxml.jackson.dataformat.smile.SmileFactory

Found in path(s):

```
* /opt/cola/permits/1407264880_1662152021.6281753/0/jackson-dataformat-smile-2-12-7-sources-jar/META-INF/services/com.fasterxml.jackson.core.JsonFactory
```

# 1.1567 jackson-jaxrs 2.12.7

## 1.1567.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

```
Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
Licensing
```

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.1568 jackson-dataformat-xml 2.12.7

### 1.1568.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

#### ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.1569 jackson-module-jjsonschema 2.12.7

## 1.1569.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.1570 jackson-xc 2.12.7

### 1.1570.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.1571 jackson-jaxrs-base 2.12.7



## 1.1571.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.1572 follow-redirects 1.15.2

### 1.1572.1 Available under license :

Copyright 2014present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1573 spring-instrument 4.3.20.RELEASE

### 1.1573.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1421016306\_1663620298.5728998/0/spring-instrument-4-3-20-release-sources-1-jar/org/springframework/instrument/InstrumentationSavingAgent.java

## 1.1574 logback-core 1.2.9

### 1.1574.1 Available under license :

No license file was found, but licenses were detected in source scan.

- ```
/**
 * Logback: the reliable, generic, fast and flexible logging framework.
 * Copyright (C) 1999-2015, QOS.ch. All rights reserved.
 *
 * This program and the accompanying materials are dual-licensed under
 * either the terms of the Eclipse Public License v1.0 as published by
 * the Eclipse Foundation
 *
 * or (per the licensee's choosing)
 *
 * under the terms of the GNU Lesser General Public License version 2.1
 * as published by the Free Software Foundation.
 */
```

Found in path(s):

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/spi/FilterAttachableImpl.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/ConsoleAppender.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/ParamAction.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/status/OnConsoleStatusListener.java

*

/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/CoreConstants.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/ssl/SSLConfigurable.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-

```

jar/ch/qos/logback/core/util/Duration.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/html/NOThrowableRenderer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/SimpleRuleStore.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/conditional/Condition.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/LayoutBase.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/SSLContextFactoryBean.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/OutputStreamAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/ForegroundCompositeConverterBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/AppenderAttachableImpl.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/StatusUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/TriggeringPolicyBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/LifeCycleManager.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/SizeBasedTriggeringPolicy.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/parser/Compiler.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/filter/EvaluatorFilter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/SystemInfo.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/ReplacingCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/PostCompileProcessor.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicy.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/TimeBasedRollingPolicy.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/ConfigurationWatchList.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/LogbackLock.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/ContextAware.java

```

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/IncompatibleClassException.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/parser/SimpleKeywordNode.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/boolex/EventEvaluatorBase.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/ActionUtil.java
 *
 /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/color/ANSIConstants.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/StatusListenerConfigHelper.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/ssl/SSLConfiguration.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/sift/DefaultDiscriminator.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/ExecutorServiceUtil.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/spi/AbstractComponentTracker.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/filter/AbstractMatcherFilter.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/encoder/Encoder.java
 *
 /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/LoginAuthenticator.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/ActionConst.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/QueueFactory.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/sift/AbstractAppenderFactoryUsingJoran.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/status/StatusBase.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/EnvUtil.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/OptionHelper.java
 *
 /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/PatternLayoutBase.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/layout/EchoLayout.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/CharSequenceState.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-

```

jar/ch/qos/logback/core/net/ssl/KeyStoreFactoryBean.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/OnPrintStreamStatusListenerBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/RedCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/PeriodicityType.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/DefaultTimeBasedFileNamingAndTriggeringPolicy.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/subst/Tokenizer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/LogbackException.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BoldRedCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/WhiteCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/FormattingConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/sift/Discriminator.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/SSLConfigurableSocket.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/LifeCycle.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/util/AlmostAsIsEscapeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/util/AsIsEscapeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BoldWhiteCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/DefaultClass.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/encoder/NonClosableInputStream.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ObjectWriterFactory.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/CompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/IdentityCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/MonoTypedConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/DeferredProcessingAware.java

```

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/recovery/RecoveryCoordinator.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/hook/ShutdownHook.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/BasicStatusManager.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/SpacePadder.java
 *
 /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/FileUtil.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/recovery/ResilientSyslogOutputStream.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/spi/DefaultNestedComponentRegistry.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/JoranConfiguratorBase.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/conditional/ThenAction.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/helper/FileStoreUtil.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/FileSize.java
 *
 /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/CachingDateFormatter.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/spi/CyclicBufferTracker.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/status/NopStatusListener.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/RollingPolicy.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/color/YellowCompositeConverter.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/html/CssBuilder.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/html/IThrowableRenderer.java
 *
 /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/NestedBasicPropertyIA.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/event/StartEvent.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/filter/Filter.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/NOPAction.java
 * /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-

jar/ch/qos/logback/core/util/DefaultInvocationGate.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/stax/StartEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/ElementSelector.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/ServerListener.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/AbstractEventEvaluatorAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/conditional/ElseAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/AbstractSSLSocketAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/AppenderRefAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/TimeBasedArchiveRemover.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/subst/NodeToStringTransformer.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/EventPlayer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/InterpretationContext.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/SSLComponent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/FormatInfo.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/GenericConfigurator.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/encoder/ByteArrayUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/StatusListenerAction.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/ConsoleTarget.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/MagentaCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/property/FileExistsPropertyDefiner.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/DelayStrategy.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/ArchiveRemover.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/parser/OptionTokenizer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/node/ComponentNode.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/boolex/EvaluationException.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/color/BoldGreenCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/color/BoldMagentaCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/TimeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/SMTPAppenderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/ssl/SSLConfigurableServerSocket.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/boolex/JaninoEventEvaluatorBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/util/StringToObjectConverter.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/SyslogAppenderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/server/RemoteReceiverServerRunner.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/NestedComplexPropertyIA.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/sift/AppenderTracker.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/SizeAndTimeBasedFNATP.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/spi/FilterAttachable.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/AutoFlushingObjectWriter.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/encoder/LayoutWrappingEncoder.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/server/Client.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/spi/ContextAwareImpl.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/event/stax/StaxEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/parser/CompositeNode.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-

jar/ch/qos/logback/core/spi/ScanException.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/StatusManager.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/parser/Node.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/ShutdownHookAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/parser/TokenStream.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/Status.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/Compressor.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/CyanCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/stax/EndEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/ServerSocketListener.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/helpers/NOPAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BlueCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/OnErrorConsoleStatusListener.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/sift/AbstractDiscriminator.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/SyslogConstants.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/SyslogOutputStream.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/JNDIUtil.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/parser/FormattingNode.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/subst/Token.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/boolex/Matcher.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/NoAutoStart.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/FixedDelay.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/subst/Parser.java

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/pattern/color/GreenCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/ssl/SSLParametersConfiguration.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/encoder/EchoEncoder.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/RolloverFailure.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/LocationUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/Context.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/helper/FileNamePattern.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/PropertyAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/AbstractSocketAppender.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/util/DatePatternToRegexUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/encoder/EncoderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/conditional/PropertyEvalScriptBuilder.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/action/IADDataForComplexProperty.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/RollingFileAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/helper/FileFilterUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/event/EndEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/event/SaxEventRecorder.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/helper/CompressionMode.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/spi/AppenderAttachable.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/rolling/helper/RollingCalendar.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/joran/spi/HostClassAndPropertyDouble.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/net/server/AbstractServerSocketAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-

jar/ch/qos/logback/core/rolling/helper/DateTokenConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/ImplicitAction.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/stax/StaxEventRecorder.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/parser/Token.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/SizeAndTimeBasedArchiveRemover.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/AppenderAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/StatusPrinter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BlackCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/ConcurrentServerRunner.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/StatusListener.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/Interpreter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/SSL.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/util/RegularEscapeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/FixedWindowRollingPolicy.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/helpers/CyclicBuffer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/ServerRunner.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/Loader.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/TriggeringPolicy.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/FileAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/SSLServerSocketAppenderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/AsyncAppenderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/hook/DelayingShutdownHook.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/PropertySetterException.java

```

* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/RemoteReceiverStreamClient.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/TrustManagerFactoryFactoryBean.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/AppenderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/IADDataForBasicProperty.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/PreSerializationTransformer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/ActionException.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/LiteralConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/DynamicConverter.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/helpers/Transform.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/IncludeAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/JoranException.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/KeyManagerFactoryFactoryBean.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/ContextAwareBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/ContentTypeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/CloseUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/WarnStatus.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/Action.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/Appender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/property/ResourceExistsPropertyDefiner.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/InfoStatus.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/Converter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/ConverterUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-

```

```

jar/ch/qos/logback/core/recovery/ResilientOutputStreamBase.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/SSLNestedComponentRegistryRules.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/recovery/ResilientFileOutputStream.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/PropertyDefiner.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/StatusListenerAsList.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/ViewStatusMessagesServletBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/StringCollectionUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/parser/Parser.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/RollingPolicyBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ObjectWriter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/conditional/PropertyWrapperForScripts.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/TokenConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/ContextUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/conditional/ThenOrElseActionBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/BodyEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/read/ListAppender.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/ConversionRuleAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/RuleStore.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/DefaultSocketConnector.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/ConfigurableSSLServerSocketFactory.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/ConfigurableSSLSocketFactory.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/ssl/SecureRandomFactoryBean.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/NewRuleAction.java

```

```

*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/util/IEscapeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/FilterReply.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/ContextPropertyAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/PropertyContainer.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/SocketConnector.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BoldBlueCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/subst/Node.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/TimestampAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/boolex/EventEvaluator.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/SaxEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/RemoteReceiverServerListener.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/DynamicClassLoadingException.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/util/ConfigurationWatchListUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/PropertyDefinerBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicyBase.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/html/HTMLLayoutBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/util/RestrictedEscapeUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/helpers/ThrowableToStringArray.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BoldCyanCompositeConverter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/NoAutoStartUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/ElementPath.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/GrayCompositeConverter.java
*

```

```

/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/conditional/IfAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/CharSequenceToRegexMapper.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/util/PropertySetter.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/read/CyclicBufferAppender.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/UnsynchronizedAppenderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/stax/BodyEvent.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/color/BoldYellowCompositeConverter.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/rolling/helper/RenameUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/ContextBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/Layout.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/util/AggregationType.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/spi/XMLUtil.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/sift/SiftingJoranConfiguratorBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/status/HttpStatus.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/RemoteReceiverClient.java
*
/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/pattern/PatternLayoutEncoderBase.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/action/DefinePropertyAction.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/joran/event/InPlayListener.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/net/server/ClientVisitor.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/sift/AppenderFactory.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/spi/ComponentTracker.java
* /opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-
jar/ch/qos/logback/core/hook/ShutdownHookBase.java
*

```

/opt/cola/permits/1421028548_1663622550.894117/0/logback-core-1-2-9-sources-1-jar/ch/qos/logback/core/sift/SiftingAppenderBase.java

1.1575 logback-classic 1.2.9

1.1575.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
--
-- See http://logback.qos.ch/license.html for the applicable licensing
-- conditions.
```

```
-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
--
-- It is intended for Oracle 9i, 10g and 11g databases. Tested on version 9.2,
-- 10g and 11g.
```

```
-- The following lines are useful in cleaning any previously existing tables
```

```
--drop TRIGGER logging_event_id_seq_trig;
--drop SEQUENCE logging_event_id_seq;
--drop table logging_event_property;
--drop table logging_event_exception;
--drop table logging_event;
```

```
CREATE SEQUENCE logging_event_id_seq MINVALUE 1 START WITH 1;
```

```
CREATE TABLE logging_event
(
  timestmp      NUMBER(20) NOT NULL,
  formatted_message VARCHAR2(4000) NOT NULL,
  logger_name   VARCHAR(254) NOT NULL,
  level_string  VARCHAR(254)
  NOT NULL,
  thread_name   VARCHAR(254),
  reference_flag SMALLINT,
  arg0          VARCHAR(254),
  arg1          VARCHAR(254),
  arg2          VARCHAR(254),
  arg3          VARCHAR(254),
  caller_filename VARCHAR(254) NOT NULL,
  caller_class  VARCHAR(254) NOT NULL,
  caller_method VARCHAR(254) NOT NULL,
```



```
caller_line    CHAR(4) NOT NULL,  
event_id      NUMBER(10) PRIMARY KEY  
);
```

```
-- the / suffix may or may not be needed depending on your SQL Client  
-- Some SQL Clients, e.g. Squirrel SQL has trouble with the following  
-- trigger creation command, while SQLPlus (the basic SQL Client which  
-- ships with Oracle) has no trouble at all.
```

```
CREATE TRIGGER logging_event_id_seq_trig  
BEFORE INSERT ON logging_event  
FOR EACH ROW  
BEGIN  
    SELECT logging_event_id_seq.NEXTVAL  
    INTO   :NEW.event_id  
    FROM   DUAL;  
END;  
/
```

```
CREATE TABLE logging_event_property  
(  
    event_id    NUMBER(10) NOT NULL,  
  
    mapped_key  VARCHAR2(254) NOT NULL,  
    mapped_value VARCHAR2(1024),  
    PRIMARY KEY(event_id, mapped_key),  
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)  
);
```

```
CREATE TABLE logging_event_exception  
(  
    event_id    NUMBER(10) NOT NULL,  
    i           SMALLINT NOT NULL,  
    trace_line  VARCHAR2(254) NOT NULL,  
    PRIMARY KEY(event_id, i),  
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)  
);
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-  
jar/ch/qos/logback/classic/db/script/oracle.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
```

```
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
--
```

-- See <http://logback.qos.ch/license.html> for the applicable licensing
-- conditions.

-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
--
-- The event_id column type was recently changed from INT to DECIMAL(40)
-- without testing.

```
DROP TABLE logging_event_property
DROP TABLE logging_event_exception
DROP TABLE logging_event
```

```
CREATE TABLE logging_event
(
  timestmp      DECIMAL(20) NOT NULL,
  formatted_message VARCHAR(4000) NOT NULL,
  logger_name   VARCHAR(254) NOT NULL,
  level_string  VARCHAR(254) NOT NULL,
  thread_name   VARCHAR(254),
  reference_flag SMALLINT,
  arg0          VARCHAR(254),
  arg1          VARCHAR(254),
  arg2          VARCHAR(254),
  arg3          VARCHAR(254),

  caller_filename VARCHAR(254) NOT NULL,
  caller_class   VARCHAR(254) NOT NULL,
  caller_method  VARCHAR(254) NOT NULL,
  caller_line    CHAR(4) NOT NULL,
  event_id      DECIMAL(40) NOT NULL identity,
  PRIMARY KEY(event_id)
)
```

```
CREATE TABLE logging_event_property
(
  event_id      DECIMAL(40) NOT NULL,
  mapped_key   VARCHAR(254) NOT NULL,
  mapped_value  VARCHAR(1024),
  PRIMARY KEY(event_id, mapped_key),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
)
```

```
CREATE TABLE logging_event_exception
(
  event_id      DECIMAL(40) NOT NULL,
  i             SMALLINT NOT NULL,
  trace_line   VARCHAR(254) NOT NULL,
  PRIMARY KEY(event_id, i),
```

```
FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
)
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/db/script/mssql.sql
```

No license file was found, but licenses were detected in source scan.

```
# Logback: the reliable, generic, fast and flexible logging framework.
```

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
#
```

```
# See http://logback.qos.ch/license.html for the applicable licensing
```

```
# conditions.
```

```
# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.
```

```
#
```

```
# It is intended for HSQL databases. It has been tested on HSQL 1.8.07.
```

```
DROP TABLE logging_event_exception IF EXISTS;
```

```
DROP TABLE logging_event_property IF EXISTS;
```

```
DROP TABLE logging_event IF EXISTS;
```

```
CREATE TABLE logging_event (
  timestmp BIGINT NOT NULL,
  formatted_message LONGVARCHAR NOT NULL,
  logger_name VARCHAR(256) NOT NULL,
  level_string VARCHAR(256) NOT NULL,
  thread_name VARCHAR(256),
  reference_flag SMALLINT,
  arg0 VARCHAR(256),
  arg1 VARCHAR(256),
  arg2 VARCHAR(256),
  arg3 VARCHAR(256),
  caller_filename VARCHAR(256),
  caller_class VARCHAR(256),
  caller_method VARCHAR(256),
  caller_line CHAR(4),
  event_id BIGINT NOT NULL IDENTITY);
```

```
CREATE TABLE logging_event_property (
  event_id BIGINT NOT NULL,
  mapped_key VARCHAR(254) NOT NULL,
  mapped_value LONGVARCHAR,
  PRIMARY KEY(event_id, mapped_key),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id));
```

```
CREATE TABLE logging_event_exception (  
    event_id BIGINT NOT NULL,  
    i SMALLINT NOT NULL,  
    trace_line VARCHAR(256) NOT NULL,  
    PRIMARY KEY(event_id, i),  
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id));
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-  
jar/ch/qos/logback/classic/db/script/hsqldb.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
```

```
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
--
```

```
-- See http://logback.qos.ch/license.html for the applicable licensing
```

```
-- conditions.
```

```
-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
```

```
--
```

```
-- It is intended for PostgreSQL databases.
```

```
DROP TABLE logging_event_property;  
DROP TABLE logging_event_exception;  
DROP TABLE logging_event;  
DROP SEQUENCE logging_event_id_seq;
```

```
CREATE SEQUENCE logging_event_id_seq MINVALUE 1 START 1;
```

```
CREATE TABLE logging_event  
(  
    timestmp    BIGINT NOT NULL,  
    formatted_message TEXT NOT NULL,  
    logger_name  VARCHAR(254) NOT NULL,  
    level_string VARCHAR(254) NOT NULL,  
    thread_name  VARCHAR(254),  
    reference_flag SMALLINT,  
    arg0         VARCHAR(254),  
    arg1         VARCHAR(254),  
    arg2         VARCHAR(254),  
    arg3         VARCHAR(254),  
    caller_filename VARCHAR(254) NOT NULL,  
    caller_class   VARCHAR(254) NOT NULL,  
    caller_method  VARCHAR(254) NOT NULL,  
    caller_line    CHAR(4) NOT NULL,  
    event_id      BIGINT DEFAULT nextval('logging_event_id_seq') PRIMARY KEY
```

```
);
```

```
CREATE TABLE logging_event_property  
(  
    event_id    BIGINT NOT NULL,  
    mapped_key  VARCHAR(254) NOT NULL,  
    mapped_value VARCHAR(1024),  
    PRIMARY KEY(event_id, mapped_key),  
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)  
);
```

```
CREATE TABLE logging_event_exception  
(  
    event_id    BIGINT NOT NULL,  
    i          SMALLINT NOT NULL,  
    trace_line  VARCHAR(254) NOT NULL,  
    PRIMARY KEY(event_id, i),  
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)  
);
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-  
jar/ch/qos/logback/classic/db/script/postgresql.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
```

```
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
--
```

```
-- See http://logback.qos.ch/license.html for the applicable licensing
```

```
-- conditions.
```

```
-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
```

```
-- for Sybase SQLAnywhere. Tested on SQLAnywhere 10.0.1.
```

```
DROP TABLE logging_event_property  
DROP TABLE logging_event_exception  
DROP TABLE logging_event
```

```
CREATE TABLE logging_event  
(  
    timestmp    bigint NOT NULL,  
    formatted_message LONG VARCHAR NOT NULL,  
    logger_name  VARCHAR(254) NOT NULL,  
    level_string VARCHAR(254) NOT NULL,  
    thread_name  VARCHAR(254),  
    reference_flag SMALLINT,  
    arg0         VARCHAR(254),  
    arg1         VARCHAR(254),
```

```

arg2          VARCHAR(254),
arg3          VARCHAR(254),
caller_filename VARCHAR(254) NOT NULL,
caller_class  VARCHAR(254)
NOT NULL,
caller_method VARCHAR(254) NOT NULL,
caller_line   VARCHAR(4) NOT NULL,
event_id     int NOT NULL DEFAULT AUTOINCREMENT,
PRIMARY KEY(event_id)
)

```

```

CREATE TABLE logging_event_property
(
event_id     int NOT NULL REFERENCES logging_event(event_id),
mapped_key   VARCHAR(254) NOT NULL,
mapped_value LONG VARCHAR,
PRIMARY KEY(event_id, mapped_key)
)

```

```

CREATE TABLE logging_event_exception
(
event_id     int NOT NULL REFERENCES logging_event(event_id) ,
i           SMALLINT NOT NULL,
trace_line  VARCHAR(254) NOT NULL,
PRIMARY KEY(event_id, i)
)

```

Found in path(s):

```

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/db/script/sybaseSqlAnywhere.sql

```

No license file was found, but licenses were detected in source scan.

Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

See <http://logback.qos.ch/license.html> for the applicable licensing

conditions.

This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.

#

It is intended for MySQL databases. It has been tested on MySQL 5.1.37

on Linux

BEGIN;

DROP TABLE IF EXISTS logging_event_property;

DROP TABLE IF EXISTS logging_event_exception;

DROP TABLE IF EXISTS logging_event;

COMMIT;

BEGIN;

CREATE TABLE logging_event

```
(
  timestmp      BIGINT NOT NULL,
  formatted_message TEXT NOT NULL,
  logger_name   VARCHAR(254) NOT NULL,
  level_string  VARCHAR(254) NOT NULL,
  thread_name   VARCHAR(254),
  reference_flag SMALLINT,
  arg0         VARCHAR(254),
  arg1         VARCHAR(254),
  arg2         VARCHAR(254),
  arg3         VARCHAR(254),
  caller_filename VARCHAR(254) NOT NULL,
  caller_class  VARCHAR(254) NOT NULL,
  caller_method VARCHAR(254) NOT NULL,
  caller_line   CHAR(4) NOT NULL,
  event_id     BIGINT NOT NULL AUTO_INCREMENT PRIMARY KEY
);
```

COMMIT;

BEGIN;

CREATE TABLE logging_event_property

```
(
  event_id     BIGINT NOT NULL,
  mapped_key   VARCHAR(254) NOT NULL,
  mapped_value TEXT,
  PRIMARY KEY(event_id, mapped_key),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

COMMIT;

BEGIN;

CREATE TABLE logging_event_exception

```
(
  event_id     BIGINT NOT NULL,
  i           SMALLINT NOT NULL,
  trace_line   VARCHAR(254) NOT NULL,
  PRIMARY KEY(event_id, i),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

COMMIT;

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-  
jar/ch/qos/logback/classic/db/script/mysql.sql
```

No license file was found, but licenses were detected in source scan.

```
# Logback: the reliable, generic, fast and flexible logging framework.
```

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
#
```

```
# See http://logback.qos.ch/license.html for the applicable licensing
```

```
# conditions.
```

```
# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
```

```
#
```

```
# It is intended for IBM DB2 databases.
```

```
#
```

```
# WARNING WARNING WARNING WARNING
```

```
# =====
```

```
# This SQL script has not been tested on an actual DB2
```

```
# instance. It may contain errors or even invalid SQL
```

```
# statements.
```

```
DROP TABLE logging_event_property;
```

```
DROP TABLE logging_event_exception;
```

```
DROP TABLE logging_event;
```

```
CREATE TABLE logging_event
```

```
(
```

```
  timestmp      BIGINT NOT NULL,
```

```
  formatted_message VARCHAR(4000) NOT NULL,
```

```
  logger_name   VARCHAR(254) NOT NULL,
```

```
  level_string  VARCHAR(254) NOT NULL,
```

```
  thread_name  VARCHAR(254),
```

```
  reference_flag SMALLINT,
```

```
  arg0
```

```
    VARCHAR(254),
```

```
  arg1         VARCHAR(254),
```

```
  arg2         VARCHAR(254),
```

```
  arg3         VARCHAR(254),
```

```
  caller_filename VARCHAR(254) NOT NULL,
```

```
  caller_class   VARCHAR(254) NOT NULL,
```

```
  caller_method  VARCHAR(254) NOT NULL,
```

```
  caller_line    CHAR(4) NOT NULL,
```

```
  event_id      INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1)
```

```
);
```

```
CREATE TABLE logging_event_property
```

```
(
```

```
  event_id      INTEGER NOT NULL,
```

```
  mapped_key    VARCHAR(254) NOT NULL,
```



```
mapped_value    VARCHAR(1024),
PRIMARY KEY(event_id, mapped_key),
FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

```
CREATE TABLE logging_event_exception
(
event_id        INTEGER NOT NULL,
i               SMALLINT NOT NULL,
trace_line     VARCHAR(254) NOT NULL,
PRIMARY KEY(event_id, i),
FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/db/script/db2.sql
```

No license file was found, but licenses were detected in source scan.

```
--# Logback: the reliable, generic, fast and flexible logging framework.
--# Copyright (C) 1999-2012, QOS.ch. All rights reserved.
--#
--# See http://logback.qos.ch/license.html for the applicable licensing
--# conditions.
--#
--# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.
--#
--# It is intended for SQLite3 databases. It has been tested on SQLite 3.7.4
--# on Android ICS (4.0.3).
```

```
BEGIN;
DROP TABLE IF EXISTS logging_event_property;
DROP TABLE IF EXISTS logging_event_exception;
DROP TABLE IF EXISTS logging_event;
COMMIT;
```

```
BEGIN;
CREATE TABLE logging_event
(
timestamp      BIGINT NOT NULL,
formatted_message TEXT NOT NULL,
logger_name    VARCHAR(254) NOT NULL,
level_string   VARCHAR(254) NOT NULL,
thread_name    VARCHAR(254),
reference_flag SMALLINT,
arg0           VARCHAR(254),
```

```

arg1      VARCHAR(254),
arg2
    VARCHAR(254),
arg3      VARCHAR(254),
caller_filename VARCHAR(254) NOT NULL,
caller_class  VARCHAR(254) NOT NULL,
caller_method VARCHAR(254) NOT NULL,
caller_line   CHAR(4) NOT NULL,
event_id     INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT
);
COMMIT;

```

```

BEGIN;
CREATE TABLE logging_event_property
(
    event_id    BIGINT NOT NULL,
    mapped_key  VARCHAR(254) NOT NULL,
    mapped_value TEXT,
    PRIMARY KEY(event_id, mapped_key),
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
COMMIT;

```

```

BEGIN;
CREATE TABLE logging_event_exception
(
    event_id    BIGINT NOT NULL,
    i           SMALLINT NOT NULL,
    trace_line  VARCHAR(254) NOT NULL,
    PRIMARY KEY(event_id, i),
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
COMMIT;

```

Found in path(s):

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/db/script/sqlite.sql

No license file was found, but licenses were detected in source scan.

/**

* Logback: the reliable, generic, fast and flexible logging framework.

* Copyright (C) 1999-2015, QOS.ch. All rights reserved.

*

* This program and the accompanying materials are dual-licensed under

* either the terms of the Eclipse Public License v1.0 as published by

* the Eclipse Foundation

*

* or (per the licensee's choosing)

*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/

Found in path(s):

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/ThrowableProxyConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/html/UrlCssBuilder.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/net/LoggingEventPreSerializationTransformer.java
*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/sift/SiftAction.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/ThreadConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/LoggerContextListenerAction.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/helpers/MDCInsertingServletFilter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/Level.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/sift/AppenderFactoryUsingJoran.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/EnsureExceptionHandling.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/LineOfCallerConverter.java
*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/ContextNameConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/jul/LevelChangePropagator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/ThrowableProxyVO.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/sift/SiftingJoranConfigurator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/ConfigurationAction.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/sift/MDCBasedDiscriminator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/turbo/TurboFilter.java
*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/LoggerRemoteView.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-

```

jar/ch/qos/logback/classic/net/SimpleSocketServer.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/server/RemoteAppenderServerRunner.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SocketNode.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/selector/servlet/ContextDetachingSCL.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/joran/action/LoggerAction.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/server/RemoteAppenderServerListener.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/turbo/ReconfigureOnChangeFilter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/boolex/OnErrorEvaluator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/LoggingEvent.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/selector/DefaultContextSelector.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/filter/ThresholdFilter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/sift/SiftingAppender.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/PackagingDataCalculator.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/filter/LevelFilter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SSLSocketAppender.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/selector/servlet/LoggerContextFilter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/server/ServerSocketAppender.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/FileOfCallerConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/StackTraceElementProxy.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/LoggerContextAware.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/TargetLengthBasedClassNameAbbreviator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/CallerData.java

```

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/turbo/DynamicThresholdFilter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/ConsolePluginAction.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/db/names/ColumnName.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/AsyncAppender.java

*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/IThrowableProxy.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/db/names/DBNameResolver.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/MarkerConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/ViewStatusMessagesServlet.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/STUtil.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/ExtendedThrowableProxyConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/ILoggingEvent.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/html/DefaultCssBuilder.java

*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/db/names/DefaultDBNameResolver.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/RootLoggerAction.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/sift/JNDIBasedContextDiscriminator.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/LoggerComparator.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/net/SMTPAppender.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/RelativeTimeConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/MDCCConverter.java

*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/org/slf4j/impl/StaticMarkerBinder.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/RootCauseFirstThrowableProxyConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/turbo/DuplicateMessageFilter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-

```

jar/ch/qos/logback/classic/net/server/ServerSocketReceiver.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/jmx/MBeanUtil.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/db/names/TableName.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/sift/ContextBasedDiscriminator.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/LoggerContextAwareBase.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/CopyOnInheritThreadLocal.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SocketAppender.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/html/DefaultThrowableRenderer.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/turbo/LRUMessageCache.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/LineSeparatorConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/Util.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/selector/ContextJNDISelector.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SimpleSSLSocketServer.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/Configurator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/LevelToSyslogSeverity.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/html/HTMLLayout.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/LoggerContext.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/NamedConverter.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/LoggerContextListener.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/DefaultNestedComponentRules.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/ContextSelectorStaticBinder.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/Abbreviator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/turbo/MarkerFilter.java

```

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/CallerDataConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/selector/ContextSelector.java

*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/net/SocketAcceptor.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/net/server/RemoteAppenderClient.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/turbo/MDCValueLevelPair.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/ThrowableProxy.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/LevelAction.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/spi/EventArgUtil.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/ClassNameOnlyAbbreviator.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/turbo/MatchingFilter.java

*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/DateConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/Logger.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/JoranConfigurator.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/ClassOfCallerConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/ReceiverAction.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/turbo/MDCFilter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/net/ReceiverBase.java

*

/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/joran/action/JMXConfiguratorAction.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/util/LoggerNameUtil.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/color/HighlightingCompositeConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/org/slf4j/impl/StaticMDCBinder.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/LevelConverter.java

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-

```

jar/ch/qos/logback/classic/boolex/IEvaluator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/SyslogStartConverter.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SSLSocketReceiver.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/LocalSequenceNumberConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/jul/JULHelper.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/MethodOfCallerConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/EnvUtil.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/LoggingEventVO.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/ClassPackagingData.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/LoggerConverter.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/joran/action/ContextNameAction.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/ClassicConstants.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/BasicConfigurator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/LogbackMDCAdapter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/db/names/SimpleDBNameResolver.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/ClassicConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/joran/action/EvaluatorAction.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/server/SSLServerSocketReceiver.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/PropertyConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/util/ContextInitializer.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/boolex/JaninoEventEvaluator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/ThrowableProxyUtil.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/log4j/XMLayout.java

```



```

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/server/RemoteAppenderStreamClient.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/jmx/JMXConfiguratorMBean.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/server/SSLServerSocketAppender.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/joran/action/InsertFromJNDIAction.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/MessageConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/ThrowableHandlingConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/PlatformInfo.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/PatternLayout.java
*
/opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SocketReceiver.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/net/SyslogAppender.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/boolex/OnMarkerEvaluator.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/pattern/NopThrowableInformationConverter.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/TurboFilterList.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/encoder/PatternLayoutEncoder.java
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-
jar/ch/qos/logback/classic/spi/LoggerContextVO.java
No license file was found, but licenses were detected in source scan.

```

```
/**
```

```

* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2021, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
* or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/

```

Found in path(s):

* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-jar/ch/qos/logback/classic/pattern/PrefixCompositeConverter.java

No license file was found, but licenses were detected in source scan.

Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

See <http://logback.qos.ch/license.html> for the applicable licensing

conditions.

This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.

#

It is intended for H2 databases.

DROP TABLE logging_event_exception IF EXISTS;

DROP TABLE logging_event_property IF EXISTS;

DROP TABLE logging_event IF EXISTS;

CREATE TABLE logging_event (

timestamp BIGINT NOT NULL,

formatted_message LONGVARCHAR NOT NULL,

logger_name VARCHAR(256) NOT NULL,

level_string VARCHAR(256) NOT NULL,

thread_name VARCHAR(256),

reference_flag SMALLINT,

arg0 VARCHAR(256),

arg1 VARCHAR(256),

arg2 VARCHAR(256),

arg3 VARCHAR(256),

caller_filename VARCHAR(256),

caller_class VARCHAR(256),

caller_method VARCHAR(256),

caller_line CHAR(4),

event_id IDENTITY NOT NULL);

CREATE

TABLE logging_event_property (

event_id BIGINT NOT NULL,

mapped_key VARCHAR(254) NOT NULL,

mapped_value LONGVARCHAR,

PRIMARY KEY(event_id, mapped_key),

FOREIGN KEY (event_id) REFERENCES logging_event(event_id));

CREATE TABLE logging_event_exception (

event_id BIGINT NOT NULL,

```
i SMALLINT NOT NULL,  
trace_line VARCHAR(256) NOT NULL,  
PRIMARY KEY(event_id, i),  
FOREIGN KEY (event_id) REFERENCES logging_event(event_id);
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-  
jar/ch/qos/logback/classic/db/script/h2.sql
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Logback: the reliable, generic, fast and flexible logging framework.
```

```
* Copyright (C) 1999-2016, QOS.ch. All rights reserved.
```

```
*
```

```
* This program and the accompanying materials are dual-licensed under
```

```
* either the terms of the Eclipse Public License v1.0 as published by
```

```
* the Eclipse Foundation
```

```
*
```

```
* or (per the licensee's choosing)
```

```
*
```

```
* under the terms of the GNU Lesser General Public License version 2.1
```

```
* as published by the Free Software Foundation.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1421028596_1663622576.6603036/0/logback-classic-1-2-9-sources-  
jar/ch/qos/logback/classic/jmx/JMXConfigurator.java
```

1.1576 object.assign 4.1.4

1.1576.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1577 follow-redirects 1.15.2

1.1577.1 Available under license :

Copyright 2014present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1578 underscore 1.13.6

1.1578.1 Available under license :

Copyright (c) 2009-2022 Jeremy Ashkenas, Julian Gonggrijp, and DocumentCloud and Investigative Reporters & Editors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1579 unbox-primitive 1.0.2

1.1579.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1580 has-bigints 1.0.2

1.1580.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1581 is-shared-array-buffer 1.0.2

1.1581.1 Available under license :

MIT License

Copyright (c) 2021 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1582 ip 2.0.0

1.1582.1 Available under license :

No license file was found, but licenses were detected in source scan.

This software is licensed under the MIT License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

* /opt/cola/permits/1431328154_1664619329.6758444/0/ip-2-0-0-1-tgz/package/README.md

1.1583 underscore 1.13.6

1.1583.1 Available under license :

Copyright (c) 2009-2022 Jeremy Ashkenas, Julian Gonggrijp, and DocumentCloud and Investigative Reporters & Editors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1584 he 1.2.0

1.1584.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1585 emoji-regex 8.0.0

1.1585.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1586 d3-interpolate 2.0.1

1.1586.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1587 d3-color 2.0.0

1.1587.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this

list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1588 d3-array 2.12.1

1.1588.1 Available under license :

Copyright 2010-2020 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1589 react-dom 17.0.2

1.1589.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1590 d3-shape 2.1.0

1.1590.1 Available under license :

Copyright 2010-2015 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1591 d3-scale-chromatic 2.0.0

1.1591.1 Available under license :

Copyright 2010-2018 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache-Style Software License for ColorBrewer software and ColorBrewer Color Schemes

Copyright (c) 2002 Cynthia Brewer, Mark Harrower, and The Pennsylvania State University.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1592 d3-time 2.1.1

1.1592.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1593 coffee-script 1.12.7

1.1593.1 Available under license :

Copyright (c) 2009-2017 Jeremy Ashkenas

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1594 filesize 3.6.1

1.1594.1 Available under license :

Copyright (c) 2018, Jason Mulligan
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of filesize nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1595 d3-scale 3.3.0

1.1595.1 Available under license :

Copyright 2010-2015 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1596 d3-time-format 3.0.0

1.1596.1 Available under license :

Copyright 2010-2017 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1597 d3-path 2.0.0

1.1597.1 Available under license :

Copyright 2015-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1598 lodash-es 4.17.21

1.1598.1 Available under license :

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

1.1599 redux 3.7.2

1.1599.1 Available under license :

The [Redux logo](./logo/) is dedicated to the public domain and licensed under [CC0](<http://creativecommons.org/publicdomain/zero/1.0/>).

You can copy, modify, and distribute it, even for commercial purposes, all without asking permission.

[Read more about CC0.](<http://creativecommons.org/publicdomain/zero/1.0/>)

You can find its legal text below.

Creative Commons Zero v1.0 Universal

CC0 1.0 Universal

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and

subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall

not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1600 camelize 1.0.1

1.1600.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1601 unicode-property-aliases-ecmascript

2.1.0

1.1601.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1602 regjsparser 0.9.1

1.1602.1 Available under license :

Copyright (c) Julian Viereck and Contributors, All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1603 react-redux 7.2.9

1.1603.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1604 convert-source-map 1.9.0

1.1604.1 Available under license :

Copyright 2013 Thorsten Lorenz.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1605 codepage 1.15.0

1.1605.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2013-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.1606 adler-32 1.2.0

1.1606.1 Available under license :

Copyright (C) 2014-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.1607 cfb 1.2.2

1.1607.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2013-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.1608 frac 1.1.2

1.1608.1 Available under license :

Copyright (C) 2012-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.1609 buffer-equal 1.0.1

1.1609.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1610 react-list 0.8.17

1.1610.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Casey Foster

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1611 d3-force 2.1.1

1.1611.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1612 d3-timer 2.0.0

1.1612.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1613 d3-dispatch 2.0.0

1.1613.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1614 d3-quadtree 2.0.0

1.1614.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1615 @sinonjs/samsam 6.1.3

1.1615.1 Available under license :

(The BSD License)

Copyright (c) 2010-2012, Christian Johansen, christian@cjohansen.no and August Lilleaas, august.lilleaas@gmail.com. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Christian Johansen nor the names of his contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1616 apache-commons-text 1.10.0

1.1616.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Text

Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

1.1617 xlsx 0.17.5

1.1617.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2012-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.1618 d3-fetch 2.0.0

1.1618.1 Available under license :

Copyright 2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1619 d3-zoom 2.0.0

1.1619.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1620 d3-brush 2.1.0

1.1620.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1621 d3-hierarchy 2.0.0

1.1621.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1622 d3-random 2.2.2

1.1622.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1623 d3-selection 2.0.0

1.1623.1 Available under license :

Copyright (c) 2010-2018, Michael Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* The name Michael Bostock may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL MICHAEL BOSTOCK BE LIABLE FOR ANY DIRECT,

INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1624 d3-transition 2.0.0

1.1624.1 Available under license :

Copyright (c) 2010-2015, Michael Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * The name Michael Bostock may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL MICHAEL BOSTOCK BE LIABLE FOR ANY DIRECT,
INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

TERMS OF USE - EASING EQUATIONS

Open source under the BSD License.

Copyright 2001 Robert Penner
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1625 d3-polygon 2.0.0

1.1625.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1626 d3-axis 2.1.0

1.1626.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1627 d3-geo 2.0.2

1.1627.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license applies to GeographicLib, versions 1.12 and later.

Copyright (c) 2008-2012, Charles Karney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1628 d3-dsv 2.0.0

1.1628.1 Available under license :

Copyright 2013-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1629 d3 6.7.0

1.1629.1 Available under license :

Copyright 2010-2020 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this

list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1630 d3-chord 2.0.0

1.1630.1 Available under license :

Copyright 2010-2016 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1631 d3-ease 2.0.0

1.1631.1 Available under license :

Copyright 2010-2016 Mike Bostock

Copyright 2001 Robert Penner

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1632 d3-drag 2.0.0

1.1632.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1633 d3-contour 2.0.0

1.1633.1 Available under license :

Copyright 2012-2017 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1634 d3-format 2.0.0

1.1634.1 Available under license :

Copyright 2010-2015 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1635 loader-utils 1.4.2

1.1635.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1636 gopd 1.0.1

1.1636.1 Available under license :

MIT License

Copyright (c) 2022 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1637 is-callable 1.2.7

1.1637.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1638 @sinonjs/commons 1.8.6

1.1638.1 Available under license :

BSD 3-Clause License

Copyright (c) 2018, Sinon.JS
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1639 regenerator-runtime 0.13.11

1.1639.1 Available under license :

MIT License

Copyright (c) 2014-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1640 @sinonjs/commons 2.0.0

1.1640.1 Available under license :

BSD 3-Clause License

Copyright (c) 2018, Sinon.JS
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1641 body-parser 1.20.1

1.1641.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>
Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1642 anymatch 3.1.3

1.1642.1 Available under license :

The ISC License

Copyright (c) 2019 Elan Shanker, Paul Miller (<https://paulmillr.com>)

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1643 unicode-match-property-value-ecmascript 2.1.0

1.1643.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1644 loader-utils 1.4.2

1.1644.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1645 loader-utils 2.0.4

1.1645.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1646 decode-uri-component 0.2.2

1.1646.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017, Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1647 styled-components 4.4.1

1.1647.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
 * Copyright (c) 2013-present, Facebook, Inc.
```

```
 *
```

```
 * This source code is licensed under the MIT license found in the
```

```
 * LICENSE file in the root directory of this source tree.
```

```
 */
```

Found in path(s):

```
* /opt/cola/permits/1494594526_1676611124.5758018/0/styled-components-4-4-1-3-tgz/package/dist/styled-components.js
```

No license file was found, but licenses were detected in source scan.

> ****CANARY:**** This is the `canary` branch of `styled-components`. It is published under the
Licensed under the MIT License, Copyright © 2016-present Glen Maddern and Maximilian Stoiber.

Found in path(s):

```
* /opt/cola/permits/1494594526_1676611124.5758018/0/styled-components-4-4-1-3-tgz/package/README.md
```

1.1648 harbor-elements-utils 0.0.7

1.1648.1 Available under license :

ISC License

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1649 yargs 7.1.2

1.1649.1 Available under license :

Copyright 2010 James Halliday (mail@substack.net)

Modified work Copyright 2014 Contributors (ben@npmjs.com)

This project is free software released under the MIT/X11 license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1650 less 3.13.1

1.1650.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"less.min.js","sources":["../src/less-browser/utils.js","../src/less-browser/browser.js","../node_modules/tslib/tslib.es6.js","../src/less/data/colors.js","../src/less/data/unit-conversions.js","../src/less/data/index.js","../src/less/tree/node.js","../src/less/tree/color.js","../src/less/tree/paren.js","../src/less/tree/combinator.js","../src/less/tree/element.js","../src/less/constants.js","../node_modules/is-what/dist/index.esm.js","../node_modules/copy-anything/dist/index.esm.js","../src/less/utils.js","../src/less/less-error.js","../src/less/tree/selector.js","../src/less/tree/value.js","../src/less/tree/keyword.js","../src/less/tree/anonymous.js","../src/less/tree/declaration.js","../src/less/tree/debug-info.js","../src/less/tree/comment.js","../src/less/contexts.js","../src/less/functions/function-registry.js","../src/less/functions/default.js","../src/less/tree/ruleset.js","../src/less/tree/atrule.js","../src/less/tree/attached-  
ruleset.js","../src/less/tree/unit.js","../src/less/tree/dimension.js","../src/less/tree/operation.js","../src/less/tree/expression.js","../src/less/functions/function-caller.js","../src/less/tree/call.js","../src/less/tree/variable.js","../src/less/tree/property.js","../src/less/tree/attribute.js","../src/less/tree/quoted.js","../src/less/tree/url.js","../src/less/tree/media.js","../src/less/tree/import.js","../src/less/tree/js-eval-  
node.js","../src/less/tree/javascript.js","../src/less/tree/assignment.js","../src/less/tree/condition.js","../src/less/tree/unicode-descriptor.js","../src/less/tree/negative.js","../src/less/tree/extend.js","../src/less/tree/variable-
```

```

call.js", "../src/less/tree/namespace-value.js", "../src/less/tree/mixin-definition.js", "../src/less/tree/mixin-
call.js", "../src/less/tree/index.js", "../src/less/logger.js", "../src/less/environment/environment.js", "../src/less/environme
nt/abstract-file-manager.js", "../src/less/environment/abstract-plugin-
loader.js", "../src/less/visitors/visitor.js", "../src/less/visitors/import-sequencer.js", "../src/less/visitors/import-
visitor.js", "../src/less/visitors/set-tree-visibility-visitor.js", "../src/less/visitors/extend-
visitor.js", "../src/less/visitors/join-selector-visitor.js", "../src/less/visitors/to-css-
visitor.js", "../src/less/visitors/index.js", "../src/less/parser/parser-
input.js", "../src/less/parser/chunker.js", "../src/less/parser/parser.js", "../src/less/functions/boolean.js", "../src/less/functi
ons/color.js", "../src/less/functions/color-blending.js", "../src/less/functions/list.js", "../src/less/functions/math-
helper.js", "../src/less/functions/math.js", "../src/less/functions/number.js", "../src/less/functions/string.js", "../src/less/fu
nctions/types.js", "../src/less/functions/index.js", "../src/less/functions/data-
uri.js", "../src/less/functions/svg.js", "../src/less/transform-tree.js", "../src/less/plugin-manager.js", "../src/less-
browser/file-manager.js", "../src/less/index.js", "../src/less/source-map-output.js", "../src/less/source-map-
builder.js", "../src/less/parse-tree.js", "../src/less/import-
manager.js", "../src/less/render.js", "../src/less/parse.js", "../src/less-browser/plugin-loader.js", "../src/less-
browser/error-reporting.js", "../src/less-browser/bootstrap.js", "../src/less/default-options.js", "../src/less-browser/add-
default-options.js", "../src/less-browser/index.js", "../src/less-browser/log-listener.js", "../src/less-
browser/cache.js", "../src/less-browser/image-size.js"], "sourcesContent": ["\nexport
function extractId(href) {\n  return href.replace(/^[a-z-]+:\w+?[\^\/]+/, ") // Remove protocol & domain\n
.replace(/[\?&]livereload=\w+/, ") // Remove LiveReload cachebuster\n  .replace(/^\//, ") //
Remove root ^\n  .replace(/^[a-zA-Z]+$/, ") // Remove simple extension\n  .replace(/^[^\w-]+/g, '-
') // Replace illegal characters\n  .replace(/[\./g, ':');\n
  // Replace dots with colons(for valid id)\n}\n\nexport function addDataAttr(options, tag) {\n  for
(const opt in tag.dataset) {\n    if (tag.dataset.hasOwnProperty(opt)) {\n      if (opt === 'env' || opt ===
'dumpLineNumbers' || opt === 'rootpath' || opt === 'errorReporting') {\n        options[opt] = tag.dataset[opt];\n
      } else {\n        try {\n          options[opt] = JSON.parse(tag.dataset[opt]);\n        } catch (_) {}
      }\n    }\n  }\n}\n\nimport * as utils from './utils';\n\nexport default {\n  createCSS:
function (document, styles, sheet) {\n    // Strip the query-string\n    const href = sheet.href || ""; \n    // If
there is no title set, use the filename, minus the extension\n    const id = `less:${sheet.title ||
utils.extractId(href)}`;\n    // If this has already been inserted into the DOM, we may need to replace it\n
const oldStyleNode
= document.getElementById(id);\n    let keepOldStyleNode = false;\n    // Create a new stylesheet node for
insertion or (if necessary) replacement\n    const styleNode = document.createElement('style');\n
styleNode.setAttribute('type', 'text/css');\n    if (sheet.media) {\n      styleNode.setAttribute('media',
sheet.media);\n    }\n    styleNode.id = id;\n    if (!styleNode.styleSheet) {\n
styleNode.appendChild(document.createTextNode(styles));\n    // If new contents match contents of
oldStyleNode, don't replace oldStyleNode\n    keepOldStyleNode = (oldStyleNode !== null &&
oldStyleNode.childNodes.length > 0 && styleNode.childNodes.length > 0 &&\n
oldStyleNode.firstChild.nodeValue === styleNode.firstChild.nodeValue);\n    } \n    const head =
document.getElementsByTagName('head')[0];\n    // If there is no oldStyleNode, just append; otherwise, only
append if we need\n
    // to replace oldStyleNode with an updated stylesheet\n    if (oldStyleNode === null || keepOldStyleNode ===
false) {\n      const nextEl = sheet && sheet.nextSibling || null;\n      if (nextEl) {\n
nextEl.parentNode.insertBefore(styleNode, nextEl);\n      } else {\n        head.appendChild(styleNode);\n
      }\n    }\n    if (oldStyleNode && keepOldStyleNode === false) {\n
oldStyleNode.parentNode.removeChild(oldStyleNode);\n    }\n    // For IE.\n    // This needs to happen
*after* the style element is added to the DOM, otherwise IE 7 and 8 may crash.\n    // See
http://social.msdn.microsoft.com/Forums/en-US/7e081b65-878a-4c22-8e68-c10d39c2ed32/internet-explorer-

```



```

return step([n, v]); }; }
function step(op) {
  if (f) throw new TypeError("Generator is already
executing.");
  while (true) try {
    if (f = 1, y && (t = op[0] & 2 ? y["return"] : op[0] ? y["throw"] ||
((t = y["return"]) && t.call(y, 0) : y.next) && !(t = t.call(y, op[1])).done) return t;
    if (y = 0, t) op =
[op[0] &
2, t.value];
    switch (op[0]) {
      case 0: case 1: t = op; break;
      case 4: _label++;
      case 5: _label++; y = op[1]; op = [0]; continue;
      case 7:
op = _ops.pop(); _trys.pop(); continue;
      default:
        if (!(t = _trys, t = t.length > 0 &&
t[t.length - 1]) && (op[0] === 6 || op[0] === 2)) { _ = 0; continue; }
        if (op[0] === 3 && (!t || (op[1]
> t[0] && op[1] < t[3]))) { _label = op[1]; break; }
        if (op[0] === 6 && _label < t[1]) { _label =
t[1]; t = op; break; }
        if (t && _label < t[2]) { _label = t[2]; _ops.push(op); break; }
        if (t[2]) _ops.pop();
        _trys.pop(); continue;
    }
    op = body.call(thisArg, _);
  } catch (e) { op = [6, e]; y = 0; } finally { f = t = 0; }
  if
(op[0] & 5) throw op[1]; return { value: op[0] ? op[1] : void 0, done: true }; }
}
export function
__createBinding(o, m, k, k2) {
  if (k2 === undefined) k2 = k;
  o[k2] = m[k];
}
export function
__exportStar(m, exports) {
  for (var p in m) if (p !== "default" && !exports.hasOwnProperty(p)) exports[p] =
m[p];
}
export function __values(o) {
  var s = typeof Symbol === "function" && Symbol.iterator, m =
s && o[s], i = 0;
  if (m) return m.call(o);
  if (o && typeof o.length === "number") return {
next: function () {
    if (o && i >= o.length) o = void 0;
    return { value: o && o[i++], done: !o
};
}
};
  throw new TypeError(s ? "Object is not iterable." : "Symbol.iterator is not
defined.");
}
export function __read(o, n) {
  var m = typeof Symbol === "function" &&
o[Symbol.iterator];
  if (!m) return o;
  var i = m.call(o), r,
ar = [], e;
  try {
    while ((n === void 0 || n-- > 0) && !(r = i.next()).done) ar.push(r.value);
  }
  catch (error) { e = { error: error }; }
  finally {
    try {
      if (r && !r.done && (m = i["return"]))
m.call(i);
    }
    finally { if (e) throw e.error; }
  }
  return ar;
}
export function
__spread() {
  for (var ar = [], i = 0; i < arguments.length; i++)
ar = ar.concat(__read(arguments[i]));
  return ar;
}
export function __spreadArrays() {
  for (var s = 0, i = 0, il = arguments.length; i < il; i++) s
+= arguments[i].length;
  for (var r = Array(s), k = 0, i = 0; i < il; i++)
for (var a = arguments[i], j = 0, jl
= a.length; j < jl; j++, k++)
r[k] = a[j];
  return r;
}
export function __await(v) {
  return
this instanceof __await ? (this.v = v, this) : new __await(v);
}
export function __asyncGenerator(thisArg,
_arguments, generator) {
  if (!Symbol.asyncIterator) throw new TypeError("Symbol.asyncIterator is not
defined.");
  var g = generator.apply(thisArg, _arguments || []), i, q = [];
  return i = { }, verb("next"),
verb("throw"), verb("return"), i[Symbol.asyncIterator] = function () { return this; }, i;
  function verb(n) {
    if (g[n]) i[n] = function (v) { return new Promise(function (a, b) { q.push([n, v, a, b]) > 1 ||
resume(n, v); }); };
  }
  function resume(n, v) {
    try { step(g[n](v)); } catch (e) { settle(q[0][3], e); }
  }
  function step(r) {
    r.value
instanceof __await ? Promise.resolve(r.value.v).then(fulfill, reject) : settle(q[0][2], r);
  }
  function fulfill(value) {
    resume("next", value);
  }
  function reject(value) {
    resume("throw", value);
  }
  function settle(f, v) {
    if (f(v), q.shift(), q.length) resume(q[0][0], q[0][1]);
  }
}
export function __asyncDelegator(o) {
  var i,
p;
  return i = { },
verb("next"), verb("throw"), function (e) { throw e; }, verb("return"), i[Symbol.iterator] = function () { return
this; }, i;
  function verb(n, f) {
    i[n] = o[n] ? function (v) { return (p = !p) ? { value: __await(o[n](v)), done: n
=== "return" } : f ? f(v) : v; } : f;
  }
}
export function __asyncValues(o) {
  if (!Symbol.asyncIterator)
throw new TypeError("Symbol.asyncIterator is not defined.");
  var m = o[Symbol.asyncIterator], i;
  return m ? m.call(o) : (o = typeof __values === "function" ? __values(o) : o[Symbol.iterator](), i = { },
verb("next"), verb("throw"), verb("return"), i[Symbol.asyncIterator] = function () { return this; }, i);
  function verb(n) {
    i[n] = o[n] && function (v) { return new Promise(function (resolve, reject) {
v = o[n](v),
settle(resolve, reject, v.done, v.value); }); };
  }
  function settle(resolve, reject, d, v) {
    Promise.resolve(v).then(function(v) { resolve({ value: v, done: d }); }, reject);
  }
}

```



```

function __makeTemplateObject(cooked, raw) {\r\n  if (Object.defineProperty) { Object.defineProperty(cooked,
\r\n"raw", { value: raw }); } else { cooked.raw = raw; }\r\n  return cooked;\r\n};\r\n\r\nexport function
__importStar(mod) {\r\n  if (mod && mod.__esModule) return mod;\r\n  var result = {};\r\n  if (mod != null) for
(var k in mod) if (Object.hasOwnProperty.call(mod, k)) result[k] = mod[k];\r\n  result.default = mod;\r\n  return
result;\r\n}\r\n\r\nexport function __importDefault(mod) {\r\n  return (mod && mod.__esModule) ? mod : {
default: mod };\r\n}\r\n\r\nexport function __classPrivateFieldGet(receiver, privateMap) {\r\n  if
(!privateMap.has(receiver)) {\r\n    throw new TypeError("attempted to get private field on non-instance");\r\n
}\r\n  return privateMap.get(receiver);\r\n}\r\n\r\nexport function __classPrivateFieldSet(receiver, privateMap,
value) {\r\n  if (!privateMap.has(receiver)) {\r\n    throw new TypeError("attempted
to set private field on non-instance");\r\n  }\r\n  privateMap.set(receiver, value);\r\n  return
value;\r\n}\r\n\r\n", "export default {\n 'aliceblue': '#f0f8ff',\n 'antiquewhite': '#faebd7',\n 'aqua': '#00ffff',\n
'aquamarine': '#7fffd4',\n 'azure': '#f0ffff',\n 'beige': '#f5f5dc',\n 'bisque': '#ffe4c4',\n 'black': '#000000',\n
'blanchedalmond': '#ffebed',\n 'blue': '#0000ff',\n 'blueviolet': '#8a2be2',\n 'brown': '#a52a2a',\n
'burlywood': '#deb887',\n 'cadetblue': '#5f9ea0',\n 'chartreuse': '#7fff00',\n 'chocolate': '#d2691e',\n
'coral': '#ff7f50',\n 'cornflowerblue': '#6495ed',\n 'cornsilk': '#fff8dc',\n 'crimson': '#dc143c',\n 'cyan': '#00ffff',\n
'darkblue': '#00008b',\n 'darkcyan': '#008b8b',\n 'darkgoldenrod': '#8860b',\n 'darkgray': '#a9a9a9',\n
'darkgreen': '#006400',\n 'darkkhaki': '#bdb76b',\n 'darkmagenta': '#8b008b',\n
'darkolivegreen': '#556b2f',\n 'darkorange': '#ff8c00',\n
'darkorchid': '#9932cc',\n 'darkred': '#8b0000',\n 'darksalmon': '#e9967a',\n 'darkseagreen': '#8fbc8f',\n
'darkslateblue': '#483d8b',\n 'darkslategray': '#2f4f4f',\n 'darkslategrey': '#2f4f4f',\n 'darkturquoise': '#00ced1',\n
'darkviolet': '#9400d3',\n 'deeppink': '#ff1493',\n 'deepskyblue': '#00bfff',\n 'dimgray': '#696969',\n
'dimgrey': '#696969',\n 'dodgerblue': '#1e90ff',\n 'firebrick': '#b22222',\n 'floralwhite': '#fffaf0',\n
'forestgreen': '#228b22',\n 'fuchsia': '#ff00ff',\n 'gainsboro': '#dcdcdc',\n 'ghostwhite': '#f8f8ff',\n
'gold': '#ffd700',\n 'goldenrod': '#daa520',\n 'gray': '#808080',\n 'grey': '#808080',\n 'green': '#008000',\n
'greenyellow': '#adff2f',\n 'honeydew': '#f0ffff',\n 'hotpink': '#ff69b4',\n 'indianred': '#cd5c5c',\n
'indigo': '#4b0082',\n 'ivory': '#fffff0',\n 'khaki': '#f0e68c',\n 'lavender': '#e6e6fa',\n 'lavenderblush': '#fff0f5',\n
'lawngreen': '#7cfc00',\n 'lemonchiffon': '#ffffac',\n
'lightblue': '#add8e6',\n 'lightcoral': '#f08080',\n 'lightcyan': '#e0ffff',\n 'lightgoldenrodyellow': '#fafad2',\n
'lightgray': '#d3d3d3',\n 'lightgrey': '#d3d3d3',\n 'lightgreen': '#90ee90',\n 'lightpink': '#ffb6c1',\n
'lightsalmon': '#ffa07a',\n 'lightseagreen': '#20b2aa',\n 'lightskyblue': '#87cefa',\n 'lightslategray': '#778899',\n
'lightslategrey': '#778899',\n 'lightsteelblue': '#b0c4de',\n 'lightyellow': '#ffffe0',\n 'lime': '#00ff00',\n
'limegreen': '#32cd32',\n 'linen': '#fafade',\n 'magenta': '#ff00ff',\n 'maroon': '#800000',\n
'mediumaquamarine': '#66cdaa',\n 'mediumblue': '#0000cd',\n 'mediumorchid': '#ba55d3',\n
'mediumpurple': '#9370d8',\n 'mediumseagreen': '#3cb371',\n 'mediumslateblue': '#7b68ee',\n
'mediumspringgreen': '#00fa9a',\n 'mediumturquoise': '#48d1cc',\n 'mediumvioletred': '#c71585',\n
'midnightblue': '#191970',\n 'mintcream': '#f5fffa',\n 'mistyrose': '#ffe4e1',\n 'moccasin': '#ffe4b5',\n
'navajowhite': '#ffdead',\n 'navy': '#000080',\n 'oldlace': '#fdf5e6',\n 'olive': '#808000',\n 'olivedrab': '#6b8e23',\n
'orange': '#ffa500',\n 'orangered': '#ff4500',\n 'orchid': '#da70d6',\n 'palegoldenrod': '#eee8aa',\n
'palegreen': '#98fb98',\n 'paleturquoise': '#afeeee',\n 'palevioletred': '#d87093',\n 'papayawhip': '#ffefd5',\n
'peachpuff': '#ffdab9',\n 'peru': '#cd853f',\n 'pink': '#ffc0cb',\n 'plum': '#dda0dd',\n 'powderblue': '#b0e0e6',\n
'purple': '#800080',\n 'rebeccapurple': '#663399',\n 'red': '#ff0000',\n 'rosybrown': '#bc8f8f',\n
'royalblue': '#4169e1',\n 'saddlebrown': '#8b4513',\n 'salmon': '#fa8072',\n 'sandybrown': '#f4a460',\n
'seagreen': '#2e8b57',\n 'seashell': '#fff5ee',\n 'sienna': '#a0522d',\n 'silver': '#c0c0c0',\n 'skyblue': '#87ceeb',\n
'slateblue': '#6a5acd',\n 'slategray': '#708090',\n 'slategrey': '#708090',\n 'snow': '#fffafa',\n
'springgreen': '#00ff7f',\n 'steelblue': '#4682b4',\n
'tan': '#d2b48c',\n 'teal': '#008080',\n 'thistle': '#d8bfd8',\n 'tomato': '#ff6347',\n 'turquoise': '#40e0d0',\n
'violet': '#ee82ee',\n 'wheat': '#f5deb3',\n 'white': '#ffffff',\n 'whitesmoke': '#f5f5f5',\n 'yellow': '#ffff00',\n
'yellowgreen': '#9acd32'};\n};", "export default {\n length: {\n 'm': 1,\n 'cm': 0.01,\n 'mm': 0.001,\n

```



```

#eee\n/\nconst Color = function(rgb, a, originalForm) {\n
  const self = this;\n  /\n  // The end goal here, is to parse the arguments\n  // into an integer triplet, such as\n  `128, 255, 0`\n  /\n  // This facilitates operations and conversions.\n  /\n  if (Array.isArray(rgb)) {\n    this.rgb = rgb;\n  } else if (rgb.length >= 6) {\n    this.rgb = [];\n    rgb.match(/.{2}/g).map((c, i) => {\n      if (i < 3) {\n        self.rgb.push(parseInt(c, 16));\n      } else {\n        self.alpha = (parseInt(c, 16)) / 255;\n      }\n    });\n  } else {\n    this.rgb = [];\n    rgb.split("").map((c, i) => {\n      if (i < 3) {\n        self.rgb.push(parseInt(c + c, 16));\n      } else {\n        self.alpha = (parseInt(c + c, 16)) / 255;\n      }\n    });\n  }\n  this.alpha = this.alpha || (typeof a === 'number' ? a : 1);\n  if (typeof originalForm !== 'undefined') {\n    this.value = originalForm;\n  }\n\n  Color.prototype\n    = new Node();\n  Color.prototype.luma = function() {\n    let r = this.rgb[0] / 255;\n    let g = this.rgb[1] / 255;\n    let b = this.rgb[2] / 255;\n    r = (r <= 0.03928) ? r / 12.92 : Math.pow(((r + 0.055) / 1.055), 2.4);\n    g = (g <= 0.03928) ? g / 12.92 : Math.pow(((g + 0.055) / 1.055), 2.4);\n    b = (b <= 0.03928) ? b / 12.92 : Math.pow(((b + 0.055) / 1.055), 2.4);\n    return 0.2126 * r + 0.7152 * g + 0.0722 * b;\n  };\n  Color.prototype.genCSS =\n    function(context, output) {\n      output.add(this.toCSS(context));\n    };\n  Color.prototype.toCSS = function(context, doNotCompress) {\n    const compress = context && context.compress && !doNotCompress;\n    let color;\n    let alpha;\n    let colorFunction;\n    let args = [];\n    // `value` is set if this color was originally\n    // converted from a named color string so we need\n    // to respect this and try to output named color too.\n    alpha = this.fround(context, this.alpha);\n    if (this.value) {\n      if (this.value.indexOf('rgb') === 0) {\n        if (alpha < 1) {\n          colorFunction = 'rgba';\n        } else if (this.value.indexOf('hsl') === 0) {\n          if (alpha < 1) {\n            colorFunction = 'hsla';\n          } else {\n            colorFunction = 'hsl';\n          }\n        } else {\n          return this.value;\n        } else {\n          if (alpha < 1) {\n            colorFunction = 'rgba';\n          }\n        }\n      }\n      switch (colorFunction) {\n        case 'rgba':\n          args = this.rgb.map(c => clamp(Math.round(c), 255)).concat(clamp(alpha, 1));\n          break;\n        case 'hsla':\n          args.push(clamp(alpha, 1));\n          case 'hsl':\n            color = this.toHSL();\n            args = [\n              this.fround(context, color.h),\n              `${this.fround(context, color.s * 100)}%`,\n              `${this.fround(context, color.l * 100)}%`\n            ].concat(args);\n          }\n      }\n      if (colorFunction) {\n        // Values are capped between `0` and `255`, rounded and zero-padded.\n        return\n        `${colorFunction}(${args.join(`, ${compress ? " " : ""}`)})`;\n      }\n      color = this.toRGB();\n      if (compress) {\n        const splitcolor = color.split("");\n        // Convert color to short format\n        if (splitcolor[1] === splitcolor[2] && splitcolor[3] === splitcolor[4] && splitcolor[5] === splitcolor[6]) {\n          color =\n          `#${splitcolor[1]}${splitcolor[3]}${splitcolor[5]}`;\n        }\n      }\n      return color;\n    };\n\n  /\n  /\n  // Operations have to be done per-channel, if not,\n  // channels will spill onto each other. Once we have\n  // our result, in the form of an integer triplet,\n  // we create a new Color node to hold the result.\n  Color.prototype.operate = function(context, op, other) {\n    const rgb = new Array(3);\n    const alpha = this.alpha * (1 - other.alpha) + other.alpha;\n    for (let c = 0; c < 3; c++) {\n      rgb[c] = this._operate(context, op, this.rgb[c], other.rgb[c]);\n    }\n    return new Color(rgb, alpha);\n  };\n  Color.prototype.toRGB = function() {\n    return toHex(this.rgb);\n  };\n  Color.prototype.toHSL = function() {\n    const r = this.rgb[0] / 255;\n    const g = this.rgb[1] / 255;\n    const b = this.rgb[2] / 255;\n    const a = this.alpha;\n    const max = Math.max(r, g, b);\n    const min = Math.min(r, g, b);\n    let h;\n    let s;\n    const l = (max + min) / 2;\n    const d = max - min;\n    if (max === min) {\n      h = s = 0;\n    } else {\n      s = l > 0.5 ? d / (2 - max - min) : d / (max + min);\n      switch (max) {\n        case r: h = (g - b) / d + (g < b ? 6 : 0); break;\n        case g: h = (b - r) / d + 2; break;\n        case b: h = (r - g) / d + 4; break;\n      }\n      h /= 6;\n    }\n    return { h: h * 360, s, l, a };\n  };\n  /\n  /\n  // Adapted from\n  http://mjjackson.com/2008/02/rgb-to-hsl-and-rgb-to-hsv-color-model-conversion-algorithms-in-javascript\n  Color.prototype.toHSV\n    = function() {\n      const r = this.rgb[0] / 255;\n      const g = this.rgb[1] / 255;\n      const b = this.rgb[2] / 255;\n      const a = this.alpha;\n      const max = Math.max(r, g, b);\n      const min = Math.min(r, g, b);\n      let h;\n      let s;\n      const v = max;\n      const d = max - min;\n      if (max === 0) {\n        s = 0;\n      } else {\n        s = d / max;\n      }\n      if (max === min) {\n        h = 0;\n      } else {\n        switch (max) {\n          case r: h = (g - b) / d + (g < b ? 6 : 0);

```

```

break;\n      case g: h = (b - r) / d + 2; break;\n      case b: h = (r - g) / d + 4; break;\n    }\n    h /= 6;\n  }\n  return { h: h * 360, s, v, a };};\n\nColor.prototype.toARGB = function() {\n  return toHex([this.alpha * 255].concat(this.rgb));\n};\n\nColor.prototype.compare = function(x) {\n  return (x.rgb &&\n    x.rgb[0] === this.rgb[0] &&\n    x.rgb[1] === this.rgb[1] &&\n    x.rgb[2] === this.rgb[2] &&\n    x.alpha === this.alpha) ? 0 : undefined;\n};\n\nColor.prototype.type = 'Color';\n\nfunction clamp(v, max) {\n  return Math.min(Math.max(v, 0), max);\n}\n\nfunction toHex(v) {\n  return `#${v.map(c => {\n    c = clamp(Math.round(c), 255);\n    return (c < 16 ? '0' : '') + c.toString(16);\n  }).join("")}`;\n}\n\nColor.fromKeyword = keyword => {\n  let c;\n  const key = keyword.toLowerCase();\n  if (colors.hasOwnProperty(key)) {\n    c = new Color(colors[key].slice(1));\n  } else if (key === 'transparent') {\n    c = new Color([0, 0, 0], 0);\n  }\n  if (c) {\n    c.value = keyword;\n    return c;\n  }\n};\n\nexport default Color;\n\n", "import Node from './node';\n\nconst Paren = function(node) {\n  this.value = node;\n};\n\nParen.prototype = new Node();\n\nParen.prototype.genCSS = function(context, output) {\n  output.add('(');\n  this.value.genCSS(context, output);\n  output.add(');\n}\n\nParen.prototype.eval = function(context) {\n  return new Paren(this.value.eval(context));\n};\n\nParen.prototype.type = 'Paren';\n\nexport default Paren;\n\n", "import Node from './node';\n\nconst _noSpaceCombinators = {\n  ": true,\n  "' : true,\n  "! : true\n};\n\nconst Combinator = function(value) {\n  if (value === ' ')\n    this.value = ' '\n  this.emptyOrWhitespace = true;\n} else {\n  this.value = value ? value.trim() : '';\n  this.emptyOrWhitespace = this.value === '';\n}\n};\n\nCombinator.prototype = new Node();\n\nCombinator.prototype.genCSS = function(context, output) {\n  const spaceOrEmpty = (context.compress || _noSpaceCombinators[this.value]) ? '' : ' '\n  output.add(spaceOrEmpty + this.value + spaceOrEmpty);\n};\n\nCombinator.prototype.type = 'Combinator';\n\nexport default Combinator;\n\n", "import Node from './node';\n\nimport Paren from './paren';\n\nimport Combinator from './combinator';\n\nconst Element = function(combinator, value, isVariable, index, currentFileInfo, visibilityInfo) {\n  this.combinator = combinator instanceof Combinator ?\n    combinator : new Combinator(combinator);\n  if (typeof value === 'string')\n    this.value = value.trim();\n  } else if (value)\n    this.value = value;\n  } else {\n    this.value = '';\n  }\n  this.isVariable = isVariable;\n  this._index = index;\n  this._fileInfo = currentFileInfo;\n  this.copyVisibilityInfo(visibilityInfo);\n  this.setParent(this.combinator, this);\n};\n\nElement.prototype = new Node();\n\nElement.prototype.accept = function(visitor) {\n  const value = this.value;\n  this.combinator = visitor.visit(this.combinator);\n  if (typeof value === 'object')\n    this.value = visitor.visit(value);\n  }\n};\n\nElement.prototype.eval = function(context) {\n  return new Element(this.combinator,\n    this.value.eval ? this.value.eval(context) : this.value,\n    this.isVariable,\n    this.getIndex(),\n    this.fileInfo(),\n    this.visibilityInfo());\n};\n\nElement.prototype.clone = function() {\n  return new Element(this.combinator,\n    this.value,\n    this.isVariable,\n    this.getIndex(),\n    this.fileInfo(),\n    this.visibilityInfo());\n};\n\nElement.prototype.genCSS = function(context, output) {\n  output.add(this.toCSS(context), this.fileInfo(), this.getIndex());\n};\n\nElement.prototype.toCSS = function(context = {}) {\n  let value = this.value;\n  const firstSelector = context.firstSelector;\n  if (value instanceof Paren) {\n    // selector in parens should not be affected by outer selector\n    // flags (breaks only interpolated selectors - see #1973)\n    context.firstSelector = true;\n  }\n  value = value.toCSS ? value.toCSS(context) : value;\n  context.firstSelector = firstSelector;\n  if (value === '' && this.combinator.value.charAt(0) === '&')\n    return '';\n  } else {\n    return this.combinator.toCSS(context) + value;\n  }\n};\n\nElement.prototype.type = 'Element';\n\nexport default Element;\n\n", "export const Math = {\n  ALWAYS: 0,\n  PARENS_DIVISION: 1,\n  PARENS: 2,\n  STRICT_LEGACY: 3\n};\n\nexport const RewriteUrls = {\n  OFF: 0,\n  LOCAL: 1,\n  ALL: 2\n};\n\n", "/*\r\n * Returns the object type of the given payload\r\n * @param {*} payload\r\n * @returns {string}\r\n */\r\nfunction getType(payload) {\r\n  return Object.prototype.toString.call(payload).slice(8, -1);\r\n}\r\n\r\n/*\r\n * Returns whether the payload is undefined\r\n * @param {*} payload\r\n * @returns {payload is undefined}\r\n */\r\nfunction isUndefined(payload) {\r\n  return getType(payload) ===

```

```

'Undefined';\r\n}\r\n/**\r\n * Returns whether the payload is null\r\n *\r\n * @param {*} payload\r\n * @returns {payload is null}\r\n */\r\nfunction isNull(payload) {\r\n  return getType(payload) === 'Null';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a plain JavaScript object (excluding special classes or objects with other prototypes)\r\n *\r\n * @param {*} payload\r\n * @returns {payload is Record<string, any>}\r\n */\r\nfunction isPlainObject(payload) {\r\n  if (getType(payload) !== 'Object')\r\n    return false;\r\n  return payload.constructor === Object && Object.getPrototypeOf(payload) === Object.prototype;\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a plain JavaScript object (excluding special classes or objects with other prototypes)\r\n *\r\n * @param {*} payload\r\n * @returns {payload is Record<string, any>}\r\n */\r\nfunction isObject(payload) {\r\n  return isPlainObject(payload);\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is an empty object (excluding special classes or objects with other prototypes)\r\n *\r\n * @param {*} payload\r\n * @returns {payload is { [K in any]: never }}\r\n */\r\nfunction isEmptyObject(payload) {\r\n  return isPlainObject(payload) && Object.keys(payload).length === 0;\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is an any kind of object (including special classes or objects with different prototypes)\r\n *\r\n * @param {*} payload\r\n * @returns {payload is Record<string, any>}\r\n */\r\nfunction isAnyObject(payload) {\r\n  return getType(payload) === 'Object';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is an object like a type passed in <>\r\n *\r\n * Usage: isObjectLike<{id: any}>(payload) // will make sure it's an object and has an `id` prop.\r\n *\r\n * @template T this must be passed in <>\r\n * @param {*} payload\r\n * @returns {payload is T}\r\n */\r\nfunction isObjectLike(payload) {\r\n  return isAnyObject(payload);\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a function (regular or async)\r\n *\r\n * @param {*} payload\r\n * @returns {payload is AnyFunction}\r\n */\r\nfunction isFunction(payload) {\r\n  return typeof payload === 'function';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is an array\r\n *\r\n * @param {any} payload\r\n * @returns {payload is any[]}\r\n */\r\nfunction isArray(payload) {\r\n  return getType(payload) === 'Array';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is an array with at least 1 item\r\n *\r\n * @param {*} payload\r\n * @returns {payload is any[]}\r\n */\r\nfunction isArrayFull(payload) {\r\n  return isArray(payload) && payload.length > 0;\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is an empty array\r\n *\r\n * @param {*} payload\r\n * @returns {payload is []}\r\n */\r\nfunction isEmptyArray(payload) {\r\n  return isArray(payload) && payload.length === 0;\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a string\r\n *\r\n * @param {*} payload\r\n * @returns {payload is string}\r\n */\r\nfunction isString(payload) {\r\n  return getType(payload) === 'String';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a string, BUT returns false for "\r\n *\r\n * @param {*} payload\r\n * @returns {payload is string}\r\n */\r\nfunction isFullString(payload) {\r\n  return isString(payload) && payload !== '';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a string\r\n *\r\n * @param {*} payload\r\n * @returns {payload is string}\r\n */\r\nfunction isEmptyString(payload) {\r\n  return payload === '';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a number (but not NaN)\r\n *\r\n * This will return `false` for `NaN`!!\r\n *\r\n * @param {*} payload\r\n * @returns {payload is number}\r\n */\r\nfunction isNumber(payload) {\r\n  return getType(payload) === 'Number' && !isNaN(payload);\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a boolean\r\n *\r\n * @param {*} payload\r\n * @returns {payload is boolean}\r\n */\r\nfunction isBoolean(payload) {\r\n  return getType(payload) === 'Boolean';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a regular expression (RegExp)\r\n *\r\n * @param {*} payload\r\n * @returns {payload is RegExp}\r\n */\r\nfunction isRegExp(payload) {\r\n  return getType(payload) === 'RegExp';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a Map\r\n *\r\n * @param {*} payload\r\n * @returns {payload is Map<any, any>}\r\n */\r\nfunction isMap(payload) {\r\n  return getType(payload) === 'Map';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a WeakMap\r\n *\r\n * @param {*} payload\r\n * @returns {payload is WeakMap<any, any>}\r\n */\r\nfunction isWeakMap(payload) {\r\n  return getType(payload) === 'WeakMap';\r\n}\r\n}\r\n/**\r\n * Returns whether the payload is a Set\r\n *\r\n * @param {*} payload\r\n * @returns {payload is Set<any>}\r\n */\r\nfunction isSet(payload) {\r\n  return getType(payload) === 'Set';\r\n}\r\n}\r\n}

```

```

Returns whether the payload is a WeakSet\r\n * \r\n * @param {*} payload\r\n * @returns {payload is
WeakSet<any>}\r\n * \r\nfunction isWeakSet(payload) {\r\n  return getType(payload) ===
'WeakSet';\r\n}\r\n/**\r\n * Returns whether the payload is a Symbol\r\n * \r\n * @param {*} payload\r\n * @returns
{payload is symbol}\r\n * \r\nfunction isSymbol(payload) {\r\n  return getType(payload) ===
'Symbol';\r\n}\r\n/**\r\n * Returns whether the payload is a Date, and
that the date is valid\r\n * \r\n * @param {*} payload\r\n * @returns {payload is Date}\r\n * \r\nfunction
isDate(payload) {\r\n  return getType(payload) === 'Date' && !isNaN(payload);\r\n}\r\n/**\r\n * Returns whether
the payload is a Blob\r\n * \r\n * @param {*} payload\r\n * @returns {payload is Blob}\r\n * \r\nfunction
isBlob(payload) {\r\n  return getType(payload) === 'Blob';\r\n}\r\n/**\r\n * Returns whether the payload is a
File\r\n * \r\n * @param {*} payload\r\n * @returns {payload is File}\r\n * \r\nfunction isFile(payload) {\r\n  return
getType(payload) === 'File';\r\n}\r\n/**\r\n * Returns whether the payload is a Promise\r\n * \r\n * @param {*}
payload\r\n * @returns {payload is Promise<any>}\r\n * \r\nfunction isPromise(payload) {\r\n  return
getType(payload) === 'Promise';\r\n}\r\n/**\r\n * Returns whether the payload is an Error\r\n * \r\n * @param {*}
payload\r\n * @returns {payload is Error}\r\n * \r\nfunction isError(payload) {\r\n  return getType(payload) ===
'Error';\r\n}\r\n/**\r\n * Returns whether the payload is literally the value `NaN` (it's `NaN` and also a
`number`)\r\n * \r\n * @param {*} payload\r\n * @returns {payload is typeof NaN}\r\n * \r\nfunction
isNaNValue(payload) {\r\n  return getType(payload) === 'Number' && isNaN(payload);\r\n}\r\n/**\r\n * Returns
whether the payload is a primitive type (eg. Boolean | Null | Undefined | Number | String | Symbol)\r\n * \r\n *
@param {*} payload\r\n * @returns {(payload is boolean | null | undefined | number | string | symbol)}\r\n *
\r\nfunction isPrimitive(payload) {\r\n  return (isBoolean(payload) ||\r\n    isNull(payload) ||\r\n
isUndefined(payload) ||\r\n    isNumber(payload) ||\r\n    isString(payload) ||\r\n
isSymbol(payload));\r\n}\r\n/**\r\n * Returns true whether the payload is null or undefined\r\n * \r\n * @param {*}
payload\r\n * @returns {(payload is null | undefined)}\r\n * \r\nfunction isNullOrUndefined(payload) {\r\n  return
isNotNull(payload)
|| isUndefined(payload);\r\n}\r\n/**\r\n * Does a generic check to check that the given payload is of a given
type.\r\n * In cases like Number, it will return true for NaN as NaN is a Number (thanks javascript!);\r\n * It will,
however, differentiate between object and null\r\n * \r\n * @template T\r\n * @param {*} payload\r\n * @param
{T} type\r\n * @throws {TypeError} Will throw type error if type is an invalid type\r\n * @returns {payload is
T}\r\n * \r\nfunction isType(payload, type) {\r\n  if (!(type instanceof Function)) {\r\n    throw new
TypeError('Type must be a function');\r\n  }\r\n  if (!Object.prototype.hasOwnProperty.call(type, 'prototype'))
{\r\n    throw new TypeError('Type is not a class');\r\n  }\r\n  // Classes usually have names (as functions
usually have names)\r\n  var name = type.name;\r\n  return getType(payload) === name || Boolean(payload &&
payload.constructor === type);\r\n}\r\n\r\nexport { getType, isAnyObject, isArray, isBlob, isBoolean,
isDate, isEmptyArray, isEmptyObject, isEmptyString, isError, isFile, isFullArray, isFullString, isFunction, isMap,
isNaNValue, isNull, isNullOrUndefined, isNumber, isObject, isObjectLike, isPlainObject, isPrimitive, isPromise,
isRegExp, isSet, isString, isSymbol, isType, isUndefined, isWeakMap, isWeakSet };
", "import { isArray,
isPlainObject } from 'is-what';
\r\n*/
*****\r\nCopyright (c)
Microsoft Corporation. All rights reserved.\r\nLicensed under the Apache License, Version 2.0 (the "License");
you may not use\r\nthis file except in compliance with the License. You may obtain a copy of the\r\nLicense at
http://www.apache.org/licenses/LICENSE-2.0\r\n\r\nTHIS CODE IS PROVIDED ON AN *AS IS* BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY\r\nKIND, EITHER EXPRESS OR IMPLIED,
INCLUDING WITHOUT LIMITATION ANY IMPLIED\r\nWARRANTIES OR CONDITIONS OF TITLE,
FITNESS FOR A PARTICULAR PURPOSE,\r\nMERCHANTABILITY OR NON-INFRINGEMENT.\r\n\r\n\r\nSee
the Apache Version 2.0 License for specific language governing permissions\r\nand limitations under the
License.\r\n*****
*\r\n\r\nfunction __spreadArrays() {\r\n  for (var s = 0, i = 0, il = arguments.length; i < il; i++) s +=
arguments[i].length;\r\n  for (var r = Array(s), k = 0, i = 0; i < il; i++)\r\n    for (var a = arguments[i], j = 0, jl =

```

```

a.length; j < jl; j++, k++)\r\n        r[k] = a[j];\r\n        return r;\r\n}\r\n\r\nfunction assignProp(carry, key, newVal,
originalObject, includeNonenumerable) {\r\n    var propType = {}.propertyIsEnumerable.call(originalObject,
key)\r\n        ? 'enumerable'\r\n        : 'nonenumerable';\r\n    if (propType === 'enumerable')\r\n        carry[key] =
newVal;\r\n    if (includeNonenumerable && propType === 'nonenumerable') {\r\n
Object.defineProperty(carry, key, {\r\n        value: newVal,\r\n        enumerable: false,\r\n
writable: true,\r\n        configurable: true,\r\n        });\r\n    }\r\n}\r\n\r\n/**\r\n * Copy (clone) an object and all its
props recursively to get rid of any prop referenced of the original object. Arrays are also cloned, however objects
inside arrays are still linked.\r\n * @export\r\n * @template T\r\n * @param {T} target Target can be
anything\r\n * @param {Options} [options={}] Options can be `props` or `nonenumerable`\r\n * @returns {T} the
target with replaced values\r\n * @export\r\n */\r\nfunction copy(target, options) {\r\n    if (options === void 0) {
options = {};\r\n    }\r\n    if (isArray(target))\r\n        return target.map(function (i) { return copy(i, options); });\r\n    if
(!isPlainObject(target))\r\n        return target;\r\n    var props = Object.getOwnPropertyNames(target);\r\n    var
symbols = Object.getOwnPropertySymbols(target);\r\n    return __spreadArrays(props, symbols).reduce(function
(carry, key) {\r\n        if (isArray(options.props) && !options.props.includes(key))
{\r\n            return carry;\r\n        }\r\n        var val = target[key];\r\n        var newVal = copy(val, options);\r\n
assignProp(carry, key, newVal, target, options.nonenumerable);\r\n        return carry;\r\n    }, {});\r\n}\r\n\r\nexport {
copy };\r\n\r\n/* jshint proto: true *\r\nimport * as Constants from './constants';\r\nimport { copy } from 'copy-
anything';\r\n\r\nexport function getLocation(index, inputStream) {\r\n    let n = index + 1;\r\n    let line = null;\r\n    let
column = -1;\r\n    while (--n >= 0 && inputStream.charAt(n) !== '\n') {\r\n        column++;\r\n    }\r\n    if (typeof
index === 'number') {\r\n        line = (inputStream.slice(0, index).match(/\\n/g) || "").length;\r\n    }\r\n    return {\r\n
line,\r\n    column\r\n    };\r\n}\r\n\r\nexport function copyArray(arr) {\r\n    let i;\r\n    const length = arr.length;\r\n    const
copy = new Array(length);\r\n    for (i = 0; i < length; i++) {\r\n        copy[i] = arr[i];\r\n    }\r\n    return
copy;\r\n}\r\n\r\nexport
function clone(obj) {\r\n    const cloned = {};\r\n    for (const prop in obj) {\r\n        if (obj.hasOwnProperty(prop)) {\r\n
cloned[prop] = obj[prop];\r\n        }\r\n    }\r\n    return cloned;\r\n}\r\n\r\nexport function defaults(obj1, obj2) {\r\n    let
newObj = obj2 || {};\r\n    if (!obj2._defaults) {\r\n        newObj = {};\r\n        const defaults = copy(obj1);\r\n
newObj._defaults = defaults;\r\n        const cloned = obj2 ? copy(obj2) : {};\r\n        Object.assign(newObj, defaults,
cloned);\r\n    }\r\n    return newObj;\r\n}\r\n\r\nexport function copyOptions(obj1, obj2) {\r\n    if (obj2 && obj2._defaults)
{\r\n        return obj2;\r\n    }\r\n    const opts = defaults(obj1, obj2);\r\n    if (opts.strictMath) {\r\n        opts.math =
Constants.Math.STRICT_LEGACY;\r\n    }\r\n    // Back compat with changed relativeUrls option\r\n    if
(opts.relativeUrls) {\r\n        opts.rewriteUrls = Constants.RewriteUrls.ALL;\r\n    }\r\n    if (typeof opts.math ===
'string') {\r\n        switch (opts.math.toLowerCase()) {\r\n
            case 'always':\r\n                opts.math = Constants.Math.ALWAYS;\r\n                break;\r\n            case 'parens-
division':\r\n                opts.math = Constants.Math.PARENS_DIVISION;\r\n                break;\r\n            case 'strict':\r\n
                case 'parens':\r\n                opts.math = Constants.Math.PARENS;\r\n                break;\r\n            case 'strict-legacy':\r\n
                opts.math = Constants.Math.STRICT_LEGACY;\r\n        }\r\n    }\r\n    if (typeof opts.rewriteUrls === 'string')
{\r\n        switch (opts.rewriteUrls.toLowerCase()) {\r\n
            case 'off':\r\n                opts.rewriteUrls =
Constants.RewriteUrls.OFF;\r\n                break;\r\n            case 'local':\r\n                opts.rewriteUrls =
Constants.RewriteUrls.LOCAL;\r\n                break;\r\n            case 'all':\r\n                opts.rewriteUrls =
Constants.RewriteUrls.ALL;\r\n                break;\r\n        }\r\n    }\r\n    return opts;\r\n}\r\n\r\nexport function merge(obj1,
obj2) {\r\n    for (const prop
in obj2) {\r\n        if (obj2.hasOwnProperty(prop)) {\r\n            obj1[prop] = obj2[prop];\r\n        }\r\n    }\r\n    return
obj1;\r\n}\r\n\r\nexport function flattenArray(arr, result = []) {\r\n    for (let i = 0, length = arr.length; i < length; i++) {\r\n
        const value = arr[i];\r\n        if (Array.isArray(value)) {\r\n            flattenArray(value, result);\r\n        } else {\r\n            if
(value !== undefined) {\r\n                result.push(value);\r\n            }\r\n        }\r\n    }\r\n    return result;\r\n}\r\n\r\n"import * as
utils from './utils';\r\n\r\nconst anonymousFunc = /(<anonymous>|Function):((\d+):(\d+));\r\n\r\n/**\r\n * This is a
centralized class of any error that could be thrown internally (mostly by the parser).\r\n * Besides standard .message it
keeps some additional data like a path to the file where the error\r\n * occurred along with line and column

```

```

numbers.\n *\n * @class\n * @extends Error\n * @type {module.LessError}\n *\n * @prop {string} type\n * @prop {string} filename\n * @prop {number} index\n * @prop {number} line\n * @prop {number} column\n * @prop {number} callLine\n * @prop {number} callExtract\n * @prop {string[]} extract\n *\n * @param {Object} e - An error object to wrap around or just a descriptive object\n * @param {Object} fileContentMap - An object with file contents in 'contents' property (like importManager) @todo - move to fileManager?\n * @param {string} [currentFilename]\n */\nconst LessError = function LessError(e, fileContentMap, currentFilename) {\n  Error.call(this);\n\n  const filename = e.filename || currentFilename;\n\n  this.message = e.message;\n  this.stack = e.stack;\n\n  if (fileContentMap && filename) {\n    const input = fileContentMap.contents[filename];\n    const loc = utils.getLocation(e.index, input);\n    const line = loc.line;\n    const col = loc.column;\n    const callLine = e.call && utils.getLocation(e.call, input).line;\n    const lines = input ? input.split("\\n") : "";\n\n    this.type = e.type || 'Syntax';\n    this.filename = filename;\n    this.index = e.index;\n    this.line = typeof line === 'number' ? line + 1 : null;\n    this.column = col;\n\n    if (!this.line && this.stack) {\n      const found = this.stack.match(anonymousFunc);\n\n      /*\n       * We have to figure out how this environment stringifies anonymous functions\n       * so we can correctly map plugin errors.\n       *\n       * Note, in Node 8, the output of anonymous funcs varied based on parameters\n       * being present or not, so we inject dummy params.\n       */\n      const func = new Function('a', 'throw new Error()');\n      let lineAdjust = 0;\n      try {\n        func();\n      } catch (e) {\n        const match = e.stack.match(anonymousFunc);\n        const line = parseInt(match[2]);\n        lineAdjust = 1 - line;\n      }\n\n      if (found) {\n        if (found[2]) {\n          this.line = parseInt(found[2]) + lineAdjust;\n        }\n        if (found[3]) {\n          this.column = parseInt(found[3]);\n        }\n      }\n\n      this.callLine = callLine + 1;\n      this.callExtract = lines[callLine];\n      this.extract = [lines[this.line - 2], lines[this.line - 1], lines[this.line]];\n    }\n\n    if (typeof Object.create === 'undefined') {\n      const F = () => {};\n      F.prototype = Error.prototype;\n      LessError.prototype = new F();\n    } else {\n      LessError.prototype = Object.create(Error.prototype);\n    }\n\n    LessError.prototype.constructor = LessError;\n  }\n\n  /*\n   * An overridden version of the default Object.prototype.toString\n   * which uses additional information to create a helpful message.\n   *\n   * @param {Object} options\n   * @returns {string}\n   */\n  LessError.prototype.toString = function(options = {}) {\n    let message = "";\n    const extract = this.extract || [];\n    let error = [];\n    let stylize = str => str;\n\n    if (options.stylize) {\n      const type = typeof options.stylize;\n      if (type !== 'function') {\n        throw Error(`options.stylize should be a function, got a ${type}!`);\n      }\n      stylize = options.stylize;\n    }\n\n    if (this.line !== null) {\n      if (typeof extract[0] === 'string') {\n        error.push(stylize(`${this.line - 1} ${extract[0]}`, 'grey'));\n      }\n\n      if (typeof extract[1] === 'string') {\n        let errorTxt = `${this.line}`;\n\n        if (extract[1]) {\n          errorTxt += extract[1].slice(0, this.column) + "\n\n          stylize(stylize(stylize(extract[1].substr(this.column, 1), 'bold') +\n          extract[1].slice(this.column + 1), 'red'), 'inverse');\n        }\n        error.push(errorTxt);\n      }\n\n      if (typeof extract[2] === 'string') {\n        error.push(stylize(`${this.line + 1} ${extract[2]}`, 'grey'));\n      }\n\n      error = `${error.join("\\n") + stylize(" ", 'reset')}`;\n\n      message += stylize(`${this.type}Error: ${this.message}`, 'red');\n      if (this.filename) {\n        message += stylize(' in ', 'red') + this.filename;\n      }\n      if (this.line) {\n        message += stylize(` on line ${this.line}, column ${this.column + 1}:`, 'grey');\n      }\n\n      message += "\\n${error}`;\n\n      if (this.callLine) {\n        message += `${stylize('from ', 'red') + (this.filename || '')}`;\n      }\n\n      message += `${stylize(this.callLine, 'grey')} ${this.callExtract}`;\n\n      return message;\n    }\n\n    export default LessError;\n  }, "import Node from './node';\n  import Element from './element';\n  import LessError from './less-error';\n\n  const Selector = function(elements, extendList, condition, index, currentFileInfo, visibilityInfo) {\n    this.extendList = extendList;\n    this.condition = condition;\n    this.evaldCondition = !condition;\n    this._index = index;\n    this._fileInfo = currentFileInfo;\n    this.elements = this.getElements(elements);\n    this.mixinElements_ = undefined;\n  }

```



```

this.copyVisibilityInfo(visibilityInfo);\n this.setParent(this.elements, this);\n\nSelector.prototype = new
Node();\n\nSelector.prototype.accept = function(visitor) {\n if (this.elements) {\n this.elements =
visitor.visitArray(this.elements);\n }\n if (this.extendList) {\n this.extendList =
visitor.visitArray(this.extendList);\n }\n if (this.condition) {\n this.condition = visitor.visit(this.condition);\n
}\n};\n\nSelector.prototype.createDerived = function(elements, extendList, evaldCondition) {\n elements =
this.getElements(elements);\n const newSelector = new Selector(elements, extendList || this.extendList,\n null,
this.getIndex(), this.fileInfo(), this.visibilityInfo());\n newSelector.evaldCondition = (evaldCondition
!= null) ? evaldCondition : this.evaldCondition;\n newSelector.mediaEmpty = this.mediaEmpty;\n return
newSelector;\n};\n\nSelector.prototype.getElements = function(els) {\n if (!els) {\n return [new Element(",
'&', false, this._index, this._fileInfo)];\n }\n if (typeof els === 'string') {\n this.parse.parseNode(\n
els,\n ['selector'],\n this._index, \n this._fileInfo, \n function(err, result) {\n if (err)
{\n throw new LessError({\n index: err.index,\n message: err.message\n
}, this.parse.imports, this._fileInfo.filename);\n }\n els = result[0].elements;\n });\n
}\n return els;\n};\n\nSelector.prototype.createEmptySelectors = function() {\n const el = new Element(", '&',
false, this._index, this._fileInfo);\n const sels = [new Selector([el],
null, null, this._index, this._fileInfo)];\n sels[0].mediaEmpty = true;\n return
sels;\n};\n\nSelector.prototype.match = function(other) {\n const elements = this.elements;\n const len =
elements.length;\n let olen;\n let i;\n\n other = other.mixinElements();\n olen = other.length;\n if (olen ===
0 || len < olen) {\n return 0;\n } else {\n for (i = 0; i < olen; i++) {\n if (elements[i].value !==
other[i]) {\n return 0;\n }\n }\n }\n return olen; // return number of matched
elements\n};\n\nSelector.prototype.mixinElements = function() {\n if (this.mixinElements_) {\n return
this.mixinElements_;\n }\n\n let elements = this.elements.map( v => v.combinator.value + (v.value.value ||
v.value)).join("").match(/[,&#\*\.\|\\w-](\\|\\w-|\\|\\|\\|\\.)*\/g);\n\n if (elements) {\n if (elements[0] === '&') {\n
elements.shift();\n }\n } else {\n elements
= [];\n }\n\n return (this.mixinElements_ = elements);\n};\n\nSelector.prototype.isJustParentSelector =
function() {\n return !this.mediaEmpty &&\n this.elements.length === 1 &&\n this.elements[0].value
=== '&' &&\n (this.elements[0].combinator.value === ' ' || this.elements[0].combinator.value ===
"");\n};\n\nSelector.prototype.eval = function(context) {\n const evaldCondition = this.condition &&
this.condition.eval(context);\n let elements = this.elements;\n let extendList = this.extendList;\n\n elements =
elements && elements.map(e => e.eval(context));\n extendList = extendList && extendList.map(extend =>
extend.eval(context));\n\n return this.createDerived(elements, extendList,
evaldCondition);\n};\n\nSelector.prototype.genCSS = function(context, output) {\n let i;\n let element;\n if
(!(context || !context.firstSelector) && this.elements[0].combinator.value === " ") {\n output.add(' ',
this.fileInfo(), this.getIndex());\n
}\n for (i = 0; i < this.elements.length; i++) {\n element = this.elements[i];\n element.genCSS(context,
output);\n }\n};\n\nSelector.prototype.getIsOutput = function() {\n return
this.evaldCondition;\n};\n\nSelector.prototype.type = 'Selector';\n\nexport default Selector;\n", "import Node from
'./node';\n\nconst Value = function(value) {\n if (!value) {\n throw new Error('Value requires an array
argument');\n }\n if (!Array.isArray(value)) {\n this.value = [ value ];\n }\n else {\n this.value =
value;\n }\n};\n\nValue.prototype = new Node();\n\nValue.prototype.accept = function(visitor) {\n if (this.value)
{\n this.value = visitor.visitArray(this.value);\n }\n};\n\nValue.prototype.eval = function(context) {\n if
(this.value.length === 1) {\n return this.value[0].eval(context);\n } else {\n return new
Value(this.value.map(v => v.eval(context)));\n }\n};\n\nValue.prototype.genCSS = function(context,
output) {\n let i;\n for (i = 0; i < this.value.length; i++) {\n this.value[i].genCSS(context, output);\n if (i
+ 1 < this.value.length) {\n output.add((context && context.compress) ? ' ': ', '); \n
}\n }\n};\n\nValue.prototype.type = 'Value';\n\nexport default Value;\n", "import Node from './node';\n\nconst Keyword =
function(value) {\n this.value = value;\n};\n\nKeyword.prototype = new Node();\n\nKeyword.prototype.genCSS =
function(context, output) {\n if (this.value === '%') { throw { type: 'Syntax', message: 'Invalid % without number'

```

```

}; }
output.add(this.value);
Keyword.prototype.type = 'Keyword';
Keyword.True = new Keyword('true');
Keyword.False = new Keyword('false');
export default Keyword;
"import Node from
'./node';
import { extend } from './util';
const Anonymous = function(value, index, currentFileInfo, mapLines,
rulesetLike, visibilityInfo) {
  this.value = value;
  this._index = index;
  this._fileInfo = currentFileInfo;
  this.mapLines = mapLines;
  this.rulesetLike = (typeof rulesetLike ===
'undefined') ? false : rulesetLike;
  this.allowRoot = true;
  this.copyVisibilityInfo(visibilityInfo);
}
Anonymous.prototype = new Node();
Anonymous.prototype.eval =
function() {
  return new Anonymous(this.value, this._index, this._fileInfo, this.mapLines, this.rulesetLike,
this.visibilityInfo());
};
Anonymous.prototype.compare = function(other) {
  return other.toCSS() &&
this.toCSS() === other.toCSS() ? 0 : undefined;
};
Anonymous.prototype.isRulesetLike = function() {
  return this.rulesetLike;
};
Anonymous.prototype.genCSS = function(context, output) {
  this.nodeVisible =
Boolean(this.value);
  if (this.nodeVisible) {
    output.add(this.value, this._fileInfo, this._index,
this.mapLines);
  }
}
Anonymous.prototype.type = 'Anonymous';
export default Anonymous;
"import
Node from './node';
import Value from
'./value';
import Keyword from './keyword';
import Anonymous from './anonymous';
import * as Constants from
'./constants';
const MATH = Constants.Math;
const Declaration = function(name, value, important, merge,
index, currentFileInfo, inline, variable) {
  this.name = name;
  this.value = (value instanceof Node) ? value :
new Value([value ? new Anonymous(value) : null]);
  this.important = important ? `${important.trim()}` : "";
  this.merge = merge;
  this._index = index;
  this._fileInfo = currentFileInfo;
  this.inline = inline || false;
  this.variable = (variable !== undefined) ? variable :
(name.charAt(0) === '@');
  this.allowRoot = true;
  this.setParent(this.value, this);
}
Declaration.prototype = new
Node();
Declaration.prototype.genCSS = function(context, output) {
  output.add(this.name +
(context.compress ? ':' : ': '), this.fileInfo(), this.getIndex());
  try {
    this.value.genCSS(context,
output);
  } catch (e) {
    e.index = this._index;
    e.filename = this._fileInfo.filename;
    throw
e;
  }
  output.add(this.important + ((this.inline || (context.lastRule && context.compress)) ? ':' : ': '),
this._fileInfo, this._index);
}
Declaration.prototype.eval = function(context) {
  let mathBypass = false;
  let prevMath;
  let name = this.name;
  let evaldValue;
  let variable = this.variable;
  if (typeof name !==
'string') {
    // expand 'primitive' name directly to get
    // things faster (~10% for benchmark.les):
    name = (name.length === 1) && (name[0] instanceof Keyword) ?
name[0].value : evalName(context,
name);
    variable = false; // never treat expanded interpolation as new variable name
  }
  // @todo
remove when parens-division is default
  if (name === 'font' && context.math === MATH.ALWAYS) {
    mathBypass = true;
    prevMath = context.math;
    context.math = MATH.PARENS_DIVISION;
  }
  try {
    context.importantScope.push({});
    evaldValue = this.value.eval(context);
    if (!this.variable && evaldValue.type === 'DetachedRuleset') {
      throw { message: 'Rulesets cannot be evaluated on a property.',
index: this.getIndex(), filename:
this.fileInfo().filename };
    }
    let important = this.important;
    const importantResult =
context.importantScope.pop();
    if (!important && importantResult.important) {
      important =
importantResult.important;
    }
    return new Declaration(name,
evaldValue,
important,
this.merge,
this.getIndex(), this.fileInfo(), this.inline,
variable);
  } catch
(e) {
    if (typeof e.index !== 'number') {
      e.index = this.getIndex();
      e.filename =
this.fileInfo().filename;
    }
    throw
e;
  }
  finally {
    if (mathBypass) {
      context.math = prevMath;
    }
  }
}
Declaration.prototype.makeImportant = function() {
  return new Declaration(this.name,
this.value,
'important',
this.merge,
this.getIndex(), this.fileInfo(), this.inline);
}
function
evalName(context, name) {
  let value = "";
  let i;
  const n = name.length;
  const output = { add: function
(s) { value += s; } };
  for (i = 0; i < n; i++) {
    name[i].eval(context).genCSS(context, output);
  }
  return
value;
}
Declaration.prototype.type = 'Declaration';
export default Declaration;
"const debugInfo = (context,
ctx, lineSeparator) => {
  let result = "";
  if (context.dumpLineNumbers && !context.compress) {
    switch

```



```

(this.selectors && (selCnt = this.selectors.length)) {\n    selectors = new Array(selCnt);\n    defaultFunc.error({\n        type: 'Syntax',\n        message: 'it is currently only allowed in parametric mixin\n    guards,\n    });\n    for (i = 0; i < selCnt; i++) {\n        selector = this.selectors[i].eval(context);\n        for\n        (var j = 0; j < selector.elements.length; j++) {\n            if (selector.elements[j].isVariable) {\n                hasVariable\n                = true;\n                break;\n            }\n        }\n        selectors[i] = selector;\n        if\n        (selector.evaldCondition) {\n            hasOnePassingSelector = true;\n        }\n        if (hasVariable)\n        {\n            const toParseSelectors = new Array(selCnt);\n            for (i = 0; i < selCnt; i++) {\n                selector =\n                selectors[i];\n                toParseSelectors[i] = selector.toCSS(context);\n            }\n            this.parse.parseNode(\n                toParseSelectors.join(','),\n                ["selectors"],\n                selectors[0].getIndex(),\n                selectors[0].fileInfo(),\n                (err, result) => {\n                    if (result) {\n                        selectors =\n                        utils.flattenArray(result);\n                    }\n                });\n            defaultFunc.reset();\n        } else {\n            hasOnePassingSelector = true;\n        }\n        let rules = this.rules ? utils.copyArray(this.rules)\n        : null;\n        const ruleset = new Ruleset(selectors, rules, this.strictImports, this.visibilityInfo);\n        let rule;\n        let\n        subRule;\n        ruleset.originalRuleset = this;\n        ruleset.root = this.root;\n        ruleset.firstRoot = this.firstRoot;\n        ruleset.allowImports = this.allowImports;\n        if (this.debugInfo) {\n            ruleset.debugInfo = this.debugInfo;\n        }\n        if (!hasOnePassingSelector) {\n            rules.length = 0;\n        }\n        // inherit a function registry from the frames\n        stack when possible;\n        // otherwise from the global registry\n        ruleset.functionRegistry = (frames => {\n            let i\n            = 0;\n            const n = frames.length;\n            let found;\n            for (; i !== n; ++i) {\n                found = frames[i\n                ].functionRegistry;\n                if (found) {\n                    return found;\n                }\n            }\n            return globalFunctionRegistry;\n        })(context.frames).inherit();\n        // push the current ruleset to the frames stack\n        const ctxFrames =\n        context.frames;\n        ctxFrames.unshift(ruleset);\n        // current selectors\n        let ctxSelectors = context.selectors;\n        if (!ctxSelectors) {\n            context.selectors = ctxSelectors = [];\n        }\n        ctxSelectors.unshift(this.selectors);\n        //\n        Evaluate imports\n        if (ruleset.root || ruleset.allowImports || !ruleset.strictImports) {\n            ruleset.evalImports(context);\n        }\n        // Store the frames around mixin definitions,\n        // so they can be evaluated\n        like closures when the time comes.\n        const rsRules = ruleset.rules;\n        for (i = 0; (rule = rsRules[i]); i++) {\n            if (rule.evalFirst) {\n                rsRules[i] = rule.eval(context);\n            }\n        }\n        const mediaBlockCount =\n        (context.mediaBlocks && context.mediaBlocks.length) || 0;\n        // Evaluate mixin calls.\n        for (i = 0; (rule =\n        rsRules[i]); i++) {\n            if (rule.type === 'MixinCall') {\n                /* jshint loopfunc:true */\n                rules =\n                rule.eval(context).filter(r => {\n                    if ((r instanceof Declaration) && r.variable) {\n                        // do not pollute the scope if the variable is\n                        // already there. consider returning false here\n                        // but we need a way to "return" variable from\n                        mixins\n                        return !(ruleset.variable(r.name));\n                    }\n                    return true;\n                });\n                rsRules.splice(...[i, 1].concat(rules));\n                i += rules.length - 1;\n                ruleset.resetCache();\n            } else if\n            (rule.type === 'VariableCall') {\n                /* jshint loopfunc:true */\n                rules = rule.eval(context).rules.filter(r\n                => {\n                    if ((r instanceof Declaration) && r.variable) {\n                        // do not pollute the scope at all\n                        return false;\n                    }\n                    return true;\n                });\n                rsRules.splice(...[i, 1].concat(rules));\n                i += rules.length - 1;\n                ruleset.resetCache();\n            }\n        }\n        // Evaluate everything else\n        for (i = 0; (rule = rsRules[i]); i++) {\n            if (!rule.evalFirst) {\n                rsRules[i] = rule = rule.eval ? rule.eval(context) : rule;\n            }\n        }\n        // Evaluate everything else\n        for (i =\n        0; (rule = rsRules[i]); i++) {\n            // for rulesets, check if it is a css guard and can be removed\n            if (rule\n            instanceof Ruleset && rule.selectors && rule.selectors.length === 1) {\n                // check if it can be folded in (e.g.\n                & where)\n                if (rule.selectors[0] && rule.selectors[0].isJustParentSelector()) {\n                    rsRules.splice(i--,\n                    1);\n                }\n                for (var j = 0; (subRule = rule.rules[j]); j++) {\n                    if (subRule instanceof Node) {\n                        subRule.copyVisibilityInfo(rule.visibilityInfo());\n                        if (!(subRule instanceof Declaration) ||\n                        !subRule.variable) {\n                            rsRules.splice(++i, 0,\n                            subRule);\n                        }\n                    }\n                }\n            }\n        }\n        // Pop the stack\n        ctxFrames.shift();\n        ctxSelectors.shift();\n        if (context.mediaBlocks) {\n            for (i = mediaBlockCount; i <

```

```

context.mediaBlocks.length; i++) {\n      context.mediaBlocks[i].bubbleSelectors(selectors);\n    }\n  }\n  return ruleset;\n};\n\nRuleset.prototype.evalImports = function(context) {\n  const rules = this.rules;\n  let i;\n  let importRules;\n  if (!rules) { return; }\n  for (i = 0; i < rules.length; i++) {\n    if (rules[i].type === 'Import')\n    {\n      importRules = rules[i].eval(context);\n      if (importRules && (importRules.length ||\nimportRules.length === 0)) {\n        rules.splice(...[i, 1].concat(importRules));\n        i +=\nimportRules.length - 1;\n      } else {\n        rules.splice(i, 1, importRules);\n      }\n    }\n    this.resetCache();\n  }\n};\n\nRuleset.prototype.makeImportant = function() {\n  const result = new Ruleset(this.selectors,\nthis.rules.map(r => {\n  if (r.makeImportant) {\n    return r.makeImportant();\n  } else {\n    return\nr;\n  }\n}), this.strictImports, this.visibilityInfo());\n  return result;\n};\n\nRuleset.prototype.matchArgs =\nfunction(args) {\n  return !args || args.length === 0;\n};\n\n// lets you call a css selector with a\n// guard\nRuleset.prototype.matchCondition = function(args, context) {\n  const lastSelector =\nthis.selectors[this.selectors.length - 1];\n  if (!lastSelector.evaldCondition) {\n    return false;\n  }\n  if\n(lastSelector.condition &&\n  !lastSelector.condition.eval(\n    new contexts.Eval(context,\ncontext.frames))) {\n    return false;\n  }\n  return true;\n};\n\nRuleset.prototype.resetCache = function() {\n  this._rulesets = null;\n  this._variables = null;\n\n  this._properties = null;\n  this._lookups = {};\n};\n\nRuleset.prototype.variables = function() {\n  if\n(!this._variables) {\n    this._variables = !this.rules ? {} : this.rules.reduce((hash, r) => {\n      if (r instanceof\nDeclaration && r.variable === true) {\n        hash[r.name] = r;\n      }\n      // when evaluating variables\nin an import statement, imports have not been eval'd\n      // so we need to go inside import statements.\n      // guard against root being a string (in the case of inlined less)\n      if (r.type === 'Import' && r.root &&\nr.root.variables) {\n        const vars = r.root.variables();\n        for (const name in vars) {\n          if\n(vars.hasOwnProperty(name)) {\n            hash[name] = r.root.variable(name);\n          }\n        }\n      }\n      return hash;\n    }, {});\n  }\n  return this._variables;\n};\n\nRuleset.prototype.properties\n= function() {\n  if (!this._properties) {\n    this._properties = !this.rules ? {} : this.rules.reduce((hash, r) => {\n      if (r instanceof Declaration && r.variable !== true) {\n        const name = (r.name.length === 1) &&\n(r.name[0] instanceof Keyword) ?\n        r.name[0].value : r.name;\n        // Properties don't overwrite as\nthey can merge\n        if (!hash[`${name}`]) {\n          hash[`${name}`] = [ r ];\n        }\n        else {\n          hash[`${name}`].push(r);\n        }\n      }\n      return hash;\n    }, {});\n  }\n  return this._properties;\n};\n\nRuleset.prototype.variable = function(name) {\n  const decl =\nthis.variables()[name];\n  if (decl) {\n    return this.parseValue(decl);\n  }\n};\n\nRuleset.prototype.property =\nfunction(name) {\n  const decl = this.properties()[name];\n  if (decl) {\n    return this.parseValue(decl);\n  }\n};\n\nRuleset.prototype.lastDeclaration = function() {\n  for (let i = this.rules.length; i > 0; i--) {\n    const\ndecl = this.rules[i - 1];\n    if (decl instanceof Declaration) {\n      return this.parseValue(decl);\n    }\n  }\n};\n\nRuleset.prototype.parseValue = function(toParse) {\n  const self = this;\n  function\ntransformDeclaration(decl) {\n    if (decl.value instanceof Anonymous && !decl.parsed) {\n      if (typeof\ndecl.value.value === 'string') {\n        this.parse.parseNode(\n          decl.value.value,\n['value', 'important'],\n          decl.value.getIndex(),\n          decl.fileInfo(),\n          (err, result) =>\n          {\n            if (err) {\n              decl.parsed = true;\n            }\n            if (result) {\n              decl.value = result[0];\n              decl.important\n= result[1] || '';\n              decl.parsed = true;\n            }\n          });\n      } else {\n        decl.parsed = true;\n      }\n    }\n    return decl;\n  }\n  else {\n    return decl;\n  }\n}\n  if\n(!Array.isArray(toParse)) {\n    return transformDeclaration.call(self, toParse);\n  }\n  else {\n    const nodes\n= [];\n    toParse.forEach(n => {\n      nodes.push(transformDeclaration.call(self, n));\n    });\n    return\nnodes;\n  }\n};\n\nRuleset.prototype.rulesets = function() {\n  if (!this.rules) { return []; }\n  const filtRules =\n[];\n  const rules = this.rules;\n  let i;\n  let rule;\n  for (i = 0; (rule = rules[i]); i++) {\n    if (rule.isRuleset)\n    {\n      filtRules.push(rule);\n    }\n  }\n  return filtRules;\n};\n\nRuleset.prototype.prependRule =\nfunction(rule) {\n  const rules = this.rules;\n  if

```

```

(rules) {\n    rules.unshift(rule);\n  } else {\n    this.rules = [ rule ];\n  }\n  this.setParent(rule,
this);\n};\n\nRuleset.prototype.find = function(selector, self = this, filter) {\n  const rules = [];\n  let match;\n  let
foundMixins;\n  const key = selector.toCSS();\n\n  if (key in this._lookups) { return this._lookups[key]; }\n\n  this.rulesets().forEach(rule => {\n    if (rule !== self) {\n      for (let j = 0; j < rule.selectors.length; j++) {\n
        match = selector.match(rule.selectors[j]);\n        if (match) {\n          if (selector.elements.length >
match) {\n            if (!filter || filter(rule)) {\n              foundMixins = rule.find(new
Selector(selector.elements.slice(match)), self, filter);\n              for (let i = 0; i < foundMixins.length; ++i)
{\n                foundMixins[i].path.push(rule);\n              }\n              Array.prototype.push.apply(rules, foundMixins);\n            } else {\n
rules.push({ rule, path: [] });\n            }\n            break;\n          }\n        }\n      }\n    }\n  });\n\n  this._lookups[key] = rules;\n  return rules;\n};\n\nRuleset.prototype.genCSS = function(context, output) {\n  let
i;\n  let j;\n  const charsetRuleNodes = [];\n  let ruleNodes = [];\n\n  let // Line number debugging\n  debugInfo;\n\n  let rule;\n  let path;\n\n  context.tabLevel = (context.tabLevel || 0);\n\n  if (!this.root) {\n    context.tabLevel++;\n  }\n\n  const tabRuleStr = context.compress ? " : Array(context.tabLevel + 1).join(' ');
\n  const tabSetStr = context.compress ? " : Array(context.tabLevel).join(' '); \n  let sep;\n\n  let charsetNodeIndex =
0;\n  let importNodeIndex = 0;\n  for (i = 0; (rule = this.rules[i]); i++) {\n    if (rule instanceof
Comment) {\n      if (importNodeIndex === i) {\n        importNodeIndex++;\n      }\n      ruleNodes.push(rule);\n    } else if (rule.isCharset && rule.isCharset()) {\n
ruleNodes.splice(charsetNodeIndex, 0, rule);\n      charsetNodeIndex++;\n      importNodeIndex++;\n    }
else if (rule.type === 'Import') {\n      ruleNodes.splice(importNodeIndex, 0, rule);\n      importNodeIndex++;\n    } else {\n      ruleNodes.push(rule);\n    }\n  }\n  ruleNodes =
charsetRuleNodes.concat(ruleNodes);\n\n  // If this is the root node, we don't render\n  // a selector, or {\n  if
(!this.root) {\n    debugInfo = getDebugInfo(context, this, tabSetStr);\n\n    if (debugInfo) {\n      output.add(debugInfo);\n      output.add(tabSetStr);\n    }\n\n    const paths = this.paths;\n    const pathCnt
= paths.length;\n    let pathSubCnt;\n\n    sep = context.compress ? '\n\n' : '\n\n';\n\n    for (i = 0; i < pathCnt; i++) {\n      path = paths[i];\n      if (!(pathSubCnt =
path.length)) { continue; }\n      if (i > 0) { output.add(sep); }\n\n      context.firstSelector = true;\n      path[0].genCSS(context, output);\n      context.firstSelector = false;\n      for (j = 1; j < pathSubCnt; j++)
{\n        path[j].genCSS(context, output);\n      }\n      output.add((context.compress ? '{' : ' ' + tabRuleStr);\n    }\n\n    // Compile rules and rulesets\n    for (i = 0; (rule = ruleNodes[i]); i++) {\n      if (i + 1
=== ruleNodes.length) {\n        context.lastRule = true;\n      }\n      const currentLastRule =
context.lastRule;\n      if (rule.isRulesetLike(rule)) {\n        context.lastRule = false;\n      }\n      if
(rule.genCSS) {\n        rule.genCSS(context, output);\n      } else if (rule.value) {\n        output.add(rule.value.toString());\n      }\n      context.lastRule = currentLastRule;\n      if (!context.lastRule && rule.isVisible()) {\n
output.add(context.compress ? " : (" + tabRuleStr);\n      } else {\n        context.lastRule = false;\n      }\n    }\n\n    if (!this.root) {\n      output.add((context.compress ? '}' : '\n\n') + tabSetStr);\n      context.tabLevel--;\n    }\n\n    if (!output.isEmpty() && !context.compress && this.firstRoot) {\n      output.add('\n\n');\n    }\n  }\n\n  Ruleset.prototype.joinSelectors = function(paths, context, selectors) {\n    for (let s = 0; s < selectors.length;
s++) {\n      this.joinSelector(paths, context, selectors[s]);\n    }\n  }\n\n  Ruleset.prototype.joinSelector =
function(paths, context, selector) {\n    function createParenthesis(elementsToPak, originalElement) {\n      let
replacementParen;\n      let j;\n      if (elementsToPak.length === 0) {\n        replacementParen = new
Paren(elementsToPak[0]);\n      } else {\n        const insideParent = new Array(elementsToPak.length);\n        for (j = 0; j <
elementsToPak.length; j++) {\n          insideParent[j] = new Element(\n            null,\n            elementsToPak[j],\n            originalElement.isVariable,\n            originalElement._index,\n            originalElement._fileInfo\n          );\n        }\n        replacementParen = new Paren(new
Selector(insideParent));\n      }\n      return replacementParen;\n    }\n\n    function

```

```

createSelector(containedElement, originalElement) {\n    let element;\n    let selector;\n    element = new\nElement(null, containedElement, originalElement.isVariable, originalElement._index, originalElement._fileInfo);\n    selector = new Selector([element]);\n    return selector;\n}\n\n// joins selector path from `beginningPath`\nwith selector path in `addPath`\n// `replacedElement` contains\n    element that is being replaced by `addPath`\n// returns concatenated path\nfunction\naddReplacementIntoPath(beginningPath, addPath, replacedElement, originalSelector) {\n    let\nnewSelectorPath;\n    let lastSelector;\n    let newJoinedSelector;\n    // our new selector path\nnewSelectorPath = [];\n\n    // construct the joined selector - if & is the first thing this will be empty,\n    // if not\nnewJoinedSelector will be the last set of elements in the selector\n    if (beginningPath.length > 0) {\nnewSelectorPath = utils.copyArray(beginningPath);\n        lastSelector = newSelectorPath.pop();\nnewJoinedSelector = originalSelector.createDerived(utils.copyArray(lastSelector.elements));\n    }\n    else {\n        newJoinedSelector = originalSelector.createDerived([]);\n    }\n\n    if (addPath.length > 0) {\n        //\n/deep/ is a CSS4 selector - (removed, so should deprecate)\n        // that is valid without anything in front of it\n        // so if the & does not have a combinator that is \"\" or \" \"\nthen\n        // and there is a combinator on the parent, then grab that.\n        // this also allows + a { & .b { .a & {\n... though not sure why you would want to do that\n        let combinator = replacedElement.combinator;\nconst parentEl = addPath[0].elements[0];\n        if (combinator.emptyOrWhitespace &&\n!parentEl.combinator.emptyOrWhitespace) {\n            combinator = parentEl.combinator;\n        }\n        //\njoin the elements so far with the first part of the parent\n        newJoinedSelector.elements.push(new Element(\n            combinator,\n            parentEl.value,\n            replacedElement.isVariable,\n            replacedElement._index,\n            replacedElement._fileInfo\n        ));\n        newJoinedSelector.elements =\nnewJoinedSelector.elements.concat(addPath[0].elements.slice(1));\n    }\n\n    // now add the joined selector - but only if it is not empty\n    if\n(newJoinedSelector.elements.length !== 0) {\n        newSelectorPath.push(newJoinedSelector);\n    }\n\n    //\nput together the parent selectors after the join (e.g. the rest of the parent)\n    if (addPath.length > 1) {\n        let\nrestOfPath = addPath.slice(1);\n        restOfPath = restOfPath.map(selector =>\nselector.createDerived(selector.elements, []));\n        newSelectorPath = newSelectorPath.concat(restOfPath);\n    }\n\n    return newSelectorPath;\n}\n\n// joins selector path from `beginningPath` with every selector path in\n`addPaths` array\n// `replacedElement` contains element that is being replaced by `addPath`\n// returns array\nwith all concatenated paths\nfunction addAllReplacementsIntoPath( beginningPath, addPaths, replacedElement,\noriginalSelector, result) {\n    let j;\n    for (j = 0;\n    j < beginningPath.length; j++) {\n        const newSelectorPath = addReplacementIntoPath(beginningPath[j],\naddPaths, replacedElement, originalSelector);\n        result.push(newSelectorPath);\n    }\n    return result;\n}\n\nfunction mergeElementsOnToSelectors(elements, selectors) {\n    let i;\n    let sel;\n\n    if\n(elements.length === 0) {\n        return ;\n    }\n    if (selectors.length === 0) {\n        selectors.push([ new\nSelector(elements) ]);\n        return;\n    }\n\n    for (i = 0; (sel = selectors[i]); i++) {\n        // if the previous\nthing in sel is a parent this needs to join on to it\n        if (sel.length > 0) {\n            sel[sel.length - 1] =\n            sel[sel.length - 1].createDerived(sel[sel.length - 1].elements.concat(elements));\n        }\n        else {\n            sel.push(new Selector(elements));\n        }\n    }\n}\n\n// replace all parent selectors inside\n`inSelector` by content of `context` array\n// resulting selectors are returned inside `paths` array\n// returns true\nif `inSelector` contained at least one parent selector\nfunction replaceParentSelector(paths, context, inSelector)\n{\n    // The paths are [[Selector]]\n    // The first list is a list of comma separated selectors\n    // The inner\nlist is a list of inheritance separated selectors\n    // e.g.\n    // .a, .b {\n    // .c {\n    // }\n    // }\n\n    == [[.a [.c]] [[.b [.c]]]\n    /\n    let i;\n    let j;\n    let k;\n    let currentElements;\n    let\nnewSelectors;\n    let selectorsMultiplied;\n    let sel;\n    let el;\n    let hadParentSelector = false;\n    let\nlength;\n    let lastSelector;\n    function findNestedSelector(element) {\n        let maybeSelector;\n        if\n(!element.value instanceof Paren)) {\n            return null;\n        }\n    }\n}

```



```

    }\n\n    maybeSelector = element.value.value;\n    if (!(maybeSelector instanceof Selector)) {\n
return null;\n    }\n\n    return maybeSelector;\n    }\n\n    // the elements from the current selector so
far\n    currentElements = [];\n    // the current list of new selectors to add to the path.\n    // We will build it
up. We initiate it with one empty selector as we \"multiply\" the new selectors\n    // by the parents\n
newSelectors = [\n    []\n    ];\n\n    for (i = 0; (el = inSelector.elements[i]); i++) {\n    // non parent
reference elements just get added\n    if (el.value !== '&') {\n    const nestedSelector =
findNestedSelector(el);\n    if (nestedSelector !== null) {\n    // merge the current list of non parent
selector elements\n    // on to the current list of selectors to add\n
mergeElementsOnToSelectors(currentElements,
newSelectors);\n\n    const nestedPaths = [];\n\n    let replaced;\n\n    const
replacedNewSelectors = [];\n\n    replaced = replaceParentSelector(nestedPaths, context, nestedSelector);\n
    hadParentSelector = hadParentSelector || replaced;\n    // the nestedPaths array should have only
one member - replaceParentSelector does not multiply selectors\n    for (k = 0; k < nestedPaths.length;
k++) {\n    const replacementSelector = createSelector(createParenthesis(nestedPaths[k], el), el);\n
    addAllReplacementsIntoPath(newSelectors, [replacementSelector], el, inSelector, replacedNewSelectors);\n
    }\n\n    newSelectors = replacedNewSelectors;\n\n    currentElements = [];\n    }\n
else {\n    currentElements.push(el);\n    }\n\n    } else {\n    hadParentSelector = true;\n    // the new list of selectors to add\n
selectorsMultiplied = [];\n    // merge the current list of non parent selector elements\n    // on to the
current list of selectors to add\n    mergeElementsOnToSelectors(currentElements, newSelectors);\n\n    // loop through our current selectors\n    for (j = 0; j < newSelectors.length; j++) {\n    sel =
newSelectors[j];\n    // if we don't have any parent paths, the & might be in a mixin so that it can be used\n
// whether there are parents or not\n    if (context.length === 0) {\n    // the
combinator used on el should now be applied to the next element instead so that\n    // it is not lost\n
if (sel.length > 0) {\n    sel[0].elements.push(new
Element(el.combinator, \"\", el.isVariable, el._index, el._fileInfo));\n    }\n
selectorsMultiplied.push(sel);\n    }\n    else {\n    // and the parent selectors\n
for (k = 0; k < context.length; k++) {\n    // We need to put the current selectors\n
// then join the last selector's elements on to the parents selectors\n    const newSelectorPath =
addReplacementIntoPath(sel, context[k], el, inSelector);\n    // add that to our new set of selectors\n
selectorsMultiplied.push(newSelectorPath);\n    }\n    }\n    }\n\n    // our new selectors has been multiplied, so reset the state\n
newSelectors = selectorsMultiplied;\n
currentElements = [];\n
    }\n    }\n\n    // if we have any elements left over (e.g. .a& .b == .b)\n    // add them on to all the current
selectors\n    mergeElementsOnToSelectors(currentElements, newSelectors);\n\n    for (i = 0; i <
newSelectors.length; i++) {\n    length = newSelectors[i].length;\n    if (length > 0) {\n
paths.push(newSelectors[i]);\n    lastSelector = newSelectors[i][length - 1];\n
newSelectors[i][length - 1] = lastSelector.createDerived(lastSelector.elements, inSelector.extendList);\n    }\n
    }\n\n    return hadParentSelector;\n    }\n\n    function deriveSelector(visibilityInfo, deriveFrom) {\n    const
newSelector = deriveFrom.createDerived(deriveFrom.elements, deriveFrom.extendList,
deriveFrom.evaldCondition);\n    newSelector.copyVisibilityInfo(visibilityInfo);\n    return newSelector;\n
}\n\n    // joinSelector code follows\n    let i;\n\n    let newPaths;\n    let hadParentSelector;\n\n
    newPaths = [];\n    hadParentSelector = replaceParentSelector(newPaths, context, selector);\n\n    if
(!hadParentSelector) {\n    if (context.length > 0) {\n    newPaths = [];\n    for (i = 0; i < context.length;
i++) {\n    const concatenated = context[i].map(deriveSelector.bind(this, selector.visibilityInfo()));\n
concatenated.push(selector);\n    newPaths.push(concatenated);\n    }\n    }\n    else {\n
newPaths = [[selector]];\n    }\n    }\n\n    for (i = 0; i < newPaths.length; i++) {\n    paths.push(newPaths[i]);\n
}\n    }\n\n    Ruleset.prototype.type = 'Ruleset';\n    Ruleset.prototype.isRuleset = true;\n    export default Ruleset;\n    \"\", \"import

```

```

Node from './node';\nimport Selector from './selector';\nimport Ruleset from './ruleset';\nimport Anonymous from
 './anonymous';\n\nconst AtRule = function(\n  name,\n  value,\n  rules,\n  index,\n  currentFileInfo,\n  debugInfo,\n  isRooted,\n  visibilityInfo)\n {\n  let i;\n\n  this.name = name;\n  this.value = (value instanceof Node) ?
  value : (value ? new Anonymous(value) : value);\n  if (rules) {\n    if (Array.isArray(rules)) {\n      this.rules
  = rules;\n    } else {\n      this.rules = [rules];\n      this.rules[0].selectors = (new Selector([], null, null,
  index, currentFileInfo)).createEmptySelectors();\n    }\n    for (i = 0; i < this.rules.length; i++) {\n
  this.rules[i].allowImports = true;\n    }\n    this.setParent(this.rules, this);\n  }\n  this._index = index;\n  this._fileInfo = currentFileInfo;\n  this.debugInfo = debugInfo;\n  this.isRooted = isRooted || false;\n  this.copyVisibilityInfo(visibilityInfo);\n  this.allowRoot = true;\n};\n\nAtRule.prototype = new
  Node();\n\nAtRule.prototype.accept = function(visitor) {\n  const value = this.value;\n  const rules = this.rules;\n  if (rules) {\n    this.rules
  = visitor.visitArray(rules);\n  }\n  if (value) {\n    this.value = visitor.visit(value);\n  }\n};\n\nAtRule.prototype.isRulesetLike = function() {\n  return this.rules ||
  !this.isCharset();\n};\n\nAtRule.prototype.isCharset = function() {\n  return '@charset' ===
  this.name;\n};\n\nAtRule.prototype.genCSS = function(context, output) {\n  const value = this.value;\n  const
  rules = this.rules;\n  output.add(this.name, this.fileInfo(), this.getIndex());\n  if (value) {\n    output.add(' ');
  value.genCSS(context, output);\n  }\n  if (rules) {\n    this.outputRuleset(context, output, rules);\n  } else {\n
  output.add(';');\n  }\n};\n\nAtRule.prototype.eval = function(context) {\n  let mediaPathBackup;\n  let
  mediaBlocksBackup;\n  let value = this.value;\n  let rules = this.rules;\n\n  // media stored inside other atrule
  should not bubble over it\n  // backup media bubbling information\n  mediaPathBackup = context.mediaPath;\n
  mediaBlocksBackup = context.mediaBlocks;\n  // deleted media bubbling information\n  context.mediaPath =
  [];\n  context.mediaBlocks = [];\n\n  if (value) {\n    value = value.eval(context);\n  }\n  if (rules) {\n    //
  assuming that there is only one rule at this point - that is how parser constructs the rule\n    rules =
  [rules[0].eval(context)];\n    rules[0].root = true;\n  }\n  // restore media bubbling information\n
  context.mediaPath = mediaPathBackup;\n  context.mediaBlocks = mediaBlocksBackup;\n  return new
  AtRule(this.name, value, rules,\n    this.getIndex(), this.fileInfo(), this.debugInfo, this.isRooted,
  this.visibilityInfo());\n};\n\nAtRule.prototype.variable = function(name) {\n  if (this.rules) {\n    // assuming that
  there is only one rule at this point - that is how parser constructs the rule\n    return
  Ruleset.prototype.variable.call(this.rules[0], name);\n  }\n};\n\nAtRule.prototype.find = function(...args)
  {\n  if (this.rules) {\n    // assuming that there is only one rule at this point - that is how parser constructs the
  rule\n    return Ruleset.prototype.find.apply(this.rules[0], args);\n  }\n};\n\nAtRule.prototype.rulesets =
  function() {\n  if (this.rules) {\n    // assuming that there is only one rule at this point - that is how parser
  constructs the rule\n    return Ruleset.prototype.rulesets.apply(this.rules[0]);\n  }\n};\n\nAtRule.prototype.outputRuleset = function(context, output, rules) {\n  const ruleCnt = rules.length;\n  let
  i;\n  context.tabLevel = (context.tabLevel | 0) + 1;\n\n  // Compressed\n  if (context.compress) {\n
  output.add('{');\n    for (i = 0; i < ruleCnt; i++) {\n      rules[i].genCSS(context, output);\n    }\n
  output.add('}');\n    context.tabLevel--;\n    return;\n  }\n\n  // Non-compressed\n  const tabSetStr =
  `\\n${Array(context.tabLevel).join(' ')}`;\n\n  const tabRuleStr
  = `${tabSetStr}`;\n  if (!ruleCnt) {\n    output.add(`${tabSetStr}`);\n  } else {\n    output.add(`${tabRuleStr}`);\n
  rules[0].genCSS(context, output);\n    for (i = 1; i < ruleCnt; i++) {\n
  output.add(tabRuleStr);\n      rules[i].genCSS(context, output);\n    }\n    output.add(`${tabSetStr}`);\n  }\n\n
  context.tabLevel--;\n};\n\nAtRule.prototype.type = 'AtRule';\n\nexport default AtRule;\n\n","import Node from
 './node';\nimport contexts from './contexts';\nimport * as utils from './utils';\n\nconst DetachedRuleset =
  function(ruleset, frames) {\n  this.ruleset = ruleset;\n  this.frames = frames;\n  this.setParent(this.ruleset,
  this);\n};\n\nDetachedRuleset.prototype = new Node();\n\nDetachedRuleset.prototype.accept = function(visitor) {\n
  this.ruleset = visitor.visit(this.ruleset);\n};\n\nDetachedRuleset.prototype.eval = function(context) {\n  const
  frames = this.frames || utils.copyArray(context.frames);\n  return

```

```

new DetachedRuleset(this.ruleset, frames);\n\nDetachedRuleset.prototype.callEval = function(context) {\n
return this.ruleset.eval(this.frames ? new contexts.Eval(context, this.frames.concat(context.frames)) :
context);\n};\n\nDetachedRuleset.prototype.type = 'DetachedRuleset';\n\nDetachedRuleset.prototype.evalFirst =
true;\n\nexport default DetachedRuleset;\n", "import Node from './node';\n\nimport unitConversions from '../data/unit-
conversions';\n\nimport * as utils from './utils';\n\nconst Unit = function(numerator, denominator, backupUnit) {\n
this.numerator = numerator ? utils.copyArray(numerator).sort() : [];\n
this.denominator = denominator ?
utils.copyArray(denominator).sort() : [];\n
if (backupUnit) {\n
this.backupUnit = backupUnit;\n
} else if
(numerator && numerator.length) {\n
this.backupUnit = numerator[0];\n
}\n};\n\nUnit.prototype = new
Node();\n\nUnit.prototype.clone = function() {\n
return new Unit(utils.copyArray(this.numerator),
utils.copyArray(this.denominator),
this.backupUnit);\n};\n\nUnit.prototype.genCSS = function(context, output) {\n
// Dimension checks the unit is
singular and throws an error if in strict math mode.\n
const strictUnits = context && context.strictUnits;\n
if
(this.numerator.length === 1) {\n
output.add(this.numerator[0]); // the ideal situation\n
} else if (!strictUnits
&& this.backupUnit) {\n
output.add(this.backupUnit);\n
} else if (!strictUnits && this.denominator.length)
{\n
output.add(this.denominator[0]);\n
}\n};\n\nUnit.prototype.toString = function() {\n
let i;\n
let
returnStr = this.numerator.join("*");\n
for (i = 0; i < this.denominator.length; i++) {\n
returnStr +=
`/${this.denominator[i]}`;\n
}\n
return returnStr;\n};\n\nUnit.prototype.compare = function(other) {\n
return
this.is(other.toString()) ? 0 : undefined;\n};\n\nUnit.prototype.is = function(unitString) {\n
return
this.toString().toUpperCase() === unitString.toUpperCase();\n};\n\nUnit.prototype.isLength
= function() {\n
return RegExp('^([px|em|ex|ch|rem|in|cm|mm|pc|pt|ex|vw|vh|vmin|vmax])$',
'gi').test(this.toCSS());\n};\n\nUnit.prototype.isEmpty = function() {\n
return this.numerator.length === 0 &&
this.denominator.length === 0;\n};\n\nUnit.prototype.isSingular = function() {\n
return this.numerator.length <= 1
&& this.denominator.length === 0;\n};\n\nUnit.prototype.map = function(callback) {\n
let i;\n\n
for (i = 0; i <
this.numerator.length; i++) {\n
this.numerator[i] = callback(this.numerator[i], false);\n
}\n\n
for (i = 0; i <
this.denominator.length; i++) {\n
this.denominator[i] = callback(this.denominator[i], true);\n
}\n};\n\nUnit.prototype.usedUnits = function() {\n
let group;\n
const result = {};\n
let mapUnit;\n
let
groupName;\n\n
mapUnit = atomicUnit => {\n
/* jshint loopfunc:true */\n
if
(group.hasOwnProperty(atomicUnit) && !result[groupName]) {\n
result[groupName]
= atomicUnit;\n
}\n\n
return atomicUnit;\n
};\n\n
for (groupName in unitConversions) {\n
if
(unitConversions.hasOwnProperty(groupName)) {\n
group = unitConversions[groupName];\n\n
this.map(mapUnit);\n
}\n
}\n\n
return result;\n};\n\nUnit.prototype.cancel = function() {\n
const counter =
{};\n
let atomicUnit;\n
let i;\n\n
for (i = 0; i < this.numerator.length; i++) {\n
atomicUnit =
this.numerator[i];\n
counter[atomicUnit] = (counter[atomicUnit] || 0) + 1;\n
}\n\n
for (i = 0; i <
this.denominator.length; i++) {\n
atomicUnit = this.denominator[i];\n
counter[atomicUnit] =
(counter[atomicUnit] || 0) - 1;\n
}\n\n
this.numerator = [];\n
this.denominator = [];\n\n
for (atomicUnit in
counter) {\n
if (counter.hasOwnProperty(atomicUnit)) {\n
const count = counter[atomicUnit];\n\n
if (count > 0) {\n
for (i = 0; i < count;\n
i++) {\n
this.numerator.push(atomicUnit);\n
}\n
} else if (count < 0) {\n
for (i
= 0; i < -count; i++) {\n
this.denominator.push(atomicUnit);\n
}\n
}\n
}\n
}\n\n
this.numerator.sort();\n
this.denominator.sort();\n};\n\nUnit.prototype.type = 'Unit';\n\nexport default
Unit;\n", "import Node from './node';\n\nimport unitConversions from '../data/unit-conversions';\n\nimport Unit from
'./unit';\n\nimport Color from './color';\n\n// A number with a unit\n\nconst Dimension = function(value, unit) {\n
this.value = parseFloat(value);\n
if (isNaN(this.value)) {\n
throw new Error('Dimension is not a number.);\n
}\n
this.unit = (unit && unit instanceof Unit) ? unit :
new Unit(unit ? [unit] : undefined);\n
this.setParent(this.unit, this);\n};\n\nDimension.prototype = new Node();\n\nDimension.prototype.accept =
function(visitor) {\n
this.unit =
visitor.visit(this.unit);\n};\n\nDimension.prototype.eval = function(context) {\n
return
this;\n};\n\nDimension.prototype.toColor = function() {\n
return new Color([this.value, this.value,

```

```

this.value]);\n};\n\nDimension.prototype.genCSS = function(context, output) {\n  if ((context &&
context.strictUnits) && !this.unit.isSingular()) {\n    throw new Error(`Multiple units in dimension. Correct the
units or use the unit function. Bad unit: ${this.unit.toString()}`);\n  }\n\n  const value = this.fround(context,
this.value);\n  let strValue = String(value);\n\n  if (value !== 0 && value < 0.000001 && value > -0.000001) {\n
  // would be output 1e-6 etc.\n    strValue = value.toFixed(20).replace(/0+$/, "");\n  }\n\n  if (context &&
context.compress) {\n    // Zero values doesn't need a unit\n    if (value === 0 && this.unit.isLength()) {\n
output.add(strValue);\n    return;\n  }\n\n  // Float values doesn't need a leading
zero\n    if (value > 0 && value < 1) {\n      strValue = (strValue).substr(1);\n    }\n  }\n\n  output.add(strValue);\n  this.unit.genCSS(context, output);\n};\n\n// In an operation between two Dimensions,\n// we default to the first Dimension's unit,\n// so `1px + 2` will yield `3px`.\nDimension.prototype.operate =
function(context, op, other) {\n  /* jshint noempty:false */\n  let value = this._operate(context, op, this.value,
other.value);\n\n  let unit = this.unit.clone();\n\n  if (op === '+' || op === '-') {\n    if (unit.numerator.length ===
0 && unit.denominator.length === 0) {\n      unit = other.unit.clone();\n      if (this.unit.backupUnit) {\n
unit.backupUnit = this.unit.backupUnit;\n      }\n    } else if (other.unit.numerator.length === 0 &&
unit.denominator.length === 0) {\n      // do nothing\n    } else {\n      other =
other.convertTo(this.unit.usedUnits());\n      if (context.strictUnits
&& other.unit.toString() !== unit.toString()) {\n        throw new Error(`Incompatible units. Change the units or
use the unit function.` + \n          `Bad units: ${unit.toString()} and ${other.unit.toString()}`);\n      }\n
      value = this._operate(context, op, this.value, other.value);\n    }\n  } else if (op === '*') {\n
unit.numerator = unit.numerator.concat(other.unit.numerator).sort();\n    unit.denominator =
unit.denominator.concat(other.unit.denominator).sort();\n    unit.cancel();\n  } else if (op === '/') {\n
unit.numerator = unit.numerator.concat(other.unit.denominator).sort();\n    unit.denominator =
unit.denominator.concat(other.unit.numerator).sort();\n    unit.cancel();\n  }\n  return new Dimension(value,
unit);\n};\n\nDimension.prototype.compare = function(other) {\n  let a;\n  let b;\n\n  if (!(other instanceof
Dimension)) {\n    return undefined;\n  }\n\n  if (this.unit.isEmpty() || other.unit.isEmpty()) {\n    a = this;\n    b = other;\n  } else {\n    a = this.unify();\n
b = other.unify();\n    if (a.unit.compare(b.unit) !== 0) {\n      return undefined;\n    }\n  }\n\n  return
Node.numericCompare(a.value, b.value);\n};\n\nDimension.prototype.unify = function() {\n  return
this.convertTo({ length: 'px', duration: 's', angle: 'rad' });\n};\n\nDimension.prototype.convertTo =
function(conversions) {\n  let value = this.value;\n  const unit = this.unit.clone();\n  let i;\n  let groupName;\n
let group;\n  let targetUnit;\n  let derivedConversions = {};\n  let applyUnit;\n\n  if (typeof conversions ===
'string') {\n    for (i in unitConversions) {\n      if (unitConversions[i].hasOwnProperty(conversions)) {\n
derivedConversions = {};\n      derivedConversions[i] = conversions;\n      }\n    }\n    conversions
= derivedConversions;\n  }\n  applyUnit = (atomicUnit, denominator) => {\n    /* jshint loopfunc:true */\n    if
(group.hasOwnProperty(atomicUnit)) {\n      if (denominator) {\n        value = value / (group[atomicUnit] /
group[targetUnit]);\n      } else {\n        value = value * (group[atomicUnit] / group[targetUnit]);\n      }\n
    }\n    return targetUnit;\n  };\n\n  return atomicUnit;\n};\n\n  for (groupName in conversions) {\n
if (conversions.hasOwnProperty(groupName)) {\n    targetUnit = conversions[groupName];\n    group =
unitConversions[groupName];\n    unit.map(applyUnit);\n  }\n}\n\n  unit.cancel();\n\n  return new
Dimension(value, unit);\n};\n\nDimension.prototype.type = 'Dimension';\nexport default Dimension;\n", "import
Node from './node';\nimport Color from './color';\nimport Dimension from './dimension';\nimport * as Constants
from './constants';\nconst MATH = Constants.Math;\n\nconst
Operation = function(op, operands, isSpaced) {\n  this.op = op.trim();\n  this.operands = operands;\n
this.isSpaced = isSpaced;\n};\n\nOperation.prototype = new Node();\n\nOperation.prototype.accept =
function(visitor) {\n  this.operands = visitor.visitArray(this.operands);\n}\n\nOperation.prototype.eval =
function(context) {\n  let a = this.operands[0].eval(context);\n  let b = this.operands[1].eval(context);\n  let
op;\n\n  if (context.isMathOn(this.op)) {\n    op = this.op === '.' ? '/' : this.op;\n    if (a instanceof Dimension

```

```

&& b instanceof Color) {\n      a = a.toColor();\n    }\n    if (b instanceof Dimension && a instanceof Color)\n    {\n      b = b.toColor();\n    }\n    if (!a.operate) {\n      if (a instanceof Operation && a.op === '/' &&\ncontext.math === MATH.PARENS_DIVISION) {\n      return new Operation(this.op, [a, b], this.isSpaced);\n    }\n    throw { type: 'Operation',\n      message: 'Operation on an invalid type' };\n    }\n    return a.operate(context, op, b);\n  } else {\nreturn new Operation(this.op, [a, b], this.isSpaced);\n  };\n}\n\nOperation.prototype.genCSS = function(context,\noutput) {\n  this.operands[0].genCSS(context, output);\n  if (this.isSpaced) {\n    output.add(' ');\n  }\n  output.add(this.op);\n  if (this.isSpaced) {\n    output.add(' ');\n  }\n  this.operands[1].genCSS(context,\noutput);\n};\n\nOperation.prototype.type = 'Operation';\nexport default Operation;\n", "import Node from\n'./node';\nimport Paren from './paren';\nimport Comment from './comment';\nimport Dimension from\n'./dimension';\nimport * as Constants from './constants';\nconst MATH = Constants.Math;\n\nconst Expression =\nfunction(value, noSpacing) {\n  this.value = value;\n  this.noSpacing = noSpacing;\n  if (!value) {\n    throw\nnew Error('Expression requires an array parameter');\n  }\n};\n\nExpression.prototype\n= new Node();\n\nExpression.prototype.accept = function(visitor) {\n  this.value =\nvisitor.visitArray(this.value);\n};\n\nExpression.prototype.eval = function(context) {\n  let returnValue;\n  const\nmathOn = context.isMathOn();\n  const inParenthesis = this.parens && \n    (context.math !==\nMATH.STRICT_LEGACY || !this.parensInOp);\n  let doubleParen = false;\n  if (inParenthesis) {\ncontext.inParenthesis();\n  }\n  if (this.value.length > 1) {\n    returnValue = new Expression(this.value.map(e\n=> {\n      if (!e.eval) {\n        return e;\n      }\n      return e.eval(context);\n    }),\nthis.noSpacing);\n  } else if (this.value.length === 1) {\n    if (this.value[0].parens && !this.value[0].parensInOp\n&& !context.inCalc) {\n      doubleParen = true;\n    }\n    returnValue = this.value[0].eval(context);\n  } else {\n    returnValue = this;\n  }\n  if (inParenthesis) {\n    context.outOfParenthesis();\n  }\n  if (this.parens && this.parensInOp && !mathOn && !doubleParen \n    && !(returnValue instanceof\nDimension))) {\n    returnValue = new Paren(returnValue);\n  }\n  return\nreturnValue;\n};\n\nExpression.prototype.genCSS = function(context, output) {\n  for (let i = 0; i <\nthis.value.length; i++) {\n    this.value[i].genCSS(context, output);\n    if (!this.noSpacing && i + 1 <\nthis.value.length) {\n      output.add(' ');\n    }\n  }\n};\n\nExpression.prototype.throwAwayComments =\nfunction() {\n  this.value = this.value.filter(v => !(v instanceof Comment));\n};\n\nExpression.prototype.type =\n'Expression';\nexport default Expression;\n", "import Expression from './tree/expression';\n\nclass functionCaller {\n  constructor(name, context, index, currentFileInfo) {\n    this.name = name.toLowerCase();\n    this.index =\nindex;\n    this.context = context;\n    this.currentFileInfo = currentFileInfo;\n\n    this.func\n= context.frames[0].functionRegistry.get(this.name);\n  }\n\n  isValid() {\n    return Boolean(this.func);\n  }\n\n  call(args) {\n    const evalArgs = this.func.evalArgs;\n    if (evalArgs !== false) {\n      args =\nargs.map(a => a.eval(this.context));\n    }\n    // This code is terrible and should be replaced as per this issue...\n    // https://github.com/less/less.js/issues/2477\n    if (Array.isArray(args)) {\n      args = args.filter(item =>\n{\n        if (item.type === 'Comment') {\n          return false;\n        }\n        return true;\n      })\n      .map(item => {\n        if (item.type === 'Expression') {\n          const subNodes =\nitem.value.filter(item => {\n            if (item.type === 'Comment') {\n              return false;\n            }\n            return true;\n          });\n          if (subNodes.length === 1) {\n            return subNodes[0];\n          }\n        } else {\n          return new Expression(subNodes);\n        }\n      });\n    }\n    return item;\n  }\n\n  if (evalArgs === false) {\n    return this.func(this.context, ...args);\n  }\n\n  return this.func(...args);\n}\n}\n\nexport default functionCaller;\n", "import Node from\n'./node';\nimport Anonymous from './anonymous';\nimport FunctionCaller from './functions/function-\ncaller';\n\n// A function call node.\nconst Call = function(name, args, index, currentFileInfo) {\n  this.name\n= name;\n  this.args = args;\n  this.calc = name === 'calc';\n  this._index = index;\n  this._fileInfo =\ncurrentFileInfo;\n};\n\nCall.prototype = new Node();\n\nCall.prototype.accept = function(visitor) {\n  if (this.args)\n{\n

```

```

    this.args = visitor.visitArray(this.args);
  }
};

// When evaluating a function call, we either find the
function in the functionRegistry, in which case we call it, passing the
evaluated arguments, if this returns null or we cannot find the function,
we simply print it out as it appeared originally [2]. The reason why we
evaluate the arguments, is in the case where we try to pass a variable to
a function, like: `saturate(@color)`. The function should receive the
value, not the variable.
Call.prototype.eval = function(context) {
  /**
   * Turn off math for calc(), and switch back on for evaluating nested
   functions
   */
  const currentMathContext = context.mathOn;
  context.mathOn = !this.calc;
  if (this.calc || context.inCalc) {
    context.enterCalc();
  }
  const exitCalc = () => {
    if (this.calc || context.inCalc) {
      context.exitCalc();
    }
  };
  context.mathOn = currentMathContext;

  let result;
  const funcCaller = new FunctionCaller(this.name, context, this.getIndex(),
this.fileInfo());
  if (funcCaller.isValid()) {
    try {
      result = funcCaller.call(this.args);
    } catch (e) {
      if (e.hasOwnProperty('line') && e.hasOwnProperty('column')) {
        throw e;
      }
      throw {
        type: e.type || 'Runtime',
        message: `error evaluating function \`${this.name}\`: ${e.message}`;
      },
      index: this.getIndex(),
      filename: this.fileInfo().filename,
      line: e.lineNumber,
      column: e.columnNumber;
    }
  }
  if (result !== null && result !== undefined) {
    // Results that are not nodes are cast as
    Anonymous nodes
    // Falsy values or booleans are returned as empty nodes
    if (!result instanceof Node) {
      if (!result || result === true) {
        result = new Anonymous(null);
      } else {
        result = new Anonymous(result.toString());
      }
    }
    result._index = this._index;
    result._fileInfo = this._fileInfo;
    return result;
  }
  const args = this.args.map(a => a.eval(context));
  exitCalc();
  return new Call(this.name, args, this.getIndex(), this.fileInfo());
};

Call.prototype.genCSS = function(context, output) {
  output.add(`${this.name}`, this.fileInfo(), this.getIndex());
  for (let i = 0; i < this.args.length; i++) {
    this.args[i].genCSS(context, output);
    if (i + 1 < this.args.length) {
      output.add(', ');
    }
  }
  output.add('');
};

Call.prototype.type = 'Call';
export default Call;

import Node from './node';
import Call from './call';

const Variable = function(name, index, currentFileInfo) {
  this.name = name;
  this._index = index;
  this._fileInfo = currentFileInfo;
};

Variable.prototype = new Node();

Variable.prototype.eval = function(context) {
  let variable;
  let name = this.name;
  if (name.indexOf('@') === 0) {
    name = `@${new Variable(name.slice(1), this.getIndex(),
this.fileInfo()).eval(context).value}`;
  }
  if (this.evaluating) {
    throw { type: 'Name', message: `Recursive variable definition for ${name}`,
      filename: this.fileInfo().filename,
      index: this.getIndex() };
  }
  this.evaluating = true;
  variable = this.find(context.frames, frame => {
    const v = frame.variable(name);
    if (v) {
      if (v.important) {
        const importantScope = context.importantScope[context.importantScope.length - 1];
        importantScope.important = v.important;
      }
      // If in calc, wrap vars in a function call to cascade evaluate args first
      if (context.inCalc) {
        return (new Call('_SELF', [v.value])).eval(context);
      } else {
        return v.value.eval(context);
      }
    }
    if (variable) {
      this.evaluating = false;
      return variable;
    } else {
      throw { type: 'Name', message: `variable ${name} is undefined`,
        filename: this.fileInfo().filename,
        index: this.getIndex() };
    }
  });
  this.evaluating = true;
  return property =
function(obj, fun) {
  for (let i = 0, r; i < obj.length; i++) {
    r = fun.call(obj, obj[i]);
    if (r) {
      return r;
    }
  }
  return null;
};

Variable.prototype.type = 'Variable';
export default Variable;

import Node from './node';
import Declaration from './declaration';

const Property = function(name, index, currentFileInfo) {
  this.name = name;
  this._index = index;
  this._fileInfo = currentFileInfo;
};

Property.prototype = new Node();

Property.prototype.eval = function(context) {
  let property;
  const name = this.name;
  // TODO: shorten this reference
  const mergeRules = context.pluginManager.less.visitors.ToCSSVisitor.prototype._mergeRules;
  if (this.evaluating) {
    throw { type: 'Name', message: `Recursive property reference for ${name}`,
      filename: this.fileInfo().filename,
      index: this.getIndex() };
  }
  this.evaluating = true;
  return property =

```

```

this.find(context.frames, frame => {\n    let v;\n    const vArr = frame.property(name);\n    if (vArr) {\n
for (let i = 0; i < vArr.length; i++) {\n        v = vArr[i];\n        vArr[i] = new Declaration(v.name,\n            v.value,\n            v.important,\n            v.merge,\n            v.index,\n            v.currentFileInfo,\n            v.inline,\n            v.variable\n        );\n    }\n    mergeRules(vArr);\n    v = vArr[vArr.length - 1];\n    if (v.important) {\n        const
importantScope = context.importantScope[context.importantScope.length - 1];\n        importantScope.important
= v.important;\n    }\n    v = v.value.eval(context);\n    return v;\n    }\n    });\n    if (property) {\n
this.evaluating = false;\n    return property;\n    } else {\n        throw { type: 'Name',\n            message: `Property
'${name}' is undefined`,\n            filename: this.currentFileInfo.filename,\n            index: this.index };
    }\n};\n\nProperty.prototype.find = function(obj, fun) {\n    for (let i = 0, r; i < obj.length; i++) {\n        r =
fun.call(obj, obj[i]);\n        if (r) { return r; }\n    }\n    return null;\n};\n\nProperty.prototype.type
= 'Property';\n\nexport default Property;\n\n","import Node from './node';\n\nconst Attribute = function(key, op, value)
{\n    this.key = key;\n    this.op = op;\n    this.value = value;\n};\n\nAttribute.prototype = new
Node();\n\nAttribute.prototype.eval = function(context) {\n    return new Attribute(this.key.eval ?
this.key.eval(context) : this.key,\n        this.op, (this.value && this.value.eval) ? this.value.eval(context) :
this.value);\n};\n\nAttribute.prototype.genCSS = function(context, output) {\n
output.add(this.toCSS(context));\n};\n\nAttribute.prototype.toCSS = function(context) {\n    let value =
this.key.toCSS ? this.key.toCSS(context) : this.key;\n\n    if (this.op) {\n        value += this.op;\n        value +=
(this.value.toCSS ? this.value.toCSS(context) : this.value);\n    }\n\n    return
`[${value}]`;\n};\n\nAttribute.prototype.type = 'Attribute';\n\nexport default Attribute;\n\n","import Node from
'./node';\nimport Variable from './variable';\nimport
Property from './property';\n\nconst Quoted = function(str, content, escaped, index, currentFileInfo) {\n
this.escaped = (escaped == null) ? true : escaped;\n    this.value = content || "";\n    this.quote = str.charAt(0);\n
this._index = index;\n    this._fileInfo = currentFileInfo;\n    this.variableRegex = /@\{\{([\w-]+\)\}\}/g;\n
this.propRegex = /\$\{\{([\w-]+\)\}\}/g;\n    this.allowRoot = escaped;\n};\n\nQuoted.prototype = new
Node();\n\nQuoted.prototype.genCSS = function(context, output) {\n    if (!this.escaped) {\n
output.add(this.quote, this.fileInfo(), this.getIndex());\n    }\n    output.add(this.value);\n    if (!this.escaped) {\n
output.add(this.quote);\n    }\n};\n\nQuoted.prototype.containsVariables = function() {\n    return
this.value.match(this.variableRegex);\n};\n\nQuoted.prototype.eval = function(context) {\n    const that = this;\n
let value = this.value;\n    const variableReplacement = (_, name) => {\n        const v = new
Variable(`@${name}`, that.getIndex(), that.fileInfo()).eval(context, true);\n        return (v instanceof Quoted) ?
v.value : v.toCSS();\n    };\n    const propertyReplacement = (_, name) => {\n        const v = new
Property(`$$${name}`, that.getIndex(), that.fileInfo()).eval(context, true);\n        return (v instanceof Quoted) ?
v.value : v.toCSS();\n    };\n    function iterativeReplace(value, regexp, replacementFunc) {\n        let evaluatedValue
= value;\n        do {\n            value = evaluatedValue.toString();\n            evaluatedValue = value.replace(regexp,
replacementFunc);\n        } while (value !== evaluatedValue);\n        return evaluatedValue;\n    }\n    value =
iterativeReplace(value, this.variableRegex, variableReplacement);\n    value = iterativeReplace(value,
this.propRegex, propertyReplacement);\n    return new Quoted(this.quote + value + this.quote, value, this.escaped,
this.getIndex(), this.fileInfo());\n};\n\nQuoted.prototype.compare = function(other) {\n
// when comparing quoted strings allow the quote to differ\n    if (other.type === 'Quoted' && !this.escaped &&
!other.escaped) {\n        return Node.numericCompare(this.value, other.value);\n    } else {\n        return other.toCSS
&& this.toCSS() === other.toCSS() ? 0 : undefined;\n    }\n};\n\nQuoted.prototype.type = 'Quoted';\n\nexport default
Quoted;\n\n","import Node from './node';\n\nconst URL = function(val, index, currentFileInfo, isEvald) {\n
this.value = val;\n    this._index = index;\n    this._fileInfo = currentFileInfo;\n    this.isEvald =
isEvald;\n};\n\nURL.prototype = new Node();\n\nURL.prototype.accept = function(visitor) {\n    this.value =
visitor.visit(this.value);\n};\n\nURL.prototype.genCSS = function(context, output) {\n    output.add('url(');\n
this.value.genCSS(context, output);\n    output.add(')');\n};\n\nURL.prototype.eval = function(context) {\n    const
val = this.value.eval(context);\n    let rootpath;\n\n    if (!this.isEvald) {\n        // Add the

```

```

rootpath if the URL requires a rewrite\n    rootpath = this.fileInfo() && this.fileInfo().rootpath;\n    if (typeof
rootpath === 'string' &&\n        typeof val.value === 'string' &&\n
context.pathRequiresRewrite(val.value)) {\n        if (!val.quote) {\n            rootpath = escapePath(rootpath);\n
        }\n        val.value = context.rewritePath(val.value, rootpath);\n    } else {\n        val.value =
context.normalizePath(val.value);\n    }\n\n    // Add url args if enabled\n    if (context.urlArgs) {\n        if
(!val.value.match(/^\s*data:/)) {\n            const delimiter = val.value.indexOf('?') === -1 ? '?' : '&';\n
const urlArgs = delimiter + context.urlArgs;\n            if (val.value.indexOf('#') !== -1) {\n                val.value =
val.value.replace('#', `${urlArgs}#`);\n            } else {\n                val.value += urlArgs;\n            }\n
        }\n    }\n\n    return new URL(val, this.getIndex(), this.fileInfo(), true);\n};\n\nURL.prototype.type =
'Url';\n\nfunction escapePath(path) {\n    return path.replace(/[\(\)\\"\\s]/g, match => `\\${match}`);\n}\n\nexport
default URL;\n\n", "import Ruleset from './ruleset';\nimport Value from './value';\nimport Selector from
 './selector';\nimport Anonymous from './anonymous';\nimport Expression from './expression';\nimport AtRule from
 './atrule';\nimport * as utils from './utils';\n\nconst Media = function(value, features, index, currentFileInfo,
visibilityInfo) {\n    this._index = index;\n    this._fileInfo = currentFileInfo;\n\n    const selectors = (new Selector([],
null, null, this._index, this._fileInfo)).createEmptySelectors();\n\n    this.features = new Value(features);\n
this.rules = [new Ruleset(selectors, value)];\n    this.rules[0].allowImports = true;\n
this.copyVisibilityInfo(visibilityInfo);\n    this.allowRoot = true;\n    this.setParent(selectors, this);\n
    this.setParent(this.features, this);\n    this.setParent(this.rules, this);\n}\n\nMedia.prototype = new
AtRule();\n\nMedia.prototype.isRulesetLike = function() {\n    return true;\n};\n\nMedia.prototype.accept =
function(visitor) {\n    if (this.features) {\n        this.features = visitor.visit(this.features);\n    }\n    if (this.rules) {\n
        this.rules = visitor.visitArray(this.rules);\n    }\n}\n\nMedia.prototype.genCSS = function(context, output) {\n
    output.add('@media ', this._fileInfo, this._index);\n    this.features.genCSS(context, output);\n
this.outputRuleset(context, output, this.rules);\n}\n\nMedia.prototype.eval = function(context) {\n    if
(!context.mediaBlocks) {\n        context.mediaBlocks = [];\n        context.mediaPath = [];\n    }\n\n    const media =
new Media(null, [], this._index, this._fileInfo, this.visibilityInfo);\n    if (this.debugInfo) {\n
this.rules[0].debugInfo = this.debugInfo;\n        media.debugInfo = this.debugInfo;\n    }\n
    \n    media.features = this.features.eval(context);\n\n    context.mediaPath.push(media);\n
context.mediaBlocks.push(media);\n\n    this.rules[0].functionRegistry =
context.frames[0].functionRegistry.inherit();\n    context.frames.unshift(this.rules[0]);\n    media.rules =
[this.rules[0].eval(context)];\n    context.frames.shift();\n\n    context.mediaPath.pop();\n\n    return
context.mediaPath.length === 0 ? media.evalTop(context) :\n
media.evalNested(context);\n};\n\nMedia.prototype.evalTop = function(context) {\n    let result = this;\n\n    //
Render all dependent Media blocks.\n    if (context.mediaBlocks.length > 1) {\n        const selectors = (new
Selector([], null, null, this.getIndex(), this.fileInfo())).createEmptySelectors();\n        result = new Ruleset(selectors,
context.mediaBlocks);\n        result.multiMedia = true;\n        result.copyVisibilityInfo(this.visibilityInfo);\n
this.setParent(result, this);\n    }\n\n    delete context.mediaBlocks;\n
    delete context.mediaPath;\n\n    return result;\n};\n\nMedia.prototype.evalNested = function(context) {\n    let i;\n
let value;\n    const path = context.mediaPath.concat([this]);\n\n    // Extract the media-query conditions separated
with `,` (OR).\n    for (i = 0; i < path.length; i++) {\n        value = path[i].features instanceof Value ?\n
path[i].features.value : path[i].features;\n        path[i] = Array.isArray(value) ? value : [value];\n    }\n\n    // Trace all
permutations to generate the resulting media-query.\n    //\n    // (a, b and c) with nested (d, e) ->\n    // a and d\n
// a and e\n    // b and c and d\n    // b and c and e\n    this.features = new Value(this.permute(path).map(path =>
{\n        path = path.map(fragment => fragment.toCSS ? fragment : new Anonymous(fragment));\n\n        for (i =
path.length - 1; i > 0; i--) {\n            path.splice(i, 0, new Anonymous('and'));\n        }\n\n        return new
Expression(path);\n    }));\n    this.setParent(this.features, this);\n\n    // Fake a tree-node that doesn't output anything.\n    return new
Ruleset([], []);\n};\n\nMedia.prototype.permute = function(arr) {\n    if (arr.length === 0) {\n        return [];\n    }

```



```
else if (arr.length === 1) {\n    return arr[0];\n  } else {\n    const result = [];\n    const rest =\n    this.permute(arr.slice(1));\n    for (let i = 0; i < rest.length; i++) {\n      for (let j = 0; j < arr[0].length; j++) {\n        result.push([arr[0][j].concat(rest[i])]);\n      }\n    }\n    return result;\n  }\n};\n\nMedia.prototype.bubbleSelectors = function(selectors) {\n  if (!selectors) {\n    return;\n  }\n  this.rules = [new Ruleset( Utils.copyArray(selectors), [this.rules[0]])];\n  this.setParent(this.rules,\n  this);\n};\n\nMedia.prototype.type = 'Media';\nexport default Media;\n\nimport Node from './node';\nimport Media\nfrom './media';\nimport URL from './url';\nimport Quoted\nfrom './quoted';\nimport Ruleset from './ruleset';\nimport Anonymous from './anonymous';\nimport * as Utils from\n './utils';\nimport LessError from './less-error';\n\n/\n\n CSS @import node\n\n The general strategy here is that\nwe don't want to wait\nfor the parsing to be completed, before we start importing\nthe file. That's because in the\ncontext of a browser,\nmost of the time will be spent waiting for the server to respond.\n\n On creation, we\npush the import path to our import queue, though\n`import, push`, we also pass it a callback, which it'll call\nonce\nthe file has been fetched, and parsed.\n\n\nconst Import = function(path, features, options, index,\ncurrentFileInfo, visibilityInfo) {\n  this.options = options;\n  this._index = index;\n  this._fileInfo =\ncurrentFileInfo;\n  this.path = path;\n  this.features = features;\n  this.allowRoot = true;\n\n  if (this.options.less\n  !== undefined || this.options.inline) {\n    this.css = !this.options.less\n    || this.options.inline;\n  } else {\n    const pathValue = this.getPath();\n    if (pathValue &&\n    /[#\.\.\&\?]?css([\?;]*)?$/ .test(pathValue)) {\n      this.css = true;\n    }\n  }\n\n  this.copyVisibilityInfo(visibilityInfo);\n  this.setParent(this.features, this);\n  this.setParent(this.path,\n  this);\n};\n\nImport.prototype = new Node();\n\nImport.prototype.accept = function(visitor) {\n  if (this.features)\n  {\n    this.features = visitor.visit(this.features);\n  }\n  this.path = visitor.visit(this.path);\n  if\n  (!this.options.isPlugin && !this.options.inline && this.root)\n  {\n    this.root = visitor.visit(this.root);\n  }\n};\n\nImport.prototype.genCSS = function(context, output) {\n  if (this.css && this.path._fileInfo.reference ===\n  undefined) {\n    output.add('@import ', this._fileInfo, this._index);\n    this.path.genCSS(context, output);\n  }\n  if (this.features) {\n    output.add('');\n    this.features.genCSS(context,\n    output);\n  }\n  output.add(';');\n};\n\nImport.prototype.getPath = function() {\n  return (this.path\n  instanceof URL) ?\n  this.path.value.value : this.path.value;\n};\n\nImport.prototype.isVariableImport =\nfunction() {\n  let path = this.path;\n  if (path instanceof URL) {\n    path = path.value;\n  }\n  if (path\n  instanceof Quoted) {\n    return path.containsVariables();\n  }\n\n  return\n  true;\n};\n\nImport.prototype.evalForImport = function(context) {\n  let path = this.path;\n  if (path instanceof\n  URL) {\n    path = path.value;\n  }\n\n  return new Import(path.eval(context), this.features, this.options,\n  this._index, this._fileInfo, this.visibilityInfo());\n};\n\nImport.prototype.evalPath = function(context) {\n  const\n  path = this.path.eval(context);\n  const fileInfo = this._fileInfo;\n\n  if (!(path instanceof URL)) {\n    // Add the\n    rootpath if the URL requires a rewrite\n    const pathValue\n    = path.value;\n    if (fileInfo &&\n    pathValue &&\n    context.pathRequiresRewrite(pathValue)) {\n      path.value = context.rewritePath(pathValue, fileInfo.rootpath);\n    } else {\n      path.value =\n      context.normalizePath(path.value);\n    }\n  }\n\n  return path;\n};\n\nImport.prototype.eval = function(context)\n{\n  const result = this.doEval(context);\n  if (this.options.reference || this.blocksVisibility()) {\n    if\n    (result.length || result.length === 0) {\n      result.forEach(node => {\n        node.addVisibilityBlock();\n      }\n     );\n    } else {\n      result.addVisibilityBlock();\n    }\n  }\n  return\n  result;\n};\n\nImport.prototype.doEval = function(context) {\n  let ruleset;\n  let registry;\n  const features =\n  this.features && this.features.eval(context);\n\n  if (this.options.isPlugin) {\n    if (this.root && this.root.eval)\n    {\n      try {\n        this.root.eval(context);\n      }\n      catch (e) {\n        e.message = 'Plugin error during\n        evaluation';\n        throw new LessError(e, this.root.imports, this.root.filename);\n      }\n    }\n  }\n\n  registry = context.frames[0] && context.frames[0].functionRegistry;\n  if (registry && this.root &&\n  this.root.functions) {\n    registry.addMultiple( this.root.functions );\n  }\n\n  return [];\n}\n\nif\n(this.skip) {\n  if (typeof this.skip === 'function') {\n    this.skip = this.skip();\n  }\n  if (this.skip) {\n
```

```

return [];\n    }\n  }\n  if (this.options.inline) {\n    const contents = new Anonymous(this.root, 0,\n  {\n    filename: this.importedFilename,\n    reference: this.path._fileInfo &&\nthis.path._fileInfo.reference\n    }, true, true);\n    return this.features ? new Media([contents],\nthis.features.value)\n  : [contents];\n  } else if (this.css) {\n    const newImport = new Import(this.evalPath(context), features,\nthis.options, this._index);\n    if (!newImport.css && this.error) {\n      throw this.error;\n    }\n    return\nnewImport;\n  } else if (this.root) {\n    ruleset = new Ruleset(null, utils.copyArray(this.root.rules);\nruleset.evalImports(context);\n\n    return this.features ? new Media(ruleset.rules, this.features.value) :\nruleset.rules;\n  } else {\n    return [];\n  }\n}\n\nImport.prototype.type = 'Import';\n\nexport default\nImport;\n\n", "import Node from './node';\n\nimport Variable from './variable';\n\nconst JsEvalNode = function()\n{\n}\n\nJsEvalNode.prototype = new Node();\n\nJsEvalNode.prototype.evaluateJavaScript = function(expression,\ncontext) {\n  let result;\n  const that = this;\n  const evalContext = {};\n\n  if (!context.javascriptEnabled) {\n    throw { message: 'Inline JavaScript is not enabled.\n\nIs it set in your options?',\n    filename: this.fileInfo().filename,\n    index: this.getIndex() }; }\n\n\nexpression = expression.replace(/@\\{([\\w-]+)\\}/g, (_, name) => that.jsify(new Variable(`@${name}`,\nthat.getIndex(), that.fileInfo()).eval(context)));\n\n  try {\n    expression = new Function(`return\n(${expression})`);\n  } catch (e) {\n    throw { message: `JavaScript evaluation error: ${e.message} from\n\\`${expression}\\``,\n    filename: this.fileInfo().filename,\n    index: this.getIndex() }; }\n\n  const\nvariables = context.frames[0].variables();\n  for (const k in variables) {\n    if (variables.hasOwnProperty(k)) {\n      /* jshint loopfunc:true */\n      evalContext[k.slice(1)] = {\n        value: variables[k].value,\n        toJS: function () {\n          return this.value.eval(context).toCSS();\n        }\n      };\n    }\n  }\n\n  try {\n    result = expression.call(evalContext);\n  } catch (e) {\n    throw { message: `JavaScript evaluation error:\n${e.name}: ${e.message.replace(/\\"/g, "\\`")}`,\n    filename: this.fileInfo().filename,\n    index:\nthis.getIndex() }; }\n\n  return result;\n};\n\nJsEvalNode.prototype.jsify = function(obj) {\n  if\n(Array.isArray(obj.value) && (obj.value.length > 1)) {\n    return `[${obj.value.map(v => v.toCSS()).join(',\n')}]`;\n  } else {\n    return obj.toCSS();\n  }\n};\n\n\nexport default JsEvalNode;\n\n", "import JsEvalNode from\n './js-eval-node';\n\nimport Dimension from './dimension';\n\nimport Quoted from './quoted';\n\nimport Anonymous from\n './anonymous';\n\nconst JavaScript = function(string, escaped, index, currentFileInfo) {\n  this.escaped = escaped;\n  this.expression = string;\n  this._index = index;\n  this._fileInfo = currentFileInfo;\n};\n\nJavaScript.prototype =\nnew JsEvalNode();\n\nJavaScript.prototype.eval = function(context)\n{\n  const result = this.evaluateJavaScript(this.expression, context);\n  const type = typeof result;\n\n  if (type\n=== 'number' && !isNaN(result)) {\n    return new Dimension(result);\n  } else if (type === 'string') {\n    return new Quoted(`"${result}"`, result, this.escaped, this._index);\n  } else if (Array.isArray(result)) {\n    return new Anonymous(result.join(', '));\n  } else {\n    return new Anonymous(result);\n  }\n};\n\nJavaScript.prototype.type = 'JavaScript';\n\nexport default JavaScript;\n\n", "import Node from\n './node';\n\nconst Assignment = function(key, val) {\n  this.key = key;\n  this.value =\nval;\n};\n\nAssignment.prototype = new Node();\n\nAssignment.prototype.accept = function(visitor) {\n  this.value\n= visitor.visit(this.value);\n};\n\nAssignment.prototype.eval = function(context) {\n  if (this.value.eval) {\n    return new Assignment(this.key, this.value.eval(context));\n  }\n  return\nthis;\n};\n\nAssignment.prototype.genCSS\n= function(context, output) {\n  output.add(`${this.key}=${`}`);\n  if (this.value.genCSS) {\n    this.value.genCSS(context, output);\n  } else {\n    output.add(this.value);\n  }\n};\n\nAssignment.prototype.type = 'Assignment';\n\nexport default Assignment;\n\n", "import Node from\n './node';\n\nconst Condition = function(op, l, r, i, negate) {\n  this.op = op.trim();\n  this.lvalue = l;\n  this.rvalue\n= r;\n  this._index = i;\n  this.negate = negate;\n};\n\nCondition.prototype = new\nNode();\n\nCondition.prototype.accept = function(visitor) {\n  this.lvalue = visitor.visit(this.lvalue);\n  this.rvalue\n= visitor.visit(this.rvalue);\n};\n\nCondition.prototype.eval = function(context) {\n  const result = ((op, a, b) => {\n
```

```

switch (op) {
  case 'and': return a && b;
  case 'or': return a || b;
  default:
switch (Node.compare(a, b)) {
  case -1:
    return op ===
'<' || op === '<=' || op === '<=';
  case 0:
    return op === '=' || op === '>=' || op === '<' ||
op === '<=';
  case 1:
    return op === '>' || op === '>=';
  default:
    return false;
}
})(this.op, this.lvalue.eval(context), this.rvalue.eval(context));
return
this.negate ? !result : result;
};
Condition.prototype.type = 'Condition';
export default Condition;
", "import
Node from './node';
const UnicodeDescriptor = function(value) {
  this.value =
value;
};
UnicodeDescriptor.prototype = new Node();
UnicodeDescriptor.prototype.type =
'UnicodeDescriptor';
export default UnicodeDescriptor;
", "import Node from './node';
import Operation from
'./operation';
import Dimension from './dimension';
const Negative = function(node) {
  this.value =
node;
};
Negative.prototype = new Node();
Negative.prototype.genCSS
= function(context, output) {
  output.add('-');
  this.value.genCSS(context,
output);
};
Negative.prototype.eval = function(context) {
  if (context.isMathOn()) {
    return (new
Operation('*', [new Dimension(-1), this.value])).eval(context);
  }
  return new
Negative(this.value.eval(context));
};
Negative.prototype.type = 'Negative';
export default
Negative;
", "import Node from './node';
import Selector from './selector';
const Extend = function(selector,
option, index, currentFileInfo, visibilityInfo) {
  this.selector = selector;
  this.option = option;
  this.object_id
= Extend.next_id++;
  this.parent_ids = [this.object_id];
  this._index = index;
  this._fileInfo =
currentFileInfo;
  this.copyVisibilityInfo(visibilityInfo);
  this.allowRoot = true;
  switch (option) {
  case 'all':
    this.allowBefore = true;
    this.allowAfter = true;
    break;
  default:
    this.allowBefore = false;
    this.allowAfter = false;
    break;
  }
  this.setParent(this.selector,
this);
};
Extend.prototype = new Node();
Extend.prototype.accept = function(visitor) {
  this.selector =
visitor.visit(this.selector);
};
Extend.prototype.eval = function(context) {
  return new
Extend(this.selector.eval(context), this.option, this.getIndex(), this.fileInfo(),
this.visibilityInfo());
};
Extend.prototype.clone = function(context) {
  return new Extend(this.selector,
this.option, this.getIndex(), this.fileInfo(), this.visibilityInfo());
};
// it concatenates (joins) all selectors in
selector array
Extend.prototype.findSelfSelectors = function(selectors) {
  let selfElements = [];
  let i;
  let
selectorElements;
  for (i = 0; i < selectors.length; i++) {
    selectorElements = selectors[i].elements;
  }
  // duplicate the logic in genCSS function inside the selector node.
  // future
  TODO - move both logics into the selector joiner visitor
  if (i > 0 && selectorElements.length &&
selectorElements[0].combinator.value === ")") {
    selectorElements[0].combinator.value = ' ';
  }
  selfElements = selfElements.concat(selectors[i].elements);
}
this.selfSelectors = [new
Selector(selfElements)];
this.selfSelectors[0].copyVisibilityInfo(this.visibilityInfo());
};
/**
 * Used with
the extend visitor
 * ^
 * Extend.next_id = 0;
 * Extend.prototype.type = 'Extend';
 * export default Extend;
", "import
Node from './node';
import Variable from './variable';
import Ruleset from './ruleset';
import DetachedRuleset
from './detached-ruleset';
import LessError from './less-error';
const VariableCall = function(variable, index,
currentFileInfo) {
  this.variable = variable;
  this._index = index;
  this._fileInfo = currentFileInfo;
  this.allowRoot = true;
};
VariableCall.prototype = new Node();
VariableCall.prototype.eval
= function(context) {
  let rules;
  let detachedRuleset = new Variable(this.variable, this.getIndex(),
this.fileInfo()).eval(context);
  const error = new LessError({message: `Could not evaluate variable call
${this.variable}`});
  if (!detachedRuleset.ruleset) {
    if (detachedRuleset.rules) {
      rules =
detachedRuleset;
    }
    else if (Array.isArray(detachedRuleset)) {
      rules = new Ruleset("",
detachedRuleset);
    }
    else if (Array.isArray(detachedRuleset.value)) {
      rules = new Ruleset("",
detachedRuleset.value);
    }
    else {
      throw error;
    }
    detachedRuleset = new
DetachedRuleset(rules);
  }
  if (detachedRuleset.ruleset) {
    return detachedRuleset.callEval(context);
  }
  throw error;
};
VariableCall.prototype.type = 'VariableCall';
export default VariableCall;
", "import
Node from './node';
import Variable from './variable';
import

```

```

Ruleset from './ruleset';\nimport Selector from './selector';\n\nconst NamespaceValue = function(ruleCall, lookups,
index, fileInfo) {\n  this.value = ruleCall;\n  this.lookups = lookups;\n  this._index = index;\n  this._fileInfo =
fileInfo;\n}\n\nNamespaceValue.prototype = new Node();\n\nNamespaceValue.prototype.eval = function(context)
{\n  let i;\n  let j;\n  let name;\n  let rules = this.value.eval(context);\n\n  for (i = 0; i < this.lookups.length; i++)
{\n    name = this.lookups[i];\n\n    /*\n     * Eval'd DRs return rulesets.\n     * Eval'd mixins return rules,
so let's make a ruleset if we need it.\n     * We need to do this because of late parsing of values\n     */\n    if
(Array.isArray(rules)) {\n      rules = new Ruleset([new Selector()], rules);\n    }\n\n    if (name === "") {\n
      rules = rules.lastDeclaration();\n    }\n\n    else if (name.charAt(0) === '@') {\n      if
(name.charAt(1) === '@') {\n        name = `@${new Variable(name.substr(1)).eval(context).value}`;\n
      }\n\n      if (rules.variables) {\n        rules = rules.variable(name);\n      }\n\n      if (!rules) {\n
        throw { type: 'Name',\n          message: `variable ${name} not found`,\n          filename:
this.fileInfo().filename,\n          index: this.getIndex() };
      }\n\n      else {\n        if
(name.substring(0, 2) === '$@') {\n          name = `${new Variable(name.substr(1)).eval(context).value}`;\n
        }\n\n        else {\n          name = name.charAt(0) === '$' ? name : `${name}`;\n          if
(rules.properties) {\n            rules = rules.property(name);\n          }\n\n          if (!rules) {\n
            throw
{ type: 'Name',\n              message: `property \"${name.substr(1)}\" not found`,\n              filename: this.fileInfo().filename,\n              index: this.getIndex() };
          }\n\n          // Properties
are an array of values, since a ruleset can have multiple props.\n          // We pick the last one (the \"cascaded\"\n
value)\n          rules = rules[rules.length - 1];\n          if (rules.value) {\n            rules =
rules.eval(context).value;\n          }\n\n          if (rules.ruleset) {\n            rules = rules.ruleset.eval(context);\n          }\n
        }\n\n        return rules;\n      }\n\n    }\n\n    NamespaceValue.prototype.type = 'NamespaceValue';\n\nexport default
NamespaceValue;\n\nimport Selector from './selector';\nimport Element from './element';\nimport Ruleset from
'./ruleset';\nimport Declaration from './declaration';\nimport DetachedRuleset from './detached-ruleset';\nimport
Expression from './expression';\nimport contexts from './contexts';\nimport * as utils from './utils';\n\nconst
Definition = function(name, params, rules, condition,
variadic, frames, visibilityInfo) {\n  this.name = name || 'anonymous mixin';\n  this.selectors = [new
Selector([new Element(null, name, false, this._index, this._fileInfo)])];\n  this.params = params;\n  this.condition
= condition;\n  this.variadic = variadic;\n  this.arity = params.length;\n  this.rules = rules;\n  this._lookups =
{};\n  const optionalParameters = [];\n  this.required = params.reduce((count, p) => {\n    if (!p.name || (p.name
&& !p.value)) {\n      return count + 1;\n    }\n    else {\n      optionalParameters.push(p.name);\n
      return count;\n    }\n  }, 0);\n  this.optionalParameters = optionalParameters;\n  this.frames = frames;\n
this.copyVisibilityInfo(visibilityInfo);\n  this.allowRoot = true;\n}\n\nDefinition.prototype = new
Ruleset();\n\nDefinition.prototype.accept = function(visitor) {\n  if (this.params && this.params.length) {\n
this.params = visitor.visitArray(this.params);\n
  }\n\n  this.rules = visitor.visitArray(this.rules);\n  if (this.condition) {\n    this.condition =
visitor.visit(this.condition);\n  }\n}\n\nDefinition.prototype.evalParams = function(context, mixinEnv, args,
evaldArguments) {\n  /* jshint boss:true */\n  const frame = new Ruleset(null, null);\n\n  let varargs;\n  let
arg;\n  const params = utils.copyArray(this.params);\n  let i;\n  let j;\n  let val;\n  let name;\n  let
isNamedFound;\n  let argIndex;\n  let argsLength = 0;\n\n  if (mixinEnv.frames && mixinEnv.frames[0] &&
mixinEnv.frames[0].functionRegistry) {\n    frame.functionRegistry =
mixinEnv.frames[0].functionRegistry.inherit();\n  }\n\n  mixinEnv = new contexts.Eval(mixinEnv,
[frame].concat(mixinEnv.frames));\n\n  if (args) {\n    args = utils.copyArray(args);\n    argsLength =
args.length;\n\n    for (i = 0; i < argsLength; i++) {\n      arg = args[i];\n      if (name = (arg && arg.name))
{\n
        isNamedFound = false;\n        for (j = 0; j < params.length; j++) {\n          if (!evaldArguments[j] &&
name === params[j].name) {\n            evaldArguments[j] = arg.value.eval(context);\n
            frame.prependRule(new Declaration(name, arg.value.eval(context));\n            isNamedFound = true;\n
            break;\n          }\n        }\n\n        if (isNamedFound) {\n          args.splice(i, 1);\n
        }\n      }\n    }\n  }\n}

```

```

    i--;\n        continue;\n        } else {\n            throw { type: 'Runtime', message: `Named argument
for ${this.name} ${args[i].name} not found` }; \n        } \n    } \n    } \n    argIndex = 0; \n    for (i = 0;
i < params.length; i++) {\n        if (evaldArguments[i]) { continue; } \n        arg = args && args[argIndex]; \n
if (name = params[i].name) {\n            if (params[i].variadic) {\n                varargs = [];\n                for (j = argIndex; j < argsLength; j++) {\n
varargs.push(args[j].value.eval(context)); \n                } \n                frame.prependRule(new Declaration(name, new
Expression(varargs).eval(context)); \n            } else {\n                val = arg && arg.value; \n                if (val) {\n
// This was a mixin call, pass in a detached ruleset of it's eval'd rules \n                if (Array.isArray(val)) {\n
                    val = new DetachedRuleset(new Ruleset("", val)); \n                } \n                else {\n
val = val.eval(context); \n                } \n            } else if (params[i].value) {\n                val =
params[i].value.eval(mixinEnv); \n                frame.resetCache(); \n            } else {\n                throw { type:
'Runtime', message: `wrong number of arguments for ${this.name} (${argsLength} for ${this.arity})`
}; \n            } \n            frame.prependRule(new Declaration(name, val)); \n            evaldArguments[i] =
val; \n        } \n    } \n    if (params[i].variadic && args) {\n        for (j = argIndex; j < argsLength; j++) {\n
            evaldArguments[j] = args[j].value.eval(context); \n        } \n        argIndex++; \n    } \n    return
frame; \n}; \n\nDefinition.prototype.makeImportant = function() {\n    const rules = !this.rules ? this.rules :
this.rules.map(r => {\n        if (r.makeImportant) {\n            return r.makeImportant(true); \n        } else {\n
return r; \n        } \n    }); \n    const result = new Definition(this.name, this.params, rules, this.condition, this.variadic,
this.frames); \n    return result; \n}; \n\nDefinition.prototype.eval = function(context) {\n    return new
Definition(this.name, this.params, this.rules, this.condition, this.variadic, this.frames ||
utils.copyArray(context.frames)); \n}; \n\nDefinition.prototype.evalCall
= function(context, args, important) {\n    const _arguments = [];\n    const mixinFrames = this.frames ?
this.frames.concat(context.frames) : context.frames; \n    const frame = this.evalParams(context, new
contexts.Eval(context, mixinFrames), args, _arguments); \n    let rules; \n    let ruleset; \n    frame.prependRule(new
Declaration('@arguments', new Expression(_arguments).eval(context)); \n    rules =
utils.copyArray(this.rules); \n    ruleset = new Ruleset(null, rules); \n    ruleset.originalRuleset = this; \n    ruleset =
ruleset.eval(new contexts.Eval(context, [this, frame].concat(mixinFrames))); \n    if (important) {\n        ruleset =
ruleset.makeImportant(); \n    } \n    return ruleset; \n}; \n\nDefinition.prototype.matchCondition = function(args,
context) {\n    if (this.condition && !this.condition.eval(\n        new contexts.Eval(context, \n
[this.evalParams(context, /* the parameter variables */ \n        new contexts.Eval(context,
this.frames ? this.frames.concat(context.frames) : context.frames), args, []) \n        .concat(this.frames || []) //
the parent namespace/mixin frames \n        .concat(context.frames))) { // the current environment frames \n
return false; \n    } \n    return true; \n}; \n\nDefinition.prototype.matchArgs = function(args, context) {\n    const
allArgsCnt = (args && args.length) || 0; \n    let len; \n    const optionalParameters = this.optionalParameters; \n
const requiredArgsCnt = !args ? 0 : args.reduce((count, p) => {\n        if (optionalParameters.indexOf(p.name) < 0)
{\n            return count + 1; \n        } else {\n            return count; \n        } \n    }, 0); \n    if (!this.variadic) {\n        if
(requiredArgsCnt < this.required) {\n            return false; \n        } \n        if (allArgsCnt > this.params.length) {\n
return false; \n        } \n    } else {\n        if (requiredArgsCnt < (this.required - 1)) {\n            return false; \n
        } \n    } \n    // check patterns \n    len = Math.min(requiredArgsCnt, this.arity); \n    for (let i = 0; i < len; i++)
{\n        if (!this.params[i].name && !this.params[i].variadic) {\n            if (args[i].value.eval(context).toCSS() !=
this.params[i].value.eval(context).toCSS()) {\n                return false; \n            } \n        } \n    } \n    return
true; \n}; \n\nDefinition.prototype.type = 'MixinDefinition'; \n\nDefinition.prototype.evalFirst = true; \n\nexport default
Definition; \n", "import Node from './node'; \nimport Selector from './selector'; \nimport MixinDefinition from './mixin-
definition'; \nimport defaultFunc from './functions/default'; \n\nconst MixinCall = function(elements, args, index,
currentFileInfo, important) {\n    this.selector = new Selector(elements); \n    this.arguments = args || []; \n
this._index = index; \n    this._fileInfo = currentFileInfo; \n    this.important = important; \n    this.allowRoot = true; \n
this.setParent(this.selector, this); \n}; \n\nMixinCall.prototype

```

```

= new Node();\n\nMixinCall.prototype.accept = function(visitor) {\n  if (this.selector) {\n    this.selector =\n    visitor.visit(this.selector);\n  }\n  if (this.arguments.length) {\n    this.arguments =\n    visitor.visitArray(this.arguments);\n  }\n}\n\nMixinCall.prototype.eval = function(context) {\n  let mixins;\n  let mixin;\n  let mixinPath;\n  const args = [];\n  let arg;\n  let argValue;\n  const rules = [];\n  let match =\n  false;\n  let i;\n  let m;\n  let f;\n  let isRecursive;\n  let isOneFound;\n  const candidates = [];\n  let\n  candidate;\n  const conditionResult = [];\n  let defaultResult;\n  const defFalseEitherCase = -1;\n  const\n  defNone = 0;\n  const defTrue = 1;\n  const defFalse = 2;\n  let count;\n  let originalRuleset;\n  let\n  noArgumentsFilter;\n\n  this.selector = this.selector.eval(context);\n\n  function calcDefGroup(mixin, mixinPath)\n  {\n    let f;\n    let p;\n    let\n    namespace;\n\n    for (f = 0; f < 2; f++) {\n      conditionResult[f] = true;\n      defaultFunc.value(f);\n      for (p = 0; p < mixinPath.length && conditionResult[f]; p++) {\n        namespace = mixinPath[p];\n        if (namespace.matchCondition) {\n          conditionResult[f] = conditionResult[f] &&\n          namespace.matchCondition(null, context);\n        }\n        if (mixin.matchCondition) {\n          conditionResult[f] = conditionResult[f] && mixin.matchCondition(args, context);\n        }\n      }\n      if\n      (conditionResult[0] || conditionResult[1]) {\n        if (conditionResult[0] != conditionResult[1]) {\n          return conditionResult[1] ?\n          defTrue : defFalse;\n        }\n        return defNone;\n      }\n      return defFalseEitherCase;\n    }\n\n    for (i = 0; i < this.arguments.length; i++) {\n      arg = this.arguments[i];\n      argValue\n      = arg.value.eval(context);\n      if (arg.expand && Array.isArray(argValue.value)) {\n        argValue =\n        argValue.value;\n        for (m = 0; m < argValue.length; m++) {\n          args.push({ value: argValue[m]});\n        }\n      } else {\n        args.push({ name: arg.name, value: argValue });\n      }\n    }\n\n    noArgumentsFilter\n    = rule => rule.matchArgs(null, context);\n\n    for (i = 0; i < context.frames.length; i++) {\n      if ((mixins =\n      context.frames[i].find(this.selector, null, noArgumentsFilter)).length > 0) {\n        isOneFound = true;\n\n        //\n        To make `default()` function independent of definition order we have two \"subpasses\" here.\n        // At first we\n        evaluate each guard *twice* (with `default() == true` and `default() == false`),\n        // and build candidate list\n        with corresponding flags. Then, when we know all possible matches,\n        // we make a final decision.\n\n        for (m = 0; m < mixins.length;\n        m++) {\n          mixin = mixins[m].rule;\n          mixinPath = mixins[m].path;\n          isRecursive =\n          false;\n          for (f = 0; f < context.frames.length; f++) {\n            if (!(mixin instanceof MixinDefinition)\n            && mixin === (context.frames[f].originalRuleset || context.frames[f])) {\n              isRecursive = true;\n              break;\n            }\n          }\n          if (isRecursive) {\n            continue;\n          }\n          if (mixin.matchArgs(args, context)) {\n            candidate = { mixin, group: calcDefGroup(mixin,\n            mixinPath)};\n            if (candidate.group !== defFalseEitherCase) {\n              candidates.push(candidate);\n            }\n            match = true;\n          }\n        }\n        defaultFunc.reset();\n        count = [0, 0, 0];\n        for (m = 0; m < candidates.length;\n        m++) {\n          count[candidates[m].group]++;\n        }\n        if (count[defNone] > 0) {\n          defaultResult = defFalse;\n        } else {\n          defaultResult = defTrue;\n          if ((count[defTrue] +\n          count[defFalse]) > 1) {\n            throw { type: 'Runtime',\n            message: `Ambiguous use of\n            \\`default()\\` found when matching for \\`${this.format(args)}\\``,\n            index: this.getIndex(), filename:\n            this.fileInfo().filename };\n          }\n        }\n        for (m = 0; m < candidates.length; m++) {\n          candidate = candidates[m].group;\n          if ((candidate === defNone) || (candidate === defaultResult)) {\n            try {\n              mixin = candidates[m].mixin;\n              if (!(mixin instanceof MixinDefinition)\n              {\n                originalRuleset = mixin.originalRuleset || mixin;\n                mixin = new MixinDefinition(\"\", [], mixin.rules, null, false, null, originalRuleset.visibilityInfo());\n                mixin.originalRuleset = originalRuleset;\n              }\n              const newRules =\n              mixin.evalCall(context, args, this.important).rules;\n              this._setVisibilityToReplacement(newRules);\n              Array.prototype.push.apply(rules, newRules);\n            } catch (e) {\n              throw {\n              message: e.message, index: this.getIndex(), filename: this.fileInfo().filename, stack: e.stack };\n            }\n          }\n        }\n      }\n    }\n  }\n}

```



```

loader;\n    let registry;\n    let pluginObj;\n    let localModule;\n    let pluginManager;\n    let
filename;\n    let result;\n\n    pluginManager = context.pluginManager;\n\n    if (fileInfo) {\n        if
(typeof fileInfo === 'string') {\n            filename = fileInfo;\n        }\n        else {\n            filename =
fileInfo.filename;\n        }\n    }\n\n    const shortname = (new
this.less.FileManager()).extractUrlParts(filename).filename;\n\n    if (filename) {\n        pluginObj = pluginManager.get(filename);\n\n        if (pluginObj) {\n            result
= this.trySetOptions(pluginObj, filename, shortname, pluginOptions);\n\n            if (result) {\n                return
result;\n            }\n\n            try {\n                if (pluginObj.use) {\n                    pluginObj.use.call(this.context, pluginObj);\n                }\n            }\n\n            catch (e) {\n                e.message = e.message || 'Error during @plugin call';\n                return new LessError(e, imports, filename);\n            }\n\n            return pluginObj;\n        }\n    }\n\n    localModule = {\n        exports: {},\n        pluginManager,\n        fileInfo\n    };\n\n    registry = functionRegistry.create();\n\n    const registerPlugin =
obj => {\n        pluginObj = obj;\n    };\n\n    try {\n        loader =
new Function('module', 'require', 'registerPlugin', 'functions', 'tree', 'less', 'fileInfo', contents);\n        loader(localModule, this.require(filename), registerPlugin, registry, this.less.tree, this.less, fileInfo);\n    }\n\n    catch (e) {\n        return new LessError(e, imports, filename);\n    }\n\n    if (!pluginObj) {\n        pluginObj
= localModule.exports;\n    }\n\n    pluginObj = this.validatePlugin(pluginObj, filename, shortname);\n\n    if
(pluginObj instanceof LessError) {\n        return pluginObj;\n    }\n\n    if (pluginObj) {\n        pluginObj.imports = imports;\n        pluginObj.filename = filename;\n\n        // For < 3.x (or unspecified
minVersion) - setOptions() before install()\n        if (!pluginObj.minVersion || this.compareVersion('3.0.0',
pluginObj.minVersion) < 0) {\n            result = this.trySetOptions(pluginObj, filename, shortname,
pluginOptions);\n\n            if (result)
{\n                return result;\n            }\n        }\n\n        // Run on first load\n        pluginManager.addPlugin(pluginObj, fileInfo.filename, registry);\n\n        pluginObj.functions =
registry.getLocalFunctions();\n\n        // Need to call setOptions again because the pluginObj might have
functions\n        result = this.trySetOptions(pluginObj, filename, shortname, pluginOptions);\n\n        if (result)
{\n            return result;\n        }\n\n        // Run every @plugin call\n        try {\n            if
(pluginObj.use) {\n                pluginObj.use.call(this.context, pluginObj);\n            }\n        }\n\n        catch
(e) {\n            e.message = e.message || 'Error during @plugin call';\n            return new LessError(e, imports,
filename);\n        }\n    }\n\n    else {\n        return new LessError({ message: 'Not a valid plugin' },
imports, filename);\n    }\n\n    return pluginObj;\n}\n\ntrySetOptions(plugin, filename, name, options) {\n    if (options &&
!plugin.setOptions) {\n        return new LessError({\n            message: `Options have been provided but the
plugin ${name} does not support any options.`\n        });\n    }\n\n    try {\n        plugin.setOptions &&
plugin.setOptions(options);\n    }\n\n    catch (e) {\n        return new LessError(e);\n    }\n}\n\nvalidatePlugin(plugin, filename, name) {\n    if (plugin) {\n        // support plugins being a function\n        //
so that the plugin can be more usable programmatically\n        if (typeof plugin === 'function') {\n            plugin = new plugin();\n        }\n\n        if (plugin.minVersion) {\n            if
(this.compareVersion(plugin.minVersion, this.less.version) < 0) {\n                return new LessError({\n                    message: `Plugin ${name} requires
version ${this.versionToString(plugin.minVersion)}`\n                });\n            }\n        }\n\n        return
plugin;\n    }\n\n    return null;\n}\n\ncompareVersion(aVersion, bVersion) {\n    if (typeof aVersion ===
'string') {\n        aVersion = aVersion.match(/^(\\d+\\.?)?(\\d+)?\\.?(\\d+)?$/);\n        aVersion.shift();\n    }\n\n    for (let i = 0; i < aVersion.length; i++) {\n        if (aVersion[i] !== bVersion[i]) {\n            return
parseInt(aVersion[i]) > parseInt(bVersion[i]) ? -1 : 1;\n        }\n    }\n\n    return 0;\n}\n\nversionToString(version) {\n    let versionString = '';\n\n    for (let i = 0; i < version.length; i++) {\n        versionString += (versionString ? '.' : '') + version[i];\n    }\n\n    return versionString;\n}\n\nprintUsage(plugings) {\n    for (let i = 0; i < plugings.length; i++) {\n        const plugin = plugings[i];\n        if

```



```

= fullPath;\n\n      if (!inlineCSS && !isPlugin && (context.importMultiple || !duplicateImport)) {\n
importVisitor.recursionDetector[fullPath] = true;\n\n      const oldContext = this.context;\n
this.context = context;\n      try {\n          this._visitor.visit(root);\n      } catch (e) {\n
this.error = e;\n      }\n      this.context = oldContext;\n      }\n      }\n\nimportVisitor.importCount--;\n\n      if (importVisitor.isFinished) {\n          importVisitor._sequencer.tryRun();\n
      }\n      },\n      visitDeclaration: function (declNode, visitArgs) {\n          if (declNode.value.type ===
'DetachedRuleset') {\n              this.context.frames.unshift(declNode);\n          } else {\n              visitArgs.visitDeeper =
false;\n          }\n      },\n      visitDeclarationOut: function(declNode) {\n          if (declNode.value.type ===
'DetachedRuleset') {\n              this.context.frames.shift();\n          }\n      },\n      visitAtRule: function (atRuleNode,
visitArgs) {\n          this.context.frames.unshift(atRuleNode);\n      },\n      visitAtRuleOut: function (atRuleNode) {\n
this.context.frames.shift();\n      },\n      visitMixinDefinition: function (mixinDefinitionNode, visitArgs) {\n
this.context.frames.unshift(mixinDefinitionNode);\n      },\n      visitMixinDefinitionOut: function
(mixinDefinitionNode) {\n          this.context.frames.shift();\n      },\n      visitRuleset: function (rulesetNode, visitArgs)
{\n          this.context.frames.unshift(rulesetNode);\n      },\n      visitRulesetOut: function (rulesetNode) {\n
this.context.frames.shift();\n      },\n      visitMedia: function (mediaNode, visitArgs) {\n
this.context.frames.unshift(mediaNode.rules[0]);\n      },\n      visitMediaOut: function (mediaNode) {\n
this.context.frames.shift();\n      }\n      };\n\nexport default ImportVisitor;\n\n", "class SetTreeVisibilityVisitor
{\n    constructor(visible) {\n        this.visible = visible;\n    }\n\n    run(root) {\n        this.visit(root);\n    }\n\n    visitArray(nodes) {\n        if (!nodes) {\n            return nodes;\n        }\n\n        const cnt = nodes.length;\n        let i;\n
        for (i = 0; i < cnt; i++) {\n            this.visit(nodes[i]);\n        }\n        return nodes;\n    }\n\n    visit(node) {\n
if (!node) {\n            return node;\n        }\n        if (node.constructor === Array) {\n            return
this.visitArray(node);\n        }\n\n        if (!node.blocksVisibility || node.blocksVisibility()) {\n            return node;\n
        }\n        if (this.visible) {\n            node.ensureVisibility();\n        } else {\n            node.ensureInvisibility();\n
        }\n\n        node.accept(this);\n        return node;\n    }\n}\n\nexport default SetTreeVisibilityVisitor;\n", "import tree
from './tree';\nimport Visitor from './visitor';\nimport logger from './logger';\nimport
* as utils from './utils';\n\n/* jshint loopfunc:true */\n\nclass ExtendFinderVisitor {\n    constructor() {\n
this._visitor = new Visitor(this);\n        this.contexts = [];\n        this.allExtendsStack = [[]];\n    }\n\n    run(root) {\n
        root = this._visitor.visit(root);\n        root.allExtends = this.allExtendsStack[0];\n        return root;\n    }\n\n    visitDeclaration(declNode, visitArgs) {\n        visitArgs.visitDeeper = false;\n    }\n\n    visitMixinDefinition(mixinDefinitionNode, visitArgs) {\n        visitArgs.visitDeeper = false;\n    }\n\n    visitRuleset(rulesetNode, visitArgs) {\n        if (rulesetNode.root) {\n            return;\n        }\n\n        let i;\n        let
j;\n        let extend;\n        const allSelectorsExtendList = [];\n        let extendList;\n\n        // get &:extend(.a); rules
which apply to all selectors in this ruleset\n        const rules = rulesetNode.rules;\n\n        const ruleCnt = rules ?
rules.length
: 0;\n        for (i = 0; i < ruleCnt; i++) {\n            if (rulesetNode.rules[i] instanceof tree.Extend) {\n
allSelectorsExtendList.push(rules[i]);\n                rulesetNode.extendOnEveryPath = true;\n            }\n        }\n\n        // now find every selector and apply the extends that apply to all extends\n        // and the ones which apply to an
individual extend\n        const paths = rulesetNode.paths;\n        for (i = 0; i < paths.length; i++) {\n            const
selectorPath = paths[i];\n            const selector = selectorPath[selectorPath.length - 1];\n            const selExtendList
= selector.extendList;\n\n            extendList = selExtendList ?
utils.copyArray(selExtendList).concat(allSelectorsExtendList)\n                : allSelectorsExtendList;\n\n            if
(extendList) {\n                extendList = extendList.map(allSelectorsExtend => allSelectorsExtend.clone());\n            }\n\n            for (j = 0; j < extendList.length; j++) {\n
                {\n                    this.foundExtends = true;\n                    extend = extendList[j];\n
                }\n                extend.findSelfSelectors(selectorPath);\n                extend.ruleset = rulesetNode;\n                if (j === 0) {\n
                    extend.firstExtendOnThisSelectorPath = true;\n                }\n                this.allExtendsStack[this.allExtendsStack.length -
1].push(extend);\n            }\n        }\n        this.contexts.push(rulesetNode.selectors);\n    }\n\n    visitRulesetOut(rulesetNode) {\n        if (!rulesetNode.root) {\n            this.contexts.length = this.contexts.length -

```

```

1;\n    }\n    }\n    visitMedia(mediaNode, visitArgs) {\n        mediaNode.allExtends = [];\n        this.allExtendsStack.push(mediaNode.allExtends);\n    }\n    visitMediaOut(mediaNode) {\n        this.allExtendsStack.length = this.allExtendsStack.length - 1;\n    }\n    visitAtRule(atRuleNode, visitArgs) {\n        atRuleNode.allExtends = [];\n        this.allExtendsStack.push(atRuleNode.allExtends);\n    }\n    visitAtRuleOut(atRuleNode) {\n        this.allExtendsStack.length = this.allExtendsStack.length - 1;\n    }\n}\n\nclass ProcessExtendsVisitor {\n    constructor() {\n        this._visitor = new Visitor(this);\n    }\n    run(root) {\n        const extendFinder = new ExtendFinderVisitor();\n        this.extendIndices = {};\n        extendFinder.run(root);\n        if (!extendFinder.foundExtends) { return root; }\n        root.allExtends =\n        root.allExtends.concat(this.doExtendChaining(root.allExtends, root.allExtends));\n        this.allExtendsStack =\n        [root.allExtends];\n        const newRoot = this._visitor.visit(root);\n        this.checkExtendsForNonMatched(root.allExtends);\n        return newRoot;\n    }\n    checkExtendsForNonMatched(extendList) {\n        const indices = this.extendIndices;\n        extendList.filter(extend\n        => !extend.hasFoundMatches && extend.parent_ids.length == 1).forEach(extend => {\n            let selector =\n            '_unknown_';\n            try {\n                selector = extend.selector.toCSS({});\n            }\n            catch (_) {\n            }\n            if (!indices[`${extend.index}\n            ${selector}`]) {\n                indices[`${extend.index}\n            ${selector}`] = true;\n                logger.warn(`extend\n            '${selector}' has no matches`);\n            }\n        });\n        doExtendChaining(extendsList, extendsListTarget,\n        iterationCount) {\n            //\n            // chaining is different from normal extension.. if we extend an extend then we are\n            not just copying, altering\n            // and pasting the selector we would do normally, but we are also adding an extend\n            with the same target selector\n            // this means this new extend can then go and alter other extends\n            //\n            //\n            // this method deals with all the chaining work - without it, extend is flat and doesn't work on other extend selectors\n            //\n            // this is also the most expensive.. and a match on one selector can cause an extension of a selector we had\n            already\n            // processed\n            if we look at each selector at a time, as is done in visitRuleset\n            let extendIndex;\n            let\n            targetExtendIndex;\n            let matches;\n            const extendsToAdd = [];\n            let newSelector;\n            const\n            extendVisitor = this;\n            let selectorPath;\n            let extend;\n            let targetExtend;\n            let newExtend;\n            iterationCount = iterationCount || 0;\n            // loop through comparing every extend with every target extend.\n            // a target extend is the one on the ruleset we are looking at copy/edit/pasting in place\n            // e.g. .a:extend(.b) {\n            and .b:extend(.c) {\n            } then the first extend extends the second one\n            // and the second is the target.\n            // the\n            separation into two lists allows us to process a subset of chains with a bigger set, as is the\n            // case when\n            processing media queries\n            for (extendIndex = 0; extendIndex < extendsList.length; extendIndex++) {\n            for (targetExtendIndex = 0;\n            targetExtendIndex < extendsListTarget.length; targetExtendIndex++) {\n                extend =\n                extendsList[extendIndex];\n                targetExtend = extendsListTarget[targetExtendIndex];\n                // look for\n                circular references\n                if (extend.parent_ids.indexOf( targetExtend.object_id ) >= 0 ) { continue; }\n                // find a match in the target extends self selector (the bit before :extend)\n                selectorPath =\n                [targetExtend.selfSelectors[0]];\n                matches = extendVisitor.findMatch(extend, selectorPath);\n                if\n                (matches.length) {\n                    extend.hasFoundMatches = true;\n                    // we found a match, so for each\n                    self selector..\n                    extend.selfSelectors.forEach(selfSelector => {\n                        const info =\n                        targetExtend.visibilityInfo();\n                        // process the extend as usual\n                        newSelector =\n                        extendVisitor.extendSelector(matches,\n                        selectorPath, selfSelector, extend.isVisible());\n                        // but now we create a new extend from it\n                        newExtend = new(tree.Extend)(targetExtend.selector, targetExtend.option, 0, targetExtend.fileInfo(), info);\n                        newExtend.selfSelectors = newSelector;\n                        // add the extend onto the list of extends for\n                        that selector\n                        newSelector[newSelector.length - 1].extendList = [newExtend];\n                        //\n                        record that we need to add it.\n                        extendsToAdd.push(newExtend);\n                        newExtend.ruleset\n                        = targetExtend.ruleset;\n                        // remember its parents for circular references\n                        newExtend.parent_ids = newExtend.parent_ids.concat(targetExtend.parent_ids, extend.parent_ids);\n                    });\n                }\n            }\n        }\n    }\n}

```

```

// only process the selector once.. if we have :extend(.a,.b) then multiple\n
// extends will look at the same selector path, so when extending\n // we know that any others
will be duplicates in terms of what is added to the css\n if
(targetExtend.firstExtendOnThisSelectorPath) {\n newExtend.firstExtendOnThisSelectorPath =
true;\n targetExtend.ruleset.paths.push(newSelector);\n }\n }\n
}\n }\n }\n\n if (extendsToAdd.length) {\n // try to detect circular references to stop a stack
overflow.\n // may no longer be needed.\n this.extendChainCount++;\n if (iterationCount > 100)
{\n let selectorOne = '{unable to calculate}';\n let selectorTwo = '{unable to calculate}';\n
try {\n selectorOne = extendsToAdd[0].selfSelectors[0].toCSS();\n selectorTwo =
extendsToAdd[0].selector.toCSS();\n
}\n catch (e) {\n throw { message: `extend circular reference detected. One of the
circular extends is currently:${selectorOne}:extend(${selectorTwo})` }; }\n\n // now process the new
extends on the existing rules so that we can handle a extending b extending c extending\n // d extending e...\n
return extendsToAdd.concat(extendVisitor.doExtendChaining(extendsToAdd, extendsListTarget,
iterationCount + 1));\n } else {\n return extendsToAdd;\n }\n }\n\n visitDeclaration(ruleNode,
visitArgs) {\n visitArgs.visitDeeper = false;\n }\n\n visitMixinDefinition(mixinDefinitionNode, visitArgs)
{\n visitArgs.visitDeeper = false;\n }\n\n visitSelector(selectorNode, visitArgs) {\n
visitArgs.visitDeeper = false;\n }\n\n visitRuleset(rulesetNode, visitArgs) {\n if (rulesetNode.root) {\n
return;\n
}\n\n let matches;\n let pathIndex;\n let extendIndex;\n const allExtends =
this.allExtendsStack[this.allExtendsStack.length - 1];\n const selectorsToAdd = [];\n const extendVisitor =
this;\n let selectorPath;\n // look at each selector path in the ruleset, find any extend matches and then
copy, find and replace\n\n for (extendIndex = 0; extendIndex < allExtends.length; extendIndex++) {\n
for (pathIndex = 0; pathIndex < rulesetNode.paths.length; pathIndex++) {\n selectorPath =
rulesetNode.paths[pathIndex];\n\n // extending extends happens initially, before the main pass\n if
(rulesetNode.extendOnEveryPath) { continue; }\n const extendList = selectorPath[selectorPath.length -
1].extendList;\n if (extendList && extendList.length) { continue; }\n\n matches =
this.findMatch(allExtends[extendIndex], selectorPath);\n\n if (matches.length) {\n allExtends[extendIndex].hasFoundMatches = true;\n\n
allExtends[extendIndex].selfSelectors.forEach(selfSelector => {\n let extendedSelectors;\n
extendedSelectors = extendVisitor.extendSelector(matches, selectorPath, selfSelector,
allExtends[extendIndex].isVisible());\n selectorsToAdd.push(extendedSelectors);\n });\n
}\n }\n }\n\n rulesetNode.paths = rulesetNode.paths.concat(selectorsToAdd);\n }\n\n
findMatch(extend, haystackSelectorPath) {\n //\n // look through the haystack selector path to try and find
the needle - extend.selector\n // returns an array of selector matches that can then be replaced\n //\n let
haystackSelectorIndex;\n let haystackSelector;\n let haystackElementIndex;\n let
haystackElement;\n let targetCombinator;\n
let i;\n const extendVisitor = this;\n const needleElements = extend.selector.elements;\n const
potentialMatches = [];\n let potentialMatch;\n const matches = [];\n\n // loop through the haystack
elements\n for (haystackSelectorIndex = 0; haystackSelectorIndex < haystackSelectorPath.length;\n
haystackSelectorIndex++) {\n haystackSelector = haystackSelectorPath[haystackSelectorIndex];\n\n
for (hackstackElementIndex = 0; hackstackElementIndex < haystackSelector.elements.length;\n
hackstackElementIndex++) {\n haystackElement =
hackstackSelector.elements[hackstackElementIndex];\n\n // if we allow elements before our match we can
add a potential match every time. otherwise only at the first element.\n if (extend.allowBefore ||
(haystackSelectorIndex === 0 && hackstackElementIndex === 0)) {\n
potentialMatches.push({pathIndex: haystackSelectorIndex,

```

```

index: haystackElementIndex, matched: 0,\n          initialCombinator: haystackElement.combinator});\n
  }\n\n    for (i = 0; i < potentialMatches.length; i++) {\n          potentialMatch =
potentialMatches[i];\n          // selectors add \" \" onto the first element. When we use & it joins the selectors
together, but if we don't\n          // then each selector in haystackSelectorPath has a space before it added in the
toCSS phase. so we need to\n          // work out what the resulting combinator will be\n
targetCombinator = haystackElement.combinator.value;\n          if (targetCombinator === \" &&
haystackElementIndex === 0) {\n          targetCombinator = ' '\n          }\n          // if we
don't match, null our match to indicate failure\n          if
(!extendVisitor.isElementValuesEqual(needleElements[potentialMatch.matched].value,
haystackElement.value) ||\n          (potentialMatch.matched > 0 &&
needleElements[potentialMatch.matched].combinator.value !== targetCombinator)) {\n
potentialMatch = null;\n          } else {\n          potentialMatch.matched++;\n          }\n\n
// if we are still valid and have finished, test whether we have elements after and whether these are allowed\n
if (potentialMatch) {\n          potentialMatch.finished = potentialMatch.matched ===
needleElements.length;\n          if (potentialMatch.finished &&\n          (!extend.allowAfter
&&\n          (haystackElementIndex + 1 < haystackSelector.elements.length || haystackSelectorIndex
+ 1 < haystackSelectorPath.length))) {\n          potentialMatch = null;\n          }\n          }\n\n
// if null we remove, if not, we are still valid, so either push as a valid match or continue\n          if
(potentialMatch) {\n          if (potentialMatch.finished) {\n          potentialMatch.length =
needleElements.length;\n          potentialMatch.endPathIndex = haystackSelectorIndex;\n
potentialMatch.endPathElementIndex = haystackElementIndex + 1; // index after end of match\n
potentialMatches.length = 0; // we don't allow matches to overlap, so start matching again\n
matches.push(potentialMatch);\n          }\n          } else {\n          potentialMatches.splice(i,
1);\n          i--;\n          }\n          }\n          }\n          return matches;\n          }\n\n
isElementValuesEqual(elementValue1, elementValue2) {\n          if (typeof elementValue1 === 'string'
|| typeof elementValue2 === 'string') {\n          return elementValue1 === elementValue2;\n          }\n          if
(elementValue1 instanceof tree.Attribute) {\n          if (elementValue1.op !== elementValue2.op ||
elementValue1.key !== elementValue2.key) {\n          return false;\n          }\n          if (!elementValue1.value ||
!elementValue2.value) {\n          if (elementValue1.value || elementValue2.value) {\n          return false;\n
          }\n          return true;\n          }\n          elementValue1 = elementValue1.value.value ||
elementValue1.value;\n          elementValue2 = elementValue2.value.value || elementValue2.value;\n          return
elementValue1 === elementValue2;\n          }\n          elementValue1 = elementValue1.value;\n          elementValue2 =
elementValue2.value;\n          if (elementValue1 instanceof tree.Selector) {\n          if (!(elementValue2 instanceof
tree.Selector) || elementValue1.elements.length
!== elementValue2.elements.length) {\n          return false;\n          }\n          for (let i = 0; i <
elementValue1.elements.length; i++) {\n          if (elementValue1.elements[i].combinator.value !==
elementValue2.elements[i].combinator.value) {\n          if (i !== 0 ||
(elementValue1.elements[i].combinator.value || ' ') !== (elementValue2.elements[i].combinator.value || ' ')) {\n
return false;\n          }\n          }\n          if
(!this.isElementValuesEqual(elementValue1.elements[i].value, elementValue2.elements[i].value)) {\n
return false;\n          }\n          }\n          return true;\n          }\n          return false;\n          }\n\n
extendSelector(matches, selectorPath, replacementSelector, isVisible) {\n          // for a set of matches, replace each
match with the replacement selector\n          let currentSelectorPathIndex = 0;\n          let
currentSelectorPathElementIndex
= 0;\n          let path = [];\n          let matchIndex;\n          let selector;\n          let firstElement;\n          let match;\n          let
newElements;\n          for (matchIndex = 0; matchIndex < matches.length; matchIndex++) {\n          match =
matches[matchIndex];\n          selector = selectorPath[match.pathIndex];\n          firstElement = new

```

```

tree.Element(\n      match.initialCombinator,\n      replacementSelector.elements[0].value,\n      replacementSelector.elements[0].isVariable,\n      replacementSelector.elements[0].getIndex(),\n      replacementSelector.elements[0].fileInfo()\n    );\n    if (match.pathIndex > currentSelectorPathIndex\n    && currentSelectorPathElementIndex > 0) {\n      path[path.length - 1].elements = path[path.length - 1]\n      .elements.concat(selectorPath[currentSelectorPathIndex].elements.slice(currentSelectorPathElementIndex));\n      currentSelectorPathElementIndex\n    = 0;\n      currentSelectorPathIndex++;\n    }\n    newElements = selector.elements\n    .slice(currentSelectorPathElementIndex, match.index)\n    .concat([firstElement])\n    .concat(replacementSelector.elements.slice(1));\n    if (currentSelectorPathIndex === match.pathIndex &&\n    matchIndex > 0) {\n      path[path.length - 1].elements =\n      path[path.length -\n    1].elements.concat(newElements);\n    } else {\n      path =\n    path.concat(selectorPath.slice(currentSelectorPathIndex, match.pathIndex));\n      path.push(new\n    tree.Selector(\n      newElements\n    ));\n      currentSelectorPathIndex =\n    match.endPathIndex;\n      currentSelectorPathElementIndex = match.endPathElementIndex;\n      if\n    (currentSelectorPathElementIndex >= selectorPath[currentSelectorPathIndex].elements.length)\n      {\n        currentSelectorPathElementIndex = 0;\n        currentSelectorPathIndex++;\n      }\n      if (currentSelectorPathIndex < selectorPath.length && currentSelectorPathElementIndex > 0) {\n        path[path.length - 1].elements = path[path.length - 1]\n        .elements.concat(selectorPath[currentSelectorPathIndex].elements.slice(currentSelectorPathElementIndex));\n        currentSelectorPathIndex++;\n      }\n      path = path.concat(selectorPath.slice(currentSelectorPathIndex,\n    selectorPath.length));\n      path = path.map(currentValue => {\n        // we can re-use elements here, because the\n        visibility property matters only for selectors\n        const derived =\n    currentValue.createDerived(currentValue.elements);\n        if (isVisible) {\n          derived.ensureVisibility();\n        }\n        else {\n          derived.ensureInvisibility();\n        }\n        return derived;\n      });\n      return path;\n    }\n    visitMedia(mediaNode, visitArgs) {\n      let newAllExtends =\n    mediaNode.allExtends.concat(this.allExtendsStack[this.allExtendsStack.length - 1]);\n      newAllExtends =\n    newAllExtends.concat(this.doExtendChaining(newAllExtends, mediaNode.allExtends));\n      this.allExtendsStack.push(newAllExtends);\n    }\n    visitMediaOut(mediaNode) {\n      const lastIndex =\n    this.allExtendsStack.length - 1;\n      this.allExtendsStack.length = lastIndex;\n    }\n    visitAtRule(atRuleNode,\n    visitArgs) {\n      let newAllExtends =\n    atRuleNode.allExtends.concat(this.allExtendsStack[this.allExtendsStack.length - 1]);\n      newAllExtends =\n    newAllExtends.concat(this.doExtendChaining(newAllExtends, atRuleNode.allExtends));\n      this.allExtendsStack.push(newAllExtends);\n    }\n    visitAtRuleOut(atRuleNode) {\n      const lastIndex =\n    this.allExtendsStack.length - 1;\n      this.allExtendsStack.length = lastIndex;\n    }\n  }\n  export default\n  ProcessExtendsVisitor;\n", "import Visitor from './visitor';\n\nclass JoinSelectorVisitor {\n  constructor() {\n    this.contexts = [[]];\n    this._visitor = new Visitor(this);\n  }\n  run(root) {\n    return\n    this._visitor.visit(root);\n  }\n  visitDeclaration(declNode, visitArgs) {\n    visitArgs.visitDeeper = false;\n  }\n  visitMixinDefinition(mixinDefinitionNode, visitArgs) {\n    visitArgs.visitDeeper = false;\n  }\n  visitRuleset(rulesetNode, visitArgs) {\n    const context = this.contexts[this.contexts.length - 1];\n    const paths\n    = [];\n    let selectors;\n    this.contexts.push(paths);\n    if (!rulesetNode.root) {\n      selectors =\n    rulesetNode.selectors;\n      if (selectors) {\n        selectors = selectors.filter(selector =>\n    selector.getIsOutput());\n        rulesetNode.selectors = selectors.length ? selectors : (selectors = null);\n      }\n      if (selectors) {\n        rulesetNode.joinSelectors(paths,\n        context, selectors);\n      }\n      if (!selectors) {\n        rulesetNode.rules = null;\n      }\n      rulesetNode.paths =\n    paths;\n    }\n    visitRulesetOut(rulesetNode) {\n      this.contexts.length = this.contexts.length - 1;\n    }\n    visitMedia(mediaNode, visitArgs) {\n      const context = this.contexts[this.contexts.length - 1];\n      mediaNode.rules[0].root = (context.length === 0 || context[0].multiMedia);\n    }\n    visitAtRule(atRuleNode,\n    visitArgs) {\n      const context = this.contexts[this.contexts.length - 1];\n      if (atRuleNode.rules &&

```



```

atRuleNode.rules.length) {\n      atRuleNode.rules[0].root = (atRuleNode.isRooted || context.length === 0 ||
null);\n    }\n  }\n}\n\nexport default JoinSelectorVisitor;\n","import tree from './tree';\nimport Visitor from
 './visitor';\n\nclass CSSVisitorUtils {\n  constructor(context) {\n    this._visitor = new Visitor(this);\n
this._context = context;\n
  }\n\n  containsSilentNonBlockedChild(bodyRules) {\n    let rule;\n    if (!bodyRules) {\n      return
false;\n    }\n    for (let r = 0; r < bodyRules.length; r++) {\n      rule = bodyRules[r];\n      if
(rule.isSilent && rule.isSilent(this._context) && !rule.blocksVisibility()) {\n        // the atrule contains
something that was referenced (likely by extend)\n        // therefore it needs to be shown in output too\n
return true;\n      }\n    }\n    return false;\n  }\n\n  keepOnlyVisibleChilds(owner) {\n    if (owner &&
owner.rules) {\n      owner.rules = owner.rules.filter(thing => thing.isVisible());\n    }\n  }\n\n
isEmpty(owner) {\n    return (owner && owner.rules) ? (owner.rules.length === 0) : true;\n  }\n\n
hasVisibleSelector(rulesetNode) {\n    return (rulesetNode && rulesetNode.paths) ?
(rulesetNode.paths.length > 0) : false;\n  }\n\n  resolveVisibility(node, originalRules) {\n    if
(!node.blocksVisibility()) {\n      if
(this.isEmpty(node) && !this.containsSilentNonBlockedChild(originalRules)) {\n        return ;\n      }\n
return node;\n    }\n    const compiledRulesBody = node.rules[0];\n
this.keepOnlyVisibleChilds(compiledRulesBody);\n    if (this.isEmpty(compiledRulesBody)) {\n      return
;\n    }\n    node.ensureVisibility();\n    node.removeVisibilityBlock();\n    return node;\n  }\n\n
isVisibleRuleset(rulesetNode) {\n    if (rulesetNode.firstRoot) {\n      return true;\n    }\n    if
(this.isEmpty(rulesetNode)) {\n      return false;\n    }\n    if (!rulesetNode.root &&
!this.hasVisibleSelector(rulesetNode)) {\n      return false;\n    }\n    return true;\n  }\n}\n\nconst
ToCSSVisitor = function(context) {\n  this._visitor = new Visitor(this);\n
this._context = context;\n  this.utils = new CSSVisitorUtils(context);\n};\n\nToCSSVisitor.prototype = {\n
isReplacing: true,\n  run: function (root) {\n    return this._visitor.visit(root);\n  },\n  visitDeclaration:
function (declNode, visitArgs) {\n    if (declNode.blocksVisibility() || declNode.variable) {\n      return;\n
}\n    return declNode;\n  },\n  visitMixinDefinition: function (mixinNode, visitArgs) {\n    // mixin
definitions do not get eval'd - this means they keep state\n    // so we have to clear that state here so it isn't used if
toCSS is called twice\n    mixinNode.frames = [];\n  },\n  visitExtend: function (extendNode, visitArgs) {\n
},\n  visitComment: function (commentNode, visitArgs) {\n    if (commentNode.blocksVisibility() ||
commentNode.isSilent(this._context)) {\n      return;\n    }\n    return commentNode;\n  },\n  visitMedia:
function(mediaNode, visitArgs)
{\n    const originalRules = mediaNode.rules[0].rules;\n    mediaNode.accept(this._visitor);\n
visitArgs.visitDeeper = false;\n    return this.utils.resolveVisibility(mediaNode, originalRules);\n  },\n  visitImport:
function (importNode, visitArgs) {\n    if (importNode.blocksVisibility()) {\n      return ;\n    }\n
return importNode;\n  },\n  visitAtRule: function(atRuleNode, visitArgs) {\n    if (atRuleNode.rules
&& atRuleNode.rules.length) {\n      return this.visitAtRuleWithBody(atRuleNode, visitArgs);\n    } else {\n
return this.visitAtRuleWithoutBody(atRuleNode, visitArgs);\n    }\n  },\n  visitAnonymous:
function(anonymousNode, visitArgs) {\n    if (!anonymousNode.blocksVisibility()) {\n      return
anonymousNode;\n    }\n    return anonymousNode;\n  },\n  visitAtRuleWithBody:
function(atRuleNode, visitArgs) {\n    // if there is only one nested
ruleset and that one has no path, then it is\n    // just fake ruleset\n    function hasFakeRuleset(atRuleNode) {\n
const bodyRules = atRuleNode.rules;\n    return bodyRules.length === 1 && (!bodyRules[0].paths ||
bodyRules[0].paths.length === 0);\n    }\n    function getBodyRules(atRuleNode) {\n      const nodeRules =
atRuleNode.rules;\n      if (hasFakeRuleset(atRuleNode)) {\n        return nodeRules[0].rules;\n      }\n
return nodeRules;\n    }\n    // it is still true that it is only one ruleset in array\n    // this is last such
moment\n    // process child's\n    const originalRules = getBodyRules(atRuleNode);\n
atRuleNode.accept(this._visitor);\n    visitArgs.visitDeeper = false;\n    if (!this.utils.isEmpty(atRuleNode))
{\n      this._mergeRules(atRuleNode.rules[0].rules);\n    }\n    return

```

```

this.utils.resolveVisibility(atRuleNode, originalRules);\n
},\n\n visitAtRuleWithoutBody: function(atRuleNode, visitArgs) {\n    if (atRuleNode.blocksVisibility()) {\n        return;\n    }\n    if (atRuleNode.name === '@charset') {\n        // Only output the debug info together\n        with subsequent @charset definitions\n        // a comment (or @media statement) before the actual @charset\n        atrule would\n        // be considered illegal css as it has to be on the first line\n        if (this.charset) {\n            if (atRuleNode.debugInfo) {\n                const comment = new tree.Comment(`/*\n${atRuleNode.toCSS(this._context).replace(\\n/g, ")} *\\n`);\n                comment.debugInfo =\n                atRuleNode.debugInfo;\n                return this._visitor.visit(comment);\n            }\n            return;\n        }\n        this.charset = true;\n    }\n    return atRuleNode;\n},\n\n checkValidNodes: function(rules,\n    isRoot) {\n    if (!rules) {\n        return;\n    }\n    for (let i = 0; i < rules.length; i++) {\n        const ruleNode = rules[i];\n        if (isRoot &&\n            ruleNode instanceof tree.Declaration && !ruleNode.variable) {\n            throw { message: 'Properties must be\n            inside selector blocks. They cannot be in the root',\n                index: ruleNode.getIndex(), filename:\n                ruleNode.fileInfo() && ruleNode.fileInfo().filename};\n        }\n        if (ruleNode instanceof tree.Call) {\n            throw { message: `Function '${ruleNode.name}' is undefined`,\n                index: ruleNode.getIndex(),\n                filename: ruleNode.fileInfo() && ruleNode.fileInfo().filename};\n        }\n        if (ruleNode.type &&\n            !ruleNode.allowRoot) {\n            throw { message: `${ruleNode.type} node returned by a function is not valid\n            here`,\n                index: ruleNode.getIndex(), filename: ruleNode.fileInfo() && ruleNode.fileInfo().filename};\n        }\n    }\n},\n\n visitRuleset:\n    function (rulesetNode, visitArgs) {\n        // at this point rulesets are nested into each other\n        let rule;\n        const rulesets = [];\n        this.checkValidNodes(rulesetNode.rules, rulesetNode.firstRoot);\n        if\n        (!rulesetNode.root) {\n            // remove invisible paths\n            this._compileRulesetPaths(rulesetNode);\n            // remove rulesets from this ruleset body and compile them separately\n            const nodeRules =\n            rulesetNode.rules;\n            let nodeRuleCnt = nodeRules ? nodeRules.length : 0;\n            for (let i = 0; i <\n            nodeRuleCnt; ) {\n                rule = nodeRules[i];\n                if (rule && rule.rules) {\n                    // visit because\n                    we are moving them out from being a child\n                    rulesets.push(this._visitor.visit(rule));\n                }\n                nodeRules.splice(i, 1);\n                nodeRuleCnt--;\n                continue;\n            }\n            i++;\n        }\n        // accept the visitor to remove rules and refactor itself\n        // then we can decide nogw whether\n        we want it or not\n        // compile body\n        if (nodeRuleCnt > 0) {\n            rulesetNode.accept(this._visitor);\n        } else {\n            rulesetNode.rules = null;\n        }\n        visitArgs.visitDeeper = false;\n        } else { // if (! rulesetNode.root) {\n            rulesetNode.accept(this._visitor);\n            visitArgs.visitDeeper = false;\n        }\n        if (rulesetNode.rules) {\n            this._mergeRules(rulesetNode.rules);\n            this._removeDuplicateRules(rulesetNode.rules);\n        }\n        //\n        now decide whether we keep the ruleset\n        if (this.utils.isVisibleRuleset(rulesetNode)) {\n            rulesetNode.ensureVisibility();\n            rulesets.splice(0, 0, rulesetNode);\n        }\n        if (rulesets.length === 1)\n        {\n            return rulesets[0];\n        }\n        return rulesets;\n    },\n\n    _compileRulesetPaths: function(rulesetNode) {\n        if (rulesetNode.paths) {\n            rulesetNode.paths = rulesetNode.paths\n                .filter(p => {\n                    let i;\n                    if\n                    (p[0].elements[0].combinator.value === ' ') {\n                        p[0].elements[0].combinator =\n                        new(tree.Combinator)("");\n                    }\n                    for (i = 0; i < p.length; i++) {\n                        if\n                        (p[i].isVisible() && p[i].getIsOutput()) {\n                            return true;\n                        }\n                    }\n                    return false;\n                });\n        }\n    },\n\n    _removeDuplicateRules: function(rules) {\n        if (!rules) {\n            return;\n        }\n        // remove duplicates\n        const ruleCache = {};\n        let ruleList;\n        let rule;\n        let i;\n        for (i = rules.length - 1; i >= 0; i--) {\n            rule = rules[i];\n            if (rule\n                instanceof tree.Declaration) {\n                if (!ruleCache[rule.name]) {\n                    ruleCache[rule.name] = rule;\n                }\n            } else {\n                ruleList = ruleCache[rule.name];\n                if (ruleList instanceof tree.Declaration)\n                {\n                    ruleList = ruleCache[rule.name] = [ruleCache[rule.name].toCSS(this._context)];\n                }\n                const ruleCSS = rule.toCSS(this._context);\n                if (ruleList.indexOf(ruleCSS) !== -1) {\n                    continue;\n                }\n                ruleList.push(ruleCSS);\n            }\n        }\n        return ruleList;\n    }\n};\n

```

```

        rules.splice(i, 1);
    } else {
        ruleList.push(ruleCSS);
    }
}
},
_mergeRules: function(rules) {
    if (!rules) {
        return;
    }
    const groups = {};
    const groupsArr = [];
    for (let i = 0; i < rules.length; i++) {
        const rule = rules[i];
        if (rule.merge) {
            const key = rule.name;
            groups[key] ? rules.splice(i--, 1) :
            groupsArr.push(groups[key] = []);
            groups[key].push(rule);
        }
        groupsArr.forEach(group => {
            if (group.length > 0) {
                const result = group[0];
                let space = [];
                const comma = [new tree.Expression(space)];
                group.forEach(rule => {
                    if ((rule.merge === '+') && (space.length > 0)) {
                        comma.push(new tree.Expression(space = []));
                    }
                    space.push(rule.value);
                    result.important = result.important || rule.important;
                });
                result.value = new tree.Value(comma);
            }
        });
    }
}
export default ToCSSVisitor;
", "import Visitor from './visitor';
import ImportVisitor from './import-visitor';
import MarkVisibleSelectorsVisitor
from './set-tree-visibility-visitor';
import ExtendVisitor from './extend-visitor';
import JoinSelectorVisitor from './join-selector-visitor';
import ToCSSVisitor from './to-css-visitor';
export default {
    Visitor,
    ImportVisitor,
    MarkVisibleSelectorsVisitor,
    ExtendVisitor,
    JoinSelectorVisitor,
    ToCSSVisitor
};
", "import chunker from './chunker';
export default () => {
    let // Less input string
input;
    let // current chunk
j;
    const // holds state for backtracking
saveStack = [];
    let //
furthest index the parser has gone to
furthest;
    let // if this is furthest we got to, this is the probably
cause
furthestPossibleErrorMessage;
    let // chunkified input
chunks;
    let // current chunk
current;
    let // index of current chunk, in `input`
currentPos;
    const parserInput = {};
    const CHARCODE_SPACE = 32;
    const CHARCODE_TAB = 9;
    const CHARCODE_LF = 10;
    const CHARCODE_CR = 13;
    const CHARCODE_PLUS = 43;
    const CHARCODE_COMMA = 44;
    const CHARCODE_FORWARD_SLASH = 47;
    const CHARCODE_9 = 57;
    function skipWhitespace(length) {
        const oldi = parserInput.i;
        const oldj = j;
        const curr = parserInput.i - currentPos;
        const endIndex = parserInput.i + current.length - curr;
        const mem = (parserInput.i += length);
        const inp = input;
        let c;
        let nextChar;
        let comment;
        for (; parserInput.i < endIndex; parserInput.i++) {
            c = inp.charCodeAtAt(parserInput.i);
            if (parserInput.autoCommentAbsorb && c === CHARCODE_FORWARD_SLASH) {
                nextChar = inp.charAt(parserInput.i + 1);
                if (nextChar === '/') {
                    comment = { index: parserInput.i, isLineComment: true };
                    let nextNewLine = inp.indexOf("\n", parserInput.i + 2);
                    if (nextNewLine < 0) {
                        nextNewLine = endIndex;
                    }
                    parserInput.i = nextNewLine;
                    comment.text = inp.substr(comment.index, parserInput.i - comment.index);
                    parserInput.commentStore.push(comment);
                    continue;
                }
                else if (nextChar === '*') {
                    const nextStarSlash = inp.indexOf('*/', parserInput.i + 2);
                    if (nextStarSlash >= 0) {
                        comment = { index: parserInput.i, text: inp.substr(parserInput.i, nextStarSlash + 2 - parserInput.i), isLineComment: false };
                        parserInput.i += comment.text.length - 1;
                        parserInput.commentStore.push(comment);
                        continue;
                    }
                }
                break;
            }
            if ((c !== CHARCODE_SPACE) && (c !== CHARCODE_LF) && (c !== CHARCODE_TAB) && (c !== CHARCODE_CR)) {
                break;
            }
            current = current.slice(length + parserInput.i - mem + curr);
            currentPos = parserInput.i;
        }
        if (!current.length) {
            if (j < chunks.length - 1) {
                current = chunks[++j];
                skipWhitespace(0); // skip space at the beginning of a chunk
                return true; // things changed
            }
            parserInput.finished = true;
            return oldi !== parserInput.i || oldj !== j;
        }
        parserInput.save = () => {
            currentPos = parserInput.i;
            saveStack.push( { current, i: parserInput.i, j });
        };
        parserInput.restore = possibleErrorMessage => {
            if (parserInput.i > furthest || (parserInput.i === furthest && possibleErrorMessage &&

```

```

!furthestPossibleErrorMessage)) {\n      furthest = parserInput.i;\n      furthestPossibleErrorMessage =
possibleErrorMessage;\n    }\n    const state = saveStack.pop();\n    current = state.current;\n    currentPos
= parserInput.i = state.i;\n    j = state.j;\n  };\n  parserInput.forget = () => {\n    saveStack.pop();\n  };\n  parserInput.isWhitespace = offset => {\n    const pos = parserInput.i + (offset || 0);\n    const code =
input.charCodeAt(pos);\n    return (code === CHARCODE_SPACE || code === CHARCODE_CR || code ===
CHARCODE_TAB || code === CHARCODE_LF);\n  };\n  // Specialization of $(tok)\n  parserInput.$re = tok
=> {\n    if (parserInput.i > currentPos) {\n      current = current.slice(parserInput.i - currentPos);\n
currentPos = parserInput.i;\n    }\n    const m = tok.exec(current);\n    if (!m) {\n      return null;\n
}\n    skipWhitespace(m[0].length);\n    if (typeof m === 'string') {\n      return m;\n    }\n    return m.length === 1 ? m[0] : m;\n  };\n  parserInput.$char = tok => {\n    if (input.charAt(parserInput.i) !== tok) {\n      return null;\n    }\n
skipWhitespace(1);\n    return tok;\n  };\n  parserInput.$str = tok => {\n    const tokLength = tok.length;\n    // https://jsperf.com/string-startswith/21\n    for (let i = 0; i < tokLength; i++) {\n      if
(input.charAt(parserInput.i + i) !== tok.charAt(i)) {\n        return null;\n      }\n    }\n    skipWhitespace(tokLength);\n    return tok;\n  };\n  parserInput.$quoted = loc => {\n    const pos = loc ||
parserInput.i;\n    const startChar = input.charAt(pos);\n    if (startChar !== '"' && startChar !== "'") {\n
return;\n    }\n    const length = input.length;\n    const currentPosition = pos;\n    for (let i = 1; i +
currentPosition < length; i++) {\n      const nextChar = input.charAt(i + currentPosition);\n      switch
(nextChar) {\n        case '\\\\':\n          i++;\n          continue;\n        case '\\r':\n          case
'\n':\n          break;\n        case startChar:\n          const str = input.substr(currentPosition, i + 1);\n
if (!loc && loc !== 0) {\n            skipWhitespace(i + 1);\n            return str\n          }\n          return [startChar, str];\n        default:\n          }\n      }\n    }\n    return null;\n  };\n  /**\n   *
Permissive parsing. Ignores everything except matching { } [ ] ( ) and quotes\n   * until matching token (outside of
blocks)\n   */\n  parserInput.$parseUntil = tok => {\n    let quote = '';\n    let returnVal = null;\n    let
inComment = false;\n    let blockDepth = 0;\n    const blockStack = [];\n    const parseGroups = [];\n    const length = input.length;\n    const startPos =
parserInput.i;\n    let lastPos = parserInput.i;\n    let i = parserInput.i;\n    let loop = true;\n    let
testChar;\n    if (typeof tok === 'string') {\n      testChar = char => char === tok\n    } else {\n
testChar = char => tok.test(char)\n    }\n    do {\n      let prevChar;\n      let nextChar =
input.charAt(i);\n      if (blockDepth === 0 && testChar(nextChar)) {\n        returnVal =
input.substr(lastPos, i - lastPos);\n        if (returnVal) {\n          parseGroups.push(returnVal);\n
}\n        else {\n          parseGroups.push('');\n        }\n        returnVal = parseGroups;\n
skipWhitespace(i - startPos);\n        loop = false\n      } else {\n        if (inComment) {\n
if (nextChar === '*' && \n          input.charAt(i + 1) === '/') {\n            i++;\n
blockDepth--;\n            inComment = false;\n          }\n          i++;\n          continue;\n
}\n        switch (nextChar) {\n          case '\\\\':\n            i++;\n            nextChar =
input.charAt(i);\n            parseGroups.push(input.substr(lastPos, i - lastPos + 1));\n            lastPos = i
+ 1;\n            break;\n          case '/':\n            if (input.charAt(i + 1) === '*') {\n
i++;\n            inComment = true;\n            blockDepth++;\n            }\n            break;\n          case '\"':\n            case "'":\n              quote = parserInput.$quoted(i);\n
if (quote) {\n                parseGroups.push(input.substr(lastPos, i - lastPos), quote);\n
i += quote[1].length - 1;\n                lastPos = i + 1;\n              }\n            else {\n
skipWhitespace(i - startPos);\n                returnVal = nextChar;\n                loop = false;\n
}\n            break;\n          case '{':\n            blockStack.push('{');\n
blockDepth++;\n            break;\n          case '(':\n            blockStack.push('(');\n
blockDepth++;\n            break;\n          case '[':\n            blockStack.push('[');\n
blockDepth++;\n            break;\n          case '}':\n            break;\n          case ')':\n            blockStack.push(')');\n
blockDepth--;\n            break;\n          case ']':\n            blockStack.push(']');\n
blockDepth--;\n            break;\n          case '}':\n            break;\n        }\n      }\n    }\n

```

```

        case ')':\n            case ']':\n                const expected = blockStack.pop();\n                if
(nextChar === expected) {\n                    blockDepth--;\n                } else {\n                    // move the
parser to the error and return expected\n                    skipWhitespace(i - startPos);\n                    returnVal
= expected;\n                    loop = false;\n                }\n                } else {\n                    i++;\n                    if (i > length)
{\n                        loop = false;\n                    }\n                }\n                prevChar = nextChar;\n            } while (loop);\n        }
return returnVal ? returnVal : null;\n    }\n    parserInput.autoCommentAbsorb = true;\n    parserInput.commentStore = [];\n    parserInput.finished = false;\n    // Same as $(), but don't change the state of
the parser,\n    // just return the match.\n    parserInput.peek
= tok => {\n        if (typeof tok === 'string') {\n            // https://jsperf.com/string-startswith/21\n            for (let i =
0; i < tok.length; i++) {\n                if (input.charAt(parserInput.i + i) !== tok.charAt(i)) {\n                    return
false;\n                }\n            }\n            return true;\n        } else {\n            return tok.test(current);\n        }\n    };\n    // Specialization of peek()\n    // TODO remove or change some currentChar calls to peekChar\n
parserInput.peekChar = tok => input.charAt(parserInput.i) === tok;\n    parserInput.currentChar = () =>
input.charAt(parserInput.i);\n    parserInput.prevChar = () => input.charAt(parserInput.i - 1);\n    parserInput.getInput = () => input;\n    parserInput.peekNotNumeric = () => {\n        const c =
input.charCodeAt(parserInput.i);\n        // Is the first char of the dimension 0-9, '.', '+' or '-'\n        return (c >
CHARCODE_9 || c < CHARCODE_PLUS) || c === CHARCODE_FORWARD_SLASH
|| c === CHARCODE_COMMA;\n    };\n    parserInput.start = (str, chunkInput, failFunction) => {\n        input =
str;\n        parserInput.i = j = currentPos = furthest = 0;\n        // chunking apparently makes things quicker (but my
tests indicate\n        // it might actually make things slower in node at least)\n        // and it is a non-perfect parse - it
can't recognise\n        // unquoted urls, meaning it can't distinguish comments\n        // meaning comments with
quotes or {}() in them get 'counted'\n        // and then lead to parse errors.\n        // In addition if the chunking chunks
in the wrong place we might\n        // not be able to parse a parser statement in one go\n        // this is officially
deprecated but can be switched on via an option\n        // in the case it causes too much performance issues.\n        if
(chunkInput) {\n            chunks = chunker(str, failFunction);\n        } else {\n            chunks = [str];\n        }\n        current = chunks[0];\n        skipWhitespace(0);\n    };\n    parserInput.end = () => {\n        let message;\n        const isFinished = parserInput.i >= input.length;\n        if (parserInput.i < furthest) {\n            message =
furthestPossibleErrorMessage;\n            parserInput.i = furthest;\n        }\n        return {\n            isFinished,\n            furthest: parserInput.i,\n            furthestPossibleErrorMessage: message,\n            furthestReachedEnd: parserInput.i
>= input.length - 1,\n            furthestChar: input[parserInput.i]\n        };\n    };\n    return parserInput;\n};\n\n//
Split the input into chunks.\nexport default (input, fail) => {\n    const len = input.length;\n    let level = 0;\n    let
parenLevel = 0;\n    let lastOpening;\n    let lastOpeningParen;\n    let lastMultiComment;\n    let
lastMultiCommentEndBrace;\n    const chunks = [];\n    let emitFrom = 0;\n    let chunkerCurrentIndex;\n    let
currentChunkStartIndex;\n    let cc;\n    let cc2;\n    let matched;\n    function emitChunk(force) {\n        const len = chunkerCurrentIndex - emitFrom;\n        if (((len < 512) && !force) || !len) {\n            return;\n        }\n        chunks.push(input.slice(emitFrom,
chunkerCurrentIndex + 1));\n        emitFrom = chunkerCurrentIndex + 1;\n    }\n    for (chunkerCurrentIndex = 0;\n        chunkerCurrentIndex < len; chunkerCurrentIndex++) {\n        cc = input.charCodeAt(chunkerCurrentIndex);\n        if (((cc >= 97) && (cc <= 122)) || (cc < 34)) {\n            // a-z or whitespace\n            continue;\n        }\n        switch (cc) {\n            case 40:\n                // (\n                parenLevel++;\n                lastOpeningParen =
chunkerCurrentIndex;\n                continue;\n            case 41:\n                // )\n                if (--parenLevel < 0) {\n                    return fail('missing opening `(`', chunkerCurrentIndex);\n                }\n                continue;\n            case 59:\n                // ;\n                if (!parenLevel) {\n                    emitChunk();\n                }\n                continue;\n            case 123:\n                // {\n                level++;\n                lastOpening = chunkerCurrentIndex;\n                continue;\n            case 125:\n                // }\n                if (--level < 0) {\n                    return fail('missing opening `{`',
chunkerCurrentIndex);\n                }\n                if (!level && !parenLevel) {\n                    emitChunk();\n                }\n                continue;\n            case 92:\n                // \\n                if (chunkerCurrentIndex < len - 1) {\n                    chunkerCurrentIndex++;
                    continue;\n                }\n                return fail('unescaped `\\\\`', chunkerCurrentIndex);\n            case 34:\n            case 39:\n            case

```



```

'string'\n      ? `expected '${arg}' got '${parserInput.currentChar()}`\n      : 'unexpected token');\n  }\n\n  //
Specialization of expect()\n  function expectChar(arg, msg) {\n    if (parserInput.$char(arg)) {\n      return
arg;\n    }\n    error(msg || `expected '${arg}' got '${parserInput.currentChar()}`);\n  }\n\n  function
getDebugInfo(index) {\n    const filename = fileInfo.filename;\n\n    return {\n      lineNumber:
utils.getLocation(index, parserInput.getInput()).line + 1,\n      fileName: filename\n    };}\n\n  /**\n   * Used after initial parsing to create nodes on the fly\n   * \n   * @param {String} str - string to parse \n
   * @param {Array} parseList - array of parsers to run input through e.g. [\"value\", \"important\"]\n   * @param
{Number} currentIndex - start number to begin indexing\n   * @param {Object} fileInfo - fileInfo to attach to
created nodes\n   */\n  function parseNode(str, parseList, currentIndex, fileInfo, callback) {\n    let result;\n
const returnNodes = [];\n    const parser = parserInput;\n\n    try {\n      parser.start(str, false, function
fail(msg, index) {\n        callback({\n          message: msg,\n          index: index + currentIndex\n        });\n      });\n      for (let x = 0, p, i; (p = parseList[x]); x++) {\n        i = parser.i;\n        result
= parsers[p]();\n        if (result) {\n          try {\n            result._index = i + currentIndex;\n            result._fileInfo = fileInfo;\n          } catch (e) {} \n
returnNodes.push(result);\n        }\n        else {\n          returnNodes.push(null);\n        }\n      }\n      const endInfo = parser.end();\n      if (endInfo.isFinished) {\n        callback(null,
returnNodes);\n      }\n      else {\n        callback(true, null);\n      }\n    } catch (e) {\n      throw
new LessError({\n        index: e.index + currentIndex,\n        message: e.message\n      }, imports,
fileInfo.filename);\n    }\n  }\n\n  //\n  // The Parser\n  //\n  return {\n    parserInput,\n    imports,\n    fileInfo,\n    parseNode,\n    //\n    // Parse an input string into an abstract syntax tree,\n    // @param str A
string containing 'less' markup\n    // @param
callback call `callback` when done.\n    // @param [additionalData] An optional map which can contains vars - a
map (key, value) of variables to apply\n    //\n    parse: function (str, callback, additionalData) {\n      let
root;\n      let error = null;\n      let globalVars;\n      let modifyVars;\n      let ignored;\n      let
preText = \";\n\n      globalVars = (additionalData && additionalData.globalVars) ?
`${Parser.serializeVars(additionalData.globalVars)}\\n` : \";\n      modifyVars = (additionalData &&
additionalData.modifyVars) ? `\\n${Parser.serializeVars(additionalData.modifyVars)}` : \";\n      if
(context.pluginManager) {\n        const preProcessors = context.pluginManager.getPreProcessors();\n
for (let i = 0; i < preProcessors.length; i++) {\n          str = preProcessors[i].process(str, { context, imports,
fileInfo });\n        }\n      }\n\n      if (globalVars || (additionalData && additionalData.banner)) {\n        preText = ((additionalData &&
additionalData.banner) ? additionalData.banner : ") + globalVars;\n        ignored =
imports.contentsIgnoredChars;\n        ignored[fileInfo.filename] = ignored[fileInfo.filename] || 0;\n
ignored[fileInfo.filename] += preText.length;\n      }\n      str = str.replace(/\\r\\n?/g, '\\n');\n      //
Remove potential UTF Byte Order Mark\n      str = preText + str.replace(/^\\uFEFF/, ") + modifyVars;\n
imports.contents[fileInfo.filename] = str;\n      // Start with the primary rule.\n      // The whole syntax tree
is held under a Ruleset node,\n      // with the `root` property set to true, so no `{}` are\n      // output. The
callback is called when the input is parsed.\n      try {\n        parserInput.start(str, context.chunkInput,
function fail(msg, index) {\n          throw new LessError({\n            index,\n            type: 'Parse',\n            message:
msg,\n            filename: fileInfo.filename\n          }, imports);\n        });\n      }\n      tree.Node.prototype.parse = this;\n      root = new tree.Ruleset(null, this.parsers.primary());\n
tree.Node.prototype.rootNode = root;\n      root.root = true;\n      root.firstRoot = true;\n      root.functionRegistry = functionRegistry.inherit();\n      }\n    } catch (e) {\n      return callback(new
LessError(e, imports, fileInfo.filename));\n    }\n\n    // If `i` is smaller than the `input.length - 1`,\n
// it means the parser wasn't able to parse the whole\n    // string, so we've got a parsing error.\n    //\n
// We try to extract a \\n delimited string,\n    // showing

```

```

the line where the parse error occurred.\n          // We split it up into two parts (the part which parsed,\n          // and the part which didn't), so we can color them differently.\n          const endInfo = parserInput.end();\n          if (!endInfo.isFinished) {\n            let message = endInfo.furthestPossibleErrorMessage;\n            if (!message) {\n              message = 'Unrecognised input';\n              if (endInfo.furthestChar === ')') {\n                message += ' . Possibly missing opening \\{\\{';\n              } else if (endInfo.furthestChar === ')') {\n                message += ' . Possibly missing opening \\(\\(';\n              } else if (endInfo.furthestReachedEnd) {\n                message += ' . Possibly missing something';\n              }\n            }\n            error = new\nLessError({\n              type: 'Parse',\n              message,\n              index: endInfo.furthest,\n              filename: fileInfo.filename\n            }, imports);\n          }\n          const finish = e => {\n            e = error || e || imports.error;\n            if (e) {\n              if (!(e instanceof\nLessError)) {\n                e = new LessError(e, imports, fileInfo.filename);\n              }\n            }\n            return callback(e);\n          } else {\n            return callback(null, root);\n          }\n        };\n        if (context.processImports !== false) {\n          new visitors.ImportVisitor(imports, finish)\n            .run(root);\n        } else {\n          return finish();\n        }\n      },\n      // Here in, the parsing\n      // The basic structure of the syntax tree generated is as follows:\n      // Ruleset -> Declaration ->\n      Value -> Expression -> Entity\n      // Here's some Less code:\n      // .class {\n      //   color:\n      //     #fff;\n      //   border: 1px solid #000;\n      //   width: @w + 4px;\n      // }>.child [...]\n      // }\n      // And here's what the parse tree might look like:\n      // Ruleset (Selector '.class', [\n      // Declaration ('color', Value ([Expression [Color #fff]]))\n      // Declaration ('border', Value ([Expression\n      [Dimension 1px][Keyword \"solid\"][Color #000]]))\n      // Declaration ('width', Value ([Expression\n      [Operation \"+\" [Variable \"@w\"][Dimension 4px]]))\n      // Ruleset (Selector [Element '>', '.child'], [...])\n      // ])\n      // In general, most rules will try to parse a token with the `$(re)` function, and if the\n      // value is truly, will return a new node, of the relevant type. Sometimes,\n      // we need to check\n      // first, before parsing, that's when we use `peek()`.\n      // parsers: parsers = {\n      // The `primary` rule is the *entry* and *exit* point of the parser.\n      // The rules here can appear\n      // at any level of the parse tree.\n      // The recursive nature of the grammar is an interplay between the\n      // `block` rule, which represents `{ ... }`, the `ruleset` rule, and this `primary` rule,\n      // as represented\n      // by this simplified grammar:\n      // primary (ruleset | declaration)+\n      // ruleset\n      selector+ block\n      // block {' primary '}\n      // Only at one point is the primary rule not\n      // called from the\n      // block rule: at the root level.\n      // primary: function () {\n      const\n      mixin = this.mixin;\n      let root = [];\n      while (true) {\n        while (true) {\n          node = this.comment();\n          if (!node) { break; }\n          root.push(node);\n          // always process\n          // comments before deciding if finished\n          if (parserInput.finished) {\n            break;\n          }\n          if (parserInput.peek('}')) {\n            break;\n          }\n          node =\nthis.extendRule();\n          if (node) {\n            root = root.concat(node);\n            continue;\n          }\n          node = mixin.definition() || this.declaration() || mixin.call(false, false) ||\nthis.ruleset() || this.variableCall() || this.entities.call() || this.atrule();\n          if (node) {\n            root.push(node);\n          } else {\n            let foundSemiColon = false;\n            while (parserInput.$char(';')) {\n              foundSemiColon = true;\n            }\n            if (!foundSemiColon) {\n              break;\n            }\n          }\n          return root;\n        },\n        // comments\n        // are collected by the main parsing mechanism and then assigned to nodes\n        // where the current structure\n        // allows it\n        comment: function () {\n          if (parserInput.commentStore.length) {\n            const\n            comment = parserInput.commentStore.shift();\n            return new(tree.Comment)(comment.text,\n            comment.isLineComment, comment.index, fileInfo);\n          }\n        },\n        // Entities are\n        // tokens which can be found inside an Expression\n      }\n    }\n  }\n}

```



```

    entities: {\n
    },\n //\n // A string, which supports escaping \" and \"\n //\n // \"milky way\"\n
'he\\'s the one!\n //\n quoted: function (forceEscaped) {\n let str;\n const
index = parserInput.i;\n let isEscaped = false;\n\n parserInput.save();\n if
(parserInput.$char('~')) {\n isEscaped = true;\n } else if (forceEscaped) {\n
parserInput.restore();\n return;\n }\n\n str = parserInput.$quoted();\n
if (!str) {\n parserInput.restore();\n return;\n }\n
parserInput.forget();\n\n return new(tree.Quoted)(str.charAt(0), str.substr(1, str.length - 2), isEscaped,
index, fileInfo);\n },\n\n //\n // A catch-all word, such as:\n //\n //
black border-collapse\n //\n keyword: function () {\n const k = parserInput.$char('%')
\n\n if (k) {\n
\n\n //\n // A function call\n //\n // rgb(255, 0, 255)\n //\n // The arguments are parsed
with the `entities.arguments` parser.\n //\n call: function () {\n let name;\n
let args;\n
\n\n let func;\n const index = parserInput.i;\n\n // http://jsperf.com/case-insensitive-
regex-vs-strtolower-then-regex/18\n if (parserInput.peek(/^url\\((/i)) {\n return;\n
}\n\n parserInput.save();\n\n name = parserInput.$re(/^(\\w-|+%|progid:\\w\\.\\.+)\\((/);
\n\n if (!name) {\n parserInput.forget();\n return;\n }\n\n
name = name[1];\n func = this.customFuncCall(name);\n if (func) {\n args =
func.parse();\n if (args && func.stop) {\n parserInput.forget();\n
return args;\n }\n\n }\n\n args = this.arguments(args);\n\n if
(!parserInput.$char(''))
{\n parserInput.restore('Could not parse call arguments or missing \\('');\n return;\n
}\n\n parserInput.forget();\n\n return new(tree.Call)(name, args, index, fileInfo);\n
},\n\n \n //\n // Parsing rules for functions with non-standard args, e.g.:\n
\n\n //\n // boolean(not(2 > 1))\n //\n // This is a quick prototype, to be
modified/improved when\n // more custom-parsed funcs come (e.g. `selector(...)`)\n //\n\n
customFuncCall: function (name) {\n /* Ideally the table is to be moved out of here for faster perf.,\n
but it's quite tricky since it relies on all these `parsers`\n and `expect` available only here
*\n return
{\n alpha: f(parsers.ieAlpha, true),\n boolean: f(condition),\n 'if':
f(condition)\n }[name.toLowerCase()];\n\n function f(parse, stop) {\n return
{\n parse, // parsing function\n stop // when true - stop after parse() and return its
result, \n // otherwise continue for plain args\n };\n }\n\n
function condition() {\n return [expect(parsers.condition, 'expected condition')];\n }\n
\n\n arguments: function (prevArgs) {\n let argsComma = prevArgs || [];\n
const argsSemiColon = [];\n let isSemiColonSeparated;\n let value;\n\n
parserInput.save();\n\n while (true) {\n if (prevArgs) {\n prevArgs = false;\n }
else {\n value = parsers.detachedRuleset() || this.assignment() || parsers.expression();\n
if (!value) {\n break;\n }\n\n if (value.value &&
value.value.length == 1) {\n value = value.value[0];\n }\n\n
argsComma.push(value);\n }\n\n if (parserInput.$char(',') {\n
continue;\n }\n\n if (parserInput.$char(';') || isSemiColonSeparated) {\n
isSemiColonSeparated = true;\n value = (argsComma.length < 1) ? argsComma[0]\n
: new tree.Value(argsComma);\n argsSemiColon.push(value);\n
argsComma = [];\n }\n\n }\n\n parserInput.forget();\n return

```

```

isSemiColonSeparated ? argsSemiColon : argsComma;\n        },\n        literal: function () {\n
return this.dimension() ||\n        this.color() ||\n        this.quoted() ||\n
this.unicodeDescriptor();\n        },\n        // Assignments are argument entities for calls.\n        //
They are present in ie filter properties as shown below.\n        //\n        // filter:
progid:DXImageTransform.Microsoft.Alpha( *opacity=50* )\n        //\n        assignment: function () {\n
        let key;\n        let value;\n        parserInput.save();\n
        key = parserInput.$re(/^\w+(?=\s?)/i);\n        if (!key) {\n
parserInput.restore();\n        return;\n        }\n        if (!parserInput.$char('=')) {\n
        parserInput.restore();\n        return;\n        }\n        value = parsers.entity();\n        if
(value) {\n        parserInput.forget();\n        return new(tree.Assignment)(key, value);\n
        } else {\n        parserInput.restore();\n        }\n        },\n        //\n        // Parse url()
tokens\n        //\n        // We use a specific rule for urls, because they don't really behave like\n        //
standard function calls. The difference is that the argument doesn't have\n        // to be enclosed within a string,
so it can't be parsed as an Expression.\n        //\n        url: function () {\n        let value;\n
const index = parserInput.i;\n        parserInput.autoCommentAbsorb = false;\n        if
(!parserInput.$str('url()') {\n        parserInput.autoCommentAbsorb = true;\n        return;\n
        })\n        value = this.quoted() || this.variable() || this.property() ||\n
parserInput.$re(/^(?:\\|\\\(|\\|\\")|[\^\(\)\"])+) || ";";\n        parserInput.autoCommentAbsorb = true;\n
        expectChar(');\n        return new(tree.URL)((value.value != null ||\n        value
instanceof tree.Variable ||\n        value instanceof tree.Property) ?\n        value :\n
new(tree.Anonymous)(value, index), index, fileInfo);\n        },\n        //\n        // A Variable entity, such as `@fink`, in\n        //\n        // width: @fink + 2px\n
        //\n        // We use a different parser for variable definitions,\n        // see `parsers.variable`\n
        //\n        variable: function () {\n        let ch;\n        let name;\n        const index =
parserInput.i;\n        parserInput.save();\n        if (parserInput.currentChar() === '@' && (name =
parserInput.$re(/^@@[\\w-]+)/)) {\n        ch = parserInput.currentChar();\n        if (ch === '(' ||
ch === '[' && !parserInput.prevChar().match(/^\s/)) {\n        // this may be a VariableCall lookup\n
        const result = parsers.variableCall(name);\n        if (result) {\n
parserInput.forget();\n
        return result;\n        }\n        }\n        return new(tree.Variable)(name, index, fileInfo);\n
        },\n        // A variable entity using the protective {} e.g. @{var}\n        variableCurly: function () {\n
        let curly;\n        const index = parserInput.i;\n        if (parserInput.currentChar() === '@' &&
(curlly = parserInput.$re(/^@@[\\w-]+/))) {\n        return new(tree.Variable)('@${curly[1]}', index,
fileInfo);\n        },\n        },\n        //\n        // A Property accessor, such as `$color`, in\n
        //\n        // background-color: $color\n        //\n        property: function () {\n        let name;\n
        const index = parserInput.i;\n        if (parserInput.currentChar() === '$' && (name =
parserInput.$re(/^\$[\\w-]+)/)) {\n        return new(tree.Property)(name, index, fileInfo);\n
        },\n        },\n        // A property entity using the protective {} e.g. ${prop}\n        propertyCurly: function
() {\n        let curly;\n        const index = parserInput.i;\n        if (parserInput.currentChar()
=== '$' && (curly = parserInput.$re(/^\$[\\w-]+/))) {\n        return
new(tree.Property)('${curly[1]}', index, fileInfo);\n        },\n        },\n        //\n        // A
Hexadecimal color\n        //\n        // #4F3C2F\n        //\n        // `rgb` and `hsf` colors are
parsed through the `entities.call` parser.\n        //\n        color: function () {\n
        let rgb;\n        parserInput.save();\n        if (parserInput.currentChar() === '#' && (rgb =
parserInput.$re(/#[A-Fa-f0-9]{8}|[A-Fa-f0-9]{6}|[A-Fa-f0-9]{3,4})([\\w.#\\[\\]\/?])) {\n        if (!rgb[2])
{\n        parserInput.forget();\n        return new(tree.Color)(rgb[1], undefined, rgb[0]);\n

```



```

        extendList.push(extend);\n                } else {\n                extendList = [ extend ];\n                }\n    } while (parserInput.$char(','));\n    expect(/^\n\n    return extendList;\n    },\n    // extendRule\n    - used in a rule to extend all the parent selectors\n    //\n    extendRule: function() {\n    return\n    this.extend(true);\n    },\n    // Mixins\n    //\n    mixin: {\n    //\n    // A Mixin call, with an optional argument list\n    //\n    // #mixins > .square(#fff);\n    //\n    #mixins.square(#fff);\n    //\n    // .rounded(4px, black);\n    //\n    // .button;\n    //\n    // We\n    can lookup / return a value using the lookup syntax;\n    //\n    // color:\n    #mixin.square(#fff)[@color];\n    //\n    // The `while` loop is there because mixins can be\n    // namespaced, but we only support the child and descendant\n    // selector for now.\n    //\n    call: function (inValue, getLookup) {\n    const s = parserInput.currentChar();\n    let important = false;\n    let lookups;\n    const index = parserInput.i;\n    let elements;\n    let args;\n    let hasParens;\n    if (s !== '.' && s !== '#') { return; }\n    parserInput.save(); // stop us absorbing part of an invalid\n    selector\n    elements = this.elements();\n    if (elements) {\n    if\n    (parserInput.$char('(')) {\n    args = this.args(true).args;\n    expectChar(');\n    hasParens = true;\n    }\n    if (getLookup !== false) {\n    lookups =\n    this.ruleLookups();\n    }\n    if (getLookup === true && !lookups) {\n    parserInput.restore();\n    return;\n    }\n    if (inValue && !lookups && !hasParens) {\n    // This isn't a valid in-value mixin call\n    parserInput.restore();\n    return;\n    }\n    if (!inValue && parsers.important()) {\n    important = true;\n    }\n    if (inValue || parsers.end()) {\n    parserInput.forget();\n    }\n    const mixin = new(tree.mixin.Call)(elements, args, index, fileInfo, !lookups && important);\n    if\n    (lookups) {\n    return new tree.NamespaceValue(mixin, lookups);\n    }\n    else {\n    return mixin;\n    }\n    }\n    parserInput.restore();\n    },\n    /**\n    * Matching elements for\n    mixins\n    * (Start with . or # and can have >)\n    */\n    elements: function() {\n    let elements;\n    let e;\n    let c;\n    let elem;\n    let elemIndex;\n    const re = /^[#.]?(?:[\\w-]|\\\\\\\\(?:[A-Za-f0-9]{1,6} ?|^A-Za-f0-9))+/;\n    while (true) {\n    elemIndex = parserInput.i;\n    e = parserInput.$re(re);\n    if (!e) {\n    break;\n    }\n    elem = new(tree.Element)(c, e, false, elemIndex, fileInfo);\n    if (elements) {\n    elements.push(elem);\n    } else {\n    elements = [ elem ];\n    }\n    c = parserInput.$char('>');\n    }\n    return elements;\n    },\n    args: function (isCall) {\n    const entities =\n    parsers.entities;\n    const returner = { args:null, variadic: false }; \n    let expressions = [];\n    const argsSemiColon = [];\n    const argsComma = [];\n    let isSemiColonSeparated;\n    let expressionContainsNamed;\n    let name;\n    let nameLoop;\n    let value;\n    let arg;\n    let expand;\n    let hasSep = true;\n    parserInput.save();\n    while (true) {\n    if (isCall) {\n    arg = parsers.detachedRuleset() ||\n    parsers.expression();\n    } else {\n    parserInput.commentStore.length = 0;\n    if\n    (parserInput.$str('...')) {\n    returner.variadic = true;\n    if (parserInput.$char(',')\n    && !isSemiColonSeparated) {\n    isSemiColonSeparated = true;\n    }\n    (isSemiColonSeparated ? argsSemiColon : argsComma)\n    .push({ variadic: true\n    });\n    break;\n    }\n    arg = entities.variable() || entities.property() ||\n    entities.literal() || entities.keyword() || this.call(true);\n    if (!arg || !hasSep) {\n    break;\n    }\n    nameLoop = null;\n    if

```

```

(arg.throwAwayComments)
{\n
    arg.throwAwayComments();\n
    value = arg;\n
    let
val = null;\n
    if (isCall) {\n
        // Variable\n
        if (arg.value &&
arg.value.length == 1) {\n
            val = arg.value[0];\n
        } else {\n
            val = arg;\n
        }\n
        if (val && (val instanceof tree.Variable || val instanceof
tree.Property)) {\n
            if (parserInput.$char(':')) {\n
                if (expressions.length > 0) {\n
                    if (isSemiColonSeparated) {\n
                        error('Cannot mix ; and , as delimiter
types');\n
                    }\n
                    expressionContainsNamed = true;\n
                }\n
                value = parsers.detachedRuleset() || parsers.expression();\n
            }\n
            if (!value) {\n
                if (isCall) {\n
                    error('could not understand value
for named argument');\n
                } else {\n
                    parserInput.restore();\n
                }\n
                returner.args = [];\n
                return returner;\n
            }\n
            nameLoop = (name = val.name);\n
        } else if (parserInput.$str('...')) {\n
            if (!isCall) {\n
                returner.variadic = true;\n
            }\n
            (parserInput.$char(',') && !isSemiColonSeparated) {\n
                isSemiColonSeparated = true;\n
            }\n
            (isSemiColonSeparated ?
argsSemiColon : argsComma)\n
                .push({ name: arg.name, variadic: true });\n
            break;\n
        } else {\n
            expand = true;\n
        }\n
        } else if (!isCall) {\n
            name = nameLoop = val.name;\n
            value = null;\n
        }\n
        }\n
        }\n
        if (value) {\n
            expressions.push(value);\n
        }\n
        }\n
        argsComma.push({ name:nameLoop, value, expand });\n
        if
(parserInput.$char(',') {\n
            hasSep = true;\n
            continue;\n
        }\n
        hasSep = parserInput.$char(',') === ',';\n
        if (hasSep || isSemiColonSeparated) {\n
            error('Cannot mix ; and , as delimiter types');\n
        }\n
        }\n
        isSemiColonSeparated = true;\n
        if (expressions.length > 1) {\n
            value = new(tree.Value)(expressions);\n
        }\n
        argsSemiColon.push({ name, value, expand });\n
        name = null;\n
        expressions =
[];\n
        expressionContainsNamed = false;\n
    }\n
    }\n
    parserInput.forget();\n
    returner.args = isSemiColonSeparated ? argsSemiColon : argsComma;\n
    return returner;\n
},\n
    /\n
    // A Mixin definition, with a list of parameters\n
    /\n
    // .rounded (@radius:
2px, @color) {\n
    // ...}\n
    // }\n
    /\n
    // Until we have a finer grained state-
machine, we have to\n
    // do a look-ahead, to make sure we don't have a mixin call.\n
    // See the
`rule` function for more information.\n
    /\n
    // We start by matching `.rounded`, and then proceed
on to\n
    // the argument list, which has optional default values.\n
    // We store the parameters in
`params`, with a `value` key,\n
    // if there is a value, such as in the case of `@radius`.\n
    /\n
    // Once we've got our params list, and a closing `}`, we parse\n
    // the `{...}` block.\n
    /\n
definition: function () {\n
    let
name;\n
    let params = [];\n
    let match;\n
    let ruleset;\n
    let cond;\n
    let variadic = false;\n
    if ((parserInput.currentChar() !== '.' && parserInput.currentChar() !== '#')
\n
    parserInput.peek(/^[\{]*\}/)) {\n
        return;\n
    }\n
    parserInput.save();\n
    match = parserInput.$re(/^(#[#](?:[\w-]|\|\/|\/(?:[A-Fa-f0-9]{1,6}) ?(?:[A-Fa-f0-9]
9]))+\|s*(\/);\n
    if (match) {\n
        name = match[1];\n
        const argInfo =
this.args(false);\n
        params = argInfo.args;\n
        variadic = argInfo.variadic;\n
    }\n
    // .mixincall("@{a}");\n
    // looks a bit like a mixin definition.\n
    // also\n
    // .mixincall(@a: {rule:
set;});\n
    // so we have to be nice and restore\n
    if (!parserInput.$char('')) {\n
        parserInput.restore('Missing closing \}\n');\n
        return;\n
    }\n
}

```



```

parserInput.currentChar();\n\n        if (c === '/') {\n            parserInput.save();\n            const
slashedCombinator = parserInput.$re(/^\\\[a-z]+\\\/i);\n            if (slashedCombinator) {\n
parserInput.forget();\n            return new(tree.Combinator)(slashedCombinator);\n            }\n
parserInput.restore();\n        }\n        if (c === '>' || c === '+' ||
c === '~' || c === '|' || c === '^') {\n            parserInput.i++;\n            if (c === '^' &&
parserInput.currentChar() === '^') {\n                c = '^';\n                parserInput.i++;\n            }\n            while (parserInput.isWhitespace()) { parserInput.i++; }\n            return new(tree.Combinator)(c);\n        } else if (parserInput.isWhitespace(-1)) {\n            return new(tree.Combinator)(' ');
        } else {\n            return new(tree.Combinator)(null);\n        }\n    },\n    /\n    // A CSS Selector\n    //
with less extensions e.g. the ability to extend and guard\n    /\n    // .class > div + h1\n    // li
a:hover\n    /\n    // Selectors are made out of one or more Elements, see above.\n    /\n
selector: function (isLess) {\n        const index
= parserInput.i;\n        let elements;\n        let extendList;\n        let c;\n        let e;\n        let
allExtends;\n        let when;\n        let condition;\n        isLess = isLess !== false;\n        while
((isLess && (extendList = this.extend())) || (isLess && (when = parserInput.$str('when')) || (e = this.element()))) {\n
            if (when) {\n                condition = expect(this.conditions, 'expected condition');\n            } else
if (condition) {\n                error('CSS guard can only be used at the end of selector');\n            } else if
(extendList) {\n                if (allExtends) {\n                    allExtends = allExtends.concat(extendList);\n                }
            } else {\n                allExtends = extendList;\n            } else {\n
if (allExtends)
{ error('Extend can only be used at the end of selector'); }\n            c = parserInput.currentChar();\n            if (elements) {\n                elements.push(e);\n            } else {\n                elements = [ e
];\n            }\n            e = null;\n        }\n        if (c === '{' || c === '}' || c === ';' || c ===
',' || c === ':') {\n            break;\n        }\n        }\n        }\n        if (elements) { return
new(tree.Selector)(elements, allExtends, condition, index, fileInfo); }\n        if (allExtends) { error('Extend must
be used to extend a selector, it cannot be used on its own'); }\n        },\n        selectors: function () {\n
let s;\n        let selectors;\n        while (true) {\n            s = this.selector();\n            if (!s) {\n
break;\n            }\n            if (selectors) {\n                selectors.push(s);\n            } else {\n
selectors = [ s ];\n            }\n            parserInput.commentStore.length = 0;\n            if
(s.condition && selectors.length > 1) {\n                error("\n\nGuards are only currently allowed on a single
selector.\n\n");\n            }\n            if (!parserInput.$char(',')) { break; }\n            if (s.condition) {\n
error("\n\nGuards are only currently allowed on a single selector.\n\n");\n            }\n        }\n        parserInput.commentStore.length = 0;\n        }\n        return selectors;\n    },\n    attribute:
function () {\n        if (!parserInput.$char('=')) { return; }\n        const entities = this.entities;\n
let key;\n        let val;\n        let op;\n\n        if (!(key = entities.variableCurly())) {\n            key = expect(/^(?:[_A-Za-z0-9-
\\*]*\\)?(?:[_A-Za-z0-9-]\\\\\\\\.+)/);\n        }\n        op = parserInput.$re(/^[-*^]?=?/);\n        if (op)
{\n            val = entities.quoted() || parserInput.$re(/^([0-9]+%/)| parserInput.$re(/^\\w-+/) ||
entities.variableCurly());\n        }\n        expectChar(')');\n        return new(tree.Attribute)(key, op,
val);\n    },\n    /\n    // The `block` rule is used by `ruleset` and `mixin.definition`.\n    // It's a
wrapper around the `primary` rule, with added `{}`.\n    /\n    block: function () {\n        let content;\n
if (parserInput.$char('{') && (content = this.primary()) && parserInput.$char('}')) {\n            return
content;\n        }\n    },\n    blockRuleset: function()
{\n        let block = this.block();\n        if (block) {\n            block = new tree.Ruleset(null, block);\n        }
        return block;\n    },\n    detachedRuleset: function() {\n        let argInfo;\n
let params;\n        let variadic;\n        parserInput.save();\n        if (parserInput.$re(/^[#]\\(\\/)) {\n
/**\n        * DR args currently only implemented for each() function, and not *\n        * yet

```

```

settable as `@dr: #(@arg) {}`\n          * This should be done when DRs are merged with mixins.\n
* See: https://github.com/less/less-meta/issues/16\n          */\n          argInfo = this.mixin.args(false);\n
          params = argInfo.args;\n          variadic = argInfo.variadic;\n          if (!parserInput.$char())\n
{\n
  parserInput.restore();\n          return;\n          }\n          }\n          const blockRuleset =\n
this.blockRuleset();\n          if (blockRuleset) {\n          parserInput.forget();\n          if (params) {\n
  return new tree.mixin.Definition(null, params, blockRuleset, null, variadic);\n          }\n
return new tree.DetachedRuleset(blockRuleset);\n          }\n          parserInput.restore();\n          },\n\n
//\n          // div, .class, body > p {...}\n          //\n          ruleset: function () {\n          let selectors;\n
let rules;\n          let debugInfo;\n          parserInput.save();\n          if (context.dumpLineNumbers) {\n
  debugInfo = getDebugInfo(parserInput.i);\n          }\n          selectors = this.selectors();\n\n
  if (selectors\n
  && (rules = this.block())) {\n          parserInput.forget();\n          const ruleset =\n
new(tree.Ruleset)(selectors, rules, context.strictImports);\n          if (context.dumpLineNumbers) {\n
  ruleset.debugInfo = debugInfo;\n          }\n          return ruleset;\n          } else {\n
parserInput.restore();\n          }\n          },\n          declaration: function () {\n          let name;\n          let\n
value;\n          const index = parserInput.i;\n          let hasDR;\n          const c =\n
parserInput.currentChar();\n          let important;\n          let merge;\n          let isVariable;\n          if\n
(c === '.' || c === '#' || c === '&' || c === ':') { return; }\n          parserInput.save();\n          name =\n
this.variable() || this.ruleProperty();\n          if (name) {\n
  isVariable = typeof name === 'string';\n          if (isVariable) {\n          value =\n
this.detachedRuleset();\n          if (value) {\n          hasDR = true;\n          }\n
}\n          parserInput.commentStore.length = 0;\n          if (!value) {\n          // a name\n
returned by this.ruleProperty() is always an array of the form:\n          // [string-1, ..., string-n, "\\"] or\n
[string-1, ..., string-n, "+" ]\n          // where each item is a tree.Keyword or tree.Variable\n
merge = !isVariable && name.length > 1 && name.pop().value;\n          // Custom property values get\n
permissive parsing\n          if (name[0].value && name[0].value.slice(0, 2) === '--') {\n
value = this.permissiveValue();\n          }\n
  // Try to store values as anonymous\n          // If we need the value later we'll re-parse it in\n
ruleset.parseValue\n          else {\n          value = this.anonymousValue();\n          }\n
  if (value) {\n          parserInput.forget();\n          // anonymous values absorb the end\n
';' which is required for them to work\n          return new(tree.Declaration)(name, value, false, merge,\n
index, fileInfo);\n          }\n          if (!value) {\n          value = this.value();\n          }\n
  }\n          if (value) {\n          important = this.important();\n          } else if\n
(isVariable) {\n          // As a last resort, try permissiveValue\n          value =\n
this.permissiveValue();\n          }\n
  }\n          if (value && (this.end() || hasDR)) {\n          parserInput.forget();\n
  return new(tree.Declaration)(name, value, important, merge, index, fileInfo);\n          }\n          else\n
{\n          parserInput.restore();\n          }\n          } else {\n          parserInput.restore();\n
  }\n          },\n          anonymousValue: function () {\n          const index = parserInput.i;\n          const\n
match = parserInput.$re(/^([\^#@\\$+\\|\\\"*~(;{}-]*););\n          if (match) {\n          return\n
new(tree.Anonymous)(match[1], index);\n          }\n          },\n          /**\n          * Used for custom\n
properties, at-rules, and variables (as fallback)\n          * Parses almost anything inside of {} [] () \\\" blocks\n
* until it reaches outer-most tokens.\n          * \n
  * First, it will try to parse comments and entities to reach\n          * the end. This is mostly like the\n
Expression parser except no\n          * math is allowed.\n          */\n          permissiveValue: function\n
(untilTokens) {\n          let i;\n          let e;\n          let done;\n          let value;\n          const tok =\n
untilTokens || ';' ;\n          const index = parserInput.i;\n          const result = [];\n          function

```



```

testCurrentChar() {\n          const char = parserInput.currentChar();\n          if (typeof tok === 'string')\n          {\n          return char === tok;\n          } else {\n          return tok.test(char);\n          }\n          }\n          if (testCurrentChar()) {\n          return;\n          }\n          value = [];\n          do\n          {\n          e = this.comment();\n          if (e) {\n          value.push(e);\n          continue;\n          }\n          e =\n          this.entity();\n          if (e) {\n          value.push(e);\n          }\n          } while (e);\n          done = testCurrentChar();\n          if (value.length > 0) {\n          value = new(tree.Expression)(value);\n          if (done) {\n          return value;\n          }\n          else {\n          result.push(value);\n          }\n          // Preserve space before $parseUntil as it will not\n          if\n          (parserInput.prevChar() === ' ')\n          {\n          result.push(new tree.Anonymous(' ', index));\n          }\n          }\n          parserInput.save();\n          value = parserInput.$parseUntil(tok);\n          if (value) {\n          if (typeof value === 'string') {\n          error(`Expected '${value}', Parse`);\n          }\n          if (value.length === 1 && value[0] === ' ')\n          {\n          parserInput.forget();\n          return\n          new tree.Anonymous(' ', index);\n          }\n          let item;\n          for (i = 0; i < value.length; i++)\n          {\n          item = value[i];\n          if (Array.isArray(item)) {\n          // Treat actual quotes\n          as normal quoted values\n          result.push(new tree.Quoted(item[0], item[1], true, index, fileInfo));\n          }\n          else {\n          if (i === value.length - 1) {\n          item =\n          item.trim();\n          }\n          // Treat like quoted values, but replace vars like unquoted\n          expressions\n          const quote = new tree.Quoted(`\\`, item, true, index, fileInfo);\n          quote.variableRegex = /@([\w-]+)/g;\n          quote.propRegex = /\$([\w-]+)/g;\n          result.push(quote);\n          }\n          }\n          parserInput.forget();\n          return new\n          tree.Expression(result, true);\n          }\n          parserInput.restore();\n          },\n          }\n          // An\n          @import atrule\n          /\n          // @import "lib";\n          /\n          // Depending on our environment,\n          importing is done differently:\n          // In the browser, it's an XHR request, in Node, it would be a\n          // file-\n          system operation. The function used for importing is\n          // stored in `import`, which we pass to the Import\n          constructor.\n          /\n          'import': function () {\n          let path;\n          let features;\n          const index = parserInput.i;\n          const dir =\n          parserInput.$re(/^@import?\s+);)\n          if (dir) {\n          const options = (dir ? this.importOptions() :\n          null) || {};\n          if ((path = this.entities.quoted() || this.entities.url())) {\n          features =\n          this.mediaFeatures();\n          if (!parserInput.$char(';')) {\n          parserInput.i = index;\n          error('missing semi-colon or unrecognised media features on import');\n          }\n          features = features && new(tree.Value)(features);\n          return new(tree.Import)(path, features, options,\n          index, fileInfo);\n          }\n          else {\n          parserInput.i = index;\n          error('malformed import statement');\n          }\n          }\n          },\n          },\n          importOptions: function() {\n          let o;\n          const options = {};\n          let optionName;\n          let value;\n          // list of options, surrounded by parens\n          if\n          (!parserInput.$char('('))\n          { return null; }\n          do {\n          o = this.importOption();\n          if (o)\n          {\n          optionName = o;\n          value = true;\n          switch (optionName) {\n          case 'css':\n          optionName = 'less';\n          value = false;\n          break;\n          case 'once':\n          optionName = 'multiple';\n          value =\n          false;\n          break;\n          }\n          options[optionName] = value;\n          if (!parserInput.$char(','))\n          { break; }\n          }\n          } while (o);\n          expectChar(')');\n          return options;\n          },\n          importOption: function() {\n          const opt =\n          parserInput.$re(/^(less|css|multiple|once|inline|reference|optional)/);\n          if (opt) {\n          return\n          opt[1];\n          }\n          },\n          mediaFeature: function () {\n          const entities = this.entities;\n          const nodes = [];\n          let e;\n          let p;\n          parserInput.save();\n          do {\n          e\n          = entities.keyword() || entities.variable() || entities.mixinLookup();\n          if (e) {\n
```

```

nodes.push(e);\n                } else if (parserInput.$char('(') {\n                p = this.property();\n                e\n                = this.value();\n                if (parserInput.$char('))'') {\n                if (p && e) {\n                nodes.push(new(tree.Paren)(new(tree.Declaration)(p, e, null, null, parserInput.i, fileInfo, true));\n                } else if (e) {\n                nodes.push(new(tree.Paren)(e));\n                } else {\n                error("badly formed media feature definition");\n                }\n                } else {\n                error('Missing closing \\\\)\'\'', 'Parse');\n                }\n                } while (e);\n                parserInput.forget();\n                if (nodes.length > 0) {\n                return new(tree.Expression)(nodes);\n                }\n                },\n                mediaFeatures: function () {\n                const entities = this.entities;\n                const\n                features = [];\n                let e;\n                do {\n                e = this.mediaFeature();\n                if (e) {\n                features.push(e);\n                if (!parserInput.$char(',')) { break; }\n                } else {\n                e = entities.variable() ||\n                entities.mixinLookup();\n                if (e) {\n                features.push(e);\n                if\n                (!parserInput.$char(',')) { break; }\n                }\n                } while (e);\n                return\n                features.length > 0 ? features : null;\n                },\n                media: function () {\n                let features;\n                let\n                rules;\n                let media;\n                let debugInfo;\n                const index = parserInput.i;\n                if\n                (context.dumpLineNumbers) {\n                debugInfo = getDebugInfo(index);\n                }\n                parserInput.save();\n                if (parserInput.$str('@media'))\n                {\n                features = this.mediaFeatures();\n                rules = this.block();\n                if (!rules) {\n                error('media definitions require block statements after any features');\n                }\n                parserInput.forget();\n                media = new(tree.Media)(rules, features, index, fileInfo);\n                if\n                (context.dumpLineNumbers) {\n                media.debugInfo = debugInfo;\n                }\n                return\n                media;\n                }\n                },\n                parserInput.restore();\n                },\n                //\n                // A @plugin directive,\n                used to import plugins dynamically.\n                //\n                // @plugin (args) "lib";\n                //\n                plugin:\n                function () {\n                let path;\n                let args;\n                let options;\n                const index = parserInput.i;\n\n                const dir = parserInput.$re(/^@plugin?(\\s+);\n                if (dir) {\n                args = this.pluginArgs();\n                if (args) {\n                options = {\n                pluginArgs: args,\n                isPlugin:\n                true\n                };\n                }\n                else {\n                options = { isPlugin: true };\n                }\n                }\n                if ((path = this.entities.quoted() || this.entities.url())) {\n                if (!parserInput.$char(';'))\n                {\n                parserInput.i = index;\n                error('missing semi-colon on @plugin');\n                }\n                return new(tree.Import)(path, null, options, index, fileInfo);\n                }\n                else {\n                parserInput.i = index;\n                error('malformed @plugin statement');\n                }\n                }\n                },\n                },\n                pluginArgs: function() {\n                // list of options, surrounded by\n                parens\n                parserInput.save();\n                if (!parserInput.$char('(') {\n                parserInput.restore();\n                return null;\n                }\n                const args = parserInput.$re(/^\\s*(\\[^\n;]+)\\s*$/);\n                if\n                (args[1]) {\n                parserInput.forget();\n                return args[1].trim();\n                }\n                else {\n                parserInput.restore();\n                return null;\n                }\n                },\n                //\n                // A CSS\n                AtRule\n                //\n                // @charset "utf-8";\n                //\n                atrule: function () {\n                const index =\n                parserInput.i;\n                let name;\n                let value;\n                let rules;\n                let\n                nonVendorSpecificName;\n                let hasIdentifier;\n                let hasExpression;\n                let hasUnknown;\n                let hasBlock =\n                true;\n                let isRooted = true;\n                if (parserInput.currentChar() !== '@') { return; }\n                value = this['import']() || this.plugin() || this.media();\n                if (value) {\n                return value;\n                }\n                parserInput.save();\n                name = parserInput.$re(/^@[a-z-]+$/);\n                if (!name) {\n                return; }\n                nonVendorSpecificName = name;\n                if (name.charAt(1) === '-' && name.indexOf('-',\n                2) > 0) {\n                nonVendorSpecificName = `@${name.slice(name.indexOf('-', 2) + 1)}`;\n                }\n                switch (nonVendorSpecificName) {\n                case '@charset':\n                hasIdentifier = true;\n
```

```

        hasBlock = false;\n                break;\n                case '@namespace':\n                    hasExpression = true;\n                    hasBlock = false;\n                    break;\n                case '@keyframes':\n                    case '@counter-style':\n                        hasIdentifier =\ntrue;\n                    break;\n                case '@document':\n                    case '@supports':\nhasUnknown = true;\n                    isRooted = false;\n                    break;\n                    default:\nhasUnknown = true;\n                    break;\n                }\n                parserInput.commentStore.length = 0;\n                if (hasIdentifier) {\n                    value = this.entity();\n                    if (!value) {\n                        error(`expected\n${name} identifier`);\n                    }\n                    } else if (hasExpression) {\n                        value = this.expression();\n                    } else if\n(hasUnknown) {\n                        value = this.permissiveValue(/^[\s;]/);\n                        hasBlock =\n(parserInput.currentChar() === ');\n                        if (!value) {\n                            if (!hasBlock &&\nparserInput.currentChar() !== ';') {\n                                error(`${name} rule is missing block or ending semi-\ncolon`);\n                            }\n                        }\n                        else if (!value.value) {\n                            value = null;\n                        }\n                    }\n                    if (hasBlock) {\n                        rules = this.blockRuleset();\n                    }\n                }\n                if (rules || (!hasBlock && value && parserInput.$char(';')))\n                    parserInput.forget();\n                return\nnew(tree.AtRule)(name, value, rules, index, fileInfo,\ncontext.dumpLineNumbers ? getDebugInfo(index) : null,\n                    isRooted\n                );\n            }\n            parserInput.restore('at-rule options not recognised');\n        },\n        /\n        // A Value is a\n        comma-delimited list of Expressions\n        /\n        // font-family: Baskerville, Georgia, serif;\n        /\n        // In a Rule, a Value represents everything after the `:`,\n        // and before the `;`.\n        /\n        value:\nfunction () {\n    let e;\n    const expressions = [];\n    const index = parserInput.i;\n    do {\n        e = this.expression();\n        if (e)\n            expressions.push(e);\n        if\n(!parserInput.$char(';')) { break; }\n    } while (e);\n    if (expressions.length > 0) {\n\n        return new(tree.Value)(expressions, index);\n    },\n    important: function () {\nif (parserInput.currentChar() === '!')\n    return parserInput.$re(/^! *important/);\n    },\n    sub: function () {\n        let a;\n        let e;\n        parserInput.save();\n        if\n(parserInput.$char('(')) {\n            a = this.addition();\n            if (a && parserInput.$char('')) {\n                parserInput.forget();\n                e = new(tree.Expression)([a]);\n                e.parens = true;\n                return e;\n            }\n            parserInput.restore('Expected \\)\n');\n            return;\n        }\n        parserInput.restore();\n    },\n    multiplication: function () {\n        let m;\n        let\na;\n        let op;\n        let operation;\n        let isSpaced;\n        m = this.operand();\n        if\n(m) {\n            isSpaced = parserInput.isWhitespace(-1);\n            while (true) {\n                if\n(parserInput.peek(/^[*\/]/)) {\n                    break;\n                }\n                parserInput.save();\n                op = parserInput.$char('/') || parserInput.$char('*') || parserInput.$str('/');\n                if (!op) {\n                    parserInput.forget(); break; }\n                a = this.operand();\n                if (!a) { parserInput.restore();\nbreak; }\n                parserInput.forget();\n                m.parensInOp = true;\n                a.parensInOp\n= true;\n                operation = new(tree.Operation)(op, [operation || m, a], isSpaced);\n                isSpaced\n= parserInput.isWhitespace(-1);\n            }\n            return operation || m;\n        },\n    },\n    addition: function () {\nlet m;\n        let a;\n        let op;\n        let operation;\n        let isSpaced;\n        m =\nthis.multiplication();\n        if (m) {\n            isSpaced = parserInput.isWhitespace(-1);\n            while\n(true) {\n                op = parserInput.$re(/^[\+]\s+/) || (!isSpaced && (parserInput.$char('+') ||\nparserInput.$char('-')));\n                if (!op) {\n                    break;\n                }\n                a =\nthis.multiplication();\n                if (!a) {\n                    break;\n                }\n                m.parensInOp = true;\n                a.parensInOp = true;\n                operation = new(tree.Operation)(op,\n[operation\noperation

```



```

    {\n                op = '<=';\n                } else {\n                op = '=';\n                }\n
}\n        if (op) {\n                b = cond();\n                if (b) {\n                c =
new(tree.Condition)(op, a, b, index, false);\n                } else {\n                error('expected expression');\n
                }\n                } else {\n                c = new(tree.Condition)('=', a, new(tree.Keyword)('true'),
index, false);\n                }\n                return c;\n                }\n                },\n                //\n                // An operand is
anything that can be part of an operation,\n                // such as a Color, or a Variable\n                //\n                // operand:
function () {\n                const entities = this.entities;\n                let negate;\n                if (parserInput.peek(/^
[@\\$\\(\\)/)
{\n                negate = parserInput.$char('-');\n                }\n                let o = this.sub() || entities.dimension() ||\n
entities.color() || entities.variable() ||\n                entities.property() || entities.call() ||\n
entities.quoted(true) || entities.colorKeyword() ||\n                entities.mixinLookup();\n                if (negate) {\n
o.parensInOp = true;\n                o = new(tree.Negative)(o);\n                }\n                return o;\n
},\n                //\n                // Expressions either represent mathematical operations,\n                // or white-space delimited
Entities.\n                //\n                // 1px solid black\n                // @var * 2\n                //\n                // expression: function ()
{\n                const entities = [];\n                let e;\n                let delim;\n                const
index = parserInput.i;\n                do {\n                e = this.comment();\n                if (e) {\n
entities.push(e);\n                continue;\n                }\n                e = this.addition() || this.entity();\n
if (e instanceof tree.Comment) {\n                e = null;\n                }\n                if (e) {\n
entities.push(e);\n                // operations do not allow keyword \"^\" dimension (e.g. small/20px) so we support
that here\n                if (!parserInput.peek(/^\\[\\/*\\/)) {\n                delim = parserInput.$char('/');\n
if (delim) {\n                entities.push(new(tree.Anonymous)(delim, index));\n
}\n                }\n                } while (e);\n                if (entities.length > 0) {\n
return new(tree.Expression)(entities);\n                }\n                },\n                property: function () {\n
const name = parserInput.$re(/^(\[\]?-?[_a-zA-Z0-9-]+\]\s*:/);\n                if (name) {\n                return name[1];\n
}\n                },\n                ruleProperty: function () {\n                let name = [];\n                const index = [];\n
let s;\n                let k;\n                parserInput.save();\n                const simpleProperty =
parserInput.$re(/^([\_a-zA-Z0-9-]+\]\s*:/);\n                if (simpleProperty) {\n                name =
[new(tree.Keyword)(simpleProperty[1])];\n                parserInput.forget();\n                return name;\n
}\n                }\n                function match(re) {\n                const i = parserInput.i;\n                const chunk =
parserInput.$re(re);\n                if (chunk) {\n                index.push(i);\n
return name.push(chunk[1]);\n                }\n                }\n                match(/^(\[\]?-?[_a-zA-Z0-9-]+\]\s*:/);\n
while (true) {\n                if (!match(/^((?:[\\w-]+)(?:[@\\$]\\{[\\w-]+\\})))/) {\n                break;\n
}\n                }\n                if ((name.length > 1) && match(/^((?:\\+|_|\\+?)\]\s*:/)) {\n
parserInput.forget();\n                // at last, we have the complete match now. move forward,\n                //
convert name particles to tree objects and return:\n                if (name[0] === ") {\n                name.shift();\n
index.shift();\n                }\n                for (k = 0; k < name.length; k++) {\n                s =
name[k];\n                name[k] = (s.charAt(0) !== '@' && s.charAt(0) !== '$') ?\n
new(tree.Keyword)(s) :\n                (s.charAt(0) === '@' ?\n                new(tree.Variable)('@${s.slice(2, -1)}', index[k], fileInfo) :\n
new(tree.Property)('${s.slice(2, -1)}', index[k], fileInfo));\n                }\n                return name;\n
}\n                parserInput.restore();\n                }\n                }\n                };;\n\nParser.serializeVars = vars => {\n    let s =
";\n\n    for (const name in vars) {\n        if (Object.hasOwnProperty.call(vars, name)) {\n            const value =
vars[name];\n            s += `${((name[0] === '@') ? " : '@' ) + name}: ${value} ${ (String(value).slice(-1) === ';' ) ? " :
';'}`;\n        }\n    }\n    return s;\n};\n\nexport default Parser;\n", "import Anonymous from
'./tree/anonymous';\nimport Keyword from './tree/keyword';\n\nfunction boolean(condition) {\n    return condition ?
Keyword.True : Keyword.False;\n}\n\n/**\n * Functions with evalArgs set to false are sent context\n * as the first
argument.\n

```

```

*/\nfunction If(context, condition, trueValue, falseValue) {\n  return condition.eval(context) ?
trueValue.eval(context)\n    : (falseValue ? falseValue.eval(context) : new Anonymous);\n}\n\nIf.evalArgs =
false\n\nexport default { boolean, 'if': If };\n", "import Dimension from './tree/dimension';\nimport Color from
'./tree/color';\nimport Quoted from './tree/quoted';\nimport Anonymous from './tree/anonymous';\nlet
colorFunctions;\n\nfunction clamp(val) {\n  return Math.min(1, Math.max(0, val));\n}\n\nfunction hsla(origColor,
hsl) {\n  const color = colorFunctions.hsla(hsl.h, hsl.s, hsl.l, hsl.a);\n  if (color) {\n    if (origColor.value &&
    /^(rgb|hsl)/.test(origColor.value)) {\n      color.value = origColor.value;\n    } else {\n      color.value
= 'rgb';\n    }\n    return color;\n  }\n}\n\nfunction toHSL(color) {\n  if (color.toHSL) {\n    return
color.toHSL();\n  } else {\n    throw new Error('Argument cannot be evaluated
to a color');\n  }\n}\n\nfunction toHSV(color) {\n  if (color.toHSV) {\n    return color.toHSV();\n  } else {\n
throw new Error('Argument cannot be evaluated to a color');\n  }\n}\n\nfunction number(n) {\n  if (n instanceof
Dimension) {\n    return parseFloat(n.unit.is('%') ? n.value / 100 : n.value);\n  } else if (typeof n === 'number')
{\n    return n;\n  } else {\n    throw {\n      type: 'Argument',\n      message: 'color functions take
numbers as parameters'\n    };\n  }\n}\n\nfunction scaled(n, size) {\n  if (n instanceof Dimension &&
n.unit.is('%')) {\n    return parseFloat(n.value * size / 100);\n  } else {\n    return number(n);\n  }\n}\n\n
colorFunctions = {\n  rgb: function (r, g, b) {\n    const color = colorFunctions.rgba(r, g, b, 1.0);\n    if
(color) {\n      color.value = 'rgb';\n      return color;\n    }\n  },\n  rgba: function (r, g, b, a) {\n    try
{\n      if (r instanceof Color) {\n        if (g) {\n          a = number(g);\n        } else {\n          a =
r.alpha;\n        }\n        return new Color(r.rgb, a, 'rgba');\n      }\n      const rgb = [r, g, b].map(c =>
scaled(c, 255));\n      a = number(a);\n      return new Color(rgb, a, 'rgba');\n    } catch (e) {\n    },\n    hsl: function (h, s, l) {\n      const color = colorFunctions.hsla(h, s, l, 1.0);\n      if (color) {\n        color.value =
'hsl';\n        return color;\n      }\n    },\n    hsla: function (h, s, l, a) {\n      try {\n        if (h instanceof Color)
{\n          if (s) {\n            a = number(s);\n          } else {\n            a = h.alpha;\n          }\n          return
new Color(h.rgb, a, 'hsla');\n        }\n        let m1;\n        let m2;\n        function hue(h) {\n          h
= h < 0 ? h + 1 : (h > 1 ? h - 1 : h);\n          if (h * 6 < 1) {\n            return m1 + (m2 - m1) * h * 6;\n          }\n          else if (h * 2 < 1) {\n            return m2;\n          }\n          else if (h * 3 < 2) {\n            return m1 + (m2 - m1) * (2 / 3 - h) * 6;\n          }\n          else {\n            return m1;\n          }\n        }\n        h = (number(h) % 360) / 360;\n        s = clamp(number(s));\n        l = clamp(number(l));\n        a = clamp(number(a));\n        m2 = 1 <= 0.5 ? 1 * (s + 1) : 1 + s - 1 * s;\n        m1 = 1 * 2 - m2;\n        const rgb
= [\n          hue(h + 1 / 3) * 255,\n          hue(h) * 255,\n          hue(h - 1 / 3) * 255\n        ];\n        a = number(a);\n        return new Color(rgb, a, 'hsla');\n      } catch (e) {\n    },\n    hsv: function(h, s, v)
{\n      return colorFunctions.hsva(h,\n        s, v, 1.0);\n    },\n    hsva: function(h, s, v, a) {\n      h = ((number(h) % 360) / 360) * 360;\n      s = number(s);\n      v = number(v);\n      a = number(a);\n      let i;\n      let f;\n      i = Math.floor((h / 60) % 6);\n      f = (h / 60) - i;\n      const vs = [\n        v * (1 - s),\n        v * (1 - f * s),\n        v * (1 - (1 - f) * s)];\n      const perm = [[0, 3, 1],\n        [2, 0, 1],\n        [1, 0, 3],\n        [1, 2, 0],\n        [3, 1, 0],\n        [0, 1, 2]];\n      return
colorFunctions.rgba(vs[perm[i][0]] * 255,\n        vs[perm[i][1]] * 255,\n        vs[perm[i][2]] * 255,\n        a);\n    },\n    hue: function (color) {\n      return new Dimension(toHSL(color).h);\n    },\n    saturation: function
(color) {\n      return new Dimension(toHSL(color).s * 100, '%');\n    },\n    lightness: function (color) {\n      return
new Dimension(toHSL(color).l * 100, '%');\n    },\n    hsvhue: function(color) {\n      return new Dimension(toHSV(color).h);\n    },\n    hsvsaturation: function (color) {\n      return new
Dimension(toHSV(color).s * 100, '%');\n    },\n    hsvvalue: function (color) {\n      return new
Dimension(toHSV(color).v * 100, '%');\n    },\n    red: function (color) {\n      return new
Dimension(color.rgb[0]);\n    },\n    green: function (color) {\n      return new Dimension(color.rgb[1]);\n    },\n    blue: function (color) {\n      return new Dimension(color.rgb[2]);\n    },\n    alpha: function (color) {\n      return
new Dimension(toHSL(color).a);\n    },\n    luma: function (color) {\n      return new Dimension(color.luma() *

```

```

color.alpha * 100, '%');\n  },\n  luminance: function (color) {\n    const luminance =\n      (0.2126 * color.rgb[0] / 255) +\n      (0.7152 * color.rgb[1] / 255) +\n      (0.0722 * color.rgb[2] / 255);\n    return new Dimension(luminance * color.alpha * 100, '%');\n  },\n  saturate:\n    function (color, amount, method) {\n      // filter: saturate(3.2);\n      // should be kept as is, so check for color\n      if (!color.rgb) {\n        return null;\n      }\n      const hsl = toHSL(color);\n      if (typeof method !==\n        'undefined' && method.value === 'relative') {\n        hsl.s += hsl.s * amount.value / 100;\n      }\n      else {\n        hsl.s += amount.value / 100;\n      }\n      hsl.s = clamp(hsl.s);\n      return hsla(color, hsl);\n    },\n  desaturate: function (color, amount, method) {\n    const hsl = toHSL(color);\n    if (typeof method !==\n      'undefined' && method.value === 'relative') {\n      hsl.s -= hsl.s * amount.value / 100;\n    }\n    else {\n      hsl.s -= amount.value / 100;\n    }\n    hsl.s = clamp(hsl.s);\n    return hsla(color, hsl);\n  },\n  lighten:\n    function (color, amount, method) {\n      const hsl = toHSL(color);\n      if (typeof method !== 'undefined'\n        && method.value === 'relative') {\n        hsl.l += hsl.l * amount.value / 100;\n      }\n      else {\n        hsl.l\n        += amount.value / 100;\n      }\n      hsl.l = clamp(hsl.l);\n      return hsla(color, hsl);\n    },\n  darken: function\n    (color, amount, method) {\n      const hsl = toHSL(color);\n      if (typeof method !== 'undefined' &&\n        method.value === 'relative') {\n        hsl.l -= hsl.l * amount.value / 100;\n      }\n      else {\n        hsl.l -=\n        amount.value / 100;\n      }\n      hsl.l = clamp(hsl.l);\n      return hsla(color, hsl);\n    },\n  fadein: function\n    (color, amount, method) {\n      const hsl = toHSL(color);\n      if (typeof method !== 'undefined' &&\n        method.value === 'relative') {\n        hsl.a += hsl.a * amount.value / 100;\n      }\n      else {\n        hsl.a +=\n        amount.value / 100;\n      }\n      hsl.a = clamp(hsl.a);\n      return hsla(color, hsl);\n    },\n  fadeout: function\n    (color, amount, method) {\n      const hsl = toHSL(color);\n      if (typeof method !== 'undefined' &&\n        method.value === 'relative') {\n        hsl.a -= hsl.a * amount.value / 100;\n      }\n      else {\n        hsl.a -=\n        amount.value / 100;\n      }\n      hsl.a = clamp(hsl.a);\n      return hsla(color, hsl);\n    },\n  fade: function (color,\n    amount) {\n      const hsl = toHSL(color);\n      hsl.a = amount.value / 100;\n      hsl.a = clamp(hsl.a);\n      return hsla(color, hsl);\n    },\n  spin: function (color, amount) {\n    const hsl = toHSL(color);\n    const hue =\n      (hsl.h + amount.value) % 360;\n    hsl.h = hue < 0 ? 360 + hue : hue;\n    return hsla(color, hsl);\n  },\n  /\n  // Copyright (c) 2006-2009 Hampton Catlin, Natalie Weizenbaum, and Chris Eppstein\n  // http://sass-\n  lang.com\n  /\n  mix: function (color1, color2, weight) {\n    if (!weight) {\n      weight = new\n      Dimension(50);\n    }\n    const p = weight.value / 100.0;\n    const w = p * 2 - 1;\n    const a = toHSL(color1).a -\n      toHSL(color2).a;\n    const w1 = (((w * a === -1) ? w : (w + a) / (1 + w * a)) + 1) / 2.0;\n    const w2 = 1 -\n      w1;\n    const rgb = [color1.rgb[0] * w1 + color2.rgb[0] * w2,\n      color1.rgb[1] * w1 + color2.rgb[1] * w2,\n      color1.rgb[2] * w1 + color2.rgb[2] * w2];\n    const alpha = color1.alpha * p + color2.alpha * (1 -\n      p);\n    return new Color(rgb, alpha);\n  },\n  greyscale: function (color) {\n    return\n    colorFunctions.desaturate(color, new Dimension(100));\n  },\n  contrast: function (color, dark, light, threshold)\n    {\n      // filter: contrast(3.2);\n      // should be kept as is, so check for color\n      if (!color.rgb) {\n        return\n        null;\n      }\n      if (typeof light === 'undefined') {\n        light = colorFunctions.rgb(255, 255, 255, 1.0);\n      }\n      if (typeof dark === 'undefined')\n        {\n          dark = colorFunctions.rgb(0, 0, 0, 1.0);\n        }\n      // Figure out which is actually light and dark:\n      if (dark.luma() > light.luma()) {\n        const t = light;\n        light = dark;\n        dark = t;\n      }\n      if\n      (typeof threshold === 'undefined') {\n        threshold = 0.43;\n      }\n      else {\n        threshold =\n        number(threshold);\n      }\n      if (color.luma() < threshold) {\n        return\n        light;\n      }\n      else {\n        return\n        dark;\n      }\n    },\n  // Changes made in 2.7.0 - Reverted in 3.0.0\n  // contrast: function (color, color1, color2,\n    threshold) {\n    // // Return which of `color1` and `color2` has the greatest contrast with `color`\n    // //\n    // according to the standard WCAG contrast ratio calculation.\n    // // http://www.w3.org/TR/WCAG20/#contrast-\n    ratiodef\n    // // The threshold param is no longer used, in line with SASS.\n    // // filter: contrast(3.2);\n    // // should be kept as is, so check for color\n    // // if (!color.rgb) {\n    // //   return null;\n    // // }\n    // // if\n    // (typeof color1 === 'undefined') {\n    // //   color1 = colorFunctions.rgb(0, 0, 0, 1.0);\n    // // }\n    // // if (typeof\n    // color2 === 'undefined') {\n    // //   color2 = colorFunctions.rgb(255, 255, 255, 1.0);\n    // // }\n    // // var

```

```

contrast1, contrast2;\n // var luma = color.luma();\n // var luma1 = color1.luma();\n // var luma2 =
color2.luma();\n // // Calculate contrast ratios for each color\n // if (luma > luma1) {\n // contrast1 =
(luma + 0.05) / (luma1 + 0.05);\n // } else {\n // contrast1 = (luma1 + 0.05) / (luma + 0.05);\n // }\n
// if (luma > luma2) {\n // contrast2 = (luma + 0.05) / (luma2 + 0.05);\n // } else {\n // contrast2
= (luma2 + 0.05) / (luma + 0.05);\n // }\n // if (contrast1 > contrast2)
{\n // return color1;\n // } else {\n // return color2;\n // }\n // },\n argb: function (color) {\n
return new Anonymous(color.toARGB());\n },\n color: function(c) {\n if ((c instanceof Quoted) &&\n
(/^#[[A-Fa-f0-9]{8}|[A-Fa-f0-9]{6}|[A-Fa-f0-9]{3,4})$/i.test(c.value))) {\n const val = c.value.slice(1);\n
return new Color(val, undefined, `#${val}`);\n } if ((c instanceof Color) || (c =
Color.fromKeyword(c.value))) {\n c.value = undefined;\n return c;\n } throw {\n
type: 'Argument',\n message: 'argument must be a color keyword or 3|4|6|8 digit hex e.g. #FFF'\n
};\n },\n tint: function(color, amount) {\n return colorFunctions.mix(colorFunctions.rgb(255, 255, 255), color,
amount);\n },\n shade: function(color, amount) {\n return colorFunctions.mix(colorFunctions.rgb(0, 0, 0),
color,
amount);\n };\n\nexport default colorFunctions;\n", "import Color from './tree/color';\n\n// Color Blending\n/
ref: http://www.w3.org/TR/compositing-1\n\nfunction colorBlend(mode, color1, color2) {\n const ab =
color1.alpha;\n // result\n\n let // backdrop\n cb;\n\n const as = color2.alpha;\n\n let // source\n
cs;\n\n let ar;\n let cr;\n const r = [];\n\n ar = as + ab * (1 - as);\n for (let i = 0; i < 3; i++) {\n cb =
color1.rgb[i] / 255;\n cs = color2.rgb[i] / 255;\n cr = mode(cb, cs);\n if (ar) {\n cr = (as * cs + ab
* (cb -\n as * (cb + cs - cr))) / ar;\n } r[i] = cr * 255;\n }\n\n return new Color(r,
ar);\n}\n\nconst colorBlendModeFunctions = {\n multiply: function(cb, cs) {\n return cb * cs;\n },\n
screen: function(cb, cs) {\n return cb + cs - cb * cs;\n },\n overlay: function(cb, cs) {\n cb *= 2;\n
return (cb
<= 1) ?\n colorBlendModeFunctions.multiply(cb, cs) :\n colorBlendModeFunctions.screen(cb - 1,
cs);\n },\n softlight: function(cb, cs) {\n let d = 1;\n let e = cb;\n if (cs > 0.5) {\n e = 1;\n
d = (cb > 0.25) ? Math.sqrt(cb)\n : ((16 * cb - 12) * cb + 4) * cb;\n } return cb - (1 - 2 * cs) * e
* (d - cb);\n },\n hardlight: function(cb, cs) {\n return colorBlendModeFunctions.overlay(cs, cb);\n },\n
difference: function(cb, cs) {\n return Math.abs(cb - cs);\n },\n exclusion: function(cb, cs) {\n return cb
+ cs - 2 * cb * cs;\n },\n\n // non-w3c functions:\n average: function(cb, cs) {\n return (cb + cs) / 2;\n
},\n negation: function(cb, cs) {\n return 1 - Math.abs(cb + cs - 1);\n };\n\nfor (const f in
colorBlendModeFunctions) {\n if (colorBlendModeFunctions.hasOwnProperty(f)) {\n colorBlend[f] =
colorBlend.bind(null,
colorBlendModeFunctions[f]);\n }\n}\n\nexport default colorBlend;\n", "import Comment from
'./tree/comment';\nimport Node from './tree/node';\nimport Dimension from './tree/dimension';\nimport Declaration
from './tree/declaration';\nimport Expression from './tree/expression';\nimport Ruleset from './tree/ruleset';\nimport
Selector from './tree/selector';\nimport Element from './tree/element';\nimport Quote from './tree/quoted';\n\nconst
getItemsFromNode = node => {\n // handle non-array values as an array of length 1\n // return 'undefined' if
index is invalid\n const items = Array.isArray(node.value) ?\n node.value : Array(node);\n\n return
items;\n};\n\nexport default {\n _SELF: function(n) {\n return n;\n },\n extract: function(values, index) {\n
// (1-based index)\n index = index.value - 1;\n\n return getItemsFromNode(values)[index];\n },\n
length: function(values) {\n return new Dimension(getItemsFromNode(values).length);\n
},\n /**\n * Creates a Less list of incremental values.\n * Modeled after Lodash's range function, also exists
natively in PHP\n * @param {Dimension} [start=1]\n * @param {Dimension} end - e.g. 10 or 10px -
unit is added to output\n * @param {Dimension} [step=1]\n */\n range: function(start, end, step) {\n let
from;\n let to;\n let stepValue = 1;\n const list = [];\n if (end) {\n to = end;\n from =
start.value;\n if (step) {\n stepValue = step.value;\n }\n } else {\n from =
1;\n to = start;\n }\n\n for (let i = from; i <= to.value; i += stepValue) {\n list.push(new
Dimension(i, to.unit));\n }\n\n return new Expression(list);\n },\n each: function(list, rs) {\n const

```



```

values[unit] = order.length;\n      order.push(current);\n      continue;\n    }\n    referenceUnified =
order[j].unit.toString() === " && unitClone !== undefined ? new Dimension(order[j].value, unitClone).unify() :
order[j].unify();\n    if ( isMin && currentUnified.value < referenceUnified.value ||\n        !isMin &&
currentUnified.value > referenceUnified.value)
{\n      order[j] = current;\n    }\n  }\n  if (order.length === 1) {\n    return order[0];\n  }\n  args =
order.map(function (a) { return a.toCSS(this.context); }).join(this.context.compress ? ', ' : ', ');
return new
Anonymous(`${isMin ? 'min' : 'max'}(${args})`);\n};\n\nexport default {\n  min: function(...args) {\n    return
minMax(true, args);\n  },\n  max: function(...args) {\n    return minMax(false, args);\n  },\n  convert: function
(val, unit) {\n    return val.convertTo(unit.value);\n  },\n  pi: function () {\n    return new
Dimension(Math.PI);\n  },\n  mod: function(a, b) {\n    return new Dimension(a.value % b.value, a.unit);\n
},\n  pow: function(x, y) {\n    if (typeof x === 'number' && typeof y === 'number') {\n      x = new
Dimension(x);\n      y = new Dimension(y);\n    } else if (!(x instanceof Dimension) || !(y instanceof
Dimension)) {\n      throw { type: 'Argument',
message: 'arguments must be numbers' };\n    }\n    return new Dimension(Math.pow(x.value, y.value),
x.unit);\n  },\n  percentage: function (n) {\n    const result = mathHelper(num => num * 100, '%', n);\n
return result;\n  };\n};\n", "import Quoted from './tree/quoted';\nimport Anonymous from
'./tree/anonymous';\nimport JavaScript from './tree/javascript';\nexport default {\n  e: function (str) {\n
return new Quoted("", str instanceof JavaScript ? str.evaluated : str.value, true);\n  },\n  escape: function (str) {\n
return new Anonymous(\n    encodeURI(str.value).replace(/=/g, '%3D').replace(/:/g, '%3A').replace(/#/g,
'%23').replace(/;/g, '%3B')\n    .replace(/\\(/g, '%28').replace(/\\)/g, '%29'));\n  },\n  replace: function
(string, pattern, replacement, flags) {\n    let result = string.value;\n    replacement = (replacement.type ===
'Quoted') ?\n    replacement.value : replacement.toCSS();\n
    result = result.replace(new RegExp(pattern.value, flags ? flags.value : ""), replacement);\n    return new
Quoted(string.quote || "", result, string.escaped);\n  },\n  '%': function (string /* arg, arg, ... */) {\n    const args =
Array.prototype.slice.call(arguments, 1);\n    let result = string.value;\n    for (let i = 0; i < args.length; i++)
{\n      /* jshint loopfunc:true */\n      result = result.replace(/%[sda]/i, token => {\n        const value =
((args[i].type === 'Quoted') &&\n          token.match(/s/i) ? args[i].value : args[i].toCSS());\n        return
token.match(/[A-Z]$/) ? encodeURIComponent(value) : value;\n      });\n    }\n    result =
result.replace(/%%/g, '%');\n    return new Quoted(string.quote || "", result, string.escaped);\n  };\n};\n", "import
Keyword from './tree/keyword';\nimport DetachedRuleset from './tree/detached-ruleset';\nimport Dimension from
'./tree/dimension';\nimport
Color from './tree/color';\nimport Quoted from './tree/quoted';\nimport Anonymous from
'./tree/anonymous';\nimport URL from './tree/url';\nimport Operation from './tree/operation';\n\nconst isa = (n,
Type) => (n instanceof Type) ? Keyword.True : Keyword.False;\n\nconst isunit = (n, unit) => {\n  if (unit ===
undefined) {\n    throw { type: 'Argument', message: 'missing the required second argument to isunit.' };\n  }\n
unit = typeof unit.value === 'string' ? unit.value : unit;\n  if (typeof unit !== 'string') {\n    throw { type:
'Argument', message: 'Second argument to isunit should be a unit or a string.' };\n  }\n  return (n instanceof
Dimension) && n.unit.is(unit) ? Keyword.True : Keyword.False;\n};\n\nexport default {\n  isruleset: function (n)
{\n    return isa(n, DetachedRuleset);\n  },\n  iscolor: function (n) {\n    return isa(n, Color);\n  },\n
isnumber: function (n) {\n    return isa(n, Dimension);\n  },\n
  isstring: function (n) {\n    return isa(n, Quoted);\n  },\n  iskeyword: function (n) {\n    return isa(n,
Keyword);\n  },\n  isurl: function (n) {\n    return isa(n, URL);\n  },\n  ispixel: function (n) {\n    return
isunit(n, 'px');\n  },\n  ispercentage: function (n) {\n    return isunit(n, '%');\n  },\n  isem: function (n) {\n
return isunit(n, 'em');\n  },\n  isunit,\n  unit: function (val, unit) {\n    if (!(val instanceof Dimension)) {\n
throw { type: 'Argument',\n      message: `the first argument to unit must be a number${val instanceof
Operation ? '. Have you forgotten parenthesis?' : ''}` };\n    }\n    if (unit) {\n      if (unit instanceof Keyword)
{\n        unit = unit.value;\n      } else {\n        unit = unit.toCSS();\n      }\n    } else {\n
unit = ";\n    }\n    return new Dimension(val.value, unit);\n  },\n  'get-unit':

```

```

function (n) {\n    return new Anonymous(n.unit);\n  }\n};\n", "import functionRegistry from './function-registry';\nimport functionCaller from './function-caller';\nimport boolean from './boolean';\nimport defaultFunc from './default';\nimport color from './color';\nimport colorBlending from './color-blending';\nimport dataUri from './data-uri';\nimport list from './list';\nimport math from './math';\nimport number from './number';\nimport string from './string';\nimport svg from './svg';\nimport types from './types';\n\nexport default environment => {\n  const functions = { functionRegistry, functionCaller };\n  // register functions\n  functionRegistry.addMultiple(boolean);\n  functionRegistry.add('default', defaultFunc.eval.bind(defaultFunc));\n  functionRegistry.addMultiple(color);\n  functionRegistry.addMultiple(colorBlending);\n  functionRegistry.addMultiple(dataUri(environment));\n  functionRegistry.addMultiple(list);\n  functionRegistry.addMultiple(math);\n  functionRegistry.addMultiple(number);\n  functionRegistry.addMultiple(string);\n  functionRegistry.addMultiple(svg(environment));\n  functionRegistry.addMultiple(types);\n\n  return functions;\n};\n", "import Quoted from './tree/quoted';\nimport URL from './tree/url';\nimport * as utils from './utils';\nimport logger from './logger';\n\nexport default environment => {\n  \n  const fallback = (functionThis, node) => new URL(node, functionThis.index, functionThis.currentFileInfo).eval(functionThis.context); \n  \n  return { 'data-uri': function(mimetypeNode, filePathNode) {\n    \n    if (!filePathNode) {\n      filePathNode = mimetypeNode;\n      mimetypeNode = null;\n    }\n    let mimetype = mimetypeNode && mimetypeNode.value;\n    let filePath = filePathNode.value;\n    const currentFileInfo = this.currentFileInfo;\n    const currentDirectory = currentFileInfo.rewriteUrls ?\n      currentFileInfo.currentDirectory : currentFileInfo.entryPath;\n    const fragmentStart = filePath.indexOf('#');\n    let fragment = '';\n    if (fragmentStart !== -1) {\n      fragment = filePath.slice(fragmentStart);\n      filePath = filePath.slice(0, fragmentStart);\n    }\n    const context = utils.clone(this.context);\n    context.rawBuffer = true;\n    const fileManager = environment.getFileManager(filePath, currentDirectory, context, environment, true);\n    \n    if (!fileManager) {\n      return fallback(this, filePathNode);\n    }\n    let useBase64 = false;\n    \n    // detect the mimetype if not given\n    if (!mimetypeNode) {\n      mimetype = environment.mimeLookup(filePath);\n      \n      if (mimetype === 'image/svg+xml') {\n        useBase64 = false;\n      } else {\n        // use base 64 unless it's an ASCII or UTF-8 format\n        const charset = environment.charsetLookup(mimetype);\n        useBase64 = ['US-ASCII', 'UTF-8'].indexOf(charset) < 0;\n      }\n      \n      if (useBase64) {\n        mimetype += ';base64';\n      }\n    } else {\n      useBase64 = /;base64$/i.test(mimetype);\n    }\n    const fileSync = fileManager.loadFileSync(filePath, currentDirectory, context, environment);\n    \n    if (!fileSync.contents) {\n      logger.warn(`Skipped data-uri embedding of ${filePath} because file not found`);\n      return fallback(this, filePathNode || mimetypeNode);\n    }\n    let buf = fileSync.contents;\n    \n    if (useBase64 && !environment.encodeBase64) {\n      return fallback(this, filePathNode);\n    }\n    buf = useBase64 ? environment.encodeBase64(buf) : encodeURIComponent(buf);\n    const uri = `data:${mimetype},${buf}${fragment}`;\n    \n    return new URL(new Quoted(`"${uri}"`, uri, false, this.index, this.currentFileInfo), this.index, this.currentFileInfo);\n  };\n};\n", "import Dimension from './tree/dimension';\nimport Color from './tree/color';\nimport Expression from './tree/expression';\nimport Quoted from './tree/quoted';\nimport URL from './tree/url';\n\nexport default environment => {\n  return { 'svg-gradient': function(direction) {\n    let stops;\n    let gradientDirectionSvg;\n    let gradientType = 'linear';\n    let rectangleDimension = 'x="0" y="0" width="1" height="1";\n    const renderEnv = {compress: false};\n    let returner;\n    const directionValue = direction.toCSS(renderEnv);\n    let i;\n    let color;\n    let position;\n    let positionValue;\n    let alpha;\n    \n    function throwArgumentDescriptor() {\n      throw {\n        type: 'Argument',\n        message: 'svg-gradient expects direction, start_color [start_position], [color position,...] +\n          'end_color [end_position] or direction, color list' }\n    }\n    \n    if (arguments.length == 2) {\n      if (arguments[1].value.length < 2) {\n        throwArgumentDescriptor();\n      }\n      stops = arguments[1].value;\n    } else if (arguments.length < 3) {\n      throwArgumentDescriptor();\n    }\n  }\n};\n";\n}

```

```

else {\n
    stops = Array.prototype.slice.call(arguments, 1);\n
} \n\n
switch (directionValue) {\n
case 'to bottom':\n
    gradientDirectionSvg = 'x1=\"0%\" y1=\"0%\" x2=\"0%\" y2=\"100%\"';\n
break;\n
case 'to right':\n
    gradientDirectionSvg = 'x1=\"0%\" y1=\"0%\" x2=\"100%\" y2=\"0%\"';\n
break;\n
case 'to bottom right':\n
    gradientDirectionSvg = 'x1=\"0%\" y1=\"0%\" x2=\"100%\" y2=\"100%\"';\n
break;\n
case 'to top right':\n
    gradientDirectionSvg = 'x1=\"0%\" y1=\"100%\" x2=\"100%\" y2=\"0%\"';\n
break;\n
case 'ellipse':\n
case 'ellipse at center':\n
    gradientType = 'radial';\n
    gradientDirectionSvg = 'cx=\"50%\" cy=\"50%\" r=\"75%\"';\n
    rectangleDimension = 'x=\"-50\" y=\"-50\" width=\"101\" height=\"101\"';\n
break;\n
default:\n
    throw { type: 'Argument', message: 'svg-gradient direction must be \\'to bottom\', \\'to right\',' +\n
        '\\'to bottom right\', \\'to top right\' or \\'ellipse at center\' '};\n
} \n\n
returner =\n
`<svg xmlns=\"http://www.w3.org/2000/svg\" viewBox=\"0 0 1 1\"><${gradientType}Gradient id=\"g\">\n
<${gradientDirectionSvg}>`;\n
for (i = 0; i < stops.length; i += 1) {\n
    if (stops[i] instanceof Expression) {\n
        color = stops[i].value[0];\n
        position = stops[i].value[1];\n
    } else {\n
        color = stops[i];\n
        position = undefined;\n
    }\n
    if (!(color instanceof Color) || (!(i === 0 || i + 1 === stops.length) && position === undefined) && !(position instanceof Dimension))) {\n
        throwArgumentDescriptor();\n
    }\n
    positionValue = position ? position.toCSS(renderEnv) : i === 0 ? '0%' : '100%';\n
    alpha = color.alpha;\n
    returner += `<stop offset=\"${positionValue}\" stop-color=\"${color.toRGB()}\" ${alpha < 1 ? ` stop-opacity=\"${alpha}\"` : ''}>`;\n
}\n
returner += `</${gradientType}Gradient><rect ${rectangleDimension} fill=\"url(#g)\" /></svg>`;\n
returner = encodeURIComponent(returner);\n
returner = `data:image/svg+xml,${returner}`;\n
return new URL(new Quoted(`${returner}`), returner, false, this.index, this.currentFileInfo, this.index, this.currentFileInfo);\n
}};\n
\"import contexts from './contexts';\n
nimport visitor from './visitors';\n
nimport tree from './tree';\n
nexport default (root, options = {}) => {\n
    let evaldRoot;\n
    let variables = options.variables;\n
    const evalEnv = new contexts.Eval(options);\n
    // \n // Allows setting variables with a hash, so:\n
    // \n // `{ color: new tree.Color('#f01) }` will become:\n
    // \n // new tree.Declaration('@color',\n
    // \n // new tree.Value([\n
    // \n // new tree.Expression([\n
    // \n // new tree.Color('#f01)\n
    // \n // ])\n
    // \n // ])\n
    // \n // )\n
    // \n // )\n
    if (typeof variables === 'object' && !Array.isArray(variables)) {\n
        variables = Object.keys(variables).map(k => {\n
            let value = variables[k];\n
            if (!(value instanceof tree.Value)) {\n
                if (!(value instanceof tree.Expression)) {\n
                    value = new tree.Expression([value]);\n
                }\n
                value = new tree.Value([value]);\n
            }\n
            return new tree.Declaration(`@${k}`, value, false, null, 0);\n
        });\n
        evalEnv.frames = [new tree.Ruleset(null, variables)];\n
    }\n
    const visitors = [\n
        new visitor.JoinSelectorVisitor(),\n
        new visitor.MarkVisibleSelectorsVisitor(true),\n
        new visitor.ExtendVisitor(),\n
        new visitor.ToCSSVisitor({compress: Boolean(options.compress)})\n
    ];\n
    const preEvalVisitors = [];\n
    let v;\n
    let visitorIterator;\n
    /**\n
     * first() / get() allows visitors to be added while visiting\n
     * \n * @todo Add scoping for visitors just like functions for @plugin; right now they're global\n
     */\n
    if (options.pluginManager) {\n
        visitorIterator = options.pluginManager.visitor();\n
        for (var i = 0; i < 2; i++) {\n
            visitorIterator.first();\n
            while ((v = visitorIterator.get())) {\n
                if (v.isPreEvalVisitor) {\n
                    if (i === 0 || preEvalVisitors.indexOf(v) === -1) {\n
                        preEvalVisitors.push(v);\n
                        v.run(root);\n
                    }\n
                } else {\n
                    if (i === 0 || visitors.indexOf(v) === -1) {\n
                        if (v.isPreVisitor) {\n
                            visitors.unshift(v);\n
                        }\n
                        else {\n
                            visitors.push(v);\n
                        }\n
                    }\n
                }\n
            }\n
        }\n
        evaldRoot = root.eval(evalEnv);\n
        for (var i = 0; i < visitors.length; i++) {\n
            visitors[i].run(evaldRoot);\n
        }\n
        // Run any remaining visitors added after eval pass\n
        if (options.pluginManager) {\n
            visitorIterator.first();\n
            while ((v = visitorIterator.get())) {\n
                if (visitors.indexOf(v) === -1 && preEvalVisitors.indexOf(v) === -1) {\n
                    v.run(evaldRoot);\n
                }\n
            }\n
        }\n
        return evaldRoot;\n
    };\n
    /**\n
     * Plugin Manager\n
     */\n
    class PluginManager {\n
        constructor(less) {\n
            this.less = less;\n
            this.visitors = [];\n
            this.preProcessors = [];\n
        }\n
    }\n
}

```

```

    this.postProcessors = [];\n    this.installedPlugins = [];\n    this.fileManagers = [];\n    this.iterator = -1;\n    this.pluginCache = {};\n    this.Loader = new less.PluginLoader(less);\n  }\n\n  /**\n   * Adds all the\n   plugins in the array\n   * @param {Array} plugins\n   */\n  addPlugins(plugins) {\n    if (plugins) {\n      for (let i = 0; i < plugins.length; i++) {\n        this.addPlugin(plugins[i]);\n      }\n    }\n  }\n\n  /**\n   *\n   * @param plugin\n   * @param {String} filename\n   */\n  addPlugin(plugin, filename, functionRegistry)\n  {\n    this.installedPlugins.push(plugin);\n    if (filename) {\n      this.pluginCache[filename] = plugin;\n    }\n    if (plugin.install) {\n      plugin.install(this.less, this, functionRegistry ||\n        this.less.functions.functionRegistry);\n    }\n  }\n\n  /**\n   *\n   * @param filename\n   */\n  get(filename)\n  {\n    return this.pluginCache[filename];\n  }\n\n  /**\n   * Adds a visitor. The visitor object has options on itself to\n   determine\n   * when it should run.\n   * @param visitor\n   */\n  addVisitor(visitor) {\n    this.visitors.push(visitor);\n  }\n\n  /**\n   * Adds a pre processor object\n   * @param {object} preProcessor\n   * @param {number} priority - guidelines 1 = before import, 1000 = import, 2000 = after import\n   */\n  addPreProcessor(preProcessor, priority) {\n    let indexToInsertAt;\n    for (indexToInsertAt = 0;\n      indexToInsertAt < this.preProcessors.length; indexToInsertAt++) {\n      if\n        (this.preProcessors[indexToInsertAt].priority >= priority) {\n          break;\n        }\n    }\n    this.preProcessors.splice(indexToInsertAt, 0, {preProcessor, priority});\n  }\n\n  /**\n   * Adds a post processor\n   object\n   * @param {object} postProcessor\n   * @param {number} priority - guidelines 1 = before compression,\n   1000 = compression, 2000 = after compression\n   */\n  addPostProcessor(postProcessor, priority) {\n    let\n      indexToInsertAt;\n    for (indexToInsertAt = 0; indexToInsertAt < this.postProcessors.length; indexToInsertAt++)\n    {\n      if (this.postProcessors[indexToInsertAt].priority >= priority) {\n        break;\n      }\n    }\n    this.postProcessors.splice(indexToInsertAt, 0, {postProcessor, priority});\n  }\n\n  /**\n   *\n   * @param\n   manager\n   */\n  addFileManager(manager) {\n    this.fileManagers.push(manager);\n  }\n\n  /**\n   *\n   * @returns {Array}\n   * @private\n   */\n  getPreProcessors() {\n    const preProcessors = [];\n    for (let i\n      = 0; i < this.preProcessors.length; i++) {\n      preProcessors.push(this.preProcessors[i].preProcessor);\n    }\n    return preProcessors;\n  }\n\n  /**\n   *\n   * @returns {Array}\n   * @private\n   */\n  getPostProcessors()\n  {\n    const postProcessors = [];\n    for (let i = 0; i < this.postProcessors.length; i++) {\n      postProcessors.push(this.postProcessors[i].postProcessor);\n    }\n    return postProcessors;\n  }\n\n  /**\n   *\n   * @returns {Array}\n   * @private\n   */\n  getVisitors() {\n    return this.visitors;\n  }\n\n  visitor()\n  {\n    const self = this;\n    return {\n      first: function() {\n        self.iterator = -1;\n        return\n          self.visitors[self.iterator];\n      },\n      get: function() {\n        self.iterator += 1;\n        return\n          self.visitors[self.iterator];\n      }\n    };\n  }\n\n  /**\n   *\n   * @returns {Array}\n   * @private\n   */\n  getFileManagers() {\n    return this.fileManagers;\n  }\n}\n\nlet pm;\nfunction PluginManagerFactory(less,\n  newFactory) {\n  if (newFactory || !pm) {\n    pm = new PluginManager(less);\n  }\n  return\n    pm;\n}\n\nexport default PluginManagerFactory;\n"/\n\n/* global window, XMLHttpRequest */\nimport\n  AbstractFileManager from './less/environment/abstract-file-manager.js';\n\nlet options;\nlet logger;\nlet fileCache =\n  {};\n\n// TODOS - move log somewhere. pathDiff and doing something similar in node. use pathDiff in the other\n  browser file for the initial load\n  class FileManager extends AbstractFileManager {\n    alwaysMakePathsAbsolute()\n    {\n      return true;\n    }\n\n    join(basePath, laterPath) {\n      if (!basePath) {\n        return laterPath;\n      }\n      return this.extractUrlParts(laterPath, basePath).path;\n    }\n\n    doXHR(url, type, callback, errback) {\n      const xhr = new XMLHttpRequest();\n      const async = options.isFileProtocol ? options.fileAsync : true;\n\n      if (typeof xhr.overrideMimeType === 'function') {\n        xhr.overrideMimeType('text/css');\n      }\n\n      logger.debug('XHR: Getting '${url}');\n      xhr.open('GET',\n        url, async);\n      xhr.setRequestHeader('Accept', type || 'text/x-less, text/css; q=0.9, */*; q=0.5');\n      xhr.send(null);\n\n      function handleResponse(xhr, callback, errback) {\n        if (xhr.status >= 200 &&\n          xhr.status < 300) {\n          callback(xhr.responseText,\n            xhr.getResponseHeader('Last-Modified'));\n        }\n        else if (typeof errback === 'function') {\n          errback(xhr.status, url);\n        }\n      }\n      if

```

```

(options.isFileProtocol && !options.fileAsync) {\n      if (xhr.status === 0 || (xhr.status >= 200 && xhr.status <
300)) {\n          callback(xhr.responseText);\n      } else {\n          errback(xhr.status, url);\n      }\n  } else if (async) {\n      xhr.onreadystatechange = () => {\n          if (xhr.readyState === 4) {\n
handleResponse(xhr, callback, errback);\n          }\n      }; \n  } else {\n      handleResponse(xhr, callback, errback);\n  }\n}\n\n supports() {\n  return true;\n}\n\n
clearFileCache() {\n  fileCache = {};\n}\n\n loadFile(filename, currentDirectory, options, environment) {\n
  // TODO: Add prefix support like less-node?\n  // What about multiple paths?\n  if (currentDirectory &&
!this.isPathAbsolute(filename)) {\n      filename = currentDirectory + filename;\n  }\n  filename =
options.ext ? this.tryAppendExtension(filename, options.ext) : filename;\n  options = options || {};\n  //
sheet may be set to the stylesheet for the initial load or a collection of properties including\n  // some context
variables for imports\n  const hrefParts = this.extractUrlParts(filename, window.location.href);\n  const href
= hrefParts.url;\n  const self = this;\n  \n  return new Promise((resolve, reject) => {\n      if
(options.useFileCache
&& fileCache[href]) {\n          try {\n              const lessText = fileCache[href];\n              return
resolve({ contents: lessText, filename: href, webInfo: { lastModified: new Date() }});\n          } catch (e) {\n
              return reject({ filename: href, message: `Error loading file ${href} error was ${e.message}` });\n          }\n      }\n      self.doXHR(href, options.mime, function doXHRcallback(data, lastModified) {\n          // per
file cache\n          fileCache[href] = data;\n          // Use remote copy (re-parse)\n          resolve({
contents: data, filename: href, webInfo: { lastModified } });\n          }, function doXHRError(status, url) {\n
              reject({ type: 'File', message: `'$ {url}' wasn't found ($ {status})`, href });\n          });\n          }\n      }\n  })\n\nexport
default (opts, log) => {\n  options = opts;\n  logger = log;\n  return FileManager;\n}\n\n", "import
data from './data';\nimport tree from './tree';\nimport Environment from './environment/environment';\nimport
AbstractFileManager from './environment/abstract-file-manager';\nimport AbstractPluginLoader from
 './environment/abstract-plugin-loader';\nimport visitors from './visitors';\nimport Parser from
 './parser/parser';\nimport Functions from './functions';\nimport contexts from './contexts';\nimport sourceMapOutput
from './source-map-output';\nimport sourceMapBuilder from './source-map-builder';\nimport parseTree from './parse-
tree';\nimport importManager from './import-manager';\nimport Render from './render';\nimport Parse from
 './parse';\nimport LessError from './less-error';\nimport transformTree from './transform-tree';\nimport * as utils from
 './utils';\nimport PluginManager from './plugin-manager';\nimport logger from './logger';\n\nexport default
(environment, fileManagers) => {\n  /**\n   * @todo\n   * This original code could be improved quite a bit.\n
  *\n  * Many classes / modules currently add side-effects / mutations to passed in objects,\n  * which makes it hard to
refactor and reason about. \n  */\n  environment = new Environment(environment, fileManagers);\n  \n  const
SourceMapOutput = sourceMapOutput(environment);\n  const SourceMapBuilder =
sourceMapBuilder(SourceMapOutput, environment);\n  const ParseTree = parseTree(SourceMapBuilder);\n  const
ImportManager = importManager(environment);\n  const render = Render(environment, ParseTree,
ImportManager);\n  const parse = Parse(environment, ParseTree, ImportManager);\n  const functions =
Functions(environment);\n  \n  /**\n   * @todo\n   * This root properties / methods need to be organized.\n  *\n  * It's not clear what should / must be public and why.\n  */\n  const initial = {\n      version: [3, 13, 1],\n
data,\n  tree,\n  Environment,\n  AbstractFileManager,\n  AbstractPluginLoader,\n
environment,\n  visitors,\n
  Parser,\n  functions,\n  contexts,\n  SourceMapOutput,\n  SourceMapBuilder,\n  ParseTree,\n
  ImportManager,\n  render,\n  parse,\n  LessError,\n  transformTree,\n  utils,\n
  PluginManager,\n  logger\n  };\n  \n  // Create a public API\n  const ctor = t => function (...args) {\n      return
new t(...args);\n  };\n  \n  let t;\n  const api = Object.create(initial);\n  for (const n in initial.tree) {\n      /* eslint
guard-for-in: 0 */\n      t = initial.tree[n];\n      if (typeof t === 'function') {\n          api[n.toLowerCase()] =
ctor(t);\n      }\n      else {\n          api[n] = Object.create(null);\n          for (const o in t) {\n              /* eslint
guard-for-in: 0 */\n              api[n][o.toLowerCase()] = ctor(t[o]);\n          }\n      }\n  }\n  \n  /**\n   * Some of

```



```

}\n      }\n\n      this._rootNode.genCSS(context, this);\n\n      if (this._css.length > 0) {\n          let\n          sourceMapURL;\n          const sourceMapContent = JSON.stringify(this._sourceMapGenerator.toJSON());\n          if (this.sourceMapURL) {\n              sourceMapURL = this.sourceMapURL;\n          } else if (this._sourceMapFilename) {\n              sourceMapURL = this._sourceMapFilename;\n          }\n          this.sourceMapURL = sourceMapURL;\n          this.sourceMap = sourceMapContent;\n      }\n\n      return this._css.join(");\n      }\n\n      return SourceMapOutput;\n      };\n      "export default\n      (SourceMapOutput, environment) => {\n          class SourceMapBuilder {\n              constructor(options) {\n                  this.options = options;\n              }\n              toCSS(rootNode, options, imports) {\n                  const sourceMapOutput = new\n                  SourceMapOutput(\n                      {\n                          contentsIgnoredCharsMap: imports.contentsIgnoredChars,\n                          rootNode,\n                          contentsMap: imports.contents,\n                          sourceMapFilename:\n                          this.options.sourceMapFilename,\n                          sourceMapURL: this.options.sourceMapURL,\n                          outputFilename: this.options.sourceMapOutputFilename,\n                          sourceMapBasepath: this.options.sourceMapBasepath,\n                          sourceMapRootpath:\n                          this.options.sourceMapRootpath,\n                          outputSourceFiles: this.options.outputSourceFiles,\n                          sourceMapGenerator: this.options.sourceMapGenerator,\n                          sourceMapFileInline:\n                          this.options.sourceMapFileInline,\n                          disableSourcemapAnnotation:\n                          this.options.disableSourcemapAnnotation\n                      });\n                  const css = sourceMapOutput.toCSS(options);\n                  this.sourceMap = sourceMapOutput.sourceMap;\n                  this.sourceMapURL =\n                  sourceMapOutput.sourceMapURL;\n                  if (this.options.sourceMapInputFilename) {\n                      this.sourceMapInputFilename = sourceMapOutput.normalizeFilename(this.options.sourceMapInputFilename);\n                  }\n                  if (this.options.sourceMapBasepath !== undefined && this.sourceMapURL !== undefined) {\n                      this.sourceMapURL = sourceMapOutput.removeBasepath(this.sourceMapURL);\n                  }\n                  return css + this.getCSSAppendage();\n              }\n              getCSSAppendage() {\n                  let\n                  sourceMapURL = this.sourceMapURL;\n                  if (this.options.sourceMapFileInline) {\n                      if\n                      (this.sourceMap === undefined) {\n                          return ";\n                      }\n                      sourceMapURL =\n                      `data:application/json;base64,${environment.encodeBase64(this.sourceMap)}`;\n                  }\n                  if\n                  (this.options.disableSourcemapAnnotation) {\n                      return ";\n                  }\n                  if (sourceMapURL) {\n                      return `/*# sourceMappingURL=${sourceMapURL} */`;\n                  }\n                  return ";\n              }\n              getExternalSourceMap() {\n                  return this.sourceMap;\n              }\n              setExternalSourceMap(sourceMap) {\n                  this.sourceMap = sourceMap;\n              }\n              isInline() {\n                  return this.options.sourceMapFileInline;\n              }\n              getSourceMapURL() {\n                  return this.sourceMapURL;\n              }\n              getOutputFilename()\n              {\n                  return this.options.sourceMapOutputFilename;\n              }\n              getInputFilename() {\n                  return\n                  this.sourceMapInputFilename;\n              }\n          }\n          return SourceMapBuilder;\n      };\n      "import LessError from './less-error';\n      import transformTree from './transform-tree';\n      import logger from './logger';\n      export default\n      SourceMapBuilder => {\n          class ParseTree {\n              constructor(root, imports) {\n                  this.root = root;\n                  this.imports = imports;\n              }\n              toCSS(options) {\n                  let evaldRoot;\n                  const result = {};\n                  let sourceMapBuilder;\n                  try {\n                      evaldRoot = transformTree(this.root, options);\n                  } catch (e)\n                  {\n                      throw new LessError(e, this.imports);\n                  }\n                  try {\n                      const compress =\n                      Boolean(options.compress);\n\n                      if (compress) {\n                          logger.warn("The compress option has been deprecated. ' +\n                          'We recommend you use a dedicated css minifier, for instance see less-plugin-clean-css.);\n                      }\n                      const toCSSEptions = {\n                          compress,\n                          dumpLineNumbers: options.dumpLineNumbers,\n                          strictUnits: Boolean(options.strictUnits),\n                          numPrecision: 8;\n                      }\n                      if\n                      (options.sourceMap) {\n                          sourceMapBuilder = new SourceMapBuilder(options.sourceMap);\n                      }\n                      result.css = sourceMapBuilder.toCSS(evaldRoot, toCSSEptions, this.imports);\n                  } else {\n                      result.css = evaldRoot.toCSS(toCSSEptions);\n                  }\n              } catch (e) {\n                  throw new LessError(e,\n                  this.imports);\n              }\n              if (options.pluginManager) {\n                  const

```



```

postProcessors = options.pluginManager.getPostProcessors();\n        for (let i = 0; i < postProcessors.length;
i++) {\n            result.css = postProcessors[i].process(result.css, { sourceMap: sourceMapBuilder, options,
imports: this.imports });\n        }\n        if (options.sourceMap) {\n            result.map =
sourceMapBuilder.getExternalSourceMap();\n        }\n        result.imports = [];\n        for (const file in
this.imports.files) {\n            if (this.imports.files.hasOwnProperty(file) && file !== this.imports.rootFilename)
{\n                result.imports.push(file);\n            }\n        }\n        return result;\n    }\n}\n\n return
ParseTree;\n};\n", "import contexts from './contexts';\nimport Parser from './parser/parser';\nimport LessError from
'./less-error';\nimport * as utils from './utils';\nimport logger from './logger';\n\nexport default function(environment)
{\n
    // FileInfo = {\n    // 'rewriteUrls' - option - whether to adjust URL's to be relative\n    // 'filename' - full resolved
filename of current file\n    // 'rootpath' - path to append to normal URLs for this node\n    // 'currentDirectory' -
path to the current file, absolute\n    // 'rootFilename' - filename of the base file\n    // 'entryPath' - absolute path to
the entry file\n    // 'reference' - whether the file should not be output and only output parts that are referenced\n\n
class ImportManager {\n    constructor(less, context, rootFileInfo) {\n        this.less = less;\n
this.rootFilename = rootFileInfo.filename;\n        this.paths = context.paths || []; // Search paths, when importing\n
        this.contents = {};\n        // map - filename to contents of all the files\n        this.contentsIgnoredChars =
{};\n        // map - filename to lines at the beginning of each file to ignore\n        this.mime = context.mime;\n
this.error = null;\n        this.context = context;\n        // Deprecated? Unused outside of here, could be useful.\n
this.queue = [];\n        // Files which haven't been imported yet\n        this.files = {};\n        // Holds the imported
parse trees.\n    }\n\n    /**\n     * Add an import to be imported\n     * @param path - the raw path\n     *
@param tryAppendExtension - whether to try appending a file extension (.less or .js if the path has no extension)\n
     * @param currentFileInfo - the current file info (used for instance to work out relative paths)\n     * @param
importOptions - import options\n     * @param callback - callback for when it is imported\n     */\n
push(path, tryAppendExtension, currentFileInfo, importOptions, callback) {\n        const importManager = this,
pluginLoader = this.context.pluginManager.Loader;\n\n        this.queue.push(path);\n\n        const
fileParsedFunc = function (e,
root, fullPath) {\n            importManager.queue.splice(importManager.queue.indexOf(path), 1); // Remove the
path from the queue\n            const importedEqualsRoot = fullPath === importManager.rootFilename;\n
            if (importOptions.optional && e) {\n                callback(null, { rules: [] }, false, null);\n
                logger.info(`The file ${fullPath} was skipped because it was not found and the import was marked optional.`);\n
            }\n            else {\n                // Inline imports aren't cached here.\n                // If we start to cache them,
please make sure they won't conflict with non-inline imports of the\n                // same name as they used to do
before this comment and the condition below have been added.\n                if (!importManager.files[fullPath] &&
!importOptions.inline) {\n                    importManager.files[fullPath] = { root, options: importOptions };\n
                }\n\n                if (e && !importManager.error) { importManager.error = e; }\n                callback(e, root,
importedEqualsRoot, fullPath);\n            }\n        };\n\n        const newFileInfo = {\n            rewriteUrls:
this.context.rewriteUrls,\n            entryPath: currentFileInfo.entryPath,\n            rootpath:
currentFileInfo.rootpath,\n            rootFilename: currentFileInfo.rootFilename\n        };\n\n        const
fileManager = environment.getFileManager(path, currentFileInfo.currentDirectory, this.context, environment);\n\n
        if (!fileManager) {\n            fileParsedFunc({ message: `Could not find a file-manager for ${path}` });\n
            return;\n        }\n\n        const loadFileCallback = function(loadedFile) {\n            let plugin;\n
            const resolvedFilename = loadedFile.filename;\n            const contents = loadedFile.contents.replace(/^\u00A0/,\n
"");\n\n            // Pass on an updated rootpath if path of imported file is relative and file\n            // is in a (sub/sup)
directory\n            // Examples:\n            // - If path of imported file is 'module/nav/nav.less' and
rootpath is 'less',\n            // then rootpath should become 'less/module/nav'\n            // - If path of imported
file is './mixins.less' and rootpath is 'less',\n            // then rootpath should become 'less/..'\n

```

```

newFileInfo.currentDirectory = fileManager.getPath(resolvedFilename);\n        if (newFileInfo.rewriteUrls) {\n
    newFileInfo.rootpath = fileManager.join(\n            (importManager.context.rootpath || ""),\n
    fileManager.pathDiff(newFileInfo.currentDirectory, newFileInfo.entryPath));\n        if
(!fileManager.isPathAbsolute(newFileInfo.rootpath) && fileManager.alwaysMakePathsAbsolute()) {\n
    newFileInfo.rootpath = fileManager.join(newFileInfo.entryPath, newFileInfo.rootpath);\n
}\n    }\n    newFileInfo.filename = resolvedFilename;\n        const newEnv = new
contexts.Parse(importManager.context);\n        newEnv.processImports = false;\n
importManager.contents[resolvedFilename] = contents;\n        if (currentFileInfo.reference ||
importOptions.reference) {\n            newFileInfo.reference = true;\n        }\n        if
(importOptions.isPlugin) {\n            plugin = pluginLoader.evalPlugin(contents, newEnv, importManager,
importOptions.pluginArgs, newFileInfo);\n            if (plugin instanceof LessError) {\n
fileParsedFunc(plugin, null, resolvedFilename);\n            }\n            else {\n
fileParsedFunc(null, plugin, resolvedFilename);\n
}\n        } else if (importOptions.inline) {\n            fileParsedFunc(null, contents, resolvedFilename);\n
} else {\n            // import (multiple) parse trees apparently get altered and can't be cached.\n            //
TODO: investigate why this is\n            if (importManager.files[resolvedFilename]\n                &&
!importManager.files[resolvedFilename].options.multiple\n                && !importOptions.multiple) {\n
fileParsedFunc(null, importManager.files[resolvedFilename].root, resolvedFilename);\n            }\n
else {\n            new Parser(newEnv, importManager, newFileInfo).parse(contents, function (e, root) {\n
fileParsedFunc(e, root, resolvedFilename);\n            });\n            }\n        }\n
};\n    let loadedFile;\n    let promise;\n
const context = utils.clone(this.context);\n        if (tryAppendExtension) {\n            context.ext =
importOptions.isPlugin ? '.js' : '.less';\n        }\n        if (importOptions.isPlugin) {\n            context.mime =
'application/javascript';\n        }\n        if (context.syncImport) {\n            loadedFile =
pluginLoader.loadPluginSync(path, currentFileInfo.currentDirectory, context, environment, fileManager);\n
} else {\n            promise = pluginLoader.loadPlugin(path, currentFileInfo.currentDirectory, context,
environment, fileManager);\n        }\n        else {\n            if (context.syncImport) {\n
loadedFile = fileManager.loadFileSync(path, currentFileInfo.currentDirectory, context, environment);\n            }
else {\n            promise = fileManager.loadFile(path, currentFileInfo.currentDirectory, context, environment,\n
(err, loadedFile) => {\n                if (err) {\n                    fileParsedFunc(err);\n                }
else {\n                    loadFileCallback(loadedFile);\n                }\n            });\n        }\n
}\n    if (loadedFile) {\n        if (!loadedFile.filename) {\n            fileParsedFunc(loadedFile);\n
} else {\n            loadFileCallback(loadedFile);\n        }\n    } else if (promise) {\n
promise.then(loadFileCallback, fileParsedFunc);\n    }\n    }\n    }\n    return
ImportManager;\n};\n";\n", "import * as utils from './utils';\n\nexport default (environment, ParseTree, ImportManager)
=> {\n    const render = function (input, options, callback) {\n        if (typeof options === 'function') {\n
callback = options;\n            options = utils.copyOptions(this.options, {});\n
}\n        else {\n            options = utils.copyOptions(this.options, options || {});\n        }\n        if (!callback)
{\n            const self = this;\n            return new Promise((resolve, reject) => {\n                render.call(self, input,
options, (err, output) => {\n                    if (err) {\n                        reject(err);\n                    }
else {\n                        resolve(output);\n                    }\n                });\n            });\n        } else {\n            this.parse(input, options, (err,
root, imports, options) => {\n                if (err) { return callback(err); }\n                let result;\n                try {\n
const parseTree = new ParseTree(root, imports);\n                    result = parseTree.toCSS(options);\n
}\n                catch (err) { return callback(err); }\n                callback(null, result);\n            });\n        }\n
}\n    return render;\n};\n";\n", "import
contexts from './contexts';\nimport Parser from './parser/parser';\nimport PluginManager from './plugin-
manager';\nimport LessError from './less-error';\nimport * as utils from './utils';\n\nexport default (environment,

```



```

'font-size: 12px;',\n      'margin-right: 15px;',\n      'padding: 4px 0;',\n      'color: #cc7777;',\n
'}',\n      '.less-error-message pre {',\n      'color: #dd6666;',\n      'padding: 4px 0;',\n      'margin: 0;',\n
      'display: inline-block;',\n      '}',\n      '.less-error-message pre.line {',\n      'color: #ff0000;',\n
'}',\n      '.less-error-message h3 {',\n      'font-size: 20px;',\n      'font-weight: bold;',\n      'padding: 15px 0 5px 0;',\n      'margin: 0;',\n      '}',\n      '.less-error-message a {',\n      'color: #10a',\n
'}',\n      '.less-error-message .error {',\n      'color: red;',\n      'font-weight: bold;',\n      'padding-bottom: 2px;',\n      'border-bottom: 1px dashed red;',\n      '}'\n    ].join('\n'), { title: 'error-message' });\n\n
elem.style.cssText
= [\n      'font-family: Arial, sans-serif',\n      'border: 1px solid #e00',\n      'background-color: #eee',\n      'border-radius: 5px',\n      '-webkit-border-radius: 5px',\n      '-moz-border-radius: 5px',\n      'color: #e00',\n      'padding: 15px',\n      'margin-bottom: 15px'\n    ].join(';');\n\n    if (options.env === 'development') {\n      timer = setInterval(() => {\n        const document = window.document;\n        const body = document.body;\n        if (body) {\n          if (document.getElementById(id)) {\n            body.replaceChild(elem, document.getElementById(id));\n          } else {\n            body.insertBefore(elem, body.firstChild);\n          }\n          clearInterval(timer);\n        }\n      }, 10);\n    }\n\n    function removeErrorHTML(path) {\n      const node = window.document.getElementById(`less-error-message:${utils.extractId(path)}`);\n      if (node) {\n        node.parentNode.removeChild(node);\n      }\n    }\n\n    function removeErrorConsole(path) {\n      // no action\n    }\n\n    function removeError(path) {\n      if (!options.errorReporting || options.errorReporting === 'html') {\n        removeErrorHTML(path);\n      } else if (options.errorReporting === 'console') {\n        removeErrorConsole(path);\n      } else if (typeof options.errorReporting === 'function') {\n        options.errorReporting('remove', path);\n      }\n    }\n\n    function errorConsole(e, rootHref) {\n      const template = '{line} {content}';\n      const filename = e.filename || rootHref;\n      const errors = [];\n      let content = `${e.type || 'Syntax'}Error: ${e.message || 'There is an error in your .less file'} in ${filename}`;\n      const errorline = (e, i, classname) => {\n        if (e.extract[i] !== undefined)\n          errors.push(template.replace(/\\{line\\}/, (parseInt(e.line, 10) || 0) + (i - 1))\n            .replace(/\\{class\\}/, classname)\n            .replace(/\\{content\\}/, e.extract[i]));\n      }\n      if (e.line) {\n        errorline(e, 0, '');\n        errorline(e, 1, 'line');\n        errorline(e, 2, '');\n        content += ` on line ${e.line}, column ${e.column + 1}:\\n${errors.join('\\n')}`;\n      }\n      if (e.stack && (e.extract || options.logLevel >= 4)) {\n        content += `\\nStack Trace\\n${e.stack}`;\n      }\n      less.logger.error(content);\n    }\n\n    function error(e, rootHref) {\n      if (!options.errorReporting || options.errorReporting === 'html') {\n        errorHTML(e, rootHref);\n      } else if (options.errorReporting === 'console') {\n        errorConsole(e, rootHref);\n      } else if (typeof options.errorReporting === 'function') {\n        options.errorReporting('add', e, rootHref);\n      }\n    }\n\n    return {\n      add: error,\n      remove: removeError\n    };}\n\n"/**\n * Kicks off less and compiles any stylesheets\n * used in the browser distributed version of less\n * to kick-start less using the browser api\n */\n * global window, document\n */\n\nimport defaultOptions from './less/default-options';\nimport addDefaultOptions from './add-default-options';\nimport root from './index';\n\nconst options = defaultOptions();\n\nif (window.less) {\n  for (const key in window.less) {\n    if (window.less.hasOwnProperty(key)) {\n      options[key] = window.less[key];\n    }\n  }\n}\n\naddDefaultOptions(window, options);\n\noptions.plugins = options.plugins || [];\n\nif (window.LESS_PLUGINS) {\n  options.plugins = options.plugins.concat(window.LESS_PLUGINS);\n}\n\nconst less = root(window, options);\n\nexport default less;\n\nwindow.less = less;\n\nlet css;\nlet head;\nlet style;\n\n// Always restore\n\nfunction resolveOrReject(data) {\n  if (data.filename) {\n    console.warn(data);\n  }\n  if (!options.async) {\n    head.removeChild(style);\n  }\n}\n\nif (options.onReady) {\n  if (!/!watch/.test(window.location.hash)) {\n    less.watch();\n  }\n  // Simulate synchronous stylesheet loading by

```

```

hiding page rendering\n  if (!options.async) {\n    css = 'body { display: none !important }';\n    head =
document.head || document.getElementsByTagName('head')[0];\n    style = document.createElement('style');\n\n    style.type = 'text/css';\n    if (style.styleSheet) {\n      style.styleSheet.cssText = css;\n    } else {\n      style.appendChild(document.createTextNode(css));\n    }\n\n    head.appendChild(style);\n  }\n\n  less.registerStylesheetsImmediately();\n  less.pageLoadFinished = less.refresh(less.env ===
'development').then(resolveOrReject, resolveOrReject);\n}\n", "// Export a new default
each time\nexport default () => ({\n  /* Inline Javascript - @plugin still allowed *\n  javascriptEnabled:
false,\n\n  /* Outputs a makefile import dependency list to stdout. *\n  depends: false,\n\n  /* (DEPRECATED)
Compress using less built-in compression. \n * This does an okay job but does not utilise all the tricks of \n *
dedicated css compression. *\n  compress: false,\n\n  /* Runs the less parser and just reports errors without any
output. *\n  lint: false,\n\n  /* Sets available include paths. \n * If the file in an @import rule does not exist at that
exact location, \n * less will look for it at the location(s) passed to this option. \n * You might use this for instance
to specify a path to a library which \n * you want to be referenced simply and relatively in the less files. *\n
paths: [],\n\n  /* color output in the terminal *\n  color: true,\n\n  /* The strictImports controls whether the
compiler will allow an @import inside of either
\n * @media blocks or (a later addition) other selector blocks.\n * See: https://github.com/less/less.js/issues/656
*\n  strictImports: false,\n\n  /* Allow Imports from Insecure HTTPS Hosts *\n  insecure: false,\n\n  /* Allows
you to add a path to every generated import and url in your css. \n * This does not affect less import statements that
are processed, just ones \n * that are left in the output css. *\n  rootpath: "",\n\n  /* By default URLs are kept as-is,
so if you import a file in a sub-directory \n * that references an image, exactly the same URL will be output in the
css. \n * This option allows you to re-write URL's in imported files so that the \n * URL is always relative to the
base imported file *\n  rewriteUrls: false,\n\n  /* How to process math \n * 0 always - eagerly try to solve
all operations\n * 1 parens-division - require parens for division \"^\n * 2 parens | strict - require parens for all
operations\n * 3
strict-legacy - legacy strict behavior (super-strict)\n *\n  math: 0,\n\n  /* Without this option, less attempts to
guess at the output unit when it does maths. *\n  strictUnits: false,\n\n  /* Effectively the declaration is put at the
top of your base Less file, \n * meaning it can be used but it also can be overridden if this variable \n * is defined in
the file. *\n  globalVars: null,\n\n  /* As opposed to the global variable option, this puts the declaration at the\n *
end of your base file, meaning it will override anything defined in your Less file. *\n  modifyVars: null,\n\n  /*
This option allows you to specify a argument to go on to every URL. *\n  urlArgs: "{\n\n    \"import {addDataAttr}
from './utils';\nimport browser from './browser';\n\nexport default (window, options) => {\n\n  // use options from
the current script tag data attributes\n  addDataAttr(options, browser.currentScript(window));\n\n  if
(options.isFileProtocol === undefined)
{\n    options.isFileProtocol = /^(file|(chrome|safari)(-
extension)?|resource|qrc|app):/.test(window.location.protocol);\n  }\n\n  // Load styles asynchronously (default:
false)\n  // This is set to `false` by default, so that the body\n  // doesn't start loading before the stylesheets
are parsed.\n  // Setting this to `true` can result in flickering.\n  options.async = options.async || false;\n\n
options.fileAsync = options.fileAsync || false;\n\n  // Interval between watch polls\n  options.poll = options.poll ||
(options.isFileProtocol ? 1000 : 1500);\n\n  options.env = options.env || (window.location.hostname === '127.0.0.1'
||\n    window.location.hostname === '0.0.0.0' ||\n    window.location.hostname === 'localhost' ||\n
(window.location.port &&\n    window.location.port.length > 0) ||\n    options.isFileProtocol
? 'development'\n    : 'production');\n\n  const dumpLineNumbers =
//dumpLineNumbers:(comments|mediaquery|all)/.exec(window.location.hash);\n\n  if (dumpLineNumbers) {\n    options.dumpLineNumbers = dumpLineNumbers[1];\n  }\n\n  if (options.useFileCache === undefined) {\n    options.useFileCache = true;\n  }\n\n  if (options.onReady ===
undefined) {\n    options.onReady = true;\n  }\n\n  if (options.relativeUrls) {\n    options.rewriteUrls = 'all';\n  }\n}\n}\n", "//index.js\n// Should expose the additional browser functions on to the less object\nimport
{addDataAttr} from './utils';\nimport lessRoot from './less';\nimport browser from './browser';\nimport FM from

```

```

./file-manager';\nimport PluginLoader from './plugin-loader';\nimport LogListener from './log-listener';\nimport
ErrorReporting from './error-reporting';\nimport Cache from './cache';\nimport ImageSize from './image-
size';\n\nexport default (window, options) => {\n  const document = window.document;\n  const less =
lessRoot();\n\n  less.options = options;\n\n  const environment = less.environment;\n  const FileManager = FM(options, less.logger);\n  const fileManager
= new FileManager();\n  environment.addFileManager(fileManager);\n  less.FileManager = FileManager;\n\n
less.PluginLoader = PluginLoader;\n\n  LogListener(less, options);\n  const errors = ErrorReporting(window, less,
options);\n  const cache = less.cache = options.cache || Cache(window, options, less.logger);\n\n
ImageSize(less.environment);\n\n  // Setup user functions - Deprecate?\n  if (options.functions) {\n\n
less.functions.functionRegistry.addMultiple(options.functions);\n  }\n\n  const typePattern = /^text\\/(x-
)?less$/;\n\n  function clone(obj) {\n    const cloned = {};\n    for (const prop in obj) {\n      if
(obj.hasOwnProperty(prop)) {\n        cloned[prop] = obj[prop];\n      }\n    }\n    return cloned;\n
}\n\n  // only really needed for phantom\n  function bind(func, thisArg) {\n\n    const curryArgs = Array.prototype.slice.call(arguments, 2);\n    return function() {\n      const args =
curryArgs.concat(Array.prototype.slice.call(arguments, 0));\n      return func.apply(thisArg, args);\n    };\n
}\n\n  function loadStyles(modifyVars) {\n    const styles = document.getElementsByTagName('style');\n    let
style;\n\n    for (let i = 0; i < styles.length; i++) {\n      style = styles[i];\n      if
(style.type.match(typePattern)) {\n        const instanceOptions = clone(options);\n\n
instanceOptions.modifyVars = modifyVars;\n        const lessText = style.innerHTML || '';\n\n
instanceOptions.filename = document.location.href.replace(/#.*$/, '');\n        /* jshint loopfunc:true */\n\n
// use closure to store current style\n        less.render(lessText, instanceOptions,\n          bind((style, e,
result) => {\n            if (e)\n              errors.add(e, 'inline');\n            } else {\n              style.type = 'text/css';\n
\n            if (style.styleSheet) {\n              style.styleSheet.cssText = result.css;\n            } else\n            {\n              style.innerHTML = result.css;\n            }\n          }, null,
style));\n        }\n      }\n\n      function loadStyleSheet(sheet, callback, reload, remaining, modifyVars) {\n\n
const instanceOptions = clone(options);\n      addDataAttr(instanceOptions, sheet);\n      instanceOptions.mime
= sheet.type;\n\n      if (modifyVars) {\n        instanceOptions.modifyVars = modifyVars;\n      }\n\n
function loadInitialFileCallback(loadedFile) {\n        const data = loadedFile.contents;\n        const path =
loadedFile.filename;\n\n        const webInfo = loadedFile.webInfo;\n\n        const newFileInfo = {\n          currentDirectory: fileManager.getPath(path),\n          filename: path,\n
          rootFilename: path,\n          rewriteUrls: instanceOptions.rewriteUrls\n        };\n\n        newFileInfo.entryPath = newFileInfo.currentDirectory;\n        newFileInfo.rootpath = instanceOptions.rootpath ||
newFileInfo.currentDirectory;\n\n        if (webInfo) {\n          webInfo.remaining = remaining;\n\n          const css = cache.getCSS(path, webInfo, instanceOptions.modifyVars);\n          if (!reload && css) {\n
            webInfo.local = true;\n            callback(null, css, data, sheet, webInfo, path);\n            return;\n
          }\n\n          // TODO add tests around how this behaves when reloading\n          errors.remove(path);\n\n          instanceOptions.rootFileInfo = newFileInfo;\n          less.render(data,
instanceOptions, (e, result) => {\n            if (e) {\n              e.href = path;\n              callback(e);\n
            } else {\n              cache.setCSS(sheet.href, webInfo.lastModified, instanceOptions.modifyVars, result.css);\n
              callback(null, result.css, data, sheet, webInfo, path);\n            }\n          });\n\n          fileManager.loadFile(sheet.href, null, instanceOptions, environment)\n            .then(loadedFile => {\n
loadInitialFileCallback(loadedFile);\n            }).catch(err => {\n              console.log(err);\n
              callback(err);\n            });\n\n          function loadStyleSheets(callback, reload, modifyVars) {\n            for (let i = 0;
i < less.sheets.length; i++) {\n              loadStyleSheet(less.sheets[i], callback, reload, less.sheets.length - (i + 1),
modifyVars);\n            }\n          }\n\n          function initRunningMode() {\n            if (less.env === 'development')\n              {\n                less.watchTimer = setInterval(() => {\n                  if (less.watchMode) {\n
fileManager.clearFileCache();\n                  loadStyleSheets((e, css, _, sheet, webInfo) => {\n                    if (e)

```

```

{\n
    errors.add(e, e.href || sheet.href);\n
} else if (css) {\n
browser.createCSS(window.document, css, sheet);\n
}\n
});\n
}\n
},
options.poll);\n
}\n
}\n\n
// Watch mode\n
//\n
less.watch = function () {\n
    if
(!less.watchMode) {\n
        less.env = 'development';\n
        initRunningMode();\n
    }\n
    this.watchMode
= true;\n
    return true;\n
};\n\n
less.unwatch = function () {clearInterval(less.watchTimer); this.watchMode =
false; return false;};\n\n
//\n
// Synchronously get all <link> tags with the 'rel' attribute set to\n
// \"stylesheet/less\".\n
//\n
less.registerStylesheetsImmediately = () => {\n
    const links =
document.getElementsByTagName('link');\n
    less.sheets = [];\n\n
    for (let i = 0; i < links.length; i++) {\n
        if (links[i].rel === 'stylesheet/less' || (links[i].rel.match(/stylesheet/) &&\n
(links[i].type.match(typePattern)))) {\n
            less.sheets.push(links[i]);\n
        }\n
    }\n
};\n\n
//\n
// Asynchronously get all <link> tags with the 'rel' attribute set to\n
// \"stylesheet/less\", returning a Promise.\n
//\n
less.registerStylesheets = () => new Promise((resolve, reject) => {\n
    less.registerStylesheetsImmediately();\n
    resolve();\n
});\n\n
//\n
// With this function, it's possible to alter variables and re-render\n
// CSS without
reloading less-files\n
//\n
less.modifyVars = record => less.refresh(true, record, false);\n
less.refresh =
(reload, modifyVars, clearFileCache)
=> {\n
    if ((reload || clearFileCache) && clearFileCache !== false) {\n
        fileManager.clearFileCache();\n
    }\n
    return new Promise((resolve, reject) => {\n
        let startTime;\n
        let endTime;\n
        let
totalMilliseconds;\n
        let remainingSheets;\n
        startTime = endTime = new Date();\n\n
        // Set
counter for remaining unprocessed sheets\n
        remainingSheets = less.sheets.length;\n\n
        if
(remainingSheets === 0) {\n
            endTime = new Date();\n
            totalMilliseconds = endTime -
startTime;\n
            less.logger.info('Less has finished and no sheets were loaded.);\n
            resolve({\n
                startTime,\n
                endTime,\n
                totalMilliseconds,\n
                sheets: less.sheets.length\n
            });\n
        } else {\n
            // Relies on less.sheets array, callback seems to be guaranteed
to be called for every element of the array\n
            loadStyleSheets((e, css, _, sheet, webInfo) => {\n
if (e) {\n
                errors.add(e, e.href || sheet.href);\n
                reject(e);\n
                return;\n
            }\n
            if (webInfo.local) {\n
                less.logger.info(`Loading ${sheet.href} from cache.`);\n
            } else {\n
                less.logger.info(`Rendered ${sheet.href} successfully.`);\n
            }\n
            browser.createCSS(window.document, css, sheet);\n
            less.logger.info(`CSS for ${sheet.href} generated
in ${new Date() - endTime}ms`);\n\n
            // Count completed sheet\n
            remainingSheets--;\n\n
            // Check if the last remaining sheet was processed and then call the promise\n
            if (remainingSheets
=== 0) {\n
                totalMilliseconds
= new Date() - startTime;\n
                less.logger.info(`Less has finished. CSS generated in
${totalMilliseconds}ms`);\n
                resolve({\n
                    startTime,\n
                    endTime,\n
                    totalMilliseconds,\n
                    sheets: less.sheets.length\n
                });\n
            }\n
            endTime = new Date();\n
        }, reload, modifyVars);\n
    }\n\n
    loadStyles(modifyVars);\n
});\n
};\n\n
less.refreshStyles = loadStyles;\n
return less;\n
};\n\n
", "export default (less, options) => {\n
    const
logLevel_debug = 4;\n
    const logLevel_info = 3;\n
    const logLevel_warn = 2;\n
    const logLevel_error = 1;\n\n
    // The amount of logging in the javascript console.\n
    // 3 - Debug, information and errors\n
    // 2 - Information and
errors\n
    // 1 - Errors\n
    // 0 - None\n
    // Defaults to 2\n
    options.logLevel
= typeof options.logLevel !== 'undefined' ? options.logLevel : (options.env === 'development' ? logLevel_info :
logLevel_error);\n
    if (!options.loggers) {\n
        options.loggers = [{\n
            debug: function(msg) {\n
if (options.logLevel >= logLevel_debug) {\n
                console.log(msg);\n
            }\n
        },\n
            info:
function(msg) {\n
                if (options.logLevel >= logLevel_info) {\n
                    console.log(msg);\n
                }\n
            },\n
            warn: function(msg) {\n
                if (options.logLevel >= logLevel_warn) {\n
                    console.warn(msg);\n
                }\n
            },\n
            error: function(msg) {\n
                if (options.logLevel >=
logLevel_error) {\n
                    console.error(msg);\n
                }\n
            }\n
        }];\n
    }\n
    for (let i = 0; i <
options.loggers.length; i++) {\n
        less.logger.addListener(options.loggers[i]);\n
    }\n
}

```

```

    }\n};\n", "// Cache system is a bit outdated and could do with work\n\nexport default (window, options, logger) =>
{\n  let cache = null;\n  if (options.env !== 'development') {\n    try {\n      cache = (typeof
window.localStorage === 'undefined') ? null : window.localStorage;\n    } catch (_) {\n    }\n  }\n  return {\n
setCSS: function(path, lastModified, modifyVars, styles) {\n    if (cache) {\n      logger.info(` saving
${path} to cache.`);\n      try {\n        cache.setItem(path, styles);\n
cache.setItem(`${path}:timestamp`, lastModified);\n        if (modifyVars) {\n
cache.setItem(`${path}:vars`, JSON.stringify(modifyVars));\n        }\n      } catch (e) {\n        //
TODO - could do with adding more robust error handling\n        logger.error(` failed to save `\"${path}`\" to
local storage for caching.`);\n      }\n    }\n  },\n  getCSS: function(path, webInfo, modifyVars) {\n    const css = cache &&
cache.getItem(path);\n    const timestamp = cache && cache.getItem(`${path}:timestamp`);\n    let vars
= cache && cache.getItem(`${path}:vars`);\n    modifyVars = modifyVars || {};\n    vars = vars || \"{}\";\n
// if not set, treat as the JSON representation of an empty object\n    if (timestamp && webInfo.lastModified
&&\n    (new Date(webInfo.lastModified).valueOf() ===\n    new Date(timestamp).valueOf())\n    &&\n    JSON.stringify(modifyVars) === vars) {\n      // Use local copy\n      return css;\n
}\n  }\n};\n};\n", "\nimport functionRegistry from './../less/functions/function-registry';\n\nexport default () =>
{\n  function imageSize() {\n    throw {\n      type: 'Runtime',\n      message: 'Image size functions
are not supported in browser version of less'\n    };}\n  }\n  const imageFunctions = {\n    'image-size':
function(filePathNode) {\n      imageSize(this, filePathNode);\n      return -1;\n    },\n    'image-width':
function(filePathNode) {\n      imageSize(this, filePathNode);\n      return -1;\n    },\n    'image-height':
function(filePathNode) {\n      imageSize(this, filePathNode);\n      return -1;\n    }\n  };\n  functionRegistry.addMultiple(imageFunctions);\n};\n", "names":["extractId","href","replace","addDataAttr","option
s","tag","opt","dataset","hasOwnProperty","JSON","parse","_","document","styles","sheet","id","title","utils.extract
Id","oldStyleNode","getElementById","keepOldStyleNode","styleNode","createElement","setAttribute","media","st
yleSheet","appendChild","createTextNode","childNodes","length","firstChild","nodeValue","head","getElementsBy
TagName","nextEl","nextSibling","parentNode","insertBefore","removeChild","cssText","e","Error","window","scr
ipts","currentScript","extendStatics","d","b","Object","setPrototypeOf","__proto__","Array","p","__extends","__","t
his","constructor","prototype","create","__spreadArrays","s","i","il","arguments","r","k","a","j","jl","aliceblue","ant
iquewhite","aqua","aquamarine","azure","beige","bisque","black","blanchedalmond","blue","blueviolet","brown","b
urlywood","cadetblue","chartreuse","chocolate","coral","cornflowerblue","cornsilk","crimson","cyan","darkblue","d
arkcyan","darkgoldenrod","darkgray","darkgrey","darkgreen","darkkhaki","darkmagenta","darkolivegreen","darkor
ange","darkorchid","darkred","darksalmon","darkseagreen","darkslateblue","darkslategray","darkslategrey","darktur
quoise","darkviolet","deeppink","deepskyblue","dimgray","dimgrey","dodgerblue","firebrick","floralwhite","forestg
reen","fuchsia","gainsboro","ghostwhite","gold","goldenrod","gray","grey","green","greenyellow","honeydew","hot
pink","indianred","indigo","ivory","khaki","lavender","lavenderblush","lawngreen","lemonchiffon","lightblue","lig
htcoral","lightcyan","lightgoldenrodyellow","lightgray","lightgrey","lightgreen","lightpink","lightsalmon","lightsea
green","lightskyblue","lightslategray","lightslategrey","lightsteelblue","lightyellow","lime","limegreen","linen","ma
genta","maroon","mediumaquamarine","mediumblue","mediumorchid","mediumpurple","mediumseagreen","mediu
mslateblue","mediumspringgreen","mediumturquoise","mediumvioletred","midnightblue","mintcream","mistyrose",
"moccasin","navajowhite","navy","oldlace","olive","olivedrab","orange","orangered","orchid","palegoldenrod","pal
egreen","paleturquoise","palevioletred","papayawhip","peachpuff","peru","pink","plum","powderblue","purple","re
beccapurple","red","rosybrown","royalblue","saddlebrown","salmon","sandybrown","seagreen","seashell","sienna",
"silver","skyblue","slateblue","slategray","slategrey","snow","springgreen","steelblue","tan","teal","thistle","tomato
","turquoise","violet","wheat","white","whitesmoke","yellow","yellowgreen","m","cm","mm","in","px","pt","pc","d
uration","ms","angle","rad","Math","PI","deg","grad","turn","colors","unitConversions","parent","visibilityBlocks",
"undefined","nodeVisible","rootNode","parsed","self","defineProperty","get","fileInfo","getIndex","Node","nodes",
"set","node","isArray","forEach","_index","_fileInfo","context","strs","genCSS","add","chunk","index","push","isE
mpty","join","output","value","visitor","visit","op","precision","numPrecision","Number","toFixed","info","compar

```


e","type","numericCompare","Color","rgb","originalForm","match","map","c","parseInt","alpha","split","clamp","v","max","min","toHex","round","toString","luma","g","pow","toCSS","doNotCompress","color","colorFunction","compress","args","fround","indexOf","concat","toHSL","h","l","toRGB","splitcolor","operate","other","_operate","toHSV","toARGB","x","fromKeyword","keyword","key","toLowerCase","slice","Paren","eval","_noSpaceCombinators",
",|","Combinator","emptyOrWhitespace","trim","spaceOrEmpty","Element","combinator","isVariable","currentFileInfo","visibilityInfo","copyVisibilityInfo","setParent","accept","clone","firstSelector","charAt","ALWAYS","PARENTS_DIVISION","PARENTS","STRICT_LEGACY","RewriteUrls","getType","payload","call","copy","target","getPrototypeOf","getOwnPropertyNames","getOwnPropertySymbols","reduce","carry","props","includes","newVal","originalObject","includeNonenumerable","propType","propertyIsEnumerable","enumerable","writable","configurable","assignProp","nonenumerable","getLocation","inputStream","n","line","column","copyArray","arr","obj","cloned","prop","defaults","obj1","obj2","newObj","_defaults","defaults_1","assign","copyOptions","opts","strictMath","math","Constants.Math","relativeUrls","rewriteUrls","Constants.RewriteUrls","flattenArray","result","length_1","anonymousFunc","LessError","fileContentMap","currentFilename","filename","message","stack","input","contents","loc","utils.getLocation","col","callLine","lines","found","func","Function","lineAdjust","callExtract","extract","F","error","stylize","str","errorTxt","substr","Selector","elements","extendList","condition","evaldCondition","getElements","mixinElements_","visitArray","createDerived","newSelector","mediaEmpty","els","parseNode","err","imports","createEmptySelectors","el","sels","olen","len","mixinElements","shift","isJustParentSelector","extend","getIsOutput","Value","Keyword","True","False","Anonymous","mapLines","rulesetLike","allowRoot","isRulesetLike","Boolean","MATH","Declaration","name","important","merge","inline","variable","lastRule","prevMath","evaldValue","mathBypass","evalName","importantScope","importantResult","pop","makeImportant","debugInfo","ctx","lineSeparator","dumpLineNumbers","asComment","asMediaQuery","lineNumber","fileName","filenameWithProtocol","test","Comment","isLineComment","getDebugInfo","isSilent","isCompressed","contexts","copyFromOriginal","original","destination","propertiesToCopy","parseCopyProperties","Parse","paths","evalCopyProperties","isPathRelative","path","isPathLocalRelative","Eval","frames","inCalc","mathOn","calcStack","parensStack","rootpath","newPath","normalizePath","segment","segments","reverse","makeRegistry","base","_data","addMultiple","functions","keys","_this","getLocalFunctions","inherit","defaultFunc","value_","error_","reset","Ruleset","selectors","rules","strictImports","_lookups","_variables","_properties","selCnt","selector","hasVariable","hasOnePassingSelector","toParseSelectors","utils.flattenArray","rule","subRule","utils.copyArray","ruleset","originalRuleset","root","firstRoot","allowImports","functionRegistry","globalFunctionRegistry","ctxFrames","unshift","ctxSelectors","evalImports","rsRules","evalFirst","mediaBlockCount","mediaBlocks","filter","splice","resetCache","bubbleSelectors","importRules","matchArgs","matchCondition","lastSelector","_rulesets","variables","hash","vars","name_1","properties","name_2","decl","parseValue","property","lastDeclaration","toParse","transformDeclaration","nodes_1","rulesets","filtRules","isRuleset","prependRule","find","foundMixins","apply","ruleNodes","tabLevel","sep","tabRuleStr","tabSetStr","charsetNodeIndex","importNodeIndex","isCharset","pathCnt","pathSubCnt","currentLastRule","isVisible","joinSelectors","joinSelector","createParenthesis","elementsToPak","originalElement","replacementParen","insideParent","createSelector","containedElement","element","addReplacementIntoPath","beginningPath","addPath","replacedElement","originalSelector","newSelectorPath","newJoinedSelector","parentEl","restOfPath","addAllReplacementsIntoPath","addPaths","mergeElementsOnToSelectors","sel","deriveSelector","deriveFrom","newPaths","replaceParentSelector","inSelector","currentElements","newSelectors","selectorsMultiplied","maybeSelector","hadParentSelector","nestedSelector","replaced","nestedPaths","replacedNewSelectors","concatenated","bind","AtRule","isRooted","outputRuleset","mediaPathBackup","mediaBlocksBackup","mediaPath","_i","ruleCnt","DetachedRuleset","callEval","Unit","numerator","denominator","backupUnit","sort","strictUnits","returnStr","is","unitString","toUpperCase","isLength","RegExp","isSingular","callback","usedUnits","group","mapUnit","groupName","atomicUnit","cancel","counter","count","Dimension","unit","parseFloat","isNaN","toColor","strValue","String","convertTo","unify","conversions","targetUnit","applyUnit","derivedConversions","Operation","operands","isSpaced","isMathOn","Expression","noSpacing","returnValue","inParenthesis","parens","parensInOp","doubleParen","outOfParenthesis","throwAwayComments","functionCaller","evalArgs","item","subNodes","Call","calc","currentMathContext","enterCalc","exitCalc","funcCaller

,"FunctionCaller","isValid","columnNumber","Variable","evaluating","frame","fun","Property","mergeRules","pluginManager","less","visitors","ToCSSVisitor","_mergeRules","vArr","Attribute","Quoted","content","escaped","quote","variableRegex","propRegex","containsVariables","that","iterativeReplace","regex","replacementFnc","evaluatedValue","URL","val","isEvald","pathRequiresRewrite","rewritePath","urlArgs","Media","features","evalTop","evalNested","multiMedia","permute","fragment","rest","Import","css","pathValue","getPath","isPlugin","reference","isVariableImport","evalForImport","evalPath","doEval","blocksVisibility","addVisibilityBlock","registry","skip","importedFilename","newImport","JsEvalNode","evaluateJavaScript","expression","evalContext","javascriptEnabled","jsify","toJS","JavaScript","string","Assignment","Condition","negate","lvalue","rvalue","UnicodeDescriptor","Negative","Extend","option","object_id","next_id","parent_ids","allowBefore","allowAfter","findSelfSelectors","select orElements","selfElements","selfSelectors","VariableCall","detachedRuleset","NamespaceValue","ruleCall","lookups","substring","Definition","params","variadic","arity","optionalParameters","required","evalParams","mixinEnv","evaldArguments","varargs","arg","isNamedFound","argIndex","argsLength","evalCall","_arguments","mixinFrames","allArgsCnt","requiredArgsCnt","MixinCall","mixins","mixin","mixinPath","argValue","f","isRecursive","isOn eFound","candidate","defaultResult","noArgumentsFilter","candidates","conditionResult","calcDefGroup","namespace","expand","MixinDefinition","format","newRules","_setVisibilityToReplacement","replacement","msg","_fireEvent","warn","debug","addListener","listener","_listeners","removeListener","logFunction","externalEnvironment","fileManagers","requiredFunctions","propName","environmentFunc","environment","currentDirectory","isSync","logger","getFileManagers","fileManager","AbstractFileManager","lastIndexOf","ext","tryAppendExtension","basePath","laterPath","url","baseUrl","urlDirectories","baseUrlDirectories","urlParts","extractUrlParts","baseUrlParts","diff","hostPart","directories","urlPartsRegex","returner","rawDirectories","rawPath","fileUrl","require","AbstractPluginLoader","pluginOptions","pluginObj","localModule","shortname","FileManager","trySetOptions","use","exports","loader","tree","validatePlugin","minVersion","compareVersion","addPlugin","plugin","setOptions","version","versionToString","aVersion","bVersion","versionString","plugins","printUsage","_visitArgs","visitDeeper","_hasIndexed","_noop","implementation","_implementation","_visitInCache","_visitOutCache","indexNodeTypes","ticker","child","typeIndex","Visitor","nodeTypeIndex","fnName","impl","funcOut","visitArgs","newNode","isReplacing","cnt","nonReplacing","out","evald","flatten","nestedCnt","nestedItem","onSequencerEmpty","variableImports","_onSequencerEmpty","_currentDepth","ImportSequencer","importSequencer","importItem","isReady","tryRun","variableImport","ImportVisitor","importer","finish","_visitor","_importer","_finish","importCount","onceFileDetectionMap","recursionDetector","_sequencer","run","isFinished","visitImport","importNode","inlineCSS","importParent","addVariableImport","processImportNode","evaldImportNode","multiple","importMultiple","tryAppendLessExtension","onImported","sequencedOnImported","addImport","importedAtRoot","fullPath","importVisitor","isOptional","optional","duplicateImport","oldContext","visitDeclaration","declNode","visitDeclarationOut","visitAtRule","atRuleNode","visitAtRuleOut","visitMixinDefinition","mixinDefinitionNode","visitMixinDefinitionOut","visitRuleset","rulesetNode","visitRulesetOut","visitMedia","mediaNode","visitMediaOut","visible","SetTreeVisibilityVisitor","ensureVisibility","ensureInvisibility","allExtendsStack","ExtendFinderVisitor","allExtends","allSelectorsExtendList","extendOnEveryPath","selectorPath","selExtendList","allSelectorsExtend","foundExtends","firstExtendOnThisSelectorPath","ProcessExtendsVisitor","extendFinder","extendIndices","doExtendChaining","newRoot","checkExtendsForNonMatched","indices","hasFoundMatches","extendsList","extendsListTarget","iterationCount","extendIndex","targetExtendIndex","matches","targetExtend","newExtend","extendsToAdd","extendVisitor","findMatch","selfSelector","extendSelector","extendChainCount","selectorOne","selectorTwo","ruleNode","selectorNode","pathIndex","selectorsToAdd","extendedSelectors","haystackSelectorPath","haystackSelectorIndex","hackstackSelector","hackstackElementIndex","haystackElement","targetCombinator","potentialMatch","needleElements","potentialMatches","matched","initialCombinator","isElementValuesEqual","finished","endPathIndex","endPathElementIndex","elementValue1","elementValue2","replacementSelector","matchIndex","firstElement","newElements","currentSelectorPathIndex","currentSelectorPathElementIndex","currentValue","derived","newAllExtends","lastIndex","JoinSelectorVisitor","_context","CSSVisitorUtils","bodyRules","owner","thing","originalRules","containsSilentNonBlockedChild","compiledRulesBody","keepOnlyVisibleChilds","removeVisibilityBlock","hasVisibleSelector","utils","mixinNode","visitExtendNode","extendNode","visitComment","commentNode","resolveVisibility","visitAtRuleWithBody","visitAtRuleWitho

utBody", "visitAnonymous", "anonymousNode", "nodeRules", "hasFakeRuleset", "getBodyRules", "charset", "comment", "checkValidNodes", "isRoot", "_compileRulesetPaths", "nodeRuleCnt", "_removeDuplicateRules", "isVisibleRuleset", "ruleList", "ruleCache", "ruleCSS", "groups", "groupsArr", "result_1", "space_1", "comma_1", "MarkVisibleSelectorsV", "visitor", "ExtendVisitor", "furthest", "furthestPossibleErrorMessage", "chunks", "current", "currentPos", "saveStack", "parserInput", "skipWhitespace", "nextChar", "oldi", "oldj", "curr", "endIndex", "mem", "inp", "charCodeAt", "autoComment", "Absorb", "nextNewLine", "text", "commentStore", "nextStarSlash", "save", "restore", "possibleErrorMessage", "state", "forget", "isWhitespace", "offset", "pos", "code", "\$re", "tok", "exec", "\$char", "\$str", "tokLength", "\$quoted", "startChar", "currentPosition", "\$parseUntil", "testChar", "returnVal", "inComment", "blockDepth", "blockStack", "parseGroups", "startPos", "lastPos", "loop", "char", "expected", "peek", "peekChar", "currentChar", "prevChar", "getInput", "peekNotNumeric", "start", "chunkInput", "failFunction", "fail", "lastOpening", "lastOpeningParen", "lastMultiComment", "lastMultiCommentEndBrace", "chunkerCurrentIndex", "currentChunkStartIndex", "cc", "cc2", "level", "parenLevel", "emitFrom", "emitChunk", "force", "fromCharCode", "chunker", "end", "furthestReachedEnd", "furthestChar", "Parser", "parsers", "getParserInput", "expect", "expectChar", "parseList", "currentIndex", "returnNodes", "parser", "additionalData", "globalVars", "modifyVars", "ignored", "preText", "serializeVars", "preProcessors", "getPreProcessors", "process", "banner", "contentsIgnoredChars", "primary", "endInfo", "processImports", "extendRule", "definition", "declaration", "variableCall", "entities", "atrul", "foundSemiColon", "mixinLookup", "quoted", "forceEscaped", "isEscaped", "customFuncCall", "stop", "ieAlpha", "boolean", "if", "prevArgs", "isSemiColonSeparated", "argsComma", "argsSemiColon", "assignment", "literal", "dimension", "unicodeDescriptor", "entity", "ch", "variableCurly", "curly", "propertyCurly", "colorKeyword", "ud", "javascript", "js", "escape", "parsedName", "inValue", "ruleLookups", "isRule", "getLookup", "hasParens", "elem", "elemIndex", "re", "isCall", "expressionContainsNamed", "nameLoop", "expressions", "hasSep", "cond", "argInfo", "conditions", "block", "lookupValue", "attribute", "slashedCombinator", "isLess", "when", "blockRuleset", "hasDR", "ruleProperty", "permissiveValue", "anonymousValue", "untilTokens", "done", "testCurrentChar", "import", "dir", "importOptions", "mediaFeatures", "o", "optionName", "importOption", "mediaFeature", "pluginArgs", "nonVendorSpecificName", "hasIdentifier", "hasExpression", "hasUnknown", "hasBlock", "sub", "addition", "multiplication", "operation", "operand", "needsParens", "logical", "next", "conditionAnd", "negatedCondition", "parenthesisCondition", "atomicCondition", "body", "me", "tryCondition", "nFollowedByParenthesis", "delim", "simpleProperty", "If", "trueValue", "falseValue", "colorFunctions", "hsla", "origColor", "hsl", "number", "rgba", "size", "m1_1", "m2_1", "hue", "hsv", "hsva", "vs", "floor", "perm", "saturation", "lightness", "hsvhue", "hsvsaturation", "hsvvalue", "luminance", "saturate", "amount", "method", "desaturate", "lighten", "darken", "fadein", "fadeout", "fade", "spin", "mix", "color1", "color2", "weight", "w", "w1", "w2", "greyscale", "contrast", "dark", "light", "threshold", "t", "argb", "tint", "shade", "colorBlend", "mode", "cb", "cs", "ar", "cr", "ab", "as", "colorBlendModeFunctions", "multiply", "screen", "overlay", "softlight", "sqrt", "hardlight", "difference", "abs", "exclusion", "average", "negation", "getItemsFromNode", "_SELF", "values", "range", "step", "from", "to", "stepValue", "list", "each", "rs", "iterator", "tryEval", "Quote", "valueName", "keyName", "indexName", "MathHelper", "fn", "mathFunctions", "ceil", "sin", "cos", "atan", "asin", "acos", "mathHelper", "fraction", "num", "minMax", "isMin", "currentUnified", "referenceUnified", "unitStatic", "unitClone", "order", "convert", "pi", "mod", "y", "percentage", "evaluated", "encodeURI", "pattern", "flags", "%", "token", "encodeURIComponent", "isa", "Type", "isunit", "isruleset", "iscolor", "isnumber", "isstring", "iskeyword", "isurl", "ispixel", "ispercent", "age", "isem", "get-unit", "colorBlending", "fallback", "functionThis", "data-uri", "mimetypeNode", "filePathNode", "mimetype", "filePath", "entryPath", "fragmentStart", "utils.clone", "rawBuffer", "getFileManager", "useBase64", "mimeLookup", "charsetLookup", "fileSync", "loadFileSync", "buf", "encodeBase64", "uri", "dataUri", "svg-gradient", "direction", "stops", "gradientDirectionSvg", "position", "positionValue", "gradientType", "rectangleDimension", "renderEnv", "directionValue", "throwArgumentDescriptor", "types", "evaldRoot", "evalEnv", "visitorIterator", "preEvalVisitors", "first", "isPreEvalVisitor", "isPreVisitor", "pm", "postProcessors", "installedPlugins", "pluginCache", "Loader", "PluginLoader", "PluginManager", "install", "preProcessor", "priority", "indexToInsertAt", "postProcessor", "manager", "PluginManagerFactory", "newFactory", "SourceMapOutput", "_css", "_rootNode", "_contentsMap", "contentsMap", "_contentsIgnoredCharsMap", "contentsIgnoredCharsMap", "sourceMapFilename", "_sourceMapFilename", "_outputFilename", "outputFilename", "sourceMapURL", "sourceMapBasepath", "_sourceMapBasepath", "sourceMapRootpath", "_sourceMapRootpath", "_outputSourceFiles", "outputSourceFiles", "_sourceMapGeneratorConstructor", "getSource

MapGenerator", "_lineNumber", "_column", "removeBasepath", "sourceLines", "columns", "sourceColumns", "inputSource", "_sourceMapGenerator", "addMapping", "generated", "source", "normalizeFilename", "file", "sourceRoot", "setSourceContent", "sourceMapContent", "stringify", "toJSON", "sourceMap", "sourceMapOutput", "Environment", "SourceMapBuilder", "sourceMapOutputFilename", "sourceMapGenerator", "sourceMapFileInline", "disableSourceMapAnnotation", "sourceMapInputFilename", "getCSSAppendage", "sourceMapBuilder", "ParseTree", "transformTree", "toCSSOptions", "getPostProcessors", "getExternalSourceMap", "files", "rootFilename", "parseTree", "ImportManager", "rootFileInfo", "mime", "queue", "importManager", "pluginLoader", "fileParsedFunc", "importedEqualsRoot", "newFileInfo", "loadedFile", "promise", "loadFileCallback", "resolvedFilename", "pathDiff", "isPathAbsolute", "alwaysMakePathsAbsolute", "newEnv", "evalPlugin", "syncImport", "loadPluginSync", "loadPlugin", "loadFile", "then", "render", "utils.copyOptions", "self_1", "Promise", "resolve", "reject", "Render", "context_1", "pluginManager_1", "reUsePluginManager", "imports_1", "evalResult", "fileContent", "Functions", "initial", "data", "ctor", "api", "fileCache", "errback", "xhr", "XMLHttpRequest", "async", "isFileProtocol", "fileAsync", "handleResponse", "status", "responseText", "getResponseHeader", "overrideMimeType", "open", "setRequestHeader", "send", "onreadystatechange", "readyState", "location", "useFileCache", "lessText", "webInfo", "lastModified", "Date", "doXHR", "log", "_super", "fulfill", "catch", "rootHref", "errorReporting", "errors", "errorline", "classname", "logLevel", "errorConsole", "timer", "filenameNoPath", "className", "innerHTML", "browser", "style", "env", "setInterval", "replaceChild", "clearInterval", "errorHTML", "remove", "removeErrorHTML", "depends", "lint", "insecure", "protocol", "poll", "hostname", "port", "onReady", "addDefaultOptions", "LESS_PLUGINS", "lessRoot", "FM", "addFileManager", "loggers", "console", "LogListener", "ErrorReporting", "cache", "localStorage", "setCSS", "setItem", "getCSS", "getItem", "timestamp", "valueOf", "Cache", "imageSize", "imageFunctions", "image-size", "image-width", "image-height", "ImageSize", "typePattern", "thisArg", "curryArgs", "loadStyles", "instanceOptions", "loadStyleSheet", "reload", "remaining", "local", "loadInitialFileCallback", "loadStyleSheets", "sheets", "watch", "watchMode", "watchTimer", "clearFileCache", "unwatch", "registerStylesheetsImmediately", "links", "rel", "registerStylesheets", "record", "refresh", "startTime", "endTime", "totalMilliseconds", "remainingSheets", "refreshStyles", "resolveOrReject", "pageLoadFinished"], "mappings":":;,,,,;oMACgBA,EAAUC,GACtB,OAAOA,EAAKC,QAAQ,sBAAB,IACtCA,QAAQ,uBAAB,IAC hCA,QAAQ,MAAO,IACfA,QAAQ,eAAgB,IACxBA,QAAQ,aAAc,KACtBA,QAAQ,MAAO,cAGRC,EAAyC,EA ASC,GACjC,IAAK,IAAMC,KAAOD,EAAIE,QACIB,GAAIF,EAAIE,QAAQC,eAAeF,GAC3B,GAAY,QAARA, GAAyB,oBAARA,GAAqC,aAARA,GAA8B,mBAARA,EACpEF,EAAQE,GAAOD,EAAIE,QAAQD,QAE3B,IAC IF,EAAQE,GAAOG,KAAKC,MAAML,EAAIE,QAAQD,IAE1C,MAAOK,WChBR,SAAUC,EAAUC,EAAQC,G AEnC,IAAMb,EAAOa,EAAMB,MAAQ,GAGrBc,EAAC,SAAQD,EAAME,OAASC,EAAGBhB,IAG5CiB,EAAeN ,EAASO,eAAeJ,GACzCK,GAAMB,EAGjBC,EAAYT,EAASU,cAAc,SACzCD,EAAUE,aAAa,OAAQ,YAC3BT,E AAMU,OACNH,EAAUE,aAAa,QAAS,EAAMU,OAE1CH,EAAUN,GAACA,EAEM,EAAUI,aACXJ,EAAUK, YAAYd,EAASe,eAAed,IAG9CO,EAAqC,OAAjBF,GAAyBA,EAAaU,WAAWC,OAAS,GAACK,EAAUO,WAA WC,OAAS,GAC7GX,EAAaY,WAAWC,YAAcV,EAAUS,WAAWC,WAGnE,IAAMC,EAAOpB,EAAQb,qBAA qB,QAAQ,GAInD,GAAqB,OAAjBf,IAA8C,IAArBE,EAA4B,CACrD,IAAMc,EAASpB,GAASA,EAAMqB,aAAe, KACzCD,EACAA,EAAOE,WAAWC,aAAahB,EAAWa,GAE1CF,EAAKN,YAAYL,GAUZB,GAPIH,IAAQc,IAA rBE,GACHBF,EAAakB,WAAWE,YAAYpB,GAMpCG,EAAUI,WACV,IACIJ,EAAUI,WAAWc,QAAU1B,EACj C,MAAO2B,GACL,MAAM,IAAIC,MAAM,6CAIb,SAASC,GACpB,IAEUC,EAfJ/B,EAAW8B,EAAO9B,SACx B,OAAOA,EAASgC,gBACND,EAAU/B,EAASqB,qBAAqB,WAC/BU,EAAQd,OAAS,IC7CxCGB,EAAGB,SAAS C,EAAGC,GAI5B,OAHAf,EAAGBG,OAOC,gBACIB,CAAEC,UAAW,cAAgBC,OAAS,SAAU,EAAGC,GAA KD,EAAEI,UAAyH,IACvE,SAAUD,EAAGC,GAAC,IAAK,IAAIK,KAAKL,EAAOA,EAAEvC,eAAe4C,KAAIN ,EAAEM,GAACKL,EAAEK,MACpDN,EAAGC,aAGZM,EAAUP,EAAGC,GAeZB,SAASO,IAAOC,KAAKC,YA AcV,EADnCD,EAAcC,EAAGC,GAejBD,EAAEW,UAAkB,OAANV,EAAaC,OAAOU,OAAOX,IAAMO,EAAG G,UAAyV,EAAEU,UAAW,IAAIH,YA2HnEK,IACZ,IAAK,IAAIC,EAAl,EAAGC,EAAl,EAAGC,EAACK,UAU IC,OAAQgC,EAAlC,EAAlD,IAAKD,GAACKG,UAAUF,GAAGhC,OACxE,IAAlmC,EAAlb,MAAMS,GAAlK,E AAl,EAAl3B,IAA8BJ,EAAl,EAAGA,EAAlC,EAAlD,IACzC,IAAK,IAAIK,EAAlH,UAAUF,GAAlM,EAAl,EA AGC,EAAlKf,EAAlErC,OAAQsC,EAAlC,EAAlD,IAAlKf,IAC1DD,EAAEC,GAACK,EAAEC,GACjB,OAAOH,QC 1JI,CACXK,UAAy,UACZC,aAAe,UACfC,KAAO,UACPC,WAAa,UACbC,MAAQ,UACRC,MAAQ,UACRC,OA

AS,UACTC,MAAQ,UACRC,eAAiB,UACjBC,KAAO,UACPC,WAAa,UACbC,MAAQ,UACRC,UAAy,UACZC,
UAAy,UACZC,WAAa,UACbC,UAAy,UACZC,MAAQ,UACRC,eAAiB,UACjBC,SAAW,UACXC,QAAU,UAC
VC,KAAO,UACPC,SAAW,UACXC,SAAW,UACXC,cAAgB,UChBC,SAAW,UACXC,SAAW,UACXC,UAAy,
UACZC,UAAy,UACZC,YAAc,UACdC,eAAiB,UACjBC,WAAa,UACbC,WAAa,UACbC,QAAU,UACVC,WAA
a,UACbC,aAAe,UACfC,cAAgB,UChBC,cAAgB,UChBC,cAAgB,UChBC,cAAgB,UChBC,WAAa,UACbC,
SAAW,UACXC,YAAc,UACdC,QAAU,UACVC,QAAU,UACVC,WAAa,UACbC,UAAy,UACZC,YAAc,UACdC
,YAAc,UACdC,QAAU,UACVC,UAAy,UACZC,WAAa,UACbC,KAAO,UACPC,UAAy,UACZC,KAAO,UACP
C,KAAO,UACPC,MAAQ,UACRC,YAAc,UACdC,SAAW,UACXC,QAAU,UACVC,UAAy,UACZC,OAAS,UAC
TC,MAAQ,UACRC,MAAQ,UACRC,SAAW,UACXC,cAAgB,UChBC,UAAy,UACZC,aAAe,UACfC,UAAy,U
ACZC,WAAa,UACbC,UAAy,UACZC,qBAaUB,UACvBC,UAAy,UACZC,UAAy,UACZC,WAAa,UACbC,UA
AY,UACZC,YAAc,UACdC,cAAgB,UChBC,aAAe,UACfC,eAAiB,UACjBC,eAAiB,UACjBC,eAAiB,UACjBC,
YAAc,UACdC,KAAO,UACPC,UAAy,UACZC,MAAQ,UACRC,QAAU,UACVC,OAAS,UACTC,iBAaMB,UAC
nBC,WAAa,UACbC,aAAe,UACfC,aAAe,UACfC,eAAiB,UACjBC,gBAaKB,UACiBC,kBAaOB,UACpBC,gBA
kKB,UACiBC,gBAaKB,UACiBC,aAAe,UACfC,UAAy,UACZC,UAAy,UACZC,SAAW,UACXC,YAAc,UACdC,
KAAO,UACPC,QAAU,UACVC,MAAQ,UACRC,UAAy,UACZC,OAAS,UACTC,UAAy,UACZC,OAAS,UACT
C,cAAgB,UChBC,UAAy,UACZC,cAAgB,UChBC,cAAgB,UChBC,WAAa,UACbC,UAAy,UACZC,KAAO,
UACPC,KAAO,UACPC,KAAO,UACPC,WAAa,UACbC,OAAS,UACTC,cAAgB,UChBC,IAAM,UACNC,UAA
Y,UACZC,UAAy,UACZC,YAAc,UACdC,OAAS,UACTC,WAAa,UACbC,SAAW,UACXC,SAAW,UACXC,OA
AS,UACTC,OAAS,UACTC,QAAU,UACVC,UAAy,UACZC,UAAy,UACZC,UAAy,UACZC,KAAO,UACPC,Y
AAc,UACdC,UAAy,UACZC,IAAM,UACNC,KAAO,UACPC,QAAU,UACVC,OAAS,UACTC,UAAy,UACZC,
OAAS,UACTC,MAAQ,UACRC,MAAQ,UACRC,WAAa,UACbC,OAAS,UACTC,YAAc,aCpJH,CACX3L,OAaQ
,CACJ4L,EAaK,EAclC,GAAM,IACNC,GAAM,KACNC,GAAM,MACNC,GAAM,MAAS,GACfC,GAAM,MA
AS,GACfC,GAAM,MAAS,GAaK,IAExBC,SAaU,CACNpK,EAaK,EAclqK,GAAM,MAEVC,MAaO,CACHC,
IAaO,GAaK,EAaIC,KAaKC,IACrBC,IAaO,EAaI,IACXC,KAAQ,EAaI,IACZC,KAAQ,MCfD,CAaEC,SAaQ
C,gCCIrB,aACInL,KAaKoL,OAAS,KACdpL,KAaKqL,sBAaMB,EACxBtL,KAaKuL,iBAaCD,EACnBtL,KA
AKwL,SAAW,KACHbXL,KAaKyL,OAAS,KAEd,IAAMC,EAAO1L,KACbP,OAAOkM,eAAe3L,KAAM,kBAa
mB,CAC3C4L,IAaK,WAAa,OAAOF,EAaKG,cAEICpM,OAAOkM,eAAe3L,KAAM,QAAS,CACjC4L,IAaK,W
AAa,OAAOF,EAaKI,cA6H1C,OAxHIC,sBAAA,SAaUC,EAAOZ,GACb,SAASa,EAaIC,GACLA,GAAQA,aAA
gBH,IACxBG,EAaKd,OAASA,GAGIBXL,MAAMuM,QAAQH,GACdA,EAAMI,QAAQH,GAGdA,EAaID,IAIZ
D,qBAAA,WACI,OAAO/L,KAaKqM,QAaWtM,KAaKoL,QAAUpL,KAaKoL,OAAOU,YAAe,GAGrEC,qBAa
A,WACI,OAAO/L,KAaKsM,WAActM,KAaKoL,QAAUpL,KAaKoL,OAAOS,YAAe,IAGxEE,OBAAA,WACI,
OAAO,GAGXA,kBAAA,SAAMQ,GACF,IAAMC,EAAO,GASb,OARaxM,KAaKyM,OAAOF,EAAS,CACjBG,I
AAK,SAASC,EAAOd,EAAUe,GAC3BJ,EAaKK,KAaKF,IAEdG,QAAS,WACL,OAAuB,IAAhBN,EAaKIO,UA
GbkO,EAaKO,KAaK,KAGrBhB,mBAAA,SAaOQ,EAASS,GACZA,EAAON,IAaI1M,KAaKiN,QAGpBIB,mB
AAA,SAaOmB,GACHIN,KAaKiN,MAaQC,EAAQC,MAAMnN,KAaKiN,QAGpCIB,iBAAA,WAAS,OAAO/L,
MAEhB+L,qBAAA,SAASQ,EAASa,EAaIzM,EAAGnB,GACrB,OAAQ4N,GACJ,IAaK,IAaK,OAAOzM,EAaIn
B,EACrB,IAaK,IAaK,OAAOmB,EAaInB,EACrB,IAaK,IAaK,OAAOmB,EAaInB,EACrB,IAaK,IAaK,OAA
OmB,EAaInB,IAI7BuM,mBAAA,SAaOQ,EAASU,GACZ,IAAMI,EAAYd,GAAWA,EAaQe,aAErC,OAAO,EA
AcC,QAAQN,EAaQ,OAAOO,QAAQH,IAaCJ,GAItElB,6BAAA,WaII,OAH6B,MAAzB/L,KAaKqL,mBACLrL,
KAaKqL,iBAaMB,GAEK,IAa1BrL,KAaKqL,kBAGhBU,+BAAA,WACiC,MAAzB/L,KAaKqL,mBACLrL,KA
AKqL,iBAaMB,GAE5BrL,KAaKqL,iBAaMB,KAaKqL,iBAaMB,GAGpDU,kCAA,WACiC,MAAzB/L,KA
AKqL,mBACLrL,KAaKqL,iBAaMB,GAE5BrL,KAaKqL,iBAaMB,KAaKqL,iBAaMB,GAKpDU,6BAAA,W
ACI/L,KAaKuL,aAAc,GAKvBQ,+BAAA,WACI/L,KAaKuL,aAAc,GAOvBQ,sBAAA,WACI,OAAO/L,KAaKu
L,aAGhBQ,2BAAA,WACI,MAAO,CACHV,iBAaKB,KAaKqL,iBACvBE,YAAvL,KAaKuL,cAI1BQ,+BAA
A,SAaMB0B,GACVA,IAGLzN,KAaKqL,iBAaMB,EAaKpC,iBAC7BrL,KAaKuL,YAAcK,EAaKIC,mBAI
hCQ,EAaK2B,QAAU,SAAC/M,EAAGnB,GAOf,GAaKmB,EAAS,SAGG,WAAxNB,EAaEmO,MAAGc,cAAxN
O,EAaEmO,KAC3B,OAAOhN,EAaE+M,QAAQIO,GACd,GAaIA,EAaEkO,QACT,OAAQIO,EAaEkO,QAAQ/
M,GACf,GAaIA,EAaEgN,OAASnO,EAaEmO,KAaJB,CAMP,GAFaHN,EAaIA,EAaEsM,MACNzN,EAaIA,E

AAEyN,OACDrN,MAAMuM,QAAQxL,GACf,OAAOA,IAAMnB,EAAI,OAAI8L,EAeZB,GAAI3K,EAAErC,SA
AWkB,EAAEIB,OAAAnB,CAGA,IAAK,IAAIgC,EAAI,EAAGA,EAAIK,EAAErC,OAAQgC,IAC1B,GAaIC,IAA7
ByL,EAAK2B,QAAQ/M,EAaEL,GAaId,EAaEc,IACrB,OAGR,OAAO,KAGXyL,EAAK6B,eAAiB,SAACjN,EA
AGnB,GAAM,OAAAmB,EAAMnB,GAAK,EACrCmB,IAAMnB,EAAK,EACPmB,EAAMnB,EAAK,OAAI8L,G
ChLzB,IAAMuC,EAaQ,SAASC,EAaKnN,EAAGoN,GAC3B,IAAMrC,EAaO1L,KAOTJ,MAAMuM,QAAQ2B,
GACd9N,KAAK8N,IAAMA,EACJA,EAaIxP,QAAU,GACrB0B,KAAK8N,IAAM,GACXA,EAaIE,MAAM,SA
SC,KAAI,SAACC,EAAG5N,GACnBA,EAaI,EACJoL,EAaKoC,IAAIjB,KAAKsB,SAASD,EAAG,KAe1BxC,E
AAK0C,MAASD,SAASD,EAAG,IAAO,SAzC1O,KAAK8N,IAAM,GACXA,EAaIO,MAAM,IAAIJ,KAAI,SAAC
C,EAAG5N,GACdA,EAaI,EACJoL,EAaKoC,IAAIjB,KAAKsB,SAASD,EAaIA,EAAG,KAe9BxC,EAaK0C,M
AASD,SAASD,EAaIA,EAAG,IAAO,QAIjD1O,KAAKoO,MAAQpO,KAAKoO,QAAuB,iBAANzN,EAaIB,EA
AI,QAC5B,IAAjBoN,IACP/N,KAAKiN,MAAQc,IAoLrB,SAASO,EAAMC,EAAGC,GACd,OAAO3D,KAAK4D,
IAAI5D,KAAK2D,IAAID,EAAG,GAaIC,GAGpC,SAASE,EAAMH,GACX,MAAO,IAaIA,EAaEN,KAAI,SA
AC,GAEB,QADAA,EAaII,EAAMzD,KAAK8D,MAAMT,GAaI,MACb,GAAK,IAAM,IAAMA,EAaEU,SAAS,O
ACzC7B,KAAK,KAxLZc,EAAM3N,UAAy,IAAI6L,GAEN8C,KAAO,WACnB,IAAIpO,EAaIT,KAAK8N,IAAI,
GAAK,IACIBgB,EAaI9O,KAAK8N,IAAI,GAAK,IACIBtO,EAaIQ,KAAK8N,IAAI,GAAK,IAMtB,MAAO,OAJ
PrN,EAaKA,GAAK,OAAWA,EAaI,MAAQoK,KAAKkE,KAAMtO,EAaI,MAAS,MAAQ,MAI7C,OAHPbQO,E
AAKA,GAAK,OAAWA,EAaI,MAAQjE,KAAKkE,KAAMD,EAaI,MAAS,MAAQ,MAGhC,OAFjCtP,EAaKA,G
AAK,OAAWA,EAaI,MAAQqL,KAAKkE,KAAMvP,EAaI,MAAS,MAAQ,OAKrEqO,EAAM3N,UAAUuM,OA
AS,SAASF,EAASS,GACvCA,EAaON,IAAI1M,KAAKgP,MAAMzC,KAG1BsB,EAAM3N,UAAU8O,MAAQ,S
AASzC,EAAS0C,GACtC,IACIC,EACAd,EACaE,EAHEC,EAaW7C,GAaWA,EAaQ6C,WAAaH,EAI7CI,EA
O,GAOX,GAFAjB,EAaQpO,KAAKsP,OAAO/C,EAASvM,KAAKoO,OAe9BpO,KAAKiN,MACL,GAaKc,IAA
9BjN,KAAKiN,MAAMsC,QAAQ,OACfnB,EAaQ,IACRe,EAAGb,YAEjB,CAAA,GAaKc,IAA9BnP,KAAKiN,
MAAMsC,QAAQ,OA01B,OAAOvP,KAAKiN,MALRkC,EADaf,EAaQ,EACQ,OAeA,WAMPbA,EAaQ,IACR
e,EAAGb,QAIxB,OAAQA,GACJ,IAAK,OACDE,EAaOrP,KAAK8N,IAaIG,KAAI,SAaAC,GAAK,OAAAI,EA
AMzD,KAAK8D,MAAMT,GAaI,QAAMsB,OAAOIB,EAAMF,EAaO,IACxE,MACJ,IAAK,OACDiB,EAaKxC,
KAAKyB,EAAMF,EAaO,IAC3B,IAAK,MACDc,EAaQIP,KAAKyP,QACbJ,EAaO,CACHrP,KAAKsP,OAAO/
C,EAAS2C,EAAMQ,GACxB1P,KAAKsP,OAAO/C,EAaMB,IAAV2C,EAAM7O,OAC3BL,KAAKsP,OAAO/C,E
AaMB,IAAV2C,EAAMS,QACHCH,OAAOH,GAGjB,GAaIF,EAaE,OAAUA,MAaIBE,EAaKtC,KAAK,KAAIq
C,EAaW,GAAK,UAK7D,GAFAF,EAaQIP,KAAK4P,QAETR,EAaU,CACV,IAAMS,EAaAX,EAAMb,MAAM,I
AG3BwB,EAaW,KAAOA,EAaW,IAAMA,EAaW,KAAOA,EAaW,IAAMA,EAaW,KAAOA,EAaW,KACnGX
,EAaQ,IAaIW,EAaW,GAaKA,EAaW,GAaKA,EAaW,IAI/D,OAAOX,GASXrB,EAAM3N,UAAU4P,QAAU,
SAASvD,EAASa,EAaI2C,GAG5C,IAFA,IAAMjC,EAAM,IAaII,MAAM,GACHBwO,EAaQpO,KAAKoO,OA
AS,EAaI2B,EAAM3B,OAAS2B,EAAM3B,MAC5CF,EAaI,EAAGA,EAaI,EAAGA,IACnBJ,EAaII,GAaKIO,K
AAKgQ,SAASzD,EAASa,EAaIPn,KAAK8N,IAaII,GAaI6B,EAAMjC,IAaII,IAE/D,OAAO,IAaIL,EAAMC,EA
AKM,IAG1BP,EAAM3N,UAAU0P,MAAQ,WACpB,OAAOIB,EAAM1O,KAAK8N,MAGtBD,EAAM3N,UAAU
uP,MAAQ,WACpB,IAMIC,EACArP,EAPEL,EAaIT,KAAK8N,IAAI,GAAK,IACIBgB,EAaI9O,KAAK8N,IAAI,
GAAK,IACIBtO,EAaIQ,KAAK8N,IAAI,GAAK,IACIBnN,EAaIX,KAAKoO,MACTI,EAAM3D,KAAK2D,IAAI/
N,EAAGqO,EAAGtP,GACrBiP,EAAM5D,KAAK4D,IAAIhO,EAAGqO,EAAGtP,GAGrBmQ,GAaKnB,EAAMC
,GAaO,EACIBIP,EAaIP,EAAMC,EAeHb,GAaID,IAAQc,EACrIB,EAaIrP,EAaI,MACL,CAGH,OAFaa,EA
AIsP,EAaI,GAAMPq,GAAK,EAaIP,EAAMC,GAaOIP,GAaKiP,EAAMC,GAEvCD,GACJ,KAAK/N,EAAGiP,
GAaKZ,EAaITP,GAaKD,GAaKuP,EAaITP,EAaI,EAaI,GAaI,MAC3C,KAAKsP,EAAGY,GAaKIQ,EAaIiB,G
AAKIB,EAaI,EAaIB,MAC3C,KAAKc,EAAGkQ,GAaKjP,EAaIQO,GAaKvP,EAaI,EAe9BmQ,GAaK,EAET,
MAAO,CAaEA,EAaO,IAAJA,EAASrP,IAAGsP,IAAGhP,MAI/BkN,EAAM3N,UAAU+P,MAAQ,WACpB,IAMI
P,EACArP,EAPEL,EAaIT,KAAK8N,IAAI,GAAK,IACIBgB,EAaI9O,KAAK8N,IAAI,GAAK,IACIBtO,EAaIQ,K
AAK8N,IAAI,GAAK,IACIBnN,EAaIX,KAAKoO,MACTI,EAAM3D,KAAK2D,IAAI/N,EAAGqO,EAAGtP,GA
CrBiP,EAAM5D,KAAK4D,IAAIhO,EAAGqO,EAAGtP,GAGrB+O,EAaIC,EAeJP,EAaIP,EAAMC,EAOhB,G
ALIpO,EADQ,IAARmO,EACI,EAeAjP,EAaIP,EAgra,IAAQc,EACrIB,EAaI,MACD,CACH,OAAQIB,GACJ
,KAAK/N,EAAGiP,GAaKZ,EAaITP,GAaKD,GAaKuP,EAaITP,EAaI,EAaI,GAaI,MAC3C,KAAKsP,EAAGY,

GAAKIQ,EAAlb,GAAKIB,EAAl,EAAG,MAC7B,KAAKC,EAAGkQ,GAAKjP,EAAlqO,GAAKvP,EAAl,EAE9
BmQ,GAAK,EAET,MAAO,CAAEA,EAAl,IAAJA,EAASrP,IAAGkO,IAAG5N,MAG/BkN,EAAM3N,UAAUgQ,
OAAAS,WACrB,OAAOxB,EAAM,CAAc,IAAb1O,KAAKoO,OAAaoB,OAAOxP,KAAK8N,OAGhDD,EAAM3N,
UAAUwN,QAAU,SAASyC,GAC/B,OAAQA,EAAErC,KACNqC,EAAErC,IAAl,KAAO9N,KAAK8N,IAAl,IACt
BqC,EAAErC,IAAl,KAAO9N,KAAK8N,IAAl,IACtBqC,EAAErC,IAAl,KAAO9N,KAAK8N,IAAl,IACtBqC,EA
AE/B,QAAWpO,KAAKoO,MAAS,OAAI9C,GAGvCuC,EAAM3N,UAAUyN,KAAO,QAAvBE,EAAMuC,YAAc,
SAAAC,GACbB,IAAlnC,EACEoC,EAAMD,EAQe,cAQpB,GAPrF,EAAljO,eAAeqT,GACtBpC,EAAl,IAAIL
,EAAM3C,EAAlOf,GAAKE,MAAM,IAEnB,gBAARF,IACLpC,EAAl,IAAIL,EAAM,CAAC,EAAG,EAAG,GA
Al,IAGzBK,EAEA,OADAA,EAAEjB,MAAQoD,EACHnC,GC9Of,IAAMuC,EAAlQ,SAASvE,GACnBIM,KAAKi
N,MAAQf,IAGjBuE,EAAMvQ,UAAy,IAAl6L,GAENU,OAAAS,SAASF,EAASS,GACvCA,EAAlON,IAAl,KACX
1M,KAAKiN,MAAMR,OAAOF,EAASS,GAC3BA,EAAlON,IAAl,MAGf+D,EAAMvQ,UAAUwQ,KAAO,SAASn
E,GAC5B,OAAO,IAAlKE,EAAMzQ,KAAKiN,MAAMyD,KAAKnE,KAGrCkE,EAAMvQ,UAAUyN,KAAO,QCj
BvB,IAAMgD,EAAsB,CACxB,IAAl,EACJC,KAAK,EACLK,KAAK,GAGHC,EAAla,SAAS7D,GACV,MAAVA,
GACajN,KAAKiN,MAAQ,IACbjN,KAAK+Q,mBAaOB,IAEZB/Q,KAAKiN,MAAQa,EAAlQA,EAAM+D,OAA
S,GACpChR,KAAK+Q,kBAAmC,KAAf/Q,KAAKiN,SAItC6D,EAAlW5Q,UAAy,IAAl6L,GAENU,OAAAS,SAAS
F,EAASS,GAC5C,IAAlMiE,EAAGb1E,EAAlQ6C,UAAyUB,EAAlOB3Q,KAAKiN,OAAU,GAAl,IACIFD,EAAlON
,IAAluE,EAAljR,KAAKiN,MAAQgE,IAG3CH,EAAlW5Q,UAAUyN,KAAO,aCpB5B,IAAMuD,EAAl,SAASC,E
AAyIE,EAAlOmE,EAAlYxE,EAAlOyE,EAAlBC,GAC5EtR,KAAKmR,WAAaA,aAAsBL,EACpCK,EAAla,IAAIL,
EAAlWK,GAG5BnR,KAAKiN,MADY,iBAAVA,EACMA,EAAM+D,OACZ/D,GAGM,GAAljBjN,KAAKoR,WA
AaA,EAClBpR,KAAKqM,OAAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAKuR,mBAAmBD,GACxBtR,K
AAKwR,UAAUxR,KAAKmR,WAAyNR,QAGpCkR,EAAlQhR,UAAy,IAAl6L,GAEN0F,OAAAS,SAASvE,GACb
C,IAAMD,EAAlQjN,KAAKiN,MACnBjN,KAAKmR,WAAajE,EAAlQC,MAAMnN,KAAKmR,YACbB,iBAAlVIE,
IACpJN,KAAKiN,MAAlQC,EAAlQC,MAAMF,KAlnCIE,EAAlQhR,UAAUwQ,KAAO,SAASnE,GAC9B,OAAO,I
AAI2E,EAAlQlR,KAAKmR,WACpBnR,KAAKiN,MAAMyD,KAAO1Q,KAAKiN,MAAMyD,KAAKnE,GAAlWv
M,KAAKiN,MACIDjN,KAAKoR,WAClPpR,KAAK8L,WACl9L,KAAK6L,WAAy7L,KAAKsR,mBAG9BJ,EAAl
QhR,UAAUwR,MAAQ,WACtB,OAAO,IAAlR,EAAlQlR,KAAKmR,WACpBnR,KAAKiN,MAClJN,KAAKoR,W
AClPpR,KAAK8L,WACl9L,KAAK6L,WAAy7L,KAAKsR,mBAG9BJ,EAAlQhR,UAAUuM,OAAAS,SAASF,EAAl
SS,GACzCA,EAAlON,IAAlIM,KAAKGP,MAAMzC,GAAUvM,KAAK6L,WAAy7L,KAAK8L,aAG1DoF,EAAlQ
hR,UAAU8O,MAAQ,SAASzC,gBAAAA,MAC/B,IAAlU,EAAlQjN,KAAKiN,MACX0E,EAAlGpF,EAAlQoF,cA
Q9B,OAlI1E,aAAiBwD,IAGjBlE,EAAlQoF,eAAgB,GAAl5B1E,EAAlQA,EAAM+B,MAAQ/B,EAAM+B,MAAMz
C,GAAWU,EAC7CV,EAAlQoF,cAAgBA,EACV,KAAV1E,GAAoD,MAAlPcJN,KAAKmR,WAAWIE,MAAM2E,
OAAO,GACtC,GAAl5R,KAAKmR,WAAWnC,MAAMzC,GAAWU,GAlhDiE,EAAlQhR,UAAUyN,KAAO,UCp
EIB,IAAM9C,EAAlO,CACbGhH,OAAQ,EACRC,gBAAlB,EACjBC,OAAQ,EACRC,cAAe,GAGNC,EACJ,EADl
A,EAAlF,EAAlEA,EAGJ,ECLT,SAASC,EAAlQC,GACb,OAAO1S,OAAOS,UAAU0O,SAASwD,KAAKD,GAAS3
B,MAAM,GAAl,GAAlqF7D,SAASrE,EAAlQgG,GACb,MAAl4B,UAArBD,EAAlQC,GC3CnB,SAASE,EAAlKC,EAAl
QzV,GAAlB,YADgB,IAAZA,IAAsBA,EAAlU,IACbCsP,EAAlQmG,GACDA,EAAlOrE,KAAI,SAAlU3N,GAAlK,O
AAO+R,EAAlK/R,EAAlGzD,MDnB3B,WAArBqV,EADeC,ECqBAG,IDIBZH,EAAlQIS,cAAgBR,QAAUA,OAAO
8S,eAAeJ,KAAa1S,OAAOS,UCmBxEoS,EAtCf,WACl,IAAlK,IAAljS,EAAl,EAAlGC,EAAl,EAAlGC,EAAlKC,UA
AlUIC,OAAQgC,EAAlIC,EAAlID,IAAlKD,GAAlKG,UAAUF,GAAlGhC,OACxE,IAAlmC,EAAlb,MAAMS,GAAlK
,EAAl,EAAl3B,IAAl8BJ,EAAl,EAAlGA,EAAlIC,EAAlID,IACzC,IAAlK,IAAlK,EAAlIH,UAAUF,GAAlIM,EAAl,EA
AlGC,EAAlKF,EAAlErC,OAAQsC,EAAlIC,EAAlID,IAAlKF,IAC1DD,EAAlEC,GAAlKC,EAAlEC,GACjB,OAAOH,E
AlCAL,CAFkX,OAAO+S,oBAAlBF,GACzB7S,OAAOgT,sBAAsBH,IACL,QAAO,SAAlUC,EAAlOrC,GAC1D,
OAAInE,EAAlQtP,EAAlQ+V,SAAlW/V,EAAlQ+V,MAAlMC,SAAlSvC,IAAlC9D,SAAlOBqC,EAAlOrC,EAAlKwC,EA
AlQC,EAAlGBC,GACpD,IAAlIC,EAAlW,GAAlGC,qBAAlqBd,KAAKW,EAAlGzC,GACtD,aACA,gBACW,eAlA2
C,IACAN,EAAlMrC,GAAOwC,GACbE,GAAlqC,kBAAlBc,GACxBxT,OAAOkM,eAAegH,EAAlOrC,EAAlK,CAC9
BrD,MAAlO6F,EACPK,YAAy,EACZC,UAAU,EACVC,cAAc,IAAl4BIBC,CAAlWX,EAAlOrC,EADL+B,EADHC,E
AlAOHC,GACMzT,GACQyV,EAAlQzV,EAAlQ0W,eAlJpCZ,IAMZ,IDjCP,IAAluBR,WE7BPqB,EAAlY5G,EAAlO6
G,GAK/B,IAAJA,IAAlIC,EAAlI9G,EAAlQ,EACZ+G,EAAlO,KACPC,GAAU,IAELF,GAAlK,GAA+B,OAA1BD,EAAl

Y7B,OAAO8B,IACICE,IAOJ,MAJqB,iBAAVhH,IACP+G,GAAQF,EAA YjD,MAAM,EAAG5D,GAAOoB,MAA
M,QAAU,IAAI1P,QAGrD,CACHqV,OACAC,mBAIQC,EAAUC,GACtB,IAAIxT,EACEhC,EAASwV,EAAIxV,O
ACb+T,EAAO,IAAIzS,MAAMtB,GAEvB,IAAKgC,EAAI,EAAGA,EAAIhC,EAAQgC,IACpB+R,EAAK/R,GAA
KwT,EAAIxT,GAElB,OAAO+R,WAGKX,EAAMqC,GACIB,IAAMC,EAAS,GACf,IAAK,IAAMC,KAAQF,EAC
XA,EAAI9W,eAAegX,KACnBD,EAAOC,GAAQF,EAAIE,IAG3B,OAAOD,WAGKE,EAASC,EAAMC,GAC3B,I
AAIC,EAASD,GAAQ,GACrB,IAAKA,EAAKE,UAAW,CACjBD,EAAS,GACT,IAAME,EAAWIC,EAAK8B,GA
CtBE,EAAOC,UAAAYC,EACnB,IAAMP,EAASI,EAAO/B,EAAK+B,GAAQ,GACnC3U,OAAO+U,OAAOH,EAA
QE,EAAUP,GAEPc,OAAOK,WAGKI,EAAYN,EAAMC,GAC9B,GAAIA,GAAQA,EAAKE,UACb,OAAOF,EA
E,X,IAAMM,EAAOR,EAASC,EAAMC,GAQ5B,GAPIM,EAAKC,aACLD,EAAKE,KAAOC,EAAe7C,eAG3B0C,E
AAKI,eACLJ,EAAKK,YAAcC,GAEE,iBAAdN,EAAKE,KACZ,OAAQF,EAAKE,KAAKrE,eACd,IAAK,SACDm
E,EAAKE,KAAOC,EAAehD,OAC3B,MACJ,IAAK,kBACD6C,EAAKE,KAAOC,EAAe/C,gBAC3B,MACJ,IAAK
,SACL,IAAK,SACD4C,EAAKE,KAAOC,EAAe9C,OAC3B,MACJ,IAAK,gBACD2C,EAAKE,KAAOC,EAAe7C,
cAGvC,GAAgC,iBAArB0C,EAAKK,YACZ,OAAQL,EAAKK,YAA YxE,eACrB,IAAK,MACDmE,EAAKK,YAA
cC,EACnB,MACJ,IAAK,QACDN,EAAKK,YAAcC,EACnB,MACJ,IAAK,MACDN,EAAKK,YAAcC,EAI/B,OA
AON,WAYKO,EAAanB,EAAKoB,gBAAAA,MAC9B,IAAK,IAAI5U,EAAI,EAAG6U,EAASrB,EAAIxV,OAAQ
gC,EAAI6U,EAAQ7U,IAAK,CACID,IAAM2M,EAAQ6G,EAAIxT,GACdV,MAAMuM,QAAQc,GACdgl,EAAah
I,EAAOiI,QAEN5J,IAAV2B,GACAiI,EAAOrI,KAAKI,GAIxB,OAAOiI,gHApBwf,EAAMC,GACxB,IAAK,IAA
MH,KAAQG,EACXA,EAAKnX,eAAegX,KACpBE,EAAKF,GAAQG,EAAKH,IAG1B,OAAOE,oBCxGLiB,EAA
gB,qCAwBhBC,EAAY,SAAmBpW,EAAGqW,EAAGBC,GACpDrW,MAAMkT,KAAKpS,MAEX,IAAMwV,EA
AWvW,EAAEuW,UAA YD,EAK/B,GAHAvV,KAAKyV,QAAUxW,EAAEwW,QACjBzV,KAAK0V,MAAQzW,
EAAEyW,MAEXJ,GAakBE,EAAU,CAC5B,IAAMG,EAAQL,EAAeM,SAASJ,GAChCK,EAAMC,EAakB7W,E
AAE2N,MAAO+I,GACjChC,EAAOkC,EAAIIC,KACXoC,EAAOF,EAAIjC,OACXoC,EAAW/W,EAAEmT,MAA
QOD,EAakB7W,EAAEmT,KAAMuD,GAAOhC,KACtDsC,EAAQN,EAAQA,EAAMtH,MAAM,MAAQ,GAQ1C,
GANArO,KAAK2N,KAAO1O,EAAE0O,MAAQ,SACtB3N,KAAKwV,SAAWA,EACHBxV,KAAK4M,MAAQ3N
,EAAE2N,MACf5M,KAAK2T,KAAuB,iBAATA,EAAoBA,EAAO,EAAI,KACID3T,KAAK4T,OAASmC,GAET/
V,KAAK2T,MAAQ3T,KAAK0V,MAAO,CAC1B,IAAMQ,EAAQIW,KAAK0V,MAAM1H,MAAMoH,GASzBe,
EAAO,IAAIC,SAAS,IAAK,qBAC3BC,EAAa,EACjB,IACIF,IACF,MAAOIX,GACL,IAAM+O,EAAQ/O,EAAEy
W,MAAM1H,MAAMoH,GAE5BiB,EAAa,EADAIL,SAASH,EAAM,IAI5Bki,IACIA,EAAM,KACNIW,KAAK2T,
KAAOxF,SAAS+H,EAAM,IAAMG,GAejCH,EAAM,KACNIW,KAAK4T,OAASzF,SAAS+H,EAAM,MAKzCIW
,KAAKgW,SAAWA,EAAW,EAC3BhW,KAAKsW,YAAcL,EAAMD,GAezBhW,KAAKuW,QAAU,CACXN,EA
AMjW,KAAK2T,KAAO,GACIBsC,EAAMjW,KAAK2T,KAAO,GACIBsC,EAAMjW,KAAK2T,SAMvB,QAA6B
,IAAIBIU,OAAOU,OAAwB,CACtC,IAAMqW,EAAI,aACVA,EAAEtW,UAA YhB,MAAMgB,UACpBmV,EAAU
nV,UAA Y,IAAIsW,OAE1BnB,EAAUnV,UAA YT,OAAOU,OAAOjB,MAAMgB,WAG9CmV,EAAUnV,UAAUD
,YAAcV,EASICA,EAAUnV,UAAU0O,SAAW,SAAS/R,gBAAAA,MACpC,IAAI4Y,EAAU,GACRc,EAAUvW,
KAAKuW,SAAW,GAC5BE,EAAQ,GACRC,EAAU,SAAAC,GAAO,OAAAA,GACrB,GAAI9Z,EAAQ6Z,QAAS,
CACjB,IAAM/I,SAAc9Q,EAAQ6Z,QAC5B,GAAa,aAAT/I,EACA,MAAMzO,MAAM,+CAA+CyO,OAE/D+I,EA
AU7Z,EAAQ6Z,QAGtB,GAakB,OAAd1W,KAAK2T,KAAe,CAKpB,GAJ0B,iBAAf4C,EAAQ,IACfE,EAAM5J,
KAAK6J,EAAW1W,KAAK2T,KAAO,MAAK4C,EAAQ,GAAM,SAG/B,iBAAfA,EAAQ,GAaiB,CACHc,IAAIK,
EAAc5W,KAAK2T,SACnB4C,EAAQ,KACRK,GAAYL,EAAQ,GAAG/F,MAAM,EAAGxQ,KAAK4T,QACjC8C
,EAAQA,EAAQA,EAAQH,EAAQ,GAAGM,OAAO7W,KAAK4T,OAAQ,GAAL,QACvD2C,EAAQ,GAAG/F,MA
AMxQ,KAAK4T,OAAS,GAAL,OAAQ,YAEvD6C,EAAM5J,KAAK+J,GAGW,iBAAfL,EAAQ,IACfE,EAAM5J,K
AAK6J,EAAW1W,KAAK2T,KAAO,MAAK4C,EAAQ,GAAM,SAEzDE,EAAWA,EAAM1J,KAAK,MAAQ2J,E
AAQ,GAAL,cAkB9C,OAFajB,GAAWiB,EAAW1W,KAAK2N,eAAc3N,KAAKyV,QAAW,OACrDzV,KAAKwV,
WACLC,GAAWiB,EAAQ,OAAQ,OAAS1W,KAAKwV,UAEzCxV,KAAK2T,OACL8B,GAAWiB,EAAQ,YAA Y
1W,KAAK2T,kBAAGb3T,KAAK4T,OAAS,OAAM,SAG5E6B,GAAW,KAAKgB,EAezZw,KAAKgW,WACLP,
GAACiB,EAAQ,QAAS,QAAU1W,KAAKwV,UAA Y,SAC1DC,GAACiB,EAAQ1W,KAAKgW,SAAU,YAAWhW
,KAAKsW,kBAGIDb,GCxJX,IAAMqB,EAAW,SAASC,EAAUC,EAAYC,EAAWrK,EAAOyE,EAAiBC,GAC/Et
R,KAAKgX,WAAaA,EACIBhX,KAAKiX,UAA YA,EACjBjX,KAAKkX,gBAakBD,EACvBjX,KAAKqM,OAAS

O,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAK+W,SAAW/W,KAAKmX,YAAYJ,GACjC/W,KAAKoX,oBAA
iB9L,EACtBtL,KAAKuR,mBAAMBD,GACxBtR,KAAKwR,UAAUxR,KAAK+W,SAAU/W,QAGIC8W,EAAS5
W,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GAC7BIN,KAAK+W,WACL/W,KAAK+W,SAAW7J,EAAQmK,W
AAWrX,KAAK+W,WAExC/W,KAAKgX,aACLhX,KAAKgX,WAAa9J,EAAQmK,WAAWrX,KAAKgX,aAEIC
hX,KAAKiX,YACLjX,KAAKiX,UAAy/J,EAAQC,MAAMnN,KAAKiX,aAI5CH,EAAS5W,UAAUoX,cAAgB,S
AASP,EAAUC,EAAYE,GAC9DH,EAAW/W,KAAKmX,YAAYJ,GAC5B,IAAMQ,EAAC,IAAIT,EAASC,EAU
C,GAAchX,KAAKgX,WAC1D,KAAMhX,KAAK8L,WAAy9L,KAAK6L,WAAy7L,KAAKsR,kBAGjD,OAFai
G,EAAYL,eAAoC,MAAIBA,EAA0BA,EAAiBIX,KAAKkX,eAC9EK,EAAYC,WAAaxX,KAAKwX,WACvBD,G
AGXT,EAAS5W,UAAUiX,YAAc,SAASM,GACtC,OAAKA,GAGc,iBAARA,GACPzX,KAAK7C,MAAMua,UA
CPD,EACA,CAAC,YACDzX,KAAKqM,OACLrM,KAAKsM,WACL,SAASqL,EAAKzC,GACV,GAAIyC,EACA
,MAAM,IAAIc,EAAU,CChBzI,MAAO+K,EAAI/K,MACX6I,QAASKC,EAAIIC,SACdzV,KAAK7C,MAAMya
,QAAS5X,KAAKsM,UAAUkJ,UAEICiC,EAAMvC,EAAO,GAAG6B,YAGrBU,GAIBI,CAAC,IAAIvG,EAAQ,G
AAI,KAAK,EAAOIR,KAAKqM,OAAQrM,KAAKsM,aAqB9DwK,EAAS5W,UAAU2X,qBAAuB,WACtC,IAAM
C,EAAK,IAAI5G,EAAQ,GAAI,KAAK,EAAOIR,KAAKqM,OAAQrM,KAAKsM,WACnDyL,EAAO,CAAC,IAAI
jB,EAAS,CAACgB,GAAK,KAAM,KAAM9X,KAAKqM,OAAQrM,KAAKsM,YAE/D,OADAyL,EAAK,GAAGP,
YAAa,EACdO,GAGXjB,EAAS5W,UAAU8N,MAAQ,SAAS+B,GAChC,IAEii,EACA1X,EAHEyW,EAAW/W,K
AAK+W,SACHBkB,EAAMIB,EAASzY,OAMrB,GAAa,KADb0Z,GADajI,EAAQA,EAAMmI,iBACD5Z,SACK2
Z,EAAMD,EACpB,OAAO,EAEP,IAAK1X,EAAI,EAAGA,EAAI0X,EAAM1X,IACIB,GAAIyW,EAASzW,GAA
G2M,QAAU8C,EAAMzP,GAC5B,OAAO,EAKnB,OAAO0X,GAGXIB,EAAS5W,UAAUgY,cAAgB,WAC/B,GA
AIY,KAAKoX,eACL,OAAOpX,KAAKoX,eAGhB,IAAIL,EAAW/W,KAAK+W,SAAS9I,KAAK,SAAAM,GAA
K,OAAAA,EAAE4C,WAAWIE,OAASsB,EAAEtB,MAAMA,OAASsB,EAAEtB,UAAQF,KAAK,IAAIiB,MAAM
,+BAUvG,OARI+I,EACoB,MAAhBA,EAAS,IACtA,EAASoB,QAGbpB,EAAW,GAGP/W,KAAKoX,eAAiBL,G
AGICD,EAAS5W,UAAUkY,qBAAuB,WACtC,OAAQpY,KAAKwX,YACgB,IAAzBxX,KAAK+W,SAASzY,QA
Ca,MAA3B0B,KAAK+W,SAAS,GAAG9J,QACsB,MAAtCjN,KAAK+W,SAAS,GAAG5F,WAAWIE,OAAuD,K
AAtCjN,KAAK+W,SAAS,GAAG5F,WAAWIE,QAGIF6J,EAAS5W,UAAUwQ,KAAO,SAASnE,GAC/B,IAAM2
K,EAAiBIX,KAAKiX,WAAajX,KAAKiX,UAAUvG,KAAKnE,GACzDwK,EAAW/W,KAAK+W,SACHBC,EAA
ahX,KAAKgX,WAKtB,OAHAD,EAAWA,GAAYA,EAAS9I,KAAI,SAAAhP,GAAK,OAAAA,EAAEyR,KAAKn
E,MACHDyK,EAAaA,GAACa,EAAW/I,KAAI,SAAAoK,GAAU,OAAAA,EAAO3H,KAAKnE,MAEzDvM,KAA
KsX,cAAcP,EAAUC,EAAYE,IAGpDJ,EAAS5W,UAAUuM,OAAS,SAASF,EAASS,GAC1C,IAAI1M,EAKJ,IAH
MiM,GAAYA,EAAQoF,eAAwD,KAAtC3R,KAAK+W,SAAS,GAAG5F,WAAWIE,OACpED,EAAON,IAAI,IAA
K1M,KAAK6L,WAAy7L,KAAK8L,YAErCxL,EAAI,EAAGA,EAAIN,KAAK+W,SAASzY,OAAQgC,IACxBN,
KAAK+W,SAASzW,GChBmM,OAAOF,EAASS,IAIhC8J,EAAS5W,UAAUoY,YAAc,WAC7B,OAAOtY,KAA
KkX,gBAGhBJ,EAAS5W,UAAUyN,KAAO,WC5I1B,IAAM4K,EAAQ,SAAStL,GACnB,IAAKA,EACD,MAAM,
IAAI/N,MAAM,oCAEFU,MAAMuM,QAAQc,GAIfjN,KAAKiN,MAAQA,EAHbjN,KAAKiN,MAAQ,CAAEA,K
AOvBsL,EAAMrY,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GAC1BIN,KAAKiN,QACLjN,KAAKiN,MAAQC,
EAAQmK,WAAWrX,KAAKiN,SAI7CsL,EAAMrY,UAAUwQ,KAAO,SAASnE,GAC5B,OAA0B,IAAtBvM,KA
AKiN,MAAM3O,OACJ0B,KAAKiN,MAAM,GAAGyD,KAAKnE,GAEnB,IAAIgM,EAAMvY,KAAKiN,MAAM
gB,KAAI,SAAAM,GAAK,OAAAA,EAAEmC,KAAKnE,QAIpDgM,EAAMrY,UAAUuM,OAAS,SAASF,EAASS
,GACvC,IAAI1M,EACJ,IAAKA,EAAI,EAAGA,EAAIN,KAAKiN,MAAM3O,OAAQgC,IAC/BN,KAAKiN,MAA
M3M,GAAGmM,OAAOF,EAASS,GAC1B1M,EAAI,EAAIN,KAAKiN,MAAM3O,QACnB0O,EAAON,IAAKH,
GAAWA,EAAQ6C,SAAY,IAAM,OAK7DmJ,EAAMrY,UAAUyN,KAAO,QCtCvB,IAAM6K,EAAU,SAASvL,G
ACrBjN,KAAKiN,MAAQA,IAGjBuL,EAAQY,UAAy,IAAI6L,GAENU,OAAS,SAASF,EAASS,GACzC,GAAM
B,MAAfhN,KAAKiN,MAAiB,KAAM,CAAEU,KAAM,SAAU8H,QAAS,4BAC3DzI,EAAON,IAAI1M,KAAKiN,
QAGpBuL,EAAQY,UAAUyN,KAAO,UAEzB6K,EAAQC,KAAO,IAAID,EAAQ,QAC3BA,EAAQE,MAAQ,IAA
IF,EAAQ,SCb5B,IAAMG,EAAY,SAAS1L,EAAOL,EAAOyE,EAAiBuH,EAAUC,EAAvH,GAC7EtR,KAAKiN,
MAAQA,EACbjN,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAK4Y,SAAWA,EACHb5Y,K
AAK6Y,iBAAsC,IAAhBA,GAACa,EACIE7Y,KAAK8Y,WAAy,EACjB9Y,KAAKuR,mBAAMBD,KAG5BqH,
EAAUzY,UAAy,IAAI6L,GAEN2E,KAAO,WACvB,OAAO,IAAIi,EAAU3Y,KAAKiN,MAAOjN,KAAKqM,OA

AQrM,KAAKsM,UAAWtM,KAAK4Y,SAAU5Y,KAAK6Y,YAAa7Y,KAAKsR,mBAGxGqH,EAAUzY,UAAUwN,QAAU,SAASqC,GACnC,OAAOA,EAAMf,OAAShP,KAAKgp,UAAYe,EAAMf,QAAU,OAAI1D,GAG/DqN,EAUzY,UAAU6Y,cAAgB,WACHc,OAAO/Y,KAAK6Y,aAGhBF,EAAUzY,UAAUuM,OAAS,SAASF,EAASS,GAC3ChN,KAAKuL,YAAcyN,QAAQhZ,KAAKiN,OAC5BjN,KAAKuL,aACLyB,EAAON,IAAI1M,KAAKiN,MAAOjN,KAAKsM,UAAWtM,KAAKqM,OAAQrM,KAAK4Y,WAIjED,EAAUzY,UAAUyN,KAAO,YC7B3B,IAAMsL,EAAOpE,EAGPqE,EAAC,SAASC,EAAMIM,EAAOmM,EAAWC,EAAOzM,EAAOyE,EAABiI,EAAQC,GACxFvZ,KAAKmZ,KAAOA,EACZnZ,KAAKiN,MAASA,aAAiBIB,EAAQkB,EAAQ,IAAI5L,EAAM,CAACtL,EAQ,IAAI0L,EAAU1L,GAAS,OACzFjN,KAAKoZ,UAAyA,EAAY,IAAIA,EAAUpI,OAAW,GACtDhR,KAAKqZ,MAAQA,EACbrZ,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAKsZ,OAASA,IAAU,EACxBtZ,KAAKuZ,cAAyBjO,IAABiO,EAA0BA,EACpCJ,EAAKvH,QAA8B,MAAnBuH,EAAKvH,OAAO,GACnC5R,KAAK8Y,WAAY,EACjB9Y,KAAKwR,UAAUxR,KAAKiN,MAAOjN,QAG/BkZ,EAAYhZ,UAAy,IAAI6L,GAENU,OAAS,SAASF,EAASS,GAC7CA,EAAON,IAAI1M,KAAKmZ,MAAQ5M,EAAQ6C,SAAW,IAAM,MAAOpP,KAAK6L,WAAY7L,KAAK8L,YAC9E,IACI9L,KAAKiN,MAAMR,OAAOF,EAASS,GAE/B,MAAO/N,GAGH,MAFAA,EAAE2N,MAAQ5M,KAAKqM,OACfpN,EAAEUW,SAAWxV,KAAKsM,UAAUkJ,SACtBvW,EAEV+N,EAAON,IAAI1M,KAAKoZ,WAACPZ,KAAKsZ,QAAW/M,EAAQiN,UAAyJN,EAAQ6C,SAAa,GAAK,KAAmP,KAAKsM,UAAWtM,KAAKqM,SAG3H6M,EAAYhZ,UAAUwQ,KAAO,SAASnE,GACIC,IACIkN,EAEC,EAHAC,GAAa,EAEBR,EAAOnZ,KAAKmZ,KAEZI,EAAWvZ,KAAKuZ,SACA,iBAATJ,IAGPA,EAawB,IAAhBA,EAAK7a,QAaK6a,EAAK,aAAcX,EAC9CW,EAAK,GAAGIM,MAqDpB,SAaKbV,EAAS4M,GACvB,IACI7Y,EADA2M,EAAQ,GAENyG,EAAIyF,EAAK7a,OACT0O,EAAS,CAACN,IAAK,SAAUrM,GAAI4M,GAAS5M,IAC5C,IAAKC,EAAI,EAAGA,EAAIoT,EAAgPt,IACf6Y,EAAK7Y,GAAGoQ,KAAKnE,GAASE,OAAOF,EAASS,GAE1C,OAAOC,EA7DiB2M,CAASrN,EAAS4M,GACtCI,GAAW,GAIF,SAATJ,GAAMb5M,EAAQqI,OAAASqE,EAAKpH,SACzC8H,GAAa,EACbF,EAAWIN,EAAQqI,KACnBrI,EAAQqI,KAAOqE,EAAKnH,iBAExB,IAII,GAHAVF,EAAQsN,eAAehN,KAAK,IAC5B6M,EAAa1Z,KAAKiN,MAAMyD,KAAKnE,IAExBvM,KAAKuZ,UAAgC,oBAApBG,EAAW/L,KAC7B,KAAM,CAAE8H,QAAS,8CACb7I,MAAO5M,KAAK8L,WAAY0J,SAAUxV,KAAK6L,WAAW2J,UAE1D,IAAI4D,EAAYpZ,KAAKoZ,UACfU,EAakBvN,EAAQsN,eAAeE,MAK/C,OAJKX,GAAaU,EAAGBV,YAC9BA,EAAYU,EAAGBV,WAGzB,IAAIF,EAAYC,EACnBO,EACAN,EACApZ,KAAKqZ,MACLrZ,KAAK8L,WAAY9L,KAAK6L,WAAY7L,KAAKsZ,OACvCC,GAER,MAAOta,GAKH,KAJuB,iBAAZA,EAAE2N,QACT3N,EAAE2N,MAAQ5M,KAAK8L,WACf7M,EAAEUW,SAAWxV,KAAK6L,WAAW2J,UAE3BvW,UAGF0a,IACApN,EAAQqI,KAAO6E,KAK3BP,EAAYhZ,UAAU8Z,cAAgB,WACIC,OAAO,IAAIId,EAAYIZ,KAAKmZ,KACxBnZ,KAAKiN,MACL,aACAjN,KAAKqZ,MACLrZ,KAAK8L,WAAY9L,KAAK6L,WAAY7L,KAAKsZ,SAC/CJ,EAAYhZ,UAAUyN,KAAO,cC/G7B,IAAMsM,EAAY,SAAC1N,EAAS2N,EAAKC,GAC7B,IAAIJf,EAAS,GACb,GAAI3I,EAAQ6N,kBAAoB7N,EAAQ6C,SACpC,OAAQ7C,EAAQ6N,iBACZ,IAAK,WACDIF,EAAS+E,EAAUI,UAAUH,GAC7B,MACJ,IAAK,aACDhF,EAAS+E,EAAUK,aAAaJ,GACHc,MACJ,IAAK,MACDhF,EAAS+E,EAAUI,UAAUH,IAAQC,GAAiB,IAAMF,EAAUK,aAAaJ,GAI/F,OAAOhF,GAGX+E,EAAUI,UAAy,SAAAH,GAAO,OAAAA,EAAlD,UAAy,WAAWC,EAAlD,UAAUM,gBAAeL,EAAlD,UAAUO,iBAaKB,IAErHP,EAAUK,aAAe,SAAAJ,GACrB,IAAKA,EAAlD,UAAa,MAAO,GAC7B,IAAIQ,EAAuBP,EAAlD,UAAUO,SAIzC,MAHK,gBAAGBE,KAAKD,KACtBA,EAauB,UAAUA,GAE9B,gDAAgDA,EAAqB9d,QAAQ,eAAe,SAAAGe,GAI/F,MAHS,MAALA,IACAA,EAAI,KAED,KAAKA,iCACcuZ,EAAlD,UAAUM,mBC5BhD,IAAMI,EAAlD,SAAS1N,EAAlD,EAAehO,EAAOyE,GACIDrR,KAAKiN,MAAQA,EACbjN,KAAK4a,cAAgBA,EACrB5a,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAK8Y,WAAY,IAGrB6B,EAAQza,UAAy,IAAI6L,GAENU,OAAS,SAASF,EAASS,GACrChN,KAAKia,WACLjN,EAAON,IAAIImO,EAAatO,EAASvM,MAAOA,KAAK6L,WAAY7L,KAAK8L,YAEIEkB,EAAON,IAAI1M,KAAKiN,QAGpB0N,EAAQza,UAAU4a,SAAW,SAASvO,GACIC,IAAMwO,EAaexO,EAAQ6C,UAA8B,MAAIbPp,KAAKiN,MAAM,GACpD,OAAOjN,KAAK4a,eAAiBG,GAGjCJ,EAAQza,UAAUyN,KAAO,UCzBzB,IAAMqN,EAAW,GAIXC,EAAMb,SAA0BC,EAauc,EAAaC,GACtE,GAAKF,EAEL,IAAK,IAAI5a,EAAI,EAAGA,EAAI8a,EAAiB9c,OAAQgC,IACrC4a,EAASje,eAAeme,EAAiB9a,MACzC6a,EAAYC,EAAiB9a,IAAM4a,EAASE,EAAiB9a,MAQnE+a,EAASb,CAExB,QACA,cACA,WACA,gBACA,WACA,kBACA,WACA,aACA,aACA,OACA,eAEA,iBAEA,iBAGJL,EAASM,MAAQ,SAAASze,GACtBoe,EAAiBpe,EAASmD,KAAMqb,GAEN,iBAafrb,KAAKub,QAASvB,KAAKub,MAAQ,CAACv

b,KA AKub,SAG7D,IAAMC,EAAqB,CACvB,QACA,WACA,OACA,cACA,YACA,iBACA,UACA,oBACA,gBAC
A,iBACA,eAGJ,SAASC,EAAeC,GACpB,OAAQ,sBAAsBhB,KA AKgB,GAGvC,SAASC,EAAoBD,GACzB,MAA
0B,MAAnBA,EAAK9J,OAAO,GAGvBoJ,EAASY,gBACL,WAAY/e,EAASgf,GACjBZ,EAAiBpe,EAASmD,KA
AMwb,GAEN,iBA Afbx,KA AKub,QAAsBvb,KA AKub,MAAQ,CAACvb,KA AKub,QA EZDvb,KA AK6b,OAASA,
GAAU,GACxB7b,KA AK6Z,eAAiB7Z,KA AK6Z,gBA AkB,GAC7C7Z,KA AK8b,QAAS,EACd9b,KA AK+b,QAA
S,EA0FiB,OA vFIH,sBAAA,WACS5b,KA AKgc,YACNhc,KA AKgc,UAA Y,IAErBhc,KA AKgc,UAAUnP,MAAK,
GACpB7M,KA AK8b,QAAS,GAGIBF,qBAAA,WACI5b,KA AKgc,UAAUjC,MACV/Z,KA AKgc,UAAU1d,SACH
B0B,KA AK8b,QAAS,IAItBF,0BAAA,WACS5b,KA AKic,cACNjc,KA AKic,YAAc,IAEvBjc,KA AKic,YAA YpP,
MAAK,IAG1B+O,6BAAA,WACI5b,KA AKic,YAA YIC,OAGrB6B,qBAAA,SAASxO,GACL,QA AKpN,KA AK+b
,YAGC,MAAP3O,GA AcpN,KA AK4U,OAA SC,EAAehD,QAAY7R,KA AKic,aA AgBjc,KA AKic,YAA Y3d,YAG7
F0B,KA AK4U,KAAOC,EAAe/C,kBACpB9R,KA AKic,aAAejc,KA AKic,YAA Y3d,UAKpDsd,gCAAA,SAAoBF,
GAGhB,OAFmB1b,KA AK+U,cA AgBC,EAA8B2G,EAAsBF,GA E1EC,IAGtBE,wBAAA,SAA YF,EAAMQ,GAC
d,IAAIC,EAaJ,OAXAD,EA AWA,GAAY,GACvBC,EAAUnc,KA AKoc,cAAcF,EA AWR,GA IpCC,EAAoBD,IACp
BD,EAAeS,KACkB,IAAjCP,EAAoBQ,KACpBA,EAAU,KA AKA,GAGZA,GAGXP,0BAAA,SAAcF,GACV,IACI
W,EADEC,EA AWZ,EA AKrN,MAAM,KA AKkO,UAIjC,IADAb,EAAO,GACoB,IAApBY,EAAShe,QA EZ,OAD
A+d,EAAUC,EAASvC,OA Ef,IAAK,IACD,MACJ,IAAK,KACoB,IAAhB2B,EA AKpd,QAA4C,OAA1Bod,EA AK
A,EA AKpd,OAAS,GAC3Cod,EA AK7O,KAAMwP,GA EXX,EA AK3B,MAET,MACJ,QACI2B,EA AK7O,KA AK
wP,GAKtB,OAAOX,EA AK3O,KA AK,iBcjKzB,SAASyP,EA AcC,GACnB,MAAO,CACHC,MAAO,GACPhQ,IA
AK,SAASyM,EAAMhd,GAGhBgD,EAAOA,EA AK5I,cA ERvQ,KA AK0c,MAAMzf,eAAekc,GAG9BnZ,KA AK0
c,MAAMvD,GAAQhD,GA EVBwG,YAAa,SAASC,GAAT,WACTnd,OAAOod,KA AKD,GA AWxQ,SACnB,SAA
A+M,GACI2D,EA AKpQ,IAAIyM,EA AMyD,EAAUzD,QAGrCvN,IAAK,SAASuN,GACV,OAAOnZ,KA AK0c,M
AAMvD,IAAWsD,GAAQA,EA AK7Q,IAAKuN,IAEnD4D,kBA AmB,WACf,OAAO/c,KA AK0c,OA EhBM,QAAS
,WACL,OAAOR,EA Acxc,OA EzBG,OAAQ,SAASsc,GACb,OAAOD,EAAaC,KAKjBD,CAAc,MChCvBS,EA Ac,
CACHbvM,KAAM,WACF,IAAMnC,EA AIvO,KA AKkd,OACTje,EA AIe,KA AKmd,OACf,GA AIle,EACA,MAA
MA,EA EV,GAAS,MAALsP,EACA,OAAOA,EA AIk,EA AQC,KAAOD,EA AQE,OAG1CzL,MAAO,SAAUsB,G
ACbvO,KA AKkd,OAAS3O,GA EIbki,MAAO,SAAUxX,GACbe,KA AKmd,OAASle,GA EIbme,MAAO,WACHpd,
KA AKkd,OAASld,KA AKmd,OAAS,OCN9BE,EAAU,SAASC,EA AWC,EA AOC,EA AeIM,GACTdTr,KA AKsd,U
AAYA,EACjBtd,KA AKud,MAAQA,EACbvD,KA AKyd,SAAW,GACHBzd,KA AK0d,WAAa,KACIB1d,KA AK2d,
YAAc,KACnB3d,KA AKwd,cA AgBA,EACrBxd,KA AKuR,mBA AmBD,GACxBtR,KA AK8Y,WAAY,EA EjB9Y,
KA AKwR,UAAUxR,KA AKsd,UAAWtd,MAC/BA,KA AKwR,UAAUxR,KA AKud,MAAOvd,QAG/Bqd,EA AQnd
,UAA Y,IAAI6L,GAENgN,cA AgB,WAC9B,OAAO,GAGXsE,EA AQnd,UAAUuR,OAAS,SAASvE,GAC5BIN,KA
AKub,MACLvb,KA AKub,MAAQrO,EAAQmK,WAAWrX,KA AKub,OAAO,GACrCvb,KA AKsd,YACZtd,KA AK
sd,UAA YpQ,EA AQmK,WAAWrX,KA AKsd,YAEzCtd,KA AKud,OAASvd,KA AKud,MAAMjf,SACzB0B,KA AK
ud,MAAQrQ,EA AQmK,WAAWrX,KA AKud,SAI7CF,EA AQnd,UAAUwQ,KAAO,SAASnE,GA E9B,IAAI+Q,EA
CAM,EACAC,EACAvd,EACAwd,EACAC,GA AwB,EA E5B,GA AI/d,KA AKsd,YAAcM,EAAS5d,KA AKsd,UAA
Uhf,QAAS,CAOpD,IANAgf,EAAY,IAAI1d,MAAMge,GACTBX,EAAYxG,MAAM,CACd9I,KAAM,SACN8H,Q
AAS,6DAGRnV,EA AI,EAAGA,EA AISd,EA AQtd,IAAK,CACzBud,EA AW7d,KA AKsd,UAAUhd,GAAGoQ,KA
AKnE,GACIC,IAAK,IAAI3L,EA AI,EAAGA,EA AIld,EAAS9G,SAASzY,OAAQsC,IAC1C,GA AIld,EAAS9G,SA
ASnW,GAAGwQ,WAAY,CACjC0M,GA Ac,EACd,MAGRR,EA AUhd,GA AKud,EACXA,EAAS3G,iBACT6G,G
AAwB,GA IhC,GA AID,EAAa,CACb,IAAME,EA AmB,IAAIpe,MAAMge,GACnC,IAAKtd,EA AI,EAAGA,EA AIS
d,EA AQtd,IACpBud,EA AWP,EA AUhd,GACrB0d,EA AIb1d,GA AKud,EAAS7O,MAAMzC,GA EzCvM,KA AK7
C,MAAMua,UACPsG,EA AIbjR,KA AK,KACtB,CAAC,aACDuQ,EA AU,GAAGxR,WACbwR,EA AU,GAAGzR,
YACb,SAAC8L,EA AKzC,GACEA,IACAoI,EAAYW,EA AmB/I,OAK/C+H,EAAYG,aAEZW,GA AwB,EAG5B,IA
AEIG,EACAC,EAHAZ,EA AQvd,KA AKud,MAAQa,EA AgBpe,KA AKud,OAAS,KACjDc,EA AU,IAAIhB,EA AQ
C,EA AWC,EA AOvd,KA AKwd,cAAexd,KA AKsR,kBA IvE+M,EA AQC,gBA AkBte,KAC1Bqe,EA AQE,KAAOve,
KA AKue,KACpBF,EA AQG,UAA Yxe,KA AKwe,UACzBH,EA AQI,aAAeze,KA AKye,aAExBze,KA AKia,YACLo
E,EA AQpE,UAA Yja,KA AKia,WAGxB8D,IACDR,EAAMjf,OAAS,GAKnB+f,EA AQK,iBA AmB,SAAC7C,GA IX
B,IAHA,IAEI3F,EAFA5V,EA AI,EACFoT,EA AIml,EA AOvd,OAETgC,IAAMoT,IAAMPt,EA EhB,GADA4V,EA

AQ2F,EAAQvb,GAAIoe,iBACL,OAAOxI,EAE1B,OAAOyI,EARgB,CASxBpS,EAAQsP,QAAQmB,UAGnB,IAA
M4B,EAAYrS,EAAQsP,OAC1B+C,EAAUC,QAAQR,GAGIB,IAAIS,EAAevS,EAAQ+Q,UACtBwB,IACDvS,EA
AQ+Q,UAAyWb,EAAe,IAEvCA,EAAaD,QAAQ7e,KAAKsd,YAGtBe,EAAQE,MAAQF,EAAQI,eAAiBJ,EAAQ
b,gBACjDa,EAAQU,YAAyXs,GAKxB,IAAMyS,EAAUX,EAAQd,MACxB,IAAKjd,EAAI,EAAI4d,EAAOc,EAA
Q1e,GAAGA,IACzB4d,EAAKe,YACLD,EAAQ1e,GAAG4d,EAAKxN,KAAKnE,IAI/B,IAAM2S,EAAmB3S,EA
AQ4S,aAAe5S,EAAQ4S,YAAy7gB,QAAW,EAG/E,IAAKgC,EAAI,EAAI4d,EAAOc,EAAQ1e,GAAGA,IACX,c
AA4d,EAAKvQ,MAEL4P,EAAQW,EAAKxN,KAAKnE,GAAS6S,QAAO,SAAA3e,GAC9B,QAAGA,aAAayY,
GAAGBzY,EAAE8Y,YAIvB8E,EAAQ9E,SAAS9Y,EAAE0Y,SAIPc6F,EAAQK,aAARL,EAAKB,CAAC1e,EAA
G,GAAGkP,OAAO+N,IACChjd,GAAGid,EAAMjf,OAAS,EACpB+f,EAAQiB,cACc,iBAAFPb,EAAKvQ,OA
EZ4P,EAAQW,EAAKxN,KAAKnE,GAASgR,MAAM6B,QAAO,SAAA3e,GACpC,QAAGA,aAAayY,GAAGBzY,EA
AE8Y,aAMxCyF,EAAQK,aAARL,EAAKB,CAAC1e,EAAG,GAAGkP,OAAO+N,IACChjd,GAAGid,EAAMjf,OA
AS,EACpB+f,EAAQiB,cAKhB,IAAKhf,EAAI,EAAI4d,EAAOc,EAAQ1e,GAAGA,IACxB4d,EAAKe,YACND,E
AAQ1e,GAAG4d,EAAOA,EAAKxN,KAAOwN,EAAKxN,KAAKnE,GAAW2R,GAK7D,IAAK5d,EAAI,EAAI4d,
EAAOc,EAAQ1e,GAAGA,IAE7B,GAAI4d,aAAgBb,GAAWa,EAAKZ,WAAuC,IAA1BY,EAAKZ,UAAUhf,QA
ExD4f,EAAKZ,UAAU,IAAMY,EAAKZ,UAAU,GAAGIF,uBAAWb,CAC/D4G,EAAQK,OAAO/e,IAAK,GAEPb,I
AASM,EAAI,EAAIud,EAAUD,EAAKX,MAAM3c,GAAGA,IACnCuD,aAAmBpS,IACnBoS,EAAQ5M,mBAAM
B2M,EAAK5M,kBAC1B6M,aAAmBjF,GAAiBiF,EAAQ5E,UAC9CyF,EAAQK,SAAS/e,EAAG,EAAG6d,IAy/C,
GAHAS,EAAUzG,QACV2G,EAAa3G,QAET5L,EAAQ4S,YACR,IAAK7e,EAAI4e,EAAiB5e,EAAIim,EAAQ4S,
YAAy7gB,OAAQgC,IACtDiM,EAAQ4S,YAAy7e,GAAGif,gBAAGBjC,GAI/C,OAAOe,GAGXhB,EAAQnd,UA
AU6e,YAAc,SAASxS,GACrC,IACIjM,EACAKf,EAFejC,EAAQvd,KAAKud,MAGnB,GAAGA,EAEL,IAAKjd,E
AAI,EAAGA,EAAIid,EAAMjf,OAAQgC,IACJ,WAAIBid,EAAMjd,GAAGqN,QAET6R,EAAcJ,EAAMjd,GA
GoQ,KAAKnE,MACRiT,EAAyIhB,QAAiC,IAAvBkhB,EAAYIhB,SACIDif,EAAM8B,aAAN9B,EAAGB,CAACj
d,EAAG,GAAGkP,OAAOgQ,IAC9Bif,GAAGkf,EAAYIhB,OAAS,GAE1Bif,EAAM8B,OAAO/e,EAAG,EAAGkf,
GAEvBxf,KAAKsf,eAKjBjC,EAAQnd,UAAU8Z,cAAgB,WAS9B,OARe,IAAIqD,EAAQrd,KAAKsd,UAAWtd,K
AAKud,MAAMtP,KAAI,SAAAxN,GACtD,OAAIA,EAAEuZ,cACKvZ,EAAEuZ,gBAEFvZ,KAEXT,KAAKwd,c
AAexd,KAAKsR,mBAKjC+L,EAAQnd,UAAUuf,UAAyY,SAASpQ,GACnC,OAAQA,GAAWb,IAAhBA,EAAK/Q
,QAIzB+e,EAAQnd,UAAUwf,eAAiB,SAASrQ,EAAM9C,GAC9C,IAAMoT,EAAe3f,KAAKsd,UAAUtd,KAAKsd
,UAAUhf,OAAS,GAC5D,QAAGqH,EAAazI,kBAGdyI,EAAa1I,YACZ0I,EAAa1I,UAAUvG,KACpB,IAAIsK,E
AASY,KAAKrP,EACdA,EAAQsP,WAMxBwB,EAAQnd,UAAUof,WAAa,WAC3Btf,KAAK4f,UAAyY,KACjB5f,
KAAK0d,WAAa,KACIB1d,KAAK2d,YAAc,KACnB3d,KAAKyD,SAAW,IAGpBJ,EAAQnd,UAAU2f,UAAyY,WA
oB1B,OAnBK7f,KAAK0d,aACN1d,KAAK0d,WAAc1d,KAAKud,MAAavd,KAAKud,MAAM7K,QAAO,SAACo
N,EAAMrf,GAO1D,GANIA,aAAayY,IAA8B,IAAfzY,EAAE8Y,WAC9BuG,EAAKrf,EAAE0Y,MAAQ1Y,GAKJ,
WAAXA,EAAEKn,MAAQBIN,EAAE8d,MAAQ9d,EAAE8d,KAAKsB,UAAW,CACnD,IAAME,EAAOf,EAAE8
d,KAAKsB,YACpB,IAAK,IAAMG,KAAQD,EACXA,EAAK9iB,eAAe+iB,KACpBF,EAAKE,GAAGvf,EAAE8d,
KAAKhF,SAASyG,IAIzC,OAAOF,IACR,IAHb6B,IAKb7B9f,KAAK0d,YAGhBL,EAAQnd,UAAU+f,WAAa,WA
iB3B,OAhBKjgB,KAAK2d,cACN3d,KAAK2d,YAAe3d,KAAKud,MAAavd,KAAKud,MAAM7K,QAAO,SAACo
N,EAAMrf,GAC3D,GAAIA,aAAayY,IAA8B,IAAfzY,EAAE8Y,SAAMb,CACjD,IAAM2G,EAA0B,IAAIBzf,EA
AE0Y,KAAK7a,QAAGBmC,EAAE0Y,KAAK,aAAcX,EACxD/X,EAAE0Y,KAAK,GAAGIM,MAAQxM,EAAE0
Y,KAENb2G,EAAK,IAAII,GAIVJ,EAAK,IAAII,GAAQRt,KAAKpM,GAHtBqf,EAAK,IAAII,GAAU,CAAEzf,G
AM7B,OAAOqf,IACR,IAb8B,IAe9B9f,KAAK2d,aAGhBN,EAAQnd,UAAUqZ,SAAW,SAASJ,GACIC,IAAMgH,
EAAOngB,KAAK6f,YAAy1G,GAC9B,GAAIgH,EACA,OAAOngB,KAAKogB,WAAWD,IAI/B9C,EAAQnd,UA
AUmgB,SAAW,SAASIH,GACIC,IAAMgH,EAAOngB,KAAKigB,aAAa9G,GAC/B,GAAIgH,EACA,OAAOngB,
KAAKogB,WAAWD,IAI/B9C,EAAQnd,UAAUogB,gBAAKb,WACHc,IAAK,IAAIhgB,EAAIN,KAAKud,MAA
Mjf,OAAQgC,EAAI,EAAGA,IAAK,CACxX,IAAM6f,EAAOngB,KAAKud,MAAMjd,EAAI,GAC5B,GAAI6f,aA
AgBjH,EACHb,OAAOIZ,KAAKogB,WAAWD,KAKnC9C,EAAQnd,UAAUkgB,WAAa,SAASG,GACpC,IAAM7
U,EAAO1L,KACb,SAASwgB,EAAqBL,GAC1B,OAAIA,EAAKIT,iBAAiB0L,IAAcwH,EAAK1U,QAET,iBAAR
B0U,EAAKIT,MAAMA,MACIBjN,KAAK7C,MAAMua,UACPyI,EAAKIT,MAAMA,MACX,CAAC,QAAS,aAC
Vkt,EAAKIT,MAAMnB,WACXqU,EAAKtU,YACL,SAAC8L,EAAKzC,GACEyC,IACAwI,EAAK1U,QAAS,G

AEdyJ,IACaIL,EAakIT,MAAQiL,EAAO,GACpBiL,EAak/G,UAAyIE,EAAO,IAAM,GAC9BiL,EAak1U,QAA
S,MAI1B0U,EAak1U,QAAS,EAGX0U,GAGAA,EAGf,GAakvgB,MAAMuM,QAAQoU,GAGd,CACD,IAAME
,EAAQ,GAId,OAHAf,EAAQnU,SAAQ,SAAAsH,GACZ+M,EAAM5T,KAAK2T,EAAqBpO,KAAK1G,EAAMgI
,OAExC+M,EAPP,OAAOD,EAAqBpO,KAAK1G,EAAM6U,IAW/CID,EAAQnd,UAAUwgB,SAAW,WACzB,IA
AK1gB,KAAKud,MAAS,MAAO,GAe1B,IAE1jd,EACA4d,EAHEyC,EAAY,GACZpD,EAAQvd,KAAKud,MAIn
B,IAAKjd,EAAl,EAAl4d,EAAOX,EAAMjd,GAAKA,IACvB4d,EAak0C,WACLD,EAAU9T,KAAKqR,GAIVB,
OAAOyC,GAGXtD,EAAQnd,UAAU2gB,YAAc,SAAS3C,GACrC,IAAMX,EAAQvd,KAAKud,MACfA,EACAA,
EAAMsB,QAAQX,GAEdle,KAAKud,MAAQ,CAAeW,GAEnBle,KAAKwR,UAAU0M,EAAMle,OAGzBqd,EAA
Qnd,UAAU4gB,KAAO,SAASjD,EAAUnS,EAAa0T,gBAAb1T,QACxC,IACIsC,EACA+S,EAFExD,EAAQ,GAG
RjN,EAAMuN,EAAS7O,QAERB,OAAlSb,KAAOtQ,KAAKyD,SAAMbzd,KAAKyD,SAASnN,IAEjDtQ,KAAK0g
B,WAAWtU,SAAQ,SAAA8R,GACpB,GAAlA,IAASxS,EACT,IAAK,IAAI9K,EAAl,EAAGA,EAAlsd,EAakZ,U
AAUhf,OAAQsC,IAEvC,GADaOn,EAAQ6P,EAAS7P,MAAMkQ,EAakZ,UAAU1c,IAC3B,CACP,GAAlid,EA
AS9G,SAASzY,OAAS0P,GAC3B,IAAKoR,GAAUA,EAAOIB,GAao,CACzB6C,EAac7C,EAak4C,KAAK,IAA
IhK,EAAS+G,EAAS9G,SAASvG,MAAMxC,IAAStC,EAAM0T,GAC5E,IAAK,IAAI9e,EAAl,EAAGA,EAAlYgB,
EAAYziB,SAAUGC,EACtCyG,EAAYzG,GAAGob,KAAK7O,KAAKqR,GAe7Bte,MAAMM,UAAU2M,KAA
KmU,MAAMzD,EAAOwD,SAGtCxD,EAAM1Q,KAAK,CAAeQr,OAAMxC,KAAM,KAe7B,UAKhB1b,KAAK
yd,SAASnN,GAAOiN,EACdA,IAGXF,EAAQnd,UAAUuM,OAAS,SAASF,EAASS,GACzC,IAAI1M,EACAM,E
AKAQZ,EAEaIE,EACAxC,EAANuF,EAAY,GAQHb1U,EAAQ2U,SAAY3U,EAAQ2U,UAAy,EAEnClhB,KAA
Kue,MACNhS,EAAQ2U,WAGZ,IAEIC,EAFEC,EAAa7U,EAAQ6C,SAAW,GAakxP,MAAM2M,EAAQ2U,SA
AW,GAAGnU,KAAK,MACtEsU,EAAY9U,EAAQ6C,SAAW,GAakxP,MAAM2M,EAAQ2U,UAAUnU,KAAK,M
AGnEuU,EAAMb,EACnBC,EAakB,EACtB,IAAKjhB,EAAl,EAAl4d,EAAOle,KAAKud,MAAMjd,GAAKA,IAC
5B4d,aAAgBvD,GACZ4G,IAAoBjhB,GACpBihB,IAEJN,EAAUpU,KAAKqR,IACRA,EAakSd,WAAatD,EAak
sD,aAC9BP,EAAU5B,OAAOiC,EAakB,EAAGpD,GACtCoD,IACAC,KACqB,WAAadrD,EAakvQ,MACZsT,EA
AU5B,OAaOkC,EAAlB,EAAGrD,GACrCqD,KAeAN,EAAUpU,KAAKqR,GAovB,GAJA+C,EAAtCyB,GAsClzR
,OAAOyR,IAI/BjhB,KAAKue,KAAM,EACZtE,EAAYY,EAAatO,EAASvM,KAAMqhB,MAGpCrU,EAaON,IAA
IuN,GACXjN,EAaON,IAAI2U,IAGf,IAAM9F,EAAQvb,KAAKub,MACbkG,EAAUIG,EAAMjd,OACIBojB,SAIJ
,IAFAP,EAAM5U,EAAQ6C,SAAW,IAAO,MAAMiS,EAeJc/gB,EAAl,EAAGA,EAAlmhB,EAASnhB,IAERB,GA
AMohB,GADNhG,EAaOH,EAAMjb,IACWhC,OAoxB,IANIgc,EAAl,GAak0M,EAaON,IAAIyU,GAExB5U,E
AAQoF,eAAgB,EACxB+J,EAak,GAAGjP,OAaOF,EAASS,GAExBT,EAAQoF,eAAgB,EACnB/Q,EAAl,EAAG
A,EAAl8gB,EAAY9gB,IACxB8a,EAak9a,GAAG6L,OAaOF,EAASS,GAIHCA,EAaON,KAAKH,EAAQ6C,SA
AW,IAAM,QAAUGS,GAInD,IAAK9gB,EAAl,EAAl4d,EAAO+C,EAAU3gB,GAAKA,IAAK,CAEhCA,EAAl,IA
AM2gB,EAAU3iB,SACpBiO,EAAQiN,UAAW,GAGvB,IAAMmI,EAakBpV,EAAQiN,SAC5B0E,EAaknF,cAA
cmF,KACnB3R,EAAQiN,UAAW,GAGnB0E,EAakzR,OACLyR,EAakzR,OAaOF,EAASS,GACdkR,EAakjR,
OACZD,EAaON,IAAIwR,EAakjR,MAAM2B,YAG1BrC,EAAQiN,SAAWmI,GAEdpV,EAAQiN,UAAy0E,EA
AK0D,YAC1B5U,EAaON,IAAIH,EAAQ6C,SAAW,GAAM,KAAKgS,GAeZC7U,EAAQiN,UAAW,EAItBxZ,K
AAKue,OACnVR,EAaON,IAAKH,EAAQ6C,SAAW,IAAM,KAAKiS,OAC1C9U,EAAQ2U,YAGPIU,EAaOF,W
AAcP,EAAQ6C,WAAyPp,KAAKwe,WAC/CxR,EAaON,IAAI,OAInB2Q,EAAQnd,UAAU2hB,cAAgB,SAAStG,
EAaOhP,EAAS+Q,GACvD,IAAK,IAAIjd,EAAl,EAAGA,EAAlid,EAAUhf,OAaQ+B,IACICL,KAAK8hB,aAAa
vG,EAaOhP,EAAS+Q,EAAUjd,KAIPdgd,EAAQnd,UAAU4hB,aAAe,SAASvG,EAaOhP,EAASsR,GACTD,SA
SkE,EAakBC,EAaeC,GACtC,IAAIC,EACathB,EACJ,GAA6B,IAAZbohB,EAac1jB,OACd4jB,EAAMb,IAAIzR
,EAAMuR,EAac,QACxC,CACH,IAAMG,EAae,IAAIviB,MAAMoiB,EAac1jB,QAC7C,IAAKsC,EAAl,EAAGA
,EAAlOhB,EAac1jB,OAaQsC,IACICuhB,EAavhB,GAak,IAAIsQ,EACIB,KACA8Q,EAacphB,GACdqhB,EA
AgB7Q,WACHb6Q,EAAGb5V,OACHb4V,EAAGb3V,WAGxB4V,EAAMb,IAAIzR,EAAM,IAAIqG,EAASqL,IA
E9C,OAaOD,EAGX,SAASE,EAaeC,EAakBJ,GACtC,IAAIK,EAIJ,OAFAA,EAAU,IAAIpR,EAAQ,KAAAMmR,
EAakBJ,EAAGb7Q,WAAy6Q,EAAGb5V,OAaQ4V,EAAGb3V,WACvG,IAAIwK,EAAS,CAACwL,IAO7B,SA
ASC,EAauBC,EAaeC,EAASC,EAaiBC,GACrE,IAAIC,EACajD,EACakD,EAeJ,GAbAD,EAakB,GAIdJ,EAac
IkB,OAAS,GAEvBqhB,GADaiD,EAakBxE,EAAGBoE,IACHzI,MAC/B8I,EAaBF,EAaiBrL,cAAc8G,EAAGbu
B,EAaA5I,YAGhF8L,EAaBF,EAaiBrL,cAAc,IAGnDmL,EAAQnkB,OAAS,EAAG,CAMPB,IAAI6S,EAauR,

EAAgBvR,WAE3B2R,EAAWL,EAAQ,GAAG1L,SAAS,GACjC5F,EAAWJ,oBAAsB+R,EAAS3R,WAAWJ,oBA
CrDI,EAa2R,EAAS3R,YAG1B0R,EAakB9L,SAASIK,KAAK,IAAIqE,EACHCC,EACA2R,EAAS7V,MACTyV,
EAAgBtR,WACHBsR,EAAgBrW,OACHBqW,EAAgBpW,YAEpBuW,EAakB9L,SAAW8L,EAakB9L,SAASvH,
OAAOit,EAAQ,GAAG1L,SAASvG,MAAM,IAS7F,GAL0C,IAAtCqS,EAakB9L,SAASzY,QAC3BskB,EAAgB/
V,KAAKgW,GAiRBJ,EAAQnkB,OAAS,EAAG,CACpB,IAAIykB,EAaAn,EAAQjS,MAAM,GAC/BuS,EAaA,E
AAW9U,KAAI,SAAA4P,GAAY,OAAAA,EAASvG,cAAcuG,EAAS9G,SAAU,OACIF6L,EAakBA,EAAgBpT,O
AAOuT,GAE7C,OAAOH,EAMX,SAASI,EA4BR,EAaEs,EAAUP,EAaiBC,EAakBzN,GAC7F,IAAIu,EACJ,I
AKA,EAai,EAAGA,EAai4hB,EAackB,OAAQsC,IAAK,CACvC,IAAMgiB,EAakBL,EAauBC,EAac5hB,G
AAIqiB,EAAUP,EAaiBC,GAC5FzN,EAaOrI,KAAK+V,GAehB,OAAO1N,EAGX,SAASgO,EA2BnM,EAau
G,GAC1C,IAAIhd,EACA6iB,EAej,GAawB,IAApBpM,EAASzY,OAGb,GAayB,IAArBgf,EAUhf,OAKd,IAA
KgC,EAai,EAai6iB,EAAM7F,EAUhd,GAAKA,IAE1B6iB,EAai7kB,OAAS,EACb6kB,EAaiA,EAai7kB,OA
AS,GAak6kB,EAaiA,EAai7kB,OAAS,GAAGzG,cAAc6L,EAaiA,EAai7kB,OAAS,GAAGyY,SAASvH,OA
OuH,IAG5FoM,EAaitW,KAAK,IAAIk,EAASC,SAV1BuG,EAauzQ,KAAK,CAAE,IAAIk,EAASC,KAIjC,S
AASqM,EAae9R,EAAgB+R,GACpC,IAAM9L,EAac8L,EAaw/L,cAAc+L,EAawtM,SAAUsm,EAawrM,WA
AYqM,EAawnm,gBAepG,OADAK,EAAYhG,mBAAMBD,GACxBiG,EAIX,IAAIjX,EAEGjB,EAMJ,IA9IA,S
AASC,EAAsBhI,EAaOhP,EAASiX,GAW3C,IAAIjB,EAEM,EAACAF,EACA+iB,EACAC,EACAC,EACAR,EA
CARL,EAExZ,EACAqhB,EACwB2C,EACpBsB,EAJJC,GAAoB,EA0BxB,IARAJ,EAakB,GAiIBC,EAae,CACX
,IAGCpjB,EAai,EAaiwX,EAak0L,EAawzM,SAASzW,GAAKA,IAEvC,GAaiB,MAAbwX,EAAG7K,MAAe,C
ACIB,IAAM6W,GAzBNF,OAAAA,GADoBtB,EA0BsBxK,GAXBhC7K,iBAaiBwD,IAI/BmT,EAagBtB,EAQR
V,MAAMA,iBACC6J,EAIXB8M,EARI,MAwBP,GAAsB,MAAIBE,EAawB,CAGxBZ,EA2BO,EAaiBC,GAE5
C,IACIK,EADEC,EAac,GAEdC,EAauB,GAi7B,IAHAF,EAawR,EAAsBS,EAazX,EAASuX,GACvDD,EAao
BA,GAAqBE,EAepCrb,EAai,EAAGA,EAaisjB,EAAY1IB,OAAQoC,IAAK,CAErCsI,EA2BU,EAac,CADbt
B,EAaeL,EAakBiC,EAAYtjB,GAaiX,GAAKA,IACIBA,EAai0L,EAAYS,GAepFP,EAaeO,EACfR,EAakB,Q
AEIba,EAagB5W,KAAkiL,OAGtB,CAUH,IATA+L,GAAoB,EAepBF,EAAsB,GAiBT,EA2BO,EAaiBC,GA
GvC9iB,EAai,EAAGA,EAai8iB,EAaplB,OAAQsC,IAIjC,GAHAuiB,EAAMO,EAa9iB,GAGI,IAAnB2L,EA
AQjO,OAGJ6kB,EAai7kB,OAAS,GACb6kB,EAai,GAAGpM,SAASIK,KAAK,IAAIqE,EAQ4G,EAAG3G,WA
AY,GAai2G,EAAG1G,WAAY0G,EAAGzL,OAAQyL,EAAGxL,YAErfqX,EAaoB9W,KAAKsW,QAIzB,IAAK
ziB,EAai,EAAGA,EAai6L,EAQjO,OAAQoC,IAAK,CAGjC,IAAMkiB,EAakBL,EAauBY,EAak5W,EAQ7
L,GAaiX,EAai0L,GAepEG,EAaoB9W,KAAK+V,GAMrCc,EAaeC,EACfF,EAakB,GAQ1B,IAFAP,EA2BO
,EAaiBC,GAevCpjB,EAai,EAAGA,EAaiOjB,EAaplB,OAAQgC,KACjChC,EAASolB,EAapjB,GAAGhC,QA
CZ,IACtid,EAAM1O,KAAK6W,EAapjB,IACxBqf,EAae+D,EAapjB,GAAGhC,EAAS,GACxColB,EAapjB,
GAAGhC,EAAS,GAakqhB,EAaarl,cAAcqI,EAa5I,SAAUyM,EAawxM,aAIInG,OAAO6M,EAgBSN,CADpB
D,EAaw,GACyC/W,EAASsR,GAGzD,GAaitR,EAQjO,OAAS,EAejB,IADAgIB,EAaw,GACNhjB,EAai,EA
AGA,EAaiM,EAQjO,OAAQgC,IAAK,CAejC,IAAM4jB,EAae3X,EAQjM,GAAG2N,IAAIMv,EAae,KAA
KnkB,KAAM6d,EAASvM,mBAEvE4S,EAaax,KAAKgr,GACIByF,EAASzW,KAAKqX,QAIIBZ,EAaw,CAA
C,CAACzF,IAIrB,IAAKvd,EAai,EAAGA,EAaiGjB,EAASHlB,OAAQgC,IAC7Bib,EAAM1O,KAAKyW,EAASHj
B,KAI5B+c,EAQnd,UAAUyN,KAAO,UACzB0P,EAQnd,UAAU0gB,WAAY,ECz1B9B,IAAMwD,EAAS,SA
CXjL,EACAIM,EACAsQ,EACA3Q,EACAyE,EACA4I,EACAoK,EACA/S,GAEA,IAAIhR,EAIJ,GAFAN,KAAK
mZ,KAAQA,EACbnZ,KAAKiN,MAASA,aAAiBIB,EAQkB,EAASA,EAQ,IAAI0L,EAUI1L,GAASA,EAC3E
sQ,EAao,CAOP,IANI3d,MAAMuM,QAAQoR,GACdvd,KAAKud,MAAQA,GAebvd,KAAKud,MAAQ,CAACA
,GACdvd,KAAKud,MAAM,GAAGD,UAAy,IAAKxG,EAAS,GAai,KAAM,KAAMIK,EAaoY,E,GAakBwG,wB
AEhfVX,EAai,EAAGA,EAaiN,KAAKud,MAAMjf,OAAQgC,IAC/BN,KAAKud,MAAMjd,GAAGme,cAAe,EA
EjCze,KAAKwR,UAAUxR,KAAKud,MAAOvd,MAE/BA,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EA
CjBrR,KAAKia,UAAyA,EACjBja,KAAKqkB,SAAWA,IAAY,EAC5BrkB,KAAKuR,mBAAMBD,GACxBtR,KA
AK8Y,WAAY,IAGrBsL,EAaOIkB,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GAC/B,IAAMD,EAQjN,KAAKi
N,MACbsQ,EAQvd,KAAKud,MACfA,IACavd,KAAKud,MAAQrQ,EAQmK,WAawkG,IAEHctQ,IACajN,
KAAKiN,MAAQC,EAQc,MAAMF,KAIInCmX,EAaOIkB,UAAU6Y,cAAgB,WAC7B,OAAO/Y,KAAKud,QA
AUvd,KAAKwhB,aAG/B4C,EAaOIkB,UAAUshB,UAAy,WACzB,MAAO,aAAexhB,KAAKmZ,MAG/BI,EA

OIkB,UAAUuM,OAAS,SAASF,EAASS,GACxC,IAAMC,EAAQjN,KAAKiN,MACbsQ,EAAQvd,KAAKud,MACnBvQ,EAAON,IAAI1M,KAAKmZ,KAAmNz,KAAK6L,WAAy7L,KAAK8L,YACxCmB,IACAD,EAAON,IAAI,KACXO,EAAMR,OAAOF,EAASS,IAEtBuQ,EACAvd,KAAKskB,cAAc/X,EAASS,EAAQuQ,GAEPcVQ,EAAON,IAAI,MAInB0X,EAAOIkB,UAAUwQ,KAAO,SAASnE,GAC7B,IAAIgY,EACAC,EACAvX,EAAQjN,KAAKiN,MACbsQ,EAAQvd,KAAKud,MAsbjB,OAIBAgH,EAakBhY,EAAQkY,UAC1BD,EAAoBjY,EAAQ4S,YAE5B5S,EAAQkY,UAAy,GACpBIY,EAAQ4S,YAAc,GAElBIS,IACAA,EAAQA,EAAMyD,KAAKnE,IAEnBgR,KAEEAA,EAAQ,CAACA,EAAM,GAAG7M,KAAKnE,KACjB,GAAGgS,MAAO,GAGpBhS,EAAQkY,UAAyF,EACpBhY,EAAQ4S,YAAcF,EAef,IAAIJ,EAAOpkB,KAAKmZ,KAAmM,EAAOsQ,EACHCvd,KAAK8L,WAAy9L,KAAK6L,WAAy7L,KAAKia,UAAWja,KAAKqkB,SAAUrKB,KAAKsR,mBAG9E8S,EAAOIkB,UAAUqZ,SAAW,SAASJ,GACjC,GAAInZ,KAAKud,MAEL,OAAOF,EAAQnd,UAAUqZ,SAASnH,KAAKpS,KAAKud,MAAM,GAAIpE,IAI9DiL,EAAOIkB,UAAU4gB,KAAO,eAAS,aAAA4D,mBAAAA,IAAArV,kBAC7B,GAAIrP,KAAKud,MAEL,OAAOF,EAAQnd,UAAU4gB,KAAKE,MAAMhhB,KAAKud,MAAM,GAAIO,IAI3D+U,EAAOIkB,UAAUwgB,SAAW,WACxB,GAAI1gB,KAAKud,MAEL,OAAOF,EAAQnd,UAAUwgB,SAASM,MAAMhhB,KAAKud,MAAM,KAI3D6G,EAAOIkB,UAAUokB,cAAgB,SAAS/X,EAASS,EAAQuQ,GACvD,IACIjd,EADEqkB,EAAUpH,EAAMjf,OAKtB,GAHAiO,EAAQ2U,SAAoC,GAAL,EAAnB3U,EAAQ2U,UAGxB3U,EAAQ6C,SAAU,CAEIB,IADApC,EAAON,IAAI,KACNpM,EAAl,EAAGA,EAAIqkB,EAASrkB,IACrBid,EAAMjd,GAAGmM,OAAOF,EAASS,GAI7B,OAFAA,EAAON,IAAI,UACXH,EAAQ2U,WAKZ,IAAMG,EAAY,KAAKzhB,MAAM2M,EAAQ2U,UAAUnU,KAAK,MAE9CqU,EAAGBC,OACtB,GAAKsD,EAEE,CAGH,IAFA3X,EAAON,IAAI,KAAK0U,GACHb7D,EAAM,GAAG9Q,OAAOF,EAASS,GACpB1M,EAAl,EAAGA,EAAIqkB,EAASrkB,IACrB0M,EAAON,IAAI0U,GACX7D,EAAMjd,GAAGmM,OAAOF,EAASS,GAE7BA,EAAON,IAAO2U,YARdrU,EAAON,IAAI,KAAK2U,OAWpB9U,EAAQ2U,YAGZkD,EAAOIkB,UAAUyN,KAAO,SC7JxB,IAAMiX,EAakB,SAASvG,EAASxC,GACtC7b,KAAKqe,QAAUA,EACfre,KAAK6b,OAASA,EACd7b,KAAKwR,UAAUxR,KAAKqe,QAASre,QAGjC4kB,EAAGB1kB,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GACxCIN,KAAKqe,QAAUnR,EAAQC,MAAMnN,KAAKqe,UAGtCuG,EAAGB1kB,UAAUwQ,KAAO,SAASnE,GACtC,IAAMsP,EAAS7b,KAAK6b,QAAUuC,EAAGB7R,EAAQsP,QACtD,OAAO,IAAI+I,EAAGB5kB,KAAKqe,QAASxC,IAG7C+I,EAAGB1kB,UAAU2kB,SAAW,SAAStY,GAC1C,OAAOvM,KAAKqe,QAAQ3N,KAAK1Q,KAAK6b,OAAS,IAAIb,EAASY,KAAKrp,EAASvM,KAAK6b,OAAOrM,OAAOjD,EAAQsP,SAAWtP,IAG5GqY,EAAGB1kB,UAAUyN,KAAO,kBACjCiX,EAAGB1kB,UAAU+e,WAAy,ECtBtC,IAAM6F,GAAO,SAASC,EAAWC,EAAaC,GAC1CjIB,KAAK+kB,UAAyA,EAAY3G,EAAGB2G,GAAWG,OAAS,GACjEIB,KAAKglB,YAAcA,EAAC5G,EAAGB4G,GAAaE,OAAS,GACnED,EACAjIB,KAAKilB,WAAaA,EACXF,GAAaA,EAAUzmB,SAC9B0B,KAAKilB,WAAaF,EAAU,MAIpCD,GAAK5kB,UAAy,IAAI6L,GAEN2F,MAAQ,WACnB,OAAO,IAAIoT,GAAK1G,EAAGBpe,KAAK+kB,WAAy3G,EAAGBpe,KAAKglB,aAAchIB,KAAKilB,aAG7FH,GAAK5kB,UAAUuM,OAAS,SAASF,EAASS,GAETc,IAAMmY,EAAC5Y,GAAWA,EAAQ4Y,YACT,IAAI1BnIB,KAAK+kB,UAAUzmB,OACf0O,EAAON,IAAI1M,KAAK+kB,UAAU,KACIBI,GAAenIB,KAAKilB,WAC5BjY,EAAON,IAAI1M,KAAKilB,aACRE,GAAenIB,KAAKglB,YAAy1mB,QACxC0O,EAAON,IAAI1M,KAAKglB,YAAy,KAIpCF,GAAK5kB,UAAU0O,SAAW,WACtB,IAAIto,EACA8kB,EAAYpIB,KAAK+kB,UAAUhY,KAAK,KACpC,IAAKzM,EAAl,EAAGA,EAAlN,KAAKglB,YAAy1mB,OAAQgC,IACrC8kB,GAAa,IAAIpIB,KAAKglB,YAAy1kB,GAETc,OAAO8kB,GAGXN,GAAK5kB,UAAUwN,QAAU,SAASqC,GAC9B,OAAO/P,KAAKqIB,GAAGtV,EAAMnB,YAAc,OAAItD,GAG3CwZ,GAAK5kB,UAAUmlB,GAAK,SAASC,GACzB,OAAOtIB,KAAK4O,WAAW2W,gBAakBD,EAAWC,eAGxDt,GAAK5kB,UAAUsIB,SAAW,WACtB,OAAOC,OAAO,wDAAYD,MAAM/K,KAAK1a,KAAKgp,UAG3F8V,GAAK5kB,UAAU4M,QAAU,WACrB,OAAiC,IAAI1B9M,KAAK+kB,UAAUzmB,QAA4C,IAA5B0B,KAAKglB,YAAy1mB,QAG3DwmB,GAAK5kB,UAAUwIB,WAAa,WACxB,OAAO1IB,KAAK+kB,UAAUzmB,QAAU,GAAiC,IAA5B0B,KAAKglB,YAAy1mB,QAG1DwmB,GAAK5kB,UAAU+N,IAAM,SAAS0X,GAC1B,IAAIrIB,EAEl,IAAKA,EAAl,EAAGA,EAAlN,KAAK+kB,UAAUzmB,OAAQgC,IACnCN,KAAK+kB,UAAUzKB,GAAKqIB,EAAS3IB,KAAK+kB,UAAUzKB,IAAI,GAGpD,IAAKA,EAAl,EAAGA,EAAlN,KAAKglB,YAAy1mB,OAAQgC,IACrCN,KAAKglB,YAAy1kB,GAAKqIB,EAAS3IB,KAAKglB,YAAy1kB,IAAI,IAI5DwkB,GAAK5kB,UAAU0IB,UAAy,WACvB,IAAIC,EAElAC,EACAC,EAFe7Q,EAAS,GAaf,IAAK6Q,KATLD,EAAU,SAAAE,GAMN,OAJIH,EAAM5oB,eAAe+oB,KAAgB9Q,EAAO6Q,KAC5C7Q,EAAO6Q,GAAaC,GAGjBA,GAGO7a,EACVA,EAAGBIO,eA

Ae8oB,KAC/BF,EAAQ1a,EAAGB4a,GAExB/IB,KAAKiO,IAAI6X,IAIjB,OAAO5Q,GAGX4P,GAAK5kB,UAAU
+IB,OAAS,WACpB,IACID,EACA1IB,EAFE4IB,EAAU,GAIhB,IAAK5IB,EAAl,EAAGA,EAAlN,KAAK+kB,UAA
AUzmB,OAAQgC,IAEnC4IB,EADAF,EAaAhmB,KAAK+kB,UAAUzkB,KACL4IB,EAAQF,IAAe,GAAK,EAGv
D,IAAK1IB,EAAl,EAAGA,EAAlN,KAAKglB,YAAY1mB,OAAQgC,IAErC4IB,EADAF,EAaAhmB,KAAKglB,
YAAY1kB,KACP4IB,EAAQF,IAAe,GAAK,EAMvD,IAAKA,KAHLhmB,KAAK+kB,UAAU,GACjB/kB,KAAKgl
IB,YAAc,GAeAkB,EACf,GAAIA,EAAQjpB,eAAe+oB,GAAa,CACpC,IAAMG,EAAQD,EAAQF,GAETB,GAAl
G,EAAQ,EACR,IAAK7IB,EAAl,EAAGA,EAAl6IB,EAAO7IB,IACnBN,KAAK+kB,UAAUUY,KAAKmZ,QAERB,
GAAIG,EAAQ,EACf,IAAK7IB,EAAl,EAAGA,GAAK6IB,EAAO7IB,IACpBN,KAAKglB,YAAYnY,KAAKmZ,G
AMtChmB,KAAK+kB,UAAUG,OACfIB,KAAKglB,YAAYE,QAGrBJ,GAAK5kB,UAAUyN,KAAO,OCjItB,IA
AMyY,GAAY,SAASnZ,EAAOoZ,GAe9B,GADArmB,KAAKiN,MAAQqZ,WAAWzZ,GACpBsZ,MAAMvmB,K
AAKiN,OACX,MAAM,IAAlN,MAAM,8BAEpBc,KAAKqmB,KAAQA,GAAQA,aAAgBvB,GAAQuB,EACzC,IA
AlvB,GAAKuB,EAAO,CAACA,QAAQ/a,GAC7BtL,KAAKwR,UAAUxR,KAAKqmB,KAAMrmB,QAG9Bom
B,GAAUlmB,UAAU,IAAI6L,GAEN0F,OAAS,SAASvE,GACICIN,KAAKqmB,KAAOnZ,EAAQC,MAAMnN,K
AAKqmB,OAGnCD,GAAUlmB,UAAUwQ,KAAO,SAASnE,GACChC,OAAOvM,MAGXomB,GAAUlmB,UAAU
mB,QAAU,WAC1B,OAAO,IAAI3Y,EAAM,CAAC7N,KAAKiN,MAAOjN,KAAKiN,MAAOjN,KAAKiN,SAGn
DmZ,GAAUlmB,UAAUuM,OAAS,SAASF,EAASS,GAC3C,GAAKT,GAAWA,EAAQ4Y,cAAiBnlB,KAAKqmB,
KAAKX,aAC/C,MAAM,IAAlxmB,MAAM,sFAAsFc,KAAKqmB,KAAKzX,YAGpH,IAAM3B,EAAQjN,KAAKs
P,OAAO/C,EAASvM,KAAKiN,OACpCwZ,EAAWC,OAAOzZ,GAOtB,GALc,IAAVA,GAAeA,EAAQ,MAAYA,
GAAS,OAE5CwZ,EAAWxZ,EAAMO,QAAQ,IAAI7Q,QAAQ,MAAO,KAG5C4P,GAAWA,EAAQ6C,SAAU,CA
E7B,GAAc,IAAVnC,GAAejN,KAAKqmB,KAAKb,WAEzB,YADAxY,EAAON,IAAI+Z,GAKXxZ,EAAQ,GAA
KA,EAAQ,IACrBwZ,EAAW,EAAW5P,OAAO,IAIrC7J,EAAON,IAAI+Z,GACXzmB,KAAKqmB,KAAK5Z,OA
AOF,EAASS,IAM9BoZ,GAAUlmB,UAAU4P,QAAU,SAASvD,EAASa,EAAl2C,GAehD,IAAI9C,EAAQjN,KAA
KgQ,SAASzD,EAASa,EAAlpN,KAAKiN,MAAO8C,EAAM9C,OAERDoZ,EAAOrmB,KAAKqmB,KAAK3U,QA
ErB,GAAW,MAAPtE,GAAqB,MAAPA,EACd,GAA8B,IAAI1BiZ,EAAKtB,UAAUzmB,QAA4C,IAA5B+nB,EA
KRB,YAAY1mB,OACHD+nB,EAAOtW,EAAMsW,KAAK3U,QACd1R,KAAKqmB,KAAKpB,aACVoB,EAAKp
B,WAAajlB,KAAKqmB,KAAKpB,iBAE7B,GAAoC,IAAhCIV,EAAMsW,KAAKtB,UAAUzmB,QAA4C,IAA5B
+nB,EAAKRB,YAAY1mB,YAE1D,CAGH,GAFAYR,EAAQA,EAAM4W,UAAU3mB,KAAKqmB,KAAKT,aAE9
BrZ,EAAQ4Y,aAAepV,EAAMsW,KAAKzX,aAAeyX,EAAKzX,WACtD,MAAM,IAAI1P,MAAM,8EACGmnB,E
AAKzX,qBAAoBmB,EAAMsW,KAAKzX,iBAG3D3B,EAAQjN,KAAKgQ,SAASzD,EAASa,EAAlpN,KAAKiN,
MAAO8C,EAAM9C,WAE3C,MAAPG,GACPiZ,EAAKtB,UAAysB,EAAKtB,UAAUvV,OAAOO,EAAMsW,KA
AKtB,WAAWG,OAC7DmB,EAAKRB,YAAcqB,EAAKRB,YAAYxV,OAAOO,EAAMsW,KAAKRB,aAAaE,OACn
EmB,EAAKJ,UACS,MAAP7Y,IACPiZ,EAAKtB,UAAysB,EAAKtB,UAAUvV,OAAOO,EAAMsW,KAAKRB,aA
AaE,OAC/DmB,EAAKRB,YAAcqB,EAAKRB,YAAYxV,OAAOO,EAAMsW,KAAKtB,WAAWG,OACjEmB,EA
KJ,UAET,OAAO,IAAIg,GAAUnZ,EAAOoZ,IAGhCD,GAAUlmB,UAAUwN,QAAU,SAASqC,GACnC,IAAlpP,
EACAnB,EAEl,GAAMuQ,aAAiBqW,GAAvB,CAIA,GAAIpmB,KAAKqmB,KAAKvZ,WAAaiD,EAAMsW,KA
AKvZ,UAClCnM,EAAlX,KACJR,EAAluQ,OAlJ,GAFAPp,EAAlX,KAAK4mB,QACTpnB,EAAluQ,EAAM6W,
QACqB,IAA3BjmB,EAAE0IB,KAAK3Y,QAAQIO,EAAE6mB,MACjB,OAlR,OAAOta,EAAK6B,eAAejN,EA
ESM,MAAOzN,EAAlEYn,SAG1CmZ,GAAUlmB,UAAU0mB,MAAQ,WACxB,OAAO5mB,KAAK2mB,UAAU,CA
AEroB,OAAQ,KAAMmM,SAAU,IAAKE,MAAO,SAGhEyb,GAAUlmB,UAAUymB,UAAU,SAASE,GACrC,IA
ElvmB,EACAYlB,EACAF,EACAlB,EAEAC,EAPA9Z,EAAQjN,KAAKiN,MACXoZ,EAAOrmB,KAAKqmB,KAA
K3U,QAKnBsV,EAAlqB,GAGzB,GAA2B,iBAAhBH,EAA0B,CACjC,IAAKvmB,KAAK6K,EACFA,EAAGB7K,G
AAGrD,eAAe4pB,MACICG,EAAlqB,IACF1mB,GAAKumB,GAGhCA,EAACG,EAAlBIB,IAAKjB,KAlLgB,EAAY,
SAACf,EAAYhB,GAERB,OAAIa,EAAM5oB,eAAe+oB,IACjBhB,EACA/X,GAAiB4Y,EAAMG,GAACH,EAAMi
B,GAe3C7Z,GAAiB4Y,EAAMG,GAACH,EAAMiB,GAGxCA,GAGJd,GAG0a,EACVA,EAAY5pB,eAAe8oB,K
AC3Be,EAAd,EAAYd,GACzBF,EAAQ1a,EAAGB4a,GAExBM,EAAPY,IAAI8Y,IAMjB,OAFAV,EAAKJ,SA
EE,IAAIg,GAAUnZ,EAAOoZ,IAGhCD,GAAUlmB,UAAUyN,KAAO,YC3K3B,IAAMsL,GAAOpE,EAEPoS,GA
AY,SAAS7Z,EAAl8Z,EAAlUC,GACrCnnB,KAAKoN,GAACA,EAAG4D,OACbHR,KAAKknB,SAAWA,EACHBl
nB,KAAKmnB,SAAWA,IAGpBF,GAAU/mB,UAAU,IAAI6L,GAEN0F,OAAS,SAASvE,GACICIN,KAAKknB,S

AAWha,EAAQmK,WAAWrX,KAAKknB,WAG5CD,GAAU/mB,UAAUwQ,KAAO,SAASnE,GACHC,IAEIa,EAF
AzM,EAAIX,KAAKknB,SAAS,GAAGxW,KAAKne,GAC1B/M,EAAIQ,KAAKknB,SAAS,GAAGxW,KAAKne,
GAG9B,GAAIA,EAAQ6a,SAASpnB,KAAKoN,IAAK,CAQ3B,GAPAA,EAAiB,OAAZpN,KAAKoN,GAAC,IAA
MpN,KAAKoN,GAC/BzM,aAAaylB,IAAa5mB,aAAaqO,IACvCIN,EAAIA,EAAE6IB,WAENhnB,aAAa4mB,IAA
azlB,aAAakN,IACvCrO,EAAIA,EAAEgnB,YAEL7IB,EAAEmP,QAAS,CACZ,GAAInP,aAAasmB,IAAsB,MAAT
tmB,EAAEyM,IAAcB,EAAQqI,OAASqE,GAAKnH,gBACHe,OAAO,IAAIImV,GAAUjnB,KAAKoN,GAAC,CAA
CzM,EAAgnB,GAAIQ,KAAKmnB,UAE/C,KAAM,CAAExZ,KAAM,YACV8H,QAAS,gCAGjB,OAAO9U,EAA
EmP,QAAQvD,EAASa,EAAI5N,GAE9B,OAAO,IAAIynB,GAAUjnB,KAAKoN,GAAC,CAACzM,EAAgnB,GAA
IQ,KAAKmnB,WAIInDF,GAAU/mB,UAAUuM,OAAS,SAASF,EAASS,GAC3ChN,KAAKknB,SAAS,GAAGza,O
AAOF,EAASS,GAC7BhN,KAAKmnB,UACLna,EAAON,IAAI,KAefM,EAAON,IAAIIM,KAAKoN,IACZpN,K
AAKmnB,UACLna,EAAON,IAAI,KAef1M,KAAKknB,SAAS,GAAGza,OAAOF,EAASS,IAGrCia,GAAU/mB,U
AAUyN,KAAO,YCpD3B,IAAMsL,GAAOpE,EAEPwS,GAAa,SAASpa,EAAOqa,GAG/B,GAFAtN,KAAKiN,M
AAQA,EACbjN,KAAKsnB,UAAyA,GACZra,EACD,MAAM,IAAI/N,MAAM,4CAIxBmoB,GAAWnnB,UAAy,I
AAI6L,GAEN0F,OAAS,SAASvE,GACnCIN,KAAKiN,MAAQc,EAAQmK,WAAWrX,KAAKiN,QAGzCoa,GAA
WnnB,UAAUwQ,KAAO,SAASnE,GACjC,IAAIgb,EACEXL,EAASxP,EAAQ6a,WAEjBI,EAAGBxnB,KAAKynB,
SACtBlb,EAAQqI,OAASqE,GAAKjH,gBAAkBhS,KAAK0nB,YAE9CC,GAAC,EA0BIB,OAzBIH,GACajb,EAA
Qib,gBAERxnB,KAAKiN,MAAM3O,OAAS,EACpBipB,EAAC,IAAIF,GAAWrnB,KAAKiN,MAAMgB,KAAI,S
AAAhP,GACxC,OAKA,EAAEyR,KAGazR,EAAEyR,KAAKne,GAFHtN,KAGXe,KAAKsnB,WACoB,IAAtBt
nB,KAAKiN,MAAM3O,SACd0B,KAAKiN,MAAM,GAAGwa,QAAWznB,KAAKiN,MAAM,GAAGya,YAAenb,
EAAQuP,SAC9D6L,GAAC,GAElBJ,EAACvnB,KAAKiN,MAAM,GAAGyD,KAAKne,IAEjCgb,EAACvnB,KAEd
wnB,GACajb,EAAQqb,oBAER5nB,KAAKynB,SAAUznB,KAAK0nB,YAAe3L,GAAW4L,GACxCJ,aAAuBnB,
KAC7BmB,EAAC,IAAI9W,EAAM8W,IAErBA,GAGXF,GAAWnnB,UAAUuM,OAAS,SAASF,EAASS,GAC5C,I
AAK,IAAI1M,EAAI,EAAGA,EAAIN,KAAKiN,MAAM3O,OAAQgC,IACnCN,KAAKiN,MAAM3M,GAAGmM,
OAAOF,EAASS,IACzBhN,KAAKsnB,WAAahnB,EAAI,EAAIN,KAAKiN,MAAM3O,QACtC0O,EAAON,IAAI,
MAKvB2a,GAAWnnB,UAAU2nB,kBAAoB,WACrC7nB,KAAKiN,MAAQjN,KAAKiN,MAAMmS,QAAO,SAA
A7Q,GAAK,QAAEA,aAAaoM,OAGvD0M,GAAWnnB,UAAUyN,KAAO,aCpE5B,kBACI,WAAyWl,EAAM5M,
EAASK,EAAOyE,GAC9BrR,KAAKmZ,KAAOA,EAAK5I,cACjBvQ,KAAK4M,MAAQa,EACb5M,KAAKuM,Q
AAUA,EACfvM,KAAKqR,gBAAkBA,EAEvBrR,KAAKmW,KAAO5J,EAAQsP,OAAO,GAAG6C,iBAaIB9S,IA
AI5L,KAAKmZ,MA6ChE,OA1CI2O,oBAAA,WACI,OAAO9O,QAAQhZ,KAAKmW,OAGxB2R,iBAAA,SAAKz
Y,GAAL,WACU0Y,EAAW/nB,KAAKmW,KAAK4R,SA+B3B,OA9BiB,IAAbA,IACA1Y,EAAOA,EAAPb,KA
AI,SAAAtN,GAAK,OAAAA,EAAE+P,KAAKoM,EAAKvQ,aAIjC3M,MAAMuM,QAAQkD,KACdA,EAAOA,E
AAK+P,QAAO,SAAA4I,GACf,MAAkB,YAAAdA,EAAKra,QAKRM,KAAI,SAAA+Z,GACD,GAAkB,eAAAdA,EA
AKra,KAAuB,CAC5B,IAAMsa,EAAWD,EAAK/a,MAAMmS,QAAO,SAAA4I,GAC/B,MAAkB,YAAAdA,EAAKr
a,QAKb,OAAB,IAApBsa,EAAS3pB,OACF2pB,EAAS,GAET,IAAIZ,GAAWY,GAG9B,OAAOD,OAIF,IAAbD,
EACO/nB,KAAKmW,WALnW,QAAUA,KAAKuM,SAAY8C,IAG/BrP,KAAKmW,WALnW,KAAaqP,SC7Ct
B6Y,GAAO,SAAS/O,EAAM9J,EAAMzC,EAAOyE,GACrCrR,KAAKmZ,KAAOA,EACZnZ,KAAKqP,KAAOA,
EACZrP,KAAKmoB,KAAgB,SAATHp,EACZnZ,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,IAGrB6W,G
AAKHoB,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GACzBIN,KAAKqP,OAClrP,KAAKqP,KAAOnC,EAAQm
K,WAAWrX,KAAKqP,QAE5C6Y,GAAKHoB,UAAUwQ,KAAO,SAASnE,GAAT,WAIz6b,EAAqB7b,EAAQwP,
OACnCxP,EAAQwP,QAAU/b,KAAKmoB,MACnBnoB,KAAKmoB,MAAQ5b,EAAQuP,SACrBvP,EAAQ8b,YA
GZ,IAOInT,EAPEoT,EAAW,YACTxL,EAAKqL,MAAQ5b,EAAQuP,SACrBvP,EAAQ+b,WAEZ/b,EAAQwP,OA
ASqM,GAIfG,EAAa,IAAIC,GAAexoB,KAAKmZ,KAAM5M,EAASvM,KAAK8L,WAAy9L,KAAK6L,YAEHf,
GAAI0c,EAWE,UAAW,CACtB,IACivT,EAASqT,EAAWnW,KAAKpS,KAAKqP,MAC9BiZ,IACF,MAAOrpB,
GACL,GAAIA,EAAEHc,eAAe,SAAWgC,EAAEHc,eAAe,UAC7C,MAAMgC,EAEV,KAAM,CACF0O,KAAM1
O,EAAE0O,MAAQ,UACHB8H,QAAS,8BAA+BzV,KAAKmZ,UAAsla,EAAEwW,QAAU,KAAKxW,EAAEwW,
QAAy,IACrF7I,MAAO5M,KAAK8L,WACZ0J,SAAUxV,KAAK6L,WAAW2J,SAC1B7B,KAAM1U,EAAEsb,W
ACR3G,OAAQ3U,EAAEypB,cAIIB,GAAIxT,MAAAA,EACa,OAXMA,aAAkbnJ,IAXhBmJ,EAAS,IAAIyD,EAJ
ZzD,IAAQb,IAAXA,EAIYA,EAAOtG,WAHP,OAoBsG,EAAO7I,OAASrM,KAAKqM,OACrB6I,EAAO5I,UAA

YtM,KAAKsM,UACjB4I,EAIIf,IAAM7F,EAAOrP,KAAKqP,KAAKpB,KAAI,SAAAtN,GAAK,OAAAA,EAAE+
P,KAAKnE,MAGvC,OAFa+b,IAEO,IAAIJ,GAAKloB,KAAKmZ,KAAM9J,EAAMrP,KAAK8L,WAAY9L,KAA
K6L,aAG3Dqc,GAAKhoB,UAAUuM,OAAS,SAASF,EAASS,GACtCA,EAAON,IAAO1M,KAAKmZ,SAASnZ,K
AAK6L,WAAY7L,KAAK8L,YAEID,IAAK,IAAIxL,EAAI,EAAGA,EAAIN,KAAKqP,KAAK/Q,OAAQgC,IACl
CN,KAAKqP,KAAK/O,GAAGmM,OAAOF,EAASS,GACzB1M,EAAI,EAAIN,KAAKqP,KAAK/Q,QACIB00,E
AAON,IAAI,MAInBM,EAAON,IAAI,MAGfwb,GAAKhoB,UAAUyN,KAAO,OC1GtB,IAAMgb,GAAW,SAASx
P,EAAMvM,EAAOyE,GACnCrR,KAAKmZ,KAAOA,EACZnZ,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+
E,IAGrBsX,GAASzoB,UAAy,IAAI6L,GAEN2E,KAAO,SAASnE,GAC/B,IAAIgN,EACAJ,EAAOnZ,KAAKmZ,
KAMhB,GAJ2B,IAAvBA,EAAK5J,QAAQ,QACb4J,EAAO,IAAI,IAAIwP,GAASxP,EAAK3I,MAAM,GAAIxQ,K
AAK8L,WAAY9L,KAAK6L,YAAy6E,KAAKnE,GAASU,OAGvFjN,KAAK4oB,WACL,KAAM,CAAEjb,KAA
M,OACV8H,QAAS,qCAAqC0D,EAC9C3D,SAAUxV,KAAK6L,WAAW2J,SAC1B5I,MAAO5M,KAAK8L,YAq
BpB,GAlBA9L,KAAK4oB,YAAa,EAEIbRr,EAAWvZ,KAAK8gB,KAAKvU,EAAQsP,QAAQ,SAAAgN,GACjC,I
AAMta,EAAIsa,EAAMtP,SAASJ,GACzB,GAAI5K,EAAG,CACH,GAAIA,EAAE6K,UACqB7M,EAAQsN,eAAet
N,EAAQsN,eAAevb,OAAS,GAC/D8a,UAAy7K,EAAE6K,UAGjC,OAAI7M,EAAQuP,OACD,IAAKoM,GAAK,
QAAS,CAAC3Z,EAAEtB,QAASyD,KAAKnE,GAGpCgC,EAAEtB,MAAMyD,KAAKnE,OAM5B,OADAvM,KA
AK4oB,YAAa,EACXrP,EAEP,KAAM,CAAE5L,KAAM,OACV8H,QAAS,YAAy0D,kBACrB3D,SAAUxV,KAA
K6L,WAAW2J,SAC1B5I,MAAO5M,KAAK8L,aAIx6c,GAASzoB,UAAU4gB,KAAO,SAAS/M,EAAK+U,GAC
pC,IAAK,IAAIxoB,EAAI,EAAGG,SAAGH,EAAIyT,EAAIzV,OAAQgC,IAE/B,GADAG,EAAIqoB,EAAI1W,KA
AK2B,EAAKA,EAAIzT,IACb,OAAOG,EAEPb,OAAO,MAGXkoB,GAASzoB,UAAUyN,KAAO,WC5D1B,IAA
Mob,GAAW,SAAS5P,EAAMvM,EAAOyE,GACnCrR,KAAKmZ,KAAOA,EACZnZ,KAAKqM,OAASO,EACd5
M,KAAKsM,UAAy+E,IAGrB0X,GAAS7oB,UAAy,IAAI6L,GAEN2E,KAAO,SAASnE,GAC/B,IAAI8T,EACEI
H,EAAOnZ,KAAKmZ,KAEZ6P,EAAazc,EAAQ0c,cAAcC,KAAKC,SAASC,aAAalpB,UAAUmpB,YAE9E,GAAI
rpB,KAAK4oB,WACL,KAAM,CAAEjb,KAAM,OACV8H,QAAS,oCAAoC0D,EAC7C3D,SAAUxV,KAAK6L,W
AAW2J,SAC1B5I,MAAO5M,KAAK8L,YAiCpB,GA9BA9L,KAAK4oB,YAAa,EAEIbvI,EAAWrgB,KAAK8gB,
KAAKvU,EAAQsP,QAAQ,SAAAgN,GACjC,IAAIta,EACE+a,EAAOT,EAAMxI,SAASIH,GAC5B,GAAImQ,EA
AM,CACN,IAAK,IAAIhpB,EAAI,EAAGA,EAAIgpB,EAAKhrB,OAAQgC,IAC7BiO,EAAI+a,EAAKhpB,GAET
gpB,EAAKhpB,GAAK,IAAI4Y,EAAY3K,EAAE4K,KACxB5K,EAAEtB,MACFsB,EAAE6K,UACF7K,EAAE8K
,MACF9K,EAAE3B,MACF2B,EAAE8C,gBACF9C,EAAE+K,OACF/K,EAAEgL,UAMV,GAHAYp,EAAWM,IA
EX/a,EAAI+a,EAAKA,EAAKhrB,OAAS,IACjB8a,UACqB7M,EAAQsN,eAAetN,EAAQsN,eAAevb,OAAS,GAC/
D8a,UAAy7K,EAAE6K,UAGjC,OADA7K,EAAIA,EAAEtB,MAAMyD,KAAKnE,OAMrB,OADAvM,KAAK4o
B,YAAa,EACXvI,EAEP,KAAM,CAAE1S,KAAM,OACV8H,QAAS,aAAa0D,mBActB3D,SAAUxV,KAAKqR,g
BAAgBmE,SAC/B5I,MAAO5M,KAAK4M,QAIxBmc,GAAS7oB,UAAU4gB,KAAO,SAAS/M,EAAK+U,GACpC
,IAAK,IAAIxoB,EAAI,EAAGG,SAAGH,EAAIyT,EAAIzV,OAAQgC,IAE/B,GADAG,EAAIqoB,EAAI1W,KAA
K2B,EAAKA,EAAIzT,IACb,OAAOG,EAEPb,OAAO,MAGXsoB,GAAS7oB,UAAUyN,KAAO,WCvE1B,IAAM4
b,GAAY,SAASjZ,EAAKID,EAAIH,GACHcJn,KAAKsQ,IAAMA,EACXtQ,KAAKoN,GAACA,EACVpN,KAAK
iN,MAAQA,IAGjBsc,GAAUrpB,UAAy,IAAI6L,GAEN2E,KAAO,SAASnE,GACHc,OAAO,IAAIgd,GAAUvpB,
KAAKsQ,IAAII,KAAO1Q,KAAKsQ,IAAII,KAAKnE,GAAWvM,KAAKsQ,IAC/DtQ,KAAKoN,GAAKpN,KAA
KiN,OAASjN,KAAKiN,MAAMyD,KAAQ1Q,KAAKiN,MAAMyD,KAAKnE,GAAWvM,KAAKiN,QAGnFsc,G
AAUrpB,UAAUuM,OAAS,SAASF,EAASS,GAC3CA,EAAON,IAAI1M,KAAKgP,MAAMzC,KAG1Bgd,GAAUr
pB,UAAU8O,MAAQ,SAASzC,GACjC,IAAIU,EAAQjN,KAAKsQ,IAAIItB,MAAQhP,KAAKsQ,IAAIItB,MAAMz
C,GAAWvM,KAAKsQ,IAO5D,OALItQ,KAAKoN,KACLH,GAASjN,KAAKoN,GACdH,GAAUjN,KAAKiN,MA
AM+B,MAAQhP,KAAKiN,MAAM+B,MAAMzC,GAAWvM,KAAKiN,OAG3D,IAAIA,OAGfsc,GAAUrpB,UA
AUyN,KAAO,YC1B3B,IAAM6b,GAAS,SAAS7S,EAAK8S,EAASC,EAAS9c,EAAOyE,GACIDrR,KAAK0pB,Q
AAsB,MAAXA,GAA0BA,EAC1C1pB,KAAKiN,MAAQwc,GAAW,GACxBzpB,KAAK2pB,MAAQhT,EAAI/E,O
AAO,GACxB5R,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAK4pB,cAAgB,iBACrB5pB,K
AAK6pB,UAAy,kBACjB7pB,KAAK8Y,UAAy4Q,IAGrBF,GAAOtpB,UAAy,IAAI6L,GAENU,OAAS,SAASF,
EAASS,GACnChN,KAAK0pB,SACN1c,EAAON,IAAI1M,KAAK2pB,MAAO3pB,KAAK6L,WAAY7L,KAAK8
L,YAEjdKb,EAAON,IAAI1M,KAAKiN,OACXjN,KAAK0pB,SACN1c,EAAON,IAAI1M,KAAK2pB,QAIxBH,G

AAOtpB,UAAU4pB,kBAAoB,WACjC,OAAO9pB,KAAKiN,MAAMe,MAAMhO,KAAK4pB,gBAGjCJ,GAAOtpB,UAAUwQ,KAAO,SAASnE,GAC7B,IAAMwd,EAAO/pB,KACTiN,EAAQjN,KAAKiN,MASjB,SAAS+c,EAAiB/c,EAAOgd,EAAQC,GACrC,IAAIC,EAAiBld,EACrB,GACIA,EAAQkd,EAAevb,WACvBub,EAAiBld,EAAMtQ,QAAQstB,EAAQC,SACICjd,IAAUkd,GACnB,OAAOA,EAKX,OAHAld,EAAQ+c,EAAiB/c,EAAOjN,KAAK4pB,eAhBT,SAACxsB,EAAG+b,GAC5B,IAAM5K,EAAI,IAAIoa,GAAS,IAAIxP,EAAQ4Q,EAAKje,WAAyie,EA AKle,YAAy6E,KAAKnE,GAAS,GACnF,OAAQgC,aAAaib,GAAUjb,EAAEtB,MAAQsB,EAAES,WaE/C/B,EA AQ+c,EAAiB/c,EAAOjN,KAAK6pB,WAbT,SAACzsB,EAAG+b,GAC5B,IAAM5K,EAAI,IAAIwa,GAAS,IAAI5P,EAAQ4Q,EAAKje,WAAyie,EA AKle,YAAy6E,KAAKnE,GAAS,GACnF,OAAQgC,aAAaib,GAAUjb,EAAEtB,MAAQsB,EAAES,WAAx C,IAAIwa,GAAOxpB,KAAK2pB,MAAQ1c,EAAQjN,KAAK2pB,MAAO1c,EAAOjN,KAAK0pB,QAAS1pB,KAAK8L,WAAy9L,KAAK6L,aAGIG2d,GAAOtpB,UAAUwN,QAAU,SAASqC,GA EhC,MAAmB,WAAfA,EAAMpC,MAAsB3N,KAAK0pB,SAAY3Z,EAAM2Z,QAG5C3Z,EAAMf,OAAShP,KAAKgP,UAAyE,EAAMf,QAAU,OAAI1D,EA FpDS,EAAK6B,eAAe5N,KAAKiN,MAAO8C,EAAM9C,QAMrDuc,GAAOtpB,UAAUyN,KAAO,SC/DxB,IAAMyc,GAAM,SAASC,EAAKzd,EAAOyE,EAAiBiZ,GAC9CtqB,KAAKiN,MA AQod,EACbrqB,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAKsqB,QAAUA,IAGnBF,GAA IiqB,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GAC5BIN,KAAKiN,MAAQc,EAAQC,MAAMnN,KAAKiN,QA GpCmd,GAAllqB,UAAUuM,OAAS,SAASF,EAASS,GACrCA,EAAON,IAAI,QACX1M,KAAKiN,MAAMR,OA AOF,EAASS,GAC3BA,EAAON,IAAI,MAGf0d,GAAllqB,UAAUwQ,KAAO,SAASnE,GAC1B,IACI2P,EADEm O,EAAMrqB,KAAKiN,MAAMyD,KAAKnE,GAG5B,IAAKvM,KAAKsqB,UAGkB,iBADxBpO,EA AWlc,KAAK 6L,YAAc7L,KAAK6L,WAAWqQ,WAErB,iBAAdmO,EAAIpd,OACXV,EAAQge,oBAAoBF,EAAIpd,QAC3Bod, EAAIV,QACLzN,EAAsBA,EA2BtBvf,QAAQ,eAAe,SAAAqR,GAAS,MAAA,KAAKA,MAzBzCqc,EAAIpd,MA AQV,EAAQie,YAAyH,EAAIpd,MAAOiP,IAE3CmO,EAAIpd,MAAQV,EAAQ6P,cAAciO,EAAIpd,OAIcV,EA AQke,UACHJ,EAAIpd,MAAMe,MAAM,cAAc,CAC/B,IACMyc,IADwC,IAA5BJ,EAAIpd,MAAMsC,QAAQ,KA Ac,IAAM,KAC5Bhd,EAAQke,SACJ,IAA5BJ,EAAIpd,MAAMsC,QAAQ,KACIB8a,EAAIpd,MAAQod,EAAIpd, MAAMtQ,QAAQ,IAAQ8tB,OAETCJ,EAAIpd,OAASwd,EAM7B,OAAO,IAAIL,GAaic,EAAKrqB,KAAK8L,W AAy9L,KAAK6L,YAAy,IAG1Due,GAAllqB,UAAUyN,KAAO,MChDrB,IAAM+c,GAAQ,SAASzd,EAAO0d,E AAU/d,EAAOyE,EAAiBC,GAC5DtR,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EAEjB,IAAMiM,EAA Y,IAAKxG,EAAS,GAAI,KAAM,KAAM9W,KAAKqM,OAAQrM,KAAKsM,WAAyUL,uBAE9E7X,KAAK2qB, SAAW,IAAIpS,EAAMoS,GAC1B3qB,KAAKud,MAAQ,CAAC,IAAIF,EAAQC,EAAWrQ,IACrCjN,KAAKud,M AAM,GAAGkB,cAAe,EAC7Bze,KAAKuR,mBAAmBD,GACxBtR,KAAK8Y,WAAy,EACjB9Y,KAAKwR,UAA U8L,EAAWtd,MAC1BA,KAAKwR,UAAUxR,KAAK2qB,SAAU3qB,MAC9BA,KAAKwR,UAAUxR,KAAKud, MAAOvd,QAG/B0qB,GAAMxqB,UAAy,IAAIkkB,GAENrL,cAAgB,WAC5B,OAAO,GAGX2R,GAAMxqB,UA AUuR,OAAS,SAASvE,GAC1B1N,KAAK2qB,WACL3qB,KAAK2qB,SAAWzd,EAAQC,MAAMnN,KAAK2qB, WAEnC3qB,KAAKud,QACLvd,KAAKud,MAAQrQ,EAAQmK,WAAWrX,KAAKud,SAI7CmN,GAAMxqB,UA AUuM,OAAS,SAASF,EAASS,GACvCA,EAAON,IAAI,UAAW1M,KAAKsM,UAAWtM,KAAKqM,QAC3CrM, KAAK2qB,SAASle,OAAOF,EAASS,GAC9BhN,KAAKskB,cAAc/X,EAASS,EAAQhN,KAAKud,QAG7CmN,G AAMxqB,UAAUwQ,KAAO,SAASnE,GACvBA,EAAQ4S,cACT5S,EAAQ4S,YAAc,GACtB5S,EAAQkY,UAAy, IAGxB,IAAMxmB,EAAQ,IAAIysB,GAAM,KAAM,GAAI1qB,KAAKqM,OAAQrM,KAAKsM,UAAWtM,KAAK sR,kBAkBpE,OAjBItR,KAAKia,YACLja,KAAKud,MAAM,GAAGtD,UAAyja,KAAKia,UAC/Bhc,EAAMgc,UA AYja,KAAKia,WAG3Bhc,EAAMoS,SAAW3qB,KAAK2qB,SAASja,KAAKnE,GAEPcA,EAAQkY,UAAU5X,K AAK5O,GACvBsO,EAAQ4S,YAAyTS,KAAK5O,GAEB+B,KAAKud,MAAM,GAAGmB,iBAAmBnS,EAAQsP, OAAO,GAAG6C,iBAAiB1B,UACpEzQ,EAAQsP,OAAOgD,QAAQ7e,KAAKud,MAAM,IACICtf,EAAMsf,MAA Q,CAACvd,KAAKud,MAAM,GAAG7M,KAAKnE,IACICA,EAAQsP,OAAO1D,QAef5L,EAAQkY,UAAU1K,M AEkB,IAA7BxN,EAAQkY,UAAUnmB,OAeL,EAAM2sB,QAAQre,GACIDtO,EAAM4sB,WAAWte,IAGzBme, GAAMxqB,UAAU0qB,QAAU,SAASre,GAC/B,IAAI2I,EAASIV,KAGb,GAAIuM,EAAQ4S,YAAy7gB,OAAS,E AAG,CACHC,IAAMgf,EAAY,IAAKxG,EAAS,GAAI,KAAM,KAAM9W,KAAK8L,WAAy9L,KAAK6L,YAAag M,wBACnF3C,EAAS,IAAIml,EAAQC,EAAW/Q,EAAQ4S,cACjC2L,YAAa,EACpB5V,EAAO3D,mBAAmBvR, KAAKsR,kBAC/BtR,KAAKwR,UAAU0D,EAAQIV,MAM3B,cAHOuM,EAAQ4S,mBACR5S,EAAQkY,UAErv P,GAGXwV,GAAMxqB,UAAU2qB,WAAa,SAASte,GACIC,IAAIjM,EACA2M,EACEyO,EAAOnP,EAAQkY,U

AAUjV,OAAO,CAACxP,OAGvC,IAAKM,EAAI,EAAGA,EAAIob,EAAPd,OAAQgC,IACzB2M,EAAQyO,EA
AKpb,GAAGqqB,oBAAoBpS,EACbCmD,EAAPb,GAAGqqB,SAAS1d,MAAQyO,EAAPb,GAAGqqB,SACrCj
P,EAAPb,GAAKV,MAAMuM,QAAQc,GAASA,EAAQ,CAACA,GASB9C,OAZAjN,KAAK2qB,SAAW,IAAIpS
,EAMvY,KAAK+qB,QAAQrP,GAAMzN,KAAI,SAAYN,GAG7C,IAFAA,EAAOA,EAAPzN,KAAI,SAAA+c,
GAAY,OAAAA,EAAShc,MAAQgc,EAAW,IAAIrS,EAAUqS,MAEjE1qB,EAAIob,EAAPd,OAAS,EAAGgC,E
AAI,EAAGA,IAC7Bob,EAAP2D,OAAO/e,EAAG,EAAG,IAAIqY,EAAU,QAGpC,OAAO,IAAI0O,GAAW3L,O
AE1B1b,KAAKwR,UAAUxR,KAAK2qB,SAAU3qB,MAGvB,IAAIqd,EAAG,GAAI,KAG3BqN,GAAMxqB,UA
AU6qB,QAAU,SAASjX,GAC/B,GAAMb,IAAfA,EAAXv,OACJ,MAAO,GACJ,GAAMb,IAAfwV,EAAXv,OA
CX,OAAOwV,EAAI,GAIX,IAFA,IAAMoB,EAAS,GACT+v,EAAOjrB,KAAK+qB,QAAQjX,EAAtD,MAAM,I
AC3BIQ,EAAI,EAAGA,EAAI2qB,EAAP3sB,OAAQgC,IAC7B,IAAK,IAAIM,EAAI,EAAGA,EAAIkt,EAAI,GA
AGxV,OAAQsC,IAC/BsU,EAAOrI,KAAK,CAACiH,EAAI,GAAGIT,IAAI4O,OAAOyb,EAAP3qB,KAG5C,OA
AO4U,GAIfwV,GAAMxqB,UAAUqf,gBAAkB,SAASjC,GACICA,IAGLtd,KAAKud,MAAQ,CAAC,IAAIF,EA
Qe,EAAGbd,GAAY,CAACtd,KAAKud,MAAM,MACIEvd,KAAKwR,UAAUxR,KAAKud,MAAOvd,QAG/B0qB,
GAAMxqB,UAAUyN,KAAO,QCjIvB,IAAMud,GAAS,SAASxP,EAAMiP,EAAU9tB,EAAS+P,EAAOye,EAAB
C,GAQR,E,GAPAtR,KAAKnD,QAAUA,EACfmD,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,K
AAK0b,KAAOA,EACZ1b,KAAK2qB,SAAWA,EACb3qB,KAAK8Y,WAAY,OAESxN,IAAtBtL,KAAKnD,QA
AQqsB,MAAsBlpB,KAAKnD,QAAQyc,OACbDtZ,KAAKmrB,KAAOnrB,KAAKnD,QAAQqsB,MAAQlpB,KAA
KnD,QAAQyc,WAC3C,CACH,IAAM8R,EAAYprB,KAAKqrB,UACnBD,GAAa,0BAA0B1Q,KAAK0Q,KAC5C
prB,KAAKmrB,KAAM,GAGnBnrB,KAAKuR,mBAAMBD,GACxBtR,KAAKwR,UAAUxR,KAAK2qB,SAAU3q
B,MAC9BA,KAAKwR,UAAUxR,KAAK0b,KAAM1b,QAG9BkrB,GAAOhrB,UAAy,IAAI6L,GAEN0F,OAAS,S
AASvE,GAC3BIN,KAAK2qB,WACL3qB,KAAK2qB,SAAWzd,EAAGC,MAAMnN,KAAK2qB,WAEvC3qB,KA
AK0b,KAAOxO,EAAGC,MAAMnN,KAAK0b,MAC1B1b,KAAKnD,QAAQyuB,UAAatrB,KAAKnD,QAAQyc,S
AAUtZ,KAAKue,OACvDve,KAAKue,KAAOrR,EAAGC,MAAMnN,KAAKue,QAIvC2M,GAAOhrB,UAAUuM,
OAAS,SAASF,EAASS,GACpChN,KAAKmrB,UAAyC7f,IAAIcTL,KAAK0b,KAAKpP,UAAUif,YACbCve,EA
ON,IAAI,WAAY1M,KAAKsM,UAAWtM,KAAKqM,QAC5CrM,KAAK0b,KAAKjP,OAAGF,EAASS,GACtBhN,
KAAK2qB,WACL3d,EAAGN,IAAI,KACX1M,KAAK2qB,SAASle,OAAGF,EAASS,IAEICA,EAAGN,IAAI,OA
nBwe,GAAOhrB,UAAUmrB,QAAU,WACvB,OAAQrrB,KAAK0b,gBAAGB0O,GACzBpqB,KAAK0b,KAAKzO,
MAAMA,MAAQjN,KAAK0b,KAAKzO,OAG1Cie,GAAOhrB,UAAUrb,iBAAMb,WACbC,IAAI9P,EAAG0b,K
AAK0b,KAIhB,OAHA,aAAGB0O,KACb1O,EAAGA,EAAPzO,SAEzyO,aAAGB8N,KACT9N,EAAPoO,qBA
MpBoB,GAAOhrB,UAAUrb,cAAGB,SAASlf,GACtC,IAAImp,EAAG0b,KAAK0b,KAMhB,OAJIA,aAAGB0O,K
ACb1O,EAAGA,EAAPzO,OAGT,IAAIie,GAAOxp,EAAPhL,KAAKnE,GAAUvM,KAAK2qB,SAAU3qB,KAA
KnD,QAAsmD,KAAKqM,OAAQrM,KAAKsM,UAAWtM,KAAKsR,mBAGzG4Z,GAAOhrB,UAAUwrB,SAAW,
SAASnf,GACjC,IAAMmp,EAAG0b,KAAK0b,KAAKhL,KAAKnE,GACtBV,EAAG7L,KAAKsM,UAETB,KAA
MoP,aAAGB0O,IAAM,CAExB,IAAMgb,EAAY1P,EAAPzO,MACnBpB,GACAuf,GACA7e,EAAGge,oBAAoBa,
GAC5B1P,EAAPzO,MAAQV,EAAGie,YAAYY,EAAGvf,EAASqQ,UAErDR,EAAPzO,MAAQV,EAAG6P,cAA
cV,EAAPzO,OAihD,OAAGyO,GAGXwP,GAAOhrB,UAAUwQ,KAAO,SAASnE,GAC7B,IAAM2I,EAASIV,KA
AK2rB,OAAGpf,GAW3B,OAVIvM,KAAKnD,QAAQ0uB,WAAavrB,KAAK4rB,sBAC3B1W,EAAG5W,QAA4B
,IAAIb4W,EAAG5W,OACxB4W,EAAG9I,SAAQ,SAAAF,GACXA,EAAP2f,wBAIT3W,EAAG2W,sBAGR3W,
GAGXgW,GAAOhrB,UAAUyrB,OAAS,SAASpf,GAC/B,IAAI8R,EACayN,EACEnB,EAAG3qB,KAAK2qB,UA
AY3qB,KAAK2qB,SAASja,KAAKnE,GAERD,GAAIvM,KAAKnD,QAAQyuB,SAAU,CACvB,GAAItrB,KAAKu
e,MAAQve,KAAKue,KAAK7N,KACvB,IAC11Q,KAAKue,KAAK7N,KAAKnE,GAEnB,MAAGtN,GAEH,MAD
AA,EAAGewW,QAAU,iCACN,IAAIJ,EAAGupW,EAAGe,KAAKue,KAAK3G,QAAAS5X,KAAKue,KAAK/I,UAQ5
D,OALAsW,EAAGvf,EAAGsP,OAAO,IAAMtP,EAAGsP,OAAO,GAAG6C,mBACjC1e,KAAKue,MAAQve,KA
AKue,KAAK3B,WACpCkP,EAASnP,YAAa3c,KAAKue,KAAK3B,WAG7B,GAGX,GAAG5c,KAAK+rB,OACoB,
mBAAd/rB,KAAK+rB,OACZ/rB,KAAK+rB,KAAO/rB,KAAK+rB,QAEjB/rB,KAAK+rB,MACL,MAAO,GAGf,
GAAG/rB,KAAKnD,QAAQyc,OAAQ,CACrB,IAAM1D,EAAG,IAAI+C,EAAG3Y,KAAKue,KAAM,EACtC,CAC
I/I,SAAGxV,KAAKgsB,iBACfT,EAAGvrB,KAAK0b,KAAKpP,WAAatM,KAAK0b,KAAKpP,UAAUif,YACvD,
GAAM,GAEB,OAAOvrB,KAAK2qB,SAAW,IAAID,GAAM,CAAC9U,GAAG5V,KAAK2qB,SAAS1d,OAAS,C

AAC2I,GACIE,GAAI5V,KAAKmrB,IAAK,CACjB,IAAMc,EAAY,IAAIIf,GAAOlRb,KAAK0rB,SAASnf,GAAUo
e,EAU3qB,KAAKnD,QAASmD,KAAKqM,QACIF,IAAK4f,EAUd,KAAOnrB,KAAKyW,MACvB,MAAMzW
,KAAKyW,MAEf,OOAwV,EACJ,OOAIjsB,KAAKue,OACZF,EAU,IAAIhB,EAQ,KAAMe,EAAGbpe,KAA
Kue,KAAKhB,SAC9CwB,YAAYxS,GAEBvM,KAAK2qB,SAAW,IAAID,GAAMrM,EAQd,MAAOvd,KAAK2q
B,SAAS1d,OAASoR,EAQd,OAExE,IAIf2N,GAAOhrB,UAAUyN,KAAO,ScnLxB,IAAMue,GAAa,cAEnBA,G
AAWhsB,UAAy,IAAI6L,GAENogB,mBAaQb,SAASC,EAAY7f,GAC3D,IAAI2I,EACE6U,EAAPb,KACpqsB
,EAAC,GAEPb,IAAK9f,EAQ+f,kBACT,KAAM,CAAE7W,QAAS,+DACbD,SAAUxV,KAAK6L,WAAW2J,SA
C1B5I,MAAO5M,KAAK8L,YAGpBsgB,EAaA,EAAWzvB,QAAQ,kBAaKB,SAACS,EAAG+b,GAAS,OAAA4
Q,EAAKwC,MAAM,IAAI5D,GAAS,IAAIxP,EAQ4Q,EAAKje,WAAyie,EAAKle,YAAY6E,KAAKnE,OAE1I,I
ACI6f,EAaA,IAAIhW,SAAS,WAAWgW,OACvC,MAAOntB,GACL,KAAM,CAAEwW,QAAS,gCAAGCxW,EA
AEwW,kBAaKB2W,MACjE5W,SAAUxV,KAAK6L,WAAW2J,SAC1B5I,MAAO5M,KAAK8L,YAGpB,IAAM+
T,EAAYtT,EAQsP,AAO,GAAGgE,YACpC,IAAK,IAAMnf,KAAKmf,EACRA,EAU5iB,eAAeyD,KAEBz2r
B,EAAY3rB,EAEE8P,MAAM,IAAM,CACtBvD,MAAO4S,EAUnf,GAAGuM,MACpBuf,KAAM,WACF,OA
OxsB,KAAKiN,MAAMyD,KAAKnE,GAASyC,WAMhD,IACIkG,EAASkX,EAWha,KAAKia,GAC3B,MAAOpt
B,GACL,KAAM,CAAEwW,QAAS,iCAAIcXW,EAEEka,UAAsla,EAAEwW,QAAQ9Y,QAAQ,OAAQ,SACnF6
Y,SAAUxV,KAAK6L,WAAW2J,SAC1B5I,MAAO5M,KAAK8L,YAEPb,AAOoJ,GAGXgX,GAAWhsB,UAAU
qsB,MAAQ,SAASxY,GACIC,OAInU,MAAMuM,QAAQ4H,EAAI9G,QAAW8G,EAAI9G,MAAM3O,OAAS,E
ACzC,IAAIyV,EAAI9G,MAAMgB,KAAI,SAAAM,GAAK,OAAAA,EAES,WAAsjC,KAAK,UAEvCgH,EAAI/
E,SCIDnB,IAAMyd,GAAa,SAASC,EAQhD,EAAS9c,EAAYe,GACHDrR,KAAK0pB,QAAUA,EACf1pB,KAA
KosB,WAAaM,EACIB1sB,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,IAGrBob,GAAWvsB,UAAy,IAAI
gsB,IAENxb,KAAO,SAASnE,GACjC,IAAM2I,EAASIV,KAAKmsB,mBAAmBnsB,KAAKosB,WAAy7f,GACID
oB,SAACuH,EAEPb,MAAa,WAATvH,GAASb4Y,MAAMrR,GAEZ,WAATvH,EACA,IAAI6b,GAAO,IAAIu,M
AAWA,EAQIV,KAAK0pB,QAAS1pB,KAAKqM,QACrDzM,MAAMuM,QAAQ+I,GACd,IAAIyD,EAUzD,E
AAOnI,KAAK,OAE1B,IAAI4L,EAUzD,GAND,IAAIkR,GAAUIR,IAU7BuX,GAAWvsB,UAAUyN,KAAO,aC3
B5B,IAAMgf,GAAa,SAASrc,EAAK+Z,GAC7BrqB,KAAKsQ,IAAMA,EACXtQ,KAAKiN,MAAQod,IAGjBsC,G
AAWzsB,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GACnClN,KAAKiN,MAAQC,EAQC,MAAMnN,KAAKiN
,QAGpC0f,GAAWzsB,UAAUwQ,KAAO,SAASnE,GACjC,OAIVM,KAAKiN,MAAMyD,KACJ,IAAIic,GAAW
3sB,KAAKsQ,IAAKtQ,KAAKiN,MAAMyD,KAAKnE,IAE7CvM,MAGX2sB,GAAWzsB,UAAUm,OAAS,SAA
SF,EAASS,GAC5CA,EAON,IAAO1M,KAAKsQ,SACftQ,KAAKiN,MAAMR,OACXzM,KAAKiN,MAAMR,O
AAOF,EAASS,GA3BA,EAON,IAAI1M,KAAKiN,QAIxB0f,GAAWzsB,UAAUyN,KAAO,aC3B5B,IAAMif,G
AAy,SAASxf,EAAIuC,EAAGIP,EAAGH,EAAGusB,GACpC7sB,KAAKoN,GAACA,EAAG4D,OACbhr,KAAK
8sB,OAASnd,EACd3P,KAAK+sB,OAAStsB,EACdT,KAAKqM,OAAS/L,EACdN,KAAK6sB,OAASA,IAGIBD,G
AAU1sB,UAAy,IAAI6L,GAEN0F,OAAS,SAASvE,GACICIN,KAAK8sB,OAAS5f,EAQC,MAAMnN,KAAK8s
B,QACjC9sB,KAAK+sB,OAAS7f,EAQC,MAAMnN,KAAK+sB,SAGrCH,GAAU1sB,UAAUwQ,KAAO,SAAS
nE,GACHC,IAAM2I,EAAS,SAE9H,EAIZM,EAAGnB,GACpB,OAQ4N,GACJ,IAAK,MAAO,OAAOzM,GA
AKnB,EACxB,IAAK,KAAO,OAAOmB,GAAKnB,EACxB,QACI,OAAQuM,EAAK2B,QAAQ/M,EAAGnB,IACp
B,KAAM,EACF,MAAc,MAAP4N,GAAqB,OAAPA,GAAsB,OAAPA,EACxC,KAAK,EACD,MAAc,MAAPA,GA
AqB,OAAPA,GAAsB,OAAPA,GAAsB,OAAPA,EACvD,KAAK,EACD,MAAc,MAAPA,GAAqB,OAAPA,EACz
B,QACI,OAAO,IAbZ,CAGBZpN,KAAKoN,GAAIpN,KAAK8sB,OAOPc,KAAKnE,GAAUvM,KAAK+sB,OA
Orc,KAAKnE,IAEXd,OAovM,KAAK6sB,QAAU3X,EAASA,GAGnC0X,GAAU1sB,UAAUyN,KAAO,YCrC3
B,IAAMqf,GAAoB,SAAS/f,GAC/BjN,KAAKiN,MAAQA,IAGjB+f,GAakB9sB,UAAy,IAAI6L,GACN4B,KAA
O,oBCHnC,IAAMsf,GAAW,SAAS/gB,GACTBIM,KAAKiN,MAAQf,IAGjB+gB,GAAS/sB,UAAy,IAAI6L,GA
NU,OAAS,SAASF,EAASS,GAC1CA,EAON,IAAI,KACX1M,KAAKiN,MAAMR,OAOF,EAASS,IAG/BigB,
GAAS/sB,UAAUwQ,KAAO,SAASnE,GAC/B,OAAIA,EAQ6a,WACD,IAAKH,GAAU,IAAK,CAAC,IAAIb,IA
AW,GAAIpmB,KAAKiN,QAASyD,KAAKnE,GAE/D,IAAI0gB,GAASjtB,KAAKiN,MAAMyD,KAAKnE,KAGx
C0gB,GAAS/sB,UAAUyN,KAAO,WcN1B,IAAMuf,GAAS,SAASrP,EAASp,EAQvgB,EAAYe,EAiBC,G
AU9D,OATAtR,KAAK6d,SAAWA,EACHb7d,KAAKmtB,OAASA,EACdntB,KAAKotB,UAAyF,GAAOG,UAC
xBrtB,KAAKstB,WAAa,CAACttB,KAAKotB,WACxBptB,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EA

CjBrR,KAAKuR,mBAAmBD,GACxBtR,KAAK8Y,WAAY,EAETqU,GACJ,IAAK,MACDntB,KAAKutB,aAAc,EACnBvtB,KAAKwtB,YAAa,EACIB,MACJ,QACIXtB,KAAKutB,aAAc,EACnBvtB,KAAKwtB,YAAa,EAG1BxtB,KAAKwR,UAAUxR,KAAK6d,SAAU7d,OAGICktB,GAAOhtB,UAAy,IAAI6L,EAEvBmhB,GAAOhtB,UAAUuR,OAAS,SAASvE,GAC/BIN,KAAK6d,SAAW3Q,EAAQC,MAAMnN,KAAK6d,WAGvCqP,GAAOhtB,UAAUwQ,KAAO,SAASnE,GAC7B,OAAO,IAAI2gB,GAAOltB,KAAK6d,SAASnN,KAAKnE,GAAUvM,KAAKmtB,OAAQntB,KAAK8L,WAAY9L,KAAK6L,WAAY7L,KAAKsR,mBAGvG4b,GAAOhtB,UAAUwR,MAAQ,SAASnF,GAC9B,OAAO,IAAI2gB,GAAOltB,KAAK6d,SAAU7d,KAAKmtB,OAAQntB,KAAK8L,WAAY9L,KAAK6L,WAAY7L,KAAKsR,mBAIzF4b,GAAOhtB,UAAUutB,kBAaOb,SAASnQ,GAC1C,IACIhd,EACAotB,EAFAC,EAAe,GAIInB,IAAKrtB,EAAI,EAAGA,EAAIgd,EAAUhf,OAAQgC,IAC9BotB,EAAMbpQ,EAAUhd,GAAGyW,SAG5BzW,EAAI,GAAKotB,EAaiBpvB,QAAmD,KAAzCovB,EAaiB,GAAGvc,WAAWIE,QACnEygB,EAaiB,GAAGvc,WAAWIE,MAAQ,KAE3C0gB,EAAeA,EAAane,OAAO8N,EAAUhd,GAAGyW,UAGpD/W,KAAK4tB,cAAgB,CAAC,IAAI9W,EAAS6W,IACn3tB,KAAK4tB,cAAc,GAAGrc,mBAAMBvR,KAAKsR,mBAMID4b,GAAOG,QAAU,EACjBH,GAAOhtB,UAAUyN,KAAO,SC1DxB,IAAMkgB,GAAe,SAAStU,EAAU3M,EAAOyE,GAC3CrR,KAAKuZ,SAAWA,EACHbvZ,KAAKqM,OAASO,EACd5M,KAAKsM,UAAy+E,EACjBrR,KAAK8Y,WAAY,IAGrB+U,GAAa3tB,UAAy,IAAI6L,GAEN2E,KAAO,SAASnE,GACnC,IAAIgR,EACAUQ,EAakB,IAAIInF,GAA3oB,KAAKuZ,SAAUvZ,KAAK8L,WAAY9L,KAAK6L,YAAy6E,KAAKnE,GACnFkK,EAAQ,IAAIpB,EAAU,CAACI,QAAS,oCAAoCzV,KAAKuZ,WAE/E,IAAKuU,EAAGbzP,QAAS,CAC1B,GAAIyP,EAAGbvQ,MACHBA,EAAQuQ,OAEP,GAAIluB,MAAMuM,QAAQ2hB,GACnBvQ,EAAQ,IAAIF,EAAQ,GAAIyQ,OAEvB,CAAA,IAAIluB,MAAMuM,QAAQ2hB,EAAGb7gB,OAIInC,MAAMwJ,EAHN8G,EAAQ,IAAIF,EAAQ,GAAIyQ,EAAGb7gB,OAK5C6gB,EAakB,IAAIJ,EAAGBrH,GAG1C,GAAIuQ,EAAGbzP,QACHb,OAAOyP,EAAGbjJ,SAASyY,GAEPc,MAAMkK,GAGVoX,GAAa3tB,UAAUyN,KAAO,eCrC9B,IAAMogB,GAAiB,SAASC,EAAUC,EAASrhB,EAASOf,GACtD7L,KAAKiN,MAAQ+gB,EACbhuB,KAAKiuB,QAAUA,EACfjuB,KAAKqM,OAASO,EACd5M,KAAKsM,UAAyT,IAGrBkiB,GAAe7tB,UAAy,IAAI6L,GAEN2E,KAAO,SAASnE,GACrC,IAAIjM,EAEA6Y,EAACAoE,EAAQvd,KAAKiN,MAAMyD,KAAKnE,GAES5B,IAAKjM,EAAI,EAAGA,EAAIN,KAAKiuB,QAAQ3vB,OAAQgC,IAAK,CAYtC,GAXA6Y,EAAOnZ,KAAKiuB,QAAQ3tB,GAOhBV,MAAMuM,QAAQoR,KACdA,EAQAQ,IAAIF,EAAQ,CAAC,IAAIvG,GAAayG,IAG7B,KAATpE,EACAoE,EAAQA,EAAM+C,uBAEb,GAAuB,MAAnBnH,EAakvH,OAAO,IAQjB,GAPuB,MAAnBuH,EAakvH,OAAO,KACZuH,EAAO,IAAI,IAAIwP,GAASxP,EAAKtC,OAAO,IAAIInG,KAAKnE,GAASU,OAETdsQ,EAAMsC,YACnTc,EAAQA,EAAMhE,SAASJ,KAGtBoE,EACD,KAAM,CAAE5P,KAAM,OACV8H,QAAS,YAAy0D,eACrB3D,SAAUxV,KAAK6L,WAAW2J,SAC1B5I,MAAO5M,KAAK8L,gBAGnB,CAWD,GATIqN,EADyB,OAazBA,EAak+U,UAAU,EAAG,GACX,IAAI,IAAIvF,GAASxP,EAAKtC,OAAO,IAAIInG,KAAKnE,GAASU,MAG5B,MAAnBkM,EAakvH,OAAO,GAAauH,EAAO,IAAIA,EAES3CoE,EAAM0C,aACN1C,EAAQA,EAAM8C,SAASIH,KAGtBoE,EACD,KAAM,CAAE5P,KAAM,OACV8H,QAAS,aAAa0D,EAAKtC,OAAO,iBACICrB,SAAUxV,KAAK6L,WAAW2J,SAC1B5I,MAAO5M,KAAK8L,YAIpByR,EAAQA,EAAMA,EAAMjf,OAAS,GAG7Bif,EAAMtQ,QACNsQ,EAAQA,EAAM7M,KAAKnE,GAASU,OAES5BsQ,EAAMc,UACNd,EAAQA,EAAMc,QAAQ3N,KAAKnE,IAGnC,OAAOgR,GAGXwQ,GAAe7tB,UAAUyN,KAAO,iBCzEhC,IAAMwgB,GAAa,SAAShV,EAAMiV,EAAQ7Q,EAAOtG,EAAWoX,EAAUxS,EAAGvK,GAC1EtR,KAAKmZ,KAAOA,GAAQ,kBACpBnZ,KAAKsd,UAAy,CAAC,IAAIxG,EAAS,CAAC,IAAI5F,EAAQ,KAAMiL,GAAM,EAAOnZ,KAAKqM,OAAQRm,KAAKsM,cACjFtM,KAAKouB,OAASA,EACdpuB,KAAKiX,UAAyA,EACjBjX,KAAKquB,SAAWA,EACHbruB,KAAKsuB,MAAQF,EAAO9vB,OACpB0B,KAAKud,MAAQa,EACbvD,KAAKyD,SAAW,GACHB,IAAM8Q,EAAGb,GAC3BvuB,KAAKwuB,SAAWJ,EAAO1b,QA AO,SAACyT,EAAOtmB,GACIC,OAACA,EAESz,MAASz,EAESz,OAASz,EAAEoN,MACIBkZ,EAAQ,GAGfoI,EAAMb1hB,KAAKhN,EAESz,MACnBgN,KA EZ,GACHnmB,KAAKuuB,mBAaQBA,EAC1BvuB,KAAK6b,OAASA,EACd7b,KAAKuR,mBAAmBD,GACxBtR,KAAK8Y,WAAY,IAGrBqV,GAAWjuB,UAAy,IAAIImD,GAEN5L,OAAS,SAASvE,GAC/BIN,KAAKouB,QAAUpuB,KAAKouB,OAAO9vB,SAC3B0B,KAAKouB,OAASlhB,EAAQmK,WAAWrX,KAAKouB,SAE1CpuB,KAAKud,MAAQrQ,EAAQmK,WAAWrX,KAAKud,OACjCvd,KAAKiX,YACLjX,KAAKiX,UAAy/J,EAAQC,MAAMnN,KAAKiX,aAI5CkX,GAAWjuB,UAAUuuB,WAAa,SAASliB,EAASmiB,EAAUrf,EAAMsf,GAehE,IAEIC,EACAC,EAEEvuB,EACAM,EACAYpB,EACAIR,EACA2V,EACAC,EAVEIG,EAAQ,IAAIxL,EAAQ,KAAM,MAI1B+Q,EAAShQ,EAAGbpe,KAAKouB,QAOhCY,EAAa,EA

OjB,GALIN,EAAS7S,QAAU6S,EAAS7S,OAAO,IAAM6S,EAAS7S,OAAO,GAAG6C,mBAC5DmK,EAAMnK,i
BAAmBgQ,EAAS7S,OAAO,GAAG6C,iBAAI1B,WAEjE0R,EAAW,IAAI1T,EAASY,KAAK8S,EAAU,CAAC7
F,GAAOrZ,OAAOkf,EAAS7S,SAE3DxM,EAIA,IAFA2f,GADA3f,EAAO+O,EAAGb/O,IACL/Q,OEAbgC,EAAL,
EAAGA,EAAl0uB,EAAY1uB,IAExB,GAAI6Y,GADJ0V,EAAMxf,EAAK/O,KACQuuB,EAAl1V,KAAO,CAE1B
,IADA2V,GAAe,EACVluB,EAAL,EAAGA,EAAlwtB,EAAO9vB,OAAQsC,IAC3B,IAAK+tB,EAAe/tB,IAAMuY,
IAASiV,EAAOxtB,GAAGuY,KAAM,CAC/CwV,EAAe/tB,GAAKiuB,EAAl5hB,MAAMyD,KAAKnE,GACnSc,
EAAMhI,YAAY,IAAI3H,EAAYC,EAAM0V,EAAl5hB,MAAMyD,KAAKnE,KACvDuiB,GAAe,EACf,MAGR,G
AAIA,EAAC,CACdzf,EAAKgQ,OAAO/e,EAAG,GACfA,IACA,SAEA,KAAM,CAAEqN,KAAM,UAAW8H,QAA
S,sBAAsBzV,KAAKmZ,SAAQ9J,EAAK/O,GAAG6Y,mBAM7F,IADA4V,EAAW,EACNzuB,EAAL,EAAGA,EA
Al8tB,EAAO9vB,OAAQgC,IAC3B,IAAlquB,EAALeruB,GAAnB,CAIA,GAFauB,EAAMxf,GAAQA,EAAK0f,G
AEf5V,EAAOiV,EAAO9tB,GAAG6Y,KACjB,GAAliv,EAAO9tB,GAAG+tB,SAAU,CAEPB,IADAO,EAAU,GA
CLhuB,EAAlmuB,EAALunuB,EAAlouB,EAAYpuB,IAC/BguB,EAALq/hB,KAAKwC,EAALzO,GAAGqM,MAA
MyD,KAAKnE,IAEpCsc,EAAMhI,YAAY,IAAI3H,EAAYC,EAAM,IAAlkO,GAAWuH,GAASle,KAAKnE,SACI
E,CAEH,GADA8d,EAAMwE,GAAOA,EAAl5hB,MAITod,EADAzqB,MAAMuM,QAAQke,GACR,IAAlzf,EAAL
gB,IAAlvH,EAALQ,GAAlgN,IAGpCA,EAAl3Z,KAAKnE,OAEB,CAAA,IAAl6hB,EAAO9tB,GAAG2M,MAAljB,
KAAM,CAAEU,KAAM,UAAW8H,QAAS,iCAAlCzV,KAAKmZ,UAA6V,UAAk BhvB,KAAKsuB,WAHxGjE,E
AAM+D,EAAO9tB,GAAG2M,MAAMyD,KAAKge,GAC3B7F,EAAMvJ,aAKVuJ,EAAMhI,YAAY,IAAI3H,EA
AYC,EAAMkR,IACxCsE,EAALeruB,GAAK+pB,EAISB,GAAl+D,EAAO9tB,GAAG+tB,UAAyhF,EACtB,IAAKz
O,EAAlmuB,EAALunuB,EAAlouB,EAAYpuB,IAC/B+tB,EAAe/tB,GAALyO,EAALzO,GAAGqM,MAAMyD,K
AAKnE,GAG/CwiB,IAGJ,OAAOIG,GAGXsF,GAAWjuB,UAAU8Z,cAAgB,WACjC,IAAMuD,EAASvd,KAAKu
d,MAALqBvd,KAAKud,MAAMtP,KAAL,SAAAxN,GACpD,OAAIA,EAALeuZ,cACKvZ,EAALeuZ,eAAc,GAALhV
Z,KAJaT,KAAKud,MAQjC,OADe,IAAl4Q,GAAWnuB,KAAKmZ,KAAAMnZ,KAAKouB,OAAQ7Q,EAAOvd,KA
AKiX,UAAWjX,KAAKquB,SAAUruB,KAAK6b,SAIrGsS,GAAWjuB,UAAUwQ,KAAO,SAASnE,GACjC,OAA
O,IAAl4hB,GAAWnuB,KAAKmZ,KAAAMnZ,KAAKouB,OAAQpuB,KAAKud,MAAOvd,KAAKiX,UAAWjX,K
AAKquB,SAAUruB,KAAK6b,QAAUuC,EAALgB7R,EAALQsP,UAGpIsS,GAAWjuB,UAAU+uB,SAAW,SAAS1iB
,EAAS8C,EAAM+J,GACpD,IAGImE,EACAc,EAAL6Q,EAALa,GACbC,EAALcnvB,KAAK6b,OAAS7b,KAAK6b,O
AAOrM,OAAOjD,EAALQsP,QAAUtP,EAALQsP,OACzEgN,EAALQ7oB,KAAKyB,WAAWliB,EAAS,IAAlYo,EA
ASY,KAAKrP,EAAS4iB,GAAc9f,EAAM6f,GACtF,OAVArG,EAAMhI,YAAY,IAAI3H,EAAY,aAAc,IAAlmO,G
AAW6H,GAAYxe,KAAKnE,KAALhFgR,EAALQa,EAALgBpe,KAAKud,QAAL7Bc,EAALU,IAAlhB,EAALQ,KAAME,I
ACpBe,gBAALBte,KAC1Bqe,EAALU,EAALQ3N,KAAK,IAAlSk,EAASY,KAAKrP,EAAS,CAALcM,KAAAM6oB
,GAAOrZ,OAAO2f,KACnE/V,IACAlF,EAALU,EAALQrE,iBAALfeqE,GAGX8P,GAAWjuB,UAAUwf,eAAiB,SAA
SrQ,EAAM9C,GACjD,QAAlvM,KAAKiX,YAAcjX,KAAKiX,UAAUvG,KACIC,IAAlSk,EAASY,KAAKrP,EAC
d,CAALcM,KAAKyB,WAAWliB,EACb,IAAlYo,EAASY,KAAKrP,EAASvM,KAAK6b,OAAS7b,KAAK6b,OA
AOrM,OAAOjD,EAALQsP,QAAUtP,EAALQsP,QAASxM,EAAM,KACpGG,OAAOxP,KAAK6b,QAAU,IACtBrM,
OAAOjD,EAALQsP,YAMhCsS,GAAWjuB,UAAUuf,UAAy,SAASpQ,EAAM9C,GAC5C,IACI0L,EAALemX,EAAL
c/f,GAAQA,EAALQ/Q,QAALW,EAALtCiW,EAALqBvuB,KAAKuuB,mBAC1Bc,EAALBhgB,EAALWA,EAALqD,Q
AAO,SAALCyT,EAALotM,GACpD,OAAI0uB,EAALBhf,QAALQ1P,EAALesZ,MAALQ,EALC9BgN,EAALQ,EAALERA,I
ALAEZ,GAN6B,EAALqC,GAALnmB,KAAKquB,UAQN,GAALgB,EAALBrvB,KAAKwuB,SAALW,EALCnC,OAAO,
MATK,CALChB,GAALiA,EAALkBrvB,KAAKwuB,SALCvB,OAAO,EAEX,GAALyY,EAALapvB,KAAKouB,OAAO9vB,
OALCzB,OAAO,EALsF2Z,EAALmpN,KAAK4D,IAAl4gB,EAALiBrvB,KAAKsuB,OAALrC,IAALk,IAAlhuB,EAAL,EA
AGA,EAAL2X,EAAL3X,IALCrB,IAALKN,KAAKouB,OAAO9tB,GAAG6Y,OAASnZ,KAAKouB,OAAO9tB,GAA
G+tB,UALCpChf,EAALQ/O,GAAG2M,MAAMyD,KAAKnE,GAALsYc,SAALWhP,KAAKouB,OAAO9tB,GAAG2M,
MAAMyD,KAAKnE,GAALsYc,QALCIE,OAAO,EAALnB,OAAO,GAGXmf,GAAWjuB,UAAUyN,KAAO,kBAC5B
wgB,GAAWjuB,UAAU+e,WAAy,EC5NjC,IAALmqQ,GAAY,SAASvY,EAALU1H,EAALmzC,EAALoyE,EAALiB+H,
GALC/DpZ,KAAK6d,SAALW,IAAL/G,EAALsC,GALC7B/W,KAAKQ,UAAy6O,GAAQ,GALCzBrP,KAAKqM,OAAS
O,EALCd5M,KAAKsM,UAAy+E,EALCjBrR,KAAKoz,UAAyA,EALCjBpZ,KAAK8Y,WAAy,EALCjB9Y,KAAKw
R,UAAUxR,KAAK6d,SAAU7d,QALGICsvB,GAALUpvB,UAAy,IAAL6L,GAEN0F,OAAS,SAASvE,GALC9BIN,KA
AK6d,WALC7d,KAAK6d,SAALW3Q,EAALQC,MAALmN,KAAK6d,WAALnC7d,KAAKQ,UAAUIC,SALCf0B,KAA

KQ,UAAy0M,EAAQmK,WAAWrX,KAAKQ,aAlJd8uB,GAAUpvB,UAAUwQ,KAAO,SAASnE,GAChC,IAAIgj
B,EACAC,EACAC,EAEAZ,EACAa,EAGApvB,EACA4J,EACAy1B,EACAC,EACAC,EAEAC,EAEAC,EAKA5J,
EACA7H,EACA0R,EApBE3gB,EAAO,GAGPkO,EAAQ,GACVvP,GAAQ,EAMNiiB,EAAa,GAEBc,EAakB,GA
YxB,SAASC,EAAaX,EAAOC,GACzB,IAAIE,EACA9vB,EACAUwB,EAEJ,IAAKT,EAAI,EAAGA,EAAI,EAAG
A,IAAK,CAGpB,IAFAO,EAAgBP,IAAK,EACrB1S,EAAYhQ,MAAM0iB,GACb9vB,EAAI,EAAGA,EAAI4vB,E
AAUnxB,QAAU4xB,EAAgBP,GAAI9vB,KACpDuwB,EAAYX,EAAU5vB,IACR6f,iBACVwQ,EAAgBP,GAak
O,EAAgBP,IAAMS,EAAU1Q,eAAe,KAAMnT,IAG9EijB,EAAM9P,iBACNwQ,EAAgBP,GAako,EAAgBP,IAA
MH,EAAM9P,eAAerQ,EAAM9C,IAG9E,OAAI2jB,EAAGb,IAAMA,EAAGb,GACICA,EAAGb,IAAMA,EAAGb,
GAC/BA,EAAGb,GA5BnB,EACC,EAFD,GADW,EAUC3B,IA/BAlwB,KAAK6d,SAAW7d,KAAK6d,SAASnN,K
AAKnE,GA+B9BjM,EAAI,EAAGA,EAAIN,KAAKQ,UAAUIC,OAAQgC,IAGnC,GADAovB,GADAb,EAAM7u
B,KAAKQ,UAAUF,IACN2M,MAAMyD,KAAKnE,GACtBsiB,EAAlwB,QAAUzwB,MAAMuM,QAAQujB,EAA
SziB,OAerC,IADAYiB,EAAWA,EAASziB,MACf/C,EAAI,EAAGA,EAAlwB,EAASpxB,OAAQ4L,IAC7BmF,E
AAKxC,KAAK,CAACI,MAAOyiB,EAASxiB,UAG/BmF,EAAKxC,KAAK,CAACsM,KAAM0V,EAAI1V,KAA
MIM,MAAOyiB,IAM1C,IAFAM,EAAoB,SAAA9R,GAAQ,OAAAA,EAAKuB,UAAU,KAAMIT,IAE5CjM,EAAI
,EAAGA,EAAIiM,EAAQsP,OAAOvd,OAAQgC,IACnC,IAAKivB,EAAShjB,EAAQsP,OAAOvb,GAAGwgB,KA
AK9gB,KAAK6d,SAAU,KAAMmS,IAAoB1xB,OAAS,EAAG,CAQtF,IAPauxB,GAAa,EAOR3IB,EAAI,EAAG
A,EAAlq1B,EAAOjxB,OAAQ4L,IAAK,CAIhC,IAHAs1B,EAAQD,EAAOr1B,GAAGgU,KACIBuR,EAAYF,EAA
Or1B,GAAGwR,KACtBkU,GAac,EACTD,EAAI,EAAGA,EAAlpjB,EAAQsP,OAAOvd,OAAQqxB,IACnC,KAA
OH,aAAiBc,KAAqBd,KAAWjjB,EAAQsP,OAAO8T,GAAGrR,iBAAmB/R,EAAQsP,OAAO8T,IAAK,CAC7GC,
GAac,EACd,MAGJA,GAIAJ,EAAMP,UAAUpQ,EAAM9C,MA7EX,KA8EXujB,EAAY,CAACN,QAAO3J,MA
AOsK,EAAaX,EAAOC,KAejC5J,OACVoK,EAAWpjB,KAAKijB,GAGpB9hB,GAAQ,GAOhB,IAHAIp,EAAYG,
QAEZ+I,EAAQ,CAAC,EAAG,EAAG,GACVjc,EAAI,EAAGA,EAAl+IB,EAAW3xB,OAAQ4L,IAC/Bic,EAAM8
J,EAAW/IB,GAAG2b,SAGxB,GAAIM,EA9FI,GA8Fa,EACjB4J,EA7FK,OAGGL,GADAA,EAhGI,EAiGC5J,EAj
GD,GAiGkBA,EAHgjB,GAAGoC,EACrC,KAAM,CAAExY,KAAM,UACV8H,QAAS,yDAA4DzV,KAAKuwB,O
AAOlhB,OACjFzC,MAAO5M,KAAK8L,WAAy0J,SAAUxV,KAAK6L,WAAW2J,UAI9D,IAAKtL,EAAI,EAAG
A,EAAl+IB,EAAW3xB,OAAQ4L,IAE/B,GA3GI,KA0GJ4IB,EAAYG,EAAW/IB,GAAG2b,QACMiK,IAAcC,EA
C1C,KACIP,EAAQS,EAAW/IB,GAAGs1B,iBACCc,KACnBhS,EAakBkR,EAAMIR,iBAAmBkR,GAC3CA,EAA
Q,IAAIc,GAAGb,GAAl,GAAlD,EAAMjS,MAAO,MAAM,EAAO,KAAMe,EAAGbHn,mBAC9EgN,gBAakBA,G
AE5B,IAAMkS,EAAWhB,EAAMP,SAAS1iB,EAAS8C,EAAMrP,KAAKoZ,WAAWmE,MAC/Dvd,KAAKywB,4
BAA4BD,GACjC5wB,MAAMM,UAAU2M,KAAKmU,MAAMzD,EAAOiT,GACpC,MAAOvxB,GACL,KAAM,
CAAewW,QAASxW,EAAEwW,QAAS7I,MAAO5M,KAAK8L,WAAy0J,SAAUxV,KAAK6L,WAAW2J,SAAU
E,MAAOzW,EAAYW,OAK7G,GAAlIH,EACA,OAAOuP,EAInB,MAAIsS,EACM,CAAeliB,KAAS,UACb8H,Q
AAS,yCAA0CzV,KAAKuwB,OAAOlhB,OAC/DzC,MAAS5M,KAAK8L,WAAy0J,SAAUxV,KAAK6L,WAAW
2J,UAEID,CAAe7H,KAAS,OACb8H,QAAYzV,KAAK6d,SAAS7O,QAAQgC,uBACICpE,MAAS5M,KAAK8L,
WAAy0J,SAAUxV,KAAK6L,WAAW2J,WAlhE8Z,GAAUpvB,UAAUuwB,4BAA8B,SAASC,GACvD,IAAIpwB,
EAEJ,GAAlN,KAAK4rB,mBACL,IAAKtrB,EAAI,EAAGA,EAAlowB,EAAYpyB,OAAQgC,IACzBowB,EAAYp
wB,GACdurB,sBAKjByD,GAAUpvB,UAAUqwB,OAAS,SAASlhB,GACIC,OAAUrP,KAAK6d,SAAS7O,QAAQ
gC,YAAU3B,EAAOA,EAAKpB,KAAI,SAAAtn,GACTD,IAAI+uB,EAAW,GASf,OARI/uB,EAAEwY,OACFuW,
GAAe/uB,EAAEwY,UAEjBxY,EAAsM,MAAM+B,MACR0gB,GAAY/uB,EAAsM,MAAM+B,QAEPb0gB,G
AAY,MAETA,KACR3iB,KAAK,MAAQ,SAGpBuiB,GAAUpvB,UAAUyN,KAAO,mBC5KZ,CACX5B,OAAM8
B,QAAOuW,SAAQQ,kBAAlBqC,aACtCb,aAAWtB,QAAMtM,UAAsmQ,YAAUI,YACpC1L,UAAsnM,UAAsq
Y,aAAWzY,aAAYgG,WACzC0S,UAAQnC,cAAYnO,cAAagP,QAAMkC,OAACc,UAC5CvQ,UAAshC,YAAWJ,
QAAOkU,cAAyE,cACvCC,aAAWnc,QAAOia,SAAOsC,qBAAMBC,YAC5CC,UAAQW,gBAACe,kBACtByB,M
AAO,CACHtH,KAAMoH,GACNnB,WAAymC,QCjDL,CACX7Z,MAAO,SAASka,GACZ3wB,KAAK4wB,WAA
W,QAASD,IAE7BE,KAAM,SAASF,GACX3wB,KAAK4wB,WAAW,OAAQD,IAE5BljB,KAAM,SAASKjB,GAC
X3wB,KAAK4wB,WAAW,OAAQD,IAE5BG,MAAO,SAASH,GACZ3wB,KAAK4wB,WAAW,QAASD,IAE7BI,
YAAa,SAASC,GACIBhxB,KAAKixB,WAAWpkB,KAAKmkB,IAEzBE,eAGb,SAASF,GACrB,IAAK,IAAI1wB
,EAAI,EAAGA,EAAlN,KAAKixB,WAAW3yB,OAAQgC,IACxC,GAAlN,KAAKixB,WAAW3wB,KAAO0wB,E

AEvB,YADAhxB,KAAKixB,WAAW5R,OAAO/e,EAAG,IAKtCswB,WAAY,SAASjjB,EAAMgJB,GACvB,IAAK
,IAAIrwB,EAAl,EAAGA,EAAlN,KAAKixB,WAAW3yB,OAAQgC,IAAK,CAC7C,IAAM6wB,EAACnxB,KAAK
ixB,WAAW3wB,GAAGqN,GACnCwjB,GACAA,EAAYR,KAIxBM,WAAY,kBCxBZ,WAAYG,EAaqBC,GAC7
BrxB,KAAKqxB,aAAeA,GAAgB,GACpCD,EAAsBA,GAAuB,GAM7C,IAJA,IACME,EAaOB,GACpB1U,EAAY
0U,EAakB9hB,OAFV,CAAC,eAAgB,aAAc,gBAaiB,0BAIjEIP,EAAl,EAAGA,EAAlsc,EAaUte,OAAQgC,IAA
K,CACvC,IAAMixB,EAAW3U,EAaUte,GACrBkxB,EAakBJ,EAaOBG,GACxCC,EACAxXB,KAAKuxB,GAA
Y C,EAAGBrN,KAAKiN,GAC/B9wB,EAAlgxB,EAakBhzB,QAC7B0B,KAAK6wB,KAAK,8CAA8CU,IAkCxE,O
A7BIE,2BAAA,SAAejc,EAaUkc,EAakB70B,EAAS40B,EAaAe,GAExDnc,GACDoc,GAAOf,KAAK,kFAEQ,M
AApBa,GACAE,GAAOf,KAAK,qFAGhB,IAAIQ,EAaerxB,KAAKqxB,aACpBx0B,EAaQosB,gBACRoI,EAaE,
GAAG7hB,OAAO6hB,GAAC7hB,OAAO3S,EAaQosB,cAAc4I,oBAExE,IAAK,IAAIvxB,EAAl+wB,EAaA/yB,O
AAS,EAAGgC,GAAK,EAAlA,IAAK,CAChD,IAAMwxB,EAACt,EAaA/wB,GACjC,GAAIwxB,EAAYH,EAAS,e
AAiB,YAAAYnc,EAaUkc,EAakB70B,EAAS40B,GACvF,OAAOK,EAGf,OAAO,MAGXL,2BAAA,SAAeK,GAC
X9xB,KAAKqxB,aAAaxB,KAAKiB,IAG3BL,8BAAA,WACIzxB,KAAKqxB,aAAe,uBCtD5B,cA4HA,OA3HIU
,oBAAA,SAAQvc,GACJ,IAAI5U,EAAl4U,EAASwc,YAAAY,KAQ7B,OAPIpxB,EAAl,IAcJ4U,EAaWA,EAAShF
,MAAM,EAAG5P,KAejCA,EAAl4U,EAASwc,YAAAY,MACjB,IAcJpxB,EAAl4U,EAASwc,YAAAY,OAezBpxB,
EAAl,EACG,GAej4U,EAAShF,MAAM,EAAG5P,EAAl,IAGjCmxB,+BAAA,SAAmBrW,EAAMuW,GACrB,MA
AO,yBAAYBvX,KAAKgB,GAAQA,EAaOA,EAaOuW,GAG/DF,mCAAA,SAAuBrW,GACnB,OAAO1b,KAAK
kyB,mBAAmBxW,EAAM,UAGzCqW,yBAAA,WAAiB,OAAO,GAExBA,oCAAA,WAA4B,OAAO,GAEnCA,2B
AAA,SAAevc,GACX,MAAO,yBAA2BkF,KAAKIF,IAG3Cuc,iBAAA,SAAKI,EAaUC,GACX,OAAKD,EAGEA,
EAaWC,EAfPA,GAKfL,qBAAA,SAASM,EAAKC,GAEV,IAGIhyB,EACaKO,EACA+jB,EACAC,EAANE,EA
WzyB,KAAK0yB,gBAAgBL,GACChM,EAaE3yB,KAAK0yB,gBAAgBJ,GAMtCM,EAaO,GACX,GAAIH,EA
SI,WAAaF,EAaAE,SACnC,MAAO,GAGX,IADArkB,EAAM3D,KAAK2D,IAAIImkB,EAaAG,YAAAYx0B,OAAQ
m0B,EAASK,YAAAYx0B,QACHEgC,EAAl,EAAGA,EAAlKO,GACRmkB,EAaAG,YAAAYxyB,KAAOmyB,EAAS
K,YAAAYxyB,GADxCA,KAKrB,IAFAkyB,EAaqBG,EAaAG,YAAAYtiB,MAAMIQ,GACpDiyB,EAaiBE,EAASK,
YAAAYtiB,MAAMIQ,GACvCA,EAAl,EAAGA,EAAlkyB,EAaMB10B,OAAS,EAAGgC,IAC3CsyB,GAAQ,MAE
Z,IAAKtyB,EAAl,EAAGA,EAAliyB,EAaej0B,OAAS,EAAGgC,IACvCsyB,GAAWL,EAaejyB,OAe9B,OAAOs
yB,GAGXb,4BAAA,SAAgBM,EAAKC,GAOjB,IAMIhyB,EACaQyB,EAPEI,EAAGB,kGAehBN,EAaWJ,EAAlr
kB,MAAM+kB,GACrBC,EAaW,GACbC,EAaiB,GACfH,EAAC,GAIPB,IAAKL,EACD,MAAM,IAAIvzB,MAA
M,iCAAiCmzB,OAIrD,GAAIC,KAAaG,EAAS,IAAMA,EAAS,IAAK,CAE1C,KADAE,EAaEL,EAaQtKB,MAA
M+kB,IAEZB,MAAM,IAAI7zB,MAAM,+BAA+B0zB,OAEnDG,EAAS,GAAKA,EAAS,IAAME,EAaA,IAAM,G
AC3CF,EAAS,KACVA,EAAS,GAAKE,EAaA,GAAKF,EAAS,IAIjD,GAAIA,EAAS,GAIT,IAHAQ,EAaiBR,EA
AS,GAAG91B,QAAQ,MAAO,KAAK0R,MAAM,KAGID/N,EAAl,EAAGA,EAAl2yB,EAae30B,OAAQgC,IAET
,OAAAt2yB,EAaE3yB,GACfwyB,EAAY/Y,MAEe,MAAtBkZ,EAaE3yB,IACpBwyB,EAAYjmB,KAAKomB,EA
Ae3yB,IAa5C,OAPA0yB,EAASH,SAAWJ,EAAS,GAC7BO,EAASF,YAAcA,EACvBE,EAASE,SAAWT,EAAS,I
AAM,IAAMQ,EAaElmB,KAAK,KAC7DimB,EAAStX,MAAQ+W,EAAS,IAAM,IAAMK,EAAY/IB,KAAK,KAC
vDimB,EAASxd,SAAWid,EAAS,GAC7BO,EAASG,QAAUH,EAAStX,MAAQ+W,EAAS,IAAM,IACnDO,EAAS
X,IAAMW,EAASG,SAAWV,EAAS,IAAM,IAC3CO,sBCtHX,aAEIhzB,KAAKozB,QAAU,WAAM,OAAA,MAiL
7B,OA9KIC,uBAAA,SAAWzd,EAaUrJ,EAASqL,EAAS0b,EAaeznB,GACID,IACIigB,EACaYH,EACAC,EACA
vK,EACAzt,EACAN,EAejT,EAAGB1c,EAaQ0c,cAEpBpd,IAEI2J,EADoB,iBAAb3J,EACIA,EAGAA,EAAS2J
,UAG5B,IAAMie,GAAAY,IAAKzzB,KAAKkpB,KAAKwK,aAAehB,gBAAgBld,GAAUA,SAE1E,GAAIA,IACA+
d,EAAYtK,EAACrd,IAAI4J,IAEf,CAEX,GADAN,EAASIV,KAAK2zB,cAAcJ,EAaW/d,EAaUie,EAaWH,GAEx
D,OAAOpe,EAEX,IACQqe,EAaUK,KACVL,EAaUK,IAAIxhB,KAAKpS,KAAKuM,QAASgnB,GAGzC,MAAO
t0B,GAEH,OADAA,EAaEwW,QAAUxW,EAaEwW,SAAW,4BACIB,IAAIJ,EAaUpW,EAAG2Y,EAASpC,GA
ErC,OAAO+d,EAGfC,EAAC,CACVK,QAAS,GACT5K,gBACApd,YAEJigB,EAaWpN,EAaiBve,SAM5B,IACa,I
AAIiW,SAAS,SAAU,UAAW,iBAakB,YAAa,OAAQ,OAAQ,WAAYR,EACtGke,CAAON,EAaaxzB,KAAKozB,
QAAQ5d,IANd,SAAAZB,GACnBwf,EAAYxf,IAGd+X,EAaU9rB,KAAKkpB,KAAK6K,KAAM/zB,KAAKkpB
,KAAMrd,GAERg,MAAO5M,GACH,OAAO,IAAIoW,EAaUpW,EAAG2Y,EAASpC,GAQRc,GALK+d,IACDA,E
AAYC,EAAYK,UAE5BN,EAAYvzB,KAAKg0B,eAAeT,EAaW/d,EAaUie,cAE5Bpe,EACrB,OAAOke,EAGX,I

AAIA,EAoCA,OAAO,IAAIle,EAAU,CAAEl,QAAS,sBAAwBmC,EAASpC,GA/BjE,GAJA+d,EAAU3b,QAAUA, EACpB2b,EAAU/d,SAAWA,IAGhB+d,EAAUU,YAAcJ0B,KAAKk0B,eAAe,QAASX,EAAUU,YAAc,KAC9E/e, EAASIV,KAAK2zB,cAAcJ,EAAW/d,EAAUie,EAASH,IAGxD,OAAOpe,EAUF,GALA+T,EAackL,UAAUZ,EA AW1nB,EAAS2J,SAAUsW,GACtDyH,EAAU3W,UAAyKp,EAAS/O,oBAG/B7H,EAASIV,KAAK2zB,cAAcJ,EA AW/d,EAAUie,EAASH,GAExD,OAAOpe,EAIX,IACQqe,EAAUK,KACVL,EAAUK,IAAIxB,KAAKpS,KAAK uM,QAASgnB,GAGzC,MAAOt0B,GAEH,OADAA,EAAEW,W,QAAUxW,EAAEW,W,SAAW,4BACIB,IAAIJ,EA AUpW,EAAG2Y,EAASpC,GAQzC,OAAO+d,GAGXF,0BAAA,SAAce,EAAQ5e,EAAU2D,EAAMtc,GACIC,GA AIA,IAAYu3B,EAAOC,WACnB,OAAO,IAAIhf,EAAU,CACjBI,QAAS,6CAA6C0D,qCAG9D,IAClib,EAAOC,Y AAcd,EAAOC,WAAWx3B,GAE3C,MAAOoC,GACH,OAAO,IAAIoW,EAAUpW,KAI7Bo0B,2BAAA,SAAee,E AAQ5e,EAAU2D,GAC7B,OAAlib,GAGsB,mBAAXA,IACPA,EAAS,IAAIA,GAGbA,EAEOH,YACHj0B,KAAK k0B,eAAeE,EAEOH,WAAYj0B,KAAKkpB,KAAKoL,SAAW,EACrD,IAAIjf,EAAU,CACjBI,QAAS,UAAU0D,u BAAyBnZ,KAAKu0B,gBAAGBH,EAEOH,cAI7EG,GA EJ,MAGXf,2BAAA,SAAemB,EAAUC,GACG,iBAAbD,I ACPA,EAAWA,EAASxmB,MAAM,6BACjBmK,QAEB,IAAK,IAAI7X,EAAL,EAAGA,EAAlk0B,EAASl2B,OAA QgC,IACjC,GAAlk0B,EAASl0B,KAAOm0B,EAASn0B,GACzB,OAAO6N,SAASqmB,EAASl0B,IAAM6N,SAASsmB,EAASn0B,KAAO,EAAL,EAGpE,OAAO,GAGX+yB,4BAAA,SAAGBiB,GAEZ,IADA,IAAIL,EAAGB,GAC Xp0B,EAAL,EAAGA,EAALg0B,EAALqh2B,OAAQgC,IACCh0B,IAAKBA,EAAGB,IAAM,IAAMJ,EAALqh0B,G AE1D,OAAOo0B,GAGXrB,uBAAA,SAAWsB,GACP,IAAK,IAAIr0B,EAAL,EAAGA,EAALq0B,EAALqr2B,OAA QgC,IAAK,CACrC,IAAM8zB,EAASO,EAALqr0B,GACnB8zB,EAALoQ,YACPR,EAALoQ,oBCILjB,GAAa,CAA EC,aAAa,GAC9BC,IAAc,EAELB,SAASC,GAAM9oB,GACX,OAAOA,EA4BX,kBACI,WAAY+oB,GACRj1B,K AAKk1B,gBAAkBD,EACvBj1B,KAAKm1B,cAAGB,GACrBn1B,KAAKo1B,eAAiB,GAELjBL,MA/Bb,SAASM,E AAejqB,EAALqkqB,GAEL5B,IAAIhlB,EAELilB,EACJ,IAAKj1B,KAAOlF,EAGR,cADAmqB,EAALqnqB,EAALokF ,KAEX,IAAK,WAGGilB,EAAMr1B,WAAaq1B,EAAMr1B,UAAUyN,OACn4nB,EAAMr1B,UAAUs1B,UAAy F,KAELhC,MACJ,IAAK,SACDA,EAASD,EAALeE,EAALOD,GAK3C,OAAOA,EAUCD,CAAetB,GAAM,GACrBgB ,IAAc,GA+H1B,OA3HIU,kBAAA,SAAMvpB,GACF,IAAKA,EACD,OAAOA,EAGX,IAAMwpB,EAAGBxpB,EA AKspB,UAC3B,IAAKE,EAKD,OAHIxpB,EAALKe,OAASf,EAALKe,MAAMuoB,WACzBx1B,KAAKmN,MAAMj B,EAALKe,OAELbf,EAGX,IAALypB,EAJEC,EAAL051B,KAAKk1B,gBACd/e,EAALonW,KAAKm1B,cAAcO,GAC1 BG,EAALU71B,KAAKo1B,eAAeM,GAC5BI,EAALYjB,GAalB,GAVAiB,EAALuhB,aAAc,EAALnB3e,IAEDA,EAAL Oyf,EADPD,EAAS,QAAQzpB,EAALKyB,OACCqnB,GACvBa,EAALUD,EAALQD,UAAgBX,GAClCh1B,KAAKm 1B,cAAcO,GAALiBvf,EACpCnW,KAAKo1B,eAAeM,GAALiBG,GAGrC1f,IAAS6e,GAAO,CACHB,IAALMe,EAAL 5f,EAALD/KAAKwjB,EAAM1pB,EAAM4pB,GACIC5pB,GAAQ0pB,EAALKI,cACb9pB,EAAL06pB,GAIf,GAAL D,EAALuhB,aAAe5oB,EACzB,GAALIA,EAALK5N,OACL,IAAK,IAALgC,EAAL,EAALG21B,EAAM/pB,EAALK5N,O AAQgC,EAAL21B,EAALK31B,IACpC4L,EAALK5L,GAAGmR,QACRvF,EAALK5L,GAAGmR,OAAOzR,WAGhBk M,EAALKuF,QACZvF,EAALKuF,OAAOzR,MAQpB,OAJI61B,GAALWb,IACXa,EAALQzjB,KAAKwjB,EAAM1pB, GAGhBA,GAGXupB,uBAAA,SAAWzpB,EAALokqB,GACd,IAALKlqB,EACD,OAAOA,EAGX,IAClIL,EAEL21 B,EAAMjqB,EAAM1N,OALIB,GAAL43B,IAALiB12B,KAAKk1B,gBAAGBc,YAAa,CACnD,IAALK11B,EAAL,EAAL GA,EAAL21B,EAALK31B,IACjBN,KAAKmN,MAAMnB,EAAM1L,IAELrB,OAAO0L,EAIX,IAALMmqB,EAAM,G ACZ,IAALK71B,EAAL,EAAGA,EAAL21B,EAALK31B,IAAK,CACtB,IAAM81B,EAALQp2B,KAAKmN,MAAMnB, EAAM1L,SACjBgL,IAALV8qB,IACCA,EAAM/W,OAEA+W,EAAM93B,QACb0B,KAAKq2B,QAAQD,EAALOD, GAFpBA,EAALtpB,KAAKupB,IAKjB,OAAOD,GAGXV,oBAAA,SAALQ3hB,EAALKqiB,GAKT,IAALIF,EACA31B ,EACA0nB,EACAsO,EACA11B,EACA21B,EAELJ,IAXKJ,IACDA,EAAM,IAUL71B,EAAL,EAALG21B,EAALMniB ,EAALxV,OAAQgC,EAAL21B,EAALK31B,IAELnC,QAAagL,KADb0c,EAALOIU,EAALxT,IAIX,GAAL0nB,EAALK3 I,OAALV,IAALKze,EAAL,EAALG01B,EAALYtO,EAALK1pB,OAAQsC,EAAL01B,EAALW11B,SAEL7B0K,KADnBirB, EAALavO,EAALKpnB,MAALb21B,EAALWIX,OAELkX,EAALWj4B,QACIB0B,KAAKq2B,QAAQE,EAALYJ,GAFzBA, EAALtpB,KAAK0pB,SAALVbJ,EAALtpB,KAAKmb,GAALiBjB,OAAOmO,sBCrKX,WAALYK,GACR2B,KAAK4X,Q AAU,GACf5X,KAAKy2B,gBAALkB,GACvBz2B,KAAK02B,kBAALoBF,EACzBx2B,KAAK22B,cAAGB,EAALD7B ,OA/CIC,sBAAA,SAALUjR,GACN,IAALMkr,EAALB72B,KAELB82B,EAALa,CACfnR,WACAtW,KAAM,KACN0n B,SAAS,GAALb,OADAA/2B,KAAK4X,QAAQ/K,KAAKiqB,GACX,eAAS,aAAApS,mBAAAA,IAALArV,kBACZyn B,EAALWznB,KAAOzP,MAALMM,UAAUsQ,MAAM4B,KAAK/C,EAAM,GACnDynB,EAALWC,SAALU,EACrBF,

EAAgBG,WAIxBJ,8BAAA,SAAkBjR,GACd3lB,KAAKy2B,gBAAgB5pB,KAAK8Y,IAG9BiR,mBAAA,WACI52
B,KAAK22B,gBACL,IACI,OAAa,CACT,KAAO32B,KAAK4X,QAAQtZ,OAAS,GAAG,CAC5B,IAAMw4B,EA
Aa92B,KAAK4X,QAAQ,GACHC,IAAKkf,EAAWC,QACZ,OAEJ/2B,KAAK4X,QAAU5X,KAAK4X,QAAQpH,
MAAM,GACICsmB,EAAWnR,SAAS3E,MAAM,KAAM8V,EAAWznB,MAE/C,GAAoC,IAAhCrP,KAAKy2B,g
BAAgBn4B,OACrB,MAEJ,IAAM24B,EAAiBj3B,KAAKy2B,gBAAgB,GAC5Cz2B,KAAKy2B,gBAAkBz2B,KA
AKy2B,gBAAgBjB,MAAM,GACIDymB,aAGJj3B,KAAK22B,gBAEkB,IAAvB32B,KAAK22B,eAAuB32B,KA
AK02B,mBACjC12B,KAAK02B,0BC/CXQ,GAAgB,SAASC,EAAUC,GAErCp3B,KAAKq3B,SAAW,IAAI5B,G
AAQz1B,MAC5BA,KAAKs3B,UAAyH,EACjBn3B,KAAKu3B,QAAUH,EACfp3B,KAAKuM,QAAU,IAAIyO,E
AASY,KAC5B5b,KAAKw3B,YAAc,EACnBx3B,KAAKy3B,qBAAuB,GAC5Bz3B,KAAK03B,kBAAoB,GACzB
13B,KAAK23B,WAAa,IAAIIf,GAAgB52B,KAAK02B,kBAAkBvS,KAAKnkB,QAGtEk3B,GAACH3B,UAAy,CA
CtB81B,aAAa,EACb4B,IAAK,SAAUrZ,GACX,IAEIve,KAAKq3B,SAASlqB,MAAMoR,GAExB,MAAOtf,GAC
He,KAAKyW,MAAQxX,EAGjBe,KAAK63B,YAAa,EACIB73B,KAAK23B,WAAWX,UAEPBN,kBAAmB,WAC
V12B,KAAK63B,YAGV73B,KAAKu3B,QAAQv3B,KAAKyW,QAETBqhB,YAAa,SAAUc,EAAYjC,GAC/B,IA
AMkC,EAAYD,EAAW17B,QAAQyc,OAERc,IAAKye,EAAW5M,KAAO6M,EAAW,CAE9B,IAAMzrB,EAAU,I
AAIyO,EAASY,KAAK5b,KAAKuM,QAAS6R,EAAGbpe,KAAKuM,QAAQsP,SACvEoc,EAae1rB,EAQsP,OA
AO,GAEPc7b,KAAKw3B,cACDO,EAAWvM,mBACXxrB,KAAK23B,WAAWO,kBAAkB14B,KAAKm4B,kBA
AkBhU,KAAKnkB,KAAM+3B,EAAYxrB,EAAS0rB,IAEzFj4B,KAAKm4B,kBAAkBJ,EAAYxrB,EAAS0rB,GA
GpDnC,EAAUhB,aAAc,GAESBqD,kBAAmB,SAASJ,EAAYxrB,EAAS0rB,GAC7C,IAAIG,EACEJ,EAAYD,EA
AW17B,QAAQyc,OAERc,IACI8e,EAakBL,EAAWtM,cAAclF,GAC7C,MAAOtN,GACAA,EAEEuW,WAAyVW,
EAAE2N,MAAQmrB,EAAWjsB,WAAy7M,EAEEuW,SAAWuiB,EAAWlsB,WAAW2J,UAEvFuiB,EAAW5M,K
AAM,EAEB4M,EAAWthB,MAAQxX,EAGvB,IAAI5B,GAAqBA,EAAGbJN,MAAO6M,EAQB5Ch4B,KAAKw
3B,cACDx3B,KAAK63B,YACL73B,KAAK23B,WAAWX,aAvBoC,CACpDoB,EAAGbv7B,QAAQw7B,WACxB
9rB,EAQ+rB,gBAAiB,GAM7B,IAFA,IAAMC,OAAiDjtB,IAAxB8sB,EAAGbJN,IAEtC7qB,EAAL,EAAGA,EA
AI23B,EAAa1a,MAAMjf,OAAQgC,IAC3C,GAAI23B,EAAa1a,MAAMjd,KAAOy3B,EAAY,CACtCE,EAAa1a,
MAAMjd,GAak83B,EACxB,MAIR,IAAMI,EAAX4B,KAAKw4B,WAAWrU,KAAKnkB,KAAMo4B,EAaiB7r
B,GACzDksB,EAAsBz4B,KAAK23B,WAAWe,UAAUF,GAETdx4B,KAAKs3B,UAAUzqB,KAAKurB,EAAGb/
M,UAAWkN,EAawBH,EAAGbvsB,WACnFusB,EAAGbv7B,QAAS47B,KAQRCD,WAAy,SAAUT,EAAYxrB,E
AAStN,EAAGsf,EAAMoa,EAAGBC,GAC5D35B,IACKA,EAEEuW,WACHvW,EAEE2N,MAAQmrB,EAAWjsB
,WAAy7M,EAEEuW,SAAWuiB,EAAWlsB,WAAW2J,UAEExV,KAAKyW,MAAQxX,GAGjB,IAAM45B,EA
gB74B,KACHb4B,EAAYD,EAAW17B,QAAQyc,OAC/BgS,EAAWyM,EAAW17B,QAAQyuB,SAC9BwN,EAAa
f,EAAW17B,QAAQk8B,SACHCC,EAakBL,GAakBC,KAAyC,EAACnB,kBAoBpE,GAIBkNrB,EAQ+rB,iBAE
LP,EAAWhM,OADXiN,GAGkB,WACd,OAAIJ,KAAyC,EAACpB,uBAG9BoB,EAACpB,qBAAqBmB,IAAY,GA
CxC,MAKdA,GAAYE,IACbf,EAAWhM,MAAO,GAGIBxN,IACA wZ,EAAWxZ,KAAOA,EACIBwZ,EAAW/L,i
BAAmB4M,GAEZBZ,IAAc1M,IAAa/e,EAQ+rB,iBAAmBU,IAAkB,CACzEH,EAACnB,kBAakBkB,IAAY,EAE
5C,IAAMK,EAaj5B,KAAKuM,QACxBvM,KAAKuM,QAAUA,EACf,IACivM,KAAKq3B,SAASlqB,MAAMo
R,GACtB,MAAOtf,GACLe,KAAKyW,MAAQxX,EAEBjBe,KAAKuM,QAAU0sB,EAIVBJ,EAACrB,cAEVqB,EA
chB,YACdgB,EAAClB,WAAWX,UAGjCkC,iBAakB,SAAUc,EAAUrD,GACN,oBAAXBqD,EAASlsB,MAAMU,
KACf3N,KAAKuM,QAAQsP,OAAOgD,QAAQsa,GAESBrD,EAAUhB,aAAc,GAGhCsE,oBAAqB,SAASD,GAC
E,oBAAXBA,EAASlsB,MAAMU,MACf3N,KAAKuM,QAAQsP,OAAO1D,SAG5BkhB,YAAa,SAAUc,EAAYxD
,GAC/B91B,KAAKuM,QAAQsP,OAAOgD,QAAQya,IAEHCC,eAGB,SAAUD,GACtBt5B,KAAKuM,QAAQsP,
OAAO1D,SAExBqhB,qBAAsB,SAAUc,EAaqB3D,GACjD91B,KAAKuM,QAAQsP,OAAOgD,QAAQ4a,IAEH
C,wBAAyB,SAAUD,GAC/Bz5B,KAAKuM,QAAQsP,OAAO1D,SAExBwhB,aAAc,SAAUc,EAAa9D,GACjC91
B,KAAKuM,QAAQsP,OAAOgD,QAAQ+a,IAEHCC,gBAAiB,SAAUD,GACvB55B,KAAKuM,QAAQsP,OAAO1
D,SAExB2hB,WAAy,SAAUc,EAAWjE,GAC7B91B,KAAKuM,QAAQsP,OAAOgD,QAAQkb,EAAUxc,MAAM
,KAEhDyc,cAAe,SAAUD,GACrB/5B,KAAKuM,QAAQsP,OAAO1D,UCzL5B,kBACI,WAAy8hB,GACRj6B,KA
AKi6B,QAAUA,EAwCvB,OArCIC,gBAAA,SAAI3b,GACAVE,KAAKmN,MAAMoR,IAGf2b,uBAAA,SAAWluB
,GACP,IAAKA,EACD,OAAOA,EAGX,IACIIL,EADE21B,EAAMjqB,EAAM1N,OAEIB,IAAKgC,EAAL,EAAG
A,EAAL21B,EAak31B,IACjBN,KAAKmN,MAAMnB,EAAM1L,IAErB,OAAO0L,GAGXkuB,kBAAA,SAAMhu

B,GACF,OAKA,EAGDA,EAAKjM,cAAgBL,MACdI,KAAKqX,WAAWnL,KAGtBA,EAAKOf,kBAAoB1f,EA
AKOf,qBAG/B5rB,KAAKi6B,QAACL/tB,EAAKiuB,mBAELjuB,EAAKkuB,qBAGTluB,EAAKuF,OAAOzR,OAR
DkM,GAPAA,sBChBf,aACIIM,KAAKq3B,SAAW,IAAI5B,GAAQz1B,MAC5BA,KAAKgb,SAAW,GACHbhb,K
AAKq6B,gBAaKb,CAAC,IA0FhC,OAvFIC,gBAAA,SAAI/b,GAGA,OAFAA,EAAOve,KAAKq3B,SAASlqB,M
AAMoR,IACtBgc,WAAav6B,KAAKq6B,gBAaGgB,GACHc9b,GAGX+b,6BAAA,SAAiBnB,EAAUrD,GACvBA,
EAAUhB,aAAc,GAG5BwF,iCAAA,SAaQbB,EAAqB3D,GACtCA,EAAUhB,aAAc,GAG5BwF,yBAAA,SAaV,
EAAa9D,GACtB,IAAI8D,EAAYrb,KAaHb,CAIA,IAAIje,EACAM,EACAYX,EAEArB,EADewjB,EAAYB,GAIZ
Bjd,EAAQqc,EAAYrc,MAEpBoH,EAAUpH,EAAQA,EAAMjf,OAAS,EACvC,IAAKgC,EAAI,EAAGA,EAAIqk
B,EAASrKb,IACjBs5B,EAAYrc,MAAMjd,aAAcyzB,GAAK7G,SACrCsN,EAAuB3tB,KAAK0Q,EAAMjd,IACIC
s5B,EAAYa,mBAAoB,GAMxC,IAAMlf,EAAQqe,EAAYre,MAC1B,IAAKjb,EAAI,EAAGA,EAAlib,EAAMjd,O
AAQgC,IAAK,CAC/B,IAAMo6B,EAAenf,EAAMjb,GAERbq6B,EADWD,EAAaA,EAAap8B,OAAS,GACrB0Y,
WAS/B,KAPAA,EAAa2jB,EAAGBvc,EAAGBuc,GAaenrB,OAAGrB,GAC7DA,KAGFxB,EAAaA,EAAW/I,KA
AI,SAaA2sB,GAAsB,OAAAA,EAAMBlpB,YAGpE9Q,EAAI,EAAGA,EAAIoW,EAAW1Y,OAAQsC,IAC/BZ,K
AAK66B,cAAe,GACpBxiB,EAASrB,EAAWpW,IACb6sB,kBAaKbiN,GACzBriB,EAAOGG,QAAUub,EACP,IA
ANh5B,IAAWyX,EAAOyiB,+BAAGC,GACtD96B,KAAKq6B,gBAAGBr6B,KAAKq6B,gBAAGB/7B,OAAS,GA
AGuO,KAAKwL,GAInErY,KAAKgb,SAASnO,KAAK+sB,EAAYtc,aAGnCGd,4BAAA,SAAGBV,GACPA,EAAY
rb,OACbve,KAAKgb,SAAS1c,OAAS0B,KAAKgb,SAAS1c,OAAS,IAItDg8B,uBAAA,SAAWP,EAAWjE,GACIB
iE,EAAUQ,WAAa,GACvBv6B,KAAKq6B,gBAAGBxtB,KAAKktB,EAAUQ,aAGxCD,0BAAA,SAACp,GACV/5
B,KAAKq6B,gBAAGB/7B,OAAS0B,KAAKq6B,gBAAGB/7B,OAAS,GAGhEg8B,wBAAA,SAAYhB,EAAYxD,G
ACpBwD,EAAWiB,WAAa,GACxBv6B,KAAKq6B,gBAAGBxtB,KAAKysB,EAAWiB,aAGzCD,2BAAA,SAaeh
B,GACXt5B,KAAKq6B,gBAAGB/7B,OAAS0B,KAAKq6B,gBAAGB/7B,OAAS,sBAKhE,aACIOB,KAAKq3B,SA
AW,IAAI5B,GAAQz1B,MA6YpC,OA1YI+6B,gBAAA,SAAIxc,GACA,IAAMyc,EAaE,IAAIV,GAGzB,GAFAt6
B,KAAKi7B,cAAgB,GACrBD,EAAapD,IAAIrZ,IACZyc,EAaAh,aAGB,OAAGtC,EACzCA,EAAKgc,WAAahc,
EAAKgc,WAAW/qB,OAAGxP,KAAKk7B,iBAAiB3c,EAAKgc,WAAyhC,EAAKgc,aACrFv6B,KAAKq6B,gBA
AkB,CAAC9b,EAAKgc,YAC7B,IAAMY,EAAUn7B,KAAKq3B,SAASlqB,MAAMoR,GAEPc,OADAVE,KAAKo
7B,0BAA0B7c,EAAKgc,YAC7BY,GAGXJ,sCAAA,SAAG0jB,GACtB,IAAMqkB,EAAUr7B,KAAKi7B,cACrBj
kB,EAAWoI,QAAO,SAAG/G,GAAU,OAACA,EAAOijB,iBAA+C,GAA5BjjB,EAAOiv,WAAWhvB,UAAa8N,S
AAQ,SAaAiM,GAC1F,IAAIwF,EAAW,YACf,IACIA,EAAWxF,EAAOWF,SAAS7O,MAAM,IAErC,MAA05R,I
AEFi+B,EAAWhjB,EAAOzL,UAASiR,KAC5Bwd,EAAWhjB,EAAOzL,UAASiR,IAAc,EACzC+T,GAAOf,KAA
K,WAAWhT,2BAKnCkd,6BAAA,SAAiBQ,EAAaC,EAAMBC,GAU7C,IAAIC,EAEAC,EACAC,EAEArkB,EAE
AmjB,EACArB,EACAwjB,EACAC,EAANEC,EAAe,GAEFc,EAAGBh8B,KActB,IARAY7B,EAAiBA,GAaKB,EA
Q9BC,EAAc,EAAGA,EAACH,EAAYj9B,OAAG09B,IACpD,IAAKC,EAAoB,EAAGA,EAAoBH,EAAKBi9B,OA
AQq9B,IAEtEtjB,EAASKjB,EAAYG,GACrBG,EAAeL,EAaKBG,GAG5BtjB,EAAOiv,WAAW/d,QAASsB,EAA
azO,YAAe,IAG5DsN,EAAe,CAACmB,EAAajO,cAAc,KAC3CgO,EAAUI,EAAc,UAAU5jB,EAAQqiB,IAE9Bp
8B,SACR+Z,EAAOijB,iBAaKB,EAGzBjjB,EAAOuV,cAAcxhB,SAAG,SAaA8vB,GACzB,IAAMzuB,EAAOouB
,EAAavqB,iBAG1BiG,EAAcykB,EAAcG,eAAeP,EAASIB,EAAcwB,EAAc7jB,EAAOuJ,cAGvFka,EAAY,IAAI/
H,GAAW,OAaE8H,EAAahe,SAAUge,EAAa1O,OAAG,EAAG0O,EAAahwB,WAAy4B,IAC3FmgB,cAAgBrW,
EAG1BA,EAAYA,EAAYjZ,OAAS,GAAG0Y,WAAa,CAAC8kB,GAGIDC,EAAalvB,KAAKivB,GACIBA,EAAU
zd,QAAUwd,EAAxd,QAGjCyd,EAAUxO,WAAawO,EAAUxO,WAAW9d,OAAGqsB,EAAavO,WAAyJV,EAA
Oiv,YAK/EuO,EAAaf,gCACbgB,EAAUhB,+BAAGC,EAC1Ce,EAAaxd,QAAQ9C,MAAM1O,KAAK0K,SAOPD,
GAAIwkB,EAAaz9B,OAAG,CAIrB,GADA0B,KAAKo8B,mBACDX,EAAiB,IAAK,CACtB,IAAIY,EAAc,wBAC
dC,EAAc,wBACIB,IACID,EAAcN,EAAa,GAAGnO,cAAc,GAAG5e,QAC/CstB,EAAcP,EAAa,GAAGle,SAAS7O
,QAE3C,MAAO/P,IACP,KAAM,CAAEwW,QAAS,gFAAGf4mB,aAAsBC,OAK3H,OAAGP,EAAavsB,OAAGows
B,EAAcd,iBAAiBa,EAAcP,EAAMBC,EAAiB,IAE5G,OAAGOM,GAIfhB,6BAAA,SAAiBwB,EAAUZG,GACvBA,
EAAUhB,aAAc,GAG5BiG,iCAAA,SAAGbtB,EAAqB3D,GACtCA,EAAUhB,aAAc,GAG5BiG,0BAAA,SAAGcyB,
EAAc1G,GACxBA,EAAUhB,aAAc,GAG5BiG,yBAAA,SAAGanB,EAAa9D,GACtB,IAAI8D,EAAYrb,KAaHb,CA
GA,IAAIqd,EACAa,EACAf,EAIaHb,EAHEH,EAAav6B,KAAKq6B,gBAAGBr6B,KAAKq6B,gBAAGB/7B,OA
AS,GACHeO+B,EAAiB,GACjBV,EAAGBh8B,KAKtB,IAAK07B,EAAc,EAAGA,EAAcnB,EAAWj8B,OAAG09B,I

ACnD,IAAKe,EAAY,EAAGA,EAAY7C,EAAYre,MAAMjd,OAAQm+B,IAItD,GAHA/B,EAAd,EAAYre,MAA
MkhB,IAG7B7C,EAAYa,kBAAhB,CACA,IAAMzjB,EAa0jB,EAaA,EAaap8B,OAAS,GAAG0Y,WACrDA,G
AAcA,EAAW1Y,SAE7Bs9B,EAAU57B,KAAKi8B,UAAU1B,EAAWmB,GAAchB,IAEtCp8B,SACRi8B,EAAW
mB,GAAaJ,iBAaKB,EAElCf,EAAWmB,GAAa9N,cAAcxhB,SAAQ,SAAA8vB,GAC1C,IAAIS,EACJA,EAaOB
X,EAACg,eAAeP,EAASIB,EAACwB,EAAC3B,EAAWmB,GAAa9Z,aAC9G8a,EAaE7vB,KAAK8vB,OAKpC/C,E
AAAYre,MAAQqe,EAAYre,MAAM/L,OAAOktB,KAGjD3B,sBAAA,SAAU1iB,EAQukB,GAKd,IAAIC,EAAC
,EACAC,EACAC,EACAC,EACA38B,EAIA48B,EAFC,EAaiB9kB,EAaOwF,SAAS9G,SACjCqmB,EAaMB,G
AEnBxB,EAaU,GAGhB,IAAKiB,EAawB,EAAGA,EAawBD,EAaqBt+B,OAAQu+B,IAGjF,IAFAC,EAaBF,E
AAqBC,GAEPCE,EAawB,EAAGA,EAawBD,EAakB/IB,SAASzY,OAAQy+B,IAUvF,IARAC,EAakBF,EAakB
/IB,SAASgmB,IAGzC1kB,EAaOkV,aAA0C,IAA1BsP,GAAYD,IAA1BE,IACtDK,EAaiBvwB,KAAK,CAAC4vB
,UAAWI,EAaUBjwB,MAAOmwB,EAaUBM,QAAS,EAC5FC,kBAaMBN,EAAGb7rB,aAGtC7Q,EAaI,EAAGA,
EAaI88B,EAaiB9+B,OAAQgC,IACrC48B,EAaiBE,EAaiB98B,GAMT,MADzB28B,EAaMBD,EAAGb7rB,WA
AWIE,QACW,IAA1B8vB,IAC3BE,EAaMB,MA5Bbj9B,KAgCSu9B,qBAaQBJ,EAaED,EAaEG,SAASpwB,MA
AO+vB,EAAGb/vB,QACjGiwB,EAaEG,QAAU,GAAKF,EAaED,EAaEG,SAASlsB,WAAWIE,QAAUgwB,EAC3
FC,EAaiB,KAEjBA,EAaEG,UAIH,IACAA,EAaEM,SAAWN,EAaEG,UAAyF,EAaE7+B,OACHE4+B,EAaEM,
WACbnlB,EAaOmV,aACJuP,EAawB,EAaID,EAakB/IB,SAASzY,QAAUu+B,EAawB,EAaID,EAaqBt+B,UA
CvH4+B,EAaiB,OAIrBA,EACIA,EAaEM,WACfN,EAaE5+B,OAAS6+B,EAaE7+B,OACvC4+B,EAaEO,aAAeZ
,EAC9BK,EAaEQ,oBAAsBX,EAawB,EAC7DK,EAaiB9+B,OAAS,EAC1Bs9B,EAaQ/uB,KAAKqwB,KAGjBE,
EAaiB/d,OAAO/e,EAAG,GAC3BA,KAKhB,OAaOs7B,GAGXb,iCAAA,SAAqB4C,EAaEC,GACChC,GAA6B,iB
AAIBD,GAAuD,iBAaIBC,EAC5C,OAAOD,IAakBC,EAe7B,GAAID,aAAyB5J,GAakXk,UAC9B,OAaIoU,EA
AcvwB,KAAOwwB,EAACxwB,IAAMuwB,EAActB,MAAQstB,EAActB,MAG5EqTB,EAAC1wB,OAAU2wB,EA
Ac3wB,OAM3C0wB,EAAGBA,EAAC1wB,MAAMA,OAAS0wB,EAAC1wB,UAC3D2wB,EAAGBA,EAAC3wB,M
AAMA,OAAS2wB,EAAC3wB,QANnD0wB,EAAC1wB,QAAS2wB,EAAC3wB,OAWjD,GAFA0wB,EAAGBA,EA
Ac1wB,MAC9B2wB,EAAGBA,EAAC3wB,MAC1B0wB,aAAyB5J,GAakjd,SAAU,CACxC,KAAm8mB,aAAyB7
J,GAakjd,WAAa6mB,EAAC5mB,SAASzY,SAAWs/B,EAAC7mB,SAASzY,OACtG,OAAO,EAEX,IAAK,IAAIg
C,EAaI,EAAGA,EAakq9B,EAAC5mB,SAASzY,OAAQgC,IAAK,CACrD,GAAIq9B,EAAC5mB,SAASzW,GAA
G6Q,WAAWIE,QAAU2wB,EAAC7mB,SAASzW,GAAG6Q,WAAWIE,QAC1E,IAAN3M,IAAYq9B,EAAC5mB,S
AASzW,GAAG6Q,WAAWIE,OAAS,QAAU2wB,EAAC7mB,SAASzW,GAAG6Q,WAAWIE,OAAS,MACIH,OA
AO,EAGf,IAAKjN,KAAKu9B,qBAaQBI,EAAC5mB,SAASzW,GAAG2M,MAAO2wB,EAAC7mB,SAASzW,GA
AG2M,OACtF,OAAO,EAGf,OAAO,EAEX,OAAO,GAGX8tB,2BAAA,SAaEa,EAASIB,EAACmD,EAaqBjc,GA
GvD,IAIikc,EACajgB,EACakgB,EACA/vB,EACagwB,EARAC,EAa2B,EAe3BC,EAakC,EACICxiB,EAaO,G
AOX,IAAKoiB,EAaA,EAAGA,EAaAlC,EAaQt9B,OAAQw/B,IAE9CjgB,EAAW6c,GADX1sB,EAaQ4tB,EAaQ
kC,IACcrB,WAC9BsB,EAaE,IAAIhK,GAak7iB,QACpBID,EAAMsvB,kBACNO,EAaOB9mB,SAAS,GAAG9J,
MACHC4wB,EAaOB9mB,SAAS,GAAG3F,WACChCysB,EAaOB9mB,SAAS,GAAGjL,WACChC+xB,EAaOB9mB,
SAAS,GAAGIL,YAGhCmC,EAAMyuB,UAAyWb,GAA4BC,EAakC,IAChFxiB,EAaKA,EAakpd,OAAS,GAA
GyY,SAAW2E,EAaKA,EAakpd,OAAS,GAC/CyY,SAASvH,OAaOkrB,EAaauD,GAA0BlnB,SAASvG,MAAM
0tB,IAC3EA,EAakC,EACICD,KAGJD,EAACngB,EAAS9G,SACIBvG,MAAM0tB,EAaiClwB,EAAMpB,OAC7C
4C,OAAO,CAACuuB,IACrvuB,OAAOquB,EAaOB9mB,SAASvG,MAAM,IAE3CytB,IAA6BjwB,EAAMyuB,W
AAaqB,EAaA,EAC7DpiB,EAaKA,EAakpd,OAAS,GAAGyY,SACIB2E,EAaKA,EAakpd,OAAS,GAAGyY,SA
ASvH,OAaOwuB,IAE1CtiB,EAaOA,EAakIM,OAaOkrB,EAaAlqB,MAAMytB,EAa0BjwB,EAAMyuB,aAEjE
5vB,KAAK,IAAIknB,GAakjd,SACfknB,IAGRC,EAa2BjwB,EAAMyvB,cACjCS,EAakClwB,EAAM0vB,sBAC
DhD,EAaauD,GAA0BlnB,SAASzY,SACnF4/B,EAakC,EACICD,KaqBR,OAjBIA,EAa2BvD,EAaap8B,QAAU
4/B,EAakC,IACpFxiB,EAaKA,EAakpd,OAAS,GAAGyY,SAAW2E,EAaKA,EAakpd,OAAS,GAC/CyY,SA
ASvH,OAaOkrB,EAaauD,GAA0BlnB,SAASvG,MAAM0tB,IAC3ED,KAIJviB,GADAA,EAaOA,EAakIM,OA
OkrB,EAaAlqB,MAAMytB,EAa0BvD,EAaap8B,UACjE2P,KAAI,SAaAkWb,GAEZ,IAAMC,EAaUD,EAaA7m
B,cAAc6mB,EAaapnB,UAMxD,OALI6K,EACAwc,EAaQjE,mBAERiE,EAaQhE,qBAELgE,MAKfrD,uBAAA,
SAAWHb,EAAWjE,GACIB,IAAIuI,EAAGbtE,EAaUQ,WAAW/qB,OAaOxP,KAAKq6B,gBAAGBr6B,KAAKq6
B,gBAAGB/7B,OAAS,IACnG+/B,EAAGBA,EAAC7uB,OAaOxP,KAAKk7B,iBAaiBmD,EAaEtE,EAaUQ,aACp

Fv6B,KAAKq6B,gBAAgBxtB,KAAKwxB,IAG9BtD,0BAAA,SAAchB,GACV,IAAMuE,EAAYt+B,KAAKq6B,gBAAgB/7B,OAAS,EACHD0B,KAAKq6B,gBAAgB/7B,OAASggC,GAGlCvD,wBAAA,SAAYzB,EAAYxD,GACpB,IAAIuI,EAAGB/E,EAAWiB,WAAW/qB,OAAOxP,KAAKq6B,gBAAgBr6B,KAAKq6B,gBAAgB/7B,OAAS,IACpG+/B,EAAGBA,EAAC7uB,OAAOxP,KAAKk7B,iBAAiBmD,EA Ae/E,EAAWiB,aACrFv6B,KAAKq6B,gBAAgBxtB,KAAKwxB,IAG9BtD,2BAAA,SAEzB,GACX,IAAMgF,EAAYt+B,KAAKq6B,gBAAgB/7B,OAAS,EACHD0B,KAAKq6B,gBAAgB/7B,OAASggC,sBCjflC,aACIt+B,KAAKgb,SAAW,CAAC,IACjBhb,KAAKq3B,SAAW,IAAI5B,GAAQz1B,MAiDpC,OA9Ciu+B,gBAAA,SAAlhgB,GACA,OAAOve,KAAKq3B,SAASlqB,MAAMoR,IAG/BggB,6BAAA,SAAiBpF,EA AUrD,GACvBA,EA AUhB,aAac,GAG5ByJ,iCAAA,SAAQB9E,EA AQB3D,GACtCA,EA AUhB,aAac,GAG5ByJ,yBAAA,SA Aa3E,EA Aa9D,GACtB,IAEIxY,EA FE/Q,EA AUvM,KAAKgb,SAASHb,KAAKgb,SAAS1c,OAAS,GAC/Cid,EA AQ,GAGdvb,KAAKgb,SAASnO,KAAK0O,GAEdqe,EAAYrb,QACbjB,EAAYsc,EAAYtc,aAEpBA,EAAYA,EA AU8B,QAAO,SAAA vB,GAAY,OAAAA,EAASvF,iBACIDshB,EAAYtc,UAYA,EA AUhf,OAASgf,EA AaA,EAAY,KACHEA,GAAasc,EAAY/X,cAAcG,EA AOHP,EAAS+Q,IAE1DA,IAAasc,EAAYrc,MAAQ,MACtCqc,EAAYre,MAAQA,IAI5BgjB,4BAAA,SAAGB3E,GACZ55B,KAAKgb,SAAS1c,OAAS0B,KAAKgb,SAAS1c,OAAS,GAGIDigC,uBAAA,SAAWxE,EA AWjE,GACIB,IAAMvpB,EA AUvM,KAAKgb,SAASHb,KAAKgb,SAAS1c,OAAS,GACrDy7B,EA AUxc,MAAM,GAAGgB,KAA2B,IAAnBhS,EA AQjO,QAAgBiO,EA AQ,GAAGue,YAGIEyT,wBAAA,SAAYjF,EAAYxD,GACpB,IAAMvpB,EA AUvM,KAAKgb,SAASHb,KAAKgb,SAAS1c,OAAS,GACjDg7B,EA AW/b,OAAS+b,EA AW/b,MAAMjf,SACrCg7B,EA AW/b,MAAM,GAAGgB,KAAQ+a,EA AWjV,UAA+B,IAAnB9X,EA AQjO,QAAgB,0BC/CnF,WAAyiO,GACrVm,KAAKq3B,SAAW,IAAI5B,GAAQz1B,MAC5BA,KAAKw+B,SAAWjyB,EA WExB,OArElkyB,0CAAA,SA A8BC,GAC1B,IAAIxgB,EACJ,IAAKwgB,EACD,OAAO,EAEX,IAAK,IAAIj+B,EA AI,EAAGA,EA AI+B,EA AUpgC,OAAQmC,IAEIC,IAADayd,EA AOwgB,EA AUj+B,IACRqa,UAYoD,EA AKpD,SAAS9a,KAAKw+B,YAActgB,EA AK0N,mBA GvD,OAAO,EAGf,OAAO,GAGX6S,kCAAA,SAASBE,GACdA,GAASA,EAAMphB,QACfohB,EAAMphB,MAAQohB,EAAMphB,MAAM6B,QAAO,SAAAwf,GAAS,OAAAA,EAAMhd,iBAIXD6c,oBAAA,SA AQE,GACJ,OAQA,IAASA,EAAMphB,OACO,IAAvBohB,EAAMphB,MAAMjf,QAGvBmgC,+BAAA,SA AmB7E,GACf,SAQA,IAAeA,EAAYre,QAC5Bqe,EAAYre,MAAMjd,OAAS,GAGtCmgC,8BAAA,SA AkBvyB,EAAM2yB,GACpB,IAAK3yB,EA AK0f,mBA AoB,CAC1B,GAAI5rB,KAAK8M,QAAQZ,KAAUIM,KAAK8+B,8BAA8BD,GAC1D,OAGJ,OAAO3yB,EAGX,IAAM6yB,EA AoB7yB,EA AKqR,MAAM,GAGrC,GAFAvd,KAAKg/B,sBAAsBD,IAEvB/+B,KAAK8M,QAAQiyB,GA OjB,OAHA7yB,EA AKiuB,mBACLjuB,EA AK+yB,wBAEE/yB,GAGXuyB,6BAAA,SA AiB7E,GACb,QAAIA,EAAYpb,YAIZxe,KAAK8M,QAAQ8sB,OAIZA,EAAYrb,OAASve,KAAKk/B,mBA AmBtF,UAQpDxQ,GAAe,SAAS7c,GAC1BvM,KAAKq3B,SAAW,IAAI5B,GAAQz1B,MAC5BA,KAAKw+B,SA AWjyB,EACHBvM,KAAKm/B,MAAQ,IAAIv,GAAGblyB,IAGrC6c,GAAalpB,UAYY,CACrB81B,aAAa,EACb4B,IAAK,SA AUrZ,GACX,OAAOve,KAAKq3B,SAASlqB,MAAMoR,IAG/B2a,iBAAKB,SA AUC,EA AUrD,GACIC,IAAIqD,EAASvN,qBAAsBuN,EAAS5f,SAG5C,OAAO4f,GAGXK,qBAAsB,SA AU4F,EA AWtJ,GAGvCsJ,EA AUvjB,OAAS,IAGvBwjB,YAAa,SA AUC,EAAYxJ,KAGnCyJ,aAac,SA AUC,EA Aa1J,GACjC,IAAI0J,EAAY5T,qBAAsB4T,EAAY1kB,SAAS9a,KAAKw+B,UAGhE,OAAOgB,GAGX1F,WAAy,SAASC,EA AWjE,GAC5B,IAAM+I,EAAGB9E,EA AUxc,MAAM,GAAGA,MAIzC,OAHAwc,EA AUtoB,OAAOzR,KAAKq3B,UACtBvB,EA AUhB,aAac,EA EjB90B,KAAKm/B,MAAMM,kBA AkB1F,EA AW8E,IAGnD/G,YAAa,SA AUC,EAAYjC,GAC/B,IAAIiC,EA AWnM,mBAGf,OAAOmM,GAGXsB,YAAa,SAASC,EAAYxD,GAC9B,OAAIwD,EA AW/b,OAAS+b,EA AW/b,MAAMjf,OAC9B0B,KAAK0/B,oBA AoBpG,EAAYxD,GA ErC91B,KAAK2/B,uBA AUbrG,EAAYxD,IAIvD8J,eAAGB,SAASC,EA Ae/J,GACpC,IAAK+J,EA AcjU,mBA Ef,OADaiU,EA AcpuB,OAAOzR,KAAKq3B,UACnBwI,GAI fH,oBAAqB,SAASpG,EAAYxD,GAKbtC,IAAM+I,EAXN,SAASvF,GACIB,IAAMwG,EAAYxG,EA AW/b,MAC7B,ONJ,SA AwB+b,GACpB,IAAMoF,EAAYpF,EA AW/b,MAC7B,OAA4B,IAArBmhB,EA AUpgC,UAAkBoG,EA AU,GAAGnjB,OAAuC,IAA9BmjB,EA AU,GAAGnjB,MAAMjd,QAIxEyhC,CAEzG,GACRwG,EA AU,GAAGviB,MAGjBuiB,EAKWE,CA Aa1G,GAQnC,OAPAA,EA AW7nB,OAAOzR,KAAKq3B,UACvBvB,EA AUhB,aAac,EA EnB90B,KAAKm/B,MAAMryB,QAAQwsB,IACpBt5B,KAAKqpB,YAAYiQ,EA AW/b,MAAM,GAAGA,OAGlCvd,KAAKm/B,MAAMM,kBA AkBnG,EAAYuF,IAGpDc,uBA AwB,SAASrG,EAAYxD,GACzC,IAAIwD,EA AW1N,mBA Af,CAIA,GAAwB,aA ApB0N,EA AWngB,KAAqB,CAlhC,GAAInZ,KAAKigC,QAAAS,CACd,GAAI3G,EA AWrf,UAAW,CACtB,IAAMimB,EA AU,IAAI nM,GA AKpZ,QAAQ,MAAM2e,EA AWtqB,

hEsa,eAAe,GAEnB6mB,EAAYnhC,GAAK4/B,EAAQmC,KAAK/jC,OAAS,EACvCmjC,EAAYa,aAAaz1B,KAA
KqzB,GAC9B,UAGR,MAGJ,GAnDe,KAmDVhyB,GAjDO,KAiDmBA,GAIDIB,IAkDyCA,GAhD1C,KAgDkEA,
EAC1E,MAOR,GAHAozB,EAAUA,EAAQ9wB,MAAMIS,EAASmjC,EAAYnhC,EAAI0hC,EAAMF,GACvDP,E
AAaE,EAAYnhC,GAEPBghC,EAAQhjC,OAAQ,CACjB,GAAlS,C,EAAlYgC,EAAO/iC,OAAS,EAGpB,OAFAgjC,
EAAUD,IAASzgc,GACnB8gC,EAAe,IACR,EAEXD,EAAYjE,UAAW,EAG3B,OAAOoE,IAASH,EAAYnhC,GA
AKuhC,IAASjhC,EAoS9C,OAjSA6gC,EAAYe,KAAO,WACfjB,EAAaE,EAAYnhC,EACzBkhC,EAAU30B,KAA
M,CAAey0B,UAASHhC,EAAGmhC,EAAYnhC,EAAGM,OAEjD6gC,EAAYgB,QAAU,SAAAC,IAEdjB,EAAYn
hC,EAAI6gC,GAAaM,EAAYnhC,IAAM6gC,GAAyUB,IAAyBtB,KACpFD,EAAWM,EAAYnhC,EACvB8gC,EA
A+Bsb,GAEnC,IAAMC,EAAQnB,EAAUznB,MACxBunB,EAAUqB,EAAMrB,QACHBC,EAAaE,EAAYnhC,EA
AlqiC,EAAMriC,EACnCM,EAAl+hC,EAAM/hC,GAEd6gC,EAAYmB,OAAS,WACjBpB,EAAUznB,OAEd0nB,
EAAYoB,aAAe,SAAAC,GACvB,IAAMC,EAAMtB,EAAYnhC,GAAKwiC,GAAU,GACjCE,EAAOrtB,EAAMus
B,WAAWa,GAC9B,OA5FmB,KA4FXC,GAzFQ,KAyFmBA,GA3FIB,IA2F0CA,GA1F3C,KA0FoEA,GA1xFvB,E
AAyWb,IAAM,SAAAC,GACvzB,EAAYnhC,EAAIihC,IACHBD,EAAUA,EAAQ9wB,MAAMixB,EAAYnhC,E
AAlihC,GACxCA,EAAaE,EAAYnhC,GAG7B,IAAM4J,EAAI5B,EAAIC,KAAK7B,GACnB,OAAP3B,GAILw
3B,EAAex3B,EAAE,GAAG5L,QACH,iBAAN4L,EACAA,EAGS,IAAbA,EAAE5L,OAAe4L,EAAE,GAACA,GA
RpB,MAWfu3B,EAAY2B,MAAQ,SAAAF,GACHB,OAAIvtB,EAAM/D,OAAO6vB,EAAYnhC,KAAO4iC,EACz
B,MAEXxB,EAAe,GACRwB,IAGXzB,EAAY4B,KAAO,SAAAH,GAIf,IAHA,IAAMI,EAAYJ,EAAI5kC,OAGbg
C,EAAl,EAAGA,EAAIgjC,EAAWhjC,IAC3B,GAAlqV,EAAM/D,OAAO6vB,EAAYnhC,EAAIA,KAAO4iC,EA
AltxB,OAAOrtR,GAC/C,OAAO,KAKf,OADAOhC,EAAe4B,GACRJ,GAGXzB,EAAY8B,QAAU,SAAA1tB,GACI
B,IAAMktB,EAAMltB,GAAO4rB,EAAYnhC,EACzBkjC,EAAY7tB,EAAM/D,OAAOmxB,GAE/B,GAaKB,MAA
dS,GAAoC,MAAdA,EAA1B,CAMA,IAHA,IAAMIIC,EAASqX,EAAMrX,OACfmlC,EAaKBV,EAefziC,EAAl,E
AAGA,EAAImjC,EAaKBnlC,EAAGqC,IAAK,CAE/C,OADiBqV,EAAM/D,OAAOrtR,EAAImjC,IAE9B,IAAK,K
ACDnjC,IACA,SACJ,IAAK,KACL,IAAK,KACD,MACJ,KAAKkjC,EACD,IAAM7sB,EAAMhB,EAAMkB,OAA
O4sB,EAAiBnjC,EAAl,GAC9C,OAakuV,GAAe,IAARA,EAIL,CAAC2tB,EAAW7sB,IAHf+qB,EAaephC,EAAl
,GACZqW,IAMvB,OAAO,OAox8qB,EAAYiC,YAAc,SAAAR,GACtB,IAWIS,EAXAha,EAAQ,GACRia,EAAY,
KACZC,GAAY,EACZC,EAAa,EACXC,EAAa,GACbC,EAAc,GACd1IC,EAASqX,EAAMrX,OACf2IC,EAAWxC
,EAAYnhC,EACzB4jC,EAAUzC,EAAYnhC,EACtBA,EAAImhC,EAAYnhC,EACHB6jC,GAAO,EAIPR,EADe,iB
AART,EACI,SAAaKB,GAAQ,OAAAA,IAASIB,GAejB,SAAaKB,GAAQ,OAAAIb,EAAIxoB,KAAK0pB,IAGh
C,EAAG,CAEC,IAAlzC,EAAWhsB,EAAM/D,OAAOrtR,GAC5B,GAAmB,IAAfwjC,GAAoBH,EAAShC,IAC7Bi
C,EAAYjuB,EAAMkB,OAAOqtB,EAAS5jC,EAAI4jC,IAEICF,EAAYn3B,KAAK+2B,GAGjBI,EAAYn3B,KAA
K,KAERb+2B,EAAYI,EACZtC,EAaephC,EAAI2jC,GACnBE,GAAO,MACJ,CACH,GAAlN,EAAW,CACM,MA
AbIC,GACwB,MAAxBhsB,EAAM/D,OAAOrtR,EAAl,KACjBA,IACAwjC,IACAD,GAAY,GAehBvjC,IACA,SA
EJ,OAAQqhC,GACJ,IAAK,KACDrhC,IACAqhC,EAAWhsB,EAAM/D,OAAOrtR,GACxB0jC,EAAYn3B,KAAK8
I,EAAMkB,OAAOqtB,EAAS5jC,EAAI4jC,EAAU,IACrDA,EAAU5jC,EAAI,EACd,MACJ,IAAK,IAC2B,MAAx
BqV,EAAM/D,OAAOrtR,EAAl,KACjBA,IACUjC,GAAY,EACZC,KAej,MACJ,IAAK,IACL,IAAK,KACDna,E
AAQ8X,EAAY8B,QAAQjjC,KAExB0jC,EAAYn3B,KAAK8I,EAAMkB,OAAOqtB,EAAS5jC,EAAI4jC,GAAUv
a,GAERdua,GADA5jC,GAAKqpB,EAAM,GAAGrrB,OAAS,GACT,IAGdojC,EAaephC,EAAI2jC,GACnBL,EA
YjC,EACZwC,GAAO,GAEX,MACJ,IAAK,IACDJ,EAAW13B,KAAK,KACHBi3B,IACA,MACJ,IAAK,IACDC,E
AAW13B,KAAK,KACHBi3B,IACA,MACJ,IAAK,IACDC,EAAW13B,KAAK,KACHBi3B,IACA,MACJ,IAAK,IA
CL,IAAK,IACL,IAAK,IACD,IAAMO,EAAWN,EAAWhqB,MACxB4nB,IAAa0C,EACbP,KAGApC,EAaephC,E
AAI2jC,GACnBL,EAAYS,EACZF,GAAO,KAGnB7jC,EACQhC,IACJ6IC,GAAO,UAIVA,GAET,OAAOP,GAA
wB,MAGnCNc,EAAYU,mBAAoB,EACHCV,EAAYa,aAAe,GAC3Bb,EAAYjE,UAAW,EAIvBiE,EAAY6C,KAA
O,SAAApB,GACf,GAAMb,iBAARA,EAaKB,CAEZB,IAAK,IAAI5iC,EAAl,EAAGA,EAAI4iC,EAAI5kC,OAAQ
gC,IAC5B,GAAlqV,EAAM/D,OAAO6vB,EAAYnhC,EAAIA,KAAO4iC,EAAItxB,OAAOrtR,GAC/C,OAAO,EA
Gf,OAAO,EAEP,OAAO4iC,EAAIxoB,KAAK4mB,IAMxBG,EAAY8C,SAAW,SAAArB,GAAO,OAAAvtB,EA
M/D,OAAO6vB,EAAYnhC,KAAO4iC,GAe9DzB,EAAY+C,YAAc,WAAM,OAAA7uB,EAAM/D,OAAO6vB,EA
AYnhC,IAEZdmhC,EAAYgD,SAAW,WAAM,OAAA9uB,EAAM/D,OAAO6vB,EAAYnhC,EAAl,IAE1DmhC,E
AAYiD,SAAW,WAAM,OAAA/uB,GAe7B8rB,EAAYkD,eAAiB,WACzB,IAAMz2B,EAAIyH,EAAMusB,WAA

WT,EAAYnhC,GAEvC,OAAQ4N,EApTO,IAoTWA,EAvTR,IAES,KAqTqBA,GAtT7B,KAsT6DA,GAGpFuzB,EAAYmD,MAAQ,SAACjuB,EAAKkuB,EAAYC,GACICnvB,EAAQgB,EACR8qB,EAAYnhC,EAAIM,EAAl2gC,EAaAaJ,EAaw,EAaxCE,EADAwD,WCVWIlvB,EAAOovB,GACnB,IAGIC,EACAC,EACAC,EACAC,EAGAC,EACAC,EACAC,EACAC,EACAI,EAAbEpIB,EAAMtC,EAAMrX,OACdknC,EAAQ,EACRC,EAaA,EAkXpE,EAAS,GACXqE,EAaw,EAOf,SAASC,EAAUC,GACf,IAAM3tB,EAAMmtB,EAAsBM,EAC5BztB,EAAM,MAAS2tB,IAAW3tB,IAGhCopB,EAAOx0B,KAAK8I,EAAMnF,MAAMk1B,EAAUN,EAAsB,IACxDM,EAAWN,EAAsB,GAGrC,IAAKA,EAAsB,EAAGA,EAAsBntB,EAAMtB,IAErD,MADAE,EAAK3vB,EAAMusB,WAAWkD,KACV,IAAQE,GAAM,KAAUA,EAAK,IAKzC,OAAQA,GACJ,KAAK,GACDG,IACAR,EAAMBG,EACnB,SACJ,KAAK,GACD,KAAMK,EAaA,EACf,OAAOV,EAAsB,SBAAuBK,GAEvC,SACJ,KAAK,GACIK,GAACe,IACnB,SACJ,KAAK,IACDH,IACAR,EAACI,EACd,SACJ,KAAK,IACD,KAAMI,EAAQ,EACV,OAAOT,EAAsB,SBAAuBK,GAEIC,GAauc,GAACe,IAC7B,SACJ,KAAK,GACD,GAaip,EAAsBntB,EAAM,EAAG,CAAEmtB,IAAuB,SAC5D,OAAOL,EAAsB,IBAAkBK,GACIC,KAAK,GACL,KAAK,GACL,KAAK,GAGD,IAFA/H,EAau,EACVgI,EAAYBD,EACpBA,GAA4C,EAAGA,EAAsBntB,EAAMtB,IAE3E,MADAG,EAAM5vB,EAAMusB,WAAWkD,IACb,IAAV,CACA,GAAIG,GAAOD,EAAl,CAAEjI,EAau,EAAG,MAC9B,GAAW,IAAPkI,EAaw,CACX,GAAlH,GAauBntB,EAAM,EAC7B,OAAO8sB,EAAsB,IBAAkBK,GAEIC,KAGR,GAAlH,EAaw,SACf,OAAO0H,EAAsB,cAAere,OAAOmf,aAAaP,OAASD,GAC5D,KAAK,GACD,GAAlI,GAaeL,GAauBntB,EAAM,EAAM,SAEtD,GAAW,KADxstB,EAAM5vB,EAAMusB,WAAWkD,EAAsB,IAGzC,IAAKA,GAA4C,EAAGA,EAAsBntB,OACtEstB,EAAM5vB,EAAMusB,WAAWkD,KACX,KAAgB,IAAPG,GAAsB,IAAPA,GAfuCH,UAI5E,GAAW,IAAPG,EAaw,CAGIB,IADAL,EAAMBG,EAAYBD,EACvCA,GAA4C,EAAGA,EAAsBntB,EAAM,IAEjE,MADxstB,EAAM5vB,EAAMusB,WAAWkD,MACLD,EAA2BC,GACIC,IAAPG,GAC6C,IAA7C5vB,EAAMusB,WAAWkD,EAAsB,IAJoCA,KAMnF,GAAlA,GAauBntB,EAAM,EAC7B,OAAO8sB,EAAsB,uBAAwBM,GAExCD,IAEJ,SACJ,KAAK,GACD,GAAKA,EAAsBntB,EAAM,GAaoD,IAA7CtC,EAAMusB,WAAWkD,EAAsB,GAC3E,OAAOL,EAAsB,IBAAkBK,GAEIC,SAIZ,OAAC,IAAVI,EAewT,EADNG,EAAMBF,GAAlBG,EA2BD,EACpD,8BAEA,sBAF+BF,GAIZb,IAAFs,EACAV,EAAsB,SBAAuBE,IAGvCU,GAau,GACHtE,GDiPUyE,CAAQnvB,EAAMuB,GAEB,CAACnuB,GAGd2qB,EAAUD,EAao,GAejBK,EAae,IAGnBD,EAAYsE,IAAM,WACd,IAAltwB,EACEoiB,EAaA4J,EAAYnhC,GAAKqV,EAAMrX,OAM1C,OAlImjC,EAAYnhC,EAAl6gC,IACb1rB,EAau2rB,EACVK,EAAYnhC,EAAl6gC,GAEB,CACHtJ,aACAsJ,SAAUM,EAAYnhC,EACtB8gC,6BAA8B3rB,EAC9BuWB,mBAAoBvE,EAAYnhC,GAAKqV,EAAMrX,OAAS,EACpD2nC,aAActwB,EAAM8rB,EAAYnhC,KAljCmhC,GE5VlyE,GAAS,SAASA,EAAO35B,EAASqL,EAAS/L,GAC7C,IAAlS6B,EACE1E,EAAC2E,KAEPB,SAAS3vB,EAAMka,EAAKhjB,GACHb,MAAM,IAAlI0H,EACN,CACIZI,MAAO60B,EAAYnhC,EACnBkV,SAAU3J,EAAS2J,SACnB7H,KAAMA,GAAQ,SACd8H,QAASKb,GAEB/Y,GAIR,SAASyuB,EAAOxX,EAAsB,GAEBjB,IAAMzb,EAau2Z,aAAezY,SAAYyY,EAAlzc,KAAK+zB,GAAW1E,EAAYwB,IAAlpU,GAC/E,GAAl3Z,EACA,OAAOA,EAGXuB,EAAMka,IAAuB,IBAAr9B,EACf,aAAaA,YAAa4S,EAAY+C,kBACtC,qBAIV,SAAS8B,EAawzX,EAAsB,GAACrB,GAAl8Q,EAAY2B,MAAMvU,GACIB,OAAOA,EAEXpY,EAAMka,GAao,aAAa9B,YAAa4S,EAAY+C,mBAGvD,SAAS3pB,EAajO,GACIB,IAAM4I,EAaw3J,EAAS2J,SAE1B,MAAO,CACH+E,WAAyZE,EAakBIJ,EAao60B,EAAYiD,YAAy/wB,KAAO,EACpE6G,SAAUhf,GAYDIB,MAAO,CACHisB,cACA7pB,UACA/L,WACA6L,UajDJ,SAAmBf,EAAsB,EAawC,EAAC36B,EAau8Z,GACvD,IAAlzQ,EACEuxB,EAAC,GACdC,EAASjF,EAef,IACIf,EAao9B,MAAMjuB,GAAsB,GAao,SAACga,EAAsB,GAACx+Y,EAAS,CACLQ,QAASKb,EACT/jB,MAAOA,EAAsB,EAQ45B,OAGvB,IAAK,IAAlr2B,EAAl,EAAGtQ,SAAGS,SAAlT,EAAl0mC,EAau2B,GAAKA,IAGtC,GAFA7P,EAAlomC,EAaoPmC,EACX4U,EAASixB,EAQtmC,KACL,CACR,IACIqV,EAao7I,OAAS/L,EAAlkmC,EACpBtxB,EAao5I,UAAYT,EACrB,MAAO5M,IACTwnC,EAAY55B,KAAKqI,QAGjBuxB,EAAY55B,KAAK,MAIT65B,EAaoX,MACXIO,WACRIS,EAAS,KAAM8gB,GAGf9gB,GAAS,EAAM,MAErB,MAAO1mB,GACL,MAAM,IAAlow,EAau,CACHbzI,MAAO3N,EAAE2N,MAAQ45B,EACjB/wB,QAASxW,EAEEwW,SACZmC,EAAS/L,EAAS2J,YAkBzBrY,MAAO,SAAUwZ,EAAsB,EAauGhB,GAC5B,IAAlpOB,EAEAqOB,EACAC,EACAC,EAHArwB,EAAsB,KAIRswB,EAau,GAKd,GAHAH,EAACD,GAakBA,EAaeC,WAAiBV,EAaoC,cAAcL,EAaeC,IBAAkB,GACtHC,EAACf,GAakBA,EAaeE,WAAc,KAAKX,EAaoC,cAAcL,EAaeE,YAAgB,GAElHt6B,EAaoQ0c,cAER,IADA,IAAMge,EAAGb16B,EAaoQ0c,cAAcie,mBACn5mC,EAAl,EAAGA,EAAl2mC,EAAC3oC,OAAQgC,IACtCqW,EAAMswB,EAAC3mC,GAAG6mC,QAAsB,EAAsB,

CAAepK,UAASqL,UAAS/L,cAI5D+6B,GAAeD,GAakBA,EAAeS,UACHDL,GAAYJ,GAakBA,EAAeS,OAAU
T,EAAeS,OAAS,IAAMR,GACrFE,EAAUlvB,EAAQyvB,sBACVx7B,EAAS2J,UAAySxB,EAAQj7B,EAAS2J,W
AAa,EAC3DsxB,EAAQj7B,EAAS2J,WAAauxB,EAAQzoC,QAK1CqY,EAAMowB,GAFNpwB,EAAMA,EAAlha
,QAAQ,SAAU,OAERA,QAAQ,UAAW,IAAMkqC,EAC7CjvB,EAAQhC,SAAS/J,EAAS2J,UAAymB,EAMtC,IA
CI8qB,EAAymD,MAAMjuB,EAAKpK,EAAQs4B,YAAy,SAACL,U,EAAK/jB,GAC1D,MAAM,IAAIyI,EAAU,C
AChBzI,QACAE,KAAM,QACN8H,QAASKb,EACTnb,SAAU3J,EAAS2J,UACpBoC,MAGPmc,GAAKhoB,KAA
K7L,UAAU/C,MAAQ6C,KAC5Bue,EAAO,IAAIwV,GAAK1W,QAAQ,KAAMrd,KAAKmmC,QAAQmB,WAC3
CvT,GAAKhoB,KAAK7L,UAAUsL,SAAW+S,EAC/BA,EAAKA,MAAO,EACZA,EAAKC,WAAY,EACjBD,EA
AKG,iBAAMBA,EAAiB1B,UAE3C,MAAO/d,GACL,OAAO0mB,EAAS,IAAIItQ,EAAUpW,EAAG2Y,EAAS/L,E
AAS2J,WAWvD,IAAM+xB,EAAU9F,EAAySE,MAC5B,IAAKwB,EAAQ1P,WAAY,CAErB,IAAIpB,EAAU8xB
,EAAQnG,6BAEjB3rB,IACDA,EAAU,qBACmB,MAAZB8xB,EAAQtB,aACRxwB,GAAW,iCACqB,MAAZB8xB
,EAAQtB,aACfxwB,GAAW,iCACJ8xB,EAAQvB,qBACfvwB,GAAW,iCAInBgB,EAAQ,IAAIpB,EAAU,CACIB1
H,KAAM,QACN8H,UACA7I,MAAO26B,EAAQpG,SACf3rB,SAAU3J,EAAS2J,UACpBoC,GAGP,IAAMwf,EA
AS,SAAN4B,GAGX,OAFAA,EAAlwX,GAASxX,GAAK2Y,EAAQnB,QAGhBxX,aAAaoW,IACfpW,EAAl,IA
AlOW,EAAUpW,EAAG2Y,EAAS/L,EAAS2J,WAGpCmQ,EAAS1mB,IAGT0mB,EAAS,KAAMpH,IAI9B,IAA+
B,IAA3BhS,EAAQI7B,eAIR,OAAOpQ,IAHP,IAAIjO,GAAS+N,cAAactf,EAASwf,GAC/BQ,IAAIrZ,IAMcJ4nB,
QAASA,EAAU,CAGBfmB,QAAS,WAKL,IAJA,IAElp7B,EAFESjB,EAAQxvB,KAAKwvB,MACfjR,EAAO,KAG
E,CACT,KACIrS,EAAOIM,KAAKkgC,WAEZ3hB,EAAK1R,KAAKX,GAGd,GAAIu1B,EAAyJE,SACZ,MAEJ,
GAAIIE,EAAy6C,KAAK,KACjB,MAIJ,GADAp4B,EAAOIM,KAAKynC,aAERlpB,EAAOA,EAAK/O,OAAOtD,
QAMvB,GAFAA,EAAOsJB,EAAMkY,cAAgB1nC,KAAK2nC,eAAiBnY,EAAMpd,MAAK,GAAO,IACjEpS,KA
AKqe,WAAare,KAAK4nC,gBAakB5nC,KAAK6nC,SAASz1B,QAAUpS,KAAK8nC,SAEtEvpB,EAAK1R,KAA
KX,OACP,CAEH,IADA,IAAI67B,GAAiB,EACdtG,EAAy2B,MAAM,MACrB2E,GAAiB,EAERB,IAAKA,EACD,
OAKZ,OAAOxpB,GAKX2hB,QAAS,WACL,GAAIuB,EAAyA,aAAahkC,OAAQ,CACjC,IAAM4hC,EAAUuB,E
AAyA,aAAanqB,QACzC,OAAO,IAAI4b,GAAY,QAAEmM,EAAQmC,KAAMnC,EAAQtLB,cAAesLB,EAAQtzB,
MAAOOf,KAOOrFg8B,SAAU,CACNG,YAAa,WACT,OAAO7B,EAAQ3W,MAAMpd,MAAK,GAAM,IAOpC61B,
OAAQ,SAAUC,GACd,IAAIvxB,EACE/J,EAAQ60B,EAAyNhC,EACtB6nC,GAAY,EAGhB,GADA1G,EAAyE,O
ACRF,EAAy2B,MAAM,KACIB+E,GAAY,OACT,GAAID,EAEP,YADAZG,EAAyGB,UAKhB,GADA9rB,EAAM
8qB,EAAy8B,UAOIB,OAFa9B,EAAymB,SAEL,IAAI7O,GAAW,OAAEpd,EAAl/E,OAAO,GAAI+E,EAAlE,O
AAO,EAAGF,EAAlrY,OAAS,GAAI6pC,EAAWv7B,EAAOf,GALpF41B,EAAyGB,WAapBpyB,QAAS,WACL,I
AAM3P,EAAl+gC,EAAy2B,MAAM,MAAQ3B,EAAyWb,IAAI,2DACpD,GAAIviC,EACA,OAAOqzB,GAAK1
mB,MAAMuC,YAAy1P,IAAM,IAAIqzB,GAAY,QAAErzB,IAW9D0R,KAAM,WACF,IAAI+G,EACA9J,EACA
8G,EACEVJ,EAAQ60B,EAAyNhC,EAG1B,IAAIhC,EAAy6C,KAAK,WAOrB,GAHA7C,EAAyE,OAERzPB,E
AAOsoB,EAAyWb,IAAI,gCACvB,CAOA,GAFa9pB,EAAOA,EAAK,IACZhd,EAAOnW,KAAKooC,eAAejvB,
MAEvB9J,EAAO8G,EAAKhZ,UACAgZ,EAAKyB,KAEB,OADA5G,EAAymB,SACLvzB,EAMf,GAFAA,EA
OrP,KAAKQ,UAAU6O,GAejBoyB,EAAy2B,MAAM,KAOvB,OAFa3B,EAAymB,SAEL,IAAI7O,GAAS,KAA
E5a,EAAM9J,EAAMzC,EAAOf,GANrC41B,EAAyGB,QAAQ,sDAjBpBhB,EAAymB,UAmCpBwF,eAAgB,SAA
UjvB,GAItB,MAAO,CACH/K,MAASuhB,EAAEWw,EAAQmC,SAAS,GAC5BC,QAAS5Y,EAAE1Y,GACXuxB,
GAAS7Y,EAAE1Y,IACbkC,EAAK5I,eAEP,SAASof,EAAExyB,EAAOkRc,GACd,MAAO,CACHrC,QACAKrC,
QAKR,SAASpxB,IACL,MAAO,CAACovB,EAAOF,EAAQlvB,UAAW,yBAI1CzW,UAAW,SAAUioC,GACjB,IA
EIC,EACAz7B,EAHA07B,EAAyF,GAAY,GACtBG,EAAGB,GAMtB,IAFAnH,EAAyE,SAEC,CACT,GAAIIG,E
ACAA,GAAW,MACR,CAEH,KADAx7B,EAAQk5B,EAAQrY,mBAAqB9tB,KAAK6oC,cAAgB1C,EAAQ/Z,cA
E9D,MAGAnf,EAAMA,OAA+B,GAAtBA,EAAMA,MAAM3O,SAC3B2O,EAAQA,EAAMA,MAAM,IAGxB07
B,EAAU97B,KAAKI,GAGfw0B,EAAy2B,MAAM,OAIIB3B,EAAy2B,MAAM,MAAQsF,KAC1BA,GAAuB,EA
CvBz7B,EAAS07B,EAAUrqC,OAAS,EAAKqqC,EAAU,GACrC,IAAI5U,GAAKxb,MAAMowB,GACrBC,EAAC/
7B,KAAKI,GACnB07B,EAAy,IAKpB,OADAIH,EAAymB,SACL8F,EAauBE,EAAGBD,GAEIDG,QAAS,WAC
L,OAAO9oC,KAAK+oC,aACL/oC,KAAKkp,SACLIP,KAAKioC,UACLjoC,KAAKgpC,qBASHBH,WAAY,WAC
R,IAAIv4B,EACArD,EAGJ,GAFaw0B,EAAyE,OACZlyB,EAAMmxB,EAAyWb,IAAI,iBAktB,GAAKxB,EA
Y2B,MAAM,KAAvB,CAKA,GADAn2B,EAAQk5B,EAAQ8C,SAGZ,OADAxH,EAAymB,SACL,IAAI7O,GA Ae

,WAAEzjB,EAAKrD,GAEjCw0B,EAAyGb,eARZhB,EAAYgB,eAJZhB,EAAYgB,WAuBpBpQ,IAAK,WACD,IAAlpB,EACEL,EAAQ60B,EAAynhC,EAI1B,GAFAmhC,EAAYU,mBAAoB,EAE3BV,EAAY4B,KAAK,QAYtB,OAPAp2B,EAAQjN,KAAKioC,UAAyjoC,KAAKuZ,YAAcvZ,KAAKqgB,YACzCohB,EAAYwB,IAAI,mCAAqC,GAE7DxB,EAAyU,mBAAoB,EAehCmE,EAAW,KA EJ,IAAIvS,GAAQ,IAAkB,MAAf9mB,EAAMA,OACxB A,aAAiB8mB,GA AKpL,UACtB1b,aAAiB8mB,GA AKhL,SACtB9b,EAAQ,IAAI8mB,GAAC,UAAE9mB,EAAOL,GAAQA,EAAOf,GADID41B,EAAyU,mBAAoB,GAYBxC5oB,SAAU,WACN,IAAI2vB,EACA/vB,EACEvM,EA AQ60B,EAAynhC,EAG1B,GADAmhC,EAAye,OACsB,MAA9Bf,EAAY+C,gBAA0BrrB,EAAOsoB,EAAYwB,IAAI,eAAgB,CAE7E,GA AW,OADXiG,EAAKzH,EAAY+C,gBACQ,MAAP0E,IAAezH,EAAYgD,WAAWz2B,MAAM,OAAQ,CAEIE,IAAMkH,EAASixB,EAAQyB,aAAazuB,GACpC,GAAIjE,EAEA,OADAusB,EAAYmB,SACL1tB,EAI f,OADAusB,EAAYmB,SACL,IAAI7O,GAAa,SAAE5a,EAAMvM,EAAOf,GAE3C41B,EAAYgB,WAIhb0G,cAAe,WACX,IAAIC,EACEx8B,EAAQ60B,EAAynhC,EAE1B,GA AKC,MAA9BmhC,EAAY+C,gBAA0B4E,EAAQ3H,EAAYwB,IAAI,mBAC9D,OAAO,IAAIIP,GAAa,SAAE,IAAIqV,EAAM,GAAMx8B,EAAOf,IAQzDwU,SAAU,WACN,IAAIH,EACEvM,EAAQ60B,EAAynhC,EAE1B,GA AKC,MAA9BmhC,EAAY+C,gBAA0BrrB,EAAOsoB,EAAYwB,IAAI,cAC7D,OAAO,IAAIIP,GAAa,SAAE5a,EAAMvM,EAAOf,IAK/Cw9B,cAAe,WACX,IAAID,EACEx8B,EAAQ60B,EAAynhC,EAE1B,GA AKC,MAA9BmhC,EAAY+C,gBAA0B4E,EAAQ3H,EAAYwB,IAAI,oBAC9D,OAAO,IAAIIP,GAAa,SAAE,IAAIqV,EAAM,GAAMx8B,EAAOf,IAUzDqD,MAAO,WACH,IAAIpB,EAGJ,GAF A2zB,EAAYe,OAESB,MAA9Bf,EAAY+C,gBAA0B12B,EAAM2zB,EAAYwB,IAAI,oEACvDn1B,EA AI,GAEL,OAD A2zB,EAAYmB,SACL,IAAI7O,GAAU,MAAEjmB,EA AI,QAAIxC,EA AWwC,EA AI,IA GtD2zB,EAAYgB,WAGhB6G,aAAc,WACV7H,EAAYe,OACZ,IAAML,EAAoBV,EAAYU,kBACtCV,EAAYU,mBAAoB,EAC hC,IAAMzhC,EA AI+gC,EAAYwB,IAAI,6BAE1B,GADAxB,EAAYU,kBAAoBA,EAC3BzhC,EAAL,CAIA+gC,EAAYgB,UACZ,IAAMvzB,EAAQ6kB,GA AKImB,MAAMuC,YAAy1P,GACrC,OAAIwO,GACAUyB,EAAY4B,KAAK3iC,GACVwO,QAFX,EALiuyB,EAAYmB,UAGpBpBmG,UAAW,WACP,IAAIth,EAAYkd,iBAAhB,CAIA,IAAM13B,EAAQw0B,EAAYwB,IAAI,kCAC9B,OAAIh2B,EACO,IAAI8mB,GAAC,UAAE9mB,EAAM,GAAIA,EAAM,SAD/C,IAUJ+7B,kBAAMb,WACf,IAAIO,EAGJ,GADAA,EAAK9H,EAAYwB,IAAI,uCAEjB,OAAO,IAAIIP,GAAsB,kBAAEwV,EAAG,KAS9CC,WAAY,WACR,IAAIC,EACE78B,EAAQ60B,EAAynhC,EAE1BmhC,EAAYe,OA EZ,IAAMkH,EAASjI,EAAY2B,MAAM,KAGjC,GAFgB3B,EAAY2B,MAAM,KAEIC,CAMA,GADAgG,EAAKhI,EAAYwB,IAAI,WAGjB,OADAxB,EAAYmB,SACL,IAAI7O,GAAe,WAAE0V,EAG5yB,OAAO,EAAG4yB,EAAGnrC,OAAS,GAAI0a,QAAQ0wB,GAAS98B,EAAOf,GAERf41B,EAAYgB,QAAQ,sCATHbB,EAAYgB,YAkBxBlpB,SAAU,WACN,IAAIJ,EAEJ,GA AKC,MAA9BsoB,EAAY+C,gBAA0BrrB,EA AOsoB,EAAYwB,IAAI,mBAAsB,OAAO9pB,EAAK,IAWvGyuB,aAAc,SAAU+B,GACpB,IAAI1b,EACE3tB,EAAlmhC,EAAYnhC,EAC hBspC,IAAYD,EACdxwB,EAAOwwB,EAIX,GAFAlI,EAAYe,OAERrpB,GAAuC,MAA9BsoB,EAAY+C,gBACjBrrB,EAAOsoB,EAAYwB,IAAI,yBAA2B,CAItD,KAFhV,EA AUjuB,KAAKwvB,MAAMqa,iBAEHD,GAAsC,OAA3BnI,EAAY4B,KAAK,OAAGC,OAAZlqB,EAAK,IAEnE,YADAsOB,EAAYgB,QAAQ,2CAInBmH,IACDzwB,EAAOA,EAAK,IAGhB,IAAM/G,EAAO,IAAI2hB,GA AKIG,aAAa1U,EAAM7Y,EAAGuL,GAC5C,OAAK+9B,GA AWzD,EAAQJ,OACpBtE,EAAYmB,SACLxwB,IAGPqvB,EAAYmB,SACL,IAAI7O,GA AKhG,eAAe3b,EAAM6b,EAAS3tB,EAAGuL,IAIZD41B,EAAYgB,WAMhBpqB,OAAQ,SAASyxB,GACb,IAAI/yB,EACA9X,EAEakuB,EACAnW,EACAqB,EAHEzL,EAAQ60B,EAAynhC,EAK1B,GA AKmhC,EAAY4B,KAAKyG,EAAS,YAAc,YAA7C,CAIA,EAAG,CAGC,IAFA3c,EAAS,KACTpW,EA AW,OACFoW,EAASu,EAAYwB,IAAI,0BAC9BhkC,EAAIe,KAAKsiB,YAILvL,EACAA,EAASIK,KAAK5N,GAEd8X,EA AW,CAAE9X,GAlrBkuB,EAASA,GAAUA,EAAO,GACrBpW,GACDN,EAAM,0CAEV4B,EAAS,IAAI0b,GA AW,OAAE,IAAIA,GAAa,SAAEhd,GA AWoW,EAAQvgB,EAAOf,GACnEmL,EACAA,EA AWnK,KAAKwL,GA EhBrB,EAAa,CAAEqB,SAEdopB,EAAY2B,MAAM,MAQ3B,OANaiD,EAAO,OA EHyD,GACazD,EAAO,MAGJrvB,IAMXyWb,WAAY,WACR,OAAOznC,KAAKqY,QAAO,IAMvBmX,MAAO,CAiBHpd,KAAM,SAAUw3B,EAASG,GACrB,IAEI9b,EA EAIX,EACA1H,EACA26B,EANE3pC,EAAIohC,EAAY+C,cACIBprB,GAAY,EA EVxM,EAAQ60B,EAAYnhC,EAK1B,GAAU,MAAND,GAAMb,MAANA,EA AjB,CAMA,GAJAohC,EAAYe,OA EZzrB,EA AW/W,KAAK+W,WAEF,CAUV,GATI0qB,EAAY2B,MAAM,OACIB/zB,EAAOrP,KAAKqP,MAAK,GAAMA,KACvBi3B,EA AW,KACX0D,GAAY,IAGE,IAAdD,IACA9b,EA AUjuB,KAAK6pC,gBAED,IAAdE,IAAuB9b,EA EvB,YADAwT,EAAYgB,UA IthB,GAAImH,IAAY3b,IAAY+b,EAGxB,YADAvI,EAAYgB,UA QhB,IAJKmH,GA AWzD,EAA

Q/sB,cACpBA,GAAY,GAGZwwB,GAAWzD,EAAQJ,MAAO,CAC1BtE,EAAymB,SACZ,IAAMpT,EAAQ,IAAI
uE,GAACKvE,MAAU,KAAEzY,EAAU1H,EAAMzC,EAAOf,GAAWoiB,GAAW7U,GACHf,OAAI6U,EACO,IAA
I8F,GAACKhG,eAAeyB,EAAOvB,GAG/BuB,GAKnBiS,EAAYgB,YAMhB1rB,SAAU,WAON,IANA,IAAIA,EAC
A9X,EACaIP,EACA+7B,EACAC,EACEC,EAAK,wDAEPD,EAAYzI,EAAYnhC,EACxBrB,EAAIwiC,EAAYwB
,IAAIkH,IAKpBF,EAAO,IAAIW,GAAY,QAAE7IB,EAAGjP,GAAG,EAAOirC,EAAWr+B,GAC7CKL,EACAA,
EAASIK,KAAK09B,GAEdlzB,EAAW,CAAekzB,GAejB/7B,EAAIuzB,EAAY2B,MAAM,KAE1B,OAAOrsB,GA
EX1H,KAAM,SAAU+6B,GACZ,IAKI1B,EACA2B,EACA1xB,EACAmxB,EACAr9B,EACA4hB,EACAwb,EAX
EwX,EAAW1B,EAAQ0B,SACnB7U,EAAW,CAAe3jB,KAAK,KAAMgf,UAAU,GACpCkc,EAAC,GACZ3B,EA
AgB,GACHBD,EAAY,GAQd6B,GAAS,EAIb,IAFA/I,EAAYe,SAEC,CACT,GAAI4H,EACAvb,EAAMsX,EAAQr
Y,mBAAqBqY,EAAQ/Z,iBACxC,CAEH,GADAqV,EAAYa,aAAahkC,OAAS,EAC9BmjC,EAAY4B,KAAK,OA
AQ,CACzBrQ,EAAS3E,UAAW,EACHBoT,EAAY2B,MAAM,OAASsF,IAC3BA,GAAuB,IAE1BA,EAAuBE,EA
AgBD,GACn97B,KAAK,CAAewhB,UAAU,IACtB,MAEJQ,EAAMgZ,EAAStuB,YAAcsuB,EAASxnB,YAAcwn
nB,EAASiB,WAAajB,EAASx3B,WAAarQ,KAAKoS,MAAK,GAG9G,IAAKyc,IAAQ2b,EACT,MAGJF,EAAW,
KACPzb,EAAIhH,mBACJgH,EAAIhH,oBAER5a,EAAQ4hB,EACR,IAAIxE,EAAM,KAWV,GATI+f,EAEIvb,EA
AI5hB,OAA6B,GAAPb4hB,EAAI5hB,MAAM3O,SACvB+rB,EAAMwE,EAAI5hB,MAAM,IAGpBod,EAAMwE,
EAGNxE,IAAQA,aAAe0J,GAACKpL,UAAy0B,aAAe0J,GAACKhL,UAC5D,GAAI0Y,EAAY2B,MAAM,KAAM,C
AUxB,GATImH,EAAYjsC,OAAS,IACjBoqC,GACAjyB,EAAM,yCAEV4zB,GAA0B,KAG9Bp9B,EAAQk5B,EA
AQrY,mBAAqBqY,EAAQ/Z,cAEjC,CACR,IAAIge,EAKA,OFA3I,EAAYgB,UACZp,EAAS3jB,KAAO,GACT
2jB,EAJPvc,EAAM,iDAOd6zB,EAAYnxB,EAAOkR,EAAILR,UACpB,GAAIsoB,EAAY4B,KAAK,OAAQ,CACH
C,IAAK+G,EAAQ,CACTpX,EAAS3E,UAAW,EACHBoT,EAAY2B,MAAM,OAASsF,IAC3BA,GAAuB,IAE1BA
,EAAuBE,EAAGBD,GACn97B,KAAK,CAAESm,KAAM0V,EAAI1V,KAAMkV,UAAU,IACtC,MAEAgC,GAA
S,OAEL+Z,IACRjxB,EAAOmxB,EAAWjgB,EAAILR,KACtBIM,EAAQ,MAIZA,GACAs9B,EAAY19B,KAAKI,G
AGrB07B,EAAU97B,KAAK,CAAESm,KAAMkxB,EAAUr9B,QAAOojB,WAEncOR,EAAY2B,MAAM,KACIBo
H,GAAS,IAGbA,EAAoC,MAA3B/I,EAAY2B,MAAM,OAEBsF,KAEN2B,GACA5zB,EAAM,yCAGViyB,GAAu
B,EAEnB6B,EAAYjsC,OAAS,IACrB2O,EAAQ,IAAI8mB,GAAU,MAAEwW,IAE5B3B,EAAC/7B,KAAK,CAA
ESm,OAAMIM,QAAOojB,WAEICIX,EAAO,KACPoxB,EAAC,GACdF,GAA0B,GAMIC,OFA5I,EAAYmB,SACZ
5P,EAAS3jB,KAAOq5B,EAAuBE,EAAGBD,EACHd3V,GAqBX0U,WAAy,WACR,IAAIvuB,EAEAnL,EACAq
Q,EACAosB,EAHARc,EAAS,GAITC,GAAW,EACf,KAAmC,MAA9BoT,EAAY+C,eAAuD,MAA9B/C,EAAY+C,
eACID/C,EAAY6C,KAAK,aAOOrB,GAHA7C,EAAYe,OAEXz0B,EAAQyzB,EAAYwB,IAAI,gEACb,CACP9pB,E
AAOnL,EAAM,GAEB,IAAM08B,EAAU1qC,KAAKqP,MAAK,GAS1B,GARA+e,EAASsc,EAAQr7B,KACjBgf,E
AAWqc,EAAQrc,UAOdoT,EAAY2B,MAAM,KAENB,YADA3B,EAAYgB,QAAQ,uBAYxB,GARAhB,EAAYa,a
AAahkC,OAAS,EAEB9mjC,EAAY4B,KAAK,UACjBoH,EAAOpE,EAAOF,EAAQwE,WAAy,uBAGtCtsB,EAA
U8nB,EAAQyE,QAIId,OADAnJ,EAAYmB,SACL,IAAI7O,GAACKvE,MAAGB,WAAErW,EAAMiV,EAAQ/P,EA
ASosB,EAAMpc,GAE/DoT,EAAYgB,eAGhBhB,EAAYgB,WAIpBoH,YAAa,WACT,IAAI3rB,EAEE+P,EAAU,G
AEhB,GAACK,MAA9BwT,EAAY+C,cAAhB,CAIA,OAAa,CAIT,GAHA/C,EAAYe,SAEZtkB,EAAOle,KAAK6q
C,gBACU,KAAT3sB,EAAa,CACtBujB,EAAYgB,UACZ,MAEjxU,EAAQphB,KAAKqR,GACbujB,EAAYmB,SA
EhB,OAAI3U,EAAQ3vB,OAAS,EACV2vB,OADX,IAKJ4c,YAAa,WAGT,GAFApJ,EAAYe,OAEPf,EAAY2B,M
AAM,KAAvB,CAKA,IAAMjqB,EAAOsoB,EAAYwB,IAAI,gCAE7B,GAACKxB,EAAY2B,MAAM,KAKvB,OAA
IjqB,GAAiB,KAATA,GACRsoB,EAAYmB,SACLzpB,QAGXsoB,EAAYgB,UATRhb,EAAYgB,eAPZhb,EAAY
gB,YAuBxBwG,OAAQ,WACJ,IAAMpB,EAAW7nC,KAAK6nC,SAEtB,OAAO7nC,KAAKkgC,WAAa2H,EAASi
B,WAAajB,EAAStuB,YAAcsuB,EAASxV,OAC3EwV,EAASxnB,YAAcwnB,EAASz1B,QAAUy1B,EAASx3B,W
AAarQ,KAAKwvB,MAAMpd,MAAK,IAChfY1B,EAAS2B,cAQjBzD,IAAK,WACD,OAAOte,EAAY2B,MAAM,
MAAQ3B,EAAY6C,KAAK,MAQtDgE,QAAS,WACL,IAAIr7B,EAGJ,GAACKw0B,EAAYwB,IAAI,cAOOrB,OA
Ah2B,EAAQw0B,EAAYwB,IAAI,WAGpBh2B,EAAQ,MADRA,EAAQo5B,EAAOF,EAAQ0B,SAAStuB,SAAU,
0BACvBJ,KAAK3I,MAAM,QAEIC81B,EAAW,KACJ,IAAIvS,GAACKvK,OAAO,GAAL,iBAAiBvc,QAehDqV,Q
AAS,WACL,IAAIrjB,EACaIP,EACAK,EACE3B,EAAQ60B,EAAYnhC,EAwb1B,GatBA4N,EAAILO,KAAKmR
,cAETIS,EAAIwiC,EAAYwB,IAAI,uBACHbxB,EAAYwB,IAAI,+EACHbxB,EAAY2B,MAAM,MAAQ3B,EAAY
2B,MAAM,MAAQpjC,KAAK8qC,aACzDrJ,EAAYwB,IAAI,kBAAqBxB,EAAYwB,IAAI,iBACrDjjC,KAAK6nC

,SAASsB,mBAGd1H,EAAYe,OACRf,EAAY2B,MAAM,MACb70B,EAAIvO,KAAK6d,UAAS,KAAW4jB,EAAY2B,MAAM,MACHDnkC,EAAl,IAAI80B,GAAU,MAAExlB,GACpBkzB,EAAYmB,UAEZnB,EAAYgB,QAAQ,uBAGxBhB,EAAYmB,UAlhB3jC,EAAK,OAAO,IAAI80B,GAAY,QAAE7lB,EAAGjP,EAAGA,aAAa80B,GAAPL,SAAU/b,EAOf,IAY/EsF,WAAY,WACR,IAAIjD,EAAIuzB,EAAY+C,cAEpB,GAAU,MAANt2B,EAAW,CACXuzB,EAAYe,OACZ,IAAMuI,EAAoBtJ,EAAYwB,IAAI,gBAC1C,GAAI8H,EAEA,OADAtJ,EAAYmB,SACL,IAAI7O,GAAe,WAAEgX,GAehCtJ,EAAYgB,UAGhB,GAAU,MAANv0B,GAAmB,MAANA,GAAmB,MAANA,GAAmB,MAANA,GAAmB,MAANA,EAAW,CAM/D,IALAuzB,EAAYnhC,IACF,MAAN4N,GAA2C,MAA9BuzB,EAAY+C,gBACzBt2B,EAAl,KACJuzB,EAAYnhC,KAETmhC,EAAYoB,gBAAkBpB,EAAYnhC,IACjD,OAAO,IAAIyzB,GAAe,WAAE7lB,GACzB,OAAIuzB,EAAYoB,cAAc,GAC1B,IAAI9O,GAAe,WAAE,KAERB,IAAIA,GAAe,WAAE,OAYpCIW,SAAU,SAAUmtB,GACHb,IACIj0B,EACAC,EACA9I,EACAjP,EACAs7B,EACA0Q,EACAh0B,EAPeRk,EAAQ60B,EAAYnhC,EAS1B,IADA0qC,GAAoB,IAAXA,GACDA,IAAWH0B,EAaAhX,KAAKqY,WAAe2yB,IAAWC,EAAOxJ,EAAY4B,KAAK,WAAcPkC,EAAlE,KAAKsIB,cACtG2oB,EACAh0B,EAAYovB,EAAOrmC,KAAK2qC,WAAY,sBAC7B1zB,EACPR,EAAM,qDACCO,EAEHujB,EADAA,EACaA,EAAW/qB,OAAOwH,GAElBA,GAGbujB,GAAC9jB,EAAM,kDACxBvI,EAAIuzB,EAAY+C,cACZztB,EACAA,EAASIK,KAAK5N,GAEd8X,EAAW,CAAE9X,GAejBA,EAAl,MAEE,MAANiP,GAAmB,MAANA,GAAmB,MAANA,GAAmB,MAANA,GAAmB,MAANA,KAK5D,GAAI6I,EAAY,OAAO,IAAIgd,GAAa,SAAEhd,EAAUwjB,EAAYtjB,EAAWrK,EAOf,GAC9E0uB,GAAC9jB,EAAM,2EAE5B6G,UAAW,WAGP,IAFA,IAAIjD,EACAid,GAEAjd,EAAIL,KAAK6d,cAILP,EACAA,EAAUzQ,KAAKxM,GAEfId,EAAY,CAAEjd,GAElBohC,EAAYa,aAAahkC,OAAAS,EAC9B+B,EAEE4W,WAAaqG,EAAUhf,OAAS,GAClCmY,EAAM,2DAELgrB,EAAY2B,MAAM,OACnB/iC,EAEE4W,WACFR,EAAM,2DAEVgrB,EAAYa,aAAahkC,OAAS,EAETC,OAAOgf,GAEXwtB,UAAW,WACP,GAAKrJ,EAAY2B,MAAM,KAAvB,CAEA,IACI9yB,EACA+Z,EACAjd,EAHEy6B,EAAW7nC,KAAK6nC,SAGbtB,OAXMv3B,EAAMu3B,EAASsB,mBACjB74B,EAAM+1B,EAAO,oDAGjBj5B,EAAKq0B,EAAYwB,IAAI,iBAEjB5Y,EAAMwd,EAASI,UAAyXg,EAAYwB,IAAI,aAAeXb,EAAYwB,IAAI,YAAc4E,EAASsB,iBAGrG7C,EAAW,KAEl,IAAIvS,GAAc,UAAEzjB,EAAKID,EAAlid,KAOxGugB,MAAO,WACH,IAAIhB,EACJ,GAAIgy,EAAY2B,MAAM,OAAS3Z,EAAUzpb,KAAKsnC,YAAc7F,EAAY2B,MAAM,KAC1E,OAAO3Z,GAIfyhB,aAAc,WACV,IAAIN,EAAQ5qC,KAAK4qC,QAKjB,OAHA,IACAA,EAAQ,IAAI7W,GAAK1W,QAAQ,KAAmUtB,IAE5BA,GAGX9c,gBAAiB,WACb,IAAI4c,EACAtc,EACAC,EAGJ,GADAoT,EAAYe,QACRf,EAAYwB,IAAI,aAQhB7U,GADAsc,EAAU1qC,KAAKwvB,MAAMngB,MAAK,IACtA,KACjBgf,EAAWqc,EAAQrc,SACdoT,EAAY2B,MAAM,MAV3B,CAEA,IAAM8H,EAAlrC,KAAKkrC,eAC1B,GAAIA,EAEA,OADAZJ,EAAYmB,SACRxU,EACO,IAAI2F,GAAKvE,MAAMrB,WAAW,KAAMC,EAAQ8c,EAAC,KAAM7c,GAehE,IAAI0F,GAAKnP,gBAAgBsmB,GAEPcZJ,EAAYgB,eAZJhB,EAAYgB,WakBxBpkB,QAAS,WACL,IAAlf,EACAC,EACAtD,EAUJ,GARawnB,EAAYe,OAERj2B,EAAQ6N,kBACRH,EAAYY,EAAa4mB,EAAYnhC,KAGzCgd,EAAYtd,KAAKsd,eAECC,EAAQvd,KAAK4qC,SAAU,CACrCnJ,EAAYmB,SACZ,IAAMvkB,EAAU,IAAI0V,GAAY,QAAEZw,EAAWC,EAAOhR,EAAQiR,eAI5D,OAHIjR,EAAQ6N,kBACRiE,EAAQpE,UAAyA,GAejBoE,EAEPojB,EAAYgB,WAGpBkF,YAAa,WACT,IAAIxub,EACAIM,EAEak+B,EAEa/xB,EACAC,EACAjI,EALExE,EAAQ60B,EAAYnhC,EAEPB4N,EAAIuzB,EAAY+C,cAKtB,GAAU,MAANt2B,GAAmB,MAANA,GAAmB,MAANA,GAAmB,MAANA,EAK3C,GAHAuzB,EAAYe,OAERzrB,EAAOnZ,KAAKuZ,YAAcvZ,KAAKorC,eACrB,CAWN,IAVAh6B,EAaA6B,iBAAT+H,KAGhBlM,EAAQjN,KAAK8tB,qBAETqd,GAAQ,GAIHb1J,EAAYa,aAAahkC,OAAS,GAC7B2O,EAAO,CAER,GAXAoM,GAASjI,GAAC+H,EAAK7a,OAAS,GAAK6a,EAAYY,MAAM9M,MAIjDA,EADAKM,EAAK,GAAGIM,OAAuC,OAA9BkM,EAAK,GAAGIM,MAAMuD,MAAM,EAAG,GACHCxQ,KAAKqrC,kBAKLrrC,KAAKsrC,iBAKb,OAFa7J,EAAYmB,SAEL,IAAI7O,GAAgB,YAAE5a,EAAMIM,GAAO,EAAOoM,EA AOzM,EAOf,GAG9DoB,IACDA,EAAQjN,KAAKiN,SAGbA,EACAmM,EAAYpZ,KAAKoZ,YACVhI,IAEPnE,EAAQjN,KAAKqrC,mBAIrB,GAAIp+B,IAAUjN,KAAK+IC,OAASoF,GAEXb,OADAlJ,EAAYmB,SACL,IAAI7O,GAAgB,YAAE5a,EAAMIM,EAAOmM,EAAWC,EAAOzM,EAOf,GAGnE41B,EAAYgB,eAGhBhB,EAAYgB,WAGpB6I,eAAgB,WACZ,IAAM1+B,EAAQ60B,EAAYnhC,EACpB0N,EAAQyzB,EAAYwB,IAAI,6BAC9B,GAAIj1B,EACA,OAAO,IAAI+IB,GAAc,UAAE/IB,EAAM,GAAIpB,IAY7Cy+B,gBAAiB,SAAUE,GACvB,IAAIj rC,EACArB,EACAusC,EACA+vB,EACEi2B,EAAMqI,GAAe,IACrB3+B,EAAQ60B,EAAYnhC,EACpB4U,EAAS,GAef,SAASu2B,IACL,IAAMrH,EAAO3C,EAAY+C,cACzB,MAAmB,iBAARtB,EACAKB,IAASIB,EAETA,E

AAIxoB,KAAK0pB,GAGxB,IAAIqH,IAAJ,CAGAx+B,EAAQ,GACR,KACIhO,EAAIe,KAAKkgC,aAKTjhC,EA
Ale,KAAKipC,YAHLh8B,EAAMJ,KAAK5N,SAOVA,GAIT,GAFAusC,EAAOC,IAEHx+B,EAAM3O,OAAS,EA
AG,CAEIB,GADA2O,EAAQ,IAAI8mB,GAAe,WAAE9mB,GACzBu+B,EACA,OAAOv+B,EAGPiI,EAAOrI,KA
AKI,GAGe,MAA3Bw0B,EAAYgD,YACZvB,EAAOrI,KAAK,IAAIknB,GAAPb,UAAU,IAAK/L,IAO5C,GAJ
A60B,EAAYe,OAeZv1B,EAAQw0B,EAAYiC,YAAYR,GAERb,CAIP,GAHQb,iBAAVj2B,GACPwJ,EAAM,aAA
axJ,MAAU,SAEZ,IAAjBA,EAAM3O,QAA6B,MAAb2O,EAAM,GAe5B,OADAw0B,EAAYmB,SACL,IAAI7O,
GAAPb,UAAU,GAAL,GAEL,IAAIob,SACJ,IAAK1nB,EAAL,EAAGA,EAAL2M,EAAM3O,OAAQgC,IAE1B,
GADA0nB,EAAO/a,EAAM3M,GACTV,MAAMuM,QAAQ6b,GAEd9S,EAAOrI,KAAK,IAAIknB,GAAPvK,OA
AOxB,EAAL,GAAL,EAAL,IAAL,EAAMpb,EAALof,QAE1D,CACGvL,IAAM2M,EAAM3O,OAAS,IACrB0pB,
EAAOA,EAALhX,QAGhB,IAAM2Y,EAAQ,IAAIoK,GAAPvK,OAAL,IAAMxB,GAAM,EAAMpb,EAALof,GA
CvD8d,EAAMC,cAAgB,aACtBD,EAAME,UAAy,cACIB3U,EAAOrI,KAAK8c,GAIPb,OADA8X,EAAYmB,SA
CL,IAAI7O,GAAL1M,WAAWnS,GAAQ,GAEvCusB,EAAYgB,YAahBiJ,OAAU,WACN,IAALhwB,EACAIp,EA
CE/d,EAAQ60B,EAAYnhC,EAEPbqrC,EAAMIK,EAAYwB,IAAL,gBAE5B,GAAL0I,EAAL,CACL,IAAM9uC,G
AAW8uC,EAAM3rC,KAAK4rC,gBAAKB,OAAS,GAEvD,GAAL1wB,EAAO1b,KAAK6nC,SAASI,UAAyjoC,K
AAK6nC,SAASxV,MAQHd,OAPA1H,EAAW3qB,KAAK6rC,gBAEXpK,EAAY2B,MAAM,OACnB3B,EAAYnh
C,EAALsM,EACHb6J,EAAM,gEAEPvK,EAAWA,GAAY,IAALoJ,GAAU,MAAEpJ,GACHc,IAALoJ,GAAW,OA
AErY,EAAMiP,EAAL9tB,EAAS+P,EAALof,GAGxD41B,EAAYnhC,EAALsM,EACHb6J,EAAM,gCAKIBm1B,c
AAe,WACX,IAALIE,EAEAC,EACA9+B,EAEPq,EAAU,GAKhB,IAAK4kC,EAAY2B,MAAM,KAAQ,OAAL,K
ACtC,GAEL,GADA0I,EAAL9rC,KAAKgsC,eACF,CAGH,OADA/+B,GAAQ,EADR8+B,EAALd,GAGT,IAAK,M
ACDC,EAAL,OAALb9+B,GAAQ,EACR,MACJ,IAAK,OAALD8+B,EAAL,WACb9+B,GAAQ,EALhB,GADApQ,EA
AQkvC,GAALc9+B,GACjBw0B,EAAY2B,MAAM,KAAQ,aAE9B0I,GAET,OADAxF,EAAL,WACJzPc,GAGXm
vC,aAAc,WACV,IAAMjvC,EAAM0kC,EAAYwB,IAAL,uDAC5B,GAALImC,EACA,OAALOA,EAAL,IAALnBkvC,a
AAc,WACV,IAELhtC,EACAY,EAHEgoC,EAAL7nC,KAAK6nC,SACHb77B,EAAQ,GAGdy1B,EAAYe,OACZ,I
ACIvC,EAAL4oC,EAASx3B,WAAaw3B,EAALStuB,YAAcsuB,EAALSG,eAEtDh8B,EAALMa,KAAK5N,GACJwiC,
EAAY2B,MAAM,OACzBvjC,EAALIG,KAAKqgB,WACTphB,EAALIE,KAAKiN,QACLw0B,EAAY2B,MAAM,K
ACdvjC,GAALZ,EAAL+M,EAALMa,KAAK,IAAIknB,GAAU,MAAE,IAALIA,GAALgB,YAAEL0B,EAAGZ,EAALG,
KAAM,KAAMwiC,EAAYnhC,EAALGuL,GAAU,KACrF5M,EACP+M,EAALMa,KAAK,IAAIknB,GAAU,MAAE9
0B,IAE3BwX,EAAM,yCAGVA,EAAM,sBAAYb,gBAGICxX,GAGT,GADAWiC,EAAYmB,SACR52B,EAAM1N
,OAAS,EACf,OAAL,IAALy1B,GAAe,WAAE/nB,IALpC6/B,cAAe,WACX,IAEL5sC,EAALF4oC,EAAL7nC,KAAK
6nC,SACHbld,EAAL,GAELjB,GAEL,GADA1rB,EAALIE,KAAKisC,gBAGL,GADATHB,EAAL9d,KAAK5N,IACtw
iC,EAAY2B,MAAM,KAAQ,WAG/B,IADAnkC,EAAL4oC,EAALStuB,YAAcsuB,EAALSG,iBAEHcrd,EAAL9d,KA
AK5N,IACtwiC,EAAY2B,MAAM,MAAQ,YAGICnkC,GAET,OAAL0rB,EAALsB,OAAS,EAALqsB,EAALW,M
AG5C1sB,MAAL,WACH,IAAL0sB,EACApN,EACAtf,EACAgc,EACErN,EAAQ60B,EAAYnhC,EAQ1B,GANli
M,EAAQ6N,kBACRH,EAALYY,EAALajO,IAG7B60B,EAAYe,OAALrf,EAAL4B,KAAK,UAGbjB,OALf1Y,EAAL
W3qB,KAAK6rC,iBAEHbtuB,EAALQvd,KAAK4qC,UAGTn0B,EAAM,iEAGVgrB,EAAYmB,SAEZ3kC,EAAQ,I
AAI81B,GAAU,MAALExW,EAALoN,EAAL/d,EAALof,GAC5CU,EAAQ6N,kBACRnc,EAALGc,UALYA,GAGfh
c,EAGXwjC,EAAYgB,WALShBrO,OAALQ,WACJ,IAAL1Y,EACArM,EACALs,EACE+P,EAAQ60B,EAAYnhC,E
AG1B,GALFcmhC,EAAYwB,IAAL,gBAERb,CAL,GAALpM,C,GAALJwS,EAALOrP,KAAKksC,cALGE,CACNA,WAL
AY78B,EACZic,UAAU,GALJ,CAAL,EAAL,UAAU,GALrB5P,EAAL0b,KAAK6nC,SAASI,UALYjoC,KAAK6nC,SA
ASxV,MAMhd,OALJKoP,EAAY2B,MAAM,OACnB3B,EAAYnhC,EAALsM,EACHb6J,EAAM,kCAL,IAALsd,G
AAW,OAALErY,EAAM,KAAM7e,EAAS+P,EAALof,GAGpD41B,EAAYnhC,EAALsM,EACHb6J,EAAM,iCALIBy
1B,WALY,WALR,GADAZK,EAAYe,QALCPf,EAAY2B,MAAM,KALenB,OADA3B,EAAYgB,UACL,KAL,EAAL
MpZB,EAALoYB,EAAYwB,IAAL,sBAC7B,OAAL5zB,EAAL,IACLoyB,EAAYmB,SACLvzB,EAAL,GAALG2B,S
AGfywB,EAAYgB,UACL,OALsfqF,OAALQ,WALJ,IALCI3uB,EACALM,EACALsQ,EACA4uB,EACAL,EACAL,EA
CAC,EAPE1/B,EAAQ60B,EAAYnhC,EAALtBisC,GAALW,EACXloB,GAALW,EAALef,GAALc,MAAL9Bod,EAALY+C,
cAALhB,CAGA,GADAv3B,EAAQjN,KAAa,UALOA,KAAKo0B,UALYp0B,KAAK/B,QAL9C,OAALOGP,EAALX,
GALJAw0B,EAAYe,OAALZrpB,EAALosoB,EAAYwB,IAAL,aALEvB,CAAL,OALALkJ,EAALWbhZB,EALCF,KALIBA,
EAALvH,OAAL,IAALauH,EAAL5J,QAAQ,IAAL,GAAL,IACHD48B,EAALwB,IAALhzB,EAAL3I,MAAL2I,EAAL

K5J,QAAQ,IAAK,GAAG,IAAG1D48B,GACJ,IAAK,WACDC,GAAgB,EACbBG,GAAW,EACX,MACJ,IAAK,aA
CDF,GAAgB,EACbBE,GAAW,EACX,MACJ,IAAK,aACL,IAAK,iBACDH,GAAgB,EACbB,MACJ,IAAK,YACL
,IAAK,YACDE,GAAa,EACbjoB,GAAW,EACX,MACJ,QACIioB,GAAa,EAIcrB,GA7BA7K,EAAYa,aAAahkC,O
AAS,EA9B8tC,GACAn/B,EAQJN,KAAKipC,WAETxyB,EAAM,YAAY0C,iBAEfkzB,GACPP/B,EAQJN,K
AAKosB,eAET3V,EAAM,YAAY0C,iBAEfmzB,IACPr/B,EAQJN,KAAKqrC,gBAAgB,SAC7BkB,EA0C,MA
A9B9K,EAAY+C,cACnBv3B,EAKKA,EAAMA,QACZA,EAQ,MALHs/B,GAA0C,MAA9B9K,EAAY+C,eACz
B/tB,EAAS0C,kDAQjBozB,IACAhvB,EAQvd,KAAKkrC,gBAGb3tB,IAAWgvB,GAAYt/B,GAASw0B,EAAY2
B,MAAM,KAIED,OADA3B,EAAYmB,SACL,IAAI7O,GAAW,OAAE5a,EAAMIM,EAAsQ,EA03Q,EAOf,
EAC/CU,EAQ6N,gBAAkBS,EAajO,GAAS,KACHdyX,GAIrOD,EAAYgB,QAAQ,qCAWxBx1B,MAAO,WA
CH,IAAIhO,EACEsrC,EAAC,GACd39B,EAQ60B,EAAYnhC,EAE1B,GAEI,IADArB,EAIE,KAAKosB,gBAEL
me,EAAY19B,KAAK5N,IACZwiC,EAAY2B,MAAM,MAAQ,YAE9BnkC,GAET,GAIsrC,EAAYjsC,OAAS,EA
CrB,OAAO,IAAIy1B,GAAU,MAAEwW,EAAs39B,IAG5CwM,UAAW,WACP,GAAC,MAA9BqoB,EAAY+C,c
ACZ,OAAO/C,EAAYwB,IAAI,kBAG/BuJ,IAAK,WACD,IAAI7rC,EACA1B,EAGJ,GADAwIC,EAAYe,OACRF,EA
AY2B,MAAM,KAIEB,OADAZiC,EAIX,KAAKysC,aACaHL,EAAY2B,MAAM,MACvB3B,EAAYmB,UACZ
3jC,EAAL,IAAI80B,GAAe,WAAE,CAACpzB,KACxB8mB,QAAS,EACJxoB,QAEXwiC,EAAYgB,QAAQ,gBAG
xBhB,EAAYgB,WAEhBiK,eAAGB,WACZ,IAAIxiC,EACAvJ,EACAyM,EACAU/B,EACAxIB,EAJ,GADAJd,EA
AIIK,KAAK4sC,UACF,CAEH,IADAZiB,EAASsa,EAAYoB,cAAc,IAE7BpB,EAAY6C,KAAK,aADZ,CAST,GA
JA7C,EAAYe,SAEZp1B,EAQq0B,EAAY2B,MAAM,MAAQ3B,EAAY2B,MAAM,MAAQ3B,EAAY4B,KAAK,
OAEjE,CAAE5B,EAAYmB,SAAU,MAIjC,KAFajC,EAIX,KAAK4sC,WAED,CAAEEnL,EAAYgB,UAAW,MA
CjChB,EAAYmB,SAEZ14B,EAAEwd,YAAa,EACf/mB,EAEE+mB,YAAa,EACfilB,EAAY,IAAI5Y,GAAC,UAA
E3mB,EAAL,CAACu/B,GAAaziC,EAAGvJ,GAAlwmB,GACzDA,EAASsa,EAAYoB,cAAc,GAEZC,OAAO8J,G
AAaziC,IAG5BuiC,SAAU,WACN,IAAIviC,EACAvJ,EACAyM,EACAU/B,EACAxIB,EAJ,GADAJd,EAALIK,K
AAK0sC,iBACF,CAEH,IADAvIB,EAASsa,EAAYoB,cAAc,IAEjCz1B,EAQq0B,EAAYwB,IAAI,cAAiB9b,IA
Aasa,EAAY2B,MAAM,MAAQ3B,EAAY2B,MAAM,SAI/FziC,EAIX,KAAK0sC,mBAKTxIC,EAAEwd,YAAa,
EACf/mB,EAEE+mB,YAAa,EACfilB,EAAY,IAAI5Y,GAAC,UAAE3mB,EAAL,CAACu/B,GAAaziC,EAAGvJ,G
AAIwmB,GACzDA,EAASsa,EAAYoB,cAAc,GAEZC,OAAO8J,GAAaziC,IAG5BygC,WAAy,WACR,IAAIhqC,
EACAnB,EAAYX,EADErK,EAQ60B,EAAYnhC,EAI1B,GADAK,EAIX,KAAKiX,WAAU,GACZ,CACH,K
ACSwqB,EAAY6C,KAAK,qBAAwB7C,EAAY2B,MAAM,OAGHE5jC,EAIIQ,KAAKiX,WAAU,KAInBA,EA
Y,IAAI8c,GAAC,UAAE,KAAM9c,GAAatW,EAAGnB,EAAGoN,GAE7D,OAAOqK,GAAatW,IAG5BsW,UAAW,
SAAU41B,GACjB,IAAI33B,EACA43B,EACAC,EAMJ,GADA73B,EAASIV,KAAKgtC,aAAaH,GAC3B,CAIA,G
ADAC,EAAPwRl,EAAY4B,KAAK,MAQf,CAET,KADA0J,EAAs/c,KAAKiX,UAAU41B,IAIIB,OAFa33B,EA
AS,IAAI6e,GAAC,UAAE+Y,EAAS53B,EAQ63B,GAKtD,OAAO73B,IAEX83B,aAAc,SAAUH,GACpB,IAAI33
B,EACA43B,EACAC,EAGMtC,EAFJ/+B,EAAs1L,KAab,GADAKV,GAVUu1B,EAAs/+B,EAAKuhC,iBAaiBJ,
IAAGbnhC,EAAKwhC,qBAAqBL,KAC/DA,EAGPpC,EAfi/+B,EAAYhC,gBAAgBN,GASpC,CAIA,GADAC,E
APWrl,EAAY4B,KAAK,OAQf,CAET,KADA0J,EAAs/c,KAAKgtC,aAAaH,IAIrB,OAFa33B,EAAS,IAAI6e,G
AAc,UAAE+Y,EAAS53B,EAQ63B,GAKtD,OAAO73B,IAEX+3B,iBAakB,SAAUJ,GACxB,GAAlpL,EAAY4B
,KAAK,OAAQ,CACzB,IAAMnuB,EAASIV,KAAKktC,qBAAqBL,GAIzC,OAIH33B,IACAA,EAAs2X,QAAU3
X,EAAs2X,QAERB3X,IAGfg4B,qBAAsB,SAAUl,GAIb5B,IAAI0,EAJ,GADA3L,EAAYe,OACPf,EAAY4B,K
AAK,KAAtB,CAKA,GADA+J,EAAtBA,SAAs2CC,GACvC,IAAID,EAGJ,GAFA3L,EAAYe,OACZ4K,EAAsOC,EA
AGp2B,UAAU41B,GACpB,CAIA,GAAPL,EAAY2B,MAAM,KAKvB,OADA3B,EAAYmB,SACLwK,EAJH3L,
EAAYgB,eAJZhB,EAAYgB,UAIb6K,CAAKCttC,MAGrC,OADAyhC,EAAYmB,SACLwK,EAIX,GADAA,EA
OptC,KAAKmtC,gBAAgBN,GAC5B,CAIA,GAAPL,EAAY2B,MAAM,KAKvB,OADA3B,EAAYmB,SACLwK,
EAJH3L,EAAYgB,QAAQ,qBAAqBhB,EAAY+C,wBAJrD/C,EAAYgB,eAXZhB,EAAYgB,WAqBpB0K,gBAAiB
,SAAU,GAACvB,IAEIsC,EACAnB,EACA00,EACAd,EALey6B,EAAs7nC,KAAK6nC,SACHbj7B,EAQ60B,
EAAYnhC,EAM1B,SAASmqC,IACL,OAAOzqC,KAAKysC,YAAc5E,EAASx3B,WAAaw3B,EAASI,UAAyJ,EA
ASG,cAKIF,GADArC,GAFA8pC,EAAsOC,EAAsmtB,KAAKnbB,SAqCb,OAjCIyhC,EAAY2B,MAAM,KAEdh
2B,EADaQ0B,EAAY2B,MAAM,KACb,KAEA,IAGT3B,EAAY2B,MAAM,KAEdh2B,EADaQ0B,EAAY2B,MA
AM,KACb,KAEA,IAGT3B,EAAY2B,MAAM,OAEdh2B,EADaQ0B,EAAY2B,MAAM,KACb,KACE3B,EAAY2

B,MAAM,KACpB,KAEA,KAGTh2B,GACA5N,EAAIirC,KAEAv8B,EAAI,IAAI6IB,GAAC,UAAE3mB,EAAIzM,
EAAGnB,EAAGoN,GAAO,GAEC6J,EAAM,uBAGVvI,EAAI,IAAI6IB,GAAC,UAAE,IAAKpzB,EAAG,IAAIoz
B,GAAY,QAAE,QAASnnB,GAAO,GAE/DsB,GAQf0+B,QAAS,WACL,IACI/f,EADegb,EAAW7nC,KAAK6nC,
SAGIBpG,EAAY6C,KAAK,eACjBzX,EAAS4U,EAAY2B,MAAM,MAG/B,IAAI0I,EAAI9rC,KAAKwsC,OAAS3
E,EAASkB,aACvBIB,EAAS34B,SAAW24B,EAAStuB,YAC7BsuB,EAASxnB,YAAcwnB,EAASz1B,QACHcy1B
,EAASI,QAAO,IAASJ,EAASyB,gBACICzB,EAASG,cAOjB,OALInb,IACAif,EAAEpkB,YAAa,EACfokB,EAAI,I
AAI/X,GAAa,SAAE+X,IAGpBA,GAUX1f,WAAY,WACR,IACIntB,EACAsuC,EAFE1F,EAAW,GAGXj7B,EAA
Q60B,EAAYnhC,EAE1B,IACIrB,EAAIe,KAAKkgC,WAEL2H,EAASh7B,KAAK5N,KAG1BA,EAAIe,KAAKysC
,YAAczsC,KAAKipC,oBAEXIV,GAAKpZ,UACIB1b,EAAI,MAGJA,IACA4oC,EAASh7B,KAAK5N,GAETwiC,
EAAY6C,KAAK,cACIBiJ,EAAQ9L,EAAY2B,MAAM,OAETByE,EAASh7B,KAAK,IAAIknB,GAAC,UAAEWz,E
AAO3gC,YAIhD3N,GACT,GAAI4oC,EAASvpC,OAAS,EACIB,OAAO,IAAIy1B,GAAe,WAAE8T,IAGpCxnB,S
AAU,WACN,IAAMIH,EAAOsoB,EAAYwB,IAAI,8BAC7B,GAAI9pB,EACA,OAAOA,EAAG,IAAGpBiyB,aAAc,
WACV,IAEI/qC,EACAK,EAHAY,EAAO,GACLvM,EAAQ,GAId60B,EAAYe,OA EZ,IAAMgL,EAAiB/L,EAA
YwB,IAAI,yBACvC,GAAIuK,EAGA,OAFar0B,EAAO,CAAC,IAAI4a,GAAY,QAAEyZ,EAAe,KACzC/L,EAAY
mB,SACLzpB,EAGX,SAASnL,EAAMm8B,GACX,IAAM7pC,EAAImhC,EAAYnhC,EACHBqM,EAAQ80B,EAA
YwB,IAAIkH,GAC9B,GAAIx9B,EAEA,OADAC,EAAMC,KAAKvM,GACJ6Y,EAAKtM,KAAKF,EAAM,IAK/B
,IADAqB,EAAM,UAEGA,EAAM,uCAKf,GAAKmL,EAAG7a,OAAS,GAAM0P,EAAM,sBAAuB,CASID,IARay
zB,EAAYmB,SAII,KAAZzpB,EAAG,KACLA,EAAGhB,QACLvL,EAAMuL,SAELzX,EAAI,EAAGA,EAAYy,E
AAK7a,OAAQoC,IACzBL,EAAI8Y,EAAGzY,GACTyY,EAAGzY,GAAsB,MAAhBL,EAAEuR,OAAO,IAA8B,
MAAhBvR,EAAEuR,OAAO,GACvC,IAAIimB,GAAY,QAAE1zB,GACD,MAAhBA,EAAEuR,OAAO,GACN,IA
AIimB,GAAa,SAAE,IAAI1zB,EAAGmQ,MAAM,GAAI,GAAM5D,EAAMIM,GAAIml,GACnD,IAAIkoB,GAAa
,SAAE,IAAI1zB,EAAGmQ,MAAM,GAAI,GAAM5D,EAAMIM,GAAIml,GAE/D,OAAOsN,EAEXsoB,EAAYgB
,cCp1E5B,SAASgL,GAAGlhC,EAAS0K,EAAYw2B,EAAGWC,GACvC,OAAO12B,EAAYuVg,KAAKnE,GAAWm
hC,EAAYh9B,KAAKnE,GACzCohC,EAAaA,EAAYj9B,KAAKnE,GAAW,IAAIoM,EDu1EvDutB,GAAOc,cAA
gB,SAAAjnB,GACnB,IAAI1f,EAAI,GAER,IAAK,IAAM2f,KAAQD,EACf,GAAIgB,OAAOxC,eAAemV,KAAK
2N,EAAMC,GAAO,CACxC,IAAM/S,EAAG8S,EAAGK,GACnB3f,IAAsB,MAAZ2f,EAAG,GAAC,GAAG,KAA
OA,OAAS/S,GAAGqC,MAA5ByZ,OAAOzZ,GAAOuD,OAAO,GAAC,GAAG,KAI3G,OAAOnQ,GC/1EXotC,GAA
G11B,UAAW,MCXV61B,MDaW,CAAErF,QAdjB,SAAIbtXB,GACb,OAAOA,EAAYuB,EAAGQC,KAAOD,EAAG
E,OAapB8vB,GAAMiF,ICXhC,SAASn/B,GAAM+b,GACX,OAAOxf,KAAK4D,IAAI,EAAG5D,KAAK2D,IAAI,
EAAG6b,IAEnC,SAASwjB,GAAGK,EAAGWC,GACrB,IAAM7+B,EAAGQ0+B,GAAeC,KAAKE,EAAIr+B,EAAG
q+B,EAAI1tC,EAAG0tC,EAAIp+B,EAAGo+B,EAAIptC,GAC3D,GAAIuO,EAOA,OANI4+B,EAAY7gC,OACV,
aAAayN,KAAKozB,EAAY7gC,OAC5BiC,EAAMjC,MAAQ6gC,EAAY7gC,MAEXBiC,EAAMjC,MAAQ,MAEXi
C,EAGf,SAASO,GAAMP,GACX,GAAlA,EAAMO,MACN,OAAOP,EAAMO,QAEB,MAAM,IAAIvQ,MAAM,2C
AIxB,SAAS+Q,GAAMf,GACX,GAAlA,EAAME,MACN,OAAOf,EAAME,QAEB,MAAM,IAAI/Q,MAAM,2CAIx
B,SAAS8uC,GAAOt6B,GACZ,GAAlA,aAAa0S,GACb,OAAOE,WAAW5S,EAAG2S,KAAKhB,GAAG,KAAO3R
,EAAGzG,MAAQ,IAAMyG,EAAGzG,OACID,GAAIb,iBAANyG,EACd,OAAOA,EAEP,KAAM,CACF/F,KAAM
,WACN8H,QAAS,qDAWrBm4B,GAAIb,CACb9/B,IAAK,SAAUrN,EAAGqO,EAAGtP,GACjB,IAAM0P,EAAG
0+B,GAAeK,KAAKxtC,EAAGqO,EAAGtP,EAAG,GAC3C,GAAI0P,EAEA,OADAA,EAAMjC,MAAQ,MACPiC
,GAGf++B,KAAM,SAAUxtC,EAAGqO,EAAGtP,EAAGmB,GACrB,IACI,GAAlF,aAAaoN,EAMb,OAJIIN,EAD
AmO,EACIk/B,GAAOI/B,GAEPo,EAAE2N,MAEH,IAAIP,EAAMpN,EAAEqN,IAAKnN,EAAG,QAEB/IAAM
mN,EAAM,CAACrN,EAAGqO,EAAGtP,GAAGyO,KAAI,SAAC,GAAG,OAZBxBggC,EAYBkC,KAZBrCx6B,E
AYBkCx6B,aAXB7BkY,IAAa1S,EAAG2S,KAAKhB,GAAG,KAC7BiB,WAAW5S,EAAGzG,MAAQihC,EAAO,KA
E5BF,GAAOt6B,GAJtB,IAAGBA,EAAGw6B,KA2BP,OADAvtC,EAAIqtC,GAAOrtC,GACJ,IAAIkn,EAAMC,E
AAKnN,EAAG,QAEB7B,MAAO1B,MAEX8uC,IAAK,SAAUr+B,EAAGrP,EAAGsP,GACjB,IAAMT,EAAGQ0+B,
GAAeC,KAAKn+B,EAAGrP,EAAGsP,EAAG,GAC3C,GAAlT,EAEA,OADAA,EAAMjC,MAAQ,MACPiC,GAG
f2+B,KAAM,SAAU+nB,EAAGrP,EAAGsP,EAAGhP,GACrB,IACI,GAAl+O,aAAa7B,EAMb,OAJIIN,EADAN,E
ACI2tC,GAAO3tC,GAEPqP,EAAEtB,MAEH,IAAIP,EAAM6B,EAAG5B,IAAKnN,EAAG,QAG/B,IAAIwtC,EAC
AC,EA EJ,SAASC,EAAI3+B,GAET,OAAQ,GADRA,EAAIA,EAAI,EAAIA,EAAI,EAAGA,EAAI,EAAlA,EAAl,

EAAIA,GACzB,EACDy+B,GAAMC,EAAKD,GAAMz+B,EAAI,EAEnB,EAAJA,EAAQ,EACN0+B,EAAE,EAAJ
1+B,EAAQ,EACNy+B,GAAMC,EAAKD,IAAO,EAAI,EAAIz+B,GAAK,EAG/By+B,EAI fz+B,EAAKs+B,GAO
t+B,GAAK,IAAO,IACxBrP,EAAIiO,GAAM0/B,GAAO3tC,IAAI sP,EAAIrB,GAAM0/B,GAAOr+B,IAAIhP,EAA
I2N,GAAM0/B,GAAOrtC,IAG3DwtC,EAAS,EAAJx+B,GADLy+B,EAAKz+B,GAAK,GAAMA,GAAKtP,EAAI,
GAAKsP,EAAItP,EAAIsP,EAAItP,GAG1C,IAAMyN,EAAM,CACS,IAAjBugC,EAAI3+B,EAAI,EAAI,GACG,I
AAf2+B,EAAI3+B,GACa,IAAjB2+B,EAAI3+B,EAAI,EAAI,IAGhB,OADA/O,EAAIqtC,GAAOrtC,GACJ,IAAIk
N,EAAMC,EAAK nN,EAAG,QA E7B,MAAO1B,MAGXqvC,IAAK,SAAS5+B,EAAGrP,EAAGkO,GAC hB,OAA
Oq/B,GAAeW,KAAK7+B,EAAGrP,EAAGkO,EAAG,IAGxCggC,KAAM,SAAS7+B,EAAGrP,EAAGkO,EAAG5
N,GAIpB,IAAIL,EACAqvB,EAJJjgB,EAAMs+B,GAAOt+B,GAAK,IAAO,IAAO,IAC hCrP,EAAI2tC,GAAO3tC,
GAAGkO,EAAIy/B,GAAOz/B,GAAG5N,EAAIqtC,GAAOrtC,GAOvC,IAAM6tC,EAAK,CAACjgC,EACRA,GA
AK,EAAILO,GACTkO,GAAK,GAJTohB,EAAKjgB,EAAI,IADTPp,EAAIuK,KAAK4jC,MAAO/+B,EAAI,GAAM
,KAKTrP,GACbkO,GAAK,GAAK,EAAIohB,GAAKtvB,IACjBquC,EAAO,CAAC,CAAC,EAAG,EAAG,GACjB,
CAAC,EAAG,EAAG,GACP,CAAC,EAAG,EAAG,GACP,CAAC,EAAG,EAAG,GACP,CAAC,EAAG,EAAG,GA
CP,CAAC,EAAG,EAAG,IAEX,OAAOd,GAAeK,KAA sB,IAAjBO,EAAGE,EAAKpuC,GAAG,IACjB,IAAjBkuC,
EAAGE,EAAKpuC,GAAG,IACM,IAAjBkuC,EAAGE,EAAKpuC,GAAG,IACXK,IAGR0tC,IAAK,SAAU n/B,GA
CX,OAAO,IAAIkX,GAAU3W,GAAMP,GAAOQ,IAEtCi/B,WAAY,SAAUz/B,GACIB,OAAO,IAAIkX,GAA2B,I
AAjB3W,GAAMP,GAAO7O,EAAS,MAE/CuuC,UAAW,SAAU1/B,GACjB,OAAO,IAAIkX,GAA2B,IAAjB3W,G
AAMP,GAAOS,EAAS,MAE/Ck/B,OAAQ,SAAS3/B,GACb,OAAO,IAAIkX,GAAUnW,GAAMf,GAAOQ,IAEtCo
/B,cAAe,SAAU5/B,GACrB,OAAO,IAAIkX,GAA2B,IAAjBnW,GAAMf,GAAO7O,EAAS,MAE/C0uC,SAAU,SA
AU7/B,GAC hB,OAAO,IAAIkX,GAA2B,IAAjBnW,GAAMf,GAAOX,EAAS,MAE/CjG,IAAK,SAAU4G,GACX,
OAAO,IAAIkX,GAAUIX,EAAMPb,IAAI,KAEnCzJ,MAAO,SAAU6K,GACb,OAAO,IAAIkX,GAAUIX,EAAMP
B,IAAI,KAEnCvM,KAAM,SAAU2N,GACZ,OAAO,IAAIkX,GAAUIX,EAAMPb,IAAI,KAEnCM,MAAO,SAAU
c,GACb,OAAO,IAAIkX,GAAU3W,GAAMP,GAAOvO,IAEtCkO,KAAM,SAAUk,GACZ,OAAO,IAAIkX,GAAU
IX,EAAML,OAASK,EAAMd,MAAQ,IAAK,MAE3D4gC,UAAW,SAAU9/B,GACjB,IAAM8/B,EACD,MAAS9/B
,EAAMPb,IAAI,GAAK,IACpB,MAASoB,EAAMPb,IAAI,GAAK,IACxB,MAASoB,EAAMPb,IAAI,GAAK,IAEj
C,OAAO,IAAI sY,GAAU4oB,EAA Y9/B,EAAMd,MAAQ,IAAK,MAExD6gC,SAAU,SAAU//B,EAAOggC,EAAQ
C,GAG/B,IAAKjgC,EAAMPb,IACP,OAAO,KAEX,IAAMigC,EAAMt+B,GAAMP,GASIB,YAPsB,IAAXigC,GA
A2C,aAAjBA,EAAOliC,MACxC8gC,EAAI1tC,GAAM0tC,EAAI1tC,EAAI6uC,EAAOjic,MAAQ,IAGjC8gC,EA
AI1tC,GAAK6uC,EAAOjic,MAAQ,IAE5B8gC,EAAI1tC,EAAIiO,GAAMy/B,EAAI1tC,GACXwtC,GAAK3+B,E
AAO6+B,IAEvBqB,WAAY,SAAUlgC,EAAOggC,EAAQC,GACjC,IAAMPb,EAAMt+B,GAAMP,GASIB,YAPsB
,IAAXigC,GAA2C,aAAjBA,EAAOliC,MACxC8gC,EAAI1tC,GAAM0tC,EAAI1tC,EAAI6uC,EAAOjic,MAAQ,I
AGjC8gC,EAAI1tC,GAAK6uC,EAAOjic,MAAQ,IAE5B8gC,EAAI1tC,EAAIiO,GAAMy/B,EAAI1tC,GACXwtC
,GAAK3+B,EAAO6+B,IAEvBsB,QAAS,SAAUngC,EAAOggC,EAAQC,GAC9B,IAAMPb,EAAMt+B,GAAMP,
GASIB,YAPsB,IAAXigC,GAA2C,aAAjBA,EAAOliC,MACxC8gC,EAAIp+B,GAAMo+B,EAAIp+B,EAAIu/B,E
AAOjic,MAAQ,IAGjC8gC,EAAIp+B,GAAKu/B,EAAOjic,MAAQ,IAE5B8gC,EAAIp+B,EAAIrB,GAAMy/B,E
AAIp+B,GACXk+B,GAAK3+B,EAAO6+B,IAEvBuB,OAAQ,SAAUpgC,EAAOggC,EAAQC,GAC7B,IAAMPb,
EAAMt+B,GAAMP,GASIB,YAPsB,IAAXigC,GAA2C,aAAjBA,EAAOliC,MACxC8gC,EAAIp+B,GAAMo+B,E
AAIp+B,EAAIu/B,EAAOjic,MAAQ,IAGjC8gC,EAAIp+B,GAAKu/B,EAAOjic,MAAQ,IAE5B8gC,EAAIp+B,E
AAIrB,GAAMy/B,EAAIp+B,GACXk+B,GAAK3+B,EAAO6+B,IAEvBwB,OAAQ,SAAUrgC,EAAOggC,EAAQ
C,GAC7B,IAAMPb,EAAMt+B,GAAMP,GASIB,YAPsB,IAAXigC,GAA2C,aAAjBA,EAAOliC,MACxC8gC,EA
AIptC,GAAMotC,EAAIptC,EAAIuuC,EAAOjic,MAAQ,IAGjC8gC,EAAIptC,GAAKuuC,EAAOjic,MAAQ,IAE5
B8gC,EAAIptC,EAAI2N,GAAMy/B,EAAIptC,GACXktC,GAAK3+B,EAAO6+B,IAEvByB,QAAS,SAAUtgC,EA
AOggC,EAAQC,GAC9B,IAAMPb,EAAMt+B,GAAMP,GASIB,YAPsB,IAAXigC,GAA2C,aAAjBA,EAAOliC,M
ACxC8gC,EAAIptC,GAAMotC,EAAIptC,EAAIuuC,EAAOjic,MAAQ,IAGjC8gC,EAAIptC,GAAKuuC,EAAOjic
,MAAQ,IAE5B8gC,EAAIptC,EAAI2N,GAAMy/B,EAAIptC,GACXktC,GAAK3+B,EAAO6+B,IAEvB0B,KAAM,
SAAUvgC,EAAOggC,GACnB,IAAMnB,EAAMt+B,GAAMP,GAIIB,OFa6+B,EAAIptC,EAAIuuC,EAAOjic,M
AAQ,IACvB8gC,EAAIptC,EAAI2N,GAAMy/B,EAAIptC,GACXktC,GAAK3+B,EAAO6+B,IAEvB2B,KAAM,S
AAUxgC,EAAOggC,GACnB,IAAMnB,EAAMt+B,GAAMP,GACZm/B,GAAON,EAAIr+B,EAAIw/B,EAAOjic,

OAAS,IAIrC,OAFa8gC,EAAIr+B,EAAI2+B,EAAM,EAAl,IAAMA,EAAMA,EAEvBR,GAAK3+B,EAAO6+B,IA
AMvB4B,IAAK,SAAUC,EAAQC,EAAQC,GACtBA,IACDA,EAAS,IAAI1pB,GAAU,KAE3B,IAAMvmB,EAAl
wC,EAAO7iC,MAAQ,IACnB8iC,EAAQ,EAAJlwC,EAAQ,EACZc,EAAI8O,GAAMmgC,GAAQjvC,EAAI8O,GA
AMogC,GAAQlvC,EAEPcqvC,IAAQD,EAAIpvC,IAAM,EAAKovC,GAACA,EAAIpvC,IAAM,EAAIovC,EAAIp
vC,IAAM,GAAK,EACzDsvC,EAAK,EAAID,EAETliC,EAAM,CAAC8hC,EAAO9hC,IAAI,GAAKkiC,EAAKH,E
AAO/hC,IAAI,GAAKmiC,EAC9CL,EAAO9hC,IAAI,GAAKkiC,EAAKH,EAAO/hC,IAAI,GAAKmiC,EACrCL,E
AAO9hC,IAAI,GAAKkiC,EAAKH,EAAO/hC,IAAI,GAAKmiC,GAEnC7hC,EAAQwhC,EAAOxhC,MAAQvO,E
AAIgwC,EAAOzhC,OAAS,EAAIvO,GAERd,OAAO,IAAIgO,EAAMC,EAAKM,IAE1B8hC,UAAW,SAAUhhC,G
ACjB,OAAO0+B,GAAewB,WAAWlgC,EAAO,IAAIkX,GAAU,OAE1D+pB,SAAU,SAAUjhC,EAAOkhC,EAAM
C,EAAOC,GAGpC,IAAKphC,EAAMPB,IACP,OAAO,KASX,QAPqB,IAAVuiC,IACPA,EAAQzC,GAAeK,KAA
K,IAAK,IAAK,IAAK,SAE3B,IAATmC,IACPA,EAAOxC,GAAeK,KAAK,EAAG,EAAG,EAAG,IAGpCmC,EAA
KvhC,OAASwhC,EAAMxhC,OAAQ,CAC5B,IAAM0hC,EAAIF,EACVA,EAAQD,EACRA,EAAOG,EAOX,OAJI
D,OADqB,IAAdA,EACK,IAEAtC,GAAOsC,GAEnBphC,EAAML,OAASyhC,EACRD,EAEAD,GAYCfl,KAAM,
SAAUthC,GACZ,OAAO,IAAIyJ,EAAUzJ,EAAMgB,WAE/BhB,MAAO,SAAShB,GACZ,GAACA,aAAAsb,IACb,
uDAuD9O,KAAKxM,EAAEjB,OAAS,CACxE,IAAMod,EAAMnc,EAAEjB,MAAMuD,MAAM,GAC1B,OAAO
,IAAI3C,EAAMwc,OAAK/e,EAAW,IAAI+e,GAeZc,GAAKnc,aAAAL,IAAWK,EAAIL,EAAMuC,YAAYIC,EAA
EjB,QAEjD,OADaiB,EAAEjB,WAAQ3B,EACH4C,EAEX,KAAM,CACFP,KAAS,WACT8H,QAAS,oEAGjBg7
B,KAAM,SAASvhC,EAAOggC,GACIB,OAAOtB,GAAe+B,IAAI/B,GAAe9/B,IAAI,IAAK,IAAK,KAAMoB,EA
AOggC,IAExEwB,MAAO,SAASxhC,EAAOggC,GACnB,OAAOtB,GAAe+B,IAAI/B,GAAe9/B,IAAI,EAAG,EA
AG,GAAIoB,EAAOggC,KCvZtE,SAASyB,GAAWC,EAAMhB,EAAQC,GAC9B,IAGlgB,EAKAC,EAEAC,EAC
AC,EAXEC,EAAKrB,EAAOxhC,MAKZ8iC,EAAKrB,EAAOzhC,MAOZ3N,EAAI,GAEVswC,EAAKG,EAAKD,
GAAM,EAAIC,GACpB,IAAK,IAAI5wC,EAAI,EAAGA,EAAI,EAAGA,IAGnB0wC,EAAKJ,EAFLC,EAAKjB,E
AAO9hC,IAAIxN,GAAK,IACrBwwC,EAAKjB,EAAO/hC,IAAIxN,GAAK,KAEjBywC,IACAC,GAAME,EAAKJ
,EAAKG,GAAMJ,EACHBK,GAAML,EAAKC,EAAKE,KAAQD,GAElCtwC,EAAEH,GAAU,IAAL0wC,EAGX,
OAAO,IAAIjC,EAAMPn,EAAGswC,GAGxB,IAAMI,GAA0B,CAC5BC,SAAU,SAASP,EAAIC,GACnB,OAAO
D,EAAKC,GAehBO,OAAQ,SAASR,EAAIC,GACjB,OAAOD,EAAKC,EAAKD,EAAKC,GAElBQ,QAAS,SAA
ST,EAAIC,GAElB,OADAD,GAAM,IACQ,EACVM,GAAwBC,SAASP,EAAIC,GACrCK,GAAwBE,OAAOR,EA
AK,EAAGC,IAE/CS,UAAW,SAASV,EAAIC,GACpB,IAAIvxC,EAAI,EACJN,EAAI4xC,EAMR,OALIC,EAAK,
KACL7xC,EAAI,EACJM,EAAKsxC,EAAK,IAAQhmC,KAAK2mC,KAAKX,KACpB,GAACA,EAAK,IAAMA,E
AAK,GAACA,GAE/BA,GAAM,EAAI,EAAIC,GAAM7xC,GAAKM,EAAIsxC,IAExCY,UAAW,SAASZ,EAAIC,
GACpB,OAAOK,GAAwBG,QAAQR,EAAID,IAE/Ca,WAAy,SAASb,EAAIC,GACrB,OAAOjmC,KAAK8mC,IA
AId,EAAKC,IAEzBc,UAAW,SAASf,EAAIC,GACpB,OAAOD,EAAKC,EAAK,EAAID,EAAKC,GAi9Be,QAAS,
SAAShB,EAAIC,GACIB,OAAQD,EAAKC,GAAM,GAEvBgB,SAAU,SAASjB,EAAIC,GACnB,OAAO,EAAIjm
C,KAAK8mC,IAAId,EAAKC,EAAK,KAItC,IAAK,IAAMnhB,MAAKwhB,GACRA,GAAwBl0C,eAAe0yB,MAC
vCghB,GAAWhhB,IAAKghB,GAAWxsB,KAAK,KAAMgtB,GAAwBxhB,UCrEhEoiB,GAAMB,SAAA7IC,GAM
rB,OAHCtM,MAAMuM,QAAQD,EAAKe,OAC7Bf,EAAKe,MAAQrN,MAAMsM,OAKZ,CACX8IC,MAAO,SAA
St+B,GACZ,OAAOA,GAEX6C,QAAS,SAAS07B,EAAQrIC,GAItB,OFAAA,EAAQA,EAAMK,MAAQ,EAef8kC
,GAAiBE,GAAQrIC,IAEPcTo,OAAQ,SAAS2zC,GACb,OAAO,IAAI7rB,GAAU2rB,GAAiBE,GAAQ3zC,SAUID
4zC,MAAO,SAAStN,EAAOmB,EAAKoM,GACxB,IAAIC,EACAC,EACAC,EAAY,EACVC,EAAO,GACTxM,G
ACAsM,EAAKtM,EACLqM,EAAOxN,EAAM33B,MACTkiC,IACAG,EAAYH,EAAKlIC,SAIrbmlC,EAAO,EA
CPC,EAAKzN,GAGT,IAAK,IAAItkC,EAAI8xC,EAAM9xC,GAAK+xC,EAAGplC,MAAO3M,GAAGyC,EACn
CC,EAAK1IC,KAAK,IAAIuZ,GAAU9IB,EAAG+xC,EAAGhsB,OAGIC,OAAO,IAAIgB,GAAWkrB,IAE1BC,KA
AM,SAASD,EAAME,GAaf,IAEEjiB,EACAKiB,SAFE1B,EAAQ,GAIRo1B,EAAU,SAAAtOB,GACZ,OAAIA,a
AAete,EACRse,EAAI3Z,KAAKoM,EAAKvQ,SAE1B8d,GAUPqoB,GAPAH,EAAKtIC,OAAWslC,aAAgBK,GA
MzBL,EAAK10B,QACDs0B,EAAQJ,EAAK10B,SAASd,MAC1Bg1B,EAAKh1B,MACDg1B,EAAKh1B,MAAMt
P,IAAI0kC,GACnB/yC,MAAMuM,QAAQomC,GACVA,EAAKtkC,IAAI0kC,GAET,CAACA,EAAQJ,IAZhB3yC
,MAAMuM,QAAQomC,EAAKtIC,OACRslC,EAAKtIC,MAAMgB,IAAI0kC,GAef,CAACA,EAAQJ,EAAKtIC,Q
AYjC,IAAI4IC,EAAY,SACZC,EAAU,OACVC,EAAY,SAEZN,EAAGrkB,QACHykB,EAAYJ,EAAGrkB,OAAO,

IAAMqkB,EAAGrkB,OAAO,GAAGjV,KACzC25B,EAAUL,EAAGrkB,OAAO,IAAMqkB,EAAGrkB,OAAO,GAAGjV,KACvC45B,EAAYN,EAAGrkB,OAAO,IAAMqkB,EAAGrkB,OAAO,GAAGjV,KACzCs5B,EAAKA,EAGl1B,OAERk1B,EAAKA,EAAGp0B,QAGZ,IAAK,IAAI/d,EAAl,EAAGA,EAAIoyC,EAASp0C,OAAQgC,IAAK,CACtC,IAAIgQ,SACArD,SACE+a,EAAO0qB,EAASpyC,GACIB0nB,aAAgB9O,GACHb5I,EAA2B,iBAAd0X,EA AK7O,KAAoB6O,EA AK7O,KAAO6O,EA AK7O,KAAK,GAAGIM,MAC/DA,EAAQ+a,EA AK/a,QAEBqd,EA AM,IAAI8V,GAAU9IB,EAAl,GACxB2M,EAAQ+a,GAGRA,aAAgBrN,IAIpB6V,EA AWiB,EAAGl1B,MAAM/M,MAAM,GACtBqiC,GACArIB,EAAS3jB,KAAK,IAAIqM,EAAY25B,EAC1B5IC,GACA,GAAO,EAAOjN,KA AK4M,MAAO5M,KAAKqR,kBAEnC0hC,GACAviB,EAAS3jB,KAAK,IAAIqM,EAAY65B,EAC1B,IAAI3sB,G AAU9IB,EAAl,IACIB,GAAO,EAAON,KAAK4M,MAAO5M,KAAKqR,kBAEnCyhC,GACAtiB,EAAS3jB,KAA K,IAAIqM,EAAY45B,EAC1BxiC,GACA,GAAO,EAAOtQ,KAAK4M,MAAO5M,KAAKqR,kBAGvCkM,EAAM 1Q,KAAK,IAAIwQ,EAAQ,CAAE,MAAc,CAAE,IAAIInM,EAAQ,GAAl,QACrDsf,EACAiIB,EAAGj1B,cACHi1B ,EAAGnhC,oBAIX,OAAO,IAAI+L,EAAQ,CAAE,MAAc,CAAE,IAAIInM,EAAQ,GAAl,QACjDqM,EACak1B,E AAGj1B,cACHi1B,EAAGnhC,kBACLZ,KAAK1Q,KAAKuM,WCIJdymC,GAAa,SAACC,EAAl5sB,EAAM3S,G AC1B,KAAMA,aAAa0S,IACf,KAAM,CAAezY,KAAM,WAAy8H,QAAS,6BAOvC,OALY,MAAR4Q,EACAA, EAAO3S,EAAE2S,KAET3S,EAAIA,EA AEkT,QAeH,IAAIR,GAAU6sB,EAAG3sB,WAAW5S,EAAEZG,QAASo Z,ICT5C6sB,GAAgB,CAEIBC,KAAO,KACP1E,MAAO,KACP+C,KAAO,KACPG,IAAO,KACPp0C,IAAO,GAC P6pC,IAAO,GACPC,IAAO,GACPC,KAAO,MACPC,KAAO,MACPC,KAAO,OAGX,IAAK,IAAM7jB,MAAKuj B,GACRA,GAACj2C,eAAe0yB,MAC7BujB,GAACvjB,IAAK8jB,GAAWtvB,KAAK,KAAMtZ,KAAK8kB,IAAIuj B,GAACvjB,MAIxEujB,GAACvkC,MAAQ,SAAC+E,EAAGic,GACtB,IAAM+jB,OAAwB,IAAN/jB,EAAoB,EA AIA,EAAE1iB,MACID,OAAOwmC,IAAW,SAAAE,GAAO,OAAAA,EAAlInM,CQAQkmC,KAAW,KAAMhgC,I CpB1D,IAAMkgC,GAAS,SAAUC,EAAOxkC,GAE5B,QADAA,EAAOzP,MAAMM,UAAUsQ,MAAM4B,KAAK /C,IACrB/Q,QAACt,KAAK,EAAG,KAAM,CAAeqP,KAAM,WAAy8H,QAAS,kCAE/C,IAAIInV,EACAM,EACA 0gC,EACAWS,EACAC,EACA1tB,EACA2tB,EACAC,EAGAC,EAAS,GAEPjC,EAAS,GAef,IAAK3xC,EAAl,EA AGA,EAAl+O,EA AK/Q,OAAQgC,IAEZB,IADAgHc,EA AUjyB,EA AK/O,cACU8IB,GAWzB,GAHA4tB,EAAsB, MADtB3tB,EAA0C,MAD1CytB,EAA6C,KAA5BxS,EAAQjb,KAAKzX,iBAAMctD,IAAd2oC,EAA0B,IAAI7tB, GAAUkb,EAAQr0B,MAAOgnC,GAAWrtB,QAAU0a,EAAQ1a,SACjHP,KAAKzX,iBAAOctD,IAAf0oC,EAA2B A,EAAAf,EAAeztB,KAAKzX,kBACjEtD,IAAf0oC,GAAqC,KAAT3tB,GAAoD,KAArC6tB,EAAM,GAAGttB,Q AAQP,KAAKzX,WAAoByX,EAAO2tB,EACxHC,EAAqB,KAAT5tB,QAA6B/a,IAAd2oC,EAA0B3S,EAAQjb,K AAkzX,WAAaqIC,OAERe3oC,KADV1K,OAAMb0K,IAAf2mC,EAAO,KAA8B,KAAT5rB,GAAeA,IAAS2tB,E AAa/B,EAAO,IAAMA,EAAO5rB,IASzF0tB,EAAGd,KAA7BG,EAAMtzC,GAAGyIB,KAAKzX,iBAAMctD,IAA d2oC,EAA0B,IAAI7tB,GAAU8tB,EAAMtzC,GAAGqM,MAAOgnC,GAAWrtB,QAAUstB,EAAMtzC,GAAGgm B,SACvLitB,GAASC,EAAe7mC,MAAQ8mC,EAAiB9mC,QACjD4mC,GAASC,EAAe7mC,MAAQ8mC,EAAiB9 mC,SACIDinC,EAAMtzC,GAAK0gC,OAXf,CACI,QAAmBh2B,IAAf0oC,GAA4B3tB,IAAS2tB,EACrC,KAAM, CAERmC,KAAM,WAAy8H,QAAS,sBAEvCw8B,EAAO5rB,GAAQ6tB,EAAM51C,OACrB41C,EAAMrnC,KA AKy0B,QAfPlhC,MAAMuM,QAAQkD,EA AK/O,GAAG2M,QACtBrN,MAAMM,UAAU2M,KAAKmU,MAAM 3R,EAAMzP,MAAMM,UAAUsQ,MAAM4B,KAAK/C,EA AK/O,GAAG2M,QAuBhF,OAAoB,GAAhBinC,EA A M51C,OACC41C,EAAM,IAEjB7kC,EAAO6kC,EAAMjmC,KAAI,SAAUtN,GAAK,OAAOA,EA AEqO,MAAMh P,KAAKuM,YAAaQ,KAAK/M,KAAKuM,QAAQ6C,SAAW,IAAM,MAC7F,IAAIuJ,GAAak7B,EAAQ,MAAQ,W AASxkC,YAGtC,CACXZ,IAAK,eAAS,aAAAIW,mBAAAA,IAAArV,kBACV,OAAOukC,IAAO,EAAMvkC,IAE xBb,IAAK,eAAS,aAAAKW,mBAAAA,IAAArV,kBACV,OAAOukC,IAAO,EA AOvkC,IAEZB8kC,QAAS,SAAU9 pB,EA AKhE,GACpB,OAAOgE,EAAl1D,UAAUN,EA AKpZ,QA E9BmnC,GAAl,WACA,OAAO,IAAIhuB,GAAU vb,KAAKC,KA E9BupC,IAAK,SAAS1zC,EAAGnB,GACb,OAAO,IAAI4mB,GAAUzIB,EA AEsM,MAAQzN,EA AEyN,MAAOtM,EA AE0IB,OA E9CtX,IAAK,SAASoB,EAAGmkC,GACb,GAAiB,iBAANnkC,GAA+B,iBAANm kC,EACHCnkC,EAAl,IAAIwW,GAAUjW,GACIBmkC,EAAl,IAAIluB,GAAUkuB,QACf,KAAMnkC,aAAaiW,IA AgBkuB,aAAaluB,IACnD,KAAM,CAAezY,KAAM,WAAy8H,QAAS,6BAGvC,OAAO,IAAI2Q,GAAUvb,KAA KkE,IAAIoB,EA AEID,MAAOqnC,EA AErnC,OA AQkD,EA AEkE,W,OA EvDkuB,WAAy,SAAU7gC,GAGIB,OA Fe +/B,IAAW,SAAAE,GAAO,OAAM,IAANA,IAAW,IAAKjgC,QChF1C,CACXzU,EAAG,SAAU0X,GACT,OAAO, IAAI6S,GAAO,IAAK7S,aAAe8V,GAAa9V,EA AI69B,UAAy79B,EA AI1J,OAAO,IAEIFy8B,OAAQ,SAAU/yB,G

ACd,OAAO,IAAIgC,EACP87B,UAAU99B,EAAlI,J,OAAOtQ,QAAQ,KAAM,OAAOA,QAAQ,KAAM,OAAOA,
QAAQ,KAAM,OAAOA,QAAQ,KAAM,OAC7FA,QAAQ,MAAO,OAAOA,QAAQ,MAAO,SAEIDA,QAAS,SAA
U+vB,EAAQgoB,EAAShkB,EAASaikB,GAC7C,IAAIz/B,EAASwX,EAAOzf,MAIpB,OAHAyjB,EAAoC,WAArB
A,EAAY/iB,KACvB+iB,EAAYzjB,MAAQyjB,EAAY1hB,QACpCkG,EAASA,EAAOvY,QAAQ,IAAI8oB,OAAO
ivB,EAAQznC,MAAO0nC,EAAQA,EAAM1nC,MAAQ,IAAKyjB,GACtE,IAAIH,GAAOkD,EAAO/C,OAAS,GA
AlzU,EAAQwX,EAAOhD,UAEzDkrB,IAAK,SAAUloB,GAIX,IAHA,IAAMrd,EAAOzP,MAAMM,UAAUsQ,M
AAM4B,KAAK5R,UAAW,GAC/C0U,EAASwX,EAAOzf,iBAEX3M,GAEL4U,EAASA,EAAOvY,QAAQ,WAA
W,SAAAk4C,GAC/B,IAAM5nC,EAA2B,WAAjBoC,EAAK/O,GAAGqN,MACpBknC,EAAM7mC,MAAM,MAA
SqB,EAAK/O,GAAG2M,MAAQoC,EAAK/O,GAAG0O,QACjD,OAAO6IC,EAAM7mC,MAAM,UAAy8mC,mB
AAmB7nC,GAASA,MAL1D3M,EAAl,EAAGA,EAAl+O,EAAK/Q,OAAQgC,MAAxBA,GAST,OADA4U,EAAS
A,EAAOvY,QAAQ,MAAO,KACxB,IAAI6sB,GAAOkD,EAAO/C,OAAS,GAAIzU,EAAQwX,EAAOhD,WcxBv
DqrB,GAAM,SAACrhC,EAAGshC,GAAS,OAACthC,aAAashC,EAAQx8B,EAAQC,KAAOD,EAAQE,OACHeu8
B,GAAS,SAACvhC,EAAG2S,GACf,QAAa/a,IAAT+a,EACA,KAAM,CAAE1Y,KAAM,WAAy8H,QAAS,mDAG
vC,GAAoB,iBADpB4Q,EAA6B,iBAAfA,EAAPz,MAAQBoZ,EAAPz,MAAQoZ,GAejD,KAAM,CAAE1Y,K
AAM,WAAy8H,QAAS,2DAEvC,OAAQ/B,aAAa0S,IAAc1S,EAAE2S,KAAKhB,GAAGgB,GAAQ7N,EAAQC,K
AAOD,EAAQE,UAGjE,CACXw8B,UAAW,SAAUxhC,GACjB,OAAOqhC,GAAIrhC,EAAGkR,IAElBuwB,QA
S,SAAUzhC,GACf,OAAOqhC,GAAIrhC,EAAG7F,IAElBunC,SAAU,SAAU1hC,GAChB,OAAOqhC,GAAIrhC,E
AAG0S,KAEIbivB,SAAU,SAAU3hC,GACb,OAAOqhC,GAAIrhC,EAAG8V,KAEIb8rB,UAAW,SAAU5hC,G
ACjB,OAAOqhC,GAAIrhC,EAAG8E,IAElB+8B,MAAO,SAAU7hC,GACb,OAAOqhC,GAAIrhC,EAAG0W,KAE
lBorB,QAAS,SAAU9hC,GACf,OAAOuhC,GAAOvhC,EAAG,OAERb+hC,aAAc,SAAU/hC,GACpB,OAAOuhC,G
AAOvhC,EAAG,MAERbgiC,KAAM,SAAUhiC,GACZ,OAAOuhC,GAAOvhC,EAAG,OAERbuhC,UACA5uB,KA
AM,SAAUgE,EAAKhE,GACjB,KAAMgE,aAAejE,IACjB,KAAM,CAAEzY,KAAM,WACV8H,QAAS,+CAA8C4
U,aAAepD,GAAY,oCAAsC,KAWhI,OAPQZ,EAFJA,EACIA,aAAgB7N,EACT6N,EAAPz,MAELoZ,EAARX,
QAGT,GAej,IAAIoX,GAAUie,EAAlpd,MAAOoZ,IAEPcSvB,WAAy,SAAUjiC,GACIB,OAAO,IAAIif,EAAUj
F,EAAE2S,oBCpDhBoL,GACX,IAAM7U,EAAY,CAAE8B,mBAakBoJ,mBAetC,OAZApJ,EAaiB/B,YAAy4rB,
IAC7B7pB,EAaiBhS,IAAI,UAAWuQ,EAAYvM,KAAKyT,KAAKIH,IACtdyB,EAaiB/B,YAAyZn,IAC7BwP,E
AAiB/B,YAAy5B,IAC7B13B,EAaiB/B,qBCIBN8U,GAEX,IAAMokB,EAAW,SAACC,EAAC5pC,GAAS,OAAA
,IAAlke,GAAlle,EAAM4pC,EAAlpC,MAAOkpC,EAazkC,iBAaiBX,KAAK0c,EAaavpC,UAE3H,MAAO,C
AAEwpC,WAAy,SAASC,EAAC,GAEnCA,IACDA,EAAd,EACfA,EAae,MAGnB,IAAIE,EAAWF,GAAGBA,
EAaA/oC,MACxKpC,EAAWF,EAahpC,MACTBoE,EAakBrR,KAAKqR,gBACvBqgB,EAAMbrgB,EAAGB0D,
YACrC1D,EAAGBqgB,iBAAMbrgB,EAAGB+kC,UAEjDC,EAAGBF,EAAS5mC,QAAQ,KACnCyB,EAAW,IACQ
,IAAnBqrB,IACArB,EAAWmrB,EAAS3IC,MAAM6IC,GAC1BF,EAAWA,EAAS3IC,MAAM,EAAG6IC,IAEjC,I
AAM9pC,EAAU+pC,EAAYt2C,KAAKuM,SACjCA,EAAGqgC,WAAy,EAepB,IAAMzkB,EAACl,EAAY+kB,e
AAeL,EAAUzkB,EAakBnlB,EAASKlB,GAAa,GAejG,IAAKK,EACD,OAAO+jB,EAAS71C,KAAMi2C,GAG1B,
IAAIQ,GAAY,EAGhB,GAAKT,EACdS,EAAY,WAAW/7B,KAAKw7B,Oadb,CAIf,GAaiB,mBAFjBA,EAAWzk
B,EAAYilB,WAAWP,IAG9BM,GAAY,MACT,CAEH,IAAMxW,EAUxO,EAAYklB,cAAcT,GAC1CO,EAAY,
CAAC,WAAy,SAASlnC,QAAQ0wB,GAAW,EAERDwW,IAAaP,GAAY,WAMjC,IAAMU,EAAW9kB,EAAY+k
B,aAAaV,EAAUzkB,EAakBnlB,EAASKlB,GAC/E,IAAKmlB,EAAShhC,SAEV,OADAgc,GAAOf,KAAK,iCAai
CslB,6BACtCN,EAAS71C,KAAMi2C,GAAGBD,GAElC,IAAIc,EAAMF,EAAShhC,SACnB,GAAl6gC,IAAchIB,
EAAYslB,aAC1B,OAAOIB,EAAS71C,KAAMi2C,GAK1B,IAAMe,EAAM,QAAQd,OAfPBY,EAAML,EAAYhl
B,EAAYslB,aAAaD,GAAOhC,mBAAMBgC,IAE/B9rB,EAETC,OAAO,IAAIz,GAAl,IAAIz,GAAl,IAAIwtB,MA
AQA,GAAK,EAOh3C,KAAK4M,MAAO5M,KAAKqR,iBAakBrR,KAAK4M,MAAO5M,KAAKqR,mBDhd7E
4IC,CAAQxIB,IACrC/S,EAaiB/B,YAAy41B,IAC7B7zB,EAaiB/B,YAAy/H,IAC7B8J,EAaiB/B,YAAyqxB,IA
C7BtvB,EAaiB/B,YAAy+P,IAC7BhO,EAaiB/B,YErBV,CAAEu6B,eAAGB,SAASC,GAC9B,IAAIC,EACAC,EA
IARKB,EAEl1yB,EACA4O,EACAooC,EACAC,EACAnpC,EATAopC,EAae,SACfC,EAaqB,mCACnBC,EAAY,
CAACtoC,UAAU,GAEvBuoC,EAaiBR,EAAUnoC,MAAM0oC,GAOVc,SAASE,IACL,KAAM,CAAEjqC,KAA
M,WACV8H,QAAS,yIAejB,OAXwB,GAAPbjV,UAAUIC,QACNkC,UAAU,GAAGyM,MAAM3O,OAAS,GAC5
Bs5C,IAEJR,EAAQ52C,UAAU,GAAGyM,OACdzM,UAAUIC,OAAS,EAC1Bs5C,IAEAR,EAAQx3C,MAAMM,

UAAUsQ,MAAM4B,KAAK5R,UAAW,GAG1Cm3C,GACJ,IAAK,YACDN,EAAuB,oCACvB,MACJ,IAAK,WA
CDA,EAAuB,oCACvB,MACJ,IAAK,kBACDA,EAAuB,sCACvB,MACJ,IAAK,eACDA,EAAuB,sCACvB,MACJ,
IAAK,UACL,IAAK,oBACDG,EAAe,SACfH,EAAuB,4BACvBI,EAAqB,2CACrB,MACJ,QACI,KAAM,CAAE9p
C,KAAM,WAAY8H,QAAS,oHAK3C,IAFAud,EAAW,8DAA8DwkB,qBAA+BH,MAEnG/2C,EAAI,EAAGA,EA
AI82C,EAAM94C,OAAQgC,GAAC,EAC3B82C,EAAM92C,aAAc+mB,IACpBnY,EAAQkoC,EAAM92C,GAAG
2M,MAAM,GACvBqqC,EAAWF,EAAM92C,GAAG2M,MAAM,KAE1BiC,EAAQkoC,EAAM92C,GACdg3C,O
AAWhsC,GAGT4D,aAAiBrB,KAAoB,IAANvN,GAAWA,EAAI,IAAM82C,EAAM94C,cAAwBgN,IAAabsC,GA
A6BA,aAAoBlxB,KACxHwxB,IAEJL,EAAGBD,EAAWA,EAASToC,MAAM0oC,GAAMb,IAANp3C,EAAU,KA
AO,OACxE8N,EAAQc,EAAMd,MACd4kB,GAAy,iBAAiBukB,mBAA8BroC,EAAMU,aAAWxB,EAAQ,EAAI,k
BAAkBA,MAAW,SAOzH,OALA4kB,GAAy,KAAKwkB,oBAA8BC,6BAE/CzkB,EAAW8hB,mBAAMb9hB,GA
GvB,IAAI5I,GAAI,IAAIZ,GAAO,KAD1BwJ,EAAW,sBAAsBA,OACUA,GAAU,EAAOhzB,KAAK4M,MAAO5
M,KAAKqR,iBAAkBrR,KAAK4M,MAAO5M,KAAKqR,oBFvDpHqN,EAAiB/B,YAAyK7B,IAEtBj7B,eG3BK2
B,EAAM1hB,GACIB,IAAI7C,eADcj7C,MAEIB,IAAIgjB,EAAyhjB,EAAQgjB,UACIBk4B,EAAU,IAAI/8B,EA
ASY,KAAK/e,GAET,iBAAdgjB,GAA2BjgB,MAAMuM,QAAQ0T,KACChDA,EAAyPgB,OAAOod,KAAKgD,GA
AW5R,KAAI,SAAAvN,GACnC,IAAIuM,EAAQ4S,EAAUnf,GAQtB,OANMuM,aAAiB8mB,GAAKxb,QACIBtL,
aAAiB8mB,GAAK1M,aACxBpa,EAAQ,IAAI8mB,GAAK1M,WAAW,CAACpa,KAEjCA,EAAQ,IAAI8mB,GAA
Kxb,MAAM,CAACtL,KAERB,IAAI8mB,GAAK7a,YAAy,IAAIxY,EAakuM,GAAO,EAAO,KAAM,MAE7D8qC
,EAAQI8B,OAAS,CAAC,IAAIkY,GAAK1W,QAAQ,KAAMwC,KAG7C,IAQItR,EACAypC,EATE7uB,EAAW,C
ACb,IAAIjc,GAAQqxB,oBACZ,IAAIrxB,GAAQ+zB,6BAA4B,GACxC,IAAI/zB,GAAQg0B,cACZ,IAAIh0B,GA
AQkc,aAAa,CAACha,SAAU4J,QAAQnc,EAAQuS,aAGID6oC,EAakB,GASxB,GAAIp7C,EAAQosB,cAAe,CAC
vB+uB,EAakBn7C,EAAQosB,cAAc/b,UACxC,IAAK,IAAI5M,EAAI,EAAGA,EAAI,EAAGA,IAEnB,IADA03C,
EAAgBE,QACR3pC,EAAIypC,EAAgBpsC,OACpB2C,EAAE4pC,iBACQ,IAAN73C,IAA2C,IAAhC23C,EAAgB
1oC,QAAQhB,KACnC0pC,EAAgBprC,KAAK0B,GACrBA,EAEEqpB,IAAIrZ,IAIA,IAANje,IAAoC,IAAZB6oB,
EAAS5Z,QAAQhB,KACxBA,EAEE6pC,aACFjvB,EAAStK,QAAQtQ,GAGjB4a,EAASc,KAAK0B,IAQtCupC,E
AAyV5B,EAak7N,KAAKqnC,GAETB,IAASz3C,EAAI,EAAGA,EAAI6oB,EAAS7qB,OAAQgC,IACjC6oB,EAA
S7oB,GAAg3B,IAAIkgB,GAIPB,GAAIj7C,EAAQosB,cAER,IADA+uB,EAAgBE,QACR3pC,EAAIypC,EAAgB
psC,QACK,IAAZBud,EAAS5Z,QAAQhB,KAA6C,IAAhC0pC,EAAgB1oC,QAAQhB,IACtDA,EAEEqpB,IAAIkg
B,GAKIB,OAAOA,OC+DPO,iBAzJA,WAAyNvB,GACRlPB,KAAKkpB,KAAOA,EACZlPB,KAAKmpB,SAAW,
GAChBnpB,KAAKinC,cAAgB,GACrBjnC,KAAKs4C,eAAiB,GACtBt4C,KAAKu4C,iBAAMb,GACxBv4C,KAA
KqxB,aAAe,GACpBrxB,KAAK0yC,UAAy,EACjB1yC,KAAKw4C,YAAc,GACnBx4C,KAAKy4C,OAAS,IAAIv
vB,EAakwvB,aAAaxvB,GA8I5C,OAvIlyvB,uBAAA,SAAWhkB,GACP,GAAlA,EACA,IAAK,IAAIr0B,EAAI,E
AAGA,EAAIq0B,EAAQr2B,OAAQgC,IACChN,KAAKm0B,UAAUQ,EAAQr0B,KAUnCq4C,sBAAA,SAAUvkB
,EAAQ5e,EAAUkJ,GACxB1e,KAAKu4C,iBAAIb1rC,KAAKunB,GACvB5e,IACaxV,KAAKw4C,YAAyhjC,GA
AY4e,GAET7BA,EAAOwkB,SACPxB,EAAOwkB,QAAQ54C,KAAKkpB,KAAMlpB,KAAM0e,GAAoB1e,KAA
KkpB,KAAKtM,UAAU8B,mBAQhFi6B,gBAAA,SAAInjC,GACA,OAAOxV,KAAKw4C,YAAyhjC,IAQ5BmjC,
uBAAA,SAAWzrC,GACPIN,KAAKmpB,SAASc,KAAKK,IAQvByrC,4BAAA,SAAGBE,EAACc,GAC1B,IAAIC
,EACJ,IAAKA,EAakB,EAAGA,EAakB/4C,KAAKinC,cAAc3oC,UACvD0B,KAAKinC,cAAc8R,GAAiBD,UAA
YA,GADeC,KAKvE/4C,KAAKinC,cAAc5nB,OAAO05B,EAAiB,EAAG,CAACF,eAAcC,cAQjEH,6BAAA,SAAI
BK,EAAeF,GAC5B,IAAIC,EACJ,IAAKA,EAakB,EAAGA,EAakB/4C,KAAKs4C,eAAeh6C,UACxD0B,KAAKs
4C,eAAeS,GAAiBD,UAAYA,GADeC,KAKx/4C,KAAKs4C,eAAej5B,OAAO05B,EAAiB,EAAG,CAACC,gBA
AeF,cAOnEH,2BAAA,SAAE M,GACXj5C,KAAKqxB,aAAaxkB,KAAKosC,IAQ3BN,6BAAA,WAEI,IADA,IAA
M1R,EAAgB,GACb3mC,EAAI,EAAGA,EAAIN,KAAKinC,cAAc3oC,OAAQgC,IAC3C2mC,EAAcp6B,KAAK7
M,KAAKinC,cAAc3mC,GAAGu4C,cAE7C,OAAO5R,GAQX0R,8BAAA,WAEI,IADA,IAAML,EAAiB,GACdh4
C,EAAI,EAAGA,EAAIN,KAAKs4C,eAAeh6C,OAAQgC,IAC5Cg4C,EAaezrC,KAAK7M,KAAKs4C,eAAeh4C,
GAAG04C,eAE/C,OAAOV,GAQXK,wBAAA,WACI,OAAO34C,KAAKmpB,UAGhBwvB,oBAAA,WACI,IAAM
jtC,EAAO1L,KACb,MAAO,CACHk4C,MAAO,WAEH,OADAxS,EAAGgnC,UAAy,EACVhnC,EAakYd,SAAS
zd,EAAGgnC,WAE9B9mC,IAAK,WAED,OADAF,EAAGgnC,UAAy,EACVhnC,EAakYd,SAASzd,EAAGgnC,a
AUtCiG,4BAAA,WACI,OAAO34C,KAAKqxB,mBAMpB,SAAS6nB,GAAqBhwB,EAAMiwB,GAIhC,OAHA,G

AAed,KACfA,GA AK,IAAIM,GAACzvB,IAEpBmvB,OC/JPx7C,GACA+0B,eCgBYH,EAAaJ,GASzB,IA2CIkf,EA
3CE6I,WC9BK3nB,GAuJX,kBArJI,WAAy50B,GACRmD,KAAKq5C,KAAO,GACZr5C,KAAKs5C,UAAyZ8C,
EAAQ2O,SACzBxL,KAAKu5C,aAAe18C,EAAQ28C,YAC5Bx5C,KAAKy5C,yBAA2B58C,EAAQ68C,wBACpC
78C,EAAQ88C,oBACR35C,KAAK45C,mBAAqB/8C,EAAQ88C,kBAAkBh9C,QAAQ,MAAO,MAEvEqD,KAA
K65C,gBAAk Bh9C,EAAQi9C,eAC/B95C,KAAK+5C,aAAe19C,EAAQk9C,aACxB19C,EAAQm9C,oBACRh6C,K
AAKi6C,mBAAqBp9C,EAAQm9C,kBAAkBr9C,QAAQ,MAAO,MAEnEE,EAAQq9C,mBACRl6C,KAAKm6C,m
BAAqBt9C,EAAQq9C,kBAAkBv9C,QAAQ,MAAO,KACQ,MAAvEqD,KAAKm6C,mBAAmBvoC,OAAO5R,K
AAKm6C,mBAAmB77C,OAAAS,KACHe0B,KAAKm6C,oBAAsB,MAG/Bn6C,KAAKm6C,mBAAqB,GAE9Bn6C
,KAAKo6C,mBAAqBv9C,EAAQw9C,kBAClCr6C,KAAKs6C,+BAAiC7oB,EAAy8oB,wBAElDv6C,KAAKw6C,
YAAc,EACnBx6C,KAAKy6C,QAAU,EA0HvB,OA vHlrB,2BAAA,SA Ae19B,GAQX,OAPI1b,KAAKi6C,oBAAg
E,IAA1Cv+B,EAAKnM,QAAQvP,KAAKi6C,sBAEtB,QADvBv+B,EAAOA,EAAKwS,UAAUluB,KAAKi6C,mB
AAmB37C,SACrCsT,OAAO,IAAkC,MAAnB8J,EAAK9J,OAAO,KACvC8J,EAAOA,EAAKwS,UAAU,KAIvBxS
,GAGX09B,8BAAA,SA AkB5jC,GAGd,OAFAA,EAAWA,EAAS7Y,QAAQ,MAAO,KACnC6Y,EA AWxV,KAAK
06C,eAAe1lC,IACvBxV,KAAKm6C,oBAAsB,IAAM3kC,GAG7C4jC,gBAAA,SAIzsC,EAAOd,EAAUe,EAAOg
M,GAExB,GA AKjM,EAAL,CAIA,IAAIsJ,EACA0kC,EACAC,EACAC,EACAv6C,EA EJ,GA AIuL,GAAYA,EAA
S2J,SA AU,CAC/B,IAAIsIc,EA Ac96C,KAAKu5C,aAAa1tC,EAAS2J,U Ae7C,GAZIxV,KAAKy5C,yBAAyB5tC,E
AAS2J,aAEvC5I,GAAS5M,KAAKy5C,yBAAyB5tC,EAAS2J,WACpC,IAAK5I,EAAQ,GA EzBkuC,EA AcA,EAA
YtqC,MAAMxQ,KAAKy5C,yBAAyB5tC,EAAS2J,iBA OvDIK,IAAhBwvC,EAEA,YADA96C,KAAKq5C,KAAK
xsC,KAAKF,GAMnBkuC,GADAF,GADAG,EA AcA,EAAy5sB,UAAU,EAAGthB,IACbyB,MAAM,OACJssC,EA
AYr8C,OAAAS,GAMrD,GAFAs8C,GADA3kC,EAAQtJ,EAAM0B,MAAM,OACJ4H,EAAM3X,OAAAS,GA E3BuN,
GAAYA,EAAS2J,SACrB,GA AKoD,EAKD,IAAKtY,EA AI,EAAGA,EA AI2V,EAAM3X,OAAQgC,IAC1BN,KA
AK+6C,oBAAoBC,WAAW,CAAEC,UAAW,CAA EtnC,KAAM3T,KAAKw6C,YAAcl6C,EA AI,EAAGsT,OAAc,I
AANtT,EAAUN,KAAKy6C,QAAU,GACHv/B,SA AU,CAA EvH,KAAMgnC,EAAYr8C,OAA SgC,EAAGsT,OA
Ac,IAANtT,EAAUu6C,EA Acv8C,OAAAS,GACnF48C,OAAQI7C,KAAKm7C,kBAAk BtvC,EAAS2J,iBAPhDxV,K
AAK+6C,oBAAoBC,WAAW,CAAEC,UAAW,CAA EtnC,KAAM3T,KAAKw6C,YAAc,EAAG5mC,OAAQ5T,K
AAKy6C,SACxFv/B,SA AU,CAA EvH,KAAMgnC,EAAYr8C,OAAQsV,OAAQinC,EA Acv8C,QAC5D48C,OAA
QI7C,KAAKm7C,kBAAk BtvC,EAAS2J,YAU/B,IAAjBS,EAAM3X,OACN0B,KAAKy6C,SA AWG,EA AQt8C,Q
AExB0B,KAAKw6C,aAAevkC,EAAM3X,OAAAS,EACnC0B,KAAKy6C,QAAUG,EA AQt8C,QAG3B0B,KAAKq
5C,KAAKxsC,KAAKF,KAGnBysC,oBAAA,WACl,OAA4B,IAArBp5C,KAAKq5C,KAAK/6C,QAGrB86C,kBA
AA,SAAM7sC,GAGF,GAFAvM,KAAK+6C,oBAAsB,IAAI/6C,KAAKs6C,+BAA+B,CAA Ec,KAAMp7C,KAAK
65C,gBAAiBwB,WAAy,OA EzGr7C,KAAKo6C,mBACL,IAAK,IAAM5kC,KAAyXV,KAAKu5C,aACxB,GA AIv
5C,KAAKu5C,aAAat8C,eAAeuY,GA AW,CAC5C,IAAI0IC,EAAS17C,KAAKu5C,aAAa/jC,GAC3BxV,KAAKy5
C,yBAAyBjkC,KAC9B0IC,EAASA,EAAO1qC,MAAMxQ,KAAKy5C,yBAAyBjkC,KA ExDxV,KAAK+6C,oBA
AoBO,iBAAiBt7C,KAAKm7C,kBAAk B3IC,GA AW0IC,GA OxF,GA FAI7C,KAAKs5C,UAAU7sC,OAAOF,EA
SvM,MAE3BA,KAAKq5C,KAAK/6C,OAAAS,EAAG,CACtB,IAAIy7C,SACEwB,EA AmBr+C,KAAKs+C,UAAU
x7C,KAAK+6C,oBAAoBU,UAE7Dz7C,KAAK+5C,aACLA,EAAe/5C,KAAK+5C,aACb/5C,KAAK45C,qBACZG
,EAAe/5C,KAAK45C,oBAExB55C,KAAK+5C,aAAeA,EA EpB/5C,KAAK07C,UAAyH,EA GrB,OAAOv7C,KAA
Kq5C,KAAKtsC,KAAK,UDrHN4uC,CA FxB1qB,EA Ac,IAAImqB,GAAYnqB,EAAaJ,IA GrCwqB,WE/BMzC,EA
AiB3nB,GAGf7B,kBA9EI,WAAy50B,GACRmD,KAAKnD,QAAUA,EA2EvB,OA xElg/C,kBAAA,SAAMrwC,E
AAU3O,EAAS+a,GACrB,IAAM+jC,EA AkB,IAAIvC,EACxB,CACIM,wBAAyB9hC,EAAQyvB,qBACjC77B,W
ACAguC,YAAa5hC,EAAQhC,SACrB+jC,kBAAmB35C,KAAKnD,QAAQ88C,kBACHCl,aAAc/5C,KAAKnD,QA
AQk9C,aAC3BD,eAAgB95C,KAAKnD,QAAQi/C,wBAC7B9B,kBAAmBh6C,KAAKnD,QAAQm9C,kBACHCE,
kBAAmBl6C,KAAKnD,QAAQq9C,kBACHCG,kBAAmBr6C,KAAKnD,QAAQw9C,kBACHC0B,mBAAoB/7C,K
AAKnD,QAAQk/C,mBACjCC,oBAAqBh8C,KAAKnD,QAAQm/C,oBAClCC,2BAA4Bj8C,KAAKnD,QAAQo/C,
6BAG3C9wB,EAAMwwB,EA AgB3sC,MAAMnS,GASIC,OARAMD,KAAK07C,UAAyC,EA AgBD,UACjC17C,
KAAK+5C,aAAe4B,EA AgB5B,aACHC/5C,KAAKnD,QAAQq/C,yBACbl8C,KAAKk8C,uBAAyBP,EA AgBR,kB
AAk Bn7C,KAAKnD,QAAQq/C,8BAE1C5wC,IAAnCtL,KAAKnD,QAAQm9C,wBAAyD1uC,IAAtBlL,KAAK+5
C,eACrD/5C,KAAK+5C,aAAe4B,EA AgBjB,eAAe16C,KAAK+5C,eAErD5uB,EAAMnrB,KAAKm8C,mBAGtBN

,4BAAA,WAEI,IAAI9B,EAAe/5C,KAAK+5C,aACxB,GAAl/5C,KAAKnD,QAAQm/C,oBAAqB,CACIC,QAAuB
1wC,IAAnBtL,KAAK07C,UACL,MAAO,GAEX3B,EAAe,gCAAqCtoB,EAAYsIB,aAAa/2C,KAAK07C,WAGjF,
OAAI17C,KAAKnD,QAAQo/C,2BACN,GAGPIC,EACO,wBAAwBA,QAe5B,IAGX8B,iCAAA,WACI,OAAO77
C,KAAK07C,WAGhBG,iCAAA,SAAqBH,GACjB17C,KAAK07C,UAA YA,GAGrBG,qBAAA,WACI,OAAO77C
,KAAKnD,QAAQm/C,qBAGxBH,4BAAA,WACI,OAAO77C,KAAK+5C,cAGhB8B,8BAAA,WACI,OAAO77C,
KAAKnD,QAAQi/C,yBAGxBD,6BAAA,WACI,OAAO77C,KAAKk8C,6BF7CKE,CAAIbhd,EAAiB3nB,GACrD
4qB,WG5BKR,GA4DX,kBA1DI,WAAyT9B,EAAM3G,GACd5X,KAAKue,KAAOA,EACZve,KAAK4X,QAAUA
,EASDvB,OAnDIykC,kBAAA,SAAMx/C,GACF,IAAIi7C,EAEAsE,EADElnC,EAAS,GAef,IACI4iC,EAAYwE,G
AAct8C,KAAKue,KAAM1hB,GACvC,MAAOoC,GACL,MAAM,IAAIoW,EAUpW,EAAGe,KAAK4X,SAGhC,
IACI,IAAMxI,EAAW4J,QAAQnc,EAAQuS,UAC7BA,GACAwIB,GAAOf,KAAK,mIAIhB,IAAM0rB,EAAe,CAC
jBntC,WACAgL,gBAAiBvd,EAAQud,gBACzB+K,YAAanM,QAAQnc,EAAQsoB,aAC7B7X,aAAc,GAEdzQ,EA
AQ6+C,WACRU,EAAMb,IAAIP,EAABh/C,EAQ6+C,WACHDxmC,EAAOiW,IAAMixB,EAABptC,MAAM8o
C,EAAWyE,EAACv8C,KAAK4X,UAEIE1C,EAAOiW,IAAM2sB,EAU9oC,MAAMutC,GAEnC,MAAOt9C,GA
CL,MAAM,IAAIoW,EAUpW,EAAGe,KAAK4X,SAGhC,GAAl/a,EAQosB,cAER,IADA,IAAMqvB,EAABz7
C,EAQosB,cAAcuzB,oBACpCl8C,EAAl,EAAGA,EAAlg4C,EAeh6C,OAQgC,IACvC4U,EAAOiW,IAAMm
tB,EAeh4C,GAAG6mC,QAAQjyB,EAAOiW,IAAK,CAAeuW,UAAWU,EAakBv/C,UAAa+QAA5X,KAA
K4X,UAQjH,IAAK,IAAMwjC,KALPv+C,EAQ6+C,YACRxmC,EAQjH,IAAMmuC,EAABK,wBAGlCvnC,E
AAO0C,QAAU,GACE5X,KAAK4X,QAAQ8kC,MACxB18C,KAAK4X,QAAQ8kC,MAAMz/C,eAAem+C,IAAS
A,IAASp7C,KAAK4X,QAAQ+kC,cACjEznC,EAAO0C,QAAQ/K,KAAKuuC,GAG5B,OAAlmC,QH5BG0nC,C
AAUf,GACtBgB,WI3BcprB,GA+KpB,kBApKI,WAAyVl,EAAM3c,EAASuwC,GACvB98C,KAAKkpB,KAAOA,
EACZlpB,KAAK28C,aAAeG,EAAtnC,SACjCxV,KAAKub,MAAQhP,EAQgP,OAAS,GAC9Bvb,KAAK4V,SA
AW,GACHb5V,KAAKqnC,qBAAuB,GAC5BrnC,KAAK+8C,KAAOxwC,EAQwwC,KACpB/8C,KAAKyW,MA
AQ,KACbzW,KAAKuM,QAAUA,EAefvM,KAAKg9C,MAAQ,GACbh9C,KAAK08C,MAAQ,GAUjrB,OA5IIG,i
BAAA,SAAKnhC,EAAMwW,EAaOB7gB,EAABu6B,EAaejmB,GAC3D,IAAMs3B,EAAGbj9C,KAAMk9C,EA
Ael9C,KAAKuM,QAAQ0c,cAAcwvB,OAetEz4C,KAAKg9C,MAAMnwC,KAAK6O,GAehB,IAAMyH,EAAB,
SAAUI+C,EAAGsf,EAAMqa,GACtCqkB,EAACD,MAAM39B,OAaO49B,EAACD,MAAMztC,QAAQmM,GAOO
,GAE9D,IAAM0hC,EAQbxBkB,IAAaqkB,EAACn,aACID/Q,EAAC7S,UAAy95B,GAC1B0mB,EAAS,KAAM,C
AACpI,MAAM,KAAK,EAAO,MACICqU,GAAOnkB,KAAK,YAAyMrB,iFAMnBqkB,EAACp,MAAM9jB,IAAc
gT,EAActyB,SACjD2jC,EAACp,MAAM9jB,GAAY,CAAera,OAAM1hB,QAAS+uC,IAEjD3sC,IAAMg+C,EAAC
xmC,QAASwmC,EAACxmC,MAAQxX,GACvD0mB,EAAS1mB,EAAGsf,EAAM6+B,EAaOBxBkB,KAIxCykB,E
AAc,CACHbtoC,YAAa/U,KAAKuM,QAAQwI,YAC1BqhC,UAAW/kC,EAAGb+kC,UAC3Bl6B,SAAU7K,EAAG
B6K,SAC1BygC,aAAActC,EAAGBsR,cAG5B7qB,EAACl,EAAY+kB,eAAe96B,EAAMrK,EAAGbqgB,iBAakB1
xB,KAAKuM,QAASKIB,GAERg,GAACK,EAAL,CAKA,IA4DIwrB,EACAC,EA7DEC,EAAMb,SAASF,GAC9B,
IAAIpB,EACEqpB,EAAMbH,EAAW9nC,SAC9BI,EAAW0nC,EAAW1nC,SAASjZ,QAAQ,UAAW,IAUxD0gD,
EAAY3rB,iBAAMBI,EAAYzG,QAAQoyB,GAC/CJ,EAAYtoC,cACZsoC,EAAYnhC,SAAW4V,EAAY/kB,KAC9
BkwC,EAAC1wC,QAAQ2P,UAAy,GACn4V,EAAY4rB,SAASL,EAAY3rB,iBAakB2rB,EAAYjH,aAE9DtKb,E
AAY6rB,eAAeN,EAAYnhC,WAAa4V,EAAY8rB,4BACjEP,EAAYnhC,SAAW4V,EAAY/kB,KAAKswC,EAAYj
H,UAAWiH,EAAYnhC,YAGnFmhC,EAAY7nC,SAAWioC,EAEvB,IAAMI,EAAS,IAAI7iC,EAASM,MAAM2hC
,EAAC1wC,SAEHdsxC,EAORw,gBAAiB,EACxByV,EAACrnC,SAAS6nC,GAAOB7nC,GAEvCvE,EAAGbka,W
AAaqB,EAACrgB,aAC3C8xB,EAAY9xB,WAAy,GAGxBqgB,EAActgB,UACd8I,EAAS8oB,EAAY,WAAWlo
C,EAAUioC,EAQZ,EAER,EAACm,WAAyMrC,cActEhoC,EACIB8nC,EAe/oB,EAQ,KAAMqpB,GAG7B
N,EAe,KAAM/oB,EAQqpB,GAElB7R,EAActyB,OACrB6jC,EAe,KAAMvnC,EAU6nC,IAI3BR,EAACp,
MAAMe,IACBR,EAACp,MAAMe,GAakB5gD,QAAQw7B,UAC9CuT,EAACvT,SAKIB,IAAI6N,GAAO2X,EA
AQZ,EAeI,GAAalgD,MAAMyY,GAAU,SAAU3W,EAAGsf,GACx4+B,EAeI+C,EAAGsf,EAAMk/B,MAJ5B
N,EAe,KAAMF,EAACp,MAAMe,GAakB/B,KAAMk/B,IAWvElxC,EAU+pC,EAAYt2C,KAAKuM,SAE7B2I
B,IACA3IB,EAQ0IB,IAAM2Z,EAActgB,SAAW,MAAQ,SAG/CsgB,EAActgB,UACd/e,EAQwwC,KAAO,yB
AEXxwC,EAQwxC,WACRT,EAaAJ,EAAC,eAAetiC,EAAMrK,EAAGbqgB,iBAakBnIB,EAASKIB,EAaAK,G
AEvGyrB,EAUL,EAae,WAAWviC,EAAMrK,EAAGbqgB,iBAakBnIB,EAASKIB,EAaAK,IAIHgvlB,EAQw

xC,WACRT,EAAaxrB,EAAY+kB,AAAan7B,EAAMrK,EAAGbqgB,iBAAkBnLB,EAASkLB,GAEvF8rB,EAAUzrB,EAAYosB,SAASxiC,EAAMrK,EAAGbqgB,iBAAkBnLB,EAASkLB,GAC5E,SAAC9Z,EAAK2IC,GACE3IC,EACAwIC,EAExiC,GAEf6IC,EAaiBF,MAKjCA,EACKA,EAAW9nC,SAGZgoC,EAaiBF,GAFjBH,EAaeG,GAIZC,GACPA,EAAQY,KAAKX,EAakBL,QAtG/BA,EAae,CAAE1nC,QAAS,qCAAqCiG,UJzCrDuhC,CAAcxrB,GAC9B2sB,WKhCM3sB,EAAa4qB,EAAWQ,GACpC,IAAMuB,EAAS,SAAUzoC,EAAO9Y,EAAS8oB,GASrC,GARuB,mBAAZ9oB,GACP8oB,EAAW9oB,EACXA,EAUwhD,EAakBr+C,KAAKnD,QAAS,KAG1CA,EAUwhD,EAakBr+C,KAAKnD,QAASA,GAAW,KAGpD8oB,EAU,CACX,IAAM24B,EAOT+C,KACb,OAAO,IAAIu+C,SAAQ,SAACC,EAASC,GACzBL,EAAOhsC,KAAKksC,EAAM3oC,EAAO9Y,GAAS,SAAC8a,EAAK3K,GACHC2K,EACA8mC,EAAO9mC,GAEP6mC,EAQxxC,SAKpBhN,KAAK7C,MAAMwY,EAAO9Y,GAAS,SAAC8a,EAAK4G,EAAM3G,EAAS/a,GAC5C,GAAl8a,EAAO,OAAOgO,EAAShO,GAE3B,IAAIzC,EACJ,IAEIA,EADkB,IAAI mnC,EAAU99B,EAAM3G,GACnB5I,MAAMnS,GAE7B,MAAO8a,GAAO,OAAOgO,EAAShO,GAE9BgO,EAAS,KAAMzQ,OAK3B,OAAOkpC,ELLQM,CAAOfjB,EAa4qB,GAC7Bl/C,WM7BMs0B,EAa4qB,EAAWQ,GACpC,IAAM1/C,EAQ,SAAUwY,EAAO9Y,EAAS8oB,GAUpC,GARuB,mBAAZ9oB,GACP8oB,EAAW9oB,EACXA,EAUwhD,EAakBr+C,KAAKnD,QAAS,KAG1CA,EAUwhD,EAakBr+C,KAAKnD,QAASA,GAAW,KAGpD8oB,EAU,CACX,IAAM24B,EAOT+C,KACb,OAAO,IAAIu+C,SAAQ,SAACC,EAASC,GACzBthD,EAAMiV,KAAKksC,EAAM3oC,EAAO9Y,GAAS,SAAC8a,EAAK3K,GAC/B2K,EACA8mC,EAAO9mC,GAEP6mC,EAQxxC,SAKpB,IAAI2xC,EACA7B,SACE8B,EAAGb,IAAIjG,GAAC34C,MAAOnD,EAQgiD,oBAMvD,GAJAhID,EAQosB,cAAGb21B,EAExBD,EAU,IAAI3jC,EAASM,MAAMze,GAeZBA,EAQigD,aACRA,EAaejgD,EAQigD,iBACpB,CACH,IAAMtnC,EAAW3Y,EAQ2Y,UAYY,QAC/B4gC,EAAY5gC,EAAS7Y,QAAQ,YAAa,KACHdmgD,EAae,CACXtnC,WACAT,YAAa4pC,EAQ5pC,YACrBmH,SAAUyiC,EAQziC,UAYY,GAC9BwV,iBAAkB0kB,EACIBA,YACAuG,aAAcnnC,IAGD0G,UAAgD,MAApC4gC,EAa5gC,SAAS1L,OAAO,KACtDssC,EAa5gC,UAYY,KAIjC,IAAM4iC,EAU,IAAIjC,EAAC78C,KAAM2+C,EAAS7B,GACjD98C,KAAKi9C,cAAGb6B,EAKjBjiD,EAQ83B,SACR93B,EAQ83B,QAAQvoB,SAAQ,SAAAgO,BGACpB,IAAI2qB,EACAnpC,EACJ,GAAIwe,EAAO4qB,aAGP,GAFAppC,EAAWwe,EAAO4qB,YAAyriD,QAAQ,UAAW,KACjDoiD,EAaH,EAACnG,OAAOqF,WAAWloC,EAU+oC,EAASG,EAAS1qB,EAAOv3B,QAASu3B,EAAO5e,qBACtEH,EAActB,OAAOsQ,EAASo5B,QAIpBH,EAACzqB,UAAUC,MAKpC,IAAI8R,GAAOyY,EAASG,EAAShC,GACxB3/C,MAAMwY,GAAO,SAAC1W,EAAGsf,GACd,GAAltf,EAAC,OAAO0mB,EAAS1mB,GACzB0mB,EAAS,KAAMpH,EAAMugC,EAASjiD,KAC/BA,IAGf,OAAOM,ENnDome,CAAMmW,EAa4qB,EAAWQ,GACtCjgC,EAAYqiC,GAAUxtB,GAOtBytB,EAU,CACZ5qB,QAAS,CAAC,EAAG,GAAl,GACjB6qB,OACAprB,QACA6nB,eACA7pB,uBACA5B,wBACA5B,cACAtI,YACA+c,UACAtP,YACA5B,WACAo+B,kBACAyC,mBACAQ,YACAQ,gBACAuB,SACAJhD,QACAKY,YACAINC,iBACAnd,QACAwZ,iBACA/mB,WAIewtB,EAAO,SAAA7O,GAAC,OAAA,eAAU,aAAA7rB,mBAAAA,IAArV,kBACxB,WAAWkhC,aAAAA,aAAKlhC,OAI dgwC,EAAM5/C,OAAOU,OAAO++C,GAC1B,IAAK,IAAMxrC,KAAKwrC,EAQnrB,KAGpB,GAAiB,mBADjBwc,EAAI2O,EAQnrB,KAAKrgB,IAEb2rC,EAAl3rC,EAEnD,eAAiB6uC,EAAC7O,QAI5B,IAAK,IAAMzE,KADXuT,EAAl3rC,GAACjU,OAAOU,OAAO,MACPowC,EA EZ8O,EAAl3rC,GAAGo4B,EA AEv7B,eAAiB6uC,EAAC7O,EA AEzE,IAC7C,OAHAoT,EAQ/hD,MAAQ+hD,EAQ/hD,MAAMgnB,KAAKk7B,GACnCH,EAQd,OAASc,EAQd,OAAOj6B,KAAKk7B,GA E9BA,GD7FPC,GAAY,kBAGhB,4DAiGA,OAJG0Bx/C,OACtB4zB,oCAAA,WACI,OAAO,GAGXA,iBAAA,SAAKvB,EAUC,GACX,OAAKD,EAGEnyB,KAAK0yB,gBAAGBN,EA AWd,GAUZW,KAFtC0W,GAKfsB,kBAAA,SAAMrB,EA AK1kB,EAAMgY,EAU45B,GACvB,IAAMC,EAAM,IAAIC,eACVC,GAAQ7iD,GAAQ8iD,gBAAiB9iD,GAAQ+iD,UAU/C,SAASC,EA AeL,EAAC75B,EAU45B,GAC/BC,EAAIM,QAAU,KAAON,EAAIM,OAAS,IACICn6B,EAAS65B,EA AIO,aACTP,EA AIQ,kBAaKB,kBACA,mBAAZT,GACdA,EAQC,EA AIM,OAAQztB,GAbQ,mBAAzBmtB,EA AIS,kBACXT,EA AIS,iBAAiB,YAEzBruB,GAAOd,MAAM,iBAAiBuB,OAC9BmtB,EA AIU,KAAK,MAAO7tB,EA AKqtB,GACrBF,EA AIW,iBAAiB,SAAUxyC,GA AQ,4CACvC6xC,EA AIY,KAAK,MAWLvjD,GAAQ8iD,iBAAmB9iD,GAAQ+iD,UACHB,IAAfJ,EA AIM,QAAiBN,EA AIM,QAAU,KAAON,EA AIM,OAAS,IACvDn6B,EAAS65B,EA AIO,cAEbR,EAQC,EA AIM,OAAQztB,GA AEjBqtB,EACPF,EA AIa,mBAAqB,WACC,GAAlBb,EA AIC,YACJT,EA AeL,EAAC75B,EAU45B,IAItCM,EA AeL,EAAC75B,EAU45B,IAItC7rB,qBAAA,WACI,OAAO,GAGXA,2BAAA,WACI4rB,GAAY,IA GHb5rB,qBAAA,SAASle,EAUkc,EA AkB70B,EAAS40B,GAItCC,IAAQb1xB,KAAK29C,eAAenoC,KACzCA,EA AWkc,EA

mBlc,GAGICA,EAAW3Y,EAAQo1B,IAAMjyB,KAAKkyB,mBAAmB1c,EAAU3Y,EAAQo1B,KAAOzc,EAE1E
3Y,EAAUA,GAAW,GAIrB,IACMH,EADYsD,KAAK0yB,gBAAGbld,EAAUrW,OAAOohD,SAAS7jD,MACrC21
B,IACtB3mB,EAAY1L,KAElB,OAAO,IAAIu+C,SAAQ,SAACC,EAASC,GACzB,GAAI5hD,EAAQ2jD,cAAgBl
B,GAAU5iD,GACIC,IACI,IAAM+jD,EAAWnB,GAAU5iD,GAC3B,OAAO8hD,EAAQ,CAAEE5oC,SAAU6qC,EA
AUjrC,SAAU9Y,EAAMgkD,QAAS,CAAEC,aAAc,IAAIC,QACpF,MAAO3hD,GACL,OAAOw/C,EAAO,CAAej
pC,SAAU9Y,EAAM+Y,QAAS,sBAAsB/Y,gBAAkBuC,EAAEwW,UAI3F/J,EAAKm1C,MAAMnkD,EAAMG,E
AAQkgD,MAAM,SAAuBoC,EAAMwB,GAExDrB,GAAU5iD,GAAQyiD,EAGIBX,EAAQ,CAAEE5oC,SAAUupC
,EAAM3pC,SAAU9Y,EAAMgkD,QAAS,CAAEC,qBACtD,SAAoBb,EAAQztB,GAC3BosB,EAAO,CAAEE9wC,K
AAM,OAAQ8H,QAAS,IAAI4c,qBAAsBytB,MAAWpjD,mBA7F3Dq1B,gBAmgVrd,EAAMosC,GAGIB,OAFajk
D,GAAU6X,EACVkd,GAASkvB,EACFptB,mBQtGP,WAAyXK,GAAZ,MACI63B,0BAEAjkC,EAAKoM,KAAO
A,IAUpB,OAD2BppB,OAQvB44C,uBAAA,SAAWljC,EAAU2c,EAAU5IB,EAASKIB,EAAaK,GACjD,OAAO,IA
AlYsB,SAAQ,SAACyC,EAASvC,GACzB3sB,EAAYosB,SAAS1oC,EAAU2c,EAAU5IB,EAASKIB,GAC7C0sB,K
AAK6C,GAASC,MAAMxC,UAXVprB,gBCLX10B,EAAQ+pB,EAAMrsB,GAkK1B,MAAO,CACH6P,IAXJ,SAA
ezN,EAAGiiD,GACTrkD,EAAQskD,gBAA6C,SAA3BtkD,EAAQskD,eAED,YAA3BtkD,EAAQskD,eA7BvB,SA
AsBliD,EAAGiiD,GACrB,IACM1rC,EAAWvW,EAEEuW,UAAy0rC,EACzBE,EAAS,GACX33B,GAAaxqB,EA
AE00,MAAQ,qBAaKB1O,EAAEwW,SAAW,+CAA6CD,EAEjG6rC,EAAY,SAACpiD,EAAGqB,EAAGghD,QA
CAh2C,IAAjBrM,EAAsX,QAAQjW,IACV8gD,EAAOv0C,KAPE,mBAOYIQ,QAAQ,YAAawR,SAASIP,EAEE
0U,KAAM,KAAO,IAAMrT,EAAl,IACvE3D,QAAQ,YAAa2kD,GACrB3kD,QAAQ,cAAesC,EAAsX,QAAQjW,
MAI1CrB,EAEE0U,OACF0tC,EAAUpiD,EAAG,EAAG,IACChBoiD,EAAUpiD,EAAG,EAAG,QACChBoiD,EAU
piD,EAAG,EAAG,IACChBwqB,GAAW,YAAyXqB,EAEE0U,kBAAGb1U,EAEE2U,OAAS,SAAOwtC,EAOR0C,
KAAK,OAEE9N,EAEEyW,QAAUzW,EAAsX,SAAW1Z,EAAQ0kD,UAAy,KAC7C93B,GAAW,kBAaKBxq
B,EAEEyW,OAEnCwT,EAAK0I,OAAOnb,MAAMgT,GAOd+3B,CAAaviD,EAAGiiD,GACyB,mBAA3BrkD,EA
AQskD,gBACtBtkD,EAAQskD,eAAe,MAAOliD,EAAGiiD,GA5JzC,SAAMBjiD,EAAGiiD,GACIB,IAGIO,EACA
h4B,EAJEjsB,EAAK,sBAAsBE,EAAGBwjD,GAAY,IAEvDjX,EAAO9qC,EAAO9B,SAASU,cAAc,OAGrCqjD,E
AAS,GACT5rC,EAAWvW,EAEEuW,UAAy0rC,EACzBQ,EAAlBlSc,EAASxH,MAAM,oBAAoB,GAElDi8B,E
AAKzsC,GAAYA,EACjBysC,EAAK0X,UAAy,qBAEjB14B,EAAU,QAAOxqB,EAEE00,MAAQ,qBAaKB1O,E
AAEwW,SAAW,wCACtD,uBAAuBD,OAAaksC,UAEExC,IAAML,EAAY,SAACpiD,EAAGqB,EAAGghD,QACA
h2C,IAAjBrM,EAAsX,QAAQjW,IACV8gD,EAAOv0C,KAhBE,qEAgBYIQ,QAAQ,YAAawR,SAASIP,EAEE0
U,KAAM,KAAO,IAAMrT,EAAl,IACvE3D,QAAQ,YAAa2kD,GACrB3kD,QAAQ,cAAesC,EAAsX,QAAQjW,
MAI1CrB,EAEE0U,OACF0tC,EAAUpiD,EAAG,EAAG,IACChBoiD,EAAUpiD,EAAG,EAAG,QACChBoiD,EAU
piD,EAAG,EAAG,IACChBwqB,GAAW,WAAWxqB,EAEE0U,kBAAGb1U,EAEE2U,OAAS,eAAawtC,EAOR0C,
KAAK,aAE5E9N,EAEEyW,QAAUzW,EAAsX,SAAW1Z,EAAQ0kD,UAAy,KAC7C93B,GAAW,0BAA0BxqB
,EAEEyW,MAAMrH,MAAM,MAAMmC,MAAM,GAAGzD,KAAK,UAE3Ek9B,EAAK2X,UAAyn4B,EAGjBo4
B,EAAKB1iD,EAAO9B,SAAU,CAC/B,mDACA,yBACA,sBACA,kBACA,aACA,IACA,8BACA,mBACA,sBACA
,kBACA,kBACA,IACA,4BACA,kBACA,kBACA,aACA,yBACA,IACA,iCACA,kBACA,IACA,2BACA,mBACA,
qBACA,yBACA,aACA,IACA,0BACA,cACA,IACA,+BACA,cACA,qBACA,uBACA,iCACA,KACF0P,KAAK,M
AAO,CAAETP,MAAO,kBAEvBwsC,EAAK6X,MAAM9iD,QAAU,CACjB,iCACA,yBACA,yBACA,qBACA,6BA
CA,0BACA,cACA,gBACA,uBACF+N,KAAK,KAEEa,gBAAhBIQ,EAAQkID,MACRN,EAAQO,aAAy,WACHb,I
AAM3kD,EAAW8B,EAAO9B,SACIB+vC,EAAO/vC,EAAS+vC,KACIBA,IACI/vC,EAASO,eAAeJ,GACxB4vC,
EAAK6U,aAAahY,EAAM5sC,EAASO,eAAeJ,IAEHd4vC,EAAKtuC,aAAamrC,EAAMmD,EAAK7uC,YAEjC2j
D,cAAcT,MAEnB,KAqDHU,CAAUljD,EAAGiiD,IAUjBkB,OAHDJ,SAAqB1mC,GACZ7e,EAAQskD,gBAA6C,S
AA3BtkD,EAAQskD,eAED,YAA3BtkD,EAAQskD,gBAE0B,mBAA3BtkD,EAAQskD,gBACtBtkD,EAAQskD,e
AAe,SAAUzIC,GAjBzC,SAAYBA,GACrB,IAAMxP,EAAO/M,EAAO9B,SAASO,eAAe,sBAAsBF,EAAGbge,IAC
9ExP,GACAA,EAAKrN,WAAWE,YAAymN,GAU5Bm2C,CAAGb3mC,MC9GtB7e,ICRFyvb,mBAAmB,EAGn
Bg2B,SAAS,EAKTlzC,UAAU,EAGVmzC,MAAM,EAONhnc,MAAO,GAGPrM,OAAO,EAKPsO,eAAe,EAGfgl
C,UAAU,EAKVtmC,SAAU,GAMVnH,aAAa,EAQBh,KAAM,EAGNuQ,aAAa,EAKbyhB,WAAy,KAIZC,WAAy
,KAGZpc,QAAS,IDrDb,GAAItrB,OAAO+pB,KACP,IAAK,IAAM5Y,MAAOnR,OAAO+pB,KACjB/pB,OAAO+p
B,KAAKjsB,eAAeqT,MAC3BzT,GAAQyT,IAAOnR,OAAO+pB,KAAK5Y,eEbvBnR,EAAQtC,GAGpBD,EAAY

C,EAASglD,EAAsB1iD,SAEZmM,IAA3BzO,EAAQ8iD,iBACR9iD,EAAQ8iD,eAAiB,yDAAyDjIc,KAAKvb,EA
AOohD,SAASkC,WAS3G5ID,EAAQ6iD,MAAQ7iD,EAAQ6iD,QAAS,EACjC7iD,EAAQ+iD,UAAy/iD,EAAQ+i
D,YAAa,EAGzC/iD,EAAQ6ID,KAAO7ID,EAAQ6ID,OAAS7ID,EAAQ8iD,eAAiB,IAAO,MAEhE9iD,EAAQkID,
IAAMIID,EAAQkID,MAAoC,aAA5B5iD,EAAOohD,SAASoC,UACd,WAA5BxjD,EAAOohD,SAASoC,UACY,a
AA5BxjD,EAAOohD,SAASoC,UACfxjD,EAAOohD,SAASqC,MACbzjD,EAAOohD,SAASqC,KAAKtkD,OAAS
,GACICzB,EAAQ8iD,eAAmC,cACzC,caEN,IAAMvIC,EAakB,6CAA6C+oB,KAAKhkC,EAAOohD,SAASzGc,
MACtF1F,IACAvd,EAAQud,gBAakBA,EAAGb,SAGjB9O,IAAZBzO,EAAQ2jD,eACR3jD,EAAQ2jD,cAAe,QA
GH11C,IAApBzO,EAAQgmD,UACRhmD,EAAQgmD,SAAU,GAGIBhmD,EAAQiY,eACRjY,EAAQkY,YAAc,O
F1B9B+tC,CAakB3jD,OAAQtC,OAEIB83B,QAAU93B,GAAQ83B,SAAW,GAejCx1B,OAAO4jD,eACPlmD,G
AAQ83B,QAAU93B,GAAQ83B,QAAQn1B,OAAOrQ,OAAO4jD,eAGpD,IAKI53B,GACA1sB,GACAqjD,GAPE
54B,YGdU/pB,EAAQtC,GACpB,IAAMQ,EAAW8B,EAAO9B,SACIB6rB,EAAO85B,KAeb95B,EAAKrsB,QAA
UA,EACf,IAAM40B,EAAcVl,EAAKuI,YACnBiC,EAAcuvB,GAAgpmD,EAASqsB,EAAK0I,QAC/BE,EAAC,IA
AI4B,EACxBjC,EAAYyxB,eAAepxB,GAC3B5I,EAAKwK,YAAcA,EACnBxK,EAAKwvB,aAAeA,YCxBRxvB,
EAAMrsB,GAYIBA,EAAQ0kD,cAAuC,IAArB1kD,EAAQ0kD,SAA2B1kD,EAAQ0kD,SAA4B,gBAAhB1kD,EA
AQkID,IAVnE,EAEC,EAUIB1ID,EAAQsmD,UACTtmD,EAAQsmD,QAAU,CAAC,CACfryB,MAAO,SAASH,G
ACR9zB,EAAQ0kD,UAhBD,GAiBP6B,QAAQtC,IAAIInwB,IAgPBljB,KAAM,SAASKjB,GACP9zB,EAAQ0kD,
UApBF,GAqBN6B,QAAQtC,IAAIInwB,IAgPBE,KAAM,SAASF,GACP9zB,EAAQ0kD,UAXBF,GAYBN6B,QAA
QvyB,KAAKF,IAGrBla,MAAO,SAASka,GACR9zB,EAAQ0kD,UA5BD,GA6BP6B,QAAQ3sC,MAAMka,OAk9
B,IAAK,IAAIrwB,EAAl,EAAGA,EAAlzD,EAAQsmD,QAAQ7kD,OAAQgC,IACx4oB,EAAK0I,OAAOb,YAA
Y10B,EAAQsmD,QAAQ7iD,Idb5C+iD,CAAYn6B,EAAMrsB,GACIB,IAAMukD,EAASKC,GAAenkD,EAAQ+p
B,EAAMrsB,GACTC0mD,EAAQR6B,EAAKq6B,MAAQ1mD,EAAQ0mD,gBE1BvBpkD,EAAQtC,EAAS+0B,GA
C7B,IAAI2xB,EAAQ,KACZ,GAAoB,gBAAhB1mD,EAAQkID,IACR,IACIwB,OAAwC,IAAxBpkD,EAAQkD,a
AAgC,KAAOrkD,EAAQkD,aACvE,MAAOpmD,IAEb,MAAO,CACHqmD,OAAQ,SAAS/nC,EAAMilC,EAAC9
Z,EAAYvpC,GAC7C,GAAlimD,EAAO,CACP3xB,EAAOnkB,KAAK,UAAUiO,gBACtB,IACI6nC,EAAMG,QA
AQhoC,EAAMpe,GACpBimD,EAAMG,QAAWhoC,eAAkBilC,GAC/B9Z,GACA0c,EAAMG,QAAWhoC,UAAax
e,KAAKs+C,UAAU3U,IAEnD,MAAO5nC,GAEL2yB,EAAOnb,MAAM,mBAAMBiF,wCAI5CioC,OAAQ,SAASj
oC,EAAMglC,EAAS7Z,GAC5B,IAAM1b,EAAYo4B,GAASA,EAAMK,QAAQloC,GACnCmoC,EAAYN,GAAS
A,EAAMK,QAAWloC,gBACxCqE,EAAYwJc,GAASA,EAAMK,QAAWloC,WAK1C,GAHAMrB,EAaA,GAAC
,GAC3B9mB,EAAOA,GAAQ,KAEX8jC,GAAAnD,EAAQC,cACpB,IAAIC,KAAKF,EAAQC,cAAcmD,YAC5B,I
AAIID,KAAKiD,GAAWC,WACxB5mD,KAAKs+C,UAAU3U,KAAgB9mB,EAE/B,OAAOoL,IFVyB44B,CAAM
5kD,EAAQtC,EAASqsB,EAAK0I,oBgxBxE,SAASoyB,IACL,KAAM,CACFr2C,KAAM,UACN8H,QAAS,qEAIj
B,IAAMwuC,EAaiB,CACnBC,aAAc,SAASjO,GAEnB,OADa+N,KACQ,GAEZG,cAAe,SAASIO,GAEPB,OAD
A+N,KACQ,GAEZI,eAAgB,SAASnO,GAERB,OADa+N,KACQ,IAIhBtlC,EAaiB/B,YAAYsnC,GHG7BI,CAAU
n7B,EAAKuI,aAGX50B,EAAQ+f,WACrSM,EAAKtM,UAAU8B,iBAAiB/B,YAAY9f,EAAQ+f,WAGxD,IAAM0
nC,EAAC,oBAEPB,SAAS5yC,EAAMqC,GACX,IAAMC,EAAS,GACf,IAAK,IAAMC,KAAQF,EACXA,EAai9W
,eAAegX,KACnBD,EAAOC,GAAQF,EAaIE,IAG3B,OAAOD,EAIX,SAASmQ,EAAKhO,EAAMouC,GAChB,IA
AMC,EAAY5kD,MAAMM,UAAUsQ,MAAM4B,KAAK5R,UAAW,GACxD,OAAO,WACH,IAAM6O,EAAOm1
C,EAAUh1C,OAAO5P,MAAMM,UAAUsQ,MAAM4B,KAAK5R,UAAW,IACpE,OAAO2V,EAAK6K,MAAMuj
C,EAAS11C,IAInC,SAASo1C,EAAW5d,GAihB,IAHA,IACIib,EADExkD,EAASD,EAASqB,qBAAqB,SAGpC4B,
EAai,EAAGA,EAaihd,EAAOgB,OAAQgC,IAE/B,IADAwHd,EAAQxkD,EAAOgD,IACLqN,KAAKK,MAAMs
2C,GAAC,CAC/B,IAAMI,EAakBhzC,EAAM7U,GAC9B6nD,EAAGb7d,WAAaA,EAC7B,IAAM4Z,EAAWqB,E
AAMF,WAAa,GACpC8C,EAAGBlvC,SAAWnY,EAASKjD,SAAS7jD,KAAKC,QAAQ,OAAQ,IAIIEusB,EAAKk
1B,OAAOqC,EAAUiE,EACIBvgC,GAak,SAAC29B,EAAO7iD,EAAGiW,GACRjW,EACAmiD,EAAO10C,IAA
IzN,EAAG,WAEd6iD,EAAMn0C,KAAO,WACTm0C,EAAM5jD,WACN4jD,EAAM5jD,WAAWc,QAAUkW,EA
AOiW,IAEIC22B,EAAMF,UAAy1sC,EAAOiW,OAGiC,KAAM22B,KAKzB,SAAS6C,EAaepnD,EAAOoB,EA
AUi/B,EAAQC,EAAWhe,GAExD,IAAM6d,EAakBhzC,EAAM7U,GAC9BD,EAAY8nD,EAaiBnnD,GAC7Bmn
D,EAAGb3H,KAAOX/C,EAAMoQ,KAezBk5B,IACA6d,EAAGb7d,WAAaA,GA6CjC/U,EAAYosB,SAAS3gD,E
AAMb,KAAM,KAAMgoD,EAaiBjzB,GACnD0sB,MAAK,SAAAb,IA3CV,SAAiCA,GAC7B,IAAM6B,EAAO7B

,EAAW1nC,SACIB8F,EAAO4hC,EAAW9nC,SACIBkrC,EAAUpD,EAAWoD,QAERBrD,EAAc,CACHB3rB,iBA
AkBI,EAAYzG,QAAQ3P,GACtClG,SAAUkG,EACVihC,aAAcjhC,EACd3G,YAAa2vC,EAAGB3vC,aAMjC,GA
HAsOC,EAAYjH,UAAyIH,EAAY3rB,iBACpC2rB,EAAYnhC,SAAWwoC,EAAGBxoC,UAAyMhC,EAAY3rB,iB
AE3DgvB,EAAS,CACTA,EAAQmE,UAAyA,EAEPB,IAAM15B,EAAMo4B,EAAMI,OAAOjoC,EAAMglC,EA
ASgE,EAAGB7d,YACxD,IAAK+d,GAAUz5B,EAGX,OAFau1B,EAAQoE,OAAQ,OACHBn/B,EAAS,KAAMwF,
EAAKg0B,EAAM5hD,EAAOmjD,EAASHlC,GAOID0IC,EAAOgB,OAAO1mC,GAEdgpC,EAAGB5H,aAAeO,EA
C/Bn0B,EAAKk1B,OAAOe,EAAMuF,GAAiB,SAACzID,EAAGiW,GAC/BjW,GACAA,EAAEvC,KAAOgf,EAC
TiK,EAAS1mB,KAETskD,EAAME,OAAOlM,D,EAAMb,KAAMgkD,EAAQC,aAAc+D,EAAGB7d,WAAy3xB,E
AAOiW,KACIFxF,EAAS,KAAMzQ,EAAOiW,IAAKg0B,EAAM5hD,EAAOmjD,EAASHlC,OAOrDqpC,CAAwB
zH,MACzB2D,OAAM,SAAAtP,C,GACLyrC,QAAQtC,IAAIInP,C,GACZgO,EAASHO,MAKRB,SAASqtC,EAAGBr/
B,EAAUi/B,EAAG/d,GACvC,IAAK,IAAIvmC,EAAI,EAAGA,EAAI4oB,EAAG+7B,OAAO3mD,OAAQgC,IACp
CqkD,EAAGz7B,EAAG+7B,OAAO3kD,GAAIqlB,EAUi/B,EAAG17B,EAAG+7B,OAAO3mD,QAAUgC,EAAI,
GAAIumC,GAmIvF,OA3GA3d,EAAGk8B,MAAU,WAMX,OALKh8B,EAAGi8B,YACNj8B,EAAG64B,IAAM,c
ArBE,gBAAb74B,EAAG64B,MACL74B,EAAGk8B,WAAApD,aAAy,WACtB94B,EAAGi8B,YACLrzB,EAAYuz
B,iBACZL,GAAgB,SAAC/ID,EAAGksB,EAAG/tB,EAAGG,EAAOmjD,GAC3BzhD,EACAmiD,EAAO10C,IAAI
zN,EAAGA,EAAGEvC,MAAQa,EAAMb,MACvByuB,GACP02B,EAAGk1iD,EAAO9B,SAAU8tB,EAAG5tB,SAIr
DV,EAAG6iD,QAYf1iD,KAAKmlD,WAAy,GACV,GAGXj8B,EAAGo8B,QAAU,WAAqE,OAAxDpD,cAAch5
B,EAAGk8B,YAAApID,KAAKmlD,WAAy,GAAG,GAM3Fj8B,EAAGkq8B,+BAAiC,WACIC,IAAMC,EAAGnoD,
EAASqB,qBAAqB,QAC5CwqB,EAAG+7B,OAAS,GAEd,IAAK,IAAI3kD,EAAI,EAAGA,EAAIkID,EAAMlnD,O
AAQgC,KACT,oBAAjBkID,EAAMlID,GAAGmlD,KAA8BD,EAAMlID,GAAGmlD,IAAIz3C,MAAM,eACzDw3
C,EAAMlID,GAAGqN,KAAKK,MAAMs2C,KACrBp7B,EAAG+7B,OAAOp4C,KAAK24C,EAAMlID,KASnC4o
B,EAAGw8B,oBAAAsB,WAAM,OAAA,IAAIInH,SAAQ,SAACC,EAASC,GACnDv1B,EAAGkq8B,iCACL/G,QAOf
t1B,EAAG2d,WAAa,SAAA8e,GAAU,OAAAz8B,EAAG08B,SAAQ,EAAMD,GAAQ,IAEvDz8B,EAAG08B,QA
AU,SAACHB,EAAG/d,EAAYwe,GAIhC,OAHTK,GAAUS,KAAcS,IAAnBA,GAC9BvzB,EAAYuzB,iBAET,IAA
I9G,SAAQ,SAACC,EAASC,GACzB,IAAIoH,EACAC,EACAC,EACAC,EACJH,EAAYC,EAAU,IAAIIF,KAKF,
KAFxBof,EAAGk98B,EAAG+7B,OAAO3mD,SAI1BwnD,EAAU,IAAIIF,KACdmF,EAAoBD,EAAUD,EAC9B3
8B,EAAG0I,OAAOnkB,KAAK,gDACjB+wC,EAAQ,CACJqH,YACAC,UACAC,oBACAd,OAAQ/7B,EAAG+7B,
OAAO3mD,UAKxB0mD,GAAgB,SAAC/ID,EAAGksB,EAAG/tB,EAAGG,EAAOmjD,GAC/B,GAAIzhD,EAGA,
OAFAmiD,EAAO10C,IAAIzN,EAAGA,EAAGEvC,MAAQa,EAAMb,WAC9B+hD,EAAOx/C,GAGPyhD,EAAQo
E,MACR57B,EAAG0I,OAAOnkB,KAAK,WAAWIQ,EAAMb,qBAEiCwsB,EAAG0I,OAAOnkB,KAAK,YAAy1
Q,EAAMb,uBAEvCmlD,EAAGk1iD,EAAO9B,SAAU8tB,EAAG5tB,GACxC2rB,EAAG0I,OAAOnkB,KAAK,W
AAWIQ,EAAMb,uBAAqB,IAAIkkD,KAASKF,SAM5C,MAHxBE,IAIID,EAAoB,IAAIInF,KAASiF,EACjC38B,E
AAK0I,OAAOnkB,KAAK,uCAAuCs4C,QACxDvH,EAAQ,CACJqH,YACAC,UACAC,oBACAd,OAAQ/7B,EAAG
K+7B,OAAO3mD,UAG5BwnD,EAAU,IAAIIF,OACfgE,EAAQ/d,GAGf4d,EAAGW5d,OAIInB3d,EAAG+8B,cAAg
BxB,EACdv7B,EH/PE3K,CAAKpf,OAAQtC,IAU1B,SAASqpD,GAAgB/G,GACjBA,EAAG3pC,UACL4tC,QAA
QvyB,KAAKsuB,GAEZtiD,GAAQ6iD,OACTjhD,GAAGKM,YAAy+iD,WAZzB3iD,OAAO+pB,KAAOA,GAGBV
rsB,GAAQgmD,UACJ,SAASnoC,KAAKvb,OAAOohD,SAASzgC,OAC9BoJ,GAAGk8B,QAGJroD,GAAQ6iD,Q
ACTv0B,GAAM,oCACN1sB,GAAOpB,SAASoB,MAAQpB,SAASqB,qBAAqB,QAAQ,IAC9DojD,GAAQzkD,S
AASU,cAAc,UAEB4P,KAAO,WACTm0C,GAAM5jD,WACN4jD,GAAM5jD,WAAWc,QAAUmsB,GAEB322B
,GAAM3jD,YAAyD,SAASe,eAAe+sB,KAG9C1sB,GAAGKN,YAAy2jD,KAERB54B,GAAGkq8B,iCACLR8B,GAA
Ki9B,iBAABj9B,GAAG08B,QAAqB,gBAAb18B,GAAG64B,KAAuB5D,KAAK+H,GAAiBA"}
}

Found

in path(s):

* /opt/cola/permits/1497046840_1683055876.16148/0/less-3-13-1-1-tgz/package/dist/less.min.js.map

No license file was found, but licenses were detected in source scan.

/**

```
* Less - Leaner CSS v3.13.1
* http://lesscss.org
*
* Copyright (c) 2009-2020, Alexis Sellier <self@cloudhead.net>
* Licensed under the Apache-2.0 License.
*
* @license Apache-2.0
*/
```

Found in path(s):

```
*/opt/cola/permits/1497046840_1683055876.16148/0/less-3-13-1-1-tgz/package/dist/less.min.js
No license file was found, but licenses were detected in source scan.
```

```
/**
* Less - Leaner CSS v3.13.1
* http://lesscss.org
*
* Copyright (c) 2009-2020, Alexis Sellier <self@cloudhead.net>
* Licensed under the Apache-2.0 License.
*
* @license Apache-2.0
*/
/*! *****
Copyright (c) Microsoft Corporation.
```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
***** */
/*! *****
Copyright (c) Microsoft Corporation. All rights reserved.
Licensed under the Apache License, Version 2.0 (the "License"); you may not use
this file except in compliance with the License. You may obtain a copy of the
License at http://www.apache.org/licenses/LICENSE-2.0
```

THIS CODE IS PROVIDED ON AN *AS IS* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OR CONDITIONS OF TITLE, FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY OR NON-INFRINGEMENT.

See the Apache Version 2.0 License for specific language governing permissions and limitations under the License.

***** */

Found in path(s):

* /opt/cola/permits/1497046840_1683055876.16148/0/less-3-13-1-1-tgz/package/dist/less.js

1.1651 jackson-databind 2.12.7.1

1.1651.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.1652 stax-ex 1.8

1.1652.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Created-By: Apache Maven Bundle Plugin
Built-By: build
Build-Jdk: 9.0.4
Implementation-Title: Extended StAX API
Implementation-Version: 1.8
Implementation-Vendor-Id: org.jvnet.staxex
Implementation-URL: http://stax-ex.java.net/
Implementation-Build-Id: \${scmBranch}-\${buildNumber}, \${timestamp}
Bnd-LastModified: 1524563042303
Bundle-Description: Extensions to JSR-173 StAX API.
Bundle-License: https://glassfish.dev.java.net/public/CDDL+GPL_1_1.htm
1
Bundle-ManifestVersion: 2
Bundle-Name: Extended StAX API
Bundle-SymbolicName: org.jvnet.staxex.stax-ex
Bundle-Version: 1.8.0
Export-Package: org.jvnet.staxex;version="1.8.0";uses="javax.activation,javax.xml.namespace,javax.xml.stream",org.jvnet.staxex.util;version="1.8.0";uses="javax.xml.bind.attachment,javax.xml.namespace,javax.xml.stream,org.w3c.dom"
Import-Package: javax.activation,javax.xml.bind.attachment,javax.xml.namespace,javax.xml.stream,org.jvnet.staxex;version="[1.8,2)",org.w3c.dom
Originally-Created-By: Apache Maven Bundle Plugin
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=9.0))"
Tool: Bnd-3.5.0.201709291849

Found in path(s):

* /opt/cola/permits/1526682834_1673245458.2780282/0/stax-ex-1-8-9-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can

obtain a copy of the License at
http://glassfish.java.net/public/CDDL+GPL_1_1.html
or `packager/legal/LICENSE.txt`. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if the new
code is made subject to such option by the copyright
holder.

-->

Found in path(s):

* `/opt/cola/permits/1526682834_1673245458.2780282/0/stax-ex-1-8-9-jar/META-INF/maven/org.jvnet.staxex/stax-ex/pom.xml`

1.1653 json5 2.2.3

1.1653.1 Available under license :

MIT License

Copyright (c) 2012-2018 Aseem Kishore, and [others].

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[others]: <https://github.com/json5/json5/contributors>

1.1654 regenerate 1.4.2

1.1654.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1655 typedarray-to-buffer 3.1.5

1.1655.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1656 react-is 16.13.1

1.1656.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1657 scheduler 0.20.2

1.1657.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1658 @babel/plugin-proposal-logical-assignment-operators 7.20.7

1.1658.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1659 camel-api 3.8.0

1.1659.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

/**

* Access the underlying concrete CamelClusterService implementation to provide access to further features.

*

* @param clazz the proprietary class or interface of the underlying concrete CamelClusterService.

* @return an instance of the underlying concrete CamelClusterService as the required type.

*/

Found in path(s):

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cluster/CamelClusterService.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Get the {@link Component} as the specified type.
 *
 * @param type the proprietary class
or interface of the underlying concrete Component.
 * @return an instance of the underlying concrete Component as the required type.
 * @throws IllegalArgumentException if the component class can't be cast to required type,
 */
```

Found in path(s):

```
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ComponentAware.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```


/**

* Access the underlying concrete ComponentExtension implementation to provide access to further features.

*

* @param clazz the proprietary class or interface of the underlying concrete ComponentExtension.

* @return an instance of the underlying concrete ComponentExtension as the required type.

*/

Found in path(s):

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/component/extension/ComponentExtension.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more

* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0

* (the "License"); you may not use this file except in compliance with

* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/AsyncCallback.java

*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RecoverableAggregationRepository.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ComponentNameResolver.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/EndpointInject.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/InternalProcessor.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/UriFactoryResolver.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataType.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Processor.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/annotations/Language.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/GroupAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/service/ServiceHelper.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ExchangeException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ValidatorRegistry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceLoadBalancerFunction.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/CamelAuthorizationException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Navigate.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataFormatCustomizer.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/RuntimeExpressionException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Transformer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/component/extension/ComponentVerifierExtension.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/OnCamelContextInitializing.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/PackageScanResourceResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ValueHolder.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RuntimeEndpointRegistry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ShutdownPrepared.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/StaticService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceLoadBalancerFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/CamelContextCustomizer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/CamelContextAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceDiscoveryAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

```

jar/org/apache/camel/support/jsse/AliasedX509ExtendedKeyManager.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ExpressionFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RestBindingJaxbDataFormatFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/FactoryFinder.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/OnCamelContextStarting.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceChooserFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/StateRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/StreamCachingStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/StartupStep.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ApiEndpoint.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceDefinition.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/BeanInject.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ExecutorServiceManager.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/NamedNode.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/SynchronizationVetoable.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/annotations/ServiceFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ExchangeTimedOutException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/LifecycleStrategy.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RouteStartupOrder.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Converter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/NodeIdFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cluster/CamelClusterMember.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceCallConstants.java

```

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/FactoryFinderResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Suspendable.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/GlobalSSLContextParametersSupplier.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ExpressionFactoryAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceFilter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/TrustManagersParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ExchangeFormatter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ExpressionEvaluationException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/health/HealthCheckFilter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/InvokeOnHeader.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ScheduledPollConsumerScheduler.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ComponentResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Endpoint.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/UnitOfWork.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/BatchConsumer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/NoTypeConversionAvailableException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ProcessorFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RestConfiguration.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/NoSuchPropertyException.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ErrorHandlerFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/health/HealthCheckRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ShutdownAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

```

jar/org/apache/camel/support/jsse/JsseParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/CamelEvent.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/LanguageCustomizer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Predicate.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/IdAware.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RoutePolicyFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Service.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/CircuitBreakerConstants.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/HeadersMapFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/SSLContextServerParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ResolveEndpointFailedException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/FallbackConverter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Body.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/BrowsableEndpoint.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/HeaderFilterStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/SSLContextParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ConfigurerResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/catalog/LanguageValidationResult.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RoutesBuilderLoader.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/PollingConsumer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/PropertyConfigurer.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/AfterPropertiesConfigured.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/StreamCache.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

```

jar/org/apache/camel/RuntimeExchangeException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/InterceptStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ShutdownRoute.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Producer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/component/extension/MetaDataExtension.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/annotations/Component.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/BeanRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/PropertiesSource.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/AggregationRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/StreamCacheException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/DeferServiceFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/MessageHistoryFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/OnCamelContextEvent.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/NoSuchBeanException.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/SuspendableService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Handler.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ExtendedExchange.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cluster/CamelPreemptiveClusterService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/NamespaceAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/annotations/CloudServiceFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/FailedToCreateProducerException.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/CamelExchangeException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/PackageScanFilter.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/MessageHistory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Channel.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RouteIdAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ManagementObjectNameStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ExpectedBodyTypeException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RoutePolicy.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ConfigurerStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ExpressionIllegalSyntaxException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/PropertiesFunction.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/MockSendToEndpointStrategyFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/BeanProxyFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Message.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceFilterAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceLoadBalancer.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/InflightRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/UriParams.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Policy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/EndpointAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/PollingConsumerPollStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/service/ServiceSupport.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/FluentProducerTemplate.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/InOnly.java
*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/annotations/Dataformat.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Expression.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/WrappedFile.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataFormat.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/catalog/RuntimeCamelCatalog.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/FailedToCreateConsumerException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ThreadPoolFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataFormatFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ExceptionHandler.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/BeanConfigInject.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/TypeConverter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ConsumerCache.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/package-info.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/FailedToCreateRouteException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ClaimCheckRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/DiscoverableService.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RoutesLoader.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ExecutorServiceAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/XMLRoutesDefinitionLoader.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/NoFactoryAvailableException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/PropertyBindingException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/DelegateEndpoint.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Breakpoint.java


```

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/CamelBeanPostProcessor.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/CamelLogger.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/InvalidPayloadRuntimeException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/SendDynamicAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ExpressionResultTypeAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ManagementMBeanAssembler.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/SynchronizationRouteAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/SimpleExecutorService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/TypeConversionException.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/BeanScope.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ExtendedStartupListener.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cluster/CamelPreemptiveClusterView.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ManagementStrategyFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/InOut.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ExchangeProperties.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/AsPredicate.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/UriParam.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RestRegistry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/CamelException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Synchronization.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ManagementNameStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ExchangePattern.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

```

```

jar/org/apache/camel/ExtendedCamelContext.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/service/BaseService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RestProducerFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Debugger.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/NotifyBuilderMatcher.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/KeyStoreParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ShutdownableService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/RouteAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ShutdownStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ManagementInterceptStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceDiscoveryFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/catalog/EndpointValidationResult.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/NamedRoute.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/OnCamelContextInitialized.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/TypeConverterRegistry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/EndpointStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ApiMethod.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/KeyManagersParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/WaitForTaskToComplete.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/TypeConverters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ErrorHandler.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/TypeConverterLoader.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Consume.java

```

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ComponentCustomizer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/TimeoutMap.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/CamelInternalProcessorAdvice.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/PredicateFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Tracer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/annotations/SendDynamic.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Language.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/GlobalEndpointConfiguration.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/CamelContextNameStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceDiscovery.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Injector.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ErrorHandlerAware.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/OnCamelContextStop.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/LogListener.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Consumer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/AsyncProcessor.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/TransactedPolicy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/RuntimeTransformException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/EndpointProducerResolver.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/EventNotifier.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/NoSuchEndpointException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

jar/org/apache/camel/spi/UuidGenerator.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/CamelExecutionException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/SSLContextParametersAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ProducerCache.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Configurer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/LanguageResolver.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/CatalogCamelContext.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/DeferredContextBinding.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ValidationException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/AsEndpointUri.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Registry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/PropertyInject.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RouteController.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/EndpointUriFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RouteError.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/OptimisticLockingAggregationRepository.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/CamelContextLifecycle.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/NoSuchHeaderException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/RollbackExchangeException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/RoutingSlip.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ThreadPoolProfile.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ShutdownRunningTask.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/DataTypeAware.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RestConsumerFactory.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/VetoCamelContextStartException.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Traceable.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/AlreadyStoppedException.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/UnitOfWorkFactory.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Header.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/TransformerRegistry.java

*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ProxyInstantiationException.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/FilterParameters.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Produce.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/LoadPropertiesException.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/StartupSummaryLevel.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/health/HealthCheck.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/health/HealthCheckResultBuilder.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/SecureRandomParameters.java

*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/SupervisingRouteController.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ReifierStrategy.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/RuntimeCamelException.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ApiParam.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/WrapAwareProcessor.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Builder.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/InterceptSendToEndpoint.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/health/HealthCheckConfiguration.java

*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/BootstrapCloseable.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataFormatName.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ConsumerTemplate.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataFormatContentTypeHeader.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/UriEndpoint.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/RuntimeConfiguration.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceRegistry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/OnCamelContextStopping.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/FailedToStartRouteException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/StatefulService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ErrorHandlerRedeliveryCustomizer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/BeanProcessorFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Pattern.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/ClientAuthentication.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cluster/CamelClusterEventListener.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/AsyncProcessorAwaitManager.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/PollingConsumerPollingStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/AnnotationScanTypeConverters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/OnCamelContextStarted.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceChooser.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/DelegateProcessor.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cloud/ServiceHealth.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

jar/org/apache/camel/spi/MaskingFormatter.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/TypeConverterExistsException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ModelReifierFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/EndpointConsumerResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/UriPath.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RestApiProcessorFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/LoggingLevel.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/TimerListener.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Contract.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/health/HealthCheckHelper.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/PropertiesComponent.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Category.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceChooserAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ModelToXMLDumper.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/BinaryPredicate.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/HeaderFilterStrategyAware.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/StartupListener.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/InvalidPayloadException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/EndpointRegistry.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ApiParams.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/RestApiConsumerFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ExtendedPropertyConfigurerGetter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/SecureSocketProtocolsParameters.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RestRegistryFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/catalog/ConfigurationPropertiesValidationResult.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/BulkTypeConverters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/AuthorizationPolicy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/annotations/ConstantProvider.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/AsyncProducer.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/PackageScanClassResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ClassResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/ManagementAgent.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/SharedInternalProcessor.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/SSLContextClientParameters.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/AnnotationBasedProcessorFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/OnCamelContextStart.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/RecipientList.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/CamelContext.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/TypeConverterLoaderException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/PredicateFactoryAware.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/DynamicRouter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/CamelContextTracker.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/NonManagedService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Condition.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/component/extension/ComponentVerifierExtensionHelper.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

jar/org/apache/camel/MultipleConsumersSupport.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Exchange.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/health/HealthCheckRegistry.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/LoadablePropertiesSource.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Experimental.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/BeanIntrospection.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/InterceptEndpointFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/annotations/JdkService.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/catalog/SuggestionStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/NoSuchLanguageException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/IdempotentRepository.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ServiceStatus.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/EndpointUtilizationStatistics.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/IsSingleton.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceFilterFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/catalog/JsonSchemaResolver.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ManagementStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/StartupStepRecorder.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Resource.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/TypeConverterExists.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/InvalidPropertyException.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/Metadata.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/OnCamelContextStopped.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/InternalProcessorFactory.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/AggregationStrategy.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Ordered.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/InvokeOnHeaderStrategy.java

*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/DataFormatResolver.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ProducerTemplate.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/support/jsse/CipherSuitesParameters.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/AsyncEndpoint.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/RoutesBuilder.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/GeneratedPropertyConfigurer.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/catalog/PropertiesValidationResult.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/Validator.java

*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/HasGroup.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RouteTemplateParameterSource.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/BindToRegistry.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/ExchangeProperty.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/EventFactory.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/HasCamelContext.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/Headers.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/PropertyConfigurerAware.java

*

/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/spi/RouteFactory.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/CamelUnitOfWorkException.java

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-

```

jar/org/apache/camel/Component.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ModelJAXBContextFactory.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ManagementObjectStrategy.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/Route.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/StaticExpression.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/ServiceExpressionFactory.java
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/PropertyConfigurerGetter.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/HasId.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/NormalizedEndpointUri.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/ReactiveExecutor.java
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/ManagementStatisticsLevel.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Access the underlying concrete CamelClusterView implementation to provide access to further features.
*
*
* @param clazz the proprietary class or interface of the underlying concrete CamelClusterView.
* @return an instance of the underlying concrete CamelClusterView as the required type.
*/

```

Found in path(s):

* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/org/apache/camel/cluster/CamelClusterView.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

/**

* Returns the list of configurers to apply to an { @link SSLSocketFactory } in order to fully configure it in
* compliance
with the provided configuration options. The configurers are to be applied in the order in which they
* appear in the list.

* <p/>

* It is preferred to use { @link #getSSLSocketFactorySSLSocketConfigurers(SSLContext) } instead of this
method as

* { @code SSLSocketFactory } does not contain any configuration options that are non-proprietary.

*

* @param context the context that serves as the factory for { @code SSLSocketFactory } instances

*

* @return the needed configurers

*

* @see #getSSLSocketFactorySSLSocketConfigurers(SSLContext)

*/

/**

* Returns the list of configurers to apply to an { @link SSLServerSocketFactory } in order to fully configure it in
* compliance with the provided configuration options. The configurers are to be applied in the order in which they
* appear in the list.

* <p/>

* It is preferred to use { @link #getSSLServerSocketFactorySSLServerSocketConfigurers(SSLContext) }
instead of this

* method as { @code SSLServerSocketFactory } does not contain any configuration options that are non-
proprietary.

*

* @param context the context that serves as the factory for { @code SSLServerSocketFactory } instances

```
*
* @return    the needed configurers
*
* @see      #getSSLServerSocketFactorySSLServerSocketConfigurers(SSLContext)
*/
```

Found in path(s):

```
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/BaseSSLContextParameters.java
No license file was found, but licenses were detected in source scan.
```

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/support/jsse/package.html
*
/opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-jar/META-
INF/maven/org.apache.camel/camel-api/pom.xml
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/spi/package.html
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/catalog/package.html
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cluster/package.html
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/component/extension/package.html
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/health/package.html
* /opt/cola/permits/1537034170_1674099816.8233342/0/camel-api-3-8-0-sources-1-
jar/org/apache/camel/cloud/package.html
```

1.1660 camel-base 3.8.0

1.1660.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/TypeConvertersLoader.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/ObjectConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/DefaultPropertiesParser.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextStartingEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/BaseTypeConverterRegistry.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/StepFailedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/CamelConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/SQLConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ExchangeSendingEvent.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/PropertiesLookup.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
```

jar/org/apache/camel/impl/converter/TypeConvertersPackageScanClassResolver.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/RouteStartedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/EnvPropertiesFunction.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/ServicePropertiesFunction.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/EnumTypeConverter.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/RouteRemovedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/FilePropertiesSource.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextInitializedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextStartedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextSuspendedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/StepCompletedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/IOConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextRoutesStoppingEvent.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/PropertiesLocation.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ExchangeCreatedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextRoutesStartedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/InstanceMethodTypeConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/PropertiesComponent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextStartupFailureEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/CoreTypeConverterRegistry.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextResumedEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/AbstractStepEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ServiceStopFailureEvent.java

* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/ExchangeFailedEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/StepStartedEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/RouteAddedEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/RouteStartingEvent.java
 *
 /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/converter/AsyncProcessorTypeConverter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/CamelContextResumingEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/ServiceStartupFailureEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/CamelContextSuspendingEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/CamelContextStoppedEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/converter/FastAnnotationTypeConverterLoader.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/component/properties/ServiceHostPropertiesFunction.java
 *
 /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/converter/NIOConverter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/converter/ArrayTypeConverter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/CamelContextRoutesStoppedEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/CamelContextResumeFailureEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/scan/CompositePackageScanFilter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/converter/InstanceMethodFallbackTypeConverter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/converter/ToStringTypeConverter.java
 *
 /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/converter/DefaultTypeConverter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/CamelContextStoppingEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/event/ExchangeCompletedEvent.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
 jar/org/apache/camel/impl/scan/AnnotatedWithAnyPackageScanFilter.java
 * /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-


```

jar/org/apache/camel/converter/UriTypeConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/LocationPropertiesSource.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/StaticMethodTypeConverter.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/FutureTypeConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/ServicePortPropertiesFunction.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/DefaultEventFactory.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ExchangeSentEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/AbstractContextEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/scan/InvertingPackageScanFilter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextRoutesStartingEvent.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/DurationConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/scan/AnnotatedWithPackageScanFilter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/SysPropertiesFunction.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/scan/AssignableToPackageScanFilter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/DateTimeConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/PropertiesParser.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/AbstractRouteEvent.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/AbstractLocationPropertiesSource.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ExchangeFailureHandlingEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/DefaultPropertiesLookup.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/AbstractExchangeEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextInitializingEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/ClasspathPropertiesSource.java

```

```
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/StaticMethodFallbackTypeConverter.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/AnnotationTypeConverterLoader.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/converter/CachingInjector.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/RouteStoppingEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ExchangeRedeliveryEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/CamelContextStopFailureEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/converter/CollectionConverter.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/component/properties/RefPropertiesSource.java
*
/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/ExchangeFailureHandledEvent.java
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-
jar/org/apache/camel/impl/event/RouteStoppedEvent.java
No license file was found, but licenses were detected in source scan.
```

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-jar/META-
INF/maven/org.apache.camel/camel-base/pom.xml
*
```

/opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-jar/org/apache/camel/converter/package.html
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-jar/org/apache/camel/impl/scan/package.html
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-jar/org/apache/camel/impl/converter/package.html
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-jar/org/apache/camel/component/properties/package.html
* /opt/cola/permits/1537034256_1674099864.7550108/0/camel-base-3-8-0-sources-1-jar/org/apache/camel/impl/event/package.html

1.1661 camel-base-engine 3.8.0

1.1661.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed to the Apache Software Foundation (ASF) under one or more  
* contributor license agreements. See the NOTICE file distributed with  
* this work for additional information regarding copyright ownership.  
* The ASF licenses this file to You under the Apache License, Version 2.0  
* (the "License"); you may not use this file except in compliance with  
* the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultAsyncProcessorAwaitManager.java  
*  
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/LimitedPollingConsumerPollStrategy.java  
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultCamelBeanPostProcessor.java  
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultManagementNameStrategy.java  
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultManagementStrategy.java  
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/SimpleCamelContext.java
```

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultValidatorRegistry.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultBeanIntrospection.java

*

/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultMessageHistoryFactory.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultUriFactoryResolver.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/FileStateRepository.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/debugger/BacklogTracer.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/debugger/DefaultBacklogTracerEventMessage.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultInflightRepository.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultFactoryFinderResolver.java

*

/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultComponentNameResolver.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultRoutesLoader.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/CamelInternalProcessor.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/AutowiredLifecycleStrategy.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultExecutorServiceManager.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/WebSpherePackageScanClassResolver.java

*

/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/MemoryStateRepository.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/ExplicitCamelContextNameStrategy.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultConfigurerResolver.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultFluentProducerTemplate.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultNodeIdFactory.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultSupervisingRouteController.java

* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/CustomizersLifecycleStrategy.java

*

/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultHeadersMapFactory.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultPackageScanClassResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultPackageScanResourceResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultCamelContextNameStrategy.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/SharedCamelInternalProcessor.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultChannel.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultClassResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/MDCUnitOfWork.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultConsumerTemplate.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/BasePackageScanResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/TransformerKey.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/InternalRouteController.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultInjector.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/ProvisionalEndpointRegistry.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultFactoryFinder.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/InternalRouteStartupManager.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultReactiveExecutor.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/HashMapHeadersMapFactory.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultComponentResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/CompoundIterator.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/DefaultRouteController.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/engine/OnCamelContextLifecycleStrategy.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-

```

jar/org/apache/camel/impl/engine/DefaultGlobalEndpointConfiguration.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultRouteFactory.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultProducerTemplate.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultRouteError.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultManagementStrategyFactory.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultEndpointRegistry.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultRuntimeEndpointRegistry.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultDataFormatResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultLanguageResolver.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/BootstrapFactoryFinder.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultRoute.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/RouteService.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultTransformerRegistry.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/BaseExecutorServiceManager.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/AbstractCamelContext.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/debugger/DefaultDebugger.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultShutdownStrategy.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultTracer.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultResource.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultUnitOfWork.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultUnitOfWorkFactory.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/ValidatorKey.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/EndpointKey.java

```

```
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DurationRoutePolicyFactory.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/debugger/BacklogDebugger.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/CamelPostProcessorHelper.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DurationRoutePolicy.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/AbstractDynamicRegistry.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultStreamCachingStrategy.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultServiceBootstrapCloseable.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/SubscribeMethodProcessor.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/BootstrapConfigurerResolver.java
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultInterceptEndpointFactory.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DeferServiceStartupListener.java
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-
jar/org/apache/camel/impl/engine/DefaultRouteStartupOrder.java
No license file was found, but licenses were detected in source scan.
```

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-base-engine/pom.xml
*
/opt/cola/permits/1537034307_1674099881.410027/0/camel-base-engine-3-8-0-sources-1-jar/org/apache/camel/impl/debugger/package.html
```

1.1662 camel-core-engine 3.8.0

1.1662.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-core-engine/pom.xml
*
/opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/package.html
```

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/RouteIdFactory.java
- * /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/DefaultModelReifierFactory.java
- * /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/lw/LightweightCamelContext.java
- * /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/lw/LightweightRuntimeCamelContext.java
- * /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/DefaultCamelContext.java
- * /opt/cola/permits/1537034631_1674099966.0732718/0/camel-core-engine-3-8-0-sources-1-jar/org/apache/camel/impl/DefaultModel.java

1.1663 camel-core-model 3.8.0

1.1663.1 Available under license :

```

=====
== NOTICE file corresponding to the section 4 d of           ==
== the Apache License, Version 2.0,                          ==
== in this case for the Apache Camel distribution.           ==
=====

```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of
this distribution.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1664 camel-core-processor 3.8.0

1.1664.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/package.html

*

/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/package.html

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/saga/package.html

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/transformer/package.html

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/package.html

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/validator/package.html

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-core-processor/pom.xml
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/errorhandler/package.html
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/package.html
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/idempotent/package.html
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/LoopProcessor.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/ElementComparator.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/ExceptionFailureStatistics.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/DefaultProcessorFactory.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/PipelineHelper.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/saga/SagaCompletionMode.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/AggregationStrategyMethodInfo.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/DynamicRouter.java
*

```

/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/DefaultErrorHandler.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ThrottlerRejectedExecutionException.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/RedeliveryPolicy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ScriptProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/NeverSagaProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/Throttler.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/FinallyProcessor.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/LoadBalancer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/NotSupportedSagaProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/SendDynamicAwareResolver.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/StepProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/InterceptEndpointProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/idempotent/IdempotentOnCompletion.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ClaimCheckAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/DistributionRatio.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/AggregateProcessorStatistics.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/ClosedCorrelationKeyException.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/WeightedRandomLoadBalancer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/Splitter.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RoutePipeline.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ContractAdvice.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/DelayProcessorSupport.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-

```



```

jar/org/apache/camel/processor/RemoveHeadersProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/StreamResequencer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/SendProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RemovePropertyProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/TopicLoadBalancer.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/transformer/ProcessorTransformer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/GroupedMessageAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RemovePropertiesProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/SortProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/LoadBalancerSupport.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/StickyLoadBalancer.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RemoveHeaderProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ThreadsProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/ErrorHandlerSupport.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/SagaPropagation.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/ExceptionPolicyStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/InterceptSendToEndpointProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/resequencer/MessageRejectedException.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/DefaultDeferServiceFactory.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ExchangePatternProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/NoErrorHandler.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/MemoryAggregationRepository.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/ExceptionPolicyKey.java

```

```

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/DefaultAnnotationBasedProcessorFactory.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/SagaProcessorBuilder.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/idempotent/IdempotentConsumer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/UnitOfWorkProducer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/SagaProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/Enricher.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/StringAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/DefaultAggregateController.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/SetPropertyProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/AbstractListAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/GroupedExchangeAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/StopProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/resequencer/ResequencerEngine.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/SetHeaderProcessor.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RestBindingAdvice.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/MandatorySagaProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/SendDynamicProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/RedeliveryErrorHandler.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/LogProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/resequencer/Sequence.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/errorhandler/DefaultExceptionPolicyStrategy.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/loadbalancer/LoadBalancerConsumer.java

```

* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/WrapProcessor.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/Router/RouterSlip.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/ProcessorExchangePair.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/Pipeline.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/saga/RequiresNewSagaProcessor.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/AggregationStrategyBeanAdapter.java
 *
 /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/ChoiceProcessor.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/UseLatestAggregationStrategy.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/CatchProcessor.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/AggregationStrategyParameterInfo.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/DefaultClaimCheckRepository.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/TransformProcessor.java
 *
 /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/MulticastProcessor.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/QueueLoadBalancer.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/OnCompletionProcessor.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/DefaultExchangeComparator.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/SequenceElementComparator.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/validator/ProcessorValidator.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/SamplingThrottler.java
 *
 /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/TimeoutHandler.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/GroupedBodyAggregationStrategy.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/RoundRobinLoadBalancer.java
 * /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-

jar/org/apache/camel/processor/FilterProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/WeightedRoundRobinLoadBalancer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/Timeout.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/ShareUnitOfWorkAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/PollEnricher.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/RecipientListProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/WeightedLoadBalancer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/FatalFallbackErrorHandler.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/errorhandler/ExceptionPolicy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/AggregateController.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/EvaluateExpressionProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/TryProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/aggregate/AggregationStrategyBeanInfo.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/RandomLoadBalancer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/SetBodyProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/loadbalancer/FailOverLoadBalancer.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/SequenceSender.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/errorhandler/DeadLetterChannel.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/idempotent/NoMessageIdException.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/EventNotifierProducer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/Resequencer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/Delayer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-jar/org/apache/camel/processor/resequencer/ExpressionResultComparator.java

```

*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ClaimCheckProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/resequencer/Element.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/transformer/DataFormatTransformer.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/UseOriginalAggregationStrategy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/OptimisticLockRetryPolicy.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/aggregate/AggregateProcessor.java
*
/opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/DefaultInternalProcessorFactory.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RecipientList.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/RollbackProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/RequiredSagaProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/saga/SupportsSagaProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/WireTapProcessor.java
* /opt/cola/permits/1537034779_1674100016.4263077/0/camel-core-processor-3-8-0-sources-1-
jar/org/apache/camel/processor/ThrowExceptionProcessor.java

```

1.1665 camel-core-reifier 3.8.0

1.1665.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-core-reifier/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/transformer/TransformerReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/TarFileDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/ThriftDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/UnivocityAbstractDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/JsonPathExpressionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ThrottleReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/ExpressionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/SoapJaxbDataFormatReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/BarcodeDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/MulticastReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/UniVocityTsvDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/SetBodyReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/TryReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/errorhandler/DefaultErrorHandlerReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/RemovePropertyReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/loadbalancer/CustomLoadBalancerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ProcessorReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/RouteReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/GrokDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/RecipientListReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/JacksonXMLDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/CatchReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/SamplingReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/XQueryExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/SetPropertyReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/validator/EndpointValidatorReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/FhirDataFormatReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/FlatpackDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/OnCompletionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-

jar/org/apache/camel/reifier/SagaReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/RemoveHeadersReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/WhenSkipSendToEndpointReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/UnmarshalReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/loadbalancer/RoundRobinLoadBalancerReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/CircuitBreakerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/StopReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/DataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/ZipFileDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/CsvDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/loadbalancer/LoadBalancerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/XMLSecurityDataFormatReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/CryptoDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/InterceptSendToEndpointReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/validator/ValidatorReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/RssDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/JoorExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/YAMLDataFormatReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/WireTapReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/LoadBalanceReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/JaxbDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/LogReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/EnrichReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/MarshalReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/WhenReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/Any23DataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/TransformReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/SetHeaderReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/UniVocityCsvDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/ProtobufDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/XPathExpressionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/validator/PredicateValidatorReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/transformer/EndpointTransformeReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/validator/CustomValidatorReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/errorhandler/DeadLetterChannelReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/OnFallbackReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ThrowExceptionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/BindyDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/IcalDataFormatReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/ASN1DataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/RollbackReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/OtherwiseReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/XmlRpcDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/SortReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/BeanReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-

jar/org/apache/camel/reifier/rest/RestBindingReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/DynamicRouterReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/IdempotentConsumerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/AggregateReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/JsonApiDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/PolicyReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/SetExchangePatternReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/FhirXmlDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/RemoveHeaderReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/AbstractReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/ServiceCallReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/loadbalancer/StickyLoadBalancerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/SendReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/AvroDataFormatReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/TransactedReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/language/XMLTokenizerExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/language/MethodCallExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/transformer/DataFormatTransformerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/SplitReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/UniVocityFixedWidthDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/loadbalancer/FailoverLoadBalancerReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/PipelineReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-

```

jar/org/apache/camel/reifier/ChoiceReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/ToDynamicReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/FinallyReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/SyslogDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/Base64DataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/loadbalancer/TopicLoadBalancerReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/loadbalancer/WeightedLoadBalancerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/LZFDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/errorhandler/NoErrorHandlerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/language/SimpleExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/InterceptReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/JsonDataFormatReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/loadbalancer/RandomLoadBalancerReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/language/CSimpleExpressionReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/RemovePropertiesReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/ScriptReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/CBORDataFormatReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/InterceptFromReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/dataformat/HL7DataFormatReifier.java
*
/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/StepReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/AbstractPolicyReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/FilterReifier.java
* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-
jar/org/apache/camel/reifier/DelayReifier.java

```

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ConvertBodyReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/errorhandler/ErrorHandlerRefReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/errorhandler/ErrorHandlerReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ProcessReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/DatasonnetExpressionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/FhirJsonDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/PollEnrichReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/RoutingSlipReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/language/TokenizerExpressionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ValidateReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ThreadsReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/XStreamDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/MimeMultipartDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/OnExceptionReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/PGPDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/LoopReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/GzipDataFormatReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/transformer/CustomTransformeReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/BeanioDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/ResequeneceReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/CustomDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-jar/org/apache/camel/reifier/dataformat/ZipDataFormatReifier.java

* /opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-

jar/org/apache/camel/reifier/dataformat/TidyMarkupDataFormatReifier.java

*

/opt/cola/permits/1537034866_1674100032.4778814/0/camel-core-reifier-3-8-0-sources-1-

jar/org/apache/camel/reifier/ClaimCheckReifier.java

1.1666 camel-endpointdsl 3.8.0

1.1666.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more

* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0

* (the "License"); you may not use this file except in compliance with

* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/AtomixQueueEndpointBuilderFactory.java

*

/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/InfluxDbEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/PubNubEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/MailEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/ClassEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/KubernetesReplicationControllersEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/DdbEndpointBuilderFactory.java

*

/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/FopEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/SpringLdapEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/LuceneEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ServiceNowEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DigitalSignatureEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Athena2EndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AvroEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Translate2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/EhcacheEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GraphQLEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JooqEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Web3jEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/EndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/LambdaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SparkEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/CMEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Sqs2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JBPMEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DebeziumMongodbEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GoogleDriveEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/HazelcastAtomicnumberEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/OptaplannerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ElsqlEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SagaEndpointBuilderFactory.java

```

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JCachingEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GooglePubsubEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SWFEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesResourcesQuotaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JSR356WebSocketEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SchematronEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SnmpEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/EC2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SmppEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/QuickfixjEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SdbEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GoogleSheetsStreamEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/RssEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/EtcWatchEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/XsltEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DebeziumMySQLEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/RestSwaggerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/IAM2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MockEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/CMISEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/StompEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/EKSEndpointBuilderFactory.java

```

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HazelcastSetEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MllpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/StaticEndpointBuilders.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SqlStoredEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/UndertowEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GangliaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/BeanstalkEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/StubEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/AhcEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/IAMEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/JcloudsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ClientEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/AtomixMapEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CouchbaseEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CinderEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ReactiveStreamsEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/InfinispanEmbeddedEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/AtomEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KinesisFirehose2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CaffeineCacheEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HazelcastMultimapEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ServiceEndpointBuilderFactory.java
*

/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GeoCoderEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MinioEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HazelcastRingbufferEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/RestApiEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/NeutronEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/FhirEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/IronMQEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SlackEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/JingEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/EndpointRouteBuilder.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MSK2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/QuartzEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/BonitaEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/OpenshiftBuildsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/IgniteSetEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/DataLakeEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/NatsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/QueueServiceEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MyBatisEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/EndpointBuilders.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/AtomixMessagingEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KubernetesCustomResourcesEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/BrowseEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/TwitterSearchEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/WebsocketEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MicroProfileMetricsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SpringBatchEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/PulsarEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DebeziumPostgresEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Sns2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SolrEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GoogleSheetsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MinaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SqlEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/StAXEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/LanguageEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AtlasMapEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesConfigMapsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ServerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesNodesEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KeystoneEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GoogleCalendarStreamEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KinesisFirehoseEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KafkaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/ChatScriptEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/XJEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DozerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/IgniteMessagingEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MsvEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ECSEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MyBatisBeanEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/StitchEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JsonataEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesSecretsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/VmEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ConsulEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ServletEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/XQueryEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/EKS2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JettyHttpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/HazelcastListEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/CxfRsEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/TikaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MetricsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/RefEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/BoxEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DataSetEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GoogleBigQuerySQLEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/AbstractEndpointBuilder.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/DigitalOceanEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/TwilioEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/VertxWebsocketEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/PgEventEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/RestEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/igniteQueueEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/XmppEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ThriftEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SoroushBotEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/FlatpackEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CordaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/XChangeEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/PahoMqtt5EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/TelegramEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/VertxEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/WekaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/EtcdStatsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/RedisEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/Olingo2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/EtcdKeysEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MSKEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/NsqEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MustacheEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SedaEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SesEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/JsonValidatorEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SchedulerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/LumberjackEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KameletEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KubernetesJobEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/JpaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/LdapEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SnsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CassandraEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KubernetesPodsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/FlinkEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/EventHubsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/PdfEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/RabbitMQEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/FacebookEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/DJLEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SipEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/CwEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/VelocityEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GuavaEventBusEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/LdifEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/OpenshiftBuildConfigsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/IOTAEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SimpleNotificationEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ScpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/InfinispanRemoteEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JiraEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/XsltSaxonEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SpringIntegrationEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ChunkEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/CoAPEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Ddb2StreamEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ArangoDbEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/FreemarkerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/WebhookEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KinesisEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DrillEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/BeanValidatorEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AtmosEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/SwiftEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GrapeEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/WordpressEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/PgReplicationSlotEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/TranslateEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/NettyEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DirectEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesDeploymentsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/HazelcastQueueEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesPersistentVolumesEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KMS2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ZooKeeperEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/BraintreeEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/FileWatchEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DirectVmEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AWS2EC2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KMSEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SpringRabbitMQEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MongoDbEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/CaffeineLoadCacheEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Ddb2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GoraEndpointBuilderFactory.java
*

/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HazelcastSedaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GitHubEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/Jt400EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/JGroupsRaftEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/STS2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/IPFSEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HdfsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CronEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CouchDbEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MiloServerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GoogleMailEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MQ2EndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ExecEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/AtomixValueEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KubernetesServiceAccountsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/JGroupsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KubernetesNamespacesEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/Ses2EndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/WsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SalesforceEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MasterEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HazelcastInstanceEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/YammerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/NitriteEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GridFsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DockerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/PrinterEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/S3EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ResteasyEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/HazelcastReplicatedmapEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AsteriskEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SftpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DisruptorEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SplunkHECEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DebeziumSqlServerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ZendeskEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/CometdEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GlanceEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DisruptorVmEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/VertxHttpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/LogEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/FileEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/IrcEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/XMLVerifierEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-

jar/org/apache/camel/builder/endpoint/dsl/GoogleMailStreamEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/XmlSignerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ControlBusEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/IgniteComputeEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/WeatherEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DnsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/TwitterTimelineEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MicrometerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AtomixSetEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/HttpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DataFormatEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DdbStreamEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/BeanEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/StringTemplateEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JcrEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SshEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AtomixMultiMapEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JsltEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KuduEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AWS2S3EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/EventEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Lambda2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/IgniteIdGenEndpointBuilderFactory.java

*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Cw2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/TwitterDirectMessageEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/WorkdayEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/PlatformHttpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SpringWebserviceEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/DropboxEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MvelEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/QueueEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/BlobServiceEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesHPAEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JoltEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ZooKeeperMasterEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/KubernetesPersistentVolumesClaimsEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GrpcEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Olingo4EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/FtpEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/TimerEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ElasticsearchEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/NetWeaverEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JdbcEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/PahoEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/GoogleBigQueryEndpointBuilderFactory.java

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/KubernetesServicesEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/VertxKafkaEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SplunkEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HBaseEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/AtmosphereWebsocketEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/HazelcastMapEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GoogleCalendarEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ECS2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/igniteEventsEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/DataSetTestEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CxfEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/NagiosEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/BlobEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/MQEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ApnsEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/CryptoCmsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/RestOpenApiEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/GitEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/EventbridgeEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/SqsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/ValidatorEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/org/apache/camel/builder/endpoint/dsl/RobotFrameworkEndpointBuilderFactory.java

```
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/HazelcastTopicEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/StreamEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Kinesis2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JMXEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/NovaEndpointBuilderFactory.java
*
```

```
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/MiloClientEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/OAIPMHEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AS2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/igniteCacheEndpointBuilderFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
/**
```

```
    * Use this option to force disabling time to live. For example when you
    * do request/reply over JMS, then
```

Camel will by default use the

```
    * requestTimeout value as time to live on the message being sent. The
    * problem is that the sender and receiver systems have to have their
    * clocks synchronized, so they are in sync. This is not always so easy
    * to archive. So you can use disableTimeToLive=true to not set a time
    * to live value on the sent message. Then the message will not expire
    * on the receiver system. See below in section About time to live for
    * more details.
```

```
*
* The option is a: <code>boolean</code> type.
*
* Default: false
* Group: producer (advanced)
*
* @param disableTimeToLive the value to set
* @return the dsl builder
*/
```

Found in path(s):

```
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/Sjms2EndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/ActiveMQEndpointBuilderFactory.java
*
/opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/SjmsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/JmsEndpointBuilderFactory.java
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/AMQPEndpointBuilderFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* The exec protection level PROT command. C - Clear S - Safe(SSL
* protocol only) E - Confidential(SSL protocol
only) P - Private.
*
* The option is a: <code>java.lang.String</code> type.
*
* Group: security
*/
```

```
*
* @param execProt the value to set
* @return the dsl builder
*/
```

Found in path(s):

```
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/FtpsEndpointBuilderFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
/**
```

```
* To use a shared Netty HTTP server. See Netty HTTP Server Example for
* more details.
```

```
*
```

```
* The option is a:
```

```
* <code>org.apache.camel.component.netty.http.NettySharedHttpServer</code> type.
```

```
*
```

```
* Group: consumer (advanced)
```

```
*
```

```
* @param nettySharedHttpServer the value to set
```

```
* @return the dsl builder
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-
jar/org/apache/camel/builder/endpoint/dsl/NettyHttpEndpointBuilderFactory.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more

contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1537035153_1674100122.6871197/0/camel-endpointdsl-3-8-0-sources-jar/META-INF/maven/org.apache.camel/camel-endpointdsl/pom.xml

1.1667 camel-management-api 3.8.0

1.1667.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/package.html

*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-management-api/pom.xml
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/package.html
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSamplingThrottlerMBean.java

*

/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedAggregateProcessorMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedLogMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSuspendableRouteMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/NotificationSender.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThrottlingInflightRoutePolicyMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRouteMBean.java

*

/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedPollEnricherMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/ManagedOperation.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRemoveHeadersMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-

jar/org/apache/camel/api/management/mbean/ManagedProducerCacheMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedRollbackMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedChoiceMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedRecipientListMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedConsumerCacheMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/ManagedInstance.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/ManagedNotifications.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedMarshalMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedStepMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedStopMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedDynamicRouterMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedIdempotentConsumerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedFilterMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedRuntimeEndpointRegistryMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedTransformMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedSetHeaderMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedValidateMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedMulticastMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedClusterServiceMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedPerformanceCounterMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedUnmarshalMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedServiceMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedStickyLoadBalancerMBean.java

*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedBacklogTracerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedBeanIntrospectionMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedResourceEndpointMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/BacklogTracerEventMessage.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedProcessorMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThroughputLoggerMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/NotificationSenderAware.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRemovePropertiesMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedDelayerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThrowExceptionMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedAsyncProcessorAwaitManagerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedTopicLoadBalancerMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSendProcessorMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRemovePropertyMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThrottlerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedResequencerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedInflightRepositoryMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRandomLoadBalancerMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/RouteError.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRoundRobinLoadBalancerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThrottlingExceptionRoutePolicyMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedTracerMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRestRegistryMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedFailoverLoadBalancerMBean.java

*

/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedWireTapMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedTransformerRegistryMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSendDynamicProcessorMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRemoveHeaderMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSetBodyMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/ManagedAttribute.java

*

/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThreadsMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSetExchangePatternMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedExtendedInformation.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/ManagedResource.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedValidatorRegistryMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedEndpointRegistryMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/ManagedCamelContext.java

*

/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedStreamCachingStrategyMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSplitterMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedClaimCheckMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedBeanMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedCamelContextMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedConvertBodyMBean.java

*

/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedLoopMBean.java

* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedProcessMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedBacklogDebuggerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedCounterMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/ManagedNotification.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedScriptMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedCamelHealthMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedEndpointMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedThreadPoolMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedTypeConverterRegistryMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSupervisingRouteControllerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedConsumerMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ComponentVerifierExtension.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedWeightedBalancerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedSchedulePollConsumerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRoutingSlipMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/JmxSystemPropertyKeys.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedBrowsableEndpointMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedRouteControllerMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedComponentMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedDataFormatMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedProducerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-jar/org/apache/camel/api/management/mbean/ManagedEnricherMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-

```
jar/org/apache/camel/api/management/JmxNotificationBroadcasterAware.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedSetPropertyMBean.java
*
/opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/ManagedCustomLoadBalancerMBean.java
* /opt/cola/permits/1537038220_1674100236.4020932/0/camel-management-api-3-8-0-sources-1-
jar/org/apache/camel/api/management/mbean/CamelOpenMBeanTypes.java
```

1.1668 camel-rabbitmq 3.8.0

1.1668.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/META-INF/maven/org.apache.camel/camel-rabbitmq/pom.xml
```

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQProducer.java
- *
- /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/ReplyHolder.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQComponent.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/pool/PoolableChannelFactory.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQEndpoint.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/ReplyManager.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/ReplyToType.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQConstants.java
- *
- /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQMessageConverter.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/TemporaryQueueReplyHandler.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQConsumer.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/ReplyHandler.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/UseMessageIdAsCorrelationIdMessageSentCallback.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/CorrelationTimeoutMap.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/MessageSentCallback.java
- *
- /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQSendDynamicAware.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/RabbitMQConnectionFactorySupport.java
- * /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-jar/org/apache/camel/component/rabbitmq/reply/TemporaryQueueReplyManager.java

```
* /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-
jar/org/apache/camel/component/rabbitmq/RabbitConsumer.java
* /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-
jar/org/apache/camel/component/rabbitmq/RabbitMQMessagePublisher.java
* /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-
jar/org/apache/camel/component/rabbitmq/reply/QueueReplyHandler.java
*
/opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-
jar/org/apache/camel/component/rabbitmq/RabbitMQHeaderFilterStrategy.java
* /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-
jar/org/apache/camel/component/rabbitmq/reply/ReplyManagerSupport.java
* /opt/cola/permits/1537038304_1674100265.6179967/0/camel-rabbitmq-3-8-0-sources-
jar/org/apache/camel/component/rabbitmq/RabbitMQDeclareSupport.java
```

1.1669 camel-support 3.8.0

1.1669.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/CamelContextHelper.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/EventDrivenPollingConsumer.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/ResourceEndpoint.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/AsyncProcessorSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
```



```

jar/org/apache/camel/support/builder/Namespaces.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/MessageHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ReactiveHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ScriptHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/saga/CamelSagaStep.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/builder/BinaryPredicateSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/converter/stream/StreamCacheConverter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/PropertyBindingSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cache/EventNotifierCallback.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/extension/verifier/NoSuchOptionException.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ExpressionListComparator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/converter/stream/InputStreamCache.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/MessageSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cache/PollingConsumerServicePool.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ChildServiceSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/management/NotificationSenderAdapter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/extension/verifier/IllegalOptionException.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/converter/stream/ByteArrayInputStreamCache.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/builder/ExpressionBuilder.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/extension/verifier/DefaultComponentVerifierExtension.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/InputStreamIterator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/idempotent/FileIdempotentRepository.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/EndpointUriFactorySupport.java

```

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultComponent.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/PropertyNamesInterceptor.java

*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/jndi/IndiContext.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/DelegateSyncProcessor.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/AbstractApiProducer.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/converter/stream/CachedByteArrayOutputStream.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/IntrospectionSupport.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/TimeoutMapEntry.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultScheduledPollConsumer.java

*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/ApiConsumerHelper.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/startup/DefaultStartupStepRecorder.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/AbstractApiComponent.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/ApiMethodPropertiesHelper.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/NoLock.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/builder/TokenXMLExpressionIterator.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ExchangeHelper.java

*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/jndi/IndiBeanRepository.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/GroupIterator.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultRegistry.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/language/AnnotationExpressionFactory.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/builder/PredicateBuilder.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/AsyncCallbackToCompletableFutureAdapter.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-

jar/org/apache/camel/support/PredicateToExpressionAdapter.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ExpressionAdapter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultPollingConsumerPollStrategy.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/RestComponentHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ApiCollection.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ApiMethodArg.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/AbstractApiConfiguration.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultEndpointUtilizationStatistics.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultLRUCacheFactory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/CamelLogProcessor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/GZIPHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/AsyncProcessorHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/SimpleTypeConverter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/SimpleEventNotifierSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/language/DefaultAnnotationExpressionFactory.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/LRUCache.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/AbstractApiEndpoint.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/saga/InMemorySagaService.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/LifecycleStrategySupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/saga/CamelSagaCoordinator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/jndi/CamelSingletonInitialContextFactory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/BridgeExceptionHandlerToErrorHandler.java
*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/CustomizersSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/verifier/OptionsGroup.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/GroupTokenIterator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ResourceHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/startup/LoggingStartupStepRecorder.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/throttling/ThrottlingExceptionHalfOpenHandler.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/idempotent/MemoryIdempotentRepository.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/saga/CamelSagaService.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/ApiMethodHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultInterceptSendToEndpoint.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/verifier/ComponentVerifierException.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/HeaderFilterStrategyComponent.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ExpressionComparator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/UnmarshalProcessor.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/metadata/MetaDataBuilder.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ScheduledBatchPollingConsumer.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/cluster/ClusterServiceHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ObjectHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/PredicateAssertHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/DefaultExchangeFormatter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/SynchronizationAdapter.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/UnitOfWorkHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-

jar/org/apache/camel/support/LanguageSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/extension/verifier/DefaultResult.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/PlatformHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/EventNotifierSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/NormalizedUri.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cache/ProducerServicePool.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/PropertyConfigurerSupport.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/extension/verifier/ResultBuilder.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/converter/stream/FileInputStreamCache.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ApiMethod.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultTimeoutMap.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultPollingEndpoint.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/saga/InMemorySagaCoordinator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/component/extension/verifier/ResultErrorHelper.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ApiMethodParser.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ExpressionSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ProcessorPollingConsumer.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/VanillaUuidGenerator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/BreakpointSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/language/LanguageAnnotation.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/LazyStartProducer.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/PatternHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/AbstractApiConsumer.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultDataFormat.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/startup/DefaultStartupStep.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/AsyncProcessorConverterHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/OrderedComparator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/verifier/ResultErrorBuilder.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/converter/stream/ReaderCache.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/converter/stream/CachedOutputStream.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/language/NamespacePrefix.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultScheduledPollConsumerScheduler.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/builder/TokenPairExpressionIterator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/DefaultMaskingFormatter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ClassicUuidGenerator.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/EmptyAsyncCallback.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ExpressionToPredicateAdapter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/verifier/DefaultResultVerificationError.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/SimpleUuidGenerator.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/LoggingExceptionHandler.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/management/DefaultManagementMBeanAssembler.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/PredicateValidatingProcessor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/cache/ServicePool.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultHeaderFilterStrategy.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultProducer.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-

jar/org/apache/camel/support/DefaultMessageHistory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ConstantExpressionAdapter.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/TypedProcessorFactory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/EventHelper.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultThreadPoolFactory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DeferProducer.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/SimpleRegistry.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cluster/RebalancingCamelClusterService.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/DelegateAsyncProcessor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/converter/stream/CipherPair.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/EndpointHelper.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ResolverHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/RestProducerFactoryHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/SynchronousDelegateProducer.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ApiMethodImpl.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/SendDynamicAwareSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/PropertyConfigurerHelper.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cache/DefaultConsumerCache.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cache/DefaultProducerCache.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/MarshalProcessor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/throttling/ThrottlingExceptionRoutePolicy.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/throttling/ThrottlingInflightRoutePolicy.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultUuidGenerator.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultExchangeHolder.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ScheduledPollConsumer.java

*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/TimerListenerManager.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultConsumer.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/cluster/AbstractCamelClusterService.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/processor/PredicateValidationException.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/builder/ValueBuilder.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/management/MBeanInfoAssembler.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/metadata/AbstractMetaDataExtension.java

*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/builder/RecordableInputStream.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultMessage.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/PollingConsumerSupport.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/RoutePolicySupport.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/DefaultExchange.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/cluster/ClusterServiceSelectors.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/CamelObjectInputStream.java

*

/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/PropertiesInterceptor.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/TypeConverterSupport.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/ScheduledPollEndpoint.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/builder/OutputStreamBuilder.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/verifier/CatalogVerifierCustomizer.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/metadata/DefaultMetaData.java

* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-

jar/org/apache/camel/support/DefaultAsyncProducer.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cluster/AbstractCamelClusterView.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ResultInterceptor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/DelegateProcessor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/jndi/CamelInitialContextFactory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/ConvertBodyProcessor.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/management/MixinRequiredModelMBean.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/HeaderSelectorProducer.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/DefaultEndpoint.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/cache/EmptyProducerCache.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/LRUCacheFactory.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/RoutesBuilderLoaderSupport.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/ProcessorEndpoint.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/RestConsumerContextPathMatcher.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/processor/ThroughputLogger.java
*
/opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ApiName.java
* /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-
jar/org/apache/camel/support/component/ArgumentSubstitutionParser.java
No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/saga/package.html
- *
- /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/component/package.html
- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/converter/stream/package.html
- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/metadata/package.html
- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-support/pom.xml
- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/component/extension/verifier/package.html
- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/jndi/package.html
- * /opt/cola/permits/1537042201_1674100404.5382726/0/camel-support-3-8-0-sources-1-jar/org/apache/camel/support/package.html

1.1670 camel-util 3.8.0

1.1670.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/package.html

*

/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/META-INF/maven/org.apache.camel/camel-util/pom.xml

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/package.html

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/backoff/package.html

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/package.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more

* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0

* (the "License"); you may not use this file except in compliance with

* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/PropertiesHelper.java

*

/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/SkipIterator.java

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/RejectableFutureTask.java

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/Scanner.java

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/CollectionHelper.java

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/DoubleMap.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/backoff/BackOff.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingBiFunction.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingBiConsumer.java
 *
 /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/ObjectHelper.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/ReferenceCount.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/URIScanner.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/KeyValueHolder.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/SubmitOrderedCompletionService.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingRunnable.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/FilterIterator.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/Predicates.java
 *
 /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/SynchronousExecutorService.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/LockHelper.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/InetAddressUtil.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/IOHelper.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/CastUtils.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/StreamUtils.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/Suppliers.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/backoff/BackOffTimerTask.java
 *
 /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/CaseInsensitiveMap.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/AntPathMatcher.java
 * /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-

```

jar/org/apache/camel/util/HostUtils.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/UnsafeUriCharactersEncoder.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/concurrent/RejectableScheduledThreadPoolExecutor.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/function/Bindings.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/function/ThrowingTriConsumer.java
*
/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/TimeUtils.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/concurrent/SizedScheduledExecutorService.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/function/TriConsumer.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/Pair.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/OgnlHelper.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/concurrent/RejectableThreadPoolExecutor.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/CamelURIParser.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/OrderedProperties.java
*
/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/URISupport.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/backoff/BackOffTimer.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/FilePathResolver.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/FileUtil.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/IntrospectionSupport.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/UnitUtils.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/StringHelper.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/ReflectionHelper.java
*
/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/StringQuoteHelper.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-
jar/org/apache/camel/util/SensitiveUtils.java

```

* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/ThreadHelper.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/Rejectable.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/AsyncCompletionService.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/BufferCaster.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingConsumer.java
*
/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingToLongFunction.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingFunction.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/StopWatch.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/CamelThreadFactory.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingHelper.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/concurrent/ThreadPoolRejectedPolicy.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/function/ThrowingSupplier.java
* /opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/CollectionStringBuffer.java
*
/opt/cola/permits/1537042640_1674100469.1058054/0/camel-util-3-8-0-sources-1-jar/org/apache/camel/util/PackageHelper.java

1.1671 printj 1.1.2

1.1671.1 Available under license :

Copyright (C) 2016-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.1672 punycode 2.3.0

1.1672.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1673 http-cache-semantics 4.1.1

1.1673.1 Available under license :

Copyright 2016-2018 Kornel Lesiski

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS

OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

1.1674 nise 5.1.4

1.1674.1 Available under license :

(The BSD License)

Copyright (c) 2010-2017, Christian Johansen, christian@cjhansen.no
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * Neither the name of Christian Johansen nor the names of his contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1675 jackson-datatype-jsr310 2.12.7

1.1675.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.1676 ssf 0.11.2

1.1676.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2013-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1677 wmf 1.0.2

1.1677.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2020-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1678 minimist 1.2.8

1.1678.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1679 async-each 1.0.6

1.1679.1 Available under license :

MIT License

Copyright (c) 2016 Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1680 body-parser 1.20.2

1.1680.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1681 raw-body 2.5.2

1.1681.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1682 css-to-react-native 3.2.0

1.1682.1 Available under license :

MIT License

Copyright (c) 2016 Jacob Parker and Maximilian Stoiber

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1683 classmate 1.0.0

1.1683.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

1.1684 checker-qual 3.31.0

1.1684.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1685 regexpu-core 5.3.2

1.1685.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1686 @babel/plugin-proposal-json-strings

7.18.6

1.1686.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1687 @babel/plugin-proposal-private-methods 7.18.6

1.1687.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1688 @babel/plugin-proposal-export-namespace-from 7.18.9

1.1688.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1689 registry-auth-token 4.2.2

1.1689.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Espen Hovlandsdal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1690 spdx-license-ids 3.0.13

1.1690.1 Available under license :

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE

LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;

- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such directive); and

- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she

will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

1.1691 aws4 1.12.0

1.1691.1 Available under license :

Copyright 2013 Michael Hart (michael.hart.au@gmail.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.1692 netty-tcnative 2.0.9.Final

1.1692.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: A Mavenized fork of Tomcat Native which incorporates various patches. This artifact is dynamically linked to OpenSSL and Apache APR.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.tcnative

Archiver-Version: Plexus Archiver

Built-By: Norman Maurer

Bnd-LastModified: 1529054224310

Bundle-ManifestVersion: 2

Bundle-DocURL: <http://netty.io/>

Bundle-Vendor: The Netty Project

Tool: Bnd-2.1.0.20130426-122213

Export-Package: io.netty.internal.tcnative;version="2.0.9.Final"

Bundle-Name: Netty/TomcatNative [OpenSSL - Dynamic]

Bundle-Version: 2.0.9.Final

Bundle-NativeCode: META-INF/native/netty_tcnative.dll;osname=win32;processor=x86_64

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0_74

Found in path(s):

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/Buffer.java
* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/SSL.java
* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/SSLContext.java
* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/Library.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/CertificateVerifier.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/NativeStaticallyReferencedJniMethods.java

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/SniHostNameMatcher.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-jar/io/netty/internal/tcnative/SessionTicketKey.java

* /opt/cola/permits/1611864944_1680773443.2602112/0/netty-tcnative-2-0-9-final-sources-2-

1.1693 grpc-protobuf 1.9.0

1.1693.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016, gRPC Authors All rights reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1616858697_1679961830.8806806/0/grpc-protobuf-1-9-0-sources-1-
jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017, gRPC Authors All rights reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1616858697_1679961830.8806806/0/grpc-protobuf-1-9-0-sources-1-
jar/io/grpc/protobuf/StatusProto.java
```

```
* /opt/cola/permits/1616858697_1679961830.8806806/0/grpc-protobuf-1-9-0-sources-1-
jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1616858697_1679961830.8806806/0/grpc-protobuf-1-9-0-sources-1-
jar/io/grpc/protobuf/package-info.java
*
/opt/cola/permits/1616858697_1679961830.8806806/0/grpc-protobuf-1-9-0-sources-1-
jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014, gRPC Authors All rights reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1616858697_1679961830.8806806/0/grpc-protobuf-1-9-0-sources-1-
jar/io/grpc/protobuf/ProtoUtils.java
```

1.1694 redux 4.2.1

1.1694.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1695 grpc-netty 1.9.0

1.1695.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017, gRPC Authors All rights reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/MaxConnectionIdleManager.java

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/KeepAliveEnforcer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016, gRPC Authors All rights reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless
* required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/GrpcHttp2HeadersUtils.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016, gRPC Authors All rights reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/GrpcHttp2ConnectionHandler.java

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/GracefulCloseCommand.java

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-

```
jar/io/grpc/netty/ClientTransportLifecycleManager.java
*
/opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/StreamIdHolder.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/InternalHandlerSettings.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/InternalNettyServerBuilder.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/HandlerSettings.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/InternalNettyChannelBuilder.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/ForcefulCloseCommand.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/GrpcHttp2OutboundHeaders.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/AbstractHttp2Headers.java
*
/opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/NettyHandlerSettings.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014, gRPC Authors All rights reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/NettyClientTransport.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/NettyClientHandler.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/SendResponseHeadersCommand.java
*
```

/opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NegotiationType.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/CreateStreamCommand.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/CancelClientStreamCommand.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyServerHandler.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/Utils.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyReadableBuffer.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyServerBuilder.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyServerStream.java
*

/opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyChannelBuilder.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/SendGrpcFrameCommand.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyServerTransport.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyServer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015, gRPC Authors All rights reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyWritableBuffer.java

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/NettyWritableBufferAllocator.java

* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-jar/io/grpc/netty/package-

```

info.java
*
/opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/NettyChannelProvider.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/CancelServerStreamCommand.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/AbstractNettyHandler.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/JettyTlsUtil.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/NettyServerProvider.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/WriteQueue.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/NettyClientStream.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/GrpcSslContexts.java
*
/opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/ProtocolNegotiators.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/SendPingCommand.java
* /opt/cola/permits/1628852058_1680728896.6341095/0/grpc-netty-1-9-0-sources-1-
jar/io/grpc/netty/ProtocolNegotiator.java

```

1.1696 uuid-creator 5.2.0

1.1696.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>MIT License</name>

Found in path(s):

```

* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-jar/META-
INF/maven/com.github.f4b6a3/uuid-creator/pom.xml

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* MIT License

```

```

*

```

```

* Copyright (c) 2018-2022 Fabio Lima

```

```

*

```

```

* Permission is hereby granted, free of charge, to any person obtaining a copy

```

```

* of this software and associated documentation files (the "Software"), to deal

```

```

* in the Software without restriction, including without limitation the rights

```

```

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

```

* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
* FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/NameBasedSha1Factory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/UuidComparator.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/Base62Codec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/ClockSeqFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/internal/RandomUtil.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/Base64Codec.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/other/NcnameCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/enums/UuidVersion.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/DefaultTimeFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/Base32Codec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/UuidTime.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/DefaultClockSeqFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/TimeOrderedFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/exception/InvalidUuidException.java
*

/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/enums/UuidLocalDomain.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/AbstRandomBasedFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/NoArgsFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/DceSecurityFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/TimeOrderedEpochFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/BaseNCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/nonstandard/PrefixCombFactory.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/MachineId.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/Base32Encoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/UuidFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/RandomFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/UuidValidator.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/BaseN.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/HashNodeIdFunction.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/other/DotNetGuid4Codec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/other/TimeOrderedCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/Base64UrlCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/NodeIdFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/immutable/CharArray.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/BaseNRemainderDecoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/Base16Encoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/nonstandard/ShortSuffixCombFactory.java
*

/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/Base16Decoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/BinaryCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/Base16Codec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/AbstTimeBasedFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/UuidCreator.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/nonstandard/ShortPrefixCombFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/internal/SettingsUtil.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/DefaultNodeIdFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/NameBasedMd5Factory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/enums/UuidVariant.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/StringCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/immutable/LongArray.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/UrnCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/other/DotNetGuid1Codec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/MacNodeIdFunction.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/Base58BtcCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/DefaultRandomFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/CombUtil.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/UriCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/BaseNEncoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/RandomBasedFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/internal/NetworkUtil.java
*


```

/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/enums/UuidNamespace.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/RandomNodeIdFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/UuidUtil.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/Base64Decoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/util/internal/ByteUtil.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/other/SlugCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/impl/WindowsTimeFunction.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/UuidCodec.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/Base64Encoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/function/TimeFunction.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/nonstandard/SuffixCombFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/AbstCombFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/Base32Decoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/rfc4122/TimeBasedFactory.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/factory/AbstNameBasedFactory.java
*
/opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/BaseNRemainderEncoder.java
* /opt/cola/permits/1635667665_1681295317.355/0/uuid-creator-5-2-0-sources-
jar/com/github/f4b6a3/uuid/codec/base/function/BaseNDecoder.java

```

1.1697 xml-apis 1.4.01

1.1697.1 Available under license :

```

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====

```

Apache XML Commons XML APIs

Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at
<http://www.saxproject.org/> for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip>
(COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer

be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the
W3C Software Copyright Notice and License could
be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under
the following license. By using and/or copying this document, or the W3C
document from which this statement is linked, you (the licensee) agree that
you have read, understood, and will comply with the following terms and
conditions:

Permission to copy, and distribute the contents of this document, or the W3C
document from which this statement is linked, in any medium for any purpose
and without fee or royalty is hereby granted, provided that you include the
following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing
copyright notice of the original author, or if it
doesn't exist, a notice (hypertext is preferred, but a textual
representation is permitted) of the form: "Copyright [date-of-document]
World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio
University). All Rights Reserved."
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be
provided. We request that authorship attribution be provided in any software,

documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$

1.1698 immutability-helper 3.1.1

1.1698.1 Available under license :

MIT License

Copyright (c) 2017 Moshe Kolodny

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1699 grpc-stub 1.9.0

1.1699.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017, gRPC Authors All rights reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-jar/io/grpc/stub/package-

info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015, gRPC Authors All rights reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-
jar/io/grpc/stub/StreamObservers.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016, gRPC Authors All rights reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-
jar/io/grpc/stub/ClientCallStreamObserver.java
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-
jar/io/grpc/stub/ClientResponseObserver.java
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-
jar/io/grpc/stub/CallStreamObserver.java
*
```

```
/opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-  
jar/io/grpc/stub/ServerCallStreamObserver.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014, gRPC Authors All rights reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-  
jar/io/grpc/stub/AbstractStub.java
```

```
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-  
jar/io/grpc/stub/ServerCalls.java
```

```
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-jar/io/grpc/stub/ClientCalls.java
```

```
*
```

```
/opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-  
jar/io/grpc/stub/MetadataUtils.java
```

```
* /opt/cola/permits/1660936762_1683012654.2848506/0/grpc-stub-1-9-0-sources-1-  
jar/io/grpc/stub/StreamObserver.java
```

1.1700 date-fns 2.30.0

1.1700.1 Available under license :

MIT License

Copyright (c) 2021 Sasha Koss and Lesha Koss <https://kossnocorp.mit-license.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1701 cyclist 1.0.2

1.1701.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1702 des.js 1.1.0

1.1702.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# DES.js
```

```
## LICENSE
```

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2015.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

* /opt/cola/permits/1702326789_1685609768.2929935/0/des-js-1-1-0-tgz/package/README.md

1.1703 postgresql 42.6.0

1.1703.1 Available under license :

Copyright (c) 1997, PostgreSQL Global Development Group
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1704 resilience4j-ratelimiter 1.7.1

1.1704.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2016 Robert Winkler and Bohdan Storozhuk
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/internal/SemaphoreBasedRateLimiter.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/internal/AtomicRateLimiter.java
*
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/event/RateLimiterOnSuccessEvent.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/internal/InMemoryRateLimiterRegistry.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/event/AbstractRateLimiterEvent.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/RateLimiter.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-
```

jar/io/github/resilience4j/ratelimiter/event/RateLimiterEvent.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/event/RateLimiterOnFailureEvent.java
*
/opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/RateLimiterConfig.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/RequestNotPermitted.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/event/RateLimiterOnDrainedEvent.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/internal/RateLimiterEventProcessor.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/RateLimiterRegistry.java
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2018: Clint Checketts
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*
*/

Found in path(s):

* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/event/package-info.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/utils/package-info.java
*
/opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/internal/package-info.java
* /opt/cola/permits/1722502997_1686909457.5096498/0/resilience4j-ratelimiter-1-7-1-sources-3-jar/io/github/resilience4j/ratelimiter/package-info.java

1.1705 @babel/plugin-syntax-export-default-from 7.22.5

1.1705.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1706 @babel/plugin-proposal-private-property-in-object 7.21.11

1.1706.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1707 @babel/helper-function-name 7.22.5

1.1707.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1708 @babel/helper-environment-visitor 7.22.5

1.1708.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1709 update-browserslist-db 1.0.11

1.1709.1 Available under license :

The MIT License (MIT)

Copyright 2022 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1710 node-releases 2.0.13

1.1710.1 Available under license :

The MIT License

Copyright (c) 2017 Sergey Rubanov (<https://github.com/chicoxyzyzy>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1711 semver 5.7.2

1.1711.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR

1.1712 react-router 5.3.4

1.1712.1 Available under license :

MIT License

Copyright (c) React Training 2015-2019

Copyright (c) Remix Software 2020-2022

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1713 react-router-dom 5.3.4

1.1713.1 Available under license :

MIT License

Copyright (c) React Training 2015-2019

Copyright (c) Remix Software 2020-2022

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1714 babel-plugin-styled-components 2.1.4

1.1714.1 Available under license :

MIT License

Copyright (c) 2016-present Vladimir Danchenkov and Maximilian Stoiber

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1715 styled-components 5.3.11

1.1715.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-components.js","sources":["../src/utils/isStyledComponent.js","../src/utils/interleave.js","../src/utils/isPlainObject.js","../src/utils/empties.js","../src/utils/isFunction.js","../src/utils/getComponentName.js","../src/constants.js","../src/utils/error.js","../src/utils/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sheet/Rehydraton.js","../src/utils/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utils/generateAlph
```



```

oldBuffer = this.groupSizes;\n    const oldSize = oldBuffer.length;\n\n    let newSize = oldSize;\n    while (group
>= newSize) {\n    newSize <<= 1;\n    if (newSize < 0) {\n    throwStyledError(16, `${group}`);\n    }\n    }\n\n    this.groupSizes = new Uint32Array(newSize);\n    this.groupSizes.set(oldBuffer);\n    this.length =
newSize;\n    for (let i = oldSize; i < newSize; i++) {\n    this.groupSizes[i] = 0;\n    }\n    }\n\n    let ruleIndex
= this.indexOfGroup(group + 1);\n    for (let i = 0, l = rules.length; i < l; i++) {\n    if (this.tag.insertRule(ruleIndex,
rules[i])) {\n    this.groupSizes[group]++;;\n    ruleIndex++;;\n    }\n    }\n    }\n\n    clearGroup(group: number):
void {\n
    if (group < this.length) {\n    const length = this.groupSizes[group];\n    const startIndex =
this.indexOfGroup(group);\n    const endIndex = startIndex + length;\n\n    this.groupSizes[group] = 0;\n\n    for
(let i = startIndex; i < endIndex; i++) {\n    this.tag.deleteRule(startIndex);\n    }\n    }\n    }\n\n    getGroup(group:
number): string {\n    let css = ";\n    if (group >= this.length || this.groupSizes[group] === 0) {\n    return css;\n
}\n\n    const length = this.groupSizes[group];\n    const startIndex = this.indexOfGroup(group);\n    const endIndex
= startIndex + length;\n\n    for (let i = startIndex; i < endIndex; i++) {\n    css +=
`${this.tag.getRule(i)}${SPLITTER}`;\n    }\n\n    return css;\n    }\n    }\n\n    @flow\n\n    @import throwStyledError from
'./utils/error';\n\n    const MAX_SMI = 1 << 31 - 1;\n\n    let groupIDRegister: Map<string, number> = new Map();\n    let
reverseRegister: Map<number, string> = new Map();\n    let nextFreeGroup = 1;\n\n    export const
resetGroupIds = () => {\n    groupIDRegister = new Map();\n    reverseRegister = new Map();\n    nextFreeGroup =
1;\n    }\n\n    export const getGroupForId = (id: string): number => {\n    if (groupIDRegister.has(id)) {\n    return
(groupIDRegister.get(id): any);\n    }\n\n    while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;;\n
}\n\n    const group = nextFreeGroup++;;\n    if (\n    process.env.NODE_ENV !== 'production' &&\n    ((group | 0) <
0 || group > MAX_SMI)\n    ) {\n    throwStyledError(16, `${group}`);\n    }\n\n    groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n    return group;\n    }\n\n    export const getIdForGroup = (group: number): void | string
=> {\n    return reverseRegister.get(group);\n    }\n\n    export const setGroupForId = (id: string, group: number) => {\n    if
(group >= nextFreeGroup) {\n    nextFreeGroup = group + 1;\n    }\n\n    groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n    }\n    }\n\n    @flow\n\n    @import { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION,
SC_VERSION } from './constants';\n    @import { getIdForGroup, setGroupForId } from './GroupIDAllocator';\n    @import
type { Sheet } from './types';\n\n    const SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n\n    const MARKER_RE = new
RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\w\\\\\\\\d-)+)(\\\\\\\\].*?)([^\"]*)`);\n\n    export const outputSheet =
(sheet: Sheet) => {\n    const tag = sheet.getTag();\n    const { length } = tag;\n\n    let css = ";\n    for (let group = 0;
group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined) continue;\n\n    const
names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules || !names.size)
continue;\n\n    const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n\n    let content = ";\n    if (names !==
undefined) {\n    names.forEach(name => {\n    if (name.length > 0) {\n    content += `${name},`;\n    }\n
});\n    }\n\n    // NOTE: It's easier to collect
rules and have the marker\n    // after the actual rules to simplify the rehydration\n    css +=
`${rules}${selector}{content: "${content}"}${SPLITTER}`;\n    }\n\n    return css;\n    }\n\n    const
rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n    const names = content.split(',');\n
let name;\n    for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if ((name = names[i]))
{\n    sheet.registerName(id, name);\n    }\n    }\n    }\n\n    const rehydrateSheetFromTag = (sheet: Sheet, style:
HTMLStyleElement) => {\n    const parts = (style.textContent || "").split(SPLITTER);\n    const rules: string[] = [];\n
for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n\n    const marker =
part.match(MARKER_RE);\n\n    if (marker) {\n    const group = parseInt(marker[1], 10) | 0;\n    const id =
marker[2];\n\n    if (group !== 0) {\n    // Rehydrate componentId to group index mapping\n
setGroupForId(id, group);\n    // Rehydrate names and rules\n    // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n    rehydrateNamesFromContent(sheet, id, marker[3]);\n
sheet.getTag().insertRules(group, rules);\n    }\n\n    rules.length = 0;\n    } else {\n    rules.push(part);\n    }\n
}

```

```

}\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =
document.querySelectorAll(SELECTOR);\n\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =
((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)
{\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n
node.parentNode.removeChild(node);\n      }\n    }\n  }\n};\n\n", /* @flow\n*/ eslint-disable camelcase, no-undef
*\n\ndeclare var __webpack_nonce__: string;\n\nconst getNonce = () => {\n  return typeof __webpack_nonce__
!== 'undefined' ? __webpack_nonce__ : null;\n};\n\nexport default
getNonce;\n\n", /* @flow\n\nimport { SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION }
from './constants';\nimport getNonce from './utils/nonce';\nimport throwStyledError from './utils/error';\n\nconst
ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE *\n\n/** Find last style element if any inside target *\n\nconst
findLastStyleTag = (target: HTMLStyleElement): void | HTMLStyleElement => {\n  const { childNodes } = target;\n\n
for (let i = childNodes.length; i >= 0; i--) {\n    const child = ((childNodes[i]: any): ?HTMLStyleElement);\n    if (child
&& child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n      return ((child: any):
HTMLStyleElement);\n    }\n  }\n\n  return undefined;\n};\n\n/** Create a style element inside `target` or <head>
after the last *\n\nexport const makeStyleTag = (target?: HTMLStyleElement): HTMLStyleElement => {\n  const head =
((document.head: any): HTMLStyleElement);\n  const parent = target || head;\n  const style =
document.createElement('style');\n  const prevStyle
= findLastStyleTag(parent);\n  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n\n
style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION,
SC_VERSION);\n\n  const nonce = getNonce();\n  if (nonce) style.setAttribute('nonce', nonce);\n\n
parent.insertBefore(style, nextSibling);\n\n  return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style
element *\n\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return
((tag.sheet: any): CSSStyleSheet);\n  }\n\n  // Avoid Firefox quirk where the style element might not have a sheet
property\n  const { styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet =
styleSheets[i];\n    if (sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n\n
throwStyledError(17);\n  return (undefined: any);\n};\n\n", /* @flow\n*/ eslint-disable no-use-before-define
*\n\nimport
{ makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/** Create a
CSSStyleSheet-like tag depending on the environment *\n\nexport const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  } else
if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n  }\n};\n\n
export class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLStyleElement) {\n    const element = (this.element =
makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("));\n\n    this.sheet = getSheet(element);\n    this.length = 0;\n  }\n\n
insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n
this.length++;\n      return true;\n    }\n    catch (_error) {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n
this.sheet.deleteRule(index);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    const rule =
this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n    if (rule
!== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return ";\n    }\n  }\n};\n\n
/** A Tag that emulates the CSSStyleSheet API but uses text nodes *\n\nexport class TextTag implements
Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?:
HTMLStyleElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =
element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =
this.nodes[index];\n

```



```

their capitalised\n * counterparts *\nconst charsLength = 52;\n\n* start at 75 for 'a' until 'z' (25) and then start at 65
for capitalised letters *\nconst getAlphabeticChar = (code: number): string =>\n String.fromCharCode(code +
(code > 25 ? 39 : 97));\n\n* input a number, usually a hash and convert it to base-52 *\nexport default function
generateAlphabeticName(code: number): string {\n let name = "";\n let x;\n\n /* get a char and divide by alphabet-
length *\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n name = getAlphabeticChar(x
% charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n",/* @flow\n*/ eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\nexport const phash = (h: number, x: string): number => {\n let i =
x.length;\n\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing function\nexport
const hash = (x: string): number => {\n return phash(SEED, x);\n};\n\n",/* @flow\nimport { SC_VERSION } from
'./constants';\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from './types';\nimport flatten
from './utils/flatten';\nimport generateName from './utils/generateAlphabeticName';\nimport { hash, phash } from
'./utils/hash';\nimport isStaticRules from './utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n**\n *
ComponentStyle is all the CSS-specific stuff, not the React-specific stuff.\n *\nexport default class
ComponentStyle {\n baseHash: number;\n\n baseStyle: ?ComponentStyle;\n\n componentId: string;\n\n isStatic:
boolean;\n\n rules: RuleSet;\n\n staticRulesId: string;\n\n constructor(rules: RuleSet, componentId: string,
baseStyle?: ComponentStyle) {\n this.rules = rules;\n this.staticRulesId = "";\n\n this.isStatic = process.env.NODE_ENV === 'production' &&\n (baseStyle === undefined || baseStyle.isStatic)
&&\n isStaticRules(rules);\n this.componentId = componentId;\n\n // SC_VERSION gives us isolation
between multiple runtimes on the page at once\n // this is improved further with use of the babel plugin
\nnamespace\n this.baseHash = phash(SEED, componentId);\n\n this.baseStyle = baseStyle;\n\n //
NOTE: This registers the componentId, which ensures a consistent order\n // for this component's styles compared
to others\n StyleSheet.registerId(componentId);\n }\n\n /*\n * Flattens a rule set into valid CSS\n * Hashes it,
wraps the whole chunk in a .hash1234 { }\n * Returns the hash to be injected on render()\n */\n
generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis: Stringifier) {\n const {
componentId } = this;\n\n const names = [];\n\n if (this.baseStyle) {\n
names.push(this.baseStyle.generateAndInjectStyles(executionContext,
styleSheet, stylis));\n }\n\n // force dynamic classnames if user-supplied stylis plugins are in use\n if
(this.isStatic && !stylis.hash) {\n if (this.staticRulesId && styleSheet.hasNameForId(componentId,
this.staticRulesId)) {\n names.push(this.staticRulesId);\n } else {\n const cssStatic = flatten(this.rules,
executionContext, styleSheet, stylis).join("");\n const name = generateName(phaash(this.baseHash, cssStatic) >>>
0);\n\n if (!styleSheet.hasNameForId(componentId, name)) {\n const cssStaticFormatted = stylis(cssStatic,
`.${name}`, undefined, componentId);\n\n styleSheet.insertRules(componentId, name, cssStaticFormatted);\n
}\n\n names.push(name);\n this.staticRulesId = name;\n }\n } else {\n const { length } =
this.rules;\n let dynamicHash = phash(this.baseHash, stylis.hash);\n let css = "";\n\n for (let i = 0; i < length;
i++) {\n const partRule = this.rules[i];\n\n if (typeof partRule === 'string') {\n css += partRule;\n\n if (process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n } else if
(partRule) {\n const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n const
partString = Array.isArray(partChunk) ? partChunk.join("") : partChunk;\n dynamicHash =
phaash(dynamicHash, partString + i);\n css += partString;\n }\n }\n\n if (css) {\n const name =
generateName(dynamicHash >>> 0);\n\n if (!styleSheet.hasNameForId(componentId, name)) {\n const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n\n styleSheet.insertRules(componentId, name,
cssFormatted);\n }\n\n names.push(name);\n }\n }\n\n return names.join(' '); }\n\n",function
stylis_min (W) {\n function M(d, c, e, h, a) {\n for
(var m = 0, b = 0, v = 0, n = 0, q, g, x = 0, K = 0, k, u = k = q = 0, l = 0, r = 0, I = 0, t = 0, B = e.length, J = B - 1, y,
f = "", p = "", F = "", G = "", C; l < B;) {\n g = e.charCodeAt(l);\n l === J && 0 !== b + n + v + m && (0 !== b

```

```

&& (g = 47 === b ? 10 : 47), n = v = m = 0, B++, J++);
if (0 === b + n + v + m) {
  if (1 === J && (0 < r && (f = f.replace(N, "")), 0 < f.trim().length)) {
    switch (g) {
      case 32:
      case 9:
      case 59:
      case 13:
      case 10:
      break;
      default:
      f += e.charAt(l);
    }
    g = 59;
  }
  switch (g) {
    case 123:
      f = f.trim();
      q = f.charCodeAt(0);
      k = 1;
      for (t = ++l; l < B;) {
        switch (g = e.charCodeAt(l)) {
          case 123:
          k++;
          break;
          case 125:
          k--;
          break;
          case 47:
          switch (g = e.charCodeAt(l + 1)) {
            case 42:
            case 47:
            a: {
              for (u = l + 1; u < J; ++u) {
                switch (e.charCodeAt(u)) {
                  case 47:
                  if (42 === g && 42 === e.charCodeAt(u - 1) && l + 2 !== u) {
                    l = u + 1;
                    break a;
                  }
                  case 10:
                  if (47 === g) {
                    l = u + 1;
                    break a;
                  }
                }
                break;
            }
          }
          case 91:
          g++;
          case 40:
          g++;
          case 34:
          case 39:
          for (; l++ < J && e.charCodeAt(l) !== g;) {
            }
            }
            if (0 === k)
            break;
            l++;
            }
            k = e.substring(t, l);
            0 === q && (q = (f = f.replace(ca, "").trim()).charAt(0));
            switch (q) {
              case 64:
              0 < r && (f = f.replace(N, ""));
              g = f.charCodeAt(1);
              switch (g) {
                case 100:
                case 109:
                case 115:
                case 45:
                r = c;
                break;
                default:
                r = O;
            }
            k = M(c, r, k, g, a + 1);
            t = k.length;
            0 < A && (r = X(O, f, l), C = H(3, k, r, c, D, z, t, g, a, h), f = r.join(""));
            void 0 !== C && 0 === (t = (k = C.trim()).length) && (g = 0, k = "");
            if (0 < t)
            switch (g) {
              case 115:
              f = f.replace(da, ea);
              case 100:
              case 109:
              case 45:
              k = f + '{' + k + '>';
              break;
              case 107:
              f = f.replace(fa, '$1 $2');
              k = f + '{' + k + '>';
              k = 1 === w || 2 === w && L('@' + k, 3) ? '@-webkit-' + k + '@' + k : '@' + k;
              break;
              default:
              k = f + k, 112 === h && (k = (p += k, ""));
              } else k = "";
              break;
              default:
              k = M(c, X(c, f, l), k, h, a + 1);
            }
            F += k;
            k = I = r = u = q = 0;
            f = "";
            g = e.charCodeAt(++l);
            break;
            case 125:
            case 59:
            f = (0 < r ? f.replace(N, "") : f).trim();
            if (1 < (t = f.length))
            switch (0 === u && (q = f.charCodeAt(0), 45 === q || 96 < q && 123 > q) && (t = (f = f.replace(' ', ':')).length), 0 < A && void 0 !== (C = H(1, f, c, d, D, z, p.length, h, a, h)) && 0 === (t = (f = C.trim()).length) && (f = "\x00\x00'), q = f.charCodeAt(0), g = f.charCodeAt(1), q) {
              case 0:
              break;
            }
            case 64:
            if (105 === g || 99 === g) {
              G += f + e.charAt(l);
              break;
            }
            default:
            58 !== f.charCodeAt(t - 1) && (p += P(f, q, g, f.charCodeAt(2)));
            }
            I = r = u = q = 0;
            f = "";
            g = e.charCodeAt(++l);
            }
            }
            switch (g) {
              case 13:
              case 10:
              47 === b ? b = 0 : 0 === 1 + q && 107 !== h && 0 < f.length && (r = 1, f += "\x00');
              0 < A * Y && H(0, f, c, d, D, z, p.length, h, a, h);
              z = 1;
              D++;
            }
            break;
            case 59:
            case 125:
            if (0 === b + n + v + m) {
              z++;
              break;
            }
            default:
            z++;
            y = e.charAt(l);
            switch (g) {
              case 9:
              case 32:
              if (0 === n + m + b)
              switch (x) {
                case 44:
                case 58:
                case 9:
                case 32:
                y = "";
                break;
                default:
                32 !== g && (y = ' ');
            }
            break;
            case 0:
            y = "\\\0';
            break;
            case 12:
            y = "\\\f';
            break;
            case 11:
            y = "\\\v';
            break;
            case 38:
            0 === n + b + m && (r = I = 1, y = "\f' + y);
            break;
            case 108:
            if (0 === n + b + m + E && 0 < u)
            switch (l - u) {
              case 2:
              112 === x && 58 === e.charCodeAt(l - 3) && (E = x);
              case 8:
              111 === K && (E = K);
            }
            break;
            case 58:
            0 === n + b + m && (u =

```

```

l);\n      break;\n\n      case 44:\n          0 === b + v + n + m && (r = 1, y += '\\r');\n          break;\n\n      case 34:\n          case 39:\n              0 === b && (n = n === g ? 0 : 0 === n ? g : n);\n              break;\n\n      case 91:\n          0 === n + b + v && m++;\n          break;\n\n          case 93:\n              0 === n + b + v && m--\n          ;\n          break;\n\n          case 41:\n              0 === n + b + m && v--;\n              break;\n\n          case 40:\n              if (0 === n + b + m) {\n                  if\n              (0 === q) switch (2 * x + 3 * K) {\n                  case 533:\n                      break;\n\n                      default:\n                          q\n              = 1;\n              }\n              v++;\n              }\n\n              break;\n\n              case 64:\n                  0 === b + v + n + m\n              + u + k && (k = 1);\n              break;\n\n              case 42:\n                  case 47:\n                      if (!(0 < n + m + v)) switch (b)\n              {\n                  case 0:\n                      switch (2 * g + 3 * e.charCodeAt(1 + 1)) {\n                          case 235:\n                              b\n              = 47;\n                          break;\n\n                          case 220:\n                              t = 1, b = 42;\n                          }\n\n                          case 42:\n                              47 === g && 42 === x && t + 2 !== 1 && (33 === e.charCodeAt(t + 2)\n              && (p += e.substring(t, 1 + 1)), y = ", b = 0);\n                              }\n                              }\n                              0 === b && (f += y);\n                              }\n                              K =\n              x;\n              x = g;\n\n              I++;\n              }\n\n              t = p.length;\n\n              if (0 < t) {\n                  r = c;\n\n                  if (0 < A && (C = H(2, p, r, d, D, z, t, h, a, h), void 0\n              !== C && 0 === (p = C).length)) return G + p + F;\n                  p = r.join(',') + '{' + p + '};\n\n                  if (0 !== w * E) {\n                      2 !== w || L(p, 2) || (E = 0);\n\n                      switch (E) {\n                          case 111:\n                              p = p.replace(ha, '-moz-$1') + p;\n                      break;\n\n                          case 112:\n                              p = p.replace(Q, ':-webkit-input-$1') + p.replace(Q, ':-moz-$1') + p.replace(Q,\n              ':-ms-input-$1') + p;\n                              }\n                              E = 0;\n                              }\n                              }\n\n                              return G + p + F;\n                              }\n\n                              function X(d, c, e) {\n                                  var\n              h = c.trim().split(ia);\n                                  c = h;\n                                  var a = h.length,\n                                  m = d.length;\n\n                                  switch (m) {\n                                      case 0:\n                                          case\n              1:\n                                              var b = 0;\n                                              for (d = 0 === m ? " : d[0] + ' '; b < a; ++b) {\n                                                  c[b] = Z(d, c[b], e).trim();\n              }\n\n                                                  break;\n\n                                                  default:\n                                                      var v = b = 0;\n                                                      for (c = [];\n              b < a; ++b) {\n                                                          for (var n = 0; n < m; ++n) {\n                                                              c[v++] = Z(d[n] + ' ', h[b], e).trim();\n              }\n              }\n\n              }\n\n              }\n\n              return c;\n              }\n\n              function Z(d, c, e) {\n                  var h = c.charCodeAt(0);\n                  33 > h && (h = (c =\n              c.trim()).charCodeAt(0));\n\n                  switch (h) {\n                      case 38:\n                          return c.replace(F, '$1' + d.trim());\n\n                      case 58:\n                          return\n              d.trim() + c.replace(F, '$1' + d.trim());\n\n                      default:\n                          if (0 < 1 * e && 0 < c.indexOf('\\f')) return\n              c.replace(F, (58 === d.charCodeAt(0) ? " : '$1') + d.trim());\n                  }\n\n                  return d + c;\n              }\n\n              function P(d, c, e, h)\n              {\n                  var a = d + ' ';\n                  m = 2 * c + 3 * e + 4 * h;\n\n                  if (944 === m) {\n                      d = a.indexOf(':', 9) + 1;\n                      var b\n              = a.substring(d, a.length - 1).trim();\n                      b = a.substring(0, d).trim() + b + ' ';\n                      return 1 === w || 2 === w &&\n              L(b, 1) ? '-webkit-' + b + b : b;\n                  }\n\n                  if (0 === w || 2 === w && !L(a, 1)) return a;\n\n                  switch (m) {\n                      case 1015:\n                          return 97 === a.charCodeAt(10) ? '-webkit-' + a + a : a;\n\n                      case 951:\n                          return 116 ===\n              a.charCodeAt(3) ? '-webkit-' + a + a : a;\n\n                      case 963:\n                          return 110 === a.charCodeAt(5) ? '-webkit-' + a + a :\n              a;\n\n                      case 1009:\n                          if (100 !== a.charCodeAt(4)) break;\n\n                      case 969:\n                          case 942:\n                              return '-\n              webkit-' + a + a;\n\n                      case 978:\n                          return '-webkit-' + a + '-moz-' + a + a;\n\n                      case 1019:\n                          case 983:\n                              return '-webkit-' + a + '-moz-' + a + '-ms-' + a + a;\n\n                      case 883:\n                          if (45 === a.charCodeAt(8)) return '-\n              webkit-' + a + a;\n\n                          if (0 < a.indexOf('image-set(', 11)) return a.replace(ja, '$1-webkit-$2') + a;\n                          break;\n\n                      case 932:\n                          if (45 === a.charCodeAt(4)) switch (a.charCodeAt(5)) {\n                              case 103:\n                                  return '-webkit-\n              box-' + a.replace('-grow', '') + '-webkit-' + a + '-ms-' + a.replace('grow', 'positive') + a;\n\n                              case 115:\n                                  return\n              '-webkit-' + a + '-ms-' + a.replace('shrink', 'negative') + a;\n\n                              case 98:\n                                  return '-webkit-' + a\n              + '-ms-' + a.replace('basis', 'preferred-size') + a;\n                          }\n\n                          return '-webkit-' + a + '-ms-' + a + a;\n\n                      case\n              964:\n                          return '-webkit-' + a + '-ms-flex-' + a + a;\n\n                      case 1023:\n                          if (99 !== a.charCodeAt(8)) break;\n\n                          b = a.substring(a.indexOf(':', 15)).replace('flex-', '').replace('space-between', 'justify');\n                          return '-webkit-box-\n              pack' + b + '-webkit-' + a + '-ms-flex-pack' + b + a;\n\n                      case 1005:\n                          return ka.test(a) ? a.replace(aa, '-\n              webkit-') + a.replace(aa, ':-moz-') + a : a;\n\n                      case 1e3:\n                          b = a.substring(13).trim();\n                          c = b.indexOf('-') +\n              1;\n\n                          switch (b.charCodeAt(0) + b.charCodeAt(c)) {\n                              case 226:\n                                  b = a.replace(G, 'tb');\n                      break;\n\n                      case 232:\n                          b = a.replace(G, 'tb-rl');\n                          break;\n\n                      case 220:\n                          b = a.replace(G, 'lr');\n                          break;\n\n                      default:\n                          return a;\n                  }\n\n                  return '-\n              webkit-' + a + '-ms-' + b + a;\n\n                  case 1017:\n                      if (-1 === a.indexOf('sticky', 9)) break;\n\n                  case 975:\n                      c = (a = d).length - 10;\n                      b = (33 === a.charCodeAt(c) ? a.substring(0, c) : a).substring(d.indexOf(':', 7) +

```

```

1).trim());\n\n    switch (m = b.charCodeAt(0) + (b.charCodeAt(7) | 0)) {\n        case 203:\n            if (111 >
b.charCodeAt(8)) break;\n\n        case 115:\n            a = a.replace(b, '-webkit-' + b) + '+' + a;\n            break;\n\n        case 207:\n            case 102:\n                a = a.replace(b, '-webkit-' + (102 < m ? 'inline-' : '') + 'box') + '+' + a.replace(b, '-
webkit-' + b) + '+' + a.replace(b, '-ms-' + b + 'box') + '+' + a;\n            }\n\n            return a + '+';\n\n        case 938:\n            if
(45 === a.charCodeAt(5)) switch (a.charCodeAt(6)) {\n                case 105:\n                    return b = a.replace('-items', ''), '-webkit-' + a + '-webkit-box-' + b + '-ms-flex-' + b + a;\n\n                case 115:\n                    return '-webkit-' + a + '-ms-flex-item-' + a.replace(ba, "") + a;\n\n                default:\n                    return '-webkit-' + a + '-ms-
flex-line-pack' + a.replace('align-content', "").replace(ba, "") + a;\n            }\n            break;\n\n        case 973:\n            case
989:\n                if (45 !== a.charCodeAt(3) || 122 === a.charCodeAt(4)) break;\n\n                case 931:\n                case 953:\n                if
(!0 === la.test(d)) return 115 === (b = d.substring(d.indexOf(':') + 1)).charCodeAt(0) ? P(d.replace('stretch', 'fill-
available'), c, e, h).replace(':fill-available', 'stretch') : a.replace(b, '-webkit-' + b) + a.replace(b, '-moz-' +
b.replace('fill-', '')) + a;\n            break;\n\n        case 962:\n            if (a = '-webkit-' + a + (102 === a.charCodeAt(5) ? '-ms-
' + a : '') + a, 211 === e + h && 105 === a.charCodeAt(13) && 0 < a.indexOf('transform', 10)) return a.substring(0,
a.indexOf(';'),
27) + 1).replace(ma, '$1-webkit-$2') + a;\n    }\n\n    return a;\n }\n\n function L(d, c) {\n    var e = d.indexOf(1
=== c ? ':' : '{'),\n        h = d.substring(0, 3 !== c ? e : 10);\n    e = d.substring(e + 1, d.length - 1);\n    return R(2 !==
c ? h : h.replace(na, '$1'), e, c);\n }\n\n function ea(d, c) {\n    var e = P(c, c.charCodeAt(0), c.charCodeAt(1),
c.charCodeAt(2));\n    return e !== c + ';' ? e.replace(oa, ' or ($1)').substring(4) : '(' + c + ');\n }\n\n function H(d, c,
e, h, a, m, b, v, n, q) {\n    for (var g = 0, x = c, w; g < A; ++g) {\n        switch (w = S[g].call(B, d, x, e, h, a, m, b, v, n,
q)) {\n            case void 0:\n            case !1:\n            case !0:\n            case null:\n                break;\n\n            default:\n                x = w;\n        }\n    }\n\n    if (x !== c) return x;\n }\n\n function T(d) {\n    switch (d) {\n        case void 0:\n        case null:\n        A = S.length = 0;\n        break;\n\n        default:\n            if ('function' === typeof
d) S[A++] = d;else if ('object' === typeof d) for (var c = 0, e = d.length; c < e; ++c) {\n                T(d[c]);\n            } else Y
= !!d | 0;\n    }\n\n    return T;\n }\n\n function U(d) {\n    d = d.prefix;\n    void 0 !== d && (R = null, d ? 'function'
!== typeof d ? w = 1 : (w = 2, R = d) : w = 0);\n    return U;\n }\n\n function B(d, c) {\n    var e = d;\n    33 >
e.charCodeAt(0) && (e = e.trim());\n    V = e;\n    e = [V];\n\n    if (0 < A) {\n        var h = H(-1, c, e, e, D, z, 0, 0, 0,
0);\n        void 0 !== h && 'string' === typeof h && (c = h);\n    }\n\n    var a = M(O, e, c, 0, 0);\n    0 < A && (h =
H(-2, a, e, e, D, z, a.length, 0, 0, 0), void 0 !== h && (a = h));\n    V = "";\n    E = 0;\n    z = D = 1;\n    return a;\n
}\n\n var ca = /^\\|0+/g,\n    N = /[\\|0\\|r\\|f]/g,\n    aa = /:/g,\n    ka = /zoo|gra/, \n    ma = /([: ])(transform)/g,\n
    ia = /,\\|r+?/g,\n    F = /([\\|t\\|r\\|n ])*\\|f?&/g,\n    fa = /@(k\\|w+)|s*(\\|S*)\\|s*/g,\n    Q = /::(place)/g,\n
    ha = /:(read-only)/g,\n    G = /[svh]\\|w+-[tblr]{2}/g,\n    da = /\\|\\|s*(.*)\\|s*/g,\n    oa = /([\\|s\\|S]*?)/g,\n
    ba = /-self|flex-/g,\n    na = /[^]*?([rp][el]a[\\|w-]+)[^]*,/g,\n    la = /stretch:\\|s*\\|w+\\|-(?:conte|avail)/g,\n    ja = /([^-
])|(image-set\\|()/g,\n    z = 1,\n    D = 1,\n    E = 0,\n    w = 1,\n    O = [],\n    S = [],\n    A = 0,\n    R = null,\n
    Y = 0,\n    V = "";\n    B.use = T;\n    B.set = U;\n    void 0 !== W && U(W);\n    return B;\n }\n\nexport default
stylis_min;\n", "import Stylis from '@emotion/stylis';\nimport { type Stringifier } from '../types';\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwStyledError from './error';\nimport { phash,
SEED } from './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX =
/^\\|s*\\|\\|\\. *$/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\n type StylisInstanceConstructorArgs
= {\n    options?: Object,\n    plugins?: Array<Function>,\n};\n\nexport
default function createStylisInstance({\n    options = EMPTY_OBJECT,\n    plugins = EMPTY_ARRAY,\n}:
StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n    const stylis = new Stylis(options);\n\n    // Wrap
`insertRulePlugin to build a list of rules,\n    // and then make our own plugin to return the rules. This\n    // makes it
easier to hook into the existing SSR architecture\n\n    let parsingRules = [];\n\n    // eslint-disable-next-line consistent-
return\n    const returnRulesPlugin = context => {\n        if (context === -2) {\n            const parsedRules = parsingRules;\n
            parsingRules = [];\n            return parsedRules;\n        }\n    }; \n\n    const parseRulesPlugin = insertRulePlugin(rule => {\n
        parsingRules.push(rule);\n    });\n\n    let _componentId: string;\n    let _selector: string;\n    let _selectorRegexp:
RegExp;\n    let _consecutiveSelfRefRegExp: RegExp;\n\n    const selfReferenceReplacer = (match, offset, string) =>
{\n        if (\n            // do not replace the first occurrence if it is complex

```

```

(has a modifier)\n    (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 :
true) &&\n    // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegExp)\n  ) {\n    return `.${_componentId}`;\n  }\n\n  return match;\n
};\n\n /**\n * When writing a style like\n * \n * & + & {\n *   color: red;\n * }\n * \n * The second
ampersand should be a reference to the static component class. stylis\n * has no knowledge of static class so we
have to intelligently replace the base selector.\n * \n * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n * \"2\" means this plugin is taking effect at the very end after all other
processing is complete\n * \n const selfReferenceReplacementPlugin = (context, _, selectors) => {\n  if (context
=== 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n
    // eslint-disable-next-line no-param-reassign\n    selectors[0] = selectors[0].replace(_selectorRegexp,
selfReferenceReplacer);\n  }\n};\n\n stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin,
returnRulesPlugin]);\n\n function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n  const
flatCSS = css.replace(COMMENT_REGEX, '');\n  const cssStr = selector && prefix ? `${prefix} ${selector} {
${flatCSS} }` : flatCSS;\n  // stylis has no concept of state to be passed to plugins\n  // but since JS is single-
threaded, we can rely on that to ensure\n  // these properties stay in sync with the current stylis run\n
_componentId = componentId;\n  _selector = selector;\n  _selectorRegexp = new RegExp(`\\${_selector}`,\n'g');\n  _consecutiveSelfRefRegExp = new RegExp(`\\${_selector}`{2,});\n  return stylis(prefix ||
!selector ? " : selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n
? plugins\n  .reduce((acc, plugin) => {\n    if (!plugin.name) {\n      throwStyledError(15);\n    }\n    return phash(acc, plugin.name);\n  }, SEED)\n  .toString()\n  : ";\n\n return stringifyRules;\n}\n\n", /**\n * MIT License\n * \n * Copyright (c) 2016 Sultan Tarimo\n * \n * Permission is hereby granted, free of charge, to
any person obtaining a copy of\n * this software and associated documentation files (the \"Software\"),\n * to deal in
the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or\n * sell copies of the Software and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:\n * \n * The above copyright notice and this permission
notice shall be included in all\n * copies or substantial portions of the Software.\n * \n * THE SOFTWARE IS
PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n * OR
IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n *
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n *
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.\n */\n\n * \n * eslint-disable *\n */\n\nexport default function(insertRule) {\n  const delimiter = '*/';\n  const
needle = `${delimiter}`;\n\n  function toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      }
catch (e) {} }\n  }\n\n  return function ruleSheet(\n    context,\n    content,\n    selectors,\n    parents,\n
line,\n    column,\n    length,\n    ns,\n    depth,\n    at\n  ) {\n    switch (context) {\n      // property\n      case 1:\n
// @import\n      if (depth === 0 && content.charCodeAt(0) === 64) return insertRule(`${content}`);,\n      // selector\n      case 2:\n
if (ns === 0) return content + delimiter;\n      break;\n      // at-rule\n      case 3:\n        switch (ns) {\n          // @font-face, @page\n          case 102:\n          case 112:\n            return
insertRule(selectors[0] + content), ";\n          default:\n            return content + (at === 0 ? delimiter : ");\n          }\n      case -2:\n        content.split(needle).forEach(toSheet);\n      }\n\n    },\n  // @flow\n  import React, { type Context,
type Node, useContext, useEffect, useMemo, useState } from 'react';\n  import shallowequal from
'shallowequal';\n  import StyleSheet from './sheet';\n  import type { Stringifier } from './types';\n  import
createStylisInstance from './utils/stylis';\n\n  type Props = {\n    children?: Node,\n    disableCSSOMInjection?:
boolean,\n    disableVendorPrefixes?: boolean,\n    sheet?: StyleSheet,\n    stylisPlugins?: Array<Function>,\n    target?:
HTMLElement,\n  };\n\n  export const StyleSheetContext:\n
Context<StyleSheet | void> = React.createContext();\n  export const StyleSheetConsumer =
StyleSheetContext.Consumer;\n  export const StylisContext: Context<Stringifier | void> =

```



```

React.createContext();\nexport const StylistConsumer = StylistContext.Consumer;\n\nexport const masterSheet:
StyleSheet = new StyleSheet();\nexport const masterStylist: Stringifier = createStylistInstance();\n\nexport function
useStyleSheet(): StyleSheet {\n  return useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function
useStylist(): Stringifier {\n  return useContext(StylistContext) || masterStylist;\n}\n\nexport default function
StyleSheetManager(props: Props) {\n  const [plugins, setPlugins] = useState(props.stylistPlugins);\n  const
contextStyleSheet = useStyleSheet();\n\n  const styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-line prefer-destructuring\n      sheet = props.sheet;\n    } else if
(props.target) {\n      sheet = sheet.reconstructWithOptions({
        target: props.target, false);\n    })\n\n    if (props.disableCSSOMInjection) {\n      sheet =
sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  },
  [props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylist = useMemo(\n    () =>\n    createStylistInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowEqual(plugins,
props.stylistPlugins)) setPlugins(props.stylistPlugins);\n  }, [props.stylistPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n    <StylistContext.Provider value={stylist}>\n
{process.env.NODE_ENV !== 'production'\n      ? React.Children.only(props.children)\n      : props.children}\n
    </StylistContext.Provider>\n  </StyleSheetContext.Provider>\n  );\n}\n", "\nmodule.exports = function
shallowEqual(objA, objB,
  compare, compareContext) {\n  var ret = compare ? compare.call(compareContext, objA, objB) : void 0;\n  if (ret
!== void 0) {\n    return !!ret;\n  }\n\n  if (objA === objB) {\n    return true;\n  }\n\n  if (typeof objA !== "object" ||
!objA || typeof objB !== "object" || !objB) {\n    return false;\n  }\n\n  var keysA = Object.keys(objA);\n  var keysB
= Object.keys(objB);\n\n  if (keysA.length !== keysB.length) {\n    return false;\n  }\n\n  var bHasOwnProperty =
Object.prototype.hasOwnProperty.bind(objB);\n\n  // Test for A's keys different from B.\n  for (var idx = 0; idx <
keysA.length; idx++) {\n    var key = keysA[idx];\n\n    if (!bHasOwnProperty(key)) {\n      return false;\n    }\n\n
var valueA = objA[key];\n    var valueB = objB[key];\n\n    ret = compare ? compare.call(compareContext, valueA,
valueB, key) : void 0;\n\n    if (ret === false || (ret === void 0 && valueA !== valueB)) {\n      return false;\n    }\n
}\n\n  return true;\n};\n", "\n @flow\nimport StyleSheet
  from './sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
  masterStylist } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n\n  name: string;\n\n
rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylistInstance: Stringifier = masterStylist)
=> {\n    const resolvedName = this.name + stylistInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylistInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  }\n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  }\n\n  getName(stylistInstance: Stringifier = masterStylist) {\n    return this.name +
stylistInstance.hash;\n  }\n}\n", "\n @flow\n\n**\n * inlined version
of\n * https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n * \n\nconst
uppercaseCheck = /^[A-Z]/;\nconst uppercasePattern = /^[A-Z]/g;\nconst msPattern = /^ms-/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n**\n * Hyphenates a camelcased
CSS property name, for example:\n * \n * > hyphenateStyleName('backgroundColor')\n * < "background-
color"\n * > hyphenateStyleName('MozTransition')\n * < "-moz-transition"\n * >
hyphenateStyleName('msTransition')\n * < "-ms-transition"\n * \n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n * \n * @param {string} string\n *
@return {string}\n * \n\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n    .replace(uppercasePattern, prefixAndLowerCase)\n    .replace(msPattern,
'-ms-')\n  : string;\n}\n", "\nvar unitlessKeys = {\n  animationIterationCount:
  1,\n  borderImageOutset: 1,\n  borderImageSlice: 1,\n  borderImageWidth: 1,\n  boxFlex: 1,\n  boxFlexGroup: 1,\n
  boxOrdinalGroup: 1,\n  columnCount: 1,\n  columns: 1,\n  flex: 1,\n  flexGrow: 1,\n  flexPositive: 1,\n  flexShrink:

```

```

1,\n flexNegative: 1,\n flexOrder: 1,\n gridRow: 1,\n gridColumnEnd: 1,\n gridColumnSpan: 1,\n gridColumnStart: 1,\n
gridColumn: 1,\n gridColumnEnd: 1,\n gridColumnSpan: 1,\n gridColumnStart: 1,\n msGridRow: 1,\n
msGridRowSpan: 1,\n msGridColumn: 1,\n msGridColumnSpan: 1,\n fontWeight: 1,\n lineHeight: 1,\n opacity:
1,\n order: 1,\n orphans: 1,\n tabSize: 1,\n widows: 1,\n zIndex: 1,\n zoom: 1,\n WebkitLineClamp: 1,\n // SVG-
related properties\n fillOpacity: 1,\n floodOpacity: 1,\n stopOpacity: 1,\n strokeDasharray: 1,\n strokeDashoffset:
1,\n strokeMiterlimit: 1,\n strokeOpacity: 1,\n strokeWidth: 1\n};\n\nexport default unitlessKeys;\n", "//
@flow\nimport { isElement } from 'react-is';\nimport componentName from './getComponentName';\nimport
isFunction from './isFunction';\nimport isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from
'./isPlainObject';\nimport isStyledComponent from './isStyledComponent';\nimport Keyframes from
'./models/Keyframes';\nimport hyphenate from './hyphenateStyleName';\nimport addUnitIfNeeded from
'./addUnitIfNeeded';\nimport { type Stringifier } from './types';\n\n/**\n * It's falsish not falsy because 0 is
allowed.\n *\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk ===
";\n\nexport const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules =
[];\n\n  for (const key in obj) {\n    if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if
((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`,
obj[key], `;`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key],
key));\n    } else {\n      rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key])};`);\n    }\n  }\n\n  return
prevKey ? [`${prevKey} {`, ...rules, `}`] : rules;\n};\n\nexport default function flatten(\n  chunk: any,\n
executionContext: ?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if
(Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n
result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);\n\n    if (result === "") continue;\n    else if
(Array.isArray(result)) ruleSet.push(...result);\n    else ruleSet.push(result);\n  }\n\n  return ruleSet;\n}\n\n  if
(isFalsish(chunk)) {\n    return `;\n  }\n\n  /* Handle other components *\n  if (isStyledComponent(chunk)) {\n
return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either execute or defer the function *\n  if (isFunction(chunk))
{\n    if (isStatelessFunction(chunk) && executionContext)\n      {\n        const result = chunk(executionContext);\n\n        if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n          // eslint-disable-next-line no-console\n          console.warn(\n
`${getComponentName(\n            chunk\n          )} is not a styled component and cannot be referred to via
component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for
more details.`\n        );\n      }\n\n      return flatten(result, executionContext, styleSheet, stylisInstance);\n    }
else return chunk;\n  }\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet,
stylisInstance);\n      return chunk.getName(stylisInstance);\n    } else return chunk;\n  }\n\n  /* Handle objects *\n  if
return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n", "// @flow\nexport default function
isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    &&
!(\n      test.prototype\n      && test.prototype.isReactComponent\n    )\n  );\n};\n", "// @flow\nimport unitless from
'@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value == null ||
typeof value === 'boolean' || value === "") {\n  return `;\n }\n\n if (typeof value === 'number' && value !== 0 &&
!(name in unitless) && !name.startsWith('--')) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless
numbers except for CSS variables\n }\n\n return String(value).trim();\n}\n", "// @flow\nimport interleave from
'./utils/interleave';\nimport isPlainObject from './utils/isPlainObject';\nimport { EMPTY_ARRAY } from
'./utils/empties';\nimport isFunction from './utils/isFunction';\nimport
flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when
flattening object styles to determine if we should\n * expand an array of styles.\n *\nconst addTag = arg => {\n  if
(Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return
arg;\n};\n\nexport default function css(styles: Styles, ...interpolations: Array<Interpolation>): RuleSet {\n  if

```

```

(isFunction(styles) || isPlainObject(styles)) {\n // $FlowFixMe\n return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations]));\n }\n\n if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n // $FlowFixMe\n return styles;\n }\n\n //
$FlowFixMe\n return addTag(flatten(interleave(styles, interpolations));\n }\n\n", "// @flow\nimport StyleSheet from
'./sheet';\nimport type { RuleSet, Stringifier } from './types';\nimport flatten from './utils/flatten';\nimport
isStaticRules from './utils/isStaticRules';\n\nexport default class GlobalStyle {\n componentId: string;\n\n isStatic:
boolean;\n\n rules: RuleSet;\n\n constructor(rules: RuleSet, componentId: string) {\n this.rules = rules;\n
this.componentId = componentId;\n this.isStatic = isStaticRules(rules);\n\n // pre-register the first instance to
ensure global styles\n // load before component ones\n StyleSheet.registerId(this.componentId + 1);\n }\n\n
createStyles(\n instance: number,\n executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n
) {\n const flatCSS = flatten(this.rules, executionContext, styleSheet, stylis);\n const css = stylis(flatCSS.join(""),
");\n const id = this.componentId + instance;\n\n // NOTE: We use the id as a name as well, since these rules
never change\n styleSheet.insertRules(id, id, css);\n }\n\n removeStyles(instance: number, styleSheet:
StyleSheet) {\n styleSheet.clearRules(this.componentId
+ instance);\n }\n\n renderStyles(\n instance: number,\n executionContext: Object,\n styleSheet:
StyleSheet,\n stylis: Stringifier\n ) {\n if (instance > 2) StyleSheet.registerId(this.componentId + instance);\n\n
// NOTE: Remove old styles, then inject the new ones\n this.removeStyles(instance, styleSheet);\n
this.createStyles(instance, executionContext, styleSheet, stylis);\n }\n\n", "// @flow\nimport isFunction from
'./isFunction';\nimport isStyledComponent from './isStyledComponent';\nimport type { RuleSet } from
'./types';\n\nexport default function isStaticRules(rules: RuleSet): boolean {\n for (let i = 0; i < rules.length; i += 1)
{\n const rule = rules[i];\n\n if (isFunction(rule) && !isStyledComponent(rule)) {\n // functions are allowed
to be static if they're just being\n // used to get the classname of a nested styled component\n return false;\n
}\n }\n\n return true;\n }\n\n", "// @flow\nimport React, { useContext,
useMemo, type Element, type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport
isFunction from './utils/isFunction';\n\nexport type Theme = { [key: string]: mixed }; \n\nexport type ThemeArgument =
Theme | ((outerTheme?: Theme) => Theme);\n\nexport type Props = {\n children?: Element<any>,\n theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n if (!theme) {\n return throwStyledError(14);\n }\n\n if (isFunction(theme))
{\n const mergedTheme = theme(outerTheme);\n\n if (\n process.env.NODE_ENV !== 'production' &&\n
(mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n ) {\n return
throwStyledError(7);\n }\n\n return mergedTheme;\n }\n\n if (Array.isArray(theme) || typeof theme !==
'object') {\n return throwStyledError(8);\n
}\n\n return outerTheme ? { ...outerTheme, ...theme } : theme;\n }\n\n\n * Provide a theme to an entire react
component tree via context\n *\n\nexport default function ThemeProvider(props: Props) {\n const outerTheme =
useContext(ThemeContext);\n const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n
props.theme,\n outerTheme,\n ]);\n\n if (!props.children) {\n return null;\n }\n\n return
<ThemeContext.Provider value={themeContext}>{props.children}</ThemeContext.Provider>;\n }\n\n", "//
@flow\n\nimport { useRef } from 'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\nconst seen = new
Set();\n\nexport const checkDynamicCreation = (displayName: string, componentId?: string) => {\n if
(process.env.NODE_ENV !== 'production') {\n const parsedIdString = componentId ? ` with the id of
\"${componentId}\"` : \"\";\n const message = `The component ${displayName}${parsedIdString} has been
created dynamically.\n` +\n `You
may see this warning because you've called styled inside another component.\n` +\n `To resolve this only create
new StyledComponents outside of any render method and function component.`;\n\n // If a hook is called outside
of a component:\n // React 17 and earlier throw an error\n // React 18 and above use console.error\n\n const
originalConsoleError = console.error // eslint-disable-line no-console\n try {\n let didNotCallInvalidHook =
true\n /* $FlowIgnore[cannot-write] */\n console.error = (consoleErrorMessage, ...consoleErrorArgs) => { //

```

```

eslint-disable-line no-console\n // The error here is expected, since we're expecting anything that uses
`checkDynamicCreation` to\n // be called outside of a React component.\n if
(invalidHookCallRe.test(consoleErrorMessage)) {\n didNotCallInvalidHook = false\n // This shouldn't
happen, but resets `warningSeen` if we had this error happen intermittently\n seen.delete(message);\n
} else {\n originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n }\n }\n // We
purposefully call `useRef` outside of a component and expect it to throw\n // If it doesn't, then we're inside
another component.\n // eslint-disable-next-line react-hooks/rules-of-hooks\n useRef();\n\n if
(didNotCallInvalidHook && !seen.has(message)) {\n // eslint-disable-next-line no-console\n
console.warn(message);\n seen.add(message);\n }\n } catch (error) {\n // The error here is expected,
since we're expecting anything that uses `checkDynamicCreation` to\n // be called outside of a React
component.\n if (invalidHookCallRe.test(error.message)) {\n // This shouldn't happen, but resets
`warningSeen` if we had this error happen intermittently\n seen.delete(message);\n }\n } finally {\n /*
$FlowIgnore[cannot-write] *\n console.error = originalConsoleError;
// eslint-disable-line no-console\n }\n }\n};\n", "// @flow\nimport { EMPTY_OBJECT } from './empties';\n\ntype
Props = {\n theme?: any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any =
EMPTY_OBJECT) => {\n return (props.theme !== defaultProps.theme && props.theme) || providedTheme ||
defaultProps.theme;\n};\n", "// @flow\n/* eslint-disable *\nimport generateAlphabeticName from
'./generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n return
generateAlphabeticName(hash(str) >>> 0);\n};\n", "// @flow\n/* eslint-disable no-underscore-dangle *\nimport
React from 'react';\nimport { IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from
'./constants';\nimport throwStyledError from './utils/error';\nimport getNonce from './utils/nonce';\nimport
StyleSheet from './sheet';\nimport StyleSheetManager from './StyleSheetManager';\n\ndeclare var __SERVER__:
boolean;\n\nconst CLOSING_TAG_R = /^\\s*<\\[a-z]/i;\n\nexport
default class ServerStyleSheet {\n isStreaming: boolean;\n\n instance: StyleSheet;\n\n sealed: boolean;\n\n
constructor() {\n this.instance = new StyleSheet({ isServer: true });\n this.sealed = false;\n }\n\n
_emitSheetCSS = (): string => {\n const css = this.instance.toString();\n if (!css) return "";\n const nonce =
getNonce();\n const attrs = [nonce && `nonce=${"$"}{nonce}`", `${SC_ATTR}=${"true"}`,
`${SC_ATTR_VERSION}=${"$"}{SC_VERSION}`];\n const htmlAttr = attrs.filter(Boolean).join(' ');\n\n return
`<style ${htmlAttr}>${css}</style>`; }\n\n collectStyles(children: any) {\n if (this.sealed) {\n return
throwStyledError(2);\n }\n\n return <StyleSheetManager
sheet={this.instance}>{children}</StyleSheetManager>; }\n\n getStyleTags = (): string => {\n if (this.sealed)
{\n return throwStyledError(2);\n }\n\n return this._emitSheetCSS(); }\n\n getStyleElement = () => {\n
if (this.sealed) {\n return
throwStyledError(2);\n }\n\n const props = {\n [SC_ATTR]: "",\n [SC_ATTR_VERSION]:
SC_VERSION,\n dangerouslySetInnerHTML: {\n __html: this.instance.toString(),\n },\n }; }\n\n const
nonce = getNonce();\n if (nonce) {\n (props: any).nonce = nonce;\n }\n\n // v4 returned an array for this fn,
so we'll do the same for v5 for backward compat\n return [<style {...props} key="sc-0-0" />]; }\n\n // eslint-
disable-next-line consistent-return\n interleaveWithNodeStream(input: any) {\n if (!__SERVER__ ||
IS_BROWSER) {\n return throwStyledError(3);\n } else if (this.sealed) {\n return throwStyledError(2);\n
}\n\n if (__SERVER__) {\n this.seal();\n\n // eslint-disable-next-line global-require\n const { Readable,
Transform } = require('stream');\n\n const readableStream: Readable = input;\n const { instance: sheet,
_emitSheetCSS } = this;\n\n const transformer = new Transform({\n
transform: function appendStyleChunks(chunk, /* encoding */ _, callback) {\n // Get the chunk and retrieve
the sheet's CSS as an HTML chunk,\n // then reset its rules so we get only new ones for the next chunk\n
const renderedHtml = chunk.toString();\n const html = _emitSheetCSS();\n sheet.clearTag();\n\n
// prepend style html to chunk, unless the start of the chunk is a\n // closing tag in which case append right after
that\n if (CLOSING_TAG_R.test(renderedHtml)) {\n const endOfClosingTag =
renderedHtml.indexOf('>') + 1;\n const before = renderedHtml.slice(0, endOfClosingTag);\n const

```

```

after = renderedHtml.slice(endOfClosingTag);\n\n      this.push(before + html + after);\n\n    } else {\n
this.push(html + renderedHtml);\n    }\n\n    callback();\n  },\n  });\n\n  readableStream.on('error', err
=> {\n    // forward the error to
the transform stream\n    transformer.emit('error', err);\n  });\n\n  return readableStream.pipe(transformer);\n
}\n }\n\n seal = () => {\n  this.sealed = true;\n  };\n}\n\n", "use strict";\n\nvar reactIs = require('react-is');\n\n/**\n *
Copyright 2015, Yahoo! Inc.\n * Copyrights licensed under the New BSD License. See the accompanying
LICENSE file for terms.\n */\nvar REACT_STATICS = {\n  childContextTypes: true,\n  contextType: true,\n
contextTypes: true,\n  defaultProps: true,\n  displayName: true,\n  getDefaultProps: true,\n
getDerivedStateFromError: true,\n  getDerivedStateFromProps: true,\n  mixins: true,\n  propTypes: true,\n  type:
true\n};\nvar KNOWN_STATICS = {\n  name: true,\n  length: true,\n  prototype: true,\n  caller: true,\n  callee:
true,\n  arguments: true,\n  arity: true\n};\nvar FORWARD_REF_STATICS = {\n  '$$typeof': true,\n  render: true,\n
defaultProps: true,\n  displayName: true,\n  propTypes: true\n};\nvar MEMO_STATICS = {\n  '$$typeof': true,\n
compare: true,\n  defaultProps: true,\n  displayName: true,\n  propTypes: true,\n  type: true\n};\nvar
TYPE_STATICS = {};\nTYPE_STATICS[reactIs.ForwardRef] =
FORWARD_REF_STATICS;\nTYPE_STATICS[reactIs.Memo] = MEMO_STATICS;\n\nfunction
getStatics(component) {\n  // React v16.11 and below\n  if (reactIs.isMemo(component)) {\n    return
MEMO_STATICS;\n  } // React v16.12 and above\n\n  return TYPE_STATICS[component['$$typeof']] ||
REACT_STATICS;\n}\n\nvar defineProperty = Object.defineProperty;\nvar getOwnPropertyNames =
Object.getOwnPropertyNames;\nvar getOwnPropertySymbols = Object.getOwnPropertySymbols;\nvar
getOwnPropertyDescriptor = Object.getOwnPropertyDescriptor;\nvar getPrototypeOf =
Object.getPrototypeOf;\nvar objectPrototype = Object.prototype;\n\nfunction hoistNonReactStatics(targetComponent,
sourceComponent, blacklist) {\n  if (typeof sourceComponent !== 'string') {\n    // don't hoist over string (html)
components\n    if (objectPrototype) {\n      var inheritedComponent
= getPrototypeOf(sourceComponent);\n\n      if (inheritedComponent && inheritedComponent !==
objectPrototype) {\n        hoistNonReactStatics(targetComponent, inheritedComponent, blacklist);\n      }\n    }\n\n
var keys = getOwnPropertyNames(sourceComponent);\n\n    if (getOwnPropertySymbols) {\n      keys =
keys.concat(getOwnPropertySymbols(sourceComponent));\n    }\n\n    var targetStatics =
getStatics(targetComponent);\n    var sourceStatics = getStatics(sourceComponent);\n\n    for (var i = 0; i <
keys.length; ++i) {\n      var key = keys[i];\n\n      if (!KNOWN_STATICS[key] && !(blacklist && blacklist[key])
&& !(sourceStatics && sourceStatics[key]) && !(targetStatics && targetStatics[key])) {\n        var descriptor =
getOwnPropertyDescriptor(sourceComponent, key);\n\n        try {\n          // Avoid failures from read-only
properties\n          defineProperty(targetComponent, key, descriptor);\n        } catch (e) {}\n      }\n    }\n\n  }\n\n
return targetComponent;\n}\n\nmodule.exports
= hoistNonReactStatics;\n", "/* @flow\n/* eslint-disable *\n\nimport StyleSheet from './sheet';\nimport {
masterSheet } from './models/StyleSheetManager';\n\nexport const __PRIVATE__ = {\n  StyleSheet,\n
masterSheet,\n};\n", "/* @flow\n/* Import singletons *\n\nimport isStyledComponent from
'./utils/isStyledComponent';\nimport css from './constructors/css';\nimport createGlobalStyle from
'./constructors/createGlobalStyle';\nimport keyframes from './constructors/keyframes';\nimport ServerStyleSheet
from './models/ServerStyleSheet';\nimport { SC_VERSION } from './constants';\n\nimport StyleSheetManager, {\n
StyleSheetContext,\n  StyleSheetConsumer,\n} from './models/StyleSheetManager';\n\n/* Import components
*\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider';\n\n/* Import
Higher Order Components *\nimport withTheme from './hoc/withTheme';\n\n/* Import hooks *\nimport useTheme
from './hooks/useTheme';\n\ndeclare var __SERVER__: boolean;\n\n/*
Warning if you've imported this file on React Native *\nif (\n  process.env.NODE_ENV !== 'production' &&\n
typeof navigator !== 'undefined' &&\n  navigator.product === 'ReactNative'\n) {\n  // eslint-disable-next-line no-
console\n  console.warn(\n    `It looks like you've imported 'styled-components' on React Native.\\n` +\n
`Perhaps you're looking to import 'styled-components/native'?\\n` +\n    `Read more about this at
https://www.styled-components.com/docs/basics#react-native\n  );\n}\n\n/* Warning if there are several instances

```

```

of styled-components */nif (process.env.NODE_ENV !== 'production' && process.env.NODE_ENV !== 'test' &&
typeof window !== 'undefined') {\n window['__styled-components-init__'] = window['__styled-components-init__']
|| 0;\n\n if (window['__styled-components-init__'] === 1) {\n // eslint-disable-next-line no-console\n
console.warn(\n    `It looks like there are several instances of 'styled-components' initialized in this application.
\n    `This may cause dynamic styles to not render properly, errors during the rehydration process, ' +\n    `a
missing theme prop, and makes your application bigger without good reason.\\n\\n' +\n    `See https://s-
c.sh/2BAXzed for more info.`\n    );\n  }\n\n window['__styled-components-init__'] += 1;\n}\n\n/* Export
everything */nexport * from './secretInternals';\nexport {\n createGlobalStyle,\n css,\n isStyledComponent,\n
keyframes,\n ServerStyleSheet,\n StyleSheetConsumer,\n StyleSheetContext,\n StyleSheetManager,\n
ThemeConsumer,\n ThemeContext,\n ThemeProvider,\n useTheme,\n SC_VERSION as version,\n
withTheme,\n};\n"}\n\n// @flow\nimport React, { useContext, useLayoutEffect, useRef } from 'react';\nimport {
STATIC_EXECUTION_CONTEXT } from '../constants';\nimport GlobalStyle from
 '../models/GlobalStyle';\nimport { useStyleSheet, useStylis } from '../models/StyleSheetManager';\nimport {
ThemeContext } from '../models/ThemeProvider';\nimport
 type { Interpolation } from '../types';\nimport { checkDynamicCreation } from
 '../utils/checkDynamicCreation';\nimport determineTheme from '../utils/determineTheme';\nimport
 generateComponentId from '../utils/generateComponentId';\nimport css from './css';\n\ndeclare var __SERVER__:
boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport default function createGlobalStyle(\n
strings: Array<string>,\n ...interpolations: Array<Interpolation>)\n {\n const rules = css(strings, ...interpolations);\n
const styledComponentId = `sc-global-${generateComponentId(JSON.stringify(rules))}`;\n const globalStyle =
new GlobalStyle(rules, styledComponentId);\n\n if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n }\n\n function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n const styleSheet = useStyleSheet();\n const stylis = useStylis();\n const
theme = useContext(ThemeContext);\n const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n
const instance = instanceRef.current;\n\n if (process.env.NODE_ENV !== 'production' &&
React.Children.count(props.children)) {\n // eslint-disable-next-line no-console\n console.warn(\n    `The
global style component ${styledComponentId} was given child JSX. createGlobalStyle does not render children.`\n
);\n }\n\n if (\n process.env.NODE_ENV !== 'production' &&\n rules.some(rule => typeof rule ===
'string' && rule.indexOf('@import') !== -1)\n ) {\n // eslint-disable-next-line no-console\n console.warn(\n
    `Please do not use @import CSS syntax in createGlobalStyle at this time, as the CSSOM APIs we use in
production do not handle it well. Instead, we recommend using a library such as react-helmet to inject a typical
<link> meta tag to the stylesheet, or simply embedding it manually in your index.html <head> section for a simpler
app.`\n    );\n }\n\n if (styleSheet.server)
{\n renderStyles(instance, props, styleSheet, theme, stylis);\n }\n\n if (!__SERVER__) {\n // this
conditional is fine because it is compiled away for the relevant builds during minification,\n // resulting in a
single unguarded hook call\n // eslint-disable-next-line react-hooks/rules-of-hooks\n useLayoutEffect(() =>
{\n if (!styleSheet.server) {\n renderStyles(instance, props, styleSheet, theme, stylis);\n return () =>
globalStyle.removeStyles(instance, styleSheet);\n }, [instance, props, styleSheet, theme, stylis]);\n
}\n\n return null;\n }\n\n function renderStyles(instance, props, styleSheet, theme, stylis) {\n if
(globalStyle.isStatic) {\n globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet,
stylis);\n } else {\n const context = {\n ...props,\n theme: determineTheme(props, theme,
GlobalStyleComponent.defaultProps),\n }; \n\n globalStyle.renderStyles(instance,
context, styleSheet, stylis);\n }\n }\n\n // $FlowFixMe\n return React.memo(GlobalStyleComponent);\n}\n"}\n\n//
@flow\nimport css from './css';\nimport generateComponentId from '../utils/generateComponentId';\nimport
Keyframes from '../models/Keyframes';\nimport type { Interpolation, Styles } from '../types';\n\nexport default
function keyframes(\n strings: Styles,\n ...interpolations: Array<Interpolation>)\n: Keyframes {\n /* Warning if
you've used keyframes on React Native */n if (\n process.env.NODE_ENV !== 'production' &&\n typeof

```

```

navigator !== 'undefined' &&\n navigator.product === 'ReactNative'\n ) {\n // eslint-disable-next-line no-
console\n console.warn(\n `keyframes` cannot be used on ReactNative, only on the web. To do animation in
ReactNative please use Animated.\n `);\n }\n\n const rules = css(strings, ...interpolations).join(");\n const name =
generateComponentId(rules);\n return new Keyframes(name, rules);\n }\n", "//
@flow\nimport { useContext } from 'react';\nimport { ThemeContext } from '../models/ThemeProvider';\n\nconst
useTheme = () => useContext(ThemeContext);\n\nexport default useTheme;\n", "// @flow\nimport React, {
useContext, type AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport {
ThemeContext } from '../models/ThemeProvider';\nimport determineTheme from '../utils/determineTheme';\nimport
getComponentName from '../utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export
default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n// but the old build system
tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n //
$FlowFixMe This should be React.forwardRef<Config, Instance>\n const WithTheme = React.forwardRef((props,
ref) => {\n const theme
= useContext(ThemeContext);\n // $FlowFixMe defaultProps isn't declared so it can be inferrable\n const {
defaultProps } = Component;\n const themeProp = determineTheme(props, theme, defaultProps);\n\n if
(process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n // eslint-disable-next-line no-
console\n console.warn(\n `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a
theme in defaultProps in component class `\"${getComponentName(\n Component\n )}\"`\n );\n }\n\n return <Component { ...props } theme={themeProp} ref={ref} />;\n }\n\n hoistStatics(WithTheme,
Component);\n\n WithTheme.displayName = `WithTheme(${getComponentName(Component)})`;\n\n return
WithTheme;\n };;\n", "function memoize(fn) {\n var cache = Object.create(null);\n return function (arg) {\n if
(cache[arg] === undefined) cache[arg] = fn(arg);\n return cache[arg];\n };;\n }\n\nexport default
memoize;\n", "import memoize from
'@emotion/memoize';\n\nvar reactPropsRegex =
/^(children|dangerouslySetInnerHTML|key|ref|autoFocus|defaultValue|defaultChecked|innerHTML|suppressConten
tEditableWarning|suppressHydrationWarning|valueLink|accept|acceptCharset|accessKey|action|allow|allowUserMed
ia|allowPaymentRequest|allowFullScreen|allowTransparency|alt|async|autocomplete|autoplay|capture|cellPadding|c
ellSpacing|challenge|charSet|checked|cite|classID|className|cols|colSpan|content|contentEditable|contextMenu|cont
rols|controlsList|coords|crossOrigin|data|dateTime|decoding|default|defer|dir|disabled|disablePictureInPicture|downlo
ad|draggable|encType|form|formAction|formEncType|formMethod|formNoValidate|formTarget|frameBorder|header
s|height|hidden|high|href|hrefLang|htmlFor|httpEquiv|id|inputMode|integrity|is|keyParams|keyType|kind|label|lang|lis
t|loading|loop|low|marginHeight|marginWidth|max|maxLength|media|mediaGroup|method|min|minLength|multiple|
muted|name|nonce|noValidate|open|optimum|pattern|placeholder|playsInline|poster|preload|profile|radioGroup|readO
nly|referrerPolicy|rel|required|reversed|role|rows|rowSpan|sandbox|scope|scoped|scrolling|seamless|selected|shape|siz
e|sizes|slot|span|spellCheck|src|srcDoc|srcLang|srcSet|start|step|style|summary|tabIndex|target|title|translate|type|use
Map|value|width|wmode|wrap|about|datatype|inlist|prefix|property|resource|typeof|vocab|autoCapitalize|autoCorrect|
autoSave|color|fallback|inert|itemProp|itemScope|itemType|itemID|itemRef|on|option|results|security|unselectable|ac
centHeight|accumulate|additive|alignmentBaseline|allowReorder|alphabetic|amplitude|arabicForm|ascent|attributeNa
me|attributeType|autoReverse|azimuth|baseFrequency|baselineShift|baseProfile|bbox|begin|bias|by|calcMode|capHei
ght|clip|clipPathUnits|clipPath|clipRule|colorInterpolation|colorInterpolationFilters|colorProfile|colorRendering|cont
entScriptType|contentType|cursor|cx|cy|d|decelerate|descent|diffuseConstant|direction|display|divisor|dominant
Baseline|dur|dx|dy|edgeMode|elevation|enableBackground|end|exponent|externalResourcesRequired|fill|fillOpacity|fi
llRule|filter|filterRes|filterUnits|floodColor|floodOpacity|focusable|fontFamily|fontSize|fontSizeAdjust|fontStretch|fo
ntStyle|fontVariant|fontWeight|format|from|fr|fx|fy|g1|g2|glyphName|glyphOrientationHorizontal|glyphOrientationV
ertical|glyphRef|gradientTransform|gradientUnits|hanging|horizAdvX|horizOriginX|ideographic|imageRendering|in|in
n2|intercept|k1|k2|k3|k4|kernelMatrix|kernelUnitLength|kerning|keyPoints|keySplines|keyTimes|lengthAdjust|letter
Spacing|lightingColor|limitingConeAngle|local|markerEnd|markerMid|markerStart|markerHeight|markerUnits|marke

```



```

Target,\n} from './types';\nimport { checkDynamicCreation } from './utils/checkDynamicCreation';\nimport
createWarnTooManyClasses from './utils/createWarnTooManyClasses';\nimport determineTheme from
 './utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\nimport
escape from './utils/escape';\nimport generateComponentId from './utils/generateComponentId';\nimport
generateDisplayName from './utils/generateDisplayName';\nimport getComponentName from
 './utils/getComponentName';\nimport isFunction from './utils/isFunction';\nimport isStyledComponent from
 './utils/isStyledComponent';\nimport isTag from './utils/isTag';\nimport joinStrings from
 './utils/joinStrings';\nimport merge from './utils/mixinDeep';\nimport ComponentStyle from
 './ComponentStyle';\nimport { useStyleSheet, useStylis } from './StyleSheetManager';\nimport { ThemeContext }
from './ThemeProvider';\n\nconst identifiers = {};\n\n/* We depend on components having unique IDs */\nfunction
generateId(displayName?: string, parentComponentId?: string) {\n  const name = typeof displayName !== 'string' ?
'sc' : escape(displayName);\n  // Ensure that no displayName can lead to duplicate componentIds\n
  identifiers[name] = (identifiers[name] || 0) + 1;\n  const componentId
  = `${name}-${generateComponentId(\n    // SC_VERSION gives us isolation between multiple runtimes on the
page at once\n    // this is improved further with use of the babel plugin "namespace" feature\n    SC_VERSION +
name + identifiers[name]\n  )}`;\n  return parentComponentId ? `${parentComponentId}-${componentId}` :
componentId;\n}\n\nfunction useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT, props: Config, attrs:
Attrs) {\n  // NOTE: can't memoize this\n  // returns [context, resolvedAttrs]\n  // where resolvedAttrs is only the
things injected by the attrs themselves\n  const context = { ...props, theme }; \n  const resolvedAttrs = {};\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n    let key;\n\n    if (isFunction(resolvedAttrDef)) {\n
      resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /* eslint-disable guard-for-in */\n    for (key in
resolvedAttrDef) {\n      context[key] = resolvedAttrs[key] =\n        key === 'className'\n          ?
joinStrings(resolvedAttrs[key],
resolvedAttrDef[key])\n          : resolvedAttrDef[key];\n    }\n\n    /* eslint-enable guard-for-in */\n  });\n  return
[context, resolvedAttrs];\n}\n\nfunction useInjectedStyle<T>(\n  componentStyle: ComponentStyle,\n  isStatic:
boolean,\n  resolvedAttrs: T,\n  warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string,
string>)\n  {\n    const styleSheet = useStyleSheet();\n    const stylis = useStylis();\n\n    const className = isStatic\n    ?
componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis)\n    :
componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n    if (process.env.NODE_ENV !==
'production' && !isStatic && warnTooManyClasses) {\n      warnTooManyClasses(className);\n    }\n\n    return
className;\n  }\n}\n\nfunction useStyledComponentImpl(\n  forwardedComponent: IStyledComponent,\n  props:
Object,\n  forwardedRef: Ref<any>,\n  isStatic: boolean)\n  {\n    const {\n      attrs: componentAttrs,\n
componentStyle,\n
      defaultProps,\n      foldedComponentIds,\n      shouldForwardProp,\n      styledComponentId,\n      target,\n    } =
forwardedComponent;\n\n    // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n    // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n    const theme = determineTheme(props,
useContext(ThemeContext), defaultProps);\n\n    const [context, attrs] = useResolvedAttrs(theme ||
EMPTY_OBJECT, props, componentAttrs);\n\n    const generatedClassName = useInjectedStyle(\n
componentStyle,\n    isStatic,\n    context,\n    process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n  );\n\n    const refToForward = forwardedRef;\n\n    const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n    const isTargetTag =
isTag(elementToBeCreated);\n    const computedProps = attrs !== props ? { ...props, ...attrs }
: props;\n    const propsForElement = {};\n\n    // eslint-disable-next-line guard-for-in\n    for (const key in
computedProps) {\n      if (key[0] === '$' || key === 'as') continue;\n      else if (key === 'forwardedAs') {\n
        propsForElement.as = computedProps[key];\n      } else if (\n        shouldForwardProp\n        ?
shouldForwardProp(key, validAttr, elementToBeCreated)\n        : isTargetTag\n        ? validAttr(key)\n        : true\n
      ) {\n        // Don't pass through non HTML tags through to HTML elements\n        propsForElement[key] =

```

```

computedProps[key];\n  }\n }\n\n if (props.style && attrs.style !== props.style) {\n  propsForElement.style = {
...props.style, ...attrs.style };\n }\n\n propsForElement.className = Array.prototype\n .concat(\n foldedComponentIds,\n  styledComponentId,\n  generatedClassName !== styledComponentId ?
generatedClassName : null,\n  props.className,\n  attrs.className\n )\n .filter(Boolean)\n .join(' ');\n\n propsForElement.ref
= refToForward;\n\n return createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function
createStyledComponent(\n target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n  attrs?: Attrs,\n  componentId: string,\n  displayName?: string,\n  parentComponentId?: string,\n  shouldForwardProp?:
ShouldForwardProp,\n },\n rules: RuleSet\n) {\n  const isTargetStyledComp = isStyledComponent(target);\n  const
isCompositeComponent = !isTag(target);\n\n  const {\n    attrs = EMPTY_ARRAY,\n    componentId =
generateId(options.displayName, options.parentComponentId),\n    displayName = generateDisplayName(target),\n  } = options;\n\n  const styledComponentId =\n    options.displayName && options.componentId\n    ?
`${escape(options.displayName)}-${options.componentId}`\n    : options.componentId || componentId;\n\n  // fold
the underlying StyledComponent attrs up (implicit extend)\n  const finalAttrs =\n    isTargetStyledComp &&
((target: any):
IStyledComponent).attrs\n    ? Array.prototype.concat(((target: any): IStyledComponent).attrs,
attrs).filter(Boolean)\n    : attrs;\n\n  // eslint-disable-next-line prefer-destructuring\n  let shouldForwardProp =
options.shouldForwardProp;\n\n  if (isTargetStyledComp && target.shouldForwardProp) {\n    if
(options.shouldForwardProp) {\n      // compose nested shouldForwardProp calls\n      shouldForwardProp = (prop,
filterFn, elementToBeCreated) =>\n        (((target: any): IStyledComponent).shouldForwardProp: any):
ShouldForwardProp)(\n        prop,\n        filterFn,\n        elementToBeCreated\n      ) &&\n
(((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n    } else {\n      //
eslint-disable-next-line prefer-destructuring\n      shouldForwardProp = ((target: any):
IStyledComponent).shouldForwardProp;\n    }\n  }\n\n  const componentStyle = new ComponentStyle(\n    rules,\n    styledComponentId,\n    isTargetStyledComp
? ((target: Object).componentStyle: ComponentStyle) : undefined\n  );\n\n  // statically styled-components don't
need to build an execution context object,\n  // and shouldn't be increasing the number of class names\n  const
isStatic = componentStyle.isStatic && attrs.length === 0;\n\n  /**\n   * forwardRef creates a new interim
component, which we'll take advantage of\n   * instead of extending ParentComponent to create _another_ interim
class\n   */\n  let WrappedStyledComponent: IStyledComponent;\n\n  const forwardRef = (props, ref) =>\n    //
eslint-disable-next-line\n    useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n  forwardRef.displayName = displayName;\n  WrappedStyledComponent = ((React.forwardRef(forwardRef): any):
IStyledComponent);\n  WrappedStyledComponent.attrs = finalAttrs;\n  WrappedStyledComponent.componentStyle
= componentStyle;\n  WrappedStyledComponent.displayName = displayName;\n\n  WrappedStyledComponent.shouldForwardProp = shouldForwardProp;\n\n  // this static is used to preserve the cascade of static classes for component selector\n  // purposes; this is especially
important with usage of the css prop\n  WrappedStyledComponent.foldedComponentIds = isTargetStyledComp\n  ? Array.prototype.concat(\n    ((target: any): IStyledComponent).foldedComponentIds,\n    ((target: any):
IStyledComponent).styledComponentId\n  )\n    : EMPTY_ARRAY;\n\n  WrappedStyledComponent.styledComponentId = styledComponentId;\n\n  // fold the underlying StyledComponent
target up since we folded the styles\n  WrappedStyledComponent.target = isTargetStyledComp\n  ? ((target: any):
IStyledComponent).target\n    : target;\n\n  WrappedStyledComponent.withComponent = function
withComponent(tag: Target) {\n    const { componentId: previousComponentId, ...optionsToCopy } = options;\n\n    const newComponentId =\n      previousComponentId &&\n      `${previousComponentId}-${isTag(tag) ? tag :
escape(getComponentName(tag))}`;\n\n    const
newOptions = {\n      ...optionsToCopy,\n      attrs: finalAttrs,\n      componentId: newComponentId,\n    };\n\n    return createStyledComponent(tag, newOptions, rules);\n  };\n\n  Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n    set(obj) {\n

```


APIs\n * are directly assigned as properties to the main function\n * *\n// eslint-disable-next-line guard-for-in\nfor (const key in secondary) {\n styled[key] = secondary[key];\n}\n\n\nexport default styled;\n"}\n// @flow\n// Thanks to ReactDOMFactories for this handy list!\n\n\nexport default [\n 'a',\n 'abbr',\n 'address',\n 'area',\n 'article',\n 'aside',\n 'audio',\n 'b',\n 'base',\n 'bdi',\n 'bdo',\n 'big',\n 'blockquote',\n 'body',\n 'br',\n 'button',\n 'canvas',\n 'caption',\n 'cite',\n 'code',\n 'col',\n 'colgroup',\n 'data',\n 'datalist',\n 'dd',\n 'del',\n 'details',\n 'dfn',\n 'dialog',\n 'div',\n 'dl',\n 'dt',\n 'em',\n 'embed',\n 'fieldset',\n 'figcaption',\n 'figure',\n 'footer',\n 'form',\n 'h1',\n 'h2',\n 'h3',\n 'h4',\n 'h5',\n 'h6',\n 'head',\n 'header',\n 'hgroup',\n 'hr',\n 'html',\n 'i',\n 'iframe',\n 'img',\n 'input',\n 'ins',\n 'kbd',\n 'keygen',\n 'label',\n 'legend',\n 'li',\n 'link',\n 'main',\n 'map',\n 'mark',\n 'marquee',\n 'menu',\n 'menuitem',\n 'meta',\n 'meter',\n 'nav',\n 'noscript',\n 'object',\n 'ol',\n 'optgroup',\n 'option',\n 'output',\n 'p',\n 'param',\n 'picture',\n 'pre',\n 'progress',\n 'q',\n 'rp',\n 'rt',\n 'ruby',\n 's',\n 'samp',\n 'script',\n 'section',\n 'select',\n 'small',\n 'source',\n 'span',\n 'strong',\n 'style',\n 'sub',\n 'summary',\n 'sup',\n 'table',\n 'tbody',\n 'td',\n 'textarea',\n 'tfoot',\n 'th',\n 'thead',\n 'time',\n 'title',\n 'tr',\n 'track',\n 'u',\n 'ul',\n 'var',\n 'video',\n 'wbr',\n\n // SVG\n 'circle',\n 'clipPath',\n 'defs',\n 'ellipse',\n 'foreignObject',\n 'g',\n 'image',\n 'line',\n 'linearGradient',\n 'marker',\n 'mask',\n 'path',\n 'pattern',\n 'polygon',\n 'polyline',\n 'radialGradient',\n 'rect',\n 'stop',\n 'svg',\n 'text',\n 'textPath',\n 'tspan',\n];\n\n\n], "names": ["isStyledComponent", "target", "styledComponentId", "strings", "interpolations", "result", "i", "I", "en", "length", "push", "x", "toString", "Object", "prototype", "call", "typeof", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "isFunction", "test", "getComponentName", "displayName", "name", "SC_ATTR", "process", "env", "REACT_APP_SC_ATTR", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "STATIC_EXECUTION_CONTEXT", "ERRORS", "format", "a", "b", "c", "arguments", "forEach", "d", "replace", "throwStyledComponentsError", "code", "Error", "trim", "DefaultGroupedTag", "tag", "groupSizes", "Uint32Array", "indexOfGroup", "group", "index", "this", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "I", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER_RE", "RegExp", "rehydrateNamesFromContent", "sheet", "content", "names", "split", "registerName", "rehydrateSheetFromTag", "style", "parts", "textContent", "part", "marker", "match", "parseInt", "getTag", "getNonce", "__webpack_nonce__", "makeStyleTag", "head", "document", "parent", "createElement", "prevStyle", "childNodes", "child", "nodeType", "hasAttribute", "findLastStyleTag", "nextSibling", "undefined", "setAttribute", "__VERSION__", "nonce", "insertBefore", "CSSOMTag", "element", "appendChild", "createTextNode", "styleSheets", "ownerNode", "getSheet", "rule", "_error", "cssRules", "cssText", "TextTag", "nodes", "node", "refNode", "removeChild", "VirtualTag", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "isServer", "useCSSOMInjection", "StyleSheet", "options", "globalStyles", "gs", "server", "querySelectorAll", "getAttribute", "parentNode", "rehydrateSheet", "registerId", "reconstructWithOptions", "withNames", "allocateGSInstance", "hasNameForId", "add", "groupNames", "Set", "clearNames", "clear", "clearRules", "clearTag", "size", "selector", "outputSheet", "AD_REPLACE_R_R", "getAlphabeticChar", "String", "fromCharCode", "generateAlphabeticName", "Math", "abs", "phash", "h", "charCodeAt", "hash", "SEED", "ComponentStyle", "componentId", "baseStyle", "staticRulesId", "isStatic", "baseHash", "generateAndInjectStyles", "executionContext", "styleSheet", "stylis", "cssStatic", "flatten", "join", "generateName", "cssStaticFormatted", "dynamicHash", "partRule", "partChunk", "partString", "Array", "isArray", "cssFormatted", "stylis_min", "W", "X", "e", "ia", "m", "Z", "v", "n", "F", "indexOf", "P", "substring", "w", "L", "ja", "ka", "aa", "G", "ba", "la", "ma", "R", "na", "ea", "oa", "H", "q", "g", "A", "S", "B", "U", "prefix", "D", "z", "M", "k", "y", "C", "K", "u", "r", "I", "t", "J", "f", "p", "N", "charAt", "ca", "O", "da", "fa", "Y", "E", "ha", "Q", "use", "T", "COMMENT_REGEX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "_componentId", "_selector", "_selectorRegexp", "_consecutiveSelfRefRegExp", "plugins", "Stylis", "parsingRules", "parseRulesPlugin", "toSheet", "block", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "delimiter", "insertRulePlugin", "selfReferenceReplacer", "offset", "string", "stringifyRules", "flatCSS", "cssStr", "_", "lastIndexOf", "parsedRules", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "masterSheet", "masterStylis", "useStyleSheet", "useContext", "useStylis", "StyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "disableCSSOMInjection

","disableVendorPrefixes","useEffect","objA","objB","compare","compareContext","ret","keysA","keys","keysB","bHasOwnProperty","hasOwnProperty","bind","idx","key","valueA","valueB","shallowequal","Provider","value","Children","only","children","Keyframes","inject","stylisInstance","resolvedName","_this","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","unitlessKeys","animationIterationCount","borderImageOutset","borderImageSlice","borderImageWidth","boxFlex","boxFlexGroup","boxOrdinalGroup","columnCount","columns","flex","flexGrow","flexPositive","flexShrink","flexNegative","flexOrder","gridRow","gridRowEnd","gridRowSpan","gridRowStart","gridColumn","gridColumnEnd","gridColumnSpan","gridColumnStart","msGridRow","msGridRowSpan","msGridColumn","msGridColumnSpan","fontWeight","lineHeight","opacity","order","orphans","tabSize","widows","zIndex","zoom","WebkitLineClamp","fillOpacity","floodOpacity","stopOpacity","strokeDasharray","strokeDashoffset","strokeMiterlimit","strokeOpacity","strokeWidth","isFalsish","chunk","ruleSet","isReactComponent","isElement","console","warn","isPlainObject","objToCssArray","obj","prevKey","isCss","hyphenate","unitless","startsWith","addTag","arg","styles","interleave","GlobalStyle","isStaticRules","createStyles","instance","removeStyles","renderStyles","ThemeContext","ThemeConsumer","invalidHookCallRe","seen","checkDynamicCreation","message","originalConsoleError","error","didNotCallInvalidHook","consoleErrorMessage","consoleErrorArgs","useRef","providedTheme","defaultProps","theme","str","ServerStyleSheet","_emitSheetCSS","SC_ATTR_VERSION","filter","getStyleTags","sealed","getStyleElement","dangerouslySetInnerHTML","__html","seal","collectStyles","interleaveWithNodeStream","input","REACT_STATICS","childContextTypes","contextType","contextTypes","getDefaultProps","getDerivedStateFromError","getDerivedStateFromProps","mixins","propTypes","type","KNOWN_STATICS","caller","callee","arity","MEMO_STATICS","\$Sty eof","TYPE_STATICS","getStatics","component","reactIs","isMemo","ForwardRef","render","Memo","defineProperty","getOwnPropertyNames","getOwnPropertySymbols","getOwnPropertyDescriptor","getPrototypeOf","objectPrototype","hoistNonReactStatics","targetComponent","sourceComponent","blacklist","inheritedComponent","concat","targetStatics","sourceStatics","descriptor","__PRIVATE__","navigator","product","generateComponentId","JSON","stringify","globalStyle","GlobalStyleComponent","current","count","some","useLayoutEffect","determineTheme","memo","outerTheme","themeContext","mergedTheme","mergeTheme","Component","WithTheme","forwardRef","ref","themeProp","hoistStatics","memoize","fn","cache","create","reactPropsRegex","isPropValid","prop","escapeRegex","dashesAtEnds","escape","isTag","isObject","val","isValidKey","mixin","mixinDeep","rest","identifiers","createStyledComponent","isTargetStyledComp","isCompositeComponent","attrs","parentComponentId","generateId","generateDisplayName","finalAttrs","shouldForwardProp","filterFn","elementToBeCreated","WrappedStyledComponent","componentStyle","forwardedComponent","forwardedRef","componentAttrs","foldedComponentIds","resolvedAttrs","attrDef","resolvedAttrDef","useResolvedAttrs","generatedClassName","warnTooManyClasses","className","useInjectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","validAttr","withComponent","previousComponentId","optionsToCopy","newComponentId","_foldedDefaultProps","merge","generatedClasses","warningSeen","parsedIdString","createWarnTooManyClasses","hoist","styled","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","StyledComponent","domElement","secondary"],"mappings":":sUACe,SAASA,EAakBC,UACjCA,GAA8C,iBAA7BA,EAaOC,iCCE/BC,EACAC,WAEMC,EAAS,CAACF,EAaQ,IAefG,EAaI,EAAGC,EAAMH,EAaeI,OAAQF,EAaIC,EAaKD,GAak,EACzDD,EAaOI,KAAKL,EAaeE,GAaIH,EAaQG,EAaI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAaEC,SAAWD,EAaEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,SAAOL,ICNGM,EAaCJ,OAAOK,OAAO,IAC5BC,EAaEn,OAAOK,OAAO,ICD3B,SAASE,EAaWC,SACV,mBAATA,ECCD,SAASC,EACtBpB,SAG6D,iBAAXA,GAAuBA,GAeV EA,EAAOqB,aAEPrB,EAAOsB,MACP,2NCPG,IAAMC,EACS,oBAAZC,cACiB,IAAhBA,QAAQC,MACdD,QAAQC,IAaIC,mBAAqBF,QAAQC,IAaIF,UAChD,cAOWI,EAa+B,oBAAXC,QAA0B,gBAAiBA,OAE/DC,EAaBC,QACC,kBAaTBC,kBACHA,kBACmB,oBAAZP,cAAkD,IAAhBA,QAAQC,WACE,IAA5CD,QAAQC,IAaIO,6BACyB,KAA5CR,QAAQC,IAaIO,4BACKC,UAA5CR,QAAQC,IAaIO,6BAEVR,QAAQC,IAaIO,iCAC2B,IAaICR,QAAQC,IAAIM,mBAAuE,KAAICP,QAaQC,IAAIM,mBACIC,UAAICP,QAAQC,IAAIM,mBAEVP,QAAQC,IAAIM,oBAMTE,EAa2B,GCjCICC,ECHS,GAak,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAAaK,8OAAgP,uHAA2H,gEAaOE,mCAAqC,oUAAsU,2NAa6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDQ/jG,SAASC,YACHC,0CACEC,EAaI,GAEDC,EAaI

,EAAGhC,EAAMiC,UAAKhC,OAAQ+B,EAAlhC,EAAKgC,GAACK,EAC/CD,EAAE7B,KAAU8B,uBAAAA,mB
AAAA,WAGdD,EAAGG,SAAQ,SAAAC,GACRL,EAAlA,EAEM,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,E
ACtBC,8BACGzC,mCAAAA,0BASK,IAAI0C,MAAMV,gBAAOD,EAAOU,WAAUzC,IAAgB2C,QE9BrD,IAM
DC,wBAOQC,QACLC,WAAa,IAAIC,YAVR,UAWT3C,OAXS,SAYTyC,IAAMA,6BAGbG,aAAA,SAAaC,WAC
PC,EAAQ,EACHhD,EAAl,EAAGA,EAAl+C,EAAO/C,IACzBgD,GAASC,KAAKL,WAAW5C,UAGpBgD,KAG
TE,YAAA,SAAYH,EAAl,MACrBJ,GAASE,KAAKL,WAAW1C,OAAQ,SAC7BkD,EAAYH,KAAKL,WACjBS,
EAAUD,EAAUID,OAElBoD,EAAUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAAlB,MAAOR,QAlvBH
,WAAa,IAAIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACfID,OAASoD,MAET,IAAlfD,EAAlqD,EAASrD,EAAlS
D,EAAStD,SAC5B4C,WAAW5C,GAACK,UAlrByD,EAAYR,KAAKH,aAAaC,EAAQ,GACjC/C,EAAl,EAAG0D,
EAAlP,EAAMjD,OAAQF,EAAl0D,EAAG1D,IACnCiD,KAAKN,IAAlgB,WAAWF,EAAWN,EAAMnD,WACIC
4C,WAAWG,KACHBU,QAkNG,WAAA,SAAWb,MACLA,EAAGQ,KAAK/C,OAAQ,KACjBA,EAAS+C,KAAK
L,WAAWG,GACzBc,EAAlZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAl3D,OAElB0C,WAAWG,GAAS,MAEpB,
IAAl/C,EAAl6D,EAAY7D,EAAl8D,EAAU9D,SACCh2C,IAAl0B,WAAWF,OAK1BG,SAAA,SAASjB,OACHkB
,EAAM,MACNIB,GAASE,KAAK/C,QAAqC,IAA3B+C,KAAKL,WAAWG,UACnCb,UAGH/D,EAAS+C,KAA
KL,WAAWG,GACzBc,EAAlZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAl3D,EAElBF,EAAl6D,EAAY7D,EAAl8
D,EAAU9D,IACrCiE,GAAlhB,KAAKN,IAAluB,QAAQIE,GH9ET,mBGiFbIE,QCzFPE,EAAlC,IAAIC,IAC3CC
,EAAlC,IAAlD,IAC3CE,EAAGB,EAQPC,EAAGB,SAACC,MACxBL,EAAGBM,IAAlD,UACdL,EAAGBO,IAAlF
,QAGvBH,EAAGBI,IAAlH,IACzBA,QAGlvB,EAAlQuB,YAlF,EAARvB,GAAa,GAACA,EAzBR,GAACK,KA2Bj
BQ,EAAlB,MAAOR,GAG1BoB,EAAGBX,IAAlgB,EAAlzB,GACxBsB,EAAGBb,IAAlT,EAAlOyB,GACpBzB,G
AGI4B,EAAGB,SAAC5B,UACrBsB,EAAGBK,IAAl3B,IAGhB6B,EAAGB,SAACJ,EAAYzB,GACpCA,GAASuB,
IACXA,EAAGBvB,EAAGQ,GAG1BoB,EAAGBX,IAAlgB,EAAlzB,GACxBsB,EAAGBb,IAAlT,EAAlOyB,IC3CvB
K,WAAoB3D,oCACpB4D,EAAY,IAAIC,WAAW7D,kDAkC3B8D,EAAl4B,SAACC,EAAlT,EAAYU,WAEvDjE,
EADEkE,EAAlQD,EAAGQ,MAAM,KAGnBpF,EAAl,EAAG0D,EAAlYB,EAAMjF,OAAQF,EAAl0D,EAAG1D,K
AEICiB,EAAlOe,EAAMnF,KACHBiF,EAAlM,aAAab,EAAlvD,IAlKvBqE,EAAlwB,SAACL,EAAlM,WACrCC,
GAASD,EAAME,aAAe,IAAIL,MLxCIB,aKyChBjC,EAAlK,GAElfD,EAAl,EAAG0D,EAAl8B,EAAlMf,OAAQ
F,EAAl0D,EAAG1D,IAAK,KACtC0F,EAAlOF,EAAlMx,F,GAAGyC,UACjBiD,OAElCC,EAASD,EAAlKE,MAAM
d,MAElBa,EAAGQ,KACJ5C,EAAlK,EAAl1B8C,SAASF,EAAlO,GAAl,IAC5BnB,EAAlKMB,EAAlO,GAElJ,IAAV5
C,IAElF6B,EAAlJ,EAAlzB,GAGlBiC,EAAl0BC,EAAlOT,EAAlImB,EAAlO,IAC5CV,EAAlMa,SAAS5C,YAAYH,E
AAOI,IAGpCA,EAAMjD,OAAS,OAElfD,EAAlMhD,KAAKuF,MCzEXK,EAAlW,iBACqB,oBAAtBC,kBAAlCA,
kBAAlB,MCIB3DC,EAAlE,SAAlT,G,OAElrBuG,EAAlSC,SAASD,KAClBE,EAAlSzG,GAAlUuG,EACnBX,EAAG
Y,SAASE,cAAc,SAC/BC,EAAlBiB,SAAl3G,WACHb4G,EAAlE5G,EAAlf4G,WAElcVg,EAAluG,EAAlWrG,OAAQ
F,GAACK,EAAGA,IAAK,KACrCwG,EAAlUD,EAAlWvG,MACvBwG,GARa,IAQJA,EAAlMC,UAA6BD,EAAME,
aAAaxF,UACxDsF,GAYKG,CAAlBP,GAC7BQ,OAA4BC,IAAlDp,EAAl0BA,EAAlUM,YAAc,KAElErB,EAAlMuB
,aAAa5F,EPnBS,UOoB5BqE,EAAlMuB,aPnBuB,sBACLc,cOoBIBC,EAAlQjB,WAEVIB,GAAlOzB,EAAlMuB,aA
Aa,QAASE,GAElvCZ,EAAlOa,aAAa1B,EAAlOqB,GAElpBrB,GCTBI2B,wBAOCvH,OACJwH,EAAlWIE,KAAKkE,
QAAUIB,EAAlatG,GAG7CwH,EAAlQC,YAAYjB,SAAlSkB,eAAe,UAEvCpC,MDae,SAAlTc,MACnBA,EAAlSc,
aACGtC,EAAlSc,cAlPqC,EAAlGnB,SAAlhBmB,YACCTH,EAAl,EAAG0D,EAAl4D,EAAYpH,OAAQF,EAAl0D
,EAAG1D,IAAK,KAC5CiF,EAAlQqC,EAAYtH,MACtBiF,EAAlMsC,YAAc5E,SACbsC,EAAl1B,EAAlBiB,IC3BFiE
,CAASL,QACjBjH,OAAS,6BAGhByD,WAAA,SAAlWX,EAAlEyE,mBAEljBxC,MAAlMtB,WAAW8D,EAAlMzE,Q
ACvB9C,UACE,EACP,MAAlOwH,UACA,MAAlX3D,WAAA,SAAlWf,QACJiC,MAAlMIB,WAAWf,QACjB9C,YA
GPgE,QAAA,SAAQIB,OACAyE,EAAlOxE,KAAKgC,MAAlM0C,SAAS3E,eAlEpB6D,IAAlTY,GAA8C,iBAAljBA,
EAAlKG,QAC7BH,EAAlKG,QAEI,SAMAC,wBAOCII,OACJwH,EAAlWIE,KAAKkE,QAAUIB,EAAlatG,QACxC
mI,MAAlQX,EAAlQZ,gBACHBrG,OAAS,6BAGhByD,WAAA,SAAlWX,EAAlEyE,MACpBzE,GAASC,KAAK/C,Q
AAU8C,GAAS,EAAG,KACHC+E,EAAlO5B,SAAlSkB,eAAEl,GAC/BO,EAAlU/E,KAAK6E,MAAlM9E,eAlCtBmE,
QAAQF,aAAac,EAAlMC,GAAlW,WACtC9H,UACE,SAEA,KAlX6D,WAAA,SAAlWf,QACJmE,QAAQc,YAAYh
F,KAAK6E,MAAlM9E,SAC/B9C,YAGPgE,QAAA,SAAQIB,UACFA,EAAlQC,KAAK/C,OACr+C,KAAK6E,MA
AlM9E,GAAOyC,YAEIB,SAMAYC,wBAKCC,QACLhF,MAAlQ,QACrjD,OAAS,6BAGhByD,WAAA,SAAlWX,E
AAEyE,UACpBzE,GAASC,KAAK/C,cACXiD,MAAlMiF,OAAOpF,EAAlO,EAAGyE,QACvBvH,UACE,MAMX6

D,WAAA,SAAWf,QACJG,MAAMiF,OAAOpF,EAAO,QACpB9C,YAGPgE,QAAA,SAAQIB,UACFA,EAAQC,K
AAK/C,OACR+C,KAAKE,MAAMH,GAEX,SCzHTqF,EAAMb/G,EAWjBgH,EAA+B,CACnCC,UAAWjH,EAC
XkH,mBAAoBhH,GAIDiH,wBAiBjBC,EACAC,EACAxD,YAFaUD,IAAAA,EAAgC9H,YAchC+H,IAAAA,EA
A2C,SAGtCD,aACAj,KACAI,QAGAE,GAAKD,OACLxD,MAAQ,IAAI,IAAIe,QACHB0D,SAAWH,EAAQH,U
AGnBtF,KAAK4F,QAAUvH,GAAc+G,IACHCA,GAAMb,EJyBK,SAACpD,WACvB6C,EAAQ3B,SAAS2C,iBA
AiBjE,GAE/B7E,EAAI,EAAG0D,EAAIoE,EAAM5H,OAAQF,EAAI0D,EAAG1D,IAAK,KACtC+H,EAASD,EA
AM9H,GACjB+H,GL7EsB,WK6EdA,EAAKgB,aAAa7H,KAC5BoE,EAASBL,EAAO8C,GAEzBA,EAAKiB,YAC
PjB,EAAKiB,WAAWf,YAAyF,KIjC9BkB,CAAehG,SARbZiG,WAAP,SAakB1E,UACTD,EAACc,+BAwBvB2E,
uBAAA,SAAuBT,EAA+BU,mBAAAA,IAAAA,GAASB,GACnE,IAAIX,OACJxF,KAAKyF,WAAYA,GACtBzF,
KAAK2F,GACJQ,GAAanG,KAAKkC,YAAU0B,MAIjCwC,mBAAA,SAAMb7E,UACTvB,KAAK2F,GAAgPE,I
AAOVb,KAAK2F,GAAgPE,IAAO,GAAK,KAI7CsB,OAAA,kBACS7C,KAAKN,MAAQM,KAAKN,KDtEH4F,
KCsEgCtF,KAAKyF,SDtErCH,SAAUC,IAAAA,kBAAMb7I,IAAAA,OLCxBgD,EKAzB4F,EACK,IAAIL,EAAW
vI,GACb6I,EACF,IAAI,EAASvH,GAEB,IAAIkI,EAAQII,GLJd,IAAI+C,EAakBC,KADD,IAACA,IKDL4F,EA
AUC,EAAmB7I,KC0ErD2J,aAAA,SAAa9E,EAAYvD,UACHBgC,KAAKkC,MAAMV,IAAID,IAAQvB,KAAKkC
,MAAMT,IAAIF,GAAUC,IAAIxD,MAI7DoE,aAAA,SAAab,EAAYvD,MACvBsD,EAACc,GAETvB,KAAKkC,
MAAMV,IAAID,QAKZW,MAAMT,IAAIF,GAAU+E,IAAI,IALP,KACjBuI,EAAa,IAAIC,IACvBD,EAAWD,I
AAItI,QACVke,MAAM3B,IAAIgB,EAAIgF,OAovBtG,YAAA,SAAYsB,EAAYvD,EAACkC,QAC/BkC,aAAab,E
AAIvD,QACjB6E,SAAS5C,YAAyqB,EAACc,GAAKrB,MAI/CuG,WAAA,SAAWIF,GACLvB,KAAKkC,MAA
MV,IAAID,SACXW,MAAMT,IAAIF,GAAUmF,WAK9BC,WAAA,SAAWpF,QACJsB,SAASIC,WAAWW,EA
cC,SACICKF,WAAWIF,MAIIBqF,SAAA,gBAGOIH,SAAMkE,KAIbxG,SAAA,kBJpHyB,SAAC4E,WACpBtC,E
AAMsC,EAAMa,SACV5F,EAAWyC,EAAXzC,OAeJ+D,EAAM,GACDIB,EAAQ,EAAGA,EAAQ7C,EAAQ6C,I
AAS,KACrCyB,EAAKG,EAAC5B,WACd8D,IAAPrC,OAEEW,EAAQF,EAAME,MAAMT,IAAIF,GACxBrB,EA
AQR,EAAIqB,SAASjB,MACTBoC,GAAUhc,GAAUgC,EAAM2E,UAEzBC,EAAC7I,OAAY6B,UAAayB,OAeZC
U,EAAU,QACA2B,IAAV1B,GACFA,EAAMhD,SAAQ,SAAAI,GAACRA,EAAKf,OAAS,IACHBgF,GAAcJE,UA
OpBgD,MAAUd,EAAQ4G,eAAqB7E,yBAGlCjB,ElwFE+F,CAAY/G,YC3HjBgH,EAAGB,WAOhBC,EAAoB,SA
AC3H,UACzB4H,OAaOC,aAAa7H,GAAQA,EAAO,GAAK,GAAK,MAGhC,SAAS8H,EAAuB9H,OAeZCnC,EA
DAa,EAAO,OAInb,EAAlkK,KAAKC,IAAIhI,GAAOnC,EAZP,GAYwBA,EAACA,EAZ7B,GAYgD,EACHeA,EA
AOiJ,EAAkB9J,EAbtI,IAa4Ba,SAGtCiJ,EAAkB9J,EAhBR,IAgB2Ba,GAAMoB,QAAQ4H,EAAe,SCpBrE,IAKM
O,EAAQ,SAACC,EAAWrK,WAC3BJ,EAAIL,EAAEF,OAeHF,GAClyK,EAAS,GAAJA,EAUUrK,EAAsK,aAA
a1K,UAGzByK,GAIII,EAAO,SAACvK,UACZoK,EAjBW,KAIbCpK,ICXfwK,EAAOD,EZla5D,UYCL8D,wBAa
P1H,EAAgB2H,EAAqBC,QAC1C5H,MAAQA,OACR6H,cAAgB,QACHBC,UAAW9J,OAGX2J,YAAcA,OAIdI,S
AAWV,EAAMI,EAAME,QAeVBC,UAAyA,EAjBtC,EAAS,WAAW4B,sBAQxBK,wBAAA,SAAWBC,EAA0
BC,EAAwBC,OACHER,EAAGb7H,KAAhB6H,YAEF3F,EAAQ,MAEVIC,KAAK8H,WACP5F,EAAMhF,KAAK
8C,KAAK8H,UAAUI,wBAAWBC,EAakBC,EAAYC,IAI9ErI,KAAKGI,WAAaK,EAAOX,QACvB1H,KAAK+H,e
AAiBK,EAAW/B,aAAawB,EAAa7H,KAAK+H,eACIE7F,EAAMhF,KAAK8C,KAAK+H,mBACX,KACCO,EAA
YC,GAAQvI,KAAKE,MAAOiI,EAakBC,EAAYC,GAAQG,KAAK,IAC3ExK,EAAOyK,EAAalB,EAAMvH,KA
AKiI,SAAUk,KAAe,OAeZDF,EAAW/B,aAAawB,EAAa7J,GAAO,KACzC0K,EAAqBL,EAAOC,MAAetK,OA
Q4F,EAAWIE,GAEPeO,EAAWnI,YAAy4H,EAAa7J,EAAM0K,GAG5CxG,EAAMhF,KAAKc,QACN+J,cAAgB
/J,MAEIB,SACGF,EAAW+C,KAAKE,MAAhBjD,OACJ0L,EAACpB,EAAMvH,KAAKiI,SAAU,EAAXOX,MAC1
C1G,EAAM,GAEDjE,EAAL,EAAGA,EAALIE,EAAQF,IAAK,KACzB6L,EAAW5I,KAAKE,MAAMnD,MAEJ,iB
AAb6L,EACT5H,GAAO4H,EAEOCD,EAACpB,EAAMoB,EAAaC,EAAW7L,QACIF,GAAl6L,EAU,KACbC,E
AAYN,GAAQK,EAAUT,EAakBC,EAAYC,GAC5DS,EAAaC,MAAMC,QAAQH,GAAaA,EAUL,KAAK,IAA
MK,EACnEF,EAACpB,EAAMoB,EAAaG,EAAa/L,GAC9CiE,GAAO8H,MAIP9H,EAak,KACDhD,EAAOyK,E
AAaE,IAAgB,OAERCP,EAAW/B,aAAawB,EAAa7J,GAAO,KACzCiL,EAAeZ,EAAOrH,MAASHD,OAQ4F,EA
AWIE,GACxDO,EAAWnI,YAAy4H,EAAa7J,EAAMiL,GAG5C/G,EAAMhF,KAAKc,WAIRkE,EAAMsG,KAA
K,WC7GtB,SAASU,EAAYC,GAKUnB,SAASC,EAAEjK,EAAGH,EAAGqK,GACf,IAAI7B,EAAlxI,EAEEQ,OA
AO2C,MAAMmH,GACvBtK,EAAlwI,EACJ,IAAI1I,EAAl0I,EAEEvK,OACNsM,EAAlpK,EAEEIC,OAeV,OA
QsM,GACN,KAAK,EAEL,KAAK,EACH,IAAIxK,EAAL,EAER,IAAKI,EAAL,IAAMoK,EAAL,GAAPkK,EAEE,

GAAK,IAAKJ,EAAID,IAAKC,EAC3CC,EAAED,GAAKyK,EAAErK,EAAGH,EAAED,GAAsK,GAAG7J,OAG vB,MAEF,QACE,IAAIK,EAAlK,EAAl,EAEZ,IAAKC,EAAl,GAAlD,EAAID,IAAKC,EACpB,IAAK,IAAI2K,E AAl,EAAGA,EAAlH,IAAKG,EACvB1K,EAAEyK,KAAOD,EAAErK,EAEEuK,GAAK,IAAKIC,EAEEzI,GAAs K,GAAG7J,OAMxK,OOAOR,EAGT,SAASwK,EAAErK,EAAGH,EAAGqK,GACf,IAAI7B,EAAlxI,EAEEyI,WA AW,GAGrB,OAFa,GAAKD,IAAMA,GAAKxI,EAAlA,EAAEQ,QAAQiI,WAAW,IAEjCD,GACN,KAAK,GACH ,OAAOxI,EAAlE,QAAQuK,EAAG,KAAOxK,EAAlEK,QAE/B,KAAK,GACH,OAAOL,EAAlEK,OAASR,EAAlE, QAAQuK,EAAG,KAAOxK,EAAlEK,QAE1C,QACE,GAAl,EAAl,EAAl6J,GAAK,EAAlrK,EAAlE4K,QAAQ,MA AO,OAAO5K,EAAlE,QAAQuK,GAAl,KAAOxK,EAAlE5I,WAAW,GAAK,GAAK,MAAQI,EAAlEK,QAGvG,O AAOL,EAAlH,EAGb,SAAS6K,EAAlE1K,EAAGH,EAAGqK,EAAG7B,GACIB,IAAlI,EAAlK,EAAl,IACRoK,E AAl,EAAlvK,EAAl,EAAlqK,EAAl,EAAl7B,EAAlE5B,GAAl,MAAQ+B,EAAG,CACbpK,EAAlL,EAAlE8K,QAA Q,IAAK,GAAK,EACxB,IAAl7K,EAAlD,EAAlEgL,UAAU3K,EAAGL,EAAlE7B,OAAS,GAAGuC,OAErC,ODA T,EAAlD,EAAlEgL,UAAU,EAAG3K,GAAGK,OAAS,EAAl,IAC5B,IAAMgI,GAAK,IAAMA,GAAKC,EAAlEj L,EAAG,GAAK,WAAaA,EAAlA,EAAlA,EAG9D,GAAl,IAAMgI,GAAK,IAAMA,IAAMC,EAAlEIL,EAAG,GA Al,OAAOA,EAE3C,OAAQyK,GACN,KAAK,KACH,OAAO,KAAOzK,EAAlE2I,WAAW,IAAM,WAAa3I,EAAl A,EAAlA,EAExD,KAAK,IACH,OAAO,MAAQA,EAAlE2I,WAAW,GAAK,WAAa3I,EAAlA,EAAlA,EAExD,KA AK,IACH,OAAO,MAAQA,EAAlE2I,WAAW,GAAK,WAAa3I,EAAlA,EAAlA,EAExD,KAAK,KACH,GAAl,MA AQA,EAAlE2I,WAAW,GAAl,MAE/B,KAAK,IACL,KAAK,IACH,MAAO,WAAa3I,EAAlA,EAAlB,KAAK,IAC H,MAAO,WAAaA,EAAl,QAAUA,EAAlA,EAExC,KAAK,KACL,KAAK,IACH,MAAO,WAAaA,EAAl,QAAUA ,EAAl,OAASA,EAAlA,EAAlrD,KAAK,IACH,GAAl,KAAOA,EAAlE2I,WAAW,GAAl,MAAO,WAAa3I,EAAlA, EACpD,GAAl,EAAlA,EAAlE8K,QAAQ,aAAc,IAAK,OAAO9K,EAAlEM,QAAQ6K,EAAl,gBAABnL,EAC5E,M AEF,KAAK,IACH,GAAl,KAAOA,EAAlE2I,WAAW,GAAl,OAAQ3I,EAAlE2I,WAAW,IAC/C,KAAK,IACH,MA AO,eAAiB3I,EAAlEM,QAAQ,QAAS,IAAM,WAAaN,EAAl,OAASA,EAAlEM,QAAQ,OAAQ,YAAcN,EAAlE7G,K AAK,IACH,MAAO,WAAaA,EAAl,OAASA,EAAlEM,QAAQ,SAAU,YAAcN,EAAlrE,KAAK,GACH,MAAO,WA AaA,EAAl,OAASA,EAAlEM,QAAQ,QAAS,kBAAoBN,EAAlE5E,MAAO,WAAaA,EAAl,OAASA,EAAlA,EAAlvC, KAAK,IACH,MAAO,WAAaA,EAAl,YAAcA,EAAlA,EAAlE5C,KAAK,KACH,GAAl,KAAOA,EAAlE2I,WAAW,G AAl,MAE5B,MAAO,oBADP1I,EAAlD,EAAlEgI,UAAUHL,EAAlE8K,QAAQ,IAAK,KAAKxK,QAAQ,QAAS,IA AIA,QAAQ,gBAAiB,YACID,WAAaN,EAAl,gBAAkBC,EAAlD,EAAlEzE,KAAK,KACH,OAAOoL,EAAlGrM,KA AKiB,GAAKA,EAAlEM,QAAQ+K,EAAl,aAAerL,EAAlEM,QAAQ+K,EAAl,UAAyRl,EAAlA,EAAlEjF,KAAK,IAI H,OAFaE,GADAD,EAAlD,EAAlEgI,UAAU,IAAlItK,QACdoK,QAAQ,KAAO,EAAlE7K,EAAlE0I,WAAW,GAAK I,EAAlE0I,WAAWzI,IACrC,KAAK,IACHD,EAAlD,EAAlEM,QAAQgI,EAAG,MACjB,MAEF,KAAK,IACHrL, EAAlD,EAAlEM,QAAQgI,EAAG,SACjB,MAEF,KAAK,IACHrL,EAAlD,EAAlEM,QAAQgI,EAAG,MACjB,M AEF,QACE,OAAOIL,EAGX,MAAO,WAAaA,EAAl,OAASC,EAAlD,EAAlvC,KAAK,KACH,IAAK,IAAMA,EA AlE8K,QAAQ,SAAU,GAAl,MAErC,KAAK,IAIH,OAHA5K,GAAKF,EAAlK,GAAGIC,OAAS,GAGbsM,GAFRx K,GAAK,KAAOD,EAAlE2I,WAAWzI,GAAKF,EAAlEgI,UAAU,EAAG9K,GAAKF,GAAGgI,UAAU3K,EAAlEy K,QAAQ,IAAK,GAAK,GAAGpK,QAEExI,EAAl,WAAW,IAAwB,EAAlB1I,EAAlE0I,WAAW,KAC1C,KAAK,IACH, GAAl,IAAM1I,EAAlE0I,WAAW,GAAl,MAE7B,KAAK,IACH3I,EAAlA,EAAlEM,QAAQL,EAAG,WAAaA,GA A,K,IAAMD,EACzC,MAEF,KAAK,IACL,KAAK,IACHA,EAAlA,EAAlEM,QAAQL,EAAG,YAAc,IAAMwK,EAAl I,UAAy,IAAM,OAAS,IAAMzK,EAAlEM,QAAQL,EAAG,WAAaA,GAAK,IAAMD,EAAlEM,QAAQL,EAAG,O AASA,EAAl,OAAS,IAAMD,EAG5J,OAAOA,EAAl,IAEb,KAAK,IACH,GAAl,KAAOA,EAAlE2I,WAAW,GAAl ,OAAQ3I,EAAlE2I,WAAW,IAC/C,KAAK,IACH,OAAO1I,EAAlD,EAAlEM,QAAQ,SAAU,IAAK,WAAaN,EAAl, eAAiBC,EAAl,YAAcA,EAAlD,EAAlE9F,KAAK,IACH,MAAO,WAAaA,EAAl,iBAAmBA,EAAlEM,QAAQiL,EA Al,IAAMvL,EAAlEjE,QACE,MAAO,WAAaA,EAAl,qBAAuBA,EAAlEM,QAAQ,gBAAiB,IAAlA,QAAQiL,EAAl,I AAMvL,EAAlEpG,MAEF,KAAK,IACL,KAAK,IACH,GAAl,KAAOA,EAAlE2I,WAAW,IAAM,MAAQ3I,EAAlE2I, WAAW,GAAl,MAEzD,KAAK,IACL,KAAK,IACH,IAAl,IAAO6C,EAAGzM,KAAKsB,GAAl,OAAO,OAASJ,E AAlI,EAAlE2K,UAAU3K,EAAlEyK,QAAQ,KAAO,IAAlInC,WAAW,GAAKoC,EAAlE1K,EAAlEC,QAAQ,UAAW ,kBAAmBJ,EAAGqK,EAAG7B,GAAGpI,QAAQ,kBAAmB,YAAcN,EAAlEM,QAAQL,EAAG,WAAaA,GAAKD, EAAlEM,QAAQL,EAAG,QAAUA,EAAlEK,QAAQ,QAAS,KAAON,EACxQ,MAEF,KAAK,IACH,GAAlA,EAAl, WAAaA,GAAK,MAAQA,EAAlE2I,WAAW,GAAK,OAAS3I,EAAl,IAAMA,EAAG,MAAQuK,EAAl7B,GAAK,

MAAQ1I,EAAE2I,WAAW,KAAO,EAAI3I,EAAE8K,QAAQ,YAAa,IAAK,OAAO9K,EAAEgL,UAAU,EAAGhL,
EAAE8K,QAAQ,IAAK,IAAM,GAAGxK,QAAQmL,EAAI,gBAakBzL,EAGvO,OAAOA,EAGT,SAASKL,EAAE
7K,EAAGH,GACZ,IAAIqK,EAAIK,EAAEyK,QAAQ,IAAM5K,EAAI,IAAM,KAC9BwI,EAAIrI,EAAE2K,UAA
U,EAAG,IAAM9K,EAAIqK,EAAI,IAErC,OADAA,EAAIK,EAAE2K,UAAUT,EAAI,EAAGIK,EAAEIC,OAAS,
GAC3BuN,EAAE,IAAMxL,EAAIwI,EAAIA,EAAEpI,QAAQqL,EAAI,MAAOpB,EAAGrK,GAGjD,SAAS0L,EA
AGvL,EAAGH,GACb,IAAIqK,EAAIQ,EAAE7K,EAAGA,EAAEyI,WAAW,GAAIzI,EAAEyI,WAAW,GAAIzI,E
AAEyI,WAAW,IAC5D,OAAO4B,IAAMrK,EAAI,IAAMqK,EAAEjK,QAAQuL,EAAI,YAAyB,UAAU,GAAK,IA
AM9K,EAAI,IAG5E,SAAS4L,EAAEzL,EAAGH,EAAGqK,EAAG7B,EAAG1I,EAAGyK,EAAGxK,EAAG0K,E
AAGC,EAAGmB,GACpC,IAAK,IAAkBd,EAAde,EAAI,EAAG3N,EAAI6B,EAAM8L,EAAIC,IAAKD,EACjC,O
AAQf,EAAIiB,EAAEF,GAAGvN,KAAK0N,EAAG9L,EAAGhC,EAAGkM,EAAG7B,EAAG1I,EAAGyK,EAAG
xK,EAAG0K,EAAGC,EAAGmB,IACID,UAAK,EACL,KAAK,EACL,KAAK,EACL,KAAK,KACH,MAEF,QAC
E1N,EAAI4M,EAIv,GAAI5M,IAAM6B,EAAG,OAAO7B,EAmBtB,SAAS+N,EAAE/L,GAGT,YADA,KADAA,
EAAIA,EAAEgM,UACWX,EAAI,KAAMrL,EAAI,mBAAsBA,EAAI4K,EAAI,GAAKA,EAAI,EAAGS,EAAIrL,
GAAK4K,EAAI,GAC/EmB,EAGT,SAASD,EAAE9L,EAAGH,GACZ,IAAIqK,EAAIK,EAKR,GAJA,GAAKkK,
EAAE5B,WAAW,KAAO4B,EAAIA,EAAE7J,QAE/B6J,EAAI,CADAA,GAGA,EAAIOB,EAAG,CACT,IAAIvD,E
AAIoD,GAAG,EAAG5L,EAAGqK,EAAGA,EAAG+B,EAAGC,EAAG,EAAG,EAAG,EAAG,QACtC,IAAW7D,
GAAK,iBAAoBA,IAAMxI,EAAIwI,GAGhD,IAAI1I,EA5jBN,SAASwM,EAAEnM,EAAGH,EAAGqK,EAAG7B,
EAAG1I,GACrB,IAAK,IAAgC+L,EAAGC,EAAiBS,EAAuEC,EAAmCC,EAA1JIC,EAAI,EAAGxK,EAAI,EAAG
0K,EAAI,EAAGC,EAAI,EAASvM,EAAI,EAAGuO,EAAI,EAAMC,EAAIJ,EAAIV,EAAI,EAAGpK,EAAI,EAAG
mL,EAAI,EAAGC,EAAI,EAAGC,EAAI,EAAGb,EAAI5B,EAAEpM,OAAQ8O,EAAId,EAAI,EAAMe,EAAI,GA
AIC,EAAI,GAAItC,EAAI,GAAS,EAAI,GAAO3J,EAAIwK,GAAI,CAI5K,GAHAH,EAAIzB,EAAE5B,WAAWh
H,GACjBA,IAAMsL,GAAK,IAAMhN,EAAI2K,EAAID,EAAIF,IAAM,IAAMxK,IAAM+L,EAAI,KAAO/L,EA
I,GAAK,IAAK2K,EAAID,EAAIF,EAAI,EAAG0B,IAAKc,KAExF,IAAMhN,EAAI2K,EAAID,EAAIF,EAAG,CA
CvB,GAAI9I,IAAMsL,IAAM,EAAIH,IAAMI,EAAIA,EAAE5M,QAAQ8M,EAAG,KAAM,EAAIF,EAAExM,OA
AOvC,QAAS,CACrE,OAAQ6N,GACN,KAAK,GACL,KAAK,EACL,KAAK,GACL,KAAK,GACL,KAAK,GACL,KAAK,GAC
H,MAEF,QACEkB,GAAK3C,EAAE8C,OAAO1L,GAGIBqK,EAAI,GAGN,OAAQA,GACN,KAAK,IAXH,IAHA
D,GADAmB,EAAIA,EAAExM,QACaiI,WAAW,GACjB8D,EAAI,EAECO,IAAMrL,EAAGA,EAAIwK,GAAI,C
ACpB,OAAQH,EAAIzB,EAAE5B,WAAWhH,IACvB,KAAK,IACH8K,IACA,MAEF,KAAK,IACHA,IACA,MAE
F,KAAK,GACH,OAAQT,EAAIzB,EAAE5B,WAAWhH,EAAI,IAC3B,KAAK,GACL,KAAK,GACH3B,EAAG,C
ACD,IAAK6M,EAAIIL,EAAI,EAAGkL,EAAII,IAAKJ,EACvB,OAAQtC,EAAE5B,WAAWkE,IACnB,KAAK,G
ACH,GAAI,KAAOb,GAAK,KAAOzB,EAAE5B,WAAWkE,EAAI,IAAMIL,EAAI,IAAMkL,EAAG,CACzDIL,EA
AIkL,EAAI,EACR,MAAM7M,EAGR,MAEF,KAAK,GACH,GAAI,KAAOgM,EAAG,CACzrK,EAAIkL,EAAI,E
ACR,MAAM7M,GAMd2B,EAAIkL,GAKV,MAEF,KAAK,GACHb,IAEF,KAAK,GACHA,IAEF,KAAK,GACL,K
AAK,GACH,KAAOrK,IAAMsL,GAAK1C,EAAE5B,WAAWhH,KAAOqK,KAK1C,GAAL,IAAMS,EAAG,MACb
9K,IAMF,OAHA8K,EAAIIC,EAAES,UAAUgC,EAAGrL,GACnB,IAAMoK,IAAMA,GAAKmB,EAAIA,EAAE5
M,QAAQgN,EAAI,IAAI5M,QAAQiI,WAAW,IAEIdoD,GACN,KAAK,GAIH,OAHA,EAAIe,IAAMI,EAAIA,EA
AE5M,QAAQ8M,EAAG,KAC3BpB,EAAIkB,EAAEvE,WAAW,IAGf,KAAK,IACL,KAAK,IACL,KAAK,IACL,
KAAK,GACHmE,EAAI5M,EACJ,MAEF,QACE4M,EAAIS,EAMR,GAFAP,GADAP,EAAID,EAAEtM,EAAG4
M,EAAGL,EAAGT,EAAGhM,EAAI,IACHb7B,OACN,EAAI8N,IAAsBU,EAAIb,EAAE,EAAGW,EAAzBK,EA
IxC,EAAEiD,EAAGL,EAAGH,GAAMb7M,EAAGoM,EAAGC,EAAGS,EAAGhB,EAAGhM,EAAG0I,GAAIwE,
EAAIJ,EAAEpD,KAAK,SAAK,IAAWiD,GAAK,KAAOK,GAAKP,EAAIE,EAAEjM,QAAQvC,UAAy6N,EAAI,
EAAGS,EAAI,KAC5I,EAAIO,EAAG,OAAQhB,GACjB,KAAK,IACHkB,EAAIA,EAAE5M,QAAQkN,EAAI5B,
GAEpB,KAAK,IACL,KAAK,IACL,KAAK,GACHa,EAAIS,EAAI,IAAMT,EAAI,IACIB,MAEF,KAAK,IAEHA,G
ADAS,EAAIA,EAAE5M,QAAQmN,EAAI,UACV,IAAMhB,EAAI,IACIBA,EAAI,IAAMxB,GAAK,IAAMA,GA
AKC,EAAE,IAAMuB,EAAG,GAAK,YAAcA,EAAI,IAAMA,EAAI,IAAMA,EAC5E,MAEF,QACEA,EAAIS,EA
AIT,EAAG,MAAQ/D,IAAWyE,GAAKV,EAAVA,EAAa,SACnCA,EAAI,GACX,MAEF,QACEA,EAAID,EAAEt
M,EAAGoK,EAAEpK,EAAGnN,EAAGH,GAAIN,EAAG/D,EAAG1I,EAAI,GAGnC6K,GAAK4B,EACLA,EAAI
M,EAAID,EAAID,EAAId,EAAI,EACpBmB,EAAI,GACJIB,EAAIzB,EAAE5B,aAAaH,GACnB,MAEF,KAAK,I

ACL,KAAK,GAEH,GAAl,GAAKqL,GADTE,GAAK,EAAlJ,EAAlI,EAAlE5M,QAAQ8M,EAAG,IAAMF,GAAG
xM,QACpBvC,QAAS,OAAQ,IAAM00,IAAMd,EAAlmB,EAAlEvE,WAAW,GAAl,KAAOoD,GAAK,GAAKA,G
AAK,IAAMA,KAAOiB,GAAKE,EAAlA,EAAlE5M,QAAQ,IAAK,MAAMnC,QAAS,EAAl8N,QAAK,KAAYU,E
AAIb,EAAlE,EAAGoB,EAAGhN,EAAGG,EAAGiM,EAAGC,EAAGY,EAAlEhP,OAAQuK,EAAGII,EAAG0I,KA
AO,KAAOsE,GAAKE,EAAlP,EAAlEjM,QAAQvC,UAAy+O,EAAl,QAAanB,EAAlmB,EAAlEvE,WAAW,GAAl
qD,EAAlkB,EAAlEvE,WAAW,GAAlO,D,GAC9S,KAAK,EACH,MAEF,KAAK,GACH,GAAl,MAAQc,GAAK,K
AAOA,EAAG,CACzBV,GAAK4B,EAAl3C,EAAlE8C,OAAO1L,GACIB,MAGJ,QACE,KAAOuL,EAAlEvE,WAA
WqE,EAAl,KAAOG,GAAKpC,EAAlEmC,EAAGnB,EAAGC,EAAGkB,EAAlEvE,WAAW,KAAlEhEoE,EAAlD,EA
AlD,EAAlD,EAAl,EACHbM,EAAl,GACJIB,EAAlzB,EAAlE5B,aAAahH,IAIzB,OAAQqK,GACN,KAAK,GACL
,KAAK,GACH,KAAO/L,EAAlA,EAAl,EAAl,IAAM,EAAl8L,GAAK,MAAQrD,GAAK,EAAlwE,EAAlE/O,SAA
W2O,EAAl,EAAGI,GAAK,MAC5E,EAAljB,EAAlYB,GAAK5B,EAAlE,EAAGoB,EAAGhN,EAAGG,EAAGiM,E
AAGC,EAAGY,EAAlEhP,OAAQuK,EAAGII,EAAG0I,GACjD6D,EAAl,EACJD,IACA,MAEF,KAAK,GACL,KA
AK,IACH,GAAl,IAAMrM,EAAl2K,EAAlD,EAAlF,EAAG,CACvB8B,IACA,MAGJ,QAIE,OAHA,A,IACAG,EA
AlnC,EAAlE8C,OAAO1L,GAELqK,GACN,KAAK,EACL,KAAK,GACH,GAAl,IAAMpB,EAAlH,EAAlxK,EA
AG,OAAQ5B,GAC3B,KAAK,GACL,KAAK,GACL,KAAK,EACL,KAAK,GACHqO,EAAl,GACJ,MAEF,QACE,K
AAOV,IAAMU,EAAl,KAAlrB,MAEF,KAAK,EACHA,EAAl,MACJ,MAEF,KAAK,GACHA,EAAl,MACJ,MAEF,
KAAK,GACHA,EAAl,MACJ,MAEF,KAAK,GACH,IAAM9B,EAAl3K,EAAlwK,IAAMqC,EAAlC,EAAl,EAAG
L,EAAl,KAAOA,GAC1C,MAEF,KAAK,IACH,GAAl,IAAM9B,EAAl3K,EAAlwK,EAAlkD,GAAK,EAAlD,EA
AG,OAAQIL,EAAlkL,GAC5C,KAAK,EACH,MAAQxO,GAAK,KAAOkM,EAAlE5B,WAAWhH,EAAl,KAAOGM,
EAAltP,GAElD,KAAK,EACH,MAAQuO,IAAMe,EAAlf,GAAlrB,MAEF,KAAK,GACH,IAAMhC,EAAl3K,EAAl
wK,IAAMoC,EAAlIL,GACxB,MAEF,KAAK,GACH,IAAM1B,EAAl0K,EAAlC,EAAlH,IAAMqC,EAAl,EAAGJ
,GAAK,MACpC,MAEF,KAAK,GACL,KAAK,GACH,IAAMzM,IAAM2K,EAAlA,IAAMoB,EAAl,EAAl,IAAMp
B,EAAlO,B,EAAlpB,GAC5C,MAEF,KAAK,GACH,IAAMA,EAAl3K,EAAl0K,GAAlKf,IACnB,MAEF,KAAK,G
ACH,IAAMG,EAAl3K,EAAl0K,GAAlKf,IACnB,MAEF,KAAK,GACH,IAAMG,EAAl3K,EAAlwK,GAAlE,IA
CnB,MAEF,KAAK,GACH,GAAl,IAAMC,EAAl3K,EAAlwK,EAAG,CACnB,GAAl,IAAMsB,EAAG,OAAQ,EA
AlIN,EAAl,EAAluO,GAC/B,KAAK,IACH,MAEF,QACEb,EAAl,EAAlrP,B,IAGF,MAEF,KAAK,GACH,IAAM1
K,EAAl0K,EAAlC,EAAlH,EAAlO,C,EAAlJ,IAAMA,EAAl,GACpC,MAEF,KAAK,GACL,KAAK,GACH,KAAM,
EAAl7B,EAAlH,EAAlE,GAAl,OAAQ1K,GAC5B,KAAK,EACH,OAAQ,EAAl+L,EAAl,EAAlzB,EAAlE5B,WA
AWhH,EAAl,IACnC,KAAK,IACH1B,EAAl,GACJ,MAEF,KAAK,IACH+M,EAAlrL,EAAG1B,EAAl,GAGf,MA
EF,KAAK,GACH,KAAO+L,GAAK,KAAO3N,GAAK2O,EAAl,IAAMrL,IAAM,KAAO4I,EAAlE5B,WAAWqE,E
AAI,KAAOG,GAAK5C,EAAlES,UAAUgC,EAAGrL,EAAl,IAAK+K,EAAl,GAAlzM,EAAl,IAIxH,IAAMA,IAA
MiN,GAAlK,GAGrBE,EAAlvO,EACJA,EAAl2N,EACJrK,IAKF,GAAl,GAFJqL,EAAlG,EAAlEhP,QAElK,CAET
,GADA2O,EAAl5M,EACA,EAAl+L,QAA2C,KAArCU,EAAlb,EAAlE,EAAGqB,EAAGL,EAAGzM,EAAGiM,E
AAGC,EAAGS,EAAGtE,EAAGII,EAAG0I,KAAoB,KAAOyE,EAAlR,GAAGxO,OAAS,OAAOmN,EAAl6B,EA
AltC,EAGzG,GAFAsC,EAAlL,EAAlEpD,KAAK,KAAO,IAAMyD,EAAl,IAExB,GAAMIC,EAAl0C,EAAG,CAGf
,OAFa,IAAM1C,GAAlK,EAAlEiC,EAAG,KAAOQ,EAAl,GAEnBA,GACN,KAAK,IACHR,EAAlA,EAAlE7M,Q
AAQsN,EAAl,YAAcT,EACHC,MAEF,KAAK,IACHA,EAAlA,EAAlE7M,QAAQuN,EAAG,sBAAwBV,EAAlE7M
,QAAQuN,EAAG,aAAeV,EAAlE7M,QAAQuN,EAAG,iBAAMBV,EAGzGQ,EAAl,GAIR,OAAOrC,EAAl6B,EA
AltC,EA8PP2B,CAAlE,EAAGhD,EAAGrK,EAAG,EAAG,GAKtB,OAJA,EAAl+L,QAAMd,KAA7CvD,EAAlO
D,GAAG,EAAG9L,EAAGuK,EAAGA,EAAG+B,EAAGC,EAAGvM,EAAlE7B,OAAQ,EAAG,EAAG,MAAQb6B,E
AAI0I,GAElEiF,EAAl,EACJpB,EAAlD,EAAl,EACDtM,EAGT,IAAlsN,EAAlK,QACLf,EAAl,YACJ/B,EAAlK,O
ACLd,EAAlK,UACLK,EAAlK,sBACLjB,EAAlK,SACLK,EAAl,oBACJ4C,EAAlK,qBACLl,EAAl,aACJD,EAAlK,g
BACLtC,EAAl,qBACJkC,EAAlK,kBACL3B,EAAlK,eACLN,EAAlK,eACLl,EAAlK,8BACLH,EAAlK,mCACLL,E
AAK,sBACLoB,EAAl,EACJD,EAAl,EACJqB,EAAl,EACJ1C,EAAl,EACJsC,EAAl,GACJrB,EAAl,GACJD,EA
Al,EACJP,EAAl,KACJgC,EAAl,EAKR,OAHAvB,EAAlE2B,IApEF,SAASC,EAAlE1N,GACT,OAAQA,GACN,UA
AK,EACL,KAAK,KACH4L,EAAlC,EAAlE/N,OAAS,EAlf,MAEF,QACE,GAAl,mBAAsBkC,EAAG6L,EAAlD,
KAAO5L,OAAO,GAAl,iBAAOBA,EAAG,IAAK,IAAlH,EAAl,EAAGqK,EAAlIK,EAAlEiC,OAAQ+B,EAAlqK,I
AAKrK,EAC7G6N,EAAlE1N,EAAlEH,SACCwN,EAAlU,IAAlrN,EAGjB,OAAO0N,GAwDT5B,EAAlE1K,IAAM2

K,OACR,IAAW/B,GAAK+B,EAAE/B,GACX8B,EC51BT,IAAM6B,EAAgB,gBACHBC,EAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,SAyBIBC,EACAC,EACAC,EACAC,eAzB6BzP,QAFjC8H,QAAAA,aAAU9H,QACV0P,QAAAA,aAAU5P,IAEJ4K,EAAS,IAAIiF,EAAO7H,GAMtB8H,EAAe,GAWbC,ECdO,SAAS9M,YAIb+M,EAQC,MACXA,MAEAhN,EAACgN,OACd,MAAORe,YAIN,SACLsE,EACA1L,EACA2L,EACAC,EACAC,EACA C,EACA9Q,EACA+Q,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GAAyC,KAA1BhM,EAAQwF,WAAW,GAAW,OAAO/G,EAAcuB,OAAa,cAGhF,KACQ,IAAP+L,EAAU,OAAO/L,EA/BT,mBAkCT,SACK+L,QAED,SACA,WACItN,EAAWkN,EAAU,GAAK3L,GAAU,kBAEpCA,GAakB,IAAPiM,EazCV,QAYCiC,SAEzC,EACJjM,EAAQE,MA3CIgM,UA2CUjP,QAAQuO,KD/BXW,EAAiB,SAAA5J,GACxC+I,EAAarQ,KAAKsH,MAQd6J,EAAwB,SAAC1L,EAAO2L,EAAQC,UAG9B,IAAXD,IAA8E,IAA/DvB,EAAwBnD,QAAQ2E,EAAOrB,EAAUjQ,UAEhEsR,EAAO5L,MAAMyK,GAKTzK,MAHMsk,YA4BNuB,EAaexN,EAAK8F,EAAUqE,EAAQtD,YAAAA,IAAAA,EAAc,SACrD4G,EAAUzN,EAAI5B,QAAQ0N,EAAe,IACrC4B,EAAS5H,GAAyqE,EAAYA,MAAUrE,QAAc2H,OAAcA,SAK7ExB,EAAepF,EACfQF,EAAYpG,EACZqG,EAakB,IAAIrL,YAAyOL,QAAgB,KACIDE,EAA4B,IAAItL,aAAaoL,cAEtC7E,EAAO8C,IAAWrE,EAAW,GAAKA,EAAU4H,UAdrDrG,EAAOuE,cAAQS,GAPwB,SAACM,EAASgB,EAAGf,GACIC,IAAZD,GAAiBC,EAAU3Q,QAAU2Q,EAAU,GAAGgB,YAAy1B,GAaA,IAE7EU,EAAU,GAAKA,EAAU,GAAGxO,QAAQ+N,EAAiBkB,KAIdb,EAID9B,SAAAG,OACP,IAAbA,EAAGb,KACZkB,EAActB,SACpBA,EAAe,GACRsB,OA+DXL,EAAe9G,KAAO2F,EAAQpQ,OAC1BoQ,EACGyB,QAAO,SAACC,EAakC,UACPA,EAAOhR,MACVsC,EAAiB,IAGZiH,EAAMwH,EAakC,EAAOhR,QHnGf,MGqGXZ,WACH,GAEGoR,EE3FF,IAAMS,EAAgDC,EAAMC,gBACtDC,EAAqBH,EAakBI,SACvCC,EAA6CJ,EAAAMC,gBAGnDI,GAFiBD,EAAcD,SAEL,IAAI7J,GAC9BgK,EAA4BxC,IAEIC,SAASyC,YACPC,aAAWT,IAAsBM,EAGnC,SAASI,YACPD,aAAWJ,IAAkBE,EAGvB,SAASI,GAakBC,SACVC,WAASD,EAAME,eAAtC1C,OAAAS2C,OACVC,EAAoBR,KAepBrH,EAAa8H,WAAQ,eACrBIO,EAAQiO,SAERJ,EAAM7N,MAERA,EAAQ6N,EAAM7N,MACL6N,EAAMnT,SACfsF,EAAQA,EAAMkE,uBAAuB,CAAExJ,OAAQmT,EAAMnT,SAAU,IAG7DmT,EAAMM,wBACRnO,EAAQA,EAAMkE,uBAAuB,CAAEX,mBAAmB,KAGrDvD,IACN,CAAC6N,EAA MM,sBAAuBN,EAAM7N,MAAO6N,EAAMnT,SAE9C2L,EAAS6H,WACb,kBACEID,EAAqB,CACnBvH,QAA S,CAAEOF,QAAS0E,EAAMO,uBAC1B/C,QAAAA,MAEJ,CAACwC,EAAMO,sBAAuB/C,WAGhCgD,aAAU,YC5DK,SAAsBC,EAAMC,EAAMC,EAASC,GAC1D,IAAIC,OAA2D,EAE/D,QAAY,IAARA,EACF,QAASA,EAGX,GAaiJ,IAASC,EACX,OAAO,EAGT,GAAoB,iBAATD,IAAsBA,GAAwB,iBAATC,IAAsBA,EACpE,OAAO,EAGT,IAAI,EAQItT,OAAOuT,KAAKN,GACpBO,EAAQxT,OAAOuT,KAAKL,GAExB,GAaiJ,EAAM1T,SAAW4T,EAAM5T,OACzB,OAAO,EAMT,IAHA,IAAI6T,EAakBzT,OAAOC,UAAUyT,eAAeC,KAAKT,GAGIDU,EAAM,EAAGA,EAAMN,EAAM1T,OAAQgU,IAAO,CAC3C,IAAIC,EAAMP,EAAMM,GAehB,IAAKH,EAAgBI,GACnB,OAAO,EAGT,IAAIC,EAASb,EAakY,GACdE,EAASb,EAakW,GAiIB,IAAY,KAFZR,OAAoE,SAEtC,IAARA,GAakBS,IAAWC,EACjD,OAAO,EAIX,OAAO,GDmBAC,CAAahE,EAASwC,EAAME,gBAAGBC,EA AWH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,EAakBqC,UAAASC,MAAOmJ,GACjC8G,gBAACI,EAACgC,UAAASC,MAAOIJ,GAeZB6G,EAAMsC,SAASC,KAAK5B,EAAM6B,gBEhEjBC,yBAOP3T,EAackC,mBAM1B0R,OAAS,SAACxJ,EAAwByJ,YAAAA,IAAAA,EAA8BrC,OACxDsC,EAAeC,EAakT,KAAO6T,EAAe nK,KAe3CU,EAAW/B,aAAa0L,EAakxQ,GAAIuQ,IACpC1J,EAAWnI,YACT8R,EAakxQ,GACLuQ,EACAD,EAAeE,EAak7R,MAAO4R,EAAc,qBAK/C1U,SAAW,kBACfkd,EAAiB,GAai4G,OAAO6K,EAakT,aAlBnCA, KAAOA,OACPuD,mBAAqBvD,OACrBkC,MAAQa,qBAmbf8R,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BrC, GAC7BxP,KAAKhC,KAAO6T,EAAenK,WC7BhCuK,GAaiB,UACjBC,GAAMb,WACnBC,GAAY,OACZC,GA AqB,SAACC,aAA6BA,EAakC,eAkB/C,SAASC,GAAMbHE,UACIC0D,GAAepU,KAAK0Q,GACzBA,EACcNP, QAAQ8S,GAakBE,IAC1BhT,QAAQ+S,GAAW,QACpB5D,ECjCJ,IAAIIE,GAAe,CACjBC,wBAAyB,EACzBC,k BAAmB,EACnBC,iBAakB,EACIBC,iBAakB,EACIBC,QAAS,EACTC,aAAc,EACdC,gBAAiB,EACjBC,YAAa, EACbC,QAAS,EACTC,KAAM,EACNC,SAAU,EACVC,aAAc,EACdC,WAAY,EACZC,aAAc,EACdC,UAAW,E ACXC,QAAS,EACTC,WAAY,EACZC,YAAa,EACbC,aAAc,EACdC,WAAY,EACZC,cAAe,EACfC,eAAgB,EAC hBC,gBAAiB,EACjBC,UAAW,EACXC,cAAe,EACfC,aAAc,EACdC,iBAakB,EACIBC,WAAY,EACZC,WAAY, EACZC,QAAS,EACTC,MAAO,EACPC,QAAS,EACTC,QAAS,EACTC,OAAQ,EACRC,OAAQ,EACRC,KAAM, EACNC,gBAAiB,EAEjBC,YAAa,EACbC,aAAc,EACdC,YAAa,EACbC,gBAAiB,EACjBC,iBAakB,EACIBC,iB AakB,EACIBC,cAAe,EACfC,YAAa,GC/BTC,GAAY,SAAAC,UASA,MAAAA,IAAmD,IAAVA,GAA6B,KAA

VA,GAoBxE,SAAShN,GACtBgN,EACApN,EACAC,EACAyJ,MAEI9I,MAAMC,QAAQuM,GAAQ,SAGYzY,E
AF9B0Y,EAAU,GAEPzY,EAAI,EAAGC,EAAMuY,EAAMtY,OAAGBF,EAAIC,EAAKD,GAAG,EAAGzC,MAFF
D,EAASyL,GAAQgN,EAAMxY,GAAIoL,EAakBC,EAAYyJ,MAGhD9I,MAAMC,QAAQIM,GAAS0Y,EAAQtY
,WAARsY,EAAgB1Y,GAC3C0Y,EAAQtY,KAAKJ,WAGb0Y,KAGLF,GAAUC,SACL,MAIL9Y,EAakB8Y,aAC
TA,EAAM5Y,qBAIfiB,EAAM2X,GAAQ,IC9DL,mBAFwB1X,EDiEhB0X,IC7DtB1X,EAACP,WACFO,EAACP,
UAAUmY,mBD4DctN,Eaa3B,OAAOoN,MAZNzY,EAASyY,EAAMpN,UAEwBuN,YAAU5Y,IAErD6Y,QAAQ
C,KACH9X,EACDyX,uLAKChN,GAAQzL,EAAQqL,EAakBC,EAAYyJ,GC7E5C,IAA6BhU,SDiFtC0X,aAAiB5
D,GACfvJ,GACFmN,EAAM3D,OAAOxJ,EAAYyJ,GACIB0D,EAAMvD,QAAQH,IACT0D,EAITM,EAACn,Gaz
EM,SAAhBO,EAAiBC,EAAaC,OEbHhY,EAACuT,EFc9CrR,EAAG,OAET,IAAMgR,KAAO6E,EACXA,EAAIHf,
eAAeG,KAAQoE,GAAUS,EAAI7E,MAEzCnI,MAAMC,QAAQ+M,EAAI7E,KAAS6E,EAAI7E,GAAG+E,OAA
UrY,EAAMwY,EAAI7E,IACHeHr,EAAMhD,KAAQgZ,GAAUhf,OAAS6E,EAAI7E,GAAM,KACIC2E,EAACe,
EAAI7E,IAC3BhR,EAAMhD,WAANgD,EAAC4V,EAACc,EAAI7E,GAAMA,IAEtChR,EAAMhD,KAAQgZ,GA
AUhf,SExBUIT,EFwBekT,EErBxC,OAHuCK,EFwBMwE,EAAI7E,KErBxB,kBAAVK,GAAiC,KAAVA,EAC1C,
GAGY,iBAAVA,GAAgC,IAAVA,GAAiBvT,KAAQmY,IAAcnY,EAakoY,WAAW,MAIjFIP,OAAOqK,GAAO/
R,OAHT+R,qBFoBLYE,GAACa,eAAgB9V,GAAO,MAAOA,EA0DrB4V,CAAcP,GAASA,EAAMnY,WG9E7D,I
AAMiZ,GAAS,SAAAC,UACTvN,MAAMC,QAAQsN,KAehBA,EAIL,OAAQ,GAEPK,GAGM,SAAStV,GAAI
uV,8BAAmB1Z,mCAAAA,2BACzCe,EAAM2Y,IAAWV,EAACU,GAE/BF,GAAO9N,GAAQiO,EAAM/Y,GAAC
8Y,UAAW1Z,MAG9B,IAA1BA,EAAeI,QAakC,IAAIBsZ,EAAOTZ,QAAQc,iBAAdsZ,EAAO,GAE/DA,EAIFF,G
AAO9N,GAAQiO,EAAWD,EAAQ1Z,SC1BtB4Z,yBAOPvW,EAAGB2H,QACrB3H,MAAQA,OACR2H,YAAcA,
OACdG,SCXM,SAAuB9H,OAC/B,IAAIInD,EAAI,EAAGA,EAAImD,EAAMjD,OAAQF,GAAG,EAAG,KACICy
H,EAAOtE,EAAMnD,MAEfa,EAAMW4G,KAAU/H,EAakB+H,UAGIC,SAIJ,EDAWkS,CAAcxW,GAI9BsF,EAA
WS,WAAWjG,KAAK6H,YAAc,8BAG3C8O,aAAA,SACEC,EACAZO,EACAC,EACAC,OAGMrH,EAAMqH,EA
DIE,GAAQvI,KAAKE,MAAOiI,EAakBC,EAAYC,GACvCG,KAAK,IAAK,IAC/BjH,EAakvB,KAAK6H,YAAc
+O,EAG9BxO,EAAMnI,YAAySb,EAAIA,EAAIP,MAGjC6V,aAAA,SAAAD,EAakBxO,GAC7BA,EAAMzB,W
AAW3G,KAAK6H,YAAc+O,MAG3CE,aAAA,SACEF,EACAZO,EACAC,EACAC,GAEIuO,EAAM,GAAGpR,E
AAWS,WAAWjG,KAAK6H,YAAc+O,QAGtDC,aAAAD,EAAMUxO,QACvBuO,aAAAc,EAAMzO,EAakBC,EA
AYC,SErCjD0O,GAAsC7H,EAAMC,gBAE5C6H,GAAgBD,GAAa1H,SCZpC4H,GAAoB,qBACpBC,GAAO,IAAI
1Q,IAEJ2Q,GAAuB,SAACpZ,EAaqB8J,OAGhDuP,EACJ,iBAAiBrZ,GAFI8J,sBAaKCA,MAAiB,6NAUpEwP,E
AAuB1B,QAAQ2B,cAE/BC,GAAwB,EA5B5B,QAAQ2B,MAAQ,SAACE,MAGXP,GAakBpZ,KAAK2Z,GAC
zBD,GAAwB,EAExBL,UAAyE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAaqBG,UAAwBC,MAMjDC,WAEI
H,IAA0BL,GAAG1V,IAAI4V,KAERcZB,QAAQC,KAAKwB,GACbF,GAAG5Q,IAAI8Q,IAEX,MAAOE,GAGH
L,GAakBpZ,KAAKyZ,EAAMF,UAE/BF,UAAyE,WAIzb,QAAQ2B,MAAQD,gBC9CNxH,EAAC8H,EAoBC,
mBAAAA,IAAAA,EAoBja,GAC5DkS,EAAMgI,QAAUD,EAAC,OAAShI,EAAMgI,OAAUF,GAAiBC,EAAC
C,mBCH9EC,UACP1Q,EAAMBM,EAakoQ,KAAS,ICOzBC,2CAYnBC,cAAgB,eACRHX,EAAM+Q,EAAG6E,S
AASxZ,eACrB4D,EAAG,MAAO,OAEX+C,EAAGjB,oBACA,CAACiB,aAAmBA,MAAa9F,YAAqBga,gCAC7C
C,OAAO1Z,SAASgK,KAAK,SAEfxH,mBAW/BmX,aAAe,kBACTpG,EAAGqG,OACA9X,EAaiB,GAGnByR,E
AAKiG,sBAGdK,gBAakB,oBACZtG,EAAGqG,cACA9X,EAaiB,OAGpBuP,UACH5R,GAAU,K/B9Cc,uBACL6
F,W+B+CpBwU,wBAAYB,CACvBC,OAAQxG,EAAG6E,SAASxZ,eAIpB2G,EAAGjB,WACViB,IACD8L,EA
Y9L,MAAQA,GAIhB,CAACmL,6BAAWW,GAAOqB,IAAI,mBAsDhCsH,KAAO,WACLzG,EAAGqG,QAAS,Q
AzGTxB,SAAW,IAAIpR,EAAM,CAAEF,UAAU,SACtC8S,QAAS,6BACHBK,cAAA,SAAC/G,UACR1R,KAAKo
Y,OACA9X,EAaiB,GAGnB4O,gBAACU,IAakB5N,MAAOHC,KAAK4W,UAAWIF,MAkCnDgH,yBAAA,SA
yBC,UAEdrY,EAaiB,SCrE1BsY,GAAgB,CACIBC,mBAAMb,EACnBC,aAAa,EACbC,cAAc,EACdnB,cAAc,EA
Cd7Z,aAAa,EACbib,iBAaiB,EACjBC,0BAA0B,EAC1BC,0BAA0B,EAC1BC,QAAQ,EACRC,WAAW,EACXC,
MAAM,GAEJC,GAAgB,CACIBtb,MAAM,EACnf,QAAQ,EACRK,WAAW,EACXic,QAAQ,EACRC,QAAQ,EA
CRva,WAAW,EACXwa,OAAO,GASLC,GAAe,CACjBC,UAAy,EACZnJ,SAAS,EACToH,cAAc,EACd7Z,aAAa,
EACbqb,WAAW,EACXC,MAAM,GAEJO,GAAe,GAIInB,SAASC,GAAWC,GAEIB,OAAIC,EAAGC,OAAOF,G
ACVJ,GAIFF,GAAAE,EAoB,WAAMIB,GAVhDgB,GAAAG,EAAGQE,YAhBK,CACxBN,UAAy,EACZO,QAAQ
,EACRtC,cAAc,EACd7Z,aAAa,EACbqb,WAAW,GAYbQ,GAAAG,EAAGI,MAAQ,GAy7B,IAAIU,GAaiB/c,O

AAO+c,eACxBC,GAAsBhd,OAAOgd,oBAC7BC,GAAwBjd,OAAOid,sBAC/BC,GAA2Bld,OAAOkd,yBACICC,
GAAiBnd,OAAOmd,eACxBC,GAakBpd,OAAOC,aAC7B,SAASod,EAAqBC,EAAiBC,EAAiBC,GAC9D,GAA+
B,iBAApBD,EAA8B,CAEvC,GAaiH,GAaiB,CACnB,IAAIK,EAAqBN,GAAeI,GAepCE,GAAsBA,IAAuBL,IA
C/CC,EAAqBC,EAAiBG,EAAoBD,GAI9D,IAAIjK,EAAOyJ,GAAoBO,GAE3BN,KACF1J,EAAOA,EAAKmK,O
AAOT,GAAsBM,KAM3C,IAHA,IAAII,EAAgBnB,GAAWc,GAC3BM,EAAgBpB,GAAWe,GAETb7d,EAAI,EA
AGA,EAAI6T,EAAK3T,SAAUF,EAAG,CACpC,IAAIImU,EAAMN,EAAK7T,GAef,KAAKuc,GAAcpI,IAAU2J,
GAAaA,EAAU3J,IAAW+J,GAAiBA,EAac/J,IAAW8J,GAAiBA,EAac9J,IAAO,CAC7I,IAAIgK,EAAaX,GAAyB
K,EAAiB1J,GAE3D,IAEEKJ,GAAeO,EAAiBzJ,EAAKgK,GACrC,MAAO7R,OKAf,OAAOsR,GC7FIQ,GAAc,CA
CzB3V,WAAAA,EACA+J,YAAAA,GCoBqB,oBAAd6L,WACe,gBAAtBA,UAAUC,SAGV1F,QAAQC,KACN,w
NAO8F,oBAAXtX,SACrFA,OAAO,8BAAGCA,OAAO,+BAaiC,EAEIC,IAAZCA,OAAO,+BAETqX,QAAQC,KA
CN,4TAOJtX,OAAO,+BAaiC,0DCrC3B,SACb1B,8BACGC,mCAAAA,wBAEGqD,EAAQc,iBAAIpE,UAAyC,I
ACxBF,eAAiC2e,GAAoBC,KAAKC,UAAUtb,IACpEub,EAac,IAAIhF,GAAyVw,EAAOvD,YAMIC+e,EAAqB7
L,OACtBzH,EAAaqH,KACbpH,EAASh,KACTki,EAAQnI,aAAWqH,IAGnBH,EAfCc,SAAOtP,EAAWhC,mBA
AmBzJ,IAE5Bgf,eAEgBzM,EAAMsC,SAASoK,MAAM/L,EAAM6B,WAETeIE,QAAQC,mCACwBjZ,uEAMhCu
D,EAAM2b,MAAK,SAAARX,SAAwB,iBAATA,IAakD,IAA7BA,EAAKoF,QAAQ,eAG5D+L,QAAQC,qVAKNx
N,EAAWxC,QACbkR,EAAaF,EAAU/G,EAAOzH,EAAyYp,EAAOxP,GAOjDyT,mBAAGB,eACTIT,EAAWxC,c
ACdkR,EAAaF,EAAU/G,EAAOzH,EAAyYp,EAAOxP,GAC1C,kBAAMoT,EAAy5E,aAAaD,EAAUxO,MAEjD,
CAACwO,EAAU/G,EAAOzH,EAAyYp,EAAOxP,IAGnC,cAGAyO,EAAaF,EAAU/G,EAAOzH,EAAyYp,EAAO
xP,MACpDoT,EAAyZT,SACdyT,EAAy3E,aAAaF,EAAUjY,EAA0ByJ,EAAyC,OACpE,KACCSf,OACDkC,GA
CHgI,MAAOKE,GAAelM,EAAOgI,EAAO6D,EAAqB9D,gBAG3D6D,EAAy3E,aAAaF,EAAUjJ,EAASvF,EAAy
C,WaxD1D8O,GAAqBxa,GA6DhBuS,EAAM8M,KAAKN,yCC9EL,SACb9e,GAMuB,oBAAdwe,WACe,gBAAt
BA,UAAUC,SAGV1F,QAAQC,KACN,8IAVD/Y,mCAAAA,wBAcGqD,EAAQc,iBAAIpE,UAAyC,IAAgB2L,K
AAK,IAC7CxK,EAAOsd,GAAoBpb,UAC1B,IAAIyR,GAAU3T,EAAMkC,qIToBd,SAAuB2P,OAC9BoM,EAaav
M,aAAWqH,IACxBmF,EAaehM,WAAQ,kBA9B/B,SAAoB2H,EAAsBoE,OACnCpE,SACivX,EAAiB,OAGtB1C
,EAAWia,GAAQ,KACfsE,EAActE,EAAMoE,UAIP,OAAhBE,GAAwBpT,MAAMC,QAAQmT,IAAuC,iBAAhB
A,EAEd7b,EAAiB,GAGnB6b,SAGLpT,MAAMC,QAAQ6O,IAA2B,iBAAVA,EAC1BvX,EAAiB,GAGnB2b,O
AAkBA,KAAepE,GAAUA,EAQfuE,CAAWvM,EAAMgI,MAAOoE,KAAa,CACtEpM,EAAMgI,MACNoE,WAG
GpM,EAAM6B,SAIJxC,gBAAC6H,GAAazF,UAAASC,MAAO2K,GAAerM,EAAM6B,UAHjD,eUIDM,kBAAMhC
,aAAWqH,arCSRjT,4BsCCVuy,OAERC,EAAyPn,EAAMqN,YAAW,SAAC1M,EAAO2M,OACnC3E,EAAQnI,a
AAWqH,IAEjBa,EAAiByE,EAAjBzE,aACF6E,EAAyV,GAAelM,EAAOgI,EAAOD,eAEYhU,IAAd6Y,GAE3C9
G,QAAQC,8HACmH9X,EACvHue,QAKCnN,gBAACmN,OAAcxM,GAAOgI,MAAO4E,EAAWD,IAAKA,eAGt
DE,GAAaJ,EAAWD,GAExBC,EAAUve,yBAA2BD,EAAiBue,OAE/CC,oBCtCT,SAASK,GAAQC,GACf,IAAIC,
EAAQxf,OAAOyf,OAAO,MAC1B,OAAO,SAAUxG,GAef,YADmB1S,IAAfIZ,EAAMvG,KAAoBuG,EAAMvG,
GAAOsG,EAAGtG,IACvCuG,EAAMvG,ICFjB,IAAIyG,GAakB,s7HAEIBC,GAA6BL,IAAQ,SAAUM,GACjD,O
AAOF,GAAgBlf,KAAKof,IAAgC,MAAvBA,EAAKxV,WAAW,IAE3B,MAAvBwV,EAAKxV,WAAW,IAEHbW
V,EAAKxV,WAAW,GAak,MCLpByV,GAac,wCAEdC,GAAe,WAMN,SAASC,GAAOf,UAE3BA,EAEG1Y,Q
AAQ8d,GAAa,KAGrB9d,QAAQ+d,GAac,IChBd,SAASE,GAAM3gB,SAER,iBAAXA,GAEHA,EAAOyP,OAAO
,KAAOzP,EAAOyP,OAAO,GAAGmG,cCqB9C,IAAMgI,GAAW,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,G
AA4B,OAARA,IAAiBxU,MAAMC,QAAQuU,IAItfC,GAAa,SAAAtM,SACF,cAARA,GAA+B,gBAARA,GAAiC
,cAARA,GAGzD,SAASuM,GAAM/gB,EAAQ6gB,EAAKrM,OACpB6E,EAAMrZ,EAAOwU,GACfoM,GAASC,I
AAQD,GAASvH,GAC5B2H,GAAU3H,EAAKwH,GAef7gB,EAAOwU,GAAOqM,EAIH,SAASG,GAAUhhB,8B
AAWihB,mCAAAA,kCACzBA,iBAAM,KAAb5H,UACLuh,GAASvH,OACN,IAAM7E,KAAO6E,EACZYH,GA
AWtM,IACbuM,GAAM/gB,EAAQqZ,EAAI7E,GAAMA,UAMzBxU,EC5BT,IAAMkhB,GAAc,GA4IL,SAASC,G
ACtBnhB,EACA+I,EAOA+vF,OAEM4d,EAAqBrhB,EAAKBC,GACvCqhB,GAAwBV,GAAM3gB,KAMhC+I,EA
HFuY,MAAAA,aAAQvgB,MAGNgI,EAFFoC,YAAAA,aAzJJ,SAAoB9J,EAAsBkgB,OACICjgB,EAA8B,iBAAh
BD,EAA2B,KAAOqf,GAAOrf,GAETD6f,GAAY5f,IAAS4f,GAAY5f,IAAS,GAak,MAEZc6J,EAAiB7J,MAAQs
d,G5CzBPxX,S4C4BT9F,EAAO4f,GAAY5f,WAG3BigB,EAAuBA,MAAQpW,EAAgBA,EA8InDqW,CAAWzY
,EAAQ1H,YAAa0H,EAAQwY,uBAEpDxY,EADF1H,YAAAA,aCtLW,SACbrB,UAE02gB,GAAM3gB,aAAoBA,

YAAqBoB,EAaiBpB,ODmLvDyhB,CAAoBzhB,KAG9BC,EACJ8I,EAAQ1H,aAAe0H,EAAQoC,YACxBuV,GA
AO3X,EAAQ1H,iBAAGB0H,EAAQoC,YAC1CpC,EAAQoC,aAAeA,EAGvBuW,EACJN,GAawBphB,EAAGCsh
B,MACpDjV,MAAMzL,UAAUyd,OAAre,EAAGCshB,MAAOA,GAAO9F,OAAO1Z,SAC9Ewf,EAGFK,EAaoB
5Y,EAAQ4Y,kBAE5BP,GAAsBphB,EAAO2hB,oBAG7BA,EAfE5Y,EAAQ4Y,kBAEU,SAACpB,EAAMqB,EA
AUC,UAC/B7hB,EAAGC2hB,kBACICpB,EACAqB,EACAC,IAEA9Y,EAAQ4Y,kBAA4CpB,EAAMqB,EAUC,
IAGID7hB,EAAGC2hB,uBAkBTdG,EAdEC,EAaiB,IAAI7W,EACzB1H,EACAvD,EACAmhB,EAauBphB,EAAG
B+hB,oBAakC7a,GAKrEoE,EAawYw,EAazW,UAA6B,IAAjBgW,EAAM/gB,OAQ5Csf,EAaa,SAAC1M,EA
AO2M,UA7I7B,SACEkC,EACA7O,EACA8O,EACA3W,OAGS4W,EAOLF,EAPFV,MACAS,EAMEC,EANFD,e
ACA7G,EAKE8G,EALF9G,aACaiH,EAIEH,EAJFG,mBACAR,EAGEK,EAHFL,kBACA1hB,EAEE+hB,EAFF/h
B,kBACAD,EACEgiB,EADFhiB,SA7DJ,SAakCmb,EAA2BhI,EAaemO,YAA1CnG,IAAAA,EAaala,OAIvCgQ,
OAAekC,GAAOgI,MAAAA,IACtBiH,EAAGB,UAETd,EAAM9e,SAAQ,SAAA6f,OAER7N,EErD4BpS,EAAYC,
EFoDxCigB,EAakBD,MAQjB7N,KALDtT,EAawohB,KACbA,EAakBA,EAAGBrR,IAIxBqR,EACvRr,EAQ
D,D,GAO4N,EAac5N,GACnB,cAARA,GE9D4BpS,EF+DZggB,EAac5N,GE/DUnS,EF+DJigB,EAAGB9N,GE9D
nDpS,GAAKC,EAOD,MAAKC,EAAMD,GAAKC,GF+DzBigB,EAAGB9N,MAKnB,CAACvD,EAASmR,GA4C
QG,CAFxID,GAAelM,EAaOH,aAAWqH,IAAea,IAEXja,EAackS,EAaO+O,GAAjEjR,OAASqQ,OAeVkB,EA3
CR,SACET,EACazW,EACA8W,EACAK,OAEM/W,EAaAqH,KACbPH,EAAShH,KAETyP,EAAYpX,EACdyW,
EAaevW,wBAawBvK,EAacyK,EAAYC,GACjEoW,EAaevW,wBAawB4W,EAae1W,EAAYC,UAExBL,GAA
YmX,GACxDA,EAAMBC,GAGdA,EA0BoBC,CACzBZ,EACazW,EACA2F,EACwC+Q,EAAMBS,oBAGvDG,E
AAeX,EAefJ,EA6BP,EAAMuB,KAAO1P,EAAM0P,KAAOVb,EAAMwB,IAAM3P,EAAM2P,IAAM9iB,EAE/
E+iB,EAacpC,GAAMkC,GACpBmB,EAAGB1B,IAAUoO,OAaaA,KAAUmO,GAAUnO,EAC3D8P,EAakB,OA
GnB,IAAMzO,KAAOwO,EACD,MAAXxO,EAAL,IAAsB,OAARA,IACL,gBAARA,EACPyo,EAAGBH,GAAKE,
EAacxO,IAEnCmN,EACIA,EAakBnN,EAak0O,GAAWrB,IACICKB,GACAG,GAAU1O,MAIdyO,EAAGBzO,G
AAOwO,EAacxO,YAIrCrB,EAAMvN,OAAS0b,EAAM1b,QAAUuN,EAAMvN,QACvCqd,EAAGBrd,WAAauN,
EAAMvN,SAAU0b,EAAM1b,QAGrDqd,EAAGBP,UAYrW,MAAMzL,UAC/Byd,OACC8D,EACaliB,EACau
B,IAAuBviB,EAaobuiB,EAaqB,KACHerP,EAAMuP,UACNpB,EAAMoB,WAEPIH,OAaO1Z,SACPgK,KA
AK,KAERmX,EAAGBnD,IAAM8C,EAeflc,gBAAcmb,EAaobob,IAuEhBnB,EAawB3O,EAaO2M,EAakxU,
WAE7DuU,EAawxe,YAAcA,GAezBygB,EAa2BtP,EAAMqN,WAAWA,IACrByB,MAAQI,EAC/BI,EAauBC,
eAAiBA,EACxCD,EAauBzgB,YAAcA,EACrCygB,EAauBH,kBAaobA,EAI3CG,EAauBK,mBAaqBf,EACx
C/U,MAAMzL,UAAUyd,OACZre,EAAGCmiB,mBACHCniB,EAAGCC,mBAEpCc,EAEJ+gB,EAauB7hB,
kBAAoBA,EA
G3C6hB,EAauB9hB,OAASohB,EAC1BphB,EAAGCA,OACICA,EAej8hB,EAauBqB,cAAgB,SAAuBngB,
OACv
CogB,EAa0Cra,EAavDoC,YAAqCkY,uIAAkBta,mBAEzDua,EACJF,GACGA,OAauBzC,GAAM3d,
GAO
AAO0d,GAAOtf,EAaiB4B,YAQhEme,GAAsBne,OALxBqgB,GACH/B,MAAOI,EACPvW,YAAamY,
IAG+B9f,
IAGhD7C,OAaO+c,eAAeoE,EAawB,eAAGB,CAC5D/c,sBACSzB,KAakigB,qBAGd1f,aAAIwV,
QACGkK,
oBAAsBnC,EACvBoC,GAAM,GAAMxjB,EAAGCkb,aAAc7B,GAC1DA,KAKNoB,GAAqBpZ,EAaapB,
GA
EIC6hB,EAauBW,4BgnSXphB,EAaqB8J,OAC/BSY,EAAMb,GACnBC,GAac,SAEX,SAACHb,OACDgB,
IACHD,
EAaiBf,IAAa,EAC1B/hB,OAaOuT,KAakuP,GAakBljB,QATnB,KASoC,KAG3CojB,EAaiBxY,sBAakCA,
MAaiB,
GAE1E8N,QAAQC,KACN,iDAAsD7X,EAacsiB,oQAUTED,GAac,EACdD,EAAMb,KH2QqBG,CAC1CviB,
EA
CpB,GAQJU,OAaO+c,eAAeoE,EAawB,WAAy,CAAEjN,MAAO,qBAAUiN,EAauB7hB,qBAEHgohB,
GACF
wC,GAIE/B,EAa0B9hB,EAa0D,CAEPfshB,OAaO,EACPS,gBAAGB,EACHB1gB,aAAa,EACb8gB,oBAaob,
EA
CpBR,mBAAMb,EACnB1hB,mBAAMb,EACnBD,QAAQ,EACRmjB,eAAe,IAIZrB,MI9THgC,GAAS,SAAC9gB,
UCCD,
SAAS+gB,EACtBC,EACAhb,EACA+F,eAAAA,IAAAA,EAakB9H,IAEbgjB,qBAAMbjhB,UACfY,EA
AiB,
EAAG4G,OAaOxH,QAK9BkhB,EAAMb,kBAAAF,EAaqBhhB,EAak+F,EAASzE,oCAGzE4f,EAaiBC,
W
AAa,SAAC,UAC5BL,EAaqBC,EAAsBhhB,OAaU+F,KAAyqb,KAGnEF,EAaiB5C,MAAQ,SAAAA,UACvBy
C,EAaqBC,EAAsBhhB,OACtC+F,GACHuY,MAAOjV,MAAMzL,UAAUyd,OAaOv,EAAQuY,MAAOA,
GAA
O9F,OAaO1Z,aGxDoiB,EDzBuBH,CAaqBM,GAaiBrhB,IEItE,IAAK,IAAMwR,KCRI,CACb,IACA,
OACA,
UACA,OACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SACA,UA
CA,
OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,KACA,K
ACA,
QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,SACA,SA

CA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OACA,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IACA,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,iBACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SHnIUhS,SAaQ,SAaA8hB,GACIBR,GAAOQ,GAAcR,GAAOQ,MEAZC,GACbBT,GAAOtP,IAAO+P,GAAU/P}

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/dist/styled-components.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components-primitives.esm.js", "sources": [ "../src/utls/generateAlphabeticName.js", "../src/utls/hash.js", "../src/utls/generateComponentId.js", "../src/utls/getComponentName.js", "../src/utls/isFunction.js", "../src/utls/isStatelessFunction.js", "../src/utls/isPlainObject.js", "../src/utls/isStyledComponent.js", "../src/constants.js", "../src/utls/empties.js", "../src/utls/errors.js", "../src/utls/error.js", "../src/sheet/GroupedTag.js", "../src/sheet/GroupIDAllocator.js", "../src/sheet/Rehydration.js", "../src/utls/nonce.js", "../src/sheet/dom.js", "../src/sheet/Tag.js", "../src/sheet/Sheet.js", "../src/utls/stylisPluginInsertRule.js", "../src/utls/stylis.js", "../src/models/StyleSheetManager.js", "../src/models/Keyframes.js", "../src/utls/hyphenateStyleName.js", "../src/utls/addUnitIfNeeded.js", "../src/utls/flatten.js", "../src/vendor/postcss/warn-once.js", "../src/vendor/postcss/tokenize.js", "../src/vendor/postcss/terminal-highlight.js", "../src/vendor/postcss/css-syntax-error.js", "../src/vendor/postcss/stringifier.js", "../src/vendor/postcss/stringify.js", "../src/vendor/postcss/node.js", "../src/vendor/postcss/declaration.js", "../src/vendor/postcss/comment.js", "../src/vendor/postcss/parser.js", "../src/vendor/postcss/parse.js", "../src/vendor/postcss/container.js", "../src/vendor/postcss/at-rule.js", "../src/vendor/postcss/list.js", "../src/vendor/postcss/rule.js", "../src/vendor/postcss/warning.js", "../src/vendor/postcss/result.js", "../src/vendor/postcss/lazy-result.js", "../src/vendor/postcss/processor.js", "../src/vendor/postcss/root.js", "../src/vendor/postcss/input.js", "../src/vendor/postcss-safe-parser/safe-parser.js", "../src/vendor/postcss-safe-parser/parse.js", "../src/models/InlineStyle.js", "../src/utls/mixinDeep.js", "../src/utls/determineTheme.js", "../src/utls/isTag.js", "../src/utls/generateDisplayName.js", "../src/models/ThemeProvider.js", "../src/models/StyledNativeComponent.js", "../src/utls/interleave.js", "../src/constructors/css.js", "../src/constructors/constructWithOptions.js", "../src/hoc/withTheme.js", "../src/hooks/useTheme.js", "../src/primitives/index.js"], "sourcesContent": [ /
```

```
@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their capitalised counterparts *\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\n\nconst getAlphabeticChar = (code: number): string =>\n  String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 *\n\nexport default function generateAlphabeticName(code: number): string {\n  let name = "";\n  let x;\n\n  /* get a char and
```

```
divide by alphabet-length *\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name = getAlphabeticChar(x % charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x % charsLength) + name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n/* @flow\n\nexport const SEED = 5381;\n\n// When we have separate strings it's useful to run a progressive version of djb2 where we pretend that we're still looping over the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i = x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n// This is a djb2 hashing
```

```

function\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n", "// @flow\n/* eslint-disable
*\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport
default (str: string): string => {\n  return generateAlphabeticName(hash(str) >>> 0);\n};\n", "// @flow\nimport
type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n  target:
$PropertyType<IStyledComponent, 'target'>\n): string {\n  return (\n    (process.env.NODE_ENV !== 'production' ?
typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    // $FlowFixMe\n    target.name ||\n    'Component'\n  );\n};\n", "// @flow\nexport default function isFunction(test: any): boolean %checks
{\n  return typeof test === 'function';\n};\n", "// @flow\nexport default function isStatelessFunction(test: any):
boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      &&
test.prototype.isReactComponent\n    )\n  );\n};\n", "// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x:
any): boolean => {\n  x !== null &&\n    typeof x === 'object' &&\n    (x.toString ? x.toString() :
Object.prototype.toString.call(x)) === '[object Object]' &&\n    !typeOf(x);\n};\n", "// @flow\nexport default function
isStyledComponent(target:
any): boolean %checks {\n  return target && typeof target.styledComponentId === 'string';\n};\n", "//
@flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n  (typeof process !== 'undefined' &&\n    typeof process.env !== 'undefined' &&\n
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n  'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n  typeof
SC_DISABLE_SPEEDY === 'boolean'\n  ? SC_DISABLE_SPEEDY\n  : typeof process !== 'undefined' &&
typeof process.env !== 'undefined'\n  ? typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'
&&\n    process.env.REACT_APP_SC_DISABLE_SPEEDY !== '\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false'\n  ? false\n  : process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== '\n  ?
process.env.SC_DISABLE_SPEEDY === 'false'\n  ? false\n  : process.env.SC_DISABLE_SPEEDY\n  :
process.env.NODE_ENV !== 'production'\n  : false);\n};\n\n// Shared empty execution context when generating
static styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\n\nexport const EMPTY_ARRAY
= Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n", "export default {"1": "Cannot create
styled-component for component: %s.\n\n", "2": "Can't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n- Are you accidentally calling collectStyles twice?\n\n", "3": "Streaming SSR
is only supported in a Node.js
environment; Please do not try to call this method in the browser.\n\n", "4": "The `StyleSheetManager` expects a
valid target or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n- Does this error occur
on the server and is the sheet falsy?\n\n", "5": "The clone method cannot be used on the client!\n\n- Are you
running in a client-like environment on the server?\n- Are you trying to run SSR on the client?\n\n", "6": "Trying
to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a custom target that isn't
mounted?\n- Does your document not have a valid head element?\n- Have you accidentally removed a style tag
manually?\n\n", "7": "ThemeProvider: Please return an object from your `theme` prop function,
e.g.\n\n`js\ntheme={() => ({})}\n`.\n\n", "8": "ThemeProvider: Please make your `theme` prop an
object.\n\n", "9": "Missing document <head>\n\n", "10": "Cannot find a StyleSheet
instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue
for how to troubleshoot and fix the common cases where this situation can happen:
https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021\n\n", "11": "_This error was replaced
with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n", "12": "It seems you are interpolating

```


a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the `css`...`` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>, `'13'`: "%s" is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components>

for more details. `'14'`: "ThemeProvider: `theme` prop is required." `'15'`: "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={...}>`, please make sure each plugin is uniquely-named,

e.g. `Object.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });` `'16'`: "Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, as for instance in your render method then you may be running into this limitation." `'17'`: "CSSStyleSheet could not be found on HTMLStyleElement. Has styled-components' style tag been unmounted or altered by another script?" `'18'`: `import errorMap from './errors'; const ERRORS = process.env.NODE_ENV !== 'production' ?`

```
errorMap : {
  * super basic version of sprintf
  function format(...args) {
    let a = args[0];
    const b = [];
    for (let c = 1, len = args.length; c < len; c += 1) {
      b.push(args[c]);
    }
    b.forEach(d => {
      a = a.replace(/%[a-z]/, d);
    });
    return a;
  }
  * Create an error file out of errors.md for development and a simple web link to the full errors
  * in production mode.
  next export default function
```

```
throwStyledComponentsError(
  code: string | number,
  ...interpolations: Array<any>) {
  if (process.env.NODE_ENV === 'production') {
    throw new Error(`An error occurred. See https://git.io/JUIaE#${code} for more information.`);
  }
  if (interpolations.length > 0) {
    Args:
    ${interpolations.join(', ')} :
    }
  } else {
    throw new Error(format(ERRORS[code], ...interpolations).trim());
  }
}
```

```
@flow
* eslint-disable no-use-before-define
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';
** Create a GroupedTag with an underlying Tag implementation
next export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}
const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group: number): void {
          if (group < this.length) {
            const length = this.groupSizes[group];
            const startIndex = this.indexOfGroup(group);
            const endIndex = startIndex + length;
            this.groupSizes[group] = 0;
            for (let i = startIndex; i < endIndex; i++) {
              this.tag.deleteRule(startIndex);
            }
          }
        }
      }
    }
  }
  getGroup(group: number): string {
    let css = "";
    if (group >= this.length || this.groupSizes[group] === 0) {
      return css;
    }
    const length = this.groupSizes[group];
    const startIndex = this.indexOfGroup(group);
    const endIndex = startIndex + length;
    for (let i = startIndex; i < endIndex; i++) {
      css += `${this.tag.getRule(i)}${SPLITTER}`;
    }
    return css;
  }
}
```

```
@flow
import throwStyledError from './utils/error';
const MAX_SMI = 1 << 31 - 1;
let groupIDRegister: Map<string, number> = new Map();
let reverseRegister: Map<number, string> = new Map();
let nextFreeGroup =
```

```

1;\n\nexport const resetGroupIds = () => {\n  groupIDRegister = new Map();\n  reverseRegister = new Map();\n  nextFreeGroup = 1;\n};\n\nexport const getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id))\n  {\n    return (groupIDRegister.get(id): any);\n  }\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n  }\n  const group = nextFreeGroup++;\n  if (\n    process.env.NODE_ENV !== 'production'\n    &&\n    ((group | 0) < 0 || group > MAX_SMI)\n  ) {\n    throwStyledError(16, `${group}`);\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n  return group;\n};\n\nexport const\n  getIdForGroup = (group: number): void | string => {\n    return reverseRegister.get(group);\n  };\n\nexport const\n  setGroupForId = (id: string, group: number) => {\n    if (group >= nextFreeGroup) {\n      nextFreeGroup = group +\n      1;\n    }\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n  };;\n\n// @flow\n\nimport {\n  SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport {\n  getIdForGroup, setGroupForId } from './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst\n  SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n\nconst MARKER_RE =\n  new RegExp(`^${SC_ATTR}\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\w\\\\\\\\d-+))\\\\\\\\.\\\\.*?([\\^"]*)`);\n\nexport\n  const outputSheet = (sheet: Sheet) => {\n    const tag = sheet.getTag();\n    const { length } = tag;\n    let css = '';\n    for (let group = 0; group < length; group++) {\n      const id = getIdForGroup(group);\n      if (id === undefined)\n        continue;\n      const names = sheet.names.get(id);\n      const rules = tag.getGroup(group);\n      if (!names || !rules ||\n        !names.size) continue;\n      const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n      let content = '';\n      if\n        (names !== undefined) {\n        names.forEach(name => {\n          if (name.length > 0) {\n            content +=\n              `${name},`;\n          }\n        });\n      }\n      // NOTE: It's easier to collect rules and have the marker\n      // after the\n      actual rules to simplify the rehydration\n      css += `${rules}${selector}{content: "${content}"}${SPLITTER}`;\n    }\n    return css;\n  };\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const\n    names = content.split(',');\n\n  let name;\n  for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if ((name = names[i])\n    {\n      sheet.registerName(id, name);\n    }\n  });\n\nconst rehydrateSheetFromTag = (sheet: Sheet, style:\n  HTMLStyleElement) => {\n  const parts = (style.textContent || '').split(SPLITTER);\n  const rules: string[] = [];\n  for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n    const marker =\n      part.match(MARKER_RE);\n    if (marker) {\n      const group = parseInt(marker[1], 10) | 0;\n      const id =\n        marker[2];\n      if (group !== 0) {\n        // Rehydrate componentId to group index mapping\n        setGroupForId(id, group);\n        // Rehydrate names and rules\n        // looks like: data-\n        styled.g11[id="idA"]{content:"nameA,"}\n        rehydrateNamesFromContent(sheet, id, marker[3]);\n      }\n      sheet.getTag().insertRules(group, rules);\n    }\n    rules.length = 0;\n  } else {\n    rules.push(part);\n  }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =\n    document.querySelectorAll(SELECTOR);\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =\n      ((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n    {\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n        node.parentNode.removeChild(node);\n      }\n    }\n  };\n};;\n\n// @flow\n\n/* eslint-disable camelcase, no-undef\n*\nndeclare var __webpack_nonce__: string;\n\nconst getNonce = () => {\n  return typeof __webpack_nonce__\n  !== 'undefined' ? __webpack_nonce__ : null;\n};\n\nexport default getNonce;\n\n// @flow\n\nimport { SC_ATTR,\n  SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from\n  './utils/nonce';\nimport throwStyledError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /*\nNode.ELEMENT_TYPE *\n\n** Find last style element if any inside target *\n\nconst\n  findLastStyleTag = (target: HTMLStyleElement): void | HTMLStyleElement => {\n    const { childNodes } = target;\n    for (let i = childNodes.length; i >= 0; i--) {\n      const child = ((childNodes[i]: any): ?HTMLStyleElement);\n      if (child\n      && child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n        return ((child: any):\n        HTMLStyleElement);\n      }\n    }\n    return undefined;\n  };\n\n** Create a style element inside `target` or <head>\nafter the last *\n\nexport const makeStyleTag = (target?: HTMLStyleElement): HTMLStyleElement => {\n  const head =\n    ((document.head: any): HTMLStyleElement);\n  const parent = target || head;\n  const style =\n    document.createElement('style');\n  const prevStyle = findLastStyleTag(parent);\n  const nextSibling = prevStyle

```

```

!== undefined ? prevStyle.nextSibling : null;\n\n style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n
style.setAttribute(SC_ATTR_VERSION, SC_VERSION);\n\n const nonce = getNonce();\n\n if (nonce)
style.setAttribute('nonce', nonce);\n\n parent.insertBefore(style,
  nextSibling);\n\n return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style element */\nexport const
getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return ((tag.sheet: any):
CSSStyleSheet);\n  }\n\n // Avoid Firefox quirk where the style element might not have a sheet property\n  const {
styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet = styleSheets[i];\n    if
(sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n\n  throw StyledError(17);\n\n  return (undefined: any);\n};\n\n"/ @flow\n\n/* eslint-disable no-use-before-define */\nimport { makeStyleTag,
getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/** Create a CSSStyleSheet-like tag
depending on the environment */\nexport const makeTag = ({ isServer, useCSSOMInjection, target }:
SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  }
  else if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n  }\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLStyleElement) {\n    const element = (this.element =
makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n    element.appendChild(document.createTextNode(""));
\n    this.sheet = getSheet(element);\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n      this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n\n  deleteRule(index: number):
void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    const rule =
this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n    if (rule !== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return ";\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\nexport class TextTag
implements Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?: HTMLStyleElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =
element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =
this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    }
    else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if (index < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return ";\n    }\n  }\n}\n\n/**
A completely virtual (server-side) Tag that doesn't manipulate the DOM */\nexport class VirtualTag implements
Tag {\n  rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLStyleElement) {\n    this.rules = [];\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n      this.rules.splice(index, 0, rule);\n      this.length++;\n      return true;\n    } else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n  }\n\n  getRule(index: number):
string {\n    if (index < this.length) {\n      return this.rules[index];\n    } else {\n      return ";\n    }\n  }\n}\n\n"/ @flow\n\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport
{ getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from
'./Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from
'./types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?:
boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLStyleElement,\n};\n\ntype GlobalStylesAllocationMap = {\n  [key: string]: number };\n\ntype NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions:
SheetOptions = {\n  isServer: !IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for stringification and caching */\nexport default class StyleSheet implements Sheet {\n  gs: GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server:
boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id:

```

```

string): number {\n  return getGroupForId(id);\n
  }\n\n constructor(\n  options: SheetConstructorArgs = EMPTY_OBJECT,\n  globalStyles?:
GlobalStylesAllocationMap = {},\n  names?: NamesAllocationMap\n ) {\n  this.options = {\n
...defaultOptions,\n  ...options,\n  };\n\n  this.gs = globalStyles;\n  this.names = new Map(names);\n
this.server = !options.isServer;\n\n  // We rehydrate only once and use the sheet that is created first\n  if
(!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n    SHOULD_REHYDRATE = false;\n
rehydrateSheet(this);\n  }\n\n  reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean =
true) {\n  return new StyleSheet(\n    { ...this.options, ...options },\n    this.gs,\n    (withNames && this.names) ||
undefined\n  );\n  }\n\n  allocateGSInstance(id: string) {\n  return (this.gs[id] = (this.gs[id] || 0) + 1);\n  }\n\n  /**
Lazily initialises a GroupedTag for when it's actually needed */\n  getTag(): GroupedTag {\n  return
this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n  }\n\n  /** Check whether a name is known for
caching */\n  hasNameForId(id: string, name: string): boolean {\n  return this.names.has(id) &&
(this.names.get(id): any).has(name);\n  }\n\n  /** Mark a group's name as known for caching */\n  registerName(id:
string, name: string) {\n  getGroupForId(id);\n\n  if (!this.names.has(id)) {\n    const groupNames = new Set();\n
groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n    (this.names.get(id):
any).add(name);\n  }\n\n  /** Insert new rules which also marks the name as known */\n  insertRules(id: string,
name: string, rules: string[]) {\n  this.registerName(id, name);\n  this.getTag().insertRules(getGroupForId(id),
rules);\n  }\n\n  /** Clears all cached names for a given group ID */\n  clearNames(id: string) {\n  if
(this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n\n  /** Clears all rules for
a given group ID */\n  clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n  }\n\n  /** Clears the entire tag which deletes all rules but not its names */\n  clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n  // so that we can continuously output
only new rules\n  this.tag = undefined;\n  }\n\n  /** Outputs the current sheet as a CSS string with markers for SSR
*/\n  toString(): string {\n  return outputSheet(this);\n  }\n\n  "/*\n * MIT License\n * Copyright (c) 2016
Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the \"Software\"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell
copies of the Software and to permit persons to whom the Software is furnished
to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be
included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS
IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED
TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n *\n */\n\n  eslint-disable */\n\n\n  export default
function(insertRule) {\n  const delimiter = '*/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n
if (block) {\n    try {\n      insertRule(`${block}`);\n    } catch (e) {}\n  }\n\n  return function ruleSheet(\n
context,\n  content,\n
selectors,\n  parents,\n  line,\n  column,\n  length,\n  ns,\n  depth,\n  at\n ) {\n  switch (context) {\n    //
property\n    case 1:\n      // @import\n      if (depth === 0 && content.charCodeAt(0) === 64) return
insertRule(`${content};`);\n      break;\n      // selector\n    case 2:\n      if (ns === 0) return content +
delimiter;\n      break;\n      // at-rule\n    case 3:\n      switch (ns) {\n        // @font-face, @page\n        case
102:\n        case 112:\n          return insertRule(selectors[0] + content), ";\n        default:\n          return content +
(at === 0 ? delimiter : ");\n      }\n    case -2:\n      content.split(needle).forEach(toSheet);\n    }\n  }\n\n
};\n\n  "import Stylis from '@emotion/stylis';\n  import { type Stringifier } from './types';\n  import {
EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\n  import throwStyledError from './error';\n  import { phash,
SEED } from './hash';\n  import insertRulePlugin

```

```

from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX = /^\\s*\\/\\/\\. *$/gm;\nconst
COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\ntype StyliInstanceConstructorArgs = {\n options?:
Object,\n plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n options =
EMPTY_OBJECT,\n plugins = EMPTY_ARRAY,\n}: StyliInstanceConstructorArgs = EMPTY_OBJECT) {\n
const stylis = new Stylis(options);\n\n // Wrap `insertRulePlugin` to build a list of rules,\n // and then make our own
plugin to return the rules. This\n // makes it easier to hook into the existing SSR architecture\n\n let parsingRules =
[];\n\n // eslint-disable-next-line consistent-return\n const returnRulesPlugin = context => {\n if (context === -2)
{\n const parsedRules = parsingRules;\n parsingRules = [];\n return parsedRules;\n } }\n\n const
parseRulesPlugin = insertRulePlugin(rule => {\n parsingRules.push(rule);\n });\n\n let _componentId: string;\n
let _selector:
string;\n let _selectorRegex: RegExp;\n let _consecutiveSelfRefRegex: RegExp;\n\n const
selfReferenceReplacer = (match, offset, string) => {\n if (\n // do not replace the first occurrence if it is
complex (has a modifier)\n (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegex)\n ) {\n return `.${_componentId}`;\n }\n\n return match;\n
};\n\n /**\n * When writing a style like\n * \n * & + & {\n * color: red;\n * }\n * \n * The second
ampersand should be a reference to the static component class. stylis\n * has no knowledge of static class so we
have to intelligently replace the base selector.\n * \n * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n * \"2\" means this plugin is taking effect
at the very end after all other processing is complete\n * \n\n const selfReferenceReplacementPlugin = (context, _,
selectors) => {\n if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n //
eslint-disable-next-line no-param-reassign\n selectors[0] = selectors[0].replace(_selectorRegex,
selfReferenceReplacer);\n }\n }\n\n stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin,
returnRulesPlugin]);\n\n function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n const
flatCSS = css.replace(COMMENT_REGEX, '');\n const cssStr = selector && prefix ? `${prefix} ${selector} {
${flatCSS} }` : flatCSS;\n // stylis has no concept of state to be passed to plugins\n // but since JS is single-
threaded, we can rely on that to ensure\n // these properties stay in sync with the current stylis run\n
_componentId = componentId;\n _selector = selector;\n _selectorRegex = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`,
'g');\n _consecutiveSelfRefRegex = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b{2,}`);\n\n return stylis(prefix ||
!selector ? " : selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n .reduce((acc,
plugin) => {\n if (!plugin.name) {\n throwStyledError(15);\n }\n\n return phash(acc,
plugin.name);\n }, SEED)\n .toString()\n : " :";\n\n return stringifyRules;\n }\n\n", "@flow\n\nimport React, {
type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';\nimport shallowequal from
'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier } from './types';\nimport
createStylisInstance from './utils/stylis';\n\ntype Props = {\n children?: Node,\n disableCSSOMInjection?:
boolean,\n disableVendorPrefixes?: boolean,\n sheet?: StyleSheet,\n stylisPlugins?: Array<Function>,\n target?:
HTMLElement,\n};\n\nexport const StyleSheetContext: Context<StyleSheet
| void> = React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n return
useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n return
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n const
[plugins, setPlugins] = useState(props.stylisPlugins);\n const contextStyleSheet = useStyleSheet();\n\n const
styleSheet = useMemo(() => {\n let sheet = contextStyleSheet;\n\n if (props.sheet) {\n // eslint-disable-next-
line prefer-destructuring\n sheet = props.sheet;\n } else if (props.target) {\n sheet =
sheet.reconstructWithOptions({

```

```

target: props.target }, false);\n  }\n\n  if (props.disableCSSOMInjection) {\n    sheet =
sheet.reconstructWithOptions({ useCSSOMInjection: false });\n  }\n\n  return sheet;\n },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n    <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n      ? React.Children.only(props.children)\n      : props.children}\n
    </StylisContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n", "/* @flow\nimport StyleSheet from
'../sheet';\nimport { type
Stringifier } from '../types';\nimport throwStyledError from '../utils/error';\nimport { masterStylis } from
'./StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n\n  name: string;\n\n  rules: string;\n\n
constructor(name: string, rules: string) {\n  this.name = name;\n  this.id = `sc-keyframes-${name}`;\n  this.rules
= rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n  const
resolvedName = this.name + stylisInstance.hash;\n\n  if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n
styleSheet.insertRules(\n    this.id,\n    resolvedName,\n    stylisInstance(this.rules, resolvedName,
'@keyframes')\n  );\n  }\n\n  toString = () => {\n    return throwStyledError(12, String(this.name));\n  };\n\n
getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name + stylisInstance.hash;\n  }\n}\n", "/*
@flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n
*\n\nconst uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n * @param {string} string\n *
@return {string}\n */\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n    .replace(uppercasePattern, prefixAndLowerCase)\n    .replace(msPattern,
'-ms-')\n    : string;\n}\n", "/* @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value == null ||
typeof value === 'boolean' || value === '') {\n  return '';\n }\n\n if (typeof value === 'number' && value !== 0 &&
!(name in unitless) && !name.startsWith('--')) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless
numbers except for CSS variables\n }\n\n return String(value).trim();\n}\n", "/* @flow\nimport { isElement } from
'react-is';\nimport getComponentName from './getComponentName';\nimport isFunction from './isFunction';\nimport
isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport
isStyledComponent from './isStyledComponent';\nimport Keyframes from '../models/Keyframes';\nimport hyphenate
from './hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'../types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === '';\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||
isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key]))
{\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key])};`);\n    }\n  }\n\n  return prevKey ? [...prevKey] {`, ...rules, `}` :
rules;\n};\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet:

```

```

?Object,\n stylisInstance: ?Stringifier\n): any {\n if (Array.isArray(chunk)) {\n const ruleSet = [];\n for (let i
= 0, len = chunk.length, result; i < len; i += 1) {\n result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n if (result === "") continue;\n else if (Array.isArray(result)) ruleSet.push(...result);\n else
ruleSet.push(result);\n }\n return ruleSet;\n }\n if (isFalsish(chunk)) {\n return "";\n }\n /* Handle other
components */\n if (isStyledComponent(chunk)) {\n return `.${chunk.styledComponentId}`;\n }\n /* Either
execute or defer the function */\n if (isFunction(chunk)) {\n if (isStatelessFunction(chunk) && executionContext)
{\n const result = chunk(executionContext);\n if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n // eslint-disable-next-line no-console\n console.warn(\n
`${getComponentName(\n chunk\n )} is not
a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components for more details.\n );\n }\n return
flatten(result, executionContext, styleSheet, stylisInstance);\n } else return chunk;\n }\n if (chunk instanceof
Keyframes) {\n if (styleSheet) {\n chunk.inject(styleSheet, stylisInstance);\n return
chunk.getName(stylisInstance);\n } else return chunk;\n }\n /* Handle objects */\n return isPlainObject(chunk)
? objToCssArray(chunk) : chunk.toString();\n}\n", "// @flow\nconst printed = {};\n\nexport default function
warnOnce(message) {\n if (printed[message]) return;\n printed[message] = true;\n if (typeof console !==
'undefined' && console.warn) console.warn(message);\n}\n", "// @flow\nconst SINGLE_QUOTE =
'\''.charCodeAt(0);\nconst DOUBLE_QUOTE = '\"'.charCodeAt(0);\nconst BACKSLASH =
'\\\\'.charCodeAt(0);\nconst SLASH = '/'.charCodeAt(0);\nconst NEWLINE
= '\\n'.charCodeAt(0);\nconst SPACE = ' '.charCodeAt(0);\nconst FEED = '\\f'.charCodeAt(0);\nconst TAB =
'\\t'.charCodeAt(0);\nconst CR = '\\r'.charCodeAt(0);\nconst OPEN_SQUARE = '['.charCodeAt(0);\nconst
CLOSE_SQUARE = ']'.charCodeAt(0);\nconst OPEN_PARENTHESSES = '('.charCodeAt(0);\nconst
CLOSE_PARENTHESSES = ')'.charCodeAt(0);\nconst OPEN_CURLY = '{'.charCodeAt(0);\nconst
CLOSE_CURLY = '}'.charCodeAt(0);\nconst SEMICOLON = ';'.charCodeAt(0);\nconst ASTERISK =
'*'.charCodeAt(0);\nconst COLON = ':'.charCodeAt(0);\nconst AT = '@'.charCodeAt(0);\n\nconst RE_AT_END = /[\n\t\r\f\\{\|\(\)\^\"'\\\\\[\]#]/g;\nconst RE_WORD_END = /[\n\t\r\f\\(\)\|\{\};@!\"'\\\\\[\]#\\|\/(?=\\*)/g;\nconst
RE_BAD_BRACKET = /.[\n\t\r\\|\\(\)\^\"'\\\\\[\]#];\n\nexport default function tokenize(input, options = {}) {\n const tokens
= [];\n const css = input.css.valueOf();\n const ignore = options.ignoreErrors;\n let code,\n next,\n quote,\n
lines,\n last,\n content,\n escape,\n
nextLine,\n nextOffset,\n escaped,\n escapePos,\n prev,\n n;\n\n const length = css.length;\n let offset =
-1;\n let line = 1;\n let pos = 0;\n\n function unclosed(what) {\n throw input.error(`Unclosed ${what}`, line, pos -
offset);\n }\n\n while (pos < length) {\n code = css.charCodeAt(pos);\n\n if (code === NEWLINE || code ===
FEED || (code === CR && css.charCodeAt(pos + 1) !== NEWLINE)) {\n offset = pos;\n line += 1;\n }\n\n
switch (code) {\n case NEWLINE:\n case SPACE:\n case TAB:\n case CR:\n case FEED:\n
next = pos;\n do {\n next += 1;\n code = css.charCodeAt(next);\n if (code === NEWLINE) {\n
offset = next;\n line += 1;\n }\n } while ((\n code === SPACE ||\n code ===
NEWLINE ||\n code === TAB ||\n code === CR ||\n code === FEED\n ));\n
tokens.push(['space', css.slice(pos,
next)]);\n pos = next - 1;\n break;\n\n case OPEN_SQUARE:\n tokens.push(['[', '[', line, pos -
offset]);\n break;\n\n case CLOSE_SQUARE:\n tokens.push([']', ']', line, pos - offset]);\n break;\n\n
case OPEN_CURLY:\n tokens.push(['{', '{', line, pos - offset]);\n break;\n\n case CLOSE_CURLY:\n
tokens.push(['}', '}', line, pos - offset]);\n break;\n\n case COLON:\n tokens.push([':', ':', line, pos -
offset]);\n break;\n\n case SEMICOLON:\n tokens.push([';', ';', line, pos - offset]);\n break;\n\n
case OPEN_PARENTHESSES:\n prev = tokens.length ? tokens[tokens.length - 1][1] : "";\n n =
css.charCodeAt(pos + 1);\n if (\n prev === 'url' &&\n n !== SINGLE_QUOTE &&\n n !==
DOUBLE_QUOTE &&\n n !== SPACE &&\n n !== NEWLINE &&\n n !== TAB &&\n n
!== FEED &&\n n !== CR\n

```

```

    ) {\n        next = pos;\n        do {\n            escaped = false;\n            next = css.indexOf(')', next + 1);\n            if (next === -1) {\n                if (ignore) {\n                    next = pos;\n                    break;\n                } else {\n                    unclosed('bracket');\n                }\n                escapePos = next;\n                while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n                    escapePos -= 1;\n                    escaped = !escaped;\n                }\n                while (escaped);\n                tokens.push([\n                    'brackets',\n                    css.slice(pos, next + 1),\n                    line,\n                    pos - offset,\n                    line,\n                    next - offset,\n                ]);\n                pos = next;\n            } else {\n                next = css.indexOf(')', pos + 1);\n                content = css.slice(pos, next + 1);\n                if (next === -1 || RE_BAD_BRACKET.test(content)) {\n                    tokens.push(['(', '(', line, pos - offset]);\n                } else {\n                    tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n                    pos = next;\n                }\n            }\n        }\n        break;\n        case CLOSE_PARENTHESES:\n            tokens.push([')', ')', line, pos - offset]);\n            break;\n        case SINGLE_QUOTE:\n        case DOUBLE_QUOTE:\n            quote = code === SINGLE_QUOTE ? '\"' : \"'\";\n            next = pos;\n            do {\n                escaped = false;\n                next = css.indexOf(quote, next + 1);\n                if (next === -1) {\n                    if (ignore) {\n                        next = pos + 1;\n                        break;\n                    } else {\n                        unclosed('quote');\n                    }\n                    escapePos = next;\n                    while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n                        escapePos -= 1;\n                        escaped = !escaped;\n                    }\n                    while (escaped);\n                    content = css.slice(pos, next + 1);\n                    lines = content.split('\\n');\n                    last = lines.length - 1;\n                    if (last > 0) {\n                        nextLine = line + last;\n                        nextOffset = next - lines[last].length;\n                    } else {\n                        nextLine = line;\n                        nextOffset = offset;\n                    }\n                    tokens.push([\n                        'string',\n                        css.slice(pos, next + 1),\n                        line,\n                        pos - offset,\n                        nextLine,\n                        next - nextOffset,\n                    ]);\n                    offset = nextOffset;\n                    line = nextLine;\n                    pos = next;\n                    break;\n                }\n            }\n        case AT:\n            RE_AT_END.lastIndex = pos + 1;\n            RE_AT_END.test(css);\n            if (RE_AT_END.lastIndex === 0) {\n                next = css.length - 1;\n            } else {\n                next = RE_AT_END.lastIndex - 2;\n            }\n            tokens.push(['at-word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n            pos = next;\n            break;\n        case BACKSLASH:\n            next = pos;\n            escape = true;\n            while (css.charCodeAt(next + 1) === BACKSLASH) {\n                next += 1;\n                escape = !escape;\n            }\n            code = css.charCodeAt(next + 1);\n            if (\n                escape &&\n                (code !== SLASH &&\n                code !== SPACE &&\n                code !== NEWLINE &&\n                code !== TAB &&\n                code !== CR &&\n                code !== FEED)\n            ) {\n                next += 1;\n            }\n            tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n            pos = next;\n            break;\n        default:\n            if (code === SLASH && css.charCodeAt(pos + 1) === ASTERISK) {\n                next = css.indexOf('*', pos + 2) + 1;\n                if (next === 0) {\n                    if (ignore) {\n                        next = css.length;\n                    } else {\n                        unclosed('comment');\n                    }\n                }\n                content = css.slice(pos, next + 1);\n                lines = content.split('\\n');\n                last = lines.length - 1;\n                if (last > 0) {\n                    nextLine = line + last;\n                    nextOffset = next - lines[last].length;\n                } else {\n                    nextLine = line;\n                    nextOffset = offset;\n                }\n                tokens.push(['comment', content, line, pos - offset, nextLine, next - nextOffset]);\n                offset = nextOffset;\n                line = nextLine;\n                pos = next;\n            } else {\n                RE_WORD_END.lastIndex = pos + 1;\n                RE_WORD_END.test(css);\n                if (RE_WORD_END.lastIndex === 0) {\n                    next = css.length - 1;\n                } else {\n                    next = RE_WORD_END.lastIndex - 2;\n                }\n                tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n                pos = next;\n            }\n            break;\n    }\n    pos++;\n}\n\nreturn tokens;\n}\n\n", "// @flow\nimport tokenize from './tokenize';\nimport Input from './input';\n\nconst HIGHLIGHT_THEME = {\n  brackets: [36, 39], // cyan\n  string: [31, 39], // red\n  'at-word': [31, 39], // red\n  comment: [90, 39], // gray\n  '{': [32, 39], // green\n  '}': [32, 39], // green\n  ':': [1, 22], // bold\n  ' ': [1, 22], // bold\n  ' ': [1, 22], // bold\n  ' ': [1, 22], // bold\n};\n\nfunction code(color) {\n  return `\\u001b[${color}m`;\n}\n\nfunction terminalHighlight(css) {\n  const tokens = tokenize(new Input(css), { ignoreErrors: true });\n  const result = [];\n  tokens.forEach(token => {\n    const color = HIGHLIGHT_THEME[token[0]];\n    if (color) {\n      result.push(\n        token[1]\n          .split(/\\r?\\n/)\n          .map(i => code(color[0]) + i + code(color[1]))\n          .join('\\n')\n      );\n    } else {\n      result.push(token[1]);\n    }\n  });\n  return result.join('');\n}\n\nexport default terminalHighlight;\n", "//

```



```

@flow\nimport supportsColor from 'supports-color';\n\nimport terminalHighlight from './terminal-
highlight';\nimport warnOnce from './warn-once';\n\n/**\n * The CSS parser throws this error for broken CSS.\n *\n * Custom parsers can throw this error
for broken custom syntax using\n * the {@link Node#error} method.\n *\n * PostCSS will use the input source map
to detect the original error location.\n * If you wrote a Sass file, compiled it to CSS and then parsed it with
PostCSS,\n * PostCSS will show the original position in the Sass file.\n *\n * If you need the position in the
PostCSS input\n * (e.g., to debug the previous compiler), use `error.input.file`.\n *\n * @example\n * // Catching
and checking syntax error\n * try {\n *   postcss.parse('a{\n * }')\n * } catch (error) {\n *   if (error.name ===
'CssSyntaxError') {\n *     error //=> CssSyntaxError\n *   }\n * }\n *\n * @example\n * // Raising error from
plugin\n * throw node.error('Unknown variable', { plugin: 'postcss-vars' });\n *\n * ^\n * class CssSyntaxError {\n * /**\n *
@param {string} message - error message\n * @param {number} [line] - source line of the error\n * @param
{number} [column] - source column of the error\n * @param {string} [source] - source code
of the broken file\n * @param {string} [file] - absolute path to the broken file\n * @param {string} [plugin] -
PostCSS plugin name, if error came from plugin\n * /\n * constructor(message, line, column, source, file, plugin) {\n
/**\n * @member {string} - Always equal to `CssSyntaxError`. You should\n * always check
error type\n * by `error.name === 'CssSyntaxError'` instead of\n * `error instanceof
CssSyntaxError`, because\n * npm could have several PostCSS versions.\n *\n * @example\n
* if (error.name === 'CssSyntaxError') {\n *   error //=> CssSyntaxError\n * }\n *\n * ^\n * this.name =
'CssSyntaxError';\n * /**\n * @member {string} - Error message.\n *\n * @example\n * error.message
//=> 'Unclosed block'\n * ^\n * this.reason = message;\n\n * if (file) {\n * /**\n * @member {string} -
Absolute path to the broken file.\n *\n * @example\n * error.file //=> 'a.sass'\n * error.input.file //=> 'a.css'\n * ^\n * this.file =
file;\n * }\n * if (source) {\n * /**\n * @member {string} - Source code of the broken file.\n *\n *
@example\n * error.source //=> 'a { b { } }'\n * error.input.column //=> 'a b { }'\n * ^\n * this.source
= source;\n * }\n * if (plugin) {\n * /**\n * @member {string} - Plugin name, if error came from plugin.\n
*\n * @example\n * error.plugin //=> 'postcss-vars'\n * ^\n * this.plugin = plugin;\n * }\n * if (typeof
line !== 'undefined' && typeof column !== 'undefined') {\n * /**\n * @member {number} - Source line of the
error.\n *\n * @example\n * error.line //=> 2\n * error.input.line //=> 4\n * ^\n * this.line =
line;\n * /**\n * @member {number} - Source column of the error.\n *\n * @example\n
* error.column //=> 1\n * error.input.column //=> 4\n * ^\n * this.column = column;\n * }\n\n * this.setMessage();\n * if (Error.captureStackTrace) {\n *   Error.captureStackTrace(this, CssSyntaxError);\n * }\n
*\n * ^\n * }\n * }\n * setMessages() {\n * /**\n * @member {string} - Full error text in the GNU error format\n *
with plugin, file, line and column.\n *\n * @example\n * error.message //=> 'a.css:1:1: Unclosed block'\n
*\n * ^\n * this.message = this.plugin ? `${this.plugin}: ` : ` `;\n * this.message += this.file ? this.file : '<css input>';\n * if
(typeof this.line !== 'undefined') {\n *   this.message += `:${this.line}:${this.column}`;\n * }\n * this.message += `:
${this.reason}`;\n * }\n * }\n * /**\n * Returns a few lines of CSS source that caused the error.\n *\n * If the CSS has
an input source map without `sourceContent`,\n * this method will return an empty string.\n *\n * @param
{boolean} [color] whether arrow
will be colored red by terminal\n * color codes. By default, PostCSS will detect\n *
color support by `process.stdout.isTTY`\n * and `process.env.NODE_DISABLE_COLORS`.\n
*\n * @example\n * error.showSourceCode() //=> ` 4 | ` // 5 | a {\n * //
> 6 | bad\n * // | ^\n * // 7 | }\n * // 8 | b {\n *\n *
@return {string} few lines of CSS source that caused the error\n *\n * showSourceCode(color) {\n * if
(!this.source) return ` `;\n * let css = this.source;\n * if (typeof color === 'undefined') color = supportsColor;\n * if
(color) css = terminalHighlight(css);\n * const lines = css.split(/\\r?\\n/);\n * const start = Math.max(this.line - 3,
0);\n * const end = Math.min(this.line + 2, lines.length);\n * const maxWidth = String(end).length;\n *
return lines\n * .slice(start, end)\n * .map((line, index) => {\n * const number = start + 1 + index;\n * const
padded = `${number}`.slice(-maxWidth);\n * const gutter = `${padded} | `;\n * if (number === this.line) {\n

```



```

node.\n *\n * @param {object} [overrides] - new properties to override in the clone.\n *\n * @return {Node} -
new node\n *\n cloneAfter(overrides = {}) {\n  const cloned = this.clone(overrides);\n  this.parent.insertAfter(this, cloned);\n  return cloned;\n }\n\n/**\n * Inserts node(s) before the current node and
removes the current node.\n *\n * @param {...Node} nodes - node(s) to replace current
one\n *\n * @example\n * if ( atrule.name === 'mixin' ) {\n *
atrule.replaceWith(mixinRules[atrule.params]);\n * }\n *\n * @return {Node} current node to methods chain\n
*/\n replaceWith(...nodes) {\n  if (this.parent) {\n    nodes.forEach(node => {\n      this.parent.insertBefore(this,
node);\n    });\n\n    this.remove();\n  }\n\n  return this;\n }\n\n/**\n * Removes the node from its current
parent and inserts it\n * at the end of `newParent`.\n *\n * This will clean the `before` and `after` code {@link
Node#raws} data\n * from the node and replace them with the indentation style of `newParent`.\n * It will also
clean the `between` property\n * if `newParent` is in another {@link Root}.\n *\n * @param {Container}
newParent - container node where the current node\n *
will be moved\n *\n * @example\n
* atrule.moveTo(atrule.root());\n *\n * @return {Node} current node to methods chain\n
*/\n moveTo(newParent) {\n  this.cleanRaws(this.root() === newParent.root());\n  this.remove();\n  newParent.append(this);\n  return this;\n }\n\n/**\n * Removes the node from its current parent and inserts it
into\n * a new parent before `otherNode`.\n *\n * This will also clean the node's code style properties just as it
would\n * in {@link Node#moveTo}.\n *\n * @param {Node} otherNode - node that will be before current
node\n *\n * @return {Node} current node to methods chain\n
*/\n moveBefore(otherNode) {\n  this.cleanRaws(this.root() === otherNode.root());\n  this.remove();\n  otherNode.parent.insertBefore(otherNode,
this);\n  return this;\n }\n\n/**\n * Removes the node from its current parent and inserts it into\n * a new parent
after `otherNode`.\n *\n * This will also clean the node's code style properties just as it would\n * in {@link
Node#moveTo}.\n *\n * @param {Node} otherNode - node that will be after current node\n
*\n * @return {Node} current node to methods chain\n
*/\n moveAfter(otherNode) {\n  this.cleanRaws(this.root() === otherNode.root());\n  this.remove();\n  otherNode.parent.insertAfter(otherNode,
this);\n  return this;\n }\n\n/**\n * Returns the next child of the node's parent.\n * Returns `undefined` if the
current node is the last child.\n *\n * @return {Node|undefined} next node\n *\n * @example\n * if (
comment.text === 'delete next' ) {\n *   const next = comment.next();\n *   if ( next ) {\n *     next.remove();\n *
  }\n * }\n *\n */\n next() {\n  const index = this.parent.index(this);\n  return this.parent.nodes[index + 1];\n }\n\n/**\n * Returns the previous child of the node's parent.\n * Returns `undefined` if the current node is the first
child.\n *\n * @return {Node|undefined} previous node\n *\n * @example\n * const annotation =
decl.prev();\n * if ( annotation.type === 'comment' ) {\n *   readAnnotation(annotation.text);\n * }\n *\n */\n prev() {\n  const index = this.parent.index(this);\n  return this.parent.nodes[index - 1];\n }\n\n
toJSON() {\n  const fixed = {};\n\n  for (const name in this) {\n    if (!this.hasOwnProperty(name)) continue;\n    if (name === 'parent') continue;\n    const value = this[name];\n\n    if (value instanceof Array) {\n      fixed[name] = value.map(i => {\n        if (typeof i === 'object' && i.toJSON) {\n          return i.toJSON();\n        } else {\n          return i;\n        }\n      });\n    } else if (typeof value === 'object' && value.toJSON) {\n      fixed[name] = value.toJSON();\n    } else {\n      fixed[name] = value;\n    }\n  }\n\n  return fixed;\n }\n\n/**\n * Returns a {@link Node#raws} value. If the node is missing\n * the code style property (because the node
was manually built or cloned),\n * PostCSS will try to autodetect the code style property by looking\n * at other
nodes in
the tree.\n *\n * @param {string} prop - name of code style property\n * @param {string} [defaultType] -
name of default value, it can be missed\n *
if the value is the same as prop\n *\n *
@example\n * const root = postcss.parse('a { background: white }');\n * root.nodes[0].append({ prop: 'color',
value: 'black' });\n * root.nodes[0].nodes[1].raws.before //=> undefined\n * root.nodes[0].nodes[1].raw('before')
//=> '\n *\n * @return {string} code style value\n *\n raw(prop, defaultType) {\n  const str = new
Stringifier();\n  return str.raw(this, prop, defaultType);\n }\n\n /**\n * Finds the Root instance of the node's
tree.\n *\n * @example\n * root.nodes[0].nodes[0].root() === root\n *\n * @return {Root} root parent\n *\n
root() {\n  let result = this;\n  while (result.parent) result = result.parent;\n  return result;\n }\n\n

```



```

default:\n    this.other();\n    break;\n }\n\n this.pos += 1;\n }\n this.endFile();\n }\n\n comment(token) {\n    const node = new Comment();\n    this.init(node, token[2], token[3]);\n    node.source.end = {
line: token[4], column: token[5] };
\n\n    const text = token[1].slice(2, -2);\n    if (/^\s*$/ .test(text)) {\n        node.text
= "";\n        node.rows.left = text;\n        node.rows.right = "";\n    } else {\n        const match =
text.match(/^(\\s*)([^\s]*[^\s])(\\s*)$/);\n
        node.text = match[2];\n        node.rows.left = match[1];\n        node.rows.right = match[3];\n    }\n }\n\n emptyRule(token) {\n    const node = new Rule();\n    this.init(node, token[2], token[3]);\n    node.selector = "";\n    node.rows.between = "";\n    this.current = node;\n }\n\n other() {\n    let token;\n    let end = false;\n    let type =
null;\n    let colon = false;\n    let bracket = null;\n    const brackets = [];\n\n    const start = this.pos;\n    while
(this.pos < this.tokens.length) {\n        token = this.tokens[this.pos];\n        type = token[0];\n\n        if (type === '(' || type
=== '[') {\n            if (!bracket) bracket = token;\n            brackets.push(type === '(' ? ')' : ']');\n        } else if
(brackets.length === 0) {\n            if (type === ';') {\n                if (colon) {\n                    this.decl(this.tokens.slice(start,
this.pos + 1));\n                    return;\n                } else {\n                    break;\n                }\n            }
else if (type === '{') {\n                this.rule(this.tokens.slice(start, this.pos + 1));\n                return;\n            } else if (type ===
}') {\n                this.pos -= 1;\n                end = true;\n                break;\n            } else if (type === ':') {\n                colon = true;\n
}\n        } else if (type === brackets[brackets.length - 1]) {\n            brackets.pop();\n            if (brackets.length === 0)
bracket = null;\n        }\n\n        this.pos += 1;\n    }\n\n    if (this.pos === this.tokens.length) {\n        this.pos -= 1;\n        end = true;\n    }\n\n    if (brackets.length > 0) this.unclosedBracket(bracket);\n\n    if (end && colon) {\n        while
(this.pos > start) {\n            token = this.tokens[this.pos][0];\n            if (token !== 'space' && token !== 'comment')
break;\n            this.pos -= 1;\n        }\n        this.decl(this.tokens.slice(start, this.pos + 1));\n        return;\n    }\n\n    this.unknownWord(start);\n }\n\n rule(tokens) {\n    tokens.pop();\n    const node = new Rule();\n
    this.init(node, tokens[0][2], tokens[0][3]);\n\n    node.rows.between = this.spacesFromEnd(tokens);\n    this.raw(node, 'selector', tokens);\n    this.current = node;\n }\n\n decl(tokens) {\n    const node = new
Declaration();\n    this.init(node);\n\n    const last = tokens[tokens.length - 1];\n    if (last[0] === ';') {\n        this.semicolon = true;\n        tokens.pop();\n    }\n\n    if (last[4]) {\n        node.source.end = { line: last[4], column:
last[5] };
    } else {\n        node.source.end = { line: last[2], column: last[3] };
    }\n\n    while (tokens[0][0] !==
'word') {\n        node.rows.before += tokens.shift()[1];\n    }\n\n    node.source.start = { line: tokens[0][2], column:
tokens[0][3] };
\n\n    node.prop = "";\n    while (tokens.length) {\n        const type = tokens[0][0];\n        if (type === ':' ||
type === 'space' || type === 'comment') {\n            break;\n        }\n        node.prop += tokens.shift()[1];\n    }\n\n    node.rows.between = "";\n\n    let token;\n    while
(tokens.length) {\n        token = tokens.shift();\n\n        if (token[0] === ':') {\n            node.rows.between += token[1];\n            break;\n        } else {\n            node.rows.between += token[1];\n        }\n    }\n\n    if (node.prop[0] === '_' ||
node.prop[0] === '*') {\n        node.rows.before += node.prop[0];\n        node.prop = node.prop.slice(1);\n    }\n\n    node.rows.between += this.spacesFromStart(tokens);\n    this.precheckMissedSemicolon(tokens);\n\n    for (let i =
tokens.length - 1; i > 0; i--) {\n        token = tokens[i];\n        if (token[1] === '!important') {\n            node.important =
true;\n            let string = this.stringFrom(tokens, i);\n            string = this.spacesFromEnd(tokens) + string;\n            if
(string !== '!important') node.rows.important = string;\n            break;\n        } else if (token[1] === 'important') {\n            const cache = tokens.slice(0);\n            let str = "";\n            for (let j = i; j > 0; j--) {\n                const type = cache[j][0];\n                if
(str.trim().indexOf('!')
=== 0 && type !== 'space') {\n                    break;\n                }\n                str = cache.pop()[1] + str;\n            }\n            if
(str.trim().indexOf('!') === 0) {\n                node.important = true;\n                node.rows.important = str;\n                tokens =
cache;\n            }\n        }\n    }\n\n    if (token[0] !== 'space' && token[0] !== 'comment') {\n        break;\n    }\n }\n\n this.raw(node, 'value', tokens);\n\n if (node.value.indexOf(':') !== -1) this.checkMissedSemicolon(tokens);\n }\n\n atrule(token) {\n    const node = new AtRule();\n    node.name = token[1].slice(1);\n    if (node.name === "") {\n        this unnamedAtRule(node, token);\n    }\n\n    this.init(node, token[2], token[3]);\n\n    let last = false;\n    let open =
false;\n    const params = [];\n\n    this.pos += 1;\n    while (this.pos < this.tokens.length) {\n        token =
this.tokens[this.pos];\n\n        if (token[0] === ';') {\n            node.source.end = { line: token[2], column: token[3] };
\n

```



```

    tried to parse SCSS with '+\n      'the standard CSS parser; '+\n      'try again with the postcss-scss parser';\n
  } else if (/\\.less$/i.test(opts.from)) {\n    e.message +=\n      '\nYou tried to parse Less with '+\n      'the\n      standard CSS parser; '+\n      'try again with the postcss-less parser';\n    }\n  }\n  throw e;\n }\n\n return\n parser.root;\n}\n", "// @flow\nimport\n\n parse from './parse';\nimport Root from './root';\nimport Rule from './rule';\nimport AtRule from './at-rule';\nimport\n Declaration from './declaration';\nimport warnOnce from './warn-once';\nimport Comment from './comment';\nimport\n Node from './node';\n\nfunction cleanSource(nodes) {\n  return nodes.map(i => {\n    if (i.nodes) i.nodes =\n      cleanSource(i.nodes);\n    delete i.source;\n    return i;\n  });\n}\n\n/**\n * @callback childCondition\n * @param\n {Node} node - container child\n * @param {number} index - child index\n * @param {Node[]} nodes - all\n container children\n * @return {boolean}\n *\n *\n * @callback childIterator\n * @param {Node} node -\n container child\n * @param {number} index - child index\n * @return {false|undefined} returning `false` will break\n iteration\n *\n *\n * The {@link Root}, {@link AtRule}, and {@link Rule} container nodes\n * inherit some\n common methods to help work with their children.\n *\n * Note that all containers can store any\n content. If you write a rule inside\n * a rule, PostCSS will parse it.\n *\n * @extends Node\n * @abstract\n *\n *\n * @class Container extends Node {\n  push(child) {\n    child.parent = this;\n    this.nodes.push(child);\n    return\n this;\n  }\n\n  /**\n   * Iterates through the container's immediate children,\n   * calling `callback` for each child.\n   *\n   * Returning `false` in the callback will break iteration.\n   *\n   * This method only iterates through the\n container's immediate children.\n   * If you need to recursively iterate through all the container's descendant\n   * nodes, use {@link Container#walk}.\n   *\n   * Unlike the for `{}`-cycle or `Array#forEach` this iterator is safe\n   * if you are mutating the array of child nodes during iteration.\n   * PostCSS will adjust the current index to match the\n mutations.\n   *\n   * @param {childIterator} callback - iterator receives each node and index\n   *\n   * @return\n {false|undefined} returns `false` if iteration was broke\n\n   *\n   * @example\n   * const root = postcss.parse('a { color: black; z-index: 1 }');\n   * const rule = root.first;\n   *\n   * for (let decl of rule.nodes) {\n   *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n   *   // Cycle will\n   *   // be infinite, because cloneBefore moves the current node\n   *   // to the next index\n   * }\n   *\n   * rule.each(decl\n => {\n   *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n   *   // Will be executed only for color and z-\n   *   // index\n   * });\n   *\n   * each(callback) {\n   *   if (!this.lastEach) this.lastEach = 0;\n   *   if (!this.indexes) this.indexes =\n   *   {};\n   *   this.lastEach += 1;\n   *   const id = this.lastEach;\n   *   this.indexes[id] = 0;\n   *   if (!this.nodes) return\n   *   undefined;\n   *   let index, result;\n   *   while (this.indexes[id] < this.nodes.length) {\n   *     index = this.indexes[id];\n   *     result = callback(this.nodes[index], index);\n   *     if (result === false) break;\n   *     this.indexes[id] += 1;\n   *   }\n   *   delete this.indexes[id];\n   *   \n   *   return result;\n   * }\n\n   * Traverses the container's descendant nodes, calling callback\n   * for each node.\n   *\n   * Like container.each(), this method is safe to use\n   * if you are mutating arrays during iteration.\n   *\n   * If\n you only need to iterate through the container's immediate children,\n   * use {@link Container#each}.\n   *\n   * @param {childIterator} callback - iterator receives each node and index\n   *\n   * @return {false|undefined} returns\n `false` if iteration was broke\n   *\n   * @example\n   * root.walk(node => {\n   *   // Traverses all descendant\n   *   nodes.\n   * });\n   *\n   * walk(callback) {\n   *   return this.each((child, i) => {\n   *     let result = callback(child, i);\n   *     if\n   *     (result !== false && child.walk) {\n   *       result = child.walk(callback);\n   *     }\n   *     return result;\n   * });\n   * }\n\n   * Traverses the container's descendant nodes, calling callback\n   * for each declaration node.\n   *\n   * If\n you pass\n a filter, iteration will only happen over declarations\n   * with matching properties.\n   *\n   * Like {@link\n Container#each}, this method is safe\n   * to use if you are mutating arrays during iteration.\n   *\n   * @param\n {string|RegExp} [prop] - string or regular expression\n   * to filter declarations by property\n name\n   * @param {childIterator} callback - iterator receives each node and index\n   *\n   * @return\n {false|undefined} returns `false` if iteration was broke\n   *\n   * @example\n   * root.walkDecls(decl => {\n   *   checkPropertySupport(decl.prop);\n   * });\n   *\n   * root.walkDecls('border-radius', decl => {\n   *   decl.remove();\n   * });\n   *\n   * root.walkDecls(/^background/, decl => {\n   *   decl.value =\n   *   takeFirstColorFromGradient(decl.value);\n   * });\n   *\n   * walkDecls(prop, callback) {\n   *   if (!callback) {\n

```

```

callback = prop;\n    return this.walk((child, i) => {\n        if (child.type === 'decl') {\n            return callback(child, i);\n        }\n    });\n } else if (prop instanceof RegExp) {\n    return this.walk((child, i) => {\n        if (child.type === 'decl' && prop.test(child.prop)) {\n            return callback(child, i);\n        }\n    });\n } else {\n    return this.walk((child, i) => {\n        if (child.type === 'decl' && child.prop === prop) {\n            return callback(child, i);\n        }\n    });\n }\n\n /**\n  * Traverses the container's descendant nodes, calling\n  * callback\n  * for each rule node.\n  *\n  * If you pass a filter, iteration will only happen over rules\n  * with\n  * matching selectors.\n  *\n  * Like {@link Container#each}, this method is safe\n  * to use if you are mutating\n  * arrays during iteration.\n  *\n  * @param {string|RegExp} [selector] - string or regular expression\n  * to filter rules by selector\n  * @param {childIterator} callback - iterator receives each node and index\n  *\n  *\n  * @return {false|undefined} returns `false` if iteration was broke\n  *\n  * @example\n  * const selectors = [];\n  * root.walkRules(rule => {\n  *   selectors.push(rule.selector);\n  * });\n  * console.log(`Your CSS uses\n  * ${selectors.length} selectors`);\n  *\n  * walkRules(selector, callback) {\n  *   if (!callback) {\n  *     callback =\n  *     selector;\n  *     return this.walk((child, i) => {\n  *       if (child.type === 'rule') {\n  *         return callback(child, i);\n  *       }\n  *     });\n  *   } else if (selector instanceof RegExp) {\n  *     return this.walk((child, i) => {\n  *       if (child.type ===\n  *       'rule' && selector.test(child.selector)) {\n  *         return callback(child, i);\n  *       }\n  *     });\n  *   } else {\n  *     return\n  *     this.walk((child, i) => {\n  *       if (child.type === 'rule' && child.selector === selector) {\n  *         return\n  *         callback(child, i);\n  *       }\n  *     });\n  *   }\n  * }\n  *\n  * Traverses the container's descendant nodes, calling\n  * callback\n  * for each\n  * at-rule node.\n  *\n  * If you pass a filter, iteration will only happen over at-rules\n  * that have matching names.\n  *\n  * Like {@link Container#each}, this method is safe\n  * to use if you are mutating\n  * arrays during iteration.\n  *\n  * @param {string|RegExp} [name] - string or regular expression\n  * to filter at-rules by\n  * name\n  * @param {childIterator} callback - iterator receives each node and index\n  *\n  * @return\n  * {false|undefined} returns `false` if iteration was broke\n  *\n  * @example\n  * root.walkAtRules(rule => {\n  *   if ( isOld(rule.name) ) rule.remove();\n  * });\n  *\n  * let first = false;\n  * root.walkAtRules('charset', rule => {\n  *   if ( !first ) {\n  *     first = true;\n  *   } else {\n  *     rule.remove();\n  *   }\n  * });\n  *\n  * walkAtRules(name,\n  * callback) {\n  *   if (!callback) {\n  *     callback = name;\n  *     return this.walk((child, i) => {\n  *       if (child.type ===\n  *       'atrule') {\n  *         return\n  *         callback(child, i);\n  *       }\n  *     });\n  *   } else if (name instanceof RegExp) {\n  *     return\n  *     this.walk((child, i) => {\n  *       if (child.type === 'atrule' && name.test(child.name)) {\n  *         return callback(child,\n  * i);\n  *       }\n  *     });\n  *   } else {\n  *     return this.walk((child, i) => {\n  *       if (child.type === 'atrule' && child.name\n  * === name) {\n  *         return callback(child, i);\n  *       }\n  *     });\n  *   }\n  * }\n  *\n  * Traverses the container's\n  * descendant nodes, calling callback\n  * for each comment node.\n  *\n  * Like {@link Container#each}, this\n  * method is safe\n  * to use if you are mutating\n  * arrays during iteration.\n  *\n  * @param {childIterator} callback -\n  * iterator receives each node and index\n  *\n  * @return {false|undefined} returns `false` if iteration was broke\n  *\n  * @example\n  * root.walkComments(comment => {\n  *   comment.remove();\n  * });\n  *\n  * walkComments(callback) {\n  *   return this.walk((child,\n  * i) => {\n  *     if (child.type === 'comment') {\n  *       return callback(child, i);\n  *     }\n  *   });\n  * }\n  *\n  * Inserts\n  * new nodes to the start of the container.\n  *\n  * @param {...(Node|object|string|Node[])} children - new nodes\n  *\n  * @return {Node} this node for methods chain\n  *\n  * @example\n  * const decl1 = postcss.decl({ prop:\n  * 'color', value: 'black' });\n  * const decl2 = postcss.decl({ prop: 'background-color', value: 'white' });\n  * rule.append(decl1, decl2);\n  *\n  * root.append({ name: 'charset', params: "\"UTF-8\"" }); // at-rule\n  * root.append({ selector: 'a' }); // rule\n  * rule.append({ prop: 'color', value: 'black' }); //\n  * declaration\n  * rule.append({ text: 'Comment' }) // comment\n  *\n  * root.append('a { }');\n  *\n  * root.first.append('color: black; z-index: 1');\n  *\n  * append(...children) {\n  *   children.forEach(child => {\n  *     const\n  * nodes = this.normalize(child, this.last);\n  *     nodes.forEach(node => this.nodes.push(node));\n  *   });\n  *   return this;\n  * }\n  *\n  * Inserts new nodes to the\n  * end of the container.\n  *\n  * @param {...(Node|object|string|Node[])} children - new nodes\n  *\n  * @return

```



```

replaceValues(pattern, opts, callback) {\n  if (!callback) {\n    callback = opts;\n    opts = {};\n  }\n  this.walkDecls(decl => {\n    if (opts.props && opts.props.indexOf(decl.prop) === -1) return;\n    if (opts.fast && decl.value.indexOf(opts.fast) === -1) return;\n    decl.value = decl.value.replace(pattern, callback);\n  });\n  return this;\n}

/**\n * Returns `true` if callback returns `true` for all of the container's children.\n * @param {childCondition} condition - iterator returns true or false.\n * @return {boolean} is every child pass condition\n * @example\n * const noPrefixes = rule.every(i => i.prop[0] !== '-');\n * ^\n every(condition) {\n  return this.nodes.every(condition);\n}\n /**\n * Returns `true` if callback returns `true` for (at least) one of the container's children.\n * @param {childCondition} condition - iterator returns true or false.\n * @return {boolean} is some child pass condition\n * @example\n * const hasPrefix = rule.some(i => i.prop[0] === '-');\n * ^\n some(condition) {\n  return this.nodes.some(condition);\n}\n /**\n * Returns a `child`'s index within the {@link Container#nodes} array.\n * @param {Node} child - child of the current container.\n * @return {number} child index\n * @example\n * rule.index( rule.nodes[2] ) //=> 2\n * ^\n index(child) {\n  if (typeof child === 'number') {\n    return child;\n  } else {\n    return this.nodes.indexOf(child);\n  }\n}\n /**\n * The container's first child.\n * @type {Node}\n * @example\n * rule.first === rules.nodes[0];\n * ^\n get first() {\n  if (!this.nodes) return undefined;\n  return this.nodes[0];\n}\n /**\n * The container's last child.\n * @type {Node}\n * @example\n * rule.last === rule.nodes[rule.nodes.length - 1];\n * ^\n get last() {\n  if (!this.nodes) return undefined;\n  return this.nodes[this.nodes.length - 1];\n}\n\n normalize(nodes, sample) {\n  if (typeof nodes === 'string') {\n    nodes = cleanSource(parse(nodes).nodes);\n  } else if (!Array.isArray(nodes)) {\n    if (nodes.type === 'root') {\n      nodes = nodes.nodes;\n    } else if (nodes.type) {\n      nodes = [nodes];\n    } else if (nodes.prop) {\n      if (typeof nodes.value === 'undefined') {\n        throw new Error('Value field is missed in node creation');\n      } else if (typeof nodes.value !== 'string') {\n        nodes.value = String(nodes.value);\n      }\n      nodes = [new Declaration(nodes)];\n    } else if (nodes.selector) {\n      nodes = [new Rule(nodes)];\n    } else if (nodes.name) {\n      nodes = [new AtRule(nodes)];\n    } else if (nodes.text) {\n      nodes = [new Comment(nodes)];\n    } else {\n      throw new Error('Unknown node type in node creation');\n    }\n  }\n  const processed = nodes.map(i => {\n    if (typeof i.raws === 'undefined') i = this.rebuild(i);\n    if (i.parent) i = i.clone();\n    if (typeof i.raws.before === 'undefined') {\n      if (sample && typeof sample.raws.before !== 'undefined') {\n        i.raws.before = sample.raws.before.replace(/^(\\s)/g, '');\n      }\n    }\n    i.parent = this;\n    return i;\n  });\n  return processed;\n}\n\n rebuild(node, parent) {\n  let fix;\n  if (node.type === 'root') {\n    fix = new Root();\n  } else if (node.type === 'atrule') {\n    fix = new AtRule();\n  } else if (node.type === 'rule') {\n    fix = new Rule();\n  } else if (node.type === 'decl') {\n    fix = new Declaration();\n  } else if (node.type === 'comment') {\n    fix = new Comment();\n  }\n  for (const i in node) {\n    if (i === 'nodes') {\n      fix.nodes = node.nodes.map(j => this.rebuild(j, fix));\n    } else if (i === 'parent' && parent) {\n      fix.parent = parent;\n    } else if (node.hasOwnProperty(i)) {\n      fix[i] = node[i];\n    }\n  }\n  return fix;\n}\n\n eachInside(callback) {\n  warnOnce('Container#eachInside is deprecated. ' + 'Use Container#walk instead.);\n  return this.walk(callback);\n}\n\n eachDecl(prop, callback) {\n  warnOnce('Container#eachDecl is deprecated. ' + 'Use Container#walkDecls instead.);\n  return this.walkDecls(prop, callback);\n}\n\n eachRule(selector, callback) {\n  warnOnce('Container#eachRule is deprecated. ' + 'Use Container#walkRules instead.);\n  return this.walkRules(selector, callback);\n}\n\n eachAtRule(name, callback) {\n  warnOnce('Container#eachAtRule is deprecated. ' + 'Use Container#walkAtRules instead.);\n  return this.walkAtRules(name, callback);\n}\n\n eachComment(callback) {\n  warnOnce('Container#eachComment is deprecated. ' + 'Use Container#walkComments instead.);\n  return this.walkComments(callback);\n}\n\n get semicolon() {\n  warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n  return this.raws.semicolon;\n}\n\n set semicolon(val) {\n  warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n  this.raws.semicolon = val;\n}\n\n get after() {\n  warnOnce('Node#after is deprecated. Use Node#raws.after');\n}

```



```

opts.word - word in CSS source that caused the warning\n
 * @param {number} opts.index - index in CSS node string that caused\n * the warning\n
@param {string} opts.plugin - name of the plugin that created\n * this warning. {@link
Result#warn} fills\n * this property automatically.\n * @return {Warning} created
warning\n *\n warn(text, opts = {}) {\n if (!opts.plugin) {\n if (this.lastPlugin &&
this.lastPlugin.postcssPlugin) {\n opts.plugin = this.lastPlugin.postcssPlugin;\n }\n }\n\n const warning =
new Warning(text, opts);\n this.messages.push(warning);\n\n return warning;\n }\n\n /**\n * Returns warnings
from plugins. Filters {@link Warning} instances\n * from {@link Result#messages}.\n * @example\n *
result.warnings().forEach(warn => {\n * console.warn(warn.toString());\n * });\n * @return {Warning[]}\n
warnings from plugins\n *\n warnings() {\n return
this.messages.filter(i => i.type === 'warning');\n }\n\n /**\n * An alias for the {@link Result#css} property.\n *
Use it with syntaxes that generate non-CSS output.\n * @type {string}\n * @example\n * result.css ===
result.content;\n *\n get content() {\n return this.css;\n }\n\n\nexport default Result;\n", "// @flow\nimport
stringify from './stringify';\nimport warnOnce from './warn-once';\nimport Result from './result';\nimport parse from
'./parse';\n\nfunction isPromise(obj) {\n return typeof obj === 'object' && typeof obj.then ===
'function';\n }\n\n/**\n * @callback onFulfilled\n * @param {Result} result\n *\n\n/**\n * @callback onRejected\n
* @param {Error} error\n *\n\n/**\n * A Promise proxy for the result of PostCSS transformations.\n * A
`LazyResult` instance is returned by {@link Processor#process}.\n * @example\n * const lazy =
postcss([cssnext]).process(css);\n *\n\nclass LazyResult {\n constructor(processor, css, opts) {\n this.stringified
= false;\n this.processed = false;\n\n let root;\n if (typeof css === 'object' && css.type === 'root') {\n root =
css;\n } else if (css instanceof LazyResult || css instanceof Result) {\n root = css.root;\n if (css.map) {\n
if (typeof opts.map === 'undefined') opts.map = {};\n if (!opts.map.inline) opts.map.inline = false;\n
opts.map.prev = css.map;\n }\n } else {\n let parser = parse;\n if (opts.syntax) parser =
opts.syntax.parse;\n if (opts.parser) parser = opts.parser;\n if (parser.parse) parser = parser.parse;\n\n try
{\n root = parser(css, opts);\n } catch (error) {\n this.error = error;\n }\n }\n\n this.result = new
Result(processor, root, opts);\n }\n\n /**\n * Returns a {@link Processor} instance, which will be used\n * for
CSS transformations.\n * @type {Processor}\n *\n get processor() {\n return this.result.processor;\n }\n\n
/**\n * Options
from the {@link Processor#process} call.\n * @type {processOptions}\n *\n get opts() {\n return
this.result.opts;\n }\n\n /**\n * Processes input CSS through synchronous plugins, converts `Root`\n * to a CSS
string and returns {@link Result#css}.\n * @example\n * This property will only work with synchronous plugins.\n * If the
processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for
debug purpose, you should always use {@link LazyResult#then}.\n * @type {string}\n * @see Result#css\n
*\n get css() {\n return this.stringify().css;\n }\n\n /**\n * An alias for the `css` property. Use it with
syntaxes\n * that generate non-CSS output.\n * @example\n * This property will only work with synchronous plugins.\n *
If the processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n *
for debug purpose, you should always use {@link LazyResult#then}.\n
*\n * @type {string}\n * @see Result#content\n *\n get content() {\n return this.stringify().content;\n }\n\n\n
/**\n * Processes input CSS through synchronous plugins\n * and returns {@link Result#map}.\n * @example\n * This
property will only work with synchronous plugins.\n * If the processor contains any asynchronous plugins\n * it
will throw an error. This is why this method is only\n * for debug purpose, you should always use {@link
LazyResult#then}.\n * @type {SourceMapGenerator}\n * @see Result#map\n *\n get map() {\n return
this.stringify().map;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and returns {@link
Result#root}.\n * @example\n * This property will only work with synchronous plugins. If the processor\n * contains any
asynchronous plugins it will throw an error.\n * This is why this method is only for debug purpose,\n * you
should always use {@link LazyResult#then}.\n * @type {Root}\n * @see
Result#root\n *\n get root() {\n return this.sync().root;\n }\n\n /**\n * Processes input CSS through
synchronous plugins\n * and returns {@link Result#messages}.\n * @example\n * This property will only work with

```

```

synchronous plugins. If the processor\n * contains any asynchronous plugins it will throw an error.\n *\n * This
is why this method is only for debug purpose,\n * you should always use {@link LazyResult#then}.\n *\n *
@type {Message[]}\n * @see Result#messages\n */\n get messages() {\n return this.sync().messages;\n }\n\n
/**\n * Processes input CSS through synchronous plugins\n * and calls {@link Result#warnings()}\n *\n *
@return {Warning[]} warnings from plugins\n */\n warnings() {\n return this.sync().warnings();\n }\n\n
/**\n * Alias for the {@link LazyResult#css} property.\n *\n * @example\n * lazy + " === lazy.css;\n *\n *
@return {string} output CSS\n */\n toString() {\n return this.css;\n }\n\n
/**\n * Processes input CSS through synchronous and asynchronous plugins\n * and calls `onFulfilled` with a Result
instance. If a plugin throws\n * an error, the `onRejected` callback will be executed.\n *\n * It implements
standard Promise API.\n *\n * @param {onFulfilled} onFulfilled - callback will be executed\n *
when all plugins will finish work\n * @param {onRejected} onRejected - callback will be executed on any
error\n *\n * @return {Promise} Promise API to make queue\n *\n * @example\n *
postcss([cssnext]).process(css).then(result => {\n * console.log(result.css);\n * });\n *\n */\n then(onFulfilled,
onRejected) {\n return this.async().then(onFulfilled, onRejected);\n }\n\n
/**\n * Processes input CSS through
synchronous and asynchronous plugins\n * and calls onRejected for each error thrown in any plugin.\n *\n * It
implements standard Promise API.\n *\n * @param {onRejected} onRejected - callback
will be executed on any error\n *\n * @return {Promise} Promise API to make queue\n *\n * @example\n *
postcss([cssnext]).process(css).then(result => {\n * console.log(result.css);\n * }).catch(error => {\n *
console.error(error);\n * });\n *\n */\n catch(onRejected) {\n return this.async().catch(onRejected);\n }\n\n
handleError(error, plugin) {\n try {\n this.error = error;\n if (error.name === 'CssSyntaxError' &&
!error.plugin) {\n error.plugin = plugin.postcssPlugin;\n error.setMessage();\n } else if
(plugin.postcssVersion) {\n const pluginName = plugin.postcssPlugin;\n const pluginVer =
plugin.postcssVersion;\n const runtimeVer = this.result.processor.version;\n const a = pluginVer.split('.');\n
const b = runtimeVer.split('.');\n if (a[0] !== b[0] || parseInt(a[1]) > parseInt(b[1])) {\n warnOnce(\n
`$${'Your current PostCSS version ' + 'is '}${runtimeVer},
but ${pluginName}` + '\n `uses ${pluginVer}. Perhaps this is ` + '\n `the source of the error
below.`\n );\n }\n }\n } catch (err) {\n if (console && console.error) console.error(err);\n }\n
}\n\n
asyncTick(resolve, reject) {\n if (this.plugin >= this.processor.plugins.length) {\n this.processed = true;\n
return resolve();\n }\n\n try {\n const plugin = this.processor.plugins[this.plugin];\n const promise =
this.run(plugin);\n this.plugin += 1;\n if (isPromise(promise)) {\n promise\n .then(() => {\n
this.asyncTick(resolve, reject);\n })\n .catch(error => {\n this.handleError(error, plugin);\n
this.processed = true;\n reject(error);\n });\n } else {\n this.asyncTick(resolve, reject);\n }\n
}\n } catch (error) {\n this.processed = true;\n reject(error);\n }\n }\n\n
async() {\n if (this.processed) {\n return new Promise((resolve, reject) => {\n if (this.error) {\n
reject(this.error);\n } else {\n resolve(this.stringify());\n }\n });\n }\n\n if (this.processing) {\n
return this.processing;\n }\n\n this.processing = new Promise((resolve, reject) => {\n if (this.error) return
reject(this.error);\n this.plugin = 0;\n this.asyncTick(resolve, reject);\n }).then(() => {\n this.processed =
true;\n return this.stringify();\n });\n\n return this.processing;\n }\n\n
sync() {\n if (this.processed) return
this.result;\n this.processed = true;\n\n if (this.processing) {\n throw new Error('Use process(css).then(cb) to
work with async plugins');\n }\n\n if (this.error) throw this.error;\n\n
this.result.processor.plugins.forEach(plugin => {\n const promise = this.run(plugin);\n if (isPromise(promise))
{\n throw new Error('Use process(css).then(cb)
to work with async plugins');\n }\n });\n\n return this.result;\n }\n\n
run(plugin) {\n this.result.lastPlugin =
plugin;\n\n try {\n return plugin(this.result.root, this.result);\n } catch (error) {\n this.handleError(error,
plugin);\n throw error;\n }\n }\n\n
stringify() {\n if (this.stringified) return this.result;\n this.stringified =
true;\n\n this.sync();\n\n const opts = this.result.opts;\n let str = stringify;\n if (opts.syntax) str =
opts.syntax.stringify;\n if (opts.stringifier) str = opts.stringifier;\n if (str.stringify) str = str.stringify;\n\n
let result = '';\n str(this.root, i => {\n result += i;\n });\n this.result.css = result;\n\n return this.result;\n
}

```

```

}
export default LazyResult;
// @flow
import LazyResult from './lazy-result';
* @callback
builder * @param {string} part - part of generated CSS connected to this node
* @param {Node}
node - AST node
* @param {"start"|"end"} [type] - node's part type
* @callback parser
* @param {string|toString} css - string with input CSS or any object
* with toString()
method, like a Buffer
* @param {processOptions} [opts] - options with only `from` and `map` keys
* @return {Root} PostCSS AST
* @callback stringifier
* @param {Node} node - start node
for stringifying. Usually { @link Root }.
* @param {builder} builder - function to concatenate CSS from node's
parts
* or generate string and source map
* @return {void}
* @typedef
{object} syntax
* @property {parser} parse - function to generate AST by string
* @property {stringifier}
stringify - function to generate string by AST
* @typedef {object} toString
* @property {function}
toString
* @callback pluginFunction
* @param {Root} root
- parsed input CSS
* @param {Result} result - result to set warnings or check other plugins
* @typedef {object} Plugin
* @property {function} postcss - PostCSS plugin function
* @typedef
{object} processOptions
* @property {string} from - the path of the CSS source file.
You should always set `from` because it is used in source map
generation and syntax error messages.
* @property {string} to - the path where you'll put the
output
CSS file. You should always set `to` to generate
correct source maps.
* @property {parser} parser - function to generate AST by string
* @property
{stringifier} stringifier - class to generate string by AST
* @property {syntax} syntax - object with `parse`
and `stringify`
* @property {object} map - source map options
* @property {boolean} map.inline - does
source map should
be embedded in the output
CSS as a base64-encoded
comment
* @property
{string|object|false|function} map.prev - source map content
from a previous
processing step
(for example, Sass).
PostCSS will try to find
previous map
automatically, so you
could disable it by
`false` value.
* @property {boolean} map.sourcesContent - does PostCSS should set
the origin content to map
* @property {string|false} map.annotation -
does PostCSS should set
annotation comment to map
* @property {string}
map.from - override `from` in map's
`sources`
Contains plugins to process CSS. Create one `Processor` instance,
initialize its plugins, and then use that
instance on numerous CSS files.
* @example
const processor = postcss([autoprefixer, precss]);
processor.process(css1).then(result => console.log(result.css));
processor.process(css2).then(result =>
console.log(result.css));
class Processor {
/**
* @param {Array.<Plugin|pluginFunction>} plugins - PostCSS
plugins. See { @link Processor#use } for plugin format.
*/
constructor(plugins = []) {
/**
* @member {string} - Current PostCSS version.
*/
this.version =
'5.2.0';
/**
* @member {pluginFunction[]} - Plugins added to this processor.
*/
this.plugins =
const processor = postcss([autoprefixer, precss]);
processor.plugins.length //>= 2
this.plugins =
this.normalize(plugins);
}
/**
* Adds a plugin to be used as a CSS processor.
* PostCSS plugin
can be in 4 formats:
** A plugin created by { @link postcss.plugin } method.
** A function. PostCSS will
pass the function a { @link Root }
as the first argument and current { @link Result } instance
as the
second.
** An object with a `postcss` method. PostCSS will
use that method
as described in #2.
** Another { @link Processor } instance. PostCSS will copy plugins
from that instance into this one.
* Plugins can also be added by passing them as arguments when
creating a `postcss` instance (see [ `postcss(plugins)` ]).
* Asynchronous plugins should return a

```

```

Promise` instance.\n * \n * @param {Plugin|pluginFunction|Processor} plugin - PostCSS plugin\n *
    or { @link Processor }\n *
    with plugins\n * \n * @example\n *
const processor = postcss()\n * .use(autoprefixer)\n * .use(precss);\n * \n * @return {Processes} current
processor to make methods chain\n * \n use(plugin) {\n this.plugins =
this.plugins.concat(this.normalize([plugin]));\n return this;\n }\n\n /**\n * Parses source CSS and returns a
{ @link LazyResult } Promise proxy.\n * Because some plugins can be asynchronous
it doesn't make\n * any transformations. Transformations will be applied\n * in the { @link LazyResult }
methods.\n * \n * @param {string|toString|Result} css - String with input CSS or\n *
any
object with a `toString()`\n *
method, like a Buffer.\n *
Optionally, send a { @link Result }\n *
instance and the processor will\n *
take the { @link Root } from it.\n * @param {processOptions} [opts] - options\n * \n * @return
{LazyResult} Promise proxy\n * \n * @example\n * processor.process(css, { from: 'a.css', to: 'a.out.css' })\n *
.then(result => {\n * console.log(result.css);\n * });\n * \n process(css, opts = {}) {\n return new
LazyResult(this, css, opts);\n }\n\n normalize(plugings) {\n let normalized = [];\n plugins.forEach(i => {\n if
(i.postcss) i = i.postcss;\n if (typeof i === 'object' && Array.isArray(i.plugins)) {\n normalized =
normalized.concat(i.plugins);\n } else if (typeof i === 'function') {\n normalized.push(i);\n } else {\n
throw new Error(`${i} is not a PostCSS plugin`);\n }\n });\n return normalized;\n }\n\n\nexport default
Processor;\n", "// @flow\nimport './rule'; // break cyclical dependency deadlock – #87\nimport Container from
'./container';\nimport LazyResult from './lazy-result';\nimport Processor from './processor';\nimport warnOnce from
'./warn-once';\n\n/**\n * Represents a CSS file and contains all its parsed nodes.\n * \n * @extends Container\n * \n *
@example\n * const root = postcss.parse('a{color:black} b{z-index:2}');\n * root.type // => 'root'\n *
root.nodes.length // => 2\n * \n\nclass Root extends Container {\n constructor(defaults) {\n super(defaults);\n
this.type = 'root';\n if (!this.nodes) this.nodes = [];\n }\n\n
removeChild(child) {\n child = this.index(child);\n\n if (child === 0 && this.nodes.length > 1) {\n
this.nodes[1].raws.before = this.nodes[child].raws.before;\n }\n\n return super.removeChild(child);\n }\n\n
normalize(child, sample, type) {\n const nodes = super.normalize(child);\n if (sample) {\n if (type ===
'prepend') {\n if (this.nodes.length > 1) {\n sample.raws.before = this.nodes[1].raws.before;\n } else
{\n delete sample.raws.before;\n }\n } else if (this.first !== sample) {\n nodes.forEach(node => {\n
node.raws.before = sample.raws.before;\n });\n }\n }\n\n return nodes;\n }\n\n /**\n * Returns a
{ @link Result } instance representing the root's CSS.\n * \n * @param {processOptions} [opts] - options with
only `to` and `map` keys\n * \n * @return {Result} result with current root's CSS\n * \n * @example\n * const
root1 = postcss.parse(css1, { from: 'a.css'
});\n * const root2 = postcss.parse(css2, { from: 'b.css' });\n * root1.append(root2);\n * const result =
root1.toResult({ to: 'all.css', map: true });\n * \n toResult(opts = {}) {\n const lazy = new LazyResult(new
Processor(), this, opts);\n return lazy.stringify();\n }\n\n remove(child) {\n warnOnce('Root#remove is
deprecated. Use Root#removeChild');\n this.removeChild(child);\n }\n\n prevMap() {\n
warnOnce('Root#prevMap is deprecated. Use Root#source.input.map');\n return this.source.input.map;\n }\n\n
/**\n * @memberof Root#\n * @member {object} raws - Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n * \n * Every parser saves its own properties,\n * but the default
CSS parser uses:\n * \n * * `after` : the space symbols after the last child to the end of file.\n * * `semicolon` : is
the last child has an (optional) semicolon.\n * \n * @example\n * postcss.parse('a
{}')\n * \n\n}.raws // => { after: '\n' }\n * postcss.parse('a {}').raws // => { after: " }\n * \n\n\nexport default
Root;\n", "// @flow\nimport './root'; // break cyclical dependency deadlock – #87\nimport CssSyntaxError from
'./css-syntax-error';\n\nimport PreviousMap from './previous-map';\n\nlet sequence = 0;\n\n/**\n * @typedef
{object} filePosition\n * @property {string} file - path to file\n * @property {number} line - source line in file\n
* @property {number} column - source column in file\n * \n\n/**\n * Represents the source CSS.\n * \n *
@example\n * const root = postcss.parse(css, { from: file });\n * const input = root.source.input;\n * \n\nclass Input
{\n /**\n * @param {string} css - input CSS source\n * @param {object} [opts] - { @link Processor#process}

```

```

options\n *^\n constructor(css, opts = {}) {\n /**\n * @member {string} - input CSS source\n *\n *
@example\n * const input = postcss.parse('a{ }', { from: file }).input;\n *
input.css //=> 'a{ }';\n *^\n this.css = css.toString();\n\n if (this.css[0] === '\uFEFF' || this.css[0] ===
'\uFFFE') {\n this.css = this.css.slice(1);\n }\n\n if (opts.from) {\n if (/^\w+:\|\/\|.test(opts.from)) {\n
/**\n * @member {string} - The absolute path to the CSS source file\n *
defined with the
`from` option.\n *\n * @example\n * const root = postcss.parse(css, { from: 'a.css' });\n *
root.source.input.file //=> '/home/ai/a.css'\n *^\n this.file = opts.from;\n } else {\n this.file =
path.resolve(opts.from);\n }\n }\n\n /**\n let map = new PreviousMap(this.css, opts);\n if ( map.text )
{\n /**\n * @member {PreviousMap} - The input source map passed from\n *
a compilation step before PostCSS\n *
(for example, from Sass compiler).\n *\n * @example\n * root.source.input.map.consumer().sources //=> ['a.sass']\n *!\n
this.map = map;\n let file = map.consumer().file;\n if ( !this.file && file ) this.file =
this.mapResolve(file);\n }\n\n if (!this.file) {\n sequence += 1;\n /**\n * @member {string} -
The unique ID of the CSS source. It will be\n *
created if `from` option is not provided\n *
(because PostCSS does not know the file path).\n *\n * @example\n * const root =
postcss.parse(css);\n * root.source.input.file //=> undefined\n * root.source.input.id //=> '<input css 1>'\n
*\n this.id = `<input css ${sequence}>`;\n }\n if (this.map) this.map.file = this.from;\n }\n\n
error(message, line, column, opts = {}) {\n let result;\n const origin = this.origin(line, column);\n if (origin) {\n
result
= new CssSyntaxError(\n message,\n origin.line,\n origin.column,\n origin.source,\n
origin.file,\n opts.plugin\n );\n } else {\n result = new CssSyntaxError(message, line, column, this.css,
this.file, opts.plugin);\n }\n\n result.input = { line, column, source: this.css };
if (this.file) result.input.file =
this.file;\n\n return result;\n }\n\n /**\n * Reads the input source map and returns a symbol position\n *
in the
input source (e.g., in a Sass file that was compiled\n *
to CSS before being passed to PostCSS).\n *\n * @param
{number} line - line in input CSS\n * @param {number} column - column in input CSS\n *\n * @return
{filePosition} position in input source\n *\n * @example\n * root.source.input.origin(1, 1) //=> { file: 'a.css',
line: 3, column: 1 }\n *^\n origin(line, column) {\n if (!this.map) return false;\n const consumer =
this.map.consumer();\n const from =
consumer.originalPositionFor({ line, column });\n if (!from.source) return false;\n\n const result = {\n file:
this.mapResolve(from.source),\n line: from.line,\n column: from.column,\n };\n\n const source =
consumer.sourceContentFor(from.source);\n if (source) result.source = source;\n\n return result;\n }\n\n
mapResolve(file) {\n if (/^\w+:\|\/\|.test(file)) {\n return file;\n } else {\n return
path.resolve(this.map.consumer().sourceRoot || '.', file);\n }\n }\n\n /**\n * The CSS source identifier. Contains
{@link Input#file} if the user\n *
set the `from` option, or {@link Input#id} if they did not.\n * @type {string}\n
*\n * @example\n * const root = postcss.parse(css, { from: 'a.css' });\n * root.source.input.from //=>
'/home/ai/a.css'\n *\n * const root = postcss.parse(css);\n * root.source.input.from //=> '<input css 1>'\n
*\n get from() {\n return this.file || this.id;\n }\n}\n\nexport default
Input;\n"}\n\n@flow\nimport tokenize from './postcss/tokenize';\nimport Comment from
'./postcss/comment';\nimport Parser from './postcss/parser';\n\nexport default class SafeParser extends Parser {\n
tokenize() {\n this.tokens = tokenize(this.input, { ignoreErrors: true });\n }\n\n comment(token) {\n const node
= new Comment();\n this.init(node, token[2], token[3]);\n node.source.end = { line: token[4], column: token[5]
};\n\n let text = token[1].slice(2);\n if (text.slice(-2) === '*/') text = text.slice(0, -2);\n\n if (/^\s*$/\s.test(text))
{\n node.text = ";\n node.raws.left = text;\n node.raws.right = ";\n } else {\n const match =
text.match(/^(\\s*)([^\s]*)(\\s*)$/);\n node.text = match[2];\n node.raws.left = match[1];\n
node.raws.right = match[3];\n }\n }\n\n unclosedBracket() {\n }\n\n unknownWord(start) {\n const buffer =
this.tokens.slice(start, this.pos + 1);\n this.spaces += buffer.map(i => i[1]).join("");\n
}\n\n unexpectedClose() {\n this.current.raws.after += '';\n }\n\n doubleColon() {\n }\n\n unnamedAtrule(node)
{\n node.name = ";\n }\n\n precheckMissedSemicolon(tokens) {\n const colon = this.colon(tokens);\n if

```

```

(colon === false) return;\n\n let split;\n for (split = colon - 1; split >= 0; split--) {\n if (tokens[split][0] ===
'word') break;\n }\n for (split = 1; split >= 0; split--) {\n if (tokens[split][0] !== 'space') {\n split += 1;\n
break;\n }\n }\n const other = tokens.splice(split, tokens.length - split);\n this.decl(other);\n }\n\n
checkMissedSemicolon() {\n\n endFile() {\n if (this.current.nodes && this.current.nodes.length) {\n
this.current.raws.semicolon = this.semicolon;\n }\n this.current.raws.after = (this.current.raws.after || '') +
this.spaces;\n\n while (this.current.parent) {\n this.current = this.current.parent;\n this.current.raws.after =
";\n }\n\n }\n}\n", /* @flow\nimport Input from './postcss/input';\nimport SafeParser from './safe-parser';\n\nexport default
function safeParse(css, opts) {\n const input = new Input(css, opts);\n\n const parser = new SafeParser(input);\n
parser.tokenize();\n parser.loop();\n\n return parser.root;\n}\n", /* @flow\n/* eslint-disable import/no-unresolved
*\nimport transformDeclPairs from 'css-to-react-native';\nimport generateComponentId from
'./utils/generateComponentId';\nimport type { RuleSet, StyleSheet } from './types';\nimport flatten from
'./utils/flatten';\n// $FlowFixMe\nimport parse from './vendor/postcss-safe-parser/parse';\n\nlet generated =
{};\n\nexport const resetStyleCache = () => {\n generated = {};\n};\n\n/*\n\n InlineStyle takes arbitrary CSS and
generates a flat object\n\n\nexport default (styleSheet: StyleSheet) => {\n class InlineStyle {\n rules: RuleSet;\n\n
constructor(rules: RuleSet) {\n this.rules = rules;\n }\n\n generateStyleObject(executionContext:
Object) {\n const flatCSS = flatten(this.rules, executionContext).join("");\n\n const hash =
generateComponentId(flatCSS);\n if (!generated[hash]) {\n const root = parse(flatCSS);\n const
declPairs = [];\n root.each(node => {\n if (node.type === 'decl') {\n declPairs.push([node.prop,
node.value]);\n } else if (process.env.NODE_ENV !== 'production' && node.type !== 'comment') {\n
/* eslint-disable no-console *\n console.warn(`Node of type ${node.type} not supported as an inline
style`);\n }\n });\n // RN currently does not support differing values for the corner radii of Image\n
// components (but does for View). It is almost impossible to tell whether we'll have\n // support, so we'll just
disable multiple values here.\n // https://github.com/styled-components/css-to-react-native/issues/11\n const
styleObject = transformDeclPairs(declPairs,
[\n 'borderRadius',\n 'borderWidth',\n 'borderColor',\n 'borderStyle',\n ]);\n const
styles = styleSheet.create({\n generated: styleObject,\n });\n generated[hash] = styles.generated;\n
}\n return generated[hash];\n }) }\n\n return InlineStyle;\n};\n", /* eslint-disable *\n\n\n mixin-deep;
https://github.com/jonschlinkert/mixin-deep\n Inlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\n The MIT License (MIT)\n\n Copyright (c) 2014-present, Jon Schlinkert.\n\n Permission is
hereby granted, free of charge, to any person obtaining a copy\n of this software and associated documentation files
(the "Software"), to deal\n in the Software without restriction, including without limitation the rights\n to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of the Software, and to permit persons to
whom the Software is\n furnished
to do so, subject to the following conditions:\n\n The above copyright notice and this permission notice shall be
included in\n all copies or substantial portions of the Software.\n\n THE SOFTWARE IS PROVIDED "AS IS",
WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY,\n FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER\n LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,\n OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN\n THE SOFTWARE.\n\n\nconst isObject = val => {\n return (\n typeof
val === 'function' || (typeof val === 'object' && val !== null && !Array.isArray(val))\n );\n};\n\nconst isValidKey
= key => {\n return key !== '__proto__' && key !== 'constructor' && key !== 'prototype';\n};\n\nfunction
mixin(target, val, key) {\n const obj = target[key];\n\n if (isObject(val) && isObject(obj)) {\n mixinDeep(obj, val);\n } else {\n target[key] = val;\n }\n}\n\n\nexport
default function mixinDeep(target, ...rest) {\n for (const obj of rest) {\n if (isObject(obj)) {\n for (const key in
obj) {\n if (isValidKey(key)) {\n mixin(target, obj[key], key);\n }\n }\n }\n }\n\n return

```

```

target;\n}\n", "// @flow\nimport { EMPTY_OBJECT } from './empties';\n\nexport type Props = {\n  theme?:
any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n
return (props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n", "//
@flow\nimport type { IStyledComponent } from './types';\n\nexport default function isTag(target:
$PropertyType<IStyledComponent, 'target'>): boolean %checks {\n  return (\n    typeof target === 'string' &&\n
(process.env.NODE_ENV !== 'production'\n    ? target.charAt(0) === target.charAt(0).toLowerCase()\n
    : true)\n  );\n}\n", "// @flow\nimport type { IStyledComponent } from './types';\nimport getComponentName
from './getComponentName';\nimport isTag from './isTag';\n\nexport default function generateDisplayName(\n
target: $PropertyType<IStyledComponent, 'target'>): string {\n  return isTag(target) ? `styled.${target}` :
`Styled(${getComponentName(target)})`; \n}\n", "// @flow\nimport React, { useContext, useMemo, type Element,
type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from
'./utils/isFunction';\n\nexport type Theme = { [key: string]: mixed }; \n\nexport type ThemeArgument = Theme |
((outerTheme?: Theme) => Theme); \n\nexport type Props = {\n  children?: Element<any>,\n  theme:
ThemeArgument,\n}; \n\nexport const ThemeContext: Context<Theme | void> = React.createContext(); \n\nexport
const ThemeConsumer = ThemeContext.Consumer; \n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const mergedTheme = theme(outerTheme);\n    if (\n
process.env.NODE_ENV !== 'production' &&\n    (mergedTheme === null || Array.isArray(mergedTheme) ||
typeof mergedTheme !== 'object')\n    ) {\n      return throwStyledError(7);\n    }\n    return mergedTheme;\n  }\n  if (Array.isArray(theme) || typeof theme !== 'object') {\n    return throwStyledError(8);\n  }\n  return outerTheme ?
{ ...outerTheme, ...theme } : theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n
*\n\nexport default function ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n
const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n  props.theme,\n  outerTheme,\n]);\n  if (!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n", "// @flow\nimport React, {
createElement, Component } from
'react';\nimport hoist from 'hoist-non-react-statics';\nimport merge from './utils/mixinDeep';\nimport
determineTheme from './utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from
'./utils/empties';\nimport generateDisplayName from './utils/generateDisplayName';\nimport isFunction from
'./utils/isFunction';\nimport isTag from './utils/isTag';\nimport isStyledComponent from
'./utils/isStyledComponent';\nimport { ThemeConsumer } from './ThemeProvider';\n\nimport type { Theme } from
'./ThemeProvider';\nimport type { Attrs, RuleSet, Target } from './types';\n\n// NOTE: no hooks available for react-
native yet;\n// if the user makes use of ThemeProvider or StyleSheetManager things will break.\n\n// Validator
defaults to true if not in HTML/DOM env\n\nconst validAttr = () => true;\n\nclass StyledNativeComponent extends
Component<*, *> {\n  root: ?Object;\n  attrs = {};\n  render() {\n    return (\n      <ThemeConsumer>\n
{(theme?: Theme) => {\n        const {\n
          $as: transientAsProp,\n          as: renderAs,\n          forwardedComponent,\n          forwardedAs,\n
forwardedRef,\n          testID,\n          style = [],\n          ...props\n        } = this.props;\n\n        const {\n
          defaultProps, target, shouldForwardProp } = forwardedComponent;\n\n        const elementToBeRendered =\n
this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n\n        const generatedStyles =
this.generateAndInjectStyles(\n          determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n
this.props\n        );\n\n        const isTargetTag = isTag(elementToBeRendered);\n\n        const computedProps =
this.attrs !== props ? { ...props, ...this.attrs } : props;\n\n        const propFilterFn = shouldForwardProp || (isTargetTag
&& validAttr);\n\n        const propsForElement = {};\n\n        let key;\n\n        for (key in computedProps) {\n
if (key[0] ===
'$' || key === 'as') continue;\n          else if (key === 'forwardedAs') {\n            propsForElement.as =
props[key];\n          } else if (!propFilterFn || propFilterFn(key, validAttr)) {\n            // Don't pass through filtered
tags through to native elements\n            propsForElement[key] = computedProps[key];\n          }\n        }\n      }\n    );\n  }\n}\n

```

```

    propsForElement.style = typeof style === 'function' ?\n      (state) => {\n        return
[generatedStyles].concat(style(state))\n      }\n      : [generatedStyles].concat(style);\n    propsForElement.testID = testID || propsForElement.testID;\n    if (forwardedRef) propsForElement.ref =
forwardedRef;\n    if (forwardedAs) propsForElement.as = forwardedAs;\n\n    return
createElement(elementToBeRendered, propsForElement);\n  }}\n  </ThemeConsumer>\n );\n }\n\nbuildExecutionContext(theme: ?Object, props: Object, attrs: Attrs) {\n  const context = { ...props,
  theme };\n  if (!attrs.length) return context;\n\n  this.attrs = {};\n\n  attrs.forEach(attrDef => {\n    let
resolvedAttrDef = attrDef;\n    let attr;\n    let key;\n\n    if (isFunction(resolvedAttrDef)) {\n
resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /* eslint-disable guard-for-in */\n    for (key in
resolvedAttrDef) {\n      attr = resolvedAttrDef[key];\n      this.attrs[key] = attr;\n      context[key] = attr;\n    }\n
/* eslint-enable */\n  });\n\n  return context;\n }\n\n  generateAndInjectStyles(theme: any, props: any) {\n
const { inlineStyle } = props.forwardedComponent;\n\n  const executionContext = this.buildExecutionContext(\n
  theme,\n  props,\n  props.forwardedComponent.attrs\n );\n\n  return
inlineStyle.generateStyleObject(executionContext);\n }\n\n  setNativeProps(nativeProps: Object) {\n    if (this.root
!== undefined) {\n      // $FlowFixMe\n      this.root.setNativeProps(nativeProps);\n
    } else if (process.env.NODE_ENV !== 'production') {\n      // eslint-disable-next-line no-console\n
console.warn(\n        'setNativeProps was called on a Styled Component wrapping a stateless functional
component.\n      );\n    }\n  }\n}\n\nexport default (InlineStyle: Function) => {\n  const
createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n    const {\n      attrs =
EMPTY_ARRAY,\n      displayName = generateDisplayName(target),\n      ParentComponent =
StyledNativeComponent,\n    } = options;\n\n    const isClass = !isTag(target);\n    const isTargetStyledComp =
isStyledComponent(target);\n\n    // $FlowFixMe\n    const WrappedStyledNativeComponent =
React.forwardRef((props, ref) => (\n      <ParentComponent\n        {...props}\n
        forwardedComponent={WrappedStyledNativeComponent}\n        forwardedRef={ref}\n      />\n    ));\n\n    const
finalAttrs =\n      // $FlowFixMe\n      isTargetStyledComp && target.attrs\n      ?
Array.prototype.concat(target.attrs,
      attrs).filter(Boolean)\n      : attrs;\n\n    // eslint-disable-next-line prefer-destructuring\n    let shouldForwardProp =
options.shouldForwardProp;\n\n    // $FlowFixMe\n    if (isTargetStyledComp && target.shouldForwardProp) {\n
if (shouldForwardProp) {\n      // compose nested shouldForwardProp calls\n      shouldForwardProp = (prop,
filterFn, elementToBeCreated) =>\n        // $FlowFixMe\n        target.shouldForwardProp(prop, filterFn,
elementToBeCreated) &&\n        options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n    } else {\n
      // eslint-disable-next-line prefer-destructuring\n      shouldForwardProp = target.shouldForwardProp;\n    }\n
  }\n\n  /**\n   * forwardRef creates a new interim component, which we'll take advantage of\n   * instead of
extending ParentComponent to create _another_ interim class\n   */\n  // $FlowFixMe\n  WrappedStyledNativeComponent.attrs = finalAttrs;\n\n
  WrappedStyledNativeComponent.displayName = displayName;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.shouldForwardProp = shouldForwardProp;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n    // $FlowFixMe\n    isTargetStyledComp ?
target.inlineStyle.rules.concat(rules) : rules\n  );\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.target = isTargetStyledComp\n    ? // $FlowFixMe\n    target.target\n    :
target;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.withComponent = function withComponent(tag:
Target) {\n    const { displayName: _, componentId: __, ...optionsToCopy } = options;\n    const newOptions =
{\n      ...optionsToCopy,\n      attrs: finalAttrs,\n      ParentComponent,\n    };\n\n    return
createStyledNativeComponent(tag, newOptions, rules);\n  };\n\n  // $FlowFixMe\n  Object.defineProperty(WrappedStyledNativeComponent,
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n    set(obj) {\n      // $FlowFixMe\n
      this._foldedDefaultProps = isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n    },\n  });\n\n}

```



```

if (isClass) {\n  hoist(WrappedStyledNativeComponent, (target: any), {\n    // all SC-specific things should not
be hoisted\n    attrs: true,\n    displayName: true,\n    shouldForwardProp: true,\n    inlineStyle: true,\n    styledComponentId: true,\n    target: true,\n    withComponent: true,\n  });\n}\n\n return
WrappedStyledNativeComponent;\n};\n\n return createStyledNativeComponent;\n};\n"}\n", "// @flow\nimport type {
Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:
Array<Interpolation>)\n): Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len =
interpolations.length;\n    i < len; i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return result;\n};\n"}\n", "// @flow\nimport
interleave from './utils/interleave';\nimport isPlainObject from './utils/isPlainObject';\nimport { EMPTY_ARRAY }
from './utils/empties';\nimport isFunction from './utils/isFunction';\nimport flatten from './utils/flatten';\nimport
type { Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object styles to determine if
we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-
disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles:
Styles, ...interpolations: Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    //
$FlowFixMe\n    return addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if
(interpolations.length === 0 && styles.length === 1 &&
typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  // $FlowFixMe\n  return
addTag(flatten(interleave(styles, interpolations)));\n}\n"}\n", "// @flow\nimport { isValidElementType } from 'react-
is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport { EMPTY_OBJECT } from
 './utils/empties';\nimport type { Target } from './types';\n\nexport default function constructWithOptions(\n
componentConstructor: Function,\n  tag: Target,\n  options: Object = EMPTY_OBJECT)\n) {\n  if
(!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n\n  /* This is callable directly as a
template function *\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n  const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n\n  /* If config methods are called, wrap up a new
template function and merge options *\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor,
  tag, { ...options, ...config });\n\n  /* Modify/inject new props at runtime *\n  templateFunction.attrs = attrs =>\n
constructWithOptions(componentConstructor, tag, {\n    ...options,\n    attrs: Array.prototype.concat(options.attrs,
attrs).filter(Boolean),\n  });\n\n  return templateFunction;\n}\n"}\n", "// @flow\nimport React, { useContext, type
AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }
from './models/ThemeProvider';\nimport determineTheme from './utils/determineTheme';\nimport
getComponentName from './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export
default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n//\n// but the old build system
tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  //
$FlowFixMe\n\n  This should be React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n
const theme = useContext(ThemeContext);\n    // $FlowFixMe defaultProps isn't declared so it can be inferrable\n
const { defaultProps } = Component;\n    const themeProp = determineTheme(props, theme, defaultProps);\n\n    if
(process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-disable-next-line no-
console\n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a
theme in defaultProps in component class `\"${getComponentName(\n          Component\n        )}\"`\n      );\n    }\n\n
return <Component { ...props } theme={themeProp} ref={ref} />;\n  });\n\n  hoistStatics(WithTheme,
Component);\n\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)} `);\n\n  return
WithTheme;\n};\n"}\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
 './models/ThemeProvider';\n\nconst
useTheme = () => useContext(ThemeContext);\n\nexport default useTheme;\n"}\n", "// @flow\n\n/* eslint-disable
import/no-unresolved *\nimport reactPrimitives from 'react-primitives';\nimport _InlineStyle from

```

```

'./models/InlineStyle';\nimport _StyledNativeComponent from './models/StyledNativeComponent';\n\nimport css
from './constructors/css';\nimport constructWithOptions from './constructors/constructWithOptions';\nimport
ThemeProvider, { ThemeConsumer, ThemeContext } from './models/ThemeProvider';\nimport withTheme from
'./hoc/withTheme';\nimport useTheme from './hooks/useTheme';\nimport isStyledComponent from
'./utils/isStyledComponent';\n\nimport type { Target } from './types';\n\nconst InlineStyle =
_InlineStyle(reactPrimitives.StyleSheet);\nconst StyledNativeComponent =
_StyledNativeComponent(InlineStyle);\nconst styled = (tag: Target) =>
constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
some reason,
so let's\n * assume it's for a good reason and not eagerly load them all */\nconst aliases = 'Image Text Touchable
View ';\n\n/* Define a getter for each alias which simply gets the reactNative component\n * and passes it to styled
*/\naliases.split(/\\s+/m).forEach(alias =>\n Object.defineProperty(styled, alias, {\n enumerable: true,\n
configurable: false,\n get() {\n return styled(reactPrimitives[alias]);\n },\n }));\n\nexport { css,
isStyledComponent, ThemeProvider, ThemeConsumer, ThemeContext, withTheme, useTheme };\n\nexport default
styled;\n"], "names": ["AD_REPLACER_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "g
enerateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash",
"str", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "isFunction", "test", "isStateless
Function", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComp
onentId", "SC_ATTR", "REACT_APP_SC_ATTR", "SC_ATTR_ACTIVE", "SC_ATTR_VERSION", "SC_VERSION",
"__VERSION__", "SPLITTER", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_
SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "ERRORS
", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Erro
r", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE_SIZE", "groupSizes", "Uint32Array", "index
OfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleInd
ex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX_SMI", "g
roupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "set
GroupForId", "SELECTOR", "MARKER_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size",
"selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "part
s", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "nod
e", "getAttribute", "parentNode", "removeChild", "getNonce", "__webpack_nonce__", "ELEMENT_TYPE", "findLastSt
yleTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevSt
yle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServe
r", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule",
"_error", "cssRules", "cssText", "refNode", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "StyleShe
et", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance",
"hasNameForId", "groupNames", "Set", "add", "clearNames", "clear", "clearRules", "clearTag", "delimiter", "needle", "to
Sheet", "block", "e", "ruleSheet", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "COMMENT_REG
EX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "plugins", "stylis", "Stylis", "parsingRules", "returnR
ulesPlugin", "parsedRules", "parseRulesPlugin", "insertRulePlugin", "_componentId", "_selector", "_selectorRegex", "_
_consecutiveSelfRefRegExp", "selfReferenceReplacer", "offset", "string", "indexOf", "selfReferenceReplacementPlugi
n", "_", "lastIndexOf", "use", "stringifyRules", "prefix", "componentId", "flatCSS", "cssStr", "reduce", "acc", "plugin", "Sty
leSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "StylisConsumer", "m
asterSheet", "masterStylis", "Keyframes", "inject", "styleSheet", "stylisInstance", "resolvedName", "getName", "uppercas
eCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "ad
dUnitIfNeeded", "value", "unitless", "startsWith", "isFalsish", "chunk", "objToCssArray", "obj", "prevKey", "key", "hasO
wnProperty", "Array", "isArray", "isCss", "hyphenate", "isPlainObject", "flatten", "executionContext", "ruleSet", "result",
"isElement", "console", "warn", "printed", "warnOnce", "message", "SINGLE_QUOTE", "DOUBLE_QUOTE", "BACK
SLASH", "SLASH", "NEWLINE", "SPACE", "FEED", "TAB", "CR", "OPEN_SQUARE", "CLOSE_SQUARE", "OPE

```


AiB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAAtC,EAA4CI,OAA5C,CAAoDX,aAApD,EAAmE,OA
AnE,CAAP;AACD;;ACxBd;;AACA;AAEA,AAAO,IAAMY,IAAI,GAAG,IAAb;AAGP;AACA;;AACA,AAAO,I
AAMC,KAAC,GAAG,SAARA,KAAQ,CAACC,CAAD,EAAYN,CAAZ,EAakC;AACrD,MAAIO,CAAC,GAAG
P,CAAC,CAACQ,MAAV;;AAEA,SAAO,CAAP,EAAU;AACRD,IAAAA,CAAC,GAIA,CAAC,GAAG,EAAL,
GAAWN,CAAC,CAACS,UAAf,CAAa,EAAEF,CAAf,CAAf;AACD;;AAED,SAO,CAAP;AACD,CARM;;AA
WP,AAAO,IAAMI,IAAI,GAAG,SAAPA,IAAO,CAACV,CAAD,EAAuB;AACzC,SAO,KAAC,CAACD,IAAD
,EAAOJ,CAAP,CAAZ;AACD,CAFm;;ACnBP;AKA,2BA Ae,UACW,GAAD,EAAyB;AAcTc,SAOb,sBAAs
B,CAACY,IAAI,CAACC,GAAD,CAAJ,KAAc,CAAf,CAA7B;AACD,CAFm;;ACLA;AGA,AA Ae,SAASC,gBA
AT,CACbC,MADa,EAEL;AACR,SACE,CAACC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAA
wC,OAAOH,MAAP,KAAkB,QAAIB,IAA8BA,MAAIE,GAA+E,KAAhF;AAEAA,EAAAA,MAAM,CAACI,WAF
P;AAIAJ,EAAAA,MAAM,CAACd,IAJP,IAKA,WANF;AAQD;;ACdD;AACA,AA Ae,SAASmB,UAAf,CAAoBC,
IAAPB,EAAGd;AAC7D,SAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACA,AA Ae,SAASC,mBAAT,
CAA6BD,IAA7B,EAAd;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CAACE,SAAL,I
ACGF,IAAI,CAACE,SAAL,CAAeC,gBAFjB,CAFL;AOD;;ACTD;AACA,AAEA,qBA Ae,UAACTB,CAAD;AA
AA,SACbA,CAAC,KAAC,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAACuB,QAAf,G
AAAvB,CAAC,CAACuB,QAAf,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAiBE,QAAjB,CAA0BE,IAA1B,CA
A+BzB,CAA/B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,MAAM,CAAC1B,CAAD,CAJM;AAAA,CAAf;;ACH
A;AACA,AA Ae,SAAS2B,iBAAT,CAA2Bd,MAA3B,EAAYD;AAcTc,SAO,MAAM,IAAI,OAAOA,MAAM,C
AAcE,iBAAd,KAAoC,QAArD;AACD;;ACHD;AKA,AAAO,IAAMC,OA
AO,GACjB,OAAOf,OAAP,KAAmB,WAAnB,IACC,OAAOA,OAAO,CAACC,GAAf,KAAuB,WADxB,KAEEB,
OAAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO,CAACC,GAAR,CAAYc,OAF/C,CAAD,IAGA,aAJK;A
AMP,AAAO,IAAME,cAAc,GAAG,QAAvB;AACP,AAAO,IAAMC,eAAe,GAAG,qBAAxB;AACP,AAAO,IAAM
C,UAAU,GAAGC,QAAvB;AACP,AAAO,IAAMC,QAAQ,GAAG,WAAjB;AAEP,AAAO,IAAMC,UAAU,GAAG
,OAAOC,MAAP,KAAkB,WAAlB,IAAiC,iBAAiBA,MAArE;AAEP,AAAO,IAAMC,cAAc,GAAGC,OAAO,CAC
nC,OAAOC,iBAAP,KAA6B,SAA7B,GACIA,iBADJ,GAEI,OAAO1B,OAAP,KAAmB,WAAnB,IAAkC,OAAOA,
OAAO,CAACC,GAAf,KAAuB,WAAzD,GACA,OAAOD,OAAO,CAACC,GAAR,CAAY0B,2BAAnB,KAAmD,
WAAnD,IACA3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EAD5C,GAE3B,OAAO,CAACC,GAAR,
CAAY0B,2BAAZ,KAA4C,OAA5C,GACE,KADF,GAE3B,OAAO,CAACC,GAAR,CAAY0B,2BAJhB,GAKE,O
AAO3B,OAAO,CAACC,GAAR,CAAYyB,iBAAnB,KAAyC,WAazC,IAAwD1B,OAAO,CAACC,GAAR,CAAYy
B,iBAAZ,KAAkC,EAA1F,GACA1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,OAAIC,GACE,KADF,G
AEE1B,OAAO,CAACC,GAAR,CAAYyB,iBAHd,GAIA1B,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YA
V3B,GAWA,KAd+B,CAA9B;;ACIBP;AACA,AAAO,IAAM0B,WAAW,GAAGIB,MAAM,CAACmB,MAAP,CA
Ac,EAAd,CAAPB;AACP,AAAO,IAAMC,YAAY,GAAGpB,MAAM,CAACmB,MAAP,CAAc,EAAd,CAArB;;AC
FP,eAAe;AAAC,OAAI,uDAAL;AAA6D,OAAI,+PAAJE;AAAIu,OAAI,qHAArU;AAA2b,OAAI,qMAA/b;AAAq
oB,OAAI,iKAAzoB;AAA2yB,OAAI,2OAA/yB;AAA2hC,OAAI,sHAA/hC;AAAspC,OAAI,+DAA1pC;AAA0tC,
OAAI,+BAA9tC;AAA8vC,QAAK,gUAAwC;AAOkD,QAAK,uNAazkD;AAAIyD,QAAK,oWAAtyD;AAA2oE
,QAAK,wLAAhpE;AAAY0E,QAAK,gDAA90E;AAA+3E,QAAK,0ZAAp4E;AAA+xF,QAAK,sQAApyF;AAA2iG
,QAAK;AAAhjG,CAAf;;ACAA;AACA,AAEA,IAAME,MAAM,GAAG/B,OAAO,CAACC,GAAR,CAAYC,QAA
Z,KAAyB,YAAzB,GAAwC8B,QAAxG,GAAMd,EAAIE;AAEA;;;AGA,SAASC,MAAT,GAAYB;AAcVb,MA
AIC,CAAC,mDAAL;AACA,MAAMC,CAAC,GAAG,EAAY;AAEA,OAAK,IAAIC,CAAC,GAAG,CAAR,EA
WC,GAAG,GAAG,UAAK3C,MAA3B,EAAmC0C,CAAC,GAAGC,GAAvC,EAA4CD,CAAC,IAAI,CAAjD,EAA
oD;AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBAAYA,CAAZ;AACD;;AAEDD,
EAAAA,CAAC,CAACI,OAAF,CAAU,UAAAC,CAAC,EAAI;AAcBn,IAAAA,CAAC,GAAGA,CAAC,CAAC7C
,OAAF,CAAU,QAAV,EAAoBmD,CAAPB,CAAJ;AACD,GAFD;AAIA,SAO,CAAP;AACD;AAED;;AAIA,
AA Ae,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,IAAAA,cACH;AAAA;;AACA,
MAAIC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACzC,UAAAM,IAAIyC,KAAJ,kDA
C2C9D,IAD3C,+BAEF6D,cAAc,CAACChD,MAAf,GAAWb,CAAxB,eAAcSGd,cAAc,CAACE,IAAf,CAAoB,IAA
pB,CAAtC,GAAoE,EAfIE,EAAN;AAKD,GAND,MAMO;AACL,UAAAM,IAAID,KAAJ,CAAUV,MAAM,MAAN

,UAAOF,MAAM,CAACID,IAAD,CAAb,SAAwB6D,cAAxB,GAAwCG,IAAxC,EAAV,CAAN;AACD;AACF;;A
CxCD;AAOA;;ACA,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GAAD,EAA0B;AACtD,SAAO,IA
AIC,iBAAJ,CAAsBD,GAAtB,CAAP;AACD,CAFm;AAIP,IAAME,SAAS,GAAG,KAAK,CAAvB;;IAEMD;AAOJ
,6BAAyD,GAAZ,EAAsB;AACpB,SAAKG,UAAAL,GAaKB,IAAIC,WAAJ,CAAgBF,SAAhB,CAAIB;ACA,SA
KvD,MAAL,GAACuD,SAAd;ACA,SAAKF,GAAL,GAAWA,GAAX;AACD;;;SAEDK,eAAA,sBAAaC,KAAb,
EAAoC;AACIC,QAAIC,KAAK,GAAG,CAAZ;;ACA,SAAK,IAAI7D,CAAC,GAAG,CAAb,EAAgBA,CAAC,G
AAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAgC;AAC9B6D,MAAAA,KAAK,IAAI,KAAKJ,UAAAL,CAAgBz
D,CAAhB,CAAT;AACD;;AAED,WAAO6D,KAAP;AACD;;SAEDC,cAAA,qBAAyF,KAAZ,EAA2BG,KAA3B,
EAAkD;AAChD,QAAIH,KAAK,IAAI,KAAKH,UAAAL,CAAgBxD,MAA7B,EAAqC;AACnC,UAAM+D,SAAS,G
AAG,KAAKP,UAAvB;ACA,UAAMQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1B;AAEA,UAAIiE,OAAO,GA
GD,OAAAd;;ACA,aAAOL,KAAK,IAAIM,OAAhB,EAAyB;AACvBA,QAAAA,OAAO,KAAK,CAAZ;;ACA,Y
AAIA,OAAO,GAAG,CAAd,EAAiB;AACfC,UAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAR,CAAhB;AACD;A
ACF;;AAED,WAAKH,UAAAL,GAaKB,IAAIC,WAAJ,CAAgBQ,OAAhB,CAAIB;ACA,WAAKT,UAAAL,CAAg
BW,GAAhB,CAAoBJ,SAApB;ACA,WAAK/D,MAAL,GAACiE,OAAAd;;AAEA,WAAK,IAAIIE,CAAC,GAAGi
E,OAAb,EAAsBjE,CAAC,GAAGkE,OAA1B,EAAMcIE,CAAC,EAAPC,EAAwC;AACtC,aAAKyD,UAAAL,CAAg
BzD,CAAhB,IAAqB,CAArB;AACD;AACF;;AAED,QAAIqE,SAAS,GAAG,KAAKV,YAAL,CAAKBC,KAAK,G
AAG,CAA1B,CAAhB;;ACA,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAWSE,CAAC,GAAGP,KAAK,CAAC9D
,MAA1B,EAAkCD,EAAC,GAAGSE,CAATC,EAAyCtE,EAAC,EAA1C,EAA8C;AAC5C,UAAI,KAAKsD,GAAL,
CAASiB,UAAT,CAAoBF,SAApB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPC,CAAJ,EAA8C;AAC5C,aAAKyD,
UAAAL,CAAgBG,KAAhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;;SAEDG,aAAA,oBAAWZ,KAAAX,EAA
gC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAjB,EAAyB;AACvB,UAAMA,MAAM,GAAG,KAAKwD,UA
AL,CAAgBG,KAAhB,CAAF;ACA,UAAMa,UAAU,GAAG,KAAKd,YAAL,CAAKBC,KAAIB,CAAnB;ACA,
UAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAAL,CAAgBG,KAAhB,IAAyB,CAAz
B;;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAb,EAAyBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAA
xC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAT,CAAoBF,UAAPB;AACD;AACF;AACF;;SAEDG,WAAA,
kBAASHB,KAAT,EAAgC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;;ACA,QAAIjB,KAAK,IAAI,KAAK3D,MA
Ad,IAAwB,KAAKwD,UAAAL,CAAgBG,KAAhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOiB,GAAP;AACD;;AA
ED,QAAAM5E,MAAM,GAAG,KAAKwD,UAAAL,CAAgBG,KAAhB,CAAF;ACA,QAAMa,UAAU,GAAG,KAAK
d,YAAL,CAAKBC,KAAIB,CAAnB;ACA,QAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;;AAEA,SAAK,I
AAID,CAAC,GAAGyE,UAAb,EAAyBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAxC,EAA4C;AAC1C6
E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAT,CAAIb9E,CAAjB,CAAP,GAA6B4B,QAAhC;AAC
D;;AAED,WAAOiD,GAAP;AACD;;;AChGH;AAEA,AAEA,IAAME,OAAO,GAAG,KAAK,KAAK,CAA1B;AA
EA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;ACA,IAAIC,eAAe,GAAwB,IAAID,GAAJ,EAA3C;ACA,IA
AIE,aAAa,GAAG,CAAPB;AAEA,AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,EAAD,EAAwB;AA
CnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe,CAACO,GAAh
B,CAAoBF,EAAPB,CAAR;AACD;;AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAAPB,CAAP,EAA2C;AA
CzCA,IAAAA,aAAa;AACd;;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;;AAEA,MACE5E,OAAO,CAAC
C,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CAAT,IAAc,CAAd,IAAMBA,KAA
K,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAR,CAAhB;AACD;;A
AEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,CAAC
d,GAAhB,CAAoBR,KAApB,EAA2ByB,EAA3B;ACA,SAAOzB,KAAP;AACD,CARBM;AAuBP,AAAO,IAAM4
B,aAAa,GAAG,SAAhBA,aAAgB,CAAC5B,KAAD,EAAkC;AAC7D,SAAOsB,eAAe,CAACK,GAAhB,CAAoB3
B,KAApB,CAAP;AACD,CAFm;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAgB,CAACJ,EAAD,EAAzB
,KAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAGvB,KAAK,GA
G,CAAxB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,E
AAAA,eAAe,CAACd,GAAhB,CAAoBR,KAApB,EAA2ByB,EAA3B;AACD,CAPM;;AC3CP;AAEA,AAIA,IAA
MK,QAAQ,cAAyP,eOAAZ,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAAd;ACA,IAAMIe,SAAS,GAAG,IAAIC,
MAAJ,OAAeE,OAAf,sDAAIB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAc,CAACC,KAAD,EAAkB

;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAZ;AAD2C,MAEnC9F,MAFmC,GAExBqD,G
AFwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;;AACA,OAAK,IAAIjB,KAAK,GAAG,CAAj
B,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAzC,EAA6C;AAC3C,QAAMyB,EAAE,GAAGG,a
AAa,CAAC5B,KAAD,CAAxB;AACA,QAAIyB,EAAE,KAAKW,SAAX,EAA5B;AAEtB,QAAMC,KAAK,GAAG
H,KAAK,CAACG,KAAN,CAAYV,GAAZ,CAAgBF,EAAhB,CAAd;AACA,QAAMtB,KAAK,GAAGT,GAAG,C
AACsB,QAAJ,CAAhB,KAAb,CAAd;AACA,QAAI,CAACqC,KAAD,IAAU,CAACIC,KAAK,IAAoB,CAACkC,
KAAK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAN,UAAkBsC,KAAIB,cAA+ByB,EAA/
B,QAAd;AAEA,QAAIe,OOAO,GAAG,EAAz;AACA,QAAIH,KAAK,KAAKD,SAAd,EAAyB;AACvBC,MAAA
A,KAAK,CAACnD,OAAN,CAAc,UAAAtD,IAAI,EAAI;AACpB,YAAIA,IAAI,CAACS,MAAL,GAAc,CAAIB,E
AAqB;AACnBmG,UAAAA,OOAO,IAAO5G,IAAP,MAAP;AACD;AACF,OAJD;AAKD,KAJB0C;AAoB3C;;;AA
CAqF,IAAAA,GAAG,SAAOd,KAAP,GAAeoC,QAAf,mBAAoCC,OAAPC,WAAgDxE,QAAnD;AACD;;AAED,S
AAOiD,GAAP;AACD,CA9BM;;AAgCP,IAAMwB,yBAAyB,GAAG,SAAS5BA,yBAA4B,CAACP,KAAD,EAAeT,
EAAf,EAA2Be,OOA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OOAO,CAACE,KAAR,CAAc,GAAd,CAAd;
AACA,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAG2B,KAAK,CAACH
G,MAA1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C;AACA,QAARK,IAAI,
GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAAuB;AACrB8F,MAAAA,KAAK,CAACS,YAAN,CAAmBIB,EAA
nB,EAAuB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,GAAG,SAAXBA,qBAAwB,CAA
CV,KAAD,EAAeW,KAAf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,KAAK,CAACE,WAAN,IAAqB,E
AAtB,EAA0BL,KAA1B,CAAgC1E,QAAhC,CAAd;AACA,MAAMmC,KAAK,GAAa,EAAxB;;AAEA,OAAK,IA
AI/D,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAGoC,KAAK,CAACzG,MAA1B,EAAkCD,CAAC,GAAGsE,C
AAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAM4G,IAAI,GAAGF,KAAK,CAAC1G,CAAD,CAAL,CAA
SoD,IAAT,EAAb;AACA,QAAI,CAACwD,IAAL,EAAW;AAEX,QAAMC,MAAM,GAAGD,IAAI,CAACE,KAA
L,CAAWnB,SAAX,CAAf;;AAEA,QAAIkB,MAAJ,EAAy;AACV,UAAMjD,KAAK,GAAGmD,QAAQ,CAACF,
MAAM,CAAC,CAAD,CAAP,EAAy,EAAZ,CAAR,GAA0B,CAAxC;AACA,UAMxB,EAAE,GAAGwB,MAA
M,CAAC,CAAD,CAAjB;;AAEA,UAAIjD,KAAK,KAAK,CAAd,EAAiB;AACf;AACA6B,QAAAA,aAAa,CAACJ
,EAAD,EAAkzB,KAAL,CAAAb,CAFe;AAIf;;AACAyC,QAAAA,yBAAyB,CAACP,KAAD,EAAQT,EAAR,EAA
YwB,MAAM,CAAC,CAAD,CAAIB,CAAzB;AACAf,QAAAA,KAAK,CAACC,MAAN,GAAejC,WAAf,CAA2BF
,KAA3B,EAAkCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,GAAe,CAAf;AACD,KADd,MA
cO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;AACF,CA5BD;;AA8BA,AAAO,I
AAMI,cAAc,GAAG,SAAJBA,cAAiB,CAACIB,KAAD,EAAkB;AAC9C,MAAMmB,KAAK,GAAGC,QAAQ,CA
ACC,gBAAT,CAA0BzB,QAA1B,CAAd;;AAEA,OAAK,IAAIIF,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAG2
C,KAAK,CAACHH,MAA1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAA
MoH,IAAI,GAAKH,KAAK,CAACjH,CAAD,CAApB;;AACA,QAAIoH,IAAI,IAAIA,IAAI,CAACC,YAAL,CAA
kB/F,OOAIB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAACV,KAAD,EAAQsB,IAAR,CAArB;
;AAEA,UAAIA,IAAI,CAACE,UAAT,EAAqB;AACnBF,QAAAA,IAAI,CAACE,UAAL,CAAgBC,WAAhB,CAA
4BH,IAA5B;AACD;AACF;AACF;AACF,CAbM;;ACnFP;;AACA;AAIA,IAAMI,QAAQ,GAAG,SAAXA,QAAW,
GAAM;AACrB,SAAO,OOAOC,iBAAP,KAA6B,WAA7B,GAA2CA,iBAA3C,GAA+D,IAAtE;AACD,CAFD;;AC
LA;AAEA,AAIA,IAAMC,YAAy,GAAG,CAArB;AAAwB;;AAExB;;AACA,IAAMC,gBAAgB,GAAG,SAAnBA,
gBAAmB,CAACrH,MAAD,EAAkD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH,UADiE;;AAGzE,O
AAK,IAAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAgCD,CAAC,IAAI,CAArC,EAAwCA,CAAC,EA
AzC,EAA6C;AAC3C,QAAM6H,KAAK,GAAKD,UAAU,CAAC5H,CAAD,CAA1B;;AACA,QAAI6H,KAAK,IA
AIA,KAAK,CAACC,QAAN,KAAMBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,OOAnB,CAAhD,E
AA6E;AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;;AACA,AAAO,IA
AMgC,YAAy,GAAG,SAAfA,YAAe,CAAC1H,MAAD,EAA4C;AACtE,MAAM2H,IAAI,GAAKf,QAAQ,CAACe
,IAAxB;AACA,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;AACA,MAAMxB,KAAK,GAAGS,QAAQ,
CAACiB,aAAT,CAAUb,OOAvB,CAAd;AACA,MAAMC,SAAS,GAAGT,gBAAgB,CAACO,MAAD,CAAIc;AA
CA,MAAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC,GAAkD,IAAtE;AA
EA5B,EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OOAnB,EAA4BE,cAA5B;AACaIF,EAAAA,KAAK,CAAC

6B, YAAN, CAAMb7G, eAAnB, EAAoCC, UAApC; AAEA, MAAM6G, KAAK, GAAGf, QAAQ, EAAtB; AAEA, MAA
Ie, KAAJ, EAAW9B, KAAK, CAAC6B, YAAN, CAAMb, OAAAnB, EAA4BC, KAA5B; AAEXL, EAAAA, MAAM, CA
ACM, YAAP, CAAoB/B, KAApB, EAA2B4B, WAA3B; AAEA, SAAO5B, KAAP; AACD, CAjBM; AAmBP; AACA, A
AAO, IAAMgC, QAAQ, GAAG, SAAXA, QAAW, CAACnF, GAAD, EAA0C; AACHe, MAAlA, GAAG, CAACwC, KA
AR, EAAe; AACb, WAASxC, GAAG, CAACwC, KAAb; AACD, GAH+D; ; AAAA, kBAMxCoB, QANwC; AAAA, MA
MxDwB, WANwD, aAMxDA, WANwD; ; AAOHe, OAAK, IAAlI, CAAC, GAAG, CAAR, EAAWSe, CAAC, GAAGoE
, WAAW, CAACzI, MAAhC, EAAwCD, CAAC, GAAGsE, CAA5C, EAA+CtE, CAAC, EAAhD, EAAoD; AACID, QAA
M8F, KAAK, GAAG4C, WAAW, CAAC1I, CAAD, CAAzB; ; AACA, QAAI8F, KAAK, CAAC6C, SAAN, KAAoBrF, G
AAxB, EAA6B; AAC3B, aAASwC, KAAT; AACD; AACF; ; AAED3B, EAAAA, OBAAGB, CAAC, EAAD, CAAhB; AA
CA, SAAQ6B, SAAR; AACD, CAhBM; ; AC3CP; AAMA; ; AACA, AAAO, IAAM4C, OAAO, GAAG, SAAVA, OAAU,
OAAgE; AAAA, MAA7DC, QAA6D, QAA7DA, QAA6D; AAAA, MAAnDC, iBAAMd, QAAAnDA, iBAAMd; AAAA,
MAAhCxI, MAAGC, QAAhCA, MAAGC; ; AACrF, MAAluI, QAAJ, EAAc; AACZ, WAAO, IAAlE, UAAJ, CAEzI, MA
Af, CAAP; AACD, GAFD, MAEO, IAAlwI, iBAAJ, EAAuB; AAC5B, WAAO, IAAlE, QAAJ, CAAa1I, MAAb, CAAP; A
ACD, GAFM, MAEA; AACL, WAAO, IAAl2I, OAAJ, CAAY3I, MAAZ, CAAP; AACD; AACF, CARM; AAUP, IAAl0I,
QAAb; AAOE, oBAAY1I, MAAZ, EAAkC; AACChC, QAAM4I, OAAO, GAAI, KAAKA, OAAL, GAAeIb, YAAY, CAA
C1H, MAAD, CAA5C, CADgC; ; AAlhC4I, IAAlAA, OAAO, CAACC, WAAR, CAAoBjC, QAAQ, CAACKc, cAAT, CA
AwB, EAAxB, CAAPb; AAEA, SAAKtD, KAAL, GAAa2C, QAAQ, CAACS, OAAD, CAArB; AACA, SAAKjJ, MAAL,
GAAc, CAAd; AACD; ; AAfH; ; AAAA, SAiBEsE, UAjBF, GAiBE, oBAAWV, KAAX, EAA0BwF, IAAlB, EAAiD; AA
C/C, QAAI; AACF, WAAKvD, KAAL, CAAWvB, UAAX, CAAsB8E, IAAtB, EAA4BxF, KAA5B; AACA, WAAK5D,
MAAL; AACA, aAAO, IAAP; AACD, KAJD, CAIE, OAAOqJ, MAAP, EAAe; AACf, aAAO, KAAP; AACD; AACF, GAz
BH; ; AAAA, SA2BE3E, UA3BF, GA2BE, oBAAWd, KAAX, EAAgC; AAC9B, SAAKiC, KAAL, CAAWnB, UAAX, C
AAsBd, KAAtB; AACA, SAAK5D, MAAL; AACD, GA9BH; ; AAAA, SAgCE6E, OAhCF, GAgCE, iBAAQjB, KAAR, E
AA+B; AAC7B, QAAMwF, IAAl, GAAG, KAAKvD, KAAL, CAAWyD, QAAX, CAAoB1F, KAApB, CAAb, CAD6B; ;
AAG7B, QAAIwF, IAAl, KAAKrD, SAAT, IAAsB, OAAOqD, IAAl, CAACG, OAAZ, KAAwB, QAAID, EAA4D; AAC
ID, aAAOH, IAAl, CAACG, OAAZ; AACD, KAfD, MAEO; AACL, aAAO, EAAP; AACD; AACF, GAxCH; ; AAAA; AA
AA; AA2CA; ; AACA, IAAlaP, OAAb; AAOE, mBAAY3I, MAAZ, EAAkC; AACChC, QAAM4I, OAAO, GAAI, KAAKA,
OAAL, GAAeIb, YAAY, CAAC1H, MAAD, CAA5C; AACA, SAAK2G, KAAL, GAAaiC, OAAO, CAACtB, UAARb; A
ACA, SAAK3H, MAAL, GAAc, CAAd; AACD; ; AAXH; ; AAAA, UAaEsE, UAfF, GAaE, oBAAWV, KAAX, EAA0Bw
F, IAAlB, EAAiD; AAC/C, QAAIxF, KAAK, IAAl, KAAK5D, MAAd, IAAlwB4D, KAAK, IAAl, CAArC, EAAwC; AAC
tC, UAAMuD, IAAl, GAAGF, QAAQ, CAACKc, cAAT, CAAWBC, IAAXB, CAAb; AACA, UAAMI, OAAO, GAAG, KA
AKxC, KAAL, CAAWpD, KAAX, CAAhB; AACA, WAAKqF, OAAL, CAAaV, YAAb, CAA0BpB, IAAlB, EAAgCqC,
OAAO, IAAl, IAAl3C; AACA, WAAKxJ, MAAL; AACA, aAAO, IAAP; AACD, KAND, MAMO; AACL, aAAO, KAAP;
AACD; AACF, GAvBH; ; AAAA, UAyBE0E, UAzBF, GAyBE, oBAAWd, KAAX, EAAgC; AAC9B, SAAKqF, OAAL, C
AAa3B, WAAb, CAAyB, KAAKN, KAAL, CAAWpD, KAAX, CAAzB; AACA, SAAK5D, MAAL; AACD, GA5BH; ; A
AAA, UA8BE6E, OA9BF, GA8BE, iBAAQjB, KAAR, EAA+B; AAC7B, QAAIA, KAAK, GAAG, KAAK5D, MAAljB, E
AAyB; AACvB, aAAO, KAAKgH, KAAL, CAAWpD, KAAX, EAAKB8C, WAAzB; AACD, KAfD, MAEO; AACL, aA
AO, EAAP; AACD; AACF, GApCH; ; AAAA; AAAA; AAuCA; ; AACA, IAAlaoC, UAAb; AAKE, sBAAYW, OAAZ, EA
AmC; AACjC, SAAK3F, KAAL, GAAa, EAAb; AACA, SAAK9D, MAAL, GAAc, CAAd; AACD; ; AARH; ; AAAA, UA
UEsE, UAfF, GAUE, oBAAWV, KAAX, EAA0BwF, IAAlB, EAAiD; AAC/C, QAAIxF, KAAK, IAAl, KAAK5D, MA
AlB, EAA0B; AACxB, WAAK8D, KAAL, CAAW4F, MAAX, CAAB9F, KAAIB, EAAyB, CAAzB, EAA4BwF, IAAl5
B; AACA, WAAKpJ, MAAL; AACA, aAAO, IAAP; AACD, KAJD, MAIO; AACL, aAAO, KAAP; AACD; AACF, GAIB
H; ; AAAA, UAoBE0E, UAfF, GAoBE, oBAAWd, KAAX, EAAgC; AAC9B, SAAKE, KAAL, CAAW4F, MAAX, CAA
kB9F, KAAIB, EAAyB, CAAzB; AACA, SAAK5D, MAAL; AACD, GAvBH; ; AAAA, UAyBE6E, OAzBF, GAyBE, iBA
AQjB, KAAR, EAA+B; AAC7B, QAAIA, KAAK, GAAG, KAAK5D, MAAljB, EAAyB; AACvB, aAAO, KAAK8D, KA
AL, CAAWF, KAAX, CAAP; AACD, KAfD, MAEO; AACL, aAAO, EAAP; AACD; AACF, GA/BH; ; AAAA; AAAA; ; A
C5FA, IAAl+F, gBAAGB, GAAG/H, UAAlvB; AAWA, IAAMgI, cAAc, GAAiB; AACnChB, EAAAA, QAAQ, EAAE, C
AAChH, UADwB; AAEnCiH, EAAAA, iBAAlB, EAAE, CAAC/G; AAFe, CAArC; AAKA; ; IACqB+H; AAWnB; aACO
C, aAAP, oBAAKB1E, EAAIB, EAAc; AACpC, WAAOD, aAAa, CAACC, EAAD, CAAPb; AACD; ; AAED, sBACE2E,

OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,YAGhC;AAAA;;AAAA,QAFA4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;;AACA,SAAKD,OAA L,gBACKH,cADL,MAEKG,OAFI;AKA,SAAKE,EAAL,GAAUD,YAAV;AACA,SAAKhE,KAAL,GAAa,IAAI hB,GAAJ,CAAQgB,KAAR,CAAb;AACA,SAAKkE,MAAL,GAAC,CAAC,CAACH,OAAO,CAACnB,QAAXB,CA RA;;AAWA,QAAl,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAAIC,EAAoD;AACIDA,MAAAA,g BAAgB,GAAG,KAAAnB;ACA5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;;;SAEDoD,yBAAA,gCA AuBJ,OAAvB,EAA5DK,SAAiD,EAakF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4B,GAAN,IAAM;A AAA;;AACHF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFA,EAGJG,SA AS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;;SAEDsE,qBAAA,4BAAmBjF,EAAnB,EAA+B;AA C7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,I AAqB,CAA3C;AACD;AAED;;;SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GA AL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;AAED;;;SACAO,eA AA,sBAAaIF,EAAb,EAAyB7F,IAAzB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAA f,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B; AACD;AAED;;;SACA+G,eAAA,sBAAaIB,EAAb,EAAyB7F,IAAzB,EAAuC;AACrC4F,IAAAA,aAAa,CAACC,E AAD,CAAb;;AAEA,QAAl,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAAf,CAAL,EAAyB;AACvB,UAA MmF,UAAU,GAAG,IAAIC,GAAJ,EAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeL,IAAf;AACA,WA AKyG,KAAL,CAAW7B,GAAX,CAAeIB,EAAf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KA AL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;;;SACAs E,cAAA,qBAAyUB,EAAZ,EAAwB7F,IAAxB,EAA5CuE,KAAiC,EAAuD;AACrD,SAAKwC,YAAL,CAAKBIB,E AAIB,EAA5B7F,IAAtB;AACA,SAAKuG,MAAL,GAACjC,WAAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAvC,EA A6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWxF,EAAAX,EAAuB;AACrB,QAAl,KAAKY,KAAL,CAA WX,GAAX,CAAeD,EAAf,CAAJ,EAAwB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA 0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWxF,EAAAX,EAAuB;AACrB,SAAKU,MAAL,GAAC vB,UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAAtC;AACA,SAAKsF,UAAAL,CAAgBtF,EAAhB;AACD;AAED;;;S ACAYF,WAAA,oBAAW;AACT;AACA;AACA,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;;;SACAhF,W AAA,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;;;AC/HH;,,,,,,;AAoBA;AAEA ,AAAe,2BAAStB,UAAAT,EAAqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;AACA,MAAMC,MAAM,GAAMD, SAAN,MAAZ;;AAEA,WAASE,OAAT,CAAiBC,KAAjB,EAAwB;AACTB,QAAIA,KAAJ,EAAW;AACT,UAAI;A ACF3G,QAAAA,UAAU,CAA12G,KAAJ,OAAV;AACD,OAFD,CAEE,OAAOC,CAAP,EAAU;AACb;AACF;;AA ED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAML C,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;AACA,YAAQP,OAAAR;AAC E;AACA,WAAK,CAAL;AAACE;AACA,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAmB ,CAAnB,MAA0B,EAA7C,EAAiD,OAAOqE,UAAU,CAA16B,OAAJ,OAAV,EAA2B,EAAIC;AACjD;AACF;;AA CA,WAAK,CAAL;AAACE,YAAIsF,EAAE,KAAK,CAAX,EAAC,OAAOtF,OAAO,GAAG2E,SAAjB;AACd;AACF ;;AACA,WAAK,CAAL;AAACE,gBAAQW,EAAR;AAACE;AACA,eAAK,GAAL;AACA,eAAK,GAAL;AAACE,mBA AOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAAEiF,OAAhB,CAAV,EAAoC,EAA3C;;AACF;AAACE,m BAAOA,OAAO,IAAIwF,EAAE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EAA3B,CAAd;AANJ;;AAQF,WAAK,C AAC,CAAN;AAACE3E,QAAAA,OAAO,CAACE,KAAAR,CAAc0E,MAAd,EAA5BII,OAAtB,CAA8BmI,OAA9B;A ArBJ;AAuBD,GAnCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAtB;AACA,IAAMC,uBAAuB,GAAG,CAAC, GAAD,EAAM,GAAN,EAAW,GAAX,EAAGb,GAAhB,CAAhC;AAOA,AAAe,SAASC,oBAAT,QAGkC;AAAA,g CAAdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OA C+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC, OAAAX,CAAf,CAD+C;AAI/C;AACA;;AAEA,MAAI mC,YAAAY,GAAG,EAAnB,CAP+C;;AAU/C,MAAMC,iBAA iB,GAAG,SAAPbA,iBAAoB,CAAaf,OAAO,EAAl;AACnC,QAAIA,OAAO,KAAK,CAAC,CAAjB,EAAoB;AAC lB,UAAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAAY,GAAG,EAAf;AACA,aAAOE,WAAp;AACD; AACF,GAND;;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAAID,IAAI,EAAl;AAChD8C,IAAAA,Y AAY,CAACTJ,IAAb,CAAKbWg,IAAIB;AACD,GAFWc,CAAzC;;AAIA,MAAI mD,YAAJ;;AACA,MAAIC,SAAJ;

;ACA,MAAIC,eAAJ;;ACA,MAAIC,yBAAJ;;AAEA,MAAMC,qBAAqB,GAAG,SAAxBA,qBAAwB,CAAC9F
,KAAD,EAAQ+F,MAAR,EAAgBC,MAAhB,EAA2B;AACvD;AAEE,KAACD,MAAM,KAAC,CAAX,GAAef,uB
AAuB,CAACiB,OAAXB,CAAgCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,G
AAkF,IAAnF;AAEA,KAAC6M,MAAM,CAACHg,KAAP,CAAa6F,yBAAb,CAJH,EAKE;ACA,mBAAWH,YA
AX;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;;;;;;;AAaA,MAAMkG,8BAA8B,GAAG,SAAjC
A,8BAAiC,CAAC3B,OAAD,EAAU4B,CAAV,EAAa3B,SAAb,EAA2B;AACHe,QAAID,OOAO,KAAC,CAAZ,IA
AiBC,SAAS,CAACrL,MAA3B,IAAqCqL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAYBT,SAAZB,IAAsC
,CAA/E,EAAkF;AACHf;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAAeA,SAAS,CAAC,CAAD,CAAT,C
AAa1L,OAAb,CAAqB8M,eAArB,EAAcE,qBAAtC,CAAf;AACD;AACF,GALD;;AAOAX,EAAAA,MAAM,CA
ACkB,GAAP,WAAenB,OAaf,GAAwBgB,8BAAxB,EAAwDV,gBAAXD,EAA0EF,iBAA1E;;AAEA,WAAsgB,c
AAT,CAAwBvI,GAAxB,EAA6BsB,QAA7B,EAAuChK,MAAvC,EAA+CC,WAA/C,EAA+E;AAAA,QAAhCA,W
AAgC;AAAhCA,MAAAA,WAAgC,GAAIB,GAakB;AAAA;;AAC7E,QAAAC,OOAO,GAAG1I,GAAG,CAACjF
,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;ACA,QAAm2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,G
AAwBA,MAAxB,SAAkCIH,QAAIC,WAAgDoH,OAAdH,UAA8DA,OOA7E,CAF6E;AAK7E;ACA;;AACf,IA
AAA,YAAY,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IAAAA,eAAe,GAAG,IAAI9G,
MAAJ,QAAgB6G,SAAhB,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAAYB,GAAG,IAAI/G,MAAJ,SAAiB6G,
SAAjB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAAsB,EAAtB,GAA2BA,QA
A5B,EAAcQh,MAAtC,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAAsB6L,OOAO,CAAC/L,MAA
R,GACIB+L,OOAO,CACjYB,MADH,CACU,UAACC,GAAD,EAAMC,MAAN,EAAiB;AACvB,QAAI,CAACA,
MAAM,CAACnO,IAAZ,EAAkB;AACHb2E,MAAAA,0BAAgB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE
,KAAC,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QAR
H,EADkB,GAUIB,EAVJ;AAyA,SAAOoM,cAAP;AACD;;AC5GD;ACA,AAeO,IAAMQ,iBAAiB,GAA+BC,KA
AK,CAACC,aAAN,EAAtD;ACP,AAAO,IAAMC,kBAakB,GAAGH,iBAAiB,CAACI,QAA7C;ACP,AAAO,IA
AMC,aAAa,GAAGCJ,KAAC,CAACC,aAAN,EAAnd;ACP,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAA
rC;AAEP,AAAO,IAAMG,WAAW,GAAG,IAAIrE,UAAJ,EAAhC;ACP,AAAO,IAAMsE,YAAY,GAAGBrC,oBA
AoB,EAAtD;;ACtBP;ACA;IAKqBsC;AAOnB,qBAAy7O,IAAZ,EAA0BuE,KAA1B,EAAyC;AAAA;;AAAA,S
AMzCuK,MANyC,GAMhC,UAACC,UAAD,EAAyBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAA
AA,cAA+C,GAAGBJ,YAAiB;AAAA;;AAC/E,UAAMK,YAAY,GAAG,KAAL,CAACjP,IAAL,GAAYgP,cAAc,CA
ACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAX,CAAwB,KAAL,CAACIF,EAA7B,EAAiCoJ,YA
AjC,CAAL,EAAqD;AACnDF,QAAAA,UAAU,CAACzK,WAAAX,CACE,KAAL,CAACuB,EADP,EAEEoJ,YAFF,
EAGED,cAAc,CAAC,KAAL,CAACzK,KAAAN,EAAa0K,YAAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBw
C;;AAAA,SAkBzCzN,QAIByC,GakB9B,YAAM;AACf,aAAOmD,0BAAgB,CAAC,EAAD,EAAK9E,MAAM,CA
AC,KAAL,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;ACA,SA
K6F,EAAL,qBAA0B7F,IAA1B;ACA,SAAKuE,KAAL,GAAaA,KAAb;AACD;;;SAkBD2K,UAAA,iBAAQF,cA
AR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAADJ,YAAc;AAAA;;AACID,WAAO,KAA
K5O,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;;;ACrCH;;AAEA;;;AAKA,IAAMwO,cAAc,GAAG,SAAv
B;ACA,IAAMC,gBAAgB,GAAG,UAAzB;ACA,IAAMC,SAAS,GAAG,MAAiB;;ACA,IAAMC,kBAakB,G
AAG,SAArBA,kBAAqB,CAACC,KAAD;AAAA,eAA8BA,KAAL,CAACC,WAAAL,EAA9B;AAAA,CAA3B;AAE
A;;;;;;;;;;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IA
Af,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGp,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,C
AESiP,SAFT,EAEoB,MAFpB,CADK,GAIL/B,MAJF;AAKD;;ACICD;ACA;AAGA,AAAE,SAASoC,eAAT,CA
AyB1P,IAAzB,EAAuC2P,KAAvC,EAAwD;AACrE;ACA;ACA,MAAIA,KAAL,IAAI,IAAT,IAAiB,OOAOA,
KAAP,KAAL,SAAC,IAA+CA,KAAL,KAAL,EAA7D,EAAiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,O
AAOA,KAAP,KAAL,IAA6BA,KAAL,KAAL,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAA5C,I
AAmE,CAAC5P,IAAI,CAAC6P,UAAL,CAAGB,IAAhB,CAAxE,EAA+F;AAC7F,WAAUF,KAAV,QAD6F;AAE
9F;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,IAAd,EAAP;AACD;;AChBD;ACA,AAWA;;;A
AGA,IAAMkM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAL;AAAA,SAAIA,KAAL,KAALvJ,SAAV,IAAuBuJ,
KAAL,KAAL,IAAjC,IAAyCA,KAAL,KAAL,KAAnD,IAA4DA,KAAL,KAAL,EAA1E;AAAA,CAAvB;;AAEA,

AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,GAAD,EAAcC,OAAd,EAA6D;AACxF,MAAM3L,KAA
K,GAAG,EAA;:AAEA,OAkK,IAAM4L,GAAX,IAAkBF,GAAIB,EAAuB;AACrB,QAAI,CAACA,GAAG,CAA
CG,cAAJ,CAAmBD,GAAAnB,CAAD,IAA4BL,SAAS,CAACG,GAAG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;:A
AErD,QAAKE,KAAK,CAACC,OAAN,CAAcL,GAAG,CAACE,GAAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD
,CAAH,CAASI,KAArC,IAA+CpP,UAAU,CAAC8O,GAAG,CAACE,GAAD,CAAJ,CAA7D,EAAyE;AACvE5L,
MAAAA,KAAK,CAACIB,IAAN,CAAcMn,kBAAS,CAACL,GAAD,CAAvB,QAAiCF,GAAG,CAACE,GAAD,C
AApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAACR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA
6B;AACIC5L,MAAAA,KAAK,CAACIB,IAAN,OAAAkB,KAAK,EAASyL,aAAa,CAACC,GAAG,CAACE,GAA
D,CAAJ,EAAWA,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA;AACL5L,MAAAA,KAAK,CAACIB,IAAN,CAA
cmN,kBAAS,CAACL,GAAD,CAAvB,UAAiCT,eAAe,CAACS,GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,C
AAhD;AACD;AACF;:AAED,SAAOD,OOAO,IAAOA,OAAP,gBAAuB3L,KAAvB,GAA8B,GAA9B,KAAqCA,K
AAAnD;AACD,CAhBM;AAkBP,AAAE,SAASmM,OAAT,CACbX,KADa,EAEBY,gBAFa,EAGb5B,UHhA,EAIbC,
cAJa,EAKR;AACL,MAAIqB,KAAK,CAACC,OAAN,CAAcP,KAAAd,CAAJ,EAA0B;AACxB,QAAMa,OOAO,GA
AG,EAAhB;:AAEA,SAkK,IAAIpQ,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAG2M,KAAK,CAACtP,MAAv
B,EAA+BoQ,MAApC,EAA4CrQ,CAAC,GAAG4C,GAAhD,EAAqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DqQ
,MAAAA,MAAM,GAAGH,OOAO,CAACX,KAAK,CAACvP,CAAD,CAAN,EAAWmQ,gBAAX,EAA6B5B,UA
A7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI6B,MAAM,KAAK,EAaf,EAAMb,SAAnB,KACK,IAAIR,KAAK,C
AACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OOAO,CAACvN,IAAR,OAAAuN,OOAO,EAASC,MAAT,CAAP
,CAA3B,KACAD,OOAO,CAACvN,IAAR,CAAawN,MAAb;AACN;:AAED,WAAOD,OAAP;AACD;:AAED,MA
AId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP;AACD;AAED;:AACa,MAAIIn,iBAAiB,CA
ACmO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACIO,iBAAjB;AACD;AAED;:AACa,MAAIV,UA
AU,CAAC4O,KAAD,CAAd,EAAuB;AACrB,QAAIIO,mBAAMb,CAAC0O,KAAD,CAAnB,IAA8BY,gBAaIC,E
AAoD;AACID,UAAAME,OAAM,GAAGd,KAAK,CAACY,gBAAD,CAApB;:AAEA,UAAI5P,OOAO,CAACC,GA
AR,CAAyC,QAAZ,KAAyB,YAAzB,IAAyC6P,SAAS,CAACD,OAAD,CAAtD,EAAgE;AAC9D;AACAE,QAAA
A,OOAO,CAACC,IAAR,CACKnQ,gBAAgB,CACjBkP,KADiB,CADrB;AAKD;:AAED,aAAOW,OOAO,CAACG
,OAAD,EAASF,gBAAT,EAA2B5B,UAA3B,EAAuCC,cAAvC,CAAd;AACD,KAbD,MAAo,OOAOe,KAAP;AAC
R;:AAED,MAAIA,KAAK,YAAyIB,SAArB,EAAGC;AAC9B,QAAIE,UAAJ,EAAGB;AACdgB,MAAAA,KAAK,
CAACjB,MAAN,CAAaC,UAAb,EAAyBC,cAAzB;AACa,aAAOe,KAAK,CAACb,OAAN,CAAcF,cAAAd,CAAP;
AACD,KAHD,MAGO,OOAOe,KAAP;AACR;AAED;:AACa,SAAOU,aAAa,CAACV,KAAD,CAAb,GAAuBC,a
AAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACvO,QAAAN,EAArD;AACD;:AC3FD;AACa,IAAMyP,OA
AO,GAAG,EAAhB;AAEA,AAAE,SAASC,QAAT,CAAkBC,OAaIB,EAA2B;AACxC,MAAIF,OOAO,CAACE,O
AAD,CAAX,EAAsB;AACtBF,EAAAA,OOAO,CAACE,OAAD,CAAP,GAAmB,IAAnB;AAEA,MAAI,OOAOJ,O
AAP,KAAmB,WAAAnB,IAAkCA,OOAO,CAACC,IAA9C,EAAoDD,OOAO,CAACC,IAAR,CAAaG,OAAb;AACr
D;:ACRD;AACa,IAAMC,YAAy,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,YAAy,GAAG,I
AAI3Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM4Q,SAAS,GAAG,KAAK5Q,UAAAL,CAAgB,CAAhB,CAAIb;A
ACA,IAAM6Q,KAAK,GAAG,IAAI7Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM8Q,OOAO,GAAG,KAAK9Q,U
AAL,CAAgB,CAAhB,CAAhB;AACa,IAAM+Q,KAAK,GAAG,IAAI/Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM
gR,IAAI,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAb;AACa,IAAMiR,GAAG,GAAG,KAAKjR,UAAAL,CAA
gB,CAAhB,CAAZ;AACa,IAAMkR,EAAE,GAAG,KAAKIR,UAAAL,CAAgB,CAAhB,CAAX;AACa,IAAMmR,
WAAW,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMoR,YAAy,GAAG,IAAIpR,UAAJ,CAAe,CAA
f,CAArB;AACa,IAAMqR,gBAAgB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAzB;AACa,IAAMsR,iBAAiB,GAA
G,IAAIrR,UAAJ,CAAe,CAAf,CAA1B;AACa,IAAMuR,UAAU,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAAnB;AA
CA,IAAMwR,WAAW,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMyR,SAAS,GAAG,IAAIzR,UAA
J,CAAe,CAAf,CAAIB;AACa,IAAM0R,QAAQ,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAjB;AACa,IAAM2R,KA
AK,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM4R,EAAE,GAAG,IAAI5R,UAAJ,CAAe,CAAf,CAA
X;AAEA,IAAM6R,SAAS,GAAG,+BAaIB;AACa,IAAMC,WAAW,GAAG,4CAApB;AACa,IAAMC,cAAc,GA
AG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAkBC,KAAIB,EAAYbnI,OAazB,EAAuC;AAAA,MAAdA,OAAC;
AAAdA,IAAAA,OAAC,GAAJ,EAAl;AAAA;:AACpD,MAAMoI,MAAM,GAAG,EAaf;AACa,MAAMvN,GAAG

,GAAGsN,KAAK,CAACtN,GAAN,CAAUwN,OAAV,EAAZ;AAEA,MAAMC,MAAM,GAAGtI,OAAO,CAACuI,
YAAvB;AAEA,MAAIInT,IAAJ,EACEoT,IADF,EABEC,KAFF,EAGEC,KAHF,EAIEC,IAJF,EAKEvM,OALF,EA
MEwM,MANF,EAOEC,QAPF,EAQEC,UARF,EASEC,OATF,EAUEC,SAVF,EAWEC,IAXF,EAYEC,CAZF;AAC
A,MAAMjT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;AACa,MAAI4M,MAAM,GAAG,CAAC,CAAd;AAC
A,MAAIrB,IAAI,GAAG,CAAX;AACa,MAAI2H,GAAG,GAAG,CAAV;;AAEA,WAASC,QAAT,CAAkBC,IAAI
B,EAAwB;AACtB,UAMIB,KAAK,CAACmB,KAAAn,eAAwBD,IAAxB,EAAgC7H,IAAhC,EAAc2H,GAAG,G
AAGtG,MAA5C,CAAN;AACD;;AAED,SAAOsG,GAAG,GAAGtI,MAAb,EAAqB;AACnBb,IAAAA,IAAI,GAA
GyF,GAAG,CAAC3E,UAAJ,CAAeiT,GAAf,CAAP;;AAEA,QAAlT,IAAI,KAAK4R,OAAT,IAAoB5R,IAAI,KA
AK8R,IAA7B,IAAsC9R,IAAI,KAAKgS,EAAT,IAAevM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB
,MAA4BnC,OAARF,EAA+F;AAC7FnE,MAAAA,MAAM,GAAGsG,GAAT;AACa3H,MAAAA,IAAI,IAAI,CAA
R;AACD;;AAED,YAAQpM,IAAR;AAEC,WAAK4R,OAAL;AACa,WAAKC,KAAL;AACa,WAAKE,GAAL;A
ACA,WAAKC,EAAL;AACa,WAAKF,IAAL;AAECsB,QAAAA,IAAI,GAAGW,GAAP;;AACa,WAAAG;AACDX
,UAAAA,IAAI,IAAI,CAAR;AACApT,UAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAesS,IAAf,CAAP;;A
ACA,cAAIpT,IAAI,KAAK4R,OAAb,EAAsB;AACpBnE,YAAAA,MAAM,GAAG2F,IAAT;AACAhH,YAAAA,I
AAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK6R,KAAT,IACA7R,IAAI,KAAK4R,OADT,IAEA
5R,IAAI,KAAK+R,GAFT,IAGA/R,IAAI,KAAKgS,EAHT,IAIAhS,IAAI,KAAK8R,IAZX;;AAEAkB,QAAAA,MA
AM,CAACvP,IAAP,CAAY,CAAC,OAAD,EAAUgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAf,CAA
V,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAAb;AACa;;AAEF,WAAKnB,WAAL;AAECe,QA
AAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,
MAAvB,CAAZ;AACa;;AAEF,WAAKyE,YAAL;AAECc,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAA
D,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK4E,UAAL;
AAECW,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GA
AG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK6E,WAAL;AAECU,QAAAA,MAAM,CAACvP,IAAP,CAA
Y,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WA
AKgF,KAAL;AAECQ,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,E
AAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK8E,SAAL;AAECs,QAAAA,MAAM,CAACvP,I
AAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;
AAEF,WAAK0E,gBAAL;AAEC0B,QAAAA,IAAI,GAAGb,MAAM,CAACnS,MAAP,GAAGbM,S,MAAM,CAAC
A,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB,GAA+C,EAAtD;AACAtT,QAAAA
,CAAC,GAAGrO,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,CAAJ;;AACa,YACEF,IAAI,KAAK,K
AAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKrc,YAFN,IAGAqC,CAAC,KAAKjC,KAHN,IAIAi
C,CAAC,KAAKIC,OAjN,IAKAkC,CAAC,KAAK/B,GALN,IAMA+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,K
AAK9B,EARR,EASE;AACaOB,UAAAA,IAAI,GAAGW,GAAP;;AACa,aAAG;AACDJ,YAAAA,OAAO,GAAG,
KAAV;AACAP,YAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAaj,CAAY,GAAG,EAAiByF,IAAI,GAAG,CAAxB,
CAAP;;AACa,gBAAlA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,kBAAlF,MAAJ,EAAY;AACVE,gBAAAA,IA
AI,GAAGW,GAAP;AACa;AACD,eAHD,MAGO;AACLC,gBAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF
;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;AACa,mBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,C
AA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI,CAAAb;AACAD,cAAAA,OAAO,GAAG,CAA
CA,OAAX;AACD;AACF,WAhBD,QAgsA,OAhBT;;AAKBAX,UAAAA,MAAM,CAACvP,IAAP,CAAY,CACV
,UADU,EAEvGc,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,
EAIv2H,GAAG,GAAGtG,MAJI,EAKVrB,IALU,EAMVgH,IAAI,GAAG3F,MANG,CAAZ;AAQAsG,UAAAA,G
AAG,GAAGX,IAAN;AACD,SAiCD,MAAsCO;AACLA,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAaj,CAAY,
GAAG,EAAiBoG,GAAG,GAAG,CAAvB,CAAP;AACa/M,UAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,C
AAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAIA,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CA
ACrR,IAAf,CAAoBwF,OAAPB,CAAnB,EAAiD;AAC/CgM,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GA
AD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACD,WAfD,MAEO;AACLuF
,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,UAAD,EAAuD,OAAb,EAAsBoF,IAAtB,EAA4B2H,GAAG,G
AAGtG,MAAIC,EAA0CrB,IAA1C,EAAgDgH,IAAI,GAAG3F,MAAvD,CAAZ;AACAsG,YAAAA,GAAG,GAAG

X,IAAN;AACD;AACF;;AAED;;AAEF,WAAKbB,iBAAL;AACEY,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK+D,YAAL;AACa,WAAKC,YAAL;AACE4B,QAAAA,KAAK,GAAGrT,IAAI,KAAKwR,YAAT,GAAwB,GAAxB,GAA8B,GAAtC;AACa4B,QAAAA,IAAI,GAAGW,GAAP;;AACa,WAAG;AACDJ,UAAAA,OAAO,GAAG,KAAV;AACAP,UAAAA,IAAI,GAAG3N,GAAG,CAACKi,OAAJ,CAAY0F,KAAZ,EAAMBD,IAAI,GAAG,CAA1B,CAAP;;AACa,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AACa;AACD,aAHD,MAGO;AACLC,cAAAA,QAAQ,CAAC,OAAD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;AACa,iBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,CAA3B,MAAkC1C,SAAzC,EAAoD;AACIDkC,YAAAA,SAAS,IAAI,CAAb;AACAD,YAAAA,OAAO,GAAG,CAACA,OAAZ;AACD;AACF,SAhBD,QAgBSA,OAhBT;;AAkBA3M,QAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,QAAAA,KAAK,GAAGtM,OAAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACaQm,QAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;AAEA,YAAI0S,IAAI,GAAG,CAAX,EAAC;AACZE,UAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAI;AACAG,UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,SAHD,MAGO;AACL4S,UAAAA,QAAQ,GAAGrH,IAAX;AACAsH,UAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,QAAAA,MAAM,CAACvP,IAAP,CAAY,CACV,QADU,EAEvGc,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,EAIV2H,GAAG,GAAGtG,MAJI,EAKVgG,QALU,EAMVL,IAAI,GAAGM,UANG,CAAZ;AASajG,QAAAA,MAAM,GAAGiG,UAAU;AACAtH,QAAAA,IAAI,GAAGqH,QAAP;AACAM,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAKV,EAAL;AACEC,QAAAA,SAAS,CAACyB,SAAV,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAACnR,IAAV,CAAeiE,GAaf;;AACa,YAAIkN,SAAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAAA,IAAI,GAAG3N,GAAG,CAAC5E,MAAJ,GAAsA,CAApB;AACD,SAFD,MAEO;AACLuS,UAAAA,IAAI,GAAGT,SAAS,CAACyB,SAAV,GAAsB,CAA7B;AACD;;AACDpB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,SAAD,EAAYgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAZ,EAAsChH,IAAtC,EAA4C2H,GAAG,GAAGtG,MAAID,EAA0DrB,IAA1D,EAAGegH,IAAI,GAAG3F,MAAvE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAK1B,SAAL;AACE0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,QAAAA,MAAM,GAAG,IAAT;;AACa,eAAO/N,GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,MAA6B1B,SAAPc,EAA+C;AAC7C0B,UAAAA,IAAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;AACD;;AACDxT,QAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,CAAP;;AACa,YACEI,MAAM,IACLxT,IAAI,KAAK2R,KAAAT,IAACC3R,IAAI,KAAK6R,KADV,IAEC7R,IAAI,KAAK4R,OAFV,IAGC5R,IAAI,KAAK+R,GAHV,IAIC/R,IAAI,KAAKgS,EAJV,IAKChS,IAAI,KAAK8R,IAPb,EAQE;AACAsB,UAAAA,IAAI,IAAI,CAAR;AACD;;AACDJ,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAMChH,IAAnC,EAAYc2H,GAAG,GAAGtG,MAA/C,EAADrB,IAAvD,EAAD6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF;AAACE,YAAIpT,IAAI,KAAK2R,KAAAT,IAAkBIM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,MAA4BvB,QAAlD,EAA4D;AAC1DY,UAAAA,IAAI,GAAG3N,GAAG,CAACKi,OAAJ,CAAY,IAAZ,EAAbBoG,GAAG,GAAG,CAAxB,IAA6B,CAApC;;AACa,cAAIX,IAAI,KAAK,CAAb,EAAGb;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAG3N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;AACLmT,cAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AAEDhN,UAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGtM,OAAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACaQm,UAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;AAEA,cAAI0S,IAAI,GAAG,CAAX,EAAC;AACZE,YAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAI;AACAG,YAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,WAHD,MAGO;AACL4S,YAAAA,QAAQ,GAAGrH,IAAX;AACAsH,YAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,SAAD,EAAYuD,OAAZ,EAAGBoF,IAArB,EAA2B2H,GAAG,GAAGtG,MAAjC,EAAYcGg,QAAzC,EAAMDL,IAAI,GAAGM,UAA1D,CAAZ;AAEAjG,UAAAA,MAAM,GAAGiG,UAAU;AACAtH,UAAAA,IAAI,GAAGqH,QAAP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2BO;AACLR,UAAAA,WAAW,CAACwB,SAAZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,CAACpR,IAAZ,CAAiBiE,GAAjB;;AACa,cA

AlmN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,YAAAA,IAAI,GAAG3N,GAAG,CAAC5E,
MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLuS,YAAAA,IAAI,GAAGR,WAAW,CAACwB,SAAZ,GAAw
B,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,
KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAMChH,IAAnC,EAAYC2H,GAAG,GAAGtG,MA
A/C,EAADrB,IAAvD,EAA6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,UAAAA,GAAG,GAAGX,IAAN;A
ACD;;AAED;AAzOJ;;AA4OAW,IAAAA,GAAG;AACJ;;AAED,SAAOf,MAAP;AACD;;AC9SD;ACA,AAGA,I
AAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAAD,EAAK,EAAL,CADY;AACF;AACpB5G,E
AAAA,MAAM,EAAE,CAAC,EAAD,EAAK,EAAL,CAFc;AAEJ;AACIB,aAAW,CAAC,EAAD,EAAK,EAAL,CA
HW;AAGD;AACrB6G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAAK,EAAL,CAJa;AAIH;AACnB,OAAK,CAAC,
EAAD,EAAK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EAAK,EAAL,CANiB;AAMP;AACf,OAAK,CA
AC,CAAD,EAAl,EAJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,EAAl,EAJ,CARiB;AAQR;AACd,OAAK,
CAAC,CAAD,EAAl,EAJ,CATiB;AASR;AACd,OAAK,CAAC,CAAD,EAAl,EAJ,CAViB;;AAAA,CAAxB;;A
AaA,SAASvU,IAAT,CAAcwU,KAAAd,EAaqB;AACnB,mBAAiBA,KAAjB;AACD;;AAED,SAASC,iBAAT,CAA
2BhP,GAA3B,EAAgC;AAC9B,MAAMuN,MAAM,GAAGF,QAAQ,CAAC,IAAI4B,KAAJ,CAAUjP,GAAV,CAA
D,EAAlB;AAAE0N,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;ACA,MAAMIC,MAAM,GAAG,EAAf;AA
CA+B,EAAAA,MAAM,CAACtP,OAAP,CAAe,UAAAiR,KAAK,EAAl;AACtB,QAAMH,KAAK,GAAGH,eAAe,
CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;ACA,QAAlH,KAAJ,EAAW;AACTvD,MAAAA,MAAM,CAA
CxN,IAAP,CACEkR,KAAK,CAAC,CAAD,CAAL,CACGzN,KADH,CACS,OADT,EAEG0N,GAFH,CAEO,UAA
AhU,CAAC;AAAA,eAAIZ,IAAI,CAACwU,KAAK,CAAC,CAAD,CAAN,CAAJ,GAAiB5T,CAAjB,GAAqBZ,IA
Al,CAACwU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAfR,EAGGzQ,IAHH,CAGQ,IAHR,CADF;AAMD,
KAPD,MAOO;AAClkN,MAAAA,MAAM,CAACxN,IAAP,CAAYkR,KAAK,CAAC,CAAD,CAAjB;AACD;AA
CF,GAZD;AAaA,SAAO1D,MAAM,CAACIN,IAAP,CAAY,EAAZ,CAAP;AACD;;AChCD;IA2
BM8Q;AACJ;AAQA,0BAAYtD,OAAZ,EAaqBnF,IAArB,EAA2BC,MAA3B,EAAMCyI,MAAnC,EAA2CC,I
AA3C,EAAlDxG,MAAjD,EAAYD;AACvD;AAAY,A,SAAKnO,IAAL,GAAY,gBAAZ;ACA;AAMA,S
AAK4U,MAAL,GAaczD,OAAd;AAEA,QAAlwD,IAAJ,EAAl;AACR;AAOA,WAAKA,IAAL,GAAYA,IA
AZ;AACD;AACD,QAAlD,MAAJ,EAAY;AACV;AAOA,WAAKA,MAAL,GAaCa,MAAd;AACD;AACD,Q
AAIvG,MAAJ,EAAY;AACV;AAMA,WAAKA,MAAL,GAaCa,MAAd;AACD;AACD,QAAl,OAAOnC,IAA
P,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAaKe;AChE;AAOA,WAAKD,IAAL,GAA
YA,IAAZ;ACA;AAOA,WAAKC,MAAL,GAaCa,MAAd;AACD;AAED,SAAK4I,UAAI;AAEA,QAAlnR
,KAAK,CAACoR,iBAAV,EAA6B;AAC3BpR,MAAAA,KAAK,CAACoR,iBAAN,CAAwB,IAAxB,EAA8BL,cAA
9B;AACD;AACF;SAEDI,aAAA,sBAaA;AACX;AAOA,SAAK1D,OAAL,GAaE,KAAKhD,MAAL,GAAlB,
KAAKA,MAAtB,UAAmC,EAAlD;ACA,SAAKgD,OAAL,IAAgB,KAAKwD,IAAL,GAAY,KAAKA,IAAjB,GA
AwB,aAAxC;ACA,QAAl,OAAO,KAAK3I,IAAZ,KAAqB,WAAzB,EAAsC;AACpC,WAAKmF,OAAL,UAAo
B,KAAKnF,IAAzB,SAAiC,KAAKC,MAAtC;AACD;AACD,SAAKkF,OAAL,WAAqB,KAAKyD,MAA1B;AAC
D;AAED;SAqBAG,iBAAA,wBAaE,X,KAAf,EAAsB;AAAA;AACpB,QAAl,CAAC,KAAKM,MA
AV,EAaKB,OAAO,EAAP;AAElB,QAAlrP,GAAG,GAAG,KAAKqP,MAAf;ACA,QAAl,OAAON,KAAP,KAAi
B,WAArB,EAaKCA,KAAK,GAAGY,aAAR;AACIC,QAAlZ,KAAJ,EAAW/O,GAAG,GAAGgP,iBAAlB,CAACH
P,GAAD,CAAvB;AAEX,QAAM6N,KAAK,GAAG7N,GAAG,CAACyB,KAAJ,CAAU,OAAV,CAAd;ACA,QA
AMmO,KAAK,GAAG/U,IAAI,CAACgV,GAAL,CAAS,KAAKIJ,IAAL,GAAY,CAArB,EAawB,CAAxB,CAAd;
ACA,QAAMmJ,GAAG,GAAGjV,IAAI,CAACKV,GAAL,CAAS,KAAKpJ,IAAL,GAAY,CAArB,EAawBkH,K
AAK,CAACzS,MAA9B,CAAZ;AAEA,QAAM4U,QAAQ,GAAGxV,MAAM,CAACsV,GAAD,CAAN,CAAY1U,
MAA7B;AAEA,WAAOyS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,GADT,EAElX,GAFI,CAEA,UAAcX,
IAAD,EAAO3H,KAAP,EAAlB;AACpB,UAAMiR,MAAM,GAAGL,KAAK,GAAG,CAAR,GAAY5Q,KAA3B;A
ACA,UAAmKR,MAAM,GAAG,OAAID,MAAJ,EAAvB,KAAb,CAAmB,CAACsB,QAAPB,CAAF;ACA,UAA
MG,MAAM,SAAOD,MAAP,QAAZ;ACA,UAAID,MAAM,KAAK,KAAI,CAACtJ,IAApB,EAA0B;AACxB,YA
AMyJ,OAAO,GACXD,MAAM,CAACpV,OAAP,CAAe,KAAf,EAAsB,GAAtB,IAA6B4L,IAAI,CAAC+H,KAAAL,
CAAW,CAAX,EAAC,KAAI,CAAC9H,MAAL,GAAC,CAA5B,EAA+B7L,OAA/B,CAAuC,QAAvC,EAAlD,GAAj
D,CAD/B;AAEA,qBAAWoV,MAAX,GAAoBxJ,IAApB,WAA8ByJ,OAA9B;AACD,OAJD,MAIO;AACL,qBAA

WD,MAAX,GAAoBxJ,IAApB;AACD;AACF,KAbI,EAcJrI,IAAdI,CACc,IAAdD,CAAP;AAeD;AAED;,,,,,,,,,,,,;SAUA
nC,WAAA,oBAAW;AACT,QAAl5B,IAAI,GAAG,KAAKmV,cAAL,EAAx;AACCA,QAAlnV,IAAJ,EAAU;AAC
RA,MAAAA,IAAI,YAAUA,IAAV,OAAJ;AACD;;AACD,WAAU,KAAKI,IAAf,UAAwB,KAAKmR,OAA7B,GA
AuCvR,IAAvC;AACD;;;wBAEe;AACdsR,MAAAA,QAQ,CAAC,4DAAD,CAAR;AACCA,aAAO,KAAKyB,KA
AZ;AACD;AAED;,,,,,,,,,,,,;ACjNF;;ACA;AAEA,IAAM+C,UAAU,GAAG;AACjBC,EAAAA,KAAK,EAAE,I
ADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EAAE,IAHK;AAIjBC,EAAAA,UAAU,
EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAAW,EAAE,IANI;AAOjBC,EAAAA
,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,SAAS,EAAE,EATM;AAUjBC,EA
AAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAy,EAAE;AAXG,CAAnB;;AAcA,SAASC,UAAT,CAAoB1V
,GAAPB,EAAYB;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAA02V,WAAP,KAAuB3V,GAAG,CAACmT,
KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAyC,OAAZ,EAAqB;AACnB,SAAKA,OAAL,GAAe
A,OAaf;AACD;;;SAEDC,YAAA,mBAAU9O,IAAV,EAAGb+O,SAAhB,EAA2B;AACzB,SAAK/O,IAAI,CAAC
gP,IAAV,EAAGbH,IAAhB,EAAsB+O,SAAtB;AACD;;SAEDE,OAAA,cAAKjP,IAAL,EAAW;AACT,SAAKkP,I
AAL,CAAUIP,IAAV;AACCA,QAAlA,IAAI,CAACmP,IAAL,CAAUb,KAAAd,EAAqB,KAAKO,OAAL,CAAa7O,I
AAI,CAACmP,IAAL,CAAUb,KAAvB;AAcTB;;SAED/B,UAAA,iBAAQvM,IAAR,EAAC;AACZ,QAAMoP,IAAI,
GAAG,KAAKC,GAAL,CAASrP,IAAT,EAAe,MAAf,EAAb,AAAvB,CAAb;AACCA,QAAMsP,KAAK,GAAG,KA
AKD,GAAL,CAASrP,IAAT,EAAe,OAaf,EAAb,cAAxB,CAAd;AACCA,SAAK6O,OAAL,QAakBO,IAAIB,GA
AyBpP,IAAI,CAACuP,IAA9B,GAAqCD,KAArC,SAAGDtP,IAAhD;AACD;;SAEDwP,OAAA,cAAKxP,IAAL,EA
AW+O,SAAX,EAAsB;AACpB,QAAMU,OAAO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EAAe,SAaf,EAA0B,OA
AIB,CAAhB;AACCA,QAAl0F,MAAM,GAAG1F,IAAI,CAAC0P,IAAL,GAAYD,OAAZ,GAAsB,KAAKE,QAAL,
CAAc3P,IAAd,EAAoB,OAAPB,CAAnC;;AAEA,QAAlA,IAAI,CAAC4P,SAAT,EAAoB;AACIBIK,MAAAA,MA
AM,IAAl1F,IAAI,CAACmP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;AAED,QAAlb,SAAJ,EAAerJ,MAAM
,IAAI,GAAV;AACf,SAAKmJ,OAAL,CAAAnJ,MAAb,EAAqB1F,IAArB;AACD;;SAEDiC,OAAA,cAAKjC,IAAL,
EAAW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EAAiB,KAAK2P,QAAL,CAAc3P,IAAd,EAAoB,UAApB,CAA
jB;AACD;;SAED6P,SAAA,gBAAO7P,IAAP,EAAa+O,SAAb,EAAwB;AAcTB,QAAl3W,IAAI,SAAO4H,IAAI,C
AAC5H,IAApB;AACCA,QAAM0X,MAAM,GAAG9P,IAAI,CAAC8P,MAAL,GAAC,KAAKH,QAAL,CAAc3P,IA
Ad,EAAoB,QAAPB,CAAd,GAA8C,EAA7D;;AAEA,QAAl,OAAlA,IAAI,CAACmP,IAAL,CAAUy,SAAjB,KA
A+B,WAAAnC,EAAGD;AAC9C3X,MAAAA,IAAI,IAAI4H,IAAI,CAACmP,IAAL,CAAUy,SAAlB;AACD,KAFD,
MAEO,IAAID,MAAJ,EAAY;AACjB1X,MAAAA,IAAI,IAAI,GAAR;AACD;;AAED,QAAl4H,IAAI,CAACH,KA
AT,EAAgB;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EAAiB5H,IAAI,GAAG0X,MAAxB;AACD,KAFD,MAEO;
AACL,UAAmVc,GAAG,GAAG,CAACvN,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAQb,EAAtB,KAA6BV,SA
AS,GAAG,GAAH,GAAS,EAA/C,CAAZ;AACCA,WAAKF,OAAL,CAAazW,IAAI,GAAG0X,MAAP,GAAGbVc,G
AA7B,EAAkCvN,IAAIC;AACD;AACF;;SAEDkP,OAAA,cAAKIP,IAAL,EAAW;AACT,QAAluL,IAAI,GAAGvL
,IAAI,CAACH,KAAL,CAAWHh,MAAX,GAAoB,CAA/B;;AACCA,WAAO0S,IAAI,GAAG,CAAd,EAAiB;AACf,
UAAIvL,IAAI,CAACH,KAAL,CAAW0L,IAAX,EAAiBdY,IAAjB,KAA0B,SAA9B,EAAYC;AACzCzD,MAAAA,
IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAASrP,IAAT,EAAe,WAAf,CAAl
B;;AACCA,SAAK,IAAlpH,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGoH,IAAI,CAACH,KAAL,CAAWHh,MA
A/B,EAauCD,CAAC,EAAXc,EAA4C;AAC1C,UAAm6H,KAAK,GAAGT,IAAI,CAACH,KAAL,CAAWjH,CAA
X,CAAd;AACCA,UAAm0X,MAAM,GAAG,KAAKX,GAAL,CAAS5O,KAAT,EAAgB,QAAhB,CAAf;AACCA,UA
AIuP,MAAJ,EAAY,KAAKnB,OAAL,CAAmb,MAAb;AACZ,WAAKIB,SAAL,CAAerO,KAAf,EAAsB8K,IAAI,
KAAK3S,CAAT,IAAcMw,SAAPc;AACD;AACF;;SAEDjL,QAAA,eAAM9D,IAAN,EAAyqN,KAAZ,EAAMb;A
ACjB,QAAMoC,OAAO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EAAe,SAaf,EAA0B,YAA1B,CAAhB;AACCA,SA
AK6O,OAAL,CAAGbxB,KAAK,GAAGoC,OAAXB,QAACzP,IAAPc,EAA0C,OAA1C;AAEA,QAAlsO,KAAJ;;
AACCA,QAAltO,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAAWHh,MAA7B,EAAqC;AACnC,WAAK
qW,IAAL,CAAUIP,IAAV;AACAsO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASrP,IAAT,EAAe,OAaf,CAA
R;AACD,KAHd,MAGO;AACLsO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASrP,IAAT,EAAe,OAaf,EAAw
B,WAAxB,CAAR;AACD;;AAED,QAAlsO,KAAJ,EAAW,KAAKO,OAAL,CAAaP,KAAb;AACX,SAAKO,OAAL,
CAAa,GAAb,EAAkB7O,IAAIB,EAAwB,KAAxB;AACD;;SAEDqP,MAAA,aAAIrP,IAAJ,EAAUjQ,GAAV,EA

AeC,MAAf,EAAuB;AACrB,QAAInI,KAAJ;AACa,QAAI,CAACmI,MAAL,EAAaA,MAAM,GAAGD,GAAT,CA
FQ;;AAKrB,QAAIA,GAAJ,EAAS;AACPII,MAAAA,KAAK,GAAG/H,IAAI,CAACmP,IAAL,CAAUc,GAAV,CA
AR;AACa,UAAI,OAAOI,KAAP,KAAiB,WAArB,EAakC,OAAOA,KAAP;AACnC;;AAED,QAAMjH,MAAM,
GAAGd,IAAI,CAACc,MAApB,CAVqB;;AAarB,QAAIoP,MAAM,KAAK,QAAf,EAAyB;AACvB,UAAI,CAACp
P,MAAD,IAAYA,MAAM,CAACkO,IAAP,KAAgB,MAAhB,IAA0BIO,MAAM,CAACqP,KAAP,KAAiBnQ,IAA
3D,EAakE;AAChE,eAAO,EAAP;AACD;AACF,KAJBoB;;AAoBrB,QAAI,CAACc,MAAL,EAAa,OAAOgN,UA
AU,CAACoC,MAAD,CAAjB,CAPBQ;;AAuBrB,QAAMjB,IAAI,GAAGjP,IAAI,CAACiP,IAAL,EAAb;AACa,Q
AAI,CAACA,IAAI,CAACmB,QAAV,EAAoBnB,IAAI,CAACmB,QAAL,GAAGb,EAAhB;;AACpB,QAAI,OAAO
nB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAakD;AAChD,aAAOjB,IAAI,CAACmB,Q
AAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAIA,MAAM,KAAK,QAAX,IAAuBA,MAAM,KAAK,OAAtC,EA
A+C;AAC7C,aAAO,KAAKG,WAAL,CAAiBrQ,IAAjB,EAAuBkQ,MAAvB,CAAP;AACD,KAFD,MAEO;AACL,
UAAMI,MAAM,WAAS5B,UAAU,CAACwB,MAAD,CAA/B;;AACa,UAAI,KAAKI,MAAL,CAAJ,EAakB;AA
ChBvI,QAAAA,KAAK,GAAG,KAAKuI,MAAL,EAAarB,IAAb,EAAMbJp,IAAnB,CAAR;AACD,OAFD,MAEO;
AACLiP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACbmP,UAAAA,KAAK,GAAGnP,CA
AC,CAACuW,IAAF,CAAOc,GAAP,CAAR;AACa,cAAI,OAAOI,KAAP,KAAiB,WAArB,EAakC,OAAO,KAA
P;AACnC,SAHD;AAID;AACF;;AAED,QAAI,OAAOA,KAAP,KAAiB,WAArB,EAakCA,KAAK,GAAG+F,UAA
U,CAACoC,MAAD,CAAiB;AAEiCjB,IAAAA,IAAI,CAACmB,QAAL,CAAcF,MAAd,IAAwBnI,KAAxB;AACa,
WAAOA,KAAP;AACD;;SAEDyI,eAAA,sBAAvB,IAAb,EAAMb;AACjB,QAAIH,KAAJ;AACaKH,IAAAA,IA
AI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAA
CiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC2S,IAAF,CAAoyD,IAAP,KAAgB,MAAjD,EAAyD;AACv
DjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOJ,SAAf;AACa,YAAI,OAAOhH,KAAP,KAAiB,W
AArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAED0I,eAAA,sBAAxB,
IAAb,EAAMb;AACjB,QAAIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;
AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,KAAmB,CAAIC,EA
AqC;AACnCkP,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOB,KAAf;AACa,YAAI,OAAOvG,KAA
P,KAAiB,WAArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAED2I,YAA
A,mBAAUzB,IAAV,EAAgB;AACd,QAAIA,IAAI,CAACE,IAAL,CAAUnB,MAAd,EAAsB,OAAOiB,IAAI,CAA
CE,IAAL,CAAUnB,MAAjB;AACtB,QAAIjG,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,
CAAC,EAAI;AACb,UAAm+X,CAAC,GAAG/X,CAAC,CAACkI,MAAZ;;AACa,UAAI6P,CAAC,IAAIA,CAAC,
KAAK1B,IAAX,IAAmB0B,CAAC,CAAC7P,MAArB,IAA+B6P,CAAC,CAAC7P,MAAF,KAAAmO,IAAhD,EAA
sD;AACpD,YAAI,OAAOrW,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,cAAMI
Q,KAAK,GAAG1G,CAAC,CAACuW,IAAF,CAAOa,MAAP,CAAc9Q,KAAAd,CAAoB,IAAPB,CAAd;AACa6I,U
AAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GA Ae,CAAhB,CAAb;AACaKp,UAAAA,KA
AK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAAd,EAAwB,EAAxB,CAAR;AACa,iBAAO,KAAP;AACD;AAC
F;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED6I,mBAAA,0BAAiB3B,IAAjB,EAAuBjP,IAAvB,EAA6
B;AAC3B,QAAI+H,KAAJ;AACaKH,IAAAA,IAAI,CAAC4B,YAAL,CAakB,UAAAJY,CAAC,EAAI;AACrB,U
AAI,OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,QAAAA,KAAK,GAAG
nP,CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACa,YAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CA
AC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB
,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAAP,KAAiB,WAArB,EA
AkC;AAChCA,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EA Ae,IAAf,EAAqB,YAArB,CAAR;A
ACD;;AACD,WAAO+H,KAAP;AACD;;SAED+I,gBAAA,uBAAC7B,IAAd,EAAoBjP,IAAPB,EAA0B;AACxB,Q
AAI+H,KAAJ;AACaKH,IAAAA,IAAI,CAAC8B,SAAL,CA Ae,UAAAnY,CAAC,EAAI;AACIB,UAAI,OAAOA,C
AAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,QAAAA,KAAK,GAAGnP,CAAC,CA
ACuW,IAAF,CAAOa,MAAf;;AACa,YAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EA
AgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;
;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAAP,KAAiB,WAArB,EAakC;AAChCA,
MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EA Ae,IAAf,EAAqB,YAArB,CAAR;AACD;;AACD,W

AAO+H,KAAP;AACD;;SAEDiJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,KAAyJH,CAAC,CAACKI,MAAF,KAAamO,IAAb,IAAqBA,IAAI,CAACkB,KAAL,KAAevX,CAAhD,CAAJ,EAAwD;AACtD,YAAI,OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACA,cAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkJ,iBAAA,wBAAehC,IAAf,EAAqB;AACnB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,GAAiB,CAAhC,EAAmC;AACjC,YAAI,OAAOD,CAAC,CAACuW,IAAF,CAAOB,KAAd,KAAwB,WAA5B,EAAyC;AACvCvG,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOB,KAAf;;AACA,cAAIvG,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDmJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACoW,IAAF,KAAW,MAAf,EAAuB;AACrBjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAaf;AACA,YAAI,OAAO1H,KAAP,KA AiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAEDoJ,WAAA,kB AASIC,IAAT,EAAe;AACb,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAAC8B,SAAL,CAAE,UAAAnY,CAAC,EA AI;AACIB,UAAI,OAAOA,CAAC,CAACuW,IAAF,CAAOM,OAAd,KAA0B,WAA9B,EAA2C;AACzC1H,QAAA A,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAAP,CAAejX,OAaf,CAAuB,SAAvB,EAAkC,EAAIC,C AAR;AACA,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;AACD;;SAEDsI,cAAA,qBAAyRQ,IA AZ,EAAkBkQ,MAAIB,EAA0B;AACxB,QAAlInI,KAAJ;;AACA,QAAlH,IAAI,CAACgP,IAAL,KAAc,MAAIB,E AA0B;AACxBjH,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,YAArB,CAAR; AACD,KAFD,MAEO,IAAIA,IAAI,CAACgP,IAAL,KAAc,SAAlB,EAA6B;AACICjH,MAAAA,KAAK,GAAG,K AAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,eAArB,CAAR;AACD,KAFM,MAEA,IAAIkQ,MAAM,KAA K,QAaf,EAAyB;AAC9BnI,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,YAAr B,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf ,EAAqB,aAArB,CAAR;AACD;;AAED,QAAlOR,GAAG,GAAGpR,IAAI,CAACc,MAAf;AACA,QAAlYd,KAAK, GAAG,CAAZ;;AACA,WAAO6M,GAAG,IAAIA,GAAG,CAACpC,IAAJ,KAAa,MAA3B,EAAmC;AACjCzK,MA AAA,KAAK,IAAI,CAAT;AACa6M,MAAAA,GAAG,GAAGA,GAAG,CAACtQ,MAAV;AACD;;AAED,QAAlI H,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9B,UAAmqI,MAAM,GAAG,KA AKqB,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,QAArB,CAAf;;AACA,UAAIgO,MAAM,CAACnV,MAAX,EA AmB;AACjB,aAAK,IAAIwY,IAAI,GAAG,CAAhB,EAAmBA,IAAI,GAAG9M,KAA1B,EAAiC8M,IAAI,EAArC; AAAYCtJ,UAAAA,KAAK,IAAIgG,MAAT;AAAZC;AACD;AACF;;AAED,WAAOjG,KAAP;AACD;;SAED4H,W AAA,kBAAS3P,IAAT,EAAe0P,IAAf,EAAqB;AACnB,QAAM3H,KAAK,GAAG/H,IAAI,CAAC0P,IAAD,CAAIB ;AACA,QAAML,GAAG,GAAGrP,IAAI,CAACmP,IAAL,CAAUO,IAAV,CAAZ;;AACA,QAAIL,GAAG,IAAIA, GAAG,CAACtH,KAAJ,KAAcA,KAAzB,EAAgC;AAC9B,aAAOsH,GAAG,CAACA,GAAX;AACD,KAFD,MAE O;AACL,aAAOtH,KAAP;AACD;AACF;;;AChUH;AACA,AAEe,SAAS+G,SAAT,CAAmB9O,IAAnB,EAAyB6 O,OAAzB,EAAkC;AAC/C,MAAM7V,GAAG,GAAG,IAAI4V,WAAJ,CAAgBC,OAAhB,CAAZ;AACa7V,EAAA A,GAAG,CAAC8V,SAAJ,CAAc9O,IAAd;AACD;;ACAD;:::::AAMA;:::::AAOA,IAAMsR,SAAS,GAAG,SAAZ A,SAAY,CAASjJ,GAAT,EAAcvH,MAAd,EAAsB;AACtC,MAAMyQ,MAAM,GAAG,IAAIJ,GAAG,CAACmJ, WAAR,EAAf;;AAEA,OAaK,IAAM5Y,CAAX,IAAgByP,GAAhB,EAAqB;AACnB,QAAl,CAACA,GAAG,CAA CG,cAAJ,CAAmB5P,CAAnB,CAAL,EAA4B;AAC5B,QAAlmP,KAAK,GAAGM,GAAG,CAACzP,CAAD,CAAF; AACA,QAAMoW,IAAI,GAAG,OAAOjH,KAAPB;;AAEA,QAAlnP,CAAC,KAAK,QAAN,IAAkBoW,IAAI,KAA K,QAA/B,EAAyC;AACvC,UAAIIO,MAAJ,EAAyYq,MAAM,CAAC3Y,CAAD,CAAN,GAAYki,MAAZ;AACb, KAFD,MAEO,IAAI,CAAC,KAAK,QAaV,EAAoB;AACzB2Y,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAA YmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAAK,YAAYU,KAArB,EAA4B;AACjC8I,MAAAA,MAAM,CAAC3 Y,CAAD,CAAN,GAAYmP,KAAK,CAAC6E,GAAN,CAAU,UAAA6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CA

AD,EAAIF,MAAJ,CAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MAEA,IAAI3Y,CAAC,KAAK,QAAN,IAAkBA,
CAAC,KAAK,OAxB,IAAmCA,CAAC,KAAK,SAAZC,IAAsDA,CAAC,KAAK,WAAhE,EAA6E;AACIF,UAAI
oW,IAAI,KAAK,QAAT,IAAqBjH,KAAK,KAAK,IAAnC,EAAyCA,KAAK,GAAGuJ,SAAS,CAACvJ,KAAD,CA
AjB;AACzCwJ,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAAYmP,KAAZ;AACD;AACF;;AAED,SAAOwJ,M
AAP;AACD,CARBD;AAuBA;,,,,;IAKMG;AACJ;;AAGA,gBAAYC,QAAZ,EAA2B;AAAA,QAAfA,QAAe;AAA
fA,MAAAA,QAAe,GAAJ,EAAI;AAAA;;AACzB,SAAKxC,IAAL,GAAY,EAAZ;;ACA,SAAK,IAAM/W,IAAX,
IAAmBuZ,QAAnB,EAA6B;AAC3B,WAAKvZ,IAAL,IAAuZ,QAAQ,CAACvZ,IAAD,CAArB;AACD;AACF;A
AED;,,,,,;SAGCA8T,QAAA,eAAM3C,OAAN,EAaeqI,IAAf,EAA0B;AAAA,QAAXA,IAAW;
AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACxB,QAAl,KAAK9E,MAAT,EAAiB;AACf,UAMf,GAAG,
GAAG,KAAK8F,UAAAL,CAAgBD,IAAhB,CAAZ;ACA,aAAO,KAAK9E,MAAL,CAAY/B,KAAZ,CAAKBmB,
KAAIB,CAAwB3C,OAxB,EAAiCwC,GAAG,CAAC3H,IAArC,EAA2C2H,GAAG,CAAC1H,MAA/C,EAAuDu
N,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAAmBtD,QAAnB,CAAP;AACD;AACF;A
AED;,,,,,;SAyBAH,OAAA,cAAKH,MAAL,EAAasG,IAAb,EAAMbqC,IAAnB,EAAyB;AACvB,QA
AME,IAAI,GAAG;AAAE9R,MAAAA,IAAI,EAAE;AAAR,KAAb;;ACA,SAAK,IAAMpH,CAAX,IAAgBgZ,IA
AhB;AAAsBE,MAAAA,IAAI,CAACIZ,CAAD,CAAJ,GAAGuZ,IAAI,CAACHZ,CAAD,CAAd;AAAtB;;ACA,
WAAOqQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAakBuC,IAAlB,CAAP;AACD;AAED;,,,,,;SAWAC,S
AAA,kBAAS;ACP,QAAl,KAAKjR,MAAT,EAAiB;AACf,WAAKA,MAAL,CAAYX,WAAZ,CAAwB,IAAxB;
AACD;;AACD,SAAKW,MAAL,GAAClC,SAAd;ACA,WAAO,IAAP;AACD;AAED;,,,,,;SAWAhF,WAAA,
kBAASoY,WAAT,EAAkC;AAAA,QAazBA,WAAyB;AAAZBA,MAAAA,WAAyB,GAAXID,SAAW;AAAA;;A
AChC,QAAlkD,WAAW,CAACID,SAAhB,EAA2BkD,WAAW,GAAGA,WAAW,CAACID,SAA1B;AAC3B,QA
I7F,MAAM,GAAG,EAAb;ACA+I,IAAAA,WAAW,CAAC,IAAD,EAAO,UAAApZ,CAAC,EAAI;AACrBqQ,M
AAAA,MAAM,IAAIrQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOqQ,MAAP;AACD;AAED;,,,,,;SAGB
AgJ,QAAA,eAAMC,SAAN,EAAsB;AAAA,QAAhBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAI;AAAA;;
AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;ACA,SAAK,IAAMIZ,IAAX,IAAmB8Z,SAA
nB,EAA8B;AAC5BX,MAAAA,MAAM,CAACnZ,IAAD,CAAN,GAae8Z,SAAS,CAAC9Z,IAAD,CAAxB;AACD
;;AACD,WAAOmZ,MAAP;AACD;AAED;,,,,,;SAWAY,cAAA,qBAAyD,SAAZ,EAA4B;AAAA,QAAhBA,S
AAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAI;AAAA;;AAC1B,QAAMX,MAAM,GAAG,KAAKU,KAAL,CAA
WC,SAAX,CAAf;ACA,SAAKpR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,EAA+BmQ,MAA/B;ACA,WAAO
A,MAAP;AACD;AAED;,,,,,;SAQAa,aAAA,oBAAWF,SAAX,EAA2B;AAAA,QAAhBA,SAAGB;AAAhBA,MA
AAA,SAAGB,GAAJ,EAAI;AAAA;;AACzB,QAAMX,MAAM,GAAG,KAAKU,KAAL,CAAWC,SAAX,CAAf;A
ACA,SAAKpR,MAAL,CAAYuR,WAAZ,CAAwB,IAAxB,EAA8Bd,MAA9B;ACA,WAAOA,MAAP;AACD;AA
ED;,,,,,;SAYAE,cAAA,uBAAsB;AAAA;;AACpB,QAAl,KAAKxR,MAAT,EAAiB;AAAA,wCADJb,KACI;
AADJA,QAAAA,KACI;AAAA;;AACfA,MAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAI;AACpB
,QAAA,KAAI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAAzB,EAA+BpB,IAA/B;AACD,OAFD;AAIA,WAAK
+R,MAAL;AACD;;AAED,WAAO,IAAP;AACD;AAED;,,,,,;SAiBAQ,SAAA,gBAAOC,SAAP,EAAkB;A
AChB,SAAKC,SAAL,CAAe,KAAKxD,IAAL,OAAGBuD,SAAS,CAACvD,IAAV,EAA/B;ACA,SAAK8C,MAA
L;AACAS,IAAAA,SAAS,CAACE,MAAV,CAAiB,IAAjB;ACA,WAAO,IAAP;AACD;AAED;,,,,,;SAWAC,
aAAA,oBAAWC,SAAX,EAAsB;AACpB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,OAAGB2D,SAAS,CAAC3D,IA
AV,EAA/B;ACA,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC9R,MAAV,CAAiBM,YAAjB,CAA8BwR,SA
A9B,EAAyC,IAAzC;ACA,WAAO,IAAP;AACD;AAED;,,,,,;SAWAC,YAAA,mBAAUD,SAAV,EAAqB;A
ACnB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,OAAGB2D,SAAS,CAAC3D,IAAV,EAA/B;ACA,SAAK8C,MAA
L;AACaA,IAAAA,SAAS,CAAC9R,MAAV,CAAiBuR,WAAjB,CAA6BO,SAA7B,EAAwC,IAAxC;ACA,WAA
O,IAAP;AACD;AAED;,,,,,;SACAxH,OAAA,gBAAO;AACL,QAAM3O,KAAK,GAAG,KAAKqE,MAAL,C
AAyRE,KAAZ,CAAKB,IAAlB,CAAd;ACA,WAAO,KAAKqE,MAAL,CAAYjB,KAAZ,CAAKBpD,KAAK,GA
G,CAA1B,CAAP;AACD;AAED;,,,,,;SAYAoP,OAAA,gBAAO;AACL,QAAMpP,KAAK,GAAG,KAAKqE,M
AAL,CAAYrE,KAAZ,CAAKB,IAAlB,CAAd;ACA,WAAO,KAAKqE,MAAL,CAAYjB,KAAZ,CAAKBpD,KAA
K,GAAG,CAA1B,CAAP;AACD;;SAEDqW,SAAA,kBAAS;ACP,QAAMC,KAAK,GAAG,EAAE;;AAEA,SAAK
,IAAM3a,IAAX,IAAmB,IAAnB,EAAyB;AACvB,UAAI,CAAC,KAAKqQ,cAAL,CAAoBpQ,IAApB,CAAL,EAA

gC;AACChC,UAAIA,IAAI,KAAK,QAAb,EAAuB;AACvB,UAM2P,KAAK,GAAG,KAAK3P,IAAL,CAAd;;AAE
A,UAAI2P,KAAK,YAAYU,KAArB,EAA4B;AAC1BsK,QAAAA,KAAK,CAAC3a,IAAD,CAAL,GAAC2P,KAA
K,CAAC6E,GAAN,CAAU,UAAAhU,CAAC,EAAl;AAC3B,cAAI,OAAOA,CAAP,KAAa,QAAb,IAAyBA,CAAC
,CAACka,MAA/B,EAAuC;AACrC,mBAAOla,CAAC,CAACka,MAAF,EAAP;AACD,WAFD,MAEO;AACL,mB
AAOla,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IAAI,OAAOmP,KAAP,KAAiB,QAAjB,IAA6B
A,KAAK,CAAC+K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CAAC3a,IAAD,CAAL,GAAC2P,KAAK,CAAC
+K,MAAN,EAAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,CAAC3a,IAAD,CAAL,GAAC2P,KAAAd;AAC
D;AACF;;AAED,WAAOgL,KAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,SAkBA1D,MAAA,aAAIK,IAAJ,EAAUsD,WAA
V,EAAuB;AACrB,QAAMha,GAAG,GAAG,IAAI4V,WAAJ,EA AZ;AACA,WAAO5V,GAAG,CAACqW,GAAJ,C
AAQ,IAAR,EAACk,IAAd,EAAoBsD,WAApB,CAAP;AACD;AAED;,,,,,,,,,,,,,SAQA/D,OAAA,gBAAO;AACL,QA
AIhG,MAAM,GAAG,IAAb;;AACA,WAAOA,MAAM,CAACnI,MAAd;AAAsBmI,MAAAA,MAAM,GAAGA,M
AAM,CAACnI,MAAhB;AAAtB;;AACA,WAAOmI,MAAP;AACD;;SAEDwJ,YAAA,mBAAUQ,WAAV,EAAuB;
AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACA,WAAO,KAAKb,IAAL,CAAUb,KAAjB;AACA,QAAI,
CAAC2E,WAAAL,EAACk,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;;SAEDyD,iBAAA,wBAAezW,KAA
f,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAaf;AACA,QAAIyK,MAAM,GAAG,KAAKyI,M
AAL,CAAYO,KAAZ,CAAKbHJ,MAA/B;AACA,QAAID,IAAI,GAAG,KAAK0I,MAAL,CAAYO,KAAZ,CAAKbJ
J,IAA7B;;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG6D,KAApB,EAA2B7D,CAAC,E
AA5B,EAAGC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAlB,EAAwB;AACTyL,QAAAA,
MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHD,MAGO;AACLC,QAAAA,MAAM,IA
AI,CAAV;AACD;AACF;;AAED,WAAO;AAAED,MAAAA,IAAI,EA AJA,IAAF;AAAQC,MAAAA,MAAM,EA
NA;AAAR,KAAP;AACD;;SAEDwN,aAAA,oBAAWD,IAAX,EA AiB;AACf,QAAI7F,GAAG,GAAG,KAAKe,M
AAL,CAAYO,KAAAtB;;AACA,QAAIuE,IAAI,CAACnV,KAAT,EAAGB;AACdsP,MAAAA,GAAG,GAAG,KAA
KmH,cAAL,CAAoBtB,IAAI,CAACnV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAI mV,IAAI,CAACuB,IAAT,EA
Ae;AACpB,UAM1W,KAAK,GAAG,KAAK7C,QAAL,GAAGb+L,OAAhB,CAAwBiM,IAAI,CAACuB,IAA7B,
CAAd;AACA,UAAI1W,KAAK,KAAK,CAAC,CAAf,EAACBsP,GAAG,GAAG,KAAKmH,cAAL,CAAoBzW,KA
ApB,CAAN;AACnB;;AACD,WAAOsP,GAAP;AACD;;SAEDqH,aAAA,sBAAa;AACX9J,IAAAA,QAAQ,CAAC,
iDAAD,CAAR;AACA,WAAO,KAAKyI,MAAL,EAAP;AACD;;SAEDvZ,UAAA,iBAAQqH,KAAR,EA Ae;AACb
yJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACA,WAAO,KAAKjG,WAAAL,CAAiBzS,KAAjB,CAAP;AACD;;SA
EDR,QAAA,eAAM4Q,GAAN,EA AWC,MAAX,EA AmB;AACjB5G,IAAAA,QAAQ,CAAC,4CAAD,CAAR;AAC
A,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAACc,MAAd,CAAP;AACD;;SAEDmD,cAAA,qBAAyJ,WAAZ,E
AAyB;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACA,WAAO,KAAKmJ,SAAL,CAAeQ,WAAf,CAAP
;AACD;;;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUa,MA
AjB;AACD;sBAEUsD,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACA,WAAK6F,IAAL,CAAU
a,MAAV,GAAMBsD,GAAnB;AACD;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;AACA,aAAO
,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;
AACA,WAAK6F,IAAL,CAAUM,OAAV,GA AoB6D,GAAP;AACD;AAED;,,,,,,,,,AAUA;,,,,,,,,,AAQA;,,,,,,,,,
,,,,,,,,,,,,,,,,,AAqCA;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,ACphBF;,,,,,,,,,IAWMC;AACJ,uBAAy5B,QAAZ,EAAsB;AA
AA;;AACpB,6BAAMA,QAAN;AACA,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;;;wBAEY;AACX1F,MA
AAA,QAAQ,CAAC,iDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUpH,KAAjB;AACD;sBAEUuL,KAAK;
AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACA,WAAK6F,IAAL,CAAUpH,KAAV,GAACBuL,GAAIB;
AACD;;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUS,SA
AjB;AACD;sBAEc0D,KAAK;AACIBhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACA,WAAK6F,IAAL,CAA
US,SAAV,GAAsB0D,GAAT;AACD;AAED;,,,,,,,,,AAUA;,,,,,,,,,AAUA;,,,,,,,,,AAWA;,,,,,,,,,EAzD
wB5B;;ACX1B;,,,,,,,,,IAQM8B;;AACJ,mBAAy7B,QAAZ,EAAsB;AAAA;;AACpB,6BAAMA,QAAN;AACA,U
AAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;;;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,oDAAD,CAAR;AAC
A,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;AACZhK,MAAAA,QAAQ,CAAC,oDAAD,
CAAR;AACA,WAAK6F,IAAL,CAAUC,IAAV,GA AiBkE,GAAjB;AACD;;wBAEW;AACVhK,MAAAA,QAAQ,
CAAC,sDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;sBAESgE,KAAK;AACbhK,MAA

AA,QAAQ,CAAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUG,KAAV,GAakBgE,GAAIB;AACD;AAED;,,,;
;AAKA;,,,,,EA/BoB5B;;ACZtB;AACa;IAOqB+B;AACnB,kBAAYII,KAAZ,EAaMB;AACjB,SAAKA,KA
AL,GAAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AACa,SAAKkD,IAAL,GAAY,IAAIyE,IAAJ,EAZ;
AACa,SAAKC,OAAL,GAAe,KAAK1E,IAApB;AACa,SAAK2E,MAAL,GAAc,EAAd;AACa,SAAK7E,SAAL,
GAAiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnc,MAAV,GAAMb;AAAE/B,MAAAA,KAAK,EAALA,KAAF;AA
ASsC,MAAAA,KAAK,EAAE;AAAEjJ,QAAAA,IAAI,EAAE,CAAR;AAAWC,QAAAA,MAAM,EAAE;AAAnB;
AAAhB,KAAAnB;AACD;,,,;SAEDyG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAc6I,QAAS,CAAC,KAAK9I,K
AAN,CAAvB;AACD;,,,;SAED+I,OAAA,gBAAO;AACL,QAAlnH,KAAJ;AACa,WAAO,KAAKZ,GAAL,GAAW,
KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe
,GAAjB,CAAR;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AACa,aAAK,GAAL;AAACE,
eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACa;AAEF,aAAK,GAAL;AAACE,eAAKY,GAAL,CA
ASZ,KAAT;AACa;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;AACa;AAEF,aAAK,SAAL;AAC
E,eAAKkD,MAAL,CAAYID,KAAZ;AACa;AAEF,aAAK,GAAL;AAACE,eAAKoH,SAAL,CAAepH,KAAF;AAC
A;AAEF;AAACE,eAAKqH,KAAL;AACa;AAxBJ;AA2BA,WAAKjI,GAAL,IAAY,CAAZ;AACD;AACD,SAAK
kI,OAAL;AACD;,,,;SAED1H,UAAA,iBAAQI,KAAR,EAAe;AACb,QAAM3M,IAAI,GAAG,IAAIwT,OA AJ,EAAb;
AACa,SAAKU,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAA
D,CAA/B;AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAakB;AAAEEnJ,MAAAA,IAAI,EAAEuI,
KAAK,CAAC,CAAD,CAAb;AAakBtI,MAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,KAAIB;AAEA,
QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,EAakB,CAAC,CAAnB,C
AAb;AACa,QAAl,QAAQ3S,IAAR,CAAa+V,IAAb,CAAJ,EAawB;AACTbVp,MAAAA,IAAI,CAACuP,IAAL,G
AAY,EAAZ;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAaiBG,IAAjB;AACAvP,MAAAA,IAAI
,CAACmP,IAAL,CAAUG,KAAV,GAakB,EAaIB;AACD,KAJD,MAIO;AACL,UAM5P,KAAK,GAAG6P,IAAI
,CAAC7P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAA
D,CAAjB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAaiB1P,KAAK,CAAC,CAAD,CAAtB;AA
CAM,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,GAakB5P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;,
SAEDqU,YAAA,mBAAUpH,KAAV,EAaIB;AACf,QAAM3M,IAAI,GAAG,IAAIImU,IAAJ,EAAb;AACa,SAAK
D,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AA
CA3M,IAAAA,IAAI,CAACjB,QAAL,GAAGb,EAAhB;AACaIB,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAaV
,GAAoB,EAAPB;AACa,SAAKkE,OAAL,GAae3T,IAAf;AACD;,,,;SAEDgU,QAAA,iBAAQ;AACN,QAAlrH,KA
AJ;AACa,QAAlY,GAAG,GAAG,KAAV;AACa,QAAlYb,IAAI,GAAG,IAAX;AACa,QAAljB,KAAK,GAAG,K
AAZ;AACa,QAAlqG,OAaO,GAAG,IAAd;AACa,QAAM9H,QAAQ,GAAG,EAajB;AAEA,QAAMe,KAAK,GA
AG,KAAKtB,GAAnB;AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AAC
pC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACaID,MAAAA,IAAI,GAAG
rC,KAAK,CAAC,CAAD,CAAZ;AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK,GAA7B,EAakC;A
AChC,YAAI,CAACoF,OAAL,EAaCa,OAaO,GAAGzH,KAAV;AACdL,QAAAA,QAAQ,CAAC7Q,IAAT,CAAc
uT,IAAI,KAAK,GAAT,GAAe,GAaf,GAAqB,GAAnC;AACD,OAHD,MAGO,IAAIIC,QAAQ,CAACzT,MAAT,
KAAoB,CAAxB,EAA2B;AAChC,YAAImW,IAAI,KAAK,GAAb,EAakB;AAChB,cAAIjB,KAAJ,EAaW;AACT,
iBAAKyB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAakBkB,KAAIB,EAayB,KAAKtB,GAAL,GAA
W,CAApC,CAAV;AACa;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAIiD,IAAI,KAAK,GA
Ab,EAakB;AACvB,eAAK/M,IAAL,CAAU,KAAK+I,MAAL,CAAYmB,KAAZ,CAakBkB,KAAIB,EAayB,KAA
KtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,SAHM,MAGA,IAAIiD,IAAI,KAAK,GAAb,EAakB;AACvB,
eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACa;AACD,SAJM,MAIA,IAAIyB,IA
AI,KAAK,GAAb,EAakB;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAIBM,MAkBA,IAAIiB,IAA
I,KAAK1C,QAAQ,CAACA,QAAQ,CAACzT,MAAT,GAakB,CAAnB,CAArB,EAA4C;AACjDyT,QAAAA,QAA
Q,CAAC+H,GAAT;AACa,YAAI/H,QAAQ,CAACzT,MAAT,KAAoB,CAAxB,EAA2Bub,OAaO,GAAG,IAAV;
AAC5B;AAED,WAAKrl,GAAL,IAAY,CAAZ;AACD;AACD,QAAl,KAAKA,GAAL,KAAa,KAAKf,MAAL,CA
AYnS,MAA7B,EAaqC;AACnC,WAAKkT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GAAG,IAAN;AAC
D;AAED,QAAljB,QAAQ,CAACzT,MAAT,GAakB,CAAtB,EAayB,KAAKyb,eAAL,CAAqBF,OAArB;AAEzB

,QAAI7G,GAAG,IAAIQ,KAAK,EAakB;AACHB,aAAO,KAAKhC,GAAL,GAAWsB,KAAIB,EAAYB;AACvBV, QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAajB,EAAsB,CAAtB,CAAR;AACa,YAAIY,KAA K,KAAK,OAAV,IAAqBA,KAAK,KAAK,SAAnC,EAAsC;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD, WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKbB,KAAIB,EAAYB,KAAKtB,GAAL,GAA W,CAApC,CAAV;AACa;AACD;;AAED,SAAKwI,WAAL,CAAiBIH,KAAjB;AACD;;SAEDpL,OAAA,cAAK+I, MAAL,EAaA;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAMrU,IAAI,GAAG,IAAIImU,IAAJ,EAAb;A ACA,SAAKD,IAAL,CAAUIU,IAAV,EAAGBgL,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAhB,EAAsBA, MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEAhL,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV, GAAoB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAAKqE,GAAL,CAASrP,IAAT,EAaE,UAAf,EA A2BgL,MAA3B;AACa,SAAK2I,OAAL,GAaE3T,IAAf;AACD;;SAEDwP,OAAA,cAAKxE,MAAL,EAaA;AACX ,QAAMhL,IAAI,GAAG,IAAIuT,WAaj,EAAb;AACa,SAAKW,IAAL,CAAUIU,IAAV;AAEA,QAAMuL,IAAI,G AAGP,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAJB,CAAnB;;AACa,QAAI0S,IAAI,CAAC,CAAD ,CAAJ,KAAy,GAAhB,EAaqB;AACnB,WAAKwD,SAAL,GAAiB,IAAjB;AACa/D,MAAAA,MAAM,CAACqJ, GAAP;AACD;;AACD,QAAI9I,IAAI,CAAC,CAAD,CAAR,EAaA;AACXvL,MAAAA,IAAI,CAAC8M,MAAL,C AAYS,GAAZ,GAakB;AAAEEnJ,QAAAA,IAAI,EAEmH,IAAI,CAAC,CAAD,CAAZ;AAAiBIH,QAAAA,MAA M,EAaEKH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLvL,MAAAA,IAAI,CAAC8M,MA AL,CAAYS,GAAZ,GAakB;AAAEEnJ,QAAAA,IAAI,EAEmH,IAAI,CAAC,CAAD,CAAZ;AAAiBIH,QAAAA, MAAM,EAaEKH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,CAAN,C AAU,CAAV,MAAiB,MAAxB,EAAGC;AAC9BhL,MAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,IAAoBhF,M AAM,CAACyJ,KAAP,GAaE,CAAf,CAApB;AACD;;AACDzU,IAAAA,IAAI,CAAC8M,MAAL,CAAyO,KAAZ, GAAoB;AAAEjJ,MAAAA,IAAI,EAaE4G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB3G,MAA AA,MAAM,EAaE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAAPB;AAEAhL,IAAAA,IAAI,CA AC0P,IAAL,GAAY,EAaZ;;AACa,WAAO1E,MAAM,CAACnS,MAAd,EAAsB;AACpB,UAAmW,IAAI,GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACa,UAAIgE,IAAI,KAAK,GAAT,IAAgBA,IAAI,K AAK,OAAzB,IAAoCA,IAAI,KAAK,SAajD,EAa4D;AAC1D;AACD;;AACDhP,MAAAA,IAAI,CAAC0P,IAAL,I AAa1E,MAAM,CAACyJ,KAAP,GAaE,CAAf,CAAb;AACD;;AAEDzU,IAAAA,IAAI,CAACmP,IAAL,CAAUM, OAAV,GAAoB,EAAPB;AAEA,QAAI9C,KAAJ;;AACa,WAAO3B,MAAM,CAACnS,MAAd,EAAsB;AACpB8T, MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAAK,CAAC,CAAD,CAAL,KAA a,GAajB,EAAsB;AACpB3M,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB9C,KAAK,CAAC,CAAD, CAA1B;AACa;AACD,OAHD,MAGO;AACL3M,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB9C,KA AK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAI3M,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAajB ,IAAwB1P,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAA7C,EAaKd;AACHd1P,MAAAA,IAAI,CAACmP,I AAL,CAAUa,MAAV,IAAoBhQ,IAAI,CAAC0P,IAAL,CAAU,CAAV,CAApB;AACa1P,MAAAA,IAAI,CAAC0P ,IAAL,GAAY1P,IAAI,CAAC0P,IAAL,CAAUvD,KAAV,CAAGb,CAAhB,CAAZ;AACD;;AACDnM,IAAAA,IAA I,CAACmP,IAAL,CAAUM,OAAV,IAAqB,KAAKiF,eAAL,CAAqB1J,MAArB,CAArB;AACa,SAAK2J,uBAAL, CAA6B3J,MAA7B;;AAEA,SAAK,IAAIpS,CAAC,GAAGoS,MAAM,CAACnS,MAAP,GAAGb,CAA7B,EAAGC D,CAAC,GAAG,CAApC,EAaUCA,CAAC,EAaXC,EAa4C;AAC1C+T,MAAAA,KAAK,GAAG3B,MAAM,CAA CpS,CAAD,CAAd;;AACa,UAAI+T,KAAK,CAAC,CAAD,CAAL,KAAa,YAAjB,EAa+B;AAC7B3M,QAAAA,I AAI,CAAC4P,SAAL,GAAiB,IAAjB;AACa,YAAIik,MAAM,GAAG,KAAKkP,UAAAL,CAAqB5J,MAAhB,EA AwBpS,CAAxB,CAAb;ACA8M,QAAAA,MAAM,GAAG,KAAK8O,aAAL,CAAmBxJ,MAAnB,IAA6BtF,MAAt C;AACa,YAAIA,MAAM,KAAK,aAAf,EAa8B1F,IAAI,CAACmP,IAAL,CAAUS,SAAV,GAAsBIK,MAAtB;AA C9B;AACD,OAND,MAMO,IAAIhH,KAAK,CAAC,CAAD,CAAL,KAAa,WAAjB,EAa8B;AACnC,YAAMki,KAA K,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;AACa,YAAInT,GAAG,GAAG,EAaV;;AACa,aAA K,IAAIyY,CAAC,GAAG7Y,CAAb,EAAGb6Y,CAAC,GAAG,CAApB,EAaUBA,CAAC,EAaXB,EAa4B;AAC1B ,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;;AACa,cAAIzY,GAAG,CAAC gD,IAAJ,GAAW2J,OAAx,CAAmB,GAAnB,MAA4B,CAA5B,IAAiCqJ,KAAI,KAAK,OAA9C,EAaUD;AACrD; AACD;;AACDhW,UAAAA,GAAG,GAAG6b,KAAK,CAACR,GAAN,GAAY,CAAZ,IAAiBrb,GAaVb;AACD;;A ACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAx,CAAmB,GAAnB,MAA4B,CAAhC,EAaMC;AACjC3F,U

AAAA,IAAI,CAAC4P,SAAL,GAAiB,IAAjB;AACASp,UAAAA,IAAI,CAACmP,IAAL,CAAUS,SAAV,GAAsB5
W,GAAtB;AACAgS,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;;AAED,UAAIII,KAAC,CAAC,CAAD,CA
AL,KAAa,OAAb,IAAwBA,KAAC,CAAC,CAAD,CAAL,KAAa,SAAzC,EAAoD;AACID;AACD;AACF;;AAED,
SAAK0C,GAAL,CAASrP,IAAT,EAAe,OAaf,EAawBgL,MAAxB;AAEA,QAAIhL,IAAI,CAAC+H,KAAL,CAA
WpC,OAAX,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAAoC,KAAKmp,oBAAL,CAA0B9J,MAA1B;AACrC;;
SAED6E,SAAA,gBAAOID,KAAP,EAAc;AACZ,QAAM3M,IAAI,GAAG,IAAI+U,MAAJ,EAAb;AACAU,IAAA
A,IAAI,CAAC5H,IAAL,GAAYuU,KAAC,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAaf,CAAZ;;AACA,QA
AInM,IAAI,CAAC5H,IAAL,KAAc,EAAIB,EAA5B;AACpB,WAAK4c,aAAL,CAAmBhV,IAAnB,EAAYB2M,KA
AzB;AACD;;AACD,SAAKuH,IAAL,CAAUIU,IAAV,EAAGB2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAA
K,CAAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAX;AACA,QAAI0J,IAAI,GAAG,KAAX;AACA,QAA
MnF,MAAM,GAAG,EAAf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;;AACA,WAAO,KAACA,GAAL,GAAW,KAA
Kf,MAAL,CAAYnS,MAA9B,EAA5C;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GA
AjB,CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAA5B;AACpB3M,QAAAA,IAAI,CA
AC8M,MAAL,CAAYS,GAAZ,GAaKB;AAAEEnJ,UAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAb;AAAKBtI,
UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAAlB;AACA,aAAKoC,SAAL,GAAiB,IAAjB;AACA;
AACD,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAA5B;AAC3BsI,QAAAA,IAAI,GA
G,IAAP;AACA;AACD,OAHM,MAGA,IAAIhI,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAA5B;AAC3B,aAA
KY,GAAL,CAASZ,KAAT;AACA;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACrU,IAAP,CAAYkR
,KAAZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MA
AL,CAAYnS,MAA7B,EAAqC;AACnC0S,MAAAA,IAAI,GAAG,IAAP;AACD;;AAEDvL,IAAAA,IAAI,CAACm
P,IAAL,CAAUM,OAaV,GAAoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;;AACA,QAAIA,MAAM,CAACj
X,MAAX,EAAMb;AACjBmH,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SAAV,GAAsB,KAAK2E,eAAL,CAAqB
5E,MAArB,CAAtB;AACA,WAAKT,GAAL,CAASrP,IAAT,EAAe,QAaf,EAAYB8P,MAAZB;;AACA,UAAIvE,I
AAJ,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACjX,MAAP,GAAGB,CAAjB,C
AAd;AACAmH,QAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKB;AAAEEnJ,UAAAA,IAAI,EAAEuI,KA
AK,CAAC,CAAD,CAAb;AAAKBtI,UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAAlB;AACA,aAA
KiH,MAAL,GAAc5T,IAAI,CAACmP,IAAL,CAAUM,OAaxB;AACAZP,QAAAA,IAAI,CAACmP,IAAL,CAAU
M,OAaV,GAAoB,EAAPb;AACD;AACF,KATD,MASO;AACLzP,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SA
AV,GAAsB,EAAtB;AACAP,MAAAA,IAAI,CAAC8P,MAAL,GAAc,EAAd;AACD;;AAED,QAAImF,IAAJ,EAAU
;AACRjV,MAAAA,IAAI,CAACH,KAAL,GAAa,EAAb;AACA,WAAK8T,OAAL,GAAe3T,IAAf;AACD;AACF;;
SAEDuN,MAAA,aAAIZ,KAAJ,EAaw;AACT,QAAI,KAAKgH,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL
,CAAa9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8
B,KAAKA,SAAnC;AACD;;AACD,SAKA,SAAL,GAAiB,KAAjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAA
kBB,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBB,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF
,MAAjE;AACA,SAKA,MAAL,GAAc,EAAd;AAEA,QAAI,KAAKD,OAAL,CAAa7S,MAAjB,EAAYB;AACvB,
WAAK6S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPB,GAA0B;AAAEEnJ,QAAAA,IAAI,EAAEuI,KAAK,CAAC,C
AAD,CAAb;AAAKBtI,QAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,OAAlB;AACA,WAAKgH,OA
L,GAAe,KAAKA,OAAL,CAAa7S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKoU,eAAL,CAAqBvI,KAARb;A
ACD;AACF;;SAEDsH,UAAA,mBAAU;AACR,QAAI,KAAKN,OAAL,CAAa7S,MAAjB,EAAYB,KAAKqU,aAA
L;;AACzB,QAAI,KAAKxB,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7
C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8B,KAAKA,SAAnC;AACD;;AACD,
SAAK4E,OAAL,CAAaxE,IAAb,CAAKBB,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBB,KA
AIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACD;;SAIDM,OAAA,cAAKIU,IAAL,EAawoE,IAAX,EAAiB
C,MAAjB,EAAYB;AACvB,SAAKsP,OAAL,CAAaY,IAAb,CAAKBuE,IAAlB;AAEAA,IAAAA,IAAI,CAAC8M,
MAAL,GAAc;AAAEo,MAAAA,KAAK,EAAE;AAAEjJ,QAAAA,IAAI,EAaja,IAAF;AAAQC,QAAAA,MAAM
,EAANA;AAAR,OAAT;AAA2B0G,MAAAA,KAAK,EAAE,KAAKA;AAAvC,KAAd;AACAK,IAAAA,IAAI,CA
ACmP,IAAL,CAAUa,MAAV,GAAMb,KAAK4D,MAAxB;AACA,SAKA,MAAL,GAAc,EAAd;AACA,QAAI5T
,IAAI,CAACgP,IAAL,KAAc,SAAlB,EAA6B,KAAKD,SAAL,GAAiB,KAAjB;AAC9B;;SAEDM,MAAA,aAAIrP,

IAAJ,EAAU0P,IAAV,EAAgB1E,MAAhB,EAAwB;AACtB,QAAI2B,KAAJ,EAAWqC,IAAX;AACa,QAAMnW, MAAM,GAAGmS,MAAM,CAACnS,MAAtB;AACa,QAAlkP,KAAK,GAAG,EAAZ;AACa,QAAlqN,KAAK,GA AG,IAAZ;;AACa,SAAK,IAAIxc,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGC,MAApB,EAA4BD,CAAC,IA AI,CAAjC,EAAoC;AAClC+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;AACaOW,MAAAA,I AAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACa,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,OAAT, IAAoBpW,CAAC,KAAKc,MAAM,GAAG,CAA9D,EAAkE;AACHeuc,QAAAA,KAAK,GAAG,KAAR;AACD,O AFD,MAEO;AAClRn,QAAAA,KAAK,IAAI4E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAl,CAA CyI,KAAL,EAY;AACV,UAAmF,GAAG,GAAGrE,MAAM,CAAC3E,MAAP,CAAc,UAAcGp,GAAD,EAAMz c,CAAN;AAAA,eAAYyc,GAAG,GAAGzc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAd,EAAsC,EAAtC,CAAZ; AACaOH,MAAAA,IAAI,CAACmP,IAAL,CAAUO,IAAV,IAAkB;AAAE3H,QAAAA,KAAK,EAALA,KAAF;AA ASH,QAAAA,GAAG,EAAHA;AAAT,OAAlB;AACD;;AACDrP,IAAAA,IAAI,CAAC0P,IAAD,CAAJ,GAAa3H, KAAb;AACD;;SAEDyM,gBAAA,uBAAcxJ,MAAd,EAAsB;AACpB,QAAIsK,aAAJ;AACa,QAAlIB,MAAM,GA AG,EAAb;;AACa,WAAO5I,MAAM,CAACnS,MAAd,EAAsB;AACpByc,MAAAA,aAAa,GAAGtK,MAAM,CA ACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;AACa,UAAIyc,aAAa,KAAK, OAAlB,IAA6BA,aAAa,KAAK,SAAnD,EAA8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ,GAAP, GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAgB1J,MAAhB,E AAwB;AACtB,QAAlI,IAAJ;AACa,QAAlwI,MAAM,GAAG,EAAb;;AACa,WAAO5I,MAAM,CAACnS,MAAd, EAAsB;AACpBuS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;AACa,UAAII,I AAI,KAAK,OAAT,IAAoBA,IAAI,KAAK,SAAjC,EAA4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,CAACyJ ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,EAAM BuK,IAAnB,EAYyB;AACvB,QAAltM,MAAM,GAAG,EAAb;;AACa,SAAK,IAAIrQ,CAAC,GAAG2c,IAAb,EA AmB3c,CAAC,GAAGoS,MAAM,CAACnS,MAA9B,EAAsCD,CAAC,EAAvC,EAA2C;AACzCqQ,MAAAA,MA AM,IAAI+B,MAAM,CAACpS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDoS,IAAAA,MAAM,CAACzI, MAAP,CAAcgT,IAAd,EAAoBvK,MAAM,CAACnS,MAAP,GAAGb0c,IAApC;AACa,WAAOtM,MAAP;AACD; ;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAlSb,QAAQ,GAAG,CAAf;AACa,QAAlK,KAAJ,EAAWqC ,IAAX,EAAlBnD,IAAjB;;AACa,SAAK,IAAIjT,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGoS,MAAM,CAAC nS,MAA3B,EAAMCD,CAAC,EAAPc,EAAwC;AACtC+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD, CAAd;AACaOW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAb,E AAKb;AACHb1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFD,MAEO,IAAI0C,IAAI,KAAK,GAAb,EAAKb;AAC vB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,IAAI,KAAK, GAA/B,EAAoC;AACzC,YAAI,CAACnD,IAAL,EAAW;AACT,eAAK2J,WAAL,CAAIb7I,KAAjB;AACD,SAFD, MAEO,IAAId,IAAI,CAAC,CAAD,CAAJ,KAAy,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAy,QAAtC,EA AgD;AACrD;AACD,SAFM,MAEA;AACl,iBAAOjT,CAAP;AACD;AACF;;AAEDiT,MAAAA,IAAI,GAAGc,KA AP;AACD;;AACD,WAAO,KAAP;AACD;;;SAID2H,kBAAA,yBAAgBF,OAAbB,EAYyB;AACvB,UAAm,KAA KrJ,KAAL,CAAWmB,KAAx,CAAIb,kBAAjB,EAAqCkI,OAAs,CAAC,CAAD,CAA5C,EAAlDA,OAAs,CAAC ,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAYIH,KAAZ,EAAMb;AACjB,QAAMV,KAAK,GAAG,KA AK3B,MAAL,CAAYqC,KAAZ,CAAd;AACa,UAAm,KAAKtC,KAAL,CAAWmB,KAAx,CAAIb,cAAjB,EAAl CS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,kBAAA,yBA AgBvI,KAAhB,EAauB;AACrB,UAAm,KAAK5B,KAAL,CAAWmB,KAAx,CAAIb,cAAjB,EAAlCS,KAAK,CA AC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yBAAgB;AACd,Q AAMpJ,GAAG,GAAG,KAAK4H,OAAL,CAAa7G,MAAb,CAAoBO,KAAhC;AACa,UAAm,KAAKtC,KAAL,C AAWmB,KAAx,CAAIb,gBAAjB,EAAMCH,GAAG,CAAC3H,IAAvC,EAA6C2H,GAAG,CAAC1H,MAAjD,CA AN;AACD;;SAEDmR,cAAA,qBAAY7I,KAAZ,EAAMb;AACjB,UAAm,KAAK5B,KAAL,CAAWmB,KAAx,CA AIb,cAAjB,EAAlCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAE DqI,gBAAA,uBAAchV,IAAd,EAAoB2M,KAApB,EAA2B;AACzB,UAAm,KAAK5B,KAAL,CAAWmB,KAAx, CAAIb,sBAAjB,EAAYCS,KAAK,CAAC,CAAD,CAA9C,EAAMDA,KAAK,CAAC,CAAD,CAAxD,CAAN;AAC D;;SAEDgI,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,AAED;;SAED8J,uBAAA,8BAAgB9J,MAArB,EAA6B ;AAC3B,QAAM+C,KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KA

Ad,EAAqB;AAErB,QAAl0H,OAAO,GAAG,CAAd;AACa,QAAl9I,KAAJ;;AACa,SAAK,IAAl8E,CAAC,GAAG
ID,KAAK,GAAG,CAArB,EAAwB0D,CAAC,IAAl,CAA7B,EAAgCA,CAAC,EAAjC,EAAqC;AACnC9E,MAAA
A,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;AACa,UAAI9E,KAAK,CAAC,CAAD,CAAL,KAAa,OAA
jB,EAA0B;AACxB8I,QAAAA,OAAO,IAAl,CAAX;AACa,YAAIA,OAAO,KAAK,CAAhB,EAAmB;AACpB;AA
CF;;AACD,UAAm,KAAK1K,KAAL,CAAWmB,KAAX,CAAIb,kBAAjB,EAAqCS,KAAK,CAAC,CAAD,CAA1
C,EAA+CA,KAAK,CAAC,CAAD,CAApD,CAAN;AACD;;;AC/cH;AACa,AAge,SAAS+I,KAAT,CAAejY,GA
Af,EAAoBmU,IAApB,EAA0B;AACvC,MAAIA,IAAl,IAAIA,IAAl,CAAC+D,IAAjB,EAAuB;AACrB,UAAm,IA
Al7Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMiP,KAAK,GAAG,IAAl2B,KAAJ,CAAUjP,
GAAV,EAAemU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAlnC,MAAJ,CAAW1I,KAAX,CAAf;;AACa,
MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAAP;AACD,GAHD,C
AGE,OAAO/P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+BwZ,IAA/B,IAAuCA
,IAAl,CAAC2D,IAAhD,EAAoS;AACpD,UAAI,WAAW/b,IAAX,CAAgBoY,IAAl,CAAC2D,IAArB,CAAJ,EAAg
C;AAC9BxR,QAAAA,CAAC,CAACwF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID,OALD,MAKO,IA
Al,WAAW/P,IAAX,CAAgBoY,IAAl,CAAC2D,IAArB,CAAJ,EAAgC;AACrCxR,QAAAA,CAAC,CAACwF,OA
AF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAAmxF,CAAN;AACD;;AAED,SAAO6R,MA
AM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAT,CAAqBhW,KAArB,EAA4B;AAC1B,SAAOA,KAAK,CA
AC+M,GAAN,CAAU,UAAAhU,CAAC,EAAl;AACpB,QAAlA,CAAC,CAACiH,KAAH,EAAajH,CAAC,CAACi
H,KAAF,GAAUgW,WAAW,CAACjd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAAC,CAACkU,MAA
T;AACa,WAAOIU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;,,,,,AAQA,,,,,AAOA,,,,,IAUMkd,,,,,S
ACJra,OAAA,cAAKGF,KAAL,EAAY;AACvA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AACa,SAAKjB,K
AAL,CAAWpE,IAAX,CAAgBgF,KAAhB;AACa,WAAO,IAAP;AACD;AAED;,,,,,SAiCAsV,
OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAAV,EAAoB,KAAKA,QAAL,GAAgB,CAAhB;A
ACpB,QAAl,CAAC,KAAKC,OAAl,EAAMb,KAAKA,OAAL,GAAe,EAaf;AAEnB,SAAKD,QAAL,IAAIb,CA
AjB;AACa,QAAMhY,EAAE,GAAG,KAAKgY,QAAhB;AACa,SAAKC,OAAL,CAAajY,EAAb,IAAMb,CAANb
;AAEA,QAAl,CAAC,KAAK4B,KAAV,EAAlb,OAAljB,SAAP;AAEjB,QAAlnC,KAAJ,EAAWwM,MAAX;;AA
CA,WAAO,KAAKiN,OAAL,CAAajY,EAAb,IAAMb,KAAK4B,KAAL,CAAWhH,MAArC,EAA6C;AAC3C4D,
MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACAgL,MAAAA,MAAM,GAAG+M,QAQQ,
CAAC,KAAKnW,KAAL,CAAWpD,KAAX,CAAD,EAAoBA,KAApB,CAAjB;AACa,UAAIwM,MAAM,KAAK,
KAAf,EAAoS;AAEtB,WAAKiN,OAAL,CAAajY,EAAb,KAAoB,CAApB;AACD;;AAED,WAAO,KAAKiY,OA
L,CAAajY,EAAb,CAAP;AAEA,WAAOgL,MAAP;AACD;AAED;,,,,,SAmBAsH,OAAA,cAAKyF,QA
AL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcTv,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,UAAIqQ,MA
AM,GAAG+M,QAQQ,CAACvV,KAAD,EAAQ7H,CAAR,CAArB;;AACa,UAAIqQ,MAAM,KAAK,KAAAX,IAA
oBxI,KAAK,CAAC8P,IAA9B,EAAoC;AACICtH,QAAAA,MAAM,GAAGxI,KAAK,CAAC8P,IAAN,CAAWyF,
QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;,,,,,SA6B
A8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAAhB,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;AACbA,MAA
AA,QAQQ,GAAGtG,IAAX;AACa,aAAO,KAAKa,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC
7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAANb,EAA2B;AACzB,iBAAOgH,QAQQ,CAACvV,KAAD,EAA
Q7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI8W,IAAl,YAAyIR,MAApB,EAA4B
;AACjC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAA
CuO,IAAN,KAAe,MAAf,IAAyBU,IAAl,CAACiW,IAAL,CAAUiH,KAAK,CAACiP,IAAhB,CAA7B,EAAoD;AA
CID,iBAAOsG,QAQQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KANM,M
AMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,
CAACuO,IAAN,KAAe,MAAf,IAAyBvO,KAAK,CAACiP,IAAN,KAAeA,IAA5C,EAakD;AAChD,iBAAOsG,QA
AQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,
;SAuBAud,YAAA,mBAAUpX,QAAl,EAABiX,QAAPB,EAA8B;AAC5B,QAAl,CAACA,QAAL,EAAe;AACbA
,MAAAA,QAQQ,GAAGjX,QAAX;AAEA,aAAO,KAAKwR,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EA
Ac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAANb,EAA2B;AACzB,iBAAOgH,QAQQ,CAACvV,KAA
D,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAQQ,YAAYP,MAAxB

AAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;;AACA,UAAIyY,KAAK,GAAGja,KAAZ,EAAMb;AACjB ,aAAKyZ,OAAL,CAAajY,EAAb,IAAMbxB,KAAK,GAAGoD,KAAK,CAACHH,MAAJC;AACD;AACF;;AAED, WAAO,IAAP;AACD;;SAEDkZ,SAAA,gBAAOtR,KAAP,EAAC;AACZ,QAAI,OAAOA,KAAP,KAAiB,WAArB,E AAKC;AACHc6I,MAAAA,QAAQ,CAAC,qCAAqC,2BAAcT,CAAR;AACA,WAAKnJ,WAAL,CAAiBM,KAAjB; AACD,KAHD,MAGO;AACL,sBAAMsR,MAAN;AACD;;AACD,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SAcA5 R,cAAA,qBAAyM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAx,CAAR; AACA,SAAKZ,KAAL,CAAWY,KAAx,EAakBK,MAAIB,GAA2BIC,SAA3B;AACA,SAAKiB,KAAL,CAAW0 C,MAAX,CAAKb9B,KAAIB,EAAYB,CAAZB;AAEA,QAAIhE,KAAJ;;AACA,SAAK,IAAMwB,EAAX,IAAiB,K AAKiY,OAAiB,EAA+B;AAC7BzZ,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;;AACA,U AAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAKyV,OAAL,CAAajY,EAAb,IAAMbxB,KAAK,GAAG,CAA3 B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SAUAKa,YAAA,qBAAy;AACV,SAAK9W,KAAL, CAAWnE,OAAx,CAAMb,UAAAsE,IAAI;AAAA,aAKA,IAAI,CAACc,MAAL,GAAClC,SAAnB;AAAA,KAAv B;AACA,SAAKiB,KAAL,GAAa,EAAb;AACA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SA6BA+W,gB AAA,uBAACc,OAAd,EAAuBjF,IAAvB,EAA6BoE,QAA7B,EAAuC;AACrC,QAAI,CAACA,QAAL,EAAe;AACb A,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MAAAA,IAAI,GAAG,EAAP;AACD;;AAED,SAAKb,SAAL,CAAE ,UAAAvB,IAAI,EAAI;AACrB,UAAIoC,IAAI,CAACKf,KAAL,IAAcIF,IAAI,CAACKf,KAAL,CAAWnR,OAAx, CAAMb6J,IAAI,CAACE,IAAxB,MAAKC,CAAC,CAArD,EAAwD;AACxD,UAAIkC,IAAI,CAACmF,IAAL,IAA avH,IAAI,CAACzH,KAAL,CAAWpC,OAAx,CAAMBiM,IAAI,CAACmF,IAAxB,MAAKC,CAAC,CAApD,EAA uD;AAEvDvH,MAAAA,IAAI,CAACzH,KAAL,GAAayH,IAAI,CAACzH,KAAL,CAAWvP,OAAx,CAAMbqe,O AAnB,EAA4Bb,QAA5B,CAAb;AACD,KALD;AAOA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SAWAgB,QAAA,eA AMC,SAAN,EAAiB;AACf,WAAO,KAAKpX,KAAL,CAAWmX,KAAx,CAAiBC,SAAJB,CAAP;AACD;AAED;; ,,,,,,,,,,;SAWAC,OAAA,cAAKD,SAAL,EAAGB;AACd,WAAO,KAAKpX,KAAL,CAAWqX,IAAX,CAAgBD,SA AhB,CAAP;AACD;AAED;,,,,,,,,,,,,,;SAUAXa,QAAA,eAAMgE,KAAAN,EAAa;AACX,QAAI,OAAOA,KAAP,KAAi B,QAArB,EAA+B;AAC7B,aAAOA,KAAP;AACD,KAFD,MAEO;AACL,aAAO,KAAKZ,KAAL,CAAW8F,OAA X,CAAMbIF,KAAAnB,CAAP;AACD;AACF;AAED;,,,,,,,,,,,,,;SA0BA6V,YAAA,mBAAUzW,KAAV,EAAiBsX,MAA jB,EAAYB;AAAA;;AACvB,QAAI,OAAOtX,KAAP,KAAiB,QAArB,EAA+B;AAC7BA,MAAAA,KAAK,GAAGg W,WAAW,CAACH,KAAK,CAAC7V,KAAD,CAAL,CAAaA,KAAd,CAAnB;AACD,KAFD,MAEO,IAAI,CAAC 4I,KAAK,CAACC,OAAAN,CAAc7I,KAAd,CAAL,EAA2B;AACHC,UAAIA,KAAK,CAACmP,IAAN,KAAe,MAA nB,EAA2B;AACzBnP,QAAAA,KAAK,GAAGA,KAAK,CAACA,KAAd;AACD,OAFD,MAEO,IAAIA,KAAK,C AACmP,IAAV,EAAGB;AACrBnP,QAAAA,KAAK,GAAG,CAACA,KAAD,CAAR;AACD,OAFM,MAEA,IAAIA ,KAAK,CAAC6P,IAAV,EAAGB;AACrB,YAAI,OAAO7P,KAAK,CAACKI,KAAb,KAAuB,WAA3B,EAAwC;AA CtC,gBAAM,IAAIjM,KAAJ,CAAU,wCAAV,CAAN;AACD,SAFD,MAEO,IAAI,OAAO+D,KAAK,CAACKI,KA Ab,KAAuB,QAA3B,EAAGC;AAC1CII,UAAAA,KAAK,CAACKI,KAAAN,GAAC9P,MAAM,CAAC4H,KAAK,CA ACKI,KAAP,CAAPB;AACD;;AACDII,QAAAA,KAAK,GAAG,CAAC,IAAI0T,WAAJ,CAAgB1T,KAAhB,CAA D,CAAR;AACD,OAPM,MAOA,IAAIA,KAAK,CAACd,QAAY,EAAoB;AACzBc,QAAAA,KAAK,GAAG,CAAC ,IAAI5U,IAAJ,CAASTU,KAAT,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH,IAAV,EAAGB;AA CrByH,QAAAA,KAAK,GAAG,CAAC,IAAIkV,MAAJ,CAAWIV,KAAx,CAAD,CAAR;AACD,OAFM,MAEA,I AAI,IAAIA,KAAK,CAAC0P,IAAV,EAAGB;AACrB1P,QAAAA,KAAK,GAAG,CAAC,IAAI2T,OAAJ,CAAY3T,KAA Z,CAAD,CAAR;AACD,OAFM,MAEA;AACL,cAAM,IAAI/D,KAAJ,CAAU,oCAAV,CAAN;AACD;AACF;;AAE D,QAAmsb,SAAS,GAAGvX,KAAK,CAAC+M,GAAN,CAAU,UAAAhU,CAAC,EAAI;AAC/B,UAAI,OAAOA, CAAC,CAACuW,IAAT,KAAkB,WAAtB,EAAMCvW,CAAC,GAAG,MAAI,CAACye,OAAL,CAAaze,CAAb,CA AJ;AAEnC,UAAIA,CAAC,CAACKI,MAAN,EAACI,CAAC,GAAGA,CAAC,CAACqZ,KAAF,EAJ;;AACd,UA AI,OAAOrZ,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,YAAImH,MAAM,IAAI, OAAOA,MAAM,CAACHI,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAYD;AACvDpX,UAAAA,CAAC,CAAC uW,IAAF,CAAOa,MAAP,GAAGBmH,MAAM,CAACHI,IAAP,CAAYa,MAAZ,CAAMbXx,OAAAnB,CAA2B,QA A3B,EAAGC,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACKI,MAAF,GAAW,MAAX;AACA,a AAOII,CAAP;AACD,KAXiB,CAAIB;AAaA,WAAOwe,SAAP;AACD;;SAEDC,UAAA,iBAAQrX,IAAR,EAACc, MAAd,EAASB;AAAA;;AACpB,QAAIwW,GAAJ;;AACA,QAAItX,IAAI,CAACgP,IAAL,KAAc,MAAIB,EAA0B;

AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAI1T,IAAI,CAACgP,IAAL,K
AAc,QAAlB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,MAEA,IAAI/U,IA
AI,CAACgP,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,EAAN;AACD,KAF
M,MAEA,IAAIInU,IAAI,CAACgP,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAI/D,WA
AJ,EAAN;AACD,KAFM,MAEA,IAAIvT,IAAI,CAACgP,IAAL,KAAc,SAAlB,EAA6B;AACICsI,MAAAA,GAA
G,GAAG,IAAI9D,OAAJ,EAAN;AACD;;AAED,SAAK,IAAM5a,CAAX,IAAgBoH,IAAhB,EAAsB;AACpB,UAA
IpH,CAAC,KAAK,OAAV,EAAmB;AACjB0e,QAAAA,GAAG,CAACzX,KAAJ,GAAyG,IAAI,CAACH,KAAL,C
AAW+M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAl,MAAI,CAAC4F,OAAAL,CAAa5F,CAAAb,EAAgB6F,GA
AhB,CAAJ;AAAA,SAAhB,CAAZ;AACD,OAFD,MAEO,IAAI1e,CAAC,KAAK,QAAN,IAAkBkI,MAAtB,EAA8
B;AACnCwW,QAAAA,GAAG,CAACxW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAIId,IAAI,CAACwI,c
AAL,CAAoB5P,CAApB,CAAJ,EAA4B;AACjC0e,QAAAA,GAAG,CAAC1e,CAAD,CAAH,GAASoH,IAAI,CAA
CpH,CAAD,CAAAb;AACD;AACF;;AAED,WAAO0e,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,QAAX,EAAqB;
AACnB1M,IAAAA,QAAQ,CAAC,yCAAYC,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,CAAUyF,QAAV,
CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAesG,QAAf,EAAyB;AACvB1M,IAAAA,QAAQ,CAAC,u
CAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAqBsG,QAARb,CAAP;AACD;;SAE
DyB,WAAA,kBAAS1Y,QAAT,EAAmBiX,QAAnB,EAA6B;AAC3B1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAx
C,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAepX,QAAf,EAAyBiX,QAazB,CAAP;AACD;;SAED0B,aAAA,o
BAAWtf,IAAX,EAAiB4d,QAAjB,EAA2B;AACzB1M,IAAAA,QAAQ,CAAC,yCAAYC,oCAA1C,CAAR;AACa,
WAAO,KAAK8M,WAAL,CAAiBhe,IAAjB,EAAuB4d,QAAvB,CAAP;AACD;;SAED2B,cAAA,qBAAY3B,QAA
Z,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAKuH,YAAL,CAAK
BmF,QAAlB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKnW,KAAV,EAAiB,OAAOjB,SAAP;AACj
B,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;,,,,,,,,,,,,;wBAQW;AACT,UAAI,CAAC,KAAKA,K
AAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWHh,MAAX,GAAo
B,CAA/B,CAAP;AACD;;;wBAgGe;AACdyQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,I
AAL,CAAUJ,SAAjB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAA
K6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,+CAAD,CA
AR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,QAAQ,CAAC,+
CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUb,KAAV,GAakBgF,GAAlB;AACD;AAED;,,,,,,,,,,,,;EAvqBsB5B;;
ACvCxB;,,,,,,,,,,,,;IAkBMqD;;AACJ,kBAAYpD,QAaz,EAAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,U
AAK3C,IAAL,GAAy,QAAZ;AAFoB;AAGrB;,,,SAED0D,SAAA,kBAAoB;AAAA;;AACIB,QAAl,CAAC,KAAK
7S,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADc,sCAAVwW,QAau;AAVA,MAAAA,QAau;AAAA;;
AAEIB,yDAAa3D,MAAb,kDAAuB2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB,QAAl,CAAC
,KAAK1W,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAAVwW,QAau;AAVA,MAAAA,QAau;
AAAA;;AAEnB,0DAAaE,OAAb,mDAAwBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,CAAC,4DA
AD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUY,SAAjB;AACD;sBAEauD,KAAK;AACjBhK,MAAAA,QAAQ
,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAEa;AACZhK,
MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAjB;AACD;sBAEWwD,K
AAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,GAAmBwD,G
AAnB;AACD;AAED;,,,,,,,,,,,,;AAUA;,,,,,,,,,,,,;AAYA;,,,,,,,,,,,,;EA1DmBwC;;ACtBrB;;AACa;,,,,,,,,;A
ASA,IAAM8B,IAAI,GAAG;AACX1Y,EAAAA,KADW,iBACLwG,MADK,EACGmS,UADH,EACetM,IADf,EA
CqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAlnE,OAAO,GAAG,EAAd;AACa,QAAlzU,KAAK,G
AAG,KAAZ;AAEA,QAAl6Y,IAAI,GAAG,CAAX;AACa,QAAl1M,KAAK,GAAG,KAAZ;AACa,QAAlIG,MAA
M,GAAG,KAAb;;AAEA,SAAK,IAAI5S,CAAC,GAAG,CAAAb,EAAgBA,CAAC,GAAG8M,MAAM,CAAC7M,M
AA3B,EAAmCD,CAAC,EAAPc,EAawC;AACtC,UAAmof,MAAM,GAAGtS,MAAM,CAAC9M,CAAD,CAArB
;;AAEA,UAAIyS,KAAJ,EAaw;AACT,YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,KAAT;AACD,
SAFD,MAEO,IAAIwM,MAAM,KAAK,IAAf,EAAqB;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;AACD,SAFM,
MAEA,IAAIwM,MAAM,KAAK3M,KAAf,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAR;AACD;AACF,OA
RD,MAQO,IAAI2M,MAAM,KAAK,GAAX,IAAkBA,MAAM,KAAK,GAAjC,EAAsC;AAC3C3M,QAAAA,KAA

K,GAAG2M,MAAR;AACD,OAFM,MAEA,IAAIA,MAAM,KAAK,GAaf,EAAoB;AACzBD,QAAAA,IAAI,IAAI,CAAR;AACD,OAFM,MAEA,IAAIC,MAAM,KAAK,GAaf,EAAoB;AACzB,YAAID,IAAI,GAAG,CAAX,EAAC A,IAAI,IAAI,CAAR;AACf,OAFM,MAEA,IAAIA,IAAI,KAAK,CAAb,EAAGb;AACrB,YAAIF,UAAU,CAACIS, OAAAX,CAAmBqS,MAAnB,MAA+B,CAAC,CAAPc,EAaUc9Y,KAAK,GAAG,IAAR;AACxC;;AAED,UAAIA, KAAJ,EAAW;AACT,YAAIyU,OAAO,KAAK,EAAb,EAaObmE,KAAK,CAACrc,IAAN,CAAWkY,OAAO,CA AC3X,IAAR,EAAX;AACpB2X,QAAAA,OAAO,GAAG,EAaV;AACAzU,QAAAA,KAAK,GAAG,KAAR;AAC D,OAJD,MAIO;AACLyU,QAAAA,OAAO,IAAIqE,MAAX;AACD;AACF;;AAED,QAAIzM,IAAI,IAAIoI,OAAO ,KAAK,EAAXb,EAa4BmE,KAAK,CAACrc,IAAN,CAAWkY,OAAO,CAAC3X,IAAR,EAAX;AAC5B,WAAO8b ,KAAP;AACD,GA1CU;;AA4CX;;;;;;;;;;AAWAG,EAAAA,KAvDW,iBAuDLvS,MAvDK,EAuDG;AACZ,QAAM kO,MAAM,GAAG,CAAC,GAAD,EAAM,IAAN,EAAY,IAAZ,CAAF;AACA,WAAOgE,IAAI,CAAC1Y,KAAL,C AAWwG,MAAX,EAaMbK,MAAnB,CAAP;AACD,GA1DU;;AA4DX;;;;;;;;;;AAyAsE,EAAAA,KAxEW,iBA wELxS,MAxEK,EAwEG;AACZ,QAAMwS,KAAK,GAAG,GAAD;AACA,WAAON,IAAI,CAAC1Y,KAAL,CAA WwG,MAAX,EAaMb,CAACwS,KAAD,CAAnB,EAa4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;ACHA;;;;;;;;;;I AWM/D;;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACA,UAAK3C,IAAL,GAAY, MAAZ;AACA,QAAl,CAAC,MAAKnP,KAaV,EAaIB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;AAED;;;;;;;; ;;;;;;;;;;wBAgBgB;AACd,aAAO+X,IAAI,CAACM,KAAL,CAAW,KAAKnZ,QAaHb,CAAP;AACD;sBAEaoZ,Q AAQ;AACpB,UAAmzY,KAAK,GAAG,KAAKX,QAAL,GAAGb,KAAKA,QAAL,CAAcW,KAAd,CAAoB,MAA pB,CAAhB,GAA8C,IAA5D;AACA,UAAm0Y,GAAG,GAAG1Y,KAAK,GAAGA,KAAK,CAAC,CAAD,CAAR,S AAKB,KAAK2P,GAAL,CAAS,SAAT,EAAoB,YAApB,CAAnC;AACA,WAAKtQ,QAAL,GAAGBoZ,MAAM,CA ACpc,IAAP,CAAYqc,GAAZ,CAAhB;AACD;;wBAEe;AACd9O,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACA ,aAAO,KAAK6F,IAAL,CAAUpQ,QAAjB;AACD;sBAEauU,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,sDAAD, CAAR;AACA,WAAK6F,IAAL,CAAUpQ,QAAV,GAAqBuU,GAArB;AACD;AAED;;;;;;;;;;AAWA;;;;;;;;;; ;;;;;;;;;;EAtDiBwC;;ACIBnB;;AACA;;;;;;;;;IAQMuc;AACJ;;;;;;;;;;AAWA,mBAAY9I,IAAZ,EAaKbQc,IAAIB,EA A6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AAC3B;;;;;;;;;AAQA,SAAK5C,IAA L,GAAY,SAAZ;AACA;;;;;;;;;AAMA,SAAKO,IAAL,GAAYA,IAAZ;;AAEA,QAAlqC,IAAI,CAAC5R,IAAL,IAAa 4R,IAAI,CAAC5R,IAAL,CAAU8M,MAA3B,EAaM;AACjC,UAAmf,GAAG,GAAG6F,IAAI,CAAC5R,IAAL,C AAU6R,UAAV,CAAqBD,IAArB,CAAZ;AACA;;;;;;;;;AAOA,WAAKxN,IAAL,GAAY2H,GAAG,CAAC3H,IAAh B;AACA;;;;;;;;;AAOA,WAAKC,MAAL,GAAc0H,GAAG,CAAC1H,MAAIB;AACD;;AAED,SAAK,IAAMiU,GA AX,IAAKB1G,IAAIB;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB;AACD;AAE D;;;;;;;;;SAQA1e,WAAA,oBAAW;AACT,QAAl,KAAKOG,IAAT,EAaE;AACb,aAAO,KAAKA,IAAL,CAAUK M,KAAV,CAAGb,KAAKqD,IAArB,EAa2B;AAChChJ,QAAAA,MAAM,EAaE,KAAKA,MADmB;AAEhC9J,Q AAAAA,KAAK,EAaE,KAAKA,KAFoB;AAGhC0W,QAAAA,IAAI,EAaE,KAAKA;AAHqB,OAA3B,EAIJ5J,OAJ H;AAKD,KAND,MAMO,IAAI,KAAKhD,MAAT,EAaIB;AACtB,aAAU,KAAKA,MAAF,UAA0B,KAAKjG,IAA/ B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED;;;;;;;;;AAUA;;;;;;;;;AC3FF;;;;;;;;;AA MA;;;;;;;;;IAcMgJ;AACJ;;;;;;;;;AAMA,kBAAYC,SAAZ,EAaUvJ,IAAvB,EAa6B2C,IAA7B,EAaM;AACjC;; ;;;;;;;;;;AAWA,SAAK4G,SAAL,GAAiBA,SAAjB;AACA;;;;;;;;;AAkBA,SAAKC,QAAL,GAAGb,EAaHb;A ACA;;;;;;;;;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACA;;;;;;;;;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;AACA;;;;;;;; ;AAMA,SAAKnU,GAAL,GAAWmB,SAAX;AACA;;;;;;;;;AAcA,SAAKgO,GAAL,GAAWHo,SAAX;AACD; AAED;;;;;;;;;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;;;;;;;;;SAGBA2L, OAAA,cAAKmG,IAAL,EAAWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl ;AAAA;;AACpB,QAAl,CAACA,IAAI,CAACrL,MAAV,EAaKb;AAChB,UAAI,KAAKmS,UAAI,IAAmB,KAA KA,UAAI,CAAGBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACrL,MAAL,GAAC,KAAKmS,UAAI,CAAG BC,aAA9B;AACD;AACF;;AAED,QAAMC,OAAO,GAAG,IAAIP,OAAJ,CAAY9I,IAAZ,EAaKbQc,IAAIB,CAA hB;AACA,SAAK6G,QAAL,CAAchd,IAAd,CAAmBmd,OAAAnB;AAEA,WAAOA,OAAP;AACD;AAED;;;;;;;;; SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAlgB,CAAC;AAAA,aAA IA,CAAC,CAACoW,IAAF,KAaW,SAAF;AAAA,KAAtB,CAAP;AACD;AAED;;;;;;;;;wBAQc;AACZ,aAAO,K AAKvR,GAAZ;AACD;;;;;;;;;ACIKH,SAASb,SAAT,CAAmB1Q,GAAnB,EAawB;AACtB,SAAO,OAAOA,GAAP, KAAe,QAaf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtd;AACD;AAED;;;;;;;;;AAKA;;;;;;;;;AAKA;;;;;;;;;

;IAQMC;AACJ,sBAAYT,SAAZ,EAAuB/a,GAAvB,EAA4BmU,IAA5B,EAAkC;AAChC,SAAKsH,WAAL,GAA
mB,KAAAnB;ACA,SAAK9B,SAAL,GAAiB,KAAjB;AAEA,QAAInI,IAAJ;;ACA,QAAI,OAAOxR,GAAP,KAA
e,QAAf,IAA2BA,GAAG,CAACuR,IAAJ,KAAa,MAA5C,EAAoD;AACIDC,MAAAA,IAAI,GAAGxR,GAAP;AA
CD,KAFD,MAEO,IAAIA,GAAG,YAAywb,UAAf,IAA6Bxb,GAAG,YAAy8a,MAAhD,EAawD;AAC7DtJ,MAA
AA,IAAI,GAAGxR,GAAG,CAACwR,IAAX;;ACA,UAAIxR,GAAG,CAACmP,GAAR,EAAa;AACX,YAAI,OA
AOgF,IAAI,CAACHf,GAAZ,KAAoB,WAAXB,EAAqCgF,IAAI,CAACHf,GAAL,GAAW,EAAx;AACrC,YAAI,
CAACgF,IAAI,CAACHf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACHf,GAAL,CAASuM,MAAT,GAAkB,
KAAIB;AACtBvH,QAAAA,IAAI,CAACHf,GAAL,CAASf,IAAT,GAAGbP0,GAAG,CAACmP,GAAPB;AACD;
AACF,KAPM,MAOA;AACL,UAAIgj,MAAM,GAAGF,KAAb;ACA,UAAI9D,IAAI,CAACwH,MAAT,EAAiBx
D,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAYID,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,EAAiB
A,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAx,EAAkBE,MAAM,GAAGA,
MAAM,CAACF,KAAhB;;AAEiB,UAAI;AACfzG,QAAAA,IAAI,GAAG2G,MAAM,CAACnY,GAAD,EAAMm
U,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAC;AACd,aAKA,KAAL,GAAaA,KAAb;AACD;AAC
F;;AAED,SAAKjD,MAAL,GAAC,IAAIsp,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAtB,EAA4B2C,IAA5B,CAAd;AA
CD;AAED;,,,,,;AAMGA,,,,,;SAMIh,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAAZ,EAAP;
AACD;AAED;,,,,,;SAQAjf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,;Sak
BAub,OAAA,cAAKM,WAAL,EAAkBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAL,GAAaR,IAAb,CAAK
BM,WAAlB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,;oBAiBA,gBAAMA,UAAAN,EAAkB;AACHB,W
AAO,KAAKC,KAAL,YAAmBD,UAAAnB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAMb3F,MAAnB,
EAA2B;AACzB,QAAI;AACF,WAAK2F,KAAL,GAAaA,KAAb;;ACA,UAAIA,KAAK,CAAC9T,IAAN,KAAe,
gBAAf,IAAmC,CAAC8T,KAAK,CAAC3F,MAA9C,EAAsD;AACpD2F,QAAAA,KAAK,CAAC3F,MAAN,GAA
eA,MAAM,CAACoS,aAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHd,MAGO,IAAIIG,MAAM,
CAACmT,cAAx,EAA2B;AAChC,YAAMC,UAAU,GAAGpT,MAAM,CAACoS,aAA1B;ACA,YAAMiB,SAAS,
GAAGrT,MAAM,CAACmT,cAAzB;ACA,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAAsBs
B,OAAzC;ACA,YAAMze,CAAC,GAAGue,SAAS,CAAC1a,KAAV,CAAGB,GAAhB,CAAV;ACA,YAAM5D,
CAAC,GAAGue,UAAU,CAAC3a,KAAx,CAAIb,GAAjB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CAAD,
KAASC,CAAC,CAAC,CAAD,CAAV,IAAIbQE,QAAQ,CAACtE,CAAC,CAAC,CAAD,CAAF,CAAR,GAAIbSE,
QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpDgO,UAAAA,QAAQ,CACN,MAAG,kCA
AkC,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KApB
D,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAAO,C
AAC+C,KAAr,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EAA2B;
AAAA;;AACzB,QAAI,KAAK3T,MAAL,IAAe,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB/L,MAA1C,EAAkD;AA
ChD,WAAKue,SAAL,GAAiB,IAAjB;ACA,aAAO6C,OAAO,EAAd;AACD;;AAED,QAAI;AACF,UAAAM1T,M
AAM,GAAG,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;ACA,UAAAM4T,OAAO,GAA
G,KAAKC,GAAL,CAAS7T,MAAT,CAAhB;ACA,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIwS,SAAS,CAA
CoB,OAAO,CAAb,EAAwB;AACtBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,CA
ACgB,SAAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAl;AACd,UAAA,KA
AI,CAACuN,WAAL,CAAiBvN,KAAjB,EAAwB3F,MAAxB;;ACA,UAAA,KAAI,CAAC6Q,SAAL,GAAiB,IAA
jB;ACA8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OAVD,MAUO;AACL,aAAK8N,S
AAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD;AACF,KAIBD,CakBE,OAAOhO,KAAP,EAAC;AACd,WAAKkL
,SAAL,GAAiB,IAAjB;ACA8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB
AAQ;AAAA;;AACN,QAAI,KAAKpC,SAAT,EAAoB;AACIB,aAAO,IAAIID,OAAJ,CAAY,UAAACJ,OAAO,EA
AUC,MAAV,EAAqB;AACtC,YAAI,MAAI,CAACHo,KAAT,EAAGB;AACdgO,UAAAA,MAAM,CAAC,MAAI,C
AACHo,KAAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,
CAAP;AACD;AACF,OANM,CAAP;AAOD;;AACD,QAAI,KAAKwL,UAAAT,EAAqB;AACnB,aAAO,KAAKA,U
AAZ;AACD;;AAED,SAKA,UAAAL,GAAkB,IAAID,OAAJ,CAAY,UAAACJ,OAAO,EAUUC,MAAV,EAAqB;AA
CjD,UAAI,MAAI,CAACHo,KAAT,EAAGB,OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAAN,CAAb;AACHB,
MAAA,MAAI,CAAC3F,MAAL,GAAC,CAAd;;ACA,MAAA,MAAI,CAACyT,SAAL,CAAeC,OAAf,EAAwBC,

MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;AACAA
,aAAO,MAAI,CAACtI,SAAL,EAAP;AACD,KAPiB,CAAIb;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,
OAAA,gBAAO;AAAA;;AACL,QAAI,KAAKjC,SAAT,EAAoB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA
AL,GAAiB,IAAjB;;AAEA,QAAI,KAAKkd,UAAI,EAAqB;AACnB,YAAM,IAAIxe,KAAJ,CAAU,sDAAV,CAA
N;AACD;;AAED,QAAI,KAAKoQ,KAAT,EAAGB,MAAM,KAAKA,KAAx;AAEhB,SAAKjD,MAAL,CAAYuP,
SAAZ,CAAsB5T,OAAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAl;AAC9C,UAAAM4T,OAAO,GAAG,
MAAI,CAACC,GAAL,CAAS7T,MAAT,CAAhb;;AACAA,UAAIwS,SAAS,CAACoB,OADD,CAAAb,EAAwB;AAC
tB,cAAM,IAAIre,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKmN,MAAZ;AACD;;
SAEDmR,MAAA,aAAI7T,MAAJ,EAAY;AACV,SAAK0C,MAAL,CAAYyP,UAAZ,GAAyBnS,MAAzB;;AAEA,
QAAI;AACF,aAAOA,MAAM,CAAC,KAAK0C,MAAL,CAAYgG,IAAb,EAAMb,KAAKhG,MAAxB,CAAAb;AA
CD,KAFD,CAEE,OAAOid,KAAP,EAAC;AACd,WAAKuN,WAAL,CAAiBvN,KAAjB,EAAwB3F,MAAxB;AAC
A,YAAM2F,KAAN;AACD;AACF;;SAED4C,YAAA,uBAAY;AACV,QAAI,KAAKoK,WAAT,EAAsB,OAAO,K
AAKjQ,MAAZ;AACtB,SAAKiQ,WAAL,GAAMb,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,
KAAK3I,MAAL,CAAY2I,IAAzB;AACAA,QAAI5Y,GAAG,GAAG8V,SAAV;AACAA,QAAI8C,IAAI,CAACwH,M
AAT,EAAiBpgB,GAAG,GAAG4Y,IAAI,CAACwH,MAAL,CAAYtK,SAAIb;AACjB,QAAI8C,IAAI,CAACI,WA
AT,EAAsBhZ,GAAG,GAAG4Y,IAAI,CAACI,WAAX;AACtB,QAAIhZ,GAAG,CAAC8V,SAAR,EAAMb9V,GA
AG,GAAGA,GAAG,CAAC8V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAjQ,IAAAA,GAAG,CAAC,
KAAKiW,IAAN,EAAY,UAAArW,CAAC,EAAl;AACIBqQ,MAAAA,MAAM,IAAIrQ,CAAV;AACD,KAFE,CA
AH;AAGA,SAAKqQ,MAAL,CAAYxL,GAAG,GAAKbW,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wB
AnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;;wBAIW;AACT,aAAO,KAAKvP,MAA
L,CAAY2I,IAAnB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBrR,GAAxB;AACD;A
AED;;;;;;wBAYc;AACZ,aAAO,KAAKqR,SAAL,GAAiB9P,OAAxB;AACD;AAED;;;;;;wBAYU;AA
CR,aAAO,KAAK8P,SAAL,GAAiBIC,GAAxB;AACD;AAED;;;;;;wBAaW;AACT,aAAO,KAAKyM,IAAL,
GAAYpK,IAAnB;AACD;AAED;;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAAnB;AACD;;;;;A
C5JH;AACAA,AAEA;;;;;AAOA;;;;;AAUA;;;;;AAUA;;;;;AAMA;;;;;AAKA;;;;;AAMA;;;;;AAKA;;;;;;
;;;;;AAkCA;;;;;IASM8B;AACJ;;;AAIA,qBAAY3V,OAAZ,EAA0B;AAAA,QAAAdA,OAAC;AAAdA,
MAAAA,OAAC,GAAJ,EAAl;AAAA;;AACxB;;;;;AAQA,SAAKkV,OAAL,GAAe,OAAC;AACAA;AAAA;AAOA,SA
AKIV,OAAL,GAAe,KAAK0R,SAAL,CAAe1R,OAAC,CAAF;AACD;AAED;;;;;SA6BAmB,MA
AA,aAAIQ,MAAJ,EAAY;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa4V,MAAb,CAAoB,KAAKIE,S
AAL,CAAe,CAAC/P,MAAD,CAAF,CAAPB,CAAF;AACAA,WAAO,IAAP;AACD;AAED;;;;;SAsBAP
N,UAAA,iBAAQsE,GAAR,EAAMu,IAAb,EAAwB;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,E
AAI;AAAA;;AACtB,WAAO,IAAIqH,UAAJ,CAAe,IAAF,EAAqBxB,GAARb,EAA0BmU,IAAI1B,CAAP;AACD;;S
AED0E,YAAA,mBAAU1R,OAAV,EAAMb;AACjB,QAAI6V,UAAU,GAAG,EAAb;AACAA7V,IAAAA,OAAO,
CAACIJ,OAAR,CAAGB,UAAA9C,CAAC,EAAl;AACnB,UAAIA,CAAC,CAAC8hB,OAAN,EA Ae9hB,CAAC,G
AAGA,CAAC,CAAC8hB,OAAN;;AAEf,UAAI,OA AO9hB,CAAP,KAAa,QAAAb,IAAYb6P,KAAK,CAACC,OA
N,CAAc9P,CAAC,CAACgM,OAAbB,CAA7B,EAAuD;AACrD6V,QAAAA,UAAU,GAAGA,UAAU,CAACD,M
AAX,CAAk5hB,CAAC,CAACgM,OAAPB,CAAAb;AACD,OAAD,MAEO,IAAI,OA AOHm,CAAP,KAAa,UAAjB
,EAA6B;AACIC6hB,QAAAA,UAAU,CAACHf,IAAX,CAAGB7C,CAAhb;AACD,OA FM,MAEA;AACL,cAAM,I
AAIkD,KAAJ,CAAaID,CAAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO6hB,UAAP;AACD;;;;;AC1LH;;;;;
;;IAUM/G;;AACJ,gBAAY/B,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAAN;AACAA,UAAK3C,IAAL,GAAY
,MAAZ;AACAA,QAAI,CAAC,MAAKnP,KAAY,EAAiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;;;SAEDM,
cAAA,qBAAYM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAx,CAAR;;A
AEA,QAAIA,KAAK,KAAK,CAAV,IAAE,KAAKZ,KAAL,CAAWHh,MAAX,GAAoB,CAAvc,EAA0C;AACxC,
WAAKgH,KAAL,CAAW,CAAX,EAACsP,IAAD,CAAMBa,MAAnB,GAA4B,KAAKnQ,KAAL,CAAWY,KAAx,
EAAk0O,IAAIb,CAAuBa,MAAnD;AACD;;AAED,gCAAa7P,WAAb,YAAyBM,KAAzB;AACD;;SAED6V,YA
AA,mBAAU7V,KAAY,EAAiB0W,MAAjB,EAAYbnI,IAAZB,EAA+B;AAC7B,QAAAMnP,KAAK,wBAASyW,SA
AT,YAAmB7V,KAANB,CAAX;;AAEA,QAAI0W,MAAJ,EAAY;AACV,UAAInI,IAAI,KAAK,SAAb,EAAwB;A
ACtB,YAAI,KAAKnP,KAAL,CAAWHh,MAAX,GAAoB,CAAxB,EAA2B;AACzBse,UAAAA,MAAM,CAACHi,

IAAP,CAAYa,MAAZ,GAAqB,KAAKnQ,KAAL,CAAW,CAAX,EAAcsP,IAAd,CAAmBa,MAAxC;AACD,SAFD
,MAEO;AACL,iBAAOmH,MAAM,CAAChI,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAK
G,KAAL,KAAegH,MAAnB,EAA2B;AACChX,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAe,IAAI,EAAl;
AACpBA,UAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,GAAMbMh,MAAM,CAACChI,IAAP,CAAYa,MAA/B;
AACD,SAFD;AAGD;AACF;;AAED,WAAOnQ,KAAP;AACD;AAED;,,,,,,,,,,,,;SAaA8a,WAAA,kBAAS/I,IAAT,
EAAoB;AAAA,QAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACIB,QAAMgJ,IAAI,GAAG,I
AAI3B,UAAJ,CAAe,IAAIbB,SAAJ,EAaf,EAAGc,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC
9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOtR,KAAP,EAAC;AACZ6I,IAAAA,QAAQ,CAAC,iDAAD,CAA
R;AACa,SAAKnJ,WAAL,CAAiBM,KAAjB;AACD;;SAEDoa,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC,
uDAAD,CAAR;AACa,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAKb6B,GAAzB;AACD;AAED;,,,,,,,,,,,,;
;EAjEiBkJ;;ACZnB,IAAIgF,QAAQ,GAAG,CAAF;AAEA;,,,,;AAOA;,,,,;IAOMpO;AACJ;,,,AAIA,iBAAYjP,G
AAZ,EAAiBmU,IAAjB,EAA4B;AAAA,QAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACIB
,,,,;AAOA,SAAKnU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;;AAEA,QAAl,KAAK6D,GAAL,CAAS,C
AAT,MAAGB,QAAbB,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAGB,QAAdD,EAA0D;AACxD,WAAKA,GAA
L,GAAW,KAAKA,GAAL,CAAS0O,KAAT,CAAe,CAAF,CAAX;AACD;;AAED,QAAlYf,IAAI,CAAC2D,IAAT,
EAAe;AACb,UAAI,YAAY/b,IAAZ,CAAiBoY,IAAI,CAAC2D,IAAtB,CAAJ,EAAlC;AAC/B;,,,,;AAQA,aAAKx
I,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd,
OAAI,CAAarI,IAAI,CAAC2D,IAAIb,CAAZ;AACD;AACF;AAED;,,,,,,,,,,,,;AAiBA,QAAl,CAAC,KAAKxI,I
AAV,EAAGB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;,,,,;AAUA,WAAK7c,EAAL,mBAAwB6c,QAA
xB;AACD;;AACD,QAAl,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAGB,KAAKwI,IAArB;AAC
f;,,,SAEDrJ,QAAA,eAAM3C,OAAN,EAaenF,IAAf,EAaqBC,MAArB,EAA6BuN,IAA7B,EAAwC;AAAA,QAA
XA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACtC,QAAl3I,MAAJ;AACa,QAAM+R,MAAM,G
AAG,KAAKA,MAAL,CAAY5W,IAAZ,EAakBC,MAAIb,CAAF;AACa,QAAl2W,MAAJ,EAAY;AACV/R,MA
AAA,MAAM,GAAG,IAAI4D,cAAJ,CACpD,OADO,EAEPyR,MAAM,CAAC5W,IAFA,EAGP4W,MAAM,CAA
C3W,MAHA,EAIP2W,MAAM,CAACIO,MAJA,EAKPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACrL,MA
NE,CAAT;AAQD,KATD,MASO;AACL0C,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAmBtD,OAAnB,EAA4B
nF,IAA5B,EAakCC,MAAIc,EAA0C,KAAK5G,GAA/C,EAAoD,KAAKsP,IAAZD,EAA+D6E,IAAI,CAACrL,M
AApE,CAAT;AACD;;AAED0C,IAAAA,MAAM,CAAC8B,KAAP,GAAe;AAAE3G,MAAAA,IAAI,EAAlJA,IAAF
;AAAQC,MAAAA,MAAM,EAANA,MAAR;AAAGByI,MAAAA,MAAM,EAAlE,KAAKrP;AAA7B,KAAf;AACa
,QAAl,KAAKsP,IAAT,EAae9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAAoB,KAAKA,IAAZB;AAEf,WAA
O9D,MAAP;AACD;AAED;,,,,,,,,,,,,;SAaA+R,SAAA,gBAAO5W,IAAP,EAaAc,MAAb,EAaqB;AACnB,QAAl,
CAAC,KAAKuI,GAAV,EAae,OAaO,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT
,EAajB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE9W,MAAAA,IAAI,EAAlJA,I
AAF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAb;AACa,QAAl,CAACkR,IAAI,CAACzI,MAAV,
EAakB,OAaO,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAAlE,KAAKoO,UAAI,CA
AgB5F,IAAI,CAACzI,MAArB,CADO;AAEb1I,MAAAA,IAAI,EAAlEmR,IAAI,CAACnR,IAFE;AAGbC,MAAA
A,MAAM,EAAlEkR,IAAI,CAACIR;AAHA,KAAf;AAMA,QAAMyI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,
CAA0B7F,IAAI,CAACzI,MAA/B,CAAF;AACa,QAAlA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAGBA,
MAAhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDkS,aAAA,oBAAWpO,IAAX,EAAlB;AACf,QAAl,YAAYvT,IA
AZ,CAAiBuT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAAC
d,OAAI,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GAaObI,UAApB,IAAkC,GAA/C,EAAoDtO,IAApD,CAAP;A
ACD;AACF;AAED;,,,,,,,,,,,,;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK9O,EAAzB;AACD;,,,;ICIKk
Bqd;,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAACf,QAAQ,CAAC,KAAKC,KAAAN,EAAlA;AA
AEI,MAAAA,YAAY,EAAlE;AAAhB,KAAb,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAAR,EAAlE;AACb,QA
AM3M,IAAI,GAAG,IAAIwT,OAAl,EAAb;AACa,SAAKU,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CA
AD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAG,
GAakB;AAAEJ,MAAAA,IAAI,EAAlEuI,KAAK,CAAC,CAAD,CAAb;AAAKb1I,MAAAA,MAAM,EAAlEsI,KAA
K,CAAC,CAAD;AAA/B,KAAIB;AAEA,QAAl4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT

,CAAe,CAAf,CAAX;ACA,QAAlO,IAAI,CAACpD,KAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,IAAI,GAAGA,IAAI,CAACpD,KAAL,CAAW,CAAX,EAAc,CAAC,CAAf,CAAP;;AAE7B,QAAl,QAQ3S,IAAR,CAAa+V,IAAb,CAAJ,EAAwB;AACtBvP,MAAAA,IAAI,CAACuP,IAAL,GAAY,EAAZ;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAlBG,IAAjB;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAY,GAakB,EAAIB;AACD,KAJD,MAIO;AACL,UAM5P,KAAK,GAAG6P,IAAI,CAAC7P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAAD,CAAJB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAlB1P,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAY,GAakB5P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAED4U,kBAAA,2BAakB;;SAElBC,cAAA,qBAAYIH,KAAZ,EAAmB;AACjB,QAAMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,CAakBkB,KAAIB,EAAyB,KAAKtB,GAAL,GAAW,CAApC,CAAf;AACa,SAAK6H,MAAL,IAAe2H,MAAM,CAAC3O,GAAP,CAAW,UAAAhU,CAAC;AAAA,aAAIA,CAAC,CAAC,CAAD,CAAL;AAAA,KAAZ,EAA5BmD,IAAtB,CAA2B,EAA3B,CAAf;AACD;;SAEDmZ,kBAAA,2BAakB;AChB,SAAKvB,OAAL,CAAaxE,IAAb,CAAkBb,KAAIB,IAA2B,GAA3B;AACD;;SAEDkH,cAAA,uBAAc;;SAEdR,gBAAA,uBAAchV,IAAd,EAAoB;AAClBA,IAAAA,IAAI,CAAC5H,IAAL,GAAY,EAAZ;AACD;;SAEDuc,0BAAA,iCAAW3J,MAAxB,EAAgC;AAC9B,QAAM+C,KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KAAd,EAAqB;AAErB,QAAl7O,KAAJ;;AACa,SAAKA,KAAK,GAAG6O,KAAK,GAAG,CAArB,EAAwB7O,KAAK,IAAI,CAAjC,EAAoCA,KAAK,EAAzC,EAA6C;AAC3C,UAAI8L,MAAM,CAAC9L,KAAD,CAAN,CAAc,CAAd,MAAqB,MAAzB,EAAiC;AACIC;;AACD,SAAKA,KAAK,IAAI,CAAd,EAAiBA,KAAK,IAAI,CAA1B,EAA6BA,KAAK,EAAIC,EAA5C;AACpC,UAAI8L,MAAM,CAAC9L,KAAD,CAAN,CAAc,CAAd,MAAqB,OAazB,EAAkC;AAChCA,QAAAA,KAAK,IAAI,CAAT;AACa;AACD;AACF;;AACD,QAAM8U,KAAK,GAAGhJ,MAAM,CAACzI,MAAP,CAAcD,KAAd,EAAqB8L,MAAM,CAACnS,MAAP,GAAGbqG,KAARc,CAAd;AACa,SAAKsQ,IAAL,CAAUwE,KAAY;AACD;;SAEDc,uBAAA,gCAAuB;;SAEvBb,UAAA,mBAAU;AACR,QAAl,KAAKN,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8B,KAAKA,SAAnC;AACD;;AACD,SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;;AAEA,WAAO,KAAKD,OAAL,CAAa7S,MAApB,EAA4B;AAC1B,WAAK6S,OAAL,GA Ae,KAAKA,OAAL,CAAa7S,MAA5B;AACa,WAAK6S,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,EAA1B;AACD;AACF;;EAXEqCmF;;ACLxC;AACa,AAIe,SAAS+H,SAAT,CAAmB/d,GAAnB,EAAwBmU,IAAxB,EAA8B;AAC3C,MAAM7G,KAAK,GAAG,IAAI2B,KAAJ,CAAUjP,GAAY,EAAemU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAI0F,UAAJ,CAAevQ,KAAf,CAAf;AACa6K,EAAAA,MAAM,CAAC9K,QAAP;AACa8K,EAAAA,MAAM,CAAC9B,IAAP;AAEA,SAA08B,MAAM,CAAC3G,IAAd;AACD;;ACbD;AAUA,IAAIwM,SAAS,GAAG,EAAhb;AAEA,AAIA;;;AAGA,oBA Ae,UAACTu,UAAD,EAA4B;AAAA,MACnCuU,WADmC;AAIvC,yBAAY/e,KAAZ,EAA4B;AAC1B,WAAKA,KAAL,GAaA,KAAb;AACD;;AANsC;;AAAA,WAQvCgf,mBARuC,GAQvC,6BAAoB5S,gBAAPB,EAA8C;AAC5C,UAM5C,OA AO,GAAG2C,OA AO,CAAC,KAAKnM,KAAAN,EAAoM,gBAAb,CAAP,CAAsChN,IAAtC,CAA2C,EAA3C,CAAhB;AAEA,UAMhD,IAAI,GAAG6iB,mBAAmB,CAACzV,OAAD,CAAhC;;AACa,UAAI,CAACsV,SAAS,CAAC1iB,IAAD,CAAd,EAA5B;AACpB,YAAMkW,IAAI,GAAGyG,SAAK,CAACvP,OAAD,CAAlB;AACa,YAAM0V,SAAS,GAAG,EAAIB;AACa5M,QAAAA,IAAI,CAAC8G,IAAL,CAAU,UAAA/V,IAAI,EAAI;AACHB,cAAIA,IAAI,CAACgP,IAAL,KAAC,MAAlB,EAA0B;AACxB6M,YA AAA,SAAS,CAACpgB,IAAV,CAAe,CAACuE,IAAI,CAAC0P,IAAN,EAAy1P,IAAI,CAAC+H,KAAjB,CAAf;AACD,WAFD,MAEO,IAAI5O,OA AO,CAACC,GAAR,CAAYC,QA AZ,KAAyB,YAAzB,IAAyC2G,IAAI,CAACgP,IAAL,KAAC,SAA3D,EAA5E;AAC3E;AACa7F,YAAAA,OA AO,CAACC,IAAR,mBAA6BpJ,IAAI,CAACgP,IAAIC;AACD;AACF,SAPD,EAHoB;AAyPB;AACa;AACa;;AACa,YAAM8M,WAAW,GAAGC,kBAakB,CAACF,SAAD,EAAy,CACHd,cADgD,EAHd,aAFgD,EAGhD,aAHgD,EAIhD,aAJgD,CAAZ,CAAtC;AAMA,YAAMG,MAAM,GAAG7U,UAAU,CAAC8U,MAAX,CAAKB;AAC/BR,UAAAA,SAAS,EAAEK;AADoB,SAAlB,CAAf;AAGAL,QAAAA,SAAS,CAAC1iB,IAAD,CAAT,GAakBijB,MAAM,CAACP,SAAzB;AACD;;AACD,aAAOA,SAAAS,CAAC1iB,IAAD,CAAhB;AACD,KAvCsC;;AAAA;AAAA;;AA0CzC,SAAO2iB,WAAP;AACD,CA3CD;;ACnBA;;AACa;;;AA2BA,IAAMQ,QA AQ,GAAG,SAAXA,QA AW,CAA5I,GAAG,EAAI;AACtB,SACE,OA AO,GAAP,KA Ae,UAAf,IAA8B,OA AO,GAAP,KA Ae,QA Af,IAA2BA,GAAG,KAAK,IAAnC,IAA2

C,CAAC7K,KAAK,CAACC,OAAN,CAAc4K,GAAd,CAD5E;AAGD,CAJD;;AAMA,IAAM6I,UAAU,GAAG,SAAbA,UAAa,CAA5T,GAAG,EAAI;AACxB,SAAOA,GAAG,KAAK,WAAR,IAAuBA,GAAG,KAAK,aAA/B,IAAgDA,GAAG,KAAK,WAA/D;AACD,CAFD;;AAIA,SAAS6T,KAAT,CAAeljB,MAAf,EAAuBoa,GAAvB,EAA4B/K,GAA5B,EAAiC;AAC/B,MAAMF,GAAG,GAAGnP,MAAM,CAACqP,GAAD,CAAlB;;AACA,MAAI2T,QA AQ,CAAC5I,GAAD,CAAR,IAAiB4I,QAAQ,CAAC7T,GAAD,CAA7B,EAAoC;AAClCgU,IAAAA,SAAS,CAAC hU,GAAD,EAAMiL,GAAN,CAAT;AACD,GAFD,MAEO;AAClpa,IAAAA,MAAM,CAACqP,GAAD,CAAN,GA Ac+K,GAAd;AACD;AACF;;AAED,AAAE,SAAS+I,SAAT,CAAmBnjB,MAAnB,EAAoC;AAAA,oCAANojB,IA AM;AAANA,IAAAA,IAAM;AAAA;;AACjD,2BAAkBA,IAAlB,2BAAwB;AAAnB,QAAMjU,GAAG,YAAT;;AA CH,QAAI6T,QAAQ,CAAC7T,GAAD,CAAZ,EAAMb;AACjB,WAAK,IAAME,GAAX,IAAkBF,GAAIB,EAAuB; AACrB,YAAI8T,UAAU,CAAC5T,GAAD,CAAd,EAAqB;AACnB6T,UAAAA,KAAK,CAACljb,MAAD,EAA5m P,GAAG,CAACE,GAAD,CAAZ,EAAMbA,GAAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOrP,MAAP ;AACD;;AC3DD;AACA,AAMA,sBA Ae,UAAc4d,KAAD,EAAeyF,aAAf,EAAMCC,YAAAnC,EA AwE;AAAA,MA ArCA,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBvhB,YAAiB;AAAA;;AACrF,SAAQ6b,KAAK,CAAC2F,KAAN ,KAAgBD,YAAY,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAY,CAA CC,KAA5F;AACD,CAFD;;ACPA;AAGA,AAAE,SAASC,KAAT,CAAexjB,MAAf,EAAMF;AAChG,SACE,OAA OA,MAAP,KAAkB,QAAIB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM, CAACyjB,MAAP,CAAc,CAAd,MAAqBzjB,MAAM,CAACyjB,MAAP,CAAc,CAAd,EAAiB/U,WAAjB,EADxB, GAEG,IAHJ,CADF;AAMD;;ACVD;AAEA,AAGe,SAASgV,mBAAT,CACb1jB,MADa,EAEL;AACR,SAAOwjB, KAAK,CAACxjB,MAAD,CAAL,eAA0BA,MAA1B,eAA+CD,gBAAgB,CAACC,MAAD,CAA/D,MAAP;AACD;; ICKY2jB,YAAY,GAA0BpW,KAAK,CAACC,aAAN,EAA5C;AAEP,IAAaoW,aAAa,GAAGD,YAAY,CAACjW, QAAAnC;;AAEP,SAASmW,UAAT,CAAoBN,KAApB,EAA0CO,UAA1C,EAAqE;AACnE,MAAI,CAACP,KAAL, EAAy;AACV,WAAO1f,0BAAgB,CAAC,EAAD,CAA vB;AACD;;AAED,MAAIxD,UAAU,CAACkjB,KAAD,CA Ad,EAAuB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE7jB,OAAO,CAA CC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC4jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAA N,CAAcuU,WAA d,CAAxB,IAAsD,OAAOA,WAAP,KAAuB,QAD9E,CADF,EAGE;AACA,aAAOlG,0BAAgB, CAAC,CAAD,CAA vB;AACD;;AAED,WAAOkG,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAN,CA Ac+T,KAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAAuD;AACrD,WAAO1f,0BAAgB,CAAC,CAAD,CAA vB;AACD;;AAED,SAAOigB,UAAU,gBAAQA,UAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;;;;;AA GA,AAAE,SAASS,aAAT,CAAuBpG,KAAvB,EAAqC;AACID,MAAMkG,UAAU,GAAGG,UAAU,CAACN,YAA D,CAA7B;AACA,MAAMO,YAAY,GAAGC,OAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F, KAAP,EAAcO,UAA d,CAAhB;AAAA,GAAD,EAA4C,CACtElG,KAAK,CAAC2F,KADgE,EAETEO,UAFsE,CAA 5C,CAA5B;;AKA,MAAI,CAACIG,KAAK,CAACT,QAA X,EAAqB;AACnB,WAAO,IAAP;AACD;;AAED,sBA AO,oBAAC,YAAD,CAAc,QAA d;AAAuB,IAAA,KAAK,EAAE+G;AAA9B,KAA6CtG,KAAK,CAACT,QAA nD, CAAP;AACD;;AC1CD;AAEA;;AACA,IAAMiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CA AlB;;IAEMC;,,,,,;UAGJC,QAAQ;,,,,;SAERC,SAAA,kBAAS;AAAA;;AACP,wBACE,oBAAC,aAAD,QACG,U AACHB,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAEX4G,eAFW,gBAEhBC,GAfGB;AA AA,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAihBC,kBAJgB,gBAihBA,kBAJgB;AAAA,UAkhBC,WALgB, gBAkhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,MAPg B;AAAA,4CAQhB5e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbyX,KATa;;AAAA,UAYV 0F,YAZU,GAYkCsB,kBAZIC,CAYvtB,YAZU;AAAA,UAYItjB,MAZJ,GAYkC4kB,kBAZIC,CAYI5kB,MAZJ;A AAA,UAYYglB,iBAZZ,GAYkCJ,kBAZIC,CAYYI,iBAZZ;AAalB,UAAMC,mBAAMb,GACvB,MAAI,CAACX, KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EAA7B,IAAmCH,eAAAnC,IAAsDE,QAA tD,IA AkE1kB,MADpE;;AAGA,UAAMkIB,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAAI,CAAC xH,KAAN,EAAa2F,KAAb,EAAoBD,YAApB,CAAd,IAAmDvhB,YAD7B,EAETb,MAAI,CAAC6b,KAFiB,CAAx B;;AKA,UAAMyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;AACA,UAAMK,aAAa,GAAG,MAA I,CAACHB,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAqD1G,KAA3E;A ACA,UAAM2H,YAAY,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;AACA,UAAMoB,eAAe,GAAG,EAA xB;AACA,UAAInW,GAAJ;;AAEA,WAAKA,GAAL,IAAYiW,aAAZ,EAA2B;AACzB,YAAIjW,GAAG,CAAC,C

AAD,CAAH,KA AW,GAAX,IAAkBA,GAAG,KAAK,IAA9B,EAAoC,SAApC,KACK,IAAIA,GAAG,KAAK,aAA
Z,EAA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AACD,SAF
I,MAEE,IAAI,CAACKW,YAAD,IAAiBA,YAAY,CAACIW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;AACxD;A
ACAoB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AACF;;AA
EDmW,MAAAA,eAAe,CAACrf,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UAAcsf,KAAD,EA
AW;AACT,eAAO,CAACP,eAAD,EAAkB5D,MAA1B,CAAyBnb,KAAK,CAACsf,KAAD,CAA9B,CAAP;AACD,
OAHuB,GAItB,CAACP,eAAD,EAAkB5D,MAA1B,CAAyBnb,KAAzB,CAJF;AAKAqf,MAAAA,eAAe,CAACT,
MAAhB,GAAyBA,MAAM,IAAIS,eAAe,CAACT,MAAnD;AAEA,UAAID,YAAJ,EAAkBU,eAAe,CAACE,GAA
hB,GAAzBZ,YAAtB;AACIB,UAAID,WAAJ,EAAiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,aAAOh
d,aAAa,CAACod,mBAAD,EAAzBO,eAAtB,CAApB;AACD,KAJDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsB
pC,KAAtB,EAAc3F,KAAcT,EAAqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMvZ,OAAO,gBAAQ6S,KAAr;
AAAE2F,MAAAA,KAAK,EAALA;AAAf,MAAb;;AAEA,QAAI,CAACe,KAAK,CAAC3kB,MAAX,EAAMb,OA
AOoL,OAAP;AAEnB,SAAKuZ,KAAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC9hB,OAAN,CAAc,UAAAOj
B,OAAO,EAAl;AACvB,UAAIC,eAAe,GAAGD,OAAtB;AACa,UAAIE,IAAJ;AACa,UAAIzW,GAAJ;;AAEA,U
AAIhP,UAAU,CAACwIB,eAAD,CAAd,EAAiC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC9a,OAAD,CAAj
C;AACD;AAED;;AACa,WAAKsE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,C
AACxW,GAAD,CAAtB;AACa,QAAA,MAAI,CAACiV,KAAL,CAAWjV,GAAX,IAAkByW,IAAIB;AACa/a,QA
AAA,OAAO,CAACsE,GAAD,CAAP,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO/a,OAAP;
AACD;;SAEDoa,0BAAA,iCAAwB5B,KAAxB,EAAoC3F,KAApC,EAAgD;AAAA,QACtCmI,WADsC,GACtBnI,
KAAK,CAACgH,kBADgB,CACtCmB,WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,CACvBp
C,KADuB,EAEvB3F,KAFuB,EAGvBA,KAAK,CAACgH,kBAAN,CAAyBN,KAHF,CAAzB;AAMA,WAAOyB,
WAAW,CAACtD,mBAAZ,CAAgC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EAAoC;AA
CIC,QAAI,KAAKIQ,IAAL,KAAcrQ,SAAlB,EAA6B;AAC3B;AACa,WAAKqQ,IAAL,CAAUiQ,cAAV,CAAyBC
,WAAzB;AACD,KAHD,MAGO,IAAIhmB,OAAO,CAACC,GAAR,CAAyC,QAAYZ,KAAyB,YAA7B,EAA2C;AA
ChD;AACa8P,MAAAA,OAAO,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;EA/GiCgW;;AAkHpC,8BAAe,U
AAC1D,WAAD,EAA2B;AACxK,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAACnmB,MAAD,EAAiB0J,
OAAjB,EAAcKjG,KAAIC,EAAqD;AAAA,yBAKnFiG,OALmF,CAErF4a,KAFqF;AAAA,QAerFA,KAFqF,+BAE
7EziB,WAF6E;AAAA,+BAKnF6H,OALmF,CAGrFtJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEsjB,mBAAMb,
CAAC1jB,MAAD,CAHoD;AAAA,gCAKnF0J,OALmF,CAIrF0c,eAJqF;AAAA,QAIrFA,eAJqF,sCAInE/B,qBAJm
E;AAOVf,QAAMgC,OAAO,GAAG,CAAC7C,KAAK,CAACxjB,MAAD,CAAtB;AACa,QAAMsmB,kBAAkB,G
AAGxIB,iBAAiB,CAACd,MAAD,CAA5C,CARuF;;AAWvF,QAAMumB,4BAA4B,GAAGhZ,KAAK,CAACiZ,U
AAN,CAAiB,UAAc5I,KAAD,EAAQ8H,GAAR;AAAA,0BACpD,oBAAC,eAAD,eACM9H,KADN;AAEE,QAA
A,kBAAkB,EAAE2I,4BAFtB;AAGE,QAAA,YAAY,EAAEb;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QA
AMe,UAAU;AAEdH,IAAAA,kBAAkB,IAAItmB,MAAM,CAACskB,KAA7B,GACI/U,KAAK,CAAC/O,SAAN,C
AAGB8gB,MAAhB,CAAuBthB,MAAM,CAACskB,KAA9B,EAAqCA,KAArC,EAA4C1E,MAA5C,CAAmDle,O
AAnD,CADJ,GAEI4iB,KAJN,CAnBuF;;AA0BvF,QAAIU,iBAAiB,GAAGtb,OAAO,CAACsb,iBAAhC,CA1BuF;;
AA6BvF,QAAIsB,kBAAkB,IAAItmB,MAAM,CAACglB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,EAAuB;AACr
B;AACAA,QAAAA,iBAAiB,GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA;AAEIB3mB,
YAAAA,MAAM,CAACglB,iBAAP,CAAyBxO,IAAZB,EAA+BkQ,QAA/B,EAAyCC,kBAAzC,KACAjD,OAAO,C
AACsb,iBAAR,CAA0BxO,IAA1B,EAAgCkQ,QAAhC,EAA0CC,kBAA1C;AAHkB;AAAA,SAAPB;AAID,OAN
D,MAMO;AACL;AACa3B,QAAAA,iBAAiB,GAAGhIB,MAAM,CAACglB,iBAA3B;AACD;AACF;AAED;;;A
AKA;;AACAuB,IAAAA,4BAA4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAACnmB
,WAA7B,GAA2CA,WAA3C,CAIDuF;;AAqDvFmmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAjD,C
ArDuF;;AAwDvFuB,IAAAA,4BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAAkB,
GAAGtmB,MAAM,CAAC+IB,WAAP,CAAmBtiB,KAAAnB,CAAyB6d,MAAZB,CAAGC7d,KAAhC,CAAH,GAA4
CA,KAFrB,CAA3C,CAXDuF;;AA8DvF8iB,IAAAA,4BAA4B,CAACxIB,iBAA7B,GAAiD,uBAAjD,CA9DuF;;AA
gEvFwIB,IAAAA,4BAA4B,CAACvmB,MAA7B,GAAcsmB,kBAAkB;AAEpDtmB,IAAAA,MAAM,CAACA,M
AF6C,GAGpDA,MAHJ,CAHEuF;;AAqEvFumB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAA

uB5jB,GAAvB,EAAoC;AAAA,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CymB,EA
D0C,GACjBnd,OADiB,CACvDsD,WADuD;AAAA,UACn8Z,aADmC,iCACjBpd,OADiB;;AAE/E,UAAMqd,U
AAU,gBACXD,aADW;AAEdxC,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAAfA;AAHc,QAA
hB;;AAMA,aAAOD,2BAA2B,CAACnjB,GAAD,EAAM+jB,UAAN,EAakBtjB,KAAIB,CAAIC;AACD,KATD,C
ArEuF;;;AAiFvF9C,IAAAA,MAAM,CAACqmB,cAAP,CAAsBT,4BAAtB,EAAoD,cAAPD,EAAoE;AACIEthB,M
AAAA,GADkE,iBAC5D;AACJ,eAAO,KAAKgiB,mBAAZ;AACD,OAHIE;AAKIEnjB,MAAAA,GALkE,eAK9Dq
L,GAL8D,EAKzD;AACP;ACA,aAAK8X,mBAAL,GAA2BX,kBAaKB,GAAGY,SAAK,CAAC,EAAD,EAAKIn
B,MAAM,CAACsjB,YAAZ,EAA0BnU,GAA1B,CAAR,GAAYCA,GAAtF;AACD;AARiE,KAApE;;AAWA,QAAI
kX,OAAJ,EAAa;AACXc,MAAAA,KAAK,CAACZ,4BAAD,EAAgCvmB,MAAhC,EAA8C;AACjD;AACAskB,Q
AAAA,KAAK,EAAE,IAF0C;AAGjDlkB,QAAAA,WAAW,EAAE,IAHoC;AAIjD4kB,QAAAA,iBAAiB,EAAE,IA
J8B;AAKjDe,QAAAA,WAAW,EAAE,IALoC;AAMjDh1B,QAAAA,iBAAiB,EAAE,IAN8B;AAOjDf,QAAAA,M
AAM,EAAE,IAPyC;AAQjD4mB,QAAAA,aAAa,EAAE;AARkC,OAA9C,CAAL;AAUD;;AAED,WAAOL,4BAA
P;AACD,GA1GD;;AA4GA,SAAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBAaE,UACbiB,OADa,EAEBzkB,c
AFa,EAGY;AACzB,MAAMoN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAF;;AAEA,OAAK,IA
AI1nB,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAGK,cAAc,CAACHd,MAArC,EAA6CD,CAAC,GAAG4C,G
AAjD,EAA5D5C,CAAC,IAAI,CAA3D,EAA8D;AAC5DqQ,IAAAA,MAAM,CAACxN,IAAP,CAAYI,cAAc,CAA
CjD,CAAD,CAA1B,EAA+B0nB,OAAO,CAAC1nB,CAAC,GAAG,CAAL,CAAtC;AACD;;AAED,SAAOqQ,MA
AP;AACD,CAXD;;ACHA;ACA,AAOA;;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,E
AAI;AACpB,MAAI/X,KAAK,CAACC,OAAN,CAAc8X,GAAd,CAAJ,EAawB;AAcTb;AACAA,IAAAA,GAAG,
CAAC7X,KAAJ,GAAY,IAAZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAE,SAAS/iB,GAAT,C
AAaue,MAAb,EAA+E;AAAA,oCAA/CngB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU,
CAACyIB,MAAD,CAAV,IAAsBnT,aAAa,CAACmT,MAAD,CAAvC,EAAiD;AAC/C;ACA,WAAOuE,MAAM,
CAACzX,OAAO,CAAC2X,UAAU,CAAC1IB,WAAD,GAAEihB,MAAf,SAAOBngB,cAA1B,EAAX,CAAR,CAA
b;AACD;;AAED,MAAIA,cAAc,CAACHd,MAAf,KAA0B,CAA1B,IAA+BmjB,MAAM,CAACnjB,MAAP,KAAK
B,CAAjD,IAAsD,OAAOmjB,MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAYF;AACvF;ACA,WAAOA,M
AAP;AACD,GAT2F;;AAY5F,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EASngB
,cAAT,CAAX,CAAR,CAAb;AACD;;ACzBc,SAAS6kB,oBAAT,CACbC,oBADa,EAEBzkB,GAFA,EAGb0G,OA
a,EAlb;AAAA,MADAA,OACA;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;ACA,MAAI,CAAC2IB,k
BAaKB,CAAC1kB,GAAD,CAAvB,EAA8B;AAC5B,WAAOa,0BAAgB,CAAC,CAAD,EAAI9E,MAAM,CAACiE
,GAAD,CAAV,CAAvB;AACD;AAED;ACA;;ACA,MAAM2kB,gBAAgB,GAAG,SAAnBA,gBAAmB;AAAA
,WAAaF,oBAAoB,CAACzkB,GAAD,EAAM0G,OAAN,EAAenF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAazB
;AAEA;;ACAojB,EAAAA,gBAAgB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACICL,oBAAoB,C
AACC,oBAAD,EAABzkB,GAAvB,eAAiC0G,OAAjC,MAA6Cme,MAA7C,EADc;AAAA,GAAPc;AAGA;;AA
CAF,EAAAA,gBAAgB,CAACrD,KAAjB,GAAYB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAA
D,EAABzkB,GAAvB,eACf0G,OADe;AAEIB4a,MAAAA,KAAK,EAAE/U,KAAK,CAAC/O,SAAN,CAAgB8gB,
MAAhB,CAAU5X,OAAO,CAAC4a,KAA/B,EAA5CA,KAAc,EAA6C1E,MAA7C,CAAoDle,OAAPD;AAFW,O
ADQ;AAAA,GAa9B;;AAMA,SAAOimB,gBAAP;AACD;;ACzBD;ACA;ACA;ACA;ACA;;AAEA,iBAaE,
UAACzB,SAAD,EAawC;AACrD;ACA,MAAM4B,SAAS,GAAGva,KAAK,CAACiZ,UAAN,CAAiB,UAC5I,
KAAD,EAAQ8H,GAAR,EAAgB;AACjD,QAAMnC,KAAK,GAAGU,UAAU,CAACN,YAAD,CAAxB,CADiD;;A
AAA,QAGzCL,YAHyC,GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GAAG3C,cAAc,CAAC
xH,KAAD,EAAQ2F,KAAR,EAAeD,YAAf,CAAhC;;AAEA,QAAIrb,OAAO,CAACC,GAAR,CAAYC,QAAZ,K
AAyB,YAAzB,IAAyC4nB,SAAS,KAAKriB,SAA3D,EAA5E;AACpE;AACAUk,MAAAA,OAAO,CAACC,IAAR,
6HAC2HnQ,gBAAgB,CACvImmB,SADuI,CAD3I;AAKD;;AAED,wBAAO,oBAAC,SAAD,eAAEtI,KAAf;AAAs
B,MAAA,KAAK,EAAEmK,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OAAP;AACD,GAhBiB,CAAIB;
AAkBA5C,EAAAA,KAAy,CAACF,SAAD,EAAY5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAAC1nB,WAAV
,kBAAqCL,gBAAgB,CAACmmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACdA;ACA;AAGA,
IAAMG,QAAQ,GAAG,SAAXA,QAAW;AAAA,SAAMhE,UAAU,CAACN,YAAD,CAAhB;AAAA,CAAjB;;ACJ
A;;AAiBA,IAAMnB,WAAW,GAAG0F,YAAy,CAACC,eAAe,CAAC3e,UAAjB,CAAhC;;ACA,IAAM6a,uBAA

qB,GAAG+D,sBAAsB,CAAC5F,WAAD,CAApD;;AACA,IAAM6F,MAAM,GAAG,SAATA,MAAS,CAACrIB,G
AAD;AAAA,SAAiBwkB,oBAAoB,CAACnD,uBAAD,EAAwBrhB,GAAxB,CAArC;AAAA,CAAf;AAEA;;;AAE
A,IAAMsIB,OAAO,GAAG,4BAAhB;AAEA;;;AAEAA,OAAO,CAACtiB,KAAR,CAAc,MAAd,EAAxBxD,OAA
B,CAA8B,UAAA+IB,KAAK;AAAA,SACjC5nB,MAAM,CAACqmB,cAAP,CAAsBqB,MAAtB,EAA8BE,KAA9
B,EAAqC;AACnCC,IAAAA,UAAU,EAAE,IADuB;AAEnCC,IAAAA,YAA Y,EAAE,KAFqB;AAGnCxjB,IAAAA
,GAHmC,iBAG7B;AACJ,aAAOojB,MAAM,CAACF,eAAe,CAACI,KAAD,CAAhB,CAAb;AACD;AALkC,GAAR
C,CADiC;AAAA,CAAnC;;;"} }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-
tgz/package/primitives/dist/styled-components-primitives.esm.js.map

No license file was found, but licenses were detected in source scan.

```
 {"version":3,"file":"styled-  
components.browser.esm.js","sources":["../src/utils/interleave.js","../src/utils/isPlainObject.js","../src/utils/empties.js  
","../src/utils/isFunction.js","../src/utils/getComponentName.js","../src/utils/isStyledComponent.js","../src/constants.j  
s","../src/utils/error.js","../src/utils/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sh  
eet/Rehydration.js","../src/utils/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/ut  
ils/generateAlphabeticName.js","../src/utils/hash.js","../src/utils/isStaticRules.js","../src/models/ComponentStyle.js","../  
src/utlis/stylis.js","../src/utlis/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../src/models/Keyfram  
es.js","../src/utlis/hyphenateStyleName.js","../src/utlis/flatten.js","../src/utlis/isStatelessFunction.js","../src/utlis/addU  
nitIfNeeded.js","../src/constructors/css.js","../src/utlis/checkDynamicCreation.js","../src/utlis/determineTheme.js","../  
src/utlis/escape.js","../src/utlis/generateComponentId.js","../src/utlis/isTag.js","../src/utlis/mixinDeep.js","../src/mod  
els/ThemeProvider.js","../src/models/StyledComponent.js","../src/utlis/generateDisplayName.js","../src/utlis/joinStrin  
gs.js","../src/utlis/createWarnTooManyClasses.js","../src/utlis/domElements.js","../src/constructors/styled.js","../src/c  
onstructors/constructWithOptions.js","../src/models/GlobalStyle.js","../src/constructors/createGlobalStyle.js","../src/  
constructors/keyframes.js","../src/models/ServerStyleSheet.js","../src/hoc/withTheme.js","../src/hooks/useTheme.js",  
"../src/secretInternals.js","../src/base.js"],"sourcesContent":["//  
@flow\nimport type { Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:  
Array<Interpolation>): Array<Interpolation> => {\n  const result = [strings[0]];\n  for (let i = 0, len =  
interpolations.length; i  
< len; i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n  return result;\n};\n\n// @flow\nimport {  
typeOf } from 'react-is';\n\nexport default (x: any): boolean => {\n  x !== null &&\n  typeof x === 'object' &&\n  (x.toString ? x.toString() : Object.prototype.toString.call(x)) === '[object Object]' &&\n  !typeOf(x);\n};\n\n// @flow\nexport const EMPTY_ARRAY = Object.freeze([]);\nexport const EMPTY_OBJECT =  
Object.freeze({});\n\n// @flow\nexport default function isFunction(test: any): boolean %checks {\n  return typeof  
test === 'function';\n}\n\n// @flow\nimport type { IStyledComponent } from './types';\n\nexport default function  
getComponentName(\n  target: $PropertyType<IStyledComponent, 'target'>): string {\n  return (\n    (process.env.NODE_ENV !== 'production' ? typeOf target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    // $FlowFixMe\n    target.name ||\n    'Component'\n  );\n}\n\n// @flow\nexport default  
function isStyledComponent(\n  any): boolean %checks {\n  return target && typeOf target.styledComponentId === 'string';\n}\n\n// @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\n\ndeclare var __VERSION__: string;\n\nexport const  
SC_ATTR: string =\n  (typeof process !== 'undefined' &&\n   typeof process.env !== 'undefined' &&\n   (process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n  'data-styled';\n\nexport const  
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const  
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeOf
```

```

window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n  typeof
SC_DISABLE_SPEEDY === 'boolean'\n  ? SC_DISABLE_SPEEDY\n  : typeof process !== 'undefined' &&
typeof process.env !== 'undefined'\n  ? typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'
&&\n  process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false'\n  ? false\n  : process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n  ?
process.env.SC_DISABLE_SPEEDY === 'false'\n  ? false\n  : process.env.SC_DISABLE_SPEEDY\n  :
process.env.NODE_ENV !== 'production'\n  : false\n);\n\n// Shared empty execution context when generating
static styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n\n"/ @flow\n\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n\n  for (let c = 1, len =
args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a = a.replace(/%[a-z]/, d);\n  });\n\n  return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n
* in production mode.\n */\nexport default function throwStyledComponentsError(\n  code: string | number,\n  \n...interpolations: Array<any>)\n) {\n  if (process.env.NODE_ENV === 'production') {\n    throw new Error(\n      `An
error occurred. See https://git.io/JUIaE#${code} for more information.${\n    interpolations.length > 0 ? ` Args:
${interpolations.join(', ')} : "\n    }\n    );\n  } else {\n    throw new Error(format(ERRORS[code],
...interpolations).trim());\n  }\n}\n\n,"export default {\n  "1": `Cannot create styled-component for component:
%s.\n\n\n","2": `Can't collect styles once you've consumed a `ServerStyleSheet`'s styles! `ServerStyleSheet` is a
one off instance for each server-side render cycle.\n\n- Are you trying to reuse it across renders?\n- Are you
accidentally calling collectStyles twice?\n\n\n","3": `Streaming SSR is only supported in a Node.js environment;
Please do not try to call this method in the browser.\n\n\n","4": `The `StyleSheetManager`
expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n- Does this
error occur on the server and is the sheet falsy?\n\n\n","5": `The clone method cannot be used on the client!\n\n-
Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n\n","6": `Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n\n","7": `ThemeProvider: Please return an object from your `theme` prop
function, e.g.\n\n\n``js\ntheme={() => ({})}\n``\n\n\n","8": `ThemeProvider: Please make your `theme` prop
an object.\n\n\n","9": `Missing document `<head>\n\n\n","10": `Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check
out this issue for how to troubleshoot and fix the common cases where this situation can happen:
https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021\n\n\n","11": `_ This error was replaced with a dev-time warning, it will be deleted for v4 final.
[createGlobalStyle] received children which will not be rendered. Please use the component without passing
children elements.\n\n\n","12": `It seems you are interpolating a keyframe declaration (%s) into an untagged
string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected
on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See
https://www.styled-components.com/docs/api#css\n\n\n","13": `%s is not a styled component and cannot be
referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-
components for more details.\n\n\n","14": `ThemeProvider:
`theme` prop is required.\n\n\n","15": `A stylis plugin has been supplied that is not named. We need a name
for each plugin to be able to prevent styling collisions between different stylis configurations within the same app.
Before you pass your plugin to `StyleSheetManager stylisPlugins={}>, please make sure each plugin is
uniquely-named, e.g.\n\n\n``js\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name'
});\n``\n\n\n","16": `Reached the limit of how many styled components may be created at group %s.\n\nYou may

```



```

!== undefined && typeof rule.cssText === 'string') {\n    return rule.cssText;\n
    } else {\n    return ";\n    }\n }\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes
*/\nexport class TextTag implements Tag {\n element: HTMLStyleElement;\n\n nodes: NodeList<Node>;\n\n length: number;\n\n constructor(target?: HTMLElement) {\n    const element = (this.element =
makeStyleTag(target));\n    this.nodes = element.childNodes;\n    this.length = 0;\n }\n\n insertRule(index: number,
rule: string): boolean {\n    if (index <= this.length && index >= 0) {\n    const node =
document.createTextNode(rule);\n    const refNode = this.nodes[index];\n    this.element.insertBefore(node,
refNode || null);\n    this.length++;\n    return true;\n    } else {\n    return false;\n    }\n }\n\n deleteRule(index:
number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n }\n\n getRule(index:
number): string {\n    if (index < this.length) {\n    return this.nodes[index].textContent;\n    } else {\n    return
";\n    }\n }\n }\n\n/** A completely virtual (server-side) Tag that doesn't manipulate the DOM */\nexport class
VirtualTag implements Tag {\n rules: string[];\n\n length: number;\n\n constructor(_target?: HTMLElement) {\n
this.rules = [];\n    this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length) {\n    this.rules.splice(index, 0, rule);\n    this.length++;\n    return true;\n    } else {\n    return
false;\n    }\n }\n\n deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n }\n\n
getRule(index: number): string {\n    if (index < this.length) {\n    return this.rules[index];\n    } else {\n    return
";\n    }\n }\n }\n\n", "// @flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from '../constants';\nimport {
EMPTY_OBJECT } from '../utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport {
getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet
} from './Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from
 './types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\ntype SheetConstructorArgs = {\n isServer?:
boolean,\n useCSSOMInjection?: boolean,\n target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = {\n
[key: string]: number };\n\ntype NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions:
SheetOptions = {\n isServer: !IS_BROWSER,\n useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains
the main stylesheet logic for stringification and caching */\nexport default class StyleSheet implements Sheet {\n
gs: GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:
boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index */\n    static registerId(id:
string): number {\n    return getGroupForId(id);\n }\n\n constructor(\n    options: SheetConstructorArgs =
EMPTY_OBJECT,\n    globalStyles?:
GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n ) {\n    this.options = {\n
...defaultOptions,\n    ...options,\n    };\n\n    this.gs = globalStyles;\n    this.names = new Map(names);\n
    this.server = !options.isServer;\n\n    // We rehydrate only once and use the sheet that is created first\n    if
(!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n    SHOULD_REHYDRATE = false;\n
    rehydrateSheet(this);\n    }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean =
true) {\n    return new StyleSheet(\n        { ...this.options, ...options },\n        this.gs,\n        (withNames && this.names) ||
undefined\n    );\n }\n\n allocateGSInstance(id: string) {\n    return (this.gs[id] = (this.gs[id] || 0) + 1);\n }\n\n /**
Lazily initialises a GroupedTag for when it's actually needed */\n    getTag(): GroupedTag {\n    return this.tag ||
(this.tag = makeGroupedTag(makeTag(this.options))); }\n\n /** Check whether a name
is known for caching */\n    hasNameForId(id: string, name: string): boolean {\n    return this.names.has(id) &&
(this.names.get(id): any).has(name);\n }\n\n /** Mark a group's name as known for caching */\n    registerName(id:
string, name: string) {\n    getGroupForId(id);\n\n    if (!this.names.has(id)) {\n    const groupNames = new Set();\n
    groupNames.add(name);\n    this.names.set(id, groupNames);\n    } else {\n    (this.names.get(id):
any).add(name);\n    }\n }\n\n /** Insert new rules which also marks the name as known */\n    insertRules(id: string,
name: string, rules: string[]) {\n    this.registerName(id, name);\n    this.getTag().insertRules(getGroupForId(id),
rules);\n }\n\n /** Clears all cached names for a given group ID */\n    clearNames(id: string) {\n    if
(this.names.has(id)) {\n    (this.names.get(id): any).clear();\n    }\n }\n\n /** Clears all rules for a given group ID
*/\n    clearRules(id: string) {\n    this.getTag().clearGroup(getGroupForId(id));\n
}

```

```

    this.clearNames(id);\n } \n\n /** Clears the entire tag which deletes all rules but not its names */\n clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output
only new rules\n this.tag = undefined;\n } \n\n /** Outputs the current sheet as a CSS string with markers for SSR
*/\n toString(): string {\n return outputSheet(this);\n } \n\n", "\n @flow\n/* eslint-disable no-bitwise */\n\nconst
AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the \"capacity\" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n * counterparts */\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters */\n\nconst getAlphabeticChar = (code: number): string =>\n String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 */\n\nexport default function
generateAlphabeticName(code: number): string {\n let name
= \";\n let x;\n\n /* get a char and divide by alphabet-length */\n for (x = Math.abs(code); x > charsLength; x = (x /
charsLength) | 0) {\n name = getAlphabeticChar(x % charsLength) + name;\n } \n\n return (getAlphabeticChar(x
% charsLength) + name).replace(AD_REPLACER_R, '$1-$2');\n } \n\n", "\n @flow\n\n/* eslint-disable */\n\nexport const
SEED = 5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we
pretend that we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n
let i = x.length;\n\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n } \n\n return h;\n };\n\n// This is a djb2
hashing function\n\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n };\n\n", "\n @flow\n\nimport
isFunction from './isFunction';\nimport isStyledComponent from './isStyledComponent';\nimport type { RuleSet }
from './types';\n\nexport default function isStaticRules(rules: RuleSet): boolean
{\n for (let i = 0; i < rules.length; i += 1) {\n const rule = rules[i];\n\n if (isFunction(rule) &&
!isStyledComponent(rule)) {\n // functions are allowed to be static if they're just being\n // used to get the
classname of a nested styled component\n return false;\n } \n } \n\n return true;\n } \n\n", "\n @flow\n\nimport {
SC_VERSION } from './constants';\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport generateName from
'./utils/generateAlphabeticName';\nimport { hash, phash } from './utils/hash';\nimport isStaticRules from
'./utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n/**\n * ComponentStyle is all the CSS-specific
stuff, not the React-specific stuff.\n */\n\nexport default class ComponentStyle {\n baseHash: number;\n\n baseStyle:
?ComponentStyle;\n\n componentId: string;\n\n isStatic: boolean;\n\n rules: RuleSet;\n\n staticRulesId: string;\n\n
constructor(rules:
RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n this.rules = rules;\n this.staticRulesId = \";\n
this.isStatic = process.env.NODE_ENV === 'production' &&\n (baseStyle === undefined || baseStyle.isStatic)
&&\n isStaticRules(rules);\n this.componentId = componentId;\n\n // SC_VERSION gives us isolation
between multiple runtimes on the page at once\n // this is improved further with use of the babel plugin
\"namespace\" feature\n this.baseHash = phash(SEED, componentId);\n this.baseStyle = baseStyle;\n\n //
NOTE: This registers the componentId, which ensures a consistent order\n // for this component's styles compared
to others\n StyleSheet.registerId(componentId);\n } \n\n\n/*\n * Flattens a rule set into valid CSS\n * Hashes it,
wraps the whole chunk in a .hash1234 { }\n * Returns the hash to be injected on render()\n */\n\n
generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis:
Stringifier) {\n const { componentId } = this;\n const names = [];\n\n if (this.baseStyle) {\n
names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n } \n\n // force
dynamic classnames if user-supplied stylis plugins are in use\n if (this.isStatic && !stylis.hash) {\n if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n
names.push(this.staticRulesId);\n } else {\n const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join(\");\n const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n\n if
(!styleSheet.hasNameForId(componentId, name)) {\n const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n\n styleSheet.insertRules(componentId, name, cssStaticFormatted);\n } \n\n
names.push(name);\n this.staticRulesId = name;\n } \n } else {\n const { length
} = this.rules;\n let dynamicHash = phash(this.baseHash, stylis.hash);\n let css = \";\n\n for (let i = 0; i <
length; i++) {\n const partRule = this.rules[i];\n\n if (typeof partRule === 'string') {\n css +=

```



```

partRule;\n\n    if (process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule +
i);\n    } else if (partRule) {\n        const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n        const partString = Array.isArray(partChunk) ? partChunk.join("") : partChunk;\n        dynamicHash =
    phash(dynamicHash, partString + i);\n        css += partString;\n    }\n}\n\n    if (css) {\n        const name =
generateName(dynamicHash >>> 0);\n        if (!styleSheet.hasNameForId(componentId, name)) {\n            const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n            styleSheet.insertRules(componentId, name,
cssFormatted);\n        }\n        names.push(name);\n    }\n}\n\n    return names.join(' ');
}\n}\n\n", "import Stylis from '@emotion/stylis';\nimport { type Stringifier }
from './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwError from
'./error';\nimport { phash, SEED } from './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst
COMMENT_REGEX = /^\\s*\\|\\|\\.*/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\nntype
StylisInstanceConstructorArgs = {\n  options?: Object,\n  plugins?: Array<Function>,\n};\n\nexport default function
createStylisInstance({\n  options = EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}):\nStylisInstanceConstructorArgs = EMPTY_OBJECT) {\n  const stylis = new Stylis(options);\n\n  // Wrap
insertRulePlugin to build a list of rules,\n  // and then make our own plugin to return the rules. This\n  // makes it
easier to hook into the existing SSR architecture\n\n  let parsingRules = [];\n\n  // eslint-disable-next-line consistent-
return\n\n  const returnRulesPlugin = context => {\n    if (context === -2) {\n        const parsedRules = parsingRules;\n        parsingRules = [];\n        return parsedRules;\n    }\n  };\n\n  const parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n  });\n\n  let _componentId: string;\n  let _selector: string;\n  let _selectorRegexp:
RegExp;\n  let _consecutiveSelfRefRegExp: RegExp;\n\n  const selfReferenceReplacer = (match, offset, string) =>
{\n    if (\n        // do not replace the first occurrence if it is complex (has a modifier)\n        (offset === 0 ?
COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n        // no consecutive self
refs (.b.b); that is a precedence boost and treated differently\n        !string.match(_consecutiveSelfRefRegExp)\n    )\n    {\n        return `.${_componentId}`;\n    }\n\n    return match;\n  };\n\n  /**\n   * When writing a style like\n   * \n *
& + & {\n   *   color: red;\n   * }\n   * \n * The second ampersand should
be a reference to the static component class. stylis\n   * has no knowledge of static class so we have to intelligently
replace the base selector.\n   * \n * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the
context phase values\n   * \"2\" means this plugin is taking effect at the very end after all other processing is
complete\n   * \n const selfReferenceReplacementPlugin = (context, _, selectors) => {\n    if (context === 2 &&
selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n        // eslint-disable-next-line no-param-reassign\n        selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n    }\n  };\n\n  stylis.use([...plugins,
selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n  function stringifyRules(css, selector,
prefix, componentId = '&'): Stringifier {\n    const flatCSS = css.replace(COMMENT_REGEX, "");\n    const cssStr
= selector && prefix ? `${prefix} ${selector} { ${flatCSS} }`\n    : flatCSS;\n\n    // stylis has no concept of state to be passed to plugins\n    // but since JS is single-threaded, we can
rely on that to ensure\n    // these properties stay in sync with the current stylis run\n    _componentId =
componentId;\n    _selector = selector;\n    _selectorRegexp = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`, 'g');\n    _consecutiveSelfRefRegExp = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b}{2,}`);\n\n    return stylis(prefix || !selector ? "\n
selector, cssStr);\n  }\n\n  stringifyRules.hash = plugins.length\n    ? plugins\n        .reduce((acc, plugin) => {\n
if (!plugin.name) {\n            throwError(15);\n        }\n        return phash(acc, plugin.name);\n    },
SEED)\n    .toString()\n    : "";\n\n  return stringifyRules;\n}\n\n", "/*\n * MIT License\n * Copyright (c) 2016
Sultan Tarimo\n * \n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the \"Software\"),\n * \n * to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or\n * sell copies of the Software and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:\n * \n * The above copyright notice and this permission
notice shall be included in all\n * copies or substantial portions of the Software.\n * \n * THE SOFTWARE IS

```

PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

*\n\nexport default function(insertRule) {\n
  const delimiter = '/*|*/';\n  const needle = `${delimiter}`;\n  function toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      } catch (e) {\n        \n\n      }\n    }\n    return function ruleSheet(\n      context,\n      content,\n      selectors,\n      parents,\n      line,\n      column,\n      length,\n      ns,\n      depth,\n      at\n    ) {\n      switch (context) {\n        // property\n        case 1:\n          // @import\n          if (depth === 0 && content.charCodeAt(0) === 64)\n            return insertRule(`${content};`), "\n          break;\n          // selector\n          case 2:\n            if (ns === 0) return content +\n              delimiter;\n            break;\n            // at-rule\n            case 3:\n              switch (ns) {\n                // @font-face, @page\n                case 102:\n                case 112:\n                  return insertRule(selectors[0] + content), "\n                default:\n                  return content +\n                    (at === 0 ? delimiter : ");\n              }\n            case -2:\n              content.split(needle).forEach(toSheet);\n            }\n          }\n        }\n      }\n    }, "\n    }, "\n    // @flow\n    import React, { type Context, type Node, useContext, useEffect, useMemo, useState } from\n    'react';\n    import shallowequal from 'shallowequal';\n    import StyleSheet from './sheet';\n    import type { Stringifier } from './types';\n    import createStylisInstance from './utils/stylis';\n    type Props = {\n      children?: Node,\n      disableCSSOMInjection?: boolean,\n      disableVendorPrefixes?: boolean,\n      sheet?: StyleSheet,\n      stylisPlugins?: Array<Function>,\n      target?: HTMLElement,\n    };\n    export const StyleSheetContext: Context<StyleSheet | void> =\n      React.createContext();\n    export const StyleSheetConsumer = StyleSheetContext.Consumer;\n    export const StylisContext: Context<Stringifier | void> = React.createContext();\n    export const StylisConsumer = StylisContext.Consumer;\n    export const masterSheet: StyleSheet = new StyleSheet();\n    export const masterStylis: Stringifier = createStylisInstance();\n    export function useStyleSheet(): StyleSheet {\n      return\n      useContext(StyleSheetContext) ||\n      masterSheet;\n    }\n    export function useStylis(): Stringifier {\n      return useContext(StylisContext) ||\n      masterStylis;\n    }\n    export default function StyleSheetManager(props: Props) {\n      const [plugins, setPlugins] =\n      useState(props.stylisPlugins);\n      const contextStyleSheet = useStyleSheet();\n      const styleSheet = useMemo(() => {\n        let sheet = contextStyleSheet;\n        if (props.sheet) {\n          // eslint-disable-next-line prefer-destructuring\n          sheet = props.sheet;\n        } else if (props.target) {\n          sheet = sheet.reconstructWithOptions({ target: props.target },\n          false);\n        }\n        if (props.disableCSSOMInjection) {\n          sheet = sheet.reconstructWithOptions({\n            useCSSOMInjection: false\n          });\n        }\n        return sheet;\n      }, [props.disableCSSOMInjection, props.sheet,\n      props.target]);\n      const stylis = useMemo(\n        () => createStylisInstance({\n          options: { prefix:\n            !props.disableVendorPrefixes\n          },\n          plugins,\n        }),\n        [props.disableVendorPrefixes, plugins]\n      );\n      useEffect(() => {\n        if (!shallowequal(plugins, props.stylisPlugins))\n          setPlugins(props.stylisPlugins);\n      }, [props.stylisPlugins]);\n      return (\n        <StyleSheetContext.Provider value={styleSheet}>\n        <StylisContext.Provider value={stylis}>\n          {process.env.NODE_ENV !== 'production'\n            ?\n            React.Children.only(props.children)\n            : props.children}\n        </StylisContext.Provider>\n      </StyleSheetContext.Provider>\n    );\n  }\n  "\n  // @flow\n  import StyleSheet from './sheet';\n  import { type Stringifier } from './types';\n  import throwStyledError from './utils/error';\n  import { masterStylis } from\n  './StyleSheetManager';\n  export default class Keyframes {\n    id: string;\n    name: string;\n    rules: string;\n    constructor(name: string, rules: string) {\n      this.name = name;\n      this.id = `sc-keyframes-${name}`;\n      this.rules = rules;\n    }\n    inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n      const\n      resolvedName\n      = this.name + stylisInstance.hash;\n      if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n        styleSheet.insertRules(\n          this.id,\n          resolvedName,\n          stylisInstance(this.rules, resolvedName,\n            '@keyframes')\n        );\n      }\n      toString = () => {\n        return throwStyledError(12, String(this.name));\n      }\n      getName(stylisInstance: Stringifier = masterStylis) {\n        return this.name + stylisInstance.hash;\n      }\n    }\n  }

```

```

@flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst
uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n
* > hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n *\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `-ms-`.\n *\n * @param {string} string\n *
@return {string}\n *\n\nexport default function hyphenateStyleName(string: string): string {\n return
uppercaseCheck.test(string)\n ? string\n .replace(uppercasePattern, prefixAndLowerCase)\n .replace(msPattern,
'-ms-')\n : string;\n}\n\n","/ @flow\nimport { isElement } from 'react-is';\nimport componentName from
'/getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'/isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'/isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'/hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n
*\n\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk === '';\n\nexport
const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n const rules = [];\n\n for
(const key in obj) {\n if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n if
((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {\n rules.push(`${hyphenate(key)}:`,\n
obj[key], `;`);\n } else if (isPlainObject(obj[key])) {\n rules.push(...objToCssArray(obj[key], key));\n } else
{\n rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key])};`);\n }\n }\n\n return prevKey ?
[`${prevKey} {`, ...rules, `}`] : rules;\n}\n\nexport default function flatten(\n chunk: any,\n executionContext:
?Object,\n styleSheet: ?Object,\n stylisInstance: ?Stringifier\n): any {\n if (Array.isArray(chunk)) {\n const
ruleSet = [];\n\n for (let i = 0, len = chunk.length, result; i < len; i += 1)\n {\n result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);\n\n if (result === '') continue;\n\n else if (Array.isArray(result)) ruleSet.push(...result);\n\n else ruleSet.push(result);\n\n }\n\n return ruleSet;\n
}\n\n if (isFalsish(chunk)) {\n return '';\n }\n\n /* Handle other components *\n\n if (isStyledComponent(chunk))\n {\n return `.${chunk.styledComponentId}`;\n }\n\n /* Either execute or defer the function *\n\n if
(isFunction(chunk)) {\n if (isStatelessFunction(chunk) && executionContext) {\n const result =
chunk(executionContext);\n\n if (process.env.NODE_ENV !== 'production' && isElement(result)) {\n //
eslint-disable-next-line no-console\n console.warn(\n `.${getComponentName(\n chunk\n )}`\n )\n\n is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components for more details.\n
\n\n }\n\n return flatten(result, executionContext, styleSheet, stylisInstance);\n } else return chunk;\n
}\n\n if (chunk instanceof Keyframes) {\n if (styleSheet) {\n chunk.inject(styleSheet, stylisInstance);\n
}\n\n return chunk.getName(stylisInstance);\n } else return chunk;\n }\n\n /* Handle objects *\n\n return
isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n\n","/ @flow\nexport default function
isStatelessFunction(test: any): boolean {\n return (\n typeof test === 'function'\n && !(test.prototype\n && test.prototype.isReactComponent\n ))\n );\n}\n\n","/ @flow\nimport unitless from '@emotion/unitless';\n\n//
Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n //
https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n
if (value == null || typeof value === 'boolean' || value === '') {\n return '';\n }\n\n if (typeof value === 'number'
&& value !== 0 && !(name in unitless) && !name.startsWith('--')) {\n return `${value}px`; // Presumes implicit
'px' suffix for unitless numbers except for CSS variables\n }\n\n return String(value).trim();\n}\n\n","/
@flow\nimport interleave from './utils/interleave';\nimport isPlainObject from './utils/isPlainObject';\nimport {
EMPTY_ARRAY } from './utils/empties';\nimport isFunction from './utils/isFunction';\nimport flatten from

```


(the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

const isObject = val => {
  return (
    typeof val === 'function' || (typeof val === 'object'
      && val !== null && !Array.isArray(val))
  );
};
const isValidKey = key => {
  return key !== '__proto__'
    && key !== 'constructor'
    && key !== 'prototype';
};
function
  mixin(target, val, key) {
  const obj = target[key];
  if (isObject(val) && isObject(obj)) {
    mixinDeep(obj, val);
  } else {
    target[key] = val;
  }
}
export default function mixinDeep(target, ...rest) {
  for (const obj of rest) {
    if (isObject(obj)) {
      for (const key in obj) {
        if (isValidKey(key)) {
          mixin(target, obj[key], key);
        }
      }
    }
  }
  return target;
}
// @flow
import React, { useContext, useMemo, type Element, type Context } from 'react';
import throwStyledError from '../utils/error';
import isFunction from '../utils/isFunction';
export type Theme = { [key: string]: mixed };
export type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);
export type Props = {
  children?: Element<any>,
  theme: ThemeArgument,
};
export const ThemeContext: Context<Theme | void> = React.createContext();
export const ThemeConsumer = ThemeContext.Consumer;
function mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {
  if (!theme) {
    return throwStyledError(14);
  }
  if (isFunction(theme)) {
    const mergedTheme = theme(outerTheme);
    if ((
      process.env.NODE_ENV !== 'production' && !
      (mergedTheme === null || Array.isArray(mergedTheme) ||
        typeof mergedTheme !== 'object')
    )) {
      return throwStyledError(7);
    }
    return mergedTheme;
  }
  if (Array.isArray(theme) || typeof theme !== 'object') {
    return throwStyledError(8);
  }
  return outerTheme ? { ...outerTheme, ...theme } : theme;
}
/**
 * Provide a theme to an entire react component tree via context
 */
export default function
  ThemeProvider(props: Props) {
  const outerTheme = useContext(ThemeContext);
  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [
    props.theme,
    outerTheme,
  ]);
  if (!props.children) {
    return null;
  }
  return <ThemeContext.Provider value={themeContext}>{props.children}</ThemeContext.Provider>;
}
// @flow
import validAttr from '@emotion/is-prop-valid';
import hoist from 'hoist-non-react-statics';
import React, { createElement, type Ref, useContext } from 'react';
import { SC_VERSION } from './constants';
import type {
  Attrs,
  IStyledComponent,
  IStyledStatics,
  RuleSet,
  ShouldForwardProp,
  Target,
} from './types';
import { checkDynamicCreation } from '../utils/checkDynamicCreation';
import createWarnTooManyClasses from '../utils/createWarnTooManyClasses';
import determineTheme from '../utils/determineTheme';
import { EMPTY_ARRAY, EMPTY_OBJECT } from '../utils/empties';
import escape from '../utils/escape';
import generateComponentId from '../utils/generateComponentId';
import generateDisplayName from '../utils/generateDisplayName';
import getComponentName from '../utils/getComponentName';
import isFunction from '../utils/isFunction';
import isStyledComponent from '../utils/isStyledComponent';
import isTag from '../utils/isTag';
import joinStrings from '../utils/joinStrings';
import merge from '../utils/mixinDeep';
import ComponentStyle from './ComponentStyle';
import { useStyleSheet, useStylis } from './StyleSheetManager';
import { ThemeContext } from './ThemeProvider';
const identifiers = {};
/**
 * We depend on components having unique IDs
 */
function generateId(displayName?: string, parentComponentId?: string) {
  const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);
  // Ensure that no displayName can lead to duplicate componentIds
  identifiers[name] = (identifiers[name] || 0) + 1;
  const componentId = `${name}-${generateComponentId(

```

```

SC_VERSION gives us isolation between multiple runtimes on the page at once\n // this is improved further with
use of the babel plugin \"namespace\" feature\n SC_VERSION + name + identifiers[name]\n }};\n\n return
parentComponentId ? `${parentComponentId}-${componentId}` : componentId;\n}\n\nfunction
useResolvedAttrs<Config>(theme:
  any = EMPTY_OBJECT, props: Config, attrs: Attrs) {\n // NOTE: can't memoize this\n // returns [context,
resolvedAttrs]\n // where resolvedAttrs is only the things injected by the attrs themselves\n const context = {
...props, theme };\n const resolvedAttrs = {};\n\n attrs.forEach(attrDef => {\n let resolvedAttrDef = attrDef;\n
let key;\n\n if (isFunction(resolvedAttrDef)) {\n resolvedAttrDef = resolvedAttrDef(context);\n }\n\n /*
eslint-disable guard-for-in *\n for (key in resolvedAttrDef) {\n context[key] = resolvedAttrs[key] =\n key
=== 'className'\n ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n : resolvedAttrDef[key];\n
}\n\n /* eslint-enable guard-for-in *\n });\n\n return [context, resolvedAttrs];\n}\n\nfunction
useInjectedStyle<T>(\n componentStyle: ComponentStyle,\n isStatic: boolean,\n resolvedAttrs: T,\n
warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string, string>)\n {\n const styleSheet = useStyleSheet();\n
const stylis = useStylis();\n\n const className = isStatic\n ?
componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis)\n :
componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n if (process.env.NODE_ENV !==
'production' && !isStatic && warnTooManyClasses) {\n warnTooManyClasses(className);\n }\n\n return
className;\n}\n\nfunction useStyledComponentImpl(\n forwardedComponent: IStyledComponent,\n props:
Object,\n forwardedRef: Ref<any>,\n isStatic: boolean)\n {\n const {\n attrs: componentAttrs,\n
componentStyle,\n defaultProps,\n foldedComponentIds,\n shouldForwardProp,\n styledComponentId,\n
target,\n } = forwardedComponent;\n\n // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n\n const theme = determineTheme(props, useContext(ThemeContext), defaultProps);\n\n const [context, attrs] =
useResolvedAttrs(theme || EMPTY_OBJECT, props, componentAttrs);\n\n const generatedClassName =
useInjectedStyle(\n componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n const refToForward = forwardedRef;\n\n const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n const isTargetTag =
isTag(elementToBeCreated);\n\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n\n const
propsForElement = {};\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n : isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non HTML tags through to
HTML elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if (props.style && attrs.style
!== props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };\n }\n\n propsForElement.className
= Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n generatedClassName !==
styledComponentId ? generatedClassName : null,\n props.className,\n attrs.className\n )\n .filter(Boolean)\n .join('');\n\n propsForElement.ref = refToForward;\n\n return
createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet)\n {\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent =
!isTag(target);\n\n const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n

```

```

    ? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n    : attrs;\n\n // eslint-
disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if
(isTargetStyledComp && target.shouldForwardProp) {\n  if (options.shouldForwardProp) {\n    // compose
nested shouldForwardProp
calls\n    shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n      (((target: any):
IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n        prop,\n        filterFn,\n
elementToBeCreated\n      ) &&\n      ((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn,
elementToBeCreated);\n  } else {\n    // eslint-disable-next-line prefer-destructuring\n    shouldForwardProp =
((target: any): IStyledComponent).shouldForwardProp;\n  }\n}\n\n const componentStyle = new
ComponentStyle(\n  rules,\n  styledComponentId,\n  isTargetStyledComp ? ((target: Object).componentStyle:
ComponentStyle) : undefined\n);\n\n // statically styled-components don't need to build an execution context
object,\n // and shouldn't be increasing the number of class names\n const isStatic = componentStyle.isStatic &&
attrs.length === 0;\n\n /**\n * forwardRef creates a new interim component, which we'll take advantage of\n
* instead of extending ParentComponent to create _another_ interim class\n */\n let WrappedStyledComponent:
IStyledComponent;\n\n const forwardRef = (props, ref) =>\n  // eslint-disable-next-line\n
useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n forwardRef.displayName =
displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
WrappedStyledComponent.attrs = finalAttrs;\n WrappedStyledComponent.componentStyle = componentStyle;\n
WrappedStyledComponent.displayName = displayName;\n WrappedStyledComponent.shouldForwardProp =
shouldForwardProp;\n\n // this static is used to preserve the cascade of static classes for component selector\n //
purposes; this is especially important with usage of the css prop\n WrappedStyledComponent.foldedComponentIds
= isTargetStyledComp\n  ? Array.prototype.concat(\n    ((target: any):
IStyledComponent).foldedComponentIds,\n    ((target: any): IStyledComponent).styledComponentId\n  )\n  :
EMPTY_ARRAY;\n\n WrappedStyledComponent.styledComponentId = styledComponentId;\n\n // fold
the underlying StyledComponent target up since we folded the styles\n WrappedStyledComponent.target =
isTargetStyledComp\n  ? ((target: any): IStyledComponent).target\n  : target;\n\n
WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n  const { componentId:
previousComponentId, ...optionsToCopy } = options;\n\n  const newComponentId =\n    previousComponentId
&&\n    `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n  const
newOptions = {\n    ...optionsToCopy,\n    attrs: finalAttrs,\n    componentId: newComponentId,\n  };\n\n
return createStyledComponent(tag, newOptions, rules);\n};\n\n Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n  get() {\n    return this._foldedDefaultProps;\n  },\n  set(obj) {\n
this._foldedDefaultProps = isTargetStyledComp\n    ? merge({}, ((target: any): IStyledComponent).defaultProps, obj)\n    : obj;\n  },\n});\n\n if
(process.env.NODE_ENV !== 'production') {\n  checkDynamicCreation(displayName, styledComponentId);\n\n
WrappedStyledComponent.warnTooManyClasses = createWarnTooManyClasses(\n  displayName,\n  styledComponentId\n);\n}\n\n // If the Object prototype is frozen, the "toString" property is non-writable. This
means that any objects which inherit this property\n // cannot have the property changed using an assignment. If
using strict mode, attempting that will cause an error. If not using strict\n // mode, attempting that will be silently
ignored.\n // However, we can still explicitly shadow the prototype's "toString" property by defining a new
"toString" property on this object.\n Object.defineProperty(WrappedStyledComponent, 'toString', { value: () =>
`${WrappedStyledComponent.styledComponentId}` });\n\n if (isCompositeComponent) {\n  hoist<\n
IStyledStatics,\n  $PropertyType<IStyledComponent, 'target'>,\n  { [key: $Keys<IStyledStatics>]: true }\n>(WrappedStyledComponent, ((target: any): $PropertyType<IStyledComponent, 'target'>), {\n  // all SC-specific
things should not be hoisted\n  attrs: true,\n  componentStyle: true,\n  displayName: true,\n  foldedComponentIds: true,\n  shouldForwardProp: true,\n  styledComponentId: true,\n  target: true,\n  withComponent: true,\n});\n}\n\n return WrappedStyledComponent;\n}\n\n", /* @flow\nimport type {
IStyledComponent } from './types';\nimport getComponentName from './getComponentName';\nimport isTag from

```



```

= isStaticRules(rules);\n\n // pre-register the first instance to ensure global styles\n // load before component
ones\n StyleSheet.registerId(this.componentId + 1);\n }\n\n createStyles(\n instance: number,\n executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n ) {\n const flatCSS =
flatten(this.rules, executionContext, styleSheet, stylis);\n const css = stylis(flatCSS.join(""), "");\n const id =
this.componentId + instance;\n\n // NOTE: We use the id as a name as well, since these rules never change\n
StyleSheet.insertRules(id, id, css);\n }\n\n removeStyles(instance: number, styleSheet: StyleSheet) {\n
StyleSheet.clearRules(this.componentId + instance);\n }\n\n renderStyles(\n instance: number,\n executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n ) {\n if (instance > 2)
StyleSheet.registerId(this.componentId + instance);\n\n // NOTE: Remove old styles, then inject the
new ones\n this.removeStyles(instance, styleSheet);\n this.createStyles(instance, executionContext, styleSheet,
stylis);\n }\n}\n", "// @flow\nimport React, { useContext, useLayoutEffect, useRef } from 'react';\nimport {
STATIC_EXECUTION_CONTEXT } from '../constants';\nimport GlobalStyle from
 '../models/GlobalStyle';\nimport { useStyleSheet, useStylis } from '../models/StyleSheetManager';\nimport {
ThemeContext } from '../models/ThemeProvider';\nimport type { Interpolation } from '../types';\nimport {
checkDynamicCreation } from '../utils/checkDynamicCreation';\nimport determineTheme from
 '../utils/determineTheme';\nimport generateComponentId from '../utils/generateComponentId';\nimport css from
 '../css';\n\ndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n strings: Array<string>,\n ...interpolations: Array<Interpolation>)\n {\n const
rules = css(strings, ...interpolations);\n const styledComponentId
= `sc-global-${generateComponentId(JSON.stringify(rules))}`;\n const globalStyle = new GlobalStyle(rules,
styledComponentId);\n\n if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n }\n\n function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n const styleSheet = useStyleSheet();\n const stylis = useStylis();\n const
theme = useContext(ThemeContext);\n const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n const instance = instanceRef.current;\n\n if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n // eslint-disable-next-
line no-console\n console.warn(\n `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n );\n }\n\n if (\n process.env.NODE_ENV !== 'production'
&&\n rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n
) {\n // eslint-disable-next-line no-console\n console.warn(\n `Please do not use @import CSS syntax in
createGlobalStyle at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we
recommend using a library such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply
embedding it manually in your index.html <head> section for a simpler app.`\n );\n }\n\n if
(styleSheet.server) {\n renderStyles(instance, props, styleSheet, theme, stylis);\n }\n\n if (!__SERVER__) {\n
// this conditional is fine because it is compiled away for the relevant builds during minification,\n // resulting
in a single unguarded hook call\n // eslint-disable-next-line react-hooks/rules-of-hooks\n useLayoutEffect(()
=> {\n if (!styleSheet.server) {\n renderStyles(instance, props, styleSheet, theme, stylis);\n return ()
=> globalStyle.removeStyles(instance, styleSheet);\n
}\n }, [instance, props, styleSheet, theme, stylis]);\n }\n\n return null;\n }\n\n function
renderStyles(instance, props, styleSheet, theme, stylis) {\n if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n } else {\n const
context = {\n ...props,\n theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
};\n\n globalStyle.renderStyles(instance, context, styleSheet, stylis);\n }\n }\n\n // $FlowFixMe\n return
React.memo(GlobalStyleComponent);\n}\n", "// @flow\nimport css from '../css';\nimport generateComponentId
from '../utils/generateComponentId';\nimport Keyframes from '../models/Keyframes';\n\nimport type { Interpolation,
Styles } from '../types';\n\nexport default function keyframes(\n strings: Styles,\n ...interpolations:
Array<Interpolation>): Keyframes {\n /* Warning if you've used keyframes on React Native */\n if (\n
process.env.NODE_ENV

```

```

!=='production' &&\n  typeof navigator !== 'undefined' &&\n  navigator.product === 'ReactNative'\n ) {\n  //
eslint-disable-next-line no-console\n  console.warn(\n    `keyframes` cannot be used on ReactNative, only on the
web. To do animation in ReactNative please use Animated.\n  );\n }\n\n const rules = css(strings,
...interpolations).join("");\n const name = generateComponentId(rules);\n return new Keyframes(name,
rules);\n}\n"} // @flow\n/* eslint-disable no-underscore-dangle */\nimport React from 'react';\nimport {
IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwError
from './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport
StyleSheetManager from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst
CLOSING_TAG_R = /^\\s*<\\/[a-z]/i;\n\nexport default class ServerStyleSheet {\n  isStreaming: boolean;\n\n  instance: StyleSheet;\n\n  sealed: boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({ isServer: true });\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if (!css) return "";\n\n    const nonce =
getNonce();\n    const attrs = [nonce && `nonce=\"${nonce}\"`, `${SC_ATTR}=\"true\"`,
`${SC_ATTR_VERSION}=\"${SC_VERSION}\"`];\n    const htmlAttr = attrs.filter(Boolean).join(' ');
\n    return
`<style ${htmlAttr}>${css}</style>`;
\n  };\n\n  collectStyles(children: any) {\n    if (this.sealed) {\n      return
throwStyledError(2);\n    }\n\n    return <StyleSheetManager
sheet={this.instance}>{children}</StyleSheetManager>;\n  }\n\n  getStyleTags = (): string => {\n    if (this.sealed)
{\n      return throwError(2);\n    }\n\n    return this._emitSheetCSS();\n  };\n\n  getStyleElement = () => {\n    if (this.sealed) {\n      return throwError(2);\n    }\n\n    const props = {\n      [SC_ATTR]: "",\n      [SC_ATTR_VERSION]: SC_VERSION,\n\n      dangerouslySetInnerHTML: {\n        __html: this.instance.toString(),\n      },\n    };\n\n    const nonce =
getNonce();\n    if (nonce) {\n      (props: any).nonce = nonce;\n    }\n\n    // v4 returned an array for this fn, so we'll
do the same for v5 for backward compat\n    return [<style {...props} key="sc-0-0" />];\n  };\n\n  // eslint-disable-
next-line consistent-return\n  interleaveWithNodeStream(input: any) {\n    if (!__SERVER__ || IS_BROWSER) {\n      return
throwStyledError(3);\n    } else if (this.sealed) {\n      return throwError(2);\n    }\n\n    if
(__SERVER__) {\n      this.seal();\n\n      // eslint-disable-next-line global-require\n      const { Readable, Transform
} = require('stream');\n\n      const readableStream: Readable = input;\n      const { instance: sheet, _emitSheetCSS }
= this;\n\n      const transformer = new Transform({\n        transform: function appendStyleChunks(chunk, /*
encoding */ _, callback) {\n          // Get the chunk and retrieve
the sheet's CSS as an HTML chunk,\n          // then reset its rules so we get only new ones for the next chunk\n          const
renderedHtml = chunk.toString();\n          const html = _emitSheetCSS();\n          sheet.clearTag();\n\n          // prepend
style html to chunk, unless the start of the chunk is a\n          // closing tag in which case append right after
that\n          if (CLOSING_TAG_R.test(renderedHtml)) {\n            const endOfClosingTag =
renderedHtml.indexOf('>') + 1;\n            const before = renderedHtml.slice(0, endOfClosingTag);\n            const
after = renderedHtml.slice(endOfClosingTag);\n            this.push(before + html + after);\n          } else {\n            this.push(html + renderedHtml);\n          }\n          callback();\n        },\n      });\n\n      readableStream.on('error', err
=> {\n        // forward the error to the transform stream\n        transformer.emit('error', err);\n      });\n\n      return
readableStream.pipe(transformer);\n    }\n\n    }\n\n    seal = () => {\n      this.sealed = true;\n    };\n  }\n\n"} // @flow\nimport React, { useContext, type
AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }
from './models/ThemeProvider';\nimport determineTheme from './utils/determineTheme';\nimport
getComponentName from './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n export
default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n\n// but the old build system
tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  //
$FlowFixMe This should be React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props,
ref) => {\n    const theme = useContext(ThemeContext);\n    // $FlowFixMe defaultProps isn't declared so it can be
inferred\n    const {

```


OMTag","element","appendChild","createTextNode","styleSheets","ownerNode","getSheet","rule","_error","cssRules","cssText","TextTag","nodes","node","refNode","removeChild","VirtualTag","_target","splice","SHOULD_REHYDRATE","defaultOptions","isServer","useCSSOMInjection","StyleSheet","options","globalStyles","gs","server","querySelectorAll","getAttribute","parentNode","rehydrateSheet","registerId","reconstructWithOptions","withNames","allocateGSInstance","hasNameForId","add","groupNames","Set","clearNames","clear","clearRules","clearTag","size","selector","outputSheet","AD_REPLACER_R","getAlphabeticChar","String","fromCharCode","generateAlphabeticName","Math","abs","pHash","h","charCodeAt","hash","isStaticRules","SEED","ComponentStyle","componentId","baseStyle","staticRulesId","isStatic","baseHash","generateAndInjectStyles","executionContext","stylesheet","stylis","cssStatic","flatten","generateName","cssStaticFormatted","dynamicHash","partRule","partChunk","partString","Array","isArray","cssFormatted","COMMENT_REGEX","COMPLEX_SELECTOR_PREFIX","createStylisInstance","_componentId","_selector","_selectorRegex","_consecutiveSelfRefRegExp","plugins","Stylis","parsingRules","parseRulesPlugin","toSheet","block","e","context","selectors","parents","line","column","ns","depth","at","delimiter","insertRulePlugin","selfReferenceReplacer","offset","string","indexOf","stringifyRules","prefix","flatCSS","cssStr","use","_","lastIndexOf","parsedRules","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","masterSheet","masterStylis","useStyleSheet","useContext","useStylis","StyleSheetManager","props","useState","stylisPlugins","setPlugins","contextStyleSheet","useMemo","disableCSSOMInjection","disableVendorPrefixes","useEffect","shallowequal","Provider","value","Children","only","children","Keyframes","inject","stylisInstance","resolvedName","_this","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","isFalsish","chunk","ruleSet","isReactComponent","isElement","console","warn","isPlainObject","objToCssArray","obj","prevKey","key","hasOwnProperty","isCss","hyphenate","unitless","startsWith","addTag","arg","styles","interleave","invalidHookCallRule","seen","checkDynamicCreation","message","originalConsoleError","error","didNotCallInvalidHook","consoleErrorMessage","consoleErrorArgs","useRef","providedTheme","defaultProps","theme","escapeRegex","dashesAtEnds","escape","str","isTag","charAt","isObject","val","isValidKey","mixin","mixinDeep","rest","ThemeContext","ThemeConsumer","ThemeProvider","outerTheme","themeContext","mergedTheme","mergeTheme","identifiers","createElementStyledComponent","isTargetStyledComp","isCompositeComponent","attrs","parentComponentId","generateComponentId","generateId","generateDisplayName","finalAttrs","concat","filter","shouldForwardProp","prop","filterFn","elementToBeCreated","WrappedStyledComponent","componentStyle","forwardRef","ref","forwardedComponent","forwardedRef","componentAttrs","foldedComponentIds","resolvedAttrs","attrDef","resolvedAttrDef","useResolvedAttrs","determineTheme","generatedClassName","warnTooManyClasses","className","useInjectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","validAttr","withComponent","previousComponentId","optionsToCopy","newComponentId","defineProperty","_foldedDefaultProps","merge","generatedClasses","warningSeen","keys","parsedIdString","createWarnTooManyClasses","hoist","styled","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","StyledComponent","domElement","GlobalStyle","createStyles","instance","removeStyles","renderStyles","createGlobalStyle","JSON","stringify","globalStyle","GlobalStyleComponent","current","count","some","useLayoutEffect","memo","keyframes","navigator","product","ServerStyleSheet","_emitSheetCSS","SC_ATTR_VERSION","getStyleTags","sealed","getStyleElement","dangerouslySetInnerHTML","_html","seal","collectStyles","interleaveWithNodeStream","input","Component","WithTheme","themeProp","hoistStatics","useTheme","__PRIVATE__"],"mappings":":qkBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAAK,EACzDD,EAAOI,KAAKL,EAAeE,GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,EAAOL,ICNGM,EAAcJ,OAAOK,OAAO,IAC5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EAAOI,aAEPJ,EAAOK,MACP,YCXW,SAASC,EAAkBN,UACjCA,GAA8C,iBAA7BA,EAAOO,kBCG1B,IAAMC,EACS,oBAAZP,cACiB,IAAhBA,QAAQC,MACdD,QAAQC,IAAIO,mBAAqBR,QAAQC,IAAIM,UACHD,cAIWE,EAAaC,SAGbC,EAA+B,oBAAXC,QAAOB,gBAAiBA,OAE/DC,EAAiBC,QACC,kBAAtBC,kBACHA,kBACmB,oBAAZf,cAAkD,IAAhBA,QAAQC,WACE,IAA5CD,QAAQC,IAAIe,6BACyB,KAA5ChB,QAAQC,IAAIe,4BACKc,UAA5

ChB,QAAQC,IAAIE,6BAEVhB,QAAQC,IAAIE,iCAC2B,IAAIChB,QAAQC,IAAIC,mBAAuE,KAAICf,QAAQC,IAAIC,kBACIC,UAAICf,QAAQC,IAAIC,mBAEVf,QAAQC,IAAIC,kBACW,eAAzBf,QAAQC,IAAIC,WAKPe,EA A2B,GCjCICC,EAAkC,eAAzBIB,QAAQC,IAAIC,SCHZ,GAAK,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAA sK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUAAsU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q, 0IDG7/F,GAKIE,SAASiB,YACHC,0CACEC,EAAl,GAEDC,EAAl,EAAGtC,EAAMuC,UAAKtC,OAAQqC,EA AItC,EAAKsC,GAAK,EAC/CD,EAAEnC,KAAUoC,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAAAC,GAC RL,EAAIA,EAAEM,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,EACtBC,8BACG/C,mCAAAA,yBAE0B,eAAzB mB,QAAQC,IAAIC,SACR,IAAI2B,qDACuCD,4BAC7C/C,EAAeI,OAAS,YAAcJ,EAAeID,KAAK,MAAU,KAIIE ,IAAID,MAAMV,gBAAOD,EAAOU,WAAU/C,IAAgBkD,QE9BrD,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,Y AVR,UAWTID,OAXS,SAYTgD,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAAQ,EACHvD,EAAl,EAAGA,EA AIsD,EAAOtD,IACzBuD,GAASC,KAAKL,WAAWnD,UAGpBuD,KAGTE,YAAA,SAAYH,EAAeI,MACrBJ,GA ASE,KAAKL,WAAWjD,OAAQ,SAC7ByD,EAAYH,KAAKL,WACjBS,EAAUD,EAAUzD,OAETb2D,EAAUD,E ACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAAiB,MAAOR,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WAA WY,IAAIJ,QACfzD,OAAS2D,MAET,IAAI7D,EAAl4D,EAAS5D,EAAl6D,EAAS7D,SAC5BmD,WAAWnD,GA AK,UAIrBgE,EAAyR,KAAKH,aAAaC,EAAQ,GACjCtD,EAAl,EAAGiE,EAAIP,EAAMxD,OAAQF,EAAlIE,EA AGjE,IACnCwD,KAAKN,IAAIgB,WAAWF,EAAWN,EAAM1D,WACICmD,WAAWG,KACHBU,QAkNG,WA AA,SAAWb,MACLA,EAAQE,KAAKtD,OAAQ,KACjBA,EAASd,KAAKL,WAAWG,GACzBc,EAAaZ,KAAK H,aAAaC,GAC/Be,EAAWD,EAAaIE,OAezBiD,WAAWG,GAAS,MAEpB,IAAItd,EAAlOE,EAAYpE,EAAlqE,EA AUrE,SACHkD,IAAlOB,WAAWF,OAK1BG,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKtD,Q AAqC,IAA3BsD,KAAKL,WAAWG,UACnCkB,UAGHtE,EAASd,KAAKL,WAAWG,GACzBc,EAAaZ,KAAK H,aAAaC,GAC/Be,EAAWD,EAAaIE,EAERBF,EAAlOE,EAAYpE,EAAlqE,EAAUrE,IACrCwE,GAAUhB,KAAK N,IAAIuB,QAAQzE,GH9ET,mBGiFbwE,QCzFPE,EAauC,IAAIC,IAC3CC,EAauC,IAAID,IAC3CE,EAAGB,EA QPC,EAAGB,SAACC,MACxBL,EAAGBM,IAAID,UACdL,EAAGBO,IAAIF,QAGvBH,EAAGBI,IAAIH,IACzBA, QAGIvB,EAAGuB,UAGa,eAAzB5D,QAAQC,IAAIC,YACF,EAARmC,GAAa,GAACA,EAzBR,GAAK,KA2BjB Q,EAAlB,MAAOR,GAG1BoB,EAAGBX,IAAIgB,EAAlzB,GACxBsB,EAAGBb,IAAIT,EAAOyB,GACpBzB,GA GI4B,EAAGB,SAAC5B,UACrBsB,EAAGBK,IAAI3B,IAGhB6B,EAAGB,SAACJ,EAAYzB,GACpCA,GAASuB,I ACXA,EAAGBvB,EAAGQ,GAG1BoB,EAAGBX,IAAIgB,EAAlzB,GACxBsB,EAAGBb,IAAIT,EAAOyB,IC3CvBK ,WAAoB5D,oCACpB6D,EAAY,IAAIC,WAAW9D,kDAKc3B+D,EA4B,SAACC,EAACt,EAAYU,WAEvDpE,E ADEqE,EAQD,EAAQE,MAAM,KAGnB3F,EAAl,EAAGiE,EAAlYB,EAAMxF,OAAQF,EAAlIE,EAAGjE,KAE ICqB,EAAOqE,EAAM1F,KACHBwF,EAAMI,aAAab,EAAl1D,IAKvBwE,EAawB,SAACL,EAACm,WACrCC,G AASD,EAAME,aAAe,IAAIL,MLxCIB,aKyChBjC,EAakB,GAef1D,EAAl,EAAGiE,EAAl8B,EAAM7F,OAAQF, EAAlIE,EAAGjE,IAAK,KACtCiG,EAAOF,EAAM/F,GAAGgD,UACjBiD,OAECCE,EAASD,EAAKE,MAAMd,M AEtBa,EAAGQ,KACJ5C,EAakC,EAA1B8C,SAASF,EAAO,GAAl,IAC5BnB,EAakmB,EAAO,GAeJ,IAAV5C,IA EF6B,EAACJ,EAAlzB,GAGIBiC,EAA0BC,EAAOT,EAAlmB,EAAO,IAC5CV,EAAMa,SAAS5C,YAAYH,EAAO L,IAGpCA,EAAMxD,OAAS,OAefwD,EAAMvD,KAAK8F,MCzEXK,EAaw,iBACqB,oBAAtBC,kBAaOCa,kB AAoB,MCiB3DC,EAAe,SAACxF,OACrByF,EAASC,SAASD,KACIBE,EAAS3F,GAAUyF,EACnBX,EAAYQ,S AASE,cAAc,SAC/BC,EAIBiB,SAAC7F,WACHB8F,EAae9F,EAaf8F,WAEC9G,EAAl8G,EAaw5G,OAAQF,G AAK,EAAGA,IAAK,KACrC+G,EAAUD,EAaw9G,MACvB+G,GARa,IAQJA,EAAMC,UAA6BD,EAAME,aAA azF,UACxDuF,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAADp,EAA0BA,EAAUM,YAAc,KAETErB,EAAMuB,aA Aa7F,EPnBS,UOoB5BsE,EAAMuB,aPnBuB,sBACL1F,cOoBIB2F,EAAGhB,WAEVgB,GAAOxB,EAAMuB,aAA a,QAASC,GAEvCX,EAAOY,aAAazB,EAAOqB,GAepBrB,GctBI0B,wBAOCxG,OACJyG,EAawjE,KAAKiE,Q AAUjB,EAAaxF,GAG7CyG,EAAQC,YAAYhB,SAASiB,eAAe,UAEvCnC,MDae,SAACtC,MACnBA,EAAlSc,a ACGtC,EAAlSc,cAIPoC,EAAGBIB,SAAhBkB,YACC5H,EAAl,EAAGiE,EAAl2D,EAAY1H,OAAQF,EAAlIE,E AAGjE,IAAK,KAC5CwF,EAAQoC,EAAY5H,MACtBwF,EAAMqC,YAAc3E,SACbsC,EAIB1B,EAAlB,IC3BFg E,CAASL,QACjBvH,OAAS,6BAGhBgE,WAAA,SAAWX,EAaeW,mBAEjBvC,MAAMtB,WAAW6D,EAAMx E,QACvBrD,UACE,EACP,MAAO8H,UACA,MAIX1D,WAAA,SAAWf,QACJiC,MAAMIB,WAAWf,QACjBrD, YAGPuE,QAAA,SAAQIB,OACAwE,EAAOvE,KAAKGC,MAAMyC,SAAS1E,eAEpB6D,IAATW,GAA8C,iBAA jBA,EAAKG,QAC7BH,EAAKG,QAEL,SAMAC,wBAOCnH,OACJyG,EAawjE,KAAKiE,QAAUjB,EAAaxF,Q

ACxCoH,MAAQX,EAAQX,gBACbB5G,OAAS,6BAGhBgE,WAAA,SAAWX,EAAewE,MACpBxE,GAASC,KA
AKtD,QAAUqD,GAAS,EAAG,KACbC8E,EAAO3B,SAASiB,eAAeI,GAC/BO,EAAU9E,KAAK4E,MAAM7E,eA
CtBkE,QAAQF,aAAac,EAAMC,GAAW,WACtCpI,UACE,SAEA,KAIxoE,WAAA,SAAWf,QACJkE,QAAQc,YA
AY/E,KAAK4E,MAAM7E,SAC/BrD,YAGPuE,QAAA,SAAQIB,UACFA,EAAQC,KAAKtD,OACRsD,KAAK4E,
MAAM7E,GAAOyC,YAEIB,SAMAwC,wBAKCC,QACL/E,MAAQ,QACRxD,OAAS,6BAGhBgE,WAAA,SA
WX,EAAewE,UACpBxE,GAASC,KAAKtD,cACXwD,MAAMgF,OAAOnF,EAAO,EAAGwE,QACvB7H,UACE,
MAMXoE,WAAA,SAAWf,QACJG,MAAMgF,OAAOnF,EAAO,QACpBrD,YAGPuE,QAAA,SAAQIB,UACFA,E
AAQC,KAAKtD,OACRsD,KAAKE,MAAMH,GAEX,SCzHToF,EAAMb/G,EAWjBgH,EAA+B,CACnCC,UAA
WjH,EACXkH,mBAAoBhH,GAIDiH,wBAiBjBC,EACAC,EACAvD,YAFAsD,IAAAA,EAAGCpI,YAChCqI,IAA
AA,EAA2C,SAGtCD,aACAJ,KACAI,QAGAE,GAAKD,OACLvD,MAAQ,IAAIIf,IAAIe,QACbByD,SAAWH,EA
AQH,UAGnBrF,KAAK2F,QAAUvH,GAAC+G,IACbCA,GAAMb,EJyBK,SAACnD,WACvB4C,EAAQ1B,SAASO
C,iBAAiBhE,GAE/BpF,EAAI,EAAGiE,EAAMiE,EAAMII,OAAQF,EAALiE,EAAGjE,IAAK,KACtCqI,EAASD,E
AAMpI,GACjBqI,GL7EsB,WK6EdA,EAAGkG,aAAa7H,KAC5BqE,EAASBL,EAAO6C,GAEZBA,EAAKiB,YAC
PjB,EAAKiB,WAAWf,YAAyF,KIjC9BkK,CAAe/F,SArBZgG,WAAP,SAAKBzE,UACTD,EAACc,+BAwBvB0E,
uBAAA,SAAuBT,EAA+BU,mBAAAA,IAAAA,GAASB,GACnE,IAAIX,OACJvF,KAAKwF,WAAyA,GACtBxF,
KAAK0F,GACJQ,GAAaAlG,KAAKkC,YAAU0B,MAIjCuC,mBAAA,SAAMb5E,UACTvB,KAAK0F,GAAGnE,IA
AOvB,KAAK0F,GAAGnE,IAAO,GAAK,KAI7CsB,OAAA,kBACS7C,KAAKN,MAAQM,KAAKN,KDtEH2F,KC
sEgCrF,KAAKwF,SDtErCH,SAAUc,IAAAA,kBAAMb9H,IAAAA,OLCxkC,EKAZB2F,EACK,IAAIL,EAAWx
H,GACb8H,EACF,IAAIb,EAASxG,GAEB,IAAIh,EAAQnH,GLJd,IAAIc,EAAKBC,KADD,IAACA,IKDL2F,
EAAUC,EAAMb9H,KC0ErD4I,aAAA,SAaA7E,EAAY1D,UACbM,C,KAAKkC,MAAMV,IAAID,IAAQvB,KA
AKkC,MAAMT,IAAIF,GAAUC,IAAI3D,MAI7DuE,aAAA,SAaAb,EAAY1D,MACvByD,EAACc,GAETvB,KAA
KkC,MAAMV,IAAID,QAKZW,MAAMT,IAAIF,GAAU8E,IAAIxI,OALP,KACjByI,EAAa,IAAIC,IACvBD,EAA
WD,IAAIxI,QACVqE,MAAM3B,IAAIgB,EAAI+E,OAovBrG,YAAA,SAAYsB,EAAY1D,EAACqC,QAC/BkC,a
AAab,EAAI1D,QACjBgF,SAAS5C,YAAyqB,EAACc,GAAKrB,MAI/CsG,WAAA,SAAWjF,GACLvB,KAAKkC,
MAAMV,IAAID,SACXW,MAAMT,IAAIF,GAAUkF,WAK9BC,WAAA,SAAWnF,QACJsB,SAASIC,WAAWW,
EAACc,SACiCf,WAAWjF,MAIIBoF,SAaA,gBAGOjH,SAAMkE,KAIb/G,SAaA,kBJpHyB,SAACmF,WACpBt
C,EAAMsC,EAAMa,SACVnG,EAAWgD,EAAXhD,OAeJsE,EAAM,GACDIB,EAAQ,EAAGA,EAAQpD,EAAQ
oD,IAAS,KACrCyB,EAAKG,EAAC5B,WACd8D,IAAPrC,OAEEW,EAAQF,EAAME,MAAMT,IAAIF,GACxBrB
,EAAQR,EAAlqB,SAASjB,MACtBoC,GAAUHC,GAAUgC,EAAM0E,UAeZBC,EAAC7I,OAAY8B,UAAayB,OA
EzCU,EAAU,QACA2B,IAAV1B,GACFA,EAAMjD,SAAQ,SAAApB,GACRA,EAAKnB,OAAS,IACbUf,GAAC
pE,UAOpBmD,MAAUd,EAAQ2G,eAAqB5E,yBAGICjB,EIwFE8F,CAAY9G,YC3HjB+G,EAAGB,WAOhBC,EA
AoB,SAAC3H,UACzB4H,OAaOC,aAAa7H,GAAQA,EAAO,GAAK,GAAK,MAGhC,SAAS8H,EAAuB9H,OAeZ
CzC,EADAIb,EAAO,OAINjB,EAAIwK,KAAKC,IAAIhI,GAAOzC,EAZP,GAYwBA,EAACA,EAZ7B,GAYgD,E
AChEiB,EAAOmJ,EAABpK,EAAbT,IAa4BiB,SAGtCmJ,EAABpK,EAhBR,IAgB2BiB,GAAMsB,QAAQ4H,EA
Ae,ScpBrE,IAKMO,GAAQ,SAACC,EAAW3K,WAC3BJ,EAAIL,EAAEF,OAeHF,GACL+K,EAAS,GAAJA,EA
U3K,EAAE4K,aAAaL,UAGzB+K,GAIII,GAAO,SAAC7K,UACZ0K,GAjBW,KAIbC1K,ICfN,SAAS8K,GAAC
xH,OAC/B,IAAI1D,EAAL,EAAGA,EAAI0D,EAAMxD,OAAQF,GAAK,EAAG,KACIC+H,EAORe,EAAM1D,M
AEfa,EAAWkH,KAAUzG,EAABYg,UAGIC,SAIJ,ECPT,IAAMoD,GAAOF,GbIatJ,UaCLyJ,yBAaP1H,EAAGB2
H,EAaqBC,QAC1C5H,MAAQA,OACR6H,cAAgB,QACbC,SAaOC,eAAzBvK,QAAQC,IAAIC,gBACXiG,IAA
dkE,GAA2BA,EAAUE,WACtCN,GAACxH,QACX2H,YAAcA,OAIdI,SAAWX,GAAMK,GAAME,QAeVBC,UA
AYA,EAijBvC,EAAWS,WAAW6B,sBAQxBK,wBAAA,SAAWBC,EAA0BC,EAawBC,OACHER,EAAGB7H,KA
AhB6H,YAEF3F,EAAG,MAEVIC,KAAK8H,WACP5F,EAAMvF,KAAKqD,KAAK8H,UAAUI,wBAAwBC,EA
kBC,EAAYC,IAI9ErI,KAAKgI,WAAaK,EAAOZ,QACvBzH,KAAK+H,eAAiBK,EAWhC,aAAayB,EAAa7H,K
AAK+H,eACIE7F,EAAMvF,KAAKqD,KAAK+H,mBACX,KACCO,EAAYC,GAAQvI,KAAKE,MAAOiI,EA
AKBC,EAAYC,GAAQ9I,KAAK,IAC3E1B,EAAO2K,EAaAlB,GAAMtH,KAAKiI,SAUK,KAAe,OAeZDF,EAWh
C,aAAayB,EAaahK,GAAO,KACzC4K,EAaqBJ,EAAOC,MAAezK,OAAQ+F,EAAWiE,GAEPeO,EAANiI,YA
AY4H,EAaahK,EAAM4K,GAG5CvG,EAAMvF,KAAKkB,QACNkK,cAAgBIK,MAEIB,SACGnB,EAWSd,KA
AKE,MAAhBxD,OACJgM,EAACpB,GAAMtH,KAAKiI,SAUI,EAAOZ,MAC1CzG,EAAM,GAEDxE,EAAL,EA

AGA,EAAIE,EAAQF,IAAK,KACzBmM,EAAW3I,KAAKE,MAAM1D,MAEJ,iBAAbmM,EACT3H,GAAO2H,EA
AEsB,eAAzBIL,QAAQC,IAAIC,WAA2B+K,EAACPb,GAAMoB,EAAaC,EAAWnM,SACIF,GAAImM,EAAU,K
ACbC,EAAYL,GAAQI,EAAUR,EAakBC,EAAyC,GAC5DQ,EAAaC,MAAMC,QAAQH,GAAaA,EAAUrJ,KAA
K,IAAMqJ,EACnEF,EAACPb,GAAMoB,EAAaG,EAAarM,GAC9CwE,GAAO6H,MAIP7H,EAak,KACDnD,EA
AO2K,EAAaE,IAAgB,OAErCN,EAAWhC,aAAayB,EAAahK,GAAO,KACzCmL,EAAeX,EAAOrH,MAASnD,O
AAQ+F,EAAWiE,GACxDO,EAAWnI,YAAY4H,EAAahK,EAAMmL,GAG5C9G,EAAMvF,KAAKkB,WAIRqE,
EAAM3C,KAAK,WCTGhB0J,GAAGb,gBACHBC,GAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,UAYBIBC
,EACAC,EACAC,EACAC,eAzB6BnM,QAFjCoI,QAAAA,aAAUpI,QACVoM,QAAAA,aAAUtM,IAEJmL,EAAS,
IAAIoB,EAAOjE,GAMtBkE,EAAe,GAWbC,ECdR,SAAwBjJ,YAlbkJ,EAAQC,MACXA,MAEAnJ,EAAcmJ,OA
Cd,MAAOC,YAIN,SACLC,EACA9H,EACA+H,EACAC,EACAC,EACAC,EACAzN,EACA0N,EACAC,EACAC,
UAEQP,QAED,KAEW,IAAVM,GAAyC,KAA1BpI,EAAQuF,WAAW,GAAW,OAAO9G,EAACuB,OAAa,cAGhF
,KACQ,IAAPmI,EAAU,OAAOnI,EA/BT,mBAkCT,SACKmI,QAED,SACA,WACI1J,EAAWsJ,EAAU,GAAK/H,
GAAU,kBAEpCA,GAakB,IAAPqI,EAzCV,QAYCiC,SAEzC,EACJrI,EAAQE,MA3CIoI,UA2CuTL,QAAQ2K,KD
/BXY,EAAiB,SAAajG,GACxCmF,EAAa/M,KAAK4H,MAQdkG,EAAwB,SAAC9H,EAAO+H,EAAQC,UAG9B,
IAAXD,IAA8E,IAA/DxB,GAAWb0B,QAAQD,EAAOtB,EAAU3M,UAEhEiO,EAAOhI,MAAM4G,GAKT5G,M
AHMyG,YA4BNyB,EAAe7J,EAak6F,EAAUiE,EAAQjD,YAAAA,IAAAA,EAAC,SACrDkD,EAAU/J,EAai7B,
QAAQ8J,GAAe,IACrC+B,EAASnE,GAAYiE,EAAYA,MAAUjE,QAackE,OAAcA,SAK7E3B,EAAevB,EACfwB
,EAAYxC,EACZyC,EAakB,IAAIxH,YAAYuH,QAAGb,KACIDE,EAA4B,IAAIzH,aAAauH,cAEtChB,EAAOyC,
IAAWjE,EAAW,GAAKA,EAAUmE,UAdrD3C,EAAO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,GACIC
,IAAZD,GAAiBC,EAAUtN,QAAUsN,EAAU,GAAGmB,YAAY9B,GAAa,IAE7EW,EAAU,GAAKA,EAAU,GAA
G7K,QAAQmK,EAAiBmB,KAIDd,EAID9B,SAAAI,OACP,IAAbA,EAAGb,KACZqB,EAAc1B,SACpBA,EAAe,
GACR0B,OA+DXP,EAAPd,KAAO+B,EAAQ9M,OAC1B8M,EACG6B,QAAO,SAACC,EAAKC,UACPA,EAA
O1N,MACVyC,EAAiB,IAGZgH,GAAMgE,EAakC,EAAO1N,QHnGf,MGqGXhB,WACH,GAEGgO,ME3FIW,G
AAgDC,EAAMC,gBACtDC,GAAqBH,GAakBI,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAACd,SAEL,I
AAIrG,GAC9BwG,GAA4B5C,KAezC,SAAGb6C,YACPC,EAAWT,KAAAsBM,GAG1C,SAAGBI,YACPD,EAAW
J,KAAkBE,GAGvB,SAASI,GAakBC,SACVC,EAASD,EAAME,eAAAtC9C,OAAS+C,OACVC,EAAoBR,KAEPB
5D,EAAaqE,GAAQ,eACrBzK,EAAQwK,SAERJ,EAAMPk,MAERA,EAAQoK,EAAMPk,MACLoK,EAAM5O,S
ACfwE,EAAQA,EAAMiE,uBAAuB,CAAEzI,OAAQ4O,EAAM5O,SAAU,IAG7D4O,EAAMM,wBACR1K,EAA
QA,EAAMiE,uBAAuB,CAAEEX,mBAAmB,KAGrDtD,IACN,CAACoK,EAAMM,sBAAuBN,EAAMPk,MAAOo
K,EAAM5O,SAE9C6K,EAASoE,GACb,kBACeTD,GAAqB,CACnB3D,QAAS,CAAESf,QAASsB,EAAMO,uBA
C1BnD,QAAAA,MAEJ,CAAC4C,EAAMO,sBAAuBnD,WAGhCoD,GAAU,WACHC,EAAarD,EAAS4C,EAAM
E,gBAAGBC,EAAWH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,GAakBsB,UAAASC,MAAO3E,GA
CjCqD,gBAACI,GAACiB,UAAASC,MAAO1E,GACH,eAAzB5K,QAAQC,IAAIC,SACT8N,EAAMuB,SAASC,KA
AKb,EAAMc,UAC1Bd,EAAMc,eCjEGC,yBAOPtP,EAAcQc,mBAM1BkN,OAAS,SAACHf,EAAwBiF,YAAAA,I
AAAA,EAA8BtB,QACxDuB,EAAeC,EAak1P,KAAOWP,EAAe5F,KAE3CW,EAAWhC,aAAamH,EAakhM,GA
AI+L,IACpClF,EAAWnI,YACTsN,EAakhM,GACL+L,EACAD,EAAeE,EAakrN,MAAOoN,EAAC,qBAK/CzQ,
SAAW,kBACFyD,EAAiB,GAAI2G,OAAOsG,EAak1P,aAlBnCA,KAAOA,OACP0D,mBAAqB1D,OACrBqC,M
AAQA,qBAmBfsN,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BtB,IAC7B/L,KAAKnC,KAAOWP,EAAe5F,WC7
BhCgG,GAAiB,UACjBC,GAAMb,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EAakC,eAkB/C,SAAS
C,GAAMbP,D,UACIC8C,GAAenQ,KAAKqN,GACzBA,EACCxL,QAAQuO,GAakBE,IAC1BzO,QAAQwO,GAA
W,QACpBhD,ECIBJ,IAAMqD,GAAY,SAAAC,UAAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAoBvF,S
AAwB1F,GACiB0F,EACA9F,EACAC,EACAiF,MAEIVe,MAAMC,QAAQkF,GAAQ,SAGY1R,EAF9B2R,EAAU
,GAEP1R,EAai,EAAGC,EAAMwR,EAAMvR,OAAGbF,EAaic,EAakD,GAak,EAGzC,MAFFD,EAASgM,GA
AQ0F,EAAMzR,GAAI2L,EAakBC,EAAYiF,MAGhdvE,MAAMC,QAAQxM,GAAS2R,EAAQvR,WAARuR,EA
AgB3R,GAC3C2R,EAAQvR,KAAKJ,WAGb2R,KAGLF,GAAUC,SACL,MAILnQ,EAakBmQ,aACTA,EAAMIQ
,qBAIfV,EAAW4Q,GAAQ,IC9DL,mBAFwB3Q,EDiEhB2Q,IC7DtB3Q,EAakP,WACFO,EAakP,UAAUoR,mB
D4DchG,EAa3B,OAAO8F,MAZN1R,EAAS0R,EAAM9F,SAEQ,eAAzB1K,QAAQC,IAAIC,UAA6ByQ,EAAU7
R,IAErD8R,QAAQC,KACH/Q,EACD0Q,uLAKC1F,GAAQhM,EAAQ4L,EAakBC,EAAYiF,GC7E5C,IAA6B/P,

SDiFtC2Q,aAAiBd,GACf/E,GACF6F,EAAMb,OAAOhF,EAAYiF,GACIBY,EAAMT,QAAQH,IACTY,EAITM,E
AAcN,GAzEM,SAAhBO,EAaBC,EAaC,OEbH7Q,EAACkP,EFc9C7M,EAAQ,OAET,IAAMyO,KAAOF,EACX
A,EAaIG,eAAeD,KAAQX,GAAUS,EAaIE,MAEzC7F,MAAMC,QAAQ0F,EAaIE,KAASF,EAaIE,GAAKE,OA
AUxR,EAAWoR,EAaIE,IACHezO,EAAMvD,KAAQmS,GAAUH,OAASF,EAaIE,GAAM,KACICJ,EAACe,EAa
IE,IAC3BzO,EAAMvD,WAANuD,EAACsO,EAACc,EAaIE,GAAMA,IAEtCzO,EAAMvD,KAAQmS,GAAUH,S
ExBU9Q,EFwBe8Q,EErBxC,OAHuC5B,EFwBM0B,EAaIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC1C,GAG
Y,iBAAVA,GAAgC,IAAVA,GAAiBIP,KAAQkR,GAAClR,EAAKmR,WAAW,MAIjF/H,OAAO8F,GAAOvN,OA
HTuN,qBFoBL2B,GAACa,eAAgBxO,GAAO,MAAOA,EA0DrBsO,CAAcP,GAASA,EAAMpR,WG9E7D,IAAMo
S,GAAS,SAAAC,UACTpG,MAAMC,QAAQmG,KAehBA,EAAIL,OAAQ,GAEPK,GAGM,SAASIO,GAAImO,8
BAAmB7S,mCAAAA,2BACzCe,EAAW8R,IAAWZ,EAACy,GAE/BF,GAAO1G,GAAQ6G,EAAWIS,GAAciS,U
AAW7S,MAG9B,IAA1BA,EAaeI,QAakC,IAAIByS,EAAOzS,QAAqC,iBAAdyS,EAAO,GAE/DA,EAIFF,GAA
O1G,GAAQ6G,EAAWD,EAaQ7S,KC5B3C,IAAM+S,GAAoB,qBACpBC,GAAO,IAAI/I,IAEjGJ,GAAuB,SAAC
3R,EAaQBiK,MAC3B,eAAzBpK,QAAQC,IAAIC,SAA2B,KAEnC6R,EACJ,iBAaiB5R,GAFliK,sBAakCA,MA
AiB,6NAUpE4H,EAauBpB,QAAQqB,cAE/BC,GAAwB,EAe5BtB,QAAQqB,MAAQ,SAACE,MAGXP,GAakB/
R,KAAKsS,GACzBD,GAAwB,EAExBL,UAAyE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAAqBG,UAAwBC,
MAMjDC,IAEIH,IAA0BL,GAak9N,IAAIgO,KAerCnB,QAAQC,KAAKkB,GACbF,GAakjJ,IAAIjJ,IAEX,MA
AOE,GAGHL,GAakB/R,KAAKoS,EAAMF,UAE/BF,UAAyE,WAI dnB,QAAQqB,MAAQD,iBC9CnD,EAAC2
D,EAaBC,mBAAAA,IAAAA,EAaB5S,GAC5DgP,EAAM6D,QAAUD,EAaC,OAAS7D,EAAM6D,OAAUF,
GAAiBC,EAaC,OCJxFC,GAAC,wCAEdC,GAAe,WAMN,SAASC,GAAOC,UAE3BA,EAEGIR,QAAQ+Q,GAA
a,KAGrB/Q,QAAQgR,GAAC,ICd7B,gBAAGBE,UACPIJ,EAauBM,GAak4I,KAAS,ICH/B,SAASC,GAAM9S,SA
ER,iBAAXA,IACmB,eAAzBC,QAAQC,IAAIC,UACTH,EAaO+S,OAAO,KAAO/S,EAaO+S,OAAO,GAAGzC,e
CqB9C,IAAM0C,GAAW,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAiB3H,MAAMC,QA
AQ0H,IAItFC,GAAa,SAAA/B,SACF,cAARA,GAA+B,gBAARA,GAAiC,cAARA,GAGzD,SAASgC,GAAMnT,E
AAQiT,EAak9B,OACpBF,EAAMjR,EAaOmR,GACf6B,GAASC,IAAQD,GAAS/B,GAC5BmC,GAAUnC,EA
KgC,GAefjT,EAaOmR,GAAO8B,EAIH,SAASG,GAAUpT,8BAAWqT,mCAAAA,kCACzBA,iBAAM,KAAbpC,
UACL+B,GAAS/B,OACN,IAAME,KAAOF,EACZiC,GAAW/B,IACbgC,GAAMnT,EAaQiR,EAaIE,GAAMA,U
AMzBnR,MC5CIsT,GAAsCrF,EAAMC,gBAE5CqF,GAAgBD,GAAaIF,SA8B3B,SAASoF,GAAC5E,OAC9B6E,E
AAahF,EAAW6E,IACxBI,EAaezE,GAAQ,kBA9B/B,SAaOBwD,EAAsBgB,OACnChB,SACI3P,EAaiB,OAGtBj
D,EAAW4S,GAAQ,KACfkB,EAAClB,EAAMgB,SAGC,eAAzBxT,QAAQC,IAAIC,UACK,OAahBwT,IAAwBrI,
MAAMC,QAAQoI,IAAuC,iBAahBA,EAKzDA,EAHE7Q,EAaiB,UAMxBwI,MAAMC,QAAQkH,IAA2B,iBAA
VA,EAC1B3P,EAaiB,GAGnB2Q,OAakBA,KAAehB,GAAUA,EAQfmB,CAAWWhF,EAAM6D,MAAOgB,KAAa,
CACIE7E,EAAM6D,MACNgB,WAGG7E,EAAMc,SAIjzB,gBAACqF,GAAahE,UAAASC,MAAOmE,GAAe9E,E
AAMc,UAHjD,KCxBX,IAAMmE,GAAC,GA4IpB,SAAwBC,GACtB9T,EACAgI,EAoAtF,OAEMqR,EAaQbzT,E
AAkBN,GACvCgU,GAAwBIB,GAAM9S,KAMhCgI,EAHFim,MAAAA,aAAQvU,MAGNsI,EAFFqC,YAAAA,a
AzJJ,SAAoBjK,EAAsB8T,OACIC7T,EAa8B,iBAahBD,EAa2B,KAAOWS,GAAOXs,GAe7DyT,GAAyXT,IAA
SwT,GAAyXT,IAAS,GAAK,MAEzCgK,EAaiBhK,MAAQ8T,G9BzBPxT,S8B4BTN,EAaOWT,GAAyXT,WAG3
B6T,EAauBA,MAAQb7J,EAAGBA,EA8InD+J,CAAWpM,EAaQ5H,YAAa4H,EAaQkM,uBAEpDIM,EADF5H,
YAAAA,aCtLW,SACbJ,UAE08S,GAAM9S,aAAoBA,YAAqBD,EAaiBC,ODmLvDqU,CAAOBrU,KAG9BO,EA
CjYH,EAaQ5H,aAAe4H,EAaQqC,YACxBuI,GAAO5K,EAaQ5H,iBAAGb4H,EAaQqC,YAC1CrC,EAaQqC,a
AAeA,EAGvBiK,EACJP,GAAwB/T,EAAGCiU,MACpD3I,MAAM/L,UAAUgV,OAASvU,EAAGCiU,MAAOA,G
AAOO,OAAOzT,SAC9EkT,EAGFQ,EAaOBzM,EAaQyM,kBAE5BV,GAAsB/T,EAaOyU,oBAG7BA,EAFezM,
EAaQyM,kBAEU,SAACC,EAAMC,EAaUC,UAC/B5U,EAAGCyU,kBACICC,EACAC,EACAC,IAEA5M,EAaQ
yM,kBAA4CC,EAAMC,EAaUC,IAGID5U,EAAGCyU,uBAkBTdI,EAdeC,EAaiB,IAAI1K,GACzB1H,EACAnC,
EACAwT,EAauB/T,EAAGB8U,oBAAKC1O,GAKrEoE,EAWSK,EAaEtK,UAA6B,IAAjByJ,EAAM/U,OAQ5C6
V,EAaA,SAACnG,EAaOoG,UA7I7B,SACEC,EACArG,EACAsG,EACA1K,OAGS2K,EAOLF,EAPFhB,MACAa
,EAMEG,EANFH,eACAtC,EAKeyC,EALFzC,aACA4C,EAIEH,EAJFG,mBACAX,EAGEQ,EAHFR,kBACAIU,E
AEEOU,EAFF1U,kBACAP,EACEiV,EADFjV,SA7DJ,SAaKCyS,EAa2B7D,EAaeqF,YAA1CxB,IAAAA,EAa7
S,OAIvC2M,OAaeqC,GAAO6D,MAAAA,IACtB4C,EAAGB,UAETpB,EAAMxS,SAAQ,SAAA6T,OAERN,EER

D4B9P,EAAYC,EFoDxCiU,EAakBD,MAQjBnE,KALDtR,EAaw0V,KACbA,EAakBA,EAagBhJ,IAIxBgJ,EA
CVhJ,EAAQ4E,GAAOkE,EAacIE,GACnB,cAARA,GE9D4B9P,EF+DZgU,EAacIE,GE/DU7P,EF+DjiU,EAagB
pE,GE9DnD9P,GAACK,EAaOD,MAAKC,EAAMD,GAACK,GF+DzBiU,EAagBpE,MAKnB,CAAC5E,EAAS8I,
GA4CQG,CAFXC,GAAe7G,EAAOH,EAaw6E,IAAed,IAEX5S,EAacgP,EAAOuG,GAAjE5I,OAA50H,OAEVY
B,EA3CR,SACEZ,EACAtK,EACA6K,EACAM,OAEM/K,EAa4D,KACb3D,EAAS6D,KAETkH,EAAYpL,EAC
dsK,EAaepK,wBAawB9K,EAacgL,EAAYC,GACjEiK,EAaepK,wBAawB2K,EAaezK,EAAYC,SAEzC,eAAz
B5K,QAAQC,IAAIC,WAA8BqK,GAAymL,GACxDA,EAaMBC,GAGdA,EA0BoBC,CACzBf,EACAtK,EACA+
B,EACyB,eAAzBtM,QAAQC,IAAIC,SAA4B8U,EAaMBU,wBAaqBvP,GAG5E0P,EAaeZ,EAefN,EAa6BX,EA
AM8B,KAAOnH,EAAMmH,KAAO9B,EAAM+B,IAAMpH,EAAMoH,IAAMhW,EAE/EiW,EAacnD,GAAM8B,
GACpBsB,EAagBjC,IAAUrF,OAAaA,KAAUqF,GAAUrF,EAC3DuH,EAakB,OAGnB,IAAMhF,KAAO+E,EAC
D,MAAX/E,EAAL,IAAsB,OAARA,IACL,gBAARA,EACPgF,EAagBH,GAAKE,EAac/E,IAEnCsD,EACIA,EA
kBtD,EAaKiF,EAawxB,IACICqB,GACAG,EAUjF,MAIdgF,EAagBhF,GAAO+E,EAac/E,YAIrCvC,EAAM9J
,OAA5mP,EAAMnP,QAAU8J,EAAM9J,QACvCqR,EAagBrR,WAAa8J,EAAM9J,SAAUmP,EAAMnP,QAGrDq
R,EAagBP,UAAyTk,MAAM/L,UAC/BgV,OACCa,EACA7U,EACAmV,IAAuBnV,EAaobmV,EAaqB,KACHe9
G,EAAMgH,UACN3B,EAAM2B,WAEpPb,OAAOzT,SACPgB,KAAK,KAERoU,EAagBnB,IAAMc,EAeflQ,EA
AcgP,EAaobuB,IAuEhBtB,EAawBjG,EAaOoG,EAakxK,WAE7DuK,EAaw3U,YAAcA,GAeZyU,EAa2B5
G,EAAM8G,WAAWA,IACrBd,MAAQK,EAC/BO,EAaUBC,eAAiBA,EACxCD,EAaBzU,YAAcA,EACrCyU,E
AAuBJ,kBAaobA,EAi3CI,EAaUBO,mBAaqBrB,EACxCzI,MAAM/L,UAAUgV,OACZvU,EAagCoV,mBACHC
pV,EAagCO,mBAepCb,EAeJmV,EAaUBtU,kBAaobA,EAG3CsU,EAaUB7U,OAA5+T,EAC1B/T,EAagCA,O
ACICA,EAeJ6U,EAaUBwB,cAAgB,SAAuBnU,OACvCoU,EAa0CtO,EAavDqC,YAAqCkM,uiAAkBvO,mBAE
zDwO,EACJF,GACGA,OAAuBxD,GAAM5Q,GAAOA,EAAM0Q,GAAO7S,EAaiBmC,YAQhE4R,GAA5B5R,O
ALxBqU,GACHtC,MAAOK,EACPjK,YAAamM,IAG+B9T,IAGhDpD,OAAOmX,eAAe5B,EAawB,eAagB,CAC
5D5Q,sBACSzB,KAAKkU,qBAGd3T,aAAIkO,QACgyF,oBAAsB3C,EACvB4C,GAAM,GAAM3W,EAagCwS,a
AAcvB,GAC1DA,KAIqB,eAAzBhR,QAAQC,IAAIC,WACd4R,GAAqB3R,EAaAG,GAeICsU,EAaUBc,4BgnSX
vV,EAaqBiK,OAC/BuM,EAaMB,GACnBC,GAAC,SAEX,SAACjB,OACDiB,IACHD,EAaiBhB,IAAa,EAC1Bt
W,OAAOwX,KAAKF,GAakB1X,QATnB,KASoC,KAG3C6X,EAaiB1M,sBAakCA,MAAiB,GAe1EwG,QAAQ
C,KACN,iDAAsD1Q,EAac2W,oQAuTEF,GAAC,EACdD,EAaMB,KH2QqBI,CAC1C5W,EACAG,IAQjJB,OAA
OmX,eAAe5B,EAawB,WAAy,CAAETf,MAAO,qBAAUsF,EAaUBtU,qBAehGyT,GACFiD,EAIEpC,EAa0B7U,
EAa0D,CAepFiU,OAAO,EACPa,gBAagB,EACb1U,aAAa,EACbgV,oBAaob,EACpBX,mBAaMB,EACnBIU,
mBAaMB,EACnBP,QAAQ,EACRqW,eAAe,IAIZxB,EIIUT,ICIMqC,GAAS,SAACHV,mBCCQiV,EACtBC,EAC
AIV,EACA8F,eAAAA,IAAAA,EAakBpI,IAEbyX,EAaMBnV,UACfY,EAaiB,EAAG2G,OAAOvH,QAK9BoV,E
AAmB,kBAaAF,EAaqBIV,EAak8F,EAASx,EoCAGzE8T,EAaiBC,WAAa,SAAAC,UAC5BL,EAaqBC,EAAsB
IV,OAAU8F,KAAyWp,KAGnEF,EAaiBrD,MAAQ,SAAAA,UACvBkD,EAaqBC,EAAsBIV,OACtC8F,GACHi
M,MAAO3I,MAAM/L,UAAUgV,OAAOvM,EAaqiM,MAAOA,GAAOO,OAAOzT,aAGxDuW,EDzBuBH,CAAq
BM,GAAiBvV,IDjvD,CACb,IACA,OACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,M
ACA,aACA,OACA,KACA,SACA,SACA,UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,U
ACA,MACA,SACA,MACA,KACA,KACA,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KA
CA,KACA,KACA,KACA,OACA,SACA,SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SAC
A,QACA,SACA,KACA,OACA,OACA,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SAC
A,KACA,WACA,SACA,SACA,IACA,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,
SACA,UACA,SACA,QACA,SACA,OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,
QACA,KACA,QACA,OACA,QACA,KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,
UACA,gBACA,IACA,QACA,OACA,iBACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA
,MACA,OACA,WACA,SCnIUT,SAAQ,SAAaiW,GACIBR,GAAOQ,GAAcR,GAAOQ,UELTC,yBAOPjV,EAag
B2H,QACrB3H,MAAQA,OACR2H,YAAcA,OACdG,SAAWN,GAACxH,GAI9BqF,EAaws,WAAWhG,KAAK6
H,YAAc,8BAG3CuN,aAAA,SACEC,EACAIN,EACAC,EACAC,OAGMrH,EAAMqH,EADIE,GAAQvI,KAAKE,
MAAOiI,EAakBC,EAAYC,GACvC9I,KAAK,IAAK,IAC/BgC,EAakvB,KAAK6H,YAAcwN,EAG9BjN,EAaw
nI,YAAySb,EAaIA,EAaIP,MAGjCsU,aAAA,SAAAD,EAakBjN,GAC7BA,EAaw1B,WAAW1G,KAAK6H,YA

AcwN,MAG3CE,aAAA,SACEF,EACAIN,EACAC,EACAC,GAElgN,EA AW,GAAG9P,EA AWS,WAAWhG,KAA K6H,YAAcwN,QAGtDC,aAAAd,EA AUjN,QACvBgN,aAAAc,EA AUIN,EA AkBC,EAAYC,SCn C/C,SAASmN,G ACtBnZ,8BACGC,mCAAAA,wBAEG4D,EA AQc,iBA AI3E,UAA YC,IACxByB,eAAiC4T,GAAoB8D,KAAKC,U AAUxV,IACpEyV,EA Ac,IAAIR,GAAYjV,EA AOnC,YAMIC6X,EA AQbXJ,OACtBhE,EA Aa4D,KACb3D,EAAS6 D,KACT+D,EA AQhE,EA AW6E,IAGnBuE,EA FcvF,EA AO1H,EA AWjC,mBA AmBpI,IAE5B8X,cAEA,eAAzBp Y,QAAQC,IAAIC,UAA6B8N,EA AMuB,SAAS8I,MAAM1J,EA Mc,WA EtEmB,QAAQC,mCACwBvQ,uEAKP,e AAzBN,QAAQC,IAAIC,UACZuC,EA AM6V,MAAK,SA AaXr,SA AwB,iBAATA,IA AkD,IAA7BA,EA AKqG,Q AAQ,eAG5DyD,QAAQC,qVAKNIG,EA AWzC,QACb4P,EA AaF,EA AUjJ,EA AO hE,EA AY6H,EA AO5H,GA OjD 2N,GAAgB,eACT5N,EA AWzC,cACd4P,EA AaF,EA AUjJ,EA AO hE,EA AY6H,EA AO5H,GAC1C,kBAAMsN,EA AY L,aAAAd,EA AUjN,MAEjD,CAACiN,EA AUjJ,EA AO hE,EA AY6H,EA AO5H,IAGnC,cAGAkN,EA AaF,EA AUjJ,EA AO hE,EA AY6H,EA AO5H,MACpDsN,EA AY3N,SACd2N,EA AYJ,aAAaF,EA AU3W,EA A0B0J,EAAYC, OACpE,KACC0B,OACDqC,GACH6D,MAAOgD,GAAe7G,EA AO6D,EA AO2F,EA AQb5F,gBAG3D2F,EAAYJ,a AAaF,EA AUtL,EAAS3B,EAAYC,UaZD/B,eAAzB5K,QAAQC,IAAIC,UACd4R,GAAqBxR,GA6DhB0N,EAAM wK,KAAKL,GC9EL,SAASM,GACtB7Z,GAK2B,eAAzBoB,QAAQC,IAAIC,UACS,oBAAdwY,WACe,gBAAtBA ,UAAUC,SAGV/H,QAAQC,KACN,8IAVDhS,mCAAAA,wBAcG4D,EA AQc,iBA AI3E,UAA YC,IAAgBiD,KAA K,IAC7C1B,EA AO8T,GAAoBzR,UAC1B,IAAIiN,GAAUtP,EA AMqC,OCbRmW,2CAYnBC,cAAgB,eACrTV,E AAMuM,EA AK8H,SAASxY,eACrBmE,EA AK,MAAO,OAEX8C,EA AQhB,oBACA,CAACgB,aAAmBA,MAAa9 F,YAAqBuY,gCAC7CvE,OAAOzT,SAASgB,KAAK,SAEfyB,mBAW/BwV,aAAe,kBACTjJ,EA AKkJ,OACAnW, EAAiB,GAGnBiN,EA AK+I,sBAGdI,gBA AkB,oBACZnJ,EA AKkJ,cACAnW,EAAiB,OAGpB8L,UACHpO,GAA U,KxC9Cc,uBACLg,WwC+CpBwY,wBA AyB,CACvBC,OAAQrJ,EA AK8H,SAASxY,eAlpBiH,EA AQhB,WAC VgB,IACDsI,EAAYtI,MAAQA,GAIhB,CAAC2H,6BAAWW,GAAOuC,IAAI,mBAsDhCkI,KAAO,WACLtJ,EA KkK,QAAS,QA ZGTpB,SAAW,IAAI9P,EA AW,CAAEF,UAAU,SACtCoR,QAAS,6BAchBK,cAAA,SAAc5J,UAC RIN,KAAKyW,OACAnW,EAAiB,GAGnBmL,gBAACU,IAAkBnK,MAAOhC,KAAKqV,UAAWnI,MakCnD6J,y BAAA,SAAYBC,UAEd1W,EAAiB,qBC/Dd2W,OAERC,EAAYzL,EAAM8G,YAAW,SAACnG,EA AOoG,OACn CvC,EA AQhE,EA AW6E,IAEjBd,EAAiBiH,EA AjBjH,aACFmH,EAAYIE,GAAe7G,EA AO6D,EA AOD,SAEIB,e AAzBvS,QAAQC,IAAIC,eAA2CiG,IAAduT,GAE3C9I,QAAQC,8HACmH/Q,EACvH0Z,QA KCxL,gBAACwL,O AAc7K,GAAO6D,MAAOkH,EA AW3E,IAAKA,eAGtD4E,EA AaF,EA AWD,GAExBC,EA AUtZ,yBAA2BL,EA Ai B0Z,OAE/CC,GCICHG,GAAW,kBAAMpL,EA AW6E,KCErBwG,GAAc,CACzB/R,WAAAA,EACAuG,YAAAA, ICmByB,eAAzBrO,QAAQC,IAAIC,UACS,oBAAdwY,WACe,gBAAtBA,UAAUC,SAGV/H,QAAQC,KACN,wN AOyB,eAAzB7Q,QAAQC,IAAIC,UAA sD,SAAZBF,QAAQC,IAAIC,UAAyC,oBAAXU,SACrFA,OAAO,8BAAG CA,OAAO,+BAAiC,EA EIC,IAAZCA,OAAO,+BAETgQ,QAAQC,KACN,4TAOJjQ,OAAO,+BAAiC" }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/dist/styled-components.browser.esm.js.map

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"styled-

components.cjs.js","sources":["../src/utlils/interleave.js","../src/utlils/isPlainObject.js","../src/utlils/empties.js","../src/utlils/isFunction.js","../src/utlils/getComponentName.js","../src/utlils/isStyledComponent.js","../src/constants.js","../src/utlils/error.js","../src/utlils/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sheet/Rehydration.js","../src/utlils/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utlils/generateAlphabeticName.js","../src/utlils/hash.js","../src/utlils/isStaticRules.js","../src/models/ComponentStyle.js","../src/utlils/stylis.js","../src/utlils/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../src/models/Keyframes.js","../src/utlils/hyphenateStyleName.js","../src/utlils/flatten.js","../src/utlils/isStatelessFunction.js","../src/utlils/addUnitIfNeeded.js","../src/constructors/css.js","../src/utlils/checkDynamicCreation.js","../src/utlils/determineTheme.js","../src/utlils/escape.js","../src/utlils/generateComponentId.js","../src/utlils/isTag.js","../src/utlils/mixinDeep.js","../src/models/ThemeP

```

rovider.js", "../src/models/StyledComponent.js", "../src/utis/generateDisplayName.js", "../src/utis/joinStrings.js", "../src
c/utis/createWarnTooManyClasses.js", "../src/utis/domElements.js", "../src/constructors/styled.js", "../src/constructor
s/constructWithOptions.js", "../src/models/GlobalStyle.js", "../src/models/ServerStyleSheet.js", "../src/secretInternals.j
s", "../src/base.js", "../src/constructors/createGlobalStyle.js", "../src/constructors/keyframes.js", "../src/hooks/useTheme.
js", "../src/hoc/withTheme.js"], "sourcesContent": ["/

```

```

@flow\nimport type { Interpolation } from '../types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:
Array<Interpolation>): Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len =
interpolations.length; i < len;\n    i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return result;\n};\n\n", "/ @flow\nimport { typeOf }
from 'react-is';\n\nexport default (x: any): boolean =>\n  x !== null &&\n  typeof x === 'object' &&\n  (x.toString ?
x.toString() : Object.prototype.toString.call(x)) === '[object Object]' &&\n  !typeof(x);\n\n", "/ @flow\nexport const
EMPTY_ARRAY = Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n\n", "/ @flow\nexport
default function isFunction(test: any): boolean %checks {\n  return typeof test === 'function';\n}\n\n", "/
@flow\nimport type { IStyledComponent } from '../types';\n\nexport default function getComponentName(\n
target: $PropertyType<IStyledComponent, 'target'>): string {\n  return (\n    (process.env.NODE_ENV !==
'production' ? typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    //
$FlowFixMe\n    target.name ||\n    'Component'\n  );\n}\n\n", "/ @flow\nexport default function
isStyledComponent(target:
any): boolean %checks {\n  return target && typeof target.styledComponentId === 'string';\n}\n\n", "/
@flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\n\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n  (typeof process !== 'undefined' &&\n   typeof process.env !== 'undefined' &&\n
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n  'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTML' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n  typeof
SC_DISABLE_SPEEDY === 'boolean'\n  ? SC_DISABLE_SPEEDY\n  : typeof process !== 'undefined' &&
typeof process.env !== 'undefined'\n  ? typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'
&&\n    process.env.REACT_APP_SC_DISABLE_SPEEDY !== '\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false'\n  ? false\n  : process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== '\n  ?
process.env.SC_DISABLE_SPEEDY === 'false'\n  ? false\n  : process.env.SC_DISABLE_SPEEDY\n  :
process.env.NODE_ENV !== 'production'\n  : false);\n\n// Shared empty execution context when generating
static styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n\n", "/ @flow\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n\n  for (let c = 1, len =
args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a = a.replace(/%[a-z]/, d);\n  });\n\n
return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n * in
production mode.\n */\nexport default function throwStyledComponentsError(\n  code: string | number,\n
...interpolations: Array<any>): Error {\n  if (process.env.NODE_ENV === 'production') {\n    throw new Error(\n
`An error occurred. See https://git.io/JUIaE#${code} for more information. ${\n    interpolations.length > 0 ? `
Args: ${interpolations.join(', ')} : "${\n    }`\n  );\n  } else {\n    throw new Error(format(ERRORS[code],
...interpolations).trim());\n  }\n}\n\n", "export default {\n  "1": "Cannot create styled-component for component:
%s.\n\n",\n  "2": "Can't collect styles once you've consumed a `ServerStyleSheet`'s styles! `ServerStyleSheet` is a
one off instance for each server-side render cycle.\n\n- Are you trying to reuse it across renders?\n- Are you
accidentally calling collectStyles twice?\n\n",\n  "3": "Streaming SSR is only supported in a Node.js environment;
Please do not try to call this method in the browser.\n\n",\n  "4": "The `StyleSheetManager` expects

```

a valid target or sheet prop!

Does this error occur on the client and is your target falsy?

Does this error occur on the server and is the sheet falsy?

"5": "The clone method cannot be used on the client!

Are you running in a client-like environment on the server?

Are you trying to run SSR on the client?

"6": "Trying to insert a new style tag, but the given Node is unmounted!

Are you using a custom target that isn't mounted?

Does your document not have a valid head element?

Have you accidentally removed a style tag manually?

"7": "ThemeProvider: Please return an object from your 'theme' prop function, e.g. theme={() => ({})}

"8": "ThemeProvider: Please make your 'theme' prop an object.

"9": "Missing document <head>

"10": "Cannot find a StyleSheet instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to troubleshoot and fix the common cases where this situation can happen: <https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021>

"11": "_This error was replaced with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be rendered. Please use the component without passing children elements.

"12": "It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>

"13": "%s is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details.

"14": "ThemeProvider: 'theme' prop is required.

"15": "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to <StyleSheetManager stylisPlugins={[]}>, please make sure each plugin is uniquely-named, e.g. Object.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });

"16": "Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, as for instance in your render method then you may be running into this limitation.

"17": "CSSStyleSheet could not be found on HTMLStyleElement.

Has styled-components' style tag been unmounted or altered by another script?

```

// @flow
* eslint-disable no-use-before-define
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';

/** Create a GroupedTag with an underlying Tag implementation */
export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}

const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;

  length: number;
  tag: Tag;

  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }

  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }

  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group: number): void {
          if (group < this.length) {
            const length = this.groupSizes[group];
            const startIndex = this.indexOfGroup(group);
            const endIndex = startIndex + length;
            this.groupSizes[group] = 0;
            for (let i = startIndex; i < endIndex; i++) {
              this.tag.deleteRule(startIndex);
            }
          }
        }

        getGroup(group: number): string {
          let css = "";
          if (group >= this.length || this.groupSizes[group] === 0) {
            return css;
          }
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          for (let i = startIndex; i < endIndex; i++) {
            css += `${this.tag.getRule(i)}${SPLITTER}`;
          }
          return css;
        }

```



```

gs: GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:
boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index */\n static registerId(id:
string): number {\n return getGroupForId(id);\n }\n\n constructor(\n options: SheetConstructorArgs =
EMPTY_OBJECT,\n globalStyles?:
GlobalStylesAllocationMap = {},\n names?: NamesAllocationMap\n ) {\n this.options = {\n
...defaultOptions,\n ...options,\n };;\n\n this.gs = globalStyles;\n this.names = new Map(names);\n
this.server = !options.isServer;\n\n // We rehydrate only once and use the sheet that is created first\n if
(!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n SHOULD_REHYDRATE = false;\n
rehydrateSheet(this);\n }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean =
true) {\n return new StyleSheet(\n { ...this.options, ...options },\n this.gs,\n (withNames && this.names) ||
undefined\n );\n }\n\n allocateGSInstance(id: string) {\n return (this.gs[id] = (this.gs[id] || 0) + 1);\n }\n\n /**
Lazily initialises a GroupedTag for when it's actually needed */\n getTag(): GroupedTag {\n return this.tag ||
(this.tag = makeGroupedTag(makeTag(this.options)));\n }\n\n /** Check whether a name is known
for caching */\n hasNameForId(id: string, name: string): boolean {\n return this.names.has(id) &&
(this.names.get(id): any).has(name);\n }\n\n /** Mark a group's name as known for caching */\n registerName(id:
string, name: string) {\n getGroupForId(id);\n\n if (!this.names.has(id)) {\n const groupNames = new Set();\n
groupNames.add(name);\n this.names.set(id, groupNames);\n } else {\n (this.names.get(id):
any).add(name);\n }\n }\n\n /** Insert new rules which also marks the name as known */\n insertRules(id: string,
name: string, rules: string[]) {\n this.registerName(id, name);\n this.getTag().insertRules(getGroupForId(id),
rules);\n }\n\n /** Clears all cached names for a given group ID */\n clearNames(id: string) {\n if
(this.names.has(id)) {\n (this.names.get(id): any).clear();\n }\n }\n\n /** Clears all rules for a given group ID
*/\n clearRules(id: string) {\n this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names */\n clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output
only new rules\n this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR
*/\n toString(): string {\n return outputSheet(this);\n }\n\n", "/* @flow\n/* eslint-disable no-bitwise */\n\nconst
AD_REPLACER_R = /(a)(d)(g)(i);/;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n * counterparts */\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters */\n\nconst getAlphabeticChar = (code: number): string =>\n String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 */\n\nexport default function
generateAlphabeticName(code: number): string {\n let name = "";\n
let x;\n\n /* get a char and divide by alphabet-length */\n for (x = Math.abs(code); x > charsLength; x = (x /
charsLength) | 0) {\n name = getAlphabeticChar(x % charsLength) + name;\n }\n\n return (getAlphabeticChar(x
% charsLength) + name).replace(AD_REPLACER_R, '$1-$2');\n }\n\n", "/* @flow\n\n/* eslint-disable */\n\nexport const
SEED = 5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we
pretend that we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n
let i = x.length;\n\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n }\n\n// This is a djb2
hashing function\n\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n }\n\n", "/* @flow\n\nimport
isFunction from './isFunction';\nimport isStyledComponent from './isStyledComponent';\nimport type { RuleSet }
from './types';\n\nexport default function isStaticRules(rules: RuleSet): boolean {\n
for (let i = 0; i < rules.length; i += 1) {\n const rule = rules[i];\n\n if (isFunction(rule) &&
!isStyledComponent(rule)) {\n // functions are allowed to be static if they're just being\n // used to get the
classname of a nested styled component\n return false;\n }\n }\n\n return true;\n }\n\n", "/* @flow\n\nimport {
SC_VERSION } from './constants';\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport generateName from
'./utils/generateAlphabeticName';\nimport { hash, phash } from './utils/hash';\nimport isStaticRules from
'./utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n/**\n * ComponentStyle is all the CSS-specific
stuff, not the React-specific stuff.\n */\n\nexport default class ComponentStyle {\n baseHash: number;\n\n baseStyle:

```

```

?ComponentStyle;\n\n componentId: string;\n\n isStatic: boolean;\n\n rules: RuleSet;\n\n staticRulesId: string;\n\n constructor(rules:
RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n  this.rules = rules;\n  this.staticRulesId = ";\n  this.isStatic = process.env.NODE_ENV === 'production' &&\n  (baseStyle === undefined || baseStyle.isStatic)
&&\n  isStaticRules(rules);\n  this.componentId = componentId;\n\n  // SC_VERSION gives us isolation
between multiple runtimes on the page at once\n  // this is improved further with use of the babel plugin
'namespace' feature\n  this.baseHash = phash(SEED, componentId);\n\n  this.baseStyle = baseStyle;\n\n  //
NOTE: This registers the componentId, which ensures a consistent order\n  // for this component's styles compared
to others\n  StyleSheet.registerId(componentId);\n  }\n\n /*\n  * Flattens a rule set into valid CSS\n  * Hashes it,
wraps the whole chunk in a .hash1234 { }\n  * Returns the hash to be injected on render()\n  */\n  generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis: Stringifier)
{\n  const { componentId } = this;\n\n  const names = [];\n\n  if (this.baseStyle) {\n  names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n  }\n\n  // force
dynamic classnames if user-supplied stylis plugins are in use\n  if (this.isStatic && !stylis.hash) {\n  if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n  names.push(this.staticRulesId);\n  } else {\n  const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join(");\n  const name = generateName(phaash(this.baseHash, cssStatic) >>> 0);\n\n  if
(!styleSheet.hasNameForId(componentId, name)) {\n  const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n\n  styleSheet.insertRules(componentId, name, cssStaticFormatted);\n  }\n\n  names.push(name);\n  this.staticRulesId = name;\n  }\n  } else {\n  const { length } = this.rules;\n\n  let dynamicHash = phash(this.baseHash, stylis.hash);\n  let css = ";\n\n  for (let i = 0; i < length; i++) {\n  const partRule = this.rules[i];\n\n  if (typeof partRule === 'string') {\n  css += partRule;\n\n  if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n  } else if
(partRule) {\n  const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n  const
partString = Array.isArray(partChunk) ? partChunk.join(") : partChunk;\n  dynamicHash =
phaash(dynamicHash, partString + i);\n  css += partString;\n  }\n  }\n\n  if (css) {\n  const name =
generateName(dynamicHash >>> 0);\n\n  if (!styleSheet.hasNameForId(componentId, name)) {\n  const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n  styleSheet.insertRules(componentId, name,
cssFormatted);\n  }\n\n  names.push(name);\n  }\n  }\n\n  return names.join(');\n  }\n\n", "import Stylis from '@emotion/stylis';\nimport { type Stringifier }
from './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwStyledError from
'./error';\nimport { phash, SEED } from './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst
COMMENT_REGEX = /^\\s*\\|\\|\\|.*$/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\n type
StylisInstanceConstructorArgs = {\n  options?: Object,\n  plugins?: Array<Function>,\n};\n\nexport default function
createStylisInstance({\n  options = EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n};\nStylisInstanceConstructorArgs = EMPTY_OBJECT) {\n  const stylis = new Stylis(options);\n\n  // Wrap
`insertRulePlugin to build a list of rules,\n  // and then make our own plugin to return the rules. This\n  // makes it
easier to hook into the existing SSR architecture\n\n  let parsingRules = [];\n\n  // eslint-disable-next-line consistent-
return\n  const returnRulesPlugin
= context => {\n  if (context === -2) {\n  const parsedRules = parsingRules;\n  parsingRules = [];\n  return
parsedRules;\n  }\n  };\n\n  const parseRulesPlugin = insertRulePlugin(rule => {\n  parsingRules.push(rule);\n
});\n\n  let _componentId: string;\n  let _selector: string;\n  let _selectorRegexp: RegExp;\n  let
_consecutiveSelfRefRegExp: RegExp;\n\n  const selfReferenceReplacer = (match, offset, string) => {\n  if (\n  //
do not replace the first occurrence if it is complex (has a modifier)\n  (offset === 0 ?
COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n  // no consecutive self
refs (.b.b); that is a precedence boost and treated differently\n  !string.match(_consecutiveSelfRefRegExp)\n  )
{\n  return `.${_componentId}`;\n  }\n\n  return match;\n  };\n\n  /**\n  * When writing a style like\n  * *\n  * & + & {\n  *   * color: red;\n  *   * }\n  * *\n  * The second ampersand should be a reference

```



```

to the static component class. stylis
 * has no knowledge of static class so we have to intelligently replace the
base selector.
 * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context
phase values
 * "\" means this plugin is taking effect at the very end after all other processing is complete
*/
const selfReferenceReplacementPlugin = (context, _, selectors) => {
  if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {
    // eslint-disable-next-line no-param-reassign
    selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);
  }
};

stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);

function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {
  const flatCSS = css.replace(COMMENT_REGEX, "");
  const cssStr = selector && prefix ? `${prefix} ${selector} { ${flatCSS} }` : flatCSS;

  // stylis has no concept of state to be passed to plugins
  // but since JS is single-threaded, we can rely on that to ensure
  // these properties stay in sync with the current stylis run
  _componentId = componentId;
  _selector = selector;
  _selectorRegexp = new RegExp(`\\${_selector}\\b`, 'g');
  _consecutiveSelfRefRegExp = new RegExp(`(\\${_selector}\\b){2,}`);
  return stylis(prefix || !selector ? " : selector, cssStr);
}

stringifyRules.hash = plugins.length ? plugins.reduce((acc, plugin) => {
  if (!plugin.name) {
    throw StyledError(15);
  }
  return phash(acc, plugin.name);
}, SEED).toString() : "";

return stringifyRules;
}

/**
 * MIT License
 * Copyright (c) 2016 Sultan Tarimo
 * Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"),
 * to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or
 * sell copies of the Software and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
 * The above copyright notice and this permission
notice shall be included in all
 * copies or substantial portions of the Software.
 * THE SOFTWARE IS
PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
 * OR IMPLIED INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 * AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
 * WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
 * IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
export default function(insertRule) {
  const
  delimiter = '*/';
  const needle = `${delimiter}`;
  function toSheet(block) {
    if (block) {
      try {
        insertRule(`${block}`);
      } catch (e) {}
    }
  }
  return function ruleSheet(context, content, selectors, parents, line, column, length, ns, depth, at) {
    switch (context) {
      // @import
      case 1:
        if (depth === 0 && content.charCodeAt(0) === 64) return
insertRule(`${content};`);
        break;
      // selector
      case 2:
        if (ns === 0) return content +
delimiter;
        break;
      // at-rule
      case 3:
        switch (ns) {
          // @font-face, @page
          case 102:
          case 112:
            return insertRule(selectors[0] + content);
          default:
            return content +
(at === 0 ? delimiter : "");
        }
      case -2:
        content.split(needle).forEach(toSheet);
    }
  };
}

@flow
import React, { type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';
import shallowequal from 'shallowequal';
import StyleSheet from './sheet';
import type { Stringifier } from './types';
import createStylisInstance from './utils/stylis';
type Props = {
  children?: Node,
  disableCSSOMInjection?: boolean,
  disableVendorPrefixes?: boolean,
  sheet?: StyleSheet,
  stylisPlugins?: Array<Function>,
  target?: HTMLElement,
};
export const StyleSheetContext: Context<StyleSheet | void> = React.createContext();
export const StyleSheetConsumer = StyleSheetContext.Consumer;
export const StylisContext: Context<Stringifier | void> = React.createContext();
export const StylisConsumer = StylisContext.Consumer;
export const masterSheet: StyleSheet = new StyleSheet();
export const masterStylis: Stringifier = createStylisInstance();
export function useStyleSheet(): StyleSheet {
  return
useContext(StyleSheetContext) || masterSheet;
}
export

```

```

function useStylis(): Stringifier {\n  return useContext(StylisContext) || masterStylis;\n}\n\nexport default function
StyleSheetManager(props: Props) {\n  const [plugins, setPlugins] = useState(props.stylisPlugins);\n  const
contextStyleSheet = useStyleSheet();\n\n  const styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-line prefer-destructuring\n      sheet = props.sheet;\n    } else if
(props.target) {\n      sheet = sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n\n    if
(props.disableCSSOMInjection) {\n      sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  }, [props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n      createStylisInstance({\n        options: { prefix: !props.disableVendorPrefixes },\n        plugins,\n      }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowequal(plugins, props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n    <StyleSheetContext.Provider value={styleSheet}>\n    <StylisContext.Provider value={stylis}>\n      {process.env.NODE_ENV !== 'production'\n        ?
React.Children.only(props.children)\n        : props.children}\n    </StylisContext.Provider>\n  </StyleSheetContext.Provider>\n );\n}\n\n", "// @flow\nimport StyleSheet from './sheet';\nimport { type Stringifier }
from './types';\nimport throwStyledError from './utils/error';\nimport { masterStylis } from
'./StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n\n  name: string;\n\n  rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-${name}`;\n    this.rules
= rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n    const
resolvedName
= this.name + stylisInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules, resolvedName,
'@keyframes')\n      );\n    }\n\n    toString = () => {\n      return throwStyledError(12, String(this.name));\n    }\n\n    getName(stylisInstance: Stringifier = masterStylis) {\n      return this.name + stylisInstance.hash;\n    }\n  }\n\n", "//
@flow\n\n/**\n * inlined version of\n *\n https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst
uppercaseCheck = /([A-Z]);\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n *\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n *\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n *\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n *\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n *\n * @param {string} string\n *
@return {string}\n *\n\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern,
'-ms-')\n    : string;\n}\n\n", "// @flow\nimport { isElement } from 'react-is';\nimport getComponentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n *\n */\n\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk === '';\n\nexport
const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for
(const key in obj) {\n    if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if
((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`,
obj[key], `;`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else
{\n      rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key]);};`);\n    }\n  }\n\n  return prevKey ?
[`${prevKey} {`, ...rules, `}`] : rules;\n}\n\nexport default function flatten(\n  chunk: any,\n  executionContext:
?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const
ruleSet = [];\n\n    for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n

```

```

    result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);\n\n    if (result === "") continue;\n    else
if (Array.isArray(result)) ruleSet.push(...result);\n    else ruleSet.push(result);\n  }\n\n  return ruleSet;\n}\n\nif
(isFalsish(chunk)) {\n  return ";\n }\n\n  /* Handle other components */\n  if (isStyledComponent(chunk)) {\n
return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either execute or defer the function */\n  if (isFunction(chunk))
{\n    if (isStatelessFunction(chunk) && executionContext) {\n      const result = chunk(executionContext);\n\n      if
(process.env.NODE_ENV !== 'production' && isElement(result)) {\n        // eslint-disable-next-line no-console\n
console.warn(\n          `${getComponentName(\n            chunk\n          )} is not a styled component and cannot be
referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-
components for more details.`\n        );\n      }\n    }\n\n    return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else return chunk;\n}\n\nif
(chunk instanceof Keyframes) {\n  if (styleSheet) {\n    chunk.inject(styleSheet, stylisInstance);\n    return
chunk.getName(stylisInstance);\n  } else return chunk;\n}\n\n  /* Handle objects */\n  return isPlainObject(chunk)
? objToCssArray(chunk) : chunk.toString();\n}\n\n", "// @flow\n\nexport default function isStatelessFunction(test: any):
boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      &&
test.prototype.isReactComponent\n    )\n  );\n}\n\n", "// @flow\n\nimport unitless from '@emotion/unitless';\n\n// Taken
from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n
(value === null || typeof value === 'boolean' || value === "") {\n  return ";\n }\n\n  if (typeof value === 'number' &&
value !== 0 && !(name in unitless) && !name.startsWith('--')) {\n    return `${value}px`; // Presumes implicit 'px'
suffix for unitless numbers except for CSS variables\n  }\n\n  return String(value).trim();\n}\n\n", "// @flow\n\nimport
interleave from '../utils/interleave';\n\nimport isPlainObject from '../utils/isPlainObject';\n\nimport { EMPTY_ARRAY }
from '../utils/empties';\n\nimport isFunction from '../utils/isFunction';\n\nimport flatten from '../utils/flatten';\n\nimport
type { Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object styles to determine if
we should\n * expand an array of styles.\n */\n\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-
disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n\n  return arg;\n};\n\nexport default function css(styles:
Styles, ...interpolations: Array<Interpolation>): RuleSet
{\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", "// @flow\n\nimport { useRef } from
'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\n\nconst seen = new Set();\n\nexport const
checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !==
'production') {\n    const parsedIdString = componentId ? ` with the id of "${componentId}"` : ";\n    const message
= \n      `The component ${displayName}${parsedIdString} has been created dynamically.`\n    + \n      `You may see
this warning because you've called styled inside another component.`\n    + \n      `To resolve this only create new
StyledComponents
outside of any render method and function component.`;\n\n    // If a hook is called outside of a component:\n    //
React 17 and earlier throw an error\n    // React 18 and above use console.error\n\n    const originalConsoleError =
console.error // eslint-disable-line no-console\n    try {\n      let didNotCallInvalidHook = true\n      /*
$FlowIgnore[cannot-write] */\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => { // eslint-
disable-line no-console\n        // The error here is expected, since we're expecting anything that uses
`checkDynamicCreation` to\n        // be called outside of a React component.\n        if
(invalidHookCallRe.test(consoleErrorMessage)) {\n          didNotCallInvalidHook = false\n          // This shouldn't
happen, but resets `warningSeen` if we had this error happen intermittently\n          seen.delete(message);\n        }
else {\n          originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n        }\n      }\n      // We
purposefully call `useRef` outside of a component and expect it to throw\n      // If it doesn't, then we're inside
another component.\n      // eslint-disable-next-line react-hooks/rules-of-hooks\n      useRef();\n    } if

```



```

(mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n ) {\n   return
throwStyledError(7);\n }\n\n return mergedTheme;\n }\n\n if (Array.isArray(theme) || typeof theme !==
'object') {\n   return throwStyledError(8);\n }\n\n return outerTheme ? { ...outerTheme, ...theme } :
theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n */\nexport default function
ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext =
useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n\n  if
(!props.children) {\n    return null;\n  }\n\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n", "//
@flow\nimport validAttr from '@emotion/is-prop-valid';\nimport hoist from 'hoist-non-react-statics';\nimport
React, { createElement, type Ref, useContext } from 'react';\nimport { SC_VERSION } from './constants';\nimport
type {\n  Attrs,\n  IStyledComponent,\n  IStyledStatics,\n  RuleSet,\n  ShouldForwardProp,\n  Target,\n} from
'./types';\nimport { checkDynamicCreation } from './utils/checkDynamicCreation';\nimport
createWarnTooManyClasses from './utils/createWarnTooManyClasses';\nimport determineTheme from
'./utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\nimport escape
from './utils/escape';\nimport generateComponentId from './utils/generateComponentId';\nimport
generateDisplayName from './utils/generateDisplayName';\nimport getComponentName from
'./utils/getComponentName';\nimport isFunction from './utils/isFunction';\nimport isStyledComponent from
'./utils/isStyledComponent';\nimport isTag from './utils/isTag';\nimport
joinStrings from './utils/joinStrings';\nimport merge from './utils/mixinDeep';\nimport ComponentStyle from
'./ComponentStyle';\nimport { useStyleSheet, useStylis } from './StyleSheetManager';\nimport { ThemeContext }
from './ThemeProvider';\n\nconst identifiers = {};\n\n/* We depend on components having unique IDs */\nfunction
generateId(displayName?: string, parentComponentId?: string) {\n  const name = typeof displayName !== 'string' ?
'sc' : escape(displayName);\n  // Ensure that no displayName can lead to duplicate componentIds\n
identifiers[name] = (identifiers[name] || 0) + 1;\n\n  const componentId = `${name}-${generateComponentId(\n //
SC_VERSION gives us isolation between multiple runtimes on the page at once\n // this is improved further with
use of the babel plugin "namespace" feature\n SC_VERSION + name + identifiers[name])}`;\n\n  return
parentComponentId ? `${parentComponentId}-${componentId}` : componentId;\n}\n\nfunction
useResolvedAttrs<Config>(theme:
any = EMPTY_OBJECT, props: Config, attrs: Attrs) {\n  // NOTE: can't memoize this\n // returns [context,
resolvedAttrs]\n // where resolvedAttrs is only the things injected by the attrs themselves\n  const context = {
...props, theme };\n  const resolvedAttrs = {};\n\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n
let key;\n\n    if (isFunction(resolvedAttrDef)) {\n      resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /*
eslint-disable guard-for-in */\n    for (key in resolvedAttrDef) {\n      context[key] = resolvedAttrs[key] =\n      key
=== 'className'\n      ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n      : resolvedAttrDef[key];\n    }
\n    /* eslint-enable guard-for-in */\n  });\n\n  return [context, resolvedAttrs];\n}\n\nfunction
useInjectedStyle<T>(\n  componentStyle: ComponentStyle,\n  isStatic: boolean,\n  resolvedAttrs: T,\n
warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string, string>)\n) {\n  const
styleSheet = useStyleSheet();\n  const stylis = useStylis();\n\n  const className = isStatic\n  ?
componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis)\n  :
componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n  if (process.env.NODE_ENV !==
'production' && !isStatic && warnTooManyClasses) {\n    warnTooManyClasses(className);\n  }\n\n  return
className;\n}\n\nfunction useStyledComponentImpl(\n  forwardedComponent: IStyledComponent,\n  props:
Object,\n  forwardedRef: Ref<any>,\n  isStatic: boolean)\n) {\n  const {\n    attrs: componentAttrs,\n
componentStyle,\n    defaultProps,\n    foldedComponentIds,\n    shouldForwardProp,\n    styledComponentId,\n
target,\n  } = forwardedComponent;\n\n  // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n  // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n  const theme

```

```

= determineTheme(props, useContext(ThemeContext), defaultProps);\n\n const [context, attrs] =
useResolvedAttrs(theme || EMPTY_OBJECT, props, componentAttrs);\n\n const generatedClassName =
useInjectedStyle(\n componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n const refToForward = forwardedRef;\n\n const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n const isTargetTag =
isTag(elementToBeCreated);\n\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n\n const
propsForElement = {};\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n :
isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non HTML tags through to HTML
elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if (props.style && attrs.style !==
props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };\n }\n\n propsForElement.className =
Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n generatedClassName !==
styledComponentId ? generatedClassName : null,\n props.className,\n attrs.className\n )\n
.filter(Boolean)\n .join(' ');\n\n propsForElement.ref = refToForward;\n\n return
createElement(elementToBeCreated, propsForElement);\n\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet\n)
{\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent = !isTag(target);\n\n
const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n : attrs;\n\n // eslint-
disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if
(isTargetStyledComp && target.shouldForwardProp) {\n if (options.shouldForwardProp) {\n // compose
nested shouldForwardProp
calls\n shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n (((target: any):
IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n prop,\n filterFn,\n
elementToBeCreated\n ) &&\n ((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn,
elementToBeCreated);\n } else {\n // eslint-disable-next-line prefer-destructuring\n shouldForwardProp =
((target: any): IStyledComponent).shouldForwardProp;\n }\n }\n\n const componentStyle = new
ComponentStyle(\n rules,\n styledComponentId,\n isTargetStyledComp ? ((target: Object).componentStyle:
ComponentStyle) : undefined\n );\n\n // statically styled-components don't need to build an execution context
object,\n // and shouldn't be increasing the number of class names\n const isStatic = componentStyle.isStatic &&
attrs.length === 0;\n\n /**\n * forwardRef creates a new interim component, which we'll take advantage of\n *
instead
of extending ParentComponent to create _another_ interim class\n */\n let WrappedStyledComponent:
IStyledComponent;\n\n const forwardRef = (props, ref) =>\n // eslint-disable-next-line\n
useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n forwardRef.displayName =
displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n\n
WrappedStyledComponent.attrs = finalAttrs;\n\n WrappedStyledComponent.componentStyle = componentStyle;\n\n
WrappedStyledComponent.displayName = displayName;\n\n WrappedStyledComponent.shouldForwardProp =
shouldForwardProp;\n\n // this static is used to preserve the cascade of static classes for component selector\n //
purposes; this is especially important with usage of the css prop\n\n WrappedStyledComponent.foldedComponentIds

```



```

'li',\n 'link',\n 'main',\n 'map',\n 'mark',\n 'marquee',\n 'menu',\n 'menuitem',\n 'meta',\n 'meter',\n 'nav',\n
'noscript',\n 'object',\n 'ol',\n 'optgroup',\n 'option',\n 'output',\n 'p',\n 'param',\n 'picture',\n 'pre',\n 'progress',\n
'q',\n 'rp',\n 'rt',\n 'ruby',\n 's',\n 'samp',\n 'script',\n 'section',\n 'select',\n 'small',\n 'source',\n 'span',\n 'strong',\n
'style',\n 'sub',\n 'summary',\n 'sup',\n 'table',\n 'tbody',\n 'td',\n 'textarea',\n 'tfoot',\n 'th',\n 'thead',\n 'time',\n
'title',\n 'tr',\n 'track',\n 'u',\n 'ul',\n 'var',\n 'video',\n 'wbr',\n\n // SVG\n 'circle',\n 'clipPath',\n 'defs',\n
'ellipse',\n 'foreignObject',\n 'g',\n 'image',\n 'line',\n 'linearGradient',\n 'marker',\n 'mask',\n 'path',\n 'pattern',\n
'polygon',\n 'polyline',\n 'radialGradient',\n 'rect',\n 'stop',\n 'svg',\n 'text',\n 'textPath',\n 'tspan',\n];\n";\n"//
@flow\nimport constructWithOptions from './constructWithOptions';\nimport
StyledComponent from './models/StyledComponent';\nimport domElements from './utils/domElements';\n\nimport
type { Target } from './types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent,
tag);\n\n// Shorthands for all valid HTML Elements\ndomElements.forEach(domElement => {\n
styled[domElement] = styled(domElement);\n});\n\nexport default styled;\n";\n"// @flow\nimport {
isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport
{ EMPTY_OBJECT } from './utils/empties';\nimport type { Target } from './types';\n\nexport default function
constructWithOptions(\n componentConstructor: Function,\n tag: Target,\n options: Object =
EMPTY_OBJECT\n) {\n if (!isValidElementType(tag)) {\n return throwStyledError(1, String(tag));\n }\n\n /*
This is callable directly as a template function *\n // $FlowFixMe: Not typed to avoid destructuring arguments\n
const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n\n /* If config methods are called, wrap up a new
template function and merge options *\n templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n /* Modify/inject new props at
runtime *\n templateFunction.attrs = attrs =>\n constructWithOptions(componentConstructor, tag, {\n
...options,\n attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n });\n\n return
templateFunction;\n}\n";\n"// @flow\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport isStaticRules from './utils/isStaticRules';\n\nexport default
class GlobalStyle {\n componentId: string;\n\n isStatic: boolean;\n\n rules: RuleSet;\n\n constructor(rules:
RuleSet, componentId: string) {\n this.rules = rules;\n this.componentId = componentId;\n this.isStatic =
isStaticRules(rules);\n}\n\n // pre-register the first instance to ensure global styles\n // load before component ones\n
StyleSheet.registerId(this.componentId + 1);\n\n createStyles(\n instance: number,\n executionContext:
Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n ) {\n const flatCSS = flatten(this.rules,
executionContext, styleSheet, stylis);\n const css = stylis(flatCSS.join(", "));\n const id = this.componentId +
instance;\n\n // NOTE: We use the id as a name as well, since these rules never change\n
styleSheet.insertRules(id, id, css);\n }\n\n removeStyles(instance: number, styleSheet: StyleSheet) {\n
styleSheet.clearRules(this.componentId + instance);\n }\n\n renderStyles(\n instance: number,\n
executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n ) {\n if (instance > 2)
StyleSheet.registerId(this.componentId + instance);\n\n // NOTE: Remove old styles, then inject the new ones\n
this.removeStyles(instance, styleSheet);\n this.createStyles(instance, executionContext, styleSheet, stylis);\n
}\n}\n";\n"// @flow\n/* eslint-disable no-underscore-dangle *\nimport React from 'react';\nimport { IS_BROWSER,
SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwStyledError from
'./utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport StyleSheetManager
from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst CLOSING_TAG_R = /\s*<\/[a-
z]/i;\n\nexport default class ServerStyleSheet {\n isStreaming: boolean;\n\n instance: StyleSheet;\n\n sealed:
boolean;\n\n constructor() {\n this.instance = new StyleSheet({ isServer: true });\n this.sealed = false;\n }\n\n
_emitSheetCSS = (): string => {\n const css = this.instance.toString();\n if (!css) return "";\n\n const nonce =
getNonce();\n const attrs = [nonce && `nonce=${`${nonce}`}`, `${SC_ATTR}=${`true`}`,
`${SC_ATTR_VERSION}=${`${SC_VERSION}`}`];\n

```



```

const htmlAttr = attrs.filter(Boolean).join(' ');
return `<style ${htmlAttr}>${css}</style>`;
}

collectStyles(children: any) {
  if (this.sealed) {
    return throwStyledError(2);
  }
  return <StyleSheetManager sheet={this.instance}>{children}</StyleSheetManager>;
}

getStyleTags = (): string => {
  if (this.sealed) {
    return throwStyledError(2);
  }
  return this._emitSheetCSS();
}

getStyleElement = () => {
  if (this.sealed) {
    return throwStyledError(2);
  }
  const props = {
    [SC_ATTR]: "",
    [SC_ATTR_VERSION]: SC_VERSION,
    dangerouslySetInnerHTML: {
      __html: this.instance.toString(),
    },
  };
  const nonce = getNonce();
  if (nonce) {
    (props as any).nonce = nonce;
  }
  // v4 returned an array for this fn, so we'll do the same for v5 for backward compat
  return [<style {...props} key="sc-0-0" />];
}

// eslint-disable-next-line consistent-return
interleaveWithNodeStream(input: any) {
  if (!__SERVER__ || IS_BROWSER) {
    return throwStyledError(3);
  } else if (this.sealed) {
    return throwStyledError(2);
  }
  if (__SERVER__) {
    this.seal();
    // eslint-disable-next-line global-require
    const { Readable, Transform } = require('stream');
    const readableStream: Readable = input;
    const { instance: sheet, _emitSheetCSS } = this;
    const transformer = new Transform({
      transform: function appendStyleChunks(chunk, /* encoding */ _, callback) {
        // Get the chunk and retrieve the sheet's CSS as an HTML chunk,
        // then reset its rules so we get only new ones for the next chunk
        const renderedHtml = chunk.toString();
        const html = _emitSheetCSS();
        sheet.clearTag();
        // prepend style html to chunk, unless the start of the chunk is a
        // closing tag in which case append right after that
        if (CLOSING_TAG_R.test(renderedHtml)) {
          const endOfClosingTag = renderedHtml.indexOf('>') + 1;
          const before = renderedHtml.slice(0, endOfClosingTag);
          const after = renderedHtml.slice(endOfClosingTag);
          this.push(before + html + after);
        } else {
          this.push(html + renderedHtml);
        }
        callback();
      },
    });
    readableStream.on('error', err => {
      // forward the error to the transform stream
      transformer.emit('error', err);
    });
    return readableStream.pipe(transformer);
  }
}

seal = () => {
  this.sealed = true;
}

"@flow\n/* eslint-disable *\n\nimport StyleSheet from './sheet';
import { masterSheet } from './models/StyleSheetManager';
\nexport const __PRIVATE__ = {
  StyleSheet,
  masterSheet,
};
\n\n/* @flow\n/* Import singletons *\nimport isStyledComponent from './utils/isStyledComponent';
import css from './constructors/css';
import createGlobalStyle from './constructors/createGlobalStyle';
import keyframes from './constructors/keyframes';
import ServerStyleSheet from './models/ServerStyleSheet';
import { SC_VERSION } from './constants';
\nimport StyleSheetManager, {
  StyleSheetContext,
  StyleSheetConsumer,
} from './models/StyleSheetManager';
\n\n/* Import components *\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider';
\n\n/* Import Higher Order Components *\nimport withTheme from './hoc/withTheme';
\n\n/* Import hooks *\nimport useTheme from './hooks/useTheme';
\n\ndeclare var __SERVER__: boolean;
\n\n/* Warning if you've imported this file on React Native *\nif (\n  process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n  navigator.product === 'ReactNative'\n) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    \"It looks like you've imported 'styled-components' on React Native.\\n\" +\n    \"Perhaps you're looking to import 'styled-components/native'?\\n\" +\n    \"Read more about this at https://www.styled-components.com/docs/basics#react-native\\n \");\n}\n\n\n/* Warning if there are several instances of styled-components *\nif (process.env.NODE_ENV !== 'production' && process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n  window['__styled-components-init__'] = window['__styled-components-init__'] || 0;\n  if (window['__styled-components-init__'] === 1) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      \"It looks like there are several instances of 'styled-components' initialized in this application. \\n\" +\n      \"This may cause dynamic styles to not render properly, errors during the rehydration process, \" +\n      \"a missing theme prop, and makes your application bigger without good reason.\\n\\n\" +\n      \"See https://s-c.sh/2BAXzed for more info.\\n \");\n  }\n  window['__styled-components-init__'] += 1;\n}\n\n\n/* Export everything *\nexport * from './secretInternals';
\nexport {\n  createGlobalStyle,\n  css,\n  isStyledComponent,\n  keyframes,\n  ServerStyleSheet,\n  StyleSheetConsumer,\n  StyleSheetContext,\n}

```

```

StyleSheetManager,\n ThemeConsumer,\n ThemeContext,\n ThemeProvider,\n useTheme,\n SC_VERSION as
version,\n withTheme,\n};\n", "// @flow\nimport React, { useContext, useLayoutEffect, useRef } from
'react';\nimport { STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle from
'./models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport {
ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
'./utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
'./css';\n\ndeclare var __SERVER__: boolean;\n\ntype
GlobalStyleComponentPropsType = Object;\n\nexport default function createGlobalStyle(\n strings:
Array<string>,\n ...interpolations: Array<Interpolation>)\n {\n const rules = css(strings, ...interpolations);\n const
styledComponentId = `sc-global-${generateComponentId(JSON.stringify(rules))}`;\n const globalStyle = new
GlobalStyle(rules, styledComponentId);\n\n if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n }\n\n function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n const styleSheet = useStyleSheet();\n const stylis = useStylis();\n const
theme = useContext(ThemeContext);\n const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n const instance = instanceRef.current;\n\n if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n // eslint-disable-next-
line no-console\n console.warn(\n `The global style component ${styledComponentId}
was given child JSX. createGlobalStyle does not render children.`\n );\n }\n\n if (\n
process.env.NODE_ENV !== 'production' &&\n rules.some(rule => typeof rule === 'string' &&
rule.indexOf('@import') !== -1)\n ) {\n // eslint-disable-next-line no-console\n console.warn(\n `Please
do not use @import CSS syntax in createGlobalStyle at this time, as the CSSOM APIs we use in production do not
handle it well. Instead, we recommend using a library such as react-helmet to inject a typical <link> meta tag to the
stylesheet, or simply embedding it manually in your index.html <head> section for a simpler app.`\n );\n }\n\n
if (styleSheet.server) {\n renderStyles(instance, props, styleSheet, theme, stylis);\n }\n\n if (!__SERVER__)
{\n // this conditional is fine because it is compiled away for the relevant builds during minification,\n //
resulting in a single unguarded hook call\n // eslint-disable-next-line react-hooks/rules-of-hooks\n
useLayoutEffect(() => {\n if (!styleSheet.server) {\n renderStyles(instance, props, styleSheet, theme,
stylis);\n return () => globalStyle.removeStyles(instance, styleSheet);\n }, [instance, props,
styleSheet, theme, stylis]);\n }\n\n return null;\n }\n\n function renderStyles(instance, props, styleSheet, theme,
stylis) {\n if (globalStyle.isStatic) {\n globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT,
styleSheet, stylis);\n } else {\n const context = {\n ...props,\n theme: determineTheme(props, theme,
GlobalStyleComponent.defaultProps),\n }; \n\n globalStyle.renderStyles(instance, context, styleSheet,
stylis);\n }\n }\n\n } $FlowFixMe\n return React.memo(GlobalStyleComponent);\n}\n", "// @flow\nimport css from
'./css';\nimport generateComponentId from './utils/generateComponentId';\nimport Keyframes from
'./models/Keyframes';\nimport type { Interpolation,
Styles } from './types';\n\nexport default function keyframes(\n strings: Styles,\n ...interpolations:
Array<Interpolation>)\n: Keyframes {\n /* Warning if you've used keyframes on React Native */\n if (\n
process.env.NODE_ENV !== 'production' &&\n typeof navigator !== 'undefined' &&\n navigator.product ===
'ReactNative'\n ) {\n // eslint-disable-next-line no-console\n console.warn(\n `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n );\n }\n\n const rules =
css(strings, ...interpolations).join("");\n const name = generateComponentId(rules);\n return new Keyframes(name,
rules);\n}\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n", "// @flow\nimport React, { useContext, type AbstractComponent } from 'react';\nimport hoistStatics
from 'hoist-non-react-statics';\nimport
{ ThemeContext } from './models/ThemeProvider';\nimport determineTheme from
'./utils/determineTheme';\nimport getComponentName from './utils/getComponentName';\n\n// NOTE: this would

```

be the correct signature:\n// export default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n//): AbstractComponent<\${Diff<Config, { theme?: any } } & { theme?: any }, Instance>\n/\n// but the old build system tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n // \$FlowFixMe This should be React.forwardRef<Config, Instance>\n const WithTheme = React.forwardRef((props, ref) => {\n const theme = useContext(ThemeContext);\n // \$FlowFixMe defaultProps isn't declared so it can be inferrable\n const { defaultProps } = Component;\n const themeProp = determineTheme(props, theme, defaultProps);\n\n if (process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n // eslint-disable-next-line no-console\n console.warn(\n \ `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a theme in defaultProps in component class \`\${getComponentName(\n Component\n)}\`\n);\n }\n\n return <Component { ...props } theme={themeProp} ref={ref} />;\n });\n\n hoistStatics(WithTheme, Component);\n\n WithTheme.displayName = `WithTheme(\${getComponentName(Component)})`;\n\n return WithTheme;\n};\n\n", "names": ["strings", "interpolations", "result", "i", "len", "length", "push", "x", "toString", "Object", "prototype", "call", "typeof", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "isFunction", "test", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "name", "isStyledComponent", "styledComponentId", "SC_ATTR", "REACT_APP_SC_ATTR", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "STATIC_EXECUTION_CONTEXT", "ERRORS", "format", "a", "b", "c", "arguments", "forEach", "d", "replace", "throwStyledComponentsError", "code", "Error", "join", "trim", "DefaultGroupedTag", "tag", "groupSizes", "Uint32Array", "indexOfGroup", "group", "index", "this", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER_RE", "RegExp", "rehydrateNamesFromContent", "sheet", "content", "names", "split", "registerName", "rehydrateSheetFromTag", "style", "parts", "textContent", "part", "marker", "match", "parseInt", "getTag", "getNonce", "__webpack_nonce__", "makeStyleTag", "head", "document", "parent", "createElement", "prevStyle", "childNodes", "child", "nodeType", "hasAttribute", "findLastStyleTag", "nextSibling", "undefined", "setAttribute", "__VERSION__", "nonce", "insertBefore", "CSSOMTag", "element", "appendChild", "createTextNode", "styleSheets", "ownerNode", "getSheet", "rule", "_error", "cssRules", "cssText", "TextTag", "nodes", "node", "refNode", "removeChild", "VirtualTag", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "isServer", "useCSSOMInjection", "StyleSheet", "options", "globalStyles", "gs", "server", "querySelectorAll", "getAttribute", "parentNode", "rehydrateSheet", "registerId", "reconstructWithOptions", "withNames", "allocateGSInstance", "hasNameForId", "add", "groupNames", "Set", "clearNames", "clear", "clearRules", "clearTag", "size", "selector", "outputSheet", "AD_REPLACER_R", "getAlphabeticChar", "String", "fromCharCode", "generateAlphabeticName", "Math", "abs", "phash", "h", "charCodeAt", "hash", "isStaticRules", "SEED", "ComponentStyle", "componentId", "baseStyle", "staticRulesId", "isStatic", "baseHash", "generateAndInjectStyles", "executionContext", "styleSheet", "stylis", "cssStatic", "flatten", "generateName", "cssStaticFormatted", "dynamicHash", "partRule", "partChunk", "partString", "Array", "isArray", "cssFormatted", "COMMENT_REGEX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "_componentId", "_selector", "_selectorRegexp", "_consecutiveSelfRefRegExp", "plugins", "Stylis", "parsingRules", "parseRulesPlugin", "toSheet", "block", "e", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "delimiter", "insertRulePlugin", "selfReferenceReplacer", "offset", "string", "indexOf", "stringifyRules", "prefix", "flatCSS", "cssStr", "use", "_", "lastIndexOf", "parsedRules", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "masterSheet", "masterStylis", "useStyleSheet", "useContext", "useStylis", "StyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "disableCSSOMInjection", "disableVendorPrefixes", "useEffect", "shallowequal", "Provider", "value", "Children", "only", "children", "Keyframes", "inject", "stylisInstance", "resolvedName", "_this", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "isFalsish", "chunk", "ruleSet", "isReactComponent", "isElement", "console", "warn", "isPlainObject", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "isCss", "hyphenate", "unitless", "startsWith", "addTag", "arg", "styles", "interleave", "invalidHookCallRe", "seen", "checkDynamicCreation", "message", "originalConsoleError", "error", "didNotCallInvalidHook", "consoleErrorMessage

ge", "consoleErrorArgs", "useRef", "providedTheme", "defaultProps", "theme", "escapeRegex", "dashesAtEnds", "escape", "str", "isTag", "charAt", "isObject", "val", "isValidKey", "mixIn", "mixInDeep", "rest", "ThemeContext", "ThemeConsumer", "identifiers", "createStyledComponent", "isTargetStyledComp", "isCompositeComponent", "attrs", "parentComponentId", "generateComponentId", "generateId", "generateDisplayName", "finalAttrs", "concat", "filter", "shouldForwardProp", "prop", "filterFn", "elementToBeCreated", "WrappedStyledComponent", "componentStyle", "forwardRef", "ref", "forwardedComponent", "forwardedRef", "componentAttrs", "foldedComponentIds", "resolvedAttrs", "attrDef", "resolvedAttrDef", "useResolvedAttrs", "determineTheme", "generatedClassName", "warnTooManyClasses", "className", "useInjectedStyle", "refToForward", "\$as", "as", "isTargetTag", "computedProps", "propsForElement", "validAttr", "withComponent", "previousComponentId", "optionsToCopy", "newComponentId", "defineProperty", "_foldedDefaultProps", "merge", "generatedClasses", "warningSeen", "keys", "parsedIdString", "createWarnTooManyClasses", "hoist", "styled", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "StyledComponent", "domElement", "GlobalStyle", "createStyles", "instance", "removeStyles", "renderStyles", "CLOSING_TAG_R", "ServerStyleSheet", "_emitSheetCSS", "SC_ATTR_VERSION", "getStyleTags", "sealed", "getStyleElement", "dangerouslySetInnerHTML", "__html", "seal", "collectStyles", "interleaveWithNodeStream", "input", "require", "Transform", "Readable", "readableStream", "transformer", "transform", "callback", "renderedHtml", "html", "endOfClosingTag", "before", "slice", "after", "on", "err", "emit", "pipe", "__PRIVATE__", "navigator", "product", "outerTheme", "themeContext", "mergedTheme", "mergeTheme", "JSON", "stringify", "globalStyle", "GlobalStyleComponent", "current", "count", "some", "memo", "Component", "WithTheme", "themeProp", "hoistStatics"], "mappings": "2jBAGA,eACEA,EAACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAl,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAAK,EAACzDD,EAAOI,KAAKL,EAAeE,GAAlH,EAAQG,EAAl,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,SA AOL,ICNGM,EAACJ,OAAOK,OAAO,IAC5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EAAOI,aAEPJ,EA AOK,MACP,YCXW,SAASC,EAakBN,UACjCA,GAA8C,iBAA7BA,EAAOO,kBCG1B,IAAMC,EACS,oBAAZP,cACiB,IAAhBA,QAAQC,MACdD,QAAQC,IAAIO,mBAAqBR,QAAQC,IAAIM,UACHD,cAOWE,EAA+B,oBA AXC,QAA0B,gBAAiBA,OAE/DC,EAAiBC,QACC,kBAAtBC,kBACHA,kBACmB,oBAAZb,cAAkD,IAAhBA,Q AAQC,WACE,IAA5CD,QAAQC,IAAIa,6BACyB,KAA5Cd,QAAQC,IAAIa,4BACKc,UAA5Cd,QAAQC,IAAIa,6 BAEVd,QAAQC,IAAIa,iCAC2B,IAAICd,QAAQC,IAAIY,mBAAuE,KAAICb,QAAQC,IAAIY,kBACIC,UAAICb ,QAAQC,IAAIY,mBAEVb,QAAQC,IAAIY,kBACW,eAAzBb,QAAQC,IAAIC,WAKPa,EAA2B,GCjCICC,EAak C,eAAzBhB,QAAQC,IAAIC,SCHZ,GAAK,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAAsK,8OAAgP,uHAA2 H,gEAAoE,mCAAqC,oUAAsU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDG7/F,GAKIE,SA ASe,YACHC,0CACEC,EAAl,GAEDC,EAAl,EAAGpC,EAAMqC,UAAKpC,OAAQmC,EAAlpC,EAAKoC,GAA K,EAC/CD,EAAEjC,KAAUkC,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAAAC,GACRL,EAAIA,EAAEM ,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,EACtBC,8BACG7C,mCAAAA,yBAE0B,eAAzBmB,QAAQC,IAAIC, SACR,IAAIyB,qDACuCD,4BAC7C7C,EAAeI,OAAS,YAAcJ,EAAe+C,KAAK,MAAU,KAIIE,IAAID,MAAMV,g BAAOD,EAAOU,WAAU7C,IAAgBgD,QE9BrD,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,YAVR,UAWThD,O AXS,SAYT8C,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAAQ,EACHrD,EAAl,EAAGA,EAAIoD,EAAOpD,IA CzBqD,GAASC,KAAKL,WAAWjD,UAGpBqD,KAGTE,YAAA,SAAYH,EAAeI,MACrBJ,GAASE,KAAKL,WA AW/C,OAAQ,SAC7BuD,EAAyH,KAAKL,WACjBS,EAAUD,EAAUvD,OAETByD,EAAUD,EACPN,GAASO,IA CdA,IAAY,GACE,GACZC,EAAiB,MAAOR,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACfv D,OAASyD,MAET,IAAI3D,EAAI0D,EAAS1D,EAAI2D,EAAS3D,SAC5BiD,WAAWjD,GAAK,UAIrB8D,EAA YR,KAAKH,aAAaC,EAAQ,GACjCpD,EAAl,EAAG+D,EAAIP,EAAMtD,OAAQF,EAAl+D,EAAG/D,IACnCsD, KAAKN,IAAIgB,WAAWF,EAAWN,EAAMxD,WACiCiD,WAAWG,KACHBU,QAKNG,WAAA,SAAWb,MACL A,EAAQE,KAAKpD,OAAQ,KACjBA,EAASoD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be, EAAWD,EAAahE,OAEB+C,WAAWG,GAAS,MAEPB,IAAIpD,EAAlkE,EAAYIE,EAAImE,EAAUnE,SACHcg D,IAAIoB,WAAWF,OAK1BG,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKpD,QAAqC,IAA3Bo D,KAAKL,WAAWG,UACnCb,UAGHpE,EAASoD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC /Be,EAAWD,EAAahE,EAERBF,EAAlkE,EAAYIE,EAAImE,EAAUnE,IACrCsE,GAAUhB,KAAKN,IAAIuB,QA

AQvE,GH9ET,mBGiFbsE,QCzFPE,EAAuC,IAAIC,IAC3CC,EAAuC,IAAID,IAC3CE,EAAgB,EAQPC,EAAgB,S
AACCC,MACxBL,EAAgBM,IAAID,UACdL,EAAgBO,IAAIF,QAGvBH,EAAgBI,IAAIH,IACzBA,QAGIvB,EAA
QuB,UAGa,eAAzB1D,QAAQC,IAAIC,YACF,EAARiC,GAAa,GAAKA,EAzBR,GAAK,KA2BjBQ,EAAiB,MAA
OR,GAG1BoB,EAAgBX,IAAIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,GACpBzB,GAGI4B,EAAgB,S
AAC5B,UACrBsB,EAAgBK,IAAI3B,IAGhB6B,EAAgB,SAACJ,EAAYzB,GACpCA,GAASuB,IACXA,EAAgBv
B,EAAQ,GAG1BoB,EAAgBX,IAAIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,IC3CvBK,WAAoB1D,oC
ACpB2D,EAAY,IAAIC,WAAW5D,kDAkC3B6D,EAA4B,SAACC,EAACt,EAAYU,WAEvDIE,EADEmE,EAAQ
D,EAAQE,MAAM,KAGnBzF,EAAI,EAAG+D,EAAIyB,EAAMtF,OAAQF,EAAI+D,EAAG/D,KAEICqB,EAAO
mE,EAAMxF,KACHBsF,EAAMI,aAAab,EAAIxD,IAKvBsE,EAAwB,SAACL,EAACm,WACrCC,GAASD,EAAM
E,aAAe,IAAIL,MLxClB,aKyChBjC,EAakB,GAefxD,EAAI,EAAG+D,EAAI8B,EAAM3F,OAAQF,EAAI+D,EA
AG/D,IAAK,KACtC+F,EAAOF,EAAM7F,GAAG8C,UACjBiD,OAEC,EAASD,EAAKE,MAAMd,MAEtBa,EA
AQ,KACJ5C,EAakC,EAA1B8C,SAASF,EAAO,GAAL,IAC5BnB,EAAKmB,EAAO,GA EJ,IAAV5C,IAEF6B,EA
AcJ,EAAIzB,GAGIBiC,EAA0BC,EAAOT,EAAImB,EAAO,IAC5CV,EAAMa,SAAS5C,YAAYH,EAAOI,IAGpC
A,EAAMtD,OAAS,OAefsD,EAAMrD,KAAK4F,MCzEXK,EAAW,iBACqB,oBAAtBC,kBAAoCA,kBAAoB,MCi
B3DC,EAAe,SAACtF,OACrBuF,EAASC,SAASD,KACIBE,EAASzF,GAAUuF,EACnBX,EAAQY,SAASE,cAAc,
SAC/BC,EAIBiB,SAAC3F,WACHb4F,EAAe5F,EAaf4F,WAEC5G,EAAI4G,EAAW1G,OAAQF,GA AK,EAAGA
,IAAK,KACrC6G,EAAUD,EAAW5G,MACvB6G,GARa,IAQJA,EAAMC,UAA6BD,EAAME,aAAavF,UACxDqF
,GAYKG,CAAiBP,GAC7BQ,OAA4BC,IAADp,EAA0BA,EAAUM,YAAc,KAETErB,EAAMuB,aAAa3F,EPnBS,U
OoB5BoE,EAAMuB,aPnBuB,sBACLc,cOoBIBC,EAAQjB,WAEvIB,GAAOzB,EAAMuB,aAAa,QAASE,GAEvC
Z,EAAOa,aAAa1B,EAAOqB,GAEPBrB,GcIBI2B,wBAOCvG,OACJwG,EA AWIE,KAAKkE,QAAUIB,EAAAtF,G
AG7CwG,EAAQC,YAAYjB,SAASkB,eAAe,UAEvCpC,MDae,SAACtC,MACnBA,EAAIsC,aACGtC,EAAIsC,cA
IPqC,EAAgBnB,SAAhBmB,YACC3H,EAAI,EAAG+D,EAAI4D,EAAYzH,OAAQF,EAAI+D,EAAG/D,IAAK,K
AC5CsF,EAAQqC,EAAY3H,MACtBsF,EAAMsC,YAAc5E,SACbsC,EAIB1B,EAAiB,IC3BFiE,CAASL,QACjBt
H,OAAS,6BAGhB8D,WAAA,SAAWX,EAAeyE,mBAEjBxC,MAAMtB,WAAW8D,EAAMzE,QACvBnD,UACE,
EACP,MAAO6H,UACA,MAIX3D,WAAA,SAAWf,QACJiC,MAAMIB,WAAWf,QACjBnD,YAGPqE,QAAA,SA
AQIB,OACAyE,EAAOxE,KAAKgC,MAAM0C,SAAS3E,eAEP6D,IAATY,GAA8C,iBAAjBA,EA AKG,QAC7B
H,EA AKG,QAEL,SAMAC,wBAOCiH,OACJwG,EA AWIE,KAAKkE,QAAUIB,EAAAtF,QACxCmH,MAAQX,E
AAQZ,gBACHb1G,OAAS,6BAGhB8D,WAAA,SAAWX,EAAeyE,MACpBzE,GAASC,KAAKpD,QAAUmD,GA
AS,EAAG,KACHc+E,EAAO5B,SAASkB,eAAeI,GAC/BO,EAAU/E,KAAK6E,MAAM9E,eACtBmE,QAAQF,aA
Aac,EAAMC,GAAW,WACtCnI,UACE,SAEA,KAIXkE,WAAA,SAAWf,QACJmE,QAAQc,YAAYhF,KAAK6E,
MAAM9E,SAC/BnD,YAGPqE,QAAA,SAAQIB,UACFA,EAAQC,KAAKpD,OACRoD,KAAK6E,MAAM9E,GA
AOyC,YAEIB,SAMAYc,wBAKCC,QACLhF,MAAQ,QACrID,OAAS,6BAGhB8D,WAAA,SAAWX,EAAeyE,U
ACpBzE,GAASC,KAAKpD,cACXsD,MAAMiF,OAAOpF,EAAO,EAAGyE,QACvB5H,UACE,MAMXkE,WAA
A,SAAWf,QACJG,MAAMiF,OAAOpF,EAAO,QACpBnD,YAGPqE,QAAA,SAAQIB,UACFA,EAAQC,KAAKp
D,OACRoD,KAAKE,MAAMH,GAEX,SCzHTqF,EAAmBhH,EAWjBiH,EAA+B,CACnCC,UAAWIH,EACXmH,
mBAAoBjH,GAIDkH,wBAiBjBC,EACAC,EACAxD,YAFaUD,IAAAA,EAAgCnI,YACHCoI,IAAAA,EAA2C,SA
GtCD,aACAJ,KACAI,QAGAE,GA AKD,OACLxD,MAAQ,IAAI,IAAIe,QACHB0D,SAAWH,EAAQH,UAGnBtF,
KAAK4F,QAAUxH,GAACgH,IACHCA,GAAmB,EJyBK,SAACpD,WACvB6C,EAAQ3B,SAAS2C,iBAAiBjE,GA
E/BIF,EAAI,EAAG+D,EAAIoE,EAAMjI,OAAQF,EAAI+D,EAAG/D,IAAK,KACtCoI,EAASD,EAAMnI,GACjB
oI,GL7EsB,WK6EdA,EA AKgB,aAAa5H,KAC5BmE,EAAsBL,EAAO8C,GA EzBA,EA AKiB,YACPjB,EA AKiB,
WAAWf,YAAYF,KIjC9BkB,CAAehG,SArBziG,WAAP,SAAkB1E,UACTD,EAACc,+BAwBvB2E,uBAAA,SAA
uBT,EAA+BU,mBAAAA,IAAAA,GAAsB,GACnE,IAAIX,OACJxF,KAAKyF,WAAyA,GActBzF,KAAK2F,GA
CJQ,GAAanG,KAAKkC,YAAU0B,MAIjCwC,mBAAA,SAAmB7E,UACTvB,KAAK2F,GAAGpE,IAAOvB,KAA
K2F,GAAGpE,IAAO,GA AK,KAI7CsB,OAAA,kBACS7C,KAAKN,MAAQM,KAAKN,KDtEH4F,KCsEgCtF,KA
AKyF,SDtErCH,SAAUC,IAAAA,kBAAmB7H,IAAAA,OLCxBgC,EKAzB4F,EACK,IAAIL,EAAWvH,GACb6H,
EACF,IAAI,EAASvG,GAEB,IAAIkH,EAAQIH,GLJd,IAAI+B,EA AKBC,KADD,IAACA,IKDL4F,EAAUC,EA
AmB7H,KC0ErD2I,aAAA,SAAa9E,EAAYxD,UACHBiC,KAAKkC,MAAMV,IAAID,IAAQvB,KAAKkC,MAAM
T,IAAIF,GAAUC,IAAIzD,MAI7DqE,aAAA,SAAab,EAAYxD,MACvBuD,EAACc,GAETvB,KAAKkC,MAAMV

,IAAID,QAKZW,MAAMT,IAAIF,GAAU+E,IAAIvI,OALP,KACjBwI,EAAa,IAAIC,IACvBD,EAAWD,IAAIvI,Q
ACVME,MAAM3B,IAAIgB,EAAIgF,OAovBtG,YAAA,SAAYsB,EAAYxD,EAacmC,QAC/BkC,aAAab,EAAIx
D,QACjB8E,SAAS5C,YAAyqB,EAacC,GAAKrB,MAI/CuG,WAAA,SAAWIF,GACLvB,KAAKkC,MAAMV,IA
AID,SACXW,MAAMT,IAAIF,GAAUmF,WAK9BC,WAAA,SAAWpF,QACjSb,SAASIC,WAAWW,EAacC,SA
CICkF,WAAWIF,MAIIBqF,SAaA,gBAGOIH,SAAMkE,KAIb7G,SAaA,kBJpHyB,SAACiF,WACpBtC,EAAMsC
,EAAMa,SACVjG,EAAW8C,EAAX9C,OAEOE,EAAM,GACDIB,EAAQ,EAAGA,EAAQID,EAAQkD,IAAS,KA
CrCyB,EAAKG,EAac5B,WACd8D,IAAPrC,OAEEW,EAAQF,EAAME,MAAMT,IAAIF,GACxBrB,EAAQR,EA
AIqB,SAASjB,MACtBoC,GAAUHC,GAAUgC,EAAM2E,UAEzBC,EAac5I,OAAY4B,UAAayB,OAEzCU,EAAU
,QACA2B,IAAV1B,GACFA,EAAMjD,SAAQ,SAaAIB,GACRA,EAAKnB,OAAS,IACbqF,GAACIE,UAOpBiD,
MAAUd,EAAQ4G,eAAqB7E,yBAGICjB,ElwFE+F,CAAY/G,YC3HjBgH,EAAGb,WAOhBC,EAAoB,SAAC5H,
UACzB6H,OAaOC,aAAa9H,GAAQA,EAAO,GAAK,GAAK,MAGhC,SAAS+H,EAaUb/H,OAEzCvC,EADAiB,
EAAO,OAInjB,EAAIuK,KAAKc,IAAIjI,GAAovC,EAZP,GAYwBA,EAAKA,EAZ7B,GAYgD,EACHEiB,EAAO
kJ,EAakBnK,EAAbT,IAa4BiB,SAGtCkI,EAakBnK,EAhBR,IAgB2BiB,GAAMoB,QAAQ6H,EAAe,SCpBrE,IAK
MO,EAAQ,SAACC,EAAW1K,WAC3BJ,EAaII,EAaEF,OAeHF,GACL8K,EAAS,GAAJA,EAAU1K,EAaE2K,a
AAa/K,UAGzB8K,GAIE,EAAO,SAAC5K,UACZyK,EAjBW,KAIbCzK,ICfN,SAAS6K,EAaczH,OAC/B,IAAIx
D,EAaI,EAAGA,EAaIWd,EAAMtD,OAaQF,GAAK,EAAG,KACIC8H,EAAOtE,EAAMxD,MAEfa,EAaWiH,K
AAUxG,EAakBwG,UAGIC,SAIJ,ECPT,IAAMoD,EAaOF,EbIa5D,UaCL+D,wBAaP3H,EAAGb4H,EAaqBC,QA
C1C7H,MAAQA,OACR8H,cAAgB,QACbBC,SAaOC,eAAzBtK,QAAQC,IAAIC,gBACX+F,IAAdmE,GAA2BA,
EAaUE,WACtCN,EAaczH,QACX4H,YAAcA,OAIdI,SAAWX,EAAMK,EAAME,QAEvBC,UAAyA,EAijBvC,
EAaWS,WAAW6B,sBAQxBK,wBAAA,SAawBC,EAa0BC,EAawBC,OACHER,EAAGb9H,KAAhB8H,YAEF5
F,EAAQ,MAEVIC,KAAK+H,WACP7F,EAAMrF,KAAKMD,KAAK+H,UAAUI,wBAawBC,EAakBC,EAAYC,I
AI9EtI,KAAKiI,WAAaK,EAaOZ,QACvB1H,KAAKGI,eAAiBK,EAaWhC,aAAayB,EAAa9H,KAAKGI,eACIE9F
,EAAMrF,KAAKMD,KAAKGI,mBACX,KACCO,EAAYC,GAAQxI,KAAKE,MAAOKI,EAakBC,EAAYC,GAAQ
/I,KAAK,IAC3ExB,EAAO0K,EAaAlB,EAAMvH,KAAKkI,SAaUK,KAAe,OAEzDF,EAaWhC,aAAayB,EAAa/J,
GAAO,KACzC2K,EAaqBJ,EAaOC,MAAexK,OAaQ6F,EAaWkE,GAEPeO,EAaWpI,YAAy6H,EAAa/J,EA
M2K,GAG5CxG,EAAMrF,KAAKkB,QACNiK,cAAgBjK,MAEIB,SACGnB,EAaWoD,KAAKE,MAAhBtD,OAC
J+L,EAacpB,EAAMvH,KAAKkI,SAaUI,EAaOZ,MAC1C1G,EAAM,GAEDtE,EAaI,EAAGA,EAaIE,EAaQF,I
AAK,KACzBkM,EAaW5I,KAAKE,MAAMxD,MAEJ,iBAAbkM,EAaCT5H,GAAO4H,EAESb,eAAzBjL,QAAQC
,IAAIC,WAA2B8K,EAacpB,EAAMoB,EAaAc,EAaWIM,SACIF,GAaIkM,EAaU,KACbC,EAAYL,GAAQI,EA
AUR,EAakBC,EAAYC,GAC5DQ,EAaAc,MAAMC,QAAQH,GAAaA,EAaUtJ,KAAK,IAAMsJ,EACnEF,EAac
pB,EAAMoB,EAaAG,EAaapM,GAC9CsE,GAAO8H,MAIP9H,EAak,KACDjD,EAAO0K,EAaAE,IAAGb,OAER
CN,EAaWhC,aAAayB,EAAa/J,GAAO,KACzCkL,EAaEX,EAaOtH,MAASjD,OAaQ6F,EAaWkE,GACxDO,EA
AWpI,YAAy6H,EAAa/J,EAAMkL,GAG5C/G,EAAMrF,KAAKkB,WAIRmE,EAAM3C,KAAK,WctGhB2J,EA
gB,gBACHBC,EAa0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,SaYBIBC,EACAC,EACAC,EACAC,eAzB6BI
M,QAFjCmI,QAAAA,aAAUnI,QACVmM,QAAAA,aAAUrM,IAEjKl,EAAS,IAAIoB,EAaOjE,GAMtBkE,EAaE,
GAWbC,ECdR,SAawBIJ,YAIbmJ,EAaQC,MACXA,MAEApJ,EAaCoJ,OACd,MAaOC,YAIN,SACLC,EACA/H
,EACaGI,EACAC,EACAC,EACAC,EACAxN,EACAYN,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GAA
yC,KAA1BrI,EAaQwF,WAAW,GAaW,OAaO/G,EAacuB,OAaA,cAGhF,KACQ,IAAPoI,EAaU,OAaOpI,EA/B
T,mBAkCT,SACKoI,QAED,SACA,WACI3J,EAaWuJ,EAaU,GAaKhI,GAAU,kBAEPcA,GAakB,IAAPsI,EAz
CV,QAYCiC,SAEzC,EACJtI,EAaQE,MA3CIqI,UA2CUvL,QAAQ4K,KD/BXY,EAaiB,SAaAJG,GACxCmF,EA
Aa9M,KAAK2H,MAQdkG,EAawB,SAAC/H,EAaOgI,EAaQC,UAG9B,IAAXD,IAA8E,IAA/DxB,EAawB0B,Q
AAQD,EAaOtB,EAaU1M,UAEhEgO,EAaOjI,MAAM6G,GAKT7G,MAHM0G,YA4BNyB,EAaE9J,EAak8F,E
AAUie,EAaQjD,YAAAA,IAAAA,EAac,SACrDkD,EAaUhK,EAaI7B,QAAQ+J,EAaE,IACrC+B,EAASnE,GA
AYIE,EAAYa,MAAUjE,QAackE,OAaAc,SAK7E3B,EAaEvB,EACfwB,EAAYxC,EACZyC,EAakB,IAAIzH,Y
AAyW,H,QAAgB,KACIDE,EAa4B,IAAI1H,aAAawH,cAEtChB,EAaOyC,IAAWjE,EAaW,GAaKA,EAaUmE,
UAdrD3C,EAaO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,GACIC,IAAZD,GAaIBC,EAaUrN,QAAUq
N,EAaU,GAAGmB,YAAy9B,GAAa,IAE7EW,EAaU,GAaKA,EAaU,GAAG9K,QAAQoK,EAaiBmB,KAIDd,
EAID9B,SAaAI,OACP,IAAbA,EAAGb,KACZqB,EAac1B,SACpBA,EAaE,GACR0B,OA+DXP,EAaepD,KAA

O+B,EAAQ7M,OAC1B6M,EACG6B,QAAO,SAACC,EAAKC,UACPA,EAAOzN,MACVuC,EAAiB,IAGZiH,EAAMgE,EAAKC,EAAOzN,QHnGf,MGqGXhB,WACH,GAEG+N,ME3FIW,GAAgDC,EAAMC,gBACtDC,GAAqBH,GAakBI,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAACd,SAEL,IAAIrG,GAC9BwG,GAA4B5C,IAEzC,SAAgB6C,YACPC,aAAWT,KAAAsBM,GAG1C,SAAgBI,YACPD,aAAWJ,KAAkBE,GAGvB,SAASI,GAakBC,SACVC,WAASD,EAAME,eAAAtC9C,OAAS+C,OACVC,EAAoBR,KAEPB5D,EAAaqE,WAAQ,eACrB1K,EAAQyK,SAERJ,EAAMrK,MAERA,EAAQqK,EAAMrK,MACLqK,EAAM3O,SACfsE,EAAQA,EAAMkE,uBAAuB,CAAExI,OAAQ2O,EAAM3O,SAAU,IAG7D2O,EAAMM,wBACR3K,EAAQA,EAAMkE,uBAAuB,CAAEX,mBAAmB,KAGrDvD,IACN,CAACqK,EAAMM,sBAAuBN,EAAMrK,MAAOqK,EAAM3O,SAE9C4K,EAASoE,WACb,kBACEtD,EAAqB,CACnB3D,QAAS,CAAESf,QAASsB,EAAMO,uBAC1BnD,QAAAA,MAEJ,CAAC4C,EAAMO,sBAAuBnD,WAGhCoD,aAAU,WACHC,EAAArD,EAAS4C,EAAME,gBAAgBC,EAAWH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,GAakBsB,UAAASC,MAAO3E,GACjCqD,gBAACI,GAACiB,UAAASC,MAAO1E,GACH,eAAzB3K,QAAQC,IAAIC,SACT6N,EAAMuB,SAASC,KAAKb,EAAMc,UAC1Bd,EAAMc,eCjEGC,yBAOPrP,EAAcmC,mBAM1BmN,OAAS,SAACHf,EAAwBiF,YAAAA,IAAAA,EAA8BtB,QACxDuB,EAAeC,EAAKzP,KAAOuP,EAAe5F,KAE3CW,EAAWhC,aAAamH,EAAKjM,GAAIgm,IACpCIF,EAAWpI,YACTuN,EAAKjM,GACLgM,EACAD,EAAeE,EAAKtN,MAAOqN,EAAC,qBAK/CxQ,SAAW,kBACFuD,EAAiB,GAAI4G,OAAOsG,EAAKzP,aAlBnCA,KAAOA,OACPwD,mBAAqBxD,OACrBmC,MAAQA,qBAmBfuN,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BtB,IAC7BhM,KAAKjC,KAAOuP,EAAe5F,WC7BhCgG,GAAiB,UACjBC,GAAmB,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EAAKC,eAkB/C,SAASC,GAAmBpD,UACIC8C,GAAelQ,KAAKoN,GACzBA,EACCzL,QAAQwO,GAakBE,IAC1B1O,QAAQyO,GAAW,QACpBhD,ECIBJ,IAAMqD,GAAy,SAAAC,UAAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAoBvF,SAAwB1F,GACtB0F,EACA9F,EACAC,EACAiF,MAEivE,MAAMC,QAAQkF,GAAQ,SAGYzR,EAF9B0R,EAAU,GAEPzR,EAAI,EAAGC,EAAMuR,EAAMrR,OAAgBF,EAAIC,EAAKD,GAAK,EAGzC,MAFFD,EAAS+L,GAAQ0F,EAAMxR,GAAI0L,EAAKBC,EAAyIF,MAGhDvE,MAAMC,QAAQvM,GAASOR,EAAQtR,WAARsR,EAAgB1R,GAC3C0R,EAAQtR,KAAKJ,WAGb0R,KAGLF,GAAUC,SACL,MAILIQ,EAakBkQ,aACTA,EAAMjQ,qBAIfV,EAAW2Q,GAAQ,IC9DL,mBAFwB1Q,EDiEhB0Q,IC7DtB1Q,EAAKP,WACFO,EAAKP,UAAUmR,mBD4DchG,EAA3B,OAAO8F,MAZNzR,EAASyR,EAAM9F,SAEQ,eAAzBzK,QAAQC,IAAIC,UAA6BwQ,YAAU5R,IAErD6R,QAAQC,KACH9Q,EACDyQ,uLAKC1F,GAAQ/L,EAAQ2L,EAAkBC,EAAyIF,GC7E5C,IAA6B9P,SDiFtC0Q,aAAiBd,GACf/E,GACF6F,EAAmB,OAAOhF,EAAyIF,GACIBY,EAAMT,QAAQH,IACTY,EAITM,EAAcN,GAzEM,SAAhBO,EAAiBC,EAAaC,OEbH5Q,EAAciP,EFc9C9M,EAAQ,OAET,IAAM0O,KAAOF,EACXA,EAAIG,eAAeD,KAAQX,GAAUS,EA AIE,MAEzC7F,MAAMC,QAAQ0F,EAAIE,KAASF,EAAIE,GAAKE,OAAUvR,EAAWmR,EAAIE,IACHe1O,EAAMrD,KAAQkS,GAAUH,OAASF,EAAIE,GAAM,KACICJ,EAAcE,EAAIE,IAC3B1O,EAAMrD,WAANqD,EAAcuO,EAAcC,EAAIE,GAAMA,IAEtC1O,EAAMrD,KAAQkS,GAAUH,SExBU7Q,EFwBe6Q,EErBxC,OAHuC5B,EFwBM0B,EAAIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAgC,IAAVA,GAAiBjP,KAAQiR,GAAcjR,EAAKkR,WAAW,MAIjF/H,OAAO8F,GAAOxN,OAHTwN,qBFoBL2B,GAAcA,eAAgBzO,GA AO,MAAOA,EA0DrBuO,CAAcP,GAASA,EAAMnR,WG9E7D,IAAMmS,GAAS,SAAAC,UACTpG,MAAMC,QAAQmG,KAehBA,EAIL,OAAQ,GAEPK,GAGM,SAASnO,GAAIoO,8BAAmB5S,mCAAAA,2BACzCe,EAAW6R,IAAWZ,EAAcY,GAE/BF,GAAO1G,GAAQ6G,EAAWjS,GAAcgS,UAAW5S,MAG9B,IAA1BA,EAAel,QAAkC,IAAIBwS,EAAOxS,QAAqC,iBAAdwS,EAAO,GAE/DA,EAIFF,GAAO1G,GAAQ6G,EAAWD,EAAQ5S,KC5B3C,IAAM8S,GAAoB,qBACpBC,GAAO,IAAI/I,IAEJgJ,GAAuB,SAAC1R,EAAqBgK,MAC3B,eAAzBnK,QAAQC,IAAIC,SAA2B,KAEnC4R,EACJ,iBAAiB3R,GAFIgK,sBAaKCA,MAAiB,6NAUpE4H,EAAuBpB,QAAQqB,cAE/BC,GAAwB,EAE5BtB,QAAQqB,MAAQ,SAACE,MAGXP,GAakB9R,KAAKqS,GACzBD,GAAwB,EAExBL,UAAyE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAAqBG,UAAwBC,MAMjDC,WAEIH,IAA0BL,GAAK/N,IAAiO,KAErCnB,QAAQC,KAAKkB,GACbF,GAAKjJ,IAAIImJ,IAEX,MAAOE,GAGHL,GAakB9R,KAAKmS,EAAMF,UAE/BF,UAAyE,WAIInB,QAAQqB,MAAQD,iBC9CnRd,EAAc2D,EAAoBC,mBAAAA,IAAAA,EAAoB3S,GAC5D+O,EAAM6D,QAAUD,EAAaC,OAAS7D,EAAM6D,OAAUF,GAAiBC,EAAaC,OCJxFC,GAAc,wCAEdC,GAAe,WAMN,SAASC,GAAOC,UAE3BA,EAEGnR,QAAQgR,GAAa,KAGrBhR,QAAQiR,GAAc,ICd7B,gBAAgBE,UACPIJ,EAAuBM,EAAK4I,KAAS,ICH/B,SAASC,GAAM7S,SAER,iBAAXA,IACmB,eAAzBC,QAAQC,IAAIC,UACTH,EAAO8S,OAAO,KAAO9S,EAAO8S,OAAO,GAAGzC,eCqB9C,IAAM0C,GAAW,SAAAC,S

AEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAiB3H,MAAMC,QAAQ0H,IAItFC,GAAa,SAAA/B,SACF ,cAARA,GAA+B,gBAARA,GAAiC,cAARA,GAGzD,SAASgC,GAAMIT,EAAQgT,EAAK9B,OACpBF,EAAMh R,EAAOkR,GACf6B,GAASC,IAAQD,GAAS/B,GAC5BmC,GAAUnC,EAAKgC,GAefhT,EAAOkR,GAAO8B,E AIH,SAASG,GAAUnT,8BAAWoT,mCAAAA,kCACzBa,iBAAM,KAAbpC,UACL+B,GAAS/B,OACN,IAAME, KAAOF,EACZiC,GAAW/B,IACbgC,GAAMIT,EAAQgR,EAAIE,GAAMA,UAMzBIR,MC5CIqT,GAAsCrF,EAA MC,gBAE5CqF,GAAgBD,GAAaF,SCcpCoF,GAAC,GA4IpB,SAAwBC,GACTbXt,EACA+H,EAOAvF,OAEMiR, EAAqBnT,EAAkBN,GACvC0T,GAAwBb,GAAM7S,KAMhC+H,EAHF4L,MAAAA,aAAQjU,MAGNqI,EAFFqC ,YAAAA,aAzJJ,SAAoBhK,EAAsBwT,OACiCvT,EAA8B,iBAAhBD,EAA2B,KAAOuS,GAAOvS,GAE7DmT,GA AYIT,IAASKT,GAAyIT,IAAS,GAAK,MAEzC+J,EAAiB/J,MAAQwT,G9BzBPzN,S8B4BT/F,EAAOkT,GAAyIT ,WAG3BuT,EAAuBA,MAAQbXJ,EAAgBA,EA8InD0J,CAAW/L,EAAQ3H,YAAa2H,EAAQ6L,uBAEpD7L,EAD F3H,YAAAA,aCtLW,SACbJ,UAE06S,GAAM7S,aAAoBA,YAAqBD,EAAiBC,ODmLvD+T,CAAoB/T,KAG9B O,EACJwH,EAAQ3H,aAAe2H,EAAQqC,YACxBuI,GAAO5K,EAAQ3H,iBAAGb2H,EAAQqC,YAC1CrC,EAAQ qC,aAAeA,EAGvB4J,EACJP,GAAwBzT,EAAgC2T,MACpDtI,MAAM9L,UAAU0U,OAASjU,EAAgC2T,MAAO A,GAAOO,OAAOrT,SAC9E8S,EAGFQ,EAAoBpM,EAAQoM,kBAE5BV,GAAsBzT,EAAOmU,oBAG7BA,EAF EpM,EAAQoM,kBAEU,SAACC,EAAMC,EAAUC,UAC/BtU,EAAgCmU,kBACiCC,EACAC,EACAC,IAEAvm, EAAQoM,kBAA4CC,EAAMC,EAAUC,IAGIdtU,EAAgCmU,uBAkBTdI,EAdEC,EAAiB,IAAIrK,EACzB3H,EA CAjC,EACAKT,EAAuBzT,EAAgBwU,oBAAkCtO,GAKrEqE,EAAWiK,EAAejK,UAA6B,IAAjBoJ,EAAMzU,O AQ5CuV,EAAa,SAAC9F,EAAO+F,UA7I7B,SACEC,EACAhG,EACAiG,EACArK,OAGSsK,EAOLF,EAPFhB,M ACAa,EAMEG,EANFH,eACAjC,EAKEoC,EALFpC,aACAuC,EAIEH,EAJFG,mBACAX,EAGEQ,EAHFR,kBAC A5T,EAEEoU,EAFFpU,kBACAP,EACE2U,EADF3U,SA7DJ,SAAkCwS,EAA2B7D,EAAegF,YAA1CnB,IAAAA ,EAAa5S,OAIvC0M,OAAeqC,GAAO6D,MAAAA,IACtBuC,EAAgB,UAEtBpB,EAAMpS,SAAQ,SAAAYT,OAE R9D,EErD4B/P,EAAYC,EFoDxC6T,EAAkBD,MAQjB9D,KALDrR,EAAWoV,KACbA,EAakBA,EAAGb3I,IAIx B2I,EACV3I,EAAQ4E,GAAO6D,EAAC7D,GACnB,cAARA,GE9D4B/P,EF+DZ4T,EAAC7D,GE/DU9P,EF+DJ6T ,EAAgB/D,GE9DnD/P,GAACK,EAAOD,MAACK,EAAMD,GAACK,GF+DzB6T,EAAgB/D,MAKnB,CAAC5E, EAASyI,GA4CQG,CAFXC,GAAexG,EAAOH,aAAW6E,IAAed,IAEX3S,EAAC+O,EAAOkG,GAAjEvI,OAASqH ,OAEVYB,EA3CR,SACEZ,EACAjK,EACAkW,EACAM,OAEM1K,EAAa4D,KACb3D,EAAS6D,KAET6G,EAA Y/K,EACdiK,EAeJ/wBAAwB7K,EAAC+K,EAAYC,GACjE4J,EAeJ/wBAAwBsK,EAAPk,EAAYC,SAEzC, eAAzB3K,QAAQC,IAAIC,WAA8BoK,GAAY8K,GACxDA,EAAMBC,GAGdA,EA0BoBC,CACzBf,EACAjK,EA CA+B,EACyB,eAAzBrM,QAAQC,IAAIC,SAA4BwU,EAAMBU,wBAAQbNp,GAG5EsP,EAeZ,EAefN,EAA6B X,EAAM8B,KAAO9G,EAAM8G,KAAO9B,EAAM+B,IAAM/G,EAAM+G,IAAM1V,EAE/E2V,EAAC9C,GAAM yB,GACpBsB,EAAgBjC,IAAUhF,OAAaA,KAAUgF,GAAUhf,EAC3DkH,EAAkB,OAGnB,IAAM3E,KAAO0E, EACD,MAAX1E,EAAL,IAAsB,OAARA,IACL,gBAARA,EACP2E,EAAgBH,GAAKE,EAAC1E,IAEnCiD,EACIA ,EAAkBJD,EAAK4E,EAAWxB,IACiCqB,GACAG,EAAU5E,MAId2E,EAAgB3E,GAAO0E,EAAC1E,YAIrCvC,E AAM/J,OAAS+O,EAAM/O,QAAU+J,EAAM/J,QACvCiR,EAAgBjR,WAAa+J,EAAM/J,SAAU+O,EAAM/O,QA GrDiR,EAAgBP,UAAyJk,MAAM9L,UAC/B0U,OACCa,EACAvU,EACA6U,IAAUb7U,EAAoB6U,EAAqB,Ka ChEzG,EAAM2G,UACN3B,EAAM2B,WAEpPB,OAAOrT,SACPgB,KAAK,KAERgU,EAAgBnB,IAAMc,EAef9 P,gBAAC4O,EAAoBuB,IAuEhBtB,EAawB5F,EAAO+F,EAAKnK,WAE7DkK,EAawR,UAAcA,GAezBmU,EA A2BvG,EAAMyG,WAAWA,IACrBd,MAAQK,EAC/BO,EAAuBC,eAAiBA,EACxCD,EAAuBnU,YAAcA,EACr CmU,EAAuBJ,kBAAoBA,EAI3CI,EAAuBO,mBAAqBrB,EACxCpI,MAAM9L,UAAU0U,OACZjU,EAAgC8U,m BACHC9U,EAAgCO,mBAEpCb,EAej6U,EAAuBhU,kBAAoBA,EAG3CgU,EAAuBvU,OAASyT,EAC1BzT,EA AgCA,OACICA,EAeJuU,EAAuBwB,cAAgB,SAAuB/T,OACvCgU,EAA0CjO,EAAvDqC,YAAqC6L,uIAAkBIO, mBAEzDmO,EACJF,GACGA,OAAuBnD,GAAM7Q,GAAOA,EAAM2Q,GAAO5S,EAAiBiC,YAQhEwR,GAAS BxR,OALxBiU,GACHtC,MAAOK,EACP5J,YAAa8L,IAG+B1T,IAGhDID,OAAO6W,eAAe5B,EAawB,eAAgB, CAC5DxQ,sBACSzB,KAAK8T,qBAGdvT,aAAImO,QACGoF,oBAAsB3C,EACvB4C,GAAM,GAAMrW,EAAgC uS,aAAcvB,GAC1DA,KAIqB,eAAzB/Q,QAAQC,IAAIC,WACd2R,GAAqB1R,EAAaG,GAELCgU,EAAuBc,4BG nSXjV,EAAqBgK,OAC/BkM,EAAMb,GACnBC,GAAC,SAEX,SAACjB,OACDiB,IACHD,EAAiBhB,IAAa,EAC1 BhW,OAAOkX,KAAKF,GAakBpX,QATnB,KASoC,KAG3CuX,EAAiBrM,sBAakCA,MAAiB,GAe1EwG,QAA QC,KACN,iDAAsDzQ,EAACqW,oQAUFtEF,GAAC,EACdD,EAAMb,KH2QqBI,CAC1CtW,EACAG,IAQJjB,OA

O6W,eAAe5B,EAawB,WAAY,CAAejF,MAAO,qBAAUiF,EAAuBhU,qBAEhGmT,GACFiD,EAIEpC,EAA0Bv
U,EAA0D,CAEpF2T,OAAO,EACPa,gBAAGb,EAChBpU,aAAa,EACb0U,oBAAoB,EACpBX,mBAAmB,EACnB
5T,mBAAmB,EACnBP,QAAQ,EACR+V,eAAe,IAIZxB,EIIUT,ICIMqC,GAAS,SAAC5U,mBCCQ6U,EACtBC,E
ACA9U,EACA+F,eAAAA,IAAAA,EAakBnI,IAEbmX,qBAAmB/U,UACfY,EAAiB,EAAG4G,OAAOxH,QAK9
BgV,EAAMb,kBAAaF,EAAqB9U,EAak+F,EAASzE,oCAGzE0T,EAAiBC,WAAa,SAAAC,UAC5BL,EAAqBC,
EAAsB9U,OAAU+F,KAAyMp,KAGnEF,EAAiBrD,MAAQ,SAAAA,UACvBkD,EAAqBC,EAAsB9U,OACtC+F,
GACH4L,MAAOtI,MAAM9L,UAAU0U,OAAOIM,EAAQ4L,MAAOA,GAAOO,OAAOrT,aAGxDmW,EDzBuB
H,CAAqBM,GAAiBnV,IDJvD,CACb,IACA,OACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,
MACA,MACA,aACA,OACA,KACA,SACA,SACA,UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,
MACA,UACA,MACA,SACA,MACA,KACA,KACA,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,
KACA,KACA,KACA,KACA,KACA,OACA,SACA,SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,M
ACA,SACA,QACA,SACA,KACA,OACA,OACA,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,W
ACA,SACA,KACA,WACA,SACA,SACA,IACA,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IAC
A,OACA,SACA,UACA,SACA,QACA,SACA,OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA
,WACA,QACA,KACA,QACA,OACA,QACA,KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,
OACA,UACA,gBACA,IACA,QACA,OACA,iBACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA
,OACA,MACA,OACA,WACA,SCnIUT,SAAQ,SAAA6V,GACIBR,GAAOQ,GAAcR,GAAOQ,UELTC,yBAOP7
U,EAAgB4H,QACrB5H,MAAQA,OACR4H,YAAcA,OACdG,SAAWN,EAaczH,GAI9BsF,EAAWS,WAAWjG,K
AAK8H,YAAc,8BAG3CkN,aAAA,SACEC,EACA7M,EACAC,EACAC,OAGMtH,EAAMsH,EADIE,GAAQxI,K
AAKE,MAAOki,EAakBC,EAAYC,GACvC/I,KAAK,IAAK,IAC/BgC,EAakvB,KAAK8H,YAAcmN,EAG9B5M
,EAAWpI,YAAYsB,EAAIA,EAAIP,MAGjCkU,aAAA,SAAaD,EAakB5M,GAC7BA,EAAW1B,WAAW3G,KAA
K8H,YAAcmN,MAG3CE,aAAA,SACEF,EACA7M,EACAC,EACAC,GAEl2M,EAAW,GAAGzP,EAAWS,WAA
WjG,KAAK8H,YAAcmN,QAGtDC,aAAaD,EAAU5M,QACvB2M,aAAaC,EAAU7M,EAakBC,EAAYC,SCxCx
D8M,GAAgB,gBAEDC,2CAyNbc,cAAgB,eACrU,EAAMwM,EAakYH,SAASIY,eACrBiE,EAak,MAAO,OA
E X+C,EAAQjB,oBACA,CAACiB,aAAmBA,MAAa7F,YAAqBqX,gCAC7C3D,OAAOrT,SAASgB,KAAK,SAEfyB
,mBAW/BwU,aAAe,kBACThI,EAakIi,OACAnV,EAAiB,GAGnBkN,EAak8H,sBAGdI,gBAakB,oBACZII,EA
KiI,cACAnV,EAAiB,OAGpB+L,UACHnO,GAAU,KtC9Cc,uBACL4F,WsC+CpB6R,wBAayB,CACvBC,OAAQp
I,EAakYH,SAASIY,eAIpBgH,EAAQjB,WACvIB,IACDsI,EAAYtI,MAAQA,GAIhB,CAAC2H,6BAAWW,GAA
OuC,IAAI,mBAsDhCiH,KAAO,WACLrI,EAakIi,QAAS,QAzGTR,SAAW,IAAIzP,EAAW,CAAEF,UAAU,SACt
CmQ,QAAS,6BAChBK,cAAA,SAAc3I,UACRnN,KAAKyV,OACAnV,EAAiB,GAGnBoL,gBAACU,IAakBpK,M
AAOhC,KAAKiV,UAAW9H,MAkCnD4I,yBAAA,SAAYBC,MACJ5X,SACVkc,EAAiB,GACnB,GAAIN,KAAK
yV,cACPnV,EAAiB,QAIInBuV,aAG2BI,QAAQ,UAtBC,KAAVC,WAAUD,WAEZE,EAA2BJ,EACfhU,EAAYB
hC,KAAnciV,SAAiBK,EAakBtV,KAAIBsV,cAEnBe,EAAC,IAAIH,EAAU,CACChI,UAAW,SAA2BpI,EAAsB/
C,EAAGoL,OAGvDC,EAAtI,EAAMnR,WACrB0Z,EAAOnB,OAEBtT,EAAM4E,WAIWfO,GAAC5X,KAAKgz,
GAAe,KAC9BE,EAakBF,EAAa3L,QAAQ,KAAO,EAC9C8L,EAASH,EAAaI,MAAM,EAAGF,GAC/BG,EAAQ
L,EAAaI,MAAMF,QAe5B7Z,KAAK8Z,EAASF,EAAOI,aAErBha,KAAK4Z,EAAOD,GAGnBD,cAIJH,EAAeU,
GAAG,SAAS,SAAAC,GAezBV,EAAYW,KAAK,QAASD,MAGrBX,EAaEa,KAAKZ,SCnHpBa,GAAC,CACzB1
R,WAAAA,EACauG,YAAAA,ICmByB,eAAzBpO,QAAQC,IAAIC,UACS,oBAAdsZ,WACe,gBAAtBA,UAAUC
,SAGV9I,QAAQC,KACN,wNAOyB,eAAzB5Q,QAAQC,IAAIC,UAAAsD,SAazBF,QAAQC,IAAIC,UAAyC,oBA
AXQ,SACrFA,OAAO,8BAAGCA,OAAO,+BAAiC,EAEIC,IAAZCA,OAAO,+BAETiQ,QAAQC,KACN,4TAOJlQ,
OAAO,+BAAiC,8LXP3B,SAAuBgO,OAC9BgL,EAAanL,aAAW6E,IACxBuG,EAAe5K,WAAQ,kBA9B/B,SAAo
BwD,EAAsBmH,OACnChH,SACI5P,EAAiB,OAGtB/C,EAAW2S,GAAQ,KACfqH,EAACrH,EAAMmH,SAGC,e
AAzB1Z,QAAQC,IAAIC,UACK,OAAhB0Z,IAAwBxO,MAAMC,QAAQuO,IAAuC,iBAAhBA,EAkZDA,EAHEj
X,EAAiB,UAMxBYI,MAAMC,QAAQkH,IAA2B,iBAAVA,EAC1B5P,EAAiB,GAGnB+W,OAakBA,KAAenH,G
AAUA,EAQfsH,CAAWnL,EAAM6D,MAAOmH,KAAa,CACtEhL,EAAM6D,MACNmH,WAGGhL,EAAMc,SAI
JzB,gBAACqF,GAAahE,UAAAS,MAAOsK,GAAejL,EAAMc,UAHjD,uDYtCI,SACb5Q,8BACGC,mCAAAA,wB
AEG0D,EAAQc,iBAAIzE,UAAyC,IACxByB,eAAiCsT,GAAoBkG,KAAKC,UAAUxX,IACpEyX,EAAC,IAAI5C,
GAAY7U,EAAOjC,YAMIC2Z,EAAqBvL,OACtBhE,EAAa4D,KACb3D,EAAS6D,KACT+D,EAAQhE,aAAW6E,

IAGnBkE,EAFCf,SAAO1H,EAAWjC,mBAAmBnI,IAE5B4Z,cAEA,eAAzBlA,QAAQC,IAAIC,UAA6B6N,EAA
MuB,SAAS6K,MAAMzL,EAAMc,WAEtEmB,QAAQC,mCACwBtQ,uEAKP,eAAzBN,QAAQC,IAAIC,UACZqC
,EAAM6X,MAAK,SAAAvT,SAAwB,iBAATA,IAAkD,IAA7BA,EAAKqG,QAAQ,eAG5DyD,QAAQC,qVAKNI
G,EAAWzC,QACbuP,EAaAF,EAU5I,EAaOhE,EAAY6H,EAaO5H,GAe5C,cAGA6M,EAaAF,EAU5I,EAaO
hE,EAAY6H,EAaO5H,MACpDqP,EAAY1P,SACd0P,EAAYxC,aAAaF,EAUvW,EAa0B2J,EAAYC,OACpE,K
ACC0B,OACDqC,GACH6D,MAAO2C,GAAexG,EAaO6D,EAaO0H,EAaQB3H,gBAG3D0H,EAAYxC,aAAaF,
EAUjL,EAAS3B,EAAYC,UaZD/B,eAAzB3K,QAAQC,IAAIC,UACd2R,GAAqBvR,GA6DhByN,EAAMsM,KA
AKJ,oFC9EL,SACbrb,GAK2B,eAAzBoB,QAAQC,IAAIC,UACS,oBAAdsZ,WACe,gBAAtBA,UAAUC,SAGV9I,
QAAQC,KACN,8IAVD/R,mCAAAA,wBAcG0D,EAaQc,iBAaIzE,UAYC,IAAgB+C,KAAK,IAC7CxB,EAaO
wT,GAAoBrR,UAC1B,IAAikN,GAAUrP,EAAMmC,qBcTbZ,kBAAMgM,aAAW6E,qB3CSRjN,oC4CCVmU,OA
ERC,EAAYxM,EAAMyG,YAAW,SAAC9F,EAaO+F,OACnCIC,EAaQhE,aAAW6E,IAEjBd,EAaIbGI,EAaJbHI
,aACFKI,EAAYtF,GAAexG,EAaO6D,EAaOD,SAEIB,eAAzBtS,QAAQC,IAAIC,eAA2C+F,IAaduU,GAe3C7J,
QAAQC,8HACmH9Q,EACvHwa,QAKCvM,gBAACuM,OAac5L,GAAO6D,MAAOiI,EAaW/F,IAAKA,eAGtDg
G,EAaAF,EAaWD,GAExBC,EAUpa,yBAA2BL,EAaIBwa,OAE/CC" }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/dist/styled-components.cjs.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components.esm.js", "sources": [ "../src/utils/interleave.js", "../src/utils/isPlainObject.js", "../src/utils/empties.js", "../src/utils/isFunction.js", "../src/utils/getComponentName.js", "../src/utils/isStyledComponent.js", "../src/constants.js", "../src/utils/error.js", "../src/utils/errors.js", "../src/sheet/GroupedTag.js", "../src/sheet/GroupIDAllocator.js", "../src/sheet/Rehydration.js", "../src/utils/nonce.js", "../src/sheet/dom.js", "../src/sheet/Tag.js", "../src/sheet/Sheet.js", "../src/utils/generateAlphabeticName.js", "../src/utils/hash.js", "../src/utils/isStaticRules.js", "../src/models/ComponentStyle.js", "../src/utils/stylis.js", "../src/utils/stylisPluginInsertRule.js", "../src/models/StyleSheetManager.js", "../src/models/Keyframes.js", "../src/utils/hyphenateStyleName.js", "../src/utils/flatten.js", "../src/utils/isStatelessFunction.js", "../src/utils/addUnitIfNeeded.js", "../src/constructors/css.js", "../src/utils/checkDynamicCreation.js", "../src/utils/determineTheme.js", "../src/utils/escape.js", "../src/utils/generateComponentId.js", "../src/utils/isTag.js", "../src/utils/mixinDeep.js", "../src/models/ThemeProvider.js", "../src/models/StyledComponent.js", "../src/utils/generateDisplayName.js", "../src/utils/joinStrings.js", "../src/utils/createWarnTooManyClasses.js", "../src/utils/domElements.js", "../src/constructors/styled.js", "../src/constructors/constructWithOptions.js", "../src/models/GlobalStyle.js", "../src/constructors/createGlobalStyle.js", "../src/constructors/keyframes.js", "../src/models/ServerStyleSheet.js", "../src/hoc/withTheme.js", "../src/hooks/useTheme.js", "../src/secretInternals.js", "../src/base.js"], "sourcesContent": [ "//
```

```
@flow\nimport type { Interpolation } from './types';\n\nexport default ({\n  strings: Array<string>,\n  interpolations: Array<Interpolation>,\n}: {\n  strings: Array<string>,\n  interpolations: Array<Interpolation> => {\n  const result = [strings[0]];\n  for (let i = 0, len = interpolations.length; i < len; i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n  return result;\n};\n\n// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x: any): boolean => {\n  x !== null && typeOf x === 'object' && (x.toString ? x.toString() : Object.prototype.toString.call(x)) === '[object Object]' && !typeOf(x);\n}\n\n// @flow\nexport const EMPTY_ARRAY = Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n\n// @flow\nexport default function isFunction(test: any): boolean {\n  %checks {\n    return typeOf test === 'function';\n  }\n}\n\n// @flow\nimport type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n  target: $PropertyType<IStyledComponent, 'target'>,\n): string {\n  return (\n    (process.env.NODE_ENV !== 'production' ? typeOf target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    // $FlowFixMe\n    target.name ||\n    'Component'\n  );\n}\n\n// @flow\nexport default function
```

```

isStyledComponent(target:
any): boolean %checks {\n return target && typeof target.styledComponentId === 'string';\n}\n", "//
@flow\nndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n (typeof process !== 'undefined' &&\n   typeof process.env !== 'undefined' &&\n
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n
typeof SC_DISABLE_SPEEDY === 'boolean'\n  ? SC_DISABLE_SPEEDY\n  : typeof process !== 'undefined' &&
typeof process.env !== 'undefined'\n    ? typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'
&&\n      process.env.REACT_APP_SC_DISABLE_SPEEDY !== '\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false'\n    ? false\n      : process.env.REACT_APP_SC_DISABLE_SPEEDY\n        : typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== '\n  ?
process.env.SC_DISABLE_SPEEDY === 'false'\n    ? false\n      : process.env.SC_DISABLE_SPEEDY\n        :
process.env.NODE_ENV !== 'production'\n      : false);\n\n// Shared empty execution context when generating
static styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\n\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n let a = args[0];\n const b = [];\n\n for (let c = 1, len =
args.length; c < len; c += 1) {\n   b.push(args[c]);\n }\n\n b.forEach(d => {\n   a = a.replace(/%[a-z]/,
d);\n });\n\n return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n * in
production mode.\n */\n\nexport default function throwStyledComponentsError(\n code: string | number,\n
...interpolations: Array<any>)\n {\n if (process.env.NODE_ENV === 'production') {\n   throw new Error(\n     `An
error occurred. See https://git.io/JUIaE#${code} for more information.${\n     interpolations.length > 0 ? ` Args:
${interpolations.join(', ')} : "\n   }`);\n   }\n } else {\n   throw new Error(format(ERRORS[code],
...interpolations).trim());\n }\n}\n", "export default {\n  '1': "Cannot create styled-component for component:
%s.\n\n",\n  '2': "Can't collect styles once you've consumed a `ServerStyleSheet`'s styles! `ServerStyleSheet` is a
one off instance for each server-side render cycle.\n\n- Are you trying to reuse it across renders?\n- Are you
accidentally calling collectStyles twice?\n\n",\n  '3': "Streaming SSR is only supported in a Node.js environment;
Please do not try to call this method in the browser.\n\n",\n  '4': "The `StyleSheetManager` expects
a valid target or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n- Does this error
occur on the server and is the sheet falsy?\n\n",\n  '5': "The clone method cannot be used on the client!\n\n- Are
you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n",\n  '6': "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n",\n  '7': "ThemeProvider: Please return an object from your `theme` prop
function, e.g.\n\n`js\ntheme={() => ({})}\n\n",\n  '8': "ThemeProvider: Please make your `theme` prop
an object.\n\n",\n  '9': "Missing document `<head>\n\n",\n  '10': "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this
issue for how to troubleshoot and fix the common cases where this situation can happen:
https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021\n\n",\n  '11': "_This error was replaced
with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n",\n  '12': "It seems you are interpolating
a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer
supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which
ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n",\n  '13': "%s is
not a styled component and cannot be referred to via component selector. See https://www.styled-

```

components.com/docs/advanced#referring-to-other-components for more details.

14: "ThemeProvider: ""theme"" prop is required.

15: "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g.

```
js\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });
```

16: "Reached the limit of how many styled components may be created at group %s.\nYou may only create up to 1,073,741,824 components. If you're creating components dynamically,\nas for instance in your render method then you may be running into this limitation.

17: "CSSStyleSheet could not be found on HTMLStyleElement.\nHas styled-components' style tag been unmounted or altered by another script?"

```
// @flow\n/* eslint-disable no-use-before-define *\n\nimport type { GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwStyledError from './utils/error';\n\n/** Create a GroupedTag with an underlying Tag implementation */\nexport const makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE = 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n  groupSizes: Uint32Array;\n\n  length: number;\n\n  tag: Tag;\n\n  constructor(tag: Tag) {\n    this.groupSizes = new Uint32Array(BASE_SIZE);\n    this.length = BASE_SIZE;\n    this.tag = tag;\n  }\n\n  indexOfGroup(group: number): number {\n    let index = 0;\n    for (let i = 0; i < group; i++) {\n      index += this.groupSizes[i];\n    }\n    return index;\n  }\n\n  insertRules(group: number, rules: string[]): void {\n    if (group >= this.groupSizes.length) {\n      const oldBuffer = this.groupSizes;\n      const oldSize = oldBuffer.length;\n      let newSize = oldSize;\n      while (group >= newSize) {\n        newSize <<= 1;\n        if (newSize < 0) {\n          throwStyledError(16, `${group}`);\n        }\n      }\n      this.groupSizes = new Uint32Array(newSize);\n      this.groupSizes.set(oldBuffer);\n      this.length = newSize;\n      for (let i = oldSize; i < newSize; i++) {\n        this.groupSizes[i] = 0;\n      }\n      let ruleIndex = this.indexOfGroup(group + 1);\n      for (let i = 0, l = rules.length; i < l; i++) {\n        if (this.tag.insertRule(ruleIndex, rules[i])) {\n          this.groupSizes[group]++;\n          ruleIndex++;\n        }\n      }\n    }\n    clearGroup(group: number): void {\n      if (group < this.length) {\n        const length = this.groupSizes[group];\n        const startIndex = this.indexOfGroup(group);\n        const endIndex = startIndex + length;\n        this.groupSizes[group] = 0;\n        for (let i = startIndex; i < endIndex; i++) {\n          this.tag.deleteRule(startIndex);\n        }\n      }\n    }\n\n    getGroup(group: number): string {\n      let css = "";\n      if (group >= this.length || this.groupSizes[group] === 0) {\n        return css;\n      }\n      const length = this.groupSizes[group];\n      const startIndex = this.indexOfGroup(group);\n      const endIndex = startIndex + length;\n      for (let i = startIndex; i < endIndex; i++) {\n        css += `${this.tag.getRule(i)}${SPLITTER}`;\n      }\n      return css;\n    }\n  }\n\n  @flow\n  import throwStyledError from './utils/error';\n  const MAX_SMI = 1 << 31 - 1;\n  let groupIDRegister: Map<string, number> = new Map();\n  let reverseRegister: Map<number, string> = new Map();\n  let nextFreeGroup = 1;\n  export const resetGroupIds = () => {\n    groupIDRegister = new Map();\n    reverseRegister = new Map();\n    nextFreeGroup = 1;\n  }\n  export const getGroupForId = (id: string): number => {\n    if (groupIDRegister.has(id)) {\n      return (groupIDRegister.get(id): any);\n    }\n    while (reverseRegister.has(nextFreeGroup)) {\n      nextFreeGroup++;\n    }\n    const group = nextFreeGroup++;\n    if (process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI)) {\n      throwStyledError(16, `${group}`);\n    }\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n    return group;\n  }\n  export const getIdForGroup = (group: number): void | string => {\n    return reverseRegister.get(group);\n  }\n  export const setGroupForId = (id: string, group: number) => {\n    if (group >= nextFreeGroup) {\n      nextFreeGroup = group + 1;\n    }\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n  }\n  @flow\n  import { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\n  import { getIdForGroup, setGroupForId } from './GroupIDAllocator';\n  import type { Sheet } from './types';\n  const SELECTOR = `style[${SC_ATTR}]${SC_ATTR_VERSION}=${SC_VERSION}`;\n  const MARKER_RE = new RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id]='(\\\\\\\\w\\\\\\\\d-)+)'\\\\\\\\\\\\\\\\.*?`);\n  export const outputSheet = (sheet: Sheet) => {\n    const tag = sheet.getTag();\n  }\n}
```

```

const { length } = tag;\n\n let css = ";\n for (let group = 0; group < length; group++) {\n  const id =
getIdForGroup(group);\n  if (id === undefined) continue;\n\n  const names = sheet.names.get(id);\n  const rules
= tag.getGroup(group);\n  if (!names || !rules || !names.size) continue;\n\n  const selector =
`${SC_ATTR}.g${group}[id="${id}"]`;\n\n  let content = ";\n  if (names !== undefined) {\n
names.forEach(name => {\n    if (name.length > 0) {\n      content += `${name},`;\n    }\n  });\n\n  //
NOTE: It's easier to collect rules and have the marker\n  // after the actual rules to simplify the rehydration\n  css
+= `${rules}${selector}{content:"${content}"}`;\n\n  return css;\n}\n\nconst
rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const names = content.split(',')\n
let name;\n\n  for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if
((name = names[i])) {\n      sheet.registerName(id, name);\n    }\n  }\n\n  const rehydrateSheetFromTag = (sheet:
Sheet, style: HTMLStyleElement) => {\n    const parts = (style.textContent || "").split(SPLITTER);\n    const rules:
string[] = [];\n\n    for (let i = 0, l = parts.length; i < l; i++) {\n      const part = parts[i].trim();\n      if (!part) continue;\n\n      const marker = part.match(MARKER_RE);\n      if (marker) {\n        const group = parseInt(marker[1], 10) | 0;\n        const id = marker[2];\n        if (group !== 0) {\n          // Rehydrate componentId to group index mapping\n          setGroupForId(id, group);\n          // Rehydrate names and rules\n          // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n          rehydrateNamesFromContent(sheet, id, marker[3]);\n        }\n        sheet.getTag().insertRules(group, rules);\n      }\n      rules.length = 0;\n    } else {\n      rules.push(part);\n    }\n  }\n}\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes
= document.querySelectorAll(SELECTOR);\n\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =
((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n    {\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n        node.parentNode.removeChild(node);\n      }\n    }\n  }\n\n  // @flow\n  // eslint-disable camelcase, no-undef
*\n  declare var __webpack_nonce__: string;\n  const getNonce = () => {\n    return typeof __webpack_nonce__
!== 'undefined' ? __webpack_nonce__ : null;\n  }\n\n  export default getNonce;\n\n  // @flow\n  import { SC_ATTR,
SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\n  import getNonce from
'./utils/nonce';\n  import throwStyledError from './utils/error';\n\n  const ELEMENT_TYPE = 1; /*
Node.ELEMENT_TYPE *\n  /** Find last style element if any inside target *\n  const findLastStyleTag = (target:
HTMLStyleElement): void | HTMLStyleElement => {\n    const { childNodes } = target;\n\n    for (let i = childNodes.length; i >= 0; i--) {\n      const child = ((childNodes[i]: any): ?HTMLStyleElement);\n      if (child
&& child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n        return ((child: any):
HTMLStyleElement);\n      }\n    }\n\n    return undefined;\n  }\n\n  /** Create a style element inside `target` or <head>
after the last *\n  export const makeStyleTag = (target?: HTMLStyleElement): HTMLStyleElement => {\n    const head =
((document.head: any): HTMLStyleElement);\n    const parent = target || head;\n    const style =
document.createElement('style');\n    const prevStyle = findLastStyleTag(parent);\n    const nextSibling = prevStyle
!== undefined ? prevStyle.nextSibling : null;\n    style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n    style.setAttribute(SC_ATTR_VERSION, SC_VERSION);\n\n    const nonce = getNonce();\n\n    if (nonce)\n    style.setAttribute('nonce', nonce);\n\n    parent.insertBefore(style, nextSibling);\n\n    return style;\n  }\n\n  /** Get the
CSSStyleSheet instance for a given style
element *\n  export const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n    if (tag.sheet) {\n      return
((tag.sheet: any): CSSStyleSheet);\n    }\n\n    // Avoid Firefox quirk where the style element might not have a sheet
property\n    const { styleSheets } = document;\n    for (let i = 0, l = styleSheets.length; i < l; i++) {\n      const sheet =
styleSheets[i];\n      if (sheet.ownerNode === tag) {\n        return ((sheet: any): CSSStyleSheet);\n      }\n    }\n\n    throwStyledError(17);\n    return (undefined: any);\n  }\n\n  // @flow\n  // eslint-disable no-use-before-define
*\n  import { makeStyleTag, getSheet } from './dom';\n  import type { SheetOptions, Tag } from './types';\n\n  /**
Create a CSSStyleSheet-like tag depending on the environment *\n  export const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n    if (isServer) {\n      return new VirtualTag(target);\n    } else
if (useCSSOMInjection) {\n      return new CSSOMTag(target);\n    } else {\n      return new TextTag(target);\n    }\n  }\n\n

```

```

    }
};
export class CSSOMTag implements Tag {
  element: HTMLStyleElement;
  sheet: CSSStyleSheet;
  length: number;
  constructor(target?: HTMLElement) {
    const element = (this.element = makeStyleTag(target));
    // Avoid Edge bug where empty style elements don't create sheets
    element.appendChild(document.createTextNode(""));
    this.sheet = getSheet(element);
    this.length = 0;
  }
  insertRule(index: number, rule: string): boolean {
    try {
      this.sheet.insertRule(rule, index);
      this.length++;
      return true;
    } catch (_error) {
      return false;
    }
  }
  deleteRule(index: number): void {
    this.sheet.deleteRule(index);
    this.length--;
  }
  getRule(index: number): string {
    const rule = this.sheet.cssRules[index];
    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules
    if (rule !== undefined && typeof rule.cssText === 'string') {
      return rule.cssText;
    } else {
      return "";
    }
  }
}
/** A Tag that emulates the CSSStyleSheet API but uses text nodes */
export class TextTag implements Tag {
  element: HTMLStyleElement;
  nodes: NodeList<Node>;
  length: number;
  constructor(target?: HTMLElement) {
    const element = (this.element = makeStyleTag(target));
    this.nodes = element.childNodes;
    this.length = 0;
  }
  insertRule(index: number, rule: string): boolean {
    if (index <= this.length && index >= 0) {
      const node = document.createTextNode(rule);
      const refNode = this.nodes[index];
      this.element.insertBefore(node, refNode || null);
      this.length++;
      return true;
    } else {
      return false;
    }
  }
  deleteRule(index: number): void {
    this.element.removeChild(this.nodes[index]);
    this.length--;
  }
  getRule(index: number): string {
    if (index < this.length) {
      return this.nodes[index].textContent;
    } else {
      return "";
    }
  }
}
/** A completely virtual (server-side) Tag that doesn't manipulate the DOM */
export class VirtualTag implements Tag {
  rules: string[];
  length: number;
  constructor(_target?: HTMLElement) {
    this.rules = [];
    this.length = 0;
  }
  insertRule(index: number, rule: string): boolean {
    if (index <= this.length) {
      this.rules.splice(index, 0, rule);
      this.length++;
      return true;
    } else {
      return false;
    }
  }
  deleteRule(index: number): void {
    this.rules.splice(index, 1);
    this.length--;
  }
  getRule(index: number): string {
    if (index < this.length) {
      return this.rules[index];
    } else {
      return "";
    }
  }
}
@flow
import { DISABLE_SPEEDY, IS_BROWSER } from '../constants';
import { EMPTY_OBJECT } from '../utils/empties';
import { makeGroupedTag } from './GroupedTag';
import { getGroupForId } from './GroupIDAllocator';
import { outputSheet, rehydrateSheet } from './Rehydration';
import { makeTag } from './Tag';
import type { GroupedTag, Sheet, SheetOptions } from './types';
let SHOULD_REHYDRATE = IS_BROWSER;
type SheetConstructorArgs = {
  isServer?: boolean,
  useCSSOMInjection?: boolean,
  target?: HTMLElement,
};
type GlobalStylesAllocationMap = {
  [key: string]: number,
};
type NamesAllocationMap = Map<string, Set<string>>;
const defaultOptions: SheetOptions = {
  isServer: !IS_BROWSER,
  useCSSOMInjection: !DISABLE_SPEEDY,
};
/** Contains the main stylesheet logic for stringification and caching */
export default class StyleSheet implements Sheet {
  gs: GlobalStylesAllocationMap;
  names: NamesAllocationMap;
  options: SheetOptions;
  server: boolean;
  tag: void | GroupedTag;
  /** Register a group ID to give it an index */
  static registerId(id: string): number {
    return getGroupForId(id);
  }
  constructor(
    options: SheetConstructorArgs = EMPTY_OBJECT,
    globalStyles?: GlobalStylesAllocationMap = {},
    names?: NamesAllocationMap
  ) {
    this.options = {
      ...defaultOptions,
      ...options,
    };
    this.gs = globalStyles;
    this.names = new Map(names);
    this.server = !options.isServer;
    // We rehydrate only once and use the sheet that is created first
    if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {
      SHOULD_REHYDRATE = false;
      rehydrateSheet(this);
    }
  }
  reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean = true) {
    return new StyleSheet(
      { ...this.options, ...options },
      this.gs,
      (withNames && this.names) || undefined
    );
  }
  allocateGSInstance(id: string) {
    return (this.gs[id] = (this.gs[id] || 0) + 1);
  }
  /** Lazily initialises a GroupedTag for when it's actually needed */
  getTag(): GroupedTag {
    return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));
  }
  /** Check whether a name is known for caching */
  hasNameForId(id: string, name: string): boolean {
    return this.names.has(id) && (this.names.get(id): any).has(name);
  }
  /** Mark a group's name as known for caching */
  registerName(id:

```

```

string, name: string) {\n  getGroupForId(id);\n\n  if (!this.names.has(id)) {\n    const groupNames = new Set();\n    groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n    (this.names.get(id):
any).add(name);\n  }\n}\n\n/** Insert new rules which also marks the name as known *\ninsertRules(id: string,
name: string, rules: string[]) {\n  this.registerName(id, name);\n  this.getTag().insertRules(getGroupForId(id),
rules);\n}\n\n/** Clears all cached names for a given group ID *\nclearNames(id: string) {\n  if
(this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n}\n\n/** Clears all rules for a given group ID
*\nclearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n}\n\n/** Clears the entire tag which deletes all rules but not its names *\nclearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n// so that we can continuously output
only new rules\n  this.tag = undefined;\n}\n\n/** Outputs the current sheet as a CSS string with markers for SSR
*\ntoString(): string {\n  return outputSheet(this);\n}\n}\n\n", "// @flow\n/* eslint-disable no-bitwise *\n\nconst
AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n * counterparts *\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters *\nconst getAlphabeticChar = (code: number): string =>\n  String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 *\nexport default function
generateAlphabeticName(code: number): string {\n  let name = "";\n
  let x;\n\n  /* get a char and divide by alphabet-length *\n  for (x = Math.abs(code); x > charsLength; x = (x /
charsLength) | 0) {\n    name = getAlphabeticChar(x % charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x
% charsLength) + name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n", "// @flow\n/* eslint-disable *\n\nexport const
SEED = 5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we
pretend that we're still looping over\n// the same string\nexport const phash = (h: number, x: string): number => {\n
let i = x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n// This is a djb2
hashing function\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n", "// @flow\nimport
isFunction from './isFunction';\nimport isStyledComponent from './isStyledComponent';\nimport type { RuleSet }
from './types';\n\nexport default function isStaticRules(rules: RuleSet): boolean {\n
  for (let i = 0; i < rules.length; i += 1) {\n    const rule = rules[i];\n\n    if (isFunction(rule) &&
!isStyledComponent(rule)) {\n      // functions are allowed to be static if they're just being\n      // used to get the
classname of a nested styled component\n      return false;\n    }\n  }\n\n  return true;\n}\n\n", "// @flow\nimport {
SC_VERSION } from './constants';\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport generateName from
'./utils/generateAlphabeticName';\nimport { hash, phash } from './utils/hash';\nimport isStaticRules from
'./utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n/**\n * ComponentStyle is all the CSS-specific
stuff, not the React-specific stuff.\n *\nexport default class ComponentStyle {\n  baseHash: number;\n\n  baseStyle:
?ComponentStyle;\n\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n  staticRulesId: string;\n\n
constructor(rules:
RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n  this.rules = rules;\n  this.staticRulesId = "";\n
this.isStatic = process.env.NODE_ENV === 'production' &&\n    (baseStyle === undefined || baseStyle.isStatic)
&&\n    isStaticRules(rules);\n  this.componentId = componentId;\n\n  // SC_VERSION gives us isolation
between multiple runtimes on the page at once\n  // this is improved further with use of the babel plugin
"namespace" feature\n  this.baseHash = phash(SEED, componentId);\n\n  this.baseStyle = baseStyle;\n\n  //
NOTE: This registers the componentId, which ensures a consistent order\n  // for this component's styles compared
to others\n  StyleSheet.registerId(componentId);\n}\n\n}\n\n/*\n * Flattens a rule set into valid CSS\n * Hashes it,
wraps the whole chunk in a .hash1234 { }\n * Returns the hash to be injected on render()\n *\nexport
generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis: Stringifier)
{\n  const { componentId } = this;\n\n  const names = [];\n\n  if (this.baseStyle) {\n
names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n  }\n\n  // force
dynamic classnames if user-supplied stylis plugins are in use\n  if (this.isStatic && !stylis.hash) {\n    if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n

```

```

names.push(this.staticRulesId);\n    } else {\n        const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join("");\n        const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n        if
(!styleSheet.hasNameForId(componentId, name)) {\n            const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n            styleSheet.insertRules(componentId, name, cssStaticFormatted);\n        }\n        names.push(name);\n        this.staticRulesId = name;\n    } } else {\n        const { length } = this.rules;\n        let dynamicHash = phash(this.baseHash, stylis.hash);\n        let css = "";\n        for (let i = 0; i < length; i++) {\n            const partRule = this.rules[i];\n            if (typeof partRule === 'string') {\n                css += partRule;\n            } else if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n        } else if
(partRule) {\n            const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n            const
partString = Array.isArray(partChunk) ? partChunk.join("") : partChunk;\n            dynamicHash =
phas(dynamicHash, partString + i);\n            css += partString;\n        }\n    }\n    if (css) {\n        const name =
generateName(dynamicHash >>> 0);\n        if (!styleSheet.hasNameForId(componentId, name)) {\n            const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n            styleSheet.insertRules(componentId, name,
cssFormatted);\n        }\n        names.push(name);\n    }\n    }\n    return names.join(' ');
}\n}\n\n", "import Stylis from '@emotion/stylis';\nimport { type Stringifier }
from './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwStyledError from
'./error';\nimport { phash, SEED } from './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst
COMMENT_REGEX = /^\\s*\\|\\|\\. *$/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\nntype
StylisInstanceConstructorArgs = {\n  options?: Object,\n  plugins?: Array<Function>,\n};\n\nexport default function
createStylisInstance({\n  options = EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}){\n  const stylis = new Stylis(options);\n  \n  // Wrap
`insertRulePlugin to build a list of rules,\n  // and then make our own plugin to return the rules. This\n  // makes it
easier to hook into the existing SSR architecture\n  \n  let parsingRules = [];\n  \n  // eslint-disable-next-line consistent-
return\n  const returnRulesPlugin
= context => {\n    if (context === -2) {\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return
parsedRules;\n    }\n  };\n  \n  const parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n
  });\n  \n  let _componentId: string;\n  let _selector: string;\n  let _selectorRegexp: RegExp;\n  let
_consecutiveSelfRefRegExp: RegExp;\n  \n  const selfReferenceReplacer = (match, offset, string) => {\n    if (\n    //
do not replace the first occurrence if it is complex (has a modifier)\n    (offset === 0 ?
COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n    // no consecutive self
refs (.b.b); that is a precedence boost and treated differently\n    !string.match(_consecutiveSelfRefRegExp)\n    )\n    {\n      return `.${_componentId}`;\n    }\n    \n    return match;\n  };\n  \n  /**\n   * When writing a style like\n   * \n   *
* & + & {\n   *   color: red;\n   * }\n   * \n   * The second ampersand should be a reference
to the static component class. stylis\n   * has no knowledge of static class so we have to intelligently replace the
base selector.\n   * \n   * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context
phase values\n   * \"2\" means this plugin is taking effect at the very end after all other processing is complete\n
*\n   *\n   const selfReferenceReplacementPlugin = (context, _, selectors) => {\n    if (context === 2 && selectors.length
&& selectors[0].lastIndexOf(_selector) > 0) {\n      // eslint-disable-next-line no-param-reassign\n      selectors[0] =
selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n    }\n  };\n  \n  stylis.use([...plugins,
selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n  \n  function stringifyRules(css, selector,
prefix, componentId = '&'): Stringifier {\n    const flatCSS = css.replace(COMMENT_REGEX, "");\n    const cssStr
= selector && prefix ? `${prefix} ${selector} { ${flatCSS} }` : flatCSS;\n  }\n  \n  // stylis has no concept of state to be passed to plugins\n  // but since JS is single-threaded, we can rely on that to
ensure\n  // these properties stay in sync with the current stylis run\n  _componentId = componentId;\n  _selector
= selector;\n  _selectorRegexp = new RegExp(`\\|\\|\\|\\|${_selector}\\|\\|b`, 'g');\n  _consecutiveSelfRefRegExp = new
RegExp(`\\|\\|\\|\\|${_selector}\\|\\|b){2,}`);\n  \n  return stylis(prefix || !selector ? " : selector, cssStr);\n  }\n  \n
stringifyRules.hash = plugins.length\n    ? plugins\n      .reduce((acc, plugin) => {\n        if (!plugin.name) {\n
          throwStyledError(15);\n        }\n        \n        return phash(acc, plugin.name);\n      }, SEED)\n    .toString()\n    :

```



```

";\n\n return stringifyRules;\n}\n", "/*\n * MIT License\n * Copyright (c) 2016 Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this software and associated documentation files (the \"Software\"),\n * to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n */\n\n/* eslint-disable\n */\n\nexport default function(insertRule) {\n  const\n  delimiter = '/**/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      } catch (e) {\n        //\n      }\n    }\n\n    return function ruleSheet(\n      context,\n      content,\n      selectors,\n      parents,\n      line,\n      column,\n      length,\n      ns,\n      depth,\n      at\n    ) {\n      switch (context) {\n        //\n        property\n        case 1:\n          // @import\n          if (depth === 0 && content.charCodeAt(0) === 64) return\n          insertRule(`${content};`), "\n          break;\n          // selector\n          case 2:\n            if (ns === 0) return content +\n            delimiter;\n            break;\n            // at-rule\n          case 3:\n            switch (ns) {\n              // @font-face, @page\n              case\n              102:\n                case 112:\n                  return insertRule(selectors[0] + content), "\n              default:\n                return content +\n                (at === 0 ? delimiter : ");\n            }\n          case -2:\n            content.split(needle).forEach(toSheet);\n          }\n        }\n      }\n    }\n  }\n\n  // @flow\n  import React, { type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';\n  import shallowequal from 'shallowequal';\n  import StyleSheet from './sheet';\n  import type { Stringifier } from\n  './types';\n  import createStylisInstance from './utils/stylis';\n  type Props = {\n    children?: Node,\n    disableCSSOMInjection?: boolean,\n    disableVendorPrefixes?: boolean,\n    sheet?: StyleSheet,\n    stylisPlugins?:\n    Array<Function>,\n    target?: HTML<Element>,\n  };\n\n  export const StyleSheetContext: Context<StyleSheet | void> =\n  React.createContext();\n  export const StyleSheetConsumer = StyleSheetContext.Consumer;\n  export const\n  StylisContext: Context<Stringifier | void> = React.createContext();\n  export const StylisConsumer =\n  StylisContext.Consumer;\n\n  export const masterSheet: StyleSheet = new StyleSheet();\n  export const masterStylis:\n  Stringifier = createStylisInstance();\n\n  export function useStyleSheet(): StyleSheet {\n    return\n    useContext(StyleSheetContext) || masterSheet;\n  }\n\n  export\n  function useStylis(): Stringifier {\n    return useContext(StylisContext) || masterStylis;\n  }\n\n  export default function\n  StyleSheetManager(props: Props) {\n    const [plugins, setPlugins] = useState(props.stylisPlugins);\n    const\n    contextStyleSheet = useStyleSheet();\n\n    const styleSheet = useMemo(() => {\n      let sheet = contextStyleSheet;\n\n      if (props.sheet) {\n        // eslint-disable-next-line prefer-destructuring\n        sheet = props.sheet;\n      } else if\n      (props.target) {\n        sheet = sheet.reconstructWithOptions({ target: props.target }, false);\n      }\n\n      if\n      (props.disableCSSOMInjection) {\n        sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n      }\n\n      return sheet;\n    }, [props.disableCSSOMInjection, props.sheet, props.target]);\n\n    const stylis = useMemo(\n      () =>\n        createStylisInstance({\n          options: { prefix: !props.disableVendorPrefixes },\n          plugins,\n        }),\n      [props.disableVendorPrefixes, plugins]\n    );\n\n    useEffect(() => {\n      if (!shallowequal(plugins, props.stylisPlugins))\n        setPlugins(props.stylisPlugins);\n    }, [props.stylisPlugins]);\n\n    return (\n      <StyleSheetContext.Provider value={styleSheet}>\n      <StylisContext.Provider value={stylis}>\n        {process.env.NODE_ENV !== 'production'\n          ?\n          React.Children.only(props.children)\n          : props.children}\n      </StylisContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n\n// @flow\nimport StyleSheet from './sheet';\nimport { type Stringifier }\nfrom './types';\nimport throwStyledError from './utils/error';\nimport { masterStylis } from\n'./StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n\n  name: string;\n\n  rules: string;\n}

```

```

constructor(name: string, rules: string) {\n  this.name = name;\n  this.id = `sc-keyframes-${name}`;\n  this.rules
= rules;\n };\n\n inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n  const
resolvedName
= this.name + stylisInstance.hash;\n\n  if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n
styleSheet.insertRules(\n    this.id,\n    resolvedName,\n    stylisInstance(this.rules, resolvedName,
'@keyframes')\n  );\n };\n\n toString = () => {\n  return throwStyledError(12, String(this.name));\n };\n\n
getName(stylisInstance: Stringifier = masterStylis) {\n  return this.name + stylisInstance.hash;\n }\n}\n", "//
@flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst
uppercaseCheck = /([A-Z]);\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n *\n * > hyphenateStyleName('backgroundColor')\n * < `background-
color`\n *\n * > hyphenateStyleName('MozTransition')\n * < `-moz-transition`\n *\n * >
hyphenateStyleName('msTransition')\n * < `-ms-transition`\n *\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n *\n * @param {string} string\n *
@return {string}\n */\n\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern,
'-ms-')\n    : string;\n }\n", "// @flow\nimport { isElement } from 'react-is';\nimport getComponentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n *\n\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk === '';\n\nexport
const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for
(const key in obj) {\n    if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if
((Array.isArray(obj[key]) && obj[key].isCss || isFunction(obj[key]))) {\n      rules.push(`${hyphenate(key)}:`,
obj[key], `;`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else
{\n      rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key]);};`);\n    }\n  }\n\n  return prevKey ?
[`${prevKey} {`, ...rules, `}`] : rules;\n }\n\nexport default function flatten(\n  chunk: any,\n  executionContext:
?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const
ruleSet = [];\n\n    for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n
      result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);\n\n      if (result === '') continue;\n      else
if (Array.isArray(result)) ruleSet.push(...result);\n      else ruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if
(isFalsish(chunk)) {\n    return '';\n  }\n\n  /* Handle other components */\n  if (isStyledComponent(chunk)) {\n
return `${chunk.styledComponentId}`;\n  }\n\n  /* Either execute or defer the function */\n  if (isFunction(chunk))
{\n    if (isStatelessFunction(chunk) && executionContext) {\n      const result = chunk(executionContext);\n\n      if
(process.env.NODE_ENV !== 'production' && isElement(result)) {\n        // eslint-disable-next-line no-console\n
console.warn(\n          `${getComponentName(\n            chunk\n          )} is not a styled component and cannot be
referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components
for more details.`\n        );\n      }\n    }\n\n    return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else return chunk;\n }\n\n  if
(chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet, stylisInstance);\n      return
chunk.getName(stylisInstance);\n    } else return chunk;\n  }\n\n  /* Handle objects */\n  return isPlainObject(chunk)
? objToCssArray(chunk) : chunk.toString();\n }\n", "// @flow\nexport default function isStatelessFunction(test: any):
boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      &&
test.prototype.isReactComponent\n    )\n  );\n }\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n// Taken
from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-

```

```

dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if
(value == null || typeof value === 'boolean' || value === '') {\n  return '';\n }\n if (typeof value === 'number' &&
value !== 0 && !(name in unitless) && !name.startsWith('--')) {\n  return `${value}px`; // Presumes implicit 'px'
suffix for unitless numbers except for CSS variables\n }\n return String(value).trim();\n}\n",/* @flow\nimport
interleave from './utils/interleave';\nimport isPlainObject from './utils/isPlainObject';\nimport { EMPTY_ARRAY }
from './utils/empties';\nimport isFunction from './utils/isFunction';\nimport flatten from './utils/flatten';\nimport
type { Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object styles to determine if
we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-
disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles:
Styles, ...interpolations: Array<Interpolation>): RuleSet
{\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations]));\n  }\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations));\n}\n",/* @flow\nimport { useRef } from
'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\nconst seen = new Set();\n\nexport const
checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !==
'production') {\n    const parsedIdString = componentId ? `with the id of "${componentId}"` : '';\n    const message
= \n    `The component ${displayName}${parsedIdString} has been created dynamically.\n` + \n    `You may see
this warning because you've called styled inside another component.\n` + \n    `To resolve this only create new
StyledComponents
outside of any render method and function component.`;\n    // If a hook is called outside of a component:\n    //
React 17 and earlier throw an error\n    // React 18 and above use console.error\n    const originalConsoleError =
console.error // eslint-disable-line no-console\n    try {\n      let didNotCallInvalidHook = true\n      /*
$FlowIgnore[cannot-write] *\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => { // eslint-
disable-line no-console\n        // The error here is expected, since we're expecting anything that uses
`checkDynamicCreation` to\n        // be called outside of a React component.\n        if
(invalidHookCallRe.test(consoleErrorMessage)) {\n          didNotCallInvalidHook = false\n          // This shouldn't
happen, but resets `warningSeen` if we had this error happen intermittently\n          seen.delete(message);\n        }
else {\n          originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n        }\n      }\n      // We
purposefully call `useRef` outside of a component and expect it to throw\n      // If it doesn't, then we're inside
another component.\n      // eslint-disable-next-line react-hooks/rules-of-hooks\n      useRef();\n      if
(didNotCallInvalidHook && !seen.has(message)) {\n        // eslint-disable-next-line no-console\n        console.warn(message);\n        seen.add(message);\n      }\n    } catch (error) {\n      // The error here is expected,
since we're expecting anything that uses `checkDynamicCreation` to\n      // be called outside of a React
component.\n      if (invalidHookCallRe.test(error.message)) {\n        // This shouldn't happen, but resets
`warningSeen` if we had this error happen intermittently\n        seen.delete(message);\n      }\n    } finally {\n      /*
$FlowIgnore[cannot-write] *\n      console.error = originalConsoleError; // eslint-disable-line no-console\n    }\n  }\n}\n",/* @flow\nimport { EMPTY_OBJECT } from './empties';\n\ntype Props = {\n  theme?:
any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n
return (props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n",/*
@flow\n\n// Source: https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n// Control characters and non-letter
first symbols are not supported\nconst escapeRegex = /[!\"#$%&'()*+,-./:;<=>?@[\\|\\\^{}~]+/g;\n\nconst
dashesAtEnds = /^(^-$)/g;\n\n/**\n * TODO: Explore using CSS.escape when it becomes more available\n * in
evergreen browsers.\n */\n\nexport default function escape(str: string): string {\n  return (\n    str\n    // Replace all
possible CSS selectors\n    .replace(escapeRegex, '-')\n    // Remove extraneous hyphens at the start and end\n    .replace(dashesAtEnds, '')\n  );\n}\n",/* @flow\n\n/**\n * eslint-disable *\nimport generateAlphabeticName from
'./generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n

```

```

return generateAlphabeticName(hash(str) >>> 0);\n};\n", "// @flow\nimport type { IStyledComponent } from
'./types';\n\nexport default function isTag(target: $PropertyType<IStyledComponent, 'target'>): boolean %checks
{\n  return (\n    typeof target === 'string' &&\n      (process.env.NODE_ENV !== 'production'\n        ? target.charAt(0)\n        === target.charAt(0).toLowerCase()\n          : true)\n      );\n};\n", /* eslint-disable *\n*/\n  mixin-deep;
https://github.com/jonschlinkert/mixin-deep\n  Inlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\n  The MIT License (MIT)\n\n  Copyright (c) 2014-present, Jon Schlinkert.\n\n  Permission is
hereby granted, free of charge, to any person obtaining a copy\n  of this software and associated documentation files
(the \"Software\"), to deal\n  in the Software without restriction, including without limitation the rights\n  to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell\n  copies of the Software, and
to permit persons to whom the Software is\n  furnished to do so, subject to the following conditions:\n\n  The above
copyright notice and this permission notice shall be included in\n  all copies or substantial portions of the
Software.\n\n  THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR\n  IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n  FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n  AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n  LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n  OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN\n  THE
SOFTWARE.\n*\n\nconst isObject = val => {\n  return (\n    typeof val === 'function' || (typeof val === 'object'\n      && val !== null && !Array.isArray(val))\n  );\n};\n\nconst isValidKey = key => {\n  return key !== '__proto__'\n    && key !== 'constructor' && key !== 'prototype';\n};\n\nfunction
mixin(target, val, key) {\n  const obj = target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj,
val);\n  } else {\n    target[key] = val;\n  }\n}\n\nexport default function mixinDeep(target, ...rest) {\n  for (const obj
of rest) {\n    if (isObject(obj)) {\n      for (const key in obj) {\n        if (isValidKey(key)) {\n          mixin(target,
obj[key], key);\n        }\n      }\n    }\n  }\n  return target;\n}\n", // @flow\nimport React, { useContext, useMemo,
type Element, type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from
'./utils/isFunction';\n\nexport type Theme = { [key: string]: mixed }; \n\nexport type ThemeArgument = Theme |
((outerTheme?: Theme) => Theme);\n\nexport type Props = {\n  children?: Element<any>,\n  theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?:
Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const
mergedTheme = theme(outerTheme);\n    if (\n      process.env.NODE_ENV !== 'production' &&\n      (mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n    ) {\n      return
throwStyledError(7);\n    }\n    return mergedTheme;\n  }\n  if (Array.isArray(theme) || typeof theme !==
'object') {\n    return throwStyledError(8);\n  }\n  return outerTheme ? { ...outerTheme, ...theme } :
theme;\n}\n\n/*\n * Provide a theme to an entire react component tree via context\n */\n\nexport default function
ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext =
useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if
(!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{\n    props.children\n  }</ThemeContext.Provider>;\n}\n", //
@flow\nimport validAttr from '@emotion/is-prop-valid';\nimport hoist from 'hoist-non-react-statics';\nimport
React, { createElement, type Ref, useContext } from 'react';\nimport { SC_VERSION } from './constants';\nimport
type {\n  Attrs,\n  IStyledComponent,\n  IStyledStatics,\n  RuleSet,\n  ShouldForwardProp,\n  Target,\n} from
'./types';\nimport { checkDynamicCreation } from './utils/checkDynamicCreation';\nimport
createWarnTooManyClasses from './utils/createWarnTooManyClasses';\nimport determineTheme from
'./utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\nimport escape
from './utils/escape';\nimport generateComponentId from './utils/generateComponentId';\nimport
generateDisplayName from './utils/generateDisplayName';\nimport getName from

```

```

'./utils/getComponentName';\nimport isFunction from './utils/isFunction';\nimport isStyledComponent from
'./utils/isStyledComponent';\nimport isTag from './utils/isTag';\nimport
joinStrings from './utils/joinStrings';\nimport merge from './utils/mixinDeep';\nimport ComponentStyle from
'./ComponentStyle';\nimport { useStyleSheet, useStylis } from './StyleSheetManager';\nimport { ThemeContext }
from './ThemeProvider';\n\nconst identifiers = {};\n\n/* We depend on components having unique IDs */\nfunction
generateId(displayName?: string, parentComponentId?: string) {\n  const name = typeof displayName !== 'string' ?
'sc' : escape(displayName);\n  // Ensure that no displayName can lead to duplicate componentIds\n
identifiers[name] = (identifiers[name] || 0) + 1;\n\n  const componentId = `${name}-${generateComponentId(\n //
SC_VERSION gives us isolation between multiple runtimes on the page at once\n // this is improved further with
use of the babel plugin "namespace" feature\n  SC_VERSION + name + identifiers[name] )}`;\n\n  return
parentComponentId ? `${parentComponentId}-${componentId}` : componentId;\n}\n\nfunction
useResolvedAttrs<Config>(theme:
  any = EMPTY_OBJECT, props: Config, attrs: Attrs) {\n  // NOTE: can't memoize this\n  // returns [context,
resolvedAttrs]\n  // where resolvedAttrs is only the things injected by the attrs themselves\n  const context = {
...props, theme };\n  const resolvedAttrs = {};\n\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n
let key;\n\n    if (isFunction(resolvedAttrDef)) {\n      resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /*
eslint-disable guard-for-in */\n    for (key in resolvedAttrDef) {\n      context[key] = resolvedAttrs[key] =\n      key
=== 'className'\n      ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n      : resolvedAttrDef[key];\n
    }\n\n    /* eslint-enable guard-for-in */\n  });\n\n  return [context, resolvedAttrs];\n}\n\nfunction
useInjectedStyle<T>(\n  componentStyle: ComponentStyle,\n  isStatic: boolean,\n  resolvedAttrs: T,\n
warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string, string>)\n  {\n  const
styleSheet = useStyleSheet();\n  const stylis = useStylis();\n\n  const className = isStatic\n  ?
componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis)\n  :
componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n  if (process.env.NODE_ENV !==
'production' && !isStatic && warnTooManyClasses) {\n    warnTooManyClasses(className);\n  }\n\n  return
className;\n}\n\nfunction useStyledComponentImpl(\n  forwardedComponent: IStyledComponent,\n  props:
Object,\n  forwardedRef: Ref<any>,\n  isStatic: boolean)\n  {\n  const {\n    attrs: componentAttrs,\n
componentStyle,\n    defaultProps,\n    foldedComponentIds,\n    shouldForwardProp,\n    styledComponentId,\n
target,\n  } = forwardedComponent;\n\n  // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n  // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n  const theme
= determineTheme(props, useContext(ThemeContext), defaultProps);\n\n  const [context, attrs] =
useResolvedAttrs(theme || EMPTY_OBJECT, props, componentAttrs);\n\n  const generatedClassName =
useInjectedStyle(\n    componentStyle,\n    isStatic,\n    context,\n    process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n  );\n\n  const refToForward = forwardedRef;\n\n  const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n  const isTargetTag =
isTag(elementToBeCreated);\n  const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n  const
propsForElement = {};\n\n  // eslint-disable-next-line guard-for-in\n  for (const key in computedProps) {\n    if
(key[0] === '$' || key === 'as') continue;\n    else if (key === 'forwardedAs') {\n      propsForElement.as =
computedProps[key];\n    } else if (\n      shouldForwardProp\n      ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n      :\n      isTargetTag\n      ? validAttr(key)\n      : true\n    ) {\n      // Don't pass through non HTML tags through to HTML
elements\n      propsForElement[key] = computedProps[key];\n    }\n  }\n\n  if (props.style && attrs.style !==
props.style) {\n    propsForElement.style = { ...props.style, ...attrs.style };\n  }\n\n  propsForElement.className =
Array.prototype\n    .concat(\n      foldedComponentIds,\n      styledComponentId,\n      generatedClassName !==
styledComponentId ? generatedClassName : null,\n      props.className,\n      attrs.className\n    )\n    .filter(Boolean)\n    .join('');\n\n  propsForElement.ref = refToForward;\n\n  return
createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n

```

```

target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n  attrs?: Attrs,\n  componentId: string,\n  displayName?: string,\n  parentComponentId?: string,\n  shouldForwardProp?: ShouldForwardProp,\n },\n rules: RuleSet\n\n  {\n    const isTargetStyledComp = isStyledComponent(target);\n    const isCompositeComponent = !isTag(target);\n    const {\n      attrs = EMPTY_ARRAY,\n      componentId = generateId(options.displayName,\n        options.parentComponentId),\n      displayName = generateDisplayName(target),\n    } = options;\n    const styledComponentId =\n      options.displayName && options.componentId\n        ? `${escape(options.displayName)}-${\n          options.componentId}`\n        : options.componentId || componentId;\n    // fold the underlying StyledComponent\n    attrs up (implicit extend)\n    const finalAttrs =\n      isTargetStyledComp && ((target: any): IStyledComponent).attrs\n        ? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n        : attrs;\n    // eslint-disable-next-line prefer-destructuring\n    let shouldForwardProp = options.shouldForwardProp;\n    if\n      (isTargetStyledComp && target.shouldForwardProp) {\n      // compose\n      nested shouldForwardProp\n      calls\n      shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n        (((target: any):\n        IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n          prop,\n          filterFn,\n          elementToBeCreated\n        ) &&\n        ((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn,\n          elementToBeCreated);\n    } else {\n      // eslint-disable-next-line prefer-destructuring\n      shouldForwardProp =\n        ((target: any): IStyledComponent).shouldForwardProp;\n    }\n    const componentStyle = new\n    ComponentStyle(\n      rules,\n      styledComponentId,\n      isTargetStyledComp ? ((target: Object).componentStyle:\n        ComponentStyle) : undefined\n    );\n    // statically styled-components don't need to build an execution context\n    object,\n    // and shouldn't be increasing the number of class names\n    const isStatic = componentStyle.isStatic &&\n      attrs.length === 0;\n    /**\n     * forwardRef creates a new interim component, which we'll take advantage of\n     * instead\n     * of extending ParentComponent to create _another_ interim class\n     */\n    let WrappedStyledComponent:\n    IStyledComponent;\n    const forwardRef = (props, ref) =>\n      // eslint-disable-next-line\n      useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n    forwardRef.displayName =\n      displayName;\n    WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n    WrappedStyledComponent.attrs = finalAttrs;\n    WrappedStyledComponent.componentStyle = componentStyle;\n    WrappedStyledComponent.displayName = displayName;\n    WrappedStyledComponent.shouldForwardProp =\n      shouldForwardProp;\n    // this static is used to preserve the cascade of static classes for component selector\n    // purposes; this is especially important with usage of the css prop\n    WrappedStyledComponent.foldedComponentIds\n      = isTargetStyledComp\n        ? Array.prototype.concat(\n          ((target: any):\n          IStyledComponent).foldedComponentIds,\n          ((target: any): IStyledComponent).styledComponentId\n        )\n        : EMPTY_ARRAY;\n    WrappedStyledComponent.styledComponentId = styledComponentId;\n    // fold\n    the underlying StyledComponent target up since we folded the styles\n    WrappedStyledComponent.target =\n      isTargetStyledComp\n        ? ((target: any): IStyledComponent).target\n        : target;\n    WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n      const { componentId:\n        previousComponentId, ...optionsToCopy } = options;\n      const newComponentId =\n        previousComponentId\n        &&\n        `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n      const\n        newOptions = {\n          ...optionsToCopy,\n          attrs: finalAttrs,\n          componentId: newComponentId,\n        };\n      return createStyledComponent(tag, newOptions, rules);\n    }; \n    Object.defineProperty(WrappedStyledComponent,\n      'defaultProps', {\n        get() {\n          return this._foldedDefaultProps;\n        },\n        set(obj) {\n          this._foldedDefaultProps = isTargetStyledComp\n            ? merge({}, ((target: any): IStyledComponent).defaultProps, obj)\n            : obj;\n        },\n      });\n    if\n      (process.env.NODE_ENV !== 'production') {\n      checkDynamicCreation(displayName, styledComponentId);\n    }\n    WrappedStyledComponent.warnTooManyClasses = createWarnTooManyClasses(\n      displayName,\n      styledComponentId\n    );\n    // If the Object prototype is frozen, the "toString" property is non-writable. This\n    means that any objects which inherit this property\n    // cannot have the property changed using an assignment. If

```

```

using strict mode, attempting that will cause an error. If not using strict
// mode, attempting that will be silently
ignored.
// However, we can still explicitly shadow the prototype's "toString"
property by defining a new
"toString" property on this object.
Object.defineProperty(WrappedStyledComponent, 'toString', { value: () =>
`.${WrappedStyledComponent.styledComponentId}` });
if (isCompositeComponent) {
  hoist<
    IStyledStatics,
    $PropertyType<IStyledComponent, 'target'>,
    { [key: $Keys<IStyledStatics>]: true }
  >(WrappedStyledComponent, ((target: any): $PropertyType<IStyledComponent, 'target'>), {
    // all SC-specific
    things should not be hoisted
    attrs: true,
    componentStyle: true,
    displayName: true,
    foldedComponentIds: true,
    shouldForwardProp: true,
    styledComponentId: true,
    target: true,
    withComponent: true,
  });
  return WrappedStyledComponent;
}
n",
"@flow
nimport type {
  IStyledComponent } from './types';
nimport getComponentName from './getComponentName';
nimport isTag from './isTag';
nexport default function generateDisplayName(
  target: $PropertyType<IStyledComponent,
  'target'>): string {
  return isTag(target) ? `styled.${target}` :
  `Styled(${getComponentName(target)})`;
}
n",
"/*
n * Convenience function for joining strings to form
  className chains
  */
nexport default function joinStrings(a:
  ?String, b: ?String): ?String {
  return a && b ? `${a} ${b}` : a || b;
}
n",
"@flow
nexport const LIMIT =
200;
nexport default (displayName: string, componentId: string) => {
  let generatedClasses = {};
  let warningSeen = false;
  return (className: string) => {
    if (!warningSeen) {
      generatedClasses[className] = true;
      if (Object.keys(generatedClasses).length >= LIMIT) {
        // Unable to
        find latestRule in test environment.
        /* eslint-disable no-console, prefer-template */
        const parsedIdString =
componentId ? ` with the id of "${componentId}"` : "";
        console.warn(`Over ${LIMIT} classes
were generated for component ${displayName}${parsedIdString}.
Consider using the attrs method,
together with a style object for frequently changed styles.
Example:
const Component =
styled.div.attrs(props => ({
  style: {
    background: props.background,
  },
})) width: 100%;`);
        warningSeen = true;
        generatedClasses = {};
      }
    }
  };
}
n",
"@flow
n// Thanks to ReactDOMFactories for this handy list!
nexport default [
  'a', 'abbr', 'address', 'area', 'article', 'aside', 'audio', 'b', 'base', 'bdi', 'bdo', 'big', 'blockquote', 'body', 'br', 'button', 'canvas', 'caption', 'cite', 'code', 'col', 'colgroup', 'data', 'datalist', 'dd', 'del', 'details', 'dfn', 'dialog', 'div', 'dl', 'dt', 'em', 'embed', 'fieldset', 'figcaption', 'figure', 'footer', 'form', 'h1', 'h2', 'h3', 'h4', 'h5', 'h6', 'head', 'header', 'hgroup', 'hr', 'html', 'i', 'iframe', 'img', 'input', 'ins', 'kbd', 'keygen', 'label', 'legend', 'li', 'link', 'main', 'map', 'mark', 'marquee', 'menu', 'menuitem', 'meta', 'meter', 'nav', 'noscript', 'object', 'ol', 'optgroup', 'option', 'output', 'p', 'param', 'picture', 'pre', 'progress', 'q', 'rp', 'rt', 'ruby', 's', 'samp', 'script', 'section', 'select', 'small', 'source', 'span', 'strong', 'style', 'sub', 'summary', 'sup', 'table', 'tbody', 'td', 'textarea', 'tfoot', 'th', 'thead', 'time', 'title', 'tr', 'track', 'u', 'ul', 'var', 'video', 'wbr',
  // SVG
  'circle', 'clipPath', 'defs', 'ellipse', 'foreignObject', 'g', 'image', 'line', 'linearGradient', 'marker', 'mask', 'path', 'pattern', 'polygon', 'polyline', 'radialGradient', 'rect', 'stop', 'svg', 'text', 'textPath', 'tspan',
];
n",
"@flow
nimport constructWithOptions from './constructWithOptions';
nimport
  StyledComponent from './models/StyledComponent';
nimport domElements from './utils/domElements';
nimport
  type { Target } from './types';
nconst styled = (tag: Target) => constructWithOptions(StyledComponent,
tag);
n// Shorthands for all valid HTML Elements
ndomElements.forEach(domElement => {
  styled[domElement] = styled(domElement);
});
nexport default styled;
n",
"@flow
nimport {
  isValidElementType } from 'react-is';
nimport css from './css';
nimport throwStyledError from './utils/error';
nimport
  { EMPTY_OBJECT } from './utils/empties';
nimport type { Target } from './types';
nexport default function
  constructWithOptions(
    componentConstructor: Function,
    tag: Target,
    options: Object =
  EMPTY_OBJECT) {
  if (!isValidElementType(tag)) {
    return throwStyledError(1, String(tag));
  }
  /*
  This is callable directly as a template function
  */
  // $FlowFixMe: Not typed to avoid destructuring arguments

```

```

const templateFunction =
  (...args) => componentConstructor(tag, options, css(...args));\n\n /* If config methods are called, wrap up a new
template function and merge options */\n templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n /* Modify/inject new props at
runtime */\n templateFunction.attrs = attrs =>\n  constructWithOptions(componentConstructor, tag, {\n
...options,\n  attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n return
templateFunction;\n}\n\n", "// @flow\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport isStaticRules from './utils/isStaticRules';\n\nexport default
class GlobalStyle {\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n  constructor(rules:
RuleSet, componentId: string) {\n    this.rules = rules;\n    this.componentId = componentId;\n    this.isStatic =
isStaticRules(rules);\n  }\n\n  // pre-register the first instance to ensure global styles\n  // load before component ones\n
StyleSheet.registerId(this.componentId + 1);\n\n  createStyles(\n    instance: number,\n    executionContext:
Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n  ) {\n    const flatCSS = flatten(this.rules,
executionContext, styleSheet, stylis);\n    const css = stylis(flatCSS.join(", "));\n    const id = this.componentId +
instance;\n\n    // NOTE: We use the id as a name as well, since these rules never change\n
styleSheet.insertRules(id, id, css);\n  }\n\n  removeStyles(instance: number, styleSheet: StyleSheet) {\n
styleSheet.clearRules(this.componentId + instance);\n  }\n\n  renderStyles(\n    instance: number,\n
executionContext: Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n  ) {\n    if (instance > 2)\n
StyleSheet.registerId(this.componentId + instance);\n\n    // NOTE: Remove old styles, then inject the new ones\n
this.removeStyles(instance, styleSheet);\n    this.createStyles(instance, executionContext, styleSheet, stylis);\n
  }\n}\n\n", "// @flow\nimport React, { useContext, useLayoutEffect, useRef } from 'react';\nimport {
STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle from
'./models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport {
ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
'./utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
'./css';\n\ndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n  strings: Array<string>,\n  ...interpolations: Array<Interpolation>)\n  {\n    const
rules = css(strings, ...interpolations);\n    const styledComponentId = `sc-global-
${generateComponentId(JSON.stringify(rules))}`;\n\n    const globalStyle = new GlobalStyle(rules, styledComponentId);\n\n    if (process.env.NODE_ENV !==
'production') {\n      checkDynamicCreation(styledComponentId);\n    }\n\n    function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n      const styleSheet = useStyleSheet();\n      const stylis = useStylis();\n      const
theme = useContext(ThemeContext);\n      const instanceRef =
useRef(styleSheet.allocateGSIInstance(styledComponentId));\n\n      const instance = instanceRef.current;\n\n      if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n        // eslint-disable-next-
line no-console\n        console.warn(\n          `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n        );\n      }\n\n      if (\n        process.env.NODE_ENV !== 'production'
&&\n        rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n      ) {\n\n        // eslint-disable-next-line no-console\n        console.warn(\n          `Please do not use @import CSS syntax in
createGlobalStyle at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we
recommend using a library such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply
embedding it manually in your index.html <head> section for a simpler app.`\n        );\n      }\n\n      if
(styleSheet.server) {\n        renderStyles(instance, props, styleSheet, theme, stylis);\n      }\n\n      if (!__SERVER__) {\n\n        // this conditional is fine because it is compiled away for the relevant builds during minification,\n        // resulting
in a single unguarded hook call\n        // eslint-disable-next-line react-hooks/rules-of-hooks\n        useLayoutEffect(()
=> {\n          if (!styleSheet.server) {\n            renderStyles(instance, props, styleSheet, theme, stylis);\n          }\n          return ()

```



```

=> globalStyle.removeStyles(instance, styleSheet);\n    }\n    }, [instance, props, styleSheet, theme, stylis]);\n  }\n  return null;\n}\n\nfunction renderStyles(instance, props, styleSheet, theme, stylis) {\n  if (globalStyle.isStatic) {\n    globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n  } else {\n    const context = {\n      ...props,\n      theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n    };\n    globalStyle.renderStyles(instance, context, styleSheet, stylis);\n  }\n}\n\n// $FlowFixMe\nreturn React.memo(GlobalStyleComponent);\n\n", "// @flow\n\nimport css from './css';\nimport generateComponentId from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\nimport type { Interpolation, Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations: Array<Interpolation>): Keyframes {\n  /* Warning if you've used keyframes on React Native */\n  if (\n    process.env.NODE_ENV\n      !== 'production' &&\n    typeof navigator !== 'undefined' &&\n    navigator.product === 'ReactNative'\n  ) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `keyframes` cannot be used on ReactNative, only on the web. To do animation in ReactNative please use Animated.\n    );\n  }\n\n  const rules = css(strings, ...interpolations).join("");\n  const name = generateComponentId(rules);\n  return new Keyframes(name, rules);\n}\n\n", "// @flow\n\n/* eslint-disable no-underscore-dangle */\nimport React from 'react';\nimport { IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwStyledError from './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport StyleSheetManager from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst CLOSING_TAG_R = /^\\s*<\\[a-z]/i;\n\nexport default class ServerStyleSheet {\n  isStreaming: boolean;\n\n  instance: StyleSheet;\n  sealed: boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({ isServer: true });\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if (!css) return "";\n    const nonce = getNonce();\n    const attrs = [nonce && `nonce=${"$"}{nonce}`", `${SC_ATTR}=${"true"}`, `${SC_ATTR_VERSION}=${"$"}{SC_VERSION}`];\n    const htmlAttr = attrs.filter(Boolean).join(' '); \n    return `<style ${htmlAttr}>${css}</style>`; \n  }\n\n  collectStyles(children: any) {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n    return <StyleSheetManager sheet={this.instance}>{children}</StyleSheetManager>; \n  }\n\n  getStyleTags = (): string => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n    return this._emitSheetCSS(); \n  }\n\n  getStyleElement = () => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n    const props = {\n      [SC_ATTR]: "",\n      [SC_ATTR_VERSION]: SC_VERSION,\n      dangerouslySetInnerHTML: {\n        __html: this.instance.toString(),\n      },\n    };\n    const nonce = getNonce();\n    if (nonce) {\n      (props: any).nonce = nonce;\n    }\n    // v4 returned an array for this fn, so we'll do the same for v5 for backward compat\n    return [<style {...props} key=${"sc-0-0"} />]; \n  }\n\n  interleaveWithNodeStream(input: any) {\n    if (!__SERVER__ || IS_BROWSER) {\n      return throwStyledError(3);\n    } else if (this.sealed) {\n      return throwStyledError(2);\n    }\n    if (__SERVER__) {\n      this.seal();\n      // eslint-disable-next-line global-require\n      const { Readable, Transform } = require('stream');\n      const readableStream: Readable = input;\n      const { instance: sheet, _emitSheetCSS } = this;\n      const transformer = new Transform({\n        transform: function appendStyleChunks(chunk, /* encoding */ _, callback) {\n          // Get the chunk and retrieve the sheet's CSS as an HTML chunk,\n          // then reset its rules so we get only new ones for the next chunk\n          const renderedHtml = chunk.toString();\n          const html = _emitSheetCSS();\n          sheet.clearTag();\n          // prepend style html to chunk, unless the start of the chunk is a\n          // closing tag in which case append right after that\n          if (CLOSING_TAG_R.test(renderedHtml)) {\n            const endOfClosingTag = renderedHtml.indexOf('>') + 1;\n            const before = renderedHtml.slice(0, endOfClosingTag);\n            const after = renderedHtml.slice(endOfClosingTag);\n            this.push(before + html + after);\n          } else {\n            this.push(html + renderedHtml);\n          }\n          callback();\n        },\n      });\n      readableStream.on('error', err => {\n        // forward the error to the transform stream\n        transformer.emit('error', err);\n      });\n      return

```

```

readableStream.pipe(transformer);\n
  }\n }\n\n seal = () => {\n  this.sealed = true;\n };}\n", "// @flow\nimport React, { useContext, type\nAbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }\nfrom './models/ThemeProvider';\nimport determineTheme from './utils/determineTheme';\nimport\ngetComponentName from './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export\n default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):\nAbstractComponent<${Diff<Config, { theme?: any } } & { theme?: any }, Instance>\n// but the old build system\n tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n //\n $FlowFixMe This should be React.forwardRef<Config, Instance>\n const WithTheme = React.forwardRef((props,\n ref) => {\n  const theme = useContext(ThemeContext);\n  // $FlowFixMe defaultProps isn't declared so it can be\n  inferrable\n  const { defaultProps\n  } = Component;\n  const themeProp = determineTheme(props, theme, defaultProps);\n  if\n  (process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n  // eslint-disable-next-line no-\n  console\n  console.warn(\n    `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a\n  theme in defaultProps in component class `\"${getComponentName(\n    Component\n  )}\"`\n  );\n  }\n  return <Component {...props} theme={themeProp} ref={ref} />;\n  );\n  hoistStatics(WithTheme,\n  Component);\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)});\n  return\n  WithTheme;\n};}\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from\n './models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default\n useTheme;\n", "// @flow\n/* eslint-disable *\n\nimport StyleSheet from './sheet';\nimport { masterSheet } from\n './models/StyleSheetManager';\n\nexport const __PRIVATE__ =\n {\n  StyleSheet,\n  masterSheet,\n};}\n", "// @flow\n/* Import singletons *\n\nimport isStyledComponent from\n './utils/isStyledComponent';\nimport css from './constructors/css';\nimport createGlobalStyle from\n './constructors/createGlobalStyle';\nimport keyframes from './constructors/keyframes';\nimport ServerStyleSheet\n from './models/ServerStyleSheet';\nimport { SC_VERSION } from './constants';\n\nimport StyleSheetManager, {\n  StyleSheetContext,\n  StyleSheetConsumer,\n} from './models/StyleSheetManager';\n\n/* Import components\n *\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider';\n\n/* Import\n Higher Order Components *\n\nimport withTheme from './hoc/withTheme';\n\n/* Import hooks *\n\nimport useTheme\n from './hooks/useTheme';\n\ndeclare var __SERVER__: boolean;\n\n/* Warning if you've imported this file on\n React Native *\n\nif (\n  process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n  navigator.product === 'ReactNative'\n) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    `It looks like you've imported 'styled-components' on\n  React Native.\n` +\n    `Perhaps you're looking to import 'styled-components/native'?\n` +\n    `Read more\n  about this at https://www.styled-components.com/docs/basics#react-native\n`);\n  }\n\n/* Warning if there are\n several instances of styled-components *\n\nif (process.env.NODE_ENV !== 'production' &&\n  process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n  window['__styled-components-init__']\n  = window['__styled-components-init__'] || 0;\n  if (window['__styled-components-init__'] === 1) {\n  // eslint-\n  disable-next-line no-console\n  console.warn(\n    `It looks like there are several instances of 'styled-components'\n  initialized in this application. ` +\n    `This may cause dynamic styles to not render properly, errors during the\n  rehydration process, ` +\n    `a missing theme prop, and makes your application bigger without good\n  reason.\n` +\n    `See https://s-c.sh/2BAXzed for more info.\n`);\n  }\n  window['__styled-components-\n  init__'] += 1;\n  }\n\n/* Export everything *\n\nexport * from './secretInternals';\n\nexport {\n  createGlobalStyle,\n  css,\n  isStyledComponent,\n  keyframes,\n  ServerStyleSheet,\n  StyleSheetConsumer,\n  StyleSheetContext,\n  StyleSheetManager,\n  ThemeConsumer,\n  ThemeContext,\n  ThemeProvider,\n  useTheme,\n  SC_VERSION as\n  version,\n  withTheme,\n};}\n", "names": ["strings", "interpolations", "result", "i", "len", "length", "push", "x", "toString", "Object", "pr\n  ototype", "call", "typeOf", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "isFunction", "test", "getComponentNam\n  e", "target", "process", "env", "NODE_ENV", "displayName", "name", "isStyledComponent", "styledComponentId", "SC

```

_ATTR","REACT_APP_SC_ATTR","SC_VERSION","__VERSION__","IS_BROWSER","window","DISABLE_SPEEDY","Boolean","SC_DISABLE_SPEEDY","REACT_APP_SC_DISABLE_SPEEDY","STATIC_EXECUTION_CONTEXT","ERRORS","format","a","b","c","arguments","forEach","d","replace","throwStyledComponentsError","code","Error","join","trim","DefaultGroupedTag","tag","groupSizes","Uint32Array","indexOfGroup","group","index","this","insertRules","rules","oldBuffer","oldSize","newSize","throwStyledError","set","ruleIndex","I","insertRule","clearGroup","startIndex","endIndex","deleteRule","getGroup","css","getRule","groupIDRegister","Map","reverseRegister","nextFreeGroup","getGroupForId","id","has","get","getIdForGroup","setGroupForId","SELECTOR","MARKER_RE","RegExp","rehydrateNamesFromContent","sheet","content","names","split","registerName","rehydrateSheetFromTag","style","parts","textContent","part","marker","match","parseInt","getTag","getNonce","__webpack_nonce__","makeStyleTag","head","document","parent","createElement","prevStyle","childNodes","child","nodeType","hasAttribute","findLastStyleTag","nextSibling","undefined","setAttribute","nonce","insertBefore","CSSOMTag","element","appendChild","createTextNode","styleSheets","ownerNode","getSheet","rule","_error","cssRules","cssText","TextTag","nodes","node","refNode","removeChild","VirtualTag","_target","splice","SHOULD_REHYDRATE","defaultOptions","isServer","useCSSOMInjection","StyleSheet","options","globalStyles","gs","server","querySelectorAll","getAttribute","parentNode","rehydrateSheet","registerId","reconstructWithOptions","withNames","allocateGSInstance","hasNameForId","add","groupNames","Set","clearNames","clear","clearRules","clearTag","size","selector","outputSheet","AD_REPLACER_R","getAlphabeticChar","String","fromCharCode","generateAlphabeticName","Math","abs","phash","h","charCodeAt","hash","isStaticRules","SEED","ComponentStyle","componentId","baseStyle","staticRulesId","isStatic","baseHash","generateAndInjectStyles","executionContext","styleSheet","stylis","cssStatic","flatten","generateName","cssStaticFormatted","dynamicHash","partRule","partChunk","partString","Array","isArray","cssFormatted","COMMENT_REGEX","COMPLEX_SELECTOR_PREFIX","createStylisInstance","_componentId","_selector","_selectorRegex","_consecutiveSelfRefRegex","plugins","Stylis","parsingRules","parseRulesPlugin","toSheet","block","e","context","selectors","parents","line","column","ns","depth","at","delimiter","insertRulePlugin","selfReferenceReplacer","offset","string","indexOf","stringifyRules","prefix","flatCSS","cssStr","use","_","lastIndexOf","parsedRules","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","masterSheet","masterStylis","useStyleSheet","useContext","useStylis","StyleSheetManager","props","useState","stylisPlugins","setPlugins","contextStyleSheet","useMemo","disableCSSOMInjection","disableVendorPrefixes","useEffect","shallowequal","Provider","value","Children","only","children","Keyframes","inject","stylisInstance","resolvedName","_this","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","isFalsish","chunk","ruleSet","isReactComponent","isElement","console","warn","isPlainObject","objToCssArray","obj","prevKey","key","hasOwnProperty","isCss","hyphenate","unitless","startsWith","addTag","arg","styles","interleave","invalidHookCall","seen","checkDynamicCreation","message","originalConsoleError","error","didNotCallInvalidHook","consoleError","consoleErrorArgs","useRef","providedTheme","defaultProps","theme","escapeRegex","dashesAtEnds","escape","str","isTag","charAt","isObject","val","isValidKey","mixin","mixinDeep","rest","ThemeContext","ThemeConsumer","ThemeProvider","outerTheme","themeContext","mergedTheme","mergeTheme","identifiers","createElement","isTargetStyledComp","isCompositeComponent","attrs","parentComponentId","generateComponentId","generateId","generateDisplayName","finalAttrs","concat","filter","shouldForwardProp","prop","filterFn","elementToBeCreated","WrappedStyledComponent","componentStyle","forwardRef","ref","forwardedComponent","forwardedRef","componentAttrs","foldedComponentIds","resolvedAttrs","attrDef","resolvedAttrDef","useResolvedAttrs","determineTheme","generatedClassName","warnTooManyClasses","className","useInjectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","validAttr","withComponent","previousComponentId","optionsToCopy","newComponentId","defineProperty","_foldedDefaultProps","merge","generatedClasses","warningSeen","keys","parsedIdString","createWarnTooManyClasses","hoist","styled","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","StyledComponent","domElement","GlobalStyle","createStyles","instance","removeStyles","renderStyles","createGlobalStyle","JSON","stringify","globalStyle","GlobalStyleComponent","current","count","some","memo","keyframes","navigator","product","CLOSING_TAG_R","ServerStyleSheet","_emitSheetCSS","SC_ATTR_VERSION","getStyleTags","sealed","ge

tStyleElement", "dangerouslySetInnerHTML", "__html", "seal", "collectStyles", "interleaveWithNodeStream", "input", "require", "Transform", "Readable", "readableStream", "transformer", "transform", "callback", "renderedHtml", "html", "endOfClosingTag", "before", "slice", "after", "on", "err", "emit", "pipe", "Component", "WithTheme", "themeProp", "hoistStatics", "useTheme", "__PRIVATE__", "mappings": "gjBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAACK,EACzDD,EAAOI,KAAKL,EAAeE,GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,EAAOL,ICNGM,EAACJ,OAAOK,OAAO,IAC5BC,EA AeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EAAOI,aAEPJ,EAAOK,MACP,YCXW,SAASC,EAakBN,UACjCA,GAA8C,iBA7BA,EAAOO,kBCG1B,IAAMC,EACS,oBAAZP,cACiB,IAAhBA,QAAQC,MACdD,QAAQC,IAAIO,mBAAqBR,QAAQC,IAAIM,UACHD,cAIWE,EAAaC,SAGbC,EAA+B,oBAAXC,QAA0B,gBAAiBA,OA E/DC,EAAiBC,QACC,kBAAtBC,kBACHA,kBACmB,oBAAZf,cAAkD,IAAhBA,QAAQC,WACE,IAA5CD,QAAQC,IAAIe,6BACyB,KAA5ChB,QAAQC,IAAIe,4BACkC,UAA5ChB,QAAQC,IAAIe,6BAEVhB,QAAQC,IAAI e,iCAC2B,IAAIChB,QAAQC,IAAIc,mBAAuE,KAAICf,QAAQC,IAAIc,kBACIC,UAAICf,QAAQC,IAAIc,mBAE Vf,QAAQC,IAAIc,kBACW,eAAzBf,QAAQC,IAAIC,WAKPe,EAA2B,GCjCICC,EAAkC,eAAzBIB,QAAQC,IAA IC,SCHZ,GAACK,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAAkS,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oU AAsU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDG7/F,GAKIE,SAASiB,YACHC,0CACEC, EAAI,GAEDC,EAAI,EAAGtC,EAAMuC,UAAKtC,OAAQqC,EAAItC,EAAKsC,GAACK,EAC/CD,EAAEnC,KAA UoC,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAAAC,GACRL,EAAIA,EAAEM,QAAQ,SAAUD,MAGnB L,EAOM,SAASO,EACtBC,8BACG/C,mCAAAA,yBAE0B,eAAzBmB,QAAQC,IAAIC,SACR,IAAI2B,qDACuC D,4BAC7C/C,EAAeI,OAAS,YAAcJ,EAAeiD,KAAK,MAAU,KAIIE,IAAID,MAAMV,gBAAOD,EAAOU,WAAU /C,IAAgBkD,QE9BrD,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,YAVR,UAWTID,OAXS,SAYTgD,IAAMA,6B AGbG,aAAA,SAAaC,WACPC,EAAQ,EACHvD,EAAI,EAAGA,EAAIsD,EAAOtD,IACzBuD,GAASC,KAAKL, WAAWnD,UAGpBuD,KAGTE,YAAA,SAAYH,EAAeI,MACrBj,GAASE,KAAKL,WAAWjD,OAAQ,SAC7ByD, EAAyH,KAAKL,WACjBS,EAAUD,EAAUzD,OAETb2D,EAAUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZ C,EAAiB,MAAOR,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACfzD,OAAS2D,MAET,IAAI 7D,EAAI4D,EAAS5D,EAAI6D,EAAS7D,SAC5BmD,WAAWnD,GAACK,UAIrBgE,EAAyR,KAAKH,aAAaC,EA AQ,GACjCtD,EAAI,EAAGiE,EAAIP,EAAMxD,OAAQF,EAAIiE,EAAGjE,IACnCwD,KAAKN,IAAIgB,WAAW F,EAAWN,EAAM1D,WACICmD,WAAWG,KACHBU,QAKNG,WAAA,SAAWb,MACLA,EAAQE,KAAKtD,OA AQ,KACjBA,EAASsD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAaIE,OAeZB iD,WAAWG,GAAS,MAEpB,IAAItd,EAAIoE,EAAyPE,EAAIqE,EAAUrE,SACHckD,IAAIoB,WAAWF,OAK1B G,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKtD,QAAqC,IAA3BsD,KAAKL,WAAWG,UACnck B,UAGHtE,EAASsD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAaIE,EAERBF, EAAIoE,EAAyPE,EAAIqE,EAAUrE,IACrCwE,GAAUhB,KAAKN,IAAIuB,QAAQzE,GH9ET,mBGiFbwE,QCzF PE,EAAuC,IAAIC,IAC3CC,EAAuC,IAAID,IAC3CE,EAAgB,EAQPC,EAAgB,SAACC,MACxBL,EAAgBM,IAA ID,UACdL,EAAgBO,IAAIF,QAGvBH,EAAgBI,IAAIH,IACzBA,QAGIvB,EAAQuB,UAGa,eAAzB5D,QAAQC,IA AIC,YACF,EAARmC,GAAa,GAACA,EazBR,GAACK,KA2BjBQ,EAAiB,MAAOR,GAG1BoB,EAAgBX,IAAIg B,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,GACpBzB,GAGI4B,EAAgB,SAAC5B,UACrBsB,EAAgBK,IA AI3B,IAGhB6B,EAAgB,SAACJ,EAAyZB,GACpCA,GAASuB,IACXA,EAAgBvB,EAAQ,GAG1BoB,EAAgBX,IA AIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,IC3CvBK,WAAoB5D,oCACpB6D,EAAy,IAAIC,WAAW 9D,kDAkC3B+D,EAA4B,SAACC,EAAcT,EAAyU,WAEvDpE,EADEqE,EAAQD,EAAQE,MAAM,KAGnB3F,E AAI,EAAGiE,EAAIyB,EAAMxF,OAAQF,EAAIiE,EAAGjE,KAEICqB,EAAOqE,EAAM1F,KACHbwF,EAAMI,a AAab,EAAI1D,IAKvBwE,EAAwB,SAACL,EAAcM,WACrCC,GAASD,EAAME,aAAe,IAAIL,MLxCIB,aKyChB jC,EAakB,GAef1D,EAAI,EAAGiE,EAAI8B,EAAM7F,OAAQF,EAAIiE,EAAGjE,IAAK,KACtCiG,EAAOF,EA AM/F,GAAGgD,UACjBiD,OAEC,EAASD,EAAKE,MAAMd,MAETBa,EAAQ,KACJ5C,EAAkC,EAA1B8C,SA ASF,EAAO,GAAL,IAC5BnB,EAAKmB,EAAO,GA EJ,IAAV5C,IAEF6B,EAAcJ,EAAIzB,GAGIBiC,EAA0BC,EA AOT,EAAImB,EAAO,IAC5CV,EAAMa,SAAS5C,YAAYH,EAAOI,IAGpCA,EAAMxD,OAAS,OAefwD,EAAM vD,KAAK8F,MCzEXK,EAAW,iBACqB,oBAAtBC,kBAaOCa,kBAaOB,MCiB3DC,EAAe,SAACxF,OACrByF,E

AASC,SAASD,KACIBE,EAAS3F,GAAUyF,EACnBX,EAAQY,SAASE,cAAc,SAC/BC,EAIBiB,SAAC7F,WACH
B8F,EAAe9F,EAaf8F,WAEC9G,EAAI8G,EAAW5G,OAAQF,GAACK,EAAGA,IAAK,KACrC+G,EAAUD,EAA
W9G,MACvB+G,GARa,IAQJA,EAAMC,UAA6BD,EAAME,aAAazF,UACxDuF,GAYKG,CAAiBP,GAC7BQ,O
AA4BC,IAADp,EAA0BA,EAAUM,YAAc,KAETerB,EAAMuB,aAAa7F,EPnBS,UOoB5BsE,EAAMuB,aPnBuB,s
BACL1F,cOoBIB2F,EAAQhB,WAEvGB,GAAOxB,EAAMuB,aAAa,QAASC,GAEvCX,EAAOY,aAAazB,EAAO
qB,GAEPBrB,GcTBI0B,wBAOCxG,OACJyG,EAAWjE,KAAKiE,QAAUjB,EAAaxF,GAG7CyG,EAAQC,YAAY
hB,SAASiB,eAAe,UAEvCnC,MDae,SAACtC,MACnBA,EAAIsC,aACGtC,EAAIsC,cAIPoC,EAAgBIB,SAAhBkB
,YACC5H,EAAl,EAAgiE,EAAl2D,EAAY1H,OAAQF,EAAlE,EAAGjE,IAAK,KAC5CwF,EAAQoC,EAAY5H,
MACtBwF,EAAMqC,YAAc3E,SACbsC,EAIB1B,EAAiB,IC3BFgE,CAASL,QACjBvH,OAAS,6BAGhBgE,WAA
A,SAAWX,EAAewE,mBAEjBvC,MAAMtB,WAAW6D,EAAMxE,QACvBrD,UACE,EACP,MAAO8H,UACA,M
AIX1D,WAAA,SAAWf,QACJiC,MAAMiB,WAAWf,QACjBrD,YAGPuE,QAAA,SAAQIB,OACAWE,EAAOvE,
KAAKGC,MAAMyC,SAAS1E,eAEPb6D,IAATW,GAA8C,iBAAjBA,EAACKG,QAC7BH,EAACKG,QAEL,SAMA
C,wBAOCnH,OACJyG,EAAWjE,KAAKiE,QAAUjB,EAAaxF,QACxCoH,MAAQX,EAAQX,gBACHb5G,OAAS,
6BAGhBgE,WAAA,SAAWX,EAAewE,MACpBxE,GAASC,KAAKtD,QAAUqD,GAAS,EAAG,KACHC8E,EAA
O3B,SAASiB,eAAeI,GAC/BO,EAAU9E,KAAK4E,MAAM7E,eACtBkE,QAAQF,aAAac,EAAMC,GAAW,WACt
CpI,UACE,SAEA,KAIXoE,WAAA,SAAWf,QACjkE,QAAQc,YAAY/E,KAAK4E,MAAM7E,SAC/BrD,YAGPuE
,QAAA,SAAQIB,UACFA,EAAQC,KAAKtD,OACRsD,KAAK4E,MAAM7E,GAAOyC,YAEIB,SAMAwC,wBAK
CC,QACL/E,MAAQ,QACRxD,OAAS,6BAGhBgE,WAAA,SAAWX,EAAewE,UACpBxE,GAASC,KAAKtD,cAC
XwD,MAAMgF,OAAOnF,EAAO,EAAGwE,QACvB7H,UACE,MAMXoE,WAAA,SAAWf,QACJG,MAAMgF,O
AAOnF,EAAO,QACpBrD,YAGPuE,QAAA,SAAQIB,UACFA,EAAQC,KAAKtD,OACRsD,KAAKE,MAAMH,G
AEX,SCzHToF,EAAMb/G,EAWjBgH,EAA+B,CACnCC,UAAWjH,EACXkH,mBAAoBhH,GAIDiH,wBAiBjBC,
EACAC,EACAvD,YAFAsD,IAAAA,EAAgCpI,YAchCqI,IAAAA,EAA2C,SAGtCD,aCAJ,KACAI,QAGAE,GA
AKD,OACLvD,MAAQ,IAAIf,IAAle,QAchByD,SAAWH,EAAQH,UAGnBrF,KAAK2F,QAAUvH,GAAC+G,IAC
hCA,GAAMb,EJyBK,SAACnD,WACvB4C,EAAQ1B,SAAS0C,iBAAiBhE,GAE/BpF,EAAl,EAAgiE,EAAlmE,E
AAMII,OAAQF,EAAlE,EAAGjE,IAAK,KACtCqI,EAASD,EAAMpI,GACjBqI,GL7EsB,WK6EdA,EAACKgB,aA
Aa7H,KAC5BqE,EAAsBL,EAAO6C,GAEZBA,EAACKiB,YACPjB,EAACKiB,WAAWf,YAAYF,KIjC9BkB,CAAE/
F,SArBZgG,WAAP,SAAKbZE,UACTD,EAAcC,+BAwBvB0E,uBAAA,SAAuBT,EAA+BU,mBAAAA,IAAAA,G
AAsB,GACnE,IAAIX,OACJvF,KAAKwF,WAAYA,GACtBxF,KAAK0F,GACJQ,GAAaG,KAAKkC,YAAU0B,
MAIjCuC,mBAAA,SAAMb5E,UACTvB,KAAK0F,GAAGnE,IAAOvB,KAAK0F,GAAGnE,IAAO,GAACK,KAI7C
sB,OAAA,kBACS7C,KAAKN,MAAQM,KAAKN,KDtEH2F,KCsEgCrF,KAAKwF,SDtErCH,SAAUC,IAAAA,kB
AAMb9H,IAAAA,OLCxBkC,EKAzB2F,EACK,IAAIL,EAAWxH,GACb8H,EACF,IAAIb,EAASxG,GAEB,IAAI
mH,EAAQnH,GLJd,IAAIf,EAACKBC,KADD,IAACA,IKDL2F,EAAUC,EAAMb9H,KC0ErD4I,aAAA,SAAA7E,E
AAY1D,UACHBmC,KAAKkC,MAAMV,IAAID,IAAQvB,KAAKkC,MAAMT,IAAIF,GAAUC,IAAI3D,MAI7Du
E,aAAA,SAAB,EAAAY1D,MACvByD,EAAcC,GAETvB,KAAKkC,MAAMV,IAAID,QAQZW,MAAMT,IAAIF,
GAAU8E,IAAIXI,OALP,KACjByI,EAAa,IAAIC,IACvBD,EAAWD,IAAIXI,QACVqE,MAAM3B,IAAIgB,EAAl+
E,OAovBrG,YAAA,SAAYsB,EAAAY1D,EAAcC,QAC/BkC,aAAab,EAAlID,QACjBgF,SAAS5C,YAAYqB,EA
AcC,GAACKrB,MAI/CsG,WAAA,SAAWjF,GACLvB,KAAKkC,MAAMV,IAAID,SACXW,MAAMT,IAAIF,GAA
UkF,WAK9BC,WAAA,SAAWnF,QACJsB,SAASIC,WAAWW,EAAcC,SACiCf,WAAWjF,MAIIBoF,SAAA,gB
AGOjH,SAAMkE,KAIb/G,SAAA,kBJpHyB,SAACmF,WACpBtC,EAAMsC,EAAMa,SACVnG,EAAWgD,EAAX
hD,OAeJsE,EAAM,GACDIB,EAAQ,EAAGA,EAAQpD,EAAQoD,IAAS,KACrCyB,EAACKG,EAAc5B,WACd8D,
IAAPrC,OAEEW,EAAQF,EAAME,MAAMT,IAAIF,GACxBrB,EAAQR,EAAlqB,SAASjB,MACtBoC,GAAUHC,
GAAUgC,EAAM0E,UAEzBC,EAAc7I,OAAY8B,UAAayB,OAezCU,EAAU,QACA2B,IAAV1B,GACFA,EAAMj
D,SAAQ,SAAApB,GACRA,EAAKnB,OAAS,IACHBuF,GAACP,E,UOpBmD,MAAUd,EAAQ2G,eAAqB5E,yBA
GICjB,EIwFE8F,CAAY9G,YC3HjB+G,EAAGB,WAOhBC,EAAoB,SAAC3H,UACzB4H,OAAOC,aAAa7H,GAA
QA,EAAO,GAACK,GAACK,MAGhC,SAAS8H,EAAB9H,OAezCzC,EADAIb,EAAO,OAINjB,EAAlwK,KAAKC,
IAAlhI,GAAOzC,EAZP,GAYwBA,EAACA,EAZ7B,GAYgD,EACHeiB,EAAOmJ,EAABpK,EAAbT,IAA4BiB,SA
GtCmJ,EAABpK,EAhBR,IAgB2BiB,GAAMsB,QAAQ4H,EAAe,SCpBrE,IAKMO,EAAQ,SAACC,EAAW3K,W
AC3BJ,EAAl,EAAEF,OAehF,GACL+K,EAAS,GAAJA,EAAU3K,EAAE4K,aAAahL,UAGzB+K,GAIE,GAAO

,SAAC7K,UACZ0K,EAjBW,KAIbC1K,ICfN,SAAS8K,GAAcxH,OAC/B,IAAI1D,EAAI,EAAGA,EAAI0D,EAA MxD,OAAQF,GA AK,EAAG,KACIC+H,EAAOrE,EAAM1D,MAEfa,EA AWkH,KAAUzG,EA AkByG,UAGIC,SA IJ,ECPT,IAAMoD,GAAOF,GbIatJ,UaCLyJ,yBAaP1H,EAAGB2H,EA AqBC,QAC1C5H,MAAQA,OACR6H,cAAg B,QACHBC,SAAoC,eAAzBvK,QAAQC,IAAIC,gBACXiG,IAAdkE,GAA2BA,EAAUE,WACtCN,GAAcxH,QAC X2H,YAAcA,OAI dI,SAAWX,EAAMK,GAAME,QA EvBC,UAYA,EA IjBvC,EA AWS,WAAW6B,sBAQxBK,w BAAA,SA AwBC,EAA0BC,EA AwBC,OACHER,EAAGB7H,KAAhB6H,YAEF3F,EAAQ,MAEVIC,KAAK8H,WA CP5F,EAAMvF,KAAKqD,KAAK8H,UAAUI,wBAAwBC,EA AkBC,EAAYC,IAI9ErI,KAAKgI,WAAaK,EAAOZ, QACvBzH,KAAK+H,eAAiBK,EA AWhC,aAAayB,EA Aa7H,KAAK+H,eACIE7F,EAAMvF,KAAKqD,KAAK+H, mBACX,KACCO,EAAYC,GAAQvI,KAAKE,MAAOiI,EA AkBC,EAAYC,GAAQ9I,KAAK,IAC3E1B,EAAO2K, EAAaIb,EAAMtH,KAAKiI,SAAUk,KAAe,OAEzDF,EA AWhC,aAAayB,EA AhK,GA AO,KACzC4K,EA AqBJ,E AAOc,MAAezK,OAAQ+F,EA AWiE,GA EpEO,EA AWnI,YAAY4H,EA AhK,EAAM4K,GAG5CvG,EAAMvF,K AAKkK,QACNkK,cAAgBIK,MAEIB,SACGnB,EA AWsD,KAAKE,MAAhBxD,OACJgM,EA AcPb,EAAMtH,KA AKiI,SAAU,EA AOZ,MAC1CzG,EAAM,GAEDxE,EAAI,EAAGA,EAAIE,EAAQF,IAAK,KACzBmM,EA AW3I, KAAKE,MAAM1D,MAEJ,iBAAbmM,EACT3H,GAAO2H,EA EsB,eAAzBIL,QAAQC,IAAIC,WAA2B+K,EA Ac pB,EAAMoB,EA AaC,EA AWnM,SACIF,GAAImM,EA AU,KACbC,EAAYL,GAAQI,EA AUR,EA AkBC,EAAYC, GAC5DQ,EA AaC,MAAMC,QAAQH,GAAaA,EA AUrJ,KAAK,IAAMqJ,EACnEF,EA AcPb,EAAMoB,EA AaG,E AAarM,GAC9CwE,GAAO6H,MAIP7H,EA AK,KACDnD,EAAO2K,EA AaE,IAAGB,OA ErCN,EA AWhC,aAAayB ,EA AhK,GA AO,KACzCmL,EA AeX,EA OrH,MAASnD,OAAQ+F,EA AWiE,GACxDO,EA AWnI,YAAY4H,EA AhK,EAAMmL,GAG5C9G,EAAMvF,KAAKkK,WAIRqE,EAAM3C,KAAK,WcTghB0J,GAAGB,gBACHBC,GA A0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,UAYBIBC,EACAC,EACAC,EACAC,eAzB6BnM,QAFjCoI,QA AAA,aAAUpI,QACVoM,QAAAA,aAAUtM,IAEJmL,EAAS,IAAIoB,EA AOjE,GAMtBkE,EA Ae,GA WbC,ECdR, SAAwBjJ,YAIbkJ,EA AQC,MACXA,MAEAnJ,EA AcMj,OACd,MAAOC,YAIN,SACLC,EACA9H,EACA+H,EA CAC,EACAC,EACAC,EACAzN,EACA0N,EACAC,EACAC,UAEQP,QAED,KA EW,IAAVM,GAAYC,KAA1BpI, EA AQuF,WAAW,GA AW,OAAO9G,EA AcuB,OAAa,cAGhF,KACQ,IAAPmI,EA AU,OAAOnI,EA/BT,mBAkCT, SACKmI,QAED,SACA,WACI1J,EA AWsJ,EA AU,GA AK/H,GA AU,kBAEpCA,GA AkB,IAAPqI,EAzCV,QAYCiC ,SAEzC,EACJrI,EA AQE,MA3CIoI,UA2CUtL,QAAQ2K,KD/BXY,EA AiB,SAAAjG,GACxCmF,EA Aa/M,KAAK 4H,MAQdkG,EA AwB,SAAC9H,EA AO+H,EA AQC,UAG9B,IAAXD,IAA8E,IAA/DxB,GA AwB0B,QAAQD,EA AOtB,EA AU3M,UAEhEiO,EA AO hI,MAAM4G,GAKT5G,MAHMyG,YA4BNyB,EA Ae7J,EA AK6F,EA AU iE,EA AQjD,YAAAA,IAAAA,EA Ac,SACrDkD,EA AU/J,EA AI7B,QAAQ8J,GA Ae,IACrC+B,EAASnE,GAAYiE,EAAY A,MAAUjE,QA AcK,E,OA AcA,SAK7E3B,EA AeV,BACfwB,EAAYxC,EACZyC,EA AkB,IAAIxH,YAAYuH,QA AgB,KACIDE,EA A4B,IAAIzH,aAAauH,cAEtChB,EA AOyC,IAAWjE,EA AW,GA AKA,EA AUmE,UAdrD3C,EA AO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,GACIC,IAAZD,GA AiBC,EA AUtN,QA AU sN,EA AU,GA A GmB,YAAY9B,GA Aa,IAE7EW,EA AU,GA AKA,EA AU,GAAG7K,QAAQmK,EA AiBmB,KAIDd,EAID9B,SA A AI,OACP,IAAbA,EAAGB,KACZqB,EA Ac1B,SACpBA,EA Ae,GACR0B,OA+DXP,EA AepD,KAAO+B,EA AQ9M ,OAC1B8M,EACG6B,QAAO,SAACC,EA AKC,UACPA,EA AO1N,MACVyC,EA AiB,IAGZgH,EAAMgE,EA AK C,EA AO1N,QHnGf,MGqGXhB,WACH,GAEGgO,ME3FIW,GAAGDC,EAAMC,gBACtDC,GA AqBH,GA AkBI,S ACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GA AcD,SAEL,IAAIrG,GAC9BwG,GAA4B5C,KA EzC,SAAGB6C, YACPC,EA AWt,KAAsBM,GAG1C,SAAGBI,YACPD,EA AWJ,KAAkBE,GAGvB,SAASI,GA AkBC,SACVC,EA ASD,EAAME,eAAtC9C,OAAS+C,OACVC,EA AoBR,KAEPb5D,EA AaqE,GAAQ,eACrBzK,EA AqwK,SAERJ,E AAMpK,MAERA,EA AQoK,EAAMpK,MACLoK,EAAM5O,SACfwE,EA AQA,EAAMiE,uBA AuB,CAAeZl,OA A Q4O,EAAM5O,SAAU,IAG7D4O,EAAMM,wBACR1K,EA AQA,EAAMiE,uBA AuB,CAAEX,mBA AmB,KAGrDt D,IACN,CAACoK,EAAMM,sBA AuBN,EAAMpK,MAAOoK,EAAM5O,SAE9C6K,EAASoE,GACb,kBACeT,D,G AAqB,CACnB3D,QAAS,CAAEsF,QAASsB,EAAMO,uBAC1BnD,QAAAA,MAEJ,CAAC4C,EAAMO,sBA AuBn D,WAGhCoD,GA AU,WACHC,EA AarD,EAAS4C,EAAME,gBAAGBC,EA AWH,EAAME,iBACjE,CAACF,EA A ME,gBAGRb,gBAACD,GA AkBsB,UAASC,MAAO3E,GACjCqD,gBAACI,GA AcIB,UAASC,MAAO1E,GACH,e AAzB5K,QAAQC,IAAIC,SACT8N,EAAMuB,SAASC,KAAKb,EAAMc,UAC1Bd,EAAMc,eCjEGC,yBAOPtP,E AAcqC,mBAM1BkN,OAAS,SAACHf,EA AwBiF,YAAAA,IAAAA,EA A8BtB,QACxDuB,EA AeC,EA AK1P,KAA OwP,EA Ae5F,KA E3CW,EA AWhC,aAAamH,EA AKhM,GA AI+L,IACpCIF,EA AWnI,YACTsN,EA AKhM,GACL

+L,EACAD,EAAeE,EAAKrN,MAAOoN,EAAc,qBAK/CzQ,SAAW,kBACFyD,EAAiB,GAAI2G,OAAOsG,EAA
K1P,aAlBnCA,KAAOA,OACP0D,mBAAqB1D,OACrBqC,MAAQA,qBAmBfsN,QAAA,SAAQH,mBAAAA,IAA
AA,EAA8BtB,IAC7B/L,KAAKnC,KAAOwP,EAAe5F,WC7BhCgG,GAAiB,UACjBC,GAAmB,WACnBC,GAAY
,OACZC,GAAqB,SAACC,aAA6BA,EAAKC,eAkB/C,SAASC,GAAmBpD,UACIC8C,GAAenQ,KAAKqN,GACz
BA,EACCxL,QAAQuO,GAakBE,IAC1BzO,QAAQwO,GAAW,QACpBhD,ECIBJ,IAAMqD,GAAY,SAAAC,UA
ASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAoBvF,SAAwB1F,GACtB0F,EACA9F,EACAC,EACAiF,MA
ElvE,MAAMC,QAAQkF,GAAQ,SAGY1R,EAf9B2R,EAAU,GAEP1R,EAAI,EAAGC,EAAMwR,EAAMvR,OA
AgBF,EAAIC,EAAKD,GAak,EAAGzC,MAFFd,EAASgM,GAAQ0F,EAAMzR,GAAI2L,EAAKBC,EAAYiF,MAG
hDvE,MAAMC,QAAQxM,GAAS2R,EAAQvR,WAARuR,EAAGB3R,GAC3C2R,EAAQvR,KAAKJ,WAGb2R,K
AGLF,GAAUC,SACL,MAILnQ,EAakBmQ,aACTA,EAAMIQ,qBAIfV,EAAW4Q,GAAQ,IC9DL,mBAFwB3Q,E
DiEhB2Q,IC7DtB3Q,EAakP,WACFO,EAakP,UAAUoR,mBD4DchG,EAa3B,OAAO8F,MAZN1R,EAAS0R,EA
AM9F,SAEQ,eAAzB1K,QAAQC,IAAIC,UAA6ByQ,EAAU7R,IAErD8R,QAAQC,KACH/Q,EACD0Q,uLAKC1F
,GAAQhM,EAAQ4L,EAAKBC,EAAYiF,GC7E5C,IAA6B/P,SDiFtC2Q,aAAiBd,GACf/E,GACF6F,EAAMb,OAA
OhF,EAAYiF,GACIBY,EAAMT,QAAQH,IACyT,EAITM,EAAcN,GAzEM,SAAhBO,EAAiBC,EAAaC,OEBH7Q
,EAackP,EFc9C7M,EAAQ,OAET,IAAMyO,KAAOF,EACXA,EAAIG,eAAeD,KAAQX,GAAUS,EAAIE,MAEZC
7F,MAAMC,QAAQ0F,EAAIE,KAASF,EAAIE,GAAKE,OAAUxR,EAAWoR,EAAIE,IACHezO,EAAMvD,KAA
QmS,GAAUH,OAASF,EAAIE,GAAM,KACICJ,EAAcE,EAAIE,IAC3BzO,EAAMvD,WAANuD,EAACsO,EAAC
C,EAAIE,GAAMA,IAEtCzO,EAAMvD,KAAQmS,GAAUH,SExBU9Q,EFwBe8Q,EErBxC,OAHuC5B,EFwBM0
B,EAAIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAGC,IAAVA,GAAiBIP,KAAQkR,
GAAClR,EAakmR,WAAW,MAIjF/H,OAAO8F,GAAOvN,OAHTuN,qBFoBL2B,GAACa,eAAgBxO,GAAO,MA
AOA,EA0DrBsO,CAAcP,GAASA,EAAMPpR,WG9E7D,IAAMoS,GAAS,SAAAC,UACTpG,MAAMC,QAAQmG,
KAehBA,EAAIL,OAAQ,GAEPK,GAGM,SAASIO,GAAImO,8BAAmB7S,mCAAAA,2BACzCe,EAAW8R,IAA
WZ,EAAcY,GAE/BF,GAAO1G,GAAQ6G,EAAWIS,GAACiS,UAAW7S,MAG9B,IAA1BA,EAAeI,QAakC,IAAI
ByS,EAAOzS,QAAqC,iBAAdyS,EAAO,GAE/DA,EAIFF,GAAO1G,GAAQ6G,EAAWD,EAAQ7S,KC5B3C,IAA
M+S,GAAoB,qBACpBC,GAAO,IAAI/I,IAEJgJ,GAAuB,SAAC3R,EAAqBiK,MAC3B,eAAzBpK,QAAQC,IAAIC
,SAA2B,KAEnC6R,EACJ,iBAAiB5R,GAFliK,sBAaKCA,MAAiB,6NAUpE4H,EAAuBpB,QAAQqB,cAE/BC,GA
AwB,EAe5BtB,QAAQqB,MAAQ,SAACE,MAGXP,GAakB/R,KAAKsS,GACzBD,GAAwB,EAExBL,UAYE,O
ACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAAqBG,UAAwBC,MAMjDC,IAEIH,IAA0BL,GAak9N,IAAIgO,KAER
CnB,QAAQC,KAAKkB,GACbF,GAakjJ,IAAIjJ,IAEX,MAAOE,GAGHL,GAakB/R,KAAKoS,EAAMF,UAE/B
F,UAYE,WAI dnB,QAAQqB,MAAQD,iBC9CNrD,EAAc2D,EAAoBC,mBAAAA,IAAAA,EAAoB5S,GAC5DgP
,EAAM6D,QAAUD,EAAaC,OAAS7D,EAAM6D,OAAUF,GAAiBC,EAAaC,OCJxFC,GAAC,wCAEdC,GAAe,W
AMN,SAASC,GAAOC,UAE3BA,EAEGIR,QAAQ+Q,GAAa,KAGrB/Q,QAAQgR,GAAC,ICd7B,gBAAGBE,UAC
PIJ,EAAuBM,GAak4I,KAAS,ICH/B,SAASC,GAAM9S,SAER,iBAAXA,IACmB,eAAzBC,QAAQC,IAAIC,UAC
TH,EAAO+S,OAAO,KAAO/S,EAAO+S,OAAO,GAAGzC,eCqB9C,IAAM0C,GAAW,SAAAC,SAEE,mBAARA,
GAASc,iBAARA,GAA4B,OAARA,IAAiB3H,MAAMC,QAAQ0H,IAIfC,GAAa,SAAB/S,SACF,cAARA,GAA+
B,gBAARA,GAAiC,cAARA,GAGzD,SAASgC,GAAMnT,EAAQiT,EAak9B,OACpBF,EAAMjR,EAAOmR,GA
Cf6B,GAASC,IAAQD,GAAS/B,GAC5BmC,GAAUnC,EAakGc,GAefjT,EAAOmR,GAAO8B,EAIH,SAASG,G
AAUpT,8BAAWqT,mCAAAA,kCACzBA,iBAAM,KAAbpC,UACL+B,GAAS/B,OACN,IAAME,KAAOF,EACzi
C,GAAW/B,IACbgC,GAAMnT,EAAQiR,EAAIE,GAAMA,UAMzBnR,MC5CiS,T,GAAsCrF,EAAMC,gBAE5CqF
,GAAGBD,GAAalF,SA8B3B,SAASoF,GAAc5E,OAC9B6E,EAAhF,EAAW6E,IACxBI,EAAezE,GAAQ,kBA9B/
B,SAAoBwD,EAAsBgB,OACnChB,SACI3P,EAAiB,OAGtBjD,EAAW4S,GAAQ,KACfkB,EAAClB,EAAMgB,S
AGC,eAAzBxT,QAAQC,IAAIC,UACK,OAAhBwT,IAAwBrI,MAAMC,QAAQoI,IAAuC,iBAAhBA,EAKzDA,E
AHE7Q,EAAiB,UAMxBwI,MAAMC,QAAQkH,IAA2B,iBAAVA,EAC1B3P,EAAiB,GAGnB2Q,OAakBA,KAA
ehB,GAAUA,EAQfmB,CAAWhF,EAAM6D,MAAOgB,KAAa,CACtE7E,EAAM6D,MACNgB,WAGG7E,EAAM
c,SAIzB,gBAACqF,GAAahE,UAASC,MAAOmE,GAae9E,EAAMc,UAHjD,KCxBX,IAAMmE,GAAC,GA4IpB,
SAAwBC,GACtB9T,EACAgI,EAoAtF,OAEMqR,EAAqBzT,EAakBN,GACvCgU,GAAwBIB,GAAM9S,KAMh
CgI,EAHFim,MAAAA,aAAQvU,MAGNsI,EAFFqC,YAAAA,aAZJ,SAABjK,EAAsB8T,OACIC7T,EAA8B,iBA
AhBD,EAA2B,KAAOWS,GAAOXs,GAe7DyT,GAAYxT,IAASwT,GAAYxT,IAAS,GAak,MAEzCgK,EAAiBhK

,MAAQ8T,G9BzBPxT,S8B4BTN,EAAOwT,GAAYxT,WAG3B6T,EAAuBA,MAAqB7J,EAAGBA,EA8InD+J,CA
AWpM,EAQA5H,YAAa4H,EAQAkM,uBAEpDIM,EADF5H,YAAAA,aCtLW,SACbJ,UAE08S,GAAM9S,aAAo
BA,YAAqBD,EAaiBC,ODmLvDqU,CAAoBrU,KAG9BO,EACJyH,EAQA5H,aAAe4H,EAQAqC,YACxBuI,GA
AO5K,EAQA5H,iBAAGB4H,EAQAqC,YAC1CrC,EAQAqC,aAAeA,EAGvBiK,EACJP,GAAwB/T,EAAGCiU,M
ACpD3I,MAAM/L,UAAUgV,OAASvU,EAAGCiU,MAAOA,GAAOO,OAAOzT,SAC9EkT,EAGFQ,EAaoBzM,E
AAQyM,kBAE5BV,GAAAsB/T,EAaoYU,oBAG7BA,EAFeZM,EAQAyM,kBAEU,SAACC,EAAMC,EAUUC,UA
C/B5U,EAAGCyU,kBACICC,EACAC,EACAC,IAEA5M,EAQAyM,kBAA4CC,EAAMC,EAUUC,IAGID5U,EA
gCyU,uBAkBiDI,EADEC,EAaiB,IAAIK,GACzB1H,EACAnC,EACAwT,EAauB/T,EAAGB8U,oBAAC10,GA
KrEoE,EAAsK,EAaetK,UAA6B,IAAjByJ,EAAM/U,OAQ5C6V,EAaA,SAACnG,EAaoOg,UA7I7B,SACEC,E
ACArG,EACAsG,EACA1K,OAGS2K,EAOLF,EAPFhB,MACAa,EAMEG,EANFH,eACAtC,EAKeyC,EALFzC,a
ACA4C,EAIEH,EAJFG,mBACAX,EAGEQ,EAHFR,kBACAIU,EAEE0U,EAFF1U,kBACAP,EACEiV,EADFjV,S
A7DJ,SAAkCyS,EA2B7D,EAaeqF,YAA1CxB,IAAAA,EAaA7S,OAIvC2M,OAAeqC,GAAO6D,MAAAA,IACt
B4C,EAAGB,UAEtBpB,EAAMxS,SAAQ,SAAA6T,OAERnE,EErD4B9P,EAAYC,EFoDxCiU,EAakBD,MAQjBn
E,KALDtR,EAaw0V,KACbA,EAakBA,EAAGBhJ,IAIxBgJ,EACVhJ,EAQA4E,GAAoKE,EAaClE,GACnB,cAA
RA,GE9D4B9P,EF+DZgU,EAaClE,GE/DU7P,EF+DjiU,EAAGBpE,GE9DnD9P,GAACK,EAaOD,MAAKC,EA
MD,GAACK,GF+DzBiU,EAAGBpE,MAKnB,CAAC5E,EAAS8I,GA4CQG,CAFXC,GAAe7G,EAaOH,EAaw6E
,IAAed,IAEX5S,EAacgP,EAaOuG,GAAjE5I,OAAS0H,OAeVyB,EA3CR,SACEZ,EACAtK,EACA6K,EACAM,
OAEM/K,EAaA4D,KACb3D,EAAS6D,KAETkH,EAAYpL,EACdsK,EAaepK,wBAawB9K,EAacgL,EAAYC,G
ACjEiK,EAaepK,wBAawB2K,EAaezK,EAAYC,SAEzC,eAAzB5K,QAAQC,IAAIC,WAA8BqK,GAAYmL,GA
CxDA,EAAMBC,GAGdA,EA0BoBC,CACzBf,EACAtK,EACA+B,EACyB,eAAzBtM,QAAQC,IAAIC,SAA4B8U,
EAAMBU,wBAaqBvP,GAG5E0P,EAaeZ,EAefN,EAa6BX,EAAM8B,KAAOnH,EAAMmH,KAAO9B,EAAM+
B,IAAMpH,EAAMoH,IAAMhW,EAE/EiW,EAacnD,GAAM8B,GACpBsB,EAAGBjC,IAAUrF,OAaAa,KAAUqF
,GAUUrF,EAC3DuH,EAakB,OAGnB,IAAMhF,KAAO+E,EACD,MAAX/E,EAaI,IAAsB,OAARA,IACL,gBAA
RA,EACPgF,EAAGBH,GAAKE,EAac/E,IAEnCsD,EACIA,EAakBtD,EAaKiF,EAawxB,IACICqB,GACAG,EA
AUjF,MAIdgF,EAAGBhF,GAAO+E,EAac/E,YAIrCvC,EAAM9J,OAASmP,EAAMnP,QAAU8J,EAAM9J,QACv
CqR,EAAGBrR,WAAa8J,EAAM9J,SAAUmp,EAAMnP,QAGrDqR,EAAGBP,UAAyTK,MAAM/L,UAC/BgV,OA
CCa,EACA7U,EACAmV,IAAuBnV,EAaoBmV,EAAGB,KACHe9G,EAAMgH,UACN3B,EAAM2B,WAEpPB,O
AAOzT,SACPgB,KAAK,KAERoU,EAAGBnB,IAAMc,EAeflQ,EAacgP,EAaobuB,IAUehBtB,EAawBjG,EAaO
oG,EAakxK,WAE7DuK,EAaw3U,YAAcA,GAezByU,EA2B5G,EAAM8G,WAAWA,IACrBd,MAAQK,EAC/
BO,EAauBC,eAAiBA,EACxCD,EAauBzU,YAAcA,EACrCyU,EAauBJ,kBAAoBA,EAI3CI,EAauBO,mBAaqB
rB,EACxCzI,MAAM/L,UAAUgV,OACZvU,EAAGCoV,mBACHCpV,EAAGCO,mBAEpCb,EAejmV,EAauBtU,k
BAAoBA,EAG3CsU,EAauB7U,OAAS+T,EAC1B/T,EAAGCA,OACICA,EAej6U,EAauBwB,cAAGB,SAAuBnU
,OACvCoU,EAa0CtO,EAavDqC,YAAqCkM,uIAAkBvO,mBAEzDwO,EACJF,GACGA,OAauBxD,GAAM5Q,G
AAOA,EAAM0Q,GAAO7S,EAaiBmC,YAQhE4R,GAAsB5R,OALxBqU,GACHtC,MAAOK,EACPjK,YAAamM
,IAG+B9T,IAGhDpD,OAaOmX,eAAe5B,EAawB,eAAGB,CAC5D5Q,sBACSzB,KAAKkU,qBAGd3T,aAAIkO,
QACGyF,oBAAsB3C,EACvB4C,GAAM,GAAM3W,EAAGCwS,aAAcvB,GAC1DA,KAIqB,eAAzBhR,QAAQC,I
AAIC,WACd4R,GAAqB3R,EAaAG,GAELCsU,EAauBc,4BgnSXvV,EAAGBiK,OAC/BuM,EAAMB,GACnBC,G
AAc,SAEX,SAACjB,OACDiB,IACHD,EAaiBhB,IAAa,EAC1BtW,OAaOwX,KAAKF,GAakB1X,QATnB,KAS
oC,KAG3C6X,EAaiB1M,sBAakCA,MAAiB,GAe1EwG,QAAQC,KACN,iDAAsD1Q,EAac2W,oQAuTEF,GAA
c,EACdD,EAAMB,KH2QqBI,CAC1C5W,EACAG,IAQJjB,OAaOmX,eAAe5B,EAawB,WAAy,CAAEtF,MAAO
,qBAUsF,EAauBtU,qBAehGyT,GACFiD,EAIEpC,EAa0B7U,EAa0D,CAepFiU,OAaO,EACPgB,BAAGB,EA
ChB1U,aAAa,EACbgV,oBAaOB,EACpBX,mBAAMb,EACnBIU,mBAAMb,EACnBP,QAAQ,EACRqW,eAAe,IA
IZxB,EIUT,ICIMqC,GAAS,SAACHv,mBCCQiV,EACtBC,EACAIv,EACA8F,eAAAA,IAAAA,EAakBpI,IAEby
X,EAAMbnV,UACfY,EAaiB,EAAG2G,OAaOvH,QAK9BoV,EAAMb,kBAAaF,EAAGBIV,EAak8F,EAASxE,o
CAGzE8T,EAaiBC,WAAa,SAAAC,UAC5BL,EAAGBC,EAAsBIV,OAaU8F,KAAyWp,KAGnEF,EAaiBrD,MA
AQ,SAAAA,UACvBkD,EAAGBC,EAAsBIV,OACtC8F,GACHiM,MAAO3I,MAAM/L,UAAUgV,OAaOvM,EA
QiM,MAAOA,GAAOO,OAAOzT,aAGxDuW,EDzBuBH,CAAqBM,GAAiBvV,IDJvD,CACb,IACA,OACA,UAC
A,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SACA,UACA,

OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,KACA,KAC
A,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,OACA,SACA,SACA,
KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OACA,MACA,O
ACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IACA,QACA,U
ACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,OACA,SAC
A,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,KACA,QA
CA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,iBACA,SA
CA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SCnIUT,SAAQ,SAAAI
W,GACIBR,GAAOQ,GAACr,GAAOQ,UELTC,yBAOPjV,EAAgB2H,QACrB3H,MAAQA,OACR2H,YAAcA,O
ACdG,SAAWN,GAACxH,GAI9BqF,EAAWS,WAAWhG,KAAK6H,YAAc,8BAG3CuN,aAAA,SACEC,EACAIN,
EACAC,EACAC,OAGMrH,EAAMqH,EADIE,GAAQvI,KAAKE,MAAOiI,EAakBC,EAAYC,GACvC9I,KAAK,I
AAK,IAC/BgC,EAakvB,KAAK6H,YAAcwN,EAG9BjN,EAAWnI,YAAYsB,EAaIA,EAaIP,MAGjCsU,aAAA,S
AAaD,EAakBjN,GAC7BA,EAaw1B,WAAW1G,KAAK6H,YAAcwN,MAG3CE,aAAA,SACEF,EACAIN,EACA
C,EACAC,GAElgN,EAaw,GAAG9P,EAWS,WAAWhG,KAAK6H,YAAcwN,QAGtDC,aAAaD,EAUjN,QAC
vBgN,aAAaC,EAUIN,EAakBC,EAAYC,SCnC/C,SAASmN,GACtBnZ,8BACGC,mCAAAA,wBAEG4D,EAQ
c,iBAAI3E,UAAAYC,IACxByB,eAAiC4T,GAAoB8D,KAAKC,UAAUxV,IACpEyV,EAAC,IAAIR,GAAYjV,EA
OnC,YAMIC6X,EAaqBxJ,OACtBhE,EAaA4D,KACb3D,EAAS6D,KACT+D,EAaQhE,EAaw6E,IAGnBuE,EA
cvF,EAaO1H,EAawjC,mBAAmBpI,IAE5B8X,cAEA,eAAzBpY,QAAQC,IAAIC,UAA6B8N,EAAMuB,SAAS8I,
MAAMIJ,EAAMc,WAEtEmB,QAAQC,mCACwBvQ,uEAKP,eAAzBN,QAAQC,IAAIC,UACZuC,EAAM6V,MA
AK,SAAAxR,SAawB,iBAATA,IAakD,IAA7BA,EAakqG,QAAQ,eAG5DyD,QAAQC,qVAKNIG,EAawzC,Q
ACb4P,EAaAF,EAUjJ,EAaOhE,EAAY6H,EAaO5H,GAe5C,cAGAkN,EAaAF,EAUjJ,EAaOhE,EAAY6H,E
AAO5H,MACpDsN,EAAY3N,SACd2N,EAAYJ,aAAaF,EAU3W,EAa0B0J,EAAYC,OACpE,KACC0B,OACDq
C,GACH6D,MAAOgD,GAae7G,EAaO6D,EAaO2F,EAaqB5F,gBAG3D2F,EAAYJ,aAAaF,EAaUtL,EAAS3B,
EAAYC,UazD/B,eAAzB5K,QAAQC,IAAIC,UACd4R,GAAqBxR,GA6DhB0N,EAAMuK,KAAKJ,GC9EL,SAAS
K,GACtB5Z,GAK2B,eAAzBoB,QAAQC,IAAIC,UACS,oBAAduY,WACe,gBAAtBA,UAAUC,SAGV9H,QAAQ
C,KACN,8IAVDhS,mCAAAA,wBacG4D,EAaQc,iBAAI3E,UAAAYC,IAAgBiD,KAAK,IAC7C1B,EAaO8T,GA
AoBzR,UAC1B,IAAIiN,GAaUtP,EAAMqC,GCf7B,IAAMkW,GAAGb,gBAEDC,2CAYnBC,cAAgB,eACRtV,EA
AMuM,EAak8H,SAASxY,eACrBmE,EAak,MAAO,OAEX8C,EAaQhB,oBACA,CAACgB,aAAmBA,MAAa9F
,YAAqBuY,gCAC7CvE,OAaOzT,SAASgB,KAAK,SAEfyB,mBAW/BwV,aAAe,kBACTjJ,EAakKJ,OACAnW,E
AAiB,GAGnBiN,EAak+I,sBAGdI,gBAakB,oBACZnJ,EAakKJ,cACAnW,EAaiB,OAGpB8L,UACHpO,GAU,
KxC9Cc,uBACLg,WwC+CpBwY,wBAAYB,CACvBC,OAAQrJ,EAak8H,SAASxY,eAIpBiH,EAaQhB,WACVg
B,IACDsI,EAAYtI,MAAQA,GAIhB,CAAC2H,6BAAWW,GAAOuC,IAAI,mBAsDhCkI,KAAO,WACLtJ,EAakK
J,QAAS,QAZGtpB,SAAW,IAAI9P,EAaw,CAAEF,UAAU,SACtCoR,QAAS,6BAchBK,cAAA,SAAc5J,UACRIN
,KAAKyW,OACAnW,EAaiB,GAGnBmL,gBAACU,IAakBnK,MAAOhC,KAAKqV,UAAWnI,MakCnD6J,yBA
AA,SAAYBC,MACJ5Y,SACVkc,EAaiB,GACnB,GAAIN,KAAKyW,cACPnW,EAaiB,QAIInBuW,aAG2BI,QAA
Q,UAAtBC,KAAVC,WAAUD,WAEZE,EAa2BJ,EACfhV,EAAYBhC,KAAncqV,SAaiBiB,EAakBtW,KAAIBs
W,cAEnBe,EAAC,IAAIH,EAU,CACHCI,UAAW,SAA2BrJ,EAASB/C,EAAGqM,OAGvDC,EAevJ,EAAMpR,
WACrB4a,EAaOnB,OAEBtU,EAAM2E,WAIfyP,GAAC9Y,KAAKka,GAae,KAC9BE,EAakBF,EAa5M,QAA
Q,KAAO,EAC9C+M,EAASH,EAaAl,MAAM,EAAGF,GAC/BG,EAaQL,EAaAl,MAAMF,QAe5B/a,KAAKgb,E
AASF,EAaOI,aAErBlb,KAAK8a,EAaOD,GAGnBD,cAIJH,EAaeU,GAAG,SAAS,SAAAC,GAezBV,EAAYW,
KAAK,QAASD,MAGrBX,EAaeA,KAAKZ,qBC3GjBa,OAERC,EAAY1M,EAAM8G,YAAW,SAACnG,EAaOoG
,OACnCVc,EAaQhE,EAaw6E,IAEjBd,EAaiBkI,EAajBII,aACFoI,EAAYnF,GAae7G,EAaO6D,EAaOD,SAE
I B,eAAzBvS,QAAQC,IAAIC,eAA2CiG,IAAdwU,GAe3C/J,QAAQC,8HACmH/Q,EACvH2a,QAKCzM,gBAACy
M,OAAC9L,GAaO6D,MAAOmI,EAaw5F,IAAKa,eAGtD6F,EAaAF,EAawD,GAExBC,EAaUva,yBAA2BL,E
AAiB2a,OAE/CC,GCICHG,GAaw,kBAAMrM,EAaw6E,KCErByH,GAAC,CACzBhT,WAAAA,EACaUG,YAA
AA,ICmByB,eAAzBrO,QAAQC,IAAIC,UACS,oBAAduY,WACe,gBAAtBA,UAAUC,SAGV9H,QAAQC,KACN,
wNAOyB,eAAzB7Q,QAAQC,IAAIC,UAAASD,SAazBF,QAAQC,IAAIC,UAAyC,oBAAXU,SACrFA,OAaO,8BA
AgCA,OAaO,+BAaiC,EAeIC,IAAZCA,OAaO,+BAETgQ,QAAQC,KACN,4TAOJjQ,OAaO,+BAaiC" }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/dist/styled-components.esm.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components-  
primitives.cjs.js", "sources": [ "../src/utills/generateAlphabeticName.js", "../src/utills/hash.js", "../src/utills/generate  
ComponentId.js", "../src/utills/getComponentName.js", "../src/utills/isFunction.js", "../src/utills/isStatelessFunction  
.js", "../src/utills/isPlainObject.js", "../src/utills/isStyledComponent.js", "../src/constants.js", "../src/utills/empties.j  
s", "../src/utills/errors.js", "../src/utills/error.js", "../src/sheet/GroupedTag.js", "../src/sheet/GroupIDAllocator.js", "  
../src/sheet/Rehydration.js", "../src/utills/nonce.js", "../src/sheet/dom.js", "../src/sheet/Tag.js", "../src/sheet/She  
et.js", "../src/utills/stylisPluginInsertRule.js", "../src/utills/stylis.js", "../src/models/StyleSheetManager.js", "../src/  
models/Keyframes.js", "../src/utills/hyphenateStyleName.js", "../src/utills/addUnitIfNeeded.js", "../src/utills/flatten  
.js", "../src/vendor/postcss/warn-once.js", "../src/vendor/postcss/tokenize.js", "../src/vendor/postcss/terminal-  
highlight.js", "../src/vendor/postcss/css-syntax-  
error.js", "../src/vendor/postcss/stringifier.js", "../src/vendor/postcss/stringify.js", "../src/vendor/postcss/node.js", "  
../src/vendor/postcss/declaration.js", "../src/vendor/postcss/comment.js", "../src/vendor/postcss/parser.js", "../src/  
rc/vendor/postcss/parse.js", "../src/vendor/postcss/container.js", "../src/vendor/postcss/at-  
rule.js", "../src/vendor/postcss/list.js", "../src/vendor/postcss/rule.js", "../src/vendor/postcss/warning.js", "../src/v  
endor/postcss/result.js", "../src/vendor/postcss/lazy-  
result.js", "../src/vendor/postcss/processor.js", "../src/vendor/postcss/root.js", "../src/vendor/postcss/input.js", "../  
/src/vendor/postcss-safe-parser/safe-parser.js", "../src/vendor/postcss-safe-  
parser/parse.js", "../src/models/InlineStyle.js", "../src/utills/mixinDeep.js", "../src/utills/determineTheme.js", "../s  
rc/utills/isTag.js", "../src/utills/generateDisplayName.js", "../src/models/ThemeProvider.js", "../src/models/Styled  
NativeComponent.js", "../src/utills/interleave.js", "../src/constructors/css.js", "../src/constructors/constructWithOp  
tions.js", "../src/hoc/withTheme.js", "../src/hooks/useTheme.js", "../src/primitives/index.js"], "sourcesContent": ["/  
/  
@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)(g)(i);/n\n/* This is the \"capacity\" of  
our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts *\n\nconst charsLength = 52;\n\n/* start at  
75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\n\nconst getAlphabeticChar = (code: number): string  
=>\n  String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to  
base-52 *\n\nexport default function generateAlphabeticName(code: number): string {\n  let name = \"\";\n  let x;\n  /*  
get a char and  
divide by alphabet-length *\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name =  
getAlphabeticChar(x % charsLength) + name;\n  }\n  return (getAlphabeticChar(x % charsLength) +  
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n// @flow\n/* eslint-disable *\n\nexport const SEED =  
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that  
we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i =  
x.length;\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n  return h;\n};\n\n// This is a djb2 hashing  
function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n// @flow\n/* eslint-disable  
*\n\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport  
default (str: string): string => {\n  return generateAlphabeticName(hash(str) >>> 0);\n};\n\n// @flow\nimport  
type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n  target:  
$PropertyType<IStyledComponent, 'target'>): string {\n  return (\n    (process.env.NODE_ENV !== 'production' ?  
typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    // $FlowFixMe\n    target.name ||\n    'Component'\n  );\n};\n\n// @flow\nexport default function isFunction(test: any): boolean %checks
```

```

{\n return typeof test === 'function';\n}\n", "// @flow\nexport default function isStatelessFunction(test: any):
boolean {\n return (\n typeof test === 'function'\n && !(\n test.prototype\n &&
test.prototype.isReactComponent\n )\n );\n}\n", "// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x:
any): boolean =>\n x !== null &&\n typeof x === 'object' &&\n (x.toString ? x.toString() :
Object.prototype.toString.call(x)) === '[object Object]' &&\n !typeOf(x);\n", "// @flow\nexport default function
isStyledComponent(target:
any): boolean %checks {\n return target && typeOf target.styleComponentId === 'string';\n}\n", "//
@flow\nndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n (typeof process !== 'undefined' &&\n typeof process.env !== 'undefined' &&\n
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeOf
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n typeOf
SC_DISABLE_SPEEDY === 'boolean'\n ? SC_DISABLE_SPEEDY\n : typeOf process !== 'undefined' &&
typeof process.env !== 'undefined'\n ? typeOf process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'
&&\n process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n ?
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false'\n ? false\n : process.env.REACT_APP_SC_DISABLE_SPEEDY\n : typeOf
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n ?
process.env.SC_DISABLE_SPEEDY === 'false'\n ? false\n : process.env.SC_DISABLE_SPEEDY\n :
process.env.NODE_ENV !== 'production'\n : false\n);\n\n// Shared empty execution context when generating
static styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\nexport const EMPTY_ARRAY
= Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n", "export default {\n"1": "\nCannot create
styled-component for component: %s.\n\n",\n"2": "\nCan't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n- Are you accidentally calling collectStyles twice?\n\n",\n"3": "\nStreaming SSR
is only supported in a Node.js
environment; Please do not try to call this method in the browser.\n\n",\n"4": "\nThe `StyleSheetManager` expects a
valid target or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n- Does this error occur
on the server and is the sheet falsy?\n\n",\n"5": "\nThe clone method cannot be used on the client!\n\n- Are you
running in a client-like environment on the server?\n- Are you trying to run SSR on the client?\n\n",\n"6": "\nTrying
to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a custom target that isn't
mounted?\n- Does your document not have a valid head element?\n- Have you accidentally removed a style tag
manually?\n\n",\n"7": "\nThemeProvider: Please return an object from your `theme` prop function,
e.g.\n\n```\njs\ntheme={() => ({})}\n```\n\n",\n"8": "\nThemeProvider: Please make your `theme` prop an
object.\n\n",\n"9": "\nMissing document <head>\n\n",\n"10": "\nCannot find a StyleSheet
instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue
for how to troubleshoot and fix the common cases where this situation can happen:
https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n",\n"11": "\n_ This error was replaced
with a dev-time warning, it will be deleted for v4 final. _ [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n",\n"12": "\nIt seems you are interpolating
a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer
supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which
ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n",\n"13": "\n%s is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components
for more details.\n\n",\n"14": "\nThemeProvider: `theme` prop is required.\n\n",\n"15": "\nA stylis plugin has
been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between

```

different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g.

```

Object.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });

```

Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, as for instance in your render method then you may be running into this limitation. CSSStyleSheet could not be found on HTMLStyleElement. Has styled-components' style tag been unmounted or altered by another script?;

```

@flow
import errorMap from './errors';
const ERRORS = process.env.NODE_ENV !== 'production' ?
errorMap : { };
// ** super basic version of sprintf
function format(...args) {
  let a = args[0];
  const b = [];
  for (let c = 1, len = args.length; c < len; c += 1) {
    b.push(args[c]);
  }
  b.forEach(d => {
    a = a.replace(/%[a-z]/, d);
  });
  return a;
}
// ** Create an error file out of errors.md for development and a simple web link to the full errors
// in production mode.
export default function
throwStyledComponentsError(
  code: string | number,
  ...interpolations: Array<any>) {
  if (process.env.NODE_ENV === 'production') {
    throw new Error(`An error occurred. See https://git.io/JUIaE#${code} for more information.`);
  }
  const interpolationsLength = interpolations.length > 0 ? ` Args: ${interpolations.join(', ')} : ` : "";
  throw new Error(format(ERRORS[code], ...interpolations).trim());
}
}

@flow
// eslint-disable no-use-before-define
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';
// Create a GroupedTag with an underlying Tag implementation
export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}
const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group: number): void {
          if (group < this.length) {
            const length = this.groupSizes[group];
            const startIndex = this.indexOfGroup(group);
            const endIndex = startIndex + length;
            this.groupSizes[group] = 0;
            for (let i = startIndex; i < endIndex; i++) {
              this.tag.deleteRule(startIndex);
            }
          }
        }
        getGroup(group: number): string {
          let css = "";
          if (group >= this.length || this.groupSizes[group] === 0) {
            return css;
          }
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          for (let i = startIndex; i < endIndex; i++) {
            css += `${this.tag.getRule(i)}${SPLITTER}`;
          }
          return css;
        }
      }
    }
    @flow
    import throwStyledError from './utils/error';
    const MAX_SMI = 1 << 31 - 1;
    let groupIDRegister: Map<string, number> = new Map();
    let reverseRegister: Map<number, string> = new Map();
    let nextFreeGroup = 1;
    export const resetGroupIds = () => {
      groupIDRegister = new Map();
      reverseRegister = new Map();
      nextFreeGroup = 1;
    }
    export const getGroupForId = (id: string): number => {
      if (groupIDRegister.has(id)) {
        return (groupIDRegister.get(id): any);
      }
      while (reverseRegister.has(nextFreeGroup)) {
        nextFreeGroup++;
      }
      const group = nextFreeGroup++;
      if (process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI)) {
        throwStyledError(16, `${group}`);
      }
      groupIDRegister.set(id, group);
      reverseRegister.set(group, id);
      return group;
    }
    export const getIdForGroup = (group: number): void | string => {
      return reverseRegister.get(group);
    }
    export const

```

```

setGroupForId = (id: string, group: number) => {\n if (group >= nextFreeGroup) {\n nextFreeGroup = group +
1;\n }\n\n groupIDRegister.set(id, group);\n reverseRegister.set(group, id);\n};\n", "// @flow\n\nimport {
SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\n\nimport {
getIdForGroup, setGroupForId } from './GroupIDAllocator';\n\nimport type { Sheet } from './types';\n\nconst
SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`; \n\nconst MARKER_RE =
new RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id="(\\\\w\\\\d-)+)"\\\\.\\\\.*?("(\\\\^")*)`);\n\n\nexport
const outputSheet = (sheet: Sheet) => {\n const tag = sheet.getTag();\n const { length } = tag;\n\n let css =
";\n\n for (let group = 0; group < length; group++) {\n const id = getIdForGroup(group);\n if (id === undefined)
continue;\n\n const names = sheet.names.get(id);\n const rules = tag.getGroup(group);\n if (!names || !rules ||
!names.size) continue;\n\n const selector = `${SC_ATTR}.g${group}[id=${id}]`; \n\n let content =
";\n\n if (names !== undefined) {\n names.forEach(name => {\n if (name.length > 0) {\n content +=
`${name}, `;\n }\n });\n }\n\n // NOTE: It's easier to collect rules and have the marker\n // after the
actual rules to simplify the rehydration\n css += `${rules}${selector}{content: "${content}"}${SPLITTER}`;\n
}\n\n return css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n const
names = content.split(',');\n\n let name;\n\n for (let i = 0, l = names.length; i < l; i++) {\n // eslint-disable-next-line\n if ((name = names[i])
{\n sheet.registerName(id, name);\n }\n });\n\nconst rehydrateSheetFromTag = (sheet: Sheet, style:
HTMLStyleElement) => {\n const parts = (style.textContent || "").split(SPLITTER);\n const rules: string[] =
[];\n\n for (let i = 0, l = parts.length; i < l; i++) {\n const part = parts[i].trim();\n if (!part) continue;\n\n const marker =
part.match(MARKER_RE);\n\n if (marker) {\n const group = parseInt(marker[1], 10) | 0;\n const id =
marker[2];\n\n if (group !== 0) {\n // Rehydrate componentId to group index mapping\n
setGroupForId(id, group);\n // Rehydrate names and rules\n // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n rehydrateNamesFromContent(sheet, id, marker[3]);\n
sheet.getTag().insertRules(group, rules);\n }\n\n rules.length = 0;\n } else {\n
rules.push(part);\n }\n }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n const nodes =
document.querySelectorAll(SELECTOR);\n\n for (let i = 0, l = nodes.length; i < l; i++) {\n const node =
((nodes[i]: any): HTMLStyleElement);\n if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)
{\n rehydrateSheetFromTag(sheet, node);\n\n if (node.parentNode) {\n
node.parentNode.removeChild(node);\n }\n }\n }\n};\n", "// @flow\n\n/* eslint-disable camelcase, no-undef
*\n\ndeclare var __webpack_nonce__: string;\n\nconst getNonce = () => {\n return typeof __webpack_nonce__
!== 'undefined' ? __webpack_nonce__ : null;\n};\n\nexport default getNonce;\n", "// @flow\n\nimport { SC_ATTR,
SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\n\nimport getNonce from
'./utils/nonce';\n\nimport throwError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /*
Node.ELEMENT_TYPE */\n\n/** Find last style element if any inside target */\n\nconst
findLastStyleTag = (target: HTMLStyleElement): void | HTMLStyleElement => {\n const { childNodes } = target;\n\n
for (let i = childNodes.length; i >= 0; i--) {\n const child = ((childNodes[i]: any): ?HTMLStyleElement);\n if (child
&& child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n return ((child: any):
HTMLStyleElement);\n }\n }\n\n return undefined;\n};\n\n/** Create a style element inside `target` or <head>
after the last */\n\nexport const makeStyleTag = (target?: HTMLStyleElement): HTMLStyleElement => {\n const head =
((document.head: any): HTMLStyleElement);\n const parent = target || head;\n const style =
document.createElement('style');\n const prevStyle = findLastStyleTag(parent);\n const nextSibling = prevStyle
!== undefined ? prevStyle.nextSibling : null;\n\n style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n
style.setAttribute(SC_ATTR_VERSION, SC_VERSION);\n\n const nonce = getNonce();\n\n if (nonce)
style.setAttribute('nonce', nonce);\n\n parent.insertBefore(style,
nextSibling);\n\n return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style element */\n\nexport const
getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n if (tag.sheet) {\n return ((tag.sheet: any):
CSSStyleSheet);\n }\n\n // Avoid Firefox quirk where the style element might not have a sheet property\n const {
styleSheets } = document;\n\n for (let i = 0, l = styleSheets.length; i < l; i++) {\n const sheet = styleSheets[i];\n if

```

```

(sheet.ownerNode === tag) {\n    return ((sheet: any): CSSStyleSheet);\n  }\n }\n\n throwStyledError(17);\nreturn (undefined: any);;\n};\n", "// @flow\n/* eslint-disable no-use-before-define *\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/** Create a CSSStyleSheet-like tag depending on the environment *\nexport const makeTag = ({ isServer, useCSSOMInjection, target }: SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  } else if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n  }\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet: CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n    element.appendChild(document.createTextNode("));\n\n    this.sheet = getSheet(element);\n    this.length = 0;\n\n    insertRule(index: number, rule: string): boolean {\n      try {\n        this.sheet.insertRule(rule, index);\n        this.length++;\n        return true;\n      } catch (_error) {\n        return false;\n      }\n    }\n\n    deleteRule(index: number): void {\n      this.sheet.deleteRule(index);\n      this.length--;\n    }\n\n    getRule(index: number): string {\n      const rule = this.sheet.cssRules[index];\n\n      // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n      if (rule !== undefined && typeof rule.cssText === 'string') {\n        return rule.cssText;\n      } else {\n        return "";\n      }\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes *\nexport class TextTag implements Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes = element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode = this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    } else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if (index < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return "";\n    }\n  }\n}\n\n/**\nA completely virtual (server-side) Tag that doesn't manipulate the DOM *\nexport class VirtualTag implements Tag {\n  rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLElement) {\n    this.rules = [];\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n      this.rules.splice(index, 0, rule);\n      this.length++;\n      return true;\n    } else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if (index < this.length) {\n      return this.rules[index];\n    } else {\n      return "";\n    }\n  }\n}\n", "// @flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from './utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?: boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = {\n  [key: string]: number\n};\n\ntype NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n  isServer: !IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for stringification and caching *\nexport default class StyleSheet implements Sheet {\n  gs: GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server: boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index *\n  static registerId(id: string): number {\n    return getGroupForId(id);\n  }\n\n  constructor(\n    options: SheetConstructorArgs = EMPTY_OBJECT,\n    globalStyles?: GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n    this.options = {\n      ...defaultOptions,\n      ...options,\n    };\n\n    this.gs = globalStyles;\n    this.names = new Map(names);\n\n    this.server = !options.isServer;\n\n    // We rehydrate only once and use the sheet that is created first\n    if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n      SHOULD_REHYDRATE = false;\n      rehydrateSheet(this);\n    }\n  }\n\n  reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean =

```

```

true) {\n  return new StyleSheet(\n    { ...this.options, ...options },\n    this.gs,\n    (withNames && this.names) ||\n    undefined\n  );\n }\n\n allocateGSInstance(id: string) {\n  return (this.gs[id] = (this.gs[id] || 0) + 1);\n }\n\n /**\n Lazily initialises a GroupedTag for when it's actually needed *\n getTag(): GroupedTag {\n  return\n    this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n }\n\n /** Check whether a name is known for\n caching *\n hasNameForId(id: string, name: string): boolean {\n  return this.names.has(id) &&\n    (this.names.get(id): any).has(name);\n }\n\n /** Mark a group's name as known for caching *\n registerName(id:\n string, name: string) {\n  getGroupForId(id);\n\n  if (!this.names.has(id)) {\n    const groupNames = new Set();\n    groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n    (this.names.get(id):\n any).add(name);\n  }\n }\n\n /** Insert new rules which also marks the name as known *\n insertRules(id: string,\n name: string, rules: string[]) {\n  this.registerName(id, name);\n  this.getTag().insertRules(getGroupForId(id),\n rules);\n }\n\n /** Clears all cached names for a given group ID *\n clearNames(id: string) {\n  if\n    (this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n }\n\n /** Clears all rules for\n a given group ID *\n clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n  this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names *\n clearTag() {\n // NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output\n only new rules\n  this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR\n *\n toString(): string {\n  return outputSheet(this);\n }\n\n }"}\n\n /** MIT License\n *\n Copyright (c) 2016\n Sultan Tarimo\n *\n Permission is hereby granted, free of charge, to any person obtaining a copy of\n *\n this\n software and associated documentation files (the "Software"),\n *\n to deal in the Software without restriction,\n including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n *\n sell\n copies of the Software and to permit persons to whom the Software is furnished\n to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be\n included in all\n *\n copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED "AS\n IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n *\n OR IMPLIED INCLUDING BUT NOT LIMITED\n TO THE WARRANTIES OF MERCHANTABILITY,\n *\n FITNESS FOR A PARTICULAR PURPOSE AND\n NONINFRINGEMENT. IN NO EVENT SHALL THE\n *\n AUTHORS OR COPYRIGHT HOLDERS BE LIABLE\n FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n *\n WHETHER IN AN ACTION OF CONTRACT,\n TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n *\n IN CONNECTION WITH THE SOFTWARE OR\n THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n *\n */\n\n export default\n function(insertRule) {\n  const delimiter = '*/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      } catch (e) {\n        }\n      }\n\n    return function ruleSheet(\n      context,\n      content,\n      selectors,\n      parents,\n      line,\n      column,\n      length,\n      ns,\n      depth,\n      at\n    ) {\n      switch (context) {\n        //\n        property\n        case 1:\n          // @import\n          if (depth === 0 && content.charCodeAt(0) === 64) return\n            insertRule(`${content};`), "\n          break;\n          // selector\n          case 2:\n            if (ns === 0) return content +\n              delimiter;\n            break;\n          // at-rule\n          case 3:\n            switch (ns) {\n              // @font-face, @page\n              case\n              102:\n              case 112:\n                return insertRule(selectors[0] + content), "\n              default:\n                return content +\n                  (at === 0 ? delimiter : ");\n            }\n          case -2:\n            content.split(needle).forEach(toSheet);\n          }\n        }\n      }\n\n      "import Stylis from '@emotion/stylis';\n      import { type Stringifier } from './types';\n      import {\n        EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\n      import throwStyledError from './error';\n      import { phash,\n        SEED } from './hash';\n      import insertRulePlugin\n        from './stylisPluginInsertRule';\n      const COMMENT_REGEX = /^\\s*\\/\\/.*$/gm;\n      const\n        COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n      type StylisInstanceConstructorArgs = {\n        options?:\n        Object,\n        plugins?: Array<Function>,\n      };\n      export default function createStylisInstance({\n        options =\n        EMPTY_OBJECT,\n        plugins = EMPTY_ARRAY,\n      }: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n        const stylis = new Stylis(options);\n        // Wrap `insertRulePlugin` to build a list of rules,\n        // and then make our own\n        plugin to return the rules. This\n        // makes it easier to hook into the existing SSR architecture\n        let parsingRules =\n        [];\n        // eslint-disable-next-line consistent-return\n        const returnRulesPlugin = context => {\n          if (context === -2)

```

```

{\n  const parsedRules = parsingRules;\n  parsingRules = [];\n  return parsedRules;\n };\n\n const
parseRulesPlugin = insertRulePlugin(rule => {\n  parsingRules.push(rule);\n });\n\n let _componentId: string;\n
let _selector:
string;\n let _selectorRegExp: RegExp;\n let _consecutiveSelfRefRegExp: RegExp;\n\n const
selfReferenceReplacer = (match, offset, string) => {\n  if (\n    // do not replace the first occurrence if it is
complex (has a modifier)\n    (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n    // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegExp)\n  ) {\n    return `.${_componentId}`;\n  }\n\n  return match;\n
};\n\n /**\n * When writing a style like\n * \n * & + & {\n *   color: red;\n * }\n * \n * The second
ampersand should be a reference to the static component class. stylis\n * has no knowledge of static class so we
have to intelligently replace the base selector.\n * \n * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n * \"2\" means this plugin is taking effect
at the very end after all other processing is complete\n * \n const selfReferenceReplacementPlugin = (context, _,
selectors) => {\n  if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n    //
eslint-disable-next-line no-param-reassign\n    selectors[0] = selectors[0].replace(_selectorRegExp,
selfReferenceReplacer);\n  }\n};\n\n stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin,
returnRulesPlugin]);\n\n function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n  const
flatCSS = css.replace(COMMENT_REGEX, '');\n  const cssStr = selector && prefix ? `${prefix} ${selector} {
${flatCSS} }` : flatCSS;\n\n  // stylis has no concept of state to be passed to plugins\n  // but since JS is single-
threaded, we can rely on that to ensure\n  // these properties stay in sync with the current stylis run\n
_componentId = componentId;\n  _selector = selector;\n  _selectorRegExp = new RegExp(`\\${_selector}`,\n  'g');\n  _consecutiveSelfRefRegExp = new RegExp(`\\${_selector}`{2,});\n\n  return stylis(prefix ||
!selector ? " : selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n   .reduce((acc,
plugin) => {\n    if (!plugin.name) {\n      throwStyledError(15);\n    }\n\n    return phash(acc,
plugin.name);\n  }, SEED)\n   .toString()\n   : ";\n\n return stringifyRules;\n }\n\n\"// @flow\nimport React, {
type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';\nimport shallowequal from
'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier } from './types';\nimport
createStylisInstance from './utils/stylis';\n\ntype Props = {\n  children?: Node,\n  disableCSSOMInjection?:
boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?: StyleSheet,\n  stylisPlugins?: Array<Function>,\n  target?:
HTMLElement,\n};\n\nexport const StyleSheetContext: Context<StyleSheet
| void> = React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n  return
useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n  return
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n  const
[plugins, setPlugins] = useState(props.stylisPlugins);\n  const contextStyleSheet = useStyleSheet();\n  const
styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-
line prefer-destructuring\n      sheet = props.sheet;\n    } else if (props.target) {\n      sheet =
sheet.reconstructWithOptions({\n        target: props.target }, false);\n    }\n\n    if (props.disableCSSOMInjection) {\n      sheet =
sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n   <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n     ? React.Children.only(props.children)\n     : props.children}\n
)

```



```

</StylisContext.Provider>\n </StyleSheetContext.Provider>\n );\n}\n", "// @flow\nimport StyleSheet from
'../sheet';\nimport { type
Stringifier } from '../types';\nimport throwError from '../utils/error';\nimport { masterStylis } from
'./StyleSheetManager';\n\nexport default class Keyframes {\n id: string;\n\n name: string;\n\n rules: string;\n\n
constructor(name: string, rules: string) {\n this.name = name;\n this.id = `sc-keyframes-${name}`;\n this.rules
= rules;\n }\n\n inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n const
resolvedName = this.name + stylisInstance.hash;\n\n if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n
styleSheet.insertRules(\n this.id,\n resolvedName,\n stylisInstance(this.rules, resolvedName,
'@keyframes')\n );\n }\n }\n\n toString = () => {\n return throwError(12, String(this.name));\n };\n\n
getName(stylisInstance: Stringifier = masterStylis) {\n return this.name + stylisInstance.hash;\n }\n}\n", "//
@flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n
*\n\nconst uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < "background-
color"\n * > hyphenateStyleName('MozTransition')\n * < "-moz-transition"\n * >
hyphenateStyleName('msTransition')\n * < "-ms-transition"\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `-ms-`.\n * @param {string} string\n *
@return {string}\n */\nexport default function hyphenateStyleName(string: string): string {\n return
uppercaseCheck.test(string)\n ? string\n .replace(uppercasePattern, prefixAndLowerCase)\n .replace(msPattern,
'-ms-')\n : string;\n}\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value === null ||
typeof value === 'boolean' || value === "") {\n return "";\n }\n\n if (typeof value === 'number' && value !== 0 &&
!(name in unitless) && !name.startsWith('--')) {\n return `${value}px`; // Presumes implicit 'px' suffix for unitless
numbers except for CSS variables\n }\n\n return String(value).trim();\n}\n", "// @flow\nimport { isElement } from
'react-is';\nimport getComponentName from './getComponentName';\nimport isFunction from './isFunction';\nimport
isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport
isStyledComponent from './isStyledComponent';\nimport Keyframes from '../models/Keyframes';\nimport hyphenate
from './hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'../types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === "";\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n const rules = [];\n\n for (const key in obj) {\n if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n if ((Array.isArray(obj[key]) && obj[key].isCss) ||
isFunction(obj[key])) {\n rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n } else if (isPlainObject(obj[key]))
{\n rules.push(...objToCssArray(obj[key], key));\n } else {\n rules.push(`${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key])};`);\n }\n }\n\n return prevKey ? [`${prevKey} {`, ...rules, `}`]:
rules;\n}\n\nexport default function flatten(\n chunk: any,\n executionContext: ?Object,\n styleSheet:
?Object,\n stylisInstance: ?Stringifier\n): any {\n if (Array.isArray(chunk)) {\n const ruleSet = [];\n\n for (let i
= 0, len = chunk.length, result; i < len; i += 1) {\n result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n\n if (result === "") continue;\n\n else if (Array.isArray(result)) ruleSet.push(...result);\n
else ruleSet.push(result);\n }\n\n return ruleSet;\n }\n\n if (isFalsish(chunk)) {\n return "";\n }\n\n /* Handle other
components *\n if (isStyledComponent(chunk)) {\n return `.${chunk.styledComponentId}`;\n }\n\n /* Either
execute or defer the function *\n if (isFunction(chunk)) {\n if (isStatelessFunction(chunk) && executionContext)
{\n const result = chunk(executionContext);\n\n if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n // eslint-disable-next-line no-console\n console.warn(\n
`${getComponentName(\n chunk\n )} is not

```



```

break;\n\n case SINGLE_QUOTE:\n case DOUBLE_QUOTE:\n quote = code === SINGLE_QUOTE ?
\'" : \'";\n next = pos;\n do {\n escaped = false;\n next = css.indexOf(quote, next + 1);\n if
(next === -1) {\n if (ignore) {\n next = pos + 1;\n break;\n } else {\n
unclosed('quote');\n }\n }\n escapePos = next;\n while (css.charCodeAt(escapePos - 1) ===
BACKSLASH) {\n escapePos -= 1;\n escaped = !escaped;\n }\n } while (escaped);\n\n
content = css.slice(pos, next + 1);\n lines = content.split('\n');\n last = lines.length
- 1;\n\n if (last > 0) {\n nextLine = line + last;\n nextOffset = next - lines[last].length;\n } else
{\n nextLine = line;\n nextOffset = offset;\n }\n\n tokens.push([\n 'string',\n
css.slice(pos, next + 1),\n line,\n pos - offset,\n nextLine,\n next - nextOffset,\n
]);\n\n offset = nextOffset;\n line = nextLine;\n pos = next;\n break;\n\n case AT:\n
RE_AT_END.lastIndex = pos + 1;\n RE_AT_END.test(css);\n if (RE_AT_END.lastIndex === 0) {\n
next = css.length - 1;\n } else {\n next = RE_AT_END.lastIndex - 2;\n }\n tokens.push(['at-word',
css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n pos = next;\n break;\n\n case
BACKSLASH:\n next = pos;\n escape = true;\n while (css.charCodeAt(next + 1) === BACKSLASH)
{\n
next += 1;\n escape = !escape;\n }\n code = css.charCodeAt(next + 1);\n if (\n escape
&&\n (code !== SLASH &&\n code !== SPACE &&\n code !== NEWLINE &&\n code
!== TAB &&\n code !== CR &&\n code !== FEED)\n ) {\n next += 1;\n }\n
tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n pos = next;\n
break;\n\n default:\n if (code === SLASH && css.charCodeAt(pos + 1) === ASTERISK) {\n next =
css.indexOf('*/', pos + 2) + 1;\n if (next === 0) {\n if (ignore) {\n next = css.length;\n }
else {\n unclosed('comment');\n }\n }\n\n content = css.slice(pos, next + 1);\n lines =
content.split('\n');\n last = lines.length - 1;\n\n if (last > 0) {\n nextLine = line + last;\n
nextOffset = next - lines[last].length;\n } else {\n nextLine = line;\n nextOffset = offset;\n
}\n\n tokens.push(['comment', content, line, pos - offset, nextLine, next - nextOffset]);\n\n offset =
nextOffset;\n line = nextLine;\n pos = next;\n } else {\n RE_WORD_END.lastIndex = pos +
1;\n RE_WORD_END.test(css);\n if (RE_WORD_END.lastIndex === 0) {\n next = css.length -
1;\n } else {\n next = RE_WORD_END.lastIndex - 2;\n }\n\n tokens.push(['word',
css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n pos = next;\n }\n\n break;\n }\n\n
pos++;\n }\n\n return tokens;\n }\n\n", "/* @flow\nimport tokenize from './tokenize';\nimport Input from
'/input';\n\nconst HIGHLIGHT_THEME = {\n brackets: [36, 39], // cyan\n string: [31, 39], // red\n 'at-word': [31,
39], // red\n
comment: [90, 39], // gray\n ' ': [32, 39], // green\n ' ': [32, 39], // green\n ': [1, 22], // bold\n ' ': [1, 22], // bold\n
'(: [1, 22], // bold\n ')': [1, 22], // bold\n};\n\nfunction code(color) {\n return `\\u001b[${color}m`;\n }\n\nfunction
terminalHighlight(css) {\n const tokens = tokenize(new Input(css), { ignoreErrors: true });\n const result = [];\n
tokens.forEach(token => {\n const color = HIGHLIGHT_THEME[token[0]]; \n if (color) {\n result.push(\n
token[1]\n .split(/\\r?\\n/)\n .map(i => code(color[0]) + i + code(color[1]))\n .join("\\n")\n );\n
} else {\n result.push(token[1]);\n }\n });\n return result.join("");\n }\n\n\nexport default terminalHighlight;\n", "/*
@flow\nimport supportsColor from 'supports-color';\nimport terminalHighlight from './terminal-highlight';\nimport warnOnce from './warn-once';\n\n/**\n * The CSS parser throws this error for broken CSS.\n *\n * Custom parsers can throw this error
for broken custom syntax using\n * the {@link Node#error} method.\n *\n * PostCSS will use the input source map
to detect the original error location.\n *\n * If you wrote a Sass file, compiled it to CSS and then parsed it with
PostCSS,\n *\n * PostCSS will show the original position in the Sass file.\n *\n * If you need the position in the
PostCSS input\n * (e.g., to debug the previous compiler), use `error.input.file`.\n *\n * @example\n * // Catching
and checking syntax error\n * try {\n * postcss.parse('a')\n * } catch (error) {\n * if (error.name ===
'CssSyntaxError') {\n * error //=> CssSyntaxError\n * }\n * }\n *\n * @example\n * // Raising error from
plugin\n * throw node.error('Unknown variable', { plugin: 'postcss-vars' });\n */\n\n *

```

```

@param {string} message - error message\n * @param {number} [line] - source line of the error\n * @param
{number} [column] - source column of the error\n * @param {string} [source] - source code
of the broken file\n * @param {string} [file] - absolute path to the broken file\n * @param {string} [plugin] -
PostCSS plugin name, if error came from plugin\n */\n constructor(message, line, column, source, file, plugin) {\n
/**\n * @member {string} - Always equal to `CssSyntaxError`. You should\n * always check
error type\n * by `error.name === 'CssSyntaxError'` instead of\n * `error instanceof
CssSyntaxError`, because\n * npm could have several PostCSS versions.\n *\n * @example\n
* if ( error.name === 'CssSyntaxError' ) {\n * error //=> CssSyntaxError\n * }\n */\n this.name =
'CssSyntaxError';\n /**\n * @member {string} - Error message.\n *\n * @example\n
* error.message
//=> 'Unclosed block'\n */\n this.reason = message;\n\n if (file) {\n /**\n * @member {string} -
Absolute path to the broken file.\n *\n * @example\n
* error.file //=> 'a.sass'\n * error.input.file //=> 'a.css'\n */\n this.file =
file;\n }\n if (source) {\n /**\n * @member {string} - Source code of the broken file.\n *\n *
@example\n
* error.source //=> 'a { b {} }'\n * error.input.column //=> 'a b { }'\n */\n this.source
= source;\n }\n if (plugin) {\n /**\n * @member {string} - Plugin name, if error came from plugin.\n
*\n * @example\n
* error.plugin //=> 'postcss-vars'\n */\n this.plugin = plugin;\n }\n if (typeof
line !== 'undefined' && typeof column !== 'undefined') {\n /**\n * @member {number} - Source line of the
error.\n *\n * @example\n
* error.line //=> 2\n * error.input.line //=> 4\n */\n this.line =
line;\n /**\n * @member {number} - Source column of the error.\n *\n * @example\n
* error.column //=> 1\n * error.input.column //=> 4\n */\n this.column = column;\n }\n\n
this.setMessage();\n\n if (Error.captureStackTrace) {\n Error.captureStackTrace(this, CssSyntaxError);\n }\n
}\n\n setMessage() {\n /**\n * @member {string} - Full error text in the GNU error format\n *
with plugin, file, line and column.\n *\n * @example\n
* error.message //=> 'a.css:1:1: Unclosed block'\n
*/\n this.message = this.plugin ? `${this.plugin}: ` : ` `;\n this.message += this.file ? this.file : '<css input>';\n if
(typeof this.line !== 'undefined') {\n this.message += `:${this.line}:${this.column}`;\n }\n this.message += `:
${this.reason}`;\n }\n\n /**\n * Returns a few lines of CSS source that caused the error.\n *\n * If the CSS has
an input source map without `sourceContent`,\n * this method will return an empty string.\n *\n * @param
{boolean} [color] whether arrow
will be colored red by terminal\n * color codes. By default, PostCSS will detect\n *
color support by `process.stdout.isTTY`\n * and `process.env.NODE_DISABLE_COLORS`.\n
*\n * @example\n
* error.showSourceCode() //=> |\n * // 5 | a {\n * //\n * // 6 | bad\n * // | ^\n * // 7 | }\n * // 8 | b {\n *
}\n\n @return {string} few lines of CSS source that caused the error\n */\n showSourceCode(color) {\n if
(!this.source) return ` `;\n\n let css = this.source;\n if (typeof color === 'undefined') color = supportsColor;\n if
(color) css = terminalHighlight(css);\n\n const lines = css.split(/\\r?\\n/);\n const start = Math.max(this.line - 3,
0);\n const end = Math.min(this.line + 2, lines.length);\n\n const maxWidth = String(end).length;\n\n return lines
.slice(start, end)\n .map((line, index) => {\n const number = start + 1 + index;\n const
padded = `${number}`.slice(-maxWidth);\n const gutter = `${padded} | `;\n if (number === this.line) {\n
const spacing =\n gutter.replace(/\\d/g, ' ') + line.slice(0, this.column - 1).replace(/[^\\t]/g, ' ');\n
return `>${gutter}${line}\\n ${spacing}^`;\n } else {\n return `${gutter}${line}`;\n }\n })\n
.join("\\n");\n }\n\n /**\n * Returns error position, message and source code of the broken part.\n *\n *
@example\n
* error.toString() //=> `CssSyntaxError: app.css:1:1: Unclosed block\n * // > 1 | a {\n
* // | ^\n *
}\n\n @return {string} error position, message and source code\n */\n toString() {\n
let code = this.showSourceCode();\n if (code) {\n code = `\\n\\n${code}\\n`;\n }\n\n return `${this.name}:
${this.message}${code}`;\n }\n\n get generated() {\n warnOnce('CssSyntaxError#generated is deprecated. Use input
instead.);\n return this.input;\n }\n\n /**\n *
@memberof CssSyntaxError#\n * @member {Input} input - Input object with PostCSS internal information\n *
about input file. If input has source map\n * from previous tool, PostCSS will use

```

```

origin\n *          (for example, Sass) source. You can use this\n *          object to get PostCSS
input source.\n * \n * @example\n * error.input.file //=> 'a.css'\n * error.file //=> 'a.sass'\n * /\n\nexport
default CssSyntaxError;\n", "// @flow\n/* eslint-disable valid-jsdoc */\n\nconst defaultRaw = {\n  colon: ':',\n  indent: ' ',\n  beforeDecl: '\\n',\n  beforeRule: '\\n',\n  beforeOpen: ' ',\n  beforeClose: '\\n',\n  beforeComment: '\\n',\n  after: '\\n',\n  emptyBody: '',\n  commentLeft: ' ',\n  commentRight: ' ',\n};\n\nfunction capitalize(str) {\n  return str[0].toUpperCase() + str.slice(1);\n}\n\nclass
Stringifier {\n  constructor(builder) {\n    this.builder = builder;\n  }\n\n  stringify(node, semicolon) {\n    this[node.type](node, semicolon);\n  }\n\n  root(node) {\n    this.body(node);\n    if (node.raws.after)
this.builder(node.raws.after);\n  }\n\n  comment(node) {\n    const left = this.raw(node, 'left', 'commentLeft');\n    const right = this.raw(node, 'right', 'commentRight');\n    this.builder(`${left}${node.text}${right}`, node);\n  }\n\n  decl(node, semicolon) {\n    const between = this.raw(node, 'between', 'colon');\n    let string = node.prop +
between + this.rawValue(node, 'value');\n\n    if (node.important) {\n      string += node.raws.important || '
!important';\n    }\n\n    if (semicolon) string += ';\n';\n    this.builder(string, node);\n  }\n\n  rule(node) {\n    this.block(node, this.rawValue(node, 'selector'));\n  }\n\n  atrule(node, semicolon)
{\n    let name = `@${node.name}`;\n    const params = node.params ? this.rawValue(node, 'params') : '';\n\n    if
(typeof node.raws.afterName !== 'undefined') {\n      name += node.raws.afterName;\n    } else if (params) {\n      name += ' ';\n    }\n\n    if (node.nodes) {\n      this.block(node, name + params);\n    } else {\n      const end =
(node.raws.between || '') + (semicolon ? ';' : '');\n      this.builder(name + params + end, node);\n    }\n\n    body(node) {\n      let last = node.nodes.length - 1;\n      while (last > 0) {\n        if (node.nodes[last].type !== 'comment')
break;\n        last -= 1;\n      }\n\n      const semicolon = this.raw(node, 'semicolon');\n      for (let i = 0; i <
node.nodes.length; i++) {\n        const child = node.nodes[i];\n        const before = this.raw(child, 'before');\n        if
(before) this.builder(before);\n        this.stringify(child, last !== i || semicolon);\n      }\n    }\n\n    block(node, start) {\n      const between = this.raw(node, 'between', 'beforeOpen');\n\n      this.builder(`${start + between}`, node, 'start');\n\n      let after;\n      if (node.nodes && node.nodes.length) {\n        this.body(node);\n        after = this.raw(node, 'after');\n      } else {\n        after = this.raw(node, 'after', 'emptyBody');\n      }\n\n      if (after) this.builder(after);\n      this.builder('}', node, 'end');\n    }\n\n    raw(node, own, detect) {\n      let value;\n      if (!detect) detect = own;\n\n      // Already had\n      if (own) {\n        value = node.raws[own];\n        if (typeof value
!== 'undefined') return value;\n      }\n\n      const parent = node.parent;\n\n      // Hack for first rule in CSS\n      if (detect
=== 'before') {\n        if (!parent || (parent.type === 'root' && parent.first === node)) {\n          return '';\n        }\n      }\n\n      // Floating child without parent\n      if (!parent) return defaultRaw[detect];\n\n      // Detect style by other nodes\n      const root = node.root();\n      if (!root.rawCache) root.rawCache = {};\n      if (typeof root.rawCache[detect]
!== 'undefined') {\n        return root.rawCache[detect];\n      }\n\n      if (detect === 'before' || detect === 'after') {\n        return this.beforeAfter(node, detect);\n      } else {\n        const method = `raw${capitalize(detect)}`;\n        if
(this[method]) {\n          value = this[method](root, node);\n        } else {\n          root.walk(i => {\n            value =
i.raws[own];\n            if (typeof value !== 'undefined') return false;\n          });\n        }\n\n        if (typeof value ===
'undefined') value = defaultRaw[detect];\n\n        root.rawCache[detect] = value;\n        return value;\n      }\n\n      rawSemicolon(root) {\n        let value;\n        root.walk(i => {\n          if (i.nodes && i.nodes.length && i.last.type ===
'decl') {\n            value = i.raws.semicolon;\n            if (typeof value !== 'undefined') return false;\n          }\n        });\n        return
value;\n      }\n\n      rawEmptyBody(root) {\n        let value;\n        root.walk(i => {\n          if (i.nodes && i.nodes.length === 0)
{\n            value = i.raws.after;\n\n            if (typeof value !== 'undefined') return false;\n          }\n        });\n        return value;\n      }\n\n      rawIndent(root) {\n        if
(root.raws.indent) return root.raws.indent;\n        let value;\n        root.walk(i => {\n          const p = i.parent;\n          if (p && p
!== root && p.parent && p.parent === root) {\n            if (typeof i.raws.before !== 'undefined') {\n              const parts =
i.raws.before.split('\\n');\n              value = parts[parts.length - 1];\n              value = value.replace(/[\^\\s]/g, '');\n            }\n            return false;\n          }\n        });\n        return value;\n      }\n\n      rawBeforeComment(root, node) {\n        let value;\n        root.walkComments(i => {\n          if (typeof i.raws.before !== 'undefined') {\n            value = i.raws.before;\n            if
(value.indexOf('\\n') !== -1) {\n              value = value.replace(/[\^\\n]+$/, '');\n            }\n            return false;\n          }\n        });\n        if (typeof value === 'undefined') {\n          value = this.raw(node, null, 'beforeDecl');\n        }\n      }\n    }\n  }\n}

```

```

return value;\n }\n\n rawBeforeDecl(root, node) {\n let value;\n root.walkDecls(i => {\n if (typeof
i.rows.before !== 'undefined') {\n value = i.rows.before;\n if (value.indexOf('\n') !== -1) {\n value =
value.replace(/[\n]+$/, '');\n }\n return false;\n };\n if (typeof value === 'undefined') {\n
value = this.raw(node, null, 'beforeRule');\n }\n return value;\n }\n\n rawBeforeRule(root) {\n let value;\n
root.walk(i => {\n if (i.nodes && (i.parent !== root || root.first !== i)) {\n if (typeof i.rows.before !==
'undefined') {\n value = i.rows.before;\n if (value.indexOf('\n') !== -1) {\n value =
value.replace(/[\n]+$/, '');\n }\n return false;\n }\n }\n });\n return value;\n }\n\n
rawBeforeClose(root) {\n let value;\n root.walk(i => {\n if (i.nodes && i.nodes.length > 0) {\n if (typeof
i.rows.after !==
'undefined') {\n value = i.rows.after;\n if (value.indexOf('\n') !== -1) {\n value =
value.replace(/[\n]+$/, '');\n }\n return false;\n }\n }\n });\n return value;\n }\n\n
rawBeforeOpen(root) {\n let value;\n root.walk(i => {\n if (i.type !== 'decl') {\n value =
i.rows.between;\n if (typeof value !== 'undefined') return false;\n }\n });\n return value;\n }\n\n
rawColon(root) {\n let value;\n root.walkDecls(i => {\n if (typeof i.rows.between !== 'undefined') {\n
value = i.rows.between.replace(/[\s:]/g, '');\n return false;\n }\n });\n return value;\n }\n\n
beforeAfter(node, detect) {\n let value;\n if (node.type === 'decl') {\n value = this.raw(node, null,
'beforeDecl');\n } else if (node.type === 'comment') {\n value = this.raw(node, null, 'beforeComment');\n }
else if (detect === 'before') {\n value = this.raw(node,
null, 'beforeRule');\n } else {\n value = this.raw(node, null, 'beforeClose');\n }\n\n let buf = node.parent;\n
let depth = 0;\n while (buf && buf.type !== 'root') {\n depth += 1;\n buf = buf.parent;\n }\n\n if
(value.indexOf('\n') !== -1) {\n const indent = this.raw(node, null, 'indent');\n if (indent.length) {\n for
(let step = 0; step < depth; step++) value += indent;\n }\n }\n\n return value;\n }\n\n rawValue(node, prop)
{\n const value = node[prop];\n const raw = node.rows[prop];\n if (raw && raw.value === value) {\n return
raw.raw;\n } else {\n return value;\n }\n }\n\n\nexport default Stringifier;\n"/ @flow\nimport Stringifier
from './stringifier';\n\nexport default function stringify(node, builder) {\n const str = new Stringifier(builder);\n
str.stringify(node);\n}\n"/ @flow\nimport CssSyntaxError from './css-syntax-error';\nimport Stringifier from
'./stringifier';\nimport
stringify from './stringify';\nimport warnOnce from './warn-once';\n\n/**\n * @typedef {object} position\n *
@property {number} line - source line in file\n * @property {number} column - source column in file\n
*\n *\n * @typedef {object} source\n * @property {Input} input - {@link Input} with input file\n *
@property {position} start - The starting position of the node's source\n * @property {position} end - The ending
position of the node's source\n *\n\nconst cloneNode = function(obj, parent) {\n const cloned = new
obj.constructor();\n\n for (const i in obj) {\n if (!obj.hasOwnProperty(i)) continue;\n let value = obj[i];\n const
type = typeof value;\n\n if (i === 'parent' && type === 'object') {\n if (parent) cloned[i] = parent;\n } else if (i
=== 'source') {\n cloned[i] = value;\n } else if (value instanceof Array) {\n cloned[i] = value.map(j =>
cloneNode(j, cloned));\n } else if (i !== 'before' && i !== 'after' && i !== 'between'
&& i !== 'semicolon') {\n if (type === 'object' && value !== null) value = cloneNode(value);\n cloned[i] =
value;\n }\n }\n\n return cloned;\n};\n\n/**\n * All node classes inherit the following common methods.\n *\n
*\n * @abstract\n *\n\nclass Node {\n /**\n * @param {object} [defaults] - value for node properties\n *\n
*\n constructor(defaults = {}) {\n this.rows = {};\n for (const name in defaults) {\n this[name] =
defaults[name];\n }\n }\n\n /**\n * Returns a CssSyntaxError instance containing the original position\n * of
the node in the source, showing line and column numbers and also\n * a small excerpt to facilitate debugging.\n
*\n * If present, an input source map will be used to get the original position\n * of the source, even from a
previous compilation step\n * (e.g., from Sass compilation).\n *\n * This method produces very useful error
messages.\n *\n * @param {string} message - error description\n * @param {object}
[opts] - options\n * @param {string} opts.plugin - plugin name that created this error.\n *
*\n PostCSS will set it automatically.\n * @param {string} opts.word - a word inside a node's string that should\n *
be highlighted as the source of the error\n * @param {number} opts.index - an index inside a

```

```

node's string that should\n *
                                be highlighted as the source of the error\n * \n * @return
{CssSyntaxError} error object to throw it\n * \n * @example\n * if ( !variables[name] ) {\n * throw
decl.error('Unknown variable ' + name, { word: name });\n * // CssSyntaxError: postcss-vars:a.sass:4:3: Unknown
variable $black\n * // color: $black\n * // a\n * //      ^\n * // background: white\n * }\n * \n
error(message, opts = {}) {\n if (this.source) {\n const pos = this.positionBy(opts);\n return
this.source.input.error(message, pos.line,
pos.column, opts);\n } else {\n return new CssSyntaxError(message);\n } }\n\n /**\n * This method is
provided as a convenience wrapper for {@link Result#warn}.\n * \n * @param {Result} result - the {@link
Result} instance\n *
                                that will receive the warning\n * @param {string} text - warning
message\n * @param {object} [opts] - options\n * @param {string} opts.plugin - plugin name that created this
warning.\n *
                                PostCSS will set it automatically.\n * @param {string} opts.word - a word
inside a node's string that should\n *
                                be highlighted as the source of the warning\n * @param
{number} opts.index - an index inside a node's string that should\n *
                                be highlighted as the
source of the warning\n * \n * @return {Warning} created warning object\n * \n * @example\n * const plugin
= postcss.plugin('postcss-deprecated',
() => {\n * return (root, result) => {\n * root.walkDecls('bad', decl => {\n * decl.warn(result, 'Deprecated
property bad');\n * });\n * });\n * }\n * \n * warn(result, text, opts) {\n const data = { node: this };
for
(const i in opts) data[i] = opts[i];\n return result.warn(text, data);\n }\n\n /**\n * Removes the node from its
parent and cleans the parent properties\n * from the node and its children.\n * \n * @example\n * if (
decl.prop.match(/^-webkit-/)) {\n * decl.remove();\n * }\n * \n * @return {Node} node to make calls chain\n
*\n * remove() {\n if (this.parent) {\n this.parent.removeChild(this);\n }\n this.parent = undefined;\n return
this;\n }\n\n /**\n * Returns a CSS string representing the node.\n * \n * @param {stringifier|syntax}
[stringifier] - a syntax to use\n *
                                in string generation\n * \n * @return {string} CSS
string
of this node\n * \n * @example\n * postcss.rule({ selector: 'a' }).toString() // => \"a {\n * \n
toString(stringifier = stringify) {\n if (stringifier.stringify) stringifier = stringifier.stringify;\n let result =
;\n stringifier(this, i => {\n result += i;\n });\n return result;\n }\n\n /**\n * Returns a clone of the node.\n * \n
* The resulting cloned node and its (cloned) children will have\n * a clean parent and code style properties.\n * \n
* @param {object} [overrides] - new properties to override in the clone.\n * \n * @example\n * const cloned =
decl.clone({ prop: '-moz-' + decl.prop });\n * cloned.raws.before // => undefined\n * cloned.parent // =>
undefined\n * cloned.toString() // => -moz-transform: scale(0)\n * \n * @return {Node} clone of the node\n
*\n * clone(overrides = {}) {\n const cloned = cloneNode(this);\n for (const name in overrides) {\n
cloned[name] = overrides[name];\n }\n return
cloned;\n }\n\n /**\n * Shortcut to clone the node and insert the resulting cloned node\n * before the current
node.\n * \n * @param {object} [overrides] - new properties to override in the clone.\n * \n * @example\n *
decl.cloneBefore({ prop: '-moz-' + decl.prop });\n * \n * @return {Node} - new node\n * \n
cloneBefore(overrides = {}) {\n const cloned = this.clone(overrides);\n this.parent.insertBefore(this, cloned);\n
return cloned;\n }\n\n /**\n * Shortcut to clone the node and insert the resulting cloned node\n * after the current
node.\n * \n * @param {object} [overrides] - new properties to override in the clone.\n * \n * @return {Node} -
new node\n * \n cloneAfter(overrides = {}) {\n const cloned = this.clone(overrides);\n
this.parent.insertAfter(this, cloned);\n return cloned;\n }\n\n /**\n * Inserts node(s) before the current node and
removes the current node.\n * \n * @param {...Node} nodes - node(s) to replace current
one\n * \n * @example\n * if ( atrule.name == 'mixin' ) {\n *
atrule.replaceWith(mixinRules[atrule.params]);\n * }\n * \n * @return {Node} current node to methods chain\n
*\n * replaceWith(...nodes) {\n if (this.parent) {\n nodes.forEach(node => {\n this.parent.insertBefore(this,
node);\n });\n this.remove();\n }\n return this;\n }\n\n /**\n * Removes the node from its current
parent and inserts it\n * at the end of `newParent`.\n * \n * This will clean the `before` and `after` code {@link
Node#raws} data\n * from the node and replace them with the indentation style of `newParent`.\n * It will also

```

```

clean the `between` property\n * if `newParent` is in another {@link Root}.\n * \n * @param {Container}
newParent - container node where the current node\n * \n * \n * will be moved\n * \n * @example\n
* atrule.moveTo(atrule.root());\n * \n * @return {Node} current node to methods chain\n
*/\n moveTo(newParent) {\n this.cleanRaws(this.root() === newParent.root());\n this.remove();\n
newParent.append(this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it
into\n * a new parent before `otherNode`.\n * \n * This will also clean the node's code style properties just as it
would\n * in {@link Node#moveTo}.\n * \n * @param {Node} otherNode - node that will be before current
node\n * \n * @return {Node} current node to methods chain\n */\n moveBefore(otherNode) {\n
this.cleanRaws(this.root() === otherNode.root());\n this.remove();\n otherNode.parent.insertBefore(otherNode,
this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it into\n * a new parent
after `otherNode`.\n * \n * This will also clean the node's code style properties just as it would\n * in {@link
Node#moveTo}.\n * \n * @param {Node} otherNode - node that will be after current node\n
*\n * @return {Node} current node to methods chain\n */\n moveAfter(otherNode) {\n
this.cleanRaws(this.root() === otherNode.root());\n this.remove();\n otherNode.parent.insertAfter(otherNode,
this);\n return this;\n }\n\n /**\n * Returns the next child of the node's parent.\n * Returns `undefined` if the
current node is the last child.\n * \n * @return {Node|undefined} next node\n * \n * @example\n * if (
comment.text === 'delete next') {\n * const next = comment.next();\n * if (next) {\n * next.remove();\n *
}\n * }\n */\n next() {\n const index = this.parent.index(this);\n return this.parent.nodes[index + 1];\n }\n\n
/**\n * Returns the previous child of the node's parent.\n * Returns `undefined` if the current node is the first
child.\n * \n * @return {Node|undefined} previous node\n * \n * @example\n * const annotation =
decl.prev();\n * if (annotation.type === 'comment') {\n * readAnnotation(annotation.text);\n
*\n * }\n */\n prev() {\n const index = this.parent.index(this);\n return this.parent.nodes[index - 1];\n }\n\n
toJSON() {\n const fixed = {};\n\n for (const name in this) {\n if (!this.hasOwnProperty(name)) continue;\n
if (name === 'parent') continue;\n const value = this[name];\n\n if (value instanceof Array) {\n
fixed[name] = value.map(i => {\n if (typeof i === 'object' && i.toJSON) {\n return i.toJSON();\n
}\n } else {\n return i;\n });\n } else if (typeof value === 'object' && value.toJSON) {\n
fixed[name] = value.toJSON();\n } else {\n fixed[name] = value;\n }\n }\n\n return fixed;\n }\n\n
/**\n * Returns a {@link Node#raws} value. If the node is missing\n * the code style property (because the node
was manually built or cloned),\n * PostCSS will try to autodetect the code style property by looking\n * at other
nodes in
the tree.\n * \n * @param {string} prop - name of code style property\n * @param {string} [defaultType] -
name of default value, it can be missed\n * \n * \n * if the value is the same as prop\n * \n *
@example\n * const root = postcss.parse('a { background: white }');\n * root.nodes[0].append({ prop: 'color',
value: 'black' });\n * root.nodes[0].nodes[1].raws.before //=> undefined\n * root.nodes[0].nodes[1].raw('before')
//=> '\n * \n * @return {string} code style value\n */\n raw(prop, defaultType) {\n const str = new
Stringifier();\n return str.raw(this, prop, defaultType);\n }\n\n /**\n * Finds the Root instance of the node's
tree.\n * \n * @example\n * root.nodes[0].nodes[0].root() === root\n * \n * @return {Root} root parent\n */\n
root() {\n let result = this;\n while (result.parent) result = result.parent;\n return result;\n }\n\n
cleanRaws(keepBetween) {\n delete this.raws.before;\n
delete this.raws.after;\n if (!keepBetween) delete this.raws.between;\n }\n\n positionInside(index) {\n const
string = this.toString();\n let column = this.source.start.column;\n let line = this.source.start.line;\n\n for (let i =
0; i < index; i++) {\n if (string[i] === '\\n') {\n column = 1;\n line += 1;\n } else {\n column +=
1;\n }\n }\n }\n\n return { line, column };\n }\n\n positionBy(opts) {\n let pos = this.source.start;\n if
(opts.index) {\n pos = this.positionInside(opts.index);\n } else if (opts.word) {\n const index =
this.toString().indexOf(opts.word);\n if (index !== -1) pos = this.positionInside(index);\n }\n return pos;\n
}\n\n removeSelf() {\n warnOnce('Node#removeSelf is deprecated. Use Node#remove.);\n return
this.remove();\n }\n\n replace(nodes) {\n warnOnce('Node#replace is deprecated. Use Node#replaceWith.);\n
return this.replaceWith(nodes);\n }\n\n style(own,

```



```

detect) {\n  warnOnce('Node#style() is deprecated. Use Node#raw()');\n  return this.raw(own, detect);\n }\n\n
cleanStyles(keepBetween) {\n  warnOnce('Node#cleanStyles() is deprecated. Use Node#cleanRaws()');\n  return
this.cleanRaws(keepBetween);\n }\n\n
get before() {\n  warnOnce('Node#before is deprecated. Use
Node#raws.before');\n  return this.raws.before;\n }\n\n
set before(val) {\n  warnOnce('Node#before is
deprecated. Use Node#raws.before');\n  this.raws.before = val;\n }\n\n
get between() {\n
warnOnce('Node#between is deprecated. Use Node#raws.between');\n  return this.raws.between;\n }\n\n
set
between(val) {\n  warnOnce('Node#between is deprecated. Use Node#raws.between');\n  this.raws.between =
val;\n }\n\n
/**\n * @memberof Node#\n * @member {string} type - String representing the node's type.\n *
Possible values are `root`, `atrule`, `rule`,\n * `decl`, or `comment`.\n *\n *
@example\n * postcss.decl({ prop: 'color', value: 'black' }).type //=> 'decl'\n *\n * @memberof
Node#\n * @member {Container} parent - the node's parent node.\n *\n * @example\n * root.nodes[0].parent
== root;\n *\n * @memberof Node#\n * @member {source} source - the input source of the node\n
*\n * The property is used in source map generation.\n *\n * If you create a node manually (e.g., with
`postcss.decl()`),\n * that node will not have a `source` property and will be absent\n * from the source
map. For this reason, the plugin developer should\n * consider cloning nodes to create new ones (in which case the new
node's\n * source will reference the original, cloned node) or setting\n * the `source` property manually.\n *\n
* `js\n * // Bad\n * const prefixed = postcss.decl({\n *   prop: '-moz-' + decl.prop,\n *   value: decl.value\n *
});\n *\n * // Good\n * const prefixed = decl.clone({ prop: '-moz-' +
decl.prop });\n *\n * `js\n * if ( atrule.name === 'add-link' ) {\n *   const rule = postcss.rule({ selector:
'a', source: atrule.source });\n *   atrule.parent.insertBefore(atrule, rule);\n * }\n *\n * @example\n *
decl.source.input.from //=> '/home/ai/a.sass'\n * decl.source.start //=> { line: 10, column: 2 }\n *
decl.source.end //=> { line: 10, column: 12 }\n *\n * @memberof Node#\n * @member {object}
raws - Information to generate byte-to-byte equal\n * node string as it was in the origin input.\n *\n
* Every parser saves its own properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space
symbols before the node. It also stores `*\n * and `_` symbols before the declaration (IE hack).\n * * `after`: the
space symbols after the last child of the node\n * to the end of the node.\n * * `between`: the symbols between
the property and value\n * for
declarations, selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n * * `semicolon`: contains true
if the last child has\n * an (optional) semicolon.\n * * `afterName`: the space between the at-rule name and its
parameters.\n * * `left`: the space symbols between `/*` and the comment's text.\n * * `right`: the space symbols
between the comment's text\n * and <code>*&#47;</code>.\n * * `important`: the content of the important
statement,\n * if it is not just `!important`.\n *\n * PostCSS cleans selectors, declaration values and at-rule
parameters\n * from comments and extra spaces, but it stores origin content in raws\n * properties. As such, if you
don't change a declaration's value,\n * PostCSS will use the raw value with comments.\n *\n * @example\n *
const root = postcss.parse('a {\n  color:black\n}')\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n
*\n * @flow\n import
warnOnce from './warn-once';\n import Node from './node';\n\n /**\n * Represents a CSS declaration.\n *\n *
@example\n * const root = postcss.parse('a { color: black }');\n * const decl =
root.first.first;\n * decl.type //=> 'decl'\n * decl.toString() //=> ' color: black'\n *\n * class Declaration extends
Node {\n  constructor(defaults) {\n    super(defaults);\n    this.type = 'decl';\n  }\n\n  get _value() {\n
warnOnce('Node#_value was deprecated. Use Node#raws.value');\n    return this.raws.value;\n  }\n\n  set
_value(val) {\n    warnOnce('Node#_value was deprecated. Use Node#raws.value');\n    this.raws.value = val;\n
  }\n\n  get _important() {\n    warnOnce('Node#_important was deprecated. Use Node#raws.important');\n    return
this.raws.important;\n  }\n\n  set _important(val) {\n    warnOnce('Node#_important was deprecated. Use
Node#raws.important');\n    this.raws.important = val;\n  }\n\n  /**\n * @memberof Declaration#\n * @member
{string} prop
- the declaration's property name\n *\n * @example\n * const root = postcss.parse('a { color: black }');\n *
const decl = root.first.first;\n * decl.prop //=> 'color'\n *\n * @memberof Declaration#\n * @member

```



```

=== '[') {\n      if (!bracket) bracket = token;\n      brackets.push(type === '(' ? ')' : ']');\n    } else if
(brackets.length === 0) {\n      if (type === ';') {\n        if (colon) {\n          this.decl(this.tokens.slice(start,
this.pos + 1));\n          return;\n        } else {\n          break;\n        }\n      }
else if (type === '{') {\n        this.rule(this.tokens.slice(start, this.pos + 1));\n        return;\n      } else if (type ===
}') {\n        this.pos -= 1;\n        end = true;\n        break;\n      } else if (type === ':') {\n        colon = true;\n
}\n    } else if (type === brackets[brackets.length - 1]) {\n      brackets.pop();\n      if (brackets.length === 0)
bracket = null;\n    }\n    this.pos += 1;\n  }\n  if (this.pos === this.tokens.length) {\n    this.pos -= 1;\n
end = true;\n  }\n  if (brackets.length > 0) this.unclosedBracket(bracket);\n  if (end && colon) {\n    while
(this.pos > start) {\n      token = this.tokens[this.pos][0];\n      if (token !== 'space' && token !== 'comment')
break;\n      this.pos -= 1;\n    }\n    this.decl(this.tokens.slice(start, this.pos + 1));\n    return;\n  }\n  this.unknownWord(start);\n  }\n  rule(tokens) {\n    tokens.pop();\n    const node = new Rule();\n    this.init(node, tokens[0][2], tokens[0][3]);\n    node.rows.between = this.spacesFromEnd(tokens);\n    this.raw(node, 'selector', tokens);\n    this.current = node;\n  }\n  decl(tokens) {\n    const node = new
Declaration();\n    this.init(node);\n    const last = tokens[tokens.length - 1];\n    if (last[0] === ';') {\n      this.semicolon = true;\n      tokens.pop();\n    }\n    if (last[4]) {\n      node.source.end = { line: last[4], column:
last[5] }; }\n    } else {\n      node.source.end = { line: last[2], column: last[3] }; }\n    }\n    while (tokens[0][0] !==
'word') {\n      node.rows.before += tokens.shift()[1];\n    }\n    node.source.start = { line: tokens[0][2], column:
tokens[0][3] }; }\n    node.prop = ";\n    while (tokens.length) {\n      const type = tokens[0][0];\n      if (type === ':' ||
type === 'space' || type === 'comment') {\n        break;\n      }\n      node.prop += tokens.shift()[1];\n    }\n    node.rows.between = ";\n    let token;\n    while
(tokens.length) {\n      token = tokens.shift();\n      if (token[0] === ':') {\n        node.rows.between += token[1];\n
break;\n      } else {\n        node.rows.between += token[1];\n      }\n    }\n    if (node.prop[0] === '_' ||
node.prop[0] === '*') {\n      node.rows.before += node.prop[0];\n      node.prop = node.prop.slice(1);\n    }\n    node.rows.between += this.spacesFromStart(tokens);\n    this.precheckMissedSemicolon(tokens);\n    for (let i =
tokens.length - 1; i > 0; i--) {\n      token = tokens[i];\n      if (token[1] === '!important') {\n        node.important =
true;\n        let string = this.stringFrom(tokens, i);\n        string = this.spacesFromEnd(tokens) + string;\n        if
(string !== '!important') node.rows.important = string;\n        break;\n      } else if (token[1] === 'important') {\n
const cache = tokens.slice(0);\n      let str = ";\n      for (let j = i; j > 0; j--) {\n        const type = cache[j][0];\n
if (str.trim().indexOf('!')
=== 0 && type !== 'space') {\n          break;\n        }\n        str = cache.pop()[1] + str;\n      }\n      if
(str.trim().indexOf('!') === 0) {\n        node.important = true;\n        node.rows.important = str;\n        tokens =
cache;\n      }\n    }\n    if (token[0] !== 'space' && token[0] !== 'comment') {\n      break;\n    }\n  }\n  this.raw(node, 'value', tokens);\n  if (node.value.indexOf(':') !== -1) this.checkMissedSemicolon(tokens);\n  }\n  atrule(token) {\n    const node = new AtRule();\n    node.name = token[1].slice(1);\n    if (node.name === "") {\n      this.unnamedAtRule(node, token);\n    }\n    this.init(node, token[2], token[3]);\n    let last = false;\n    let open =
false;\n    const params = [];\n    this.pos += 1;\n    while (this.pos < this.tokens.length) {\n      token =
this.tokens[this.pos];\n      if (token[0] === ';') {\n        node.source.end = { line: token[2], column: token[3] }; }\n
this.semicolon = true;\n      break;\n    } else if (token[0] === '{') {\n      open = true;\n      break;\n    }
else if (token[0] === '}') {\n      this.end(token);\n      break;\n    } else {\n      params.push(token);\n    }\n    this.pos += 1;\n  }\n  if (this.pos === this.tokens.length) {\n    last = true;\n  }\n  node.rows.between =
this.spacesFromEnd(params);\n  if (params.length) {\n    node.rows.afterName = this.spacesFromStart(params);\n    this.raw(node, 'params', params);\n    if (last) {\n      token = params[params.length - 1];\n      node.source.end
= { line: token[4], column: token[5] }; }\n    this.spaces = node.rows.between;\n    node.rows.between = ";\n
}\n  } else {\n    node.rows.afterName = ";\n    node.params = ";\n  }\n  if (open) {\n    node.nodes = [];\n    this.current = node;\n  }\n  }\n  end(token) {\n    if (this.current.nodes && this.current.nodes.length) {\n      this.current.rows.semicolon = this.semicolon;\n    }\n    this.semicolon = false;\n    this.current.rows.after =
(this.current.rows.after || "") + this.spaces;\n    this.spaces = ";\n    if (this.current.parent) {\n      this.current.source.end = { line: token[2], column: token[3] }; }\n      this.current = this.current.parent;\n    } else {\n

```

```

this.unexpectedClose(token);\n } \n } \n\n endFile() {\n if (this.current.parent) this.unclosedBlock();\n if
(this.current.nodes && this.current.nodes.length) {\n this.current.raws.semicolon = this.semicolon;\n }\n
this.current.raws.after = (this.current.raws.after || "") + this.spaces;\n } \n\n // Helpers\n\n init(node, line, column)
{\n this.current.push(node);\n\n node.source = { start: { line, column }, input: this.input };\n node.raws.before
= this.spaces;\n this.spaces = ";\n if (node.type !== 'comment') this.semicolon = false;\n } \n\n raw(node, prop,
tokens) {\n let token, type;\n const
length = tokens.length;\n let value = ";\n let clean = true;\n for (let i = 0; i < length; i += 1) {\n token =
tokens[i];\n type = token[0];\n if (type === 'comment' || (type === 'space' && i === length - 1)) {\n clean
= false;\n } else {\n value += token[1];\n } \n } \n\n if (!clean) {\n const raw = tokens.reduce((all, i)
=> all + i[1], "");\n node.raws[prop] = { value, raw }; \n } \n\n node[prop] = value;\n } \n\n
spacesFromEnd(tokens) {\n let lastTokenType;\n let spaces = ";\n while (tokens.length) {\n lastTokenType
= tokens[tokens.length - 1][0];\n if (lastTokenType !== 'space' && lastTokenType !== 'comment') break;\n
spaces = tokens.pop()[1] + spaces;\n } \n\n return spaces;\n } \n\n spacesFromStart(tokens) {\n let next;\n let
spaces = ";\n while (tokens.length) {\n next = tokens[0][0];\n if (next !== 'space' && next !== 'comment')
break;\n spaces += tokens.shift()[1];\n
}\n\n return spaces;\n } \n\n stringFrom(tokens, from) {\n let result = ";\n for (let i = from; i < tokens.length;
i++) {\n result += tokens[i][1];\n } \n\n tokens.splice(from, tokens.length - from);\n return result;\n } \n\n
colon(tokens) {\n let brackets = 0;\n let token, type, prev;\n for (let i = 0; i < tokens.length; i++) {\n token =
tokens[i];\n type = token[0];\n\n if (type === '(') {\n brackets += 1;\n } else if (type === ')') {\n
brackets -= 1;\n } else if (brackets === 0 && type === ':') {\n if (!prev) {\n this.doubleColon(token);\n
} else if (prev[0] === 'word' && prev[1] === 'progid') {\n continue;\n } else {\n return i;\n
}\n } \n\n prev = token;\n } \n\n return false;\n } \n\n // Errors\n\n unclosedBracket(bracket) {\n throw
this.input.error('Unclosed bracket', bracket[2], bracket[3]);\n } \n\n unknownWord(start) {\n const
token = this.tokens[start];\n throw this.input.error('Unknown word', token[2], token[3]);\n } \n\n
unexpectedClose(token) {\n throw this.input.error('Unexpected }', token[2], token[3]);\n } \n\n unclosedBlock()
{\n const pos = this.current.source.start;\n throw this.input.error('Unclosed block', pos.line, pos.column);\n } \n\n
doubleColon(token) {\n throw this.input.error('Double colon', token[2], token[3]);\n } \n\n unnamedAtrule(node,
token) {\n throw this.input.error('At-rule without name', token[2], token[3]);\n } \n\n
precheckMissedSemicolon(tokens) {\n // Hook for Safe Parser\n tokens;\n } \n\n
checkMissedSemicolon(tokens) {\n const colon = this.colon(tokens);\n if (colon === false) return;\n\n let
founded = 0;\n let token;\n for (let j = colon - 1; j >= 0; j--) {\n token = tokens[j];\n if (token[0] !==
'space') {\n founded += 1;\n if (founded === 2) break;\n } \n } \n\n throw this.input.error('Missed
semicolon', token[2], token[3]);\n } \n\n\n", /* @flow\nimport Parser from './parser';\nimport Input from
'./input';\n\nexport default function parse(css, opts) {\n if (opts && opts.safe) {\n throw new Error('Option safe
was removed. ' + 'Use parser: require(\"postcss-safe-parser\");\n } \n\n const input = new Input(css, opts);\n
const parser = new Parser(input);\n try {\n parser.tokenize();\n parser.loop();\n } catch (e) {\n if (e.name ===
'CssSyntaxError' && opts && opts.from) {\n if (/\\.scss$/i.test(opts.from)) {\n e.message +=\n\n \"\nYou
tried to parse SCSS with ' +\n\n 'the standard CSS parser; ' +\n\n 'try again with the postcss-scss parser';\n
} else if (/\\.less$/i.test(opts.from)) {\n e.message +=\n\n \"\nYou tried to parse Less with ' +\n\n 'the
standard CSS parser; ' +\n\n 'try again with the postcss-less parser';\n } \n } \n\n throw e;\n } \n\n return
parser.root;\n } \n\n", /* @flow\nimport
parse from './parse';\nimport Root from './root';\nimport Rule from './rule';\nimport AtRule from './at-rule';\nimport
Declaration from './declaration';\nimport warnOnce from './warn-once';\nimport Comment from './comment';\nimport
Node from './node';\n\nfunction cleanSource(nodes) {\n return nodes.map(i => {\n if (i.nodes) i.nodes =
cleanSource(i.nodes);\n delete i.source;\n return i;\n });\n } \n\n\n**\n * @callback childCondition\n * @param
{Node} node - container child\n * @param {number} index - child index\n * @param {Node[]} nodes - all
container children\n * @return {boolean}\n * \n\n**\n * @callback childIterator\n * @param {Node} node -
container child\n * @param {number} index - child index\n * @return {false|undefined} returning `false` will break

```

iteration

The `{ @link Root }`, `{ @link AtRule }`, and `{ @link Rule }` container nodes inherit some common methods to help work with their children.

Note that all containers can store any content. If you write a rule inside a rule, PostCSS will parse it.

```

@abstract
@namespace Container extends Node {
  push(child) {
    child.parent = this;
    this.nodes.push(child);
  }
  return this;
}

```

Iterates through the container's immediate children, calling `callback` for each child.

Returning `false` in the callback will break iteration.

This method only iterates through the container's immediate children.

If you need to recursively iterate through all the container's descendant nodes, use `{ @link Container#walk }`.

Unlike the `for...of` or `Array#forEach` this iterator is safe if you are mutating the array of child nodes during iteration.

PostCSS will adjust the current index to match the mutations.

`@param {childIterator} callback` - iterator receives each node and index

`@return {false|undefined}` returns `false` if iteration was broke

```

@example
const root = postcss.parse('a { color: black; z-index: 1 }');
const rule = root.first;
for (let decl of rule.nodes) {
  decl.cloneBefore({ prop: '-webkit-' + decl.prop });
  // Cycle will be infinite, because cloneBefore moves the current node
  // to the next index
}
rule.each(decl => {
  decl.cloneBefore({ prop: '-webkit-' + decl.prop });
  // Will be executed only for color and z-index
});
each(callback) {
  if (!this.lastEach) this.lastEach = 0;
  if (!this.indexes) this.indexes = {};
  this.lastEach += 1;
  const id = this.lastEach;
  this.indexes[id] = 0;
  if (!this.nodes) return undefined;
  let index, result;
  while (this.indexes[id] < this.nodes.length) {
    index = this.indexes[id];
    result = callback(this.nodes[index], index);
    if (result === false) break;
    this.indexes[id] += 1;
  }
  delete this.indexes[id];
}
return result;
}

```

Traverses the container's descendant nodes, calling `callback` for each node.

Like `container.each()`, this method is safe to use if you are mutating arrays during iteration.

If you only need to iterate through the container's immediate children, use `{ @link Container#each }`.

`@param {childIterator} callback` - iterator receives each node and index

`@return {false|undefined}` returns `false` if iteration was broke

```

@example
root.walk(node => {
  // Traverses all descendant nodes
});
walk(callback) {
  return this.each((child, i) => {
    let result = callback(child, i);
    if (result !== false && child.walk) {
      result = child.walk(callback);
    }
    return result;
  });
}

```

Traverses the container's descendant nodes, calling `callback` for each declaration node.

If you pass a filter, iteration will only happen over declarations with matching properties.

Like `{ @link Container#each }`, this method is safe to use if you are mutating arrays during iteration.

`@param {string|RegExp} [prop]` - string or regular expression to filter declarations by property name

`@param {childIterator} callback` - iterator receives each node and index

`@return {false|undefined}` returns `false` if iteration was broke

```

@example
root.walkDecls(decl => {
  checkPropertySupport(decl.prop);
});
root.walkDecls('border-radius', decl => {
  decl.remove();
});
root.walkDecls(/^background/, decl => {
  decl.value = takeFirstColorFromGradient(decl.value);
});
walkDecls(prop, callback) {
  if (!callback) {
    callback = prop;
  }
  return this.walk((child, i) => {
    if (child.type === 'decl') {
      return callback(child, i);
    }
  } else if (prop instanceof RegExp) {
    return this.walk((child, i) => {
      if (child.type === 'decl' && prop.test(child.prop)) {
        return callback(child, i);
      }
    });
  } else {
    return this.walk((child, i) => {
      if (child.type === 'decl' && child.prop === prop) {
        return callback(child, i);
      }
    });
  }
}

```

Traverses the container's descendant nodes, calling `callback` for each rule node.

If you pass a filter, iteration will only happen over rules with matching selectors.

Like `{ @link Container#each }`, this method is safe to use if you are mutating arrays during iteration.

`@param {string|RegExp} [selector]` - string or regular expression to filter rules by selector

`@param {childIterator} callback` - iterator receives each node and index


```

=> node.cleanRaws(keepBetween));\n  }\n }\n\n /**\n * Insert new node before old node within the container.\n *\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.insertBefore(decl, decl.clone({ prop: '-webkit-' + decl.prop }));\n *\n insertBefore(exist, add) {\n  exist = this.index(exist);\n\n  const type = exist === 0 ? 'prepend' : false;\n  const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n  nodes.forEach(node => this.nodes.splice(exist, 0, node));\n\n  let index;\n  for (const id in this.indexes) {\n    index = this.indexes[id];\n    if (exist <= index) {\n      this.indexes[id] = index + nodes.length;\n    }\n  }\n\n  return this;\n }\n\n /**\n * Insert new node after old node within the container.\n *\n * @param {Node|number} exist - child or child's index\n *\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return {Node} this node for methods chain\n *\n insertAfter(exist, add) {\n  exist = this.index(exist);\n\n  const nodes = this.normalize(add, this.nodes[exist]).reverse();\n  nodes.forEach(node => this.nodes.splice(exist + 1, 0, node));\n\n  let index;\n  for (const id in this.indexes) {\n    index = this.indexes[id];\n    if (exist < index) {\n      this.indexes[id] = index + nodes.length;\n    }\n  }\n\n  return this;\n }\n\n remove(child) {\n  if (typeof child !== 'undefined') {\n    warnOnce('Container#remove is deprecated.\n    + 'Use Container#removeChild');\n    this.removeChild(child);\n  } else {\n    super.remove();\n  }\n  return this;\n }\n\n /**\n * Removes node from the container and cleans the parent properties\n * from the node and its children.\n *\n * @param {Node|number} child - child or child's index\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n *\n rule.nodes.length //=> 4\n * decl.parent //=> undefined\n *\n removeChild(child) {\n  child = this.index(child);\n  this.nodes[child].parent = undefined;\n  this.nodes.splice(child, 1);\n\n  let index;\n  for (const id in this.indexes) {\n    index = this.indexes[id];\n    if (index >= child) {\n      this.indexes[id] = index - 1;\n    }\n  }\n\n  return this;\n }\n\n /**\n * Removes all children from the container\n * and cleans their parent properties.\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.removeAll();\n *\n rule.removeAll()\n {\n  this.nodes.forEach(node => (node.parent = undefined));\n  this.nodes = [];\n  return this;\n }\n\n /**\n * Passes all declaration values within the container that match pattern\n * through callback, replacing those values with the returned result\n * of callback.\n *\n * This method is useful if you are using a custom unit or function\n * and need to iterate through all values.\n *\n * @param {string|RegExp} pattern - replace pattern\n *\n * @param {object} opts - options to speed up the search\n *\n * @param {string|string[]} opts.props - an array of property names\n *\n * @param {string} opts.fast - string that's used\n * to narrow down values and speed up\n * the regexp search\n *\n * @param {function|string} callback - string to replace pattern\n * or callback that returns a new\n * value.\n *\n * The callback will receive\n * the same arguments as those\n * passed to a function parameter\n * of\n * `String#replace`.\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n *   return 15 * parseInt(string) + 'px';\n * });\n *\n replaceValues(pattern, opts, callback) {\n  if (!callback) {\n    callback = opts;\n    opts = {};\n  }\n\n  this.walkDecls(decl => {\n    if (opts.props && opts.props.indexOf(decl.prop) === -1) return;\n    if (opts.fast && decl.value.indexOf(opts.fast) === -1) return;\n    decl.value = decl.value.replace(pattern, callback);\n  });\n\n  return this;\n }\n\n /**\n * Returns `true` if callback returns `true`\n * for all of the container's children.\n *\n * @param {childCondition} condition - iterator returns true or false.\n *\n * @return {boolean} is every child pass condition\n *\n * @example\n * const noPrefixes = rule.every(i => i.prop[0] !== '-');\n *\n every(condition) {\n  return this.nodes.every(condition);\n }\n\n /**\n * Returns `true` if callback returns `true` for (at least) one\n * of the container's children.\n *\n * @param {childCondition} condition - iterator returns true or false.\n *\n * @return {boolean} is some child pass condition\n *\n * @example\n * const hasPrefix = rule.some(i => i.prop[0] === '-');\n *\n some(condition) {\n  return

```



```

*^nclass AtRule extends Container {
  constructor(defaults) {
    super(defaults);
    this.type = 'atrule';
  }
  append(...children) {
    if (!this.nodes) this.nodes = [];
    return super.append(...children);
  }
  prepend(...children) {
    if (!this.nodes) this.nodes = [];
    return super.prepend(...children);
  }
  get afterName() {
    warnOnce('AtRule#afterName was deprecated. Use AtRule#raws.afterName');
    return this.raws.afterName;
  }
  set afterName(val) {
    warnOnce('AtRule#afterName was deprecated. Use AtRule#raws.afterName');
    this.raws.afterName = val;
  }
  get _params() {
    warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');
    return this.raws.params;
  }
  set _params(val) {
    warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');
    this.raws.params = val;
  }
}
/**
 * @memberof AtRule#
 * @member {string} name - the at-rule's name immediately follows the `@`
 * @example
 * const root = postcss.parse('@media print {}');
 * media.name // => 'media'
 * const media = root.first;
 * @memberof AtRule#
 * @member {string} params - the at-rule's parameters, the values
 * that follow the at-rule's name but precede
 * any {} block
 * @example
 * const root = postcss.parse('@media print, screen {}');
 * const media = root.first;
 * media.params // => 'print, screen'
 * @memberof AtRule#
 * @member {object} raws -
  Information to generate byte-to-byte equal
  node string as it was in the origin input.
  Every parser saves its own properties,
  but the default CSS parser uses:
  `before`: the space symbols before the node. It also stores ` ` and ` _ ` symbols before the declaration (IE hack).
  `after`: the space symbols after the last child of the node
  to the end of the node.
  `between`: the symbols between the property and value
  for declarations, selector and `{` for rules, or last parameter
  and `{` for at-rules.
  `semicolon`: contains true if the last child has
  an (optional) semicolon.
  `afterName`: the space between the at-rule name and its parameters.
  PostCSS cleans at-rule parameters from comments and extra spaces,
  but it stores origin content in raws properties.
  As such, if you don't change a declaration's value,
  PostCSS will use the raw value with comments.
  @example
  const root = postcss.parse('@media\nprint {\n}\n');
  root.first.first.raws // => { before: ' ',
  // between: '\n',
  // afterName: '\n',
  after: '\n' }
  @flow\nexport default AtRule;
  @flow\n/**
  * Contains helpers for safely splitting lists of CSS values,
  * preserving parentheses and quotes.
  * @example
  * const list = postcss.list;
  * @namespace list
  ^nclass list {
    constructor(string, separators, last) {
      const array = [];
      let current = "";
      let split = false;
      let func = 0;
      let quote = false;
      let escape = false;
      for (let i = 0; i < string.length; i++) {
        const letter = string[i];
        if (quote) {
          if (escape) {
            escape = false;
          } else if (letter === '\\') {
            escape = true;
          } else if (letter === quote) {
            quote = false;
          } else if (letter === '"' || letter === "'"') {
            quote = letter;
          } else if (letter === '(') {
            func += 1;
          } else if (letter === ')') {
            if (func > 0) func -= 1;
          } else if (func === 0) {
            if (separators.indexOf(letter) !== -1) split = true;
          }
          if (split) {
            if (current !== "") array.push(current.trim());
            current = "";
            split = false;
          } else {
            current += letter;
          }
        }
        if (last || current !== "") array.push(current.trim());
      }
      return array;
    }
  }
  /**
  * Safely splits space-separated values (such as those for `background`, `border-radius`, and other shorthand properties).
  * @param {string} string - space-separated values
  * @return {string[]} splitted values
  * @example
  * postcss.list.space('1px calc(10% + 1px)') // => ['1px', 'calc(10% + 1px)']
  ^nclass space(string) {
    const spaces = [' ', '\n', '\t'];
    return list.split(string, spaces);
  }
  /**
  * Safely splits comma-separated values (such as those for `transition`
  * and `background` properties).
  * @param {string} string - comma-separated values
  * @return {string[]} splitted values
  * @example
  * postcss.list.comma('black, linear-gradient(white, black)')
  // => ['black', 'linear-gradient(white,
  black)']
  ^nclass comma(string) {
    const comma = ',';
    return list.split(string, [comma], true);
  }
  @flow\nexport default list;
  @flow\nimport './at-rule'; // break cyclical dependency deadlock - #87
  import Container from './container';
  import warnOnce from './warn-once';
  import list from './list';
  /**
  * Represents a CSS rule: a selector followed by a declaration block.
  * @extends Container
  * @example
  * const root =

```



```

this.messages.filter(i => i.type === 'warning');\n }
\n\n /**\n * An alias for the {@link Result#css} property.\n *
Use it with syntaxes that generate non-CSS output.\n * @type {string}\n *\n * @example\n * result.css ===
result.content;\n *\n get content() {\n return this.css;\n }\n}\n\nexport default Result;\n", "// @flow\nimport
stringify from './stringify';\nimport warnOnce from './warn-once';\nimport Result from './result';\nimport parse from
'./parse';\n\nfunction isPromise(obj) {\n return typeof obj === 'object' && typeof obj.then ===
'function';\n}\n\n/**\n * @callback onFulfilled\n * @param {Result} result\n *\n\n/**\n * @callback onRejected\n
*\n\n * @param {Error} error\n *\n\n/**\n * A Promise proxy for the result of PostCSS transformations.\n *\n * A
`LazyResult` instance is returned by {@link Processor#process}.\n *\n * @example\n * const lazy =
postcss([cssnext]).process(css);\n *\n\nclass LazyResult {\n constructor(processor, css, opts) {\n this.stringified
= false;\n this.processed = false;\n\n let root;\n if (typeof css === 'object' && css.type === 'root') {\n root =
css;\n } else if (css instanceof LazyResult || css instanceof Result) {\n root = css.root;\n if (css.map) {\n
if (typeof opts.map === 'undefined') opts.map = {};\n if (!opts.map.inline) opts.map.inline = false;\n
opts.map.prev = css.map;\n }\n } else {\n let parser = parse;\n if (opts.syntax) parser =
opts.syntax.parse;\n if (opts.parser) parser = opts.parser;\n if (parser.parse) parser = parser.parse;\n\n try
{\n root = parser(css, opts);\n } catch (error) {\n this.error = error;\n }\n }\n\n this.result = new
Result(processor, root, opts);\n }\n\n /**\n * Returns a {@link Processor} instance, which will be used\n * for
CSS transformations.\n * @type {Processor}\n *\n get processor() {\n return this.result.processor;\n }\n\n
/**\n * Options
from the {@link Processor#process} call.\n * @type {processOptions}\n *\n get opts() {\n return
this.result.opts;\n }\n\n /**\n * Processes input CSS through synchronous plugins, converts `Root`\n * to a CSS
string and returns {@link Result#css}.\n *\n * This property will only work with synchronous plugins.\n * If the
processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for
debug purpose, you should always use {@link LazyResult#then}.\n *\n * @type {string}\n * @see Result#css\n
*\n get css() {\n return this.stringify().css;\n }\n\n /**\n * An alias for the `css` property. Use it with
syntaxes\n * that generate non-CSS output.\n *\n * This property will only work with synchronous plugins.\n *
If the processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n *
for debug purpose, you should always use {@link LazyResult#then}.\n
*\n * @type {string}\n * @see Result#content\n *\n get content() {\n return this.stringify().content;\n }\n}\n\n
/**\n * Processes input CSS through synchronous plugins\n * and returns {@link Result#map}.\n *\n * This
property will only work with synchronous plugins.\n * If the processor contains any asynchronous plugins\n * it
will throw an error. This is why this method is only\n * for debug purpose, you should always use {@link
LazyResult#then}.\n *\n * @type {SourceMapGenerator}\n * @see Result#map\n *\n get map() {\n return
this.stringify().map;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and returns {@link
Result#root}.\n *\n * This property will only work with synchronous plugins. If the processor\n * contains any
asynchronous plugins it will throw an error.\n *\n * This is why this method is only for debug purpose,\n * you
should always use {@link LazyResult#then}.\n *\n * @type {Root}\n * @see
Result#root\n *\n get root() {\n return this.sync().root;\n }\n\n /**\n * Processes input CSS through
synchronous plugins\n * and returns {@link Result#messages}.\n *\n * This property will only work with
synchronous plugins. If the processor\n * contains any asynchronous plugins it will throw an error.\n *\n * This
is why this method is only for debug purpose,\n * you should always use {@link LazyResult#then}.\n *\n *
@type {Message[]}\n * @see Result#messages\n *\n get messages() {\n return this.sync().messages;\n }\n\n
/**\n * Processes input CSS through synchronous plugins\n * and calls {@link Result#warnings()}. \n *\n *
@return {Warning[]} warnings from plugins\n *\n warnings() {\n return this.sync().warnings();\n }\n\n /**\n
* Alias for the {@link LazyResult#css} property.\n *\n * @example\n * lazy + " === lazy.css;\n *\n *
@return {string} output CSS\n *\n toString() {\n return this.css;\n }\n\n /**\n
* Processes input CSS through synchronous and asynchronous plugins\n * and calls `onFulfilled` with a Result
instance. If a plugin throws\n * an error, the `onRejected` callback will be executed.\n *\n * It implements
standard Promise API.\n *\n * @param {onFulfilled} onFulfilled - callback will be executed\n *

```

```

when all plugins will finish work\n * @param {onRejected} onRejected - callback will be executed on any
error\n *\n * @return {Promise} Promise API to make queue\n *\n * @example\n *
postcss([cssnext]).process(css).then(result => {\n * console.log(result.css);\n * });\n *\n then(onFulfilled,
onRejected) {\n return this.async().then(onFulfilled, onRejected);\n }\n\n /**\n * Processes input CSS through
synchronous and asynchronous plugins\n * and calls onRejected for each error thrown in any plugin.\n *\n * It
implements standard Promise API.\n *\n * @param {onRejected} onRejected - callback
will be executed on any error\n *\n * @return {Promise} Promise API to make queue\n *\n * @example\n *
postcss([cssnext]).process(css).then(result => {\n * console.log(result.css);\n * }).catch(error => {\n *
console.error(error);\n * });\n *\n catch(onRejected) {\n return this.async().catch(onRejected);\n }\n\n
handleError(error, plugin) {\n try {\n this.error = error;\n if (error.name === 'CssSyntaxError' &&
!error.plugin) {\n error.plugin = plugin.postcssPlugin;\n error.setMessage();\n } else if
(plugin.postcssVersion) {\n const pluginName = plugin.postcssPlugin;\n const pluginVer =
plugin.postcssVersion;\n const runtimeVer = this.result.processor.version;\n const a = pluginVer.split('.');\n
const b = runtimeVer.split('.');\n if (a[0] !== b[0] || parseInt(a[1]) > parseInt(b[1])) {\n warnOnce(\n
`${'Your current PostCSS version ' + 'is '}${runtimeVer},
but ${pluginName} ` +\n `uses ${pluginVer}. Perhaps this is ` +\n `the source of the error
below.`\n );\n }\n }\n } catch (err) {\n if (console && console.error) console.error(err);\n }\n
}\n\n asyncTick(resolve, reject) {\n if (this.plugin >= this.processor.plugins.length) {\n this.processed = true;\n
return resolve();\n }\n\n try {\n const plugin = this.processor.plugins[this.plugin];\n const promise =
this.run(plugin);\n this.plugin += 1;\n if (isPromise(promise)) {\n promise\n .then(() => {\n
this.asyncTick(resolve, reject);\n })\n .catch(error => {\n this.handleError(error, plugin);\n
this.processed = true;\n reject(error);\n });\n } else {\n this.asyncTick(resolve, reject);\n }\n
} catch (error) {\n this.processed = true;\n reject(error);\n }\n }\n\n async() {\n
if (this.processed) {\n return new Promise((resolve, reject) => {\n if (this.error) {\n
reject(this.error);\n } else {\n resolve(this.stringify());\n }\n });\n }\n if (this.processing) {\n
return this.processing;\n }\n\n this.processing = new Promise((resolve, reject) => {\n if (this.error) return
reject(this.error);\n this.plugin = 0;\n this.asyncTick(resolve, reject);\n }).then(() => {\n this.processed =
true;\n return this.stringify();\n });\n\n return this.processing;\n }\n\n sync() {\n if (this.processed) return
this.result;\n this.processed = true;\n if (this.processing) {\n throw new Error('Use process(css).then(cb) to
work with async plugins');\n }\n\n if (this.error) throw this.error;\n\n
this.result.processor.plugins.forEach(plugin => {\n const promise = this.run(plugin);\n if (isPromise(promise))
{\n throw new Error('Use process(css).then(cb)
to work with async plugins');\n }\n\n return this.result;\n }\n\n run(plugin) {\n this.result.lastPlugin =
plugin;\n\n try {\n return plugin(this.result.root, this.result);\n } catch (error) {\n this.handleError(error,
plugin);\n throw error;\n }\n }\n\n stringify() {\n if (this.stringified) return this.result;\n this.stringified =
true;\n\n this.sync();\n\n const opts = this.result.opts;\n let str = stringify;\n if (opts.syntax) str =
opts.syntax.stringify;\n if (opts.stringifier) str = opts.stringifier;\n if (str.stringify) str = str.stringify;\n\n let
result = '';\n str(this.root, i => {\n result += i;\n });\n this.result.css = result;\n return this.result;\n
}\n\n\nexport default LazyResult;\n", "// @flow\nimport LazyResult from './lazy-result';\n\n**\n * @callback
builder\n * @param {string} part - part of generated CSS connected to this node\n * @param {Node}
node - AST node\n * @param {"start"|"end"} [type] - node's part type\n *\n\n**\n * @callback parser\n
*\n * @param {string|toString} css - string with input CSS or any object\n * with toString()
method, like a Buffer\n *\n * @param {processOptions} [opts] - options with only `from` and `map` keys\n *\n *
@return {Root} PostCSS AST\n *\n\n**\n * @callback stringifier\n *\n * @param {Node} node - start node
for stringifying. Usually { @link Root }.\n *\n * @param {builder} builder - function to concatenate CSS from node's
parts\n *\n * or generate string and source map\n *\n * @return {void}\n *\n\n**\n * @typedef
{object} syntax\n *\n * @property {parser} parse - function to generate AST by string\n *\n * @property {stringifier}
stringify - function to generate string by AST\n *\n\n**\n * @typedef {object} toString\n *\n * @property {function}

```



```

    *
    * @example
    * root.source.input.map.consumer().sources //=> ['a.sass']
    *!

    this.map = map;
    let file = map.consumer().file;
    if ( !this.file && file ) this.file =
this.mapResolve(file);
}
if (!this.file) {
  sequence += 1;
  /**
   * @member {string} -
The unique ID of the CSS source. It will be
   * created if `from` option is not provided
   *
   * (because PostCSS does not know the file path).
   *
   * @example
   * const root =
postcss.parse(css);
* root.source.input.file //=> undefined
* root.source.input.id //=> "<input css 1>"
*/
  this.id = `<input css ${sequence}>`;
}
if (this.map) this.map.file = this.from;
}

error(message, line, column, opts = {}) {
  let result;
  const origin = this.origin(line, column);
  if (origin) {
    result
= new CssSyntaxError(
  message,
  origin.line,
  origin.column,
  origin.source,
  origin.file,
  opts.plugin
);
} else {
  result = new CssSyntaxError(message, line, column, this.css,
this.file, opts.plugin);
}
result.input = { line, column, source: this.css };
if (this.file) result.input.file =
this.file;
return result;
}

/**
 * Reads the input source map and returns a symbol position
 * in the
input source (e.g., in a Sass file that was compiled
 * to CSS before being passed to PostCSS).
 *
 * @param
{number} line - line in input CSS
 * @param
{number} column - column in input CSS
 *
 * @return
{filePosition} position in input source
 *
 * @example
 * root.source.input.origin(1, 1) //=> { file: 'a.css',
line: 3, column: 1 }
*/
origin(line, column) {
  if (!this.map) return false;
  const consumer =
this.map.consumer();
  const from =
consumer.originalPositionFor({ line, column });
  if (!from.source) return false;
  const result = {
file:
this.mapResolve(from.source),
line: from.line,
column: from.column,
};
  const source =
consumer.sourceContentFor(from.source);
  if (source) result.source = source;
  return result;
}

mapResolve(file) {
  if (/^\w+:\w+\/.test(file)) {
    return file;
  } else {
    return
path.resolve(this.map.consumer().sourceRoot || '.', file);
  }
}

/**
 * The CSS source identifier. Contains
{@link Input#file} if the user
 * set the `from` option, or {@link Input#id} if they did not.
 *
 * @type {string}
 *
 * @example
 * const root = postcss.parse(css, { from: 'a.css' });
 * root.source.input.from //=>
"/home/ai/a.css"
 *
 * const root = postcss.parse(css);
 * root.source.input.from //=> "<input css 1>"
*/
get from() {
  return this.file || this.id;
}

}

export default
Input;

/** @flow
import tokenize from './postcss/tokenize';
import Comment from
'./postcss/comment';
import Parser from './postcss/parser';
export default class SafeParser extends Parser {
  tokenize() {
    this.tokens = tokenize(this.input, { ignoreErrors: true });
  }
  comment(token) {
    const node
= new Comment();
    this.init(node, token[2], token[3]);
    node.source.end = { line: token[4], column: token[5]
};
    let text = token[1].slice(2);
    if (text.slice(-2) === '*/') text = text.slice(0, -2);
    if (/^\s*$/ .test(text)) {
      node.text = "";
      node.raws.left = text;
      node.raws.right = "";
    } else {
      const match =
text.match(/^(\/\s*)([^\s]*)(\/\s*)$/);
      node.text = match[2];
      node.raws.left = match[1];
      node.raws.right = match[3];
    }
  }
  unclosedBracket() {}
  unknownWord(start) {
    const buffer =
this.tokens.slice(start, this.pos + 1);
    this.spaces += buffer.map(i => i[1]).join("");
  }
  unexpectedClose() {
    this.current.raws.after += ' ';
  }
  doubleColon() {}
  unnamedAtrule(node) {
    node.name = "";
  }
  precheckMissedSemicolon(tokens) {
    const colon = this.colon(tokens);
    if
(colon === false) return;
    let split;
    for (split = colon - 1; split >= 0; split--) {
      if (tokens[split][0] ===
'word') break;
    }
    for (split = 1; split >= 0; split--) {
      if (tokens[split][0] !== 'space') {
        split += 1;
        break;
      }
    }
    const other = tokens.splice(split, tokens.length - split);
    this.decl(other);
  }
  checkMissedSemicolon() {}
  endFile() {
    if (this.current.nodes && this.current.nodes.length) {
      this.current.raws.semicolon = this.semicolon;
    }
    this.current.raws.after = (this.current.raws.after || "") +
this.spaces;
    while (this.current.parent) {
      this.current = this.current.parent;
      this.current.raws.after =
";";
    }
  }
}

/** @flow
import Input from './postcss/input';
import SafeParser from './safe-parser';
export default
function safeParse(css, opts) {
  const input = new Input(css, opts);
  const parser = new SafeParser(input);
  parser.tokenize();
  parser.loop();
  return parser.root;
}

/** @flow
import no-unresolved

```



```

type Context } from 'react';\nimport throwStyledError from '../utils/error';\nimport isFunction from
 '../utils/isFunction';\n\nexport type Theme = { [key: string]: mixed };
\nexport type ThemeArgument = Theme |
((outerTheme?: Theme) => Theme);\n\nexport type Props = {\n  children?: Element<any>,\n  theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const mergedTheme = theme(outerTheme);\n    if (\nprocess.env.NODE_ENV !== 'production' &&\n      (mergedTheme === null || Array.isArray(mergedTheme) ||
typeof mergedTheme !== 'object')\n    ) {\n      return throwStyledError(7);\n    }\n    return mergedTheme;\n  }\n  if (Array.isArray(theme) || typeof theme !== 'object') {\n    return throwStyledError(8);\n  }\n  return outerTheme ?
{ ...outerTheme, ...theme } : theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n */\nexport default function ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if (!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n", "// @flow\nimport React, {
createElement, Component } from
'react';\nimport hoist from 'hoist-non-react-statics';\nimport merge from '../utils/mixinDeep';\nimport
determineTheme from '../utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from
 '../utils/empties';\nimport generateDisplayName from '../utils/generateDisplayName';\nimport isFunction from
 '../utils/isFunction';\nimport isTag from '../utils/isTag';\nimport isStyledComponent from
 '../utils/isStyledComponent';\nimport { ThemeConsumer } from './ThemeProvider';\nimport type { Theme } from
 './ThemeProvider';\nimport type { Attrs, RuleSet, Target } from './types';\n\n// NOTE: no hooks available for react-
native yet;\n// if the user makes use of ThemeProvider or StyleSheetManager things will break.\n\n// Validator
defaults to true if not in HTML/DOM env\nconst validAttr = () => true;\n\nclass StyledNativeComponent extends
Component<*, *> {\n  root: ?Object;\n  attrs = {};\n  render() {\n    return (\n      <ThemeConsumer>\n      {(theme?: Theme) => {\n        const {\n          $as: transientAsProp,\n          as: renderAs,\n          forwardedComponent,\n          forwardedAs,\n          forwardedRef,\n          testID,\n          style = [],\n          ...props\n        } = this.props;\n        const {\n          defaultProps, target, shouldForwardProp } = forwardedComponent;\n          const elementToBeRendered =\nthis.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n          const generatedStyles =
this.generateAndInjectStyles(\n            determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n            this.props\n          );\n          const isTargetTag = isTag(elementToBeRendered);\n          const computedProps =
this.attrs !== props ? { ...props, ...this.attrs } : props;\n          const propFilterFn = shouldForwardProp || (isTargetTag
&& validAttr);\n          const propsForElement = {};\n          let key;\n          for (key in computedProps) {\n
            if (key[0] ===
'$' || key === 'as') continue;\n            else if (key === 'forwardedAs') {\n              propsForElement.as =
props[key];\n            } else if (!propFilterFn || propFilterFn(key, validAttr)) {\n              // Don't pass through filtered
tags through to native elements\n              propsForElement[key] = computedProps[key];\n            }\n          }\n          propsForElement.style = typeof style === 'function' ?\n            (state) => {\n              return
[generatedStyles].concat(style(state))\n            } : [generatedStyles].concat(style);\n          propsForElement.testID = testID || propsForElement.testID;\n          if (forwardedRef) propsForElement.ref =
forwardedRef;\n          if (forwardedAs) propsForElement.as = forwardedAs;\n          return
createElement(elementToBeRendered, propsForElement);\n        }}\n      </ThemeConsumer>\n    );\n  }\n  buildExecutionContext(theme: ?Object, props: Object, attrs: Attrs) {\n    const context = { ...props,
theme };
\n    if (!attrs.length) return context;\n    this.attrs = {};\n    attrs.forEach(attrDef => {\n      let
resolvedAttrDef = attrDef;\n      let attr;\n      let key;\n      if (isFunction(resolvedAttrDef)) {\n
resolvedAttrDef = resolvedAttrDef(context);\n      }\n      /* eslint-disable guard-for-in */\n      for (key in
resolvedAttrDef) {\n        attr = resolvedAttrDef[key];\n        this.attrs[key] = attr;\n        context[key] = attr;\n      }\n    }

```

```

    /* eslint-enable */\n  });\n\n  return context;\n }\n\n generateAndInjectStyles(theme: any, props: any) {\n
const { inlineStyle } = props.forwardedComponent;\n\n  const executionContext = this.buildExecutionContext(\n
  theme,\n  props,\n  props.forwardedComponent.attrs\n );\n\n  return
inlineStyle.generateStyleObject(executionContext);\n }\n\n  setNativeProps(nativeProps: Object) {\n  if (this.root
!== undefined) {\n    // $FlowFixMe\n    this.root.setNativeProps(nativeProps);\n
  } else if (process.env.NODE_ENV !== 'production') {\n    // eslint-disable-next-line no-console\n
console.warn(\n    'setNativeProps was called on a Styled Component wrapping a stateless functional
component.\n  );\n  }\n }\n\n  export default (InlineStyle: Function) => {\n  const
createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n  const {\n  attrs =
EMPTY_ARRAY,\n  displayName = generateDisplayName(target),\n  ParentComponent =
StyledNativeComponent,\n  } = options;\n\n  const isClass = !isTag(target);\n  const isTargetStyledComp =
isStyledComponent(target);\n\n  // $FlowFixMe\n  const WrappedStyledNativeComponent =
React.forwardRef((props, ref) => (\n    <ParentComponent\n      {...props}\n
forwardedComponent={WrappedStyledNativeComponent}\n      forwardedRef={ref}\n    />\n  ));\n\n  const
finalAttrs =\n    // $FlowFixMe\n    isTargetStyledComp && target.attrs\n    ?
Array.prototype.concat(target.attrs,
  attrs.filter(Boolean)\n    : attrs;\n\n  // eslint-disable-next-line prefer-destructuring\n  let shouldForwardProp =
options.shouldForwardProp;\n\n  // $FlowFixMe\n  if (isTargetStyledComp && target.shouldForwardProp) {\n
if (shouldForwardProp) {\n    // compose nested shouldForwardProp calls\n    shouldForwardProp = (prop,
filterFn, elementToBeCreated) =>\n      // $FlowFixMe\n      target.shouldForwardProp(prop, filterFn,
elementToBeCreated) &&\n      options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n  } else {\n
// eslint-disable-next-line prefer-destructuring\n    shouldForwardProp = target.shouldForwardProp;\n  }\n
}\n\n  /**\n   * forwardRef creates a new interim component, which we'll take advantage of\n   * instead of
extending ParentComponent to create _another_ interim class\n   */\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.attrs = finalAttrs;\n\n
  WrappedStyledNativeComponent.displayName = displayName;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.shouldForwardProp = shouldForwardProp;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n    // $FlowFixMe\n    isTargetStyledComp ?
target.inlineStyle.rules.concat(rules) : rules\n  );\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.target = isTargetStyledComp\n    ? // $FlowFixMe\n    target.target\n    :
target;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.withComponent = function withComponent(tag:
Target) {\n    const { displayName: _, componentId: __, ...optionsToCopy } = options;\n    const newOptions =
{\n      ...optionsToCopy,\n      attrs: finalAttrs,\n      ParentComponent,\n    };\n\n    return
createStyledNativeComponent(tag, newOptions, rules);\n  };\n\n  // $FlowFixMe\n  Object.defineProperty(WrappedStyledNativeComponent,
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n\n    set(obj) {\n      // $FlowFixMe\n      this._foldedDefaultProps = isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n    },\n  });\n\n  if (isClass) {\n    hoist(WrappedStyledNativeComponent, (target: any), {\n      // all SC-specific things should not
be hoisted\n      attrs: true,\n      displayName: true,\n      shouldForwardProp: true,\n      inlineStyle: true,\n
      styledComponentId: true,\n      target: true,\n      withComponent: true,\n    });\n  }\n\n  return
WrappedStyledNativeComponent;\n };\n\n  return createStyledNativeComponent;\n};\n\n  // @flow\n  import type {
Interpolation } from './types';\n\n  export default (\n    strings: Array<string>,\n    interpolations:
Array<Interpolation>)\n  ): Array<Interpolation> => {\n    const result = [strings[0]];\n\n    for (let i = 0, len =
interpolations.length;\n      i < len; i += 1) {\n      result.push(interpolations[i], strings[i + 1]);\n    }\n\n    return result;\n  };\n\n  // @flow\n  import
interleave from './utils/interleave';\n  import isPlainObject from './utils/isPlainObject';\n  import { EMPTY_ARRAY }
from './utils/empties';\n  import isFunction from './utils/isFunction';\n  import flatten from './utils/flatten';\n  import

```

```

type { Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object styles to determine if
we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-
disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles:
Styles, ...interpolations: Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    //
$FlowFixMe\n    return addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if
(interpolations.length === 0 && styles.length === 1 &&
typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  // $FlowFixMe\n  return
addTag(flatten(interleave(styles, interpolations)));\n}\n\n", "// @flow\nimport { isValidElementType } from 'react-
is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport type { Target } from './types';\n\nexport default function constructWithOptions(\n
componentConstructor: Function,\n tag: Target,\n options: Object = EMPTY_OBJECT)\n) {\n  if
(!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n  // /* This is callable directly as a
template function */\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n  const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n  // /* If config methods are called, wrap up a new
template function and merge options */\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor,\n
tag, { ...options, ...config });\n  // /* Modify/inject new props at runtime */\n  templateFunction.attrs = attrs =>\n
constructWithOptions(componentConstructor, tag, {\n    ...options,\n    attrs: Array.prototype.concat(options.attrs,\n
attrs).filter(Boolean),\n  });\n  //\n  return templateFunction;\n}\n\n", "// @flow\nimport React, { useContext, type
AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }
from './models/ThemeProvider';\nimport determineTheme from './utils/determineTheme';\nimport
getComponentName from './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export
default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n//\n// but the old build system
tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  //
$FlowFixMe\n\n  This should be React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n
const theme = useContext(ThemeContext);\n  // $FlowFixMe defaultProps isn't declared so it can be inferrable\n
const { defaultProps } = Component;\n  const themeProp = determineTheme(props, theme, defaultProps);\n  //\n  if
(process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n    // eslint-disable-next-line no-
console\n    console.warn(\n      `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a
theme in defaultProps in component class "${getComponentName(\n        Component\n      )}"\n    );\n  }\n  //\n  return <Component { ...props } theme={themeProp} ref={ref} />.\n};\n\n  hoistStatics(WithTheme,\n
Component);\n\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)});\n\n  return
WithTheme;\n};\n\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst
useTheme = () => useContext(ThemeContext);\n\nexport default useTheme;\n\n", "// @flow\n\n/* eslint-disable
import/no-unresolved */\nimport reactPrimitives from 'react-primitives';\nimport _InlineStyle from
'./models/InlineStyle';\nimport _StyledNativeComponent from './models/StyledNativeComponent';\nimport css
from './constructors/css';\nimport constructWithOptions from './constructors/constructWithOptions';\nimport
ThemeProvider, { ThemeConsumer, ThemeContext } from './models/ThemeProvider';\nimport withTheme from
'./hoc/withTheme';\nimport useTheme from './hooks/useTheme';\nimport isStyledComponent from
'./utils/isStyledComponent';\nimport type { Target } from './types';\n\nconst InlineStyle =
_InlineStyle(reactPrimitives.StyleSheet);\n\nconst StyledNativeComponent =
_StyledNativeComponent(InlineStyle);\n\nconst styled = (tag: Target) =>
constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
some reason,
```

so let's\n * assume it's for a good reason and not eagerly load them all *\nconst aliases = 'Image Text Touchable View';\n\n/* Define a getter for each alias which simply gets the reactNative component\n * and passes it to styled\n *\naliases.split(/\\s+/m).forEach(alias =>\n Object.defineProperty(styled, alias, {\n enumerable: true,\n configurable: false,\n get() {\n return styled(reactPrimitives[alias]);\n },\n });\n);\n\nexport { css, isStyledComponent, ThemeProvider, ThemeConsumer, ThemeContext, withTheme, useTheme };\n\nexport default styled;\n\n], "names": ["AD_REPLACER_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "generateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash", "str", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "isFunction", "test", "isStatelessFunction", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComponentId", "SC_ATTR", "REACT_APP_SC_ATTR", "SC_ATTR_ACTIVE", "SC_ATTR_VERSION", "SC_VERSION", "__VERSION__", "SPLITTER", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "ERRORS", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Error", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE_SIZE", "groupSizes", "Uint32Array", "indexOfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX_SMI", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size", "selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "parts", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "node", "getAttribute", "parentNode", "removeChild", "getNonce", "__webpack_nonce__", "ELEMENT_TYPE", "findLastStyleTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevStyle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServer", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule", "_error", "cssRules", "cssText", "refNode", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "StyleSheet", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance", "hasNameForId", "groupNames", "Set", "add", "clearNames", "clear", "clearRules", "clearTag", "delimiter", "needle", "toSheet", "block", "e", "ruleSheet", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "COMMENT_REGEX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "plugins", "stylis", "Stylis", "parsingRules", "returnRulesPlugin", "parsedRules", "parseRulesPlugin", "insertRulePlugin", "_componentId", "_selector", "_selectorRegexp", "_consecutiveSelfRefRegExp", "selfReferenceReplacer", "offset", "string", "indexOf", "selfReferenceReplacementPlugin", "_", "lastIndexOf", "use", "stringifyRules", "prefix", "componentId", "flatCSS", "cssStr", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "StylisConsumer", "masterSheet", "masterStylis", "Keyframes", "inject", "styleSheet", "stylisInstance", "resolvedName", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "addUnitIfNeeded", "value", "unitless", "startsWith", "isFalsish", "chunk", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "Array", "isArray", "isCss", "hyphenate", "isPlainObject", "flatten", "executionContext", "ruleSet", "result", "isElement", "console", "warn", "printed", "warnOnce", "message", "SINGLE_QUOTE", "DOUBLE_QUOTE", "BACKSLASH", "SLASH", "NEWLINE", "SPACE", "FEED", "TAB", "CR", "OPEN_SQUARE", "CLOSE_SQUARE", "OPEN_PARENTHESES", "CLOSE_PARENTHESES", "OPEN_CURLY", "CLOSE_CURLY", "SEMICOLON", "ASTERISK", "COLON", "AT", "RE_AT_END", "RE_WORD_END", "RE_BAD_BRACKET", "tokenize", "input", "tokens", "valueOf", "ignore", "ignoreErrors", "next", "quote", "lines", "last", "escape", "nextLine", "nextOffset", "escaped", "escapePos", "prev", "n", "pos", "unclosed", "what", "error", "slice", "lastIndex", "HIGHLIGHT_THEME", "brackets", "comment", "color", "terminalHighlight", "Input", "token", "map", "CssSyntaxError", "source", "file", "reason", "setMessage", "captureStackTrace", "showSourceCode", "supportsColor", "start", "max", "end", "min", "maxWidth", "number", "padded", "gutter", "spacing", "defaultRaw", "colon", "indent", "beforeDecl", "beforeRule", "beforeOpen", "beforeClose", "beforeComment", "after", "emptyBody", "commentLeft", "commentRight", "capitalize", "toUpperCase", "Stringifier", "builder", "stringify", "semicolon", "type", "root", "body", "raws", "left", "raw", "right", "text", "decl", "between", "prop", "rawValue", "importa

wC,OAAOH,MAAP,KAAkB,QAAIB,IAA8BA,MAAtE,GAA+E,KAAhF;AAEAA,EAAAA,MAAM,CAACI,WAF
P;AAIAJ,EAAAA,MAAM,CAACd,IAJP,IAKA,WANF;AAQD;;ACdD;AACa,AAAE,SAASmB,UAAAT,CAAoBC,
IAApB,EAAGD;AAC7D,SAAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACa,AAAE,SAASC,mBAAT,
CAA6BD,IAA7B,EAAd;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CAACE,SAAL,I
ACGF,IAAI,CAACE,SAAL,CAAeC,gBAFjB,CAFL;AAOD;;ACTD;AACa,AAEA,qBAAe,UAACTB,CAAD;AA
AA,SACbA,CAAC,KAAK,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAACuB,QAAF,G
AAAvB,CAAC,CAACuB,QAAF,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAiBE,QAAjB,CAA0BE,IAA1B,CA
A+BzB,CAA/B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,cAAM,CAAC1B,CAAD,CAJM;AAAA,CAAf;;ACHA
;AACa,AAAE,SAAS2B,iBAAT,CAA2Bd,MAA3B,EAAYD;AACtE,SAAOA,MAAM,IAAI,OAAOA,MAAM,CA
ACe,iBAAd,KAAoC,QAArD;AACD;;ACHD;AAKA,AAAO,IAAMC,OAA
O,GACjB,OAAOf,OAAP,KAAmB,WAAAnB,IACC,OAAOA,OAAO,CAACC,GAAf,KAAuB,WADxB,KAEEED,O
AAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO,CAACC,GAAR,CAAYc,OAF/C,CAAD,IAGA,aAJK;AA
MP,AAAO,IAAME,cAAc,GAAG,QAAvB;AACP,AAAO,IAAMC,eAAe,GAAG,qBAAxB;AACP,AAAO,IAAMC,
UAAU,GAAGC,QAAAnB;AACP,AAAO,IAAMC,QAAQ,GAAG,WAAjB;AAEP,AAAO,IAAMC,UAAU,GAAG,O
AAOC,MAAP,KAAkB,WAAIB,IAAiC,iBAAiBA,MAArE;AAEP,AAAO,IAAMC,cAAc,GAAGC,OAAO,CACnC
,OAAOC,iBAAP,KAA6B,SAA7B,GACIA,iBADJ,GAEI,OAAO1B,OAAP,KAAmB,WAAAnB,IAAkC,OAAOA,OA
AO,CAACC,GAAf,KAAuB,WAAzD,GACA,OAAOD,OAAO,CAACC,GAAR,CAAY0B,2BAAAnB,KAAmD,WAA
AnD,IACA3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EAD5C,GAEE3B,OAAO,CAACC,GAAR,CA
AY0B,2BAAZ,KAA4C,OAA5C,GACE,KADF,GAEE3B,OAAO,CAACC,GAAR,CAAY0B,2BAJhB,GAKE,OAA
O3B,OAAO,CAACC,GAAR,CAAYyB,iBAAAnB,KAAyC,WAAzC,IAAwD1B,OAAO,CAACC,GAAR,CAAYyB,i
BAAZ,KAAkC,EAA1F,GACA1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,OAAIC,GACE,KADF,GAEE
E1B,OAAO,CAACC,GAAR,CAAYyB,iBAHd,GAIA1B,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAV3
B,GAWA,KAd+B,CAA9B;;ACIBP;AACa,AAAO,IAAM0B,WAAW,GAAGIB,MAAM,CAACmB,MAAP,CAAc,
EAAd,CAApB;AACP,AAAO,IAAMC,YAAY,GAAGpB,MAAM,CAACmB,MAAP,CAAc,EAAd,CAArB;;ACFP,
eAAe;AAC,OAAl,uDAAL;AAA6D,OAAl,+PAAjE;AAAIU,OAAl,qHAArU;AAA2b,OAAl,qMAA/b;AAAqoB,
OAAl,iKAAzoB;AAA2yB,OAAl,2OAA/yB;AAA2hC,OAAl,sHAA/hC;AAAspC,OAAl,+DAA1pC;AAA0tC,OA
Al,+BAA9tC;AAA8vC,QAAC,gUAAAnwC;AAAokD,QAAC,uNAAzkD;AAAIyD,QAAC,oWAAyD;AAA2oE,Q
AAK,wLAAhpE;AAAY0E,QAAC,gDAA90E;AAA+3E,QAAC,0ZAAp4E;AAA+xF,QAAC,sQAAPyF;AAA2iG,Q
AAK;AAAhjG,CAAf;;ACAA;AACa,AAEA,IAAME,MAAM,GAAG/B,OAAO,CAACC,GAAR,CAAYC,QAAZ,
KAAyB,YAAzB.GAAwC8B,QAAxC,GAAmD,EAAlE;AAEA;;;AAGA,SAASC,MAAT,GAAYB;AACvB,MAAI
C,CAAC,mDAAL;AACa,MAAMC,CAAC,GAAG,EAAV;;AAEA,OAAC,IAAIC,CAAC,GAAG,CAAR,EAAWC
,GAAG,GAAG,UAAK3C,MAA3B,EAAMC0C,CAAC,GAAGC,GAAvC,EAA4CD,CAAC,IAAI,CAAjD,EAAoD;
AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBAAYA,CAAZ;AACD;;AAEDD,EA
AAA,CAAC,CAACI,OAAP,CAAU,UAAAC,CAAC,EAAl;AACbN,IAAAA,CAAC,GAAGA,CAAC,CAAC7C,O
AAF,CAAU,QAAPV,EAAoBmD,CAAPB,CAAJ;AACD,GAFD;AAIA,SAOAN,CAAP;AACD;AAED;AAAA;AAIA,A
AAe,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,IAAAA,cACH;AAAA;;AACa,
MAAI1C,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACzC,UAAAM,IAAIyC,KAAP,kDA
C2C9D,IAD3C,+BAEF6D,cAAc,CAACHD,MAAF,GAAWB,CAAXB,eAAsCgD,cAAc,CAACE,IAAF,CAAoB,IAA
pB,CAATC,GAAoE,EAFIE,EAAN;AAKD,GAND,MAMO;AACL,UAAAM,IAAID,KAAP,CAAUUV,MAAM,MAAN
,UAAOF,MAAM,CAACID,IAAD,CAAb,SAAwB6D,cAAxB,GAAwCG,IAAXC,EAAPV,CAAN;AACD;AACF;;A
CxCd;AAOA;;AACa,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GAAD,EAA0B;AACtD,SAAO,IA
AIC,iBAAJ,CAAsBD,GAATB,CAAP;AACD,CAFm;AAIP,IAAME,SAAS,GAAG,KAAK,CAAvB;;IAEMD;AAOJ
,6BAAYD,GAAG,EAAsB;AACpB,SAAKG,UAAAL,GAAKB,IAAIC,WAAJ,CAAGBF,SAAhB,CAAIB;AACa,SA
KvD,MAAL,GAACuD,SAAD;AACa,SAAKF,GAAL,GAAWA,GAAX;AACD;;SAEDK,eAAA,sBAAaC,KAAb,
EAAoC;AACIC,QAAC,KAAK,GAAG,CAAZ;;AACa,SAAK,IAAI7D,CAAC,GAAG,CAAb,EAAGBA,CAAC,G
AAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAGC;AAC9B6D,MAAAA,KAAK,IAAI,KAAKJ,UAAAL,CAAGBz
D,CAAhB,CAAT;AACD;;AAED,WAAO6D,KAAP;AACD;;SAEDC,cAAA,qBAAyF,KAAZ,EAA2BG,KAA3B,
EAAkD;AACHD,QAAlH,KAAK,IAAI,KAAKH,UAAAL,CAAGBxD,MAA7B,EAAqC;AACnC,UAAAM+D,SAAS,G

AAG,KAACKP,UAAvB;AACa,UAAMQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1B;AAEA,UAAIIE,OAAO,GAA
GD,OAAAd;AACa,aAAOL,KAACK,IAAIM,OAAhB,EAAYB;AACvBA,QAAAA,OAAO,KAACK,CAAZ;AACa,Y
AAIA,OAAO,GAAG,CAAd,EAAiB;AACfC,UAAAA,0BAAGB,CAAC,EAAD,OAAQP,KAAR,CAAhB;AACD;A
ACF;AAED,WAAKH,UAAAL,GAaKB,IAAIC,WAAJ,CAAGBQ,OAAhB,CAAIB;AACa,WAAKT,UAAAL,CAAG
BW,GAAhB,CAAoBJ,SAAPB;AACa,WAAK/D,MAAL,GAACiE,OAAAd;AAEA,WAAK,IAAII,CAAC,GAAGi
E,OAAAb,EAAsbJE,CAAC,GAAGkE,OAA1B,EAAmCIE,CAAC,EAAPC,EAAwC;AACtC,aAAKyD,UAAAL,CAAG
BzD,CAAhB,IAAQB,CAArB;AACD;AACF;AAED,QAAIqE,SAAS,GAAG,KAACKV,YAAL,CAAKBC,KAACK,G
AAG,CAA1B,CAAhB;AACa,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAWSE,CAAC,GAAGP,KAACK,CAAC9D
,MAA1B,EAAkCD,EAAC,GAAGsE,CAAtC,EAAyCtE,EAAC,EAA1C,EAA8C;AAC5C,UAAI,KAACKsD,GAAL,
CAASiB,UAAAT,CAAoBF,SAAPB,EAA+BN,KAACK,CAAC/D,EAAD,CAAPC,CAAJ,EAA8C;AAC5C,aAAKyD,
UAAAL,CAAGBG,KAAhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;SAEDG,aAAA,oBAAWZ,KAAX,EAA
gC;AAC9B,QAAIA,KAACK,GAAG,KAACK3D,MAAJB,EAAYB;AACvB,UAAAMA,MAAM,GAAG,KAACKwD,UA
AL,CAAGBG,KAAhB,CAAF;AACa,UAAma,UAAU,GAAG,KAACKd,YAAL,CAAKBC,KAAlB,CAAnB;AACa,
UAAmC,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAAL,CAAGBG,KAAhB,IAAYB,CAAz
B;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAAb,EAAYBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAA
xC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAAT,CAAoBF,UAApB;AACD;AACF;AACF;SAEDG,WAAA,
kBAASHB,KAAT,EAAgC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;AACa,QAAIjB,KAACK,IAAI,KAACK3D,MA
Ad,IAAwB,KAACKwD,UAAAL,CAAGBG,KAAhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOiB,GAAP;AACD;AA
ED,QAAM5E,MAAM,GAAG,KAACKwD,UAAAL,CAAGBG,KAAhB,CAAF;AACa,QAAMa,UAAU,GAAG,KAACK
d,YAAL,CAAKBC,KAAlB,CAAnB;AACa,QAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,SAAK,I
AAID,CAAC,GAAGyE,UAAAb,EAAYBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAxC,EAA4C;AAC1C6
E,MAAAA,GAAG,SAAO,KAACKvB,GAAL,CAASwB,OAAT,CAAiB9E,CAAjB,CAAP,GAA6B4B,QAAhC;AAC
D;AAED,WAAOiD,GAAP;AACD;AChGH;AAEA,AAEA,IAAME,OAAO,GAAG,KAACK,KAACK,CAA1B;AA
EA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;AACa,IAAIC,eAAe,GAAwB,IAAID,GAAJ,EAA3C;AACa,IA
AIE,aAAa,GAAG,CAAPB;AAEA,AAMO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,EAAD,EAAwB;AA
CnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe,CAACO,GAAh
B,CAAoBF,EAAPB,CAAR;AACD;AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAAPB,CAAP,EAA2C;AA
CzCA,IAAAA,aAAa;AACd;AAED,MAAMvB,KAACK,GAAGuB,aAAa,EAA3B;AAEA,MACE5E,OAAO,CAAC
C,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAACK,GAAG,CAAT,IAAc,CAAd,IAAmBA,KAA
K,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAGB,CAAC,EAAD,OAAQP,KAAR,CAAhB;AACD;A
AEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,CAAC
d,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACa,SAAOzB,KAAP;AACD,CARBM;AAuBP,AAAO,IAAM4
B,aAAa,GAAG,SAAhBA,aAAGB,CAAC5B,KAAD,EAAkC;AAC7D,SAAOsB,eAAe,CAACK,GAAhB,CAAoB3
B,KAAPB,CAAP;AACD,CAFm;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAGB,CAACJ,EAAD,EAAzB
,KAAb,EAA+B;AAC1D,MAAIA,KAACK,IAAIuB,aAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAGvB,KAACK,GAA
G,CAAxB;AACD;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,E
AAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACD,CAPM;AC3CP;AAEA,AAIA,IAA
MK,QAAQ,cAAYpE,OAaz,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAAd;AACa,IAAMI,SAAS,GAAG,IAAIC,
MAAJ,OAaEtE,OAaf,sDAAlB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAc,CAACC,KAAD,EAAkB
;AAC3C,MAAMxC,GAAG,GAAGwC,KAACK,CAACC,MAAN,EAAZ;AAD2C,MAEnC9F,MAFmC,GAExBqD,G
AFwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;AACa,OAACK,IAAIjB,KAACK,GAAG,CAAj
B,EAAoBA,KAACK,GAAG3D,MAA5B,EAAoC2D,KAACK,EAAzC,EAA6C;AAC3C,QAAmyB,EAAE,GAAGG,a
AAa,CAAC5B,KAAD,CAAxB;AACa,QAAIyB,EAAE,KAACKW,SAAX,EAAsB;AAEtB,QAAMC,KAACK,GAAG
H,KAACK,CAACG,KAAN,CAAYV,GAAZ,CAAGBF,EAAhB,CAAd;AACa,QAAMtB,KAACK,GAAGT,GAAG,C
AACsB,QAAl,CAAhB,KAAb,CAAd;AACa,QAAI,CAACqC,KAAD,IAAU,CAACiC,KAAX,IAAoB,CAACKC,
KAACK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAN,UAAkBsC,KAAlB,cAA+BByB,EAA/
B,QAAAd;AAEA,QAAIe,OAAO,GAAG,EAAD;AACa,QAAIH,KAACK,KAACKD,SAAd,EAAYB;AACvBC,MAAA
A,KAACK,CAACnD,OAAN,CAAc,UAAAtD,IAAI,EAAl;AACpB,YAAIA,IAAI,CAACS,MAAL,GAAC,CAAlB,E

AAqB;AACnBmG,UAAAA,OAAO,IAAO5G,IAAP,MAAP;AACD;AACF,OAJD;AAKD,KAjB0C;AAoB3C;;;AACaQf,IAAAA,GAAG,SAAOd,KAAP,GAAeoC,QAAf,mBAAoCC,OAApC,WAAgDxE,QAAAnD;AACD;;AAED,SAAOiD,GAAP;AACD,CA9BM;;AAgCP,IAAMwB,yBAAyB,GAAG,SAA5BA,yBAA4B,CAACP,KAAD,EAAeT,EAAf,EAA2Be,OAA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OAAO,CAACE,KAAR,CAAc,GAAd,CAAd;AACa,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAWse,CAAC,GAAG2B,KAAK,CAACHG,MAA1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C;AACa,QAAKR,IAAI,GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAAuB;AACrB8F,MAAAA,KAAK,CAACS,YAAN,CAAmBIB,EAA nB,EAAuB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,GAAG,SAAxBA,qBAAwB,CAA CV,KAAD,EAAeW,KAAf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,KAAK,CAACE,WAAN,IAAqB,E AAtB,EAA0BL,KAA1B,CAAgC1E,QAAhC,CAAd;AACa,MAAMmC,KAAK,GAAa,EAAxB;;AAEA,OAAK,IA AI/D,CAAC,GAAG,CAAR,EAAWse,CAAC,GAAGoC,KAAK,CAACzG,MAA1B,EAAkCD,CAAC,GAAGsE,C AAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAM4G,IAAI,GAAGF,KAAK,CAAC1G,CAAD,CAAL,CAA SoD,IAAT,EAAb;AACa,QAAI,CAACwD,IAAL,EAAW;AAEX,QAAMC,MAAM,GAAGD,IAAI,CAACE,KAA L,CAAWnB,SAAX,CAAf;;AAEA,QAAIkB,MAAJ,EAAy;AACV,UAAMjD,KAAK,GAAGmD,QAAQ,CAACF, MAAM,CAAC,CAAD,CAAP,EAAy,EAAZ,CAAR,GAA0B,CAAxC;AACa,UAAMxB,EAAE,GAAGwB,MAA M,CAAC,CAAD,CAAjB;;AAEA,UAAljD,KAAK,KAAK,CAAd,EAAiB;AACf;AACa6B,QAAAA,aAAa,CAACJ ,EAAD,EAAkzB,KAAL,CAAb,CAFe;AAIf;;AACaYc,QAAAA,yBAAyB,CAACP,KAAD,EAAQT,EAAR,EAA YwB,MAAM,CAAC,CAAD,CAAIB,CAAzB;AACaf,QAAAA,KAAK,CAACC,MAAN,GAAejC,WAAf,CAA2BF ,KAA3B,EAAkCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,GAAe,CAAf;AACD,KAdD,MA cO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;AACF,CA5BD;;AA8BA,AAAO,I AAMI,cAAc,GAAG,SAAjBA,cAAiB,CAACIB,KAAD,EAAkB;AAC9C,MAAMmB,KAAK,GAAGC,QAAQ,CA ACC,gBAAT,CAA0BzB,QAA1B,CAAd;;AAEA,OAAK,IAAIIF,CAAC,GAAG,CAAR,EAAWse,CAAC,GAAG2 C,KAAK,CAACHH,MAA1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAA MoH,IAAI,GAAKH,KAAK,CAACjH,CAAD,CAApB;;AACa,QAAIoH,IAAI,IAAIA,IAAI,CAACC,YAAL,CAA kB/F,OAAIB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAACV,KAAD,EAAQsB,IAAR,CAArB; ;AAEA,UAAlA,IAAI,CAACE,UAAT,EAAqB;AACnBF,QAAAA,IAAI,CAACE,UAAL,CAAgBC,WAAhB,CAA 4BH,IAA5B;AACD;AACF;AACF;AACF,CAbM;;ACnFP;;AACa;AAIA,IAAMI,QAAQ,GAAG,SAAXA,QAAW, GAAM;AACrB,SAAO,OAAOC,iBAAP,KAA6B,WAA7B,GAA2CA,iBAA3C,GAA+D,IAAtE;AACD,CAFD;;AC LA;AAEA,AAIA,IAAMC,YAAy,GAAG,CAArB;AAAwB;;AAExB;;AACa,IAAMC,gBAAgB,GAAG,SAAnBA, gBAAmB,CAACrH,MAAD,EAAkD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH,UADiE;;AAGzE,O AAK,IAAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAgCD,CAAC,IAAI,CAArC,EAAwCA,CAAC,EA AzC,EAA6C;AAC3C,QAAM6H,KAAK,GAAKD,UAAU,CAAC5H,CAAD,CAA1B;;AACa,QAAI6H,KAAK,IA AIA,KAAK,CAACC,QAAN,KAAMBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,OAAAnB,CAAhD,E AA6E;AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;;AACa,AAAO,IA AMgC,YAAy,GAAG,SAAfA,YAAe,CAAC1H,MAAD,EAA4C;AACtE,MAAM2H,IAAI,GAAKf,QAAQ,CAACE ,IAAxB;AACa,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;AACa,MAAMxB,KAAK,GAAGS,QAAQ, CAACiB,aAAT,CAAuB,OAAvB,CAAd;AACa,MAAMC,SAAS,GAAGT,gBAAgB,CAACO,MAAD,CAAIc;AA CA,MAAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC,GAAkD,IAAtE;AA EA5B,EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OAAAnB,EAA4BE,cAA5B;AACaIF,EAAAA,KAAK,CAAC 6B,YAAN,CAAmB7G,eAAAnB,EAAoCC,UAApC;AAEA,MAAM6G,KAAK,GAAGf,QAAQ,EAAtB;AAEA,MAA Ie,KAAJ,EAAW9B,KAAK,CAAC6B,YAAN,CAAmB,OAAAnB,EAA4BC,KAA5B;AAEXL,EAAAA,MAAM,CA ACM,YAAP,CAAoB/B,KAApB,EAA2B4B,WAA3B;AAEA,SAAO5B,KAAP;AACD,CAjBM;AAmBP;;AACa,A AAO,IAAMgC,QAAQ,GAAG,SAAXA,QAAW,CAACnF,GAAD,EAA0C;AAChE,MAAIA,GAAG,CAACwC,KA AR,EAAe;AACb,WAAStC,GAAG,CAACwC,KAAb;AACD,GAH+D;;AAAA,kBAMxCoB,QANwC;AAAA,MA MxDwB,WANwD,aAMxDA,WANwD;;AAOhE,OAAK,IAAI1I,CAAC,GAAG,CAAR,EAAWse,CAAC,GAAGoE ,WAAW,CAACzI,MAAhC,EAAwCD,CAAC,GAAGsE,CAA5C,EAA+CtE,CAAC,EAAhD,EAAoD;AACID,QAA M8F,KAAK,GAAG4C,WAAW,CAAC1I,CAAD,CAAzB;;AACa,QAAI8F,KAAK,CAAC6C,SAAN,KAAoBrF,G AAXB,EAA6B;AAC3B,aAASwC,KAAT;AACD;AACF;;AAED3B,EAAAA,0BAAGB,CAAC,EAAD,CAAhB;AA

CA,SAAQ6B,SAAR;AACD,CAhBM;;AC3CP;AAMA;;ACA,AAAO,IAAM4C,OAAO,GAAG,SAAVA,OAAU,
OAAgE;AAAA,MAA7DC,QAA6D,QAA7DA,QAA6D;AAAA,MAAnDC,iBAAmD,QAAAnDA,iBAAmD;AAAA,
MAAhCxI,MAAgC,QAAhCA,MAAgC;;AACrF,MAAIuI,QAAJ,EAAC;AACZ,WAAO,IAAIE,UAAJ,CAAezI,MA
Af,CAAP;AACD,GAFD,MAEO,IAAIwI,iBAAJ,EAaUB;AAC5B,WAAO,IAAIE,QAAJ,CAAa1I,MAAb,CAAP;A
ACD,GAFM,MAEA;AACL,WAAO,IAAI2I,OAAJ,CAAY3I,MAAZ,CAAP;AACD;AACF,CARM;AAUP,IAAa0I,
QAAb;AAOE,oBAAY1I,MAAZ,EAakC;AACHC,QAAM4I,OAAO,GAAI,KAAKA,OAAAL,GAAeIB,YAAY,CAA
C1H,MAAD,CAA5C,CADgC;;AAIhC4I,IAAAA,OAAO,CAACC,WAAO,CAAoBjC,QAAQ,CAACKc,cAAT,CA
AwB,EAaxB,CAApB;AAEA,SAAKtD,KAAL,GAAa2C,QAAQ,CAACS,OAAO,CAArB;ACA,SAAKjJ,MAAL,
GAAc,CAAd;AACD;;AAfH;;AAAA,SAiBEsE,UajBF,GaiBE,oBAAWV,KAAX,EAA0BwF,IAA1B,EAaiD;AA
C/C,QAAI;AACF,WAAKvD,KAAL,CAAWvB,UAAx,CAAsB8E,IAAtB,EAA4BxF,KAA5B;ACA,WAAK5D,
MAAL;ACA,aAAO,IAAP;AACD,KAJD,CAIE,OAAOqJ,MAAP,EAae;AACf,aAAO,KAAP;AACD;AACF,GAZ
BH;;AAAA,SA2BE3E,UA3BF,GA2BE,oBAAWd,KAAX,EAAGC;AAC9B,SAAKiC,KAAL,CAAWnB,UAAx,C
AAsBd,KAAtB;ACA,SAAK5D,MAAL;AACD,GA9BH;;AAAA,SAgCE6E,OAhCF,GAgCE,iBAAQjB,KAAR,E
AA+B;AAC7B,QAAMwF,IAAI,GAAG,KAAKvD,KAAL,CAAWyD,QAAx,CAAoB1F,KAAPB,CAAb,CAD6B;;
AAG7B,QAAIwF,IAAI,KAAKrD,SAAT,IAAsB,OAAOqD,IAAI,CAACG,OAAZ,KAAwB,QAAID,EAA4D;AAC
ID,aAAOH,IAAI,CAACG,OAAZ;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GAXCH;;AAAA;AA
AA;AA2CA;;ACA,IAAaP,OAAb;AAOE,mBAAY3I,MAAZ,EAakC;AACHC,QAAM4I,OAAO,GAAI,KAAKA,
OAAAL,GAAeIB,YAAY,CAAC1H,MAAD,CAA5C;ACA,SAAK2G,KAAL,GAAaiC,OAAO,CAACtB,UArB;A
ACA,SAAK3H,MAAL,GAAc,CAAd;AACD;;AAXH;;AAAA,UaEsE,UabF,GAaE,oBAAWV,KAAX,EAA0Bw
F,IAA1B,EAaiD;AAC/C,QAAIxF,KAAK,IAAI,KAAK5D,MAAd,IAAwB4D,KAAK,IAAI,CAArC,EAawC;AAC
tC,UAAMuD,IAAI,GAAGF,QAAQ,CAACKc,cAAT,CAAWBC,IAAxB,CAAb;ACA,UAAMI,OAAO,GAAG,KA
AKx,C,KAAL,CAAWpD,KAAX,CAAhB;ACA,WAAKqF,OAAAL,CAAaV,YAAb,CAA0BpB,IAA1B,EAAGCqC,
OAAO,IAAI,IAA3C;ACA,WAAKxJ,MAAL;ACA,aAAO,IAAP;AACD,KAND,MAMO;AACL,aAAO,KAAP;
AACD;AACF,GAvBH;;AAAA,UayBE0E,UazBF,GayBE,oBAAWd,KAAX,EAAGC;AAC9B,SAAKqF,OAAAL,C
AAa3B,WAAb,CAAYB,KAAKN,KAAL,CAAWpD,KAAX,CAAZB;ACA,SAAK5D,MAAL;AACD,GA5BH;;A
AAA,UA8BE6E,OA9BF,GA8BE,iBAAQjB,KAAR,EAA+B;AAC7B,QAAIA,KAAK,GAAG,KAAK5D,MAAjB,E
AAyB;AACvB,aAAO,KAAKgH,KAAL,CAAWpD,KAAX,EAakB8C,WAAzB;AACD,KAFD,MAEO;AACL,aA
AO,EAAP;AACD;AACF,GApCH;;AAAA;AAAA;AAuCA;;ACA,IAAaoC,UAAb;AAKE,sBAAYW,OAAZ,EA
AmC;AACjC,SAAK3F,KAAL,GAAa,EAAb;ACA,SAAK9D,MAAL,GAAc,CAAd;AACD;;AARH;;AAAA,UA
UEsE,UAVF,GAUE,oBAAWV,KAAX,EAA0BwF,IAA1B,EAaiD;AAC/C,QAAIxF,KAAK,IAAI,KAAK5D,MA
AIB,EAA0B;AACxB,WAAK8D,KAAL,CAAW4F,MAAX,CAAKB9F,KAAIB,EAAYB,CAAZB,EAA4BwF,IAA5
B;ACA,WAAKpJ,MAAL;ACA,aAAO,IAAP;AACD,KAJD,MAIO;AACL,aAAO,KAAP;AACD;AACF,GAIB
H;;AAAA,UaBE0E,UApBF,GAoBE,oBAAWd,KAAX,EAAGC;AAC9B,SAAKE,KAAL,CAAW4F,MAAX,CAA
KB9F,KAAIB,EAAYB,CAAZB;ACA,SAAK5D,MAAL;AACD,GAvBH;;AAAA,UayBE6E,OAzBF,GayBE,iBA
AQjB,KAAR,EAA+B;AAC7B,QAAIA,KAAK,GAAG,KAAK5D,MAAjB,EAAYB;AACvB,aAAO,KAAK8D,KA
AL,CAAWF,KAAX,CAAP;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GA/BH;;AAAA;AAAA;;A
C5FA,IAAI+F,gBAAGB,GAAG/H,UAAvB;AAWA,IAAMgI,cAAc,GAAiB;AACnChB,EAAAA,QAAQ,EAAE,C
AACHH,UADwB;AAEnCiH,EAAAA,iBAAiB,EAAE,CAAC/G;AAFe,CAArC;AAKA;;IACqB+H;AAWnB;aACO
C,aAAP,oBAaKB1E,EAAIB,EAAsC;AACpC,WAAOD,aAAa,CAACC,EAAD,CAApB;AACD;;AAED,sBACE2E,
OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,Y
AGhC;AAAA;;AAAA,QAFA4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;;ACA,SAAKD,OAA
L,gBACKH,cADL,MAEKG,OAFI;AAKA,SAAKE,EAAL,GAAUD,YAAV;ACA,SAAKhE,KAAL,GAAa,IAAI
hB,GAAJ,CAAQgB,KAAR,CAAb;ACA,SAAKkE,MAAL,GAAc,CAAC,CAACH,OAAO,CAACnB,QAAXB,CA
RA;;AAWA,QAAI,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAaIC,EAAoD;AACIDA,MAAAA,g
BAAGB,GAAG,KAAAnB;ACA5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;;;SAEDoD,yBAAA,gCA
AuBJ,OAAvB,EAAsDK,SAAtD,EAakF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4B,GAAN,IAAM;A
AAA;;AACHF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFA,EAGJG,SA
AS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;;SAEDsE,qBAAA,4BAAmBjF,EAAnB,EAA+B;AA

C7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,IAAqB,CAA3C;AACD;AAED;;;SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GAL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;AAED;;;SACAO,eAAA,sBAAaF,EAAb,EAAYB7F,IAAZB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAAff,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAaf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B;AACD;AAED;;;SACA+G,eAAA,sBAAaB,EAAb,EAAYB7F,IAAZB,EAaUc;AACrC4F,IAAAA,aAAa,CAACC,EAAD,CAAb;AAEA,QAAI,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAaf,CAAL,EAAYB;AACvB,UAA MmF,UAAU,GAAG,IAAIC,GAAJ,EAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeIL,IAAf;AACa,WA AKyG,KAAL,CAAW7B,GAAX,CAAeiB,EAaf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KA AL,CAAWV,GAAX,CAAeF,EAaf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;;;SACAs E,cAAA,qBAAyU,EAAs,EAawB7F,IAAxB,EAAsCuE,KAAtC,EAaUd;AACrD,SAAKwC,YAAL,CAAKBIB,EA AIB,EAAsB7F,IAAtB;ACA,SAAKuG,MAAL,GAACjC,WAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAvc,EA A6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWtF,EAAX,EAaU;AACrB,QAAI,KAAKY,KAAL,CAA WX,GAAX,CAAeD,EAaf,CAAJ,EAawB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAaf,CAAD,CAA 0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWxF,EAAX,EAaU;AACrB,SAAKU,MAAL,GAAC vB,UAAAd,CAAYBY,aAAa,CAACC,EAAD,CAAtC;ACA,SAAKsF,UAAAL,CAAgtF,EAAhB;AACD;AAED;;;S ACAYF,WAAA,oBAAW;AACT;ACA;ACA,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;;;SACAhF,W AAA,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;;;AC/HH;,,,,,,,,,,,,,,,,,,,,,AAoBA;AAEA ,AAAE,2BAAsT,UAAT,EAaqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;ACA,MAAMC,MAAM,GAAMD, SAAN,MAAZ;AAEA,WAASE,OAAT,CAAIbC,KAAjB,EAawB;AACtB,QAAIA,KAAJ,EAaw;AACT,UAAI;A ACF3G,QAAAA,UAAU,CAAI2G,KAAJ,OAaV;AACD,OAFD,CAEE,OAAOC,CAAP,EAaU;AACb;AACF;AA ED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAML C,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;ACA,YAAQP,OAAR;AAC E;ACA,WAAK,CAAL;AAEE;ACA,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAMb ,CAAnB,MAA0B,EAa7C,EAaID,OAAOqE,UAAU,CAAI6B,OAaJ,OAaV,EAa2B,EAaIC;AACjD;AACF;AA CA,WAAK,CAAL;AAEE,YAAIsF,EAaE,KAAK,CAAX,EAaC,OAAOtF,OAAO,GAAG2E,SAaJB;AACd;AACF ;ACA,WAAK,CAAL;AAEE,gBAAQW,EAAR;AAEE;ACA,eAAK,GAAL;ACA,eAAK,GAAL;AAEE,mBA AOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAaElF,OAaHb,CAAV,EAa0C,EAa3C;AACF;AAEE,m BAAOA,OAAO,IAAIwF,EAaE,KAAK,CAAP,GAAWb,SAAX,GAaU,EAa3B,CAAd;AANJ;AAQF,WAAK,C AAC,CAAN;AAEE3E,QAAAA,OAAO,CAACE,KAAAR,CAAc0E,MAAd,EAAsBII,OAAtB,CAA8BmI,OAa9B;A ArBJ;AAuBD,GAnCD;AAoCD;AC/DD,IAAMY,aAAa,GAAG,eAAtB;ACA,IAAMC,uBAAuB,GAAG,CAAC, GAAD,EAAM,GAAN,EAaw,GAAX,EAAGb,GAAhB,CAAhC;AAOA,AAAE,SAASC,oBAAT,QAGkC;AAAA,g CAAdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OA C+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC, OAAX,CAaf,CAD+C;AAI/C;ACA;AAEA,MAAIImC,YAAAY,GAAG,EAAnB,CAP+C;AAU/C,MAAMC,iBAA iB,GAAG,SAApBA,iBAAoB,CAAAf,OAAO,EAaI;AACnC,QAAIA,OAAO,KAAK,CAAC,CAAJB,EAa0B;AAC IB,UAAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAAY,GAAG,EAaf;ACA,aAAOE,WAAp;AACD; AACF,GAND;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAaID,IAAI,EAaI;AAChD8C,IAAAA,Y AAY,CAACTj,IAAb,CAAKBwG,IAAIB;AACD,GAfwC,CAAZC;AAIA,MAAIImD,YAAJ;ACA,MAAIC,SAAJ ;ACA,MAAIC,eAAJ;ACA,MAAIC,yBAAJ;AAEA,MAAMC,qBAAqB,GAAG,SAAXBA,qBAAwB,CAAC9F ,KAAD,EAaQ+F,MAAR,EAAGBC,MAAhB,EAa2B;AACvD;AAEE,KAACD,MAAM,KAAK,CAAX,GAaef,uB AAuB,CAACiB,OAAXB,CAAGCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,G AAKF,IAAnF;AAEA,KAAC6M,MAAM,CAACHg,KAAP,CAAa6F,yBAAb,CAJH,EAKE;ACA,mBAAWH,YA AX;AACD;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;,,,,,,,,,,,,,,,,,,,,,AAaA,MAAMkG,8BAA8B,GAAG,SAAJC A,8BAAiC,CAAC3B,OAAD,EAaU4B,CAAV,EAaA3B,SAAb,EAa2B;AAChE,QAAID,OAAO,KAAK,CAAZ,IA AiBC,SAAS,CAACrL,MAA3B,IAAQcQL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAYBT,SAAZB,IAAsC ,CAA/E,EAaKf;AAChF;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAaEa,SAAS,CAAC,CAAD,CAAT,C AAaIL,OAAb,CAAqB8M,eAArB,EAAsCE,qBAAtC,CAAF;AACD;AACF,GALD;AAOAX,EAAAA,MAAM,CA

ACkB,GAAP,WAAenB,OAAf,GAAwBgB,8BAAxB,EAAwDV,gBAAxD,EAA0EF,iBAA1E;;AAEA,WAASgB,c
AAT,CAAwBvI,GAAxB,EAA6BsB,QAA7B,EAAuCKH,MAAvC,EAA+CC,WAA/C,EAA+E;AAAA,QAAhCA,W
AAgC;AAAhCA,MAAAA,WAAgC,GAAIB,GAakB;AAAA;;AAC7E,QAAMC,OAAO,GAAGI,GAAG,CAACjF
,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;AACa,QAAM2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,G
AAwBA,MAAxB,SAAkCIH,QAAIC,WAAgDoH,OAAhD,UAA8DA,OAA7E,CAF6E;AAK7E;AACa;;AACAf,IA
AAA,YAAY,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACuG,IAAAA,eAAe,GAAG,IAAI9G,
MAAJ,QAAgB6G,SAAhB,UAAgC,GAAhC,CAAI;AACAE,IAAAA,yBAAYB,GAAG,IAAI/G,MAAJ,SAAiB6G,
SAAJB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAAsB,EAAtB,GAA2BA,QA
A5B,EAAsCqH,MAAtC,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAAsB6L,OAAO,CAAC/L,MAA
R,GACIB+L,OAAO,CACJyB,MADH,CACU,UAAcC,GAAD,EAAMC,MAAN,EAaiB;AACvB,QAAI,CAACA,
MAAM,CAACnO,IAAZ,EAakB;AAChB2E,MAAAA,0BAAgB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE
,KAAK,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QAR
H,EADkB,GAUIB,EAVJ;AAYA,SAAOoM,cAAP;AACD;;AC5GD;AACa,AAeO,IAAMQ,iBAAiB,GAA+BC,cA
AK,CAACC,aAAN,EAAtD;AACp,AAAO,IAAMC,kBAakB,GAAGH,iBAAiB,CAACI,QAA7C;AACp,AAAO,IA
AMC,aAAa,GAAGcJ,cAAK,CAACC,aAAN,EAAnD;AACp,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAAr
C;AAEP,AAAO,IAAMG,WAAW,GA Ae,IAAIrE,UAAJ,EAAhC;AACp,AAAO,IAAMsE,YAAY,GAAGBrC,oBA
AoB,EAAtD;;ACtBP;AACa;IAKqBsC;AAOnB,qBAAY7O,IAAZ,EAA0BuE,KAA1B,EAAYC;AAAA;;AAAA,S
AMzCuK,MANyC,GAMhC,UAAcC,UAAD,EAAYBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAA
AA,cAA+C,GAAjBJ,YAAiB;AAAA;;AAC/E,UAAAMK,YAAY,GAAG,KAAI,CAACjP,IAAL,GAAYgP,cAAc,CA
ACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAX,CAAwB,KAAI,CAACIF,EAA7B,EAaiCoJ,YA
AjC,CAAL,EAaqD;AACnDF,QAAAA,UAAU,CAACzK,WAAX,CACE,KAAI,CAACuB,EADP,EAEEoJ,YAFF,
EAGED,cAAc,CAAC,KAAI,CAACzK,KAAAN,EAAa0K,YAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBw
C;;AAAA,SakBzCzN,QAIByC,GakB9B,YAAM;AACf,aAAOmD,0BAAgB,CAAC,EAAD,EAak9E,MAAM,CA
AC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;AACa,SA
AK6F,EAAL,qBAA0B7F,IAA1B;AACa,SAAKuE,KAAAL,GAaAa,KAAb;AACD;;;SAkBD2K,UAAA,iBAAQF,cA
AR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAAdJ,YAAc;AAAA;;AACID,WAAO,KAA
K5O,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;;;ACrCH;;AAEA;;;AAKA,IAAMwO,cAAc,GAAG,SAAv
B;AACa,IAAMC,gBAAgB,GAAG,UAAzB;AACa,IAAMC,SAAS,GAAG,MAAI;AACa,IAAMC,kBAakB,G
AAG,SAArBA,kBAAqB,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAL,EAA9B;AAAA,CAA3B;AAE
A;,,,,,,,,,,,,,AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IA
Af,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGp,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,C
AESiP,SAFT,EAEOB,MAFPB,CADK,GAIL/B,MAJF;AAKD;;ACICD;AACa;AAGA,AAAE,SAASoC,eAAT,CA
AyB1P,IAAzB,EAAuC2P,KAAvC,EAAwD;AACrE;AACa;AACa,MAAIA,KAAK,IAAI,IAAT,IAAiB,OAAOA,
KAAP,KAAiB,SAAI,IAA+CA,KAAK,KAAK,EAA7D,EAaiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,O
AAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAA5C,I
AAmE,CAAC5P,IAAI,CAAC6P,UAAAL,CAAgB,IAAhB,CAAxE,EAA+F;AAC7F,WAAUF,KAAV,QAD6F;AAE
9F;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,IAAd,EAAP;AACD;;AChBD;AACa,AAWA;,,,A
AGA,IAAMkM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK:AAAA,SAAIA,KAAK,KAAKvJ,SAAV,IAAuBuJ,
KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA,
AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,GAAD,EAAcC,OAAAd,EAA6D;AACxF,MAAM3L,KAA
K,GAAG,EAAd;;AAEA,OAAK,IAAM4L,GAAX,IAAkBF,GAAIB,EAAuB;AACrB,QAAI,CAACA,GAAG,CAA
CG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GAAG,CAACE,GAAD,CAAJ,CAAzC,EAaqD;;A
AErD,QAAKE,KAAK,CAACC,OAAN,CAAcL,GAAG,CAACE,GAAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD
,CAAH,CAASI,KAArC,IAA+CpP,UAAU,CAAC8O,GAAG,CAACE,GAAD,CAAJ,CAA7D,EAAYE;AACvE5L,
MAAAA,KAAK,CAACIB,IAAN,CAAcMn,kBAAS,CAACL,GAAD,CAAvB,QAAiCF,GAAG,CAACE,GAAD,C
AApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAACR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA
6B;AACIC5L,MAAAA,KAAK,CAACIB,IAAN,OAAakB,KAAK,EAASyL,aAAa,CAACC,GAAG,CAACE,GA
D,CAAJ,EAawa,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA;AACL5L,MAAAA,KAAK,CAACIB,IAAN,CAA

cmN,kBAAS,CAACL,GAAD,CAAvB,UAAiCT,eAAe,CAACS,GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,C
AAhD;AACD;AACF;;AAED,SAAOD,OAAO,IAAOA,OAAP,gBAAuB3L,KAAvB,GAA8B,GAA9B,KAAqCA,K
AAAnD;AACD,CAhBM;AAkBP,AAAE,SAASmM,OAAT,CACbX,KADa,EAEBY,gBAFa,EAGb5B,UHa,EAIBc,
cAJa,EAkR;AACL,MAAIqB,KAAK,CAACC,OAAN,CAAcP,KAAd,CAAJ,EAA0B;AACxB,QAAMa,OAAO,GA
AG,EAAhB;;AAEA,SAAK,IAAIpQ,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAG2M,KAAK,CAACtP,MAAv
B,EAA+BoQ,MAApC,EAA4CrQ,CAAC,GAAG4C,GAAhD,EAAqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DqQ
,MAAAA,MAAM,GAAGH,OAAO,CAACX,KAAK,CAACvP,CAAD,CAAN,EAAWmQ,gBAAX,EAA6B5B,UA
A7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI6B,MAAM,KAAK,EAaf,EAAMb,SAAnB,KACK,IAAIR,KAAK,C
AACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAAO,CAACvN,IAAR,OAAAuN,OAAO,EAASC,MAAT,CAAP
,CAA3B,KACAD,OAAO,CAACvN,IAAR,CAAawN,MAAb;AACN;;AAED,WAAOD,OAAP;AACD;;AAED,MA
AId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP;AACD;AAED;;;ACA,MAAIInO,iBAAiB,CA
ACmO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACIO,iBAAjB;AACD;AAED;;;ACA,MAAIV,UA
AU,CAAC4O,KAAD,CAAd,EAAB;AACrB,QAAlO,mBAAMb,CAAC0O,KAAD,CAAnB,IAA8BY,gBAaIC,E
AAoD;AACID,UAAME,OAAM,GAAGd,KAAK,CAACY,gBAAD,CAApB;;AAEA,UAAI5P,OAAO,CAACC,GA
AR,CAAyC,QAaz,KAAYB,YAAzB,IAAYC6P,iBAAS,CAACD,OAAD,CAAtD,EAAGe;AAC9D;AACAE,QAA
AA,OAAO,CAACC,IAAR,CACKnQ,gBAAGb,CACjBkP,KADiB,CADrB;AAKD;;AAED,aAAOW,OAAO,CAAC
G,OAAD,EAASF,gBAAT,EAA2B5B,UAA3B,EAABCC,cAAvC,CAAd;AACD,KAbD,MAaO,OAAOe,KAAP;AA
CR;;AAED,MAAIA,KAAK,YAAYIB,SAArB,EAAGC;AAC9B,QAAIE,UAAJ,EAAGB;AACdGB,MAAAA,KAAK
,CAACjB,MAAN,CAAaC,UAAb,EAAYBC,cAAzB;ACA,aAAOe,KAAK,CAACb,OAAN,CAAcF,cAAAd,CAAP;
AACD,KAHD,MAGO,OAAOe,KAAP;AACR;AAED;;;ACA,SAAOU,aAAa,CAACV,KAAD,CAAb,GAAuBC,a
AAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACvO,QAAN,EAARd;AACD;;AC3FD;ACA,IAAMyP,OA
AO,GAAG,EAAhB;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAAIB,EAA2B;AACxC,MAAIF,OAAO,CAACE,O
AAD,CAAX,EAAsB;AACtBF,EAAAA,OAAO,CAACE,OAAD,CAAP,GAAMb,IAAnB;AAEA,MAAI,OAAOJ,O
AAP,KAAmB,WAAmB,IAAkCA,OAAO,CAACC,IAA9C,EAAoDD,OAAO,CAACC,IAAR,CAAaG,OAAb;AACr
D;;ACRD;ACA,IAAMC,YAAY,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;ACA,IAAM2Q,YAAY,GAAG,I
AAI3Q,UAAJ,CAAe,CAAf,CAArB;ACA,IAAM4Q,SAAS,GAAG,KAAK5Q,UAAAL,CAAgB,CAAhB,CAAlB;A
ACA,IAAM6Q,KAAK,GAAG,IAAI7Q,UAAJ,CAAe,CAAf,CAAd;ACA,IAAM8Q,OAAO,GAAG,KAAK9Q,U
AAL,CAAgB,CAAhB,CAAhB;ACA,IAAM+Q,KAAK,GAAG,IAAI/Q,UAAJ,CAAe,CAAf,CAAd;ACA,IAAM
gR,IAAI,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAb;ACA,IAAMiR,GAAG,GAAG,KAAKjR,UAAAL,CAA
gB,CAAhB,CAAZ;ACA,IAAMkR,EAAE,GAAG,KAAKIR,UAAAL,CAAgB,CAAhB,CAAX;ACA,IAAMmR,
WAAW,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAApB;ACA,IAAMoR,YAAY,GAAG,IAAIpR,UAAJ,CAAe,CAA
f,CAArB;ACA,IAAMqR,gBAAGb,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAzB;ACA,IAAMsR,iBAAiB,GAA
G,IAAIrT,UAAJ,CAAe,CAAf,CAA1B;ACA,IAAMuR,UAAU,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAAnB;AA
CA,IAAMwR,WAAW,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAApB;ACA,IAAMyR,SAAS,GAAG,IAAIzR,UAA
J,CAAe,CAAf,CAAIB;ACA,IAAM0R,QAAQ,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAjB;ACA,IAAM2R,KA
AK,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAd;ACA,IAAM4R,EAAE,GAAG,IAAI5R,UAAJ,CAAe,CAAf,CAA
X;AAEA,IAAM6R,SAAS,GAAG,+BAAlB;ACA,IAAMC,WAAW,GAAG,4CAApB;ACA,IAAMC,cAAc,GA
AG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAlB,EAAyBnI,OAazB,EAABuC;AAAA,MAAdA,OAAC;
AAAdA,IAAAA,OAAC,GAAJ,EAAl;AAAA;;AACpD,MAAMoI,MAAM,GAAG,EAaf;ACA,MAAMvN,GAAG
,GAAGsN,KAAK,CAACtN,GAAN,CAAUwN,OAAV,EAAZ;AAEA,MAAMC,MAAM,GAAGtI,OAAO,CAACuI,
YAAvB;AAEA,MAAIInT,IAAJ,EACEoT,IADF,EAEEC,KAFF,EAGEC,KAHF,EAIEC,IAJF,EAKEvM,OALF,EA
MEwM,MANF,EAQEC,QAPF,EAQEC,UARF,EASEC,OATF,EAUEC,SAVF,EAWECC,IAXF,EAYEC,CAZF;AAC
A,MAAMjT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;ACA,MAAI4M,MAAM,GAAG,CAAC,CAAd;AAC
A,MAAIrB,IAAI,GAAG,CAAX;ACA,MAAI2H,GAAG,GAAG,CAAV;;AAEA,WAASC,QAAT,CAAKBC,IAAI
B,EAAwB;AACtB,UAAMIB,KAAK,CAACmB,KAAAN,eAAwBD,IAAxB,EAAGC7H,IAAhC,EAAsC2H,GAAG,G
AAGtG,MAA5C,CAAN;AACD;;AAED,SAAOsG,GAAG,GAAGIT,MAAb,EAAGqB;AACnBb,IAAAA,IAAI,GAA
GyF,GAAG,CAAC3E,UAAJ,CAAeiT,GAaf,CAAP;;AAEA,QAAlT,IAAI,KAAK4R,OAAT,IAA0B5R,IAAI,KA
AK8R,IAA7B,IAAsC9R,IAAI,KAAKgS,EAAT,IAAevM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB

,MAA4BnC,OAArF,EAA+F;AAC7FnE,MAAAA,MAAM,GAAGsG,GAAT;AACa3H,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,YAAQpM,IAAR;AAACE,WAAK4R,OAAL;AACa,WAAKC,KAAL;AACa,WAAKE,GAAL;AACa,WAAKC,EAAL;AACa,WAAKF,IAAL;AAcEsB,QAAAA,IAAI,GAAGW,GAAP;;AACa,WAAG;AACDX,UAAAA,IAAI,IAAI,CAAR;AACApT,UAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAesS,IAAf,CAAP;;AACa,cAAIpT,IAAI,KAAK4R,OAAb,EAAsB;AACpBnE,YAAAA,MAAM,GAAG2F,IAAT;AACAhH,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK6R,KAAT,IACA7R,IAAI,KAAK4R,OADT,IAEA5R,IAAI,KAAK+R,GAFT,IAGA/R,IAAI,KAAKgS,EAHT,IAIAhS,IAAI,KAAK8R,IAZX;;AAeAkB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,OAAD,EAAUgC,GAAG,CAAC0O,KAAJ,CAAUJ,GAAV,EAAeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAAb;AACa;;AAEF,WAAKnB,WAAL;AAcEe,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAKyE,YAAL;AAcEc,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK4E,UAAL;AAcEW,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK6E,WAAL;AAcEU,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK8E,SAAL;AAcES,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK0E,gBAAL;AAcE0B,QAAAA,IAAI,GAAGb,MAAM,CAACnS,MAAP,GAAGbM,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB,GAA+C,EAAtD;AACAiT,QAAAA,CAAC,GAAGrO,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,CAAJ;;AACa,YACEF,IAAI,KAAK,KAAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKrc,YAFN,IAGAqC,CAAC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKIC,OAjN,IAKakC,CAAC,KAAK/B,GALN,IAMA+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACaOb,UAAAA,IAAI,GAAGW,GAAP;;AACa,aAAG;AACDJ,YAAAA,OOAO,GAAG,KAAV;AACAP,YAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAaj,CAAY,GAAZ,EAAiByF,IAAI,GAAG,CAAxB,CAAP;;AACa,gBAaIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,kBAaIF,MAAJ,EAAY;AACVE,gBAAAA,IAAI,GAAGW,GAAP;AACa;AACD,eAHD,MAGO;AACLC,gBAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;AACa,mBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,CAA3B,MAAkCIC,SAazC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI,CAAb;AACAD,cAAAA,OOAO,GAAG,CAACA,OAAX;AACD;AACF,WAhBD,QAgBSA,OAhBT;;AAkBAX,UAAAA,MAAM,CAACvP,IAAP,CAAY,CACV,UADU,EAEvGc,GAAG,CAAC0O,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,EAIV2H,GAAG,GAAGtG,MAJL,EAKVrB,IALU,EAMVgH,IAAI,GAAG3F,MANG,CAAZ;AAQAsG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAiCD,MAscO;AACLA,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAaj,CAAY,GAAZ,EAAiBoG,GAAG,GAAG,CAAvB,CAAP;AACa/M,UAAAA,OOAO,GAAGvB,GAAG,CAAC0O,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAIA,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACrR,IAAf,CAAoBwF,OAAPB,CAAnB,EAAiD;AAC/CgM,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACD,WAFD,MAEO;AACLuF,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,UAAD,EAAuD,OAAb,EAAsBoF,IAAtB,EAA4B2H,GAAG,GAAGtG,MAAIC,EAA0CrB,IAA1C,EAAgDgH,IAAI,GAAG3F,MAAvD,CAAZ;AACAsG,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AAcEY,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK+D,YAAL;AACa,WAAKC,YAAL;AAcE4B,QAAAA,KAAK,GAAGrT,IAAI,KAAKwR,YAAT,GAAwB,GAAxB,GAA8B,GAAtC;AACa4B,QAAAA,IAAI,GAAGW,GAAP;;AACa,WAAG;AACDJ,UAAAA,OOAO,GAAG,KAAV;AACAP,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAaj,CAAY0F,KAAZ,EAAMBD,IAAI,GAAG,CAA1B,CAAP;;AACa,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,gBAaIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AACa;AACD,aAHD,MAGO;AACLC,cAAAA,QAAQ,CAAC,OAAD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;AACa,iBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,CAA3B,MAAkCIC,SAazC,EAAoD;AACIDkC,YAAAA,SAAS,IAAI,CAAb;AACAD,YAAAA,OOAO,G

AAG,CAACA,OAAx;AACD;AACF,SAhBD,QAgsBSA,OAhBT;;AAkBA3M,QAAAA,OAAO,GAAGvB,GAAG,C
AAC00,KAAJ,CAAUJ,GAAGV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,QAAAA,KAAK,GAAGtM,OAAO,
CAACE,KAAR,CAAc,IAAd,CAAR;AACAcqM,QAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;
AAEA,YAAI0S,IAAI,GAAG,CAAX,EAAc;AACZE,UAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAIB;AACAG,
UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,SAHD,MAGO
;AACL4S,UAAAA,QAAQ,GAAGrH,IAAX;AACAsH,UAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,QAA
AA,MAAM,CAACvP,IAAP,CAAY,CACV,QADU,EAEVgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAGV,EAAeX,IA
AI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,EAIV2H,GAAG,GAAGtG,MAJI,EAKVgG,QALU,EAMVL,IAAI,GA
AGM,UANG,CAAZ;AASAjG,QAAAA,MAAM,GAAGiG,UAAT;AACAtH,QAAAA,IAAI,GAAGqH,QAAP;AA
CAM,QAAAA,GAAG,GAAGX,IAAN;AACAs;;AAEF,WAAKV,EAAL;AACCEC,QAAAA,SAAS,CAACyB,SAAV
,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAACnR,IAAV,CAAeiE,GAAf;;AACAs,YAAIkN,S
AAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAAA,IAAI,GAAG3N,GAAG,CAAC5E,MAAJ,G
AAa,CAApB;AACD,SAFD,MAEO;AACLuS,UAAAA,IAAI,GAAGT,SAAS,CAACyB,SAAV,GAAsB,CAA7B;A
ACD;;AACDpB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,SAAD,EAAYgC,GAAG,CAAC00,KAAJ,CAA
UJ,GAAGV,EAAeX,IAAI,GAAG,CAAtB,CAAZ,EAAsChH,IAAtC,EA4C2H,GAAG,GAAGtG,MAAID,EAA0Dr
B,IAA1D,EAAGeGh,IAAI,GAAG3F,MAAvE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AACAs;;AAEF,
WAAK1B,SAAL;AACCE0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,QAAAA,MAAM,GAAG,IAAT;;AACAs,eA
AO/N,GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,MAA6B1B,SAApC,EAA+C;AAC7C0B,UAAAA,I
AAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;AACD;;AACDxT,QAAAA,IAAI,GAAGyF,
GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,CAAP;;AACAs,YACEI,MAAM,IACLxT,IAAI,KAAK2R,
KAAT,IACC3R,IAAI,KAAK6R,KADV,IAEC7R,IAAI,KAAK4R,OAFV,IAGC5R,IAAI,KAAK+R,GAHV,IAIC/R
,IAAI,KAAKgS,EAJV,IAKChS,IAAI,KAAK8R,IAPb,EAQE;AACAsB,UAAAA,IAAI,IAAI,CAAR;AACD;;AAC
DJ,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAGV,E
AAeX,IAAI,GAAG,CAAtB,CAAT,EAAMChH,IAAnC,EAAYC2H,GAAG,GAAGtG,MAA/C,EAADrB,IAAvD,E
AA6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AACAs;;AAEF;AAE,YAA
IpT,IAAI,KAAK2R,KAAT,IAAkBIM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,MAA4BvB,QAAI
D,EAA4D;AAC1DY,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAAJ,CAAY,IAAZ,EAakBoG,GAAG,GAAG,C
AAxB,IAA6B,CAApC;;AACAs,cAAIX,IAAI,KAAK,CAAb,EAAGb;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAA
AA,IAAI,GAAG3N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;AACLmT,cAAAA,QAAQ,CAAC,SAAD,CA
AR;AACD;AACF;;AAEDhN,UAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GAAGV,EAAeX,IAAI,
GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGtM,OAAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACAcq
M,UAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;AAEA,cAAI0S,IAAI,GAAG,CAAX,EAAc;A
ACZE,YAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAIB;AACAG,YAAAA,UAAU,GAAGN,IAAI,GAAGE,KA
AK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,WAHD,MAGO;AACL4S,YAAAA,QAAQ,GAAGrH,IAAX;
AACAsH,YAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,S
AAD,EAAYuD,OAAZ,EAaqBoF,IAArB,EAA2B2H,GAAG,GAAGtG,MAAJc,EAAYcGg,QAAzC,EAAMDL,IA
AI,GAAGM,UAA1D,CAAZ;AAEAjG,UAAAA,MAAM,GAAGiG,UAAT;AACAtH,UAAAA,IAAI,GAAGqH,QA
AP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2BO;AACLR,UAAAA,WAAW,CAACwB,SA
AZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,CAACpR,IAAZ,CAAiBiE,GAAjB;;AACAs,cA
AImN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,YAAAA,IAAI,GAAG3N,GAAG,CAAC5E,
MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLuS,YAAAA,IAAI,GAAGR,WAAW,CAACwB,SAAZ,GAAw
B,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,
KAAJ,CAAUJ,GAAGV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAMChH,IAAnC,EAAYC2H,GAAG,GAAGtG,MA
A/C,EAADrB,IAAvD,EAA6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,UAAAA,GAAG,GAAGX,IAAN;A
ACD;;AAED;AAzOJ;;AA4OAW,IAAAA,GAAG;AACJ;;AAED,SAAO,MAAP;AACD;;AC9SD;AACAs,AAGA,I
AAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAAD,EAak,EAAL,CADY;AACF;AACpB5G,E
AAAA,MAAM,EAAE,CAAC,EAAD,EAak,EAAL,CAFc;AAEJ;AACIB,aAAW,CAAC,EAAD,EAak,EAAL,CA
HW;AAGD;AACrB6G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAak,EAAL,CAJa;AAIH;AACnB,OAAK,CAAC,

,GAApB,EAAYB;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAA02V,WAAP,KAAuB3V,GAAG,CAACmT, KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAyC,OAAZ,EAaqB;AACnB,SAAKA,OAAAL,GA Ae A,OAAf;AACD;;;SAEDC,YAAA,mBAAU9O,IAAV,EAAGB+O,SAAhB,EAa2B;AACzB,SAAK/O,IAAI,CAAC gP,IAAV,EAAGBhP,IAAhB,EAAsB+O,SAAtB;AACD;;SAEDE,OAAA,cAAKjP,IAAL,EAAW;AACT,SAAKkP,I AAL,CAAUIP,IAAV;AACa,QAAlA,IAAI,CAACmP,IAAL,CAAUb,KAAAd,EAaqB,KAAKO,OAAAL,CAAa7O,I AAI,CAACmP,IAAL,CAAUb,KAAvB;AACTb;;SAED/B,UAAA,iBAAQvM,IAAR,EAAC;AACZ,QAAMoP,IAAI, GAAG,KAAKC,GAAL,CAASrP,IAAT,EA Ae,MAAf,EA AuB,aAAvB,CAAb;AACa,QAAMsP,KAAK,GAAG,KA AKD,GAAL,CAASrP,IAAT,EA Ae,MAAf,EA AuB,cAAxB,CAAd;AACa,SAAK6O,OAAAL,QAakBO,IAAI,GA AyBpP,IAAI,CAACuP,IAA9B,GAAqCD,KAArC,SAAGDtP,IAAhD;AACD;;SAEDwP,OAAA,cAAKxP,IAAL,EA AW+O,SAAX,EAAsB;AACpB,QAAMU,OAAO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EA Ae,SAAf,EAa0B,OA A1B,CAAhB;AACa,QAAl0F,MAAM,GAAG1F,IAAI,CAAC0P,IAAL,GAAYD,OAAZ,GAAsB,KAAKE,QAAL, CAAC3P,IAAd,EAa0B,OAAPB,CAAnC;;AAEA,QAAlA,IAAI,CAAC4P,SAAT,EAa0B;AACIBIK,MAAAA,MA AM,IAAI1F,IAAI,CAACmP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;AAED,QAAlb,SAAJ,EA AerJ,MAAM ,IAAI,GAAV;AACf,SAAKmJ,OAAAL,CAAAnJ,MAAb,EAaqB1F,IAArB;AACD;;SAEDiC,OAAA,cAAKjC,IAAL, EA AW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EA AiB,KAAK2P,QAAL,CAAC3P,IAAd,EAa0B,UAApB,CAA jB;AACD;;SAED6P,SAAA,gBAA07P,IAAP,EAa+O,SAAb,EA AwB;AACTb,QAAl3W,IAAI,SAa04H,IAAI,C AAC5H,IAApB;AACa,QAAM0X,MAAM,GAAG9P,IAAI,CAAC8P,MAAL,GAAC,KAAKH,QAAL,CAAC3P,IA Ad,EAa0B,QAAPB,CAAd,GAa8C,EAa7D;;AAEA,QAAl,OAAOA,IAAI,CAACmP,IAAL,CAAUY,SAAjB,KA A+B,WAAAnC,EAAGD;AAC9C3X,MAAAA,IAAI,IAAI4H,IAAI,CAACmP,IAAL,CAAUY,SAAlB;AACD,KAFD, MAEO,IAAID,MAAJ,EAAY;AACjB1X,MAAAA,IAAI,IAAI,GAAR;AACD;;AAED,QAAl4H,IAAI,CAACH,KA AT,EAAGB;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EA AiB5H,IAAI,GAAG0X,MAAxB;AACD,KAFD,MAEO; AACL,UAAmVc,GAAG,GAAG,CAACvN,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAQb,EAAtB,KAA6BV,SA AS,GAAG,GA AH,GAAS,EA A/C,CAAZ;AACa,WAAKF,OAAAL,CAAazW,IAAI,GAAG0X,MAAP,GAAGBvC,G AA7B,EAakCvN,IAAIC;AACD;AACF;;SAEDkP,OAAA,cAAKIP,IAAL,EA AW;AACT,QAAluL,IAAI,GAAGvL ,IAAI,CAACH,KAAL,CAAW hH,MAAX,GAa0B,CAA/B;;AACa,WAA00S,IAAI,GAAG,CAAd,EA AiB;AACf, UAAIvL,IAAI,CAACH,KAAL,CAAW0L,IAAX,EA AiByD,IAAjB,KAA0B,SAa9B,EAAYC;AACzCzD,MAAAA, IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAASrP,IAAT,EA Ae,WAAf,CAAl B;;AACa,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAGoH,IAAI,CAACH,KAAL,CAAW hH,MA A/B,EA AuCD,CAAC,EA AxC,EA A4C;AAC1C,UAAm6H,KAAK,GAAGT,IAAI,CAACH,KAAL,CAAWjH,CAA X,CAAd;AACa,UAAm0X,MAAM,GAAG,KAAKX,GAAL,CAAS5O,KAAAT,EAAGB,QA AhB,CAAf;AACa,UA AluP,MAAJ,EAAY,KAAKnB,OAAAL,CAAamB,MAAb;AACZ,WAAKIB,SAAL,CAAerO,KAAf,EAAsB8K,IAAI, KAAK3S,CAAT,IAAcMw,SAAPC;AACD;AACF;;SAEDjL,QAAA,eAAM9D,IAAN,EAAYqN,KAAZ,EAAMb;A ACjB,QAAMoC,OAAO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EA Ae,SAAf,EAa0B,YAA1B,CAAhB;AACa,SA AK6O,OAAAL,CAAGBxB,KAAK,GAAGoC,OA AxB,QAa0CzP,IAAPc,EAa0C,OAA1C;AAEA,QAAlSo,KAAJ;; AACa,QAAlto,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAAW hH,MAA7B,EAAGc;AACnC,WAAK qW,IAAL,CAAUIP,IAAV;AACAsO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASrP,IAAT,EA Ae,MAAf,CAA R;AACD,KAHd,MAGO;AACLsO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASrP,IAAT,EA Ae,MAAf,EA Aw B,WAAxB,CAAR;AACD;;AAED,QAAlSo,KAAJ,EA AW,KAAKO,OAAAL,CAAaP,KAAb;AACX,SAAKO,OAA L,CAAa,GAAb,EAakB7O,IAAI,EA AwB,KAAxB;AACD;;SAEDqP,MAAA,aAAIrP,IAAJ,EA AUiQ,GA AV,EA AeC,MAAf,EA AuB;AACrB,QAAlnI,KAAJ;AACa,QAAl,CAACmI,MAAL,EAaA,MAAM,GAAGD,GAAT,CA AFQ;;AAKrB,QAAlA,GA AJ,EAAS;AACPII,MAAAA,KAAK,GAAG/H,IAAI,CAACmP,IAAL,CAAUc,GA AV,CA AR;AACa,UAAI,OAAOI,KAAP,KAAiB,WAArB,EA AKC,OAAOA,KAAP;AACnC;;AAED,QAAMjH,MAAM, GAAGd,IAAI,CAACc,MAAPB,CAVqB;;AAarB,QAAlOp,MAAM,KAAK,QA Af,EAAYB;AACvB,UAAI,CAACp P,MAAD,IAAYA,MAAM,CAACkO,IAAP,KAAgB,MAAhB,IAA0BIO,MAAM,CAACqP,KAAP,KAAiBnQ,IAA 3D,EA AkE;AACHe,eAAO,EAAP;AACD;AACF,KAjBoB;;;AAoBrB,QAAl,CAACc,MAAL,EAaA,OAAOgN,UA AU,CAACoC,MAAD,CAAjB,CApBQ;;AAuBrB,QAAMjB,IAAI,GAAGjP,IAAI,CAACiP,IAAL,EAAb;AACa,Q AAI,CAACA,IAAI,CAACmB,QA AV,EAa0BnB,IAAI,CAACmB,QAAL,GAAGB,EA AhB;;AACpB,QAAl,OAAO nB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EA AkD;AACHD,aAAOjB,IAAI,CAACmB,Q

AAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAIA,MAAM,KAAK,QAAX,IAAuBA,MAAM,KAAK,OAAtC,EA
A+C;AAC7C,aAAO,KAAKG,WAAL,CAAiBrQ,IAAjB,EAAuBkQ,MAAvB,CAAP;AACD,KAFD,MAEO;AACL,
UAAMI,MAAM,WAAS5B,UAAU,CAACwB,MAAD,CAA/B;;AACA,UAAI,KAAKI,MAAL,CAAJ,EAakB;AA
ChBvI,QAAAA,KAAK,GAAG,KAAKuI,MAAL,EAArB,IAAb,EAAmBjP,IAAnB,CAAR;AACD,OAFD,MAEO;
AAClP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACbmP,UAAAA,KAAK,GAAGnP,CA
AC,CAACuW,IAAF,CAAOc,GAAP,CAAR;AACA,cAAI,OAAOI,KAAP,KAAiB,WAArB,EAakC,OAAO,KAA
P;AACnC,SAHD;AAID;AACF;;AAED,QAAI,OAAOA,KAAP,KAAiB,WAArB,EAakCA,KAAK,GAAG+F,UAA
U,CAACoC,MAAD,CAAIB;AAEiCjB,IAAAA,IAAI,CAACmB,QAAL,CAACf,MAAd,IAAwBnI,KAAxB;AACA,
WAAOA,KAAP;AACD;;SAEDyI,eAAA,sBAAavB,IAAb,EAAmB;AACjB,QAAlIH,KAAJ;AACaKH,IAAAA,IA
AI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAA
CiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC2S,IAAF,CAAOyD,IAAP,KAAGB,MAAjD,EAAYD;AACv
DjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOJ,SAAf;AACA,YAAI,OAAOhH,KAAP,KAAiB,W
AArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAEDOI,eAAA,sBAAaxB,
IAAb,EAAmB;AACjB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;
AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,KAAmB,CAAIC,EA
AqC;AACnCkP,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOB,KAAF;AACA,YAAI,OAAOvG,KAA
P,KAAiB,WAArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAED2I,YAA
A,mBAAUzB,IAAV,EAAGB;AACd,QAAIA,IAAI,CAACE,IAAL,CAAUnB,MAAd,EAASB,OAAOiB,IAAI,CAA
CE,IAAL,CAAUnB,MAAjB;AACtB,QAAljG,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,
CAAC,EAAI;AACb,UAAm+X,CAAC,GAAG/X,CAAC,CAACkI,MAAZ;;AACA,UAAI6P,CAAC,IAAIA,CAAC,
KAAK1B,IAAX,IAAmB0B,CAAC,CAAC7P,MAArB,IAA+B6P,CAAC,CAAC7P,MAAF,KAAamO,IAAhD,EA
sD;AACpD,YAAI,OAAOrW,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,cAAM1
Q,KAAK,GAAG1G,CAAC,CAACuW,IAAF,CAAOa,MAAP,CAAc9Q,KAAd,CAAoB,IAApB,CAAd;AACA6I,U
AAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GAAe,CAAhB,CAAb;AACaKp,UAAAA,KA
AK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EAAwB,EAaxB,CAAR;AACA,iBAAO,KAAP;AACD;AAC
F;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED6I,mBAAA,0BAAiB3B,IAAjB,EAAuBjP,IAAvB,EA6
B;AAC3B,QAAI+H,KAAJ;AACaKH,IAAAA,IAAI,CAAC4B,YAAL,CAakB,UAAAJY,CAAC,EAAI;AACrB,U
AAI,OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,QAAAA,KAAK,GA
GnP,CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACA,YAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CA
AC,CAA7B,EAAGC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAzB
,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAAP,KAAiB,WAArB,EA
AkC;AACChCA,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAae,IAAf,EAaqB,YAArB,CAAR;A
ACD;;AACD,WAAO+H,KAAP;AACD;;SAED+I,gBAAA,uBAAc7B,IAAd,EAAoBjP,IAApB,EAA0B;AACxB,Q
AAI+H,KAAJ;AACaKH,IAAAA,IAAI,CAAC8B,SAAL,CAAE,UAAAnY,CAAC,EAAI;AACIB,UAAI,OAAOA,C
AAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,QAAAA,KAAK,GAAGnP,CAAC,CA
ACuW,IAAF,CAAOa,MAAf;;AACA,YAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EA
AgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAzB,CAAR;AACD;
;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAAP,KAAiB,WAArB,EAakC;AACChCA,
MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAae,IAAf,EAaqB,YAArB,CAAR;AACD;;AACD,W
AAO+H,KAAP;AACD;;SAEDiJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB,QAAlIH,KAAJ;AACaKH,IAAAA,IA
AI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,KAAYjH,CAAC,CA
ACKI,MAAF,KAAamO,IAAb,IAAqBA,IAAI,CAACKB,KAAL,KAAevX,CAAhD,CAAJ,EAawD;AACtD,YAAI,
OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,UAAAA,KAAK,GAAGnP,
CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACA,cAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,C
AA7B,EAAGC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAzB,CA
AR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkI,iBA
AA,wBAAehC,IAAf,EAaqB;AACnB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,
CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,GAAiB

,CAAhC,EAAmC;AACjC,YAAI,OAAOD,CAAC,CAACuW,IAAF,CAAOb,KAAAd,KAAwB,WAA5B,EAAyC;AA
CvCvG,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOb,KAAf;AACa,cAAIvG,KAAK,CAACpC,OA
AN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN
,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAA
OuP,KAAP;AACD;SAEDmJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,
CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACoW,IAAF,KAAW,MAAf,EAAuB;A
ACrBjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAaf;AACa,YAAI,OOAO1H,KAAP,KA
AiB,WAArB,EAAkC,OOAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;SAEDoJ,WAAA,kB
AASIC,IAAT,EAAe;AACb,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAAC8B,SAAL,CAAe,UAAAnY,CAAC,EA
AI;AACIB,UAAI,OOAOA,CAAC,CAACuW,IAAF,CAAOM,OAAd,KAA0B,WAA9B,EAA2C;AACzCIH,QAAA
A,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAAP,CAAejX,OAaf,CAAuB,SAAvB,EAAkC,EAAIC,C
AAR;AACa,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;AACD;SAEDsI,cAAA,qBAAyRQ,IA
AZ,EAAkBkQ,MAAIB,EAA0B;AACxB,QAAlnI,KAAJ;AACa,QAAlH,IAAI,CAACgP,IAAL,KAAc,MAAIB,E
AA0B;AACxBjH,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,YAArB,CAAR;
AACD,KAFD,MAEO,IAAIA,IAAI,CAACgP,IAAL,KAAc,SAAlB,EAA6B;AACICjH,MAAAA,KAAK,GAAG,K
AAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,eAArB,CAAR;AACD,KAFM,MAEA,IAAlkQ,MAAM,KAA
K,QAaf,EAAyB;AAC9BnI,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,YAAr
B,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf
,EAAqB,aAArB,CAAR;AACD;AAED,QAAlOR,GAAG,GAAGpR,IAAI,CAACc,MAAf;AACa,QAAlYD,KAAK,
GAAG,CAAZ;AACa,WAAO6M,GAAG,IAAIA,GAAG,CAACpC,IAAJ,KAAa,MAA3B,EAAmC;AACjCzK,MA
AAA,KAAK,IAAI,CAAT;AACa6M,MAAAA,GAAG,GAAGA,GAAG,CAACtQ,MAAV;AACD;AAED,QAAlI
H,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9B,UAAmqI,MAAM,GAAG,KA
AKqB,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,QAArB,CAAf;AACa,UAAIgO,MAAM,CAACnV,MAAX,EA
AmB;AACjB,aAAK,IAAlwY,IAAI,GAAG,CAAhB,EAAmBA,IAAI,GAAG9M,KAA1B,EAAiC8M,IAAI,EAArC;
AAAYCtJ,UAAAA,KAAK,IAAlIG,MAAT;AAAZC;AACD;AACF;AAED,WAAOjG,KAAP;AACD;SAED4H,W
AAA,kBAAS3P,IAAT,EAAe0P,IAAf,EAAqB;AACnB,QAAM3H,KAAK,GAAG/H,IAAI,CAAC0P,IAAD,CAAlB
;AACa,QAAML,GAAG,GAAGrP,IAAI,CAACmP,IAAL,CAAUO,IAAV,CAAZ;AACa,QAAIL,GAAG,IAAIA,
GAAG,CAACtH,KAAJ,KAAcA,KAAzB,EAAgC;AAC9B,aAAOsH,GAAG,CAACA,GAAX;AACD,KAFD,MAE
O;AACL,aAAOtH,KAAP;AACD;AACF;AACHUH;AACa,AAEe,SAAS+G,SAAT,CAAmB9O,IAAnB,EAAyB6
O,OAazB,EAAkC;AAC/C,MAAM7V,GAAG,GAAG,IAAI4V,WAAJ,CAAgBC,OAahB,CAAZ;AACa7V,EAAA
A,GAAG,CAAC8V,SAAJ,CAAc9O,IAAd;AACD;ACAD;AAMA;AAOA,IAAMsR,SAAS,GAAG,SAAZ
A,SAAY,CAASjJ,GAAT,EAAcvH,MAAd,EAASB;AACtC,MAAMyQ,MAAM,GAAG,IAAlIJ,GAAG,CAACmJ,
WAAR,EAAf;AAEA,OAAK,IAAM5Y,CAAX,IAAgByP,GAAhB,EAAqB;AACnB,QAAl,CAACA,GAAG,CAA
CG,cAAJ,CAAmB5P,CAAnB,CAAL,EAA4B;AAC5B,QAAlmP,KAAK,GAAGM,GAAG,CAACzP,CAAD,CAAf;
AACa,QAAMoW,IAAI,GAAG,OOAOjH,KAApB;AAEA,QAAlnP,CAAC,KAAK,QAAN,IAAkBoW,IAAI,KAA
K,QAAB,EAAyC;AACvC,UAAIlO,MAAJ,EAAyQ,MAAM,CAAC3Y,CAAD,CAAN,GAAYkI,MAAZ;AACb,
KAFD,MAEO,IAAlII,CAAC,KAAK,QAAlV,EAAoB;AACzB2Y,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAA
YmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAAK,YAAyU,KAArB,EAA4B;AACjC8I,MAAAA,MAAM,CAAC3
Y,CAAD,CAAN,GAAYmP,KAAK,CAAC6E,GAAN,CAAU,UAAA6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CA
AD,EAAIF,MAAJ,CAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MAEA,IAAlI3Y,CAAC,KAAK,QAAN,IAAkBA,
CAAC,KAAK,OAAXB,IAAmCA,CAAC,KAAK,SAAZC,IAAsDA,CAAC,KAAK,WAAhE,EAA6E;AACIF,UAAI
oW,IAAI,KAAK,QAAT,IAAQBjH,KAAK,KAAK,IAAnC,EAAyCA,KAAK,GAAGuJ,SAAS,CAACvJ,KAAD,CA
AjB;AACzCwJ,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAAYmP,KAAZ;AACD;AACF;AAED,SAAOwJ,M
AAP;AACD,CARBD;AAuBA;IAKMG;AACJ;AAGA,gBAAyC,QAAlZ,EAA2B;AAAA,QAAlfA,QAAlE;AAA
fA,MAAAA,QAAlE,GAAlJ,EAAI;AAAA;AACzB,SAAKxC,IAAL,GAAY,EAAZ;AACa,SAAK,IAAM/W,IAAX,
IAAmBuZ,QAANB,EAA6B;AAC3B,WAAKvZ,IAAL,IAAuZ,QAAQ,CAACvZ,IAAD,CAArB;AACD;AACF;A
AED;SAGCA8T,QAAA,eAAM3C,OAAN,EAAeqI,IAAf,EAA0B;AAAA,QAAXA,IAAW;
AAAXA,MAAAA,IAAW,GAAlJ,EAAI;AAAA;AACxB,QAAl,KAAK9E,MAAT,EAAiB;AACf,UAAmF,GAAG,

GAAG,KAAK8F,UAAAL,CAAgBD,IAAhB,CAAZ;AACa,aAAO,KAAK9E,MAAL,CAAY/B,KAAZ,CAAkBmB,
KAAIB,CAAwB3C,OAAxB,EAAiCwC,GAAG,CAAC3H,IAArC,EAA2C2H,GAAG,CAAC1H,MAA/C,EAAuDu
N,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAAmBtD,OAAAnB,CAAP;AACD;AACF;A
AED;,,,,,,,,,,,,,,,,,,,,;SAyBAH,OAAA,cAAKH,MAAL,EAAAsG,IAAb,EAAMbqC,IAAnB,EAAYB;AACvB,QA
AME,IAAI,GAAG;AAAE9R,MAAAA,IAAI,EAAE;AAAR,KAAb;;AACa,SAAK,IAAMpH,CAAX,IAAgBgZ,IA
AhB;AAAsBE,MAAAA,IAAI,CAACIZ,CAAD,CAAJ,GAAUgZ,IAAI,CAACHZ,CAAD,CAAd;AAATB;;AACa,
WAAOqQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAakBuC,IAAIB,CAAP;AACD;AAED;,,,,,,,,,,,,;SAWAC,S
AAA,kBAAS;AACP,QAAl,KAAKjR,MAAT,EAAiB;AACf,WAAKA,MAAL,CAAYX,WAAZ,CAAwB,IAAxB;
AACD;;AACD,SAAKW,MAAL,GAAClC,SAAd;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAWAhF,WAAA,
kBAASoY,WAAT,EAakC;AAAA,QAazBA,WAAyB;AAAZBA,MAAAA,WAAyB,GAAXID,SAAW;AAAA;;A
AChC,QAAlkD,WAAW,CAACID,SAAhB,EAA2BkD,WAAW,GAAGA,WAAW,CAACID,SAA1B;AAC3B,QA
I7F,MAAM,GAAG,EAAb;AACa+I,IAAAA,WAAW,CAAC,IAAD,EAAO,UAAAPZ,CAAC,EAAl;AACrBqQ,M
AAAA,MAAM,IAAIrQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOqQ,MAAP;AACD;AAED;,,,,,,,,,,,,;SagB
AgJ,QAAA,eAAMC,SAAN,EAAsB;AAAA,QAahBA,SAAgB;AAAhBA,MAAAA,SAAgB,GAAJ,EAAl;AAAA;;
AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;AACa,SAAK,IAAMIZ,IAAX,IAAmB8Z,SAA
nB,EAA8B;AAC5BX,MAAAA,MAAM,CAACnZ,IAAD,CAAN,GAae8Z,SAAS,CAAC9Z,IAAD,CAAxB;AACD
;;AACD,WAAOmZ,MAAP;AACD;AAED;,,,,,,,,,,,,;SAWAY,cAAA,qBAAyD,SAAZ,EAA4B;AAAA,QAahBA,S
AAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAl;AAAA;;AAC1B,QAAMX,MAAM,GAAG,KAAKU,KAAL,CAA
WC,SAAX,CAAf;AACa,SAAKpR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,EAA+BmQ,MAA/B;AACa,WAAO
A,MAAP;AACD;AAED;,,,,,,,,,,,,;SAQAa,aAAA,oBAAWF,SAAX,EAA2B;AAAA,QAahBA,SAAGB;AAAhBA,MA
AAA,SAAGB,GAAJ,EAAl;AAAA;;AACzB,QAAMX,MAAM,GAAG,KAAKU,KAAL,CAAWC,SAAX,CAAf;A
ACA,SAAKpR,MAAL,CAAYuR,WAAZ,CAAwB,IAAxB,EAA8Bd,MAA9B;AACa,WAAOA,MAAP;AACD;AA
ED;,,,,,,,,,,,,;SAYae,cAAA,uBAAsB;AAAA;;AACpB,QAAl,KAAKxR,MAAT,EAAiB;AAAA,wCADJjB,KACI;
AADJA,QAAAA,KACI;AAAA;;AACfA,MAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI,EAAl;AACpB
,QAAA,KAAI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAAZB,EAA+BpB,IAA/B;AACD,OAFD;AAIA,WAAC
+R,MAAL;AACD;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAiBAQ,SAAA,gBAAOC,SAAP,EAakB;A
AChB,SAAKC,SAAL,CAAe,KAAKxD,IAAL,OAAgBuD,SAAS,CAACvD,IAAV,EAA/B;AACa,SAAK8C,MAA
L;AACAS,IAAAA,SAAS,CAACE,MAAV,CAAiB,IAAjB;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAWAC,
aAAA,oBAAWC,SAAX,EAAsB;AACpB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,OAAgB2D,SAAS,CAAC3D,IA
AV,EAA/B;AACa,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC9R,MAAV,CAAiBM,YAAjB,CAA8BwR,SA
A9B,EAAYC,IAAZC;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAWAC,YAAA,mBAAUD,SAAV,EAaqB;A
ACnB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,OAAgB2D,SAAS,CAAC3D,IAAV,EAA/B;AACa,SAAK8C,MAA
L;AACaA,IAAAA,SAAS,CAAC9R,MAAV,CAAiBuR,WAAjB,CAA6BO,SAA7B,EAAwC,IAAxC;AACa,WAA
O,IAAP;AACD;AAED;,,,,,,,,,,,,;SAcAxH,OAAA,gBAAO;AACL,QAAM3O,KAAK,GAAG,KAAKqE,MAAL,C
AAyRE,KAAZ,CAAkB,IAAIB,CAAd;AACa,WAAO,KAAKqE,MAAL,CAAYjB,KAAZ,CAAkBpD,KAAK,GA
G,CAA1B,CAAP;AACD;AAED;,,,,,,,,,,,,;SAYAoP,OAAA,gBAAO;AACL,QAAMpP,KAAK,GAAG,KAAKqE,M
AAL,CAAYrE,KAAZ,CAAkB,IAAIB,CAAd;AACa,WAAO,KAAKqE,MAAL,CAAYjB,KAAZ,CAAkBpD,KAA
K,GAAG,CAA1B,CAAP;AACD;;SAEDqW,SAAA,kBAAS;AACP,QAAMC,KAAK,GAAG,EAAd;;AAEA,SAAK
,IAAM3a,IAAX,IAAmB,IAAnB,EAAYB;AACvB,UAAI,CAAC,KAAKoQ,cAAL,CAAoBpQ,IAApB,CAAL,EAA
gC;AACChC,UAAIA,IAAI,KAAK,QAAb,EAAuB;AACvB,UAAAM2P,KAAK,GAAG,KAAK3P,IAAL,CAAd;;AAE
A,UAAI2P,KAAK,YAAYU,KAArB,EAA4B;AAC1BsK,QAAAA,KAAK,CAAC3a,IAAD,CAAL,GAAC2P,KAA
K,CAAC6E,GAAN,CAAU,UAAAhU,CAAC,EAAl;AAC3B,cAAI,OAAOA,CAAP,KAAa,QAAb,IAAYBA,CAAC
,CAACka,MAA/B,EAAuC;AACrC,mBAAOla,CAAC,CAACka,MAAF,EAAP;AACD,WAFD,MAEO;AACL,mB
AAOla,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IAAI,OAAOmP,KAAP,KAAiB,QAajB,IAA6B
A,KAAK,CAAC+K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CAAC3a,IAAD,CAAL,GAAC2P,KAAK,CAAC
+K,MAAN,EAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,CAAC3a,IAAD,CAAL,GAAC2P,KAAd;AAC
D;AACF;;AAED,WAAOgL,KAAP;AACD;AAED;,,,,,,,,,,,,;SakBA1D,MAAA,aAAIK,IAAJ,EAAUsD,WAA
V,EAAuB;AACrB,QAAMha,GAAG,GAAG,IAAI4V,WAAJ,EAAZ;AACa,WAAO5V,GAAG,CAACqW,GAAJ,C

AAQ,IAAR,EAAcK,IAAd,EAAoBsD,WAApB,CAAP;AACD;AAED;,,,,,,;SAQA/D,OAAA,gBAAO;AACL,QA
AlhG,MAAM,GAAG,IAAb;:;AACA,WAAOA,MAAM,CAACnI,MAAd;AAAsBmI,MAAAA,MAAM,GAAGA,M
AAM,CAACnI,MAAhB;AAAtB;:;AACA,WAAOmI,MAAP;AACD;:;SAEDwJ,YAAA,mBAAUQ,WAAV,EAAuB;
AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACA,WAAO,KAAKb,IAAL,CAAUb,KAAjB;AACA,QAAL,
CAAC2E,WAAL,EAAkB,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;:;SAEDyD,iBAAA,wBAEzW,KAA
f,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAAf;AACA,QAAlYK,MAAM,GAAG,KAAKyI,M
AAL,CAAYO,KAAZ,CAAKbHJ,MAA/B;AACA,QAAlD,IAAI,GAAG,KAAK0I,MAAL,CAAYO,KAAZ,CAAKbJ
J,IAA7B;:;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG6D,KAApB,EAA2B7D,CAAC,E
AA5B,EAAgC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAIb,EAAwB;AACTyL,QAAAA,
MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHD,MAGO;AACLC,QAAAA,MAAM,IA
AI,CAAV;AACD;AACF;:;AAED,WAAO;AAAED,MAAAA,IAAI,EAAJA,IAAF;AAAQC,MAAAA,MAAM,EAA
NA;AAAR,KAAP;AACD;:;SAEDwN,aAAA,oBAAWD,IAAX,EAAiB;AACf,QAAl7F,GAAG,GAAG,KAAKe,M
AAL,CAAYO,KAAtB;:;AACA,QAAluE,IAAI,CAACnV,KAAAT,EAAgB;AACdsP,MAAAA,GAAG,GAAG,KAA
KmH,cAAL,CAAoBtB,IAAI,CAACnV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAI,IAAI,CAACuB,IAAT,EA
Ae;AACpB,UAAm1W,KAAK,GAAG,KAAK7C,QAAL,GAAGb+L,OAAhB,CAAwBiM,IAAI,CAACuB,IAA7B,
CAAd;AACA,UAAI1W,KAAK,KAAK,CAAC,CAAf,EAAbSp,GAAG,GAAG,KAAKmH,cAAL,CAAoBzW,KA
ApB,CAAN;AACnB;:;AACD,WAAOsP,GAAP;AACD;:;SAEDqH,aAAA,sBAAa;AACX9J,IAAAA,QAAQ,CAAC,
iDAAD,CAAR;AACA,WAAO,KAAKyI,MAAL,EAAP;AACD;:;SAEDvZ,UAAA,iBAAQqH,KAAAR,EAAe;AACb
yJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACA,WAAO,KAAKgJ,WAAL,CAAiBzS,KAAjB,CAAP;AACD;:;SA
EDR,QAAA,eAAM4Q,GAAN,EAAWC,MAAX,EAAMb;AACjB5G,IAAAA,QAAQ,CAAC,4CAAD,CAAR;AAC
A,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAAcC,MAAd,CAAP;AACD;:;SAEDmD,cAAA,qBAAYJ,WAAZ,E
AAyB;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACA,WAAO,KAAKmJ,SAAL,CAAeQ,WAAf,CAAP
;AACD;:;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUa,MA
AjB;AACD;:;sBAEUd,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACA,WAAK6F,IAAL,CAAU
a,MAAV,GAAMbSd,GAAnB;AACD;:;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;AACA,aAAO
,KAAK6F,IAAL,CAAUM,OAAjB;AACD;:;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;
AACA,WAAK6F,IAAL,CAAUM,OAAV,GAAoB6D,GAAP;AACD;AAED;,,,,,,;AAUA;,,,,,,;AAQA;,,,,,,;
:;:;:;:;:;:;AAqCA;:;:;:;:;:;:;ACphBF;:;:;:;:;:;IAWMC;:;AACJ,uBAAy5B,QAAZ,EAAsB;AA
AA;:;AACpB,6BAAMA,QAAN;AACA,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;:;wBAEY;AACX1F,MA
AAA,QAAQ,CAAC,iDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUpH,KAAjB;AACD;:;sBAEUuL,KAAK;
AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACA,WAAK6F,IAAL,CAAUpH,KAAV,GAAbuL,GAAIB;
AACD;:;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUS,SA
AjB;AACD;:;sBAEc0D,KAAK;AACiBhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACA,WAAK6F,IAAL,CAA
US,SAAV,GAAsB0D,GAAtB;AACD;AAED;,,,,,,;AAUA;,,,,,,;AAUA;,,,,,,;AAWA;,,,,,,;EAzD
wB5B;ACX1B;:;:;:;IAQM8B;:;AACJ,mBAAy7B,QAAZ,EAAsB;AAAA;:;AACpB,6BAAMA,QAAN;AACA,U
AAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;:;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,oDAAD,CAAR;AAC
A,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;:;sBAEQkE,KAAK;AACZhK,MAAAA,QAAQ,CAAC,oDAAD,
CAAR;AACA,WAAK6F,IAAL,CAAUC,IAAV,GAAbkE,GAAjB;AACD;:;wBAEW;AACVhK,MAAAA,QAAQ,
CAAC,sDAAD,CAAR;AACA,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;:;sBAESgE,KAAK;AACbhK,MAA
AA,QAAQ,CAAC,sDAAD,CAAR;AACA,WAAK6F,IAAL,CAAUG,KAAV,GAAbgE,GAAIB;AACD;AAED;:;
;AKA;:;:;:;:;:;EA/BoB5B;:;ACZtB;AACA;IAOqB+B;AACnB,kBAAy1I,KAAZ,EAAMb;AACjB,SAKA,KA
AL,GAAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AACA,SAAKd,IAAL,GAAY,IAAIyE,IAAJ,EAZ;
AACA,SAAKC,OAAL,GAAe,KAAK1E,IAApB;AACA,SAAK2E,MAAL,GAAc,EAAd;AACA,SAAK7E,SAAL,
GAAiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAMb;AAAE/B,MAAAA,KAAK,EAALA,KAAF;AA
ASsC,MAAAA,KAAK,EAAE;AAAEjJ,QAAAA,IAAI,EAAE,CAAR;AAAWC,QAAAA,MAAM,EAAE;AAAnB;
AAAhB,KAAAnB;AACD;:;SAEDyG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAc6I,QAAS,CAAC,KAAK9I,K
AAN,CAAvB;AACD;:;SAED+I,OAAA,gBAAO;AACL,QAAlnH,KAAJ;:;AACA,WAAO,KAAKZ,GAAL,GAAW,
KAAKf,MAAL,CAAYnS,MAA9B,EAAcS;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe

,GAAjB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AACa,aAAK,GAAL;AAACE,eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACa;;AAEF,aAAK,GAAL;AAACE,eAAKY,GAAL,CAASZ,KAAT;AACa;;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;AACa;;AAEF,aAAK,SAAL;AACE,eAAKkD,MAAL,CAAYID,KAAZ;AACa;;AAEF,aAAK,GAAL;AAACE,eAAKoH,SAAL,CAAepH,KAAf;AACa;;AAEF;AAACE,eAAKqH,KAAL;AACa;AAxBJ;;AA2BA,WAAKjI,GAAL,IAAY,CAAZ;AACD;;AACD,SAAKkI,OAAL;AACD;;SAEDIH,UAAA,iBAAQI,KAAR,EAAe;AACb,QAAM3M,IAAI,GAAG,IAAIwT,OAAl,EAAb;AACa,SAAKU,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAG,GAAb;AAAEnJ,MAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAb;AAAkBtI,MAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,KAAIB;AAEA,QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,EAAb,CAAC,CAAnB,CAAb;;AACa,QAAL,QAAQ3S,IAAR,CAAa+V,IAAb,CAAJ,EAAwB;AACTbVp,MAAAA,IAAI,CAACuP,IAAL,GAAY,EAAZ;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAbiBG,IAAjB;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,GAAb,EAAb;AACD,KAJD,MAIO;AACL,UAM5P,KAAK,GAAG6P,IAAI,CAAC7P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAbiB1P,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,GAAbB5P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAEDqU,YAAA,mBAAUpH,KAAV,EAAb;AACf,QAAM3M,IAAI,GAAG,IAAIImU,IAAJ,EAAb;AACa,SAAKD,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACa3M,IAAAA,IAAI,CAACjB,QAAL,GAAGb,EAAb;AACAiB,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAY,GAAb,EAAPB;AACa,SAAKkE,OAAL,GAAG3T,IAAf;AACD;;SAEDgU,QAAA,iBAAQ;AACN,QAAlrH,KAAl;AACa,QAAlY,GAAG,GAAG,KAAV;AACa,QAAlYb,IAAI,GAAG,IAAX;AACa,QAAljB,KAAK,GAAG,KAAZ;AACa,QAAlqG,OAAG,GAAG,IAAd;AACa,QAAM9H,QAAQ,GAAG,EAAjB;AAEA,QAAMe,KAAK,GAAG,KAAKtB,GAAnB;;AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACAiD,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAGbA,IAAI,KAAK,GAAG7B,EAAC;AAChC,YAAI,CAACoF,OAAL,EAACa,OAAG,GAAGzH,KAAV;AACdL,QAAAA,QAAQ,CAAC7Q,IAAT,CAAcuT,IAAI,KAAK,GAAT,GAAG,GAAG,GAAGqB,GAAnC;AACD,OAHD,MAGO,IAAIIC,QAAQ,CAACzT,MAAT,KAAoB,CAAxB,EAA2B;AAChC,YAAImW,IAAI,KAAK,GAAb,EAAb;AAChB,cAAIjB,KAAJ,EAAW;AACT,iBAAYb,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKbB,KAAIB,EAAYb,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAIiD,IAAI,KAAK,GAAb,EAAb;AACvB,eAAK/M,IAAL,CAAU,KAAK+I,MAAL,CAAYmB,KAAZ,CAAKbB,KAAIB,EAAYb,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,SAHM,MAGA,IAAIiD,IAAI,KAAK,GAAb,EAAb;AACvB,eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACa;AACD,SAJM,MAIA,IAAIyB,IAAl,KAAK,GAAb,EAAb;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAIBM,MAkBA,IAAIiB,IAAl,KAAKIC,QAAQ,CAACA,QAAQ,CAACzT,MAAT,GAAb,CAAnB,CAArB,EAA4C;AACjDyT,QAAAA,QAAQ,CAAC+H,GAAT;AACa,YAAI/H,QAAQ,CAACzT,MAAT,KAAoB,CAAxB,EAA2Bub,OAAG,GAAG,IAAV;AAC5B;;AAED,WAAKrl,GAAL,IAAY,CAAZ;AACD;;AACD,QAAl,KAAKA,GAAL,KAAa,KAAKf,MAAL,CAAYnS,MAA7B,EAAqC;AACnC,WAAKkT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GAAG,IAAN;AACD;;AAED,QAAljB,QAAQ,CAACzT,MAAT,GAAb,CAAtB,EAAYb,KAAKyb,eAAL,CAAqBF,OAArB;;AAEzB,QAAI7G,GAAG,IAAIQ,KAAK,EAAb;AAChB,aAAO,KAAKhC,GAAL,GAAWsB,KAAIB,EAAYb;AACvBV,QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,EAAsB,CAAtB,CAAR;AACa,YAAIY,KAAK,KAAK,OAAY,IAAQbA,KAAK,KAAK,SAAnC,EAA8C;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKbB,KAAIB,EAAYb,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD;;AAED,SAAKwI,WAAL,CAAIbIH,KAAjB;AACD;;SAEDpL,OAAA,cAAK+I,MAAL,EAAb;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAMrU,IAAI,GAAG,IAAIImU,IAAJ,EAAb;AACa,SAAKD,IAAL,CAAUIU,IAAV,EAAGbGL,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAhB,EAA8BA,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEAhL,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAY,GAAb,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAAKqE,GAAL,CAASrP,IAAT,EAAe,UAAf,EA

A2BgL,MAA3B;AACA,SAAK2I,OAAL,GAAe3T,IAAf;AACD;;SAEDwP,OAAA,cAAKxE,MAAL,EAAa;AACX
,QAAMhL,IAAI,GAAG,IAAIuT,WAAJ,EAAb;AACA,SAAKW,IAAL,CAAUIU,IAAV;AAEA,QAAMuL,IAAI,G
AAGP,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAnB;;AACA,QAAl0S,IAAI,CAAC,CAAD
,CAAJ,KAAy,GAAhB,EAAqB;AACnB,WAAKwD,SAAL,GAAiB,IAAjB;AACA/D,MAAAA,MAAM,CAACqJ,
GAAP;AACD;;AACD,QAAl9I,IAAI,CAAC,CAAD,CAAR,EAAa;AACXvL,MAAAA,IAAI,CAAC8M,MAAL,C
AAYS,GAAZ,GAakB;AAAEnJ,QAAAA,IAAI,EAAEmH,IAAI,CAAC,CAAD,CAAZ;AAAiBIH,QAAAA,MAA
M,EAAEkH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLvL,MAAAA,IAAI,CAAC8M,MA
AL,CAAYS,GAAZ,GAakB;AAAEnJ,QAAAA,IAAI,EAAEmH,IAAI,CAAC,CAAD,CAAZ;AAAiBIH,QAAAA,
MAAM,EAAEkH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,CAAN,C
AAU,CAAV,MAAiB,MAAxB,EAAGc;AAC9BhL,MAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,IAAoBhF,M
AAM,CAACyJ,KAAP,GAAe,CAAf,CAApB;AACD;;AACDzU,IAAAA,IAAI,CAAC8M,MAAL,CAAYO,KAAZ,
GAAoB;AAAEjJ,MAAAA,IAAI,EAAE4G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB3G,MAA
AA,MAAM,EAAE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAAPb;AAEAhL,IAAAA,IAAI,CA
AC0P,IAAL,GAAY,EAAZ;;AACA,WAAO1E,MAAM,CAACnS,MAAd,EAAsB;AACpB,UAAmW,IAAI,GAA
GhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACA,UAAIge,IAAI,KAAK,GAAT,IAAGBA,IAAI,K
AAK,OAAzB,IAAoCA,IAAI,KAAK,SAAJD,EAA4D;AAC1D;AACD;;AACDhP,MAAAA,IAAI,CAAC0P,IAAL,I
AAa1E,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAb;AACD;;AAEDzU,IAAAA,IAAI,CAACmP,IAAL,CAAUM,
OAAV,GAAoB,EAAPb;AAEA,QAAl9C,KAAJ;;AACA,WAAO3B,MAAM,CAACnS,MAAd,EAAsB;AACpB8T,
MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAAK,CAAC,CAAD,CAAL,KAA
a,GAAjB,EAAsB;AACpB3M,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB9C,KAAK,CAAC,CAAD,
CAA1B;AACA;AACD,OAHD,MAGO;AACL3M,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB9C,KA
AK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAl3M,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAAjB
,IAAwB1P,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAA7C,EAakD;AAChD1P,MAAAA,IAAI,CAACmP,I
AAL,CAAUa,MAAV,IAAoBhQ,IAAI,CAAC0P,IAAL,CAAU,CAAV,CAApB;AACA1P,MAAAA,IAAI,CAAC0P
,IAAL,GAAY1P,IAAI,CAAC0P,IAAL,CAAUvD,KAAY,CAAGb,CAAhB,CAAZ;AACD;;AACDnM,IAAAA,IAA
I,CAACmP,IAAL,CAAUM,OAAV,IAAqB,KAAKiF,eAAL,CAAqB1J,MAArB,CAArB;AACA,SAAK2J,uBAAL,
CAA6B3J,MAA7B;;AAEA,SAAK,IAAIpS,CAAC,GAAGoS,MAAM,CAACnS,MAAP,GAAGb,CAA7B,EAAGc
D,CAAC,GAAG,CAApC,EAAuCA,CAAC,EAAxC,EAA4C;AAC1C+T,MAAAA,KAAK,GAAG3B,MAAM,CAA
CpS,CAAD,CAAd;;AACA,UAAI+T,KAAK,CAAC,CAAD,CAAL,KAAa,YAAjB,EAA+B;AAC7B3M,QAAAA,I
AAI,CAAC4P,SAAL,GAAiB,IAAjB;AACA,YAAI1K,MAAM,GAAG,KAAKkP,UAAAL,CAAGb5J,MAAhB,EAA
wBpS,CAAxB,CAAb;ACA8M,QAAAA,MAAM,GAAG,KAAK8O,aAAL,CAAmBxJ,MAAnB,IAA6BtF,MAAt
C;AACA,YAAIA,MAAM,KAAK,aAAf,EAA8B1F,IAAI,CAACmP,IAAL,CAAUS,SAAV,GAAsBIK,MAAtB;AA
C9B;AACD,OAND,MAMO,IAAIiH,KAAK,CAAC,CAAD,CAAL,KAAa,WAAjB,EAA8B;AACnC,YAAMkI,KA
AK,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;AACA,YAAInT,GAAG,GAAG,EAAV;;AACA,aAA
K,IAAIyY,CAAC,GAAG7Y,CAAb,EAAGb6Y,CAAC,GAAG,CAApB,EAauBA,CAAC,EAAxB,EAA4B;AAC1B
,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;;AACA,cAAIzY,GAAG,CAAC
gD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAA5B,IAAiCqJ,KAAI,KAAK,OAA9C,EAAuD;AACrD;
AACD;;AACDhW,UAAAA,GAAG,GAAG6b,KAAK,CAACR,GAAN,GAAY,CAAZ,IAAiBrb,GAAvB;AACD;;A
ACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAAhC,EAAmC;AACjC3F,U
AAAA,IAAI,CAAC4P,SAAL,GAAiB,IAAjB;AACA5P,UAAAA,IAAI,CAACmP,IAAL,CAAUS,SAAV,GAAsB5
W,GAAtB;AACAgS,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;;AAED,UAAIII,KAAK,CAAC,CAAD,CA
AL,KAAa,OAAb,IAAwBA,KAAK,CAAC,CAAD,CAAL,KAAa,SAAzC,EAAoD;AACID;AACD;AACF;;AAED,
SAAK0C,GAAL,CAASrP,IAAT,EAAe,OAaf,EAawBgL,MAAxB;AAEA,QAAlhL,IAAI,CAAC+H,KAAL,CAA
WpC,OAAX,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAAoC,KAAKmp,oBAAL,CAA0B9J,MAA1B;AACrC;;
SAED6E,SAAA,gBAAOID,KAAP,EAAC;AACZ,QAAM3M,IAAI,GAAG,IAAI+U,MAAJ,EAAb;AACA/U,IAAA
A,IAAI,CAAC5H,IAAL,GAAYuU,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,CAAZ;;AACA,QA
AlnM,IAAI,CAAC5H,IAAL,KAAc,EAAIB,EAAsB;AACpB,WAAK4c,aAAL,CAAmBhV,IAAnB,EAAyB2M,KA
AzB;AACD;;AACD,SAAKuH,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAA

K,CAAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAX;AACa,QAAI0J,IAAI,GAAG,KAAX;AACa,QAA MnF,MAAM,GAAG,EAaf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;;AACa,WAAO,KAAKA,GAAL,GAAW,KAA Kf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GA AjB,CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB3M,QAAAA,IAAI,CA AC8M,MAAL,CAAYS,GAAZ,GAakB;AAAEnJ,UAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAb;AAAkBtI, UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAaIB;AACa,aAAKoC,SAAL,GAaiB,IAAjB;AACa; AACD,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3BsI,QAAAA,IAAI,GAA G,IAAP;AACa;AACD,OAHM,MAGA,IAAIItI,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3B,aAA KY,GAAL,CAASZ,KAAT;AACa;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACrU,IAAP,CAAYkR ,KAAZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MA AL,CAAYnS,MAA7B,EAaqC;AACnC0S,MAAAA,IAAI,GAAG,IAAP;AACD;;AAEDvL,IAAAA,IAAI,CAACm P,IAAL,CAAUM,OAaV,GAAoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;;AACa,QAAIA,MAAM,CAACj X,MAAX,EAaMB;AACjBmH,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SAaV,GAAsB,KAAK2E,eAAL,CAAqB 5E,MAArB,CAAtB;AACa,WAAKT,GAAL,CAASrP,IAAT,EAaE,QAAf,EAAYB8P,MAAZB;;AACa,UAAIvE,I AAJ,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACjX,MAAP,GAAGb,CAAjB,C AAd;AACAmH,QAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAakB;AAAEnJ,UAAAA,IAAI,EAAEuI,KA AK,CAAC,CAAD,CAAb;AAAkBtI,UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAaIB;AACa,aAA KiH,MAAL,GAAc5T,IAAI,CAACmP,IAAL,CAAUM,OAaxB;AACazP,QAAAA,IAAI,CAACmP,IAAL,CAAU M,OAaV,GAAoB,EAaPb;AACD;AACF,KATD,MASO;AACLzP,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SAa V,GAAsB,EAAtB;AACa/P,MAAAA,IAAI,CAAC8P,MAAL,GAAc,EAAd;AACD;;AAED,QAAImF,IAAJ,EAAU ;AACRjV,MAAAA,IAAI,CAACH,KAAL,GAaA,EAAb;AACa,WAAK8T,OAAL,GAaE3T,IAAf;AACD;AACF;; SAEDuN,MAAA,aAAIZ,KAAJ,EAaW;AACT,QAAI,KAAKgH,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL ,CAAa9T,KAAb,CAAmBhH,MAA7C,EAaqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAaIB,GAA8 B,KAAKA,SAAnC;AACD;;AACD,SAAKA,SAAL,GAaiB,KAAjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAA kBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAaKc,KAAKsF ,MAAjE;AACa,SAAKA,MAAL,GAAc,EAAd;;AAEA,QAAI,KAAKD,OAAL,CAAa7S,MAAjB,EAAYB;AACvB, WAAK6S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPb,GAA0B;AAAEnJ,QAAAA,IAAI,EAAEuI,KAAK,CAAC,C AAD,CAAb;AAAkBtI,QAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,OAaIB;AACa,WAAKgH,OAa L,GAaE,KAAKA,OAAL,CAAa7S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKoU,eAAL,CAAqBvI,KAArB;A ACD;AACF;;SAEDsH,UAAA,mBAAU;AACR,QAAI,KAAKN,OAAL,CAAa7S,MAAjB,EAAYB,KAAKqU,aAA L;;AACzB,QAAI,KAAKxB,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7 C,EAaqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAaIB,GAA8B,KAAKA,SAAnC;AACD;;AACD, SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KA AIB,IAA2B,EAA5B,IAaKc,KAAKsF,MAAjE;AACD;;SAIDM,OAaa,cAAKIU,IAAL,EAaWoE,IAAX,EAaiB C,MAAjB,EAAYB;AACvB,SAAKsP,OAAL,CAAaYI,IAAb,CAAKBuE,IAaIB;AAEAA,IAAAA,IAAI,CAAC8M, MAAL,GAAc;AAAE0,MAAAA,KAAK,EAAE;AAAEjJ,QAAAA,IAAI,EAaja,IAAF;AAAQC,QAAAA,MAAM ,EAANA;AAAR,OAAT;AAA2B0G,MAAAA,KAAK,EAAE,KAAKA;AAAvC,KAAAd;AACa/K,IAAAA,IAAI,CA ACmP,IAAL,CAAUa,MAAV,GAaMB,KAAK4D,MAAxB;AACa,SAAKA,MAAL,GAAc,EAAd;AACa,QAAI5T ,IAAI,CAACgP,IAAL,KAAc,SAaIB,EAa6B,KAAKD,SAAL,GAaiB,KAAjB;AAC9B;;SAEDM,MAAA,aAAIrP, IAAJ,EAAU0P,IAAV,EAAGB1E,MAAhB,EAawB;AACtB,QAAI2B,KAAJ,EAaWqC,IAAX;AACa,QAAmNw, MAAM,GAAGmS,MAAM,CAACnS,MAAtB;AACa,QAAIkP,KAAK,GAAG,EAaZ;AACa,QAAIqN,KAAK,GA AG,IAAZ;;AACa,SAAK,IAAIxc,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAGC,MAAPb,EAa4BD,CAAC,IA AI,CAAjC,EAaOc;AACIC+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;AACaOw,MAAAA,I AAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACa,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,OAAT, IAAoBpW,CAAC,KAAKc,MAAM,GAAG,CAA9D,EAaKE;AAChEuc,QAAAA,KAAK,GAAG,KAAR;AACD,O AFD,MAEO;AACLrN,QAAAA,KAAK,IAAI4E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAI,CAA CyI,KAAL,EAAY;AACV,UAAM/F,GAAG,GAAGrE,MAAM,CAAC3E,MAAP,CAAc,UAAcGp,GAAD,EAAMz c,CAAN;AAAA,eAAYyc,GAAG,GAAGzc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAd,EAAsC,EAAtC,CAAZ;

AACAoH,MAAAA,IAAI,CAACmP,IAAL,CAAUO,IAAV,IAAkB;AAAE3H,QAAAA,KAAK,EAALA,KAAF;AA
ASsH,QAAAA,GAAG,EAAHA;AAAT,OAAIB;AACD;;AACDrP,IAAAA,IAAI,CAAC0P,IAAD,CAAJ,GAAa3H,
KAAb;AACD;;SAEDyM,gBAAA,uBAAcxJ,MAAd,EAAsB;AACpB,QAAIsK,aAAJ;ACA,QAAI1B,MAAM,GA
AG,EAAb;;ACA,WAAO5I,MAAM,CAACnS,MAAd,EAAsB;AACpByc,MAAAA,aAAa,GAAGtK,MAAM,CA
ACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;ACA,UAAIyc,aAAa,KAAK,
OAAIB,IAA6BA,aAAa,KAAK,SAAnD,EAA8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ,GAAP,
GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAGb1J,MAAhB,E
AAwB;AACTb,QAAII,IAAJ;ACA,QAAIwI,MAAM,GAAG,EAAb;;ACA,WAAO5I,MAAM,CAACnS,MAAd,
EAAsB;AACpBuS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;ACA,UAAII,I
AAI,KAAK,OAAT,IAAoBA,IAAI,KAAK,SAAjC,EAA4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,CAACyJ
,KAAp,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,EAAM
BuK,IAAnB,EAAYb;AACvB,QAAItM,MAAM,GAAG,EAAb;;ACA,SAAK,IAAIrQ,CAAC,GAAG2c,IAAb,EA
AmB3c,CAAC,GAAGoS,MAAM,CAACnS,MAA9B,EAAsCD,CAAC,EAAvC,EAA2C;AACzCqQ,MAAAA,MA
AM,IAAI+B,MAAM,CAACpS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDoS,IAAAA,MAAM,CAACzI,
MAAP,CAAcgT,IAAd,EAAoBvK,MAAM,CAACnS,MAAP,GAAGb0c,IAApC;ACA,WAAOtM,MAAP;AACD;
;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAIsB,QAAQ,GAAG,CAAf;ACA,QAAIK,KAAJ,EAAWqC
,IAAX,EAAiBnD,IAAjB;;ACA,SAAK,IAAIjT,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAGoS,MAAM,CAAC
nS,MAA3B,EAAMCD,CAAC,EAAPc,EAAWc;AACTc+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,
CAAd;ACAoW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAb,E
AAkB;AAChB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFD,MAEO,IAAI0C,IAAI,KAAK,GAAb,EAkB;AAC
vB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,IAAI,KAAK,
GAA/B,EAAoC;AACzC,YAAI,CAACnD,IAAL,EAAW;AACT,eAAK2J,WAAAL,CAAiB7I,KAAjB;AACD,SAFD,
MAEO,IAAIId,IAAI,CAAC,CAAD,CAAJ,KAAY,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAY,QAAtC,EA
AgD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOjT,CAAP;AACD;AACF;;AAEDiT,MAAAA,IAAI,GAAGc,KA
AP;AACD;;AACD,WAAO,KAAP;AACD;;SAID2H,kBAAA,yBAAGbBF,OAAbB,EAAYb;AACvB,UAAM,KAA
KrJ,KAAAL,CAAWmB,KAAAX,CAAiB,kBAAjB,EAaqCkI,OOAO,CAAC,CAAD,CAA5C,EAAiDA,OOAO,CAAC
,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAyIH,KAAZ,EAAMb;AACjB,QAAMV,KAAK,GAAG,KA
AK3B,MAAL,CAAYqC,KAAZ,CAAd;ACA,UAAM,KAAKtC,KAAAL,CAAWmB,KAAAX,CAAiB,cAAjB,EAAi
CS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,kBAAA,yBA
AgBvI,KAAhB,EAAuB;AACrB,UAAM,KAAK5B,KAAAL,CAAWmB,KAAAX,CAAiB,cAAjB,EAAiCS,KAAK,CA
AC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yBAAGb;AACd,Q
AAMpJ,GAAG,GAAG,KAAK4H,OAAL,CAAa7G,MAAb,CAAoBO,KAAhC;ACA,UAAM,KAAKtC,KAAAL,C
AAWmB,KAAAX,CAAiB,gBAAjB,EAAMCH,GAAG,CAAC3H,IAAvC,EAA6C2H,GAAG,CAAC1H,MAAjD,CA
AN;AACD;;SAEDmR,cAAA,qBAAy7I,KAAZ,EAAMb;AACjB,UAAM,KAAK5B,KAAAL,CAAWmB,KAAAX,CA
AiB,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAE
DqI,gBAAA,uBAAchV,IAAd,EAAoB2M,KAApB,EAA2B;AACzB,UAAM,KAAK5B,KAAAL,CAAWmB,KAAAX,
CAAiB,sBAAjB,EAAYCS,KAAK,CAAC,CAAD,CAA9C,EAAMDA,KAAK,CAAC,CAAD,CAAxD,CAAN;AAC
D;;SAEDgI,OBAAA,iCAAwb3J,MAAxB,EAAgC;AAC9B,AAED;;SAED8J,uBAAA,8BAAqB9J,MAArB,EAA6B
;AAC3B,QAAM+C,KAAK,GAAG,KAAKA,KAAAL,CAAW/C,MAAX,CAAd;ACA,QAAI+C,KAAK,KAAK,KA
Ad,EAAqB;AAErB,QAAI0H,OOAO,GAAG,CAAd;ACA,QAAI9I,KAAJ;;ACA,SAAK,IAAI8E,CAAC,GAAG
1D,KAAK,GAAG,CAArB,EAAwB0D,CAAC,IAAI,CAA7B,EAAgCA,CAAC,EAAjC,EAAqC;AACnC9E,MAAA
A,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;ACA,UAAI9E,KAAK,CAAC,CAAD,CAAL,KAAa,OA
AjB,EAA0B;AACxB8I,QAAAA,OOAO,IAAI,CAAX;ACA,YAAIA,OOAO,KAAK,CAAhB,EAAMb;AACpB;AA
CF;;AACD,UAAM,KAAK1K,KAAAL,CAAWmB,KAAAX,CAAiB,kBAAjB,EAaqCS,KAAK,CAAC,CAAD,CAA1
C,EAA+CA,KAAK,CAAC,CAAD,CAApD,CAAN;AACD;;AC/cH;ACA,AAGe,SAAS+I,KAAT,CAAejY,GA
Af,EAAoBmU,IAApB,EAA0B;AACvC,MAAIA,IAAI,IAAIA,IAAI,CAAC+D,IAAjB,EAAuB;AACrB,UAAM,IA
AI7Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMiP,KAAK,GAAG,IAAI2B,KAAJ,CAAUjP,
GAAV,EAAemU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAIInC,MAAJ,CAAW1I,KAAAX,CAAf;;ACA,

MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAAP;AACD,GAHD,C
AGE,OAAO/P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+BwZ,IAA/B,IAAuCA
,IAAI,CAAC2D,IAAhD,EAA5D;AACpD,UAAI,WAAW/b,IAAX,CAAgBoY,IAAI,CAAC2D,IAArB,CAAJ,EAAg
C;AAC9BxR,QAAAA,CAAC,CAACwF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID,OALD,MAKO,IA
AI,WAAW/P,IAAX,CAAgBoY,IAAI,CAAC2D,IAArB,CAAJ,EAAgC;AACrCxR,QAAAA,CAAC,CAACwF,OA
AF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;::AACD,UAMxM,CAAN;AACD;::AAED,SAAO6R,MA
AM,CAAC3G,IAAd;AACD;::ACvBD,SAAS4G,WAAT,CAAqBhW,KAArB,EAA4B;AAC1B,SAAOA,KAAK,CA
AC+M,GAAN,CAAU,UAAAhU,CAAC,EAAI;AACpB,QAAlA,CAAC,CAACiH,KAAH,EAAajH,CAAC,CAACi
H,KAAF,GAAUgW,WAAW,CAACjd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAAC,CAACkU,MAA
T;AACa,WAAOIU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;:::AAQA;:::AAOA;:::IAUMkd;:::S
ACJra,OAAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AACa,SAAKjB,K
AAL,CAAWpE,IAAX,CAAgBgF,KAAhB;AACa,WAAO,IAAP;AACD;AAED;:::SAiCAsV,
OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAAl,EAAoB,KAAKA,QAAL,GAAgB,CAAhB;A
ACpB,QAAl,CAAC,KAAKC,QAAl,EAAmB,KAAKA,QAAL,GAAe,EAaf;AAEnB,SAAKD,QAAL,IAAiB,CA
AjB;AACa,QAAMhY,EAAE,GAAG,KAAKgY,QAAhB;AACa,SAAKC,QAAL,CAAajY,EAAb,IAAmB,CAAnB
;AAEA,QAAl,CAAC,KAAK4B,KAAV,EAAiB,QAAl,SAAP;AAEjB,QAAlnC,KAAJ,EAAWwM,MAAX;::AA
CA,WAAO,KAAKiN,QAAL,CAAajY,EAAb,IAAmB,KAAK4B,KAAL,CAAWH,MAArC,EAA6C;AAC3C4D,
MAAAA,KAAK,GAAG,KAAKyZ,QAAL,CAAajY,EAAb,CAAR;AACAgL,MAAAA,MAAM,GAAG+M,QAQQ,
CAAC,KAAKnW,KAAL,CAAWpD,KAAK,CAAD,EAAoBA,KAApB,CAAjB;AACa,UAAIwM,MAAM,KAAK,
KAAf,EAA5B;AAEtB,WAAKiN,QAAL,CAAajY,EAAb,KAAoB,CAAP;AACD;::AAED,WAAO,KAAKiY,QA
AL,CAAajY,EAAb,CAAP;AAEA,WAAOgL,MAAP;AACD;AAED;:::SAmBAsH,OAAA,cAAKyF,QA
AL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcV,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,UAAIqQ,MA
AM,GAAG+M,QAQQ,CAACvV,KAAD,EAAQ7H,CAAR,CAArB;AACa,UAAIqQ,MAAM,KAAK,KAAK,IAA
oBxI,KAAK,CAAC8P,IAA9B,EAAoC;AACiCtH,QAAAA,MAAM,GAAGxI,KAAK,CAAC8P,IAAN,CAAWyF,
QAAX,CAAT;AACD;::AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;:::SA6B
A8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAAhB,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;AACbA,MAA
AA,QAQQ,GAAGtG,IAAX;AACa,aAAO,KAAKa,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC
7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAQQ,CAACvV,KAAD,EAA
Q7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI8W,IAAI,YAAyIR,MAApB,EAA4B
;AACjC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAA
CuO,IAAN,KAAe,MAAf,IAAyBU,IAAI,CAACiW,IAAL,CAAUiH,KAAK,CAACiP,IAAhB,CAA7B,EAAoD;AA
CID,iBAAOsG,QAQQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KANM,M
AMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,
CAACuO,IAAN,KAAe,MAAf,IAAyBvO,KAAK,CAACiP,IAAN,KAAeA,IAA5C,EAAkD;AACbD,iBAAOsG,QA
AQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;:::;S
AuBAud,YAAA,mBAAUpX,QAAl,EAAoBiX,QAAPB,EAA8B;AAC5B,QAAl,CAACA,QAAL,EAAe;AACbA
,MAAAA,QAQQ,GAAGjX,QAAX;AAEA,aAAO,KAAKwR,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EA
AC;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAQQ,CAACvV,KAA
D,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAQQ,YAAyP,MAAx
B,EAAgC;AACrC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KA
AK,CAACuO,IAAN,KAAe,MAAf,IAAyBjQ,QAQQ,CAACvF,IAAT,CAACiH,KAAK,CAAC1B,QAAPB,CAA7B,
EAA4D;AAC1D,iBAAOiX,QAQQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAK
D,KANM,MAMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAA
I6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBvO,KAAK,CAAC1B,QAAN,KAAmBA,QAAd,EAA0D;AAC
xD,iBAAOiX,QAQQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAE
D;:::SA8BAwd,cAAA,qBAAyhe,IAAZ,EAAkB4d,QAAlB,EAA4B;AAC1B,QAAl,CAACA,QA
AAL,EAAe;AACbA,MAAAA,QAQQ,GAAG5d,IAAX;AACa,aAAO,KAAKmY,IAAL,CAAU,UAAc9P,KAAD,
EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,QAAnB,EAA6B;AAC3B,iBAAOgH,Q

AAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAIR,IAAI,
YAAyOg,MAApB,EAA4B;AACjC,aAAO,KAAK+R,IAAL,CAAU,UAC9P,KAAD,EAAQ7H,CAAR,EAAc;AA
C7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,QAAf,IAA2B5W,IAAI,CAACoB,IAAL,CAAUih,KAAK,CAACrI,
IAAhB,CAA/B,EAA5D;AACpD,iBAAO4d,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJ
M,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAC9P,KAAD,EAAQ7H,CAAR,EAA
c;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,QAAf,IAA2BvO,KAAK,CAACrI,IAAN,KAAeA,IAA9C,EAA
oD;AACID,iBAAO4d,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AA
CF;AAED;,,,,,,,,,,,,,,,,;SagBAiY,eAAA,sBAAamF,QAAb,EAAuB;AACrB,WAAO,KAAKzF,IAAL,CAAU,UAA
C9P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,UAAI6H,KAAK,CAACuO,IAAN,KAAe,SAAAnB,EAA8B;AAC5B,e
AAOgH,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,KAJM,CAAP;AAKD;AAED;,,,,,,,,,,,,,,,,;
,,,,;SAoBA8Z,SAAA,kBAAoB;AAAA;AAAA,sCAAV2D,QAAU;AAAVA,MAAAA,QAAU;AAAA;AACIBa,I
AAAA,QAAQ,CAAC3a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAMZ,KAAK,GAAG,KAAI,CAACy
W,SAAL,CAAe7V,KAAf,EAA5B,KAAI,CAAC8K,IAA3B,CAAd;AACAlL,MAAAA,KAAK,CAACnE,OAAN,
CAAc,UAAAsE,IAAI;AAAA,eAAI,KAAI,CAACH,KAAL,CAAWpE,IAAX,CAAgBuE,IAAhB,CAAJ;AAAA,O
AAIB;AACD,KAHD;AAIA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,;SAoBAuW,UAAA,mBAAqB;AAAA;A
AAA,uCAAVF,QAAU;AAAVA,MAAAA,QAAU;AAAA;AACnBA,IAAAA,QAAQ,GAAGA,QAAQ,CAACG,O
AAT,EAAx;AACAH,IAAAA,QAAQ,CAAC3a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAMZ,KAAK,
GAAG,MAAI,CAACyW,SAAL,CAAe7V,KAAf,EAA5B,MAAI,CAAC0P,KAA3B,EAAkC,SAaIC,EAA6CqG,O
AA7C,EAAAd;AACa3W,MAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,eAAI,MAAI,CAACH,
KAAL,CAAW4W,OAAX,CAAmBzW,IAAnB,CAAJ;AAAA,OAaIB;AACa,WAAK,IAAM/B,EAAx,IAAiB,MA
AI,CAACiY,OAAtB,EAA+B;AAC7B,QAAA,MAAI,CAACA,OAAL,CAAajY,EAAb,IAAmB,MAAI,CAACiY,O
AAL,CAAajY,EAAb,IAAmB4B,KAAK,CAACH,MAA5C;AACD;AACF,KAND;AAOA,WAAO,IAAP;AACD;;
SAED4Z,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,oBAAMR,SAAN,YAAgBQ,WAAhB;AACa,QAAI,KAAK
pT,KAAT,EAAgB;AACd,WAAKA,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,eAAIA,IAAI,CAA
CyS,SAAL,CAAeQ,WAAf,CAAJ;AAAA,OAaV;AACD;AACF;AAED;,,,,,,,,,,,,,,,,;SAWA7R,eAAA,sBAAAsV,KA
Ab,EAAoBpT,GAAPB,EAAyB;AAAA;AACvBoT,IAAAA,KAAK,GAAG,KAAKja,KAAL,CAAWia,KAAX,CA
AR;AAEA,QAAM1H,IAAI,GAAG0H,KAAK,KAAK,CAAV,GAAC,SAAd,GAA0B,KAAvC;AACa,QAAM7W,K
AAK,GAAG,KAAKyW,SAAL,CAAehT,GAaf,EAAoB,KAAKzD,KAAL,CAAW6W,KAAX,CAAPB,EAAuCF,OAaVc,E
AAAd;AACa3W,IAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH,KAAL,CA
AW0C,MAAX,CAAKBmU,KAAK,GAAG,CAA1B,EAA6B,CAA7B,EAAgC1W,IAAhC,CAAJ;AAAA,KAAIB;A
AEA,QAaIvD,KAJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7Bz
Z,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACa,UAAIyY,KAAK,IAAIja,KAAb,EAA
oB;AACIB,aAAKyZ,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJC;AACD;AAC
F;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,;SAQAwwZ,cAAA,qBAAyqE,KAAZ,EAAmBpT,GAAnB,EAAwB;A
AAA;AACtBoT,IAAAA,KAAK,GAAG,KAAKja,KAAL,CAAWia,KAAX,CAAR;AAEA,QAAM7W,KAAK,GA
AG,KAAKyW,SAAL,CAAehT,GAaf,EAAoB,KAAKzD,KAAL,CAAW6W,KAAX,CAAPB,EAAuCF,OAaVc,E
AAAd;AACa3W,IAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH,KAAL,CA
AW0C,MAAX,CAAKBmU,KAAK,GAAG,CAA1B,EAA6B,CAA7B,EAAgC1W,IAAhC,CAAJ;AAAA,KAAIB;A
AEA,QAaIvD,KAJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,K
AAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACa,UAAIyY,KAAK,GAAGja,KAAZ,EAAmB;AACjB
,aAAKyZ,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJC;AACD;AACF;AAED,
WAAO,IAAP;AACD;;SAEDkZ,SAAA,gBAAOtR,KAAP,EAAc;AACZ,QAAI,OAaOA,KAAP,KAAiB,WAArB,E
AAkC;AACChC6I,MAAAA,QAAQ,CAAC,qCAAqC,2BAAtC,CAAR;AACa,WAAKnJ,WAAAL,CAAiBM,KAAjB;
AACD,KAHD,MAGO;AACL,sBAAMsR,MAAN;AACD;;AACD,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,;SACa5
R,cAAA,qBAAyM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAX,CAAR;
AACa,SAAKZ,KAAL,CAAWY,KAAX,EAAkBK,MAAIB,GAA2BIC,SAA3B;AACa,SAAKiB,KAAL,CAAW0
C,MAAX,CAAKB9B,KAAIB,EAAyB,CAAzB;AAEA,QAaIhE,KAJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,K
AAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACa,U

AAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAKyV,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAG,CAA3
B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,SAUAKa,YAAA,qBAAY;AACV,SAAK9W,KAAL,
CAAWnE,OAX,CAAmB,UAAAsE,IAAI;AAAA,aAKA,IAAI,CAACc,MAAL,GAAcI,SAAnB;AAAA,KAAv
B;AACa,SAAKiB,KAAL,GAAa,EAAb;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,SA6BA+W,gB
AAA,uBAACc,OAAd,EAAuBjF,IAAvB,EAA6BoE,QAA7B,EAAuC;AACrC,QAAI,CAACA,QAAL,EAAe;AACb
A,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MAAAA,IAAI,GAAG,EAAP;AACD;;AAED,SAAKb,SAAL,CAAe
,UAAAvB,IAAI,EAAl;AACrB,UAAIoC,IAAI,CAACKf,KAAL,IAAcIF,IAAI,CAACKf,KAAL,CAAWnR,OAX,
CAAmB6J,IAAI,CAACE,IAAxB,MAAkC,CAAC,CAArD,EAAwD;AACxD,UAAIkC,IAAI,CAACmF,IAAL,IAA
avH,IAAI,CAACzH,KAAL,CAAWpC,OAX,CAAmBiM,IAAI,CAACmF,IAAxB,MAAkC,CAAC,CAApD,EAA
uD;AAEvDvH,MAAAA,IAAI,CAACzH,KAAL,GAAyH,IAAI,CAACzH,KAAL,CAAWvP,OAX,CAAmBqe,O
AAnB,EAA4Bb,QAA5B,CAAb;AACD,KALD;AAOA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,SAWAgB,QAAA,eA
AMC,SAAN,EAAlB;AACf,WAAO,KAAKpX,KAAL,CAAWmX,KAAX,CAAiBC,SAAjB,CAAP;AACD;AAED;;
,,,,,,,,,,,,,SAWAC,OAAA,cAAKD,SAAL,EAAgB;AACd,WAAO,KAAKpX,KAAL,CAAWqX,IAAX,CAAgBD,SA
AhB,CAAP;AACD;AAED;,,,,,,,,,,,,,SAUAXa,QAAA,eAAMgE,KAAN,EAAa;AACX,QAAI,OAAOA,KAAP,KAAl
B,QAARb,EAA+B;AAC7B,aAAOA,KAAP;AACD,KAFD,MAEO;AACL,aAAO,KAAKZ,KAAL,CAAW8F,OAA
X,CAAmBIF,KAAnB,CAAP;AACD;AACF;AAED;,,,,,,,,,,,,,SA0BA6V,YAAA,mBAAUzW,KAAV,EAAlBsX,MAA
jB,EAAYB;AAAA;;AACvB,QAAI,OAAOtX,KAAP,KAAlB,QAARb,EAA+B;AAC7BA,MAAAA,KAAK,GAAGg
W,WAAW,CAACH,KAAK,CAAC7V,KAAD,CAAL,CAAaA,KAAd,CAAnB;AACD,KAFD,MAEO,IAAI,CAAC
4I,KAAK,CAACC,OAAN,CAAc7I,KAAd,CAAL,EAA2B;AACChC,UAAIA,KAAK,CAACmP,IAAN,KAAe,MAA
nB,EAA2B;AACzBnP,QAAAA,KAAK,GAAGA,KAAK,CAACA,KAAd;AACD,OAFD,MAEO,IAAIA,KAAK,C
AACmP,IAAV,EAAgB;AACrBnP,QAAAA,KAAK,GAAG,CAACA,KAAD,CAAR;AACD,OAFM,MAEA,IAAIA
,KAAK,CAAC6P,IAAV,EAAgB;AACrB,YAAI,OAAO7P,KAAK,CAACKI,KAAb,KAuB,WAA3B,EAAwC;AA
CtC.gBAAM,IAAIjM,KAAl,CAAU,wCAAV,CAAN;AACD,SAFD,MAEO,IAAI,OAAO+D,KAAK,CAACKI,KA
Ab,KAuB,QAA3B,EAAqC;AAC1CII,UAAAA,KAAK,CAACKI,KAAN,GAAc9P,MAAM,CAAC4H,KAAK,CA
ACKI,KAAP,CAAPB;AACD;;AACDII,QAAAA,KAAK,GAAG,CAAC,IAAI0T,WAAJ,CAAkB1T,KAAbB,CAA
D,CAAR;AACD,OAPM,MAOA,IAAIA,KAAK,CAACd,QAAV,EAAoB;AACzBc,QAAAA,KAAK,GAAG,CAAC
,IAAlS,U,IAAJ,CAAStU,KAAT,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH,IAAV,EAAgB;AA
CrByH,QAAAA,KAAK,GAAG,CAAC,IAAlkV,MAAJ,CAAWIV,KAAK,CAAD,CAAR;AACD,OAFM,MAEA,I
AAIA,KAAK,CAAC0P,IAAV,EAAgB;AACrB1P,QAAAA,KAAK,GAAG,CAAC,IAAI2T,OAAJ,CAAY3T,KAA
Z,CAAD,CAAR;AACD,OAFM,MAEA;AACL,cAAM,IAAI/D,KAAl,CAAU,oCAAV,CAAN;AACD;AACF;;AAE
D,QAAMsb,SAAS,GAAGvX,KAAK,CAAC+M,GAAN,CAAU,UAAAhU,CAAC,EAAl;AAC/B,UAAI,OAAOA,
CAAC,CAACuW,IAAT,KAAkB,WAAtB,EAAmCvW,CAAC,GAAG,MAAl,CAACye,OAAAL,CAAaze,CAAb,CA
AJ;AAEnC,UAAIA,CAAC,CAACKI,MAAN,EAAlI,CAAC,GAAGA,CAAC,CAACqZ,KAAF,EAAl;AACd,UA
Al,OAAOrZ,CAAC,CAACuW,IAAF,CAAoa,MAAd,KAAYB,WAA7B,EAA0C;AACxC,YAAImH,MAAM,IAAI,
OAAOA,MAAM,CAACH,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAyD;AACvDpX,UAAAA,CAAC,CAAC
uW,IAAF,CAAoa,MAAP,GAAGbMh,MAAM,CAACH,IAAP,CAAYa,MAAZ,CAAmBxX,OAAnB,CAA2B,QA
A3B,EAAqC,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACKI,MAAF,GAAW,MAAX;AACa,a
AAOII,CAAP;AACD,KAXiB,CAAIB;AAaA,WAAOwe,SAAP;AACD;;SAEDC,UAAA,iBAAQrX,IAAR,EAAcc,
MAAd,EAASB;AAAA;;AACpB,QAAIwW,GAAl;AACa,QAAItX,IAAI,CAACgP,IAAL,KAAc,MAAlB,EAA0B;
AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAI1T,IAAI,CAACgP,IAAL,K
AAc,QAAIB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,MAEA,IAAI/U,IA
Al,CAACgP,IAAL,KAAc,MAAlB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,EAAN;AACD,KAF
M,MAEA,IAAIInU,IAAI,CAACgP,IAAL,KAAc,MAAlB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAI/D,WA
AJ,EAAN;AACD,KAFM,MAEA,IAAIvT,IAAI,CAACgP,IAAL,KAAc,SAAlB,EAA6B;AACICsI,MAAAA,GAA
G,GAAG,IAAI9D,OAAJ,EAAN;AACD;;AAED,SAAK,IAAM5a,CAAX,IAAgBoH,IAAhB,EAASB;AACpB,UAA
IpH,CAAC,KAAK,OAAV,EAAmB;AACjB0e,QAAAA,GAAG,CAACzX,KAAl,GAAYG,IAAI,CAACH,KAAL,C
AAW+M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAl,MAAl,CAAC4F,OAAAL,CAAa5F,CAAb,EAAgB6F,GA
AhB,CAAJ;AAAA,SAAhB,CAAZ;AACD,OAFD,MAEO,IAAI1e,CAAC,KAAK,QAAN,IAAkBkI,MAAtB,EAA8

B;AACnCwW,QAAAA,GAAG,CAACxW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAI,IAAI,CAACwI,c
AAL,CAAoB5P,CAApB,CAAJ,EAA4B;AACjC0e,QAAAA,GAAG,CAAC1e,CAAD,CAAH,GAASoH,IAAI,CAA
CpH,CAAD,CAAb;AACD;AACF;;AAED,WAAO0e,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,QAAX,EAAqB;
AACnB1M,IAAAA,QAAQ,CAAC,yCAAYc,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,CAAUyF,QAAV,
CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAesG,QAAf,EAAyB;AACvB1M,IAAAA,QAAQ,CAAC,u
CAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAqBsG,QAArB,CAAP;AACD;;SAE
DyB,WAAA,kBAAS1Y,QAAT,EAAMBiX,QAAnB,EAA6B;AAC3B1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAx
C,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAepX,QAAf,EAAyBiX,QAAzB,CAAP;AACD;;SAED0B,aAAA,o
BAAWtf,IAAX,EAAiB4d,QAAjB,EAA2B;AACzB1M,IAAAA,QAAQ,CAAC,yCAAYc,oCAA1C,CAAR;AACa,
WAAO,KAAK8M,WAAAL,CAAiBhe,IAAjB,EAAuB4d,QAAvB,CAAP;AACD;;SAED2B,cAAA,qBAAy3B,QAA
Z,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAKuH,YAAL,CAAK
BmF,QAAIB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKnW,KAAV,EAAiB,OAAOjB,SAAP;AACj
B,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;,,,,,,;wBAQW;AACT,UAAI,CAAC,KAAKA,K
AAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWH,MAAX,GAAO
B,CAA/B,CAAP;AACD;;;wBAgGe;AACdyQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,I
AAL,CAAUJ,SAAJB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAA
K6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,+CAAD,CA
AR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,QAAQ,CAAC,+
CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUb,KAAV,GAAKBgF,GAAIB;AACD;AAED;,,,,,,;EAvqBsB5B;;
ACvCxB;,,,,,,;IAkBMqD;;AACJ,kBAAYpD,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,U
AAK3C,IAAL,GAAY,QAAZ;AAFoB;AAGrB;,,,SAED0D,SAAA,kBAAoB;AAAA;;AACIB,QAAl,CAAC,KAAK
7S,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADc,sCAA VwW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;
AAEIB,yDAAa3D,MAAb,kDAAuB2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB,QAAl,CAAC
,KAAK1W,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAA VwW,QAAU;AAAVA,MAAAA,QAAU;
AAAA;;AAEnB,0DAAaE,OAAb,mDAAwBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,CAAC,4DA
AD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUY,SAAJB;AACD;sBAEauD,KAAK;AACjBhK,MAAAA,QAAQ
,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAEa;AACzhK,
MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAjB;AACD;sBAEWwD,K
AAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,GAAMbWd,G
AAAnB;AACD;AAED;,,,,,,;AAUA;,,,,,,;AAYA;,,,,,,;EA1DmBwC;;ACtBrB;;AACa;,,,,,,;A
ASA,IAAM8B,IAAI,GAAG;AACX1Y,EAAAA,KADW,iBACLwG,MADK,EACGmS,UADH,EACetM,IADf,EA
CqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAlnE,OAAO,GAAG,EAAd;AACa,QAAlzU,KAAK,G
AAG,KAAZ;AAEA,QAAl6Y,IAAI,GAAG,CAAX;AACa,QAAl1M,KAAK,GAAG,KAAZ;AACa,QAAlG,MAA
M,GAAG,KAAb;;AAEA,SAAK,IAAI5S,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAG8M,MAAM,CAAC7M,M
AA3B,EAAMCD,CAAC,EAAPc,EAAWc;AACtC,UAAmof,MAAM,GAAGtS,MAAM,CAAC9M,CAAD,CAArB
;;AAEA,UAAIyS,KAAJ,EAAW;AACT,YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,KAAT;AACD,
SAFD,MAEO,IAAIwM,MAAM,KAAK,IAAf,EAAqB;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;AACD,SAFM,
MAEA,IAAIwM,MAAM,KAAK3M,KAAf,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAR;AACD;AACF,OA
RD,MAQO,IAAI2M,MAAM,KAAK,GAAX,IAAkBA,MAAM,KAAK,GAAjC,EAAcS;AAC3C3M,QAAAA,KAA
K,GAAG2M,MAAR;AACD,OAFM,MAEA,IAAIA,MAAM,KAAK,GAAf,EAAoB;AACzBD,QAAAA,IAAI,IAAI
,CAAR;AACD,OAFM,MAEA,IAAIC,MAAM,KAAK,GAAf,EAAoB;AACzB,YAAID,IAAI,GAAG,CAAX,EAAC
A,IAAI,IAAI,CAAR;AACf,OAFM,MAEA,IAAIA,IAAI,KAAK,CAAb,EAAGb;AACrB,YAAIF,UAAU,CAACIS,
OAAAX,CAAmBqS,MAAnB,MAA+B,CAAC,CAAPc,EAAUc9Y,KAAK,GAAG,IAAR;AACxC;;AAED,UAAIA,
KAAJ,EAAW;AACT,YAAIyU,OAAO,KAAK,EAAbH,EAAoBmE,KAAK,CAACrc,IAAN,CAAWkY,OAAO,CA
AC3X,IAAR,EAAX;AACpB2X,QAAAA,OAAO,GAAG,EAAY;AACAzU,QAAAA,KAAK,GAAG,KAAR;AAC
D,OAJD,MAIO;AACLyU,QAAAA,OAAO,IAAIqE,MAAX;AACD;AACF;;AAED,QAAlzM,IAAI,IAAIoI,OAAO
,KAAK,EAAxB,EAA4BmE,KAAK,CAACrc,IAAN,CAAWkY,OAAO,CAAC3X,IAAR,EAAX;AAC5B,WAAO8b
,KAAP;AACD,GA1CU;;AA4CX;,,,,,,;AAWAG,EAAAA,KAvDW,iBAuDLvS,MAvDK,EAuDG;AACZ,QAAM

kO,MAAM,GAAG,CAAC,GAAD,EAAM,IAAN,EAAY,IAAZ,CAAf;AACa,WAAOgE,IAAI,CAAC1Y,KAAL,C
AAWwG,MAAX,EAAMbK0,MAAnB,CAAP;AACD,GA1DU;;AA4DX;;;;;;;AAYAsE,EAAAA,KAxEW,iBA
wELxS,MAxEK,EAwEG;AACZ,QAAMwS,KAAK,GAAG,GAAd;AACa,WAAON,IAAI,CAAC1Y,KAAL,CAA
WwG,MAAX,EAAMb,CAACwS,KAAD,CAAnB,EAA4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;ACHA;;;;;;;I
AWM/D;;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,
MAAZ;AACa,QAAl,CAAC,MAAKnP,KAaV,EAaIB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;AAED;;;;;;
;;;;;;;wBAgBgB;AACd,aAAO+X,IAAI,CAACM,KAAL,CAAW,KAAKnZ,QAaHb,CAAP;AACD;sBAEaoZ,Q
AAQ;AACpB,UAAmZy,KAAK,GAAG,KAAKX,QAAL,GAAgB,KAAKA,QAAL,CAAcW,KAAd,CAAoB,MAA
pB,CAAhB,GAA8C,IAA5D;AACa,UAAm0Y,GAAG,GAAG1Y,KAAK,GAAGA,KAAK,CAAC,CAAD,CAAR,S
AAkB,KAAK2P,GAAL,CAAS,SAAT,EAAoB,YAApB,CAAnC;AACa,WAAKtQ,QAAL,GAAgBoZ,MAAM,CA
ACpc,IAAP,CAAYqc,GAAZ,CAAhB;AACD;;wBAEe;AACd9O,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa
,aAAO,KAAK6F,IAAL,CAAUpQ,QAaJB;AACD;sBAEauU,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,sDAAD,
CAAR;AACa,WAAK6F,IAAL,CAAUpQ,QAaV,GAAqBuU,GAaRb;AACD;AAED;;;;;;;AAWA;;;;;;;
;;;;;;;EAtdiBwC;AClBnB;;AACa;;;;;;;IAQMuc;AACJ;;;;;;;AAWA,mBAAY9I,IAAZ,EAaKbQc,IAaIB,EA
A6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAaJ,EAaI;AAAA;;AAC3B;;;;;;;AAQA,SAAK5C,IAA
L,GAAY,SAAZ;AACa;;;;;;;AAMA,SAAKO,IAAL,GAAYA,IAAZ;;AAEA,QAaIqC,IAAI,CAAC5R,IAAL,IAAa
4R,IAAI,CAAC5R,IAAL,CAAU8M,MAA3B,EAAMc;AACjC,UAAmF,GAAG,GAAG6F,IAAI,CAAC5R,IAAL,C
AAU6R,UAAV,CAAqBD,IAArB,CAAZ;AACa;;;;;;;AAOA,WAAKxN,IAAL,GAAY2H,GAAG,CAAC3H,IAAh
B;AACa;;;;;;;AAOA,WAAKc,MAAL,GAAc0H,GAAG,CAAC1H,MAaIB;AACD;;AAED,SAAK,IAAMiU,GA
AX,IAAKb1G,IAaIB;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB;AACD;AAE
D;;;;;;;SAQA1e,WAAA,oBAAW;AACT,QAaI,KAAKoG,IAAT,EAaE;AACb,aAAO,KAAKA,IAAL,CAAUk
M,KAaV,CAAgB,KAAKqD,IAArB,EAA2B;AAChChJ,QAAAA,MAAM,EAaE,KAAKA,MADmB;AAEHc9J,Q
AAAA,KAAK,EAaE,KAAKA,KAFoB;AAGhC0W,QAAAA,IAAI,EAaE,KAAKA;AAHqB,OAA3B,EAiJ5J,OAJ
H;AAKD,KAND,MAMO,IAAI,KAAKhD,MAAT,EAaIB;AACTb,aAAU,KAAKA,MAAf,UAA0B,KAAKjG,IAA/
B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED;;;;;;;AAUA;;;;;;;AC3FF;;;;;AA
MA;;;;;;;IAcMgJ;AACJ;;;;;AAMA,kBAAYC,SAAZ,EAaUvB,IAAvB,EAA6B2C,IAA7B,EAAMc;AACjC;
;;;;;;;AAWA,SAAK4G,SAAL,GAaIB,SAaJB;AACa;;;;;;;AAkBA,SAAKC,QAAL,GAAGB,EAaHb;A
ACA;;;;;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACa;;;;;;;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;AACa;;;;;
;AAMA,SAAKnU,GAAL,GAAWmB,SAAX;AACa;;;;;;;AAcA,SAAKgO,GAAL,GAAWhO,SAAX;AACD;
AAED;;;;;;;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;;;;;;;SAGBA2L,
OAAA,cAAKmG,IAAL,EAAWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAaJ,EAaI
;AAAA;;AACpB,QAaI,CAACA,IAAI,CAACrL,MAAV,EAaKB;AAChB,UAAI,KAAKmS,UAAAL,IAAmB,KAA
KA,UAAAL,CAAgBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACrL,MAAL,GAAc,KAAKmS,UAAAL,CAAg
BC,aAA9B;AACD;AACF;;AAED,QAAMC,OAAO,GAAG,IAaIP,OAAJ,CAAY9I,IAAZ,EAaKbQc,IAaIB,CAA
hB;AACa,SAAK6G,QAAL,CAAchd,IAAd,CAAmBmd,OAAAnB;AAEA,WAAOA,OAAP;AACD;AAED;;;;;;;
SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAlgB,CAAC;AAAA,aAA
IA,CAAC,CAACoW,IAAF,KAaW,SAaf;AAAA,KAAtB,CAAP;AACD;AAED;;;;;;;wBAQc;AACZ,aAAO,K
AAKvR,GAAZ;AACD;;;;;ACIKH,SAASb,SAAT,CAAmB1Q,GAAnB,EAawB;AACTb,SAAO,OAAOA,GAAP,
KAAe,QAaf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtd;AACD;AAED;;;;;AAKA;;;;;AAKA;;;;;;
;IAQMC;AACJ,sBAAYT,SAAZ,EAaUB/a,GAAvB,EAA4BmU,IAA5B,EAaKc;AAChC,SAAKsH,WAAAL,GAa
mB,KAAnB;AACa,SAAK9B,SAAL,GAaIB,KAaJB;AAEA,QAaInI,IAAJ;;AACa,QAaI,OAAOxR,GAAP,KAA
e,QAaf,IAA2BA,GAAG,CAACuR,IAAJ,KAAa,MAA5C,EAAoD;AACIDC,MAAAA,IAAI,GAAGxR,GAAP;AA
CD,KAFD,MAEO,IAAIA,GAAG,YAAywb,UAAf,IAA6Bxb,GAAG,YAAy8a,MAaHd,EAawD;AAC7DtJ,MAA
AA,IAAI,GAAGxR,GAAG,CAACwR,IAAX;;AACa,UAAIxR,GAAG,CAACmP,GAAR,EAaA;AACX,YAAI,OA
AOgF,IAAI,CAACHf,GAAZ,KAAoB,WAAxB,EAaQcGf,IAAI,CAACHf,GAAL,GAAW,EAAX;AACrC,YAAI,
CAACgF,IAAI,CAACHf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACHf,GAAL,CAASuM,MAAT,GAaKB,
KAAIB;AACTbVh,QAAAA,IAAI,CAACHf,GAAL,CAASf,IAAT,GAAGBpO,GAAG,CAACmP,GAAPB;AACD;
AACF,KAPM,MAOA;AACL,UAAIgj,MAAM,GAAGF,KAAb;AACa,UAAI9D,IAAI,CAACwH,MAAT,EAaIBx

D,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAY1D,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,EAAiB
A,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAX,EAakBE,MAAM,GAAGA,
MAAM,CAACF,KAahB;;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACnY,GAAD,EAAMm
U,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAC;AACd,aAKA,KAAL,GAAaA,KAAb;AACD;AAC
F;;AAED,SAAKjD,MAAL,GAAC,IAAIp,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAtB,EAA4B2C,IAA5B,CAAd;AA
CD;AAED;,,,,,;AAMGA;,,,,,;SAMIH,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAAZ,EAAP;
AACD;AAED;,,,,,;SAQJf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,;Sak
BAub,OAAA,cAAKM,WAAL,EAakBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAL,GAAaR,IAAb,CAAK
BM,WAAIB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,;oBAiBA,gBAAMA,UAAAN,EAakB;AACHB,W
AAO,KAAKC,KAAL,YAAMBD,UAAAnB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAMb3F,MAAnB,
EAA2B;AACzB,QAAI;AACF,WAAK2F,KAAL,GAAaA,KAAb;;AACa,UAAIA,KAAK,CAAC9T,IAAN,KAAe,
gBAaf,IAAmC,CAAC8T,KAAK,CAAC3F,MAA9C,EAAsD;AACpD2F,QAAAA,KAAK,CAAC3F,MAAN,GAA
eA,MAAM,CAACoS,aAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHD,MAGO,IAAI1G,MAAM,
CAACmT,cAAX,EAA2B;AACHc,YAAMC,UAAU,GAAGpT,MAAM,CAACoS,aAA1B;AACa,YAAMiB,SAAS,
GAAGrT,MAAM,CAACmT,cAAzB;AACa,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAAsBs
B,OAAzC;AACa,YAAMze,CAAC,GAAGue,SAAS,CAAC1a,KAAV,CAAGB,GAAhB,CAAV;AACa,YAAM5D,
CAAC,GAAGue,UAAU,CAAC3a,KAAX,CAAIb,GAAjB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CAAD,
KAASC,CAAC,CAAC,CAAD,CAAV,IAAIbqE,QAAQ,CAACIE,CAAC,CAAC,CAAD,CAAF,CAAR,GAAiBsE,
QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpDgO,UAAAA,QAAQ,CACN,MAAG,kCA
AkC,KAArC,IAA6CuQ,UAA7C,cAAGeF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KApB
D,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAAO,C
AAC+C,KAAAR,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EAA2B;
AAAA;;AACzB,QAAI,KAAK3T,MAAL,IAAe,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB/L,MAA1C,EAakD;AA
ChD,WAAKue,SAAL,GAAiB,IAAjB;AACa,aAAO6C,OAAO,EAAd;AACD;;AAED,QAAI;AACF,UAAAM1T,M
AAM,GAAG,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACa,UAAAM4T,OAAO,GAA
G,KAAKC,GAAL,CAAS7T,MAAT,CAAhB;AACa,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIwS,SAAS,CAA
CoB,OAAD,CAAb,EAawB;AACtBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,CA
ACgB,SAAL,CAAeC,OAAf,EAawBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAI;AACd,UAAA,KA
AI,CAACuN,WAAL,CAAiBvN,KAAjB,EAawB3F,MAAxB;;AACa,UAAA,KAAI,CAAC6Q,SAAL,GAAiB,IAA
jB;AACa8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OAVD,MAUO;AACL,aAAK8N,S
AAL,CAAeC,OAAf,EAawBC,MAAxB;AACD;AACF,KAIBD,CAkBE,OAAOhO,KAAP,EAAC;AACd,WAAKkL
,SAAL,GAAiB,IAAjB;AACa8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB
AAQ;AAAA;;AACN,QAAI,KAAKpC,SAAT,EAaoB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAACJ,OAAD,EAA
UC,MAAV,EAaqB;AACtC,YAAI,MAAI,CAACHo,KAAT,EAAGB;AACdgO,UAAAA,MAAM,CAAC,MAAI,C
AACHo,KAAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,
CAAP;AACD;AACF,OANM,CAAP;AAOD;;AACD,QAAI,KAAKwL,UAAAT,EAaqB;AACnB,aAAO,KAAKA,U
AAZ;AACD;;AAED,SAKA,UAAAL,GAakB,IAAID,OAAJ,CAAY,UAAACJ,OAAD,EAAUC,MAAV,EAaqB;AA
CjD,UAAI,MAAI,CAACHo,KAAT,EAAGB,OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAAN,CAAb;AACHb,
MAAA,MAAI,CAAC3F,MAAL,GAAC,CAAD;;AACa,MAAA,MAAI,CAACyT,SAAL,CAAeC,OAAf,EAawBC,
MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;AACa
,aAAO,MAAI,CAACtl,SAAL,EAAP;AACD,KAPiB,CAAIB;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,
OAAA,gBAAO;AAAA;;AACL,QAAI,KAAKjC,SAAT,EAaoB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA
AL,GAAiB,IAAjB;;AAEA,QAAI,KAAKkD,UAAAT,EAaqB;AACnB,YAAM,IAAIxe,KAAJ,CAAU,sDAAV,CAA
N;AACD;;AAED,QAAI,KAAKoQ,KAAT,EAAGB,MAAM,KAAKA,KAAX;AAEhB,SAAKjD,MAAL,CAAYuP,
SAAZ,CAAsB5T,OAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAI;AAC9C,UAAAM4T,OAAO,GAAG,
MAAI,CAACC,GAAL,CAAS7T,MAAT,CAAhB;;AACa,UAAIwS,SAAS,CAACoB,OAAD,CAAb,EAawB;AAC
tB,cAAM,IAAIre,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKmN,MAAZ;AACD;;
SAEDmR,MAAA,aAAI7T,MAAJ,EAAY;AACV,SAAK0C,MAAL,CAAYyP,UAAZ,GAAyBnS,MAAZB;;AAEA,

QAAI;AACF,aAAOA,MAAM,CAAC,KAACK0C,MAAL,CAAYgG,IAAb,EAAmB,KAAKhG,MAAxB,CAAb;AA
CD,KAFD,CAEE,OAAOiD,KAAP,EAAC;AACd,WAAKuN,WAAL,CAAIbVn,KAAjB,EAAwB3F,MAAxB;AAC
A,YAAM2F,KAAN;AACD;AACF;;SAED4C,YAAA,uBAAY;AACV,QAAI,KAAKoK,WAAT,EAAsB,OAAO,K
AAKjQ,MAAZ;AACTb,SAAKiQ,WAAL,GAAmB,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,
KAACK3I,MAAL,CAAY2I,IAAzB;AACa,QAAI5Y,GAAG,GAAG8V,SAAV;AACa,QAAI8C,IAAI,CAACwH,M
AAT,EAAbPgB,GAAG,GAAG4Y,IAAI,CAACwH,MAAL,CAAYtK,SAAIb;AACjB,QAAI8C,IAAI,CAACI,WA
AT,EAAsBhZ,GAAG,GAAG4Y,IAAI,CAACI,WAAX;AACTb,QAAIhZ,GAAG,CAAC8V,SAAR,EAAmB9V,GA
AG,GAAGA,GAAG,CAAC8V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAJQ,IAAAA,GAAG,CAAC,
KAACKiW,IAAN,EAAY,UAAArW,CAAC,EAAl;AACIBqQ,MAAAA,MAAM,IAAIrQ,CAAV;AACD,KAFE,CA
AH;AAGA,SAAKqQ,MAAL,CAAYxL,GAAZ,GAABwL,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wB
AnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;;wBAIW;AACT,aAAO,KAAKvP,MAA
L,CAAY2I,IAAnB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBrR,GAAxB;AACD;A
AED;;;;;;wBAYc;AACZ,aAAO,KAAKqR,SAAL,GAAiB9P,OAAxB;AACD;AAED;;;;;;wBAYU;AA
CR,aAAO,KAAK8P,SAAL,GAAiBIC,GAAxB;AACD;AAED;;;;;;wBAaW;AACT,aAAO,KAAKyM,IAAL,
GAAYpK,IAAnB;AACD;AAED;;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAAnB;AACD;;;;;A
C5JH;AACa,AAEA;;;;;AAOA;;;;;AAUA;;;;;AAUA;;;;;AAMA;;;;;AAKA;;;;;AAMA;;;;;AAKA;;;;;A
;;;;;AAkCA;;;;;IASM8B;AACJ;;;AAIA,qBAAY3V,OAAZ,EAA0B;AAAA,QAAaA,OAAC;AAAdA,
MAAAA,OAAC,GAAJ,EAAl;AAAA;AACxB;;;;;AAQA,SAAKkV,OAAL,GAAe,OAaf;AACa;;;;;AAOA,SA
AKIV,OAAL,GAAe,KAAKOR,SAAL,CAAe1R,OAaf,CAaf;AACD;AAED;;;;;SA6BAmB,MA
AA,aAAIQ,MAAJ,EAAY;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa4V,MAAb,CAAoB,KAAKIE,S
AAL,CAAe,CAAC/P,MAAD,CAaf,CAApB,CAaf;AACa,WAAO,IAAP;AACD;AAED;;;;;SAsBAP
N,UAAA,iBAAQsE,GAAR,EAAmU,IAAb,EAAwB;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,E
AAI;AAAA;AACTb,WAAO,IAAIqH,UAAJ,CAAe,IAaf,EAaqBxb,GAARb,EAA0BmU,IAAI1B,CAAP;AACD;;S
AED0E,YAAA,mBAAU1R,OAAV,EAAmB;AACjB,QAAI6V,UAAU,GAAG,EAajB;AACa7V,IAAAA,OAAO,
CAACIJ,OAAR,CAAgB,UAAA9C,CAAC,EAAl;AACnB,UAAIA,CAAC,CAAC8hB,OAAN,EAae9hB,CAAC,G
AAGA,CAAC,CAAC8hB,OAAN;;AAEf,UAAI,OAAO9hB,CAAP,KAAa,QAAb,IAAYb6P,KAAK,CAACC,OAA
N,CAAc9P,CAAC,CAACgM,OAAbB,CAA7B,EAAuD;AACrD6V,QAAAA,UAAU,GAAGA,UAAU,CAACD,M
AAX,CAAKb5hB,CAAC,CAACgM,OAAPb,CAAb;AACD,OAFD,MAEO,IAAI,OAAOhM,CAAP,KAAa,UAAjB
,EAA6B;AACIC6hB,QAAAA,UAAU,CAACHf,IAAX,CAAgB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,I
AAIkD,KAAJ,CAAaID,CAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO6hB,UAAP;AACD;;;;;AC1LH;;;;;
;;IAUM/G;;AACJ,gBAAY/B,QAAZ,EAAsB;AAAA;AACpB,kCAAMA,QAAAN;AACa,UAAK3C,IAAL,GAAY
,MAAZ;AACa,QAAI,CAAC,MAAKnP,KAAV,EAaiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;;;SAEDM,
cAAA,qBAAYM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAAX,CAAR;;A
AEA,QAAIA,KAAK,KAAK,CAAV,IAAe,KAAKZ,KAAL,CAAWHh,MAAX,GAAoB,CAAvC,EAA0C;AACxC,
WAAKgH,KAAL,CAAW,CAAX,EAACsP,IAAd,CAAmBa,MAAnB,GAA4B,KAAKnQ,KAAL,CAAWY,KAAAX,
EAAkB0O,IAAIb,CAAuBa,MAAnD;AACD;;AAED,gCAAa7P,WAAb,YAAyBM,KAAzB;AACD;;SAED6V,YA
AA,mBAAU7V,KAAV,EAaiB0W,MAAjB,EAAYbnI,IAAzB,EAA+B;AAC7B,QAAMnP,KAAK,wBAASyW,SA
AT,YAAmB7V,KAAAnB,CAAX;;AAEA,QAAI0W,MAAJ,EAAY;AACV,UAAInI,IAAI,KAAK,SAAb,EAAwB;A
ACTb,YAAI,KAAKnP,KAAL,CAAWHh,MAAX,GAAoB,CAAxB,EAA2B;AACzBse,UAAAA,MAAM,CAACHl,
IAAP,CAAYa,MAAZ,GAAqB,KAAKnQ,KAAL,CAAW,CAAX,EAACsP,IAAd,CAAmBa,MAAxC;AACD,SAFD
,MAEO;AACL,iBAAOmH,MAAM,CAACHl,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAK
G,KAAL,KAAegH,MAAnB,EAA2B;AACChCx,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAl;
AACpBA,UAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,GAAmBmH,MAAM,CAACHl,IAAP,CAAYa,MAA/B;
AACD,SAFD;AAGD;AACF;;AAED,WAAOnQ,KAAP;AACD;AAED;;;;;SAAa8a,WAAA,kBAAS/I,IAAT,
EAAoB;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;AACIB,QAAmGJ,IAAI,GAAG,I
AAI3B,UAAJ,CAAe,IAAIbS,SAAJ,EAaf,EAAGc,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC
9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOtR,KAAP,EAAC;AACZ6I,IAAAA,QAAQ,CAAC,iDAAD,CAA
R;AACa,SAAKnJ,WAAL,CAAiBM,KAAjB;AACD;;SAEDoa,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC,

uDAAD,CAAR;AACA,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAKb6B,GAAzB;AACD;AAED;,,,,,,,,,,,,,
;EAjEiBkJ;;ACZnB,IAAIgF,QAAQ,GAAG,CAAf;AAEA;,,,,,;AAOA;,,,,,;IAOMpO;AACJ;,,,;AAIA,iBAAYjP,G
AAZ,EAAiBmU,IAAjB,EAA4B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AAC1B
,,,,,;AAOA,SAAKnU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;;AAEA,QAAI,KAAK6D,GAAL,CAAS,C
AAT,MAAgB,QAAhB,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QAAhD,EAA0D;AACxD,WAAKA,GAA
L,GAAW,KAAKA,GAAL,CAAS00,KAAT,CAAe,CAAf,CAAX;AACD;;AAED,QAAIyF,IAAI,CAAC2D,IAAT,
EAAe;AACb,UAAI,YAAY/b,IAAZ,CAAIBoY,IAAI,CAAC2D,IAAtB,CAAJ,EAAiC;AAC/B;,,,,,;AAQA,aAAKx
I,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd,
OAAL,CAAarI,IAAI,CAAC2D,IAAIB,CAAZ;AACD;AACF;AAED;,,,,,,,,,,,,,;AAiBA,QAAI,CAAC,KAAKxI,I
AAV,EAAGB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACA;,,,,,;AAUA,WAAK7c,EAAL,mBAAwB6c,QAA
xB;AACD;;AACD,QAAI,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAgB,KAAKwI,IAArB;AAC
f;,,,;SAEDrJ,QAAA,eAAM3C,OAAN,EAaenF,IAAf,EAaQBC,MAArB,EAA6BuN,IAA7B,EAaWc;AAAA,QAA
XA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACtC,QAAI3I,MAAJ;AACA,QAAM+R,MAAM,G
AAG,KAAKA,MAAL,CAAY5W,IAAZ,EAakBC,MAAIB,CAAf;;AACA,QAAI2W,MAAJ,EAAY;AACV/R,MA
AAA,MAAM,GAAG,IAAI4D,cAAJ,CACpD,OADO,EAEPyR,MAAM,CAAC5W,IAFA,EAGP4W,MAAM,CAA
C3W,MAHA,EAIP2W,MAAM,CAACIO,MAJA,EAKPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACrL,MA
NE,CAAT;AAQD,KATD,MASO;AACL0C,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAmBtD,OAAnB,EAA4B
nF,IAA5B,EAakCC,MAAIC,EAA0C,KAAK5G,GAA/C,EAAoD,KAAKsP,IAAZD,EAA+D6E,IAAI,CAACrL,M
AApE,CAAT;AACD;;AAED0C,IAAAA,MAAM,CAAC8B,KAAP,GAAe;AAAE3G,MAAAA,IAAI,EAJA,IAAF
;AAAQC,MAAAA,MAAM,EAANA,MAAR;AAAgByI,MAAAA,MAAM,EAEE,KAAKRp;AAA7B,KAAf;AACA
,QAAI,KAAKsP,IAAT,EAAe9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAAoB,KAAKA,IAAzB;AAEf,WAA
O9D,MAAP;AACD;AAED;,,,,,;SAA+R,SAAA,gBAAO5W,IAAP,EAAaC,MAAb,EAaQb;AACnB,QAAI,
CAAC,KAAKuI,GAAV,EAae,OAaO,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT
,EAAjB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE9W,MAAAA,IAAI,EAJA,I
AAF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAAb;AACA,QAAI,CAACkR,IAAI,CAACzI,MAAV,
EAakB,OAaO,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAEE,KAAKoO,UAAAL,CA
AgB5F,IAAI,CAACzI,MAArB,CADO;AAEb1I,MAAAA,IAAI,EAEmR,IAAI,CAACnR,IAFE;AAGbC,MAAA
A,MAAM,EAaEkR,IAAI,CAACIR;AAHA,KAAf;AAMA,QAAMyI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,
CAA0B7F,IAAI,CAACzI,MAA/B,CAAf;AACA,QAAIA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAgBA,
MAAhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDkS,aAAA,oBAAWpO,IAAX,EAAiB;AACf,QAAI,YAAYvT,IA
AZ,CAAiBuT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAAC
d,OAAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GAAoBI,UAApB,IAAkC,GAA/C,EAAoDtO,IAApD,CAAP;A
ACD;AACF;AAED;,,,,,;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK9O,EAAzB;AACD;,,,;ICIKk
Bqd;,,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAACf,QAAQ,CAAC,KAAKC,KAAAN,EAAa;AA
AEI,MAAAA,YAAY,EAEE;AAAhB,KAAb,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAAR,EAAe;AACb,QA
AM3M,IAAI,GAAG,IAAIwT,OAaJ,EAAb;AACA,SAAKU,IAAL,CAAUIU,IAAV,EAAGB2M,KAAK,CAAC,CA
AD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACA3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,
GAakB;AAAEJ,MAAAA,IAAI,EAaEuI,KAAK,CAAC,CAAD,CAAb;AAakBtI,MAAAA,MAAM,EAaEsI,KA
AK,CAAC,CAAD;AAA/B,KAAIB;AAEA,QAAI4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT
,CAAe,CAAf,CAAX;AACA,QAAIoD,IAAI,CAACpD,KAAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,
IAAI,GAAGA,IAAI,CAACpD,KAAAL,CAAW,CAAX,EAAC,CAAC,CAAf,CAAP;;AAE7B,QAAI,QAAQ3S,IAAR
,CAAa+V,IAAb,CAAJ,EAaWb;AACtBvP,MAAAA,IAAI,CAACuP,IAAL,GAAY,EAZ;AACAvP,MAAAA,IA
AI,CAACmP,IAAL,CAAUC,IAAV,GAaIBG,IAAjB;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,
GAakB,EAaIB;AACD,KAJD,MAIO;AACL,UAAAM5P,KAAK,GAAG6P,IAAI,CAAC7P,KAAAL,CAAW,yBAAX,
CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAA
I,CAACmP,IAAL,CAAUC,IAAV,GAaIB1P,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACmP,I
AAL,CAAUG,KAAV,GAakB5P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAED4U,kBAAA,2BAakB;;SA
EIBC,cAAA,qBAAYIH,KAAZ,EAAMb;AACjB,QAAmko,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,

AACrB,YAAI8T,UAAU,CAAC5T,GAAD,CAAd,EAAqB;AACnB6T,UAAAA,KAAK,CAAClJB,MAAD,EAASm
P,GAAG,CAACE,GAAD,CAAZ,EAAMBA,GAAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOrP,MAAP
;AACD;;AC3DD;AACA,AAMA,sBA Ae,UAAc4d,KAAD,EAAeyF,aAAf,EAAMCC,YAAnc,EAawE;AAAA,MA
ArCA,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBvhB,YAAiB;AAAA;;AACrF,SAAQ6b,KAAK,CAAC2F,KAAN
,KAAgBD,YAAy,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAy,CAA
CC,KAA5F;AACD,CAFd;;ACPA;AAGA,AA Ae,SAASC,KAAT,CAAexjB,MAAf,EAAMf;AAChG,SACE,OAA
OA,MAAP,KAAkB,QAAIB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM,
CAACyJB,MAAP,CAAc,CAAd,MAAqBzjB,MAAM,CAACyJB,MAAP,CAAc,CAAd,EAAiB/U,WAAjB,EADxB,
GAEG,IAHJ,CADF;AAMD;;ACVD;AAEA,AGGe,SAASgV,mBAAT,CACb1jB,MADa,EAEL;AACR,SAAOwjB,
KAAK,CAACxjB,MAAD,CAAL,eAA0BA,MAA1B,eAA+CD,gBAAgB,CAACC,MAAD,CAA/D,MAAP;AACD;;
ICKY2jB,YAAy,GAA0BpW,cAAK,CAACC,aAAN,EAA5C;AAEP,IAAaoW,aAAa,GAAGD,YAAy,CAACjW,Q
AAnc;;AAEP,SAASmW,UAAAT,CAAoBN,KAApB,EAA0CO,UAA1C,EAAqE;AACnE,MAAI,CAACP,KAAL,E
AAy;AACV,WAAO1f,0BAAgB,CAAC,EAAD,CAAvB;AACD;;AAED,MAAIxD,UAAU,CAACKjB,KAAD,CAA
d,EAAuB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE7jB,OAAO,CAAC
C,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC4jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAAN
,CAAcU,WAAAd,CAAxB,IAAsD,OAAOA,WAAP,KAAuB,QAD9E,CADF,EAGE;AACA,aAAOlgb,0BAAgB,C
AAC,CAAD,CAAvB;AACD;;AAED,WAAOkGB,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAN,CAAc
+T,KAAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAAuD;AACrD,WAAO1f,0BAAgB,CAAC,CAAD,CAAvB;
AACD;;AAED,SAAOigB,UAAU,gBAAQA,UAAAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;::::;AAGA
,AA Ae,SAASS,aAAT,CAAuBpG,KAAvB,EAAqC;AACID,MAAMkG,UAAU,GAAGG,gBAAU,CAACN,YAAD,
CAA7B;AACA,MAAMO,YAAy,GAAGC,aAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,K
AAP,EAAcO,UAAAd,CAAhB;AAAA,GAAD,EAA4C,CACtEIG,KAAK,CAAC2F,KADgE,EAEtEO,UAFsE,CAA5
C,CAA5B;;AACA,MAAI,CAACIG,KAAK,CAACT,QAAAX,EAAqB;AACnB,WAAO,IAAP;AACD;;AAED,sBAA
O5P,6BAAC,YAAD,CAAc,QAAAd;AAAU,IAAA,KAAK,EAAE2W;AAA9B,KAA6CtG,KAAK,CAACT,QAAAnD
,CAAP;AACD;;AC1CD;AAEA;;AACA,IAAMiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CA
AIB;;IAEMC;::::::::::;UAGJC,QAAQ;::::;SAERC,SAAA,kBAAS;AAAA;;AACP,wBACEhX,6BAAC,aAAD,QAC
G,UAAcGw,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAE4G,eAFW,gBAEhBC,GAfG
B;AAAA,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAIhBC,kBAJgB,gBAIhBA,kBAJgB;AAAA,UAKhBC,W
ALgB,gBAKhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,
MAPgB;AAAA,4CAQhB5e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbyX,KATa;;AAAA,
UAYV0F,YAZU,GAYkCsB,kBAZIC,CAYVtB,YAZU;AAAA,UAYItjB,MAZJ,GAYkC4kB,kBAZIC,CAYI5kB,
MAZJ;AAAA,UAYYglB,iBAZZ,GAYkCjB,kBAZIC,CAYYI,iBAZZ;AAa1B,UAAmC,mBAAMb,GACvB,MAAI,C
AACX,KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EAA7B,IAAmCH,eAAnc,IAAsDE,QA
AtD,IAAKE1kB,MADpE;;AAGA,UAAmK1B,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAAI
,CAACxH,KAAN,EAAa2F,KAAb,EAAoBD,YAApB,CAAd,IAAmDvhB,YAD7B,EAETB,MAAI,CAAC6b,KAFi
B,CAAxB;;AACA,UAAmyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;AACA,UAAmK,aAAa,GA
AG,MAAI,CAACHB,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAQD1G,K
AA3E;AACA,UAAm2H,YAAy,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;AACA,UAAmOb,eAAe,GA
AG,EAAxB;AACA,UAAInW,GAJ;;AAEA,WAAKA,GAAL,IAAYiW,aAAZ,EAA2B;AACzB,YAAIjW,GAAG,
CAAC,CAAD,CAAH,KAAW,GAAX,IAAkBA,GAAG,KAAK,IAA9B,EAAoC,SAApC,KACK,IAAIA,GAAG,KA
AK,aAAZ,EAA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AA
CD,SAFI,MAEE,IAAI,CAACKW,YAAD,IAAiBA,YAAy,CAACIW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;A
ACxD;AACAOB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AA
CF;;AAEDmW,MAAAA,eAAe,CAACrf,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UAAcSf,KA
AD,EAAW;AACT,eAAO,CAACP,eAAD,EAAB5D,MAAI,CAAYBnb,KAAK,CAACsf,KAAD,CAA9B,CAAP;
AACD,OAHuB,GAItB,CAACP,eAAD,EAAB5D,MAAI,CAAYBnb,KAAzB,CAJF;AAKAqf,MAAAA,eAAe,C
AACT,MAAhB,GAAYBA,MAAM,IAAIS,eAAe,CAACT,MAAnD;AAEA,UAAID,YAAJ,EAAkBU,eAAe,CAAC
E,GAAhB,GAAsBZ,YAAtB;AACIB,UAAID,WAAJ,EAAiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,

aAAOhd,mBAaA,CAACod,mBAAD,EAAsBO,eAAtB,CAApB;AACD,KAjDH,CADF;AAqDD;;SAEDG,wBAAA
,+BAAsBpC,KAAtB,EAAsC3F,KAAtC,EAaqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMvZ,OAAO,gBAAQ6
S,KAAAR;AAAE2F,MAAAA,KAAK,EAALA;AAAf,MAAb;;AAEA,QAAl,CAACe,KAAK,CAAC3kB,MAAX,EA
AmB,OAAOoL,OAAP;AAEnB,SAAKuZ,KAAAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC9hB,OAAN,CAAc
,UAAAojB,OAAO,EAAl;AACvB,UAAIC,eAAe,GAAGD,OAAtB;ACA,UAAIE,IAAJ;ACA,UAAIzW,GAJ;;
AAEA,UAAIhP,UAAU,CAACwIB,eAAD,CAAd,EAAiC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC9a,OAA
D,CAAjC;AACD;AAED;;;ACA,WAAKsE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,
eAAe,CAACxW,GAAD,CAAtB;ACA,QAAA,MAAI,CAACiV,KAAAL,CAAWjV,GAAX,IAAkByW,IAAIB;AA
CA/a,QAAAA,OAAO,CAACsE,GAAD,CAAP,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO/a
,OAAP;AACD;;SAEDoa,0BAAA,iCAAwB5B,KAAxB,EAAoC3F,KAApC,EAAGD;AAAA,QACtCmI,WADsC,G
ACtBnI,KAAK,CAACgH,kBADgB,CACtCmB,WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,
CACvBpC,KADuB,EAEvB3F,KAFuB,EAGvBA,KAAK,CAACgH,kBAAN,CAAyBN,KAHF,CAAzB;AAMA,W
AAOyB,WAAW,CAACtD,mBAAZ,CAAgC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EA
AoC;AACIC,QAAl,KAAKIQ,IAAL,KAAcrQ,SAAlB,EAA6B;AAC3B;ACA,WAAKqQ,IAAL,CAAUiQ,cAAV,
CAAyBC,WAAzB;AACD,KAHD,MAGO,IAAIhmB,OAAO,CAACC,GAAR,CAAyC,QAAZ,KAAyB,YAA7B,E
AA2C;AAChD;ACA8P,MAAAA,OAAO,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;;EA/GiCgW;;AAkHpC,
8BAAe,UAAc1D,WAAD,EAA2B;AACxC,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAACnmB,MAAD,
EAAiB0J,OAAjB,EAakCjG,KAAIC,EAAqD;AAAA,yBAKnFiG,OALmF,CAErF4a,KAFqF;AAAA,QAerFA,KA
FqF,+BAE7EziB,WAF6E;AAAA,+BAKnF6H,OALmF,CAGrFtJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEsjB,
mBAAmB,CAAC1jB,MAAD,CAHoD;AAAA,gCAKnF0J,OALmF,CAIrF0c,eAJqF;AAAA,QAIRFA,eAJqF,sCAIn
E/B,qBAJmE;AAOvF,QAAMgC,OAAO,GAAG,CAAC7C,KAAK,CAACxjB,MAAD,CAAtB;ACA,QAAMsmB,
kBAakB,GAAGxIB,iBAaiB,CAACd,MAAD,CAA5C,CARuF;;AAWvF,QAAMumB,4BAA4B,GAAGhZ,cAAK,
CAACiZ,UAAAN,CAAiB,UAAc5I,KAAD,EAAQ8H,GAAR;AAAA,0BACpDnY,6BAAC,eAAD,eACMqQ,KADN
;AAEE,QAAA,kBAakB,EAAE2I,4BAFtB;AAGE,QAAA,YAAy,EAAEb;AAHhB,SADoD;AAAA,KAAjB,CAAr
C;AAQA,QAAMe,UAAU;AAEdH,IAAAA,kBAakB,IAAItmB,MAAM,CAACskB,KAA7B,GACI/U,KAAK,CAA
C/O,SAAN,CAAgB8gB,MAAhB,CAAUbthB,MAAM,CAACskB,KAA9B,EAAqCA,KAArC,EAA4C1E,MAA5C,
CAAmDle,OAAAnD,CADJ,GAEI4iB,KAJN,CAnBuF;;AA0BvF,QAAlU,iBAaiB,GAAGtb,OAAO,CAACsb,iBAA
hC,CA1BuF;;AA6BvF,QAAlSb,kBAakB,IAAItmB,MAAM,CAACgIB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,
EAAuB;AACrB;AACAA,QAAAA,iBAaiB,GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA
;AAElB3mB,YAAAA,MAAM,CAACgIB,iBAAP,CAAyBxO,IAAZB,EAA+BkQ,QAA/B,EAAyCC,kBAAzC,KAC
Ajd,OAAO,CAACsb,iBAAR,CAA0BxO,IAA1B,EAAgCkQ,QAAhC,EAA0CC,kBAA1C;AAHkB;AAAA,SAAPB;
AAID,OAND,MAMO;AACL;ACA3B,QAAAA,iBAaiB,GAAGhIB,MAAM,CAACgIB,iBAA3B;AACD;AACF;
AAED;;;AAKA;;;AACAuB,IAAAA,4BAA4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,
CAACnmB,WAA7B,GAA2CA,WAA3C,CAIDuF;;AAqDvFmmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,
iBAAjD,CARduF;;AAwDvFuB,IAAAA,4BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,
kBAakB,GAAGtmB,MAAM,CAAC+IB,WAAP,CAAmBtiB,KAAAnB,CAAyB6d,MAAzB,CAAgC7d,KAAhC,CA
AH,GAA4CA,KAFrB,CAA3C,CAXduF;;AA8DvF8iB,IAAAA,4BAA4B,CAACxIB,iBAA7B,GAAiD,uBAAjD,C
A9DuF;;AAgEvFwIB,IAAAA,4BAA4B,CAACvmB,MAA7B,GAAsCsmB,kBAakB;AAEpDtmB,IAAAA,MAAM
,CAACA,MAF6C,GAGpDA,MAHJ,CAHEuF;;AAqEvFumB,IAAAA,4BAA4B,CAACK,AA7B,GAA6C,SAASA,
aAAT,CAAuB5jB,GAAvB,EAAoC;AAAA,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC
1CymB,EAD0C,GACjBnd,OADiB,CACvDsD,WADuD;AAAA,UACn8Z,aADmC,iCACjBpd,OADiB;;AAE/E,U
AAMqd,UAAU,gBACXD,aADW;AAEdxC,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAafA;A
AHc,QAAhB;;AAMA,aAaOD,2BAA2B,CAACnjB,GAAD,EAAM+jB,UAAAN,EAakBtjB,KAAIB,CAAIC;AACD
,KATD,CAReuF;;AAiFvF9C,IAAAA,MAAM,CAACqmB,cAAP,CAAsBT,4BAAAtB,EAAoD,cAAPd,EAAoE;AA
CIethB,MAAAA,GADkE,iBAC5D;AACJ,eAAO,KAAKgiB,mBAAZ;AACD,OAHiE;AAKIEnjB,MAAAA,GALk
E,eAK9DqL,GAL8D,EAKzD;AACP;ACA,aAAK8X,mBAAL,GAA2BX,kBAakB,GAAGY,SAAK,CAAC,EAA
D,EAAKlnB,MAAM,CAACsjB,YAAZ,EAA0BnU,GAA1B,CAAR,GAAyCA,GAATf;AACD;AARiE,KAApE;;A
AWA,QAAlkX,OAAJ,EAAa;AACXc,MAAAA,KAAK,CAACZ,4BAAD,EAAGcvmB,MAAhC,EAA8C;AACjD;

AACAskB,QAAAA,KAAK,EAAE,IAF0C;AAGjDlKB,QAAAA,WAAW,EAAE,IAHoC;AAIjD4kB,QAAAA,iBA
AiB,EAAE,IAJ8B;AAKjDe,QAAAA,WAAW,EAAE,IALoC;AAMjDhIB,QAAAA,iBAAiB,EAAE,IAN8B;AAOj
Df,QAAAA,MAAM,EAAE,IAPyC;AAQjD4mB,QAAAA,aAAa,EAAE;AARkC,OAA9C,CAAL;AAUD;;AAED,
WAAOL,4BAAP;AACD,GA1GD;;AA4GA,SAAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBAaE,UACbiB,OA
Da,EAEbzkB,cAFa,EAGY;AACzB,MAAMoN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAF;;A
AEA,OAAK,IAAI1nB,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAGK,cAAc,CAACHD,MAArC,EAA6CD,CAA
C,GAAG4C,GAAjD,EAA5D5C,CAAC,IAAI,CAA3D,EAA8D;AAC5DqQ,IAAAA,MAAM,CAACxN,IAAP,CAA
YI,cAAc,CAACjD,CAAD,CAA1B,EAA+B0nB,OAAO,CAAC1nB,CAAC,GAAG,CAAL,CAATC;AACD;;AAED,
SAAOqQ,MAAP;AACD,CAXD;;ACHA;ACA,AAOA;;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAA
AC,GAAG,EAAI;AACpB,MAAI/X,KAAK,CAACC,OAAO,CAA8X,GAAd,CAAJ,EAAwB;AACtB;AACAA,IA
AAA,GAAG,CAAC7X,KAAJ,GAAY,IAAZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAe,SAA
S/iB,GAAT,CAAaue,MAAb,EAA+E;AAAA,oCAA/CngB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,M
AAItC,UAAU,CAACyiB,MAAD,CAAV,IAAsBnT,aAAa,CAACmT,MAAD,CAAvC,EAAiD;AAC/C;ACA,WA
AOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAAC1IB,WAAD,GAAeihB,MAAf,SAA0BngB,cAA1B,EAA
X,CAAR,CAAb;AACD;;AAED,MAAIA,cAAc,CAACHD,MAAf,KAA0B,CAA1B,IAA+BmjB,MAAM,CAACnjB,
MAAP,KAAkB,CAAJD,IAAsD,OAAOmjB,MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAyF;AACvF;AAC
A,WAAOA,MAAP;AACD,GAT2F;;;AAY5F,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MA
AD,EAA5ngB,cAAT,CAAX,CAAR,CAAb;AACD;;ACzBc,SAAS6kB,oBAAT,CACbC,oBADA,EAEbzkB,GAFA,
EAGb0G,OAHa,EAIb;AAAA,MADAA,OACA;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;ACA,MA
AI,CAAC2IB,0BAAkB,CAAC1kB,GAAD,CAAvB,EAA8B;AAC5B,WAAOa,0BAAgB,CAAC,CAAD,EAAI9E,M
AAM,CAACiE,GAAD,CAAV,CAAvB;AACD;AAED;ACA;;;ACA,MAAM2kB,gBAAgB,GAAG,SAAnBA,g
BAAmB;AAAA,WAAaF,oBAAoB,CAACzKB,GAAD,EAAM0G,OAAO,EAAenF,GAAG,MAAH,mBAaF,CAAJC
;AAAA,GAazB;AAEA;;;AACAOjB,EAAAA,gBAAgB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACI
CL,oBAAoB,CAACC,oBAAD,EAAuBzkB,GAAvB,eAAiC0G,OAAjC,MAA6Cme,MAA7C,EADc;AAAA,GAAP
C;AAGA;;;AACAF,EAAAA,gBAAgB,CAACrD,KAAjB,GAAYB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,
CAACC,oBAAD,EAAuBzkB,GAAvB,eACf0G,OADe;AAEI4a,MAAAA,KAAK,EAAE/U,KAAK,CAAC/O,SA
AN,CAAgB8gB,MAAhB,CAAuB5X,OAAO,CAAC4a,KAA/B,EAA5CA,KAAtC,EAA6C1E,MAA7C,CAAoDle,O
AApD;AAFW,OADQ;AAAA,GAA9B;;;AAMA,SAAOimB,gBAAP;AACD;;ACzBD;ACA;ACA;ACA;AAC
A;;AAEA,iBAaE,UACzB,SAAD,EAAwC;AACrD;ACA,MAAM4B,SAAS,GAAGva,cAAK,CAACiZ,UAAO,
CAAiB,UAAc5I,KAAD,EAAQ8H,GAAR,EAAgB;AACjD,QAAMnC,KAAK,GAAGU,gBAAU,CAACN,YAAD,
CAAxB,CADiD;;AAAA,QAGzCL,YAHyC,GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GA
AG3C,cAAc,CAACxH,KAAD,EAAQ2F,KAAR,EAAeD,YAAf,CAAhC;;AAEA,QAAIrb,OAAO,CAACC,GAAR
,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC4nB,SAAS,KAAKriB,SAA3D,EAA5E;AACpE;AACAUk,MAAAA,OA
AO,CAACC,IAAR,6HAC2HnQ,gBAAgB,CACvImmB,SADuI,CAD3I;AAKD;;AAED,wBAAO3Y,6BAAC,SA
D,eAAeqQ,KAAf;AAAsB,MAAA,KAAK,EAAEmK,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OAAP;
AACD,GAhBiB,CAAIb;AAkBaSc,EAAAA,KAAy,CAACF,SAAD,EAAy5B,SAAZ,CAAZ;AAEA4B,EAAAA,
SAAS,CAAC1nB,WAAV,kBAaQCL,gBAAgB,CAACmmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzB
D;;ACdA;ACA;AGA,IAAMG,QAAQ,GAAG,SAAXA,QAAW;AAAA,SAAMhE,gBAAU,CAACN,YAAD,CA
AhB;AAAA,CAAjB;;ACJA;;AAiBA,IAAMnB,WAAW,GAAG0F,YAAy,CAACC,eAAe,CAAC3e,UAAjB,CAAh
C;;ACA,IAAM6a,uBAaQb,GAAG+D,sBAAsB,CAAC5F,WAAD,CAApD;;ACA,IAAM6F,MAAM,GAAG,SA
ATA,MAAS,CAACrIB,GAAD;AAAA,SAAiBwkB,oBAAoB,CAACnD,uBAAD,EAAwBrhB,GAAXB,CAArC;AA
AA,CAAF;AAEA;;;AAEA,IAAMsIB,OAAO,GAAG,4BAAhB;AAEA;;;AAEAA,OAAO,CAACtiB,KAAR,CAAc,
MAAd,EAA5BxD,OAAtB,CAA8B,UAAA+IB,KAAK;AAAA,SACjC5nB,MAAM,CAACqmB,cAAP,CAAsBqB,
MAAtB,EAA8BE,KAA9B,EAAqC;AACnCC,IAAAA,UAAU,EAAE,IADuB;AAEnCC,IAAAA,YAAy,EAAE,KA
FqB;AAGnCxjB,IAAAA,GAHmC,iBAG7B;AACJ,aAAOojB,MAAM,CAACF,eAAe,CAACI,KAAD,CAAhB,CA
Ab;AACD;AALkC,GAARc,CADiC;AAAA,CAAnC;;;;;" }

Found

in path(s):

```
* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/primitives/dist/styled-components-primitives.cjs.js.map  
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"file":"styled-components.min.js","sources":["../src/utis/isStyledComponent.js","../src/utis/interleave.js","../src/utis/isPlainObject.js","../src/utis/empties.js","../src/utis/isFunction.js","../src/constants.js","../src/utis/error.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sheet/Rehydration.js","../src/utis/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utis/generateAlphabeticName.js","../src/utis/hash.js","../src/utis/isStaticRules.js","../src/models/ComponentStyle.js","../node_modules/@emotion/stylis/dist/stylis.esm.js","../src/utis/stylis.js","../src/utis/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../node_modules/shallowequal/index.js","../src/models/Keyframes.js","../src/utis/hyphenateStyleName.js","../node_modules/@emotion/unitless/dist/unitless.esm.js","../src/utis/flatten.js","../src/utis/isStatelessFunction.js","../src/utis/addUnitIfNeeded.js","../src/constructors/css.js","../src/models/GlobalStyle.js","../src/models/ThemeProvider.js","../src/utis/determineTheme.js","../src/utis/generateComponentId.js","../src/models/ServerStyleSheet.js","../node_modules/hoist-non-react-statics/dist/hoist-non-react-statics.cjs.js","../src/secretInternals.js","../src/constructors/createGlobalStyle.js","../src/constructors/keyframes.js","../src/hooks/useTheme.js","../src/hoc/withTheme.js","../node_modules/@emotion/memoize/dist/emotion-memoize.esm.js","../node_modules/@emotion/is-prop-valid/dist/emotion-is-prop-valid.esm.js","../src/utis/escape.js","../src/utis/isTag.js","../src/utis/mixinDeep.js","../src/models/StyledComponent.js","../src/utis/generateDisplayName.js","../src/utis/joinStrings.js","../src/constructors/styled.js","../src/constructors/constructWithOptions.js","../src/index-standalone.js","../src/utis/domElements.js"],"sourcesContent":["@flow\nexport  
default function isStyledComponent(target: any): boolean %checks {\n  return target && typeof  
target.styledComponentId === 'string';\n}\n\n// @flow\nimport type { Interpolation } from './types';\nexport  
default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>\n): Array<Interpolation> => {\n  const  
result = [strings[0]];\n  for (let i = 0, len = interpolations.length; i < len; i += 1) {\n    result.push(interpolations[i],  
strings[i + 1]);\n  }\n  return result;\n};\n\n// @flow\nimport { typeOf } from 'react-is';\nexport default (x: any):  
boolean => \n  x !== null && \n  typeof x === 'object' && \n  (x.toString ? x.toString() :  
Object.prototype.toString.call(x)) === '[object Object]' && \n  !typeOf(x);\n\n// @flow\nexport const  
EMPTY_ARRAY = Object.freeze([]);\nexport const EMPTY_OBJECT = Object.freeze({});\n\n// @flow\nexport  
default function isFunction(test: any): boolean %checks {\n  return typeof test === 'function';\n}\n\n//  
@flow\n\nndecclare  
var SC_DISABLE_SPEEDY: ?boolean;\nndecclare var __VERSION__: string;\n\nexport const SC_ATTR: string = \n  (typeof process !== 'undefined' && \n  typeof process.env !== 'undefined' && \n  (process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) || \n  'data-styled';\n\nexport const  
SC_ATTR_ACTIVE = 'active';\nexport const SC_ATTR_VERSION = 'data-styled-version';\nexport const  
SC_VERSION = __VERSION__;\nexport const SPLITTER = '/*!sc*/';\nexport const IS_BROWSER = \n  typeof window !== 'undefined' && 'HTMLElement' in window;\nexport const  
DISABLE_SPEEDY = Boolean(\n  typeof SC_DISABLE_SPEEDY === 'boolean'\n  ? SC_DISABLE_SPEEDY\n  : \n  typeof process !== 'undefined' &&  
typeof process.env !== 'undefined'\n  ? \n  typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'  
&& \n  process.env.REACT_APP_SC_DISABLE_SPEEDY !== '\n  ?  
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false'\n  ? false\n  :  
process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : \n  typeof process.env.SC_DISABLE_SPEEDY  
!== 'undefined' && process.env.SC_DISABLE_SPEEDY !== '\n  ? process.env.SC_DISABLE_SPEEDY ===  
'false'\n  ? false\n  : process.env.SC_DISABLE_SPEEDY\n  : process.env.NODE_ENV !== 'production'\n  : false);\n\n// Shared empty execution context when generating static styles\nexport const
```

```

STATIC_EXECUTION_CONTEXT = {};
import errorMap from './errors';
const ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};
function format(...args) {
  let a = args[0];
  const b = [];
  for (let c = 1, len = args.length; c < len; c += 1) {
    b.push(args[c]);
  }
  b.forEach(d => {
    a = a.replace(/%[a-z]/, d);
  });
  return a;
}
* Create an error file out of errors.md for development and a simple web link to the full errors
* in production mode.
* Next export default function throwStyledComponentsError(
  code: string | number,
  ...interpolations: Array<any>)
{
  if (process.env.NODE_ENV === 'production') {
    throw new Error(`An error occurred. See https://git.io/JUIaE#${code} for more information.`);
  }
  if (interpolations.length > 0) {
    const args = interpolations.join(', ');
    throw new Error(format(ERRORS[code], ...interpolations).trim());
  }
}
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';
* Create a GroupedTag with an underlying Tag implementation
* Next export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}
const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group);
      }
    }
  }
  clearGroup(group: number): void {
    if (group < this.length) {
      const length = this.groupSizes[group];
      const startIndex = this.indexOfGroup(group);
      const endIndex = startIndex + length;
      this.groupSizes[group] = 0;
      for (let i = startIndex; i < endIndex; i++) {
        this.tag.deleteRule(startIndex);
      }
    }
  }
  getGroup(group: number): string {
    let css = "";
    if (group >= this.length || this.groupSizes[group] === 0) {
      return css;
    }
    const length = this.groupSizes[group];
    const startIndex = this.indexOfGroup(group);
    const endIndex = startIndex + length;
    for (let i = startIndex; i < endIndex; i++) {
      css += `${this.tag.getRule(i)}${SPLITTER}`;
    }
    return css;
  }
}
import throwStyledError from './utils/error';
const MAX_SMI = 1 << 31 - 1;
let groupIDRegister: Map<string, number> = new Map();
let reverseRegister: Map<number, string> = new Map();
let nextFreeGroup = 1;
* Next export const resetGroupIds = () => {
  groupIDRegister = new Map();
  reverseRegister = new Map();
  nextFreeGroup = 1;
}
* Next export const getGroupForId = (id: string): number => {
  if (groupIDRegister.has(id)) {
    return groupIDRegister.get(id);
  }
  while (reverseRegister.has(nextFreeGroup)) {
    nextFreeGroup++;
  }
  const group = nextFreeGroup++;
  if (process.env.NODE_ENV !== 'production' &&& ((group | 0) < 0 || group > MAX_SMI)) {
    throwStyledError(16, `${group}`);
  }
  groupIDRegister.set(id, group);
  reverseRegister.set(group, id);
  return group;
}
* Next export const getIdForGroup = (group: number): void | string => {
  return reverseRegister.get(group);
}
* Next export const setGroupForId = (id: string, group: number) => {
  if (group >= nextFreeGroup) {
    nextFreeGroup = group + 1;
  }
  groupIDRegister.set(id, group);
  reverseRegister.set(group, id);
}
import { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';
import { getIdForGroup, setGroupForId } from './GroupIDAllocator';
import type { Sheet } from './types';
const SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}]=("${SC_VERSION}")`;
const MARKER_RE =

```

```

new RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id=\\'(\\\\w\\\\d-+)'\\\\\\\\.?!\\'([\\^"]*)'`);
export const outputSheet = (sheet: Sheet) => {
  const tag = sheet.getTag();
  const { length } = tag;
  let css = "";
  for (let group = 0; group < length; group++) {
    const id = getIdForGroup(group);
    if (id === undefined) continue;
    const names = sheet.names.get(id);
    const rules = tag.getGroup(group);
    if (!names || !rules || !names.size) continue;
    const selector = `${SC_ATTR}.g${group}[id=\\'${id}\\']`;
    let content = "";
    if (names !== undefined) {
      names.forEach(name => {
        if (name.length > 0) {
          content += `${name},`;
        }
      });
    }
    // NOTE: It's easier to collect rules and have the marker after the actual rules to simplify the rehydration
    css += `${rules}${selector}{content:\\'${content}\\'}${SPLITTER}`;
  }
  return css;
}

const rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {
  const names = content.split(',');
  let name;
  for (let i = 0, l = names.length; i < l; i++) {
    // eslint-disable-next-line
    if ((name = names[i])) {
      sheet.registerName(id, name);
    }
  }
}

const rehydrateSheetFromTag = (sheet: Sheet, style: HTMLStyleElement) => {
  const parts = (style.textContent || "").split(SPLITTER);
  const rules: string[] = [];
  for (let i = 0, l = parts.length; i < l; i++) {
    const part = parts[i].trim();
    if (!part) continue;
    const marker = part.match(MARKER_RE);
    if (marker) {
      const group = parseInt(marker[1], 10) | 0;
      const id = marker[2];
      if (group !== 0) {
        // Rehydrate componentId to group index mapping
        setGroupForId(id, group);
        // Rehydrate names and rules
        // looks like: data-styled.g11[id="idA"]{content:"nameA,"}
        rehydrateNamesFromContent(sheet, id, marker[3]);
        sheet.getTag().insertRules(group, rules);
      } else {
        rules.push(part);
      }
    }
  }
}

export const rehydrateSheet = (sheet: Sheet) => {
  const nodes = document.querySelectorAll(SELECTOR);
  for (let i = 0, l = nodes.length; i < l; i++) {
    const node = (nodes[i] as any): HTMLStyleElement;
    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE) {
      rehydrateSheetFromTag(sheet, node);
      if (node.parentNode) {
        node.parentNode.removeChild(node);
      }
    }
  }
}

declare var __webpack_nonce__: string;
const getNonce = () => {
  return typeof __webpack_nonce__ !== 'undefined' ? __webpack_nonce__ : null;
}

export default getNonce;

import { SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';
import getNonce from './utils/nonce';
import throwError from './utils/error';
const ELEMENT_TYPE = 1; // Node.ELEMENT_TYPE

/** Find last style element if any inside target */
const findLastStyleTag = (target: HTMLInputElement): void | HTMLStyleElement => {
  const { childNodes } = target;
  for (let i = childNodes.length; i >= 0; i--) {
    const child = (childNodes[i] as any): ?HTMLInputElement;
    if (child && child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {
      return (child as any): HTMLStyleElement;
    }
  }
  return undefined;
}

/** Create a style element inside `target` or <head> after the last */
export const makeStyleTag = (target?: HTMLInputElement): HTMLStyleElement => {
  const head = ((document.head as any): HTMLInputElement);
  const parent = target || head;
  const style = document.createElement('style');
  const prevStyle = findLastStyleTag(parent);
  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;
  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);
  style.setAttribute(SC_ATTR_VERSION, SC_VERSION);
  const nonce = getNonce();
  if (nonce) style.setAttribute('nonce', nonce);
  parent.insertBefore(style, nextSibling);
  return style;
}

/** Get the CSSStyleSheet instance for a given style element */
export const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {
  if (tag.sheet) {
    return ((tag.sheet as any): CSSStyleSheet);
  }
  // Avoid Firefox quirk where the style element might not have a sheet property
  const { styleSheets } = document;
  for (let i = 0, l = styleSheets.length; i < l; i++) {
    const sheet = styleSheets[i];
    if (sheet.ownerNode === tag) {
      return ((sheet as any): CSSStyleSheet);
    }
  }
  throwError(17);
  return (undefined as any);
}

/** @flow
 * eslint-disable
 * no-use-before-define */
import { makeStyleTag, getSheet } from './dom';
import type { SheetOptions, Tag } from './types';
/** Create a CSSStyleSheet-like tag depending on the environment */
export const makeTag = ({

```



```

isServer, useCSSOMInjection, target ): SheetOptions): Tag => {\n if (isServer) {\n return new
VirtualTag(target);\n } else if (useCSSOMInjection) {\n return new CSSOMTag(target);\n } else {\n return
new TextTag(target);\n }\n};\n\nexport class CSSOMTag implements Tag {\n element: HTMLStyleElement;\n\n sheet: CSSStyleSheet;\n\n length: number;\n\n constructor(target?: HTMLElement) {\n const element =
(this.element = makeStyleTag(target));\n\n // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("")); \n\n this.sheet = getSheet(element);\n this.length = 0;\n
}\n\n insertRule(index: number, rule: string): boolean {\n try {\n this.sheet.insertRule(rule, index);\n
this.length++;\n\n return true;\n } catch (_error) {\n return false;\n }\n }\n\n deleteRule(index: number): void {\n
this.sheet.deleteRule(index);\n this.length--;\n }\n\n getRule(index: number): string {\n const rule =
this.sheet.cssRules[index];\n\n // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n if (rule
!== undefined && typeof rule.cssText === 'string') {\n return rule.cssText;\n } else {\n return ";\n }\n
}\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\n\nexport class TextTag implements
Tag {\n element: HTMLStyleElement;\n\n nodes: NodeList<Node>;\n\n length: number;\n\n constructor(target?:
HTMLElement) {\n const element = (this.element = makeStyleTag(target));\n this.nodes =
element.childNodes;\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <=
this.length && index >= 0) {\n const node = document.createTextNode(rule);\n\n const refNode = this.nodes[index];\n
this.element.insertBefore(node, refNode || null);\n this.length++;\n\n return true;\n } else {\n return false;\n
}\n }\n\n deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n this.length--;\n }\n\n getRule(index: number): string {\n if
(index < this.length) {\n return this.nodes[index].textContent;\n } else {\n return ";\n }\n }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */\n\nexport class VirtualTag implements Tag
{\n rules: string[];\n\n length: number;\n\n constructor(_target?: HTMLElement) {\n this.rules = [];\n
this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n this.length++;\n return true;\n } else {\n return false;\n }\n }\n\n
deleteRule(index: number): void {\n this.rules.splice(index,
1);\n this.length--;\n }\n\n getRule(index: number): string {\n if (index < this.length) {\n return
this.rules[index];\n } else {\n return ";\n }\n }\n}\n\n", "/* @flow\nimport { DISABLE_SPEEDY,
IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from './utils/empties';\nimport {
makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from './GroupIDAllocator';\nimport {
outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag,
Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\nntype
SheetConstructorArgs = {\n isServer?: boolean,\n useCSSOMInjection?: boolean,\n target?:
HTMLElement,\n};\n\nntype GlobalStylesAllocationMap = { [key: string]: number }; \nntype NamesAllocationMap =
Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n isServer: !IS_BROWSER,\n
useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\n\nexport default class StyleSheet implements Sheet {\n gs:
GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:
boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index */\n\n static registerId(id:
string): number {\n return getGroupForId(id);\n }\n\n constructor(\n options: SheetConstructorArgs =
EMPTY_OBJECT,\n globalStyles?: GlobalStylesAllocationMap = {},\n names?: NamesAllocationMap ) {\n
this.options = {\n ...defaultOptions,\n ...options,\n }; \n\n this.gs = globalStyles;\n this.names = new
Map(names);\n this.server = !options.isServer;\n\n // We rehydrate only once and use the sheet that is created
first\n if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n SHOULD_REHYDRATE =
false;\n rehydrateSheet(this);\n }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n\n return new StyleSheet(\n { ...this.options, ...options },\n this.gs,\n (withNames && this.names) ||
undefined\n );\n }\n\n allocateGSInstance(id: string) {\n return (this.gs[id] = (this.gs[id] || 0) + 1);\n }\n\n /**

```

```

Lazily initialises a GroupedTag for when it's actually needed */
getTag(): GroupedTag {
  return this.tag ||
  (this.tag = makeGroupedTag(makeTag(this.options)));
}

/** Check whether a name is known for caching */
hasNameForId(id: string, name: string): boolean {
  return this.names.has(id) && (this.names.get(id):
  any).has(name);
}

/** Mark a group's name as known for caching */
registerName(id: string, name: string) {
  getGroupForId(id);
  if (!this.names.has(id)) {
    const groupNames = new Set();
    groupNames.add(name);
    this.names.set(id, groupNames);
  } else {
    (this.names.get(id):
    any).add(name);
  }
}

/** Insert new rules which also marks the name as known */
insertRules(id:
  string, name: string, rules: string[]) {
  this.registerName(id, name);
  this.getTag().insertRules(getGroupForId(id), rules);
}

/** Clears all cached names for a given group ID */
clearNames(id: string) {
  if (this.names.has(id)) {
    (this.names.get(id): any).clear();
  }
}

/** Clears
all rules for a given group ID */
clearRules(id: string) {
  this.getTag().clearGroup(getGroupForId(id));
  this.clearNames(id);
}

/** Clears the entire tag which deletes all rules but not its names */
clearTag() {
  // NOTE: This does not clear the names, since it's only used during SSR
  // so that we can continuously output
  // only new rules
  this.tag = undefined;
}

/** Outputs the current sheet as a CSS string with markers for SSR
*/
toString(): string {
  return outputSheet(this);
}

n", /* @flow */
eslint-disable no-bitwise */
nconst
AD_REPLACER_R = /(a)(d)/gi;
n/* This is the "capacity" of our alphabet
i.e. 2x26 for all letters plus their capitalised
*/
nconst charsLength = 52;
n/* start at 75 for 'a'
until 'z' (25) and then start at 65 for capitalised letters
*/
nconst getAlphabeticChar = (code: number): string =>
nString.fromCharCode(code + (code > 25 ? 39 : 97));
n/* input a number, usually a hash and convert it to base-52
*/
nexport default function generateAlphabeticName(code: number): string {
  let name = "";
  let x;
  n/* get a
char and divide by alphabet-length
*/
  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {
    name = getAlphabeticChar(x % charsLength) + name;
  }
  return (getAlphabeticChar(x % charsLength) +
  name).replace(AD_REPLACER_R, '$1-$2');
}

n", /* @flow */
nexport const SEED =
5381;
n// When we have separate strings it's useful to run a progressive
n// version of djb2 where we pretend that
we're still looping over
n// the same string
nexport const phash = (h: number, x: string):
  number => {
    let i = x.length;
    while (i) {
      h = (h * 33) ^ x.charCodeAt(--i);
    }
    return h;
  };
n//
This is a djb2 hashing function
nexport const hash = (x: string): number => {
  return phash(SEED, x);
}

n", /*
@flow */
nimport isFunction from './isFunction';
nimport isStyledComponent from './isStyledComponent';
nimport
type { RuleSet } from './types';
nexport default function isStaticRules(rules: RuleSet): boolean {
  for (let i = 0; i
  < rules.length; i += 1) {
    const rule = rules[i];
    if (isFunction(rule) && !isStyledComponent(rule)) {
      //
      functions are allowed to be static if they're just being
      // used to get the classname of a nested styled
      component
      return false;
    }
  }
  return true;
}

n", /* @flow */
nimport { SC_VERSION } from
'./constants';
nimport StyleSheet from './sheet';
nimport type { RuleSet, Stringifier } from './types';
nimport flatten
from './utils/flatten';
nimport generateName from './utils/generateAlphabeticName';
nimport
{ hash, phash } from './utils/hash';
nimport isStaticRules from './utils/isStaticRules';
nconst SEED =
hash(SC_VERSION);
n/*
n * ComponentStyle is all the CSS-specific stuff, not the React-specific stuff.
n
*/
nexport default class ComponentStyle {
  baseHash: number;
  baseStyle: ?ComponentStyle;
  componentId: string;
  isStatic: boolean;
  rules: RuleSet;
  staticRulesId: string;
  constructor(rules:
  RuleSet, componentId: string, baseStyle?: ComponentStyle) {
    this.rules = rules;
    this.staticRulesId = "";
    this.isStatic = process.env.NODE_ENV === 'production' &&
    (baseStyle === undefined || baseStyle.isStatic)
    &&
    isStaticRules(rules);
    this.componentId = componentId;
    // SC_VERSION gives us isolation
    between multiple runtimes on the page at once
    // this is improved further with use of the babel plugin
    "namespace" feature
    this.baseHash = phash(SEED, componentId);
    this.baseStyle
    = baseStyle;
    // NOTE: This registers the componentId, which ensures a consistent order
    // for this
    component's styles compared to others
    StyleSheet.registerId(componentId);
  }
  n/*
  n * Flattens a rule set
  into valid CSS
  n * Hashes it, wraps the whole chunk in a .hash1234 {}
  n * Returns the hash to be injected on
  render()
  n *
  */
  generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis: Stringifier) {
    const { componentId } = this;
    const names = [];
    if (this.baseStyle) {

```

```

names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n } \n\n // force
dynamic classnames if user-supplied stylis plugins are in use\n if (this.isStatic && !stylis.hash) {\n if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n
names.push(this.staticRulesId);\n } else {\n const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join("");\n const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n if
(!styleSheet.hasNameForId(componentId, name)) {\n const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n styleSheet.insertRules(componentId, name, cssStaticFormatted);\n } \n\n
names.push(name);\n this.staticRulesId = name;\n } \n } else {\n const { length } = this.rules;\n let
dynamicHash = phash(this.baseHash, stylis.hash);\n let css = "";\n for (let i = 0; i < length; i++) {\n const
partRule = this.rules[i];\n if (typeof partRule === 'string') {\n css += partRule;\n if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n } else if
(partRule) {\n const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n const
partString = Array.isArray(partChunk) ? partChunk.join(")
: partChunk;\n dynamicHash = phash(dynamicHash, partString + i);\n css += partString;\n } \n\n
}\n\n if (css) {\n const name = generateName(dynamicHash >>> 0);\n if
(!styleSheet.hasNameForId(componentId, name)) {\n const cssFormatted = stylis(css, `.${name}`, undefined,
componentId);\n styleSheet.insertRules(componentId, name, cssFormatted);\n } \n\n
names.push(name);\n } \n } \n\n return names.join(' '); \n } \n\n", "function stylis_min (W) {\n function M(d,
c, e, h, a) {\n for (var m = 0, b = 0, v = 0, n = 0, q, g, x = 0, K = 0, k, u = k = q = 0, l = 0, r = 0, I = 0, t = 0, B =
e.length, J = B - 1, y, f = "", p = "", F = "", G = "", C; l < B;) {\n g = e.charCodeAt(l);\n l === J && 0 !== b + n +
v + m && (0 !== b && (g = 47 === b ? 10 : 47), n = v = m = 0, B++, J++);\n\n if (0 === b + n + v + m) {\n
if (l === J && (0 < r && (f = f.replace(N, "")), 0 < f.trim().length)) {\n
switch (g) {\n case 32:\n case 9:\n case 59:\n case 13:\n case 10:\n
break;\n\n default:\n f += e.charAt(l);\n } \n\n g = 59;\n } \n\n switch (g) {\n
case 123:\n f = f.trim();\n q = f.charCodeAt(0);\n k = 1;\n\n for (t = ++l; l < B;) {\n
switch (g = e.charCodeAt(l)) {\n case 123:\n k++;\n break;\n\n case 125:\n
k--;\n break;\n\n case 47:\n switch (g = e.charCodeAt(l + 1)) {\n
case 42:\n case 47:\n a: {\n for (u = l + 1; u < J; ++u) {\n
switch (e.charCodeAt(u)) {\n case 47:\n if (42 === g && 42 === e.charCodeAt(u
- 1) && l + 2 !== u) {\n l = u + 1;\n break a;\n } \n\n
break;\n\n case 10:\n if (47 === g) {\n l = u + 1;\n
break a;\n } \n\n } \n\n } \n\n break;\n\n case 91:\n g++;\n\n case 40:\n
g++;\n\n case 34:\n case 39:\n for (; l++ < J && e.charCodeAt(l) !== g;) {\n
}\n\n } \n\n if (0 === k) break;\n l++;\n } \n\n k = e.substring(t, l);\n 0
=== q && (q = (f = f.replace(ca, "").trim()).charCodeAt(0));\n\n
switch (q) {\n case 64:\n 0 < r && (f = f.replace(N, ""));\n g =
f.charCodeAt(1);\n\n switch (g) {\n case 100:\n case 109:\n case 115:\n
case 45:\n r = c;\n break;\n\n default:\n r = 0;\n } \n\n
k = M(c, r, k, g, a + 1);\n t = k.length;\n 0 < A && (r = X(O, f, I), C = H(3, k, r, c, D, z, t, g,
a, h), f = r.join("), void 0 !== C && 0 === (t = (k = C.trim()).length) && (g = 0, k = ""));\n\n if (0 < t) switch
(g) {\n case 115:\n f = f.replace(da, ea);\n\n case 100:\n case 109:\n
case 45:\n k = f + '{ + k + }';\n break;\n\n case 107:\n
f = f.replace(fa, '$1 $2');\n k = f + '{ + k + }';\n k = 1 === w || 2 === w && L('@' + k, 3) ?
'@-webkit-' + k + '@' + k : '@' + k;\n break;\n\n default:\n k = f + k, 112 === h
&& (k = (p += k, ""));\n } else k = "";\n break;\n\n default:\n k = M(c, X(c, f, I), k,
h, a + 1);\n } \n\n F += k;\n k = I = r = u = q = 0;\n f = "";\n g =
e.charCodeAt(++l);\n break;\n\n case 125:\n case 59:\n f = (0 < r ? f.replace(N, ") :

```

```

f).trim());\n      if (1 < (t = f.length)) switch (0 === u && (q = f.charCodeAt(0), 45 === q || 96 < q && 123 > q)
&& (t = (f = f.replace(' ', ':')).length), 0 < A && void 0 !== (C = H(1, f, c, d, D, z, p.length, h, a, h)) && 0 === (t =
(f = C.trim()).length) && (f = "\\x00\\x00"), q = f.charCodeAt(0), g = f.charCodeAt(1), q)
{\n      case 0:\n      break;\n\n      case 64:\n      if (105 === g || 99 === g) {\n      G +=
f + e.charAt(1);\n      break;\n      }\n\n      default:\n      58 !== f.charCodeAt(t - 1) && (p
+= P(f, q, g, f.charCodeAt(2)));\n      }\n      I = r = u = q = 0;\n      f = ";\n      g =
e.charCodeAt(++l);\n      }\n      }\n\n      switch (g) {\n      case 13:\n      case 10:\n      47 === b ? b = 0 : 0
=== 1 + q && 107 !== h && 0 < f.length && (r = 1, f += "\\x00");\n      0 < A * Y && H(0, f, c, d, D, z, p.length,
h, a, h);\n      z = 1;\n      D++;\n      break;\n\n      case 59:\n      case 125:\n      if (0 === b + n + v + m)
{\n      z++;\n      break;\n      }\n\n      default:\n      z++;\n      y = e.charAt(1);\n\n      switch (g)
{\n      case 9:\n      case 32:\n      if (0 === n
+ m + b) switch (x) {\n      case 44:\n      case 58:\n      case 9:\n      case 32:\n      y
= ";\n      break;\n\n      default:\n      32 !== g && (y = ');\n      }\n      break;\n\n
      case 0:\n      y = "\\|0";\n      break;\n\n      case 12:\n      y = "\\|f";\n      break;\n\n
      case 11:\n      y = "\\|v";\n      break;\n\n      case 38:\n      0 === n + b + m && (r = I = 1, y = '\\f' +
y);\n      break;\n\n      case 108:\n      if (0 === n + b + m + E && 0 < u) switch (1 - u) {\n
      case 2:\n      112 === x && 58 === e.charCodeAt(1 - 3) && (E = x);\n\n      case 8:\n      111
=== K && (E = K);\n      }\n      break;\n\n      case 58:\n      0 === n + b + m && (u = 1);\n
      break;\n\n
      case 44:\n      0 === b + v + n + m && (r = 1, y += '\\r');\n      break;\n\n      case 34:\n
      case 39:\n      0 === b && (n = n === g ? 0 : 0 === n ? g : n);\n      break;\n\n      case 91:\n      0
=== n + b + v && m++;\n      break;\n\n      case 93:\n      0 === n + b + v && m--;\n
      break;\n\n      case 41:\n      0 === n + b + m && v--;\n      break;\n\n      case 40:\n      if (0
=== n + b + m) {\n      if (0 === q) switch (2 * x + 3 * K) {\n      case 533:\n      break;\n\n
      default:\n      q = 1;\n      }\n      v++;\n      }\n\n      break;\n\n      case 64:\n
      0 === b + v + n + m + u + k && (k = 1);\n      break;\n\n      case 42:\n      case 47:\n      if
(!(0 < n + m + v)) switch (b) {\n
      case 0:\n      switch (2 * g + 3 * e.charCodeAt(1 + 1)) {\n      case 235:\n      b =
47;\n      break;\n\n      case 220:\n      t = 1, b = 42;\n      }\n\n
      break;\n\n      case 42:\n      47 === g && 42 === x && t + 2 !== 1 && (33 === e.charCodeAt(t + 2)
&& (p += e.substring(t, 1 + 1)), y = ", b = 0);\n      }\n      }\n\n      0 === b && (f += y);\n      }\n\n      K =
x;\n      x = g;\n      I++;\n      }\n\n      t = p.length;\n\n      if (0 < t) {\n      r = c;\n      if (0 < A && (C = H(2, p, r, d, D, z,
t, h, a, h), void 0 !== C && 0 === (p = C).length)) return G + p + F;\n      p = r.join(',') + '{' + p + '};\n\n      if (0 !==
w * E) {\n      2 !== w || L(p, 2) || (E = 0);\n\n      switch (E) {\n      case 111:\n      p = p.replace(ha, '-moz-
$1') + p;\n      break;\n\n      case 112:\n
      p = p.replace(Q, '::-webkit-input-$1') + p.replace(Q, '::-moz-$1') + p.replace(Q, ':-ms-input-$1') + p;\n
      }\n\n      E = 0;\n      }\n      }\n\n      return G + p + F;\n      }\n\n      function X(d, c, e) {\n      var h = c.trim().split(ia);\n      c
= h;\n      var a = h.length,\n      m = d.length;\n\n      switch (m) {\n      case 0:\n      case 1:\n      var b = 0;\n\n
      for (d = 0 === m ? " : d[0] + ' '; b < a; ++b) {\n      c[b] = Z(d, c[b], e).trim();\n      }\n\n      break;\n\n
      default:\n      var v = b = 0;\n\n      for (c = []; b < a; ++b) {\n      for (var n = 0; n < m; ++n) {\n      c[v++] =
Z(d[n] + ' ', h[b], e).trim();\n      }\n      }\n\n      }\n\n      return c;\n      }\n\n      function Z(d, c, e) {\n      var h =
c.charCodeAt(0);\n      33 > h && (h = (c = c.trim()).charCodeAt(0));\n\n      switch (h) {\n      case 38:\n      return
c.replace(F, '$1' + d.trim());\n\n      case 58:\n      return d.trim() + c.replace(F, '$1' + d.trim());\n\n
      default:\n      if (0 < 1 * e && 0 < c.indexOf('\\f')) return c.replace(F, (58 === d.charCodeAt(0) ? " : '$1') +
d.trim());\n      }\n\n      return d + c;\n      }\n\n      function P(d, c, e, h) {\n      var a = d + ';\n      m = 2 * c + 3 * e + 4 *
h;\n\n      if (944 === m) {\n      d = a.indexOf(':', 9) + 1;\n      var b = a.substring(d, a.length - 1).trim();\n      b =
a.substring(0, d).trim() + b + ';\n      return 1 === w || 2 === w && L(b, 1) ? '-webkit-' + b + b : b;\n      }\n\n      if (0
=== w || 2 === w && !L(a, 1)) return a;\n\n      switch (m) {\n      case 1015:\n      return 97 === a.charCodeAt(10) ?

```

```

'-webkit-' + a + a : a;\n\n case 951:\n return 116 === a.charCodeAt(3) ? '-webkit-' + a + a : a;\n\n case
963:\n return 110 === a.charCodeAt(5) ? '-webkit-' + a + a : a;\n\n case 1009:\n if (100 !==
a.charCodeAt(4)) break;\n\n case 969:\n case 942:\n return '-webkit-' + a + a;\n\n case 978:\n
return '-webkit-'
+ a + '-moz-' + a + a;\n\n case 1019:\n case 983:\n return '-webkit-' + a + '-moz-' + a + '-ms-' + a + a;\n\n
case 883:\n if (45 === a.charCodeAt(8)) return '-webkit-' + a + a;\n if (0 < a.indexOf('image-set(', 11))
return a.replace(ja, '$1-webkit-$2') + a;\n break;\n\n case 932:\n if (45 === a.charCodeAt(4)) switch
(a.charCodeAt(5)) {\n case 103:\n return '-webkit-box-' + a.replace('-grow', '') + '-webkit-' + a + '-ms-' +
a.replace('grow', 'positive') + a;\n\n case 115:\n return '-webkit-' + a + '-ms-' + a.replace('shrink',
'negative') + a;\n\n case 98:\n return '-webkit-' + a + '-ms-' + a.replace('basis', 'preferred-size') + a;\n
}\n return '-webkit-' + a + '-ms-' + a + a;\n\n case 964:\n return '-webkit-' + a + '-ms-flex-' + a + a;\n\n
case 1023:\n if (99 !== a.charCodeAt(8)) break;\n b = a.substring(a.indexOf(':', 15)).replace('flex-',
'').replace('space-between', 'justify');\n return '-webkit-box-pack' + b + '-webkit-' + a + '-ms-flex-pack' + b +
a;\n\n case 1005:\n return ka.test(a) ? a.replace(aa, '-webkit-') + a.replace(aa, '-moz-') + a : a;\n\n case
1e3:\n b = a.substring(13).trim();\n c = b.indexOf('-') + 1;\n\n switch (b.charCodeAt(0) +
b.charCodeAt(c)) {\n case 226:\n b = a.replace(G, 'tb');\n break;\n\n case 232:\n b =
a.replace(G, 'tb-rl');\n break;\n\n case 220:\n b = a.replace(G, 'lr');\n break;\n\n
default:\n return a;\n }\n\n return '-webkit-' + a + '-ms-' + b + a;\n\n case 1017:\n if (-1 ===
a.indexOf('sticky', 9)) break;\n\n case 975:\n c = (a = d).length - 10;\n b = (33 === a.charCodeAt(c) ?
a.substring(0, c) : a.substring(d.indexOf(':', 7) + 1).trim());\n\n switch (m = b.charCodeAt(0)
+ (b.charCodeAt(7) | 0)) {\n case 203:\n if (111 > b.charCodeAt(8)) break;\n\n case 115:\n
a = a.replace(b, '-webkit-' + b) + ';' + a;\n break;\n\n case 207:\n case 102:\n a = a.replace(b,
'-webkit-' + (102 < m ? 'inline-' : '') + 'box') + ';' + a.replace(b, '-webkit-' + b) + ';' + a.replace(b, '-ms-' + b + 'box') +
';' + a;\n }\n\n return a + ';' + a;\n\n case 938:\n if (45 === a.charCodeAt(5)) switch (a.charCodeAt(6))
{\n case 105:\n return b = a.replace('-items', ''), '-webkit-' + a + '-webkit-box-' + b + '-ms-flex-' + b +
a;\n\n case 115:\n return '-webkit-' + a + '-ms-flex-item-' + a.replace(ba, '') + a;\n\n default:\n
return '-webkit-' + a + '-ms-flex-line-pack' + a.replace('align-content', '').replace(ba, '') + a;\n }\n break;\n\n
case 973:\n case 989:\n if (45 !== a.charCodeAt(3)
|| 122 === a.charCodeAt(4)) break;\n\n case 931:\n case 953:\n if (!0 === la.test(d)) return 115 === (b =
d.substring(d.indexOf(':') + 1)).charCodeAt(0) ? P(d.replace('stretch', 'fill-available'), c, e, h).replace(':fill-available',
':stretch') : a.replace(b, '-webkit-' + b) + a.replace(b, '-moz-' + b.replace('fill-', '')) + a;\n break;\n\n case 962:\n
if (a = '-webkit-' + a + (102 === a.charCodeAt(5) ? '-ms-' + a : '') + a, 211 === e + h && 105 ===
a.charCodeAt(13) && 0 < a.indexOf('transform', 10)) return a.substring(0, a.indexOf(':', 27) + 1).replace(ma, '$1-
webkit-$2') + a;\n }\n\n return a;\n }\n\n function L(d, c) {\n var e = d.indexOf(1 === c ? ':' : '{'),\n h =
d.substring(0, 3 !== c ? e : 10);\n e = d.substring(e + 1, d.length - 1);\n return R(2 !== c ? h : h.replace(na, '$1'),
e, c);\n }\n\n function ea(d, c) {\n var e = P(c, c.charCodeAt(0), c.charCodeAt(1), c.charCodeAt(2));\n return e
!== c + ';' ? e.replace(oa,
' or ($1)').substring(4) : '( + c + ');\n }\n\n function H(d, c, e, h, a, m, b, v, n, q) {\n for (var g = 0, x = c, w; g <
A; ++g) {\n switch (w = S[g].call(B, d, x, e, h, a, m, b, v, n, q)) {\n case void 0:\n case !1:\n case
!0:\n case null:\n break;\n\n default:\n x = w;\n }\n }\n\n if (x !== c) return x;\n }\n\n
function T(d) {\n switch (d) {\n case void 0:\n case null:\n A = S.length = 0;\n break;\n\n
default:\n if ('function' === typeof d) S[A++] = d;else if ('object' === typeof d) for (var c = 0, e = d.length; c <
e; ++c) {\n T(d[c]);\n } else Y = !!d | 0;\n }\n\n return T;\n }\n\n function U(d) {\n d = d.prefix;\n
void 0 !== d && (R = null, d ? 'function' !== typeof d ? w = 1 : (w = 2, R = d) : w = 0);\n return U;\n }\n\n
function B(d, c) {\n var e = d;\n 33 > e.charCodeAt(0) && (e = e.trim());\n V = e;\n e
= [V];\n\n if (0 < A) {\n var h = H(-1, c, e, e, D, z, 0, 0, 0, 0);\n void 0 !== h && 'string' === typeof h &&
(c = h);\n }\n\n var a = M(O, e, c, 0, 0);\n 0 < A && (h = H(-2, a, e, e, D, z, a.length, 0, 0, 0), void 0 !== h &&
(a = h));\n V = '';\n E = 0;\n z = D = 1;\n return a;\n }\n\n var ca = /\^\/0+/g,\n N = /\[\]\0/r/f/g,\n aa =

```

```

/: */g,\n ka = /zoo|gra/,\n ma = /([,: ])(transform)/g,\n ia = /,\|r+?/g,\n F = /([\t\r\n ])*\f?&/g,\n fa =
/@(k\|w+)\|s*(\|S*)\|s*/,\n Q = /::(place)/g,\n ha = /:(read-only)/g,\n G = /[svh]\|w+-[tblr]{2}/,\n da =
^\|s*(.*)\|s*\|/g,\n oa = /([\s\S]*?)/g,\n ba = /-self|flex-/g,\n na = /[\^]*?:([rp][el]a[\w-]+)[\^]*/, \n la =
/stretch:\|s*\|w+[-(?:contel|avail)/,\n ja = /([\^-])(image-set\|()/,\n z = 1,\n D = 1,\n E = 0,\n w = 1,\n
O = [],\n S = [],\n A = 0,\n R = null,\n Y = 0,\n V =
";\n B.use = T;\n B.set = U;\n void 0 !== W && U(W);\n return B;\n}\n\nexport default stylis_min;\n", "import
Stylis from '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport { EMPTY_ARRAY,
EMPTY_OBJECT } from './empties';\nimport throwStyledError from './error';\nimport { phash, SEED } from
 './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX =
/^\|s*\|\/\|.*$/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\nexport type StylisInstanceConstructorArgs
= {\n options?: Object,\n plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n
options = EMPTY_OBJECT,\n plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs =
EMPTY_OBJECT) {\n const stylis = new Stylis(options);\n\n // Wrap `insertRulePlugin` to build a list of rules,\n //
and then make our own plugin to return the rules. This\n // makes it easier to hook into the existing SSR
architecture\n\n let parsingRules = [];\n\n // eslint-disable-next-line
consistent-return\n const returnRulesPlugin = context => {\n if (context === -2) {\n const parsedRules =
parsingRules;\n parsingRules = [];\n return parsedRules;\n }\n\n const parseRulesPlugin =
insertRulePlugin(rule => {\n parsingRules.push(rule);\n });\n\n let _componentId: string;\n let _selector:
string;\n let _selectorRegex: RegExp;\n let _consecutiveSelfRefRegex: RegExp;\n\n const
selfReferenceReplacer = (match, offset, string) => {\n if (\n // do not replace the first occurrence if it is
complex (has a modifier)\n (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegex)\n ) {\n return `.${_componentId}`;\n }\n\n return match;\n
};\n\n /**\n * When writing a style like\n * \n * & + & {\n * color: red;\n * }\n
*\n * The second ampersand should be a reference to the static component class. stylis\n * has no knowledge of
static class so we have to intelligently replace the base selector.\n * \n *
https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context phase values\n * `2`\n
means this plugin is taking effect at the very end after all other processing is complete\n * \n const
selfReferenceReplacementPlugin = (context, _, selectors) => {\n if (context === 2 && selectors.length &&
selectors[0].lastIndexOf(_selector) > 0) {\n // eslint-disable-next-line no-param-reassign\n selectors[0] =
selectors[0].replace(_selectorRegex, selfReferenceReplacer);\n }\n\n stylis.use([...plugins,
selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n function stringifyRules(css, selector,
prefix, componentId = '&'): Stringifier {\n const flatCSS = css.replace(COMMENT_REGEX, "");\n const cssStr
= selector && prefix
? `.${prefix} ${selector} { ${flatCSS} }` : flatCSS;\n\n // stylis has no concept of state to be passed to plugins\n
// but since JS is single-threaded, we can rely on that to ensure\n // these properties stay in sync with the current
stylis run\n _componentId = componentId;\n _selector = selector;\n _selectorRegex = new
RegExp(`\|s*\|${_selector}\|b`, 'g');\n _consecutiveSelfRefRegex = new RegExp(`\|s*\|${_selector}\|b){2,}`);\n\n
return stylis(prefix || !selector ? " : selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n
.reduce((acc, plugin) => {\n if (!plugin.name) {\n throwStyledError(15);\n }\n\n return
phash(acc, plugin.name);\n }, SEED)\n .toString()\n : ";\n\n return stringifyRules;\n}\n\n", "/*\n * MIT
License\n *\n * Copyright (c) 2016 Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any
person obtaining a copy of\n * this software and
associated documentation files (the "Software"),\n * to deal in the Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell copies of the
Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:\n
*\n * The above copyright notice and this permission notice shall be included in all\n * copies or substantial portions
of the Software.\n *\n * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

```

EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.\n *\n/* eslint-disable *\n\nexport

```
default function(insertRule) {\n  const delimiter = '/**/';\n  const needle = `${delimiter}`;\n  function\n  toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      } catch (e) {\n        }\n    }\n    return\n  }\n  function ruleSheet(\n    context,\n    content,\n    selectors,\n    parents,\n    line,\n    column,\n    length,\n    ns,\n    depth,\n    at ) {\n    switch (context) {\n      // property\n      case 1:\n        // @import\n        if (depth === 0 &&\n        content.charCodeAt(0) === 64) return insertRule(`${content}`);\n        break;\n      // selector\n      case 2:\n        if\n        (ns === 0) return content + delimiter;\n        break;\n      // at-rule\n      case 3:\n        switch (ns) {\n          // @font-\n          face, @page\n          case 102:\n          case 112:\n            return insertRule(selectors[0] + content);\n          default:\n            return content + (at === 0 ? delimiter : ");\n        }\n      case -2:\n    }\n    content.split(needle).forEach(toSheet);\n  }\n}
```

```
};\n\n", "// @flow\nimport React, { type Context, type Node, useContext, useEffect, useMemo, useState }  
from 'react';\nimport shallowEqual from 'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier  
} from './types';\nimport createStylisInstance from './utils/stylis';\n\ntype Props = {\n  children?: Node,\n  disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?: StyleSheet,\n  stylisPlugins?:  
Array<Function>,\n  target?: HTMLElement,\n};\n\nexport const StyleSheetContext: Context<StyleSheet | void> =  
React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const  
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =  
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:  
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n  return useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n  return  
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n  const  
[plugins, setPlugins] = useState(props.stylisPlugins);\n  const contextStyleSheet = useStyleSheet();\n  const  
styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-\n      line prefer-destructuring\n      sheet = props.sheet;\n    } else if (props.target) {\n      sheet =  
sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n\n    if (props.disableCSSOMInjection) {\n      sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  },  
[props.disableCSSOMInjection, props.sheet, props.target]);\n  const stylis = useMemo(\n    () => {\n      createStylisInstance({\n        options: { prefix: !props.disableVendorPrefixes },\n        plugins,\n        },\n    [props.disableVendorPrefixes, plugins]);\n    },\n    [props.disableVendorPrefixes, plugins]);\n  useEffect(() => {\n    if (!shallowEqual(plugins,  
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n  return (\n    <StyleSheetContext.Provider value={styleSheet}>\n      <StylisContext.Provider value={stylis}>\n        {\n          process.env.NODE_ENV !== 'production'\n            ? React.Children.only(props.children)\n            : props.children\n        }\n      </StylisContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n\n", "// @flow\nmodule.exports = function  
shallowEqual(objA, objB, compare, compareContext) {\n  var ret = compare ? compare.call(compareContext, objA,  
objB) : void 0;\n  if (ret !== void 0) {\n    return !!ret;\n  }\n  if (objA === objB) {\n    return true;\n  }\n  if  
(typeof objA !== "object" || !objA || typeof objB !== "object" || !objB) {\n    return false;\n  }\n  var keysA =  
Object.keys(objA);\n  var keysB = Object.keys(objB);\n  if (keysA.length !== keysB.length) {\n    return false;\n  }\n  var bHasOwnProperty = Object.prototype.hasOwnProperty.bind(objB);\n  // Test for A's  
keys different from B.\n  for (var idx = 0; idx < keysA.length; idx++) {\n    var key = keysA[idx];\n    if  
(!bHasOwnProperty(key)) {\n      return false;\n    }\n    var valueA = objA[key];\n    var valueB = objB[key];\n    ret = compare ? compare.call(compareContext, valueA, valueB, key) : void 0;\n    if (ret === false || (ret === void  
0 && valueA !== valueB)) {\n      return false;\n    }\n  }\n  return true;\n};\n\n", "// @flow\nimport StyleSheet from  
 './sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
```

```

masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n  rules: string;\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-${name}`;\n    this.rules = rules;\n  }\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n    const resolvedName = this.name + stylisInstance.hash;\n    if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules, resolvedName, '@keyframes')\n      );\n    }\n  }\n  toString = () => {\n    return throwStyledError(12, String(this.name));\n  }\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name + stylisInstance.hash;\n  }\n}\n\n"/ @flow\n\n**\n * inlined version of\n * https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst uppercaseCheck = /^[A-Z]/;\nconst uppercasePattern = /^[A-Z]/g;\nconst msPattern = /^ms-;/\nconst prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n**\n * Hyphenates a camelcased CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < `background-color`\n * > hyphenateStyleName('MozTransition')\n * < `"-moz-transition`\n * > hyphenateStyleName('msTransition')\n * < `"-ms-transition`\n\n * As Modernizr suggests (http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`. \n\n * @param {string} string\n * @return {string}\n\n\nexport default function hyphenateStyleName(string: string): string {\n  return uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern, 'ms-')\n    : string;\n}\n\nvar unitlessKeys = {\n  animationIterationCount: 1,\n  backgroundImageOutset: 1,\n  backgroundImageSlice: 1,\n  backgroundImageWidth: 1,\n  boxFlex: 1,\n  boxFlexGroup: 1,\n  boxOrdinalGroup: 1,\n  columnCount: 1,\n  columns: 1,\n  flex: 1,\n  flexGrow: 1,\n  flexPositive: 1,\n  flexShrink: 1,\n  flexNegative: 1,\n  flexOrder: 1,\n  gridRow: 1,\n  gridRowEnd: 1,\n  gridRowSpan: 1,\n  gridRowStart: 1,\n  gridColumn: 1,\n  gridColumnEnd: 1,\n  gridColumnSpan: 1,\n  gridColumnStart: 1,\n  msGridColumn: 1,\n  msGridColumnSpan: 1,\n  msGridRow: 1,\n  msGridRowSpan: 1,\n  msGridColumnSpan: 1,\n  msGridRowSpan: 1,\n  fontWeight: 1,\n  lineHeight: 1,\n  opacity: 1,\n  order: 1,\n  orphans: 1,\n  tabSize: 1,\n  widows: 1,\n  zIndex: 1,\n  zoom: 1,\n  WebkitLineClamp: 1,\n  // SVG-related properties\n  fillOpacity: 1,\n  floodOpacity: 1,\n  stopOpacity: 1,\n  strokeDasharray: 1,\n  strokeDashoffset: 1,\n  strokeMiterlimit: 1,\n  strokeOpacity: 1,\n  strokeWidth: 1\n};\n\nexport default unitlessKeys;\n\n"/ @flow\n\nimport { isElement } from 'react-is';\nimport componentName from './getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from './isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from './hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from './types';\n\n**\n * It's falsish\n * not falsy because 0 is allowed.\n\n *\n\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk === '';\n\nexport const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules = [];\n  for (const key in obj) {\n    if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n    if ((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:`, `${addUnitIfNeeded(key, obj[key])};`);\n    }\n  }\n  return prevKey ? [`${prevKey} {`, ...rules, `}`] : rules;\n}\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n    for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);\n      if (result === '') continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n      else ruleSet.push(result);\n    }\n    return ruleSet;\n  }\n  if (isFalsish(chunk)) {\n    return '';\n  }\n  /* Handle other components */\n  if (isStyledComponent(chunk)) {\n    return `.${chunk.styledComponentId}`;\n  }\n  /* Either execute or defer the function */\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext) {\n      const result

```



```

= chunk(executionContext);\n\n  if (process.env.NODE_ENV !== 'production' && isElement(result)) {\n    //
eslint-disable-next-line no-console\n    console.warn(\n      `.${getComponentName(\n        chunk\n      )}` is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components
for more details.\n    );\n  }\n\n  return flatten(result, executionContext, styleSheet, stylisInstance);\n }
else return chunk;\n }\n\n if (chunk instanceof Keyframes) {\n   if (styleSheet) {\n     chunk.inject(styleSheet,
stylisInstance);\n     return chunk.getName(stylisInstance);\n   } else return chunk;\n }\n\n /* Handle objects */\nreturn isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n\n", "// @flow\n\nexport default function
isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      && test.prototype.isReactComponent\n    )\n  );\n}\n\n", "// @flow\n\nimport unitless from '@emotion/unitless';\n\n//
Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n
// $FlowFixMe\n  if (value == null || typeof value === 'boolean' || value === '') {\n    return '';\n  }\n\n  if (typeof
value === 'number' && value !== 0 && !(name in unitless) && !name.startsWith('--')) {\n    return `${value}px`;\n  }
Presumes implicit 'px' suffix for unitless numbers except for CSS variables\n }\n\n return
String(value).trim();\n}\n\n", "// @flow\n\nimport Interpolation from './utils/interleave';\nimport isPlainObject from
'./utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from
'./utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
'./types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", "// @flow\n\nimport StyleSheet from
'./sheet';\nimport type { RuleSet, Stringifier } from './types';\nimport flatten from './utils/flatten';\nimport
isStaticRules from './utils/isStaticRules';\n\nexport default class GlobalStyle {\n  componentId: string;\n\n  isStatic:
boolean;\n\n  rules: RuleSet;\n\n  constructor(rules: RuleSet, componentId: string) {\n    this.rules = rules;\n
this.componentId = componentId;\n    this.isStatic = isStaticRules(rules);\n\n    // pre-register the first instance to
ensure global styles\n    // load before component ones\n    StyleSheet.registerId(this.componentId + 1);\n  }\n\n  createStyles(\n    instance: number,\n    executionContext:
Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n  ) {\n    const flatCSS = flatten(this.rules,
executionContext, styleSheet, stylis);\n    const css = stylis(flatCSS.join(", "));\n    const id = this.componentId +
instance;\n\n    // NOTE: We use the id as a name as well, since these rules never change\n    styleSheet.insertRules(id, id, css);\n  }\n\n  removeStyles(instance: number, styleSheet: StyleSheet) {\n
styleSheet.clearRules(this.componentId + instance);\n  }\n\n  renderStyles(\n    instance: number,\n    executionContext: Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n  ) {\n    if (instance > 2)
StyleSheet.registerId(this.componentId + instance);\n\n    // NOTE: Remove old styles, then inject the new ones\n    this.removeStyles(instance, styleSheet);\n    this.createStyles(instance, executionContext, styleSheet, stylis);\n  }\n}\n\n", "//
@flow\n\nimport React, { useContext, useMemo, type Element, type Context } from 'react';\nimport
throwStyledError from './utils/error';\nimport isFunction from './utils/isFunction';\n\nexport type Theme = { [key:
string]: mixed };\n\ntype ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);\n\ntype Props = {\n  children?: Element<any>,\n  theme: ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void>
= React.createContext();\n\nexport const ThemeConsumer = ThemeContext.Consumer;\n\nfunction
mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n  if (!theme) {\n    return
throwStyledError(14);\n  }\n\n  if (isFunction(theme)) {\n    const mergedTheme = theme(outerTheme);\n\n    if (\n

```



```

License. See the accompanying LICENSE file for terms.\n */\nvar REACT_STATIC = {\n  childContextTypes:
true,\n  contextType: true,\n  contextTypes: true,\n  defaultProps: true,\n  displayName: true,\n  getDefaultProps: true,\n  getDerivedStateFromError: true,\n  getDerivedStateFromProps: true,\n  mixins: true,\n  propTypes: true,\n  type: true\n};\nvar KNOWN_STATIC =
{\n  name: true,\n  length: true,\n  prototype: true,\n  caller: true,\n  callee: true,\n  arguments: true,\n  arity:
true\n};\nvar FORWARD_REF_STATIC = {\n  '$$typeof': true,\n  render: true,\n  defaultProps: true,\n  displayName: true,\n  propTypes: true\n};\nvar MEMO_STATIC = {\n  '$$typeof': true,\n  compare: true,\n  defaultProps: true,\n  displayName: true,\n  propTypes: true,\n  type: true\n};\nvar TYPE_STATIC =
{};\nTYPE_STATIC[reactIs.ForwardRef] = FORWARD_REF_STATIC;\nTYPE_STATIC[reactIs.Memo] =
MEMO_STATIC;\n\nfunction getStatic(component) {\n  // React v16.11 and below\n  if
(reactIs.isMemo(component)) {\n    return MEMO_STATIC;\n  } // React v16.12 and above\n  \n  \n  return
TYPE_STATIC[component['$$typeof']] || REACT_STATIC;\n}\n\nvar defineProperty =
Object.defineProperty;\n\nvar
getOwnPropertyNames = Object.getOwnPropertyNames;\nvar
getOwnPropertySymbols = Object.getOwnPropertySymbols;\nvar
getOwnPropertyDescriptor = Object.getOwnPropertyDescriptor;\nvar
getPrototypeOf = Object.getPrototypeOf;\nvar
objectPrototype = Object.prototype;\n\nfunction
hoistNonReactStatic(targetComponent, sourceComponent, blacklist) {\n  if (typeof sourceComponent !== 'string')
{\n    // don't hoist over string (html) components\n    if (objectPrototype) {\n      var inheritedComponent =
getPrototypeOf(sourceComponent);\n      if (inheritedComponent && inheritedComponent !== objectPrototype)
{\n        hoistNonReactStatic(targetComponent, inheritedComponent, blacklist);\n      }\n    }\n\n    var keys =
getOwnPropertyNames(sourceComponent);\n\n    if (getOwnPropertySymbols) {\n      keys =
keys.concat(getOwnPropertySymbols(sourceComponent));\n    }\n\n    var targetStatic =
getStatic(targetComponent);\n    var sourceStatic = getStatic(sourceComponent);\n\n    for (var i = 0; i < keys.length; ++i) {\n      var key = keys[i];\n      if (!KNOWN_STATIC[key] && !(blacklist
&& blacklist[key]) && !(sourceStatic && sourceStatic[key]) && !(targetStatic && targetStatic[key])) {\n        var descriptor =
getOwnPropertyDescriptor(sourceComponent, key);\n        try {\n          // Avoid failures from
read-only properties\n          defineProperty(targetComponent, key, descriptor);\n        } catch (e) {}\n      }\n    }\n\n    return targetComponent;\n  }\n\n  module.exports = hoistNonReactStatic;\n}

import StyleSheet from './sheet';\nimport { masterSheet } from './models/StyleSheetManager';\n\nexport const
__PRIVATE__ = {\n  StyleSheet,\n  masterSheet,\n};\n\nimport React, { useContext, useLayoutEffect,
useRef } from 'react';\nimport { STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle
from './models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport
{ ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
'./utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
'./css';\n\ndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n  strings: Array<string>,\n  ...interpolations: Array<Interpolation>)\n  {\n    const
rules = css(strings, ...interpolations);\n    const styledComponentId = `sc-global-${
generateComponentId(JSON.stringify(rules))}`;\n    const globalStyle = new GlobalStyle(rules,
styledComponentId);\n\n    if (process.env.NODE_ENV !== 'production') {\n      checkDynamicCreation(styledComponentId);\n    }\n\n    function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n      const styleSheet = useStyleSheet();\n      const stylis = useStylis();\n      const theme = useContext(ThemeContext);\n      const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n      const instance = instanceRef.current;\n\n      if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n        // eslint-disable-next-line
no-console\n        console.warn(\n          `The global style component ${styledComponentId} was given child JSX.\n
createGlobalStyle does not render children.`\n        );\n      }\n\n      if (\n        process.env.NODE_ENV !== 'production'
&&\n        rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n      ) {\n        // eslint-

```

disable-next-line no-console\n console.warn(\n `Please do not use @import CSS syntax in createGlobalStyle at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your index.html

```
<head> section for a simpler app.\n  );\n }\n\n if (styleSheet.server) {\n  renderStyles(instance, props,\n  styleSheet, theme, stylis);\n }\n\n if (!__SERVER__) {\n  // this conditional is fine because it is compiled\n  away for the relevant builds during minification,\n  // resulting in a single unguarded hook call\n  // eslint-disable-next-line react-hooks/rules-of-hooks\n  useLayoutEffect(() => {\n    if (!styleSheet.server) {\n      renderStyles(instance, props, styleSheet, theme, stylis);\n      return () => globalStyle.removeStyles(instance,\n      styleSheet);\n    }\n  }, [instance, props, styleSheet, theme, stylis]);\n }\n\n return null;\n }\n\n function\n  renderStyles(instance, props, styleSheet, theme, stylis) {\n    if (globalStyle.isStatic) {\n      globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n    } else {\n      const\n        context = {\n          ...props,\n          theme: determineTheme(props,\n            theme, GlobalStyleComponent.defaultProps),\n        };\n      globalStyle.renderStyles(instance, context, styleSheet,\n        stylis);\n    }\n  }\n\n // $FlowFixMe\n  return React.memo(GlobalStyleComponent);\n}\n\n", "// @flow\n\nimport css\n  from './css';\nimport generateComponentId from './utils/generateComponentId';\nimport Keyframes from\n  './models/Keyframes';\n\nimport type { Interpolation, Styles } from './types';\n\nexport default function\n  keyframes(\n    strings: Styles,\n    ...interpolations: Array<Interpolation>): Keyframes {\n    /* Warning if you've used\n    keyframes on React Native *\n    if (\n      process.env.NODE_ENV !== 'production' &&\n      typeof navigator !==\n      'undefined' &&\n      navigator.product === 'ReactNative'\n    ) {\n      // eslint-disable-next-line no-console\n      console.warn(\n        `keyframes` cannot be used on ReactNative, only on the web. To do animation in ReactNative\n        please use Animated.\n      );\n    }\n\n    const rules = css(strings, ...interpolations).join("");\n    const\n      name = generateComponentId(rules);\n    return new Keyframes(name, rules);\n  }\n\n", "// @flow\n\nimport { useContext\n  } from 'react';\nimport { ThemeContext } from './models/ThemeProvider';\n\nconst useTheme = () =>\n  useContext(ThemeContext);\n\nexport default useTheme;\n", "// @flow\n\nimport React, { useContext, type\n  AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }\n  from './models/ThemeProvider';\nimport determineTheme from './utils/determineTheme';\nimport\n  getComponentName from './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export\n  default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):\n  AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n//\n// but the old build system\n  tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  //\n  $FlowFixMe This should be React.forwardRef<Config, Instance>\n\n  const WithTheme = React.forwardRef((props, ref) => {\n    const theme = useContext(ThemeContext);\n    //\n    $FlowFixMe defaultProps isn't declared so it can be inferrable\n    const { defaultProps } = Component;\n    const\n      themeProp = determineTheme(props, theme, defaultProps);\n\n    if (process.env.NODE_ENV !== 'production' &&\n      themeProp === undefined) {\n      // eslint-disable-next-line no-console\n      console.warn(\n        `[withTheme] You\n        are not using a ThemeProvider nor passing a theme prop or a theme in defaultProps in component class\n        `${getComponentName(\n          Component\n        )}`\n      );\n    }\n\n    return <Component {...props}\n      theme={themeProp} ref={ref} />;\n  });\n\n  hoistStatics(WithTheme, Component);\n\n  WithTheme.displayName =\n    `WithTheme(${getComponentName(Component)})`;\n\n  return WithTheme;\n};\n\n", "function memoize(fn) {\n  var\n    cache = Object.create(null);\n  return function (arg) {\n    if (cache[arg] === undefined) cache[arg] = fn(arg);\n    return cache[arg];\n  };\n}\n\nexport default memoize;\n", "import memoize from '@emotion/memoize';\n\nvar\n  reactPropsRegex =\n  /^(children|dangerouslySetInnerHTML|key|ref|autoFocus|defaultValue|defaultChecked|innerHTML|suppressConten\n  tEditableWarning|suppressHydrationWarning|valueLink|accept|acceptCharset|accessKey|action|allow|allowUserMed\n  ia|allowPaymentRequest|allowFullscreen|allowTransparency|alt|async|autocomplete|autoplay|capture|cellPadding|c\n  ellSpacing|challenge|charSet|checked|cite|className|cols|colSpan|content|contentEditable|contextMenu|cont\n  rols|controlsList|coords|crossOrigin|data|dateTime|decoding|defer|dir|disabled|disablePictureInPicture|downlo
```


copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

const isObject = val => {
  return (
    typeof val === 'function' || (typeof val ===
    'object' && val !== null && !Array.isArray(val))
  );
};
const isValidKey = key => {
  return key !==
  '__proto__' && key !== 'constructor' && key
  !== 'prototype';
};
function mixin(target, val, key) {
  const obj = target[key];
  if (isObject(val) &&
  isObject(obj)) {
    mixinDeep(obj, val);
  } else {
    target[key] = val;
  }
}
export default function
mixinDeep(target, ...rest) {
  for (const obj of rest) {
    if (isObject(obj)) {
      for (const key in obj) {
        if
        (isValidKey(key)) {
          mixin(target, obj[key], key);
        }
      }
    }
  }
  return target;
}
"@flow
import validAttr from '@emotion/is-prop-valid';
import hoist from 'hoist-non-react-statics';
import React,
{ createElement, type Ref, useContext } from 'react';
import { SC_VERSION } from '../constants';
import type
{ Attrs, IStyledComponent, IStyledStatics, RuleSet, ShouldForwardProp, Target, } from
'../types';
import { checkDynamicCreation } from '../utils/checkDynamicCreation';
import
createWarnTooManyClasses from '../utils/createWarnTooManyClasses';
import determineTheme from
'../utils/determineTheme';
import
{ EMPTY_ARRAY, EMPTY_OBJECT } from '../utils/empties';
import escape from '../utils/escape';
import
generateComponentId from '../utils/generateComponentId';
import generateDisplayName from
'../utils/generateDisplayName';
import getComponentName from '../utils/getComponentName';
import isFunction
from '../utils/isFunction';
import isStyledComponent from '../utils/isStyledComponent';
import isTag from
'../utils/isTag';
import joinStrings from '../utils/joinStrings';
import merge from '../utils/mixinDeep';
import
ComponentStyle from './ComponentStyle';
import { useStyleSheet, useStylis } from
'./StyleSheetManager';
import { ThemeContext } from './ThemeProvider';
const identifiers = {};
/* We
depend on components having unique IDs */
function generateId(displayName?: string, parentComponentId?:
string) {
  const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);
  // Ensure that no
  displayName can lead to duplicate componentIds
  identifiers[name] = (identifiers[name] || 0) + 1;
  const componentId = `${name}-${generateComponentId(
  // SC_VERSION gives us isolation between multiple runtimes on the page at once
  // this is improved further
  with use of the babel plugin "namespace" feature
  SC_VERSION + name + identifiers[name]
  )}`;
  return
  parentComponentId ? `${parentComponentId}-${componentId}` : componentId;
}
function
useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT, props: Config, attrs: Attrs) {
  // NOTE: can't
  memoize this
  // returns [context, resolvedAttrs]
  // where resolvedAttrs is only the things injected by the attrs
  themselves
  const context = { ...props, theme };
  const resolvedAttrs = {};
  attrs.forEach(attrDef => {
    let
    resolvedAttrDef = attrDef;
    let key;
    if (isFunction(resolvedAttrDef)) {
      resolvedAttrDef =
      resolvedAttrDef(context);
    }
    /* eslint-disable guard-for-in */
    for (key in resolvedAttrDef) {
      let
      context[key] = resolvedAttrs[key] =
      key === 'className'
      ? joinStrings(resolvedAttrs[key],
      resolvedAttrDef[key])
      : resolvedAttrDef[key];
    }
    /* eslint-enable guard-for-in */
  });
  return
  [context, resolvedAttrs];
}
function useInjectedStyle<T>(
  componentStyle: ComponentStyle,
  isStatic:
  boolean,
  resolvedAttrs: T,
  warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string,
  string>) {
  const styleSheet = useStyleSheet();
  const stylis = useStylis();
  const className = isStatic
  ?
  componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis)
  :
  componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);
  if (process.env.NODE_ENV !==
  'production' && !isStatic && warnTooManyClasses) {
    warnTooManyClasses(className);
  }
  return
}

```

```

className;\n}\n\nfunction useStyledComponentImpl(\n  forwardedComponent: IStyledComponent,\n  props: Object,\n  forwardedRef: Ref<any>,\n  isStatic: boolean\n) {\n  const {\n    attrs: componentAttrs,\n    componentStyle,\n    defaultProps,\n    foldedComponentIds,\n    shouldForwardProp,\n    styledComponentId,\n    target,\n  } = forwardedComponent;\n  // NOTE: the non-hooks version only subscribes to this when !componentStyle.isStatic,\n  // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n  // should be an immutable value, but behave for now.\n  const theme = determineTheme(props, useContext(ThemeContext), defaultProps);\n  const [context, attrs] = useResolvedAttrs(theme || EMPTY_OBJECT, props, componentAttrs);\n  const generatedClassName = useInjectedStyle(\n    componentStyle,\n    isStatic,\n    context,\n    process.env.NODE_ENV !== 'production' ? forwardedComponent.warnTooManyClasses : undefined\n  );\n  const refToForward = forwardedRef;\n  const elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n  const isTargetTag = isTag(elementToBeCreated);\n  const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n  const propsForElement = {};\n  // eslint-disable-next-line guard-for-in\n  for (const key in computedProps) {\n    if (key[0] === '$' || key === 'as') continue;\n    else if (key === 'forwardedAs') {\n      propsForElement.as = computedProps[key];\n    } else if (\n      shouldForwardProp\n      ? shouldForwardProp(key, validAttr, elementToBeCreated)\n      : isTargetTag\n      ? validAttr(key)\n      : true\n    ) {\n      // Don't pass through non HTML tags through to HTML elements\n      propsForElement[key] = computedProps[key];\n    }\n  }\n  if (props.style && attrs.style !== props.style) {\n    propsForElement.style = { ...props.style, ...attrs.style };\n  }\n  propsForElement.className = Array.prototype.concat(\n    foldedComponentIds,\n    styledComponentId,\n    generatedClassName !== styledComponentId ? generatedClassName : null,\n    props.className,\n    attrs.className\n  ).filter(Boolean).join('');\n  propsForElement.ref = refToForward;\n  return createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n  target: $PropertyType<IStyledComponent, 'target'>,\n  options: {\n    attrs?: Attrs,\n    componentId: string,\n    displayName?: string,\n    parentComponentId?: string,\n    shouldForwardProp?: ShouldForwardProp,\n  },\n  rules: RuleSet\n) {\n  const isTargetStyledComp = isStyledComponent(target);\n  const isCompositeComponent = !isTag(target);\n  const {\n    attrs = EMPTY_ARRAY,\n    componentId = generateId(options.displayName, options.parentComponentId),\n    displayName = generateDisplayName(target),\n  } = options;\n  const styledComponentId =\n    options.displayName && options.componentId\n    ? `${escape(options.displayName)}-${options.componentId}`\n    : options.componentId || componentId;\n  // fold the underlying StyledComponent\n  attrs up (implicit extend)\n  const finalAttrs =\n    isTargetStyledComp && ((target: any): IStyledComponent).attrs\n    ? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n    : attrs;\n  // eslint-disable-next-line prefer-destructuring\n  let shouldForwardProp = options.shouldForwardProp;\n  if (isTargetStyledComp && target.shouldForwardProp) {\n    if (options.shouldForwardProp) {\n      // compose nested shouldForwardProp calls\n      shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n        (((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp(\n          prop,\n          filterFn,\n          elementToBeCreated\n        ) &&\n        ((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n    } else {\n      // eslint-disable-next-line prefer-destructuring\n      shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n    }\n  }\n  const componentStyle =\n    new ComponentStyle(\n      rules,\n      styledComponentId,\n      isTargetStyledComp ? ((target: Object).componentStyle: ComponentStyle) : undefined\n    );\n  // statically styled-components don't need to build an execution context object,\n  // and shouldn't be increasing the number of class names\n  const isStatic = componentStyle.isStatic && attrs.length === 0;\n  /**\n   * forwardRef creates a new interim component, which we'll take advantage of\n   * instead of extending ParentComponent to create _another_ interim class\n   */\n  let WrappedStyledComponent: IStyledComponent;\n  const forwardRef = (props, ref) =>\n    // eslint-disable-next-line\n    useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n  forwardRef.displayName =

```

```

displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
WrappedStyledComponent.attrs = finalAttrs;\n WrappedStyledComponent.componentStyle = componentStyle;\n
WrappedStyledComponent.displayName
= displayName;\n WrappedStyledComponent.shouldForwardProp = shouldForwardProp;\n\n // this static is used
to preserve the cascade of static classes for component selector\n // purposes; this is especially important with usage
of the css prop\n WrappedStyledComponent.foldedComponentIds = isTargetStyledComp\n ?
Array.prototype.concat(\n ((target: any): IStyledComponent).foldedComponentIds,\n ((target: any):
IStyledComponent).styledComponentId\n )\n : EMPTY_ARRAY;\n\n
WrappedStyledComponent.styledComponentId = styledComponentId;\n\n // fold the underlying StyledComponent
target up since we folded the styles\n WrappedStyledComponent.target = isTargetStyledComp\n ? ((target: any):
IStyledComponent).target\n : target;\n\n WrappedStyledComponent.withComponent = function
withComponent(tag: Target) {\n const { componentId: previousComponentId, ...optionsToCopy } = options;\n\n
const newComponentId =\n previousComponentId &&\n `_${previousComponentId}-${isTag(tag)
? tag : escape(getComponentName(tag))}`;\n\n const newOptions = {\n ...optionsToCopy,\n attrs:
finalAttrs,\n componentId: newComponentId,\n };;\n\n return createStyledComponent(tag, newOptions,
rules);\n };;\n\n Object.defineProperty(WrappedStyledComponent, 'defaultProps', {\n get() {\n return
this._foldedDefaultProps;\n },\n set(obj) {\n this._foldedDefaultProps = isTargetStyledComp\n ?
merge({}, ((target: any): IStyledComponent).defaultProps, obj)\n : obj;\n },\n });;\n\n if
(process.env.NODE_ENV !== 'production') {\n checkDynamicCreation(displayName, styledComponentId);\n\n
WrappedStyledComponent.warnTooManyClasses = createWarnTooManyClasses(\n displayName,\n
styledComponentId\n );;\n\n // If the Object prototype is frozen, the \"toString\" property is non-writable. This
means that any objects which inherit this property\n // cannot have the property changed using an
assignment. If using strict mode, attempting that will cause an error. If not using strict\n // mode, attempting that
will be silently ignored.\n // However, we can still explicitly shadow the prototype's \"toString\" property by
defining a new \"toString\" property on this object.\n Object.defineProperty(WrappedStyledComponent, 'toString', {
value: () => `_${WrappedStyledComponent.styledComponentId}` });;\n\n if (isCompositeComponent) {\n hoist<\n
IStyledStatics,\n $PropertyType<IStyledComponent, 'target'>,\n { [key: $Keys<IStyledStatics>]: true }\n
>(WrappedStyledComponent, ((target: any): $PropertyType<IStyledComponent, 'target'>), {\n // all SC-specific
things should not be hoisted\n attrs: true,\n componentStyle: true,\n displayName: true,\n
foldedComponentIds: true,\n shouldForwardProp: true,\n styledComponentId: true,\n target: true,\n
withComponent: true,\n });;\n };\n\n return WrappedStyledComponent;\n }\n\n", "//
@flow\nimport type { IStyledComponent } from './types';\nimport getComponentName from
'./getComponentName';\nimport isTag from './isTag';\n\nexport default function generateDisplayName(\n target:
$PropertyType<IStyledComponent, 'target'>): string {\n return isTag(target) ? `styled.${target}` :
`Styled(${getComponentName(target)})`;\n }\n\n", /**\n * Convenience function for joining strings to form
className chains\n *\nexport default function joinStrings(a: ?String, b: ?String): ?String {\n return a && b ? `${a}
${b}` : a || b;\n }\n\n", "// @flow\nimport constructWithOptions from './constructWithOptions';\nimport
StyledComponent from './models/StyledComponent';\nimport domElements from './utils/domElements';\n\nimport
type { Target } from './types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent,
tag);\n\n// Shorthands for all valid HTML Elements\n\nconst domElements =\n domElements.forEach(domElement => {\n
styled[domElement] = styled(domElement);\n });;\n\nexport default styled;\n\n", "//
@flow\nimport { isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from
'./utils/error';\nimport { EMPTY_OBJECT } from './utils/empties';\n\nimport type { Target } from
'./types';\n\nexport default function constructWithOptions(\n componentConstructor: Function,\n tag: Target,\n
options: Object = EMPTY_OBJECT\n) {\n if (!isValidElementType(tag)) {\n return throwStyledError(1,
String(tag));\n }\n\n /* This is callable directly as a template function *\n // $FlowFixMe: Not typed to avoid
destructuring arguments\n const templateFunction = (...args) => componentConstructor(tag, options,
css(...args));\n\n /* If config methods are called, wrap up a new template function and merge options *\n

```



```

templateFunction.withConfig = config =>\n  constructWithOptions(componentConstructor, tag, { ...options,
...config });\n\n /* Modify/inject new props at runtime */\n  templateFunction.attrs = attrs =>\n  constructWithOptions(componentConstructor,
  tag, {\n    ...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n  return
templateFunction;\n}\n\n", "// @flow\nimport * as secondary from './base';\n\n/* Import singleton constructors
*\nimport styled from './constructors/styled';\n\n/**\n * eliminates the need to do styled.default since the other
APIs\n * are directly assigned as properties to the main function\n * *\n// eslint-disable-next-line guard-for-in\nfor
(const key in secondary) {\n  styled[key] = secondary[key];\n}\n\n\nexport default styled;\n\n", "// @flow\n// Thanks to
ReactDOMFactories for this handy list!\n\nexport default [\n  'a',\n  'abbr',\n  'address',\n  'area',\n  'article',\n
'aside',\n  'audio',\n  'b',\n  'base',\n  'bdi',\n  'bdo',\n  'big',\n  'blockquote',\n  'body',\n  'br',\n  'button',\n  'canvas',\n
'caption',\n  'cite',\n  'code',\n  'col',\n  'colgroup',\n  'data',\n  'datalist',\n  'dd',\n  'del',\n  'details',\n  'dfn',\n  'dialog',\n
'div',\n
  'dl',\n  'dt',\n  'em',\n  'embed',\n  'fieldset',\n  'figcaption',\n  'figure',\n  'footer',\n  'form',\n  'h1',\n  'h2',\n  'h3',\n
'h4',\n  'h5',\n  'h6',\n  'head',\n  'header',\n  'hgroup',\n  'hr',\n  'html',\n  'i',\n  'iframe',\n  'img',\n  'input',\n  'ins',\n
'kbd',\n  'keygen',\n  'label',\n  'legend',\n  'li',\n  'link',\n  'main',\n  'map',\n  'mark',\n  'marquee',\n  'menu',\n
'menuitem',\n  'meta',\n  'meter',\n  'nav',\n  'noscript',\n  'object',\n  'ol',\n  'optgroup',\n  'option',\n  'output',\n  'p',\n
'param',\n  'picture',\n  'pre',\n  'progress',\n  'q',\n  'rp',\n  'rt',\n  'ruby',\n  's',\n  'samp',\n  'script',\n  'section',\n
'select',\n  'small',\n  'source',\n  'span',\n  'strong',\n  'style',\n  'sub',\n  'summary',\n  'sup',\n  'table',\n  'tbody',\n
'td',\n  'textarea',\n  'tfoot',\n  'th',\n  'thead',\n  'time',\n  'title',\n  'tr',\n  'track',\n  'u',\n  'ul',\n  'var',\n  'video',\n
'wbr',\n\n  // SVG\n  'circle',\n  'clipPath',\n  'defs',\n
  'ellipse',\n  'foreignObject',\n  'g',\n  'image',\n  'line',\n  'linearGradient',\n  'marker',\n  'mask',\n  'path',\n  'pattern',\n
'polygon',\n  'polyline',\n  'radialGradient',\n  'rect',\n  'stop',\n  'svg',\n  'text',\n  'textPath',\n
'tspan',\n];\n\n"], "names": ["isStyledComponent", "target", "styledComponentId", "strings", "interpolations", "result", "i", "l
en", "length", "push", "x", "toString", "Object", "prototype", "call", "typeof", "EMPTY_ARRAY", "freeze", "EMPTY_OB
JECT", "isFunction", "test", "SC_ATTR", "process", "env", "REACT_APP_SC_ATTR", "IS_BROWSER", "window", "
DISABLE_SPEEDY", "Boolean", "SC_DISABLE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "STATIC_
EXECUTION_CONTEXT", "throwStyledComponentsError", "code", "Error", "join", "DefaultGroupedTag", "tag", "gro
upSizes", "Uint32Array", "indexOfGroup", "group", "index", "this", "insertRules", "rules", "oldBuffer", "oldSize", "newSi
ze", "throwStyledError", "set", "ruleIndex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGr
oup", "css", "getRule", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get
", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER_RE", "RegExp", "rehydrateNamesFromContent", "sh
eet", "content", "name", "names", "split", "registerName", "rehydrateSheetFromTag", "style", "parts", "textContent", "part
", "trim", "marker", "match", "parseInt", "getTag", "getNonce", "__webpack_nonce__", "makeStyleTag", "head", "documen
t", "parent", "createElement", "prevStyle", "childNodes", "child", "nodeType", "hasAttribute", "findLastStyleTag", "nextS
ibling", "undefined", "setAttribute", "__VERSION__", "nonce", "insertBefore", "CSSOMTag", "element", "appendChild
", "createTextNode", "styleSheets", "ownerNode", "getSheet", "rule", "_error", "cssRules", "cssText", "TextTag", "nodes",
"node", "refNode", "removeChild", "VirtualTag", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "isS
erver", "useCSSOMInjection", "StyleSheet", "options", "globalStyles", "gs", "server", "querySelectorAll", "getAttribute",
"parentNode", "rehydrateSheet", "registerId", "reconstructWithOptions", "withNames", "allocateGSInstance", "hasNam
eForId", "add", "groupNames", "Set", "clearNames", "clear", "clearRules", "clearTag", "size", "selector", "forEach", "outpu
tSheet", "AD_REPLACER_R", "getAlphabeticChar", "String", "fromCharCode", "generateAlphabeticName", "Math", "
abs", "replace", "phash", "h", "charCodeAt", "hash", "isStaticRules", "SEED", "ComponentStyle", "componentId", "baseSt
yle", "staticRulesId", "isStatic", "baseHash", "generateAndInjectStyles", "executionContext", "styleSheet", "stylis", "cssS
tatic", "flatten", "generateName", "cssStaticFormatted", "dynamicHash", "partRule", "partChunk", "partString", "Array", "
isArray", "cssFormatted", "stylis_min", "W", "X", "d", "c", "e", "ia", "a", "m", "b", "Z", "v", "n", "F", "indexOf", "P", "substrin
g", "w", "L", "ja", "ka", "aa", "G", "ba", "la", "ma", "R", "na", "ea", "oa", "H", "q", "g", "A", "S", "B", "U", "prefix", "D", "z", "M",
"k", "y", "C", "K", "u", "r", "I", "t", "J", "f", "p", "N", "charAt", "ca", "O", "da", "fa", "Y", "E", "ha", "Q", "use", "T", "COMMEN
T_REGEX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "_componentId", "_selector", "_selectorReg

```

exp", "_consecutiveSelfRefRegExp", "plugins", "Stylis", "parsingRules", "parseRulesPlugin", "toSheet", "block", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "delimiter", "insertRulePlugin", "selfReferenceReplacer", "offset", "string", "stringifyRules", "flatCSS", "cssStr", "_", "lastIndexOf", "parsedRules", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "masterSheet", "masterStylis", "useStyleSheet", "useContext", "useStylis", "StyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "disableCSSOMInjection", "disableVendorPrefixes", "useEffect", "objA", "objB", "compare", "compareContext", "ret", "keysA", "keys", "keysB", "bHasOwnProperty", "hasOwnProperty", "bind", "idx", "key", "valueA", "valueB", "shallowequal", "Provider", "value", "children", "Keyframes", "inject", "stylisInstance", "resolvedName", "_this", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "unitlessKeys", "animationIterationCount", "borderImageOutset", "borderImageSlice", "borderImageWidth", "boxFlex", "boxFlexGroup", "boxOrdinalGroup", "columnCount", "columns", "flex", "flexGrow", "flexPositive", "flexShrink", "flexNegative", "flexOrder", "gridRow", "gridRowEnd", "gridRowSpan", "gridRowStart", "gridColumn", "gridColumnEnd", "gridColumnSpan", "gridColumnStart", "msGridRow", "msGridRowSpan", "msGridColumn", "msGridColumnSpan", "fontWeight", "lineHeight", "opacity", "order", "orphans", "tabSize", "widows", "zIndex", "zoom", "WebkitLineClamp", "fillOpacity", "floodOpacity", "stopOpacity", "strokeDasharray", "strokeDashoffset", "strokeMiterlimit", "strokeOpacity", "strokeWidth", "isFalsish", "chunk", "ruleSet", "isReactComponent", "isPlainObject", "objToCssArray", "obj", "prevKey", "isCss", "hyphenate", "unitless", "startsWith", "addTag", "arg", "styles", "interleave", "GlobalStyle", "createStyles", "instance", "removeStyles", "renderStyles", "ThemeContext", "ThemeConsumer", "providedTheme", "defaultProps", "theme", "str", "ServerStyleSheet", "_emitSheetCSS", "SC_ATTR_VERSION", "filter", "getStyleTags", "sealed", "getStyleElement", "dangerouslySetInnerHTML", "__html", "seal", "collectStyles", "interleaveWithNodeStream", "input", "REACT_STATICS", "childContextTypes", "contextType", "contextTypes", "displayName", "getDefaultProps", "getDerivedStateFromError", "getDerivedStateFromProps", "mixins", "propTypes", "type", "KNOWN_STATICS", "caller", "callee", "arguments", "arity", "MEMO_STATICS", "\$\$typeof", "TYPE_STATICS", "getStatics", "component", "reactIs", "isMemo", "ForwardRef", "render", "Memo", "defineProperty", "getOwnPropertyNames", "getOwnPropertySymbols", "getOwnPropertyDescriptor", "getPrototypeOf", "objectPrototype", "hoistNonReactStatics", "targetComponent", "sourceComponent", "blacklist", "inheritedComponent", "concat", "targetStatics", "sourceStatics", "descriptor", "__PRIVATE__", "generateComponentId", "JSON", "stringify", "globalStyle", "GlobalStyleComponent", "useRef", "current", "useLayoutEffect", "determineTheme", "memo", "outerTheme", "themeContext", "mergeTheme", "Component", "WithTheme", "forwardRef", "ref", "themeProp", "hoistStatics", "memoize", "fn", "cache", "create", "reactPropsRegex", "isPropValid", "prop", "escapeRegex", "dashesAtEnds", "escape", "isTag", "isObject", "val", "isValidKey", "mixin", "mixinDeep", "rest", "identifiers", "createStyledComponent", "isTargetStyledComp", "isCompositeComponent", "attrs", "parentComponentId", "generatedId", "generateDisplayName", "finalAttrs", "shouldForwardProp", "filterFn", "elementToBeCreated", "WrappedStyledComponent", "componentStyle", "forwardedComponent", "forwardedRef", "componentAttrs", "foldedComponentIds", "resolvedAttrs", "attrDef", "resolvedAttrDef", "useResolvedAttrs", "generatedClassName", "warnTooManyClasses", "useInjectedStyle", "refToForward", "\$as", "as", "isTargetTag", "computedProps", "propsForElement", "validAttr", "className", "withComponent", "previousComponentId", "optionsToCopy", "newComponentId", "getComponentName", "_foldedDefaultProps", "merge", "hoist", "styled", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "StyledComponent", "domElement", "secondary"], "mappings": "sUACe,SAASA,EAakBC,UACjCA,GAA8C,iBAA7BA,EAAOC,iCCE/BC,EACAC,WAE MC,EAAS,CAACF,EAaQ,IAEfG,EAaI,EAAGC,EAAMH,EAaEi,OAAQF,EAaIC,EAaKD,GAaK,EACzDD,EA AAOI,KAAKL,EAaEe,GAaIH,EAaQG,EAaI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBA AnEA,EAaEC,SAaWD,EAaEC,WAAaC,OAaOC,UAAUF,SAaSG,KAAKJ,MAC3DK,SAaOL,ICNGM,EAaCJ ,OAaOK,OAaO,IAc5BC,EAaEeN,OAaOK,OAaO,ICD3B,SAASE,EAaWC,SACV,mBAATA,iNCGT,IAaMC, EAACS,oBAAZC,cACiB,IAAhBA,QAAQC,MACdD,QAAQC,IAaIC,mBAAqBF,QAAQC,IAaIF,UACHd,cAOWI ,EAa+B,oBAAXC,QAA0B,gBAAiBA,OAE/DC,EAaBC,QACC,kBAAtBC,kBACHA,kBACmB,oBAAZP,cAAk D,IAAhBA,QAAQC,WACE,IAA5CD,QAAQC,IAaIO,6BACyB,KAA5CR,QAAQC,IAaIO,4BACkC,UAA5CR,Q AAQC,IAaIO,6BAEVR,QAAQC,IAaIO,iCAC2B,IAaICR,QAAQC,IAaIM,mBAAuE,KAAICP,QAAQC,IAaIM ,mBACIC,UAAICP,QAAQC,IAaIM,mBAEVP,QAAQC,IAaIM,oBAMTE,EAa2B,GCTzB,SAASC,EACtBC,8B

ACG7B,mCAAAA,0BAGK,IAAI8B,qDACuCD,4BAC7C7B,EAAeI,OAAS,YAAcJ,EAAe+B,KAAK,MAAU,KC1
BrE,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,YAVR,UAWT/B,OAXS,SAYT6B,IAAMA,6BAGbG,aAAA,SAA
aC,WACPC,EAAQ,EACHpC,EAAI,EAAGA,EAAImC,EAAOnC,IACzBoC,GAASC,KAAKL,WAAWhC,UAGpB
oC,KAGTE,YAAA,SAAYH,EAAeI,MACrBJ,GAASE,KAAKL,WAAW9B,OAAQ,SAC7BsC,EAAyH,KAAKL,
WACjBS,EAAUD,EAAUtC,OAETBwC,EAAUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAAiB,MAAO
R,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACfC,OAASwC,MAET,IAAIIC,EAAIyC,EAA
SzC,EAAiOC,EAAS1C,SAC5BgC,WAAWhC,GAAK,UAIrB6C,EAAYR,KAAKH,aAAaC,EAAQ,GACjCnC,EAA
I,EAAG8C,EAAIP,EAAMrC,OAAQF,EAAI8C,EAAG9C,IACnCcC,KAAKN,IAAIgB,WAAWF,EAAWN,EAAM
vC,WACICgC,WAAWG,KACHBU,QAkNG,WAAA,SAAWb,MACLA,EAAQE,KAAKnC,OAAQ,KACjBA,EAA
SmC,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAa/C,OAeZB8B,WAAWG,GA
AS,MAEpB,IAAIInC,EAAIiD,EAAyJd,EAAIkD,EAAUID,SACHC+B,IAAIoB,WAAWF,OAK1BG,SAAA,SAASj
B,OACHkB,EAAM,MACNIB,GAASE,KAAKnC,QAAqC,IAA3BmC,KAAKL,WAAWG,UACnCbK,UAGHnD,E
AASmC,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAa/C,EAeRBF,EAAIiD,EA
AYjD,EAAIkD,EAAUID,IACrCqD,GAAUhB,KAAKN,IAAIuB,QAAQTD,GF9ET,mBEiFbqD,QCzFPE,EAAuC,I
AAIC,IAC3CC,EAAuC,IAAID,IAC3CE,EAAGb,EAQPC,EAAGb,SAACC,MACxBL,EAAGbBM,IAAID,UACdL,E
AAgBO,IAAIF,QAGvBH,EAAGbI,IAAIH,IACzBA,QAGIvB,EAAQuB,WASdH,EAAGbX,IAAIgB,EAAIzB,GA
CxBsB,EAAGbB,IAAIT,EAAOyB,GACpBzB,GAGI4B,EAAGb,SAAC5B,UACrBsB,EAAGbK,IAAI3B,IAGhB6B
,EAAGb,SAACJ,EAAYzB,GACpCA,GAASuB,IACXA,EAAGbVb,EAAQ,GAG1BoB,EAAGbX,IAAIgB,EAAIzB
,GACxBSB,EAAGbB,IAAIT,EAAOyB,IC3CvBK,WAAoBID,oCACpBmD,EAAY,IAAIC,WAAWpD,kDAkC3Bq
D,EAA4B,SAACC,EAACt,EAAYU,WAEvDC,EADEC,EAAQF,EAAQG,MAAM,KAGnBzE,EAAI,EAAG8C,EA
AI0B,EAAMtE,OAAQF,EAAI8C,EAAG9C,KAeICuE,EAAOC,EAAMxE,KACHbqE,EAAMK,aAAad,EAAIW,I
AKvBI,EAAwB,SAACN,EAACo,WACrCC,GAASD,EAAME,aAAe,IAAIL,MJxCIB,aIyChBIC,EAAKB,GAefvC,
EAAI,EAAG8C,EAAI+B,EAAM3E,OAAQF,EAAI8C,EAAG9C,IAAK,KACtC+E,EAAOF,EAAM7E,GAAGf,U
ACjBD,OAEECE,EAASF,EAAKG,MAAMhB,MAETBe,EAAQ,KACJ9C,EAAKC,EAA1BgD,SAASF,EAAO,GAAI
,IAC5BrB,EAAKqB,EAAO,GAeJ,IAAV9C,IAEF6B,EAAcJ,EAAIzB,GAGIbIC,EAA0BC,EAAOT,EAAIqB,EAA
O,IAC5CZ,EAAme,SAAS9C,YAAyH,EAAOI,IAGpCA,EAAMrC,OAAS,OAefqC,EAAMpC,KAAK4E,MCzEX
M,EAAW,iBACqB,oBAAtBC,kBAAoCA,kBAAoB,MCiB3DC,EAAe,SAAC5F,OACrB6F,EAASC,SAASD,KACI
BE,EAAS/F,GAAU6F,EACnBZ,EAAQa,SAASE,cAAc,SAC/BC,EAlBiB,SAACjG,WACHbK,G,EAaeIG,EAafkG,
WAEC7F,EAAI6F,EAAW3F,OAAQF,GAAG,EAAGA,IAAK,KACrC8F,EAAUD,EAAW7F,MACvB8F,GARa,IA
QJA,EAAMC,UAA6BD,EAAME,aAAajF,UACxD+E,GAYKG,CAAiBP,GAC7BQ,OAA4BC,IAAdP,EAA0BA,E
AAUM,YAAc,KAETEtB,EAAMwB,aAAarF,ENnBS,UMoB5B6D,EAAMwB,aNnBuB,sBACLc,cMoBIBC,EAAQ
jB,WAEVIB,GAAO1B,EAAMwB,aAAa,QAASE,GAEvCZ,EAAOa,aAAa3B,EAAOsB,GAEPtB,GctBI4B,wBA
OC7G,OACJ8G,EAAWpE,KAAKoE,QAAUIB,EAAa5F,GAG7C8G,EAAQC,YAAyJb,SAASkB,eAAe,UAEvCtC
,MDae,SAACiC,MACnBA,EAAIsC,aACGtC,EAAIsC,cAIPuC,EAAGbNB,SAAhBmB,YACC5G,EAAI,EAAG8C,
EAAI8D,EAAyIG,OAAQF,EAAI8C,EAAG9C,IAAK,KAC5CqE,EAAQuC,EAAy5G,MACTbqE,EAAMwC,YA
Ac9E,SACbsC,EAIb1B,EAAiB,IC3BFmE,CAASL,QACjBvG,OAAS,6BAGhB6C,WAAA,SAAWX,EAAe2E,mB
AEjB1C,MAAMtB,WAAWgE,EAAM3E,QACvBIC,UACE,EACP,MAAO8G,UACA,MAIX7D,WAAA,SAAWf,Q
ACJiC,MAAMIB,WAAWf,QACjBIC,YAGPoD,QAAA,SAAQIB,OACA2E,EAAO1E,KAAKGC,MAAM4C,SAAS
7E,eAEpB+D,IAATY,GAA8C,iBAAjBA,EAAGK,QAC7BH,EAAGK,QAEL,SAMAC,wBAOCxH,OACJ8G,EAA
WpE,KAAKoE,QAAUIB,EAAa5F,QACxCyH,MAAQX,EAAQZ,gBACHb3F,OAAS,6BAGhB6C,WAAA,SAAW
X,EAAe2E,MACpB3E,GAASC,KAAKnC,QAAUkC,GAAS,EAAG,KACHCiF,EAAO5B,SAASkB,eAAeI,GAC/B
O,EAAUjF,KAAK+E,MAAMhF,eActBqE,QAAQF,aAAac,EAAMC,GAAW,WACtCpH,UACE,SAEA,KAIXiD,
WAAA,SAAWf,QACJqE,QAAQc,YAAyIF,KAAK+E,MAAMhF,SAC/BIC,YAGPoD,QAAA,SAAQIB,UACFA,E
AAQC,KAAKnC,OACRmC,KAAK+E,MAAMhF,GAAO0C,YAEIB,SAMA0C,wBAKCC,QACLIF,MAAQ,QAC
RrC,OAAS,6BAGhB6C,WAAA,SAAWX,EAAe2E,UACpB3E,GAASC,KAAKnC,cACXqC,MAAMmF,OAAOtF,
EAAO,EAAG2E,QACvB7G,UACE,MAMXiD,WAAA,SAAWf,QACJG,MAAMmF,OAAOtF,EAAO,QACpBIC,Y
AGPoD,QAAA,SAAQIB,UACFA,EAAQC,KAAKnC,OACRmC,KAAKE,MAAMH,GAEX,SCzHTuF,EAAMbXG
,EAWjByG,EAA+B,CACnCC,UAAW1G,EACX2G,mBAAoBzG,GAID0G,wBAiBjBC,EACAC,EACAZD,YAFA

wD,IAAAA,EAAGCpH,YAChCqH,IAAAA,EAA2C,SAGtCD,aACAJ,KACAI,QAGAE,GA AKD,OACLzD,MAA Q,IAAIhB,IAAIgB,QACHb2D,SAAWH,EAAQH,UAGnBxF,KAAK8F,QAAUhH,GAACwG,IACHCA,GAAMb,EJ yBK,SAACtD,WACvB+C,EAAQ3B,SAAS2C,iBAAiBnE,GAE/BjE,EAAl,EAAG8C,EAAlSE,EAAMIH,OAAQF, EAAl8C,EAAG9C,IAAK,KACtCqH,EAASD,EAAMpH,GACjBqH,GJ7EsB,WI6EdA,EAAGb,aAAatH,KAC5B4 D,EAASBN,EAAOgD,GA EzBA,EA AKiB,YACPjB,EA AKiB,WAAWf,YAAYF,KIjC9BkB,CAAelG,SArBZmG, WAAP,SAAKb5E,UACTD,EAACc,+BAwBvB6E,uBAAA,SAAuBT,EAA+BU,mBAAAA,IAAAA,GAASB,GACn E,IAAIX,OACJ1F,KAAK2F,WAAYA,GACtB3F,KAAK6F,GACJQ,GAAarG,KAAKmc,YAAU2B,MAIjCwC,m BAAA,SAAMb/E,UACTvB,KAAK6F,GAAGtE,IAAOvB,KAAK6F,GAAGtE,IAAO,GA AK,KAI7CwB,OAAA,k BACS/C,KAAKN,MAAQM,KAAKN,KDtEH8F,KCsEgCx F,KAAK2F,SDtErCH,SAAUc,IAAAA,kBAAMbNI,IA AAA,OLCxBoC,EKAZB8F,EACK,IAAIL,EAAW7H,GACbmI,EACF,IAAIb,EAAS7G,GAEB,IAAIwH,EA AQxH ,GLJd,IAAI mC,EA AKBC,KADD,IAACA,IKDL8F,EAAUC,EAAMbNI,KC0ErDiJ,aAAA,SAAhF,EAAYW,UAC hBIC,KAAKmc,MAAMX,IAAID,IAAQvB,KAAKmc,MAAMV,IAAIF,GAAUC,IAAIU,MAI7DG,aAAA,SAAd ,EAAYW,MACvBZ,EAACc,GAETvB,KAAKmc,MAAMX,IAAID,QA KZY,MAAMV,IAAIF,GAAUif,IAAIte,O ALP,KACjBuE,EAaA,IAAIC,IACvBD,EAAWD,IAAIte,QACVC,MAAM5B,IAAIgB,EAAlkF,OA OvBxG,YAAA ,SAAYsB,EAAYW,EA AchC,QAC/BmC,aAAad,EAAlW,QACjBa,SAAS9C,YAA YqB,EAACc,GA AKrB,MAI/Cy G,WAAA,SAAWpF,GACLvB,KAAKmc,MAAMX,IAAID,SACXY,MAAMV,IAAIF,GAAUqF,WAK9BC,WAA A,SAAWtF,QACJwB,SAASpC,WAAWW,EAACc,SACICoF,WAAWpF,MAIIBuF,SAAA,gBAGOpH,SAAMoE, KAIB9F,SAAA,kBJpHyB,SAACgE,WACpBtC,EAAMsC,EAAME,SACVIF,EA AW6B,EAAX7B,OA EJM D,EAAM,GACDIB,EA AQ,EAAGA,EA AQjC,EA AQiC,IAAS,KACrCyB,EA AKG,EAAC5B,WACdGE,IAAPvC,OA EEEY, EA AQH,EAAMG,MAAMV,IAAIF,GACxBrB,EA AQr,EA AIqB,SAASjB,MACtBqC,GAAUjC,GAAUic,EAAM 4E,UAEzBC,EAActI,OAAYoB,UAAayB,OA EzCU,EA AU,QACA6B,IAAV3B,GACFA,EAAM8E,SA AQ,SA AA/ E,GACRA,EA AKrE,OAAS,IACHBoE,GAACc,UAOpBIB,MAAUd,EA AQ8G,eAAqB/E,yBAGICjB,EIwFEkG,CA AYIH,YC3HjBmH,EAAGb,WAOhBC,EA AoB,SAAC9H,UACzB+H,OA AOC,aAAahI,GAAQA,EA AO,GA AK,G AAK,MAGhC,SAASiI,EA AuBjI,OA EzCvB,EADAmE,EA AO,OA INnE,EA AIyJ,KAAKC,IAAI nI,GA AOvB,EA Z P,GAYwBA,EA KA,EA Z7B,GAYgD,EACHemE,EA OOkF,EA AKBrJ,EA bT,IAa4BmE,SAGtCkF,EA AKBrJ,EA h BR,IA GB2BmE,GAAMwF,QAAQP,EA Ae,SCpBrE,IAKMQ,EA AQ,SAACC,EA AW7J,WAC3BJ,EA AI,EA AEF, OA EHF,GACLiK,EAAS,GA AJA,EA AU7J,EA AE8J,aAAaK,UAGzBiK,GA IIE,EA AO,SAAC/J,UACZ4J,EA jBW, KA iBC5J,ICfN,SAASgK,EA AC7H,OAC/B,IAAIvC,EA AI,EA AGA,EA AIuC,EA AMrC,OA AQF,GA AK,EA AG,K ACIC+G,EA AOx E,EA AMvC,MAEfa,EA AWkG,KAAUrH,EA AKbqH,UAGIC,SAIJ,ECPT,IAAMsD,EA AOF,EZI a9D,UYCLiE,wBAAP/H,EA AgBgI,EA AQBC,QAC1CjI,MAAQA,OACrKI,cAAgB,QACHBC,eACYvE,IAAdqE,G AA2BA,EA AUE,WACtCN,EA AC7H,QACXgI,YAAcA,OA IdI,SAAWX,EAAMK,EAAME,QA EvBC,UAYA,EA IjBzC,EA AWS,WAAW+B.sBAQxBK,wBAAA,SAAwBC,EA A0BC,EA AwBC,OACHER,EA AgBI,KA AhBkI,YA EF/F,EA AQ,MAEVnC,KAAKml,WACPhG,EA AMrE,KAAKkC,KAAKml,UAAUI,wBAAwBC,EA AKBC,EA AY C,IAI9E1I,KAAKqI,WAAaK,EA AOZ,QACvB9H,KAAKOl,eAAiBK,EA AWIC,aAAa2B,EA AaII,KAAKOl,eACIEj G,EA AMrE,KAAKkC,KAAKOl,mBACX,KACCO,EAAYC,GAAQ5I,KAAKE,MAAOsI,EA AKBC,EAAYC,GAA QIJ,KAAK,IAC3E0C,EA AO2G,EA AaIB,EAAM3H,KAAKsI,SAAUk,KAAe,OA EzDF,EA AWIC,aAAa2B,EA Aah G,GA AO,KACzC4G,EA AQBJ,EA AOC,MAAezG,OA AQ4B,EA AWoE,GA EpEO,EA AWxI,YAAYiI,EA AhG,EA AM4G,GAG5C3G,EA AMrE,KAAKoe,QACNkG,cAAgBIG,MAEIB,SACGrE,EA AWmC,KAAKE,MAAhBrC,O ACJkL,EA AcpB,EAAM3H,KAAKsI,SAAU,EA AOZ,MAC1C9G,EAAM,GAEDrD,EA AI,EA AGA,EA AIE,EA AQF,IAAK,KACzBqL,EA AWhJ,KAAKE,MAAMvC,MAEJ,iBAAbqL,EACThI,GA AOgI,OAGF,GA AIA,EA AU,K ACbC,EAAYL,GAAQI,EA AUR,EA AKBC,EAAYC,GAC5DQ,EA AaC,MAAMC,QAAQH,GA AaA,EA AUzJ,KAA K,IAAMyJ,EACnEF,EA AcpB,EA AMoB,EA AaG,EA AvL,GAC9CqD,GAAOKI,MAIPII,EA AK,KACDKB,EA AO 2G,EA AaE,IAAGb,OA ErCN,EA AWIC,aAAa2B,EA AhG,GA AO,KACzCmH,EA AeX,EA AO1H,MAASkB,OA Q4B,EA AWoE,GACxDO,EA AWxI,YAAYiI,EA AhG,EA AMmH,GAG5CIH,EA AMrE,KAAKoe,WAIrC,EAAM 3C,KAAK,WC7GtB,SAAS8J,EAAYC,GAKUnB,SAASC,EA AEC,EA AGC,EA AGC,GACf,IAAI/B,EA AI8B,EA E/G,OA AOP,MAAMwH,GACvBF,EA AI9B,EACJ,IAAIc,EA AIjC,EA AE/J,OACNiM,EAAIL,EA AE5L,OA EV,O AAQiM,GACN,KAAK,EACL,KAAK,EACH,IAAIC,EA AI,EA ER,IAAKN,EA AI,IAAMK,EA AI,GA AKL,EA AE, GA AK,IAAKM,EA AIF,IAAKE,EAC3CL,EA AEK,GA AKC,EA AEP,EA AGC,EA AEK,GA AIJ,GA AGhH,OAGvB,

MAEF,QACE,IAAIsh,EAAIF,EAAI,EAEZ,IAAKL,EAAI,GAAIK,EAAIF,IAAKE,EACpB,IAAK,IAAIG,EAAI,E
AAGA,EAAIJ,IAAKI,EACvBR,EAAEO,KAAOD,EAAEP,EAAES,GAAK,IAAKtC,EAAEmC,GAAIJ,GAAGhH,
OAMxC,OAAO+G,EAGT,SAASM,EAAEP,EAAGC,EAAGC,GACf,IAAI/B,EAAI8B,EAAE7B,WAAW,GAGrB,
OAFa,GAAKD,IAAMA,GAAK8B,EAAIA,EAAE/G,QAAQkF,WAAW,IAEjCD,GACN,KAAK,GACH,OAAO8B
,EAAEhC,QAAQyC,EAAG,KAAOV,EAAE9G,QAE/B,KAAK,GACH,OAAO8G,EAAE9G,OAAS+G,EAAEhC,Q
AAQyC,EAAG,KAAOV,EAAE9G,QAE1C,QACE,GAAI,EAAI,EAAIgh,GAAK,EAAID,EAAEU,QAAQ,MAAO
,OAAOV,EAAEhC,QAAQyC,GAAI,KAAOV,EAAE5B,WAAW,GAAK,GAAK,MAAQ4B,EAAE9G,QAGvG,OA
A08G,EAAIC,EAGb,SAASW,EAAEZ,EAAGC,EAAGC,EAAG/B,GACIB,IAAIiC,EAAIJ,EAAI,IACRk,EAAI,E
AAIJ,EAAI,EAAIC,EAAI,EAAI/B,EAE5B,GAAI,MAAQkC,EAAG,CACbL,EAAII,EAAEO,QAAQ,IAAK,GAA
K,EACxB,IAAIL,EAAIF,EAAES,UAAUb,EAAGI,EAAEhM,OAAS,GAAG8E,OAErC,OADaOH,EAAIF,EAAES
,UAAU,EAAGb,GAAG9G,OAASoH,EAAI,IAC5B,IAAMQ,GAAK,IAAMA,GAAKC,EAAET,EAAG,GAAK,W
AAaA,EAAIA,EAAIA,EAG9D,GAAI,IAAMQ,GAAK,IAAMA,IAAMC,EAAEX,EAAG,GAAI,OAAOA,EAE3C,
OAAQC,GACN,KAAK,KACH,OAAO,KAAOD,EAAEhC,WAAW,IAAM,WAAagC,EAAIA,EAAIA,EAExD,KA
AK,IACH,OAAO,MAAQA,EAAEhC,WAAW,GAAK,WAAagC,EAAIA,EAAIA,EAExD,KAAK,IACH,OAAO,M
AAQA,EAAEhC,WAAW,GAAK,WAAagC,EAAIA,EAAIA,EAExD,KAAK,KACH,GAAI,MAAQA,EAAEhC,W
AAW,GAAI,MAE/B,KAAK,IACL,KAAK,IACH,MAAO,WAAagC,EAAIA,EAE1B,KAAK,IACH,MAAO,WAAa
A,EAAI,QAAUA,EAAIA,EAExC,KAAK,KACL,KAAK,IACH,MAAO,WAAaA,EAAI,QAAUA,EAAI,OAASA,E
AAIA,EAERD,KAAK,IACH,GAAI,KAAOA,EAAEhC,WAAW,GAAI,MAAO,WAAagC,EAAIA,EACpD,GAAI,E
AAIA,EAAEO,QAAQ,aAAc,IAAK,OAAOP,EAAEnC,QAAQ+C,EAAI,gBAAkBZ,EAC5E,MAEF,KAAK,IACH,
GAAI,KAAOA,EAAEhC,WAAW,GAAI,OAAQgC,EAAEhC,WAAW,IAC/C,KAAK,IACH,MAAO,eAAiBgC,EA
AEnC,QAAQ,QAAS,IAAM,WAAamC,EAAI,OAASA,EAAEnC,QAAQ,OAAQ,YAAcmC,EAE7G,KAAK,IACH,
MAAO,WAAaA,EAAI,OAASA,EAAEnC,QAAQ,SAAU,YAAcmC,EAERe,KAAK,GACH,MAAO,WAAaA,EAAI
,OAASA,EAAEnC,QAAQ,QAAS,kBAAoBmC,EAE5E,MAAO,WAAaA,EAAI,OAASA,EAAIA,EAEvC,KAAK,I
ACH,MAAO,WAAaA,EAAI,YAAcA,EAAIA,EAE5C,KAAK,KACH,GAAI,KAAOA,EAAEhC,WAAW,GAAI,M
AE5B,MAAO,oBADPkC,EAAIF,EAAES,UAAUT,EAAEO,QAAQ,IAAK,KAAK1C,QAAQ,QAAS,IAAIA,QAA
Q,gBAAiB,YACID,WAAamC,EAAI,gBAAkBE,EAAIF,EAEzE,KAAK,KACH,OAAOa,EAAGjM,KAAKOL,GA
KA,EAAEnC,QAAQiD,EAAI,aAAed,EAAEnC,QAAQiD,EAAI,UAAyD,EAAIA,EAEjF,KAAK,IAIH,OAFaH,G
ADAK,EAAIF,EAAES,UAAU,IAAI3H,QACdyH,QAAQ,KAAO,EAEBL,EAAEIC,WAAW,GAAKkC,EAAEIC,W
AAW6B,IACrC,KAAK,IACHK,EAAIF,EAAEnC,QAAQkD,EAAG,MACjB,MAEF,KAAK,IACHb,EAAIF,EAAE
nC,QAAQkD,EAAG,SACjB,MAEF,KAAK,IACHb,EAAIF,EAAEnC,QAAQkD,EAAG,MACjB,MAEF,QACE,O
AAOf,EAGX,MAAO,WAAaA,EAAI,OAASE,EAAIF,EAEvC,KAAK,KACH,IAAK,IAAMA,EAAEO,QAAQ,SA
AU,GAAI,MAERc,KAAK,IAIH,OAHAV,GAAKG,EAAIJ,GAAG5L,OAAS,GAGbiM,GAFRc,GAAK,KAAOF,E
AAEhC,WAAW6B,GAAKG,EAAES,UAAU,EAAGZ,GAAKG,GAAGS,UAAUb,EAAEW,QAAQ,IAAK,GAAK,
GAAGzH,QAEExkF,WAAW,IAAwB,EAAIbK,EAAEIC,WAAW,KAC1C,KAAK,IACH,GAAI,IAAMkC,EAAEI
C,WAAW,GAAI,MAE7B,KAAK,IACHgC,EAAIA,EAAEnC,QAAQqC,EAAG,WAAaA,GAAK,IAAMF,EACzC,
MAEF,KAAK,IACL,KAAK,IACHA,EAAIA,EAAEnC,QAAQqC,EAAG,YAAc,IAAMD,EAAI,UAAy,IAAM,OA
AS,IAAMD,EAAEnC,QAAQqC,EAAG,WAAaA,GAAK,IAAMF,EAAEnC,QAAQqC,EAAG,OAASA,EAAI,OA
AS,IAAMF,EAG5J,OAAOA,EAAI,IAEb,KAAK,IACH,GAAI,KAAOA,EAAEhC,WAAW,GAAI,OAAQgC,EAA
EhC,WAAW,IAC/C,KAAK,IACH,OAAOkC,EAAIF,EAAEnC,QAAQ,SAAU,IAAK,WAAamC,EAAI,eAAiBE,E
AAI,YAAcA,EAAIF,EAE9F,KAAK,IACH,MAAO,WAAaA,EAAI,iBAAMBA,EAAEnC,QAAQmD,EAAI,IAAM
hB,EAEjE,QACE,MAAO,WAAaA,EAAI,qBAAuBA,EAAEnC,QAAQ,gBAAiB,IAAIA,QAAQmD,EAAI,IAAMh
B,EAEPg,MAEF,KAAK,IACL,KAAK,IACH,GAAI,KAAOA,EAAEhC,WAAW,IAAM,MAAQgC,EAAEhC,WA
AW,GAAI,MAEzD,KAAK,IACL,KAAK,IACH,IAAI,IAAOiD,EAAGrM,KAAKgL,GAAI,OAAO,OAASM,EAAI
N,EAAEa,UAAUb,EAAEW,QAAQ,KAAO,IAAIvC,WAAW,GAAKwC,EAAEZ,EAAE/B,QAAQ,UAAW,kBAA
mBgC,EAAGC,EAAG/B,GAAGF,QAAQ,kBAAMb,YAAcmC,EAAEnC,QAAQqC,EAAG,WAAaA,GAAKF,EA
AEnC,QAAQqC,EAAG,QAAUA,EAAERc,QAAQ,QAAS,KAAOmC,EACxQ,MAEF,KAAK,IACH,GAIA,EAAI
,WAAaA,GAAK,MAAQA,EAAEhC,WAAW,GAAK,OAASgC,EAAI,IAAMA,EAAG,MAAQF,EAAI/B,GAAK,
MAAQiC,EAAEhC,WAAW,KAAO,EAAIgC,EAAEO,QAAQ,YAAa,IAAK,OAAOP,EAAES,UAAU,EAAGT,EA

AEO,QAAQ,IAAK,IAAM,GAAG1C,QAAQqD,EAAI,gBAAkBIB,EAGvO,OAAOA,EAGT,SAASW,EAAEf,EAA
GC,GACZ,IAAIC,EAAIF,EAAEW,QAAQ,IAAMV,EAAI,IAAM,KAC9B9B,EAAI6B,EAAEa,UAAU,EAAG,IA
AMZ,EAAIC,EAAI,IAErC,OADAA,EAAIF,EAAEa,UAAUX,EAAI,EAAGF,EAAE5L,OAAS,GAC3BmN,EAAE,
IAAMtB,EAAI9B,EAAIA,EAAEF,QAAQud,EAAI,MAAOtB,EAAGD,GAGjD,SAASwB,EAAGzB,EAAGC,GA
Cb,IAAIC,EAAIU,EAAEX,EAAGA,EAAE7B,WAAW,GAAI6B,EAAE7B,WAAW,GAAI6B,EAAE7B,WAAW,I
AC5D,OAAO8B,IAAMD,EAAI,IAAMC,EAAEjC,QAAQyD,EAAI,YAAyB,UAAU,GAAK,IAAMZ,EAAI,IAG5
E,SAAS0B,EAAE3B,EAAGC,EAAGC,EAAG/B,EAAGiC,EAAGC,EAAGC,EAAGE,EAAGC,EAAGmB,GACpC
,IAAK,IAAkBd,EAAde,EAAI,EAAGvN,EAAI2L,EAAM4B,EAAIC,IAAKD,EACjC,OAAQf,EAAIiB,EAAEF,G
AAGnN,KAAKsN,EAAGhC,EAAG1L,EAAG4L,EAAG/B,EAAGiC,EAAGC,EAAGC,EAAGE,EAAGC,EAAGm
B,IACID,UAAK,EACL,KAAK,EACL,KAAK,EACL,KAAK,KACH,MAEF,QACeTn,EAAIwM,EAIV,GAAXm,I
AAM2L,EAAG,OAAO3L,EAmBtB,SAAS2N,EAAEjC,GAGT,YADA,KADAA,EAAIA,EAAEkC,UACWX,EAAI
,KAAMvB,EAAI,mBAAsBA,EAAIc,EAAI,GAAKA,EAAI,EAAGS,EAAIvB,GAAKc,EAAI,GAC/EmB,EAGT,S
AASD,EAAEhC,EAAGC,GACZ,IAAIC,EAAIF,EAKR,GAJA,GAAKE,EAAE9B,WAAW,KAAO8B,EAAIA,EA
AEhH,QAE/BgH,EAAI,CADAA,GAGA,EAAI4B,EAAG,CACT,IAAI3D,EAAIwD,GAAG,EAAG1B,EAAGC,EA
AGA,EAAGiC,EAAGC,EAAG,EAAG,EAAG,EAAG,QACtC,IAAWjE,GAAK,iBAAoBA,IAAM8B,EAAI9B,GA
GhD,IAAIiC,EA5jBN,SAASiC,EAAErC,EAAGC,EAAGC,EAAG/B,EAAGiC,GACrB,IAAK,IAAgCwB,EAAGC,
EAAiBS,EAAuEC,EAAMCC,EAA1JnC,EAAI,EAAGC,EAAI,EAAGE,EAAI,EAAGC,EAAI,EAASnM,EAAI,EA
AGmO,EAAI,EAAMC,EAAIJ,EAAIV,EAAI,EAAG5K,EAAI,EAAG2L,EAAI,EAAGC,EAAI,EAAGC,EAAI,EA
AGb,EAAI9B,EAAE9L,OAAQ0O,EAAId,EAAI,EAAMe,EAAI,GAAlC,EAAI,GAAlC,EAAI,GAAlS,EAAI,GA
AOmK,EAAIgL,GAAl,CAI5K,GAHAH,EAAI3B,EAAE9B,WAAWpH,GACjBA,IAAM8L,GAAK,IAAMxC,EA
IG,EAAID,EAAIH,IAAM,IAAMC,IAAMuB,EAAI,KAAOvB,EAAI,GAAK,IAAKG,EAAID,EAAIH,EAAI,EA
G2B,IAAKc,KAExF,IAAMxC,EAAIG,EAAID,EAAIH,EAAG,CACvB,GAAlrJ,IAAM8L,IAAM,EAAIH,IAAMI,
EAAIA,EAAE9E,QAAQgF,EAAG,KAAM,EAAIF,EAAE7J,OAAO9E,QAAS,CACrE,OAAQyN,GACN,KAAK,G
ACL,KAAK,EACL,KAAK,GACL,KAAK,GACL,KAAK,GACH,MAEF,QACEkB,GAAK7C,EAAEgD,OAAOIM,
GAGIB6K,EAAI,GAGN,OAAQA,GACN,KAAK,IAKH,IAHAD,GADAmB,EAAIA,EAAE7J,QACakF,WAAW,
GACjBkE,EAAI,EAECO,IAAM7L,EAAGA,EAAIgL,GAAl,CACpB,OAAQH,EAAI3B,EAAE9B,WAAWpH,IAC
vB,KAAK,IACHsL,IACA,MAEF,KAAK,IACHA,IACA,MAEF,KAAK,GACH,OAAQT,EAAI3B,EAAE9B,WAA
WpH,EAAI,IAC3B,KAAK,GACL,KAAK,GACHoJ,EAAG,CACD,IAAKsC,EAAI1L,EAAI,EAAG0L,EAAII,IA
KJ,EACvB,OAAQxC,EAAE9B,WAAWsE,IACnB,KAAK,GACH,GAAl,KAAOb,GAAK,KAAO3B,EAAE9B,WA
AWsE,EAAI,IAAM1L,EAAI,IAAM0L,EAAG,CACzD1L,EAAI0L,EAAI,EACR,MAAMtC,EAGR,MAEF,KAAK,
GACH,GAAl,KAAOyB,EAAG,CACZ7K,EAAI0L,EAAI,EACR,MAAMtC,GAMdpJ,EAAI0L,GAKV,MAEF,KA
AK,GACHb,IAEF,KAAK,GACHA,IAEF,KAAK,GACL,KAAK,GACH,KAAO7K,IAAM8L,GAAK5C,EAAE9B,
WAAWpH,KAAO6K,KAK1C,GAAl,IAAMS,EAAG,MACbtL,IAMF,OAHasL,EAAIpC,EAAEW,UAAUgC,EA
AG7L,GACnB,IAAM4K,IAAMA,GAAKmB,EAAIA,EAAE9E,QAAQkF,EAAI,IAAIjK,QAAQkF,WAAW,IAEID
wD,GACN,KAAK,GAIH,OAHA,EAAIe,IAAMI,EAAIA,EAAE9E,QAAQgF,EAAG,KAC3BpB,EAAIkB,EAAE3
E,WAAW,IAGf,KAAK,IACL,KAAK,IACL,KAAK,IACL,KAAK,GACHuE,EAAI1C,EACJ,MAEF,QACE0C,EA
AIS,EAMR,GAFAP,GADAP,EAAID,EAAEpC,EAAG0C,EAAGL,EAAGT,EAAGzB,EAAI,IACHbM,OACN,E
AAI0N,IAAsBU,EAAIb,EAAE,EAAGW,EAazBK,EAAI5C,EAAEgD,EAAGL,EAAGH,GAAMb3C,EAAGkC,E
AAGC,EAAGS,EAAGhB,EAAGzB,EAAGjC,GAAl4E,EAAIJ,EAAE5M,KAAK,SAAK,IAAWyM,GAAK,KAAO
K,GAAKP,EAAIE,EAAEtJ,QAAQ9E,UAAyYn,EAAI,EAAGS,EAAI,KAC5I,EAAIO,EAAG,OAAQhB,GACjB,
KAAK,IACHkB,EAAIA,EAAE9E,QAAQoF,EAAI5B,GAEPB,KAAK,IACL,KAAK,IACL,KAAK,GACHa,EAAI
S,EAAI,IAAMT,EAAI,IACIB,MAEF,KAAK,IAEHA,GADAS,EAAIA,EAAE9E,QAAQqF,EAAI,UACV,IAAMh
B,EAAI,IACIBA,EAAI,IAAMxB,GAAK,IAAMA,GAAKC,EAAE,IAAMuB,EAAG,GAAK,YAAcA,EAAI,IAAM
A,EAAI,IAAMA,EAC5E,MAEF,QACEA,EAAIS,EAAIT,EAAG,MAAQnE,IAAW6E,GAAKV,EAAVA,EAaA,S
ACnCA,EAAI,GACX,MAEF,QACEA,EAAID,EAAEpC,EAAGF,EAAEE,EAAG8C,EAAGH,GAAIN,EAAGnE,E
AAGiC,EAAI,GAGnCM,GAAK4B,EACLA,EAAIM,EAAID,EAAID,EAAId,EAAI,EACpBmB,EAAI,GACJIB,E
AAI3B,EAAE9B,aAAapH,GACnB,MAEF,KAAK,IACL,KAAK,GAEH,GAAl,GAAK6L,GADTE,GAAK,EAAIJ,
EAAII,EAAE9E,QAAQgF,EAAG,IAAMF,GAAG7J,QACpB9E,QAAS,OAAQ,IAAMsO,IAAMd,EAAImB,EAAE

3E, WAAW, GAAI, KAAOwD, GAAK, GAAKA, GAAK, IAAMA, KAAOiB, GAAKE, EAAIA, EAAE9E, QAAQ, IAA
K, MAAM7J, QAAS, EAAI0N, QAAK, KAAyU, EAAIb, EAAE, EAAGoB, EAAG9C, EAAGD, EAAGmC, EAAGC, E
AAGY, EAAE5O, OAAQ+J, EAAGiC, EAAGjC, KAAO, KAAO0E, GAAKE, EAAIP, EAAEtJ, QAAQ9E, UAAy2O, E
AAI, QAAanB, EAAImB, EAAE3E, WAAW, GAAIyD, EAAIkB, EAAE3E, WAAW, GAAIwD, GAC9S, KAAK, EACH
, MAEF, KAAK, GACH, GAAI, MAAQC, GAAK, KAAOA, EAAG, CACzBV, GAAK4B, EAAI7C, EAAEgD, OAAOIM
, GACIB, MAGJ, QACE, KAAO+L, EAAE3E, WAAWyE, EAAI, KAAOG, GAAKpC, EAAEmC, EAAGnB, EAAGC, E
AAGkB, EAAE3E, WAAW, KAehEwE, EAAID, EAAID, EAAId, EAAI, EACbBmB, EAAI, GACJIB, EAAI3B, EAAE9
B, aAAapH, IAIZB, OAAQ6K, GACN, KAAK, GACL, KAAK, GACH, KAAOvB, EAAIA, EAAI, EAAI, IAAM, EAAIsB,
GAAK, MAAQzD, GAAK, EAAI4E, EAAE3O, SAAWuO, EAAI, EAAGI, GAAK, MAC5E, EAAIjB, EAAIyB, GAAK5
B, EAAE, EAAGoB, EAAG9C, EAAGD, EAAGmC, EAAGC, EAAGY, EAAE5O, OAAQ+J, EAAGiC, EAAGjC, GACj
DiE, EAAI, EACJD, IACA, MAEF, KAAK, GACL, KAAK, IACH, GAAI, IAAM7B, EAAIG, EAAID, EAAIH, EAAG, C
ACvB+B, IACA, MAGJ, QAIE, OAHAA, IACAG, EAAIrC, EAAEgD, OAAOIM, GAEL6K, GACN, KAAK, EACL, KA
AK, GACH, GAAI, IAAMpB, EAAIJ, EAAIC, EAAG, OAAQhM, GAC3B, KAAK, GACL, KAAK, GACL, KAAK, EAC
L, KAAK, GACHiO, EAAI, GACJ, MAEF, QACE, KAAOV, IAAMU, EAAI, KAERB, MAEF, KAAK, EACHA, EAAI, M
ACJ, MAEF, KAAK, GACHA, EAAI, MACJ, MAEF, KAAK, GACHA, EAAI, MACJ, MAEF, KAAK, GACH, IAAM9B,
EAAIH, EAAID, IAAMsC, EAAIC, EAAI, EAAGL, EAAI, KAAOA, GAC1C, MAEF, KAAK, IACH, GAAI, IAAM9B, E
AAIH, EAAID, EAAImD, GAAK, EAAId, EAAG, OAAQ1L, EAAI0L, GAC5C, KAAK, EACH, MAAQpO, GAAK, KA
AO4L, EAAE9B, WAAWpH, EAAI, KAAOwM, EAAIIP, GAElD, KAAK, EACH, MAAQmO, IAAMe, EAAIf, GAETB,
MAEF, KAAK, GACH, IAAMhC, EAAIH, EAAID, IAAMqC, EAAI1L, GACxB, MAEF, KAAK, GACH, IAAMsJ, EAAI
E, EAAIC, EAAIJ, IAAMsC, EAAI, EAAGJ, GAAK, MACpC, MAEF, KAAK, GACL, KAAK, GACH, IAAMjC, IAAMG
, EAAIA, IAAMoB, EAAI, EAAI, IAAMpB, EAAIoB, EAAIpB, GAC5C, MAEF, KAAK, GACH, IAAMA, EAAIH, EAA
IE, GAAKH, IACnB, MAEF, KAAK, GACH, IAAMI, EAAIH, EAAIE, GAAKH, IACnB, MAEF, KAAK, GACH, IAAMI,
EAAIH, EAAID, GAAKG, IACnB, MAEF, KAAK, GACH, GAAI, IAAMC, EAAIH, EAAID, EAAG, CACnB, GAAI, IA
AMuB, EAAG, OAAQ, EAAItN, EAAI, EAAImO, GAC/B, KAAK, IACH, MAEF, QACEb, EAAI, EAERpB, IAGF, MAE
F, KAAK, GACH, IAAMF, EAAIE, EAAIC, EAAIJ, EAAIqC, EAAIJ, IAAMA, EAAI, GACpC, MAEF, KAAK, GACL, K
AAK, GACH, KAAM, EAAI7B, EAAIJ, EAAIG, GAAI, OAAQF, GAC5B, KAAK, EACH, OAAQ, EAAIuB, EAAI, EAA
I3B, EAAE9B, WAAWpH, EAAI, IACnC, KAAK, IACHsJ, EAAI, GACJ, MAEF, KAAK, IACHuC, EAAI7L, EAAGsJ, E
AAI, GAGf, MAEF, KAAK, GACH, KAAOuB, GAAK, KAAOvN, GAAKuO, EAAI, IAAM7L, IAAM, KAAOkJ, EAAE
9B, WAAWyE, EAAI, KAAOG, GAAK9C, EAAEW, UAAUgC, EAAG7L, EAAI, IAAKuL, EAAI, GAAIjC, EAAI, IAIx
H, IAAMA, IAAMyC, GAAKR, GAGrBE, EAAInO, EACJA, EAAIuN, EACJ7K, IAKF, GAAI, GAFJ6L, EAAIG, EAAE
5O, QAeK, CAET, GADaUO, EAAI1C, EACA, EAAI6B, QAA2C, KAARCU, EAAIb, EAAE, EAAGqB, EAAGL, EAAG
3C, EAAGmC, EAAGC, EAAGS, EAAG1E, EAAGiC, EAAGjC, KAAoB, KAAO6E, EAAIR, GAAGpO, OAAS, OAAO
+M, EAAI6B, EAAItC, EAGzG, GAFAsC, EAAIL, EAAE5M, KAAK, KAAO, IAAMiN, EAAI, IAExB, GAAMIC, EAAI
0C, EAAG, CAGf, OAFa, IAAM1C, GAAKC, EAAEiC, EAAG, KAAOQ, EAAI, GAEnBA, GACN, KAAK, IACHR, EA
AIA, EAAE/E, QAAQwF, EAAI, YAAcT, EAChC, MAEF, KAAK, IACHA, EAAIA, EAAE/E, QAAQyF, EAAG, sBAA
wBV, EAAE/E, QAAQyF, EAAG, aAAeV, EAAE/E, QAAQyF, EAAG, iBAAmBV, EAGzGQ, EAAI, GAIR, OAAOrC, E
AAI6B, EAAItC, EA8PP2B, CAAEe, EAAGID, EAAGD, EAAG, EAAG, GAKtB, OAJA, EAAI6B, QAAMd, KAA7C3
D, EAAIwD, GAAG, EAAGvB, EAAGF, EAAGA, EAAGiC, EAAGC, EAAGhC, EAAEhM, OAAQ, EAAG, EAAG, MA
AqBgM, EAAIjC, GAe5EqF, EAAI, EACJpB, EAAID, EAAI, EACD/B, EAGT, IAAI+C, EAAK, QACLF, EAAI, YACJ/
B, EAAK, OACLD, EAAK, UACLK, EAAK, sBACLnB, EAAK, SACLO, EAAI, oBACJ4C, EAAK, qBACLI, EAAI, aAC
JD, EAAK, gBACLtC, EAAI, qBACJkC, EAAK, kBACL3B, EAAK, eACLN, EAAK, eACLI, EAAK, 8BACLH, EAAK,
mCACLL, EAAK, sBACL0B, EAAI, EACJD, EAAI, EACJqB, EAAI, EACJ1C, EAAI, EACJsC, EAAI, GACJrB, EAAI, G
ACJD, EAAI, EACJP, EAAI, KACJgC, EAAI, EAKR, OAHAvB, EAAE2B, IAPeF, SAASC, EAAE5D, GACT, OAAQA,
GACN, UAAK, EACL, KAAK, KACH8B, EAAIC, EAAE3N, OAAS, EACf, MAEF, QACE, GAAI, mBAAsB4L, EAAG
+B, EAAED, KAAO9B, OAAO, GAAI, iBAAoBA, EAAG, IAAK, IAaIC, EAAI, EAAGC, EAAIF, EAAE5L, OAAQ6L,
EAAIC, IAAKD, EAC7G2D, EAAE5D, EAAEC, SACCSd, EAAU, IAAJvD, EAGjB, OAAO4D, GAwDT5B, EAAEIL, I
AAMmL, OACR, IAAWnC, GAAKmC, EAAEnC, GACXkC, EC5IBT, IAAM6B, EAAGb, gBACHBC, EAAO0B, CAAC, I
AAK, IAAK, IAAK, KAOjC, SAASC, SAyBIBC, EACAC, EACAC, EACAC, eAzB6BrP, QAFjCoH, QAAAA, aAAUpH

,QACVsP,QAAAA,aAAUxP,IAEJqK,EAAS,IAAIoF,EAAOnI,GAMtBoI,EAAe,GAWbC,ECdO,SAAStN,YAIbuN ,EAAQC,MACXA,MAEExN,EAACwN,OACd,MAAOvE,YAIN,SACLwE,EACAlM,EACAmM,EACAC,EACAC, EACAC,EACA1Q,EACA2Q,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GAAyC,KAA1BxM,EAAQ4F,W AAW,GAAW,OAAOnH,EAACuB,OAAa,cAGhF,KACQ,IAAPuM,EAAU,OAAOvM,EA/BT,mBAkCT,SACKuM, QAED,SACA,WACI9N,EAAW0N,EAAU,GAACKnM,GAAU,kBAEpCA,GAakB,IAAPyM,EAzCV,QAYCiC,SAE zC,EACJzM,EAAQG,MA3CIuM,UA2CU1H,QAAQgH,KD/BXW,EAaiB,SAAAIK,GACxCqJ,EAajQ,KAAK4 G,MAQdmK,EAawB,SAACm,EAAOiM,EAAQC,UAG9B,IAAXD,IAA8E,IAA/DvB,EAawBnD,QAAQ2E,EA AOrB,EAAU7P,UAEhEkR,EAAOIM,MAAM+K,GAKT/K,MAHM4K,YA4BNuB,EAaehO,EAakgG,EAAU2E,E AAQzD,YAAAA,IAAAA,EAAC,SACrD+G,EAAUjO,EAAlOG,QAAQ4F,EAae,IACrC4B,EAASII,GAAY2E,EA AYA,MAAU3E,QAACiI,OAACa,SAK7ExB,EAaeV,EACfwF,EAAY1G,EACZ2G,EAakB,IAAI7L,YAAY4L,Q AAgB,KACIDE,EA4B,IAAI9L,aAAa4L,cAEtChF,EAAOiD,IAAW3E,EAaw,GAAKA,EAauKI,UADrDxG,EA AOOE,cAAQS,GAPwB,SAACM,EAASgB,EAAGf,GACIC,IAAZD,GAAiBC,EAauVQ,QAAUuQ,EAAU,GAAGg B,YAAY1B,GAAa,IAE7EU,EAAU,GAAKA,EAAU,GAAG1G,QAAQiG,EAaiBkB,KAIDb,EAID9B,SAAAG,OA CP,IAAbA,EAagB,KACZkB,EAActB,SACpBA,EAae,GACRsB,OA+DXL,EAaeIH,KAAO+F,EAaqhQ,OAC1B gQ,EACgyB,QAAO,SAACC,EAakC,UACPA,EAaOtN,MACV5B,EAaiB,IAGZqH,EAAM4H,EAakC,EAaOt N,QJnGf,MIqGXIE,WACH,GAEGgR,EE3FF,IAAMS,EAAGDC,EAAMC,gBACtDC,EAaqBH,EAakBI,SACvCC ,EA6CJ,EAAMC,gBAGnDI,GAFiBD,EAACd,SAEL,IAAIInK,GAC9BsK,EA4BxC,IAEIC,SAASyC,WACPC,a AAWT,IAAsBM,EAGnC,SAASI,WACPD,aAAWJ,IAakBE,EAGvB,SAASI,GAakBC,SACVC,WAASD,EAAM E,eAAiC1C,OAAS2C,OACVC,EAaBR,IAEpBxH,EAaiI,WAAQ,eACrB1O,EAQyO,SAERJ,EAAMrO,MAE RA,EAQqO,EAAMrO,MAclqO,EAAM/S,SACf0E,EAQA,EAAMoE,uBAauB,CAAe9I,OAQ+S,EAAM/S, SAAU,IAG7D+S,EAAMM,wBACR3O,EAQA,EAAMoE,uBAauB,CAAEX,mBAAmB,KAGrDzD,IACN,CAA CqO,EAAMM,sBAauBN,EAAMrO,MAAOqO,EAAM/S,SAE9CoL,EAASgI,WACb,kBACEID,EAaqB,CACnB7 H,QAAS,CAAEGG,QAASOE,EAAMO,uBAC1B/C,QAAAA,MAEJ,CAACwC,EAAMO,sBAauB/C,WAGhCgD,a AAU,YC5DK,SAAsBC,EAAMC,EAAMC,EAASC,GAC1D,IAAIC,OA2D,EAE/D,QAAY,IAARA,EACF,QAAS A,EAGX,GAaiI,IAASC,EACX,OAQO,EAGT,GAAoB,iBAATD,IAAsBA,GAAwB,iBAATC,IAAsBA,EACpE,O AAO,EAGT,IAAI,EAQIT,OAAMt,KAACKN,GACpBO,EAQpT,OAAMt,KAACKL,GAExB,GAaiI,EAAMt T,SAAWwT,EAAMxT,OACzB,OAQO,EAMT,IAHA,IAAIyT,EAakBrT,OAQO,UAAUqT,eAAeC,KAAKT,GA GIDU,EAAM,EAAGA,EAAMN,EAAMtT,OAQ4T,IAAO,CAC3C,IAAIC,EAAMP,EAAMM,GAehB,IAAKH,E AAgBI,GACnB,OAQO,EAGT,IAAIC,EAASb,EAakY,GACdE,EAASb,EAakW,GAiIB,IAAY,KAFZR,OAQO, SAEtC,IAARA,GAakBS,IAAWC,EACjD,OAQO,EAIX,OAQO,GDMBAC,CAAahE,EAASwC,EAAME,gBAAgB C,EAAWH,EAAME,iBACjE,CAACF,EAAME,gBAGrB,gBAACD,EAakBqC,UASC,MAAOtJ,GACjCiH,gBA ACI,EAACgC,UASC,MAAOJ,GAGzB2H,EAAM2B,eEjEGC,yBAOP/P,EAachC,mBAM1BgS,OAAS,SAACzJ, EAawB0J,YAAAA,IAAAA,EAAS8BnC,OACxDoC,EAaeC,EAaknQ,KAAOiQ,EAaerK,KAE3CW,EAawIC,aA Aa8L,EAak9Q,GAai6Q,IACpC3J,EAawxI,YACToS,EAak9Q,GACL6Q,EACAD,EAaeE,EAaknS,MAAOkS ,EAAC,qBAK/CpU,SAAW,kBACFsC,EAaiB,GAai+G,OAQGL,EAaknQ,aAlBnCA,KAAOA,OACPX,mBAaq BW,OACrBhC,MAAQa,qBAmbfoS,QAAA,SAAQH,mBAAAA,IAAAA,EAAS8BnC,GAC7BhQ,KAAKkC,KAA OiQ,EAaerK,WC7BhCyK,GAaiB,UACjBC,GAAMb,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EA AKC,eAkB/C,SAASC,GAAMb9D,UACICwD,GAae9T,KAakS,Q,GACzBA,EACCrH,QAAQ8K,GAakBE,IAC1 BhL,QAAQ+K,GAAW,QACpB1D,ECjCJ,IAAI+D,GAae,CACjBC,wBAayB,EACzBC,kBAAMb,EACnBC,iBA AkB,EACIBC,iBAakB,EACIBC,QAAS,EACTC,aAAc,EACdC,gBAaiB,EACjBC,YAAa,EACbC,QAAS,EACTC, KAAM,EACNC,SAAU,EACVC,aAAc,EACdC,WAAY,EACZC,aAAc,EACdC,UAAW,EACXC,QAAS,EACTC, WAAY,EACZC,YAAa,EACbC,aAAc,EACdC,WAAY,EACZC,cAAe,EACfC,eAagB,EACHBC,gBAaiB,EACjBC ,UAAW,EACXC,cAAe,EACfC,aAAc,EACdC,iBAakB,EACIBC,WAAY,EACZC,WAAY,EACZC,QAAS,EACTC ,MAAO,EACPC,QAAS,EACTC,QAAS,EACTC,OAQ,EACRC,OAQ,EACRC,KAAM,EACNC,gBAaiB,EAEj BC,YAAa,EACbC,aAAc,EACdC,YAAa,EACbC,gBAaiB,EACjBC,iBAakB,EACIBC,iBAakB,EACIBC,cAAe,E ACfC,YAAa,GC/BTC,GAAY,SAAAC,UASA,MAAAA,IAAMd,IAAVA,GAA6B,KAAVA,GAoBxE,SAASjN, GACTBiN,EACArN,EACAC,EACA0J,MAEIHj,MAAMC,QAAQyM,GAAQ,SAGYnY,EAf9BoY,EAAU,GAEPn Y,EAAl,EAAGC,EAAMiY,EAAMhY,OAAGBF,EAaic,EAakD,GAak,EAGzC,MAFFD,EAASKL,GAAQiN,EA

AMIY,GAAl6K,EAakBC,EAAY0J,MAGhDhJ,MAAMC,QAAQ1L,GAASoY,EAAQhY,WAARgY,EAAGbPY,G
AC3CoY,EAAQhY,KAAKJ,WAGBoY,SAGLF,GAAUC,GACL,GAILxY,EAakBwY,OAETA,EAAMtY,kBAIfiB,
EAAWqX,GC9DG,mBAFwBpX,EDiEhBoX,IC7DtBpX,EAACP,WACFO,EAACP,UAAU6X,mBD4DcvN,EAapB
qN,EADLjN,GAXQiN,EAAMrN,GAWEA,EAakBC,EAAY0J,GAiRD0D,aAAiB5D,GACfxJ,GACFoN,EAAM3D,
OAAOzJ,EAAY0J,GACIB0D,EAAMvD,QAAQH,IACT0D,EAITG,EAacH,GAzEM,SAAhBI,EAAiBC,EAaAc,O
EbHjU,EAac6P,EFc9C7R,EAAQ,OAET,IAAMwR,KAAOwE,EACXA,EAAI3E,eAAeG,KAAQkE,GAAUM,EA
AIxE,MAEzCvI,MAAMC,QAAQ8M,EAAIxE,KAAswE,EAAIxE,GAACK0E,OAAU5X,EAAW0X,EAAIxE,IAC
ExR,EAAMpC,KAAQuY,GAAU3E,OAASwE,EAAIxE,GAAM,KACICsE,EAacE,EAAIxE,IAC3BxR,EAAMpC,
WAANoC,EAac+V,EAacC,EAAIxE,GAAMA,IAEtCxR,EAAMpC,KAAQuY,GAAU3E,SExBUxP,EFwBewP,E
ErBxC,OAHuCK,EFwBmME,EAAIxE,KErBxB,kBAAVK,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAgC,IA
AVA,GAAiB7P,KAAQoU,IAAcP,U,EAAKqU,WAAW,MAIjFIP,OAAO0K,GAAOpP,OAHToP,qBFoBLoE,GAAC
A,eAAgBjW,GAAO,MAAOA,EA0DrB+V,CAAcJ,GAASA,EAAM7X,eCzFjBS,EEW5C,IAAM+X,GAAS,SAAA
C,UACTtN,MAAMC,QAAQqN,KAehBA,EAAIL,OAAQ,GAEPK,GAGM,SAASzV,GAAI0V,8BAAmBjZ,mCA
AAA,2BACzCe,EAAWkY,IAAWV,EAacU,GAE/BF,GAAO5N,GAAQ+N,EAAWtY,GAAcY,UAAWjZ,MAG9
B,IAA1BA,EAAeI,QAAC,IAAIB6Y,EAAO7Y,QAAqC,iBAAd6Y,EAAO,GAE/DA,EAIFF,GAAO5N,GAAQ+N,
EAAWD,EAAQjZ,SC1BtBmZ,yBAOP1W,EAAGbGI,QACrBhI,MAAQA,OACRgI,YAAcA,OACdG,SAAWN,EA
Ac7H,GAI9BwF,EAAWS,WAAWnG,KAAKkI,YAAc,8BAG3C2O,aAAA,SACEC,EACAtO,EACAC,EACAC,O
AGM1H,EAAM0H,EADIE,GAAQ5I,KAAKE,MAAOsI,EAakBC,EAAYC,GACvCIJ,KAAK,IAAK,IAC/B+B,EA
AKvB,KAAKkI,YAAc4O,EAG9BrO,EAAWxI,YAAySb,EAAIA,EAAIP,MAGjC+V,aAAA,SAAAd,EAakBrO,G
AC7BA,EAAW5B,WAAW7G,KAAKkI,YAAc4O,MAG3CE,aAAA,SACEF,EACAtO,EACAC,EACAC,GAElOo,
EAAW,GAAGpR,EAAWS,WAAWnG,KAAKkI,YAAc4O,QAGtDC,aAAAd,EAaUrO,QACvBoO,aAAAc,EAaUt
O,EAakBC,EAAYC,SCrCjDuO,GAAsCvH,EAAMC,gBAE5CuH,GAAgBD,GAAapH,qBCT1BQ,EAac8G,EAao
BC,mBAAAA,IAAAA,EAAoB7Y,GAC5D8R,EAAMgH,QAAUD,EAAaC,OAASHH,EAAMgH,OAAUF,GAAiB
C,EAAaC,mBCH9EC,UACP/P,EAaUBo,EAakwP,KAAAS,ICOzBC,2CAYnBC,cAAgB,eACRxW,EAAMqR,EA
KyE,SAAS9Y,eACrBgD,EAak,MAAO,OAEXiD,EAAQjB,oBACA,CAACiB,aAAmBA,MAAavF,YAAqB+Y,gC
AC7CC,OAAOzY,SAASO,KAAK,SAEfwB,mBAW/B2W,aAAe,kBACTtF,EAakuF,OACAtX,EAAiB,GAGnB+
R,EAakmF,sBAGdK,gBAakB,oBACZxF,EAakuF,cACAtX,EAAiB,OAGpB+P,UACH3R,GAAU,K7B9Cc,uBA
CLsF,W6B+CpB8T,wBAAYB,CACvBC,OAAQ1F,EAakYe,SAAS9Y,eAIpBiG,EAAQjB,WACViB,IACDoM,EA
AYpM,MAAQA,GAIhB,CAACyL,6BAAWW,GAAOqB,IAAI,mBAsDhCsG,KAAO,WACL3F,EAakuF,QAAS,
QAzGTd,SAAW,IAAIpR,EAAW,CAAEF,UAAU,SACtCoS,QAAS,6BachBK,cAAA,SAAcJ,UACRhs,KAAK4
X,OACAtX,EAAiB,GAGnBoP,gBAACU,IAAkBpO,MAAOhC,KAAK8W,UAAW9E,MAkCnDkG,yBAAA,SAAY
BC,UAEd7X,EAAiB,SCrE1B8X,GAAgB,CACIBC,mBAAmB,EACnBC,aAAa,EACbC,cAAc,EACdnB,cAAc,EA
CdoB,aAAa,EACbC,iBAAiB,EACjBC,0BAA0B,EAC1BC,0BAA0B,EAC1BC,QAAQ,EACRC,WAAW,EACXC,
MAAM,GAEJC,GAAgB,CACIB7W,MAAM,EACNrE,QAAQ,EACRC,WAAW,EACX8a,QAAQ,EACRC,QAAQ,
EACRC,WAAW,EACXC,OAAO,GASLC,GAAe,CACjBC,UAAy,EACZrI,SAAS,EACToG,cAAc,EACdoB,aAAa
,EACbK,WAAW,EACXC,MAAM,GAEJQ,GAAe,GAIInB,SAASC,GAAWC,GAElB,OAAIC,EAAQC,OAAOF,G
ACVJ,GAIFE,GAAaE,EAAoB,WAAMpB,GAVhDkB,GAAaG,EAAQE,YAhBK,CACxBN,UAAy,EACZO,QAA
Q,EACRxC,cAAc,EACdoB,aAAa,EACbK,WAAW,GAYbS,GAAaG,EAAQI,MAAQT,GAY7B,IAAIU,GAAiB7b,
OAAO6b,eACxBC,GAAsB9b,OAAO8b,oBAC7BC,GAAwB/b,OAAO+b,sBAC/BC,GAA2Bhc,OAAOgc,yBACIC
C,GAAiBjc,OAAOic,eACxBC,GAakBlc,OAAOC,aAC7B,SAASkE,EAAqBC,EAAiBC,EAAiBC,GAC9D,GAA+
B,iBAApBD,EAA8B,CAEvC,GAaiH,GAAiB,CACnB,IAAIK,EAAqBN,GAAeI,GAEPCE,GAAsBA,IAAuBL,IA
C/CC,EAAqBC,EAAiBG,EAAoBD,GAI9D,IAAIInJ,EAAO2I,GAAoBO,GAE3BN,KACF5I,EAAOA,EAakqJ,OA
AOT,GAAsBM,KAM3C,IAHA,IAAI,EAAgBnB,GAAWc,GAC3BM,EAAGbPB,GAaWe,GAETb3c,EAAI,EAAG
A,EAAIyT,EAakvT,SAAUf,EAAG,CACpC,IAAI+T,EAAMN,EAakzT,GAef,KAAKob,GAAcrH,IAAU6I,GA
AaA,EAAU7I,IAAWiJ,GAAiBA,EAacjJ,IAAWgJ,GAAiBA,EAachJ,IAAO,CAC7I,IAAIkJ,EAAaX,GAAyBK,E
AAiB5I,GAE3D,IAEEoI,GAAeO,EAAiB3I,EAakKJ,GACrC,MAAOjR,OAKf,OAAO0Q,GC7FIQ,GAAC,CACzB
nV,WAAAA,EACaQK,YAAAA,sDCQa,SACbvS,8BACGC,mCAAAA,wBAEGyC,EAAQc,iBAAIxD,UAAyC,IA
CxBF,eAAiCud,GAAoBC,KAAKC,UAAU9a,IACPe+a,EAac,IAAIrE,GAAY1W,EAAO3C,YAMIC2d,EAaqB7K

,OACtB5H,EAAawH,IACbvH,EAASyH,IACtKtH,EAAQnH,aAAW+G,IAGnBH,EAFCqE,SAAO1S,EAAWnC,mB
AAmB/I,IAE5B6d,eAmBzB3S,EAAW3C,QACbkR,EAAaF,EAAUzG,EAAO5H,EAAY4O,EAAO3O,GAOjD2S,m
BAAgB,eACT5S,EAAW3C,cACdkR,EAAaF,EAAUzG,EAAO5H,EAAY4O,EAAO3O,GAC1C,kBAAMuS,EAA
YIE,aAAaD,EAAUro,MAEjD,CAACqO,EAAUzG,EAAO5H,EAAY4O,EAAO3O,IAGnC,cAGAsO,EAAaF,EAA
UzG,EAAO5H,EAAY4O,EAAO3O,MACpDuS,EAAY5S,SACd4S,EAAYjE,aAAaF,EAAU1X,EAA0BqJ,EAAYC
,OACpE,KACCyF,OACDkC,GACHgH,MAAOiE,GAAejL,EAAOgH,EAAO6D,EAAqB9D,gBAG3D6D,EAAYjE,
aAAaF,EAAU3I,EAAS1F,EAAYC,WAKrDgH,EAAM6L,KAAKL,yCC9EL,SACb1d,8BACGC,mCAAAA,wBAc
GyC,EAAQc,iBAAIxD,UAAAYC,IAAgB+B,KAAK,IAC7C0C,EAAO4Y,GAAoB5a,UAC1B,IAAI+R,GAAU/P,EA
AMhC,qIPoBd,SAAuBmQ,OAC9BmL,EAAatL,aAAW+G,IACxBwE,EAAe/K,WAAQ,kBA9B/B,SAAoB2G,EAA
sBmE,UACnCN,E,EAID7Y,EAAW6Y,GACOA,EAAMmE,GAYxBrS,MAAMC,QAAQiO,IAA2B,iBAAVA,EAC1
B/W,EAaiB,GAGnBkb,OAakBA,KAAenE,GAAUA,EApBzC/W,EAaiB,IA4BSob,CAAWrL,EAAMgH,MAAO
mE,KAAa,CACTenL,EAAMgH,MACNmE,WAGGnL,EAAM2B,SAIJtC,gBAACuH,GAAanF,UAASC,MAAO0J,
GAAepL,EAAM2B,UAHjD,eQIDM,kBAAM9B,aAAW+G,alCSRjT,4BmCCV2X,OAERC,EAAYIM,EAAMmM,
YAAW,SAACxL,EAAOyL,OACnCzE,EAAQnH,aAAW+G,IAEjBG,EAaiBuE,EAAjBvE,aACF2E,EAAYT,GAA
ejL,EAAOgH,EAAOD,UAWxC1H,gBAACiM,OAActL,GAAOgH,MAAO0E,EAAWD,IAAKA,eAGtDE,GAAaJ,
EAAWD,GAExBC,EAAUpD,mCAEHoD,oBcCT,SAASK,GAAQC,GACf,IAAIC,EAAQle,OOAOme,OOAO,M
AC1B,OOAO,SAAU3F,GAef,YADmB3S,IAAfqY,EAAM1F,KAAoB0F,EAAM1F,GAAOyF,EAAGzF,IACvC0F,
EAAM1F,ICFjB,IAAI4F,GAakB,s7HAEIBC,GAA6BL,IAAQ,SAAUM,GACjD,OOAOF,GAAgB5d,KAAK8d,IA
AgC,MAAvBA,EAAK1U,WAAW,IAE3B,MAAvB0U,EAAK1U,WAAW,IAEhB0U,EAAK1U,WAAW,GAAK,M
CLpB2U,GAAc,wCAEdC,GAAe,WAMN,SAASC,GAAOpF,UAE3BA,EAEG5P,QAAQ8U,GAAa,KAGrB9U,QA
AQ+U,GAAc,IChBd,SAASE,GAAMrf,SAER,iBAAXA,MCuBX,IAAMsf,GAAW,SAAAC,SAEE,mBAARA,GA
AsC,iBAARA,GAA4B,OAARA,IAAI BIT,MAAMC,QAAQyT,IAItFC,GAAa,SAAApL,SACF,cAARA,GAA+B,g
BAARA,GAAiC,cAARA,GAGzD,SAASqL,GAAMzf,EAAQuf,EAAKnL,OACpBwE,EAAM5Y,EAAOoU,GACfk
L,GAASC,IAAQD,GAAS1G,GAC5B8G,GAAU9G,EAAK2G,GAefvf,EAAOoU,GAAOmL,EAIH,SAASG,GAA
U1f,8BAAW2f,mCAAAA,kCACzBA,iBAAM,KAAb/G,UACL0G,GAAS1G,OACN,IAAMxE,KAAOwE,EACZ4
G,GAAWpL,IACbqL,GAAMzf,EAAQ4Y,EAaiXe,GAAMA,UAMzBpU,EC5BT,IAAM4f,GAAc,GA4IL,SAASC,
GACTb7f,EACAqI,EAOAzF,OAEMkd,EAAqB/f,EAakBC,GACvC+f,GAAwBV,GAAMrf,KAMhCqI,EAHF2X,
MAAAA,aAAQjf,MAGNsH,EAFFuC,YAAAA,aAzJJ,SAAoBsQ,EAAsB+E,OACICrb,EAAS8B,iBAAhBsW,EAAS
B,KAAOkE,GAAOIE,GAE7D0E,GAAyhb,IAASgb,GAAYhb,IAAS,GAAK,MAEzCgG,EAaiBhG,MAAQ4Y,Gz
CzBP9W,SyC4BT9B,EAAOgb,GAAYhb,WAG3Bqb,EAAuBA,MAAQBrV,EAAGBA,EA8InDsV,CAAW7X,EA
Q6S,YAAa7S,EAAQ4X,uBAEpD5X,EADF6S,YAAAA,aCtLW,SACblb,UAE0qf,GAAMrf,aAAoBA,sBDmLjBm
gB,CAAoBngB,KAG9BC,EACJoI,EAAQ6S,aAAe7S,EAAQuC,YACxBwU,GAAO/W,EAAQ6S,iBAAGB7S,EA
QuC,YAC1CvC,EAAQuC,aAAeA,EAGvBwV,EACJN,GAAwB9f,EAAGcggB,MACpDnU,MAAMjL,UAAUuc,O
AASnd,EAAGcggB,MAAOA,GAAO5F,OOAOzY,SAC9Eqe,EAGFK,EAASoBhY,EAAGyY,kBAE5BP,GAASB9f,
EAAGqgB,oBAG7BA,EAFFhY,EAAGyY,kBAEU,SAACpB,EAAMqB,EAUC,UAC/BvgB,EAAGcggB,kBACl
CpB,EACAqB,EACAC,IAEAIY,EAAGyY,kBAA4CpB,EAAMqB,EAUC,IAAGIDvgB,EAAGcggB,uBAkBTdG,E
AdEC,EAaiB,IAAI9V,EACzB/H,EACA3C,EACA6f,EAAB9f,EAAGBygB,oBAAkCja,GAKrEuE,EAAW0V,EA
Ae1V,UAA6B,IAAjBiV,EAAMzf,OAQ5Cge,EAAa,SAACxL,EAAOyL,UA7I7B,SACEkC,EACA3N,EACA4N,E
ACA5V,OAGS6V,EAOLF,EAPFV,MACAS,EAMEC,EANFD,eACA3G,EAKE4G,EALF5G,aACA+G,EAIEH,EA
JFG,mBACAR,EAGEK,EAHFL,kBACApG,EAEEygB,EAFFzG,kBACAD,EACE0gB,EADF1gB,SA7DJ,SAAK
C+Z,EAAS2BhH,EAaeiN,YAA1CjG,IAAAA,EAAa9Y,OAIvC4P,OAaekC,GAAOgH,MAAAA,IACtB+G,EAAGB
,UAETd,EAAMrW,SAAQ,SAAAOX,OAER3M,EErD4B7H,EAAYE,EFoDxCuU,EAakBD,MAQjB3M,KALDIT,
EAAW8f,KACbA,EAakBA,EAAGbnQ,IAIxBmQ,EACVnQ,EAAQuD,GAAO0M,EAAC1M,GACnB,cAARA,GE
9D4B7H,EF+DZuU,EAAC1M,GE/DU3H,EF+DJuU,EAAGB5M,GE9DnD7H,GAAKE,EAEOF,MAAKE,EAAMF,
GAAKE,GF+DzBuU,EAAGB5M,MAKnB,CAACvD,EAASiQ,GA4CQG,CAFxjD,GAAejL,EAHOH,aAAW+G,IA
AeG,IAEX7Y,EAAC8R,EAAO6N,GAAjE/P,OAASmP,OAeVkB,EA3CR,SACET,EACA1V,EACA+V,EACAK,O
AEMhW,EAawH,IACbvH,EAASyH,WAEG9H,EACd0V,EAExV,wBAAwBhK,EAackK,EAAYC,GACjEqV,E
AAExV,wBAAwB6V,EAae3V,EAAYC,GAGC3CgW,CACzBX,EACA1V,EACA8F,GAIiwQ,EAaeV,EAefJ,EA

6BP,EAAMsB,KAAOvO,EAAMuO,KAAOtB,EAAMuB,IAAMxO,EAAMwO,IAAMvhB,EAE/EwhB,EAACnC,G
AAMkB,GACpBkB,EAAGBzB,IAAUjN,OAAaA,KAAUiN,GAAUjN,EAC3D2O,EAakB,OAGnB,IAAMtN,KAA
OqN,EACD,MAAXrN,EAAl,IAAsB,OAARA,IACL,gBAARA,EACPsN,EAAGBH,GAAKE,EAACrN,IAEnCiM,E
ACIA,EAakBjM,EAakuN,GAAWpB,IACiCiB,GACAG,GAAUvN,MAIdSN,EAAGBtN,GAAOqN,EAACrN,YAIr
CrB,EAAM9N,OAAS+a,EAAM/a,QAAU8N,EAAM9N,QACvCyc,EAAGBzc,WAAa8N,EAAM9N,SAAU+a,EAAM
M/a,QAGrDyc,EAAGBE,UAAy/V,MAAMjL,UAC/Buc,OACC0D,EACA5gB,EACAhB,IAAuBjhB,EAABihB,E
AAqB,KACHEnO,EAAM6O,UACN5B,EAAM4B,WAEPxH,OAAOzY,SACPO,KAAK,KAERwf,EAAGBID,IAA
M6C,EAefrb,gBAAcua,EAABmB,IAuEhBIB,EAawBzN,EAAYL,EAakzT,WAE7DwT,EAawrD,YAAcA,G
AEzBsF,EAABpO,EAAMmM,WAAWA,IACrByB,MAAQI,EAC/BI,EAABc,eAAiBA,EACxCD,EAABtF,YA
AcA,EACrCsF,EAABH,kBAABa,EAIC3G,EAABK,mBAABqBf,EACxCjU,MAAMjL,UAAUuc,OACZnd,EA
AGC6gB,mBACHC7gB,EAAGCC,mBAEpCc,EAJyf,EAABvgB,kBAABa,EAG3CugB,EAABxgB,OAAS8f,E
AC1B9f,EAAGCA,OACICA,EAJwgB,EAABqB,cAAGB,SAAuBzf,OACvC0f,EAAB0CzZ,EAABDuC,YAAqCm
X,uIAAkB1Z,mBAEzD2Z,EACJF,GACGA,OAAuBzC,GAAMjd,GAAOA,EAAMgd,QAAO6C,WAQ/CpC,GAAs
Bzd,OALxB2f,GACH/B,MAAOI,EACPxV,YAAaoX,IAG+Bpf,IAGhdJc,OAAO6b,eAAegE,EAawB,eAAGB,CA
C5Drc,sBACsZB,KAAKwf,qBAGdjf,AAAI2V,QACGsJ,oBAAsBpC,EACvBqC,GAAM,GAAMniB,EAAGC8Z,aA
AclB,GAC1DA,KAIbRjY,OAAO6b,eAAegE,EAawB,WAAy,CAAE/L,MAAO,qBAAU+L,EAABvgB,qBAehG
8f,GACFqC,GAIE5B,EAABxgB,EAAB0D,CAEpFggB,OAAO,EACPS,gBAAGB,EACHbvF,aAAa,EACb2F,oBAA
oB,EACpBR,mBAAmB,EACnBpgB,mBAAmB,EACnBD,QAAQ,EACR6hB,eAAe,IAIZrB,MG9TH6B,GAAS,SA
ACjgB,UCCD,SAASKgB,EACtBC,EACAngB,EACAiG,eAAAA,IAAAA,EAakBpH,IAEbuhB,qBAAmBpgB,UA
CfY,EAABiB,EAAG+G,OAAO3H,QAK9BqgB,EAABmB,kBAABaF,EAABqngB,EAABKiG,EAAS3E,oCAGzE+e,EA
AiBC,WAAa,SAAAC,UAC5BL,EAABqBC,EAAsBngB,OAAUiG,KAAySa,KAGnEF,EAABzC,MAAQ,SAAAA,
UACvBsC,EAABqBC,EAAsBngB,OACtCiG,GACH2X,MAAOnU,MAAMjL,UAAUuc,OAAO9U,EAABQ2X,MAA
OA,GAAO5F,OAAOzY,aAGxD8gB,EDzBuBH,CAAqBM,GAAiBxgB,IEItE,IAAK,IAAMgS,KCRI,CACb,IACA,
OACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,S
ACA,UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,
KACA,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,S
ACA,SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OA
CA,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IA
CA,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA
,OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA
,KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,
iBACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SHniUZK,SA
AQ,SAAakZ,GACIBR,GAAOQ,GAACR,GAAOQ,MEAZC,GACHBT,GAAOjO,IAAO0O,GAAU1O"} }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/dist/styled-components.min.js.map

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"styled-

components.native.esm.js","sources":["../../src/utills/generateAlphabeticName.js","../../src/utills/hash.js","../../src/utills/generateComponentId.js","../../src/utills/getComponentName.js","../../src/utills/isFunction.js","../../src/utills/isStatelessFunction.js","../../src/utills/isPlainObject.js","../../src/utills/isStyledComponent.js","../../src/constants.js","../../src/utills/empties.js","../../src/utills/errors.js","../../src/utills/error.js","../../src/sheet/GroupedTag.js","../../src/sheet/GroupIDAllo cator.js","../../src/sheet/Rehydration.js","../../src/utills/nonce.js","../../src/sheet/dom.js","../../src/sheet/Tag.js","../../src/ sheet/Sheet.js","../../src/utills/stylisPluginInsertRule.js","../../src/utills/stylis.js","../../src/models/StyleSheetManager.js ","../../src/models/Keyframes.js","../../src/utills/hyphenateStyleName.js","../../src/utills/addUnitIfNeeded.js","../../src/u

```

til/flatten.js", "../../src/vendor/postcss/warn-
once.js", "../../src/vendor/postcss/tokenize.js", "../../src/vendor/postcss/terminal-
highlight.js", "../../src/vendor/postcss/css-syntax-
error.js", "../../src/vendor/postcss/stringifier.js", "../../src/vendor/postcss/stringify.js", "../../src/vendor/postcss/node.js",
"../../src/vendor/postcss/declaration.js", "../../src/vendor/postcss/comment.js", "../../src/vendor/postcss/parser.js", "../../s
rc/vendor/postcss/parse.js", "../../src/vendor/postcss/container.js", "../../src/vendor/postcss/at-
rule.js", "../../src/vendor/postcss/list.js", "../../src/vendor/postcss/rule.js", "../../src/vendor/postcss/warning.js", "../../src/v
endor/postcss/result.js", "../../src/vendor/postcss/lazy-
result.js", "../../src/vendor/postcss/processor.js", "../../src/vendor/postcss/root.js", "../../src/vendor/postcss/input.js", "../../
/src/vendor/postcss-safe-parser/safe-parser.js", "../../src/vendor/postcss-safe-
parser/parse.js", "../../src/models/InlineStyle.js", "../../src/utils/mixinDeep.js", "../../src/utils/determineTheme.js", "../../s
rc/utils/isTag.js", "../../src/utils/generateDisplayName.js", "../../src/models/ThemeProvider.js", "../../src/models/Styled
NativeComponent.js", "../../src/utils/interleave.js", "../../src/constructors/css.js", "../../src/constructors/constructWithOp
tions.js", "../../src/hoc/withTheme.js", "../../src/hooks/useTheme.js", "../../src/native/index.js", "sourcesContent":["//
@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the "capacity" of
our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts *\n\nconst charsLength = 52;\n\n/* start at
75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\n\nconst getAlphabeticChar = (code: number): string
=>\n String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to
base-52 *\n\nexport default function generateAlphabeticName(code: number): string {\n let name = "";\n let x;\n\n /*
get a char and divide
by alphabet-length *\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n name =
getAlphabeticChar(x % charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n", "// @flow\n/* eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n let i =
x.length;\n\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing
function\n\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n};\n", "// @flow\n/* eslint-disable
*\n\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport
default (str: string): string => {\n return generateAlphabeticName(hash(str) >>> 0);\n};\n", "// @flow\nimport type {
IStyledComponent } from './types';\n\nexport default function getComponentName(\n target:
$PropertyType<IStyledComponent, 'target'>): string {\n return (\n (process.env.NODE_ENV !== 'production' ?
typeof target === 'string' && target : false) ||\n // $FlowFixMe\n target.displayName ||\n // $FlowFixMe\n
target.name ||\n 'Component'\n );\n}\n", "// @flow\n\nexport default function isFunction(test: any): boolean %checks
{\n return typeof test === 'function';\n}\n", "// @flow\n\nexport default function isStatelessFunction(test: any):
boolean {\n return (\n typeof test === 'function'\n && !(\n test.prototype\n &&
test.prototype.isReactComponent\n )\n );\n}\n", "// @flow\n\nimport { typeOf } from 'react-is';\n\nexport default (x:
any): boolean =>\n x !== null &&\n typeof x === 'object' &&\n (x.toString ? x.toString()):
Object.prototype.toString.call(x) === '[object Object]' &&\n !typeof(x);\n", "// @flow\n\nexport default function
isStyledComponent(target:
any): boolean %checks {\n return target && typeof target.styledComponentId === 'string';\n}\n", "//
@flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n (typeof process !== 'undefined' &&\n typeof process.env !== 'undefined' &&\n
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n typeof
SC_DISABLE_SPEEDY === 'boolean'\n ? SC_DISABLE_SPEEDY\n : typeof process !== 'undefined' &&
typeof process.env !== 'undefined'\n ? typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'

```

```

process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'false' ? false : process.env.REACT_APP_SC_DISABLE_SPEEDY
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false' ? false : process.env.REACT_APP_SC_DISABLE_SPEEDY : typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== 'false' ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY :
process.env.NODE_ENV !== 'production' ? false : process.env.NODE_ENV // Shared empty execution context when generating
static styles\nexport const STATIC_EXECUTION_CONTEXT = {};\n"/ @flow\nexport const EMPTY_ARRAY
= Object.freeze([]);\nexport const EMPTY_OBJECT = Object.freeze({});\n", "export default {\n  "1": "Cannot create
styled-component for component: %s.\n\n",\n  "2": "Can't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n\n- Are you accidentally calling collectStyles twice?\n\n",\n  "3": "Streaming SSR
is only supported in a Node.js environment;\n\n  Please do not try to call this method in the browser.\n\n",\n  "4": "The `StyleSheetManager` expects a valid target
or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n\n- Does this error occur on the
server and is the sheet falsy?\n\n",\n  "5": "The clone method cannot be used on the client!\n\n- Are you running in
a client-like environment on the server?\n\n- Are you trying to run SSR on the client?\n\n",\n  "6": "Trying to insert a
new style tag, but the given Node is unmounted!\n\n- Are you using a custom target that isn't mounted?\n\n- Does
your document not have a valid head element?\n\n- Have you accidentally removed a style tag
manually?\n\n",\n  "7": "ThemeProvider: Please return an object from your `theme` prop function,
e.g.\n\n```\nconst theme = {() => {}};\n\n```\n\n",\n  "8": "ThemeProvider: Please make your `theme` prop an
object.\n\n",\n  "9": "Missing document <head>\n\n",\n  "10": "Cannot find a StyleSheet instance.\n\n  Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how
to troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n",\n  "11": "_This error was replaced
with a dev-time warning, it will be deleted for v4 final. _ [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n",\n  "12": "It seems you are interpolating
a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer
supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which
ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n",\n  "13": "%s is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components\n\n  for more details.\n\n",\n  "14": "ThemeProvider: `theme` prop is required.\n\n",\n  "15": "A stylis plugin has
been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between
different stylis configurations within the same app. Before you pass your plugin to <StyleSheetManager
stylisPlugins={}>, please make sure each plugin is uniquely-named,
e.g.\n\n```\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name'
});\n\n```\n\n",\n  "16": "Reached the limit of how many styled components may be created at group %s.\n\nYou may
only create up to 1,073,741,824 components. If you're creating components dynamically,\n\nas for instance in your
render method then you may be running into this limitation.\n\n",\n  "17": "CSSStyleSheet could not be found on
HTMLStyleElement.\n\nHas styled-components' style tag been unmounted or altered by another script?";\n"/
@flow\nimport errorMap from './errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ?
errorMap : {};\n\n/**\n * super basic version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b =
[];\n\n  for (let c = 1, len = args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a =
a.replace(/%[a-z]/, d);\n  });\n\n  return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a
simple web link to the full errors\n * in production mode.\n */\nexport default function
throwStyledComponentsError(\n  code: string | number,\n  ...interpolations: Array<any>)\n {\n  if
(process.env.NODE_ENV === 'production') {\n    throw new Error(\n      `An error occurred. See
https://git.io/JUIaE#${code} for more information.${\n      interpolations.length > 0 ? ` Args:

```

```

    ${interpolations.join(',')} : "\n  }\n );\n } else {\n  throw new Error(format(ERRORS[code],
...interpolations).trim());\n }\n}\n", "//
  @flow\n/* eslint-disable no-use-before-define */\n\nimport type { GroupedTag, Tag } from './types';\nimport {
SPLITTER } from './constants';\nimport throwStyledError from './utils/error';\n\n/** Create a GroupedTag with an
underlying Tag implementation */\nexport const makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new
DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE = 1 << 9;\n\nclass DefaultGroupedTag implements
GroupedTag {\n  groupSizes: Uint32Array;\n\n  length: number;\n\n  tag: Tag;\n\n  constructor(tag: Tag) {\n
this.groupSizes = new Uint32Array(BASE_SIZE);\n  this.length = BASE_SIZE;\n  this.tag = tag;\n }\n\n
indexOfGroup(group: number): number {\n  let index = 0;\n  for (let i = 0; i < group; i++) {\n    index +=
this.groupSizes[i];\n  }\n\n  return index;\n }\n\n insertRules(group: number, rules: string[]): void {\n  if (group
>= this.groupSizes.length) {\n    const oldBuffer = this.groupSizes;\n    const oldSize = oldBuffer.length;\n\n
    let newSize = oldSize;\n    while (group >= newSize) {\n      newSize <<= 1;\n      if (newSize < 0) {\n
throwStyledError(16, `${group}`);\n      }\n      this.groupSizes = new Uint32Array(newSize);\n
this.groupSizes.set(oldBuffer);\n      this.length = newSize;\n\n      for (let i = oldSize; i < newSize; i++) {\n
this.groupSizes[i] = 0;\n      }\n    }\n\n    let ruleIndex = this.indexOfGroup(group + 1);\n    for (let i = 0, l =
rules.length; i < l; i++) {\n      if (this.tag.insertRule(ruleIndex, rules[i])) {\n        this.groupSizes[group]++;;\n
ruleIndex++;\n      }\n    }\n\n    clearGroup(group: number): void {\n      if (group < this.length) {\n        const
length = this.groupSizes[group];\n        const startIndex = this.indexOfGroup(group);\n        const endIndex =
startIndex + length;\n\n        this.groupSizes[group] = 0;\n        for (let i = startIndex; i < endIndex; i++) {\n
this.tag.deleteRule(startIndex);\n        }\n      }\n\n      }\n\n      getGroup(group: number): string {\n        let css =
";\n        if (group >= this.length || this.groupSizes[group]
=== 0) {\n          return css;\n        }\n        const length = this.groupSizes[group];\n        const startIndex =
this.indexOfGroup(group);\n        const endIndex = startIndex + length;\n        for (let i = startIndex; i < endIndex; i++)
{\n          css += `${this.tag.getRule(i)}${SPLITTER}`;\n        }\n        return css;\n      }\n\n    } // @flow\n\nimport
throwStyledError from './utils/error';\n\nconst MAX_SMI = 1 << 31 - 1;\n\nlet groupIDRegister: Map<string,
number> = new Map();\nlet reverseRegister: Map<number, string> = new Map();\nlet nextFreeGroup = 1;\n\nexport
const resetGroupIds = () => {\n  groupIDRegister = new Map();\n  reverseRegister = new Map();\n  nextFreeGroup
= 1;\n};\n\nexport const getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id)) {\n    return
(groupIDRegister.get(id): any);\n  }\n\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n
  }\n\n  const group = nextFreeGroup++;\n\n  if (\n    process.env.NODE_ENV !== 'production' &&\n    ((group | 0)
< 0 || group > MAX_SMI)\n  ) {\n    throwStyledError(16, `${group}`);\n  }\n\n  groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n  return group;\n};\n\nexport const getIdForGroup = (group: number): void | string
=> {\n  return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n  if
(group >= nextFreeGroup) {\n    nextFreeGroup = group + 1;\n  }\n\n  groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n};\n\n// @flow\n\nimport { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport { getIdForGroup, setGroupForId } from
'./GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n\nconst MARKER_RE = new
RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+\\\\\\\\[id=\\\"(\\\\\\\\w\\\\\\\\d-)+\\\"]\\\\\\\\.?!?([\\^"]*)`);\n\nexport
const outputSheet = (sheet: Sheet) => {\n  const tag = sheet.getTag();\n  const { length } = tag;\n\n  let css =
";\n  for (let group = 0; group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined)
continue;\n\n    const names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules ||
!names.size) continue;\n\n    const selector = `${SC_ATTR}.g${group}[id=\\\"${id}\\\"]`;\n\n    let content =
";\n    if (names !== undefined) {\n      names.forEach(name => {\n        if (name.length > 0) {\n          content +=
`${name},`;\n        }\n      });\n    }\n\n    // NOTE: It's easier to collect rules and have the marker\n    // after the
actual rules to simplify the rehydration\n    css += `${rules}${selector}{content:\\\"${content}\\\"}${SPLITTER}`;\n
  }\n\n  return css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const
names = content.split(',');\n  let name;\n

```

```

    for (let i = 0, l = names.length; i < l; i++) {\n  // eslint-disable-next-line\n  if ((name = names[i])) {\n
sheet.registerName(id, name);\n  }\n }\n};\n\nconst rehydrateSheetFromTag = (sheet: Sheet, style:
HTMLStyleElement) => {\n  const parts = (style.textContent || "").split(SPLITTER);\n  const rules: string[] = [];\n\n  for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n\n    const marker =
part.match(MARKER_RE);\n\n    if (marker) {\n      const group = parseInt(marker[1], 10) | 0;\n      const id =
marker[2];\n\n      if (group !== 0) {\n        // Rehydrate componentId to group index mapping\n
setGroupForId(id, group);\n        // Rehydrate names and rules\n        // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n        rehydrateNamesFromContent(sheet, id, marker[3]);\n
sheet.getTag().insertRules(group, rules);\n      }\n\n      rules.length = 0;\n    } else {\n      rules.push(part);\n
    }\n  }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =
document.querySelectorAll(SELECTOR);\n\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =
((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n
{\n      rehydrateSheetFromTag(sheet, node);\n\n      if (node.parentNode) {\n
node.parentNode.removeChild(node);\n      }\n    }\n  }\n};\n\n", // @flow\n\n/* eslint-disable camelcase, no-undef
*\n\ndeclare var __webpack_nonce__: string;\n\nconst getNonce = () => {\n  return typeof __webpack_nonce__
!== 'undefined' ? __webpack_nonce__ : null;\n};\n\nexport default getNonce;\n\n", // @flow\n\nimport { SC_ATTR,
SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from
'./utils/nonce';\nimport throwError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /*
Node.ELEMENT_TYPE *\n\n/** Find last style element if any inside target *\n\nconst findLastStyleTag
= (target: HTMLStyleElement): void | HTMLStyleElement => {\n  const { childNodes } = target;\n\n  for (let i =
childNodes.length; i >= 0; i--) {\n    const child = ((childNodes[i]: any): ?HTMLStyleElement);\n    if (child &&
child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n      return ((child: any):
HTMLStyleElement);\n    }\n  }\n\n  return undefined;\n};\n\n/** Create a style element inside `target` or <head>
after the last *\n\nexport const makeStyleTag = (target?: HTMLStyleElement): HTMLStyleElement => {\n  const head =
((document.head: any): HTMLStyleElement);\n  const parent = target || head;\n  const style =
document.createElement('style');\n  const prevStyle = findLastStyleTag(parent);\n  const nextSibling = prevStyle
!== undefined ? prevStyle.nextSibling : null;\n  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION, SC_VERSION);\n\n  const nonce = getNonce();\n\n  if (nonce)\n    style.setAttribute('nonce', nonce);\n\n  parent.insertBefore(style,\n
nextSibling);\n\n  return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style element *\n\nexport const
getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return ((tag.sheet: any):
CSSStyleSheet);\n  }\n\n  // Avoid Firefox quirk where the style element might not have a sheet property\n  const {
styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet = styleSheets[i];\n    if
(sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n\n  throwStyledError(17);\n
return (undefined: any);\n};\n\n", // @flow\n\n/* eslint-disable no-use-before-define *\n\nimport { makeStyleTag,
getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/** Create a CSSStyleSheet-like tag
depending on the environment *\n\nexport const makeTag = ({ isServer, useCSSOMInjection, target }:\nSheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  } else\n  if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n  }\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLStyleElement) {\n    const element = (this.element =
makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("")); \n\n    this.sheet = getSheet(element);\n    this.length = 0;\n
  }\n\n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n
      this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n\n  deleteRule(index: number):
void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    const rule =
this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n

```

```

    if (rule !== undefined && typeof rule.cssText === 'string') {\n    return rule.cssText;\n    } else {\n    return "";\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\nexport class TextTag\n  implements Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =\n      element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=\n      this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =\n        this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    }\n    else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if\n      (index\n        < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return "";\n    }\n  }\n}\n\n/** A\n  completely virtual (server-side) Tag that doesn't manipulate the DOM */\nexport class VirtualTag implements Tag\n  {\n  rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLElement) {\n    this.rules = [];\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n      this.rules.splice(index, 0, rule);\n      this.length++;\n      return true;\n    } else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n  }\n\n  getRule(index: number):\n    string {\n    if (index < this.length) {\n      return this.rules[index];\n    } else {\n      return "";\n    }\n  }\n}\n\n"/\n@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from\n  './utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport\n  { getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from\n  './Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from\n  './types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?:\n    boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = {\n  [key: string]: number\n};\n\ntype NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions:\n  SheetOptions = {\n  isServer: !IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains\n  the main stylesheet logic for stringification and caching */\nexport default class StyleSheet implements Sheet {\n  gs: GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server:\n    boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id:\n    string): number {\n    return getGroupForId(id);\n  }\n\n  constructor(\n    options: SheetConstructorArgs = EMPTY_OBJECT,\n    globalStyles?:\n    GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n    this.options = {\n      ...defaultOptions,\n      ...options,\n    };\n    this.gs = globalStyles;\n    this.names = new Map(names);\n    this.server = !options.isServer;\n\n    // We rehydrate only once and use the sheet that is created first\n    if\n      (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n      SHOULD_REHYDRATE = false;\n      rehydrateSheet(this);\n    }\n  }\n\n  reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean =\n    true) {\n    return new StyleSheet(\n      { ...this.options, ...options },\n      this.gs,\n      (withNames && this.names) ||\n      undefined\n    );\n  }\n\n  allocateGSInstance(id: string) {\n    return (this.gs[id] = (this.gs[id] || 0) + 1);\n  }\n\n  /**\n    Lazily initialises a GroupedTag for when it's actually needed */\n  getTag(): GroupedTag {\n    return this.tag\n      || (this.tag = makeGroupedTag(makeTag(this.options)));\n  }\n\n  /** Check whether a name is known for caching\n    */\n  hasNameForId(id: string, name: string): boolean {\n    return this.names.has(id) && (this.names.get(id):\n      any).has(name);\n  }\n\n  /** Mark a group's name as known for caching */\n  registerName(id: string, name: string)\n    {\n    getGroupForId(id);\n\n    if (!this.names.has(id)) {\n      const groupNames = new Set();\n      groupNames.add(name);\n      this.names.set(id, groupNames);\n    } else {\n      (this.names.get(id):\n        any).add(name);\n    }\n  }\n\n  /** Insert new rules which also marks the name as known */\n  insertRules(id: string,\n    name: string, rules: string[]) {\n    this.registerName(id, name);\n    this.getTag().insertRules(getGroupForId(id),\n      rules);\n  }\n\n  /** Clears all cached names for a given group ID */\n  clearNames(id: string) {\n    if\n      (this.names.has(id)) {\n      (this.names.get(id): any).clear();\n    }\n  }\n\n  /** Clears all rules for a given

```



```

group ID *\n clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n  this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names *\n clearTag() {\n  // NOTE: This does not clear the names, since it's only used during SSR\n  // so that we can continuously output only new rules\n  this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR *\n toString(): string {\n  return outputSheet(this);\n }\n\n";\n\n * MIT License\n * Copyright (c) 2016 Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this software and associated documentation files (the "Software"),\n * to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n *\n*/\n\nexport default function(insertRule) {\n  const delimiter = '/*';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      } catch (e) {\n      }\n    }\n\n    return function ruleSheet(context,\n      content,\n      selectors,\n      parents,\n      line,\n      column,\n      length,\n      ns,\n      depth,\n      at\n    ) {\n      switch (context) {\n        // property\n        case 1:\n          // @import\n          if (depth === 0 && content.charCodeAt(0) === 64) return insertRule(`${content};`), "\n          break;\n          // selector\n          case 2:\n            if (ns === 0) return content + delimiter;\n            break;\n            // at-rule\n          case 3:\n            switch (ns) {\n              // @font-face, @page\n              case 102:\n              case 112:\n                return insertRule(selectors[0] + content), "\n              default:\n                return content + (at === 0 ? delimiter : ");\n            }\n          case -2:\n            content.split(needle).forEach(toSheet);\n          }\n    }\n  }\n\n  "import Stylis from '@emotion/stylis';\n  import { type Stringifier } from './types';\n  import { EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\n  import throwStyledError from './error';\n  import { phash, SEED } from './hash';\n  import insertRulePlugin from './stylisPluginInsertRule';\n\n  const COMMENT_REGEX = /^\\s*\\/\\/.*$/gm;\n  const COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n  type StylisInstanceConstructorArgs = {\n    options?: Object,\n    plugins?: Array<Function>,\n  };\n\n  export default function createStylisInstance({\n    options = EMPTY_OBJECT,\n    plugins = EMPTY_ARRAY,\n  }: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n    const stylis = new Stylis(options);\n\n    // Wrap `insertRulePlugin` to build a list of rules, and then make our own plugin to return the rules. This makes it easier to hook into the existing SSR architecture\n    let parsingRules = [];\n\n    // eslint-disable-next-line consistent-return\n    const returnRulesPlugin = context => {\n      if (context === -2) {\n        const parsedRules = parsingRules;\n        parsingRules = [];\n        return parsedRules;\n      }\n    }\n\n    const parseRulesPlugin = insertRulePlugin(rule => {\n      parsingRules.push(rule);\n    });\n\n    let _componentId: string;\n    let _selector: string;\n    let _selectorRegex: RegExp;\n    let _consecutiveSelfRefRegex: RegExp;\n\n    const selfReferenceReplacer = (match, offset, string) => {\n      if (\n        // do not replace the first occurrence if it is complex (has a modifier)\n        (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n        // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n        !string.match(_consecutiveSelfRefRegex)\n      ) {\n        return `.${_componentId}`;\n      }\n\n      return match;\n    };\n\n    /**\n     * When writing a style like\n     * & + & {\n     *   color: red;\n     * }\n     *\n     * The second ampersand should be a reference to the static component class. stylis\n     * has no knowledge of static class so we have to intelligently replace the base selector.\n     *\n     * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context phase values\n     * \"2\" means this plugin is taking effect at the

```

```

very end after all other processing is complete\n
*/\n
const selfReferenceReplacementPlugin = (context, _,
selectors) => {\n
  if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n
    //
    eslint-disable-next-line no-param-reassign\n
    selectors[0] = selectors[0].replace(_selectorRegex,
selfReferenceReplacer);\n
  }\n
};\n\n
stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin,
returnRulesPlugin]);\n\n
function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n
  const flatCSS = css.replace(COMMENT_REGEX, "");\n
  const cssStr = selector && prefix ? `${prefix} ${selector} {
${flatCSS} }` : flatCSS;\n
  // stylis has no concept of state to be passed to plugins\n
  // but since JS is single-
  threaded, we can rely on that to ensure\n
  // these properties stay in sync with the current stylis run\n
  _componentId = componentId;\n
  _selector = selector;\n
  _selectorRegex = new RegExp(`\\|\\|\\|\\|${_selector}\\|\\|\\|\\|b`,
'g');\n
  _consecutiveSelfRefRegExp = new RegExp(`\\|\\|\\|\\|${_selector}\\|\\|\\|\\|b){2,}`);\n\n
  return stylis(prefix ||
!selector ? " : selector, cssStr);\n
}\n\n
stringifyRules.hash = plugins.length\n
? plugins\n
.reduce((acc,
plugin) => {\n
  if (!plugin.name) {\n
    throwStyledError(15);\n
  }\n\n
  return phash(acc,
plugin.name);\n
}, SEED)\n
.toString()\n
: "";\n\n
return stringifyRules;\n
}\n\n
"}\n\n
@flow\n\n
import React, {
type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';\n\n
import shallowequal from
'shallowequal';\n\n
import StyleSheet from './sheet';\n\n
import type { Stringifier } from './types';\n\n
import
createStylisInstance from './utils/stylis';\n\n
type Props = {\n
  children?: Node,\n
  disableCSSOMInjection?:
boolean,\n
  disableVendorPrefixes?: boolean,\n
  sheet?: StyleSheet,\n
  stylisPlugins?: Array<Function>,\n
  target?:
HTMLElement,\n
};\n\n
export const StyleSheetContext: Context<StyleSheet
| void> = React.createContext();\n\n
export const StyleSheetConsumer = StyleSheetContext.Consumer;\n\n
export const
StylisContext: Context<Stringifier | void> = React.createContext();\n\n
export const StylisConsumer =
StylisContext.Consumer;\n\n
export const masterSheet: StyleSheet = new StyleSheet();\n\n
export const masterStylis:
Stringifier = createStylisInstance();\n\n
export function useStyleSheet(): StyleSheet {\n
  return
useContext(StyleSheetContext) || masterSheet;\n
}\n\n
export function useStylis(): Stringifier {\n
  return
useContext(StylisContext) || masterStylis;\n
}\n\n
export default function StyleSheetManager(props: Props) {\n
  const
[plugins, setPlugins] = useState(props.stylisPlugins);\n
  const contextStyleSheet = useStyleSheet();\n
  const
styleSheet = useMemo(() => {\n
    let sheet = contextStyleSheet;\n\n
    if (props.sheet) {\n
      // eslint-disable-next-
      line prefer-destructuring\n
      sheet = props.sheet;\n
    } else if (props.target) {\n
      sheet =
sheet.reconstructWithOptions({
target: props.target }, false);\n
    }\n\n
    if (props.disableCSSOMInjection) {\n
      sheet =
sheet.reconstructWithOptions({ useCSSOMInjection: false });\n
    }\n\n
    return sheet;\n
  },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n
  const stylis = useMemo(\n
    () =>\n
    createStylisInstance({\n
      options: { prefix: !props.disableVendorPrefixes },\n
      plugins,\n
    },\n
[props.disableVendorPrefixes, plugins]\n
);\n\n
  useEffect(() => {\n
    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n
  }, [props.stylisPlugins]);\n\n
  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n
  <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n
? React.Children.only(props.children)\n
: props.children}\n
</StylisContext.Provider>\n
</StyleSheetContext.Provider>\n
);\n\n
}\n\n
"}\n\n
@flow\n\n
import StyleSheet from
'./sheet';\n\n
import { type Stringifier
} from './types';\n\n
import throwStyledError from './utils/error';\n\n
import { masterStylis } from
'./StyleSheetManager';\n\n
export default class Keyframes {\n
  id: string;\n\n
  name: string;\n\n
  rules: string;\n\n
  constructor(name: string, rules: string) {\n
    this.name = name;\n
    this.id = `sc-keyframes-${name}`;\n
    this.rules
= rules;\n
  }\n\n
  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n
    const
resolvedName = this.name + stylisInstance.hash;\n\n
    if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n
      styleSheet.insertRules(\n
this.id,\n
resolvedName,\n
stylisInstance(this.rules, resolvedName,
'@keyframes')\n
);\n
  }\n\n
  toString = () => {\n
    return throwStyledError(12, String(this.name));\n
  };\n\n
  getName(stylisInstance: Stringifier = masterStylis) {\n
    return this.name + stylisInstance.hash;\n
  }\n\n
}\n\n
"}\n\n
@flow\n\n
/**\n
 * inlined version of\n
 *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n

```

```
*\n\nconst uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;\nconst prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * <`background-color`\n * > hyphenateStyleName('MozTransition')\n * <`-moz-transition`\n * > hyphenateStyleName('msTransition')\n * <`-ms-transition`\n * As Modernizr suggests (http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `-ms-`.\n * @param {string} string\n * @return {string}\n */\nexport default function hyphenateStyleName(string: string): string {\n  return uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern, '-ms-')\n    : string;\n}\n\n"/ @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n  // https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n  // $FlowFixMe\n  if (value == null || typeof value === 'boolean' || value === '') {\n    return '';\n  }\n  if (typeof value === 'number' && value !== 0 && !(name in unitless) && !name.startsWith('--')) {\n    return `${value}px`;\n  }\n  // Presumes implicit 'px' suffix for unitless numbers except for CSS variables\n  return String(value).trim();\n}\n\n"/ @flow\nimport { isElement } from 'react-is';\nimport getComponentName from './getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from './isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from './hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from './types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk === '';\n\nexport const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key])};`);\n    }\n  }\n\n  return prevKey ? [` ${prevKey} {`, ...rules, `}`] : rules;\n}\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);\n\n      if (result === '') continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n      else ruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n    return '';\n  }\n\n  /* Handle other components */\n  if (isStyledComponent(chunk)) {\n    return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either execute or defer the function */\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext) {\n      const result = chunk(executionContext);\n\n      if (process.env.NODE_ENV !== 'production' && isElement(result)) {\n        // eslint-disable-next-line no-console\n        console.warn(\n          `${getComponentName(chunk)} is not a styled component and cannot be referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for more details.`\n        );\n      }\n\n      return flatten(result, executionContext, styleSheet, stylisInstance);\n    } else return chunk;\n  }\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet, stylisInstance);\n      return chunk.getName(stylisInstance);\n    } else return chunk;\n  }\n\n  /* Handle objects */\n  return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n\n"/ @flow\nconst printed = {};\n\nexport default function warnOnce(message) {\n  if (printed[message]) return;\n  printed[message] = true;\n\n  if (typeof console !== 'undefined' && console.warn) console.warn(message);\n}\n\n"/ @flow\nconst SINGLE_QUOTE = '\\''\n  .charCodeAt(0);\nconst DOUBLE_QUOTE = '\"'\n  .charCodeAt(0);\nconst BACKSLASH = '\\\\'\n  .charCodeAt(0);\nconst SLASH = '/'\n  .charCodeAt(0);\nconst NEWLINE = '\n'\n  .charCodeAt(0);
```

```

'\n'.charCodeAt(0);\nconst SPACE = ' '.charCodeAt(0);\nconst FEED = '\f'.charCodeAt(0);\nconst TAB =
'\t'.charCodeAt(0);\nconst CR = '\r'.charCodeAt(0);\nconst OPEN_SQUARE = '['.charCodeAt(0);\nconst
CLOSE_SQUARE = ']'.charCodeAt(0);\nconst OPEN_PARENTHESES = '('.charCodeAt(0);\nconst
CLOSE_PARENTHESES = ')'.charCodeAt(0);\nconst OPEN_CURLY = '{'.charCodeAt(0);\nconst
CLOSE_CURLY = '}'.charCodeAt(0);\nconst SEMICOLON = ';'.charCodeAt(0);\nconst ASTERISK =
'*'.charCodeAt(0);\nconst COLON = ':'.charCodeAt(0);\nconst AT = '@'.charCodeAt(0);\n\nconst RE_AT_END = /[
\\n\\t\\r\\f\\{\\(\\)\\'\\\"\\;\\/\\[\\]#]/g;\nconst RE_WORD_END = /[ \\n\\t\\r\\f\\(\\)\\{\\};@!\"'\\\\\\\\\\]#[#]\\\\\\(?!=\\*)/g;\nconst
RE_BAD_BRACKET = /.[\\\\\\\\\\(\\(\\'\\n];\n\nexport default function tokenize(input, options = {}) {\n  const tokens
= [];\n  const css = input.css.valueOf();\n  const ignore = options.ignoreErrors;\n  let code,\n  next,\n  quote,\n  lines,\n  last,\n  content,\n  escape,\n  nextLine,\n  nextOffset,\n  escaped,\n  escapePos,\n  prev,\n  n;\n  const length = css.length;\n  let offset = -1;\n  let line
= 1;\n  let pos = 0;\n  function unclosed(what) {\n    throw input.error(`Unclosed ${what}`, line, pos - offset);\n  }\n  while (pos < length) {\n    code = css.charCodeAt(pos);\n    if (code === NEWLINE || code === FEED ||
(code === CR && css.charCodeAt(pos + 1) !== NEWLINE)) {\n      offset = pos;\n      line += 1;\n    }\n    switch
(code) {\n      case NEWLINE:\n      case SPACE:\n      case TAB:\n      case CR:\n      case FEED:\n        next =
pos;\n        do {\n          next += 1;\n          code = css.charCodeAt(next);\n          if (code === NEWLINE) {\n
offset = next;\n            line += 1;\n          }\n        } while (\n          code === SPACE ||\n          code === NEWLINE
||\n          code === TAB ||\n          code === CR ||\n          code === FEED\n        );\n        tokens.push(['space',
css.slice(pos, next)]);\n        pos = next - 1;\n        break;\n      case OPEN_SQUARE:\n        tokens.push(['[', '[', line, pos - offset]);\n
break;\n      case CLOSE_SQUARE:\n        tokens.push([']', ']', line, pos - offset]);\n        break;\n      case
OPEN_CURLY:\n        tokens.push(['{', '{', line, pos - offset]);\n        break;\n      case CLOSE_CURLY:\n
tokens.push(['}', '}', line, pos - offset]);\n        break;\n      case COLON:\n        tokens.push([':', ':', line, pos -
offset]);\n        break;\n      case SEMICOLON:\n        tokens.push([';', ';', line, pos - offset]);\n        break;\n
      case OPEN_PARENTHESES:\n        prev = tokens.length ? tokens[tokens.length - 1][1] : '';\n        n =
css.charCodeAt(pos + 1);\n        if (\n          prev === 'url' &&\n          n !== SINGLE_QUOTE &&\n          n !==
DOUBLE_QUOTE &&\n          n !== SPACE &&\n          n !== NEWLINE &&\n          n !== TAB &&\n          n
!== FEED &&\n          n !== CR\n        )\n        {\n          next = pos;\n          do {\n            escaped = false;\n            next = css.indexOf('(', next + 1);\n            if
(next === -1) {\n              if (ignore) {\n                next = pos;\n                break;\n              } else {\n
unclosed('bracket');\n                }\n            }\n            escapePos = next;\n            while (css.charCodeAt(escapePos - 1)
=== BACKSLASH) {\n              escapePos -= 1;\n              escaped = !escaped;\n            }\n          } while
(escaped);\n          tokens.push([\n            'brackets',\n            css.slice(pos, next + 1),\n            line,\n            pos -
offset,\n            line,\n            next - offset,\n            ]);\n            pos = next;\n          } else {\n            next = css.indexOf('(',
pos + 1);\n            content = css.slice(pos, next + 1);\n            if (next === -1 || RE_BAD_BRACKET.test(content))\n            {\n              tokens.push(['(', '(', line, pos - offset]);\n            }\n          } else {\n            tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n            pos = next;\n          }\n        }\n        break;\n      case CLOSE_PARENTHESES:\n        tokens.push([')', ')', line, pos - offset]);\n
break;\n      case SINGLE_QUOTE:\n      case DOUBLE_QUOTE:\n        quote = code === SINGLE_QUOTE ?
'\'' : '\"';\n        next = pos;\n        do {\n          escaped = false;\n          next = css.indexOf(quote, next + 1);\n          if
(next === -1) {\n            if (ignore) {\n              next = pos + 1;\n              break;\n            } else {\n
unclosed('quote');\n              }\n            }\n            escapePos = next;\n            while (css.charCodeAt(escapePos - 1) ===
BACKSLASH) {\n              escapePos -= 1;\n              escaped = !escaped;\n            }\n          } while (escaped);\n          content = css.slice(pos, next + 1);\n          lines = content.split('\\n');\n          last = lines.length - 1;\n          if (last > 0) {\n            nextLine = line + last;\n            nextOffset = next - lines[last].length;\n          } else {\n
nextLine = line;\n            nextOffset = offset;\n          }\n          tokens.push([\n            'string',\n            css.slice(pos, next
+ 1),\n            line,\n            pos - offset,\n            nextLine,\n            next - nextOffset,\n            ]);\n          offset =
nextOffset;\n          line = nextLine;\n          pos = next;\n          break;\n      case AT:\n        RE_AT_END.lastIndex =

```

```

pos + 1;\n    RE_AT_END.test(css);\n    if (RE_AT_END.lastIndex === 0) {\n        next = css.length - 1;\n    } else {\n        next = RE_AT_END.lastIndex - 2;\n    }\n    tokens.push(['at-word', css.slice(pos, next + 1),\nline, pos - offset, line, next - offset]);\n    pos = next;\n    break;\n\n    case BACKSLASH:\n        next = pos;\n        escape = true;\n        while (css.charCodeAt(next + 1) === BACKSLASH) {\n            next += 1;\n            escape = !escape;\n        }\n        code = css.charCodeAt(next + 1);\n        if (\n            escape\n            &&\n            (code !== SLASH &&\n            code !== SPACE &&\n            code !== NEWLINE &&\n            code\n            !== TAB &&\n            code !== CR &&\n            code !== FEED)\n        ) {\n            next += 1;\n        }\n        tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n        pos = next;\n        break;\n\n        default:\n            if (code === SLASH && css.charCodeAt(pos + 1) === ASTERISK) {\n                next =\n                css.indexOf('*/', pos + 2) + 1;\n                if (next === 0) {\n                    if (ignore) {\n                        next = css.length;\n                    }\n                } else {\n                    unclosed('comment');\n                }\n                content = css.slice(pos, next + 1);\n                lines =\n                content.split('\n');\n                last = lines.length - 1;\n                if (last > 0) {\n                    nextLine = line + last;\n                    nextOffset = next - lines[last].length;\n                } else {\n                    nextLine = line;\n                    nextOffset = offset;\n                }\n                tokens.push(['comment', content, line, pos - offset, nextLine, next - nextOffset]);\n                offset =\n                nextOffset;\n                line = nextLine;\n                pos = next;\n            } else {\n                RE_WORD_END.lastIndex = pos +\n                1;\n                RE_WORD_END.test(css);\n                if (RE_WORD_END.lastIndex === 0) {\n                    next = css.length -\n                    1;\n                } else {\n                    next = RE_WORD_END.lastIndex - 2;\n                }\n                tokens.push(['word',\n                css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n                pos = next;\n            }\n        }\n        break;\n    }\n\n    pos++;\n    }\n    return tokens;\n}\n\n"/ @flow\nimport tokenize from './tokenize';\nimport Input from\n './input';\n\nconst HIGHLIGHT_THEME = {\n    brackets: [36, 39], // cyan\n    string: [31, 39], // red\n    'at-word': [31,\n    39], // red\n    comment:\n    [90, 39], // gray\n    ':': [32, 39], // green\n    ' ': [32, 39], // green\n    '::': [1, 22], // bold\n    ' ': [1, 22], // bold\n    '(': [1,\n    22], // bold\n    ')': [1, 22], // bold\n};\n\nfunction code(color) {\n    return `\\u001b[${color}m`;\n}\n\nfunction\n    terminalHighlight(css) {\n        const tokens = tokenize(new Input(css), { ignoreErrors: true });\n        const result = [];\n        tokens.forEach(token => {\n            const color = HIGHLIGHT_THEME[token[0];\n            if (color) {\n                result.push(\n                token[1]\n                .split(/r?/)\n                .map(i => code(color[0]) + i + code(color[1]))\n                .join('\n')\n                );\n            } else {\n                result.push(token[1]);\n            }\n        });\n        return result.join('');\n    }\n\n    export default terminalHighlight;\n}\n\n"/ @flow\nimport supportsColor from 'supports-color';\nimport terminalHighlight from './terminal-\nhighlight';\nimport warnOnce from './warn-once';\n\n/**\n * The CSS parser throws this error for broken CSS.\n *\n * Custom parsers can throw this error for\n *\n * broken custom syntax using\n * the {@link Node#error} method.\n *\n * PostCSS will use the input source map to\n * detect the original error location.\n *\n * If you wrote a Sass file, compiled it to CSS and then parsed it with PostCSS,\n *\n * PostCSS will show the original position in the Sass file.\n *\n * If you need the position in the PostCSS input\n *\n * (e.g., to debug the previous compiler), use `error.input.file`.\n *\n * @example\n * // Catching and checking syntax\n * error\n * try {\n *     postcss.parse('a{\n * }')\n * } catch (error) {\n *     if (error.name === 'CssSyntaxError') {\n *         error\n * //=> CssSyntaxError\n *     }\n * }\n *\n * @example\n * // Raising error from plugin\n * throw node.error('Unknown\n * variable', { plugin: 'postcss-vars' });\n *\n * class CssSyntaxError {\n *     /**\n *      * @param {string} message - error\n * message\n *      * @param {number} [line] - source line of the error\n *      * @param {number} [column] - source column\n * of the error\n *      * @param {string} [source] - source code of the broken\n * file\n *      * @param {string} [file] - absolute path to the broken file\n *      * @param {string} [plugin] - PostCSS plugin\n * name, if error came from plugin\n *      *\n * constructor(message, line, column, source, file, plugin) {\n *     /**\n *      * @member {string} - Always equal to `CssSyntaxError`. You should\n * always check error type\n *      *\n *     by `error.name === 'CssSyntaxError` instead of\n *     `error instanceof CssSyntaxError`,\n * because\n *     npm could have several PostCSS versions.\n *     @example\n *     if (error.name\n * === 'CssSyntaxError') {\n *         error //=> CssSyntaxError\n *     }\n *     ^\n *     this.name = 'CssSyntaxError';\n *     /**\n *      * @member {string} - Error message.\n *     @example\n *     error.message //=> 'Unclosed block'\n *     ^\n *     this.reason = message;\n *     if (file) {\n *     /**\n *      * @member {string} - Absolute path to the broken\n * file.\n *     }\n * }\n *

```



```

'value');\n\n if (node.important) {\n string += node.rows.important || ' !important';\n }\n\n if (semicolon)
string += ';';\n this.builder(string, node);\n }\n\n rule(node) {\n this.block(node, this.rawValue(node,
'selector'));\n }\n\n atrule(node, semicolon) {\n
let name = `@${node.name}`;\n const params = node.params ? this.rawValue(node, 'params') : '';\n\n if (typeof
node.rows.afterName !== 'undefined') {\n name += node.rows.afterName;\n } else if (params) {\n name += '
';\n }\n\n if (node.nodes) {\n this.block(node, name + params);\n } else {\n const end =
(node.rows.between || ") + (semicolon ? ';' : ");\n this.builder(name + params + end, node);\n }\n }\n\n
body(node) {\n let last = node.nodes.length - 1;\n while (last > 0) {\n if (node.nodes[last].type !== 'comment')
break;\n last -= 1;\n }\n\n const semicolon = this.raw(node, 'semicolon');\n for (let i = 0; i <
node.nodes.length; i++) {\n const child = node.nodes[i];\n const before = this.raw(child, 'before');\n if
(before) this.builder(before);\n this.stringify(child, last !== i || semicolon);\n }\n }\n\n block(node, start) {\n
const between = this.raw(node, 'between', 'beforeOpen');\n
this.builder(`${start + between}`, node, 'start');\n\n let after;\n if (node.nodes && node.nodes.length) {\n
this.body(node);\n after = this.raw(node, 'after');\n } else {\n after = this.raw(node, 'after', 'emptyBody');\n
}\n\n if (after) this.builder(after);\n this.builder('}', node, 'end');\n }\n\n raw(node, own, detect) {\n let value;\n
if (!detect) detect = own;\n\n // Already had\n if (own) {\n value = node.rows[own];\n if (typeof value
!== 'undefined') return value;\n }\n\n const parent = node.parent;\n\n // Hack for first rule in CSS\n if (detect
=== 'before') {\n if (!parent || (parent.type === 'root' && parent.first === node)) {\n return ";\n }\n }\n\n
// Floating child without parent\n if (!parent) return defaultRaw[detect];\n\n // Detect style by other nodes\n
const root = node.root();\n if (!root.rawCache) root.rawCache = {};\n if (typeof root.rawCache[detect]
!== 'undefined') {\n return root.rawCache[detect];\n }\n\n if (detect === 'before' || detect === 'after') {\n
return this.beforeAfter(node, detect);\n } else {\n const method = `raw${capitalize(detect)}`;\n if
(this[method]) {\n value = this[method](root, node);\n } else {\n root.walk(i => {\n value =
i.rows[own];\n if (typeof value !== 'undefined') return false;\n });\n }\n }\n\n if (typeof value ===
'undefined') value = defaultRaw[detect];\n\n root.rawCache[detect] = value;\n return value;\n }\n\n
rawSemicolon(root) {\n let value;\n root.walk(i => {\n if (i.nodes && i.nodes.length && i.last.type ===
'decl') {\n value = i.rows.semicolon;\n if (typeof value !== 'undefined') return false;\n }\n });\n return
value;\n }\n\n rawEmptyBody(root) {\n let value;\n root.walk(i => {\n if (i.nodes && i.nodes.length === 0)
{\n value = i.rows.after;\n
if (typeof value !== 'undefined') return false;\n }\n });\n return value;\n }\n\n rawIndent(root) {\n if
(root.rows.indent) return root.rows.indent;\n let value;\n root.walk(i => {\n const p = i.parent;\n if (p && p
!== root && p.parent && p.parent === root) {\n if (typeof i.rows.before !== 'undefined') {\n const parts =
i.rows.before.split("\\n");\n value = parts[parts.length - 1];\n value = value.replace(/[\^\\s]/g, "");\n
return false;\n }\n }\n });\n return value;\n }\n\n rawBeforeComment(root, node) {\n let value;\n
root.walkComments(i => {\n if (typeof i.rows.before !== 'undefined') {\n value = i.rows.before;\n if
(value.indexOf("\\n") !== -1) {\n value = value.replace(/[\^\\n]+$/, "");\n }\n return false;\n }\n });\n
if (typeof value === 'undefined') {\n value = this.raw(node, null, 'beforeDecl');\n }\n return
value;\n }\n\n rawBeforeDecl(root, node) {\n let value;\n root.walkDecls(i => {\n if (typeof i.rows.before
!== 'undefined') {\n value = i.rows.before;\n if (value.indexOf("\\n") !== -1) {\n value =
value.replace(/[\^\\n]+$/, "");\n }\n return false;\n }\n });\n if (typeof value === 'undefined') {\n
value = this.raw(node, null, 'beforeRule');\n }\n return value;\n }\n\n rawBeforeRule(root) {\n let value;\n
root.walk(i => {\n if (i.nodes && (i.parent !== root || root.first !== i)) {\n if (typeof i.rows.before !==
'undefined') {\n value = i.rows.before;\n if (value.indexOf("\\n") !== -1) {\n value =
value.replace(/[\^\\n]+$/, "");\n }\n return false;\n }\n }\n });\n return value;\n }\n\n
rawBeforeClose(root) {\n let value;\n root.walk(i => {\n if (i.nodes && i.nodes.length > 0) {\n if (typeof
i.rows.after !== 'undefined')
{\n value = i.rows.after;\n if (value.indexOf("\\n") !== -1) {\n value = value.replace(/[\^\\n]+$/,
");\n }\n }\n return false;\n }\n }\n });\n return value;\n }\n\n rawBeforeOpen(root) {\n let

```

```

value;\n root.walk(i => {\n   if (i.type !== 'decl') {\n     value = i.raws.between;\n     if (typeof value !==
'undefined') return false;\n   }\n });\n return value;\n }\n\n rawColon(root) {\n   let value;\n   root.walkDecls(i => {\n     if (typeof i.raws.between !== 'undefined') {\n       value =
i.raws.between.replace(/^[\\s:]/g, '');\n       return false;\n     }\n   });\n   return value;\n }\n\n beforeAfter(node,
detect) {\n   let value;\n   if (node.type === 'decl') {\n     value = this.raw(node, null, 'beforeDecl');\n   } else if
(node.type === 'comment') {\n     value = this.raw(node, null, 'beforeComment');\n   } else if (detect === 'before')
{\n     value = this.raw(node, null,
'beforeRule');\n   } else {\n     value = this.raw(node, null, 'beforeClose');\n   }\n\n   let buf = node.parent;\n   let
depth = 0;\n   while (buf && buf.type !== 'root') {\n     depth += 1;\n     buf = buf.parent;\n   }\n\n   if
(value.indexOf("\\n") !== -1) {\n     const indent = this.raw(node, null, 'indent');\n     if (indent.length) {\n       for
(let step = 0; step < depth; step++) value += indent;\n     }\n   }\n\n   return value;\n }\n\n rawValue(node, prop)
{\n   const value = node[prop];\n   const raw = node.raws[prop];\n   if (raw && raw.value === value) {\n     return
raw.raw;\n   } else {\n     return value;\n   }\n }\n\n\nexport default Stringifier;\n", "// @flow\nimport Stringifier
from './stringifier';\n\nexport default function stringify(node, builder) {\n   const str = new Stringifier(builder);\n   str.stringify(node);\n }\n", "// @flow\nimport CssSyntaxError from './css-syntax-error';\nimport Stringifier from
'./stringifier';\nimport stringify
from './stringify';\nimport warnOnce from './warn-once';\n\n/**\n * @typedef {object} position\n * @property
{number} line - source line in file\n * @property {number} column - source column in file\n *\n *\n *\n * @typedef {object} source\n * @property {Input} input - {@link Input} with input file\n * @property {position}
start - The starting position of the node's source\n * @property {position} end - The ending position of the node's
source\n *\n *\n const cloneNode = function(obj, parent) {\n   const cloned = new obj.constructor();\n\n   for (const i in
obj) {\n     if (!obj.hasOwnProperty(i)) continue;\n     let value = obj[i];\n     const type = typeof value;\n\n     if (i ===
'parent' && type === 'object') {\n       if (parent) cloned[i] = parent;\n     } else if (i === 'source') {\n       cloned[i] =
value;\n     } else if (value instanceof Array) {\n       cloned[i] = value.map(j => cloneNode(j, cloned));\n     } else if (i
!== 'before' && i !== 'after' && i !== 'between' && i !==
'semicolon') {\n       if (type === 'object' && value !== null) value = cloneNode(value);\n       cloned[i] = value;\n
}\n   }\n\n   return cloned;\n };
\n\n /**\n * All node classes inherit the following common methods.\n *\n * @abstract\n *\n *\n class Node {\n   /**\n    * @param {object} [defaults] - value for node properties\n    *\n    * constructor(defaults =
{}) {\n     this.raws = {};\n     for (const name in defaults) {\n       this[name] = defaults[name];\n     }\n   }\n }\n\n /**\n * Returns a CssSyntaxError instance containing the original position\n * of the node in the source, showing line and
column numbers and also\n * a small excerpt to facilitate debugging.\n *\n * If present, an input source map will
be used to get the original position\n * of the source, even from a previous compilation step\n * (e.g., from Sass
compilation).\n *\n * This method produces very useful error messages.\n *\n * @param {string} message -
error description\n * @param {object} [opts]
- options\n * @param {string} opts.plugin - plugin name that created this error.\n *
PostCSS will set it automatically.\n * @param {string} opts.word - a word inside a node's string that should\n *
be highlighted as the source of the error\n * @param {number} opts.index - an index inside a
node's string that should\n * be highlighted as the source of the error\n *\n * @return
{CssSyntaxError} error object to throw it\n *\n * @example\n * if (!variables[name]) {\n *   throw
decl.error('Unknown variable ' + name, { word: name });\n *   // CssSyntaxError: postcss-vars:a.sass:4:3: Unknown
variable $black\n *   // color: $black\n *   // a\n *   // ^\n *   // background: white\n * }\n *\n error(message, opts = {}) {\n   if (this.source) {\n     const pos = this.positionBy(opts);\n     return
this.source.input.error(message, pos.line, pos.column,
opts);\n   } else {\n     return new CssSyntaxError(message);\n   }\n }\n\n /**\n * This method is provided as a
convenience wrapper for {@link Result#warn}.\n *\n * @param {Result} result - the {@link Result}
instance\n * @param {string} text - warning message\n * @param {object} [opts] - options\n * @param {string} opts.plugin - plugin name that created this warning.\n *
PostCSS will set it automatically.\n * @param {string} opts.word - a word inside a node's

```



```

string that should\n * be highlighted as the source of the warning\n * @param {number}
opts.index - an index inside a node's string that should\n * be highlighted as the source of the
warning\n * @return {Warning} created warning object\n * @example\n * const plugin =
postcss.plugin('postcss-deprecated',
() => {\n * return (root, result) => {\n * root.walkDecls('bad', decl => {\n * decl.warn(result, 'Deprecated
property bad');\n * });\n * });\n * });\n * }\n * warn(result, text, opts) {\n const data = { node: this };\n for
(const i in opts) data[i] = opts[i];\n return result.warn(text, data);\n }\n\n /**\n * Removes the node from its
parent and cleans the parent properties\n * from the node and its children.\n * @example\n * if (
decl.prop.match(/^~webkit-/) {\n * decl.remove();\n * }\n * @return {Node} node to make calls chain\n
*\n * remove() {\n if (this.parent) {\n this.parent.removeChild(this);\n }\n this.parent = undefined;\n return
this;\n }\n\n /**\n * Returns a CSS string representing the node.\n * @param {stringifier|syntax}
[stringifier] - a syntax to use\n * in string generation\n * @return {string} CSS
string of this
node\n * @example\n * postcss.rule({ selector: 'a' }).toString() // => \"a {\n * toString(stringifier =
stringify) {\n if (stringifier.stringify) stringifier = stringifier.stringify;\n let result = \";\n stringifier(this, i => {\n
result += i;\n });\n return result;\n }\n\n /**\n * Returns a clone of the node.\n * The resulting cloned
node and its (cloned) children will have\n * a clean parent and code style properties.\n * @param {object}
[overrides] - new properties to override in the clone.\n * @example\n * const cloned = decl.clone({ prop: '-
moz-' + decl.prop });\n * cloned.raws.before // => undefined\n * cloned.parent // => undefined\n *
cloned.toString() // => -moz-transform: scale(0)\n * @return {Node} clone of the node\n *\n
clone(overrides = {}) {\n const cloned = cloneNode(this);\n for (const name in overrides) {\n cloned[name] =
overrides[name];\n }\n return cloned;\n
}\n\n /**\n * Shortcut to clone the node and insert the resulting cloned node\n * before the current node.\n *
@param {object} [overrides] - new properties to override in the clone.\n * @example\n *
decl.cloneBefore({ prop: '-moz-' + decl.prop });\n * @return {Node} - new node\n *\n
cloneBefore(overrides = {}) {\n const cloned = this.clone(overrides);\n this.parent.insertBefore(this, cloned);\n
return cloned;\n }\n\n /**\n * Shortcut to clone the node and insert the resulting cloned node\n * after the current
node.\n * @param {object} [overrides] - new properties to override in the clone.\n * @return {Node} -
new node\n *\n cloneAfter(overrides = {}) {\n const cloned = this.clone(overrides);\n
this.parent.insertAfter(this, cloned);\n return cloned;\n }\n\n /**\n * Inserts node(s) before the current node and
removes the current node.\n * @param {...Node} nodes - node(s) to replace current one\n
*\n * @example\n * if ( atrule.name === 'mixin' ) {\n * atrule.replaceWith(mixinRules[atrule.params]);\n *
}\n * @return {Node} current node to methods chain\n *\n replaceWith(...nodes) {\n if (this.parent) {\n
nodes.forEach(node => {\n this.parent.insertBefore(this, node);\n });\n this.remove();\n }\n\n return
this;\n }\n\n /**\n * Removes the node from its current parent and inserts it\n * at the end of `newParent`.\n *
This will clean the `before` and `after` code { @link Node#raws } data\n * from the node and replace them with
the indentation style of `newParent`.\n * It will also clean the `between` property\n * if `newParent` is in another
{ @link Root}.\n * @param {Container} newParent - container node where the current node\n *
will be moved\n * @example\n * atrule.moveTo(atrule.root());\n * @return {Node} current node
to methods chain\n *\n
moveTo(newParent) {\n this.cleanRaws(this.root() === newParent.root());\n this.remove();\n
newParent.append(this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it
into\n * a new parent before `otherNode`.\n * This will also clean the node's code style properties just as it
would\n * in { @link Node#moveTo}.\n * @param {Node} otherNode - node that will be before current
node\n * @return {Node} current node to methods chain\n *\n moveBefore(otherNode) {\n
this.cleanRaws(this.root() === otherNode.root());\n this.remove();\n otherNode.parent.insertBefore(otherNode,
this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it into\n * a new parent
after `otherNode`.\n * This will also clean the node's code style properties just as it would\n * in { @link

```

```

Node#moveTo}\n *\n * @param {Node} otherNode - node that will be after current node\n *\n
* @return {Node} current node to methods chain\n */\n moveAfter(otherNode) {\n this.cleanRaws(this.root())
=== otherNode.root());\n this.remove();\n otherNode.parent.insertAfter(otherNode, this);\n return this;\n }\n\n
/**\n * Returns the next child of the node's parent.\n * Returns `undefined` if the current node is the last child.\n
*\n * @return {Node|undefined} next node\n *\n * @example\n * if ( comment.text === 'delete next' ) {\n *
const next = comment.next();\n * if ( next ) {\n * next.remove();\n * }\n * }\n */\n next() {\n const
index = this.parent.index(this);\n return this.parent.nodes[index + 1];\n }\n\n /**\n * Returns the previous child
of the node's parent.\n * Returns `undefined` if the current node is the first child.\n *\n * @return
{Node|undefined} previous node\n *\n * @example\n * const annotation = decl.prev();\n * if ( annotation.type
=== 'comment' ) {\n * readAnnotation(annotation.text);\n
*\n * }\n */\n prev() {\n const index = this.parent.index(this);\n return this.parent.nodes[index - 1];\n }\n\n
toJSON() {\n const fixed = {};\n for (const name in this) {\n if (!this.hasOwnProperty(name)) continue;\n
if (name === 'parent') continue;\n const value = this[name];\n if (value instanceof Array) {\n
fixed[name] = value.map(i => {\n if (typeof i === 'object' && i.toJSON) {\n return i.toJSON();\n
} else {\n return i;\n });\n } else if (typeof value === 'object' && value.toJSON) {\n
fixed[name] = value.toJSON();\n } else {\n fixed[name] = value;\n }\n }\n return fixed;\n }\n\n
/**\n * Returns a {@link Node#raws} value. If the node is missing\n * the code style property (because the node
was manually built or cloned),\n * PostCSS will try to autodetect the code style property by looking\n * at other
nodes in the tree.\n
*\n * @param {string} prop - name of code style property\n * @param {string} [defaultType] - name of
default value, it can be missed\n * if the value is the same as prop\n *\n * @example\n *
const root = postcss.parse('a { background: white }');\n * root.nodes[0].append({ prop: 'color', value: 'black' });\n
*\n * root.nodes[0].nodes[1].raws.before //=> undefined\n * root.nodes[0].nodes[1].raw('before') //=> '\n *\n *
*\n * @return {string} code style value\n */\n raw(prop, defaultType) {\n const str = new Stringifier();\n return
str.raw(this, prop, defaultType);\n }\n\n /**\n * Finds the Root instance of the node's tree.\n *\n * @example\n
*\n * root.nodes[0].nodes[0].root() === root\n *\n * @return {Root} root parent\n */\n root() {\n let result =
this;\n while (result.parent) result = result.parent;\n return result;\n }\n\n cleanRaws(keepBetween) {\n delete
this.raws.before;\n delete
this.raws.after;\n if (!keepBetween) delete this.raws.between;\n }\n\n positionInside(index) {\n const string =
this.toString();\n let column = this.source.start.column;\n let line = this.source.start.line;\n for (let i = 0; i <
index; i++) {\n if (string[i] === '\\n') {\n column = 1;\n line += 1;\n } else {\n column += 1;\n
}\n }\n return { line, column };\n }\n\n positionBy(opts) {\n let pos = this.source.start;\n if (opts.index)
{\n pos = this.positionInside(opts.index);\n } else if (opts.word) {\n const index =
this.toString().indexOf(opts.word);\n if (index !== -1) pos = this.positionInside(index);\n }\n return pos;\n
}\n\n removeSelf() {\n warnOnce('Node#removeSelf is deprecated. Use Node#remove.);\n return
this.remove();\n }\n\n replace(nodes) {\n warnOnce('Node#replace is deprecated. Use Node#replaceWith');\n
return this.replaceWith(nodes);\n }\n\n style(own, detect)
{\n warnOnce('Node#style() is deprecated. Use Node#raw()');\n return this.raw(own, detect);\n }\n\n
cleanStyles(keepBetween) {\n warnOnce('Node#cleanStyles() is deprecated. Use Node#cleanRaws()');\n return
this.cleanRaws(keepBetween);\n }\n\n get before() {\n warnOnce('Node#before is deprecated. Use
Node#raws.before');\n return this.raws.before;\n }\n\n set before(val) {\n warnOnce('Node#before is
deprecated. Use Node#raws.before');\n this.raws.before = val;\n }\n\n get between() {\n
warnOnce('Node#between is deprecated. Use Node#raws.between');\n return this.raws.between;\n }\n\n set
between(val) {\n warnOnce('Node#between is deprecated. Use Node#raws.between');\n this.raws.between =
val;\n }\n\n /**\n * @memberof Node#\n * @member {string} type - String representing the node's type.\n *
Possible values are `root`, `atrul`, `rule`,\n * `decl`, or `comment`.\n *\n * @example\n

```

```

* postcss.decl({ prop: 'color', value: 'black' }).type //=> 'decl'\n *\n\n /**\n * @memberof Node#\n *
@member {Container} parent - the node's parent node.\n *\n * @example\n * root.nodes[0].parent == root;\n
*\n\n /**\n * @memberof Node#\n * @member {source} source - the input source of the node\n *\n * The
property is used in source map generation.\n *\n * If you create a node manually (e.g., with `postcss.decl()`),\n *
that node will not have a `source` property and will be absent\n * from the source map. For this reason, the plugin
developer should\n * consider cloning nodes to create new ones (in which case the new node's\n * source will
reference the original, cloned node) or setting\n * the `source` property manually.\n *\n * ``js\n * // Bad\n *
const prefixed = postcss.decl({\n *   prop: '-moz-' + decl.prop,\n *   value: decl.value\n * });\n *\n * // Good\n
* const prefixed = decl.clone({ prop: '-moz-' + decl.prop
});\n *\n * ``js\n * if ( atrule.name == 'add-link' ) {\n *   const rule = postcss.rule({ selector: 'a',
source: atrule.source });\n *   atrule.parent.insertBefore(atrule, rule);\n * }\n *\n * ``\n *\n * @example\n *
decl.source.input.from //=> '/home/ai/a.sass'\n * decl.source.start //=> { line: 10, column: 2 }\n *
decl.source.end //=> { line: 10, column: 12 }\n *\n\n /**\n * @memberof Node#\n * @member {object}
raws - Information to generate byte-to-byte equal\n * node string as it was in the origin input.\n *\n
* Every parser saves its own properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space
symbols before the node. It also stores `*\n * and `_\n * symbols before the declaration (IE hack).\n * * `after`: the
space symbols after the last child of the node\n * to the end of the node.\n * * `between`: the symbols between
the property and value\n * for declarations,
selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n * * `semicolon`: contains true if the last
child has\n * an (optional) semicolon.\n * * `afterName`: the space between the at-rule name and its
parameters.\n * * `left`: the space symbols between `/*` and the comment's text.\n * * `right`: the space symbols
between the comment's text\n * and <code>*&#47;</code>.\n * * `important`: the content of the important
statement,\n * if it is not just `!important`.\n *\n * PostCSS cleans selectors, declaration values and at-rule
parameters\n * from comments and extra spaces, but it stores origin content in raws\n * properties. As such, if you
don't change a declaration's value,\n * PostCSS will use the raw value with comments.\n *\n * @example\n *
const root = postcss.parse('a {\n *   color:black\n *}')\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n
*\n\n\nexport default Node;\n", "// @flow\nimport warnOnce
from './warn-once';\nimport Node from './node';\n\n/**\n * Represents a CSS declaration.\n *\n * @extends Node\n
*\n * @example\n * const root = postcss.parse('a { color: black }');\n * const decl = root.first.first;\n * decl.type
//=> 'decl'\n * decl.toString() //=> ' color: black'\n *\n\n class Declaration extends Node {\n *   constructor(defaults) {\n
*     super(defaults);\n *     this.type = 'decl';\n *   }\n *\n *   get _value() {\n *     warnOnce('Node#_value was deprecated. Use
Node#raws.value');\n *     return this.raws.value;\n *   }\n *\n *   set _value(val) {\n *     warnOnce('Node#_value was
deprecated. Use Node#raws.value');\n *     this.raws.value = val;\n *   }\n *\n *   get _important() {\n
*     warnOnce('Node#_important was deprecated. Use Node#raws.important');\n *     return this.raws.important;\n *   }\n
*\n *   set _important(val) {\n *     warnOnce('Node#_important was deprecated. Use Node#raws.important');\n *
this.raws.important = val;\n *   }\n *\n\n /**\n * @memberof Declaration#\n * @member {string} prop - the
declaration's property name\n *\n * @example\n * const root = postcss.parse('a { color: black }');\n * const
decl = root.first.first;\n * decl.prop //=> 'color'\n *\n\n /**\n * @memberof Declaration#\n * @member
{string} value - the declaration's value\n *\n * @example\n * const root = postcss.parse('a { color: black }');\n
* const decl = root.first.first;\n * decl.value //=> 'black'\n *\n\n /**\n * @memberof Declaration#\n *
@member {boolean} important - `true` if the declaration\n * has an !important annotation.\n *\n * @example\n *
const root = postcss.parse('a { color: black !important; color: red }');\n *
root.first.first.important //=> true\n * root.first.last.important //=> undefined\n *\n\n /**\n * @memberof
Declaration#\n * @member {object} raws - Information to generate byte-to-byte equal\n * node
string as it was in the origin input.\n *\n * Every parser saves
its own properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space symbols before the node. It
also stores `*\n * and `_\n * symbols before the declaration (IE hack).\n * * `between`: the symbols between the
property and value\n * for declarations, selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n *

```

```

* `important`: the content of the important statement,\n * if it is not just `!important`.\n *\n * PostCSS cleans
declaration from comments and extra spaces,\n * but it stores origin content in raws properties.\n * As such, if
you don't change a declaration's value,\n * PostCSS will use the raw value with comments.\n *\n * @example\n
* const root = postcss.parse('a {\n color:black\n})\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n
*/\n\n\nexport default Declaration;\n", "// @flow\nimport warnOnce from './warn-once';\nimport Node from
 './node';\n\n/**\n * Represents a comment between
declarations or statements (rule and at-rules).\n *\n * Comments inside selectors, at-rule parameters, or declaration
values\n * will be stored in the `raws` properties explained above.\n *\n * @extends Node\n */\n\n class Comment
extends Node {\n constructor(defaults) {\n super(defaults);\n this.type = 'comment';\n }\n\n get left() {\n
warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n return this.raws.left;\n }\n\n set left(val)
{\n warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n this.raws.left = val;\n }\n\n get
right() {\n warnOnce('Comment#right was deprecated. Use Comment#raws.right');\n return this.raws.right;\n
}\n\n set right(val) {\n warnOnce('Comment#right was deprecated. Use Comment#raws.right');\n this.raws.right
= val;\n }\n\n /**\n * @memberof Comment#\n * @member {string} text - the comment's text\n */\n\n /**\n
* @memberof Comment#\n * @member {object} raws - Information to generate
byte-to-byte equal\n * node string as it was in the origin input.\n *\n * Every parser saves its own
properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space symbols before the node.\n * *
`left`: the space symbols between `/*` and the comment's text.\n * * `right`: the space symbols between the
comment's text.\n */\n\n\nexport default Comment;\n", "// @flow\nimport Declaration from
 './declaration';\nimport tokenizer from './tokenizer';\nimport Comment from './comment';\nimport AtRule from './at-
rule';\nimport Root from './root';\nimport Rule from './rule';\n\n\nexport default class Parser {\n constructor(input) {\n
this.input = input;\n\n this.pos = 0;\n this.root = new Root();\n this.current = this.root;\n this.spaces = "";\n
this.semicolon = false;\n\n this.root.source = { input, start: { line: 1, column: 1 } };\n }\n\n tokenize() {\n
this.tokens = tokenizer(this.input);\n }\n\n loop() {\n
let token;\n while (this.pos < this.tokens.length) {\n token = this.tokens[this.pos];\n\n switch (token[0]) {\n
case 'space':\n case ';':\n this.spaces += token[1];\n break;\n\n case '}':\n
this.end(token);\n break;\n\n case 'comment':\n this.comment(token);\n break;\n\n case 'at-
word':\n this.atrule(token);\n break;\n\n case '{':\n this.emptyRule(token);\n break;\n\n
default:\n this.other();\n break;\n }\n\n this.pos += 1;\n }\n\n this.endFile();\n }\n\n
comment(token) {\n const node = new Comment();\n this.init(node, token[2], token[3]);\n node.source.end = {
line: token[4], column: token[5] };\n\n const text = token[1].slice(2, -2);\n if (/^\\s*$/ .test(text)) {\n node.text
= "";\n node.raws.left = text;\n node.raws.right = "";\n } else {\n const match =
text.match(/^\\s*(\\s*)(\\s*)(\\s*)$/);\n
node.text = match[2];\n node.raws.left = match[1];\n node.raws.right = match[3];\n }\n }\n\n
emptyRule(token) {\n const node = new Rule();\n this.init(node, token[2], token[3]);\n node.selector = "";\n
node.raws.between = "";\n this.current = node;\n }\n\n other() {\n let token;\n let end = false;\n let type =
null;\n let colon = false;\n let bracket = null;\n const brackets = [];\n const start = this.pos;\n while
(this.pos < this.tokens.length) {\n token = this.tokens[this.pos];\n type = token[0];\n\n if (type === '(' || type
=== '[') {\n if (!bracket) bracket = token;\n brackets.push(type === '(' ? ')' : ']');\n } else if
(brackets.length === 0) {\n if (type === ';') {\n if (colon) {\n this.decl(this.tokens.slice(start,
this.pos + 1));\n return;\n } else {\n break;\n }\n } else if
(type === '{') {\n this.rule(this.tokens.slice(start, this.pos + 1));\n return;\n } else if (type === '}')
{\n this.pos -= 1;\n end = true;\n break;\n } else if (type === ':') {\n colon = true;\n
}\n } else if (type === brackets[brackets.length - 1]) {\n brackets.pop();\n if (brackets.length === 0)
bracket = null;\n }\n\n this.pos += 1;\n }\n\n if (this.pos === this.tokens.length) {\n this.pos -= 1;\n
end = true;\n }\n\n if (brackets.length > 0) this.unclosedBracket(bracket);\n\n if (end && colon) {\n while
(this.pos > start) {\n token = this.tokens[this.pos][0];\n if (token !== 'space' && token !== 'comment')
break;\n this.pos -= 1;\n }\n this.decl(this.tokens.slice(start, this.pos + 1));\n return;\n }\n\n

```



```

mutating the array of child nodes during iteration.\n * PostCSS will adjust the current index to match the
mutations.\n *\n * @param {childIterator} callback - iterator receives each node and index\n *\n * @return
{false|undefined} returns `false` if iteration was broke\n *\n
* @example\n * const root = postcss.parse('a { color: black; z-index: 1 }');\n * const rule = root.first;\n *\n *
for ( let decl of rule.nodes ) {\n *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n *   // Cycle will be
infinite, because cloneBefore moves the current node\n *   // to the next index\n * }\n *\n * rule.each(decl =>
{\n *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n *   // Will be executed only for color and z-index\n
* });\n *\n * ^\n * each(callback) {\n *   if (!this.lastEach) this.lastEach = 0;\n *   if (!this.indexes) this.indexes = {};\n *
this.lastEach += 1;\n *   const id = this.lastEach;\n *   this.indexes[id] = 0;\n *   if (!this.nodes) return undefined;\n *
let index, result;\n *   while (this.indexes[id] < this.nodes.length) {\n *     index = this.indexes[id];\n *     result =
callback(this.nodes[index], index);\n *     if (result === false) break;\n *     this.indexes[id] += 1;\n *   }\n *
delete this.indexes[id];\n *
return result;\n * }\n *
/**\n * Traverses the container's descendant nodes, calling callback\n * for each node.\n *
Like container.each(), this method is safe to use\n * if you are mutating arrays during iteration.\n *
If you only need to iterate through the container's immediate children,\n * use { @link Container#each }.\n *
@param {childIterator} callback - iterator receives each node and index\n *\n * @return {false|undefined} returns
`false` if iteration was broke\n *\n * @example\n * root.walk(node => {\n *   // Traverses all descendant
nodes.\n * });\n *
^ walk(callback) {\n *   return this.each((child, i) => {\n *     let result = callback(child, i);\n *     if
(result !== false && child.walk) {\n *       result = child.walk(callback);\n *     }\n *     return result;\n *   });\n *
}\n *
/**\n * Traverses the container's descendant nodes, calling callback\n * for each declaration node.\n *
If you pass a filter,
iteration will only happen over declarations\n * with matching properties.\n *
Like { @link Container#each },
this method is safe\n * to use if you are mutating arrays during iteration.\n *
@param {string|RegExp} [prop]
- string or regular expression\n *
to filter declarations by property name\n *
@param
{childIterator} callback - iterator receives each node and index\n *\n * @return {false|undefined} returns `false` if
iteration was broke\n *\n * @example\n * root.walkDecls(decl => {\n *   checkPropertySupport(decl.prop);\n *
});\n *
root.walkDecls('border-radius', decl => {\n *   decl.remove();\n * });\n *
root.walkDecls(/^background/, decl => {\n *   decl.value = takeFirstColorFromGradient(decl.value);\n * });\n *
^ walkDecls(prop, callback) {\n *   if (!callback) {\n *     callback = prop;\n *     return this.walk((child, i) => {\n *
if (child.type === 'decl') {\n *       return
callback(child, i);\n *     }\n *   })\n *   } else if (prop instanceof RegExp) {\n *     return this.walk((child, i) => {\n *
if (child.type === 'decl' && prop.test(child.prop)) {\n *       return callback(child, i);\n *     }\n *   })\n *   }
else {\n *     return this.walk((child, i) => {\n *       if (child.type === 'decl' && child.prop === prop) {\n *
return
callback(child, i);\n *     }\n *   });\n *   }\n * }\n *
/**\n * Traverses the container's descendant nodes, calling
callback\n * for each rule node.\n *
If you pass a filter, iteration will only happen over rules\n * with
matching selectors.\n *
Like { @link Container#each }, this method is safe\n * to use if you are mutating
arrays during iteration.\n *
@param {string|RegExp} [selector] - string or regular expression\n *
to filter rules by selector\n *
@param {childIterator} callback
- iterator receives each node and index\n *\n * @return
{false|undefined} returns `false` if iteration was broke\n *\n * @example\n * const selectors = [];\n *
root.walkRules(rule => {\n *   selectors.push(rule.selector);\n * });\n *
console.log(`Your CSS uses
${selectors.length} selectors`);\n *
^ walkRules(selector, callback) {\n *   if (!callback) {\n *     callback =
selector;\n *     return this.walk((child, i) => {\n *       if (child.type === 'rule') {\n *         return
callback(child, i);\n *       }\n *     });\n *   } else if (selector instanceof RegExp) {\n *     return this.walk((child, i) => {\n *
if (child.type ===
'rule' && selector.test(child.selector)) {\n *       return callback(child, i);\n *     }\n *   })\n *   } else {\n *
return
this.walk((child, i) => {\n *     if (child.type === 'rule' && child.selector === selector) {\n *       return
callback(child, i);\n *     }\n *   });\n *   }\n * }\n *
/**\n * Traverses the container's descendant nodes, calling
callback\n * for each at-rule

```

```

node.\n *\n * If you pass a filter, iteration will only happen over at-rules\n * that have matching names.\n *\n * Like { @link Container#each }, this method is safe\n * to use if you are mutating arrays during iteration.\n *\n * @param {string|RegExp} [name] - string or regular expression\n * to filter at-rules by name\n * @param {childIterator} callback - iterator receives each node and index\n *\n * @return {false|undefined} returns `false` if iteration was broke\n *\n * @example\n * root.walkAtRules(rule => {\n * if ( isOld(rule.name) ) rule.remove();\n * });\n *\n * let first = false;\n * root.walkAtRules('charset', rule => {\n * if ( !first ) {\n * first = true;\n * } else {\n * rule.remove();\n * }\n * });\n *\n * walkAtRules(name, callback) {\n * if ( !callback ) {\n * callback = name;\n * return this.walk((child, i) => {\n * if (child.type === 'atrule') {\n * return callback(child, i);\n * }\n * });\n * } else if (name instanceof RegExp) {\n * return this.walk((child, i) => {\n * if (child.type === 'atrule' && name.test(child.name)) {\n * return callback(child, i);\n * }\n * });\n * } else {\n * return this.walk((child, i) => {\n * if (child.type === 'atrule' && child.name === name) {\n * return callback(child, i);\n * }\n * });\n * }\n * }\n *\n * Traverses the container's descendant nodes, calling callback\n * for each comment node.\n *\n * Like { @link Container#each }, this method is safe\n * to use if you are mutating arrays during iteration.\n *\n * @param {childIterator} callback - iterator receives each node and index\n *\n * @return {false|undefined} returns `false` if iteration was broke\n *\n * @example\n * root.walkComments(comment => {\n * comment.remove();\n * });\n *\n * walkComments(callback) {\n * return this.walk((child, i) => {\n * if (child.type === 'comment') {\n * return callback(child, i);\n * }\n * });\n * }\n *\n * Inserts new nodes to the start of the container.\n *\n * @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 = postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.append(decl1, decl2);\n *\n * root.append({ name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n * rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) // comment\n *\n * root.append('a { }');\n *\n * root.first.append('color: black; z-index: 1');\n *\n * append(...children) {\n * children.forEach(child => {\n * const nodes = this.normalize(child, this.last);\n * nodes.forEach(node => this.nodes.push(node));\n * });\n * return this;\n * }\n *\n * Inserts new nodes to the end of the container.\n *\n * @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 = postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.prepend(decl1, decl2);\n *\n * root.append({ name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n * rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) // comment\n *\n * root.append('a { }');\n *\n * root.first.append('color: black; z-index: 1');\n *\n * prepend(...children) {\n * children = children.reverse();\n * children.forEach(child => {\n * const nodes = this.normalize(child, this.first, 'prepend').reverse();\n * nodes.forEach(node => this.nodes.unshift(node));\n * for (const id in this.indexes) {\n * this.indexes[id] = this.indexes[id] + nodes.length;\n * }\n * });\n * return this;\n * }\n *\n * cleanRaws(keepBetween)\n *\n * super.cleanRaws(keepBetween);\n * if (this.nodes) {\n * this.nodes.forEach(node => node.cleanRaws(keepBetween));\n * }\n * }\n *\n * Insert new node before old node within the container.\n *\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.insertBefore(decl, decl.clone({ prop: '-webkit-' + decl.prop }));\n *\n * insertBefore(exist, add) {\n * exist = this.index(exist);\n *\n * const type = exist === 0 ? 'prepend' : false;\n * const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n * nodes.forEach(node => this.nodes.splice(exist, 0, node));\n *\n * let index;\n * for (const id in this.indexes) {\n * index = this.indexes[id];\n * if (exist <= index) {\n * this.indexes[id] = index + nodes.length;\n * }\n * }\n * return this;\n * }\n *\n * Insert new node after old node within the container.\n *\n * @param {Node|number} exist - child or child's index\n * @param

```



```

{Node|object|string|Node[]} add - new node\n * \n * @return {Node} this node for methods chain\n * \n
insertAfter(exist, add) {\n exist = this.index(exist);\n\n const nodes = this.normalize(add,
this.nodes[exist]).reverse();\n nodes.forEach(node => this.nodes.splice(exist + 1, 0, node));\n\n let index;\n for
(const id in this.indexes) {\n index = this.indexes[id];\n if (exist < index) {\n this.indexes[id] = index +
nodes.length;\n }\n }\n\n return this;\n }\n\n remove(child) {\n if (typeof child !== 'undefined') {\n
warnOnce('Container#remove is deprecated. ' + 'Use
Container#removeChild');\n this.removeChild(child);\n } else {\n super.remove();\n }\n return this;\n
}\n\n /**\n * Removes node from the container and cleans the parent properties\n * from the node and its
children.\n * \n * @param {Node|number} child - child or child's index\n * \n * @return {Node} this node for
methods chain\n * \n * @example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n *
rule.nodes.length //=> 4\n * decl.parent //=> undefined\n * \n removeChild(child) {\n child =
this.index(child);\n this.nodes[child].parent = undefined;\n this.nodes.splice(child, 1);\n\n let index;\n for
(const id in this.indexes) {\n index = this.indexes[id];\n if (index >= child) {\n this.indexes[id] = index -
1;\n }\n }\n\n return this;\n }\n\n /**\n * Removes all children from the container\n * and cleans their
parent properties.\n * \n * @return {Node} this node for methods
chain\n * \n * @example\n * rule.removeAll();\n * rule.nodes.length //=> 0\n * \n removeAll() {\n
this.nodes.forEach(node => (node.parent = undefined));\n this.nodes = [];\n return this;\n }\n\n /**\n *
Passes all declaration values within the container that match pattern\n * through callback, replacing those values
with the returned result\n * of callback.\n * \n * This method is useful if you are using a custom unit or
function\n * and need to iterate through all values.\n * \n * @param {string|RegExp} pattern - replace
pattern\n * @param {object} opts - options to speed up the search\n * @param {string|string[]}
opts.props - an array of property names\n * @param {string} opts.fast - string that's used\n *
to narrow down values and speed up\n * the regexp search\n * @param
{function|string} callback
- string to replace pattern\n * or callback that returns a new\n *
value.\n * The callback will receive\n * the same arguments as
those\n * passed to a function parameter\n * of
`String#replace`.\n * \n * @return {Node} this node for methods chain\n * \n * @example\n *
root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n * return 15 * parseInt(string) + 'px';\n * });\n * \n
replaceValues(pattern, opts, callback) {\n if (!callback) {\n callback = opts;\n opts = {};\n }\n\n
this.walkDecls(decl => {\n if (opts.props && opts.props.indexOf(decl.prop) === -1) return;\n if (opts.fast &&
decl.value.indexOf(opts.fast) === -1) return;\n\n decl.value = decl.value.replace(pattern,
callback);\n });\n\n return this;\n }\n\n /**\n * Returns `true` if callback returns `true`\n * for all of the
container's children.\n * \n * @param {childCondition} condition - iterator returns true or false.\n * \n *
@return {boolean} is every child pass condition\n * \n * @example\n * const noPrefixes = rule.every(i =>
i.prop[0] !== '-');\n * \n every(condition) {\n return this.nodes.every(condition);\n }\n\n /**\n * Returns `true`
if callback returns `true` for (at least) one\n * of the container's children.\n * \n * @param {childCondition}
condition - iterator returns true or false.\n * \n * @return {boolean} is some child pass condition\n * \n *
@example\n * const hasPrefix = rule.some(i => i.prop[0] === '-');\n * \n some(condition) {\n return
this.nodes.some(condition);\n }\n\n /**\n * Returns a `child`'s index within the {@link Container#nodes} array.\n
*\n * @param {Node} child - child of the current container.\n
*\n * @return {number} child index\n * \n * @example\n * rule.index( rule.nodes[2] ) //=> 2\n * \n
index(child) {\n if (typeof child === 'number') {\n return child;\n } else {\n return
this.nodes.indexOf(child);\n }\n }\n\n /**\n * The container's first child.\n * \n * @type {Node}\n * \n *
@example\n * rule.first == rules.nodes[0];\n * \n get first() {\n if (!this.nodes) return undefined;\n return
this.nodes[0];\n }\n\n /**\n * The container's last child.\n * \n * @type {Node}\n * \n * @example\n *
rule.last == rule.nodes[rule.nodes.length - 1];\n * \n get last() {\n if (!this.nodes) return undefined;\n return
this.nodes[this.nodes.length - 1];\n }\n\n normalize(nodes, sample) {\n if (typeof nodes === 'string') {\n nodes

```

```

= cleanSource(parse(nodes).nodes);\n  } else if (!Array.isArray(nodes)) {\n    if (nodes.type === 'root') {\n      nodes = nodes.nodes;\n    } else if (nodes.type) {\n      nodes
= [nodes];\n    } else if (nodes.prop) {\n      if (typeof nodes.value === 'undefined') {\n        throw new
Error('Value field is missed in node creation');\n      } else if (typeof nodes.value !== 'string') {\n        nodes.value
= String(nodes.value);\n      }\n      nodes = [new Declaration(nodes)];\n    } else if (nodes.selector) {\n      nodes
= [new Rule(nodes)];\n    } else if (nodes.name) {\n      nodes = [new AtRule(nodes)];\n    } else if (nodes.text)
{\n      nodes = [new Comment(nodes)];\n    } else {\n      throw new Error('Unknown node type in node
creation');\n    }\n  }\n  \n  const processed = nodes.map(i => {\n    if (typeof i.raws === 'undefined') i =
this.rebuild(i);\n    \n    if (i.parent) i = i.clone();\n    \n    if (typeof i.raws.before === 'undefined') {\n      if (sample &&
typeof sample.raws.before !== 'undefined') {\n        i.raws.before = sample.raws.before.replace(/^[^\\s]/g, "");\n      }\n    }\n    \n    i.parent
= this;\n    \n    return i;\n  });\n  \n  return processed;\n}\n\nrebuild(node, parent) {\n  let fix;\n  if (node.type ===
'root') {\n    fix = new Root();\n  } else if (node.type === 'atrule') {\n    fix = new AtRule();\n  } else if
(node.type === 'rule') {\n    fix = new Rule();\n  } else if (node.type === 'decl') {\n    fix = new Declaration();\n  }
else if (node.type === 'comment') {\n    fix = new Comment();\n  }\n  \n  for (const i in node) {\n    if (i ===
'nodes') {\n      fix.nodes = node.nodes.map(j => this.rebuild(j, fix));\n    } else if (i === 'parent' && parent) {\n
fix.parent = parent;\n    } else if (node.hasOwnProperty(i)) {\n      fix[i] = node[i];\n    }\n  }\n  \n  return fix;\n}\n\n
eachInside(callback) {\n  warnOnce('Container#eachInside is deprecated. ' + 'Use Container#walk
instead.');

```

```

@example\n
 * const root = postcss.parse('@media print {}');\n * media.name //=> 'media'\n * const media = root.first;\n
*/\n\n /**\n * @memberof AtRule#\n * @member {string} params - the at-rule's parameters, the values\n *
that follow the at-rule's name but precede\n *
any {} block\n *
*\n * @example\n *
const root = postcss.parse('@media print, screen {}');\n * const media = root.first;\n * media.params //=> 'print,\n
screen'\n */\n\n /**\n * @memberof AtRule#\n * @member {object} raws - Information to generate byte-to-\n
byte equal\n *
node string as it was in the origin input.\n *
*\n * Every parser saves its own\n
properties,\n *
but the default CSS parser uses:\n *
*\n * * `before`: the space symbols before the node. It also\n
stores `*\n *
and `_\n *
symbols before the declaration (IE hack).\n *
*\n * * `after`: the space symbols after the last\n
child of the node\n *
to the end\n
of the node.\n *
*\n * * `between`: the symbols between the property and value\n *
for declarations, selector and `{`  

for rules, or last parameter\n *
and `{` for at-rules.\n *
*\n * * `semicolon`: contains true if the last child has\n *
an  

(optional) semicolon.\n *
*\n * * `afterName`: the space between the at-rule name and its parameters.\n *
*\n *
PostCSS  

cleans at-rule parameters from comments and extra spaces,\n *
but it stores origin content in raws properties.\n *
*\n *
As such, if you don't change a declaration's value,\n *
PostCSS will use the raw value with comments.\n *
*\n *
*\n *
@example\n *
const root = postcss.parse(' @media\nprint {\n}')\n *
root.first.first.raws //=> { before: ' ',\n *
// between: '\n *
// afterName: '\n',\n *
// after: '\n'}\n
*/\n\n\nexport default AtRule;\n", "// @flow\n/**\n * Contains helpers for safely splitting lists of CSS values,\n *
preserving parentheses  

and quotes.\n *
*\n * @example\n *
const list = postcss.list;\n *
*\n * @namespace list\n */\n\nconst list = {\n
split(string, separators, last) {\n
const array = [];\n
let current = ";\n
let split = false;\n\n
let func = 0;\n
let quote = false;\n
let escape = false;\n\n
for (let i = 0; i < string.length; i++) {\n
const letter = string[i];\n\n
if (quote) {\n
if (escape) {\n
escape = false;\n
} else if (letter === '\\') {\n
escape = true;\n
} else if (letter === quote) {\n
quote = false;\n
}\n
} else if (letter === '"' || letter === "'"') {\n
quote = letter;\n
} else if (letter === '(') {\n
func += 1;\n
} else if (letter === ')') {\n
if (func > 0) func -= 1;\n
} else if (func === 0) {\n
if (separators.indexOf(letter) !== -1) split = true;\n
}\n\n
if (split) {\n
if (current !== ") array.push(current.trim());\n
current =\n
";\n
split = false;\n
} else {\n
current += letter;\n
}\n
}\n\n
if (last || current !== ") array.push(current.trim());\n
return array;\n
},\n\n
*/\n *
Safely splits space-separated values (such as those for  

`background`,\n *
`border-radius`, and other shorthand properties).\n *
*\n *
@param {string} string - space-separated values\n *
*\n *
@return {string[]} splitted values\n *
*\n *
@example\n *
postcss.list.space('1px calc(10% + 1px)') //=> ['1px', 'calc(10% + 1px)']\n *
*\n\n
space(string) {\n
const spaces = [' ', '\n', '\t'];\n
return list.split(string, spaces);\n
},\n\n
*/\n *
Safely splits comma-separated values (such as those for `transition-`\n *
*\n *
and `background` properties).\n *
*\n *
@param {string} string - comma-separated values\n *
*\n *
@return {string[]} splitted values\n *
*\n *
@example\n *
postcss.list.comma('black, linear-gradient(white, black)')\n *
//=> ['black', 'linear-gradient(white, black)']\n
*\n\n
comma(string) {\n
const comma = ',';\n
return list.split(string, [comma], true);\n
},\n\n
};\n\n\nexport default list;\n", "// @flow\nimport './at-rule'; // break cyclical dependency deadlock - #87\nimport Container from './container';\nimport warnOnce from './warn-once';\nimport list from './list';\n\n/**\n * Represents a CSS rule: a selector followed by a declaration block.\n *
*\n * @extends Container\n *
*\n * @example\n *
const root = postcss.parse('a {}');\n *
const rule = root.first;\n *
rule.type //=> 'rule'\n *
rule.toString() //=> 'a {}'\n *
*\n\n
class Rule extends Container {\n
constructor(defaults) {\n
super(defaults);\n
this.type = 'rule';\n
if (!this.nodes) this.nodes = [];\n
}\n\n
/**\n * An array containing the rule's individual selectors.\n *
*\n * Groups of selectors are split at commas.\n *
*\n * @type {string[]}\n *
*\n * @example\n *
const root = postcss.parse('a, b {}');\n *
const rule = root.first;\n *
rule.selector //=> 'a, b'\n *
rule.selectors //=> ['a', 'b']\n *
rule.selectors = ['a', 'strong'];\n *
rule.selector //=> 'a, strong'\n *
*\n\n
get selectors() {\n
return list.comma(this.selector);\n
}\n\n
set selectors(values) {\n
const match = this.selector ? this.selector.match(/,\s*/) : null;\n
const sep = match ? match[0] : `,$${this.raw('between', 'beforeOpen')}`;\n
}

```

```

this.selector = values.join(sep);\n }\n\n get_selector() {\n  warnOnce('Rule#_selector is deprecated. Use
Rule#raws.selector');\n  return this.raws.selector;\n }\n\n set_selector(val) {\n  warnOnce('Rule#_selector is
deprecated. Use Rule#raws.selector');\n  this.raws.selector = val;\n }\n\n /**\n  * @memberof Rule#\n  *
@member {string} selector - the rule's full selector represented\n  * as a string\n  *\n  *
@example\n  * const root = postcss.parse('a, b { }');\n  * const rule = root.first;\n  * rule.selector //=> 'a, b'\n
*/\n\n /**\n  * @member {object} raws - Information to generate byte-to-byte equal\n  * node string as it was in
the origin input.\n  *\n  * Every parser saves its own properties,\n  * but the default CSS parser uses:\n  *\n  *
`before`: the space symbols before the node. It also stores `*\n  * and ` _ ` symbols before the declaration (IE
hack).\n  * * `after`: the space symbols after the last child of the node\n  * to the end of the node.\n  * *
`between`: the symbols between the property and value\n  * for declarations, selector and `{` for rules, or last
parameter\n  * and `{` for at-rules.\n  * * `semicolon`: contains true if the last child has\n  * an (optional)
semicolon.\n  *\n  * PostCSS cleans selectors from comments and extra spaces,\n  * but it stores origin content in
raws properties.\n  * As such, if you don't change a declaration's value,\n  * PostCSS will use the raw value with
comments.\n  *\n  * @example\n  * const root
= postcss.parse('a {\n  color:black\n}')\n  * root.first.first.raws //=> { before: ' ', between: ' ', after: '\n' }\n
*/\n\n\nexport default Rule;\n", "// @flow\n/**\n * Represents a plugin's warning. It can be created using { @link
Node#warn}.\n *\n * @example\n * if ( decl.important ) {\n *   decl.warn(result, 'Avoid !important', { word:
'important' });\n * }\n *\n * @class Warning {\n * /**\n * @param {string} text - warning message\n * @param
{Object} [opts] - warning options\n * @param {Node} opts.node - CSS node that caused the warning\n *
@param {string} opts.word - word in CSS source that caused the warning\n * @param {number} opts.index -
index in CSS node string that caused\n * the warning\n * @param {string} opts.plugin - name
of the plugin that created\n * this warning. { @link Result#warn } fills\n *
this property automatically.\n * /\n * constructor(text,\n * opts = {}) {\n * /**\n * @member {string} - Type to filter warnings from\n * { @link
Result#messages}. Always equal\n * to `warning`.\n * *\n * @example\n * const
nonWarning = result.messages.filter(i => i.type !== 'warning')\n * /\n * this.type = 'warning';\n * /**\n *
@member {string} - The warning message.\n * *\n * @example\n * warning.text //=> 'Try to avoid
!important'\n * /\n * this.text = text;\n * if (opts.node && opts.node.source) {\n *   const pos =
opts.node.positionBy(opts);\n * /**\n * @member {number} - Line in the input file\n * with
this warning's source\n * *\n * @example\n * warning.line //=> 5\n * /\n * this.line = pos.line;\n
*/\n * @member {number} - Column in the input file\n * with this warning's source.\n * *\n *
@example\n * warning.column //=> 6\n * /\n * this.column = pos.column;\n * }\n\n for (const opt in opts) this[opt] = opts[opt];\n }\n\n /**\n *
Returns a warning position and message.\n *\n * @example\n * warning.toString() //=> 'postcss-lint:a.css:10:14:
Avoid !important'\n *\n * @return {string} warning position and message\n *\n * toString() {\n * if (this.node)
{\n *   return this.node.error(this.text, {\n *     plugin: this.plugin,\n *     index: this.index,\n *     word: this.word,\n *
}).message;\n * } else if (this.plugin) {\n *   return `${this.plugin}: ${this.text}`;\n * } else {\n *   return this.text;\n *
}\n * }\n\n /**\n * @memberof Warning#\n * @member {string} plugin - The name of the plugin that created\n *
it will fill this property automatically.\n * * this warning. When you call { @link
Node#warn}\n *\n * @example\n * warning.plugin //=> 'postcss-important'\n * /\n\n /**\n * @memberof
Warning#\n *
@member {Node} node - Contains the CSS node that caused the warning.\n *\n * @example\n *
warning.node.toString() //=> 'color: white !important'\n * /\n\n\nexport default Warning;\n", "// @flow\nimport
Warning from './warning';\n\n/**\n * @typedef {object} Message\n * @property {string} type - message type\n *
@param {string} plugin - source PostCSS plugin name\n * /\n\n /**\n * Provides the result of the PostCSS
transformations.\n *\n * A Result instance is returned by { @link LazyResult#then}\n * or { @link Root#toResult}
methods.\n *\n * @example\n * postcss([cssnext]).process(css).then(function (result) {\n *

```



```

= false;\n  this.processed = false;\n\n  let root;\n  if (typeof css === 'object' && css.type === 'root') {\n    root =
css;\n  } else if (css instanceof LazyResult || css instanceof Result) {\n    root = css.root;\n    if (css.map) {\n
if (typeof opts.map === 'undefined') opts.map = {};\n    if (!opts.map.inline) opts.map.inline = false;\n
opts.map.prev = css.map;\n  }\n  } else {\n    let parser = parse;\n    if (opts.syntax) parser =
opts.syntax.parse;\n    if (opts.parser) parser = opts.parser;\n    if (parser.parse) parser = parser.parse;\n\n    try
{\n      root = parser(css, opts);\n    } catch (error) {\n      this.error = error;\n    }\n  }\n\n  this.result = new
Result(processor, root, opts);\n  }\n\n  /**\n   * Returns a {@link Processor} instance, which will be used\n   * for
CSS transformations.\n   * @type {Processor}\n   */\n  get processor() {\n    return this.result.processor;\n  }\n\n
  /**\n   * Options from
the {@link Processor#process} call.\n   * @type {processOptions}\n   */\n  get opts() {\n    return this.result.opts;\n
  }\n\n  /**\n   * Processes input CSS through synchronous plugins, converts `Root`\n   * to a CSS string and returns
{@link Result#css}.\n   * This property will only work with synchronous plugins.\n   * If the processor
contains any asynchronous plugins\n   * it will throw an error. This is why this method is only\n   * for debug
purpose, you should always use {@link LazyResult#then}.\n   * @type {string}\n   * @see Result#css\n   */\n  get
css() {\n    return this.stringify().css;\n  }\n\n  /**\n   * An alias for the `css` property. Use it with syntaxes\n   *
that generate non-CSS output.\n   * This property will only work with synchronous plugins.\n   * If the
processor contains any asynchronous plugins\n   * it will throw an error. This is why this method is only\n   * for
debug purpose, you should always use {@link LazyResult#then}.\n   *\n   * @type {string}\n   * @see Result#content\n   */\n  get
content() {\n    return this.stringify().content;\n  }\n\n  /**\n   * Processes input CSS through synchronous plugins\n   *
and returns {@link Result#map}.\n   * This property will only work with synchronous plugins.\n   * If the processor
contains any asynchronous plugins\n   * it will throw
an error. This is why this method is only\n   * for debug purpose, you should always use {@link
LazyResult#then}.\n   * @type {SourceMapGenerator}\n   * @see Result#map\n   */\n  get map() {\n    return
this.stringify().map;\n  }\n\n  /**\n   * Processes input CSS through synchronous plugins\n   * and returns {@link
Result#root}.\n   * This property will only work with synchronous plugins. If the processor\n   * contains any
asynchronous plugins it will throw an error.\n   * This is why this method is only for debug purpose,\n   * you
should always use {@link LazyResult#then}.\n   * @type {Root}\n   * @see Result#root\n   */\n  get root() {\n
    return this.sync().root;\n  }\n\n  /**\n   * Processes input CSS through synchronous plugins\n   * and returns
{@link Result#messages}.\n   * This property will only work with synchronous plugins. If the
processor\n   * contains any asynchronous plugins it will throw an error.\n   * This is why this method is only
for debug purpose,\n   * you should always use {@link LazyResult#then}.\n   * @type {Message[]}\n   * @see
Result#messages\n   */\n  get messages() {\n    return this.sync().messages;\n  }\n\n  /**\n   * Processes input CSS
through synchronous plugins\n   * and calls {@link Result#warnings}.\n   * @return {Warning[]} warnings
from plugins\n   */\n  warnings() {\n    return this.sync().warnings();\n  }\n\n  /**\n   * Alias for the {@link
LazyResult#css} property.\n   * @example\n   * lazy + " === lazy.css;\n   * @return {string} output
CSS\n   */\n  toString() {\n    return this.css;\n  }\n\n  /**\n   *
Processes input CSS through synchronous and asynchronous plugins\n   * and calls `onFulfilled` with a Result
instance. If a plugin throws\n   * an error, the `onRejected` callback will be executed.\n   * It implements
standard Promise API.\n   * @param {onFulfilled} onFulfilled - callback will be executed\n   *
when all plugins will finish work\n   * @param {onRejected} onRejected - callback will be executed on any
error\n   * @return {Promise} Promise API to make queue\n   * @example\n   *
postcss([cssnext]).process(css).then(result => {\n   *   console.log(result.css);\n   * });\n   */\n  then(onFulfilled,
onRejected) {\n    return this.async().then(onFulfilled, onRejected);\n  }\n\n  /**\n   * Processes input CSS through
synchronous and asynchronous plugins\n   * and calls onRejected for each error thrown in any plugin.\n   * It
implements standard Promise API.\n   * @param {onRejected} onRejected - callback will
be executed on any error\n   * @return {Promise} Promise API to make queue\n   * @example\n   *
postcss([cssnext]).process(css).then(result => {\n   *   console.log(result.css);\n   * }).catch(error => {\n   *
  console.error(error);\n   * });\n   */\n  catch(onRejected) {\n    return this.async().catch(onRejected);\n  }\n\n

```

```

handleError(error, plugin) {\n  try {\n    this.error = error;\n    if (error.name === 'CssSyntaxError' &&
!error.plugin) {\n      error.plugin = plugin.postcssPlugin;\n      error.setMessage();\n    } else if
(plugin.postcssVersion) {\n      const pluginName = plugin.postcssPlugin;\n      const pluginVer =
plugin.postcssVersion;\n      const runtimeVer = this.result.processor.version;\n      const a = pluginVer.split('.');\n      const b = runtimeVer.split('.');\n      if (a[0] !== b[0] || parseInt(a[1]) > parseInt(b[1])) {\n        warnOnce(\n
`${'Your current PostCSS version ' + 'is '}${runtimeVer}, but ${pluginName}
` +\n
`uses ${pluginVer}. Perhaps this is ` +\n
`the source of the error below.`\n
);}\n
}\n
} catch (err) {\n  if (console && console.error) console.error(err);\n
}\n
}\n\n asyncTick(resolve, reject)
{\n  if (this.plugin >= this.processor.plugins.length) {\n    this.processed = true;\n    return resolve();\n
}\n\n
try {\n  const plugin = this.processor.plugins[this.plugin];\n  const promise = this.run(plugin);\n  this.plugin
+= 1;\n\n  if (isPromise(promise)) {\n    promise\n      .then(() => {\n        this.asyncTick(resolve, reject);\n
      })\n      .catch(error => {\n        this.handleError(error, plugin);\n        this.processed = true;\n
reject(error);\n      });\n  } else {\n    this.asyncTick(resolve, reject);\n  }\n} catch (error) {\n
this.processed = true;\n  reject(error);\n}\n}\n\n async() {\n  if
(this.processed) {\n    return new Promise((resolve, reject) => {\n      if (this.error) {\n        reject(this.error);\n
      } else {\n        resolve(this.stringify());\n      }\n    });\n  }\n  if (this.processing) {\n    return
this.processing;\n  }\n\n  this.processing = new Promise((resolve, reject) => {\n    if (this.error) return
reject(this.error);\n    this.plugin = 0;\n    this.asyncTick(resolve, reject);\n  }).then(() => {\n    this.processed =
true;\n    return this.stringify();\n  });\n\n  return this.processing;\n}\n\n sync() {\n  if (this.processed) return
this.result;\n  this.processed = true;\n\n  if (this.processing) {\n    throw new Error('Use process(css).then(cb) to
work with async plugins');\n  }\n\n  if (this.error) throw this.error;\n\n
this.result.processor.plugins.forEach(plugin => {\n    const promise = this.run(plugin);\n    if (isPromise(promise))
{\n      throw new Error('Use process(css).then(cb)
to work with async plugins');\n    }\n  });\n\n  return this.result;\n}\n\n run(plugin) {\n  this.result.lastPlugin =
plugin;\n\n  try {\n    return plugin(this.result.root, this.result);\n  } catch (error) {\n    this.handleError(error,
plugin);\n    throw error;\n  }\n}\n\n stringify() {\n  if (this.stringified) return this.result;\n  this.stringified =
true;\n\n  this.sync();\n\n  const opts = this.result.opts;\n  let str = stringify;\n  if (opts.syntax) str =
opts.syntax.stringify;\n  if (opts.stringifier) str = opts.stringifier;\n  if (str.stringify) str = str.stringify;\n\n  let
result = '';\n  str(this.root, i => {\n    result += i;\n  });\n  this.result.css = result;\n\n  return this.result;\n
}\n}\n\nexport default LazyResult;\n", "// @flow\nimport LazyResult from './lazy-result';\n\n/**\n * @callback
builder\n * @param {string} part - part of generated CSS connected to this node\n * @param {Node} node
- AST node\n * @param {"start"|"end"} [type] - node's part type\n * ^\n\n/**\n * @callback parser\n * ^\n *
@param {string|toString} css - string with input CSS or any object\n * with toString() method,
like a Buffer\n * @param {processOptions} [opts] - options with only `from` and `map` keys\n * ^\n * @return
{Root} PostCSS AST\n * ^\n\n/**\n * @callback stringifier\n * ^\n * @param {Node} node - start node for
stringifying. Usually {@link Root}.\n * @param {builder} builder - function to concatenate CSS from node's parts\n
*\n * or generate string and source map\n * ^\n\n/**\n * @return {void}\n * ^\n\n/**\n * @typedef {object}
syntax\n * @property {parser} parse - function to generate AST by string\n * @property {stringifier} stringify
- function to generate string by AST\n * ^\n\n/**\n * @typedef {object} toString\n * @property {function}
toString\n * ^\n\n/**\n * @callback pluginFunction\n * @param {Root} root - parsed
input CSS\n * @param {Result} result - result to set warnings or check other plugins\n * ^\n\n/**\n * @typedef
{object} Plugin\n * @property {function} postcss - PostCSS plugin function\n * ^\n\n/**\n * @typedef {object}
processOptions\n * @property {string} from - the path of the CSS source file.\n *
You should always set `from`,\n * because it is used in source map\n *
generation and syntax error messages.\n * @property {string} to - the path where you'll put the output\n *
CSS file. You should always set `to`\n * to generate correct source
maps.\n * @property {parser} parser - function to generate AST by string\n * @property {stringifier}
stringifier - class to generate string by AST\n * @property {syntax} syntax - object with `parse` and

```

```

`stringify`\n
* @property {object} map - source map options\n * @property {boolean} map.inline - does
source map should\n * be embedded in the output\n *
CSS as a base64-encoded\n * comment\n * @property
{string|object|false|function} map.prev - source map content\n * from a previous\n *
processing step\n * (for example, Sass).\n *
PostCSS will try to find\n * previous map\n *
automatically, so you\n * could disable it by\n *
`false` value.\n * @property {boolean} map.sourcesContent - does PostCSS should set\n *
the origin content to map\n * @property {string|false} map.annotation - does
PostCSS should set\n * annotation comment to map\n * @property {string}
map.from - override `from` in map's\n * `sources`\n * ^\n\n/**\n *
Contains plugins to process CSS. Create one `Processor` instance,\n * initialize its plugins, and then use that
instance on numerous CSS files.\n * \n * @example\n * const processor = postcss([autoprefixer, precss]);\n *
processor.process(css1).then(result => console.log(result.css));\n * processor.process(css2).then(result =>
console.log(result.css));\n * \n * class Processor {\n * /**\n * @param {Array.<Plugin|pluginFunction>} Processor
plugins - PostCSS\n * plugins.
See {@link Processor#use} for plugin format.\n * \n * constructor(plugins = []) {\n * /**\n * @member {string}
- Current PostCSS version.\n * \n * @example\n * if ( result.processor.version.split('.')[0] !== '5' ) {\n *
throw new Error("This plugin works only with PostCSS 5");\n * }\n * \n * this.version = '5.2.0';\n * /**\n *
@member {pluginFunction[]} - Plugins added to this processor.\n * \n * @example\n * const processor =
postcss([autoprefixer, precss]);\n * processor.plugins.length // => 2\n * \n * this.plugins =
this.normalize(plugins);\n * }\n * /**\n * Adds a plugin to be used as a CSS processor.\n * \n * PostCSS plugin
can be in 4 formats:\n * * A plugin created by {@link postcss.plugin} method.\n * * A function. PostCSS will
pass the function a {@link Root}\n * as the first argument and current {@link Result} instance\n * as the
second.\n * * An object with a `postcss` method. PostCSS will use that
method\n * as described in #2.\n * * Another {@link Processor} instance. PostCSS will copy plugins\n *
from that instance into this one.\n * \n * Plugins can also be added by passing them as arguments when creating\n
* a `postcss` instance (see [ `postcss(plugins)` ]).\n * \n * Asynchronous plugins should return a `Promise`
instance.\n * \n * @param {Plugin|pluginFunction|Processor} plugin - PostCSS plugin\n *
or {@link Processor}\n * with plugins\n * \n * @example\n * const
processor = postcss()\n * .use(autoprefixer)\n * .use(precss);\n * \n * @return {Processes} current processor
to make methods chain\n * \n * use(plugin) {\n * this.plugins = this.plugins.concat(this.normalize([plugin]));\n
return this;\n * }\n * /**\n * Parses source CSS and returns a {@link LazyResult} Promise proxy.\n * Because
some plugins can be asynchronous it
doesn't make\n * any transformations. Transformations will be applied\n * in the {@link LazyResult}
methods.\n * \n * @param {string|toString|Result} css - String with input CSS or\n * any
object with a `toString`\n * method, like a Buffer.\n *
Optionally, send a {@link Result}\n * instance and the processor will\n *
take the {@link Root} from it.\n * \n * @param {processOptions} [opts] - options\n * \n * @return
{LazyResult} Promise proxy\n * \n * @example\n * processor.process(css, { from: 'a.css', to: 'a.out.css' })\n *
.then(result => {\n * console.log(result.css);\n * });\n * \n * process(css, opts = {}) {\n * return new
LazyResult(this, css, opts);\n * }\n * \n * normalize(plugins) {\n * let normalized = [];\n * plugins.forEach(i => {\n
if
(i.postcss)
i = i.postcss;\n * \n * if (typeof i === 'object' && Array.isArray(i.plugins)) {\n * normalized =
normalized.concat(i.plugins);\n * } else if (typeof i === 'function') {\n * normalized.push(i);\n * } else {\n
throw new Error(`$ {i} is not a PostCSS plugin`);\n * }\n * });\n * return normalized;\n * }\n * \n * export default
Processor;\n * \n * // @flow\n * import './rule'; // break cyclical dependency deadlock - #87\n * import Container from

```



```

./container';\nimport LazyResult from './lazy-result';\nimport Processor from './processor';\nimport warnOnce from
 './warn-once';\n\n/**\n * Represents a CSS file and contains all its parsed nodes.\n *\n * @extends Container\n *\n * @example\n * const root = postcss.parse('a{color:black} b{z-index:2}');\n * root.type //=> 'root'\n *
 root.nodes.length //=> 2\n *\n\nclass Root extends Container {\n  constructor(defaults) {\n    super(defaults);\n
  this.type = 'root';\n  if (!this.nodes) this.nodes = [];\n  }\n  removeChild(child)
  {\n    child = this.index(child);\n    if (child === 0 && this.nodes.length > 1) {\n      this.nodes[1].raws.before =
  this.nodes[child].raws.before;\n    }\n    return super.removeChild(child);\n  }\n  normalize(child, sample, type)
  {\n    const nodes = super.normalize(child);\n    if (sample) {\n      if (type === 'prepend') {\n        if
  (this.nodes.length > 1) {\n          sample.raws.before = this.nodes[1].raws.before;\n        } else {\n          delete
  sample.raws.before;\n        }\n      } else if (this.first !== sample) {\n        nodes.forEach(node => {\n
  node.raws.before = sample.raws.before;\n        });\n      }\n    }\n    return nodes;\n  }\n  /**\n * Returns a
  {@link Result} instance representing the root's CSS.\n *\n * @param {processOptions} [opts] - options with
  only `to` and `map` keys\n *\n * @return {Result} result with current root's CSS\n *\n * @example\n * const
  root1 = postcss.parse(css1, { from: 'a.css' });\n
  * const root2 = postcss.parse(css2, { from: 'b.css' });\n * root1.append(root2);\n * const result = root1.toResult({
  to: 'all.css', map: true });\n *
  * \n * toResult(opts = {}) {\n  const lazy = new LazyResult(new Processor(), this,
  opts);\n  return lazy.stringify();\n }\n\n remove(child) {\n  warnOnce('Root#remove is deprecated. Use
  Root#removeChild');\n  this.removeChild(child);\n }\n\n prevMap() {\n  warnOnce('Root#prevMap is
  deprecated. Use Root#source.input.map');\n  return this.source.input.map;\n }\n\n /**\n * @memberof Root#\n
 * @member {object} raws - Information to generate byte-to-byte equal\n *
  * node string as it was in
  the origin input.\n *\n * Every parser saves its own properties,\n * but the default CSS parser uses:\n *\n *
  `after`: the space symbols after the last child to the end of file.\n *
  * `semicolon`: is the last child has an (optional)
  semicolon.\n *\n * @example\n * postcss.parse('a {}').raws
  //=> { after: '\n' }\n * postcss.parse('a {}').raws //=> { after: " }\n *
  }\n\n\nexport default Root;\n\n", "//
 @flow\nimport './root'; // break cyclical dependency deadlock - #87\nimport CssSyntaxError from './css-syntax-
error';\n\nimport PreviousMap from './previous-map';\n\nlet sequence = 0;\n\n/**\n * @typedef {object}
  filePosition\n * @property {string} file - path to file\n * @property {number} line - source line in file\n *
  @property {number} column - source column in file\n *\n\nclass Root {\n  /**\n * Represents the source CSS.\n *\n
  * @example\n * const root = postcss.parse(css, { from: file });\n * const input = root.source.input;\n *\n\nclass Input
  {\n  /**\n * @param {string} css - input CSS source\n * @param {object} [opts] - {@link Processor#process}
  options\n *\n * constructor(css, opts = {}) {\n  /**\n * @member {string} - input CSS source\n *\n *
  * @example\n * const input = postcss.parse('a{}', { from: file }).input;\n * input.css
  //=> "a{}";\n *\n * this.css = css.toString();\n\n if (this.css[0] === "\uFEFF" || this.css[0] === "\uFFFE") {\n
  this.css = this.css.slice(1);\n }\n\n if (opts.from) {\n  if (/^\w+:\w+\/.test(opts.from)) {\n    /**\n *
  * @member {string} - The absolute path to the CSS source file\n *
  * defined with the `from` option.\n
  *\n * @example\n * const root = postcss.parse(css, { from: 'a.css' });\n * root.source.input.file
  //=> '/home/ai/a.css'\n *\n * this.file = opts.from;\n } else {\n  this.file = path.resolve(opts.from);\n
  }\n }\n\n /**\n * let map = new PreviousMap(this.css, opts);\n * if ( map.text ) {\n  /**\n *
  * @member {PreviousMap} - The input source map passed from\n *
  * a compilation step before
  PostCSS\n *
  * (for example, from Sass compiler).\n
  *\n * @example\n * root.source.input.map.consumer().sources //=> ['a.sass']\n *!\n
  * this.map = map;\n * let file = map.consumer().file;\n * if ( !this.file && file ) this.file =
  this.map.resolve(file);\n * }\n *\n * if (!this.file) {\n  sequence += 1;\n  /**\n * @member {string} -
  * The unique ID of the CSS source. It will be\n *
  * created if `from` option is not provided\n *
  * (because PostCSS does not know the file path).\n *\n * @example\n * const root =
  postcss.parse(css);\n * root.source.input.file //=> undefined\n * root.source.input.id //=> "<input css 1>"\n
  *\n * this.id = `<input css ${sequence}>`;\n * }\n * if (this.map) this.map.file = this.from;\n * }\n\n
  * error(message, line, column, opts = {}) {\n  let result;\n  const origin = this.origin(line, column);\n  if (origin) {\n
  
```

```

    result =
    new CssSyntaxError(\n    message,\n    origin.line,\n    origin.column,\n    origin.source,\n    origin.file,\n    opts.plugin\n  );\n  } else {\n    result = new CssSyntaxError(message, line, column, this.css,
    this.file, opts.plugin);\n  }\n  result.input = { line, column, source: this.css };\n  if (this.file) result.input.file =
    this.file;\n  return result;\n }\n\n /**\n  * Reads the input source map and returns a symbol position\n  * in the
    input source (e.g., in a Sass file that was compiled\n  * to CSS before being passed to PostCSS).\n  *\n  * @param
    {number} line - line in input CSS\n  * @param {number} column - column in input CSS\n  *\n  * @return
    {filePosition} position in input source\n  *\n  * @example\n  * root.source.input.origin(1, 1) // => { file: 'a.css',
    line: 3, column: 1 }\n  *\n  * ^\n  * origin(line, column) {\n  *   if (!this.map) return false;\n  *   const consumer =
    this.map.consumer();\n  *   const from = consumer.originalPositionFor({
    line, column });\n  *   if (!from.source) return false;\n  *   const result = {\n  *     file: this.map.resolve(from.source),\n
    line: from.line,\n  *     column: from.column,\n  *   };\n  *   const source = consumer.sourceContentFor(from.source);\n
    if (source) result.source = source;\n  *   return result;\n  * }\n  * mapResolve(file) {\n  *   if (/^\w+:\|\/\|\.test(file)) {\n
    *     return file;\n  *   } else {\n  *     return path.resolve(this.map.consumer().sourceRoot || '.', file);\n  *   }\n  * }\n  * }\n  * }\n  * /**\n  *
    The CSS source identifier. Contains { @link Input#file } if the user\n  * set the `from` option, or { @link Input#id } if
    they did not.\n  * @type {string}\n  *\n  * @example\n  * const root = postcss.parse(css, { from: 'a.css' });\n  *
    root.source.input.from // => "/home/ai/a.css"\n  *\n  * const root = postcss.parse(css);\n  * root.source.input.from
    // => "<input css 1>"\n  *\n  * ^\n  * get from() {\n  *   return this.file || this.id;\n  * }\n  * }\n  * }\n  * next export default Input;\n  * //
    @flow\n  * import tokenize from './postcss/tokenize';\n  * import Comment from './postcss/comment';\n  * import Parser
    from './postcss/parser';\n  * next export default class SafeParser extends Parser {\n  *   tokenize() {\n  *     this.tokens =
    tokenize(this.input, { ignoreErrors: true });\n  *   }\n  *   comment(token) {\n  *     const node = new Comment();\n
    this.init(node, token[2], token[3]);\n  *     node.source.end = { line: token[4], column: token[5] };\n  *     let text =
    token[1].slice(2);\n  *     if (text.slice(-2) === '*/') text = text.slice(0, -2);\n  *     if (/^\s*$/ .test(text)) {\n  *
    node.text =
    ";\n  *     node.raws.left = text;\n  *     node.raws.right = ";\n  *   } else {\n  *     const match =
    text.match(/^(\\s*)([^\s]*[^\s])(\\s*)$/);\n  *     node.text = match[2];\n  *     node.raws.left = match[1];\n
    node.raws.right = match[3];\n  *   }\n  * }\n  * }\n  * unclosedBracket() {\n  * }\n  * unknownWord(start) {\n  *   const buffer =
    this.tokens.slice(start, this.pos + 1);\n  *   this.spaces += buffer.map(i => i[1]).join("");\n  * }\n  * }\n  *
    unexpectedClose() {\n  *   this.current.raws.after += ' ';\n  * }\n  * }\n  * doubleColon() {\n  * }\n  * unnamedAttrule(node)
    {\n  *   node.name = ";\n  * }\n  * }\n  * precheckMissedSemicolon(tokens) {\n  *   const colon = this.colon(tokens);\n  *
    if (colon === false) return;\n  *   let split;\n  *   for (split = colon - 1; split >= 0; split--) {\n  *     if (tokens[split][0] ===
    'word') break;\n  *   }\n  *   for (split = 1; split >= 0; split--) {\n  *     if (tokens[split][0] !== 'space') {\n  *
    split += 1;\n  *     break;\n  *   }\n  * }\n  * const other = tokens.splice(split, tokens.length - split);\n  * this.decl(other);\n  * }\n  * }\n
    checkMissedSemicolon() {\n  * }\n  * endFile() {\n  *   if (this.current.nodes && this.current.nodes.length) {\n  *
    this.current.raws.semicolon = this.semicolon;\n  *   }\n  *   this.current.raws.after = (this.current.raws.after || "") +
    this.spaces;\n  *   while (this.current.parent) {\n  *     this.current = this.current.parent;\n  *     this.current.raws.after =
    ";\n  *   }\n  * }\n  * }\n  * //
    @flow\n  * import Input from './postcss/input';\n  * import SafeParser from './safe-parser';\n  * next export default function
    safeParse(css, opts) {\n  *   const input = new Input(css, opts);\n  *   const parser = new SafeParser(input);\n
    parser.tokenize();\n  *   parser.loop();\n  *   return parser.root;\n  * }\n  * // @flow\n  * /* eslint-disable import/no-unresolved
    *\n  * ^\n  * import transformDeclPairs from 'css-to-react-native';\n  * import generateComponentId from
    './utils/generateComponentId';\n  * import type { RuleSet, StyleSheet } from './types';\n  * import flatten from
    './utils/flatten';\n  * // $FlowFixMe\n  * import parse from './vendor/postcss-safe-parser/parse';\n  * let generated =
    {};\n  * next export const resetStyleCache = () => {\n  *   generated = {};\n  * }\n  * *\n  * ^\n  * InlineStyle takes arbitrary CSS and
    generates a flat object\n  * ^\n  * next export default (styleSheet: StyleSheet) => {\n  *   class InlineStyle {\n  *     rules: RuleSet;\n  *
    constructor(rules: RuleSet) {\n  *       this.rules = rules;\n  *     }\n  *     generateStyleObject(executionContext:
    Object) {\n  *       const flatCSS = flatten(this.rules, executionContext).join("");\n  *       const hash =
    generateComponentId(flatCSS);\n  *       if (!generated[hash]) {\n  *         const root = parse(flatCSS);\n  *         const
    declPairs = [];\n  *         root.each(node => {\n  *           if (node.type === 'decl') {\n  *             declPairs.push([node.prop,

```

```

node.value]);\n      } else if (process.env.NODE_ENV !== 'production' && node.type !== 'comment') {\n
/* eslint-disable no-console */\n      console.warn(`Node of type ${node.type} not supported as an inline
style`);\n      }\n    });\n    // RN currently does not support differing values for the corner radii of Image\n
// components (but does for View). It is almost impossible to tell whether we'll have\n    // support, so we'll just
disable multiple values here.\n    // https://github.com/styled-components/css-to-react-native/issues/11\n    const
styleObject = transformDeclPairs(declPairs, [\n
      'borderRadius',\n      'borderWidth',\n      'borderColor',\n      'borderStyle',\n      ]);\n    const styles =
styleSheet.create({\n      generated: styleObject,\n      });\n    generated[hash] = styles.generated;\n    }\n
return generated[hash];\n  }\n  }\n  return InlineStyle;\n};\n"/** eslint-disable */\n\n mixin-deep;
https://github.com/jonschlinkert/mixin-deep\n Inlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\n The MIT License (MIT)\n\n Copyright (c) 2014-present, Jon Schlinkert.\n\n Permission is
hereby granted, free of charge, to any person obtaining a copy\n of this software and associated documentation files
(the \"Software\"), to deal\n in the Software without restriction, including without limitation the rights\n to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of the Software, and to permit persons to
whom the Software is\n furnished to do
so, subject to the following conditions:\n\n The above copyright notice and this permission notice shall be included
in\n all copies or substantial portions of the Software.\n\n THE SOFTWARE IS PROVIDED \"AS IS\",
WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY,\n FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER\n LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,\n OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN\n THE SOFTWARE.\n*/\n\nconst isObject = val => {\n return (\n typeof
val === 'function' || (typeof val === 'object' && val !== null && !Array.isArray(val))\n );\n};\n\nconst isValidKey
= key => {\n return key !== '__proto__' && key !== 'constructor' && key !== 'prototype';\n};\n\nfunction
mixin(target, val, key) {\n const obj = target[key];\n if
(isObject(val) && isObject(obj)) {\n mixinDeep(obj, val);\n } else {\n target[key] = val;\n }\n}\n\nexport
default function mixinDeep(target, ...rest) {\n for (const obj of rest) {\n if (isObject(obj)) {\n for (const key in
obj) {\n if (isValidKey(key)) {\n mixin(target, obj[key], key);\n }\n }\n }\n}\n\n return
target;\n}\n\n"/** @flow\nimport { EMPTY_OBJECT } from './empties';\n\n type Props = {\n theme?:
any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n
return (props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n\n"/**
@flow\nimport type { IStyledComponent } from './types';\n\nexport default function isTag(target:
$PropertyType<IStyledComponent, 'target'>): boolean %checks {\n return (\n typeof target === 'string' &&\n
(process.env.NODE_ENV !== 'production'\n ? target.charAt(0) === target.charAt(0).toLowerCase()\n :
true)\n
);\n}\n\n"/** @flow\nimport type { IStyledComponent } from './types';\nimport getComponentName from
'./getComponentName';\nimport isTag from './isTag';\n\nexport default function generateDisplayName(\n target:
$PropertyType<IStyledComponent, 'target'>): string {\n return isTag(target) ? `styled.${target}` :
`Styled(${getComponentName(target)}`;\n}\n\n"/** @flow\nimport React, { useContext, useMemo, type Element,
type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from
'./utils/isFunction';\n\nexport type Theme = { [key: string]: mixed }; \n\n type ThemeArgument = Theme |
((outerTheme?: Theme) => Theme);\n\n type Props = {\n children?: Element<any>,\n theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n if (!theme) {\n return throwStyledError(14);\n
}\n\n if (isFunction(theme)) {\n const mergedTheme = theme(outerTheme);\n\n if (\n
process.env.NODE_ENV !== 'production' &&\n (mergedTheme === null || Array.isArray(mergedTheme) ||

```

```

typeof mergedTheme !== 'object')\n ) {\n   return throwStyledError(7);\n }\n\n return mergedTheme;\n }\n\n if (Array.isArray(theme) || typeof theme !== 'object') {\n   return throwStyledError(8);\n }\n\n return outerTheme ?
{ ...outerTheme, ...theme } : theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n */\nexport default function ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if (!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n", "// @flow\nimport React, {
createElement, Component } from 'react';\nimport
hoist from 'hoist-non-react-statics';\nimport merge from '../utils/mixinDeep';\nimport determineTheme from
 '../utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from '../utils/empties';\nimport
generateDisplayName from '../utils/generateDisplayName';\nimport isFunction from '../utils/isFunction';\nimport
isTag from '../utils/isTag';\nimport isStyledComponent from '../utils/isStyledComponent';\nimport {
ThemeConsumer } from './ThemeProvider';\nimport type { Theme } from './ThemeProvider';\nimport type { Attrs,
RuleSet, Target } from './types';\n\n// NOTE: no hooks available for react-native yet;\n// if the user makes use of
ThemeProvider or StyleSheetManager things will break.\n\n// Validator defaults to true if not in HTML/DOM
env\n\nconst validAttr = () => true;\n\nclass StyledNativeComponent extends Component<*, *> {\n  root:
?Object;\n  attrs = {};\n  render() {\n    return (\n      <ThemeConsumer>\n        {(theme?: Theme) => {\n
const {\n
  $as: transientAsProp,\n      as: renderAs,\n      forwardedComponent,\n      forwardedAs,\n
forwardedRef,\n      testID,\n      style = [],\n      ...props\n    } = this.props;\n\n    const {
defaultProps, target, shouldForwardProp } = forwardedComponent;\n    const elementToBeRendered =\n
this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n\n    const generatedStyles =
this.generateAndInjectStyles(\n      determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n
this.props\n    );\n\n    const isTargetTag = isTag(elementToBeRendered);\n    const computedProps =
this.attrs !== props ? { ...props, ...this.attrs } : props;\n    const propFilterFn = shouldForwardProp || (isTargetTag
&& validAttr);\n    const propsForElement = {};\n    let key;\n\n    for (key in computedProps) {\n
if (key[0] === '$' || key
=== 'as') continue;\n      else if (key === 'forwardedAs') {\n        propsForElement.as = props[key];\n
} else if (!propFilterFn || propFilterFn(key, validAttr)) {\n        // Don't pass through filtered tags through to
native elements\n        propsForElement[key] = computedProps[key];\n      }\n    }\n\n    propsForElement.style = typeof style === 'function' ?\n      (state) => {\n        return
[generatedStyles].concat(style(state))\n      }\n      : [generatedStyles].concat(style);\n\n    propsForElement.testID = testID || propsForElement.testID;\n\n    if (forwardedRef) propsForElement.ref =
forwardedRef;\n    if (forwardedAs) propsForElement.as = forwardedAs;\n\n    return
createElement(elementToBeRendered, propsForElement);\n  }}\n  </ThemeConsumer>\n);\n}\n\n
buildExecutionContext(theme: ?Object, props: Object, attrs: Attrs) {\n  const context = { ...props, theme };
\n  if (!attrs.length) return context;\n  this.attrs = {};\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef =
attrDef;\n    let attr;\n    let key;\n\n    if (isFunction(resolvedAttrDef)) {\n      resolvedAttrDef =
resolvedAttrDef(context);\n    }\n\n    /* eslint-disable guard-for-in */\n    for (key in resolvedAttrDef) {\n
attr = resolvedAttrDef[key];\n      this.attrs[key] = attr;\n      context[key] = attr;\n    }\n\n    /* eslint-enable */\n
});\n  return context;\n}\n\n generateAndInjectStyles(theme: any, props: any) {\n  const { inlineStyle } =
props.forwardedComponent;\n  const executionContext = this.buildExecutionContext(\n    theme,\n    props,\n
props.forwardedComponent.attrs\n  );\n  return inlineStyle.generateStyleObject(executionContext);\n}\n\n
setNativeProps(nativeProps: Object) {\n  if (this.root !== undefined) {\n    // $FlowFixMe\n
this.root.setNativeProps(nativeProps);\n  }
\n  else if (process.env.NODE_ENV !== 'production') {\n    // eslint-disable-next-line no-console\n
console.warn(\n      'setNativeProps was called on a Styled Component wrapping a stateless functional
component.\n    );\n  }\n}\n}\n\nexport default (InlineStyle: Function) => {\n  const

```

```

createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n  const {\n    attrs =
EMPTY_ARRAY,\n    displayName = generateDisplayName(target),\n    ParentComponent =
StyledNativeComponent,\n  } = options;\n\n  const isClass = !isTag(target);\n  const isTargetStyledComp =
isStyledComponent(target);\n\n  // $FlowFixMe\n  const WrappedStyledNativeComponent =
React.forwardRef((props, ref) => (\n    <ParentComponent\n      {...props}\n    forwardedComponent={WrappedStyledNativeComponent}\n    forwardedRef={ref}\n  />\n  ));\n\n  const
finalAttrs =\n    // $FlowFixMe\n    isTargetStyledComp && target.attrs\n    ?
Array.prototype.concat(target.attrs,
  attrs).filter(Boolean)\n    : attrs;\n\n  // eslint-disable-next-line prefer-destructuring\n  let shouldForwardProp =
options.shouldForwardProp;\n\n  // $FlowFixMe\n  if (isTargetStyledComp && target.shouldForwardProp) {\n
if (shouldForwardProp) {\n    // compose nested shouldForwardProp calls\n    shouldForwardProp = (prop,
filterFn, elementToBeCreated) =>\n      // $FlowFixMe\n      target.shouldForwardProp(prop, filterFn,
elementToBeCreated) &&\n        options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n  } else {\n
// eslint-disable-next-line prefer-destructuring\n    shouldForwardProp = target.shouldForwardProp;\n  }\n}\n\n  /**\n   * forwardRef creates a new interim component, which we'll take advantage of\n   * instead of
extending ParentComponent to create _another_ interim class\n   */\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.attrs = finalAttrs;\n\n  WrappedStyledNativeComponent.displayName
= displayName;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.shouldForwardProp =
shouldForwardProp;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n
// $FlowFixMe\n  isTargetStyledComp ? target.inlineStyle.rules.concat(rules) : rules\n  );\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.target = isTargetStyledComp\n    ? // $FlowFixMe\n    target.target\n    :
target;\n\n  // $FlowFixMe\n  WrappedStyledNativeComponent.withComponent = function withComponent(tag:
Target) {\n    const { displayName: _, componentId: __, ...optionsToCopy } = options;\n    const newOptions =
{\n      ...optionsToCopy,\n      attrs: finalAttrs,\n      ParentComponent,\n    };\n\n    return
createStyledNativeComponent(tag, newOptions, rules);\n  };\n\n  // $FlowFixMe\n  Object.defineProperty(WrappedStyledNativeComponent,
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n\n    set(obj) {\n      // $FlowFixMe\n      this._foldedDefaultProps = isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n    },\n  });\n\n  if (isClass) {\n    hoist(WrappedStyledNativeComponent, (target: any), {\n      // all SC-specific things should not
be hoisted\n      attrs: true,\n      displayName: true,\n      shouldForwardProp: true,\n      inlineStyle: true,\n      styledComponentId: true,\n      target: true,\n      withComponent: true,\n    });\n  }\n\n  return
WrappedStyledNativeComponent;\n};\n\nreturn createStyledNativeComponent;\n};\n", "\n\n@flow\nimport type {
Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:
Array<Interpolation>): Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len =
interpolations.length; i < len;\n    i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return result;\n};\n", "\n\n@flow\nimport interleave
from './utils/interleave';\nimport isPlainObject from './utils/isPlainObject';\nimport { EMPTY_ARRAY } from
'./utils/empties';\nimport isFunction from './utils/isFunction';\nimport flatten from './utils/flatten';\nimport type {
Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object styles to determine if we
should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-
next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles,
...interpolations: Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    //
$FlowFixMe\n    return addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if
(interpolations.length === 0 && styles.length === 1 && typeof styles[0]
=== 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  // $FlowFixMe\n  return
addTag(flatten(interleave(styles, interpolations)));\n}\n", "\n\n@flow\nimport { isValidElementType } from 'react-
is';\nimport css from './css';\nimport throwError from './utils/error';\nimport { EMPTY_OBJECT } from

```

```

../utils/empties';\n\nimport type { Target } from '../types';\n\nexport default function constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object = EMPTY_OBJECT\n) {\n  if\n    (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n  /* This is callable directly as a\n  template function */\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n  const templateFunction =\n    (...args) => componentConstructor(tag, options, css(...args));\n  /* If config methods are called, wrap up a new\n  template function and merge options */\n  templateFunction.withConfig = config =>\n    constructWithOptions(componentConstructor,\n      tag, { ...options, ...config });\n  /* Modify/inject new props at runtime */\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n      ...options,\n      attrs: Array.prototype.concat(options.attrs,\n        attrs).filter(Boolean),\n    });\n  return templateFunction;\n}\n\n\"// @flow\n\nimport React, { useContext, type\n  AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }\n  from '../models/ThemeProvider';\nimport determineTheme from '../utils/determineTheme';\nimport\n  getComponentName from '../utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export\n  default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):\n  AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n// but the old build system\n  tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  //\n  $FlowFixMe\n\n  This should be React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n    const theme = useContext(ThemeContext);\n    // $FlowFixMe defaultProps isn't declared so it can be inferrable\n    const { defaultProps } = Component;\n    const themeProp = determineTheme(props, theme, defaultProps);\n    if\n      (process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-disable-next-line no-\n      console\n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a\n        theme in defaultProps in component class \"${getComponentName(\n          Component\n        )}\"`);\n      }\n    return <Component { ...props } theme={themeProp} ref={ref} />;\n  });\n  hoistStatics(WithTheme,\n    Component);\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)})`;\n  return\n    WithTheme;\n};\n\n\"// @flow\n\nimport { useContext } from 'react';\nimport { ThemeContext } from\n  '../models/ThemeProvider';\n\nconst\n  useTheme = () => useContext(ThemeContext);\n\nexport default useTheme;\n\n\"// @flow\n\n/* eslint-disable\n  import/no-unresolved */\nimport _InlineStyle from '../models/InlineStyle';\nimport _StyledNativeComponent from\n  '../models/StyledNativeComponent';\nimport css from '../constructors/css';\nimport constructWithOptions from\n  '../constructors/constructWithOptions';\nimport ThemeProvider, { ThemeConsumer, ThemeContext } from\n  '../models/ThemeProvider';\nimport withTheme from '../hoc/withTheme';\nimport useTheme from\n  '../hooks/useTheme';\nimport isStyledComponent from '../utils/isStyledComponent';\nimport type { Target } from\n  '../types';\n\nconst reactNative = require('react-native');\nconst InlineStyle =\n  _InlineStyle(reactNative.StyleSheet);\nconst StyledNativeComponent =\n  _StyledNativeComponent(InlineStyle);\nconst styled = (tag: Target) =>\n  constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for\n  some reason, so let's\n  * assume it's for a good reason and not eagerly load them all */\nconst aliases = `ActivityIndicator\n  ActivityIndicatorIOS ART Button DatePickerIOS DrawerLayoutAndroid\n  Image ImageBackground ImageEditor\n  ImageStore KeyboardAvoidingView ListView MapView Modal NavigatorIOS\n  Picker PickerIOS\n  ProgressBarAndroid ProgressViewIOS ScrollView SegmentedControlIOS Slider\n  SliderIOS SnapshotViewIOS\n  Switch RecyclerViewBackedScrollView RefreshControl SafeAreaView StatusBar\n  SwipeableListView\n  SwitchAndroid SwitchIOS TabBarIOS TextInput ToastAndroid ToolbarAndroid\n  Touchable\n  TouchableHighlight TouchableNativeFeedback TouchableOpacity TouchableWithoutFeedback\n  View\n  ViewPagerAndroid WebView FlatList SectionList VirtualizedList Pressable`;\n\n/* Define a getter for each alias\n  which simply gets the reactNative component\n  * and passes it to styled */\naliases.split(/\\s+/m).forEach(alias =>\n  Object.defineProperty(styled, alias, {\n    enumerable: true,\n    configurable: false,\n    get() {\n

```

```

return styled(reactNative[alias]);\n  },\n  )\n);\n\n\nexport { css, isStyledComponent, ThemeProvider,
ThemeConsumer, ThemeContext, withTheme, useTheme };
\n\nexport default
styled;\n"], "names":["AD_REPLACER_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "g
enerateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash"
, "str", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "isFunction", "test", "isStateless
Function", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComp
onentId", "SC_ATTR", "REACT_APP_SC_ATTR", "SC_ATTR_ACTIVE", "SC_ATTR_VERSION", "SC_VERSION", "SC_VERSION", "SC_VERSION", "SPLITTER", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_
SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "ERRORS
", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Erro
r", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE_SIZE", "groupSizes", "Uint32Array", "index
OfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleInd
ex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX_SMI", "g
roupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "set
GroupForId", "SELECTOR", "MARKER_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size
", "selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "part
s", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "nod
e", "getAttribute", "parentNode", "removeChild", "getNonce", "__webpack_nonce__", "ELEMENT_TYPE", "findLastSt
yleTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevSt
yle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServe
r", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule",
"_error", "cssRules", "cssText", "refNode", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "StyleShe
et", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance"
, "hasNameForId", "groupNames", "Set", "add", "clearNames", "clear", "clearRules", "clearTag", "delimiter", "needle", "to
Sheet", "block", "e", "ruleSheet", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "COMMENT_REG
EX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "plugins", "stylis", "Stylis", "parsingRules", "returnR
ulesPlugin", "parsedRules", "parseRulesPlugin", "insertRulePlugin", "_componentId", "_selector", "_selectorRegexp", "
_consecutiveSelfRefRegExp", "selfReferenceReplacer", "offset", "string", "indexOf", "selfReferenceReplacementPlugi
n", "_", "lastIndexOf", "use", "stringifyRules", "prefix", "componentId", "flatCSS", "cssStr", "reduce", "acc", "plugin", "Sty
leSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "StylisConsumer", "m
asterSheet", "masterStylis", "Keyframes", "inject", "styleSheet", "stylisInstance", "resolvedName", "getName", "uppercas
eCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "ad
dUnitIfNeeded", "value", "unitless", "startsWith", "isFalsish", "chunk", "objToCssArray", "obj", "prevKey", "key", "hasO
wnProperty", "Array", "isArray", "isCss", "hyphenate", "isPlainObject", "flatten", "executionContext", "ruleSet", "result",
"isElement", "console", "warn", "printed", "warnOnce", "message", "SINGLE_QUOTE", "DOUBLE_QUOTE", "BACK
SLASH", "SLASH", "NEWLINE", "SPACE", "FEED", "TAB", "CR", "OPEN_SQUARE", "CLOSE_SQUARE", "OPE
N_PARENTHESES", "CLOSE_PARENTHESES", "OPEN_CURLY", "CLOSE_CURLY", "SEMICOLON", "ASTER
ISK", "COLON", "AT", "RE_AT_END", "RE_WORD_END", "RE_BAD_BRACKET", "tokenize", "input", "tokens", "v
alueOf", "ignore", "ignoreErrors", "next", "quote", "lines", "last", "escape", "nextLine", "nextOffset", "escaped", "escapePo
s", "prev", "n", "pos", "unclosed", "what", "error", "slice", "lastIndex", "HIGHLIGHT_THEME", "brackets", "comment", "c
olor", "terminalHighlight", "Input", "token", "map", "CssSyntaxError", "source", "file", "reason", "setMessage", "captureSt
ackTrace", "showSourceCode", "supportsColor", "start", "max", "end", "min", "maxWidth", "number", "padded", "gutter",
"spacing", "defaultRaw", "colon", "indent", "beforeDecl", "beforeRule", "beforeOpen", "beforeClose", "beforeComment",
"after", "emptyBody", "commentLeft", "commentRight", "capitalize", "toUpperCase", "Stringifier", "builder", "stringify",
"semicolon", "type", "root", "body", "raws", "left", "raw", "right", "text", "decl", "between", "prop", "rawValue", "importa
nt", "atrule", "params", "afterName", "before", "own", "detect", "first", "rawCache", "beforeAfter", "method", "walk", "raw
Semicolon", "rawEmptyBody", "rawIndent", "p", "rawBeforeComment", "walkComments", "rawBeforeDecl", "walkDec
ls", "rawBeforeRule", "rawBeforeClose", "rawBeforeOpen", "rawColon", "buf", "step", "cloneNode", "cloned", "construc

```


ACD;AACF;;AAED,WAAKH,UAAAL,GAakB,IAAIC,WAAJ,CAAgBQ,OAAhB,CAAIB;AACa,WAAKT,UAAAL,CAAgBW,GAAhB,CAAoBJ,SAApB;AACa,WAAK/D,MAAL,GAACiE,OAAAd;;AAEA,WAAK,IAAIIIE,CAAC,G AAGiE,OAAAb,EAAaBjE,CAAC,GAAGkE,OAA1B,EAAmCIE,CAAC,EAAPc,EAAwC;AACtC,aAAKyD,UAAAL,CAAgBzD,CAAhB,IAAqB,CAArB;AACD;AACF;;AAED,QAAIqE,SAAS,GAAG,KAAKV,YAAL,CAAkBC,KA AK,GAAG,CAA1B,CAAhB;;AACa,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAWse,CAAC,GAAGP,KAAK,CA AC9D,MAA1B,EAakCD,EAAC,GAAGsE,CAAtC,EAAYcTE,EAAC,EAA1C,EAA8C;AAC5C,UAAI,KAAKsD,G AAL,CAASiB,UAAAT,CAAoBF,SAApB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPc,CAAJ,EAA8C;AAC5C,aAA KyD,UAAAL,CAAgBG,KAAhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;;SAEDG,aAAA,oBAAWZ,KAAAX, EAAgC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAjB,EAAYB;AACvB,UAAAMA,MAAM,GAAG,KAAKwD ,UAAAL,CAAgBG,KAAhB,CAAF;AACa,UAAAMa,UAAU,GAAG,KAAKd,YAAL,CAAkBC,KAAIB,CAAnB;AA CA,UAAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAAL,CAAgBG,KAAhB,IAAYB,C AAzB;;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAAb,EAAYBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC, EAAxC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAAT,CAAoBF,UAApB;AACD;AACF;AACF;;SAEDG,W AAA,kBAASHb,KAAT,EAAgC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;;AACa,QAAIjB,KAAK,IAAI,KAAK3D ,MAAd,IAAwB,KAAKwD,UAAAL,CAAgBG,KAAhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOiB,GAAP;AACD; ;AAED,QAAM5E,MAAM,GAAG,KAAKwD,UAAAL,CAAgBG,KAAhB,CAAF;AACa,QAAMa,UAAU,GAAG,K AAkD,YAAL,CAAkBC,KAAIB,CAAnB;AACa,QAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;;AAEA,SA AK,IAAID,CAAC,GAAGyE,UAAAb,EAAYBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAxC,EAA4C;AA C1C6E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAT,CAAiB9E,CAAjB,CAAP,GAA6B4B,QAAhC ;AACD;;AAED,WAAOiD,GAAP;AACD;;;;AChGH;AAEA,AAEA,IAAME,OOAO,GAAG,KAAK,KAAK,CAA1 B;AAEA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;AACa,IAAIC,eAAe,GAAwB,IAAID,GAAJ,EAA3C;AAC A,IAAIE,aAAa,GAAG,CAAPB;AAEA,AAMO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,EAAD,EAAwB; AACnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe,CAACO,GA AhB,CAAoBF,EAAPB,CAAR;AACD;;AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAAPB,CAAP,EAA2C; AACzCA,IAAAA,aAAa;AACd;;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;;AAEA,MACE5E,OOAO,CA ACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CAAT,IAAc,CAAd,IAAmBA,K AAK,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAGB,CAAC,EAAD,OAAQP,KAAR,CAAhB;AAC D;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,C AACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACa,SAAOzB,KAAP;AACD,CARBM;AAuBP,AAAO,IA AM4B,aAAa,GAAG,SAAhBA,aAAGB,CAAC5B,KAAD,EAAC;AAC7D,SAAOsB,eAAe,CAACK,GAAhB,CAA oB3B,KAAPB,CAAP;AACD,CAFm;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAGB,CAACJ,EAAD,EAA azB,KAAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAGvB,KAAK,G AAG,CAAxB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAs B,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACD,CAPM;;AC3CP;AAEA,AAIA,I AAMK,QAAQ,cAAYpE,OAAs,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAAd;AACa,IAAMiE,SAAS,GAAG,IA AIC,MAAJ,OAAeT,E,OAaf,sDAaIB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAc,CAACC,KAAD,E AAKB;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAs;AAD2C,MAEnC9F,MAFmC,GAEx BqD,GAfwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAs;AACa,OAkK,IAAIjB,KAAK,GAAG, CAAjB,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAsC,EAA6C;AAC3C,QAAMyB,EAAE,GAA GG,aAAa,CAAC5B,KAAD,CAAxB;AACa,QAAIyB,EAAE,KAAKW,SAAX,EAAsB;AAEtB,QAAMC,KAAK,G AAGH,KAAK,CAACG,KAAN,CAAYV,GAAs,CAAgBF,EAAhB,CAAd;AACa,QAAMtB,KAAK,GAAGT,GA AG,CAACsB,QAAJ,CAAhB,KAAAb,CAAd;AACa,QAAI,CAACqC,KAAD,IAAU,CAACIC,KAAAX,IAAoB,CAA CkC,KAAK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAN,UAAkBsC,KAAIB,cAA+ByB,E AA/B,QAAAd;AAEA,QAAIe,OOAO,GAAG,EAAd;;AACa,QAAIH,KAAK,KAAKD,SAAd,EAAyB;AACvBC,MA AAA,KAAK,CAACnD,OAAN,CAAc,UAAAtD,IAAI,EAAl;AACpB,YAAIA,IAAI,CAACS,MAAL,GAAC,CAA I B,EAAqB;AACnBmG,UAAAA,OOAO,IAAO5G,IAAP,MAAP;AACD;AACF,OAJD;AAKD,KAJB0C;AAoB3C;; AACaQf,IAAAA,GAAG,SAAOd,KAAP,GAeoC,QAAf,mBAAoCC,OAAPc,WAAgDxE,QAAAnD;AACD;;AAE D,SAAOiD,GAAP;AACD,CA9BM;;AAgCP,IAAMwB,yBAAyB,GAAG,SAAS5BA,yBAA4B,CAACP,KAAD,EA

AeT,EAAf,EAA2Be,OAA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OAAO,CAACE,KAAR,CAAc,GAAd,C
AAd;AACa,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAWSE,CAAC,GAAG2B,KAAK,CA
AChG,MAA1B,EAakCD,CAAC,GAAGSE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C;AACa,QAAKR,I
AAI,GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAauB;AACrB8F,MAAAA,KAAK,CAACS,YAAN,CAAmBIB,
EAAAnB,EAauB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,GAAG,SAAxBA,qBAAwB,
CAACV,KAAD,EAAeW,KAAf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,KAAK,CAACE,WAAN,IAA
qB,EAAtB,EAA0BL,KAA1B,CAAgC1E,QAAhC,CAAd;AACa,MAAMmC,KAAK,GAAa,EAAxB;;AAEA,OAA
K,IAAI/D,CAAC,GAAG,CAAR,EAAWSE,CAAC,GAAGoC,KAAK,CAACzG,MAA1B,EAakCD,CAAC,GAAGS
E,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAA4G,IAAI,GAAGF,KAAK,CAAC1G,CAAD,CAAL,C
AASoD,IAAT,EAAb;AACa,QAAI,CAACwD,IAAL,EAAW;AAEX,QAAmC,MAAM,GAAGD,IAAI,CAACE,K
AAL,CAAWnB,SAAX,CAAf;;AAEA,QAAIkB,MAAJ,EAAY;AACV,UAAMjD,KAAK,GAAGmD,QAAQ,CAAC
F,MAAM,CAAC,CAAD,CAAP,EAAY,EAAZ,CAAR,GAA0B,CAAxC;AACa,UAAMxB,EAAE,GAAGwB,MAA
M,CAAC,CAAD,CAAjB;;AAEA,UAAIjD,KAAK,KAAK,CAAd,EAAiB;AACf;AACa6B,QAAAA,aAAa,CAACJ
,EAAD,EAakzB,KAAL,CAAb,CAFe;AAIf;;AACaYc,QAAAA,yBAayB,CAACP,KAAD,EAAQT,EAAR,EAA
YwB,MAAM,CAAC,CAAD,CAAIB,CAAZB;AACAf,QAAAA,KAAK,CAACC,MAAN,GAAejC,WAAf,CAA2BF
,KAA3B,EAakCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,GAAe,CAAf;AACD,KADd,MA
cO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;AACF,CA5BD;;AA8BA,AAAO,I
AAMI,cAAc,GAAG,SAAjBA,cAAiB,CAACIB,KAAD,EAakB;AAC9C,MAAMmB,KAAK,GAAGC,QAAQ,CA
ACC,gBAAT,CAA0BzB,QAA1B,CAAd;;AAEA,OAAK,IAAI1F,CAAC,GAAG,CAAR,EAAWSE,CAAC,GAAG2
C,KAAK,CAAChH,MAA1B,EAakCD,CAAC,GAAGSE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAA
MoH,IAAI,GAAKH,KAAK,CAACjH,CAAD,CAApB;;AACa,QAAIoH,IAAI,IAAIA,IAAI,CAACC,YAAL,CAA
kB/F,OAAIB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAACV,KAAD,EAAQsB,IAAR,CAArB;
;AAEA,UAAIA,IAAI,CAACE,UAAT,EAAqB;AACnBF,QAAAA,IAAI,CAACE,UAAL,CAAgBC,WAAhB,CAA
4BH,IAA5B;AACD;AACF;AACF;AACF,CAbM;;ACnFP;;AACa;AAIA,IAAMI,QAAQ,GAAG,SAAXA,QAAW,
GAAM;AACrB,SAAO,OAAOC,iBAAP,KAA6B,WAA7B,GAA2CA,iBAA3C,GAA+D,IAAtE;AACD,CAFD;;AC
LA;AAEA,AAIA,IAAMC,YAAY,GAAG,CAArB;AAAwB;;AAEXB;;AACa,IAAMC,gBAAgB,GAAG,SAAnBA,
gBAAmB,CAACrH,MAAD,EAakD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH,UADiE;;AAGzE,O
AAK,IAAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAGCD,CAAC,IAAI,CAArC,EAAwCA,CAAC,EA
AzC,EAA6C;AAC3C,QAA6H,KAAK,GAAKD,UAAU,CAAC5H,CAAD,CAA1B;;AACa,QAAI6H,KAAK,IA
AIA,KAAK,CAACC,QAAAN,KAAMBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,OAAAnB,CAAhD,E
AA6E;AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;AACa,AAAO,IA
AMgC,YAAY,GAAG,SAAfA,YAAe,CAAC1H,MAAD,EAA4C;AACtE,MAAM2H,IAAI,GAAKf,QAAQ,CAACe
,IAAxB;AACa,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;AACa,MAAMxB,KAAK,GAAGS,QAAQ,
CAACiB,aAAT,CAAUb,OAAvB,CAAd;AACa,MAAMC,SAAS,GAAGT,gBAAgB,CAACO,MAAD,CAAIC;AA
CA,MAAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC,GAakD,IAAtE;AA
EA5B,EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OAAAnB,EAA4BE,cAA5B;AACaIF,EAAAA,KAAK,CAAC
6B,YAAN,CAAmB7G,eAAAnB,EAAoCC,UAApC;AAEA,MAAM6G,KAAK,GAAGf,QAAQ,EAAtB;AAEA,MAA
Ie,KA AJ,EA AW9B,KAAK,CAAC6B,YAAN,CAAmB,OAAAnB,EAA4BC,KAA5B;AAEXL,EAAAA,MAAM,CA
ACM,YAAP,CAAoB/B,KAAPB,EAA2B4B,WAA3B;AAEA,SAAO5B,KAAP;AACD,CAjBM;AAmBP;;AACa,A
AAO,IAAMgC,QAAQ,GAAG,SAAXA,QAAW,CAACnF,GAAD,EAA0C;AAChE,MAAIA,GAAG,CAACwC,KA
AR,EAAe;AACb,WAASxC,GAAG,CAACwC,KAAb;AACD,GAH+D;;AAAA,kBAMxCoB,QANwC;AAAA,MA
MxDwB,WANwD,aAMxDA,WANwD;;AAOhE,OAAK,IAAI1I,CAAC,GAAG,CAAR,EAAWSE,CAAC,GAAGoE
,WAAW,CAACzI,MAAhC,EAAwCD,CAAC,GAAGSE,CAA5C,EAA+CtE,CAAC,EAAhD,EAAoD;AACID,QAA
M8F,KAAK,GAAG4C,WAAW,CAAC1I,CAAD,CAAZB;;AACa,QAAI8F,KAAK,CAAC6C,SAAN,KAAoBrF,G
AAxB,EAA6B;AAC3B,aAASwC,KAAT;AACD;AACF;;AAED3B,EAAAA,0BAAGB,CAAC,EAAD,CAAhB;AA
CA,SAAQ6B,SAAR;AACD,CAhBM;;AC3CP;AAMA;;AACa,AAAO,IAAM4C,OAAO,GAAG,SAAVA,OAAU,
OAAgE;AAAA,MAA7DC,QAA6D,QAA7DA,QAA6D;AAAA,MAAnDC,iBAAmD,QAAAnDA,iBAAmD;AAAA,
MAAhCxI,MAAgC,QAAhCA,MAAgC;;AACrF,MAAIuI,QAAJ,EAAC;AACZ,WAAO,IAAIE,UAAJ,CAAezI,MA

Af,CAAP;AACD,GAFD,MAEO,IAAIwI,iBAAJ,EAAuB;AAC5B,WAAO,IAAIE,QAAJ,CAAa1I,MAAb,CAAP;AACD,GAFM,MAEA;AACL,WAAO,IAAI2I,OAAJ,CAAY3I,MAAZ,CAAP;AACD;AACF,CARM;AAUP,IAAa0I,QAAb;AAOE,oBAAy1I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAaKA,OAAL,GAAelB,YAAy,CAAC1H,MAAD,CAA5C,CADgC;:AAIhC4I,IAAAA,OAAO,CAACC,WAAO,CAAoBjC,QAAQ,CAACKc,cAAT,CAAwB,EAAxB,CAApB;AAEA,SAAKtD,KAAL,GAAa2C,QAAQ,CAACS,OAAO,CAArB;AACa,SAAKjJ,MAAL,GAAC,CAAd;AACD;:AAfH;:AAAA,SAiBEsE,UajBF,GAiBE,oBAAWV,KAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAI;AACF,WAAKvD,KAAL,CAAWvB,UAAx,CAAsB8E,IAAtB,EAA4BxF,KAA5B;AACa,WAAK5D,MAAL;AACa,aAAO,IAAP;AACD,KAJD,CAIE,OAAOqJ,MAAP,EAAe;AACf,aAAO,KAAP;AACD;AACF,GAZBH;:AAAA,SA2BE3E,UA3BF,GA2BE,oBAAWd,KAAX,EAAgC;AAC9B,SAAKiC,KAAL,CAAWnB,UAAx,CAAsBd,KAAAtB;AACa,SAAK5D,MAAL;AACD,GA9BH;:AAAA,SAgCE6E,OAhCF,GAgCE,iBAAQjB,KAAR,EAAB;AAC7B,QAAMwF,IAAI,GAAG,KAAKvD,KAAL,CAAWyD,QAAx,CAAoB1F,KAAPB,CAAb,CAD6B;:AAG7B,QAAIwF,IAAI,KAAKrD,SAAT,IAAsB,OAAOqD,IAAI,CAACG,OAAZ,KAAwB,QAAID,EAA4D;AAC1D,aAAOH,IAAI,CAACG,OAAZ;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GAxCH;:AAAA;AAAA;AA2CA;:AACa,IAAaP,OAAb;AAOE,mBAAy3I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAaKA,OAAL,GAAelB,YAAy,CAAC1H,MAAD,CAA5C;AACa,SAAK2G,KAAL,GAAaiC,OAAO,CAACtB,UAArB;AACa,SAAK3H,MAAL,GAAC,CAAd;AACD;:AAXH;:AAAA,UAAeEsE,UAbF,GAaE,oBAAWV,KAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAIxF,KAAK,IAAI,KAAK5D,MAAd,IAAwB4D,KAAK,IAAI,CAArC,EAAwC;AACtC,UAAAMuD,IAAI,GAAGF,QAAQ,CAACKc,cAAT,CAAwBC,IAAxB,CAAb;AACa,UAAAMI,OAAO,GAAG,KAAKx,C,KAAL,CAAWpD,KAAX,CAAhB;AACa,WAAKqF,OAAL,CAAaV,YAAb,CAA0BpB,IAA1B,EAAgCqC,OAAO,IAAI,IAA3C;AACa,WAAKxJ,MAAL;AACa,aAAO,IAAP;AACD,KAND,MAMO;AACL,aAAO,KAAP;AACD;AACF,GAvBH;:AAAA,UAYBE0E,UazBF,GAyBE,oBAAWd,KAAX,EAAgC;AAC9B,SAAKqF,OAAL,CAAa3B,WAAb,CAAyB,KAAKN,KAAL,CAAWpD,KAAX,CAAzB;AACa,SAAK5D,MAAL;AACD,GA5BH;:AAAA,Ua8BE6E,OA9BF,GA8BE,iBAAQjB,KAAR,EAAB;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAjB,EAAYB;AACvB,aAAO,KAAKgH,KAAL,CAAWpD,KAAX,EAAkB8C,WAAzB;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GApCH;:AAAA;AAAA;AAuCA;:AACa,IAAaoC,UAAb;AAKE,sBAAyW,OAAZ,EAAMc;AACjC,SAAK3F,KAAL,GAAa,EAAb;AACa,SAAK9D,MAAL,GAAC,CAAd;AACD;:AARH;:AAAA,UAEsE,UAVF,GAUE,oBAAWV,KAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAIxF,KAAK,IAAI,KAAK5D,MAA1B,EAA0B;AACxB,WAAK8D,KAAL,CAAW4F,MAAX,CAAKB9F,KAA1B,EAAYB,CAAZB,EAA4BwF,IAA5B;AACa,WAAKpJ,MAAL;AACa,aAAO,IAAP;AACD,KAJD,MAIO;AACL,aAAO,KAAP;AACD;AACF,GAIBH;:AAAA,Ua0BE0E,UApBF,GAoBE,oBAAWd,KAAX,EAAgC;AAC9B,SAAKE,KAAL,CAAW4F,MAAX,CAAKB9F,KAA1B,EAAYB,CAAZB;AACa,SAAK5D,MAAL;AACD,GAvBH;:AAAA,UAYBE6E,OAzBF,GAyBE,iBAQjB,KAAR,EAAB;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAjB,EAAYB;AACvB,aAAO,KAAK8D,KAAL,CAAWF,KAAX,CAAP;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GA/BH;:AAAA;AAAA;:AC5FA,IAAI+F,gBAAgB,GAAG/H,UAAvB;AAWA,IAAMgI,cAAc,GAAlB;AACnChB,EAAAA,QAAQ,EAAE,CAACH,H,UADwB;AAEnCiH,EAAAA,iBAAiB,EAAE,CAAC/G;AAFe,CAArC;AAKA;:IACqB+H;AAWnB;aACOC,aAAP,oBAAkB1E,EAA1B,EAAsC;AACpC,WAAOD,aAAa,CAACC,EAAD,CAAPB;AACD;:AAED,sBACE2E,OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,YAGhC;AAAA;:AAAA,QAFa4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;:AACa,SAAKD,OAAAL,gBACKH,cADL,MAEKG,OAFL;AAKA,SAAKE,EAAL,GAAUD,YAAV;AACa,SAAKhE,KAAL,GAAa,IAAIhB,GAAJ,CAAQgB,KAAR,CAAb;AACa,SAAKkE,MAAL,GAAC,CAAC,CAACH,OAAO,CAACnB,QAAxB,CARRA;:AAWA,QAAI,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAAIC,EAAoD;AACIDA,MAAAA,gBAAgB,GAAG,KAAAnB;AACa5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;:SAEDoD,yBAAA,gCAAuBJ,OAAvB,EAAsDK,SAAtD,EAakF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4B,GAAN,IAAM;AAAA;:AAChF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFA,EAGJG,SASAS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;:SAEDsE,qBAAA,4BAAMbJF,EAAnB,EAAB;AAC7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,IAAQb,CAA3C;AACD;AAED;:SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GAL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;AAED;:SACAO,eA

AA,sBAAaIF,EAAb,EAAyB7F,IAAzB,EAAGd;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAAf,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B;AACD;AAED;;;SACA+G,eAAA,sBAAaIB,EAAb,EAAyB7F,IAAzB,EAAuC;AACrC4F,IAAAA,aAAa,CAACC,EAAD,CAAb;;AAEA,QAAI,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAAf,CAAL,EAAyB;AACvB,UAA MmF,UAAU,GAAG,IAAIC,GAAJ,EAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeL,IAAf;AACa,WA AKyG,KAAL,CAAW7B,GAAX,CAAeiB,EAAf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KA AL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;;;SACAs E,cAAA,qBAAyB,EAAZ,EAawB7F,IAAxB,EAAsCuE,KAAtC,EAAD;AACrD,SAAKwC,YAAL,CAAKBIB,E AAIB,EAAsB7F,IAAtB;AACa,SAAKuG,MAAL,GAACjC,WAAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAvC,EA A6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWf,EAAx,EAAuB;AACrB,QAAI,KAAKY,KAAL,CAA WX,GAAX,CAAeD,EAAf,CAAJ,EAawB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA 0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWx,EAAx,EAAuB;AACrB,SAAKU,MAAL,GAAC vB,UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAAiC;AACa,SAAKsF,UAAAL,CAAgBtF,EAAhB;AACD;AAED;;;S ACAYF,WAAA,oBAAW;AACT;AACa;AACa,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;;;SACAhF,W AAA,oBAAMb;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;;;AC/HH;;;;;;;;;;;;;AAoBA;AAEA ,AAAE,2BAAsT,UAAU,EAaqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;AACa,MAAMC,MAAM,GAAMD, SAAN,MAAZ;;AAEA,WAASE,OAAT,CAAiBC,KAAjB,EAawB;AACTB,QAAIA,KAAJ,EAaw;AACT,UAAI;A ACF3G,QAAAA,UAAU,CAAi2G,KAAJ,OAAV;AACD,OAFD,CAEE,OAAOC,CAAP,EAAU;AACb;AACF;;AA ED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAML C,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;AACa,YAAQP,OAAAR;AAC E;AACa,WAAK,CAAL;AAACE;AACa,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAMb ,CAAnB,MAA0B,EA7C,EAAD,IAAiD,OAAOqE,UAAU,CAAi6B,OAAJ,OAAV,EA2B,EAAlC;AACjD;AACF;;AA CA,WAAK,CAAL;AAACE,YAAIsF,EAEE,KAAK,CAAX,EAAC,OAAOtF,OAAO,GAAG2E,SAAjB;AACd;AACF ;;AACa,WAAK,CAAL;AAACE,gBAAQW,EAAR;AAACE;AACa,eAAK,GAAL;AACa,eAAK,GAAL;AAACE,mBA AOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAaeIF,OAAbB,CAAV,EAaOC,EA3C;;AACF;AAACE,m BAAOA,OAAO,IAAIwF,EAEE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EA3B,CAAd;AANJ;;AAQF,WAAK,C AAC,CAAN;AAACE3E,QAAAA,OAAO,CAACE,KAAAR,CAAc0E,MAAd,EAAsBII,OAAtB,CAA8BmI,OAA9B;A ArBJ;AAuBD,GANCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAtB;AACa,IAAMC,uBAAuB,GAAG,CAAC, GAAD,EAAM,GAAN,EAaw,GAAX,EAAGb,GAAbB,CAAhC;AAOA,AAAE,SAASC,oBAAT,QAGkC;AAAA,g CAAdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OA C+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC, OAAAX,CAAf,CAD+C;AAI/C;AACa;;AAEA,MAAI mC,YAAAY,GAAG,EAAnB,CAP+C;;AAU/C,MAAMC,iBAA iB,GAAG,SAApBA,iBAAoB,CAAaf,OAAO,EAAl;AACnC,QAAIA,OAAO,KAAK,CAAC,CAAjB,EAaOB;AAC lB,UAAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAAY,GAAG,EAaf;AACa,aAAOE,WAAp;AACD; AACF,GAND;;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAAI,IAAI,EAAl;AAChD8C,IAAAA,Y AAY,CAACTJ,IAAb,CAAKbWg,IAAlB;AACD,GAfwC,CAAZC;;AAIA,MAAI mD,YAAJ;;AACa,MAAIC,SAAJ ;AACa,MAAIC,eAAJ;;AACa,MAAIC,yBAAJ;;AAEA,MAAMC,qBAAqB,GAAG,SAAxBA,qBAawB,CAAC9F ,KAAD,EAQ+FAAR,EAAGBC,MAAhB,EA2B;AACvD;AAEE,KAACD,MAAM,KAAK,CAAX,GAaef,uB AAuB,CAACiB,OAAxB,CAAgCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,G AAKF,IAAnF;AAEA,KAAAC6M,MAAM,CAACHg,KAAP,CAAa6F,yBAAb,CAJH,EAKE;AACa,mBAAWH,YA AX;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;;;;;;AAaA,MAAMkG,8BAA8B,GAAG,SAAjC A,8BAAiC,CAAC3B,OAAD,EAU4B,CAAV,EAa3B,SAAb,EA2B;AAChE,QAAID,OAAO,KAAK,CAAZ,IA AiBC,SAAS,CAACrL,MAA3B,IAAQcQL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAyBT,SAAZB,IAAsC ,CAA/E,EAAKF;AAChF;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAaEa,SAAS,CAAC,CAAD,CAAT,C AAaIL,OAAb,CAAqB8M,eAArB,EAAsCE,qBAAtC,CAAf;AACD;AACF,GALD;;AAOAX,EAAAA,MAAM,CA ACKB,GAAP,WAAenB,OAaf,GAawBgB,8BAAxB,EAawDV,gBAaxD,EA0EF,iBAA1E;;AAEA,WAAsgB,c AAT,CAAwBvI,GAAXB,EA6BsB,QAA7B,EAUCkH,MAAvC,EA+CC,WAA/C,EA+E;AAAA,QAAhCA,W AAAGC;AAAhCA,MAAAA,WAAgC,GAAIB,GAakB;AAAA;;AAC7E,QAAAMC,OAAO,GAAGII,GAAG,CAACjF

,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;AACa,QAAM2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,GAAwBA,MAAxB,SAAkCIH,QAAIC,WAAgDoH,OAAhD,UAA8DA,OAA7E,CAF6E;AAK7E;AACa;;AACAf,IAAAA,YAAY,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IAAAA,eAAe,GAAG,IAAI9G,MAAJ,QAAgB6G,SAAhB,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAAYB,GAAG,IAAI/G,MAAJ,SAAiB6G,SAAjB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAASB,EAAtB,GAA2BA,QA A5B,EAAcQh,MAAtC,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAASB6L,OAAO,CAAC/L,MAA R,GACIB+L,OAAO,CACJyB,MADH,CACU,UAAc,GAAD,EAAMC,MAAN,EAAiB;AACvB,QAAI,CAACA, MAAM,CAACnO,IAAZ,EAAkB;AAChB2E,MAAAA,0BAAgB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE ,KAAK,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QAR H,EADkB,GAUIB,EAVJ;AAYA,SAAOoM,cAAP;AACD;;AC5GD;AACa,AAeO,IAAMQ,iBAAiB,GAA+BC,KA AK,CAACC,aAAN,EAAtD;AACp,AAAO,IAAMC,kBAaKb,GAAGH,iBAAiB,CAACI,QAA7C;AACp,AAAO,IA AMC,aAAa,GAAGcJ,KAAK,CAACC,aAAN,EAAnd;AACp,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAA rC;AAEP,AAAO,IAAMG,WAAW,GAAG,IAAIrE,UAAJ,EAAhC;AACp,AAAO,IAAMsE,YAAY,GAAGBrC,oBA AoB,EAAtD;;ACtBP;AACa;IAKqBsC;AAOnB,qBAAY7O,IAAZ,EAA0BuE,KAA1B,EAAyC;AAAA;;AAAA,S AMzCuK,MANyC,GAMhC,UAAc,UAAD,EAAyBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAA AA,cAA+C,GAAGBJ,YAAiB;AAAA;;AAC/E,UAAAMK,YAAY,GAAG,KAAI,CAACjP,IAAL,GAAYgP,cAAc,CA ACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAX,CAAwB,KAAI,CAACIF,EAA7B,EAAiCoJ,YA AjC,CAAL,EAAqD;AACnDF,QAAAA,UAAU,CAACzK,WAAAX,CACE,KAAI,CAACuB,EADP,EAEEoJ,YAFF, EAGED,cAAc,CAAC,KAAI,CAACzK,KAAN,EAAa0K,YAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBw C;;AAAA,SAkBzCzN,QAIByC,GakB9B,YAAM;AACf,aAAOmD,0BAAgB,CAAC,EAAD,EAAK9E,MAAM,CA AC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;AACa,SAA K6F,EAAL,qBAA0B7F,IAA1B;AACa,SAAKuE,KAAL,GAaAa,KAAb;AACD;;;SAKBD2K,UAAA,iBAAQF,cA AR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAADJ,YAAc;AAAA;;AACID,WAAO,KAA K5O,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;;;ACrCH;;AAEA;;;AKA,IAAMwO,cAAc,GAAG,SAAv B;AACa,IAAMC,gBAAgB,GAAG,UAAzB;AACa,IAAMC,SAAS,GAAG,MAAiB;;AACa,IAAMC,kBAaKb,G AAG,SAArBA,kBAaQb,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAAL,EAA9B;AAAA,CAA3B;AAE A;;;;;;;;;;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IA Af,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGP,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,C AESiP,SAFT,EAEOB,MAFPB,CADK,GAIL/B,MAJF;AAKD;;ACICD;AACa;AAGA,AAAE,SAASoC,eAAT,CA AyBIP,IAAzB,EAAuC2P,KAAvC,EAAwD;AACrE;AACa;AACa,MAAIA,KAAK,IAAI,IAAT,IAAiB,OAAOA, KAAP,KAAiB,SAaIC,IAA+CA,KAAK,KAAK,EAA7D,EAAiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,O AAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAA5C,I AAmE,CAAC5P,IAAI,CAAC6P,UAAAL,CAAgB,IAAhB,CAAxE,EAA+F;AAC7F,WAAUF,KAAV,QAD6F;AAE 9F;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,IAAd,EAAP;AACD;;AChBD;AACa,AAWA;;;A AGA,IAAMkM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK;AAAA,SAaIA,KAAK,KAAKvJ,SAAV,IAAuBuJ, KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA, AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,GAAD,EAACc,OAAd,EAA6D;AACxF,MAAM3L,KAA K,GAAG,EAAd;;AAEA,OAaK,IAAM4L,GAAX,IAAkBF,GAaIB,EAAuB;AACrB,QAAI,CAACA,GAAG,CAA CG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GAAG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;;A AErD,QAAKE,KAAK,CAACC,OAAN,CAAcL,GAAG,CAACE,GAAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD ,CAAH,CAASI,KAArC,IAA+CpP,UAAU,CAAC8O,GAAG,CAACE,GAAD,CAAJ,CAA7D,EAAyE;AACvE5L, MAAAA,KAAK,CAACIB,IAAN,CAAcMn,kBAAS,CAACL,GAAD,CAAvB,QAAiCF,GAAG,CAACE,GAAD,C AApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAACR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA 6B;AACIC5L,MAAAA,KAAK,CAACIB,IAAN,OAAaKb,KAAK,EAASyL,aAAa,CAACC,GAAG,CAACE,GAA D,CAAJ,EAAWA,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA;AACL5L,MAAAA,KAAK,CAACIB,IAAN,CAA cmN,kBAAS,CAACL,GAAD,CAAvB,UAAiCT,eAAe,CAACS,GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,C AAhD;AACD;AACF;;AAED,SAaOD,OAAO,IAAOA,OAAP,gBAAuB3L,KAAvB,GAA8B,GAA9B,KAAqCA,K AAnD;AACD,CAhBM;AAkBP,AAAE,SAASmM,OAAT,CACbX,KADa,EAEBY,gBAFa,EAGb5B,UAHa,EAIbC,

cAJa,EAKR;AACL,MAAIqB,KAAK,CAACC,OAAN,CAAcP,KAAd,CAAJ,EAA0B;AACxB,QAAMa,OAAO,GAAG,EAAhB;;AAEA,SAAK,IAAIpQ,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAG2M,KAAK,CAACtP,MAAvB,EAA+BoQ,MAApC,EAA4CrQ,CAAC,GAAG4C,GAAhD,EAAqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DqQ,MAAAA,MAAM,GAAGH,OAAO,CAACX,KAAK,CAACvP,CAAD,CAAN,EAAWmQ,gBAAX,EAA6B5B,UA7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI6B,MAAM,KAAK,EAAf,EAAMb,SAAnB,KACK,IAAIR,KAAK,CAACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAAO,CAACvN,IAAR,OAAAuN,OAAO,EAASC,MAAT,CAAP,CAA3B,KACAD,OAAO,CAACvN,IAAR,CAAawN,MAAb;AACN;;AAED,WAAOD,OAAP;AACD;;AAED,MAAId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP;AACD;AAED;;;AACa,MAAIInO,iBAAiB,CAACmO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACIO,iBAAjB;AACD;AAED;;;AACa,MAAIV,UAAU,CAAC4O,KAAD,CAAd,EAAB;AACrB,QAAlIO,mBAAMb,CAAC0O,KAAD,CAAnB,IAA8BY,gBAAlC,EAAd;AACID,UAAAE,OAAM,GAAGd,KAAK,CAACY,gBAAD,CAApB;;AAEA,UAAI5P,OAAO,CAACC,GAR,CAAYC,QAAY,KAAYB,YAAzB,IAAYC6P,SAAS,CAACD,OAAD,CAAtD,EAAGe;AAC9D;AACAE,QAAA,A,OAAO,CAACC,IAAR,CACKnQ,gBAAGb,CACjBkP,KADiB,CADrB;AAKD;;AAED,aAAOW,OAAO,CAACG,OAAD,EAASF,gBAAT,EAA2B5B,UAA3B,EAABCC,cAAvC,CAAd;AACD,KAbD,MAAO,OAAOe,KAAP;AACR;;AAED,MAAIA,KAAK,YAAyIB,SAArB,EAAGc;AAC9B,QAAlE,UAAJ,EAAGb;AACdgB,MAAAA,KAAK,CAACjB,MAAN,CAAaC,UAAb,EAAYBC,cAAzB;AACa,aAAOe,KAAK,CAACb,OAAN,CAAcF,cAAd,CAAP;AACD,KAHD,MAGO,OAAOe,KAAP;AACR;AAED;;;AACa,SAAOU,aAAa,CAACV,KAAD,CAAb,GAAuBC,aAAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACvO,QAAN,EAArD;AACD;;AC3FD;AACa,IAAMyP,OA AO,GAAG,EAAhB;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAAIB,EAA2B;AACxC,MAAIF,OAAO,CAACE,OA AD,CAAX,EAAsB;AACtBF,EAAAA,OAAO,CAACE,OAAD,CAAP,GAAMb,IAAnB;AAEA,MAAI,OAAOJ,O AAP,KAAMb,WAAAnB,IAAkCA,OAAO,CAACC,IAA9C,EAAoDD,OAAO,CAACC,IAAR,CAAaG,OAAb;AACr D;;ACRD;AACa,IAAMC,YAAy,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,YAAy,GAAG,IAAI3Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM4Q,SAAS,GAAG,KAAK5Q,UAAAL,CAAgB,CAAhB,CAAlB;AACa,IAAM6Q,KAAK,GAAG,IAAI7Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM8Q,OAAO,GAAG,KAAK9Q,U AAL,CAAgB,CAAhB,CAAhB;AACa,IAAM+Q,KAAK,GAAG,IAAI/Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM gR,IAAI,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAb;AACa,IAAMiR,GAAG,GAAG,KAAKjR,UAAAL,CAA gB,CAAhB,CAAZ;AACa,IAAMkR,EAAE,GAAG,KAAKIR,UAAAL,CAAgB,CAAhB,CAAX;AACa,IAAMmR, WAAW,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMoR,YAAy,GAAG,IAAIpR,UAAJ,CAAe,CAA f,CAArB;AACa,IAAMqR,gBAAGb,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAzB;AACa,IAAMsR,iBAAiB,GAA G,IAAIrR,UAAJ,CAAe,CAAf,CAA1B;AACa,IAAMuR,UAAU,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAAnB;AA CA,IAAMwR,WAAW,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMyR,SAAS,GAAG,IAAIzR,UAA J,CAAe,CAAf,CAAIB;AACa,IAAM0R,QAAQ,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAjB;AACa,IAAM2R,KA AK,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM4R,EAAE,GAAG,IAAI5R,UAAJ,CAAe,CAAf,CAA X;AAEA,IAAM6R,SAAS,GAAG,+BAAlB;AACa,IAAMC,WAAW,GAAG,4CAApB;AACa,IAAMC,cAAc,GA AG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAlB,EAAYBnI,OAazB,EAABuC;AAAA,MAAdA,OAAC; AAAdA,IAAAA,OAAC,GAAJ,EAAl;AAAA;;AACpD,MAAMoI,MAAM,GAAG,EAAf;AACa,MAAMvN,GAAG ,GAAGsN,KAAK,CAACtN,GAAN,CAAUwN,OAAV,EAaz;AAEA,MAAMC,MAAM,GAAGtI,OAAO,CAACuI, YAAvB;AAEA,MAAIInT,IAAJ,EACEoT,IADF,EAEEC,KAFF,EAGEC,KAHF,EAIEC,IAJF,EAKEvM,OALF,EA MEwM,MANF,EAQEC,QAPF,EAQEC,UARF,EASEC,OATF,EAUEC,SAVF,EAWEC,IAXF,EAYEC,CAZF;AAC A,MAAMjT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;AACa,MAAI4M,MAAM,GAAG,CAAC,CAAd;AAC A,MAAIrB,IAAI,GAAG,CAAX;AACa,MAAI2H,GAAG,GAAG,CAAV;;AAEA,WAASC,QAAT,CAAKBC,IAAI B,EAAwB;AACtB,UAAmIB,KAAK,CAACmB,KAAN,eAAwBD,IAAxB,EAAGc7H,IAAhC,EAAsC2H,GAAG,G AAGtG,MAA5C,CAAN;AACD;;AAED,SAAOsG,GAAG,GAAGtI,MAAb,EAAGb;AACnBb,IAAAA,IAAI,GAA GyF,GAAG,CAAC3E,UAAJ,CAAeiT,GAAf,CAAP;;AAEA,QAAlT,IAAI,KAAK4R,OAAT,IAAOB5R,IAAI,KA AK8R,IAA7B,IAAsC9R,IAAI,KAAKgS,EAAT,IAAevM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB ,MAA4BnC,OAArF,EAA+F;AAC7FnE,MAAAA,MAAM,GAAGsG,GAAT;AACa3H,MAAAA,IAAI,IAAI,CAA R;AACD;;AAED,YAAQpM,IAAR;AAEC,WAAK4R,OAAL;AACa,WAAKC,KAAL;AACa,WAAKE,GAAL;A ACA,WAAKC,EAAL;AACa,WAAKF,IAAL;AAECsB,QAAAA,IAAI,GAAGW,GAAP;;AACa,WAAAG;AACDX

,UAAAA,IAAI,IAAI,CAAR;AACApT,UAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAesS,IAAf,CAAP;;ACA,cAAIpT,IAAI,KAAK4R,OAAb,EAAsB;AACpBnE,YAAAA,MAAM,GAAG2F,IAAT;AACAhH,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK6R,KAAT,IACA7R,IAAI,KAAK4R,OADT,IAEA5R,IAAI,KAAK+R,GAFT,IAGA/R,IAAI,KAAKgS,EAHT,IAIAhS,IAAI,KAAK8R,IAZX;;AAeAkB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,OADD,EAAUgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAaeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAAb;AACa;;AAEF,WAAKnB,WAAL;AACEe,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAKyE,YAAL;AACEc,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK4E,UAAL;AACEW,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK6E,WAAL;AACEU,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAKgF,KAAL;AACEO,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK8E,SAAL;AACES,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK0E,gBAAL;AACE0B,QAAAA,IAAI,GAAGb,MAAM,CAACnS,MAAP,GAAGbM,S,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB,GAA+C,EAAtD;AACAiT,QAAAA,CAAC,GAAGrO,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,CAAJ;;AACa,YACEF,IAAI,KAAK,KAAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKrC,YAFN,IAGAqC,CAAC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKiC,OAjN,IAKAkC,CAAC,KAAK/B,GALN,IAMA+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACaOB,UAAAA,IAAI,GAAGW,GAAP;;AACa,aAAG;AACDJ,YAAAA,OAAO,GAAG,KAAY;AACAP,YAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAAJ,CAAY,GAAG,EAaiByF,IAAI,GAAG,CAAxB,CAAP;;AACa,gBAAlA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,kBAAlF,MAAJ,EAAY;AACVE,gBAAAA,IAAI,GAAGW,GAAP;AACa;AACD,eAHD,MAGO;AACLC,gBAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;AACa,mBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI,CAAb;AACAD,cAAAA,OAAO,GAAG,CAACA,OAAAX;AACD;AACF,WAhBD,QAgBSA,OAhBT;;AAkBAX,UAAAA,MAAM,CAACvP,IAAP,CAAY,CACV,UADU,EAevGc,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAaeX,IAAI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,EAIV2H,GAAG,GAAGtG,MAJl,EAKVrB,IAlU,EAMVgH,IAAI,GAAG3F,MANG,CAAZ;AAQAsG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAiCD,MAAsCO;AACLA,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAAJ,CAAY,GAAG,EAaiBoG,GAAG,GAAG,CAAvB,CAAP;AACa/M,UAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAaeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAIA,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACrR,IAAf,CAAoBwF,OAAPB,CAAnB,EAAiD;AAC/CgM,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACD,WAfD,MAEO;AACLUf,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,UAAD,EAauD,OAAb,EAAsBoF,IAAtB,EAA4B2H,GAAG,GAAGtG,MAAiC,EAA0CrB,IAA1C,EAAgDgH,IAAI,GAAG3F,MAAvD,CAAZ;AACAsG,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AACEY,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK+D,YAAL;AACa,WAAKC,YAAL;AACE4B,QAAAA,KAAK,GAAGrT,IAAI,KAAKwR,YAAT,GAAwB,GAAxB,GAA8B,GAAtC;AACa4B,QAAAA,IAAI,GAAGW,GAAP;;AACa,WAAG;AACDJ,UAAAA,OAAO,GAAG,KAAY;AACAP,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAAJ,CAAY0F,KAAZ,EAAMBD,IAAI,GAAG,CAA1B,CAAP;;AACa,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,gBAAlF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AACa;AACD,aAHD,MAGO;AACLC,cAAAA,QAAQ,CAAC,OADD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;AACa,iBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,YAAAA,SAAS,IAAI,CAAb;AACAD,YAAAA,OAAO,GAAG,CAACA,OAAAX;AACD;AACF,SAhBD,QAgBSA,OAhBT;;AAkBA3M,QAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EAaeX,IAAI,GAAG,CAAtB,CAAV;AACAE,QAAAA,KAAK,GAAGtM,OAAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACaQm,QAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;

AAEA,YAAI0S,IAAI,GAAG,CAAX,EAAC;AACZE,UAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAIB;AACAG,
UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAC,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,SAHD,MAGO
;AACL4S,UAAAA,QAAQ,GAAGrH,IAAX;AACAsH,UAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,QAA
AA,MAAM,CAACvP,IAAP,CAAY,CACV,QADU,EAEvG,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EA AeX,IA
AI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,EAIV2H,GAAG,GAAGtG,MAJI,EAKVgG,QALU,EAMVL,IAAI,GA
AGM,UANG,CAAZ;AASajG,QAAAA,MAAM,GAAGiG,UAAAT;AACAtH,QAAAA,IAAI,GAAGqH,QAAP;AA
CAM,QAAAA,GAAG,GAAGX,IAAN;AACAs;AAEF,WAAKV,EAAL;AACCEC,QAAAA,SAAS,CAACyB,SAAV
,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAACnR,IAAV,CAAeiE,GAaf;;AACAs,YAAIkN,S
AAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAAA,IAAI,GAAG3N,GAAG,CAAC5E,MAAJ,G
AAa,CAApB;AACD,SAFD,MAEO;AACLuS,UAAAA,IAAI,GAAGT,SAAS,CAACyB,SAAV,GAAsB,CAA7B;A
ACD;;AACDpB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,SAAD,EAAYgC,GAAG,CAAC00,KAAJ,CAA
UJ,GAAV,EA AeX,IAAI,GAAG,CAAtB,CAAZ,EAAsChH,IAAtC,EAA4C2H,GAAG,GAAGtG,MAAID,EAA0Dr
B,IAA1D,EAAGegH,IAAI,GAAG3F,MAAvE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AACAs;AAEF,
WAAK1B,SAAL;AACe0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,QAAAA,MAAM,GAAG,IAAT;;AACAs,eA
AO/N,GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,MAA6B1B,SAAPC,EAA+C;AAC7C0B,UAAAA,I
AAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;AACD;;AACDxT,QAAAA,IAAI,GAAGyF,
GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,CAAP;;AACAs,YACEI,MAAM,IACLxT,IAAI,KAAK2R,
KAAT,IACC3R,IAAI,KAAK6R,KADV,IAEC7R,IAAI,KAAK4R,OAFV,IAGC5R,IAAI,KAAK+R,GAHV,IAIC/R
,IAAI,KAAKgS,EAJV,IAKChS,IAAI,KAAK8R,IAPb,EAQE;AACAsB,UAAAA,IAAI,IAAI,CAAR;AACD;;AAC
DJ,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,E
AAeX,IAAI,GAAG,CAAtB,CAAT,EAAMChH,IAAnC,EAAYC2H,GAAG,GAAGtG,MAA/C,EA AuDrB,IAAvD,E
AA6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AACAs;AAEF;AAE,YAA
IpT,IAAI,KAAK2R,KAAT,IAAkBIM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,MAA4BvB,QAAI
D,EAA4D;AAC1DY,UAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAAJ,CAAY,IAAZ,EA AkBoG,GAAG,GAAG,C
AAxB,IAA6B,CAApC;;AACAs,cAAIX,IAAI,KAAK,CAAAb,EAAGb;AACD,gBAAIF,MAAJ,EAAY;AACVE,cAA
AA,IAAI,GAAG3N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;AACLmT,cAAAA,QAAQ,CAAC,SAAD,CA
AR;AACD;AACF;;AAEDhN,UAAAA,OAAO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GAAV,EA AeX,IAAI,
GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGtM,OAAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACAQ
M,UAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GA Ae,CAAtB;;AAEA,cAAI0S,IAAI,GAAG,CAAX,EAAC;A
ACZE,YAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAIB;AACAG,YAAAA,UAAU,GAAGN,IAAI,GAAGE,KA
AK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,WAHD,MAGO;AACL4S,YAAAA,QAAQ,GAAGrH,IAAX;
AACAsH,YAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,S
AAD,EAAYuD,OAAZ,EA AqBoF,IAArB,EAA2B2H,GAAG,GAAGtG,MAAjC,EAAYCgG,QAAZC,EAAMDL,IA
AI,GAAGM,UAA1D,CAAZ;AAEAjG,UAAAA,MAAM,GAAGiG,UAAAT;AACAtH,UAAAA,IAAI,GAAGqH,QA
AP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2BO;AACLR,UAAAA,WAAW,CAACwB,SA
AZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,CAACpR,IAAZ,CAAiBiE,GA AjB;;AACAs,cA
AI mN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EA AiC;AAC/BhB,YAAAA,IAAI,GAAG3N,GAAG,CAAC5E,
MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLuS,YAAAA,IAAI,GAAGR,WAAW,CAACwB,SAAZ,GAAw
B,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,
KAAJ,CAAUJ,GAAV,EA AeX,IAAI,GAAG,CAAtB,CAAT,EAAMChH,IAAnC,EAAYC2H,GAAG,GAAGtG,MA
A/C,EA AuDrB,IAAvD,EAA6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,UAAAA,GAAG,GAAGX,IAAN;A
ACD;;AAED;AAzOJ;;AA4OAW,IAAAA,GAAG;AACJ;;AAED,SAAOf,MAAP;AACD;;AC9SD;AACAs,AAGA,I
AAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EA AE,CAAC,EAAD,EA AK,EAAL,CADY;AACF;AACpB5G,E
AAAA,MAAM,EA AE,CAAC,EAAD,EA AK,EAAL,CAFc;AAEJ;AACIB,aAAW,CAAC,EAAD,EA AK,EAAL,CA
HW;AAGD;AACrB6G,EAAAA,OAAO,EA AE,CAAC,EAAD,EA AK,EAAL,CAJ a;AAIH;AACnB,OAAK,CAAC,
EAAD,EA AK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EA AK,EAAL,CANiB;AAMP;AACf,OAAK,CA
AC,CAAD,EA AI,EA AJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,EA AI,EA AJ,CARiB;AAQR;AACd,OAAK,
CAAC,CAAD,EA AI,EA AJ,CATiB;AASR;AACd,OAAK,CAAC,CAAD,EA AI,EA AJ,CAViB;;AAAA,CAAxB;;A

AaA,SAASvU,IAAT,CAAcwU,KAAAd,EAAqB;AACnB,mBAAiBA,KAAjB;AACD;;AAED,SAASC,iBAAT,CAA
2BhP,GAA3B,EAAgC;AAC9B,MAAMuN,MAAM,GAAGF,QAAQ,CAAC,IAAI4B,KAAJ,CAAUjP,GAAV,CAA
D,EAAiB;AAAE0N,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;AACa,MAAMIC,MAAM,GAAG,EAAf;AA
CA+B,EAAAA,MAAM,CAACtP,OAAP,CAAe,UAAAiR,KAAK,EAAI;AACtB,QAAMH,KAAK,GAAGH,eAAe,
CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;AACa,QAAlH,KAAJ,EAAW;AACTvD,MAAAA,MAAM,CAA
CxN,IAAP,CACEkR,KAAK,CAAC,CAAD,CAAL,CACGzN,KADH,CACS,OADT,EAEG0N,GAFH,CAEO,UAA
AhU,CAAC;AAAA,eAAIZ,IAAI,CAACwU,KAAK,CAAC,CAAD,CAAN,CAAJ,GAAiB5T,CAAjB,GAAqBZ,IA
AI,CAACwU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAfR,EAGGzQ,IAHH,CAGQ,IAHR,CADF;AAMD,
KAPD,MAOO;AAClkN,MAAAA,MAAM,CAACxN,IAAP,CAAYkR,KAAK,CAAC,CAAD,CAAjB;AACD;AA
CF,GAZD;AAaA,SAAO1D,MAAM,CAACIN,IAAP,CAAY,EAAZ,CAAP;AACD;;AChCD;,,,,,,,,,,,,,,,,,,,,,
IA2
BM8Q;AACJ;,,,,,;AAQA,0BAAYtD,OAfZ,EAAqBnF,IAArB,EAA2BC,MAA3B,EAAmCyI,MAAnC,EAA2CC,I
AA3C,EAAiDxG,MAAjD,EAAyD;AACvD;,,,,,;AAYA,SAAKnO,IAAL,GAAY,gBAAZ;AACa;,,,,,;AAMA,S
AAK4U,MAAL,GAaczD,OAAd;;AAEA,QAAlwD,IAAJ,EAAU;AACR;,,,,,;AAOA,WAAKA,IAAL,GAAYA,IA
AZ;AACD;;AACD,QAAlD,MAAJ,EAAy;AACV;,,,,,;AAOA,WAAKA,MAAL,GAaCa,MAAd;AACD;;AACD,Q
AAIvG,MAAJ,EAAy;AACV;,,,,,;AAMA,WAAKA,MAAL,GAaCa,MAAd;AACD;;AACD,QAAl,OAAOnC,IAA
P,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAaKe;AChE;,,,,,;AAOA,WAAKD,IAAL,GA
YA,IAAZ;AACa;,,,,,;AAOA,WAAKC,MAAL,GAaCa,MAAd;AACD;;AAED,SAAK4I,UAAI;;AAEA,QAAlnR
,KAAK,CAACoR,iBAAV,EAA6B;AAC3BpR,MAAAA,KAAK,CAACoR,iBAAN,CAAwB,IAAxB,EAA8BL,cAA
9B;AACD;AACF;,,,;SAEDI,aAAA,sBAaA;AACX;,,,,,;AAOA,SAAK1D,OAAL,GAaE,KAAKhD,MAAL,GAaIB,
KAAKA,MAAtB,UAAmC,EAAID;AACa,SAAKgD,OAAL,IAAgB,KAAKwD,IAAL,GAAY,KAAKA,IAAjB,GA
AwB,aAAxC;;AACa,QAAl,OAAO,KAAK3I,IAAZ,KAAqB,WAAzB,EAAc;AACpC,WAAKmF,OAAL,UAAo
B,KAAKnF,IAAzB,SAAiC,KAAKC,MAAtC;AACD;;AACD,SAAKkF,OAAL,WAAqB,KAAKyD,MAA1B;AAC
D;AAED;,,,,,;,,,,,;SAqBAG,iBAAA,wBAaE,X,KAAf,EAAcB;AAAA;;AACpB,QAAl,CAAC,KAAKM,MA
AV,EAAkB,OAAO,EAAP;AAElB,QAAlrP,GAAG,GAAG,KAAKqP,MAAf;AACa,QAAl,OAAON,KAAP,KAAi
B,WAArB,EAAkCA,KAAK,GAAGY,aAAR;AAClC,QAAlZ,KAAJ,EAAW/O,GAAG,GAAGgP,iBAAiB,CAACH
P,GAAD,CAAvB;AAEX,QAAM6N,KAAK,GAAG7N,GAAG,CAACyB,KAAJ,CAAU,OAAV,CAAd;AACa,QA
AMmO,KAAK,GAAG/U,IAAI,CAACgV,GAAL,CAAS,KAAKIJ,IAAL,GAAY,CAArB,EAAwB,CAAxB,CAAd;
AACa,QAAMmJ,GAAG,GAAGjV,IAAI,CAACkV,GAAL,CAAS,KAAKpJ,IAAL,GAAY,CAArB,EAAwBkH,K
AAK,CAACzS,MAA9B,CAAZ;AAEA,QAAM4U,QAAQ,GAAGxV,MAAM,CAACsV,GAAD,CAAN,CAAY1U,
MAA7B;AAEA,WAAOyS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,GADT,EAEJX,GAFI,CAEA,UAAcX,I
IAAD,EAAO3H,KAAP,EAAiB;AACpB,UAAmIR,MAAM,GAAGL,KAAK,GAAG,CAAR,GAAY5Q,KAA3B;A
ACA,UAAmKr,MAAM,GAAG,OAAlD,MAAJ,EAAvB,KAAb,CAAmB,CAACsB,QAAPB,CAAf;AACa,UAA
MG,MAAM,SAAOD,MAAP,QAfZ;;AACa,UAAID,MAAM,KAAK,KAAI,CAACtJ,IAApB,EAA0B;AACxB,YA
AMyJ,OAAO,GACXD,MAAM,CAACpV,OAAP,CAAe,KAAf,EAAcB,GAAtB,IAA6B4L,IAAI,CAAC+H,KAAAL,
CAAW,CAAX,EAAc,KAAI,CAAC9H,MAAL,GAAC,CAA5B,EAA+B7L,OAA/B,CAAuC,QAAvC,EAAiD,GAAj
D,CAD/B;AAEA,qBAAWoV,MAAX,GAAoBxJ,IAApB,WAA8ByJ,OAA9B;AACD,OAJD,MAIO;AACL,qBAA
WD,MAAX,GAAoBxJ,IAApB;AACD;AACF,KAbI,EAcJrI,IAAdI,CACc,IAAdD,CAAP;AAeD;AAED;,,,,,;SAUA
nC,WAAA,oBAAW;AACT,QAAl5B,IAAI,GAAG,KAAKmV,cAAL,EAAx;;AACa,QAAlnV,IAAJ,EAAU;AAC
RA,MAAAA,IAAI,YAAUA,IAAV,OAAl;AACD;;AACD,WAAU,KAAKI,IAAf,UAAwB,KAAKmR,OAAl7B,GA
AuCvR,IAAvC;AACD;;;wBAEe;AACdsR,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,aAAO,KAAKyB,KA
AZ;AACD;AAED;,,,,,;,,,,,;ACjNF;;AACa;AAEA,IAAM+C,UAAU,GAAG;AACjBC,EAAAA,KAAK,EAAE,I
ADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EAAE,IAHK;AAIjBC,EAAAA,UAAU,
EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAAW,EAAE,IANI;AAOjBC,EAAAA
,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,SAAS,EAAE,EATM;AAUjBC,EA
AAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAY,EAAE;AAXG,CAAnB;;AAcA,SAASC,UAAAT,CAAoB1V
,GAAPB,EAAyB;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAA02V,WAAP,KAAuB3V,GAAG,CAACmT,
KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAYC,OAfZ,EAAqB;AACnB,SAAKA,OAAL,GAaE
A,OAaf;AACD;,,,;SAEDC,YAAA,mBAAU9O,IAAV,EAAgB+O,SAAhB,EAA2B;AACzB,SAAK/O,IAAI,CAAC

gP,IAAV,EAAGBhP,IAAhB,EAAsB+O,SAAtB;AACD;;SAEDE,OAAA,cAAKjP,IAAL,EAAW;AACT,SAAKkP,I
AAL,CAAUIP,IAAV;AACa,QAAlA,IAAI,CAACmP,IAAL,CAAUb,KAAAd,EAaQb,KAAKO,OAAL,CAAa7O,I
AAI,CAACmP,IAAL,CAAUb,KAAvB;AACTb;;SAED/B,UAAA,iBAAQvM,IAAR,EAAC;AACZ,QAAMoP,IAAI,
GAAG,KAAKC,GAAL,CAASrP,IAAT,EAaE,MAAf,EAaUb,aAAvB,CAAb;AACa,QAAMsP,KAAK,GAAG,KA
AKD,GAAL,CAASrP,IAAT,EAaE,OAaf,EAawB,cAAxB,CAAd;AACa,SAAK6O,OAAL,QAakBO,IAAIB,GA
AyBpP,IAAI,CAACuP,IAA9B,GAaQCD,KAArC,SAAGDtP,IAAhD;AACD;;SAEDwP,OAAA,cAAKxP,IAAL,EA
AW+O,SAAX,EAAsB;AACpB,QAAMU,OAaO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EAaE,SAaf,EAa0B,OA
AIB,CAAhB;AACa,QAAl0F,MAAM,GAAG1F,IAAI,CAAC0P,IAAL,GAAYD,OAaZ,GAAsB,KAAKE,QAAL,
CAAc3P,IAAd,EAaOb,OAaPb,CAAnC;;AAEA,QAAlA,IAAI,CAAC4P,SAAT,EAaOb;AACIBIK,MAAAA,MA
AM,IAAI1F,IAAI,CAACmP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;AAED,QAAlb,SAAJ,EAaerJ,MAAM
,IAAI,GAAV;AACf,SAAKmJ,OAAL,CAAAnJ,MAAb,EAaQb1F,IAArB;AACD;;SAEDiC,OAAA,cAAKjC,IAAL,
EAAW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EAaIB,KAAK2P,QAAL,CAAc3P,IAAd,EAaOb,UAApB,CAA
jB;AACD;;SAED6P,SAaA,gBAAO7P,IAAP,EAaA+O,SAAb,EAawB;AACTb,QAAl3W,IAAI,SAaO4H,IAAI,C
AAC5H,IAApB;AACa,QAAM0X,MAAM,GAAG9P,IAAI,CAAC8P,MAAL,GAaC,KAAKH,QAAL,CAAc3P,IA
Ad,EAaOb,QAaPb,CAAd,GAa8C,EAa7D;;AAEA,QAAl,OAaOA,IAAI,CAACmP,IAAL,CAAUY,SAaJB,KA
A+B,WAAnc,EAAGD;AAC9C3X,MAAAA,IAAI,IAAI4H,IAAI,CAACmP,IAAL,CAAUY,SAaIB;AACD,KAFD,
MAEO,IAAID,MAAJ,EAAY;AACjB1X,MAAAA,IAAI,IAAI,GAAR;AACD;;AAED,QAAl4H,IAAI,CAACH,KA
AT,EAAGB;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EAaIB5H,IAAI,GAAG0X,MAAxB;AACD,KAFD,MAEO;
AACL,UAAmVc,GAAG,GAAG,CAACvN,IAAI,CAACmP,IAAL,CAAUM,OAaV,IAaQb,EAaTb,KAA6BV,SA
AS,GAAG,GAaH,GAAS,EAa/C,CAAZ;AACa,WAAKF,OAAL,CAAazW,IAAI,GAAG0X,MAAP,GAAGbVc,G
AA7B,EAaKcVn,IAaIC;AACD;AACF;;SAEDkP,OAAA,cAAKIP,IAAL,EAAW;AACT,QAAluL,IAAI,GAAGvL
,IAAI,CAACH,KAAL,CAAWhH,MAAX,GAaOb,CAA/B;;AACa,WAAO0S,IAAI,GAAG,CAAd,EAaIB;AACf,
UAAIvL,IAAI,CAACH,KAAL,CAAW0L,IAAX,EAaIByD,IAAjB,KAA0B,SAa9B,EAaYc;AACzCzD,MAAAA,
IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAASrP,IAAT,EAaE,WAAf,CAA
B;;AACa,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAGoH,IAAI,CAACH,KAAL,CAAWhH,MA
A/B,EAaUcD,CAAC,EAaXc,EAa4C;AAC1C,UAAm6H,KAAK,GAAGT,IAAI,CAACH,KAAL,CAAwjH,CAA
X,CAAd;AACa,UAAmOX,MAAM,GAAG,KAAKX,GAAL,CAAS5O,KAAT,EAAGB,QAaHb,CAaf;AACa,UA
AIuP,MAAJ,EAAY,KAAKnB,OAAL,CAAamB,MAAb;AACZ,WAAKIB,SAAL,CAAerO,KAAf,EAAsB8K,IAAI,
KAAK3S,CAAT,IAAcMw,SAApC;AACD;AACF;;SAEDjL,QAAA,eAAM9D,IAAN,EAAYqN,KAAZ,EAAMb;A
ACjB,QAAMoC,OAaO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EAaE,SAaf,EAa0B,YAA1B,CAAhB;AACa,SA
AK6O,OAAL,CAAGbxB,KAAK,GAAGoC,OAaXB,QAaOCzP,IAApC,EAa0C,OAa1C;AAEA,QAAlSo,KAAJ;;
AACa,QAAlTo,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAAWhH,MAA7B,EAaQc;AACnC,WAAK
qW,IAAL,CAAUIP,IAAV;AACAsO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASrP,IAAT,EAaE,OAaf,CAA
R;AACD,KAHD,MAGO;AACLsO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASrP,IAAT,EAaE,OAaf,EAaw
B,WAAxB,CAAR;AACD;;AAED,QAAlSo,KAAJ,EAAW,KAAKO,OAAL,CAAaP,KAAb;AACX,SAAKO,OAAL,
CAAa,GAAb,EAaKb7O,IAAIB,EAawB,KAAxB;AACD;;SAEDqP,MAAA,aAAIrP,IAAJ,EAaUiQ,GAAV,EA
AeC,MAAf,EAaUcB;AACrB,QAAlnI,KAAJ;AACa,QAAl,CAACmI,MAAL,EAaA,MAAM,GAAGD,GAAT,CA
FQ;;AAKrB,QAAlA,GAaJ,EAAS;AACPII,MAAAA,KAAK,GAAG/H,IAAI,CAACmP,IAAL,CAAUc,GAAV,CA
AR;AACa,UAAI,OAaOI,KAAP,KAAiB,WAArB,EAaKc,OAaOA,KAAP;AACnC;;AAED,QAAMjH,MAAM,
GAAGd,IAAI,CAACc,MAApB,CAVqB;;AAarB,QAAlOp,MAAM,KAAK,QAaf,EAaYb;AACvB,UAAI,CAACp
P,MAAD,IAAYA,MAAM,CAACKO,IAAP,KAAgB,MAAhB,IAA0BIO,MAAM,CAACqP,KAAP,KAAiBnQ,IAA
3D,EAaKE;AAChE,eAAO,EAAP;AACD;AACF,KAJBoB;;AAoBrB,QAAl,CAACc,MAAL,EAaA,OAaOgn,UA
AU,CAACoC,MAAD,CAAjB,CAPBQ;;AAuBrB,QAAMjB,IAAI,GAAGjP,IAAI,CAACiP,IAAL,EAAb;AACa,Q
AAI,CAACA,IAAI,CAACmB,QAaV,EAaObnB,IAAI,CAACmB,QAAL,GAAGb,EAaHb;;AACpB,QAAl,OAaO
nB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAaKd;AAChD,aAAOjB,IAAI,CAACmB,Q
AAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAlA,MAAM,KAAK,QAAX,IAAuBA,MAAM,KAAK,OAAtC,EA
A+C;AAC7C,aAAO,KAAKG,WAAAL,CAAiBrQ,IAAjB,EAaUcBkQ,MAAvB,CAAP;AACD,KAFD,MAEO;AACL,
UAAmI,MAAM,WAA5B,UAAU,CAACwB,MAAD,CAA/B;;AACa,UAAI,KAAKI,MAAL,CAAJ,EAaKb;AA

ChBvI,QAAAA,KAAK,GAAG,KAAKuI,MAAL,EAAarB,IAAb,EAAmBjP,IAAnB,CAAR;AACD,OAFD,MAEO; AACLiP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACbmP,UAAAA,KAAK,GAAGnP,CA AC,CAACuW,IAAF,CAAOc,GAAP,CAAR;AACa,cAAI,OAAOI,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAA P;AACnC,SAHD;AAID;AACF;AAED,QAAl,OAAOA,KAAP,KAAiB,WAArB,EAAkCA,KAAK,GAAG+F,UAA U,CAACoC,MAAD,CAAIB;AAEiCjB,IAAAA,IAAI,CAACmB,QAAL,CAAcF,MAAd,IAAwBnI,KAAxB;AACa, WAAOA,KAAP;AACD;;SAEDyI,eAAA,sBAAavB,IAAb,EAAmB;AACjB,QAAlIH,KAAJ;AACaKH,IAAAA,IA AI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAA CiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC2S,IAAF,CAAoyD,IAAP,KAAgB,MAAjD,EAAyD;AACv DjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOJ,SAAf;AACa,YAAI,OAAOhH,KAAP,KAAiB,W AArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAED0I,eAAA,sBAAaxB, IAAb,EAAmB;AACjB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI; AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,KAAmB,CAAIC,EA AqC;AACnCkP,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOB,KAAf;AACa,YAAI,OAAOvG,KAA P,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAED2I,YAA A,mBAAUzB,IAAV,EAAgB;AACd,QAAlA,IAAI,CAACE,IAAL,CAAUnB,MAAd,EAAsB,OAAOiB,IAAI,CAA CE,IAAL,CAAUnB,MAAjB;AACtB,QAAljG,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X, CAAC,EAAI;AACb,UAAm+X,CAAC,GAAG/X,CAAC,CAACkI,MAAZ;;AACa,UAAI6P,CAAC,IAAIA,CAAC, KAAK1B,IAAX,IAAmB0B,CAAC,CAAC7P,MAArB,IAA+B6P,CAAC,CAAC7P,MAAF,KAAamO,IAAhD,EAA sD;AACpD,YAAI,OAAOrW,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,cAAMI Q,KAAK,GAAG1G,CAAC,CAACuW,IAAF,CAAOa,MAAP,CAAc9Q,KAAAd,CAAoB,IAApB,CAAd;AACa6I,U AAAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GAAe,CAAhB,CAAb;AACaKp,UAAAA,KA AK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EAAwB,EAAxB,CAAR;AACa,iBAAO,KAAP;AACD;AAC F;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED6I,mBAAA,0BAAiB3B,IAAjB,EAAuBjP,IAAvB,EAA6 B;AAC3B,QAAl+H,KAAJ;AACaKH,IAAAA,IAAI,CAAC4B,YAAL,CAAkB,UAAAJY,CAAC,EAAI;AACrB,U AAI,OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACa,YAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CA AC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB ,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl,OAAOuP,KAAP,KAAiB,WAArB,EA AkC;AACChCA,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,YAArB,CAAR;A ACD;;AACD,WAAO+H,KAAP;AACD;;SAED+I,gBAAA,uBAAc7B,IAAd,EAAoBjP,IAApB,EAA0B;AACxB,Q AAI+H,KAAJ;AACaKH,IAAAA,IAAI,CAAC8B,SAAL,CAAE,UAAAnY,CAAC,EAAI;AACIB,UAAI,OAAOA,C AAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,QAAAA,KAAK,GAAGnP,CAAC,CA ACuW,IAAF,CAAOa,MAAf;;AACa,YAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EA AgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD; ;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl,OAAOuP,KAAP,KAAiB,WAArB,EAAkC;AACChCA, MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,YAArB,CAAR;AACD;;AACD,W AAO+H,KAAP;AACD;;SAEDiJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB,QAAlIH,KAAJ;AACaKH,IAAAA,IA AI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,KAAYjH,CAAC,CA AChI,MAAF,KAAamO,IAAb,IAAqBA,IAAI,CAACkB,KAAL,KAAevX,CAAhD,CAAJ,EAAwD;AACTd,YAAI, OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI,UAAAA,KAAK,GAAGnP, CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACa,cAAIjI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,C AA7B,EAAgC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CA AR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkI,iBA AA,wBAAehC,IAAf,EAAqB;AACnB,QAAlIH,KAAJ;AACaKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X, CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,GAAiB ,CAAhC,EAAmC;AACjC,YAAI,OAAOD,CAAC,CAACuW,IAAF,CAAOB,KAAAd,KAAwB,WAA5B,EAAyC;AA CvCvG,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOB,KAAf;;AACa,cAAIvG,KAAK,CAACpC,OA AN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN

,CAAc,SAAd,EAAyB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAA
OuP,KAAP;AACD;;SAEDmJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAAlIH,KAJ;AACaKH,IAAAA,IAAI,
CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAl;AACb,UAAIA,CAAC,CAACoW,IAAF,KAaW,MAAf,EAAuB;A
ACrBjH,QAAAA,KAaK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAaf;AACa,YAAI,OAAO1H,KAAP,KA
AiB,WAArB,EAaKc,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAEDoJ,WAAA,kB
AASIC,IAAT,EAae;AACb,QAAlIH,KAJ;AACaKH,IAAAA,IAAI,CAAC8B,SAAL,CAae,UAAAnY,CAAC,EA
AI;AACIB,UAAI,OAAOA,CAAC,CAACuW,IAAF,CAAOM,OAAd,KAA0B,WAA9B,EAA2C;AACzC1H,QAAA
A,KAaK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAAP,CAAEjX,OAaf,CAAuB,SAAvB,EAaKc,EAAlC,C
AAR;AACa,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;AACD;;SAEDsI,cAAA,qBAAyRQ,IA
AZ,EAaKbKQ,MAAIB,EAA0B;AACxB,QAAlnI,KAJ;;AACa,QAAl/H,IAAI,CAACgP,IAAL,KAac,MAAIB,E
AA0B;AACxBjH,MAAAA,KAaK,GAAG,KAaKsH,GAAL,CAASrP,IAAT,EAae,IAaf,EAaqB,YAArB,CAAR;
AACD,KAFD,MAEO,IAAIA,IAAI,CAACgP,IAAL,KAac,SAAlB,EAA6B;AACICjH,MAAAA,KAaK,GAAG,K
AAKsH,GAAL,CAASrP,IAAT,EAae,IAaf,EAaqB,eAArB,CAAR;AACD,KAFM,MAEA,IAAlkQ,MAAM,KAA
K,QAaf,EAAyB;AAC9BnI,MAAAA,KAaK,GAAG,KAaKsH,GAAL,CAASrP,IAAT,EAae,IAaf,EAaqB,YAAr
B,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAaK,GAAG,KAaKsH,GAAL,CAASrP,IAAT,EAae,IAaf
,EAaqB,aAArB,CAAR;AACD;;AAED,QAAlOR,GAAG,GAAGpR,IAAI,CAACc,MAAf;AACa,QAAlYd,KAaK,
GAAG,CAAZ;;AACa,WAAO6M,GAAG,IAAIA,GAAG,CAACpC,IAAJ,KAAa,MAA3B,EAAmC;AACjCzK,MA
AAA,KAaK,IAAI,CAAT;AACa6M,MAAAA,GAAG,GAAGA,GAAG,CAACtQ,MAAV;AACD;;AAED,QAAlI
H,KAaK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9B,UAAMqI,MAAM,GAAG,KA
AKqB,GAAL,CAASrP,IAAT,EAae,IAaf,EAaqB,QAARb,CAAf;;AACa,UAAIgO,MAAM,CAACnV,MAAX,EA
AmB;AACjB,aAAK,IAAIwY,IAAI,GAAG,CAAhB,EAAMBA,IAAI,GAAG9M,KAA1B,EAAiC8M,IAAI,EAARc;
AAAYcTj,UAAAA,KAaK,IAAlIG,MAAT;AAAZC;AACD;AACF;;AAED,WAAOjG,KAAP;AACD;;SAED4H,W
AAA,kBAAS3P,IAAT,EAae0P,IAaf,EAaqB;AACnB,QAAM3H,KAaK,GAAG/H,IAAI,CAAC0P,IAAD,CAAIB
;AACa,QAAML,GAAG,GAAGrP,IAAI,CAACmP,IAAL,CAAUO,IAAV,CAAZ;;AACa,QAAIL,GAAG,IAAIA,
GAAG,CAACtH,KAJ,KAacA,KAazB,EAAgC;AAC9B,aAAOsH,GAAG,CAACA,GAAX;AACD,KAFD,MAE
O;AACL,aAAOtH,KAAP;AACD;AACF;;;AChUH;AACa,AAEe,SAAS+G,SAAT,CAAmB9O,IAAnB,EAAyB6
O,OAazB,EAaKc;AAC/C,MAAM7V,GAAG,GAAG,IAAI4V,WAAJ,CAAgBC,OAaHb,CAAZ;AACa7V,EAAA
A,GAAG,CAAC8V,SAAJ,CAAc9O,IAAd;AACD;;ACAD;:::::;AAMA;:::::;AAOA,IAAMsR,SAAS,GAAG,SAAZ
A,SAAY,CAASjJ,GAAT,EAacvH,MAAd,EAAsB;AACtC,MAAMyQ,MAAM,GAAG,IAAIJ,GAAG,CAACmJ,
WAAR,EAaf;;AAEA,OAaK,IAAM5Y,CAAX,IAAgByP,GAaHb,EAaqB;AACnB,QAAl,CAACA,GAAG,CAA
CG,cAAJ,CAAmB5P,CAAnB,CAAL,EAA4B;AAC5B,QAAlmP,KAaK,GAAGM,GAAG,CAACzP,CAAD,CAAf;
AACa,QAAMoW,IAAI,GAAG,OAAOjH,KAAPb;;AAEA,QAAlnP,CAAC,KAaK,QAAN,IAAkBoW,IAAI,KAA
K,QAAB,EAAyC;AACvC,UAAIIO,MAAJ,EAAYyQ,MAAM,CAAC3Y,CAAD,CAAN,GAAYkI,MAAZ;AACb,
KAFD,MAEO,IAAI,CAAC,KAaK,QAaV,EAAoB;AACzB2Y,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GA
YmP,KAaz;AACD,KAFM,MAEA,IAAIA,KAaK,YAAyU,KAARb,EAA4B;AACjC8I,MAAAA,MAAM,CAAC3
Y,CAAD,CAAN,GAAYmP,KAaK,CAAC6E,GAAN,CAAU,UAAA6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CA
AD,EAAlF,MAAJ,CAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MAEA,IAAI3Y,CAAC,KAaK,QAAN,IAAkBA,
CAAC,KAaK,OAaxB,IAAmCA,CAAC,KAaK,SAazC,IAAsDA,CAAC,KAaK,WAAhE,EAA6E;AACIF,UAAI
oW,IAAI,KAaK,QAAT,IAAQBjH,KAaK,KAaK,IAAnC,EAAYcA,KAaK,GAAGuJ,SAAS,CAACvJ,KAAD,CA
AjB;AACzCwJ,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAAYmP,KAaz;AACD;AACF;;AAED,SAAOwJ,M
AAP;AACD,CARBD;AAuBA;:::::;IAKMG;AACJ;;AAGA,gBAAYC,QAaz,EAA2B;AAAA,QAafA,QAae;AAA
fA,MAAAA,QAae,GAAJ,EAAl;AAAA;;AACzB,SAAKxC,IAAL,GAAY,EAaz;;AACa,SAAK,IAAM/W,IAAX,
IAAmBuZ,QAAnB,EAA6B;AAC3B,WAAKvZ,IAAL,IAAuZ,QAaQ,CAACvZ,IAAD,CAARb;AACD;AACF;A
AED;:::::;SAGCA8T,QAAA,eAAM3C,OAAN,EAaeqI,IAaf,EAA0B;AAAA,QAAXA,IAAW;
AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACxB,QAAl,KAaK9E,MAAT,EAaiB;AACf,UAAMf,GAAG,
GAAG,KAaK8F,UAAAL,CAAgBD,IAAhB,CAAZ;AACa,aAAO,KAaK9E,MAAL,CAAY/B,KAaz,CAAKBmB,
KAAIB,CAAwB3C,OAaxB,EAaiCwC,GAAG,CAAC3H,IAARc,EAA2C2H,GAAG,CAAC1H,MAA/C,EAADu
N,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAAmBtD,OAAnB,CAAP;AACD;AACF;A

AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACa,WAAO,KAAKb,IAAL,CAAUb,KAAjB;AACa,QAAI,CAAC2E,WAAO,EAaKb,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;;SAEDyD,iBAAA,wBAaEzW,KAAf,EAAsB;AACpB,QAAmIj,MAAM,GAAG,KAAK9L,QAAAL,EAaf;AACa,QAAIyK,MAAM,GAAG,KAAKyI,MAAL,CAAYO,KAAZ,CAAKbHj,MAA/B;AACa,QAAID,IAAI,GAAG,KAAK0I,MAAL,CAAYO,KAAZ,CAAKBjJ,IAA7B;;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAG6D,KAApB,EA2B7D,CAAC,EA5B,EAAGc;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAlB,EAawB;AACTyL,QAAAA,MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHD,MAGO;AACLC,QAAAA,MAAM,IAAI,CAA V;AACD;AACF;;AAED,WAAO;AAAED,MAAAA,IAAI,EAaJA,IAAF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAAP;AACD;;SAEDwN,aAAA,oBAAWD,IAAX,EAaiB;AACf,QAAI7F,GAAG,GAAG,KAAKe,M AAL,CAAYO,KAAtB;;AACa,QAAIuE,IAAI,CAACnV,KAAAT,EAAGb;AACdsP,MAAAA,GAAG,GAAG,KAA KmH,cAAL,CAAoBtB,IAAI,CAACnV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAIImV,IAAI,CAACuB,IAAT,EA Ae;AACpB,UAAm1W,KAAK,GAAG,KAAK7C,QAAAL,GAAGb+L,OAAhB,CAAwBiM,IAAI,CAACuB,IAA7B, CAAd;AACa,UAAI1W,KAAK,KAAK,CAAC,CAAf,EAaKbSp,GAAG,GAAG,KAAKmH,cAAL,CAAoBzW,KA ApB,CAAN;AACnB;;AACD,WAAOsP,GAAP;AACD;;SAEDqH,aAAA,sBAAa;AACX9J,IAAAA,QAAQ,CAAC, iDAAD,CAAR;AACa,WAAO,KAAKyI,MAAL,EAAP;AACD;;SAEDvZ,UAAA,iBAAQqH,KAAAR,EAae;AACb yJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACa,WAAO,KAAKjG,WAAAL,CAAiBzS,KAAjB,CAAP;AACD;;SA EDR,QAAA,eAAM4Q,GAAN,EAaWC,MAAX,EAaMB;AACjB5G,IAAAA,QAAQ,CAAC,4CAAD,CAAR;AAC A,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAaAc,C,MAAd,CAAP;AACD;;SAEDmD,cAAA,qBAAyJ,WAAZ,E AAYB;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACa,WAAO,KAAKmJ,SAAL,CAAeQ,WAAf,CAAP ;AACD;;;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUa,MA Ajb;AACD;sBAEU sD,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAK6F,IAAL,CAAU a,MAAV,GAAMbSd,GAAnB;AACD;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;AACa,aAAO ,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR; AACa,WAAK6F,IAAL,CAAUM,OAAV,GAaOb6D,GAAPB;AACD;AAED;:::;AAUA;:::;AAQA;:::;:::;:::;:::;AAqCA;:::;:::;:::;:::;ACphBF;:::;IAWMC;:::;AACJ,uBAAy5B,QAAZ,EAAsB;AA AA;AACpB,6BAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;:::;wBAEY;AACX1F,MA AAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUpH,KAAjB;AACD;sBAEUuL,KAAK; AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUpH,KAAV,GAaKbuL,GAAlB; AACD;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUS,SA AjB;AACD;sBAEc0D,KAAK;AACIBhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACa,WAAK6F,IAAL,CAA US,SAAV,GAAsB0D,GAATB;AACD;AAED;:::;AAUA;:::;AAUA;:::;AAWA;:::;EAzD wB5B;;ACX1B;:::;IAQM8B;:::;AACJ,mBAAy7B,QAAZ,EAAsB;AAAA;AACpB,6BAAMA,QAAN;AACa,U AAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;:::;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,oDAAD,CAAR;AAC A,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;AACZhK,MAAAA,QAAQ,CAAC,oDAAD, CAAR;AACa,WAAK6F,IAAL,CAAUC,IAAV,GAaiBkE,GAAjB;AACD;;wBAEW;AACVhK,MAAAA,QAAQ, CAAC,sDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;sBAESgE,KAAK;AACbhK,MAA AA,QAAQ,CAAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUG,KAAV,GAaKbGe,GAAlB;AACD;AAED;::: ;AKA;:::;EA/BoB5B;ACZtB;AACa;IAOqB+B;AACnB,kBAAyII,KAAZ,EAaMB;AACjB,SAAKA,KA AL,GAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AACa,SAAKd,IAAL,GAAY,IAAIyE,IAAJ,EAZ; AACa,SAAKC,OAAL,GAaE,KAAK1E,IAApB;AACa,SAAK2E,MAAL,GAaC,EAAd;AACa,SAAK7E,SAAL, GAAiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAMb;AAAE/B,MAAAA,KAAK,EAALA,KAAF;AA ASsC,MAAAA,KAAK,EAaE;AAAEjJ,QAAAA,IAAI,EAaE,CAAR;AAAWC,QAAAA,MAAM,EAaE;AAAnB; AAhB,KAAnB;AACD;;SAEDyG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAac6I,QAAS,CAAC,KAAK9I,K AAN,CAA vB;AACD;;SAED+I,OAAA,gBAAO;AACL,QAAImH,KAAJ;AACa,WAAO,KAAKZ,GAAL,GAAW, KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe ,GAAjB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AACa,aAAK,GAAL;AAACE, eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACa;;AAEF,aAAK,GAAL;AAACE,eAAKY,GAAL,CA ASZ,KAAAT;AACa;;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;AACa;;AAEF,aAAK,SAAL;AAC

E,eAAKkD,MAAL,CAAYID,KAAZ;AACa;:AAEF,aAAK,GAAL;AAce,eAAKoH,SAAL,CAAepH,KAAf;AAC A;:AAEF;AAce,eAAKqH,KAAL;AACa;AAxBJ;:AA2BA,WAAKjI,GAAL,IAAY,CAAZ;AACD;:AACD,SAAK KI,OAAL;AACD;:SAEDIH,UAAA,iBAAQI,KAAR,EAAe;AACb,QAAM3M,IAAI,GAAG,IAAIwT,OAaj,EAAb; AACa,SAAKU,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAA D,CAA/B;AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAakB;AAAEEnJ,MAAAA,IAAI,EAAEuI, KAAK,CAAC,CAAD,CAAb;AAAkBtI,MAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,KAAIB;AAEA, QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,EAAkB,CAAC,CAAnB,C AAb;:AACa,QAAl,QAAQ3S,IAAR,CAAa+V,IAAb,CAAJ,EAAwB;AACTbVp,MAAAA,IAAI,CAACuP,IAAL,G AAY,EAAZ;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAiBG,IAAjB;AACAvP,MAAAA,IAAI ,CAACmP,IAAL,CAAUG,KAAV,GAakB,EAAIB;AACD,KAJD,MAIO;AACL,UAM5P,KAAK,GAAG6P,IAAI ,CAAC7P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAA D,CAAjB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAiB1P,KAAK,CAAC,CAAD,CAAtB;AA CAM,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,GAakB5P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;: SAEDqU,YAAA,mBAAUpH,KAAV,EAAiB;AACf,QAAM3M,IAAI,GAAG,IAAIImU,IAAJ,EAAb;AACa,SAAK D,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AA CA3M,IAAAA,IAAI,CAACjB,QAAL,GAAGb,EAAhB;AACAiB,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAaV ,GAAoB,EAAPB;AACa,SAAKkE,OAAL,GAae3T,IAAf;AACD;:SAEDgU,QAAA,iBAAQ;AACN,QAAlrH,KA AJ;AACa,QAAlY,GAAG,GAAG,KAAV;AACa,QAAlYb,IAAI,GAAG,IAAX;AACa,QAAljB,KAAK,GAAG,K AAZ;AACa,QAAlqG,OAaO,GAAG,IAAd;AACa,QAAM9H,QAAQ,GAAG,EAAjB;AAEA,QAAMe,KAAK,GA AG,KAAKtB,GAAnB;:AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AAC pC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACAiD,MAAAA,IAAI,GAAG rC,KAAK,CAAC,CAAD,CAAZ;:AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK,GAA7B,EAakC;A AChC,YAAI,CAACoF,OAAL,EAAcA,OAaO,GAAGzH,KAAV;AACdL,QAAAA,QAAQ,CAAC7Q,IAAT,CAAc uT,IAAI,KAAK,GAAT,GAAe,GAaf,GAAqB,GAAnC;AACD,OAHD,MAGO,IAAI1C,QAAQ,CAACzT,MAAT, KAAoB,CAAxB,EAA2B;AAChC,YAAImW,IAAI,KAAK,GAAb,EAAkB;AAChB,cAAIjB,KAAJ,EAAW;AACT, iBAAKyB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKbKb,KAAIB,EAAyB,KAAKtB,GAAL,GAA W,CAApC,CAAV;AACa;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAIiD,IAAI,KAAK,GA Ab,EAAkB;AACvB,eAAK/M,IAAL,CAAU,KAAK+I,MAAL,CAAYmB,KAAZ,CAAKbKb,KAAIB,EAAyB,KAA KtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,SAHM,MAGA,IAAIiD,IAAI,KAAK,GAAb,EAAkB;AACvB, eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACa;AACD,SAJM,MAIA,IAAIyB,IA AI,KAAK,GAAb,EAAkB;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAIBM,MAkBA,IAAIiB,IAA I,KAAK1C,QAAQ,CAACA,QAAQ,CAACzT,MAAT,GAAkB,CAAnB,CAArB,EAA4C;AACjDyT,QAAAA,QAA Q,CAAC+H,GAAT;AACa,YAAI/H,QAAQ,CAACzT,MAAT,KAAoB,CAAxB,EAA2Bub,OAaO,GAAG,IAAV; AAC5B;:AAED,WAAKri,GAAL,IAAY,CAAZ;AACD;:AACD,QAAl,KAAKA,GAAL,KAAa,KAAKf,MAAL,CA AYnS,MAA7B,EAaqC;AACnC,WAAKkT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GAAG,IAAN;AAC D;:AAED,QAAljB,QAAQ,CAACzT,MAAT,GAAkB,CAAtB,EAAyB,KAAKyb,eAAL,CAAqBF,OAArB;:AAEzB ,QAAl7G,GAAG,IAAIQ,KAAK,EAAkB;AAChB,aAAO,KAAKhC,GAAL,GAAWsB,KAAIB,EAAyB;AACvBV, QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,EAAsB,CAAtB,CAAR;AACa,YAAIY,KAA K,KAAK,OAaV,IAAqBA,KAAK,KAAK,SAAnC,EAA8C;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;AACD;:AACD, WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKbKb,KAAIB,EAAyB,KAAKtB,GAAL,GAA W,CAApC,CAAV;AACa;AACD;:AAED,SAAKwI,WAAL,CAAiBIH,KAAjB;AACD;:SAEDpL,OAaa,cAAK+I, MAAL,EAaa;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAMrU,IAAI,GAAG,IAAIImU,IAAJ,EAAb;A ACA,SAAKD,IAAL,CAAUIU,IAAV,EAAGbGL,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAhB,EAA8BA, MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEAhL,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAaV, GAAoB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAAKqE,GAAL,CAASrP,IAAT,EAAe,UAAf,EA A2BgL,MAA3B;AACa,SAAK2I,OAAL,GAae3T,IAAf;AACD;:SAEDwP,OAaa,cAAKxE,MAAL,EAaa;AACX ,QAAMhL,IAAI,GAAG,IAAIuT,WAaj,EAAb;AACa,SAAKW,IAAL,CAAUIU,IAAV;AAEA,QAAMuL,IAAI,G AAGP,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAnB;:AACa,QAAl0S,IAAI,CAAC,CAAD

,CAAJ,KAAY,GAAhB,EAaQb;AACnB,WAAKwD,SAAL,GAAiB,IAAjB;AACAD,MAAAA,MAAM,CAACqJ,GAAP;AACD;;AACD,QAAI9I,IAAI,CAAC,CAAD,CAAR,EAa;AACXvL,MAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKb;AAAEEnJ,QAAAA,IAAI,EAaEmH,IAAI,CAAC,CAAD,CAAZ;AAAIbIH,QAAAA,MAAM,EAaEKH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLvL,MAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKb;AAAEEnJ,QAAAA,IAAI,EAaEmH,IAAI,CAAC,CAAD,CAAZ;AAAIbIH,QAAAA,MAAM,EAaEKH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,MAAiB,MAAxB,EAaGc;AAC9BhL,MAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,IAAoBhF,MAAM,CAACyJ,KAAP,GAaE,CAAf,CAApB;AACD;;AACDzU,IAAAA,IAAI,CAAC8M,MAAL,CAAYO,KAaZ,GAaOb;AAAEjJ,MAAAA,IAAI,EAaE4G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB3G,MAAA,MAAM,EAaE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAAPB;AAEAhL,IAAAA,IAAI,CAAC0P,IAAL,GAAY,EAaZ;;AACa,WAAO1E,MAAM,CAACnS,MAAd,EAAsB;AACpB,UAAmW,IAAI,GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACa,UAAIgE,IAAI,KAaK,GAAT,IAAgBA,IAAI,KAaK,OAAzB,IAAoCA,IAAI,KAaK,SAAjD,EAa4D;AAC1D;AACD;;AACDhP,MAAAA,IAAI,CAAC0P,IAAL,IAAa1E,MAAM,CAACyJ,KAAP,GAaE,CAAf,CAAb;AACD;;AAEDzU,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,GAaOb,EAAPB;AAEA,QAAI9C,KAaJ;;AACa,WAAO3B,MAAM,CAACnS,MAAd,EAAsB;AACpB8T,MAAAA,KAaK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAaK,CAAC,CAAD,CAAL,KAaA,GAaJB,EAAsB;AACpB3M,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB9C,KAaK,CAAC,CAAD,CAA1B;AACa;AACD,OAHD,MAGO;AACL3M,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB9C,KAaK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAI3M,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAaJB,IAAwB1P,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAa7C,EAaKd;AAChD1P,MAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,IAAoBhQ,IAAI,CAAC0P,IAAL,CAAU,CAAV,CAAPB;AACa1P,MAAAA,IAAI,CAAC0P,IAAL,GAAY1P,IAAI,CAAC0P,IAAL,CAAUvD,KAaV,CAAgB,CAAhB,CAAZ;AACD;;AACDnM,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,IAAqB,KAaKiF,eAAL,CAAqB1J,MAArB,CAArB;AACa,SAAK2J,uBAAL,CAA6B3J,MAA7B;;AAEA,SAaK,IAAIpS,CAAC,GAAGoS,MAAM,CAACnS,MAAP,GAAGB,CAA7B,EAAGcD,CAAC,GAAG,CAAPc,EAaUcA,CAAC,EAaxC,EAa4C;AAC1C+T,MAAAA,KAaK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;;AACa,UAAI+T,KAaK,CAAC,CAAD,CAAL,KAaA,YAAJB,EAa+B;AAC7B3M,QAAAA,IAAI,CAAC4P,SAAL,GAAiB,IAAjB;AACa,YAAIiK,MAAM,GAAG,KAaKkP,UAAAL,CAAgB5J,MAAhB,EAawBpS,CAAxB,CAAb;ACA8M,QAAAA,MAAM,GAAG,KAaK8O,aAAL,CAAmBxJ,MAAnB,IAA6BtF,MAAtC;AACa,YAAIA,MAAM,KAaK,aAAf,EAa8B1F,IAAI,CAACmP,IAAL,CAAUS,SAaV,GAAsBIK,MAAtB;AAC9B;AACD,OAND,MAMO,IAAIhH,KAaK,CAAC,CAAD,CAAL,KAaA,WAAJB,EAa8B;AACnC,YAAmki,KAaK,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;AACa,YAAInT,GAAG,GAAG,EAaV;;AACa,aAAK,IAAIyY,CAAC,GAAG7Y,CAAb,EAAGB6Y,CAAC,GAAG,CAAPB,EAaUa,CAAC,EAaxB,EAa4B;AAC1B,cAAMzC,KAaI,GAAG6F,KAaK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;;AACa,cAAIzY,GAAG,CAAGd,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAA5B,IAAiCqJ,KAaI,KAaK,OAA9C,EAaUD;AACrD;AACD;;AACDhW,UAAAA,GAAG,GAAG6b,KAaK,CAACR,GAAN,GAAY,CAAZ,IAAiBrb,GAavB;AACD;;AACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAAhC,EAaM;AACjC3F,UAAAA,IAAI,CAAC4P,SAAL,GAAiB,IAAjB;AACa5P,UAAAA,IAAI,CAACmP,IAAL,CAAUS,SAaV,GAAsB5W,GAAtB;AACAgS,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;;AAED,UAAIII,KAaK,CAAC,CAAD,CAAL,KAaA,OAAb,IAAwBA,KAaK,CAAC,CAAD,CAAL,KAaA,SAaZc,EAaOd;AACID;AACD;AACF;;AAED,SAAK0C,GAAL,CAAsrP,IAAT,EAaE,OAaf,EAawBgL,MAAxB;AAEA,QAAIhL,IAAI,CAAC+H,KAAL,CAAWpC,OAAX,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAaOc,KAaKmp,oBAAL,CAA0B9J,MAA1B;AACrC;;SAED6E,SAaA,gBAAOID,KAAP,EAaC;AACZ,QAAAM3M,IAAI,GAAG,IAAI+U,MAAJ,EAAb;AACa/U,IAAAA,IAAI,CAAC5H,IAAL,GAAYuU,KAaK,CAAC,CAAD,CAAL,CAASR,KAAT,CAaE,CAAf,CAAZ;;AACa,QAAInM,IAAI,CAAC5H,IAAL,KAaC,EAaIB,EAAsB;AACpB,WAAK4c,aAAL,CAAmBhV,IAAnB,EAAYB2M,KAaZB;AACD;;AACD,SAAKuH,IAAL,CAAUIU,IAAV,EAAGB2M,KAaK,CAAC,CAAD,CAArB,EAa0BA,KAaK,CAAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAX;AACa,QAAI0J,IAAI,GAAG,KAAX;AACa,QAAmF,MAAM,GAAG,EAaf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;;AACa,WAAO,KAaKA,GAAL,GAAW,KAaKf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,KAaK,GAAG,KAaK3B,MAAL,CAAY,KAaKe,GA

AjB,CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB3M,QAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKB;AAAEEnJ,UAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAAb;AAAKBtI,UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAAIB;AACa,aAAKoC,SAAL,GAAiB,IAAjB;AACa;AACD,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3BsI,QAAAA,IAAI,GAAAG,IAAP;AACa;AACD,OAHM,MAGA,IAAIiI,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3B,aAAKY,GAAL,CAASZ,KAAT;AACa;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACrU,IAAP,CAAYkR,KAAZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MAAL,CAAYnS,MAA7B,EAAqC;AACnC0S,MAAAA,IAAI,GAAG,IAAP;AACD;;AAEDvL,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,GAAoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;;AACa,QAAIA,MAAM,CAACjX,MAAX,EAAMb;AACjBmH,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SAAV,GAAsB,KAAK2E,eAAL,CAAqB5E,MAArB,CAAtB;AACa,WAAKT,GAAL,CAASrP,IAAT,EAAe,QAAf,EAAYB8P,MAAZB;;AACa,UAAIvE,IAAJ,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACjX,MAAP,GAAGB,CAAjB,CAAd;AACAmH,QAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKB;AAAEEnJ,UAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAAb;AAAKBtI,UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAAIB;AACa,aAAKiH,MAAL,GAAc5T,IAAI,CAACmP,IAAL,CAAUM,OAAxB;AACAZP,QAAAA,IAAI,CAACmP,IAAL,CAUUM,OAAV,GAAoB,EAAPb;AACD;AACF,KATD,MASO;AACLzP,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SAAV,GAAsB,EAAtB;AACa/P,MAAAA,IAAI,CAAC8P,MAAL,GAAc,EAAd;AACD;;AAED,QAAImF,IAAJ,EAAU;AACRjV,MAAAA,IAAI,CAACH,KAAL,GAAa,EAAb;AACa,WAAK8T,OAAL,GAAe3T,IAAf;AACD;AACF;;SAEDuN,MAAA,aAAIZ,KAAJ,EAAW;AACT,QAAI,KAAKgH,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAIB,GAA8B,KAAKA,SAAnc;AACD;;AACD,SAKA,SAAL,GAAiB,KAAjB;AAEA,SAK4E,OAAL,CAAaxE,IAAb,CAAkBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACa,SAKA,MAAL,GAAc,EAAd;;AAEA,QAAI,KAAKD,OAAL,CAAa7S,MAAjB,EAAYB;AACvB,WAAK6S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPB,GAA0B;AAAEEnJ,QAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAAb;AAAKBtI,QAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,OAA1B;AACa,WAAKgH,OAAL,GAAe,KAAKA,OAAL,CAAa7S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKoU,eAAL,CAAqBvI,KAARb;AACD;AACF;;SAEDsH,UAAA,mBAAU;AACR,QAAI,KAAKN,OAAL,CAAa7S,MAAjB,EAAYB,KAAKqU,aAAL;;AACzB,QAAI,KAAKxB,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAIB,GAA8B,KAAKA,SAAnc;AACD;;AACD,SAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACD;;SAIDM,OAAA,cAAKIU,IAAL,EAAWoE,IAAX,EAaiBc,MAAjB,EAAYB;AACvB,SAAKsP,OAAL,CAAaYI,IAAb,CAAKBuE,IAAIB;AAEAA,IAAAA,IAAI,CAAC8M,MAAL,GAAc;AAAEo,MAAAA,KAAK,EAAE;AAAEjJ,QAAAA,IAAI,EAaja,IAAF;AAAQC,QAAAA,MAAM,EAANA;AAAR,OAAT;AAA2B0G,MAAAA,KAAK,EAAE,KAAKA;AAAvC,KAAd;AACa/K,IAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,GAAMb,KAAK4D,MAAXB;AACa,SAKA,MAAL,GAAc,EAAd;AACa,QAAI5T,IAAI,CAACgP,IAAL,KAAc,SAAIB,EAA6B,KAAKD,SAAL,GAAiB,KAAjB;AAC9B;;SAEDM,MAAA,aAAIrP,IAAJ,EAAU0P,IAAV,EAAGB1E,MAAhB,EAawB;AACTb,QAAI2B,KAAJ,EAAWqC,IAAX;AACa,QAAmNw,MAAM,GAAGmS,MAAM,CAACnS,MAAtB;AACa,QAAIkP,KAAK,GAAG,EAAZ;AACa,QAAIqN,KAAK,GAGAG,IAAZ;;AACa,SAK,IAAIxc,CAAC,GAAG,CAAAb,EAAGbA,CAAC,GAAGC,MAAPb,EAA4BD,CAAC,IAAI,CAAjC,EAAoC;AACIC+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;AACaOW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACa,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,OAAT,IAAoBpW,CAAC,KAAKC,MAAM,GAAG,CAA9D,EAAkE;AAChEuc,QAAAA,KAAK,GAAG,KAAR;AACD,OAfD,MAEO;AACLrN,QAAAA,KAAK,IAAI4E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAI,CAACyI,KAAL,EAAY;AACV,UAAmF,GAAG,GAAGrE,MAAM,CAAC3E,MAAP,CAAc,UAAcGp,GAAD,EAAMzc,CAAN;AAAA,eAAYyc,GAAG,GAAGzc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAd,EAAsC,EAAtC,CAAZ;AACaOH,MAAAA,IAAI,CAACmP,IAAL,CAAUO,IAAV,IAAkB;AAAE3H,QAAAA,KAAK,EAALA,KAaf;AASsH,QAAAA,GAAG,EAAHA;AAAT,OAAIB;AACD;;AACDrP,IAAAA,IAAI,CAAC0P,IAAD,CAAJ,GAAa3H,KAAAb;AACD;;SAEDyM,gBAAA,uBAAcxJ,MAAd,EAAsB;AACpB,QAAIsK,aAAJ;AACa,QAAI1B,MAAM,GA

AG,EAAb;;AACA,WAAO5I,MAAM,CAACnS,MAAd,EAAsB;AACpByc,MAAAA,aAAa,GAAGtK,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;AACA,UAAIyc,aAAa,KAAK,OAAIB,IAA6BA,aAAa,KAAK,SAAnD,EAA8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ,GAAP,GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAgB1J,MAAhB,EAAb;AACtB,QAAII,IAAJ;AACA,QAAIwI,MAAM,GAAG,EAAb;;AACA,WAAO5I,MAAM,CAACnS,MAAd,EAAsB;AACpBuS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;AACA,UAAII,IAAI,KAAK,OAAT,IAAoBA,IAAI,KAAK,SAAjC,EAA4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,EAAMBuK,IAAnB,EAAYB;AACvB,QAAItM,MAAM,GAAG,EAAb;;AACA,SAAK,IAAIrQ,CAAC,GAAG2c,IAAb,EAAMb3c,CAAC,GAAGoS,MAAM,CAACnS,MAA9B,EAAsCD,CAAC,EAAvC,EAA2C;AACzCqQ,MAAAA,MAAM,IAAI+B,MAAM,CAACpS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDoS,IAAAA,MAAM,CAACzI,MAAP,CAAcgT,IAAd,EAAoBvK,MAAM,CAACnS,MAAP,GAAGb0c,IAApC;AACA,WAAOtM,MAAP;AACD;;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAIsB,QAAQ,GAAG,CAAF;AACA,QAAIK,KAAJ,EAAWqC,IAAX,EAAbnD,IAAjB;;AACA,SAAK,IAAIjT,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAGoS,MAAM,CAACnS,MAA3B,EAAMCD,CAAC,EAAPC,EAAWC;AACtC+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;AACAoW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAb,EAAbk;AACb1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFD,MAEO,IAAI0C,IAAI,KAAK,GAAb,EAAbk;AACvB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,IAAI,KAAK,GAAB/EAAoC;AACzC,YAAI,CAACnD,IAAL,EAAW;AACT,eAAK2J,WAAL,CAAiB7I,KAAjB;AACD,SAFD,MAEO,IAAIId,IAAI,CAAC,CAAD,CAAJ,KAAy,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAy,QAAtC,EAAGD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOjT,CAAP;AACD;AACF;;AAEDiT,MAAAA,IAAI,GAAGc,KAAP;AACD;;AACD,WAAO,KAAP;AACD;;;SAID2H,kBAAA,yBAAgBF,OAAhB,EAAYB;AACvB,UAAM,KAAKrJ,KAAL,CAAWmB,KAAX,CAAiB,kBAAjB,EAaqCkI,OAAO,CAAC,CAAD,CAA5C,EAaiDA,OAAO,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAyIH,KAAZ,EAAMb;AACjB,QAAMV,KAAK,GAAG,KA AK3B,MAAL,CAAYqC,KAAZ,CAAd;AACA,UAAM,KAAKtC,KAAL,CAAWmB,KAAX,CAAiB,cAAjB,EAaiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,kBAAA,yBA AgBvI,KAAhB,EAauB;AACrB,UAAM,KAAK5B,KAAL,CAAWmB,KAAX,CAAiB,cAAjB,EAaiCS,KAAK,CA AC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yBAAgB;AACd,Q AAMpJ,GAAG,GAAG,KAAK4H,OAAAL,CAAa7G,MAAb,CAAoBO,KAAhC;AACA,UAAM,KAAKtC,KAAL,C AAWmB,KAAX,CAAiB,gBAAjB,EAAMCH,GAAG,CAAC3H,IAAvC,EAA6C2H,GAAG,CAAC1H,MAAJD,CA AN;AACD;;SAEDmR,cAAA,qBAAy7I,KAAZ,EAAMb;AACjB,UAAM,KAAK5B,KAAL,CAAWmB,KAAX,CA AiB,cAAjB,EAaiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAE DqI,gBAAA,uBAAchV,IAAd,EAAoB2M,KAAPB,EAA2B;AACzB,UAAM,KAAK5B,KAAL,CAAWmB,KAAX, CAAiB,sBAAjB,EAAYCS,KAAK,CAAC,CAAD,CAA9C,EAAMDA,KAAK,CAAC,CAAD,CAAxD,CAAN;AAC D;;SAEDgI,0BAAA,iCAAwB3J,MAAxB,EAAGc;AAC9B,AAED;;SAED8J,uBAAA,8BAAqB9J,MAArB,EAA6B ;AAC3B,QAAM+C,KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACA,QAAI+C,KAAK,KAAK,KA Ad,EAAqB;AAErB,QAAI0H,OAAO,GAAG,CAAd;AACA,QAAI9I,KAAJ;;AACA,SAAK,IAAI8E,CAAC,GAAG 1D,KAAK,GAAG,CAArB,EAAb0D,CAAC,IAAI,CAA7B,EAAGCA,CAAC,EAajC,EAaqC;AACnC9E,MAAA A,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;AACA,UAAI9E,KAAK,CAAC,CAAD,CAAL,KAAa,OAA jB,EAA0B;AACxB8I,QAAAA,OAAO,IAAI,CAAX;AACA,YAAIA,OAAO,KAAK,CAAhB,EAAMb;AACpB;AA CF;;AACD,UAAM,KAAK1K,KAAL,CAAWmB,KAAX,CAAiB,kBAAjB,EAaqCS,KAAK,CAAC,CAAD,CAA1 C,EAA+CA,KAAK,CAAC,CAAD,CAAPD,CAAN;AACD;;;AC/cH;AACA,AAGe,SAAS+I,KAAT,CAAejY,GA Af,EAAoBmU,IAApB,EAA0B;AACvC,MAAIA,IAAI,IAAIA,IAAI,CAAC+D,IAAjB,EAauB;AACrB,UAAM,IA AI7Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMiP,KAAK,GAAG,IAAI2B,KAAJ,CAAUjP, GAAY,EAAMu,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAIInC,MAAJ,CAAW1I,KAAX,CAAF;;AACA, MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAAP;AACD,GAHD,C AGE,OAAO/P,CAAP,EAUU;AACV,QAAIA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+BwZ,IAA/B,IAAuCA ,IAAI,CAAC2D,IAAhD,EAAsD;AACpD,UAAI,WAAW/b,IAAX,CAAgBoY,IAAI,CAAC2D,IAArB,CAAJ,EAAG

C;AAC9BxR,QAAAA,CAAC,CAACwF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID,OALD,MAKO,IAAI,WAAW/P,IAAX,CAAgBoY,IAAI,CAAC2D,IAArB,CAAJ,EAAGC;AACrCxR,QAAAA,CAAC,CAACwF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAAMxF,CAAN;AACD;;AAED,SAAO6R,MAAM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAT,CAAqBhW,KAArB,EAA4B;AAC1B,SAAOA,KAAK,CAAC+M,GAAN,CAAU,UAAAhU,CAAC,EAAI;AACpB,QAAIA,CAAC,CAACiH,KAAN,EAAajH,CAAC,CAACiH,KAAF,GAAUgW,WAAW,CAACjd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAAC,CAACkU,MAAT;AACa,WAAOIU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;,,,,,AAQA,,,,,AAOA,,,,,IAUMkd,,,,,SACJra,OAAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AACa,SAAKjB,KAAAL,CAAWpE,IAAX,CAAgBgF,KAAhB;AACa,WAAO,IAAP;AACD;AAED;,,,,,SAiCAsV,OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAaV,EAAoB,KAAKA,QAAL,GAAGb,CAAhB;AACpB,QAAl,CAAC,KAAKC,QAaV,EAAMb,KAAKA,OAAL,GAAe,EAaf;AAEnB,SAAKD,QAAL,IAAiB,CAAjB;AACa,QAAMhY,EAAE,GAAG,KAAKgY,QAaHb;AACa,SAAKC,OAAL,CAAajY,EAAb,IAAMb,CAANb;AAEA,QAAl,CAAC,KAAK4B,KAAV,EAaiB,OAaOjB,SAAP;AAEjB,QAAlnC,KAAJ,EAAWwM,MAAX;;AACa,WAAO,KAAKiN,OAAL,CAAajY,EAAb,IAAMb,KAAK4B,KAAL,CAAWhH,MAArC,EAA6C;AAC3C4D,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACAgL,MAAAA,MAAM,GAAG+M,QAAQ,CAAC,KAAKnW,KAAL,CAAWpD,KAAAX,CAAD,EAAoBA,KAApB,CAAjB;AACa,UAAIwM,MAAM,KAAK,KAaf,EAAsB;AAEtB,WAAKiN,OAAL,CAAajY,EAAb,KAAoB,CAApB;AACD;;AAED,WAAO,KAAKiY,OAAL,CAAajY,EAAb,CAAP;AAEA,WAAOgL,MAAP;AACD;AAED;,,,,,SAmBASh,OAAA,cAAKyF,QAAL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcTv,KAAD,EAAQ7H,CAAR,EAac;AAC7B,UAAIqQ,MAAM,GAAG+M,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAArB;;AACa,UAAIqQ,MAAM,KAAK,KAAAX,IAAoBxI,KAAK,CAAC8P,IAA9B,EAAoC;AACICtH,QAAAA,MAAM,GAAGxI,KAAK,CAAC8P,IAAN,CAAWyF,QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;,,,,,SA6BA8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAaHb,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;AACbA,MAAAA,QAAQ,GAAGtG,IAAX;AACa,aAAO,KAAKa,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAANb,EAA2B;AACzB,iBAAOgH,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI8W,IAAI,YAAyIR,MAApB,EAA4B;AACjC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBU,IAAI,CAACiW,IAAL,CAAUiH,KAAK,CAACiP,IAAhB,CAA7B,EAAoD;AACID,iBAAOsG,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBvO,KAAK,CAACiP,IAAN,KAAeA,IAA5C,EAakD;AAChD,iBAAOsG,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,;SAuBAud,YAAA,mBAAUpX,QAaV,EAAoBiX,QAAPB,EAA8B;AAC5B,QAAl,CAACA,QAAL,EAAe;AACbA,MAAAA,QAAQ,GAAGjX,QAAX;AAEA,aAAO,KAAKwR,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAANb,EAA2B;AACzB,iBAAOgH,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAAQ,YAAyP,MAAxB,EAAgC;AACrC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBjQ,QAAQ,CAACvF,IAAT,CAACiH,KAAK,CAAC1B,QAAPB,CAA7B,EAA4D;AACID,iBAAOiX,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBvO,KAAK,CAAC1B,QAAN,KAAmBA,QAaHd,EAA0D;AACxD,iBAAOiX,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,;SA8BAwd,cAAA,qBAAyhe,IAAZ,EAakB4d,QAaIB,EAA4B;AAC1B,QAAl,CAACA,QAAL,EAAe;AACbA,MAAAA,QAAQ,GAAG5d,IAAX;AACa,aAAO,KAAKmY,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,QAANb,EAA6B;AAC3B,iBAAOgH,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAaf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAIR,IAAI,YAAyOg,MAApB,EAA4B;AACjC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAac;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,QAaf,IAA2B5W,IAAI,CAACoB,IAAL,CAAUiH,KAAK,CAACrI,

IAAhB,CAA/B,EAA5D;AACpD,iBAAO4d,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,QAAf,IAA2BvO,KAAK,CAACrI,IAAN,KAAeA,IAA9C,EAAoD;AACID,iBAAO4d,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,;SAgBAiY,eAAA,sBAAamF,QAAb,EAAuB;AACrB,WAAO,KAAKzF,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,UAAI6H,KAAK,CAACuO,IAAN,KAAe,SAAnB,EAA8B;AAC5B,eAAOgH,QAAQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,KAJM,CAAP;AAKD;AAED;,,,,,;,,,,;SAoBA8Z,SAAA,kBAAoB;AAAA;AAAA,sCAAV2D,QAAU;AAAVA,MAAAA,QAAU;AAAA;AACIBa,I AAAA,QAAQ,CAAC3a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAAmZ,KAAK,GAAG,KAAI,CAACyW,SAAL,CAAe7V,KAAf,EAA5B,KAAI,CAAC8K,IAA3B,CAAd;AACAI,MAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,eAAI,KAAI,CAACH,KAAL,CAAWpE,IAAX,CAAgBuE,IAAhB,CAAJ;AAAA,OAAIB;AACD,KAHD;AAIA,WAAO,IAAP;AACD;AAED;,,,,,;,,,,;SAoBAuW,UAAA,mBAAqB;AAAA;AAAA,uCAAVF,QAAU;AAAVA,MAAAA,QAAU;AAAA;AACnBA,IAAAA,QAAQ,GAAGA,QAAQ,CAACG,OAAT,EAAx;AACAH,IAAAA,QAAQ,CAAC3a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAAmZ,KAAK,GAAG,MAAI,CAACyW,SAAL,CAAe7V,KAAf,EAA5B,MAAI,CAAC0P,KAA3B,EAAkC,SAaIC,EAA6CqG,OA A7C,EAAAd;AACA3W,MAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,eAAI,MAAI,CAACH,KAAL,CAAW4W,OAAX,CAAmBzW,IAAnB,CAAJ;AAAA,OAAIB;AACa,WAAK,IAAM/B,EAAx,IAAiB,MAAI,CAACiY,OAAtB,EAA+B;AAC7B,QAAA,MAAI,CAACA,OAAL,CAAajY,EAAb,IAAmB,MAAI,CAACiY,OAAL,CAAajY,EAAb,IAAmB4B,KAAK,CAACH,MAA5C;AACD;AACF,KAND;AAOA,WAAO,IAAP;AACD;SAED4Z,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,oBAAMR,SAAN,YAAgBQ,WAAhB;AACa,QAAI,KAAKpT,KAAT,EAAgB;AACd,WAAKA,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,eAAIA,IAAI,CAACyS,SAAL,CAAeQ,WAAf,CAAJ;AAAA,OAAvB;AACD;AACF;AAED;,,,,,;SAWA7R,eAAA,sBAAAsV,KAAb,EAAoBpT,GAAPB,EAAyB;AAAA;AACvBoT,IAAAA,KAAK,GAAG,KAAKja,KAAL,CAAWia,KAAX,CAAR;AAEA,QAAM1H,IAAI,GAAG0H,KAAK,KAAK,CAAV,GAAC,SAAd,GAA0B,KAAvC;AACa,QAAM7W,KAAK,GAAG,KAAKyW,SAAL,CAAehT,GAaf,EAAoB,KAAKzD,KAAL,CAAW6W,KAAX,CAAPB,EAAuC1H,IAAvC,EAA6CwH,OA A7C,EAAAd;AACA3W,IAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,aAAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAKBmU,KAAIB,EAAyB,CAAzB,EAA4B1W,IAA5B,CAAJ;AAAA,KAAIB;AAEA,QAAlvD,KA AJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACa,UAAIyY,KAAK,IAAIja,KAAb,EAAoB;AACIB,aAAKyZ,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJC;AACD;AACF;AAED,WAAO,IAAP;AACD;AAED;,,,,,;SAQA wZ,cAAA,qBAAYqE,KAAZ,EAAmBpT,GAA nB,EAAwB;AAAA;AACtBoT,IAAAA,KAAK,GAAG,KAAKja,KAAL,CAAWia,KAAX,CAAR;AAEA,QAAM7W,KAAK,GAAG,KAAKyW,SAAL,CAAehT,GAaf,EAAoB,KAAKzD,KAAL,CAAW6W,KAAX,CAAPB,EAAuCF,OA AvC,EAAAd;AACA3W,IAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAKBmU,KAAK,GAAG,CAA1B,EAA6B,CAA7B,EAAgC1W,IAAhC,CAAJ;AAAA,KAAIB;AAEA,QAAlvD,KA AJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACa,UAAIyY,KAAK,GAAGja,KAAZ,EAAmB;AACjB,aAAKyZ,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJC;AACD;AACF;AAED,WAAO,IAAP;AACD;SAEDkZ,SAAA,gBAAOtR,KAAP,EAAc;AACZ,QAAI,OA AO A,KAAP,KAAiB,WAArB,EAAkC;AACChC6I,MAAAA,QAAQ,CAAC,qCAAqC,2BAA tC,CAAR;AACa,WAAKnJ,WAAL,CAAiBM,KAAjB;AACD,KAHD,MAGO;AACL,sBAAMsR,MAAN;AACD;AACD,WAAO,IAAP;AACD;AAED;,,,,,;SACa5R,cAAA,qBAAYM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAX,CAAR;AACa,SAAKZ,KAAL,CAAWY,KAAX,EAAkBK,MAAIB,GAA2BIC,SAA3B;AACa,SAAKiB,KAAL,CAAW0C,MAAX,CAAKB9B,KAAIB,EAAyB,CAAzB;AAEA,QAAlhE,KA AJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACa,UAAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAKyV,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAG,CAA3B;AACD;AACF;AAED,WAAO,IAAP;AACD;AAED;,,,,,;SAUAKa,YAAA,qBAAY;AACV,SAAK9W,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,aAAKA,IAAI,CAACc,MAAL,GAAClC,SAAnB;AAAA,KAAv

WwG,MAAX,EAAMb,CAACwS,KAAD,CAAnB,EAA4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;ACHA;,,,,,,;I
AWM/D;;;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,
MAAZ;AACa,QAAl,CAAC,MAAKnP,KAaV,EAaIB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;AAED;,,,,,
;,,,,,;wBAgBgB;AACd,aAAO+X,IAAI,CAACM,KAAL,CAAW,KAAnZ,QAAhB,CAAP;AACD;sBAEaoZ,Q
AAQ;AACpB,UAAmZy,KAAK,GAAG,KAAKX,QAAL,GAAGB,KAAKA,QAAL,CAAcW,KAAd,CAAoB,MAA
pB,CAAhB,GAA8C,IAA5D;AACa,UAAm0Y,GAAG,GAAG1Y,KAAK,GAAGA,KAAK,CAAC,CAAD,CAAR,S
AAkB,KAAK2P,GAAL,CAAS,SAAT,EAAoB,YAApB,CAAnC;AACa,WAAKtQ,QAAL,GAAGBoZ,MAAM,CA
ACpc,IAAP,CAAYqc,GAAZ,CAAhB;AACD;;;wBAEe;AACd9O,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa
,aAAO,KAAK6F,IAAL,CAAUpQ,QAAjB;AACD;sBAEauU,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,sDAAD,
CAAR;AACa,WAAK6F,IAAL,CAAUpQ,QAAV,GAAGBuU,GAAR;AACD;AAED;,,,,,,;AAWA;,,,,,,;,
;,,,,,;EAtDiBwC;;ACIBnB;;AACa;,,,,,;IAQMuC;AACJ;,,,,,;AAWA,mBAAY9I,IAAZ,EAAbQc,IAAIB,EA
A6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AAC3B;,,,,,;AAQA,SAAK5C,IAA
L,GAAY,SAAZ;AACa;,,,,,;AAMA,SAAKO,IAAL,GAAYA,IAAZ;;AAEA,QAAlqC,IAAI,CAAC5R,IAAL,IAAa
4R,IAAI,CAAC5R,IAAL,CAAU8M,MAA3B,EAAMc;AACjC,UAAmf,GAAG,GAAG6F,IAAI,CAAC5R,IAAL,C
AAU6R,UAAV,CAAqBD,IAArB,CAAZ;AACa;,,,,,;AAOA,WAAKxN,IAAL,GAAY2H,GAAG,CAAC3H,IAAh
B;AACa;,,,,,;AAOA,WAAKC,MAAL,GAAc0H,GAAG,CAAC1H,MAAIB;AACD;;AAED,SAAK,IAAMiU,GA
AX,IAAkB1G,IAAIB;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB;AACD;AAE
D;,,,,,;SAQA1e,WAAA,oBAAW;AACT,QAAl,KAAKoG,IAAT,EAAe;AACb,aAAO,KAAKA,IAAL,CAAUK
M,KAAV,CAAGB,KAAKqD,IAArB,EAA2B;AAChChJ,QAAAA,MAAM,EAAE,KAAKA,MADmB;AAEhC9J,Q
AAAA,KAAK,EAAE,KAAKA,KAFoB;AAGhC0W,QAAAA,IAAI,EAAE,KAAKA;AAHqB,OAA3B,EAIJ5J,OAJ
H;AAKD,KAND,MAMO,IAAI,KAAKhD,MAAT,EAAiB;AACTB,aAAU,KAAKA,MAAf,UAA0B,KAAKjG,IAA/
B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED;,,,,,;AAUA;,,,,,;AC3FF;,,,,;AA
MA;,,,,,;IAcMgJ;AACJ;,,,,;AAMA,kBAAYC,SAAZ,EAABvJ,IAAvB,EAA6B2C,IAA7B,EAAMc;AACjC;
,,,,,;AAWA,SAAK4G,SAAL,GAaiBA,SAAjB;AACa;,,,,,;AAkBA,SAAKC,QAAL,GAAGB,EAAbB;A
ACA;,,,,,;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACa;,,,,,;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;AACa;,,,,,
;AAMA,SAAKnU,GAAL,GAAWmB,SAAX;AACa;,,,,,;AAcA,SAAKgO,GAAL,GAAWhO,SAAX;AACD;
AAED;,,,,,;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,;SAGBA2L,
OAAA,cAAKmG,IAAL,EAAWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl
;AAAA;;AACpB,QAAl,CAACA,IAAI,CAACrL,MAAV,EAAb;AAChB,UAAI,KAAKmS,UAAI,IAAmB,KAA
KA,UAAI,CAAGBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACrL,MAAL,GAAC,KAAKmS,UAAI,CAAG
BC,aAA9B;AACD;AACF;;AAED,QAAMC,OAAO,GAAG,IAAIP,OAAJ,CAAY9I,IAAZ,EAAbQc,IAAIB,CAA
hB;AACa,SAAK6G,QAAL,CAAchd,IAAd,CAAmBmd,OAAAnB;AAEA,WAAOA,OAAp;AACD;AAED;,,,,,;
SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAlG,CAAC;AAAA,aAA
IA,CAAC,CAACoW,IAAF,KAaW,SAAf;AAAA,KAAtB,CAAP;AACD;AAED;,,,,,;wBAQc;AACZ,aAAO,K
AAKvR,GAAZ;AACD;,,,,;ACIKH,SAASb,SAAT,CAAmB1Q,GAAnB,EAawB;AACTB,SAAO,OAAOA,GAAP,
KAAe,QAaf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtd;AACD;AAED;,,,,;AAKA;,,,,;AAKA;,,,,,
;IAQMC;AACJ,sBAAYT,SAAZ,EAAB/a,GAAvB,EAA4BmU,IAA5B,EAAC;AAChC,SAAKsH,WAAI,GA
mB,KAAnB;AACa,SAAK9B,SAAL,GAaiB,KAajB;AAEA,QAAlnI,IAAJ;;AACa,QAAl,OAAOxR,GAAP,KAA
e,QAaf,IAA2BA,GAAG,CAACuR,IAAJ,KAAa,MAA5C,EAAoD;AACIDC,MAAAA,IAAI,GAAGxR,GAAP;AA
CD,KAFD,MAEO,IAAIA,GAAG,YAAywb,UAAf,IAA6Bxb,GAAG,YAAy8a,MAAhD,EAawD;AAC7DtJ,MAA
AA,IAAI,GAAGxR,GAAG,CAACwR,IAAX;;AACa,UAAIxR,GAAG,CAACmP,GAAR,EAAa;AACX,YAAI,OA
AOgF,IAAI,CAACHf,GAAZ,KAAoB,WAAxB,EAAqCgF,IAAI,CAACHf,GAAL,GAAW,EAAX;AACrC,YAAI,
CAACgF,IAAI,CAACHf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACHf,GAAL,CAASuM,MAAT,GAAbB,
KAAIB;AACTBvH,QAAAA,IAAI,CAACHf,GAAL,CAASf,IAAT,GAAGBpO,GAAG,CAACmP,GAAP;AACD;
AACF,KAPM,MAOA;AACL,UAAIgj,MAAM,GAAGF,KAAb;AACa,UAAI9D,IAAI,CAACwH,MAAT,EAAiBx
D,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAYID,KAAR;AACjB,UAAI9D,IAAI,CAACgE,MAAT,EAAiB
A,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAAX,EAABE,MAAM,GAAGA,
MAAM,CAACF,KAAhB;;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACnY,GAAD,EAAMm

U,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAC;AACd,aAKA,KAAL,GAAaA,KAAb;AACD;AAC
F;;AAED,SAAKjD,MAAL,GAAC,IAAIsp,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAtB,EAA4B2C,IAA5B,CAAd;AA
CD;AAED;,,,,,;AAmGA;,,,,;SAMIh,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAAZ,EAAP;
AACD;AAED;,,,,,;SAQAJf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,;SAK
BAub,OAAA,cAAKM,WAAL,EAakBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAL,GAAaR,IAAb,CAAk
BM,WAAlB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,;oBAiBA,gBAAMA,UAAAN,EAakB;AAChB,W
AAO,KAAKC,KAAL,YAAmBD,UAAAnB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAmB3F,MAAnB,
EAA2B;AACzB,QAAl;AACF,WAAK2F,KAAL,GAAaA,KAAb;;AACa,UAAIA,KAAK,CAAC9T,IAAN,KAAe,
gBAAf,IAAmC,CAAC8T,KAAK,CAAC3F,MAA9C,EAAsD;AACpD2F,QAAAA,KAAK,CAAC3F,MAAN,GAA
eA,MAAM,CAACoS,aAAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHd,MAGO,IAAIIG,MAAM,
CAACmT,cAAX,EAA2B;AAChC,YAAMC,UAAU,GAAGpT,MAAM,CAACoS,aAA1B;AACa,YAAMiB,SAAS,
GAAGrT,MAAM,CAACmT,cAAzB;AACa,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAAsBs
B,OAAzC;AACa,YAAMze,CAAC,GAAGue,SAAS,CAAC1a,KAAV,CAAGb,GAAhB,CAAV;AACa,YAAM5D,
CAAC,GAAGue,UAAU,CAAC3a,KAAx,CAAIb,GAAjB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CAAD,
KAASC,CAAC,CAAC,CAAD,CAAV,IAAIbQE,QAAQ,CAACtE,CAAC,CAAC,CAAD,CAAF,CAAR,GAAiBsE,
QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpDgO,UAAAA,QAAQ,CACN,MAAG,kCA
AkC,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KApB
D,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAAO,C
AAC+C,KAAR,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EAA2B;
AAAA;;AACzB,QAAl,KAAK3T,MAAL,IAAe,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB/L,MAAI1C,EAakD;AA
ChD,WAAKue,SAAL,GAAiB,IAAjB;AACa,aAAO6C,OAAO,EAAd;AACD;;AAED,QAAl;AACF,UAAm1T,M
AAM,GAAG,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACa,UAAm4T,OAAO,GAA
G,KAAKC,GAAL,CAAS7T,MAAT,CAAhB;AACa,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIwS,SAAS,CAA
CoB,OAAD,CAAb,EAAwB;AACtBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,CA
ACgB,SAAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAl;AACd,UAAA,KA
AI,CAACuN,WAAL,CAAiBvN,KAAjB,EAAwB3F,MAAxB;;AACa,UAAA,KAAI,CAAC6Q,SAAL,GAAiB,IAA
jB;AACa8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OAVD,MAUO;AACL,aAAK8N,S
AAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD;AACF,KAIBD,CakBE,OAAOhO,KAAP,EAAC;AACd,WAAKkL
,SAAL,GAAiB,IAAjB;AACa8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB
AAQ;AAAA;;AACN,QAAl,KAAKpC,SAAT,EAAoB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAcJ,OAAD,EAA
UC,MAAV,EAAqB;AACtC,YAAI,MAAI,CAACHo,KAAT,EAAGb;AACdgO,UAAAA,MAAM,CAAC,MAAI,C
AACHo,KAAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,
CAAP;AACD;AACF,OANM,CAAP;AAOD;;AACD,QAAl,KAAKwL,UAAAT,EAAqB;AACnB,aAAO,KAAKA,U
AAZ;AACD;;AAED,SAKA,UAAAL,GAakB,IAAID,OAAJ,CAAY,UAAcJ,OAAD,EAAUC,MAAV,EAAqB;AA
CjD,UAAI,MAAI,CAACHo,KAAT,EAAGb,OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAAN,CAAb;AAChB,
MAAA,MAAI,CAAC3F,MAAL,GAAC,CAAd;;AACa,MAAA,MAAI,CAACyT,SAAL,CAAeC,OAAf,EAAwBC,
MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;AACa
,aAAO,MAAI,CAACtI,SAAL,EAAP;AACD,KAPiB,CAAIb;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,
OAAA,gBAAO;AAAA;;AACL,QAAl,KAAKjC,SAAT,EAAoB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA
AL,GAAiB,IAAjB;;AAEA,QAAl,KAAKkD,UAAAT,EAAqB;AACnB,YAAM,IAAIxe,KAAJ,CAAU,sDAAV,CAA
N;AACD;;AAED,QAAl,KAAKoQ,KAAT,EAAGb,MAAM,KAAKA,KAAx;AAEHb,SAAKjD,MAAL,CAAYuP,
SAAZ,CAAsB5T,OAAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAl;AAC9C,UAAm4T,OAAO,GAAG,
MAAI,CAACC,GAAL,CAAS7T,MAAT,CAAhB;;AACa,UAAIwS,SAAS,CAACoB,OAAD,CAAb,EAAwB;AAC
tB,cAAM,IAAIre,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKmN,MAAZ;AACD;;
SAEDmR,MAAA,aAAI7T,MAAJ,EAAY;AACV,SAAK0C,MAAL,CAAYyP,UAAZ,GAAyBnS,MAAzB;;AAEA,
QAAl;AACF,aAAOA,MAAM,CAAC,KAAK0C,MAAL,CAAYgG,IAAb,EAAmB,KAAKhG,MAAxB,CAAb;AA
CD,KAFD,CAEE,OAAOiD,KAAP,EAAC;AACd,WAAKuN,WAAL,CAAiBvN,KAAjB,EAAwB3F,MAAxB;AAC
A,YAAM2F,KAAAN;AACD;AACF;;SAED4C,YAAA,uBAAY;AACV,QAAl,KAAKoK,WAAT,EAAsB,OAAO,K

AAKjQ,MAAZ;AACTB,SAAKiQ,WAAL,GAAMb,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,
KAAK3I,MAAL,CAAY2I,IAAZb;AACA,QAAI5Y,GAAG,GAAG8V,SAAV;AACA,QAAI8C,IAAI,CAACwH,M
AAT,EAAiBpgB,GAAG,GAAG4Y,IAAI,CAACwH,MAAL,CAAYtK,SAAIb;AACjB,QAAI8C,IAAI,CAACI,WA
AT,EAAbBhZ,GAAG,GAAG4Y,IAAI,CAACI,WAAX;AACTb,QAAlhZ,GAAG,CAAC8V,SAAR,EAAmB9V,GA
AG,GAAGA,GAAG,CAAC8V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAjQ,IAAAA,GAAG,CAAC,
KAAKiW,IAAN,EAAy,UAAArW,CAAC,EAAI;AACIBqQ,MAAAA,MAAM,IAAIrQ,CAAV;AACD,KAFE,CA
AH;AAGA,SAAKqQ,MAAL,CAAYxL,GAAG,GAakBwL,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wB
AnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;wBAIW;AACT,aAAO,KAAKvP,MAA
L,CAAY2I,IAAnB;AACD;AAED;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBrR,GAAxB;AACD;A
AED;;;;;wBAYc;AACZ,aAAO,KAAKqR,SAAL,GAAiB9P,OAAxB;AACD;AAED;;;;;wBAYU;AA
CR,aAAO,KAAK8P,SAAL,GAAiBIC,GAAxB;AACD;AAED;;;;;wBAaW;AACT,aAAO,KAAKyM,IAAL,
GAAYpK,IAAnB;AACD;AAED;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAnB;AACD;;;;;A
C5JH;AACA,AAEA;;;;;AAOA;;;;;AAUA;;;;;AAUA;;;;;AAMA;;;;;AKA;;;;;AAMA;;;;;AKA;;;;;
;;;;;AAkCA;;;;;IASM8B;AACJ;;;AAIA,qBAAY3V,OAAZ,EAA0B;AAAA,QAAdA,OAAC;AAAdA,
MAAAA,OAAC,GAAJ,EAAI;AAAA;AACxB;;;;;AAQA,SAAKkV,OAAL,GAAe,OAaf;AACA;;;;;AAOA,SA
AKIV,OAAL,GAAe,KAAK0R,SAAL,CAAe1R,OAaf,CAaf;AACD;AAED;;;;;SA6BAmB,MA
AA,aAAIQ,MAAJ,EAAy;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa4V,MAAb,CAAoB,KAAKIE,S
AAL,CAAe,CAAC/P,MAAD,CAaf,CAApB,CAaf;AACA,WAAO,IAAP;AACD;AAED;;;;;SAsBAP
N,UAAA,iBAAQsE,GAAR,EAAamU,IAAb,EAAwB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,E
AAI;AAAA;;AACTb,WAAO,IAAIqH,UAAJ,CAAe,IAaf,EAAqBxB,GAARb,EAA0BmU,IAA1B,CAAP;AACD;;S
AED0E,YAAA,mBAAU1R,OAAV,EAAmB;AACjB,QAAI6V,UAAU,GAAG,EAAjB;AACA7V,IAAAA,OA
AO,CAACIJ,OAAR,CAAgB,UAAA9C,CAAC,EAAI;AACnB,UAAIA,CAAC,CAAC8hB,OAAN,EAAe9hB,CAAC,G
AAGA,CAAC,CAAC8hB,OAAN;;AAEf,UAAI,OOA09hB,CAAP,KAAa,QAAb,IAAyB6P,KAAK,CAACC,OA
N,CAAc9P,CAAC,CAACgM,OAAbB,CAA7B,EAAuD;AACrD6V,QAAAA,UAAU,GAAGA,UAAU,CAACD,M
AAX,CAAKb5hB,CAAC,CAACgM,OAAPB,CAAb;AACD,OAFD,MAEO,IAAI,OOAOhM,CAAP,KAAa,UAAjB
,EAA6B;AACIC6hB,QAAAA,UAAU,CAACHf,IAAX,CAAgB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,I
AAIkD,KAAJ,CAAaID,CAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO6hB,UAAP;AACD;;;;;AC1LH;;;;;
;;IAUM/G;;AACJ,gBAAY/B,QAAZ,EAAbB;AAAA;;AACpB,kCAAMA,QAAN;AACA,UAAK3C,IAAL,GAAY
,MAAZ;AACA,QAAI,CAAC,MAAKnP,KAAV,EAAiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;;;SAEDM,
cAAA,qBAAyM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAK,CAAR;;A
AEA,QAAlA,KAAK,KAAK,CAAV,IAAe,KAAKZ,KAAL,CAAWHh,MAAX,GAAoB,CAAvC,EAA0C;AACxC,
WAAKgH,KAAL,CAAW,CAAX,EAAcP,IAAd,CAAmBa,MAAnB,GAA4B,KAAKnQ,KAAL,CAAWY,KAAK,
EAAkB0O,IAAIb,CAAuBa,MAAnD;AACD;;AAED,gCAAa7P,WAAb,YAAyBM,KAAzB;AACD;;SAED6V,YA
AA,mBAAU7V,KAAV,EAAiB0W,MAAjB,EAAyBnI,IAAZb,EAA+B;AAC7B,QAAMnP,KAAK,wBAASyW,SA
AT,YAAmB7V,KAAAnB,CAAX;;AAEA,QAAl0W,MAAJ,EAAy;AACV,UAAInI,IAAI,KAAK,SAAb,EAAwB;A
ACTb,YAAI,KAAKnP,KAAL,CAAWHh,MAAX,GAAoB,CAAxB,EAA2B;AACzBse,UAAAA,MAAM,CAACHi,
IAAP,CAAYa,MAAZ,GAaqB,KAAKnQ,KAAL,CAAW,CAAX,EAAcP,IAAd,CAAmBa,MAAxC;AACD,SAFD
,MAEO;AACL,iBAAOmH,MAAM,CAACHi,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAK
G,KAAL,KAAegH,MAAnB,EAA2B;AACChCx,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAI;
AACpBA,UAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,GAAmBmH,MAAM,CAACHi,IAAP,CAAYa,MAAB;
AACD,SAFD;AAGD;AACF;;AAED,WAAOnQ,KAAP;AACD;AAED;;;;;SAA8a,WAAA,kBAAS/I,IAAT,
EAAoB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACIB,QAAMgJ,IAAI,GAAG,I
AAI3B,UAAJ,CAAe,IAAIb,SAAJ,EAAf,EAAgC,IAAhC,EAAc3I,IAAtC,CAAb;AACA,WAAOgJ,IAAI,CAAC
9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOtR,KAAP,EAAc;AACZ6I,IAAAA,QAQ,CAAC,iDAAD,CAA
R;AACA,SAAKnJ,WAAL,CAAiBM,KAAjB;AACD;;SAEDoa,UAAA,mBAAU;AACRvR,IAAAA,QAQ,CAAC,
uDAAD,CAAR;AACA,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAKb6B,GAAzB;AACD;AAED;;;;;;
;;EAjEiBkJ;;ACZnB,IAAIgF,QAQ,GAAG,CAAF;AAEA;;;;;AAOA;;;;;IAOMpO;AACJ;;;AAIA,iBAAyJp,G
AAZ,EAAiBmU,IAAjB,EAA4B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACIB

;;;;;;AAOA,SAAKnU,GAAL,GAAWA,GAAG,CAAC7D,QA AJ,EAAX;;AAEA,QA AI,KAAK6D,GAAL,CAAS,C
AAT,MAAgB,QA AhB,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QA AhD,EAA0D;AACxD,WAAKA,GAA
L,GAAW,KAAKA,GAAL,CAAS00,KAAT,CAAe,CAAf,CAAX;AACD;;AAED,QA AIyF,IAAI,CAAC2D,IAAT,
EAAe;AACb,UAAI,YAAY/b,IAAZ,CAAIBoY,IAAI,CAAC2D,IAAtB,CAAJ,EAAiC;AAC/B;;;;;;AAQA,aAAKx
I,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OA VD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd,
OAAL,CAAaI,IAAI,CAAC2D,IAAI B,CAAZ;AACD;AACF;AAED;;;;;;AAiBA,QA AI,CAAC,KAAKxI,I
AAV,EAAGB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;;;;;;AAUA,WAAK7c,EAAL,mBAAwB6c,QAA
xB;AACD;;AACD,QA AI,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAGB,KAAKwI,IAArB;AAC
f;;;SAEDrJ,QAAA,eAAM3C,OAAN,EAAenF,IAAf,EAAqBC,MAArB,EAA6BuN,IAA7B,EAAwC;AAAA,QAA
XA,IAAW;AAAXA,MAAAA,IAAW,GA AJ,EA AI;AAAA;;AACtC,QA AI3I,MAAJ;AACa,QAAM+R,MAAM,G
AAG,KAAKA,MAAL,CAAY5W,IAAZ,EA AkBC,MAAI B,CAAf;;AACa,QA AI2W,MAAJ,EAAY;AACV/R,MA
AAA,MAAM,GAAG,IAAI4D,cAAJ,CACPtD,OADO,EAEPyR,MAAM,CAAC5W,IAFA,EAGP4W,MAAM,CAA
C3W,MAHA,EAIP2W,MAAM,CAACIO,MAJA,EAKPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACrL,MA
NE,CAAT;AAQD,KATD,MASO;AACL0C,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAmBtD,OAAnB,EAA4B
nF,IAA5B,EA AkCC,MAAI C,EAA0C,KAAK5G,GAA/C,EAAoD,KAAKsP,IAAZD,EAA+D6E,IAAI,CAACrL,M
AApE,CAAT;AACD;;AAED0C,IAAAA,MAAM,CAAC8B,KAAP,GAAe;AAAE3G,MAAAA,IAAI,EA AJA,IAAF
;AAAQC,MAAAA,MAAM,EAANA,MAAR;AAAgByI,MAAAA,MAAM,EA AE,KAAKrP;AAA7B,KAAf;AACa
,QA AI,KAAKsP,IAAT,EA Ae9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAAoB,KAAKA,IAAZB;AAEf,WAA
O9D,MAAP;AACD;AAED;;;;;;SAA+R,SAAA,gBAAO5W,IAAP,EA AaC,MAAb,EA AqB;AACnB,QA AI,
CAAC,KAAKuI,GA AV,EA Ae,OA AO,KAAP;AACf,QA AMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT
,EA AjB;AAEA,QA AM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE9W,MAAAA,IAAI,EA AJA,I
AAF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAA b;AACa,QA AI,CAACkR,IAAI,CAACzI,MAAV,
EA AkB,OA AO,KAAP;AAEIB,QA AM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EA AE,KAAKoO,UAAAL,CA
AgB5F,IAAI,CAACzI,MAArB,CADO;AAEb1I,MAAAA,IAAI,EA AEmR,IAAI,CAACnR,IAFE;AAGbC,MAAA
A,MAAM,EA AEkR,IAAI,CAACIR;AAHA,KAAf;AAMA,QA AMyI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,
CAA0B7F,IAAI,CAACzI,MAA/B,CAAf;AACa,QA AI A,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAGBA,
MAAhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDkS,aAAA,oBAAWpO,IAAX,EA AiB;AACf,QA AI,YAAYvT,IA
AZ,CAAI BuT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAAC
d,OAAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GA AoBI,UAApB,IAAkC,GAA/C,EA AoDtO,IAApD,CAAP;A
ACD;AACF;AAED;;;;;;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK9O,EA AzB;AACD;;;;;ICIKk
Bqd;;;;;;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAACf,QAAQ,CAAC,KAAKC,KAAAN,EA Aa;AA
AEI,MAAAA,YAAY,EA AE;AAAhB,KAA b,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAAR,EA Ae;AACb,QA
AM3M,IAAI,GAAG,IAAIwT,OA AJ,EA Ab;AACa,SAAKU,IAAL,CAAUIU,IAAV,EA AgB2M,KAAK,CAAC,CA
AD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GA AZ,
GA AkB;AAAEnJ,MAAAA,IAAI,EA AEuI,KAAK,CAAC,CAAD,CAAb;AAAkBtI,MAAAA,MAAM,EA AEsI,KA
AK,CAAC,CAAD;AAA/B,KAAIB;AAEA,QA AI4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT
,CAAe,CAAf,CAAX;AACa,QA AIoD,IAAI,CAACpD,KAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,
IAAI,GAAGA,IAAI,CAACpD,KAAL,CAAW,CAAX,EA Ac,CAAC,CAAf,CAAP;;AAE7B,QA AI,QAAQ3S,IAAR
,CAAa+V,IAAb,CAAJ,EA AwB;AACtBvP,MAAAA,IAAI,CAACuP,IAAL,GAAY,EA AZ;AACAvP,MAAAA,IA
AI,CAACmP,IAAL,CAAUC,IAAV,GA AiBG,IAAjB;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,
GA AkB,EA AI B;AACD,KAJD,MAIO;AACL,UAAM5P,KAAK,GAAG6P,IAAI,CAAC7P,KAAL,CAAW,yBAAX,
CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAA
I,CAACmP,IAAL,CAAUC,IAAV,GA AiB1P,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACmP,I
AAL,CAAUG,KAAV,GA AkB5P,KAAK,CAAC,CAAD,CAA vB;AACD;AACF;;SAED4U,kBAAA,2BAAkB;;SA
EIBC,cAAA,qBAAYIH,KAAZ,EA AmB;AACjB,QA AMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,
CA AkBkB,KAAIB,EA AyB,KAAKtB,GAAL,GAAW,CAA pC,CAAf;AACa,SAAK6H,MAAL,IA Ae2H,MAAM,C
AAC3O,GAAP,CAAW,UAAAhU,CAAC;AAAA,aAAIA,CAAC,CAAC,CAAD,CAAL;AAAA,KAAZ,EA AsBmD,
IAAtB,CAA2B,EA A3B,CAAf;AACD;;SAEDmZ,kBAAA,2BAAkB;AACHB,SAAKvB,OAAL,CAAaxE,IAAb,CA

ArCA,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBvhB,YAAiB;AAAA;;AACrF,SAAQ6b,KAAK,CAAC2F,KAAN
,KAAgBD,YAAY,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAY,CAA
CC,KAA5F;AACD,CAFDF;;ACPA;AAGA,AAAE,SAASC,KAAT,CAAexjB,MAAf,EAAMf;AAChG,SACE,OAA
OA,MAAP,KAAkB,QAAIB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM,
CAACyjB,MAAP,CAAc,CAAd,MAAqBzjB,MAAM,CAACyjB,MAAP,CAAc,CAAd,EAAiB/U,WAAjB,EADxB,
GAEG,IAHJ,CADF;AAMD;;ACVD;AAEA,AAGe,SAASgV,mBAAT,CACb1jB,MADa,EAEL;AACR,SAAOwjB,
KAAK,CAACxjB,MAAD,CAAL,eAA0BA,MAA1B,eAA+CD,gBAAgB,CAACC,MAAD,CAA/D,MAAP;AACD;;
ICKY2jB,YAAY,GAA0BpW,KAAK,CAACC,aAAN,EAA5C;AAEP,IAAaoW,aAAa,GAAGD,YAAY,CAACjW,
QAAnc;;AAEP,SAASmW,UAAT,CAAoBN,KAApB,EAA0CO,UAA1C,EAAqE;AACnE,MAAI,CAACP,KAAL,
EAYY;AACV,WAAO1f,0BAAgB,CAAC,EAAD,CAAvB;AACD;;AAED,MAAIxD,UAAU,CAACkjB,KAAD,CA
Ad,EAAuB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE7jB,OAAO,CAA
CC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC4jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAA
N,CAAcuU,WAAAd,CAAxB,IAAsD,OAAOA,WAAP,KAAuB,QAD9E,CADF,EAGE;ACA,aAAOlG,0BAAgB,
CAAC,CAAD,CAAvB;AACD;;AAED,WAAOkG,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAO,CA
Ac+T,KAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAAuD;AACrD,WAAO1f,0BAAgB,CAAC,CAAD,CAA
vB;AACD;;AAED,SAAOigB,UAAU,gBAAQA,UAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;;;AA
GA,AAAE,SAASS,aAAT,CAAUbP,G,KAAvB,EAAqC;AACID,MAAMkG,UAAU,GAAGG,UAAU,CAACN,YAA
D,CAA7B;ACA,MAAMO,YAAY,GAAGC,OAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,
KAAP,EAACo,UAAAd,CAAhB;AAAA,GAAD,EAA4C,CACtElG,KAAK,CAAC2F,KADgE,EAEtEO,UAFsE,CAA
5C,CAA5B;;AKA,MAAI,CAACIG,KAAK,CAACT,QAAx,EAAqB;AACnB,WAAO,IAAP;AACD;;AAED,sBA
AO,oBAAC,YAAD,CAAc,QAAd;AAAU,IAAA,KAAK,EAAE+G;AAA9B,KAA6CtG,KAAK,CAACT,QAAnc,
CAAP;AACD;;AC1CD;AAEA;;ACA,IAAMiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CA
AIB;;IAEMC;,,,,,;UAGJC,QAAQ;,,,,;SAERC,SAAA,kBAAS;AAAA;;ACCP,wBACE,oBAAC,aAAD,QACG,U
AAChB,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAEX4G,eAFW,gBAEhBC,GAfG;AA
AA,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAihBC,kBAJgB,gBAihBA,kBAJgB;AAAA,UAKhBC,WALgB,
gBAKhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,MAPg
B;AAAA,4CAQhB5e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbyX,KATa;;AAAA,UAYV
0F,YAZU,GAYkCsB,kBAZIC,CAYvtB,YAZU;AAAA,UAYItjB,MAZJ,GAYkC4kB,kBAZIC,CAYI5kB,MAZJ;A
AAA,UAYYglB,iBAZZ,GAYkCJ,kBAZIC,CAYYI,iBAZZ;AAaIB,UAAMC,mBAAMb,GACvB,MAAI,CAACX,
KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EAA7B,IAAmCH,eAAnc,IAAsDE,QAAtd,IA
AkE1kB,MADpE;;AAGA,UAAMkIB,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAAI,CAAC
xH,KAAN,EAAa2F,KAAb,EAAoBD,YAApB,CAAd,IAAmDvhB,YAD7B,EAEtB,MAAI,CAAC6b,KAFiB,CAAx
B;;AKA,UAAMyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;ACA,UAAMK,aAAa,GAAG,MAA
I,CAACHB,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAqD1G,KAA3E;A
ACA,UAAM2H,YAAY,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;ACA,UAAMoB,eAAe,GAAG,EAA
xB;ACA,UAAInW,GAAJ;;AAEA,WAACA,GAAL,IAAYiW,aAAZ,EAA2B;AACzB,YAAIjW,GAAG,CAAC,C
AAD,CAAH,KAAW,GAAX,IAAkBA,GAAG,KAAK,IAA9B,EAAoC,SAAPC,KACK,IAAIA,GAAG,KAAK,aAA
Z,EAA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AACD,Saf
I,MAEE,IAAI,CAACKw,YAAD,IAAiBA,YAAY,CAACiW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;AACxD;A
ACAoB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAAPC;AACD;AACF;;AA
EDmW,MAAAA,eAAe,CAACrF,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UAACsf,KAAD,EA
AW;AACT,eAAO,CAACP,eAAD,EAAkB5D,MAAIB,CAAyBnb,KAAK,CAACsf,KAAD,CAA9B,CAAP;AACD,
OAHuB,GAItB,CAACP,eAAD,EAAkB5D,MAAIB,CAAyBnb,KAAzB,CAJF;AAKAqf,MAAAA,eAAe,CAACT,
MAAhB,GAAYBA,MAAM,IAAIS,eAAe,CAACT,MAAnD;AAEA,UAAID,YAAJ,EAAkBU,eAAe,CAACE,GAA
hB,GAAsBZ,YAAtB;AACIB,UAAID,WAAJ,EAAiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,aAAOh
d,aAAa,CAACod,mBAAD,EAABo,eAAtB,CAAPB;AACD,KAJDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsB
pC,KAAAtB,EAAc3F,KAAAtC,EAAqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMvZ,OAAO,gBAAQ6S,KAAr;
AAAE2F,MAAAA,KAAK,EAALA;AAAF,MAAb;;AAEA,QAAL,CAACe,KAAK,CAAC3kB,MAAX,EAAMb,OA

AOoL,OAAP;AAEnB,SAAKuZ,KAAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC9hB,OAAN,CAAc,UAAAoj
B,OOAO,EAAl;AACvB,UAAIC,eAAe,GAAGD,OAAtB;AACa,UAAIE,IAAJ;AACa,UAAIzW,GAAJ;;AAEA,U
AAIhP,UAAU,CAACwIB,eAAD,CAAd,EAAlC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC9a,OAAD,CAAj
C;AACD;AAED;;;AACa,WAAKsE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,C
AACxW,GAAD,CAAtB;AACa,QAAA,MAAI,CAACiV,KAAL,CAAWjV,GAAX,IAAkByW,IAAIB;AACa/a,QA
AAA,OOAO,CAACsE,GAAD,CAAP,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO/a,OAAP;
AACD;;SAEDoa,0BAAA,iCAAwB5B,KAAxB,EAAoC3F,KAAPC,EAAGD;AAAA,QACtCmI,WADsC,GACtBnI,
KAAK,CAACgH,kBADgB,CACtCmB,WADsC;AAG9C,QAAMIW,gBAAGB,GAAG,KAAK8V,qBAAL,CACvBp
C,KADuB,EAEvB3F,KAFuB,EAGvBA,KAAK,CAACgH,kBAAN,CAAYBN,KAHF,CAAzB;AAMA,WAAOyB,
WAAW,CAACtD,mBAAZ,CAAGC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EAAoC;AA
CIC,QAAI,KAAKIQ,IAAL,KAAcrQ,SAAlB,EAA6B;AAC3B;AACa,WAAKqQ,IAAL,CAAUiQ,cAAV,CAAYBC
,WAAzB;AACD,KAHD,MAGO,IAAIhmB,OOAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AA
ChD;AACAsP,MAAAA,OOAO,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;;EA/GiCgW;;AAkHpC,8BAAe,U
AAC1D,WAAD,EAA2B;AACxC,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAACnmB,MAAD,EAAlB0J,
OAAjB,EAACjG,KAAIC,EAAqD;AAAA,yBAKnFiG,OALmF,CAErF4a,KAFqF;AAAA,QAerFA,KAFqF,+BAE
7EziB,WAF6E;AAAA,+BAKnF6H,OALmF,CAGrFtJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEsjB,mBAAmB,
CAAC1jB,MAAD,CAHoD;AAAA,gCAKnF0J,OALmF,CAIrF0c,eAJqF;AAAA,QAIrFA,eAJqF,sCAInE/B,qBAJm
E;AAOVf,QAAMgC,OOAO,GAAG,CAAC7C,KAAK,CAACxjB,MAAD,CAAtB;AACa,QAAMsmB,kBAAkB,G
AAGxIB,iBAAlB,CAACd,MAAD,CAA5C,CARuF;;AAWvF,QAAMumB,4BAA4B,GAAGhZ,KAAK,CAACiZ,U
AAN,CAAlB,UAAc5I,KAAD,EAAQ8H,GAAR;AAAA,0BACpD,oBAAC,eAAD,eACM9H,KADN;AAEE,QAA
A,kBAAkB,EAAE2I,4BAFtB;AAGE,QAAA,YAAY,EAAEb;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QA
AMe,UAAU;AAEDH,IAAAA,kBAAkB,IAAItmB,MAAM,CAACskB,KAA7B,GACI/U,KAAK,CAAC/O,SAAN,C
AAGB8gB,MAAhB,CAAuBthB,MAAM,CAACskB,KAA9B,EAAqCA,KAArC,EAA4C1E,MAA5C,CAAmDle,O
AAnD,CADJ,GAEl4IB,KAJN,CAnBuF;;AA0BvF,QAAIU,iBAAlB,GAAGtb,OOAO,CAACsb,iBAAhC,CA1BuF;;
AA6BvF,QAAIsB,kBAAkB,IAAItmB,MAAM,CAACglB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,EAAuB;AACr
B;AACAA,QAAAA,iBAAlB,GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA;AAEIB3mB,
YAAAA,MAAM,CAACglB,iBAAP,CAAYBxO,IAAZB,EAA+BkQ,QAA/B,EAAyCC,kBAAZC,KACAJd,OOAO,C
AACsb,iBAAR,CAA0BxO,IAA1B,EAAgCkQ,QAAhC,EAA0CC,kBAA1C;AAHkB;AAAA,SAAPB;AAID,OAN
D,MAMO;AACL;AACa3B,QAAAA,iBAAlB,GAAGhIB,MAAM,CAACglB,iBAA3B;AACD;AACF;AAED;;;A
AKA;;AACAUb,IAAAA,4BAA4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAACnmB
,WAA7B,GAA2CA,WAA3C,CAIDuF;;AAqDvFmmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAJD,C
ArDuF;;AAwDvFuB,IAAAA,4BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAAkB,
GAAGtmB,MAAM,CAAC+IB,WAAP,CAAmBtiB,KAAAnB,CAAYB6d,MAAZB,CAAGC7d,KAAhC,CAAH,GAA4
CA,KAFrB,CAA3C,CAXDuF;;AA8DvF8iB,IAAAA,4BAA4B,CAACxIB,iBAA7B,GAAiD,uBAAJD,CA9DuF;;AA
gEvFwlB,IAAAA,4BAA4B,CAACvmB,MAA7B,GAAsCsmB,kBAAkB;AAEpDtmB,IAAAA,MAAM,CAACA,M
AF6C,GAGpDA,MAHJ,CAHEuF;;AAqEvFumB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAA
uB5jB,GAAvB,EAAoC;AAAA,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CymB,EA
D0C,GACjBnd,OADiB,CACvDsD,WADuD;AAAA,UACnC8Z,aADmC,iCACjBpd,OADiB;;AAE/E,UAMmqd,U
AAU,gBACXD,aADW;AAEdxC,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAAfA;AAHc,QAA
hB;;AAMA,aAAOD,2BAA2B,CAACnjB,GAAD,EAAM+jB,UAAAN,EAakBtjB,KAAIB,CAAlC;AACD,KATD,C
ArEuF;;AAiFvF9C,IAAAA,MAAM,CAACqmB,cAAP,CAAsBT,4BAAtB,EAAoD,cAAPd,EAAoE;AACIEthB,M
AAAA,GADkE,iBAC5D;AACJ,eAAO,KAAKgiB,mBAAZ;AACD,OAHiE;AAKIEnjB,MAAAA,GALkE,eAK9Dq
L,GAL8D,EAKzD;AACp;AACa,aAAK8X,mBAAL,GAA2BX,kBAAkB,GAAGY,SAAK,CAAC,EAAD,EAAKIn
B,MAAM,CAACsjB,YAAZ,EAA0BnU,GAA1B,CAAR,GAAyCA,GAAtF;AACD;AARiE,KAAPE;;AAWA,QAAI
kX,OAAl,EAAa;AACXc,MAAAA,KAAK,CAACZ,4BAAD,EAAGCvmB,MAAhC,EAA8C;AACjD;AACAskB,Q
AAAA,KAAK,EAAE,IAF0C;AAGjDlKB,QAAAA,WAAW,EAAE,IAHoC;AAIjD4kB,QAAAA,iBAAlB,EAAE,IA
J8B;AAKjDe,QAAAA,WAAW,EAAE,IALoC;AAMjDhIB,QAAAA,iBAAlB,EAAE,IAN8B;AAOjDf,QAAAA,M
AAM,EAAE,IAPyC;AAQjD4mB,QAAAA,aAAa,EAAE;AARkC,OAAG9C,CAAL;AAUD;;AAED,WAAOL,4BAA

P;AACD,GA1GD;;AA4GA,SAAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBA Ae,UACbiB,OADa,EA Ebz kB,c AFa,EAGY;AACzB,MAAMoN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAF;;AAEA,OAAK,IA AI1nB,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAGK,cAAc,CAACHd,MAArC,EAA6CD,CAAC,GAAG4C,G AAjD,EAA5D5C,CAAC,IAAI,CAA3D,EAA8D;AAC5DqQ,IAAAA,MAAM,CAACxN,IAAP,CAAYI,cAAc,CAA CjD,CAAD,CAA1B,EAA+B0nB,OAAO,CAAC1nB,CAAC,GAAG,CAAL,CAAtC;AACD;;AAED,SAAOqQ,MA AP;AACD,CAXD;;ACHA;AACa,AAOa;;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,E AAI;AACpB,MAAI/X,KAAK,CAACC,OAAN,CAA8X,GAAd,CAAJ,EAAwB;AAcTB;AACAA,IAAAA,GAAG, CAAC7X,KAAJ,GAAY,IAAZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AA Ae,SAAS/iB,GAAT,C AAaue,MAAb,EAA+E;AAAA,oCAA/CngB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU, CAACyIB,MAAD,CAAV,IAAsBnT,aAAa,CAACmT,MAAD,CAA vC,EAAiD;AAC/C;AACa,WAAOuE,MAAM, CAACzX,OAAO,CAAC2X,UAAU,CAAC1IB,WAAD,GA AEihB,MAAf,SAA0BngB,cAA1B,EAAX,CAAR,CAA b;AACD;;AAED,MAAIA,cAAc,CAACHd,MAAf,KAA0B,CAA1B,IAA+BmjB,MAAM,CAACnjB,MAAP,KAAk B,CAAjD,IAAsD,OAAOmjB,MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAYF;AACvF;AACa,WAAOA,M AAP;AACD,GAT2F;;;AAY5F,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EASngB ,cAAT,CAAX,CAAR,CAAb;AACD;;ACzBc,SAAS6kB,oBAAT,CACbC,oBADa,EA Ebz kB,GA Fa,EAGb0G,OAH a,EAIb;AAAA,MADAA,OACA;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;AACa,MAAI,CAAC2IB,k BAAkB,CAAC1kB,GAAD,CAA vB,EAA8B;AAC5B,WAAOa,0BAAgB,CAAC,CAAD,EA AI9E,MAAM,CAACiE ,GAAD,CAAV,CAA vB;AACD;AAED;AACa;;;AACa,MAAM2kB,gBAAgB,GAAG,SAAnBA,gBAAmB;AAAA ,WAAaF,oBAAoB,CAACz kB,GAAD,EAAM0G,OAAN,EA AenF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAAzB ;AAEA;;;AACaOjB,EAAAA,gBAAgB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACICL,oBAAoB,C AACc,oBAAD,EA AuBz kB,GAAvB,eAAiC0G,OAAjC,MAA6Cme,MAA7C,EADc;AAAA,GAApC;AAGA;;;AA CAF,EAAAA,gBAAgB,CAACrD,KAAjB,GAAYB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAA D,EA AuBz kB,GAAvB,eACf0G,OADe;AAEIB4a,MAAAA,KAAK,EA AE/U,KAAK,CAAC/O,SAAN,CAAgB8gB, MAAhB,CA AuB5X,OAAO,CAAC4a,KAA/B,EAAsCA,KAAc,EAA6C1E,MAA7C,CAAoDle,OAApD;AAFW,O ADQ;AAAA,GAA9B;;AAMA,SAAOimB,gBAAP;AACD;;ACzBD;AACa;AACa;AACa;AACa;;AAEA,iBA Ae, UAACzB,SAAD,EA AwC;AACrD;AACa,MAAM4B,SAAS,GAAGva,KAAK,CAACiZ,UAAAN,CAAiB,UAAc5I, KAAD,EA AQ8H,GAAR,EA AgB;AACjD,QAAMnC,KAAK,GAAGU,UAAU,CAACN,YAAD,CAAxB,CADiD;;A AAA,QAGzCL,YAHyC,GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GAAG3C,cAAc,CAAC xH,KAAD,EA AQ2F,KAAR,EA AeD,YAAf,CAAhC;;AAEA,QAAIrb,OAAO,CAACC,GAAR,CAAYC,QAAZ,K AAyB,YAAzB,IAAyC4nB,SAAS,KAAKriB,SAA3D,EAAsE;AACpE;AACAuK,MAAAA,OAAO,CAACC,IAAR, 6HAC2HnQ,gBAAgB,CACvImmB,SADuI,CAD3I;AAKD;;AAED,wBAAO,oBAAC,SAAD,eAAetI,KAAf;AAAs B,MAAA,KAAK,EA AEmK,SAA7B;AAAwC,MAAA,GAAG,EA AErC;AAA7C,OAAP;AACD,GAhBiB,CAAIB; AAKBAc,EAAAA,KAAY,CAACF,SAAD,EAAY5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAAC1nB,WAAV ,kBAAqCL,gBAAgB,CAACmmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACda;AACa;AAGA, IAAMG,QAAQ,GAAG,SAAXA,QAAW;AAAA,SAAMhE,UAAU,CAACN,YAAD,CAAhB;AAAA,CAAjB;;ACJ A;;AAeA,IAAMuE,WAAW,GAAGC,OAAO,CAAC,cAAD,CAA3B;;AAEA,IAAM3F,WAAW,GAAG4F,YAA Y, CAACF,WAAW,CAAC1e,UAAb,CAAhC;;AACa,IAAM6a,uBAAqB,GAAGgE,sBAAsB,CAAC7F,WAAD,CAA pD;;AACa,IAAM8F,MAAM,GAAG,SAATA,MAAS,CAACtIB,GAAD;AAAA,SAAiBwkB,oBAAoB,CAACnD,u BAAD,EA AwBrhB,GAAXB,CAArC;AAAA,CAAF;AAEA;;;AAEA,IAAMulB,OAAO,mpBAAb;AAQA;;;AAEA A,OAAO,CAACviB,KAAR,CAAc,MAAd,EAAsBxD,OAAtB,CAA8B,UAAAgmB,KAAK;AAAA,SACjC7nB,M AAM,CAACqmB,cAAP,CAAsBsB,MAAtB,EAA8BE,KAA9B,EA AqC;AACnCC,IAAAA,UAAU,EA AE,IADuB; AAEnCC,IAAAA,YAA Y,EA AE,KAFqB;AAGn CzjB,IAAAA,GAHmC,iBAG7B;AACJ,aAAOqjB,MAAM,CAAC J,WAAW,CAACM,KAAD,CAAZ,CAAb;AACD;AALkC,GAArC,CADiC;AAAA,CAAnC;;;" }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/native/dist/styled-components.native.esm.js.map

No license file was found, but licenses were detected in source scan.

Licensed under the MIT License, Copyright © 2016-present Glen Maddern and Maximilian Stoiber.

Found in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/README.md

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-components.native.cjs.js","sources":["../../src/utis/generateAlphabeticName.js","../../src/utis/hash.js","../../src/utis/generateComponentId.js","../../src/utis/getComponentName.js","../../src/utis/isFunction.js","../../src/utis/isStatelessFunction.js","../../src/utis/isPlainObject.js","../../src/utis/isStyledComponent.js","../../src/constants.js","../../src/utis/empties.js","../../src/utis/errors.js","../../src/utis/error.js","../../src/sheet/GroupedTag.js","../../src/sheet/GroupIDAllocator.js","../../src/sheet/Rehydration.js","../../src/utis/nonce.js","../../src/sheet/dom.js","../../src/sheet/Tag.js","../../src/sheet/Sheet.js","../../src/utis/stylisPluginInsertRule.js","../../src/utis/stylis.js","../../src/models/StyleSheetManager.js","../../src/models/Keyframes.js","../../src/utis/hyphenateStyleName.js","../../src/utis/addUnitIfNeeded.js","../../src/utis/flatten.js","../../src/vendor/postcss/warn-once.js","../../src/vendor/postcss/tokenize.js","../../src/vendor/postcss/terminal-highlight.js","../../src/vendor/postcss/css-syntax-error.js","../../src/vendor/postcss/stringifier.js","../../src/vendor/postcss/stringify.js","../../src/vendor/postcss/node.js","../../src/vendor/postcss/declaration.js","../../src/vendor/postcss/comment.js","../../src/vendor/postcss/parser.js","../../src/vendor/postcss/parse.js","../../src/vendor/postcss/container.js","../../src/vendor/postcss/at-rule.js","../../src/vendor/postcss/list.js","../../src/vendor/postcss/rule.js","../../src/vendor/postcss/warning.js","../../src/vendor/postcss/result.js","../../src/vendor/postcss/lazy-result.js","../../src/vendor/postcss/processor.js","../../src/vendor/postcss/root.js","../../src/vendor/postcss/input.js","../../src/vendor/postcss-safe-parser/safe-parser.js","../../src/vendor/postcss-safe-parser/parse.js","../../src/models/InlineStyle.js","../../src/utis/mixinDeep.js","../../src/utis/determineTheme.js","../../src/utis/isTag.js","../../src/utis/generateDisplayName.js","../../src/models/ThemeProvider.js","../../src/models/StyledNativeComponent.js","../../src/utis/interleave.js","../../src/constructors/css.js","../../src/constructors/constructWithOptions.js","../../src/hoc/withTheme.js","../../src/hooks/useTheme.js","../../src/native/index.js"],"sourcesContent":["@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts *\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\nconst getAlphabeticChar = (code: number): string =>\n  String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 *\n\nexport default function generateAlphabeticName(code: number): string {\n  let name = \"\";\n  let x;\n\n  /* get a char and divide by alphabet-length *\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name = getAlphabeticChar(x % charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x % charsLength) + name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n/* @flow\n\n/* eslint-disable *\n\nexport const SEED = 5381;\n\n/* When we have separate strings it's useful to run a progressive\n/* version of djb2 where we pretend that we're still looping over\n/* the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i = x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n/* This is a djb2 hashing function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n/* @flow\n\n/* eslint-disable *\n\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n  return generateAlphabeticName(hash(str) >>> 0);\n};\n\n/* @flow\n\nimport type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n  target: $PropertyType<IStyledComponent, 'target'>): string {\n  return (\n    (process.env.NODE_ENV !== 'production' ?\n      typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    // $FlowFixMe\n  ]
```



```

target.name ||\n  'Component'\n );\n}\n", "// @flow\nexport default function isFunction(test: any): boolean %checks
{\n  return typeof test === 'function';\n}\n", "// @flow\nexport default function isStatelessFunction(test: any):
boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      &&
test.prototype.isReactComponent\n    )\n );\n}\n", "// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x:
any): boolean =>\n  x !== null &&\n  typeof x === 'object' &&\n  (x.toString ? x.toString():
Object.prototype.toString.call(x)) === '[object Object]'\n", "// @flow\nexport default function
isStyledComponent(target:
any): boolean %checks {\n  return target && typeof target.styledComponentId === 'string';\n}\n", "//
@flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\n\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n  (typeof process !== 'undefined' &&\n   typeof process.env !== 'undefined' &&\n
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n  'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = Boolean(\n  typeof
SC_DISABLE_SPEEDY === 'boolean'\n  ? SC_DISABLE_SPEEDY\n  : typeof process !== 'undefined' &&
typeof process.env !== 'undefined'\n  ? typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined'
&&\n    process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY
=== 'false'\n  ? false\n  : process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n  ?
process.env.SC_DISABLE_SPEEDY === 'false'\n  ? false\n  : process.env.SC_DISABLE_SPEEDY\n  :
process.env.NODE_ENV !== 'production'\n  : false);\n}\n\n// Shared empty execution context when generating
static styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\nexport const EMPTY_ARRAY
= Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n", "export default {"1": "Cannot create
styled-component for component: %s.\n\n", "2": "Can't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n\n- Are you accidentally calling collectStyles twice?\n\n", "3": "Streaming SSR
is only supported in a Node.js environment;\n\nPlease do not try to call this method in the browser.\n\n", "4": "The `StyleSheetManager` expects a valid target
or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n\n- Does this error occur on the
server and is the sheet falsy?\n\n", "5": "The clone method cannot be used on the client!\n\n- Are you running in
a client-like environment on the server?\n\n- Are you trying to run SSR on the client?\n\n", "6": "Trying to insert a
new style tag, but the given Node is unmounted!\n\n- Are you using a custom target that isn't mounted?\n\n- Does
your document not have a valid head element?\n\n- Have you accidentally removed a style tag
manually?\n\n", "7": "ThemeProvider: Please return an object from your `theme` prop function,
e.g.\n\n`js\ntheme={() => ({})}\n`\n\n", "8": "ThemeProvider: Please make your `theme` prop an
object.\n\n", "9": "Missing document <head>\n\n", "10": "Cannot find a StyleSheet instance.\n\nUsually this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how
to troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n", "11": "_This error was replaced
with a dev-time warning, it will be deleted for v4 final. _ [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n", "12": "It seems you are interpolating
a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer
supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which
ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n", "13": "%s is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components

```

for more details.

```

"14": "ThemeProvider: \\"theme\\" prop is required."
"15": "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g.
jsObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });
"16": "Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, as for instance in your render method then you may be running into this limitation.
"17": "CSSStyleSheet could not be found on HTMLStyleElement. Has styled-components' style tag been unmounted or altered by another script?";
// @flow
import errorMap from './errors';
const ERRORS = process.env.NODE_ENV !== 'production' ?
errorMap : { };
// super basic version of sprintf
function format(...args) {
  let a = args[0];
  const b = [];
  for (let c = 1, len = args.length; c < len; c += 1) {
    b.push(args[c]);
  }
  b.forEach(d => {
    a = a.replace(/%[a-z]/, d);
  });
  return a;
}
// Create an error file out of errors.md for development and a simple web link to the full errors in production mode.
export default function
throwStyledComponentsError(
  code: string | number,
  ...interpolations: Array<any>
) {
  if (process.env.NODE_ENV === 'production') {
    throw new Error(
      `An error occurred. See https://git.io/JUIaE#${code} for more information.
      ${interpolations.length > 0 ? `Args: ${interpolations.join(', ')} : ` : ''}
      `);
  } else {
    throw new Error(
      format(ERRORS[code], ...interpolations).trim());
  }
}
// @flow
// eslint-disable no-use-before-define
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';
// Create a GroupedTag with an underlying Tag implementation
export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}
const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group: number): void {
          if (group < this.length) {
            const length = this.groupSizes[group];
            const startIndex = this.indexOfGroup(group);
            const endIndex = startIndex + length;
            this.groupSizes[group] = 0;
            for (let i = startIndex; i < endIndex; i++) {
              this.tag.deleteRule(startIndex);
            }
          }
        }
        getGroup(group: number): string {
          let css = "";
          if (group >= this.length || this.groupSizes[group] === 0) {
            return css;
          }
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          for (let i = startIndex; i < endIndex; i++) {
            css += `${this.tag.getRule(i)}${SPLITTER}`;
          }
          return css;
        }
}
import throwStyledError from './utils/error';
const MAX_SMI = 1 << 31 - 1;
let groupIDRegister: Map<string, number> = new Map();
let reverseRegister: Map<number, string> = new Map();
let nextFreeGroup = 1;
export const resetGroupIds = () => {
  groupIDRegister = new Map();
  reverseRegister = new Map();
  nextFreeGroup = 1;
}
export const getGroupForId = (id: string): number => {
  if (groupIDRegister.has(id)) {
    return groupIDRegister.get(id);
  }
  while (reverseRegister.has(nextFreeGroup)) {
    nextFreeGroup++;
  }
  const group = nextFreeGroup++;
  if (process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI)) {
    throwStyledError(16, `${group}`);
  }
  groupIDRegister.set(id, group);
}

```

```

reverseRegister.set(group, id);\n return group;\n};\n\nexport const getIdForGroup = (group: number): void | string
=> {\n return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n if
(group >= nextFreeGroup) {\n nextFreeGroup = group + 1;\n }\n\n groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n};\n\n"/ @flow\n\nimport { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport { getIdForGroup, setGroupForId } from
'./GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`; \nconst MARKER_RE = new
RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\w\\\\\\\\d-)+)\\\\\\\\\\\\\\\\.?!"(\\^")*`);\n\nexport
const outputSheet = (sheet: Sheet) => {\n const tag = sheet.getTag();\n const { length } = tag;\n let css = '';\n
for (let group = 0; group < length; group++) {\n const id = getIdForGroup(group);\n if (id === undefined)
continue;\n\n const names = sheet.names.get(id);\n const rules = tag.getGroup(group);\n if (!names || !rules ||
!names.size) continue;\n\n const selector = `${SC_ATTR}.g${group}[id=${id}]`; \n\n let content = '';\n if
(names !== undefined) {\n names.forEach(name => {\n if (name.length > 0) {\n content +=
`${name};`;\n }\n });\n }\n\n // NOTE: It's easier to collect rules and have the marker\n // after the
actual rules to simplify the rehydration\n css += `${rules}${selector}{content: "${content}"}${SPLITTER}`;\n
}\n\n return css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n const
names = content.split(',');\n let name;\n\n for (let i = 0, l = names.length; i < l; i++) {\n // eslint-disable-next-line\n if ((name = names[i])) {\n
sheet.registerName(id, name);\n }\n }\n\nconst rehydrateSheetFromTag = (sheet: Sheet, style:
HTMLStyleElement) => {\n const parts = (style.textContent || '').split(SPLITTER);\n const rules: string[] = [];\n\n
for (let i = 0, l = parts.length; i < l; i++) {\n const part = parts[i].trim();\n if (!part) continue;\n\n const marker =
part.match(MARKER_RE);\n\n if (marker) {\n const group = parseInt(marker[1], 10) | 0;\n const id =
marker[2];\n\n if (group !== 0) {\n // Rehydrate componentId to group index mapping\n
setGroupForId(id, group);\n // Rehydrate names and rules\n // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n rehydrateNamesFromContent(sheet, id, marker[3]);\n
sheet.getTag().insertRules(group, rules);\n }\n\n rules.length = 0;\n } else {\n rules.push(part);\n
}\n }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n const nodes =
document.querySelectorAll(SELECTOR);\n\n for (let i = 0, l = nodes.length; i < l; i++) {\n const node =
((nodes[i]: any): HTMLStyleElement);\n if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)
{\n rehydrateSheetFromTag(sheet, node);\n if (node.parentNode) {\n
node.parentNode.removeChild(node);\n }\n }\n }\n};\n\n"/ @flow\n\n/* eslint-disable camelcase, no-undef
*/\n\ndeclare var __webpack_nonce__: string;\n\nconst getNonce = () => {\n return typeof __webpack_nonce__
!== 'undefined' ? __webpack_nonce__ : null;\n};\n\nexport default getNonce;\n\n"/ @flow\n\nimport { SC_ATTR,
SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from
'./utils/nonce';\nimport throwError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /*
Node.ELEMENT_TYPE */\n\n/** Find last style element if any inside target */\n\nconst findLastStyleTag
= (target: HTMLElement): void | HTMLStyleElement => {\n const { childNodes } = target;\n\n for (let i =
childNodes.length; i >= 0; i--) {\n const child = ((childNodes[i]: any): ?HTMLElement);\n if (child &&
child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n return ((child: any):
HTMLStyleElement);\n }\n }\n\n return undefined;\n};\n\n/** Create a style element inside `target` or <head>
after the last */\n\nexport const makeStyleTag = (target?: HTMLElement): HTMLStyleElement => {\n const head =
((document.head: any): HTMLElement);\n const parent = target || head;\n const style =
document.createElement('style');\n const prevStyle = findLastStyleTag(parent);\n const nextSibling = prevStyle
!== undefined ? prevStyle.nextSibling : null;\n\n style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n
style.setAttribute(SC_ATTR_VERSION, SC_VERSION);\n\n const nonce = getNonce();\n\n if (nonce)
style.setAttribute('nonce', nonce);\n\n parent.insertBefore(style,
nextSibling);\n\n return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style element */\n\nexport const
getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n if (tag.sheet) {\n return ((tag.sheet: any):

```

```

CSSStyleSheet);\n }\n\n // Avoid Firefox quirk where the style element might not have a sheet property\n const {
styleSheets } = document;\n for (let i = 0, l = styleSheets.length; i < l; i++) {\n  const sheet = styleSheets[i];\n  if
(sheet.ownerNode === tag) {\n   return ((sheet: any): CSSStyleSheet);\n  }\n }\n\n throwStyledError(17);\n
return (undefined: any);\n};\n";\n", "// @flow\n\n/* eslint-disable no-use-before-define *\n\nimport { makeStyleTag,
getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/** Create a CSSStyleSheet-like tag
depending on the environment *\n\nexport const makeTag = ({ isServer, useCSSOMInjection, target }:
SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  } else
if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n
}\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n    const element = (this.element =
makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("));\n\n    this.sheet = getSheet(element);\n    this.length = 0;\n
}\n\n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n
this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n\n  deleteRule(index: number):
void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    const rule =
this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n
if (rule !== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return
";\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes *\n\nexport class TextTag
implements Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =
element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =
this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    }
else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if
(index
< this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return
";\n    }\n  }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM *\n\nexport class VirtualTag implements Tag {\n
rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLElement) {\n    this.rules = [];\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n    this.length++;\n    return true;\n  } else {\n    return false;\n  }\n}\n\n  deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n  }\n\n  getRule(index: number):
string {\n    if (index < this.length) {\n      return this.rules[index];\n    } else {\n      return
";\n    }\n  }\n}\n";\n", "//
@flow\n\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport
{ getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from
'./Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from
'./types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\nntype SheetConstructorArgs = {\n  isServer?:
boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLElement,\n};\n\nntype GlobalStylesAllocationMap =
{[key: string]: number};\n\nntype NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions:
SheetOptions = {\n  isServer: !IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains
the main stylesheet logic for stringification and caching *\n\nexport default class StyleSheet implements Sheet {\n
gs: GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server:
boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index *\n\n  static registerId(id:
string): number {\n    return getGroupForId(id);\n  }\n\n  }\n\n  constructor(\n    options: SheetConstructorArgs = EMPTY_OBJECT,\n    globalStyles?:
GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n    this.options = {\n
...defaultOptions,\n    ...options,\n  }; \n\n    this.gs = globalStyles;\n    this.names = new Map(names);\n
}

```

```

this.server = !options.isServer;\n\n // We rehydrate only once and use the sheet that is created first\n  if
(!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n  SHOULD_REHYDRATE = false;\n
rehydrateSheet(this);\n  }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean =
true) {\n  return new StyleSheet(\n    { ...this.options, ...options },\n    this.gs,\n    (withNames && this.names) ||
undefined\n  );\n  }\n\n allocateGSInstance(id: string) {\n  return (this.gs[id] = (this.gs[id] || 0) + 1);\n  }\n\n /**
Lazily initialises a GroupedTag for when it's actually needed */\n  getTag(): GroupedTag {\n  return this.tag
|| (this.tag = makeGroupedTag(makeTag(this.options))); }\n\n /** Check whether a name is known for caching
*/\n  hasNameForId(id: string, name: string): boolean {\n  return this.names.has(id) && (this.names.get(id):
any).has(name);\n  }\n\n /** Mark a group's name as known for caching */\n  registerName(id: string, name: string)
{\n  getGroupForId(id);\n\n  if (!this.names.has(id)) {\n    const groupNames = new Set();\n
groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n    (this.names.get(id):
any).add(name);\n  }\n  }\n\n /** Insert new rules which also marks the name as known */\n  insertRules(id: string,
name: string, rules: string[]) {\n  this.registerName(id, name);\n  this.getTag().insertRules(getGroupForId(id),
rules);\n  }\n\n /** Clears all cached names for a given group ID */\n  clearNames(id: string) {\n  if
(this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n  }\n\n /** Clears all rules for a given
group ID */\n  clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n  this.clearNames(id);\n
}\n\n /** Clears the entire tag which deletes all rules but not its names */\n  clearTag() {\n  // NOTE: This does not
clear the names, since it's only used during SSR\n  // so that we can continuously output only new rules\n  this.tag
= undefined;\n  }\n\n /** Outputs the current sheet as a CSS string with markers for SSR */\n  toString(): string {\n
return outputSheet(this);\n  }\n}\n\n",/**\n * MIT License\n * Copyright (c) 2016 Sultan Tarimo\n * \n *
Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this software and associated
documentation files (the "Software"),\n * to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell copies of the Software and to
permit persons to whom the Software is furnished to do so,\n\n * subject to the following conditions:\n\n * The above copyright notice and this permission notice shall be included
in all\n * copies or substantial portions of the Software.\n\n * THE SOFTWARE IS PROVIDED "AS IS",
WITHOUT WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n */\n\n * eslint-disable */\n\n\nexport default
function(insertRule) {\n  const delimiter = '*/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n
if (block) {\n    try {\n      insertRule(`${block}`);\n    } catch (e) {} }\n  }\n\n  return function ruleSheet(\n
context,\n  content,\n  selectors,\n
parents,\n  line,\n  column,\n  length,\n  ns,\n  depth,\n  at\n ) {\n    switch (context) {\n      // property\n
case 1:\n      // @import\n      if (depth === 0 && content.charCodeAt(0) === 64) return
insertRule(`${content};`);\n      break;\n      // selector\n      case 2:\n      if (ns === 0) return content +
delimiter;\n      break;\n      // at-rule\n      case 3:\n      switch (ns) {\n        // @font-face, @page\n
case 102:\n        case 112:\n        return insertRule(selectors[0] + content), ";\n      default:\n        return content +
(at === 0 ? delimiter : ");\n      }\n      case -2:\n      content.split(needle).forEach(toSheet);\n    }\n  }\n}\n\n",import Stylis from '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwStyledError from './error';\nimport { phash,
SEED } from './hash';\nimport insertRulePlugin from
'./stylisPluginInsertRule';\n\nconst COMMENT_REGEX = /^\\s*\\|\\|\\. *$/gm;\n\nconst
COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\nntype StylisInstanceConstructorArgs = {\n  options?:
Object,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n  options =
EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n

```

```

const stylis = new Stylis(options);\n\n // Wrap `insertRulePlugin` to build a list of rules,\n // and then make our own
plugin to return the rules. This\n // makes it easier to hook into the existing SSR architecture\n\n let parsingRules =
[];\n\n // eslint-disable-next-line consistent-return\n const returnRulesPlugin = context => {\n  if (context === -2)
{\n   const parsedRules = parsingRules;\n   parsingRules = [];\n   return parsedRules;\n  }\n};\n\n const
parseRulesPlugin = insertRulePlugin(rule => {\n  parsingRules.push(rule);\n });\n\n let _componentId: string;\n
let _selector:
string;\n let _selectorRegex: RegExp;\n let _consecutiveSelfRefRegex: RegExp;\n\n const
selfReferenceReplacer = (match, offset, string) => {\n  if (\n    // do not replace the first occurrence if it is
complex (has a modifier)\n    (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n    // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegex)\n  ) {\n   return `.${_componentId}`;\n  }\n  return match;\n
};\n\n /**\n  * When writing a style like\n  * \n  * & + & {\n  *   color: red;\n  * }\n  * \n  * The second
ampersand should be a reference to the static component class. stylis\n  * has no knowledge of static class so we
have to intelligently replace the base selector.\n  * \n  * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n  * \"2\" means this plugin is taking effect at the
very end after all other processing is complete\n  * \n  const selfReferenceReplacementPlugin = (context, _,
selectors) => {\n  if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n   //
eslint-disable-next-line no-param-reassign\n   selectors[0] = selectors[0].replace(_selectorRegex,
selfReferenceReplacer);\n  }\n};\n\n stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin,
returnRulesPlugin]);\n\n function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n  const
flatCSS = css.replace(COMMENT_REGEX, '');\n  const cssStr = selector && prefix ? `${prefix} ${selector} {
${flatCSS} }` : flatCSS;\n  // stylis has no concept of state to be passed to plugins\n  // but since JS is single-
threaded, we can rely on that to ensure\n  // these properties stay in sync with the current stylis run\n
_componentId = componentId;\n  _selector = selector;\n  _selectorRegex = new RegExp(`\\${_selector}`,\n
'g');\n  _consecutiveSelfRefRegex = new RegExp(`\\${_selector}`{2,});\n  return stylis(prefix ||
!selector ? " : selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n   .reduce((acc,
plugin) => {\n   if (!plugin.name) {\n     throw StyledError(15);\n   }\n   return phash(acc,
plugin.name);\n }, SEED)\n   .toString()\n   : " :";\n\n return stringifyRules;\n }\n\n", "@flow\nimport React, {
type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';\nimport shallowequal from
'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier } from './types';\nimport
createStylisInstance from './utils/stylis';\n\n type Props = {\n  children?: Node,\n  disableCSSOMInjection?:
boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?: StyleSheet,\n  stylisPlugins?: Array<Function>,\n  target?:
HTMLElement,\n};\n\n export const StyleSheetContext: Context<StyleSheet
| void> = React.createContext();\n export const StyleSheetConsumer = StyleSheetContext.Consumer;\n export const
StylisContext: Context<Stringifier | void> = React.createContext();\n export const StylisConsumer =
StylisContext.Consumer;\n\n export const masterSheet: StyleSheet = new StyleSheet();\n export const masterStylis:
Stringifier = createStylisInstance();\n\n export function useStyleSheet(): StyleSheet {\n  return
useContext(StyleSheetContext) || masterSheet;\n }\n\n export function useStylis(): Stringifier {\n  return
useContext(StylisContext) || masterStylis;\n }\n\n export default function StyleSheetManager(props: Props) {\n  const
[plugins, setPlugins] = useState(props.stylisPlugins);\n  const contextStyleSheet = useStyleSheet();\n\n  const
styleSheet = useMemo(() => {\n   let sheet = contextStyleSheet;\n\n   if (props.sheet) {\n     // eslint-disable-next-
line prefer-destructuring\n     sheet = props.sheet;\n   } else if (props.target) {\n     sheet =
sheet.reconstructWithOptions({\n     target: props.target }, false);\n   }\n\n   if (props.disableCSSOMInjection) {\n     sheet =
sheet.reconstructWithOptions({ useCSSOMInjection: false });\n   }\n\n   return sheet;\n },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n    createStylisInstance({\n     options: { prefix: !props.disableVendorPrefixes },\n     plugins,\n     },\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n   if (!shallowequal(plugins,

```

```

props.stylisPlugins)) setPlugins(props.stylisPlugins);\n }, [props.stylisPlugins]);\n\n return (\n
<StyleSheetContext.Provider value={styleSheet}>\n <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n ? React.Children.only(props.children)\n : props.children}\n
</StylisContext.Provider>\n </StyleSheetContext.Provider>\n );\n}\n", "// @flow\nimport StyleSheet from
'./sheet';\nimport { type Stringifier
} from './types';\nimport throwStyledError from './utils/error';\nimport { masterStylis } from
'./StyleSheetManager';\n\nexport default class Keyframes {\n id: string;\n\n name: string;\n\n rules: string;\n\n
constructor(name: string, rules: string) {\n this.name = name;\n this.id = `sc-keyframes-${name}`;\n this.rules
= rules;\n }\n\n inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {\n const
resolvedName = this.name + stylisInstance.hash;\n\n if (!styleSheet.hasNameForId(this.id, resolvedName)) {\n
styleSheet.insertRules(\n this.id,\n resolvedName,\n stylisInstance(this.rules, resolvedName,
'@keyframes')\n );\n }\n }; \n\n toString = () => {\n return throwStyledError(12, String(this.name));\n }; \n\n
getName(stylisInstance: Stringifier = masterStylis) {\n return this.name + stylisInstance.hash;\n }\n}\n", "//
@flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n
*/\n\nconst uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * <|"background-
color"\n * > hyphenateStyleName('MozTransition')\n * <|"-moz-transition"\n * >
hyphenateStyleName('msTransition')\n * <|"-ms-transition"\n * \n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n * \n * @param {string} string\n *
@return {string}\n */\n\nexport default function hyphenateStyleName(string: string): string {\n return
uppercaseCheck.test(string)\n ? string\n .replace(uppercasePattern, prefixAndLowerCase)\n .replace(msPattern,
'-ms-')\n : string;\n }\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\n\nexport
default function addUnitIfNeeded(name: string, value: any): any {\n // https://github.com/amilajack/eslint-plugin-
flowtype-errors/issues/133\n // $FlowFixMe\n if (value == null || typeof value === 'boolean' || value === "") {\n
return "";\n }\n\n if (typeof value === 'number' && value !== 0 && !(name in unitless) && !name.startsWith('--'))
{\n return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers except for CSS variables\n }\n\n
return String(value).trim();\n }\n", "// @flow\nimport { isElement } from 'react-is';\nimport getComponentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\n\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === "";\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n const rules = [];\n\n for (const key in obj) {\n if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n if ((Array.isArray(obj[key]) && obj[key].isCss ||
isFunction(obj[key])) {\n rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n } else if (isPlainObject(obj[key]))
{\n rules.push(...objToCssArray(obj[key], key));\n } else {\n rules.push(`${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key])};`);\n }\n }\n\n return prevKey ? [...prevKey] {`, ...rules, `}` :
rules;\n }\n\nexport default function flatten(\n chunk: any,\n executionContext: ?Object,\n styleSheet: ?Object,\n
stylisInstance: ?Stringifier\n): any {\n if (Array.isArray(chunk)) {\n const ruleSet = [];\n\n for (let i = 0, len =
chunk.length, result; i < len; i += 1) {\n result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n\n if (result === "") continue;\n else if (Array.isArray(result)) ruleSet.push(...result);\n else
ruleSet.push(result);\n }\n\n return ruleSet;\n }\n\n if (isFalsish(chunk)) {\n return "";\n }\n\n /* Handle other
components */\n if (isStyledComponent(chunk)) {\n return `${chunk.styledComponentId}`;\n }\n\n /* Either

```

```

execute or defer the function */\n if (isFunction(chunk)) {\n   if (isStatelessFunction(chunk) && executionContext)
{\n     const result = chunk(executionContext);\n\n     if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n       // eslint-disable-next-line no-console\n       console.warn(\n
`${getComponentName(\n         chunk\n       )} is not a styled
component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components for more details.`\n     );\n   }\n\n   return
flatten(result, executionContext, styleSheet, stylisInstance);\n } else return chunk;\n }\n\n if (chunk instanceof
Keyframes) {\n   if (styleSheet) {\n     chunk.inject(styleSheet, stylisInstance);\n     return
chunk.getName(stylisInstance);\n   } else return chunk;\n }\n\n /* Handle objects */\n return isPlainObject(chunk)
? objToCssArray(chunk) : chunk.toString();\n}\n", "// @flow\nconst printed = {};\n\n\nexport default function
warnOnce(message) {\n  if (printed[message]) return;\n  printed[message] = true;\n\n  if (typeof console !==
'undefined' && console.warn) console.warn(message);\n}\n", "// @flow\nconst SINGLE_QUOTE =
'\''\n\nconst DOUBLE_QUOTE = '\"'\n\nconst BACKSLASH = '\\'\n\nconst SLASH = '/'\n\nconst NEWLINE =
'\n'\n\nconst SPACE = '\n'\n\nconst FEED = '\f'\n\nconst TAB =
'\t'\n\nconst CR = '\r'\n\nconst OPEN_SQUARE = '['\n\nconst CLOSE_SQUARE = ']\n\nconst OPEN_PARENTHESES = '('\n\nconst
CLOSE_PARENTHESES = ')'\n\nconst OPEN_CURLY = '{'\n\nconst CLOSE_CURLY = '}'\n\nconst SEMICOLON = ';\n\nconst ASTERISK =
'*'\n\nconst COLON = ':'\n\nconst AT = '@'\n\nconst RE_AT_END = /[\n\n\t\r\f\\{\|\(\)\'\"\\\|/[\[\]\#]/g;\n\nconst RE_WORD_END = /[\n\n\t\r\f\\(\)\{\|\}::@!\'\"\\\|/[\[\]\#]\/\|(?=\/\*)/g;\n\nconst
RE_BAD_BRACKET = /.[\n\n\t\r\f\\(\)\'\"\\\|/[\[\]\#]\/\|(?=\/\*)/g;\n\n\nexport default function tokenize(input, options = {}) {\n  const tokens
= [];\n  const css = input.css.valueOf();\n\n  const ignore = options.ignoreErrors;\n\n  let code,\n      next,\n      quote,\n      lines,\n      last,\n      content,\n      escape,\n      nextLine,\n      nextOffset,\n      escaped,\n      escapePos,\n      prev,\n      n;\n\n  const length = css.length;\n  let offset = -1;\n  let line
= 1;\n  let pos = 0;\n\n  function unclosed(what) {\n    throw input.error(`Unclosed ${what}`, line, pos - offset);\n  }\n\n  while (pos < length) {\n    code = css.charCodeAt(pos);\n\n    if (code === NEWLINE || code === FEED ||
(code === CR && css.charCodeAt(pos + 1) !== NEWLINE)) {\n      offset = pos;\n      line += 1;\n    }\n\n    switch
(code) {\n      case NEWLINE:\n      case SPACE:\n      case TAB:\n      case CR:\n      case FEED:\n        next =
pos;\n        do {\n          next += 1;\n          code = css.charCodeAt(next);\n          if (code === NEWLINE) {\n
offset = next;\n            line += 1;\n          }\n        } while (\n          code === SPACE ||\n          code === NEWLINE
||\n          code === TAB ||\n          code === CR ||\n          code === FEED\n        );\n        tokens.push(['space',
css.slice(pos, next)];\n\n        pos = next - 1;\n        break;\n\n      case OPEN_SQUARE:\n        tokens.push(['[', '[', line, pos - offset]);\n
break;\n\n      case CLOSE_SQUARE:\n        tokens.push([']', ']', line, pos - offset]);\n        break;\n\n      case
OPEN_CURLY:\n        tokens.push(['{', '{', line, pos - offset]);\n        break;\n\n      case CLOSE_CURLY:\n        tokens.push(['}', '}', line, pos - offset]);\n        break;\n\n      case COLON:\n        tokens.push([':', ':', line, pos -
offset]);\n        break;\n\n      case SEMICOLON:\n        tokens.push([';', ';', line, pos - offset]);\n        break;\n\n      case OPEN_PARENTHESES:\n        prev = tokens.length ? tokens[tokens.length - 1][1] : '';\n        n =
css.charCodeAt(pos + 1);\n        if (\n          prev === 'url' &&\n          n !== SINGLE_QUOTE &&\n          n !==
DOUBLE_QUOTE &&\n          n !== SPACE &&\n          n !== NEWLINE &&\n          n !== TAB &&\n          n
!== FEED &&\n          n !== CR\n        )\n          {\n            next = pos;\n            do {\n              escaped = false;\n              next = css.indexOf(')', next + 1);\n              if
(next === -1) {\n                if (ignore) {\n                  next = pos;\n                  break;\n                } else {\n
unclosed('bracket');\n                }\n              }\n              escapePos = next;\n              while (css.charCodeAt(escapePos - 1)
=== BACKSLASH) {\n                escapePos -= 1;\n                escaped = !escaped;\n              }\n            } while
(escaped);\n            tokens.push([\n              'brackets',\n              css.slice(pos, next + 1),\n              line,\n              pos -
offset,\n              line,\n              next - offset,\n              ]);\n            pos = next;\n          } else {\n            next = css.indexOf(')',

```



```

pos + 1);\n      content = css.slice(pos, next + 1);\n      if (next === -1 || RE_BAD_BRACKET.test(content))\n      {\n      tokens.push(['(', '(', line, pos - offset]);\n      } else {\n      tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n      pos = next;\n      }\n      break;\n      case CLOSE_PARENTHESES:\n      tokens.push([')', ')', line, pos - offset]);\n      break;\n      case SINGLE_QUOTE:\n      case DOUBLE_QUOTE:\n      quote = code === SINGLE_QUOTE ?\n      '\"' : '\'';\n      next = pos;\n      do {\n      escaped = false;\n      next = css.indexOf(quote, next + 1);\n      if (next === -1) {\n      if (ignore) {\n      next = pos + 1;\n      break;\n      } else {\n      unclosed('quote');\n      }\n      escapePos = next;\n      while (css.charCodeAt(escapePos - 1) ===\n      BACKSLASH) {\n      escapePos -= 1;\n      escaped = !escaped;\n      }\n      } while (escaped);\n      content = css.slice(pos, next + 1);\n      lines = content.split('\\n');\n      last = lines.length - 1;\n      if (last > 0) {\n      nextLine = line + last;\n      nextOffset = next - lines[last].length;\n      } else {\n      nextLine = line;\n      nextOffset = offset;\n      }\n      tokens.push([\n      'string',\n      css.slice(pos, next\n      + 1),\n      line,\n      pos - offset,\n      nextLine,\n      next - nextOffset,\n      ]);\n      offset =\n      nextOffset;\n      line = nextLine;\n      pos = next;\n      break;\n      case AT:\n      RE_AT_END.lastIndex =\n      pos + 1;\n      RE_AT_END.test(css);\n      if (RE_AT_END.lastIndex === 0) {\n      next = css.length - 1;\n      } else {\n      next = RE_AT_END.lastIndex - 2;\n      }\n      tokens.push(['at-word', css.slice(pos, next + 1),\n      line, pos - offset, line, next - offset]);\n      pos = next;\n      break;\n      case BACKSLASH:\n      next = pos;\n      escape = true;\n      while (css.charCodeAt(next + 1) === BACKSLASH) {\n      next += 1;\n      escape = !escape;\n      }\n      code = css.charCodeAt(next + 1);\n      if (\n      escape\n      &&\n      (code !== SLASH &&\n      code !== SPACE &&\n      code !== NEWLINE &&\n      code\n      !== TAB &&\n      code !== CR &&\n      code !== FEED)\n      ) {\n      next += 1;\n      }\n      tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n      pos = next;\n      break;\n      default:\n      if (code === SLASH && css.charCodeAt(pos + 1) === ASTERISK) {\n      next =\n      css.indexOf('*', pos + 2) + 1;\n      if (next === 0) {\n      if (ignore) {\n      next = css.length;\n      }\n      else {\n      unclosed('comment');\n      }\n      }\n      content = css.slice(pos, next + 1);\n      lines =\n      content.split('\\n');\n      last = lines.length - 1;\n      if (last > 0) {\n      nextLine = line + last;\n      nextOffset = next - lines[last].length;\n      } else {\n      nextLine = line;\n      nextOffset = offset;\n      }\n      }\n      tokens.push(['comment', content, line, pos - offset, nextLine, next - nextOffset]);\n      offset =\n      nextOffset;\n      line = nextLine;\n      pos = next;\n      } else {\n      RE_WORD_END.lastIndex = pos +\n      1;\n      RE_WORD_END.test(css);\n      if (RE_WORD_END.lastIndex === 0) {\n      next = css.length -\n      1;\n      } else {\n      next = RE_WORD_END.lastIndex - 2;\n      }\n      }\n      tokens.push(['word',\n      css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n      pos = next;\n      }\n      }\n      break;\n      }\n      }\n      pos++;\n      }\n      }\n      return tokens;\n      }\n      }", "// @flow\nimport tokenize from './tokenize';\nimport Input from\n      './input';\n      const HIGHLIGHT_THEME = {\n      brackets: [36, 39], // cyan\n      string: [31, 39], // red\n      'at-word': [31,\n      39], // red\n      comment:\n      [90, 39], // gray\n      '{': [32, 39], // green\n      '}': [32, 39], // green\n      ':': [1, 22], // bold\n      ';': [1, 22], // bold\n      '(': [1,\n      22], // bold\n      ')': [1, 22], // bold\n      };\n      function code(color) {\n      return `\\u001b[${color}m`;\n      }\n      function\n      terminalHighlight(css) {\n      const tokens = tokenize(new Input(css), { ignoreErrors: true });\n      const result = [];\n      tokens.forEach(token => {\n      const color = HIGHLIGHT_THEME[token[0]];\n      if (color) {\n      result.push([\n      token[1]\n      .split(/\\r?\\n/)\n      .map(i => code(color[0]) + i + code(color[1]))\n      .join('\\n')\n      ];\n      }\n      else {\n      result.push(token[1]);\n      }\n      });\n      return result.join("");\n      }\n      export default terminalHighlight;\n      }", "//\n      @flow\nimport supportsColor from 'supports-color';\nimport terminalHighlight from './terminal-\n      highlight';\nimport warnOnce from './warn-once';\n      * The CSS parser throws this error for broken CSS.\n      *\n      * Custom parsers can throw this error for\n      *\n      broken custom syntax using\n      * the {@link Node#error} method.\n      *\n      * PostCSS will use the input source map to\n      detect the original error location.\n      *\n      * If you wrote a Sass file, compiled it to CSS and then parsed it with PostCSS,\n      *\n      * PostCSS will show the original position in the Sass file.\n      *\n      * If you need the position in the PostCSS input\n      *\n      (e.g., to debug the previous compiler), use `error.input.file`.\n      *\n      * @example\n      * // Catching and checking syntax

```

```

error\n * try {\n *   postcss.parse('a{')\n * } catch (error) {\n *   if ( error.name === 'CssSyntaxError' ) {\n *     error
//=> CssSyntaxError\n *   }\n * }\n * @example\n * // Raising error from plugin\n * throw node.error('Unknown
variable', { plugin: 'postcss-vars' });\n *\n * \n * class CssSyntaxError {\n *   /**\n *    * @param {string} message - error
message\n *    * @param {number} [line] - source line of the error\n *    * @param {number} [column] - source column
of the error\n *    * @param {string} [source] - source code of the broken
file\n *    * @param {string} [file] - absolute path to the broken file\n *    * @param {string} [plugin] - PostCSS plugin
name, if error came from plugin\n *    * ^\n *    * constructor(message, line, column, source, file, plugin) {\n *      /**\n *       *
@member {string} - Always equal to `CssSyntaxError`. You should\n *       * always check error type\n *       *
by `error.name === 'CssSyntaxError` instead of\n *       * `error instanceof CssSyntaxError`,
because\n *       * npm could have several PostCSS versions.\n *       * ^\n *       * @example\n *       * if ( error.name
=== 'CssSyntaxError' ) {\n *         error //=> CssSyntaxError\n *       }\n *       * ^\n *       * this.name = 'CssSyntaxError';\n *
/**\n *      * @member {string} - Error message.\n *      * ^\n *      * @example\n *      * error.message //=> 'Unclosed block'\n *
^ \n *      * this.reason = message;\n *      * ^\n *      * if (file) {\n *        /**\n *         * @member {string} - Absolute path to the broken
file.\n *         * ^\n *         * @example\n *         * error.file //=> 'a.sass'\n *         * error.input.file //=> 'a.css'\n *         * ^\n *         * this.file = file;\n *
}\n *         * if (source) {\n *           /**\n *            * @member {string} - Source code of the broken file.\n *            * ^\n *            * @example\n *            *
error.source //=> 'a { b { } }\n *            * error.input.column //=> 'a b { }'\n *            * ^\n *            * this.source = source;\n *
}\n *         * if (plugin) {\n *           /**\n *            * @member {string} - Plugin name, if error came from plugin.\n *            * ^\n *            *
@example\n *            * error.plugin //=> 'postcss-vars'\n *            * ^\n *            * this.plugin = plugin;\n *            * }\n *         * if (typeof line !==
'undefined' && typeof column !== 'undefined') {\n *           /**\n *            * @member {number} - Source line of the error.\n *            * ^\n *            *
@example\n *            * error.line //=> 2\n *            * error.input.line //=> 4\n *            * ^\n *            * this.line = line;\n *
/**\n *           * @member {number} - Source column of the error.\n *           * ^\n *           * @example\n *           * error.column
//=> 1\n *           * error.input.column //=> 4\n *           * ^\n *           * this.column = column;\n *           * }\n *         * this.setMessage();\n *
}\n *         * if (Error.captureStackTrace) {\n *           Error.captureStackTrace(this, CssSyntaxError);\n *         * }\n *         * }\n *         * }\n *         * }\n *
/**\n *        * @member {string} - Full error text in the GNU error format\n *        * ^\n *        * with plugin, file, line and
column.\n *        * ^\n *        * @example\n *        * error.message //=> 'a.css:1:1: Unclosed block'\n *        * ^\n *        * this.message =
this.plugin ? `${this.plugin}: ` : ` `;\n *        * this.message += this.file ? this.file : '<css input>';\n *        * if (typeof this.line !==
'undefined') {\n *          * this.message += `:${this.line}`;\n *        * }\n *        * this.message += `:${this.reason}`;\n *
}\n *        * }\n *        * }\n *        * }\n *        * }\n *        * }\n *        * }\n *        * }\n *        * }\n *        * }\n *
/**\n *       * Returns a few lines of CSS source that caused the error.\n *       * ^\n *       * If the CSS has an input source map
without `sourceContent`,\n *       * this method will return an empty string.\n *       * ^\n *       * @param {boolean} [color] whether
arrow will
be colored red by terminal\n *       * ^\n *       * color codes. By default, PostCSS will detect\n *       * ^\n *       * color support by `process.stdout.isTTY`\n *       * ^\n *       * and `process.env.NODE_DISABLE_COLORS`.\n *       * ^\n *       * @example\n *       * error.showSourceCode() //=> |\n *       * 4 | }\n *       * ^\n *       * // 5 | a {\n *       * ^\n *       * // 6 | bad\n *       * ^\n *       * // 7 | }\n *       * ^\n *       * // 8 | b {\n *       * ^\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *
@return {string} few lines of CSS source that caused the error\n *       * ^\n *       * showSourceCode(color) {\n *       * if
(!this.source) return ` `;\n *       * let css = this.source;\n *       * if (typeof color === 'undefined') color = supportsColor;\n *       * if
(color) css = terminalHighlight(css);\n *       * const lines = css.split(/\r?/);\n *       * const start = Math.max(this.line - 3,
0);\n *       * const end = Math.min(this.line + 2, lines.length);\n *       * const maxWidth = String(end).length;\n *       *
return lines\n *       * .slice(start, end)\n *       * .map((line, index) => {\n *       *   const number = start + 1 + index;\n *       *   const
padded = `${number}`.slice(-maxWidth);\n *       *   const gutter = `${padded} | `;\n *       *   if (number === this.line) {\n *
const spacing =\n *       * gutter.replace(/d/g, ' ') + line.slice(0, this.column - 1).replace(/[\^\\t]/g, ' ');\n *       *
return `>${gutter}${line}\n *       * ${spacing}^\n *       * } else {\n *       *   return `${gutter}${line}`;\n *       * }\n *       * }\n *
}\n *       * .join('\n');\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *       * }\n *
/**\n *      * Returns error position, message and source code of the broken part.\n *      * ^\n *      * @example\n *      * error.toString() //=> `CssSyntaxError: app.css:1:1: Unclosed block\n *      * ^\n *      * // > 1 | a {\n *
^ \n *      * // | ^\n *      * ^\n *      * @return {string} error position, message and source code\n *      * ^\n *      * toString() {\n *
let code = this.showSourceCode();\n *      * if (code) {\n *      *   code = `\\n\\n${code}\\n`; \n *      * }\n *      * return

```



```

return false;\n    }\n  }\n});\n return value;\n }\n\n rawBeforeComment(root, node) {\n let value;\n root.walkComments(i => {\n if (typeof i.rows.before !== 'undefined') {\n value = i.rows.before;\n if (value.indexOf('\n') !== -1) {\n value = value.replace(/[\n]+$/, '');\n }\n return false;\n }\n });\n if (typeof value === 'undefined') {\n value = this.raw(node, null, 'beforeDecl');\n }\n return value;\n }\n\n rawBeforeDecl(root, node) {\n let value;\n root.walkDecls(i => {\n if (typeof i.rows.before !== 'undefined') {\n value = i.rows.before;\n if (value.indexOf('\n') !== -1) {\n value = value.replace(/[\n]+$/, '');\n }\n return false;\n }\n });\n if (typeof value === 'undefined') {\n value = this.raw(node, null, 'beforeRule');\n }\n return value;\n }\n\n rawBeforeRule(root) {\n let value;\n root.walk(i => {\n if (i.nodes && (i.parent !== root || root.first !== i)) {\n if (typeof i.rows.before !== 'undefined') {\n value = i.rows.before;\n if (value.indexOf('\n') !== -1) {\n value = value.replace(/[\n]+$/, '');\n }\n return false;\n }\n }\n });\n return value;\n }\n\n rawBeforeClose(root) {\n let value;\n root.walk(i => {\n if (i.nodes && i.nodes.length > 0) {\n if (typeof i.rows.after !== 'undefined') {\n value = i.rows.after;\n if (value.indexOf('\n') !== -1) {\n value = value.replace(/[\n]+$/, '');\n }\n return false;\n }\n }\n });\n return value;\n }\n\n rawBeforeOpen(root) {\n let value;\n root.walk(i => {\n if (i.type !== 'decl') {\n value = i.rows.between;\n if (typeof value !== 'undefined') return false;\n }\n });\n return value;\n }\n\n rawColon(root) {\n let value;\n root.walkDecls(i => {\n if (typeof i.rows.between !== 'undefined') {\n value = i.rows.between.replace(/[\s:]/g, '');\n return false;\n }\n });\n return value;\n }\n\n beforeAfter(node, detect) {\n let value;\n if (node.type === 'decl') {\n value = this.raw(node, null, 'beforeDecl');\n } else if (node.type === 'comment') {\n value = this.raw(node, null, 'beforeComment');\n } else if (detect === 'before') {\n value = this.raw(node, null, 'beforeRule');\n } else {\n value = this.raw(node, null, 'beforeClose');\n }\n\n let buf = node.parent;\n let depth = 0;\n while (buf && buf.type !== 'root') {\n depth += 1;\n buf = buf.parent;\n }\n\n if (value.indexOf('\n') !== -1) {\n const indent = this.raw(node, null, 'indent');\n if (indent.length) {\n for (let step = 0; step < depth; step++) value += indent;\n }\n }\n\n return value;\n }\n\n rawValue(node, prop) {\n const value = node[prop];\n const raw = node.rows[prop];\n if (raw && raw.value === value) {\n return raw.raw;\n } else {\n return value;\n }\n }\n\n\nexport default Stringifier;\n"/ @flow\nimport Stringifier from './stringifier';\nexport default function stringify(node, builder) {\n const str = new Stringifier(builder);\n str.stringify(node);\n}\n"/ @flow\nimport CssSyntaxError from './css-syntax-error';\nimport Stringifier from './stringifier';\nimport stringify from './stringify';\nimport warnOnce from './warn-once';\n\n/**\n * @typedef {object} position\n * @property {number} line - source line in file\n * @property {number} column - source column in file\n *\n\n/**\n * @typedef {object} source\n * @property {Input} input - {@link Input} with input file\n * @property {position} start - The starting position of the node's source\n * @property {position} end - The ending position of the node's source\n *\n\nconst cloneNode = function(obj, parent) {\n const cloned = new obj.constructor();\n\n for (const i in obj) {\n if (!obj.hasOwnProperty(i)) continue;\n let value = obj[i];\n const type = typeof value;\n\n if (i === 'parent' && type === 'object') {\n if (parent) cloned[i] = parent;\n } else if (i === 'source') {\n cloned[i] = value;\n } else if (value instanceof Array) {\n cloned[i] = value.map(j => cloneNode(j, cloned));\n } else if (i !== 'before' && i !== 'after' && i !== 'between' && i !== 'semicolon') {\n if (type === 'object' && value !== null) value = cloneNode(value);\n cloned[i] = value;\n }\n }\n\n return cloned;\n};\n\n/**\n * All node classes inherit the following common methods.\n *\n * @abstract\n *\n\nclass Node {\n /**\n * @param {object} [defaults] - value for node properties\n *\n constructor(defaults = {})\n this.rows = {};\n for (const name in defaults) {\n this[name] = defaults[name];\n }\n }\n\n /**\n * Returns a CssSyntaxError instance containing the original position\n * of the node in the source, showing line and column numbers and also\n * a small excerpt to facilitate debugging.\n *\n * If present, an input source map will be used to get the original position\n * of the source, even from a previous compilation step\n * (e.g., from Sass compilation).\n *\n * This method produces very useful error messages.\n *\n * @param {string} message -

```



```

nodes.forEach(node => {\n    this.parent.insertBefore(this, node);\n    });\n\n    this.remove();\n    }\n\n    return\n    this;\n    }\n\n    /**\n     * Removes the node from its current parent and inserts it\n     * at the end of `newParent`.\n     *\n     * This will clean the `before` and `after` code { @link Node#raws } data\n     * from the node and replace them with\n     * the indentation style of `newParent`.\n     * It will also clean the `between` property\n     * if `newParent` is in another\n     * { @link Root }.\n     *\n     * @param {Container} newParent - container node where the current node\n     * will be moved\n     *\n     * @example\n     * atrule.moveTo(atrule.root());\n     *\n     * @return {Node} current node\n     * to methods chain\n     */\n\n    moveTo(newParent) {\n    this.cleanRaws(this.root() === newParent.root());\n    this.remove();\n    newParent.append(this);\n    return this;\n    }\n\n    /**\n     * Removes the node from its current parent and inserts it\n     * into\n     * a new parent before `otherNode`.\n     *\n     * This will also clean the node's code style properties just as it\n     * would\n     * in { @link Node#moveTo }.\n     *\n     * @param {Node} otherNode - node that will be before current\n     * node\n     *\n     * @return {Node} current node to methods chain\n     */\n\n    moveBefore(otherNode) {\n    this.cleanRaws(this.root() === otherNode.root());\n    this.remove();\n    otherNode.parent.insertBefore(otherNode,\n    this);\n    return this;\n    }\n\n    /**\n     * Removes the node from its current parent and inserts it into\n     * a new parent\n     * after `otherNode`.\n     *\n     * This will also clean the node's code style properties just as it would\n     * in { @link\n    Node#moveTo }.\n     *\n     * @param {Node} otherNode - node that will be after current node\n     *\n     * @return {Node} current node to methods chain\n     */\n\n    moveAfter(otherNode) {\n    this.cleanRaws(this.root()\n    === otherNode.root());\n    this.remove();\n    otherNode.parent.insertAfter(otherNode, this);\n    return this;\n    }\n\n    /**\n     * Returns the next child of the node's parent.\n     * Returns `undefined` if the current node is the last child.\n     *\n     * @return {Node|undefined} next node\n     *\n     * @example\n     * if ( comment.text === 'delete next' ) {\n     *   const next = comment.next();\n     *   if ( next ) {\n     *     next.remove();\n     *   }\n     * }\n     *\n     * next()\n     * const\n     * index = this.parent.index(this);\n     * return this.parent.nodes[index + 1];\n     * }\n\n    /**\n     * Returns the previous child\n     * of the node's parent.\n     * Returns `undefined` if the current node is the first child.\n     *\n     * @return\n     * {Node|undefined} previous node\n     *\n     * @example\n     * const annotation = decl.prev();\n     * if ( annotation.type\n     * === 'comment' ) {\n     *   readAnnotation(annotation.text);\n     * }\n     * }\n     *\n     * prev()\n     * const index = this.parent.index(this);\n     * return this.parent.nodes[index - 1];\n     * }\n\n    toJSON() {\n    const fixed = {};\n\n    for (const name in this) {\n    if (!this.hasOwnProperty(name)) continue;\n    if (name === 'parent') continue;\n    const value = this[name];\n\n    if (value instanceof Array) {\n    fixed[name] = value.map(i => {\n    if (typeof i === 'object' && i.toJSON) {\n    return i.toJSON();\n    }\n    else {\n    return i;\n    }\n    });\n    } else if (typeof value === 'object' && value.toJSON) {\n    fixed[name] = value.toJSON();\n    } else {\n    fixed[name] = value;\n    }\n    }\n\n    return fixed;\n    }\n\n    /**\n     * Returns a { @link Node#raws } value. If the node is missing\n     * the code style property (because the node\n     * was manually built or cloned),\n     * PostCSS will try to autodetect the code style property by looking\n     * at other\n     * nodes in the tree.\n     *\n     * @param {string} prop - name of code style property\n     * @param {string} [defaultType] - name of\n     * default value, it can be missed\n     * if the value is the same as prop\n     *\n     * @example\n     * const root = postcss.parse('a { background: white }');\n     * root.nodes[0].append({ prop: 'color', value: 'black' });\n     * root.nodes[0].nodes[1].raws.before //=> undefined\n     * root.nodes[0].nodes[1].raw('before') //=> '\n     *\n     * @return {string} code style value\n     */\n\n    raw(prop, defaultType) {\n    const str = new Stringifier();\n    return\n    str.raw(this, prop, defaultType);\n    }\n\n    /**\n     * Finds the Root instance of the node's tree.\n     *\n     * @example\n     * root.nodes[0].nodes[0].root() === root\n     *\n     * @return {Root} root parent\n     */\n\n    root() {\n    let result =\n    this;\n    while (result.parent) result = result.parent;\n    return result;\n    }\n\n    cleanRaws(keepBetween) {\n    delete\n    this.raws.before;\n    delete\n    this.raws.after;\n    if (!keepBetween) delete this.raws.between;\n    }\n\n    positionInside(index) {\n    const string =\n    this.toString();\n    let column = this.source.start.column;\n    let line = this.source.start.line;\n\n    for (let i = 0; i <\n    index; i++) {\n    if (string[i] === '\\n') {\n    column = 1;\n    line += 1;\n    } else {\n    column += 1;\n    }\n    }\n\n    return { line, column };\n    }\n\n    positionBy(opts) {\n    let pos = this.source.start;\n    if (opts.index)\n    {\n    pos = this.positionInside(opts.index);\n    } else if (opts.word) {\n    const index =

```



```

set _important(val) {\n  warnOnce('Node#_important was deprecated. Use Node#raw.important');\n
this.raw.important = val;\n }\n\n /**\n * @memberof Declaration#\n * @member {string} prop - the
declaration's property name\n *\n * @example\n * const root = postcss.parse('a { color: black }');\n * const
decl = root.first.first;\n * decl.prop //=> 'color'\n */\n\n /**\n * @memberof Declaration#\n * @member
{string} value - the declaration's value\n *\n * @example\n * const root = postcss.parse('a { color: black }');\n
* const decl = root.first.first;\n * decl.value //=> 'black'\n */\n\n /**\n * @memberof Declaration#\n *
@member {boolean} important - `true` if the declaration\n *\n * has an !important annotation.\n
*\n * @example\n * const root = postcss.parse('a { color: black !important; color: red }');\n *
root.first.first.important //=> true\n * root.first.last.important //=> undefined\n */\n\n /**\n * @memberof
Declaration#\n * @member {object} raws - Information to generate byte-to-byte equal\n *\n * node
string as it was in the origin input.\n *\n * Every parser saves
its own properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space symbols before the node. It
also stores `*\n * and `_\n * symbols before the declaration (IE hack).\n * * `between`: the symbols between the
property and value\n * for declarations, selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n *
* `important`: the content of the important statement,\n * if it is not just `!important`.\n *\n * PostCSS cleans
declaration from comments and extra spaces,\n * but it stores origin content in raws properties.\n * As such, if
you don't change a declaration's value,\n * PostCSS will use the raw value with comments.\n *\n * @example\n
* const root = postcss.parse('a {\n color:black\n}')\n * root.first.first.raws //=> { before: '\n ', between: ' ' }\n
*/\n\n}\n\nexport default Declaration;\n", "// @flow\nimport warnOnce from './warn-once';\nimport Node from
'./node';\n\n/**\n * Represents a comment between
declarations or statements (rule and at-rules).\n *\n * Comments inside selectors, at-rule parameters, or declaration
values\n * will be stored in the `raws` properties explained above.\n *\n * @extends Node\n */\n\nexport class Comment
extends Node {\n  constructor(defaults) {\n    super(defaults);\n    this.type = 'comment';\n  }\n\n  get left() {\n
warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n    return this.raws.left;\n  }\n\n  set left(val)\n  {\n    warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n    this.raws.left = val;\n  }\n\n  get
right() {\n    warnOnce('Comment#right was deprecated. Use Comment#raws.right');\n    return this.raws.right;\n  }\n\n
set right(val) {\n    warnOnce('Comment#right was deprecated. Use Comment#raws.right');\n    this.raws.right
= val;\n  }\n\n  /**\n * @memberof Comment#\n * @member {string} text - the comment's text\n */\n\n  /**\n *
@memberof Comment#\n * @member {object} raws - Information to generate
byte-to-byte equal\n *\n * node string as it was in the origin input.\n *\n * Every parser saves its own
properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space symbols before the node.\n * *
`left`: the space symbols between `/*` and the comment's text.\n * * `right`: the space symbols between the
comment's text.\n */\n\n}\n\nexport default Comment;\n", "// @flow\nimport Declaration from
'./declaration';\nimport tokenizer from './tokenizer';\nimport Comment from './comment';\nimport AtRule from './at-
rule';\nimport Root from './root';\nimport Rule from './rule';\n\nexport default class Parser {\n  constructor(input) {\n
this.input = input;\n\n    this.pos = 0;\n    this.root = new Root();\n    this.current = this.root;\n    this.spaces =
'';\n    this.semicolon = false;\n\n    this.root.source = { input, start: { line: 1, column: 1 } };\n  }\n\n  tokenize()\n  {\n    this.tokens = tokenizer(this.input);\n  }\n\n  loop() {\n
let token;\n    while (this.pos < this.tokens.length) {\n      token = this.tokens[this.pos];\n\n      switch (token[0]) {\n
case 'space':\n        case ';':\n          this.spaces += token[1];\n          break;\n\n        case '}':\n
this.end(token);\n          break;\n\n        case 'comment':\n          this.comment(token);\n          break;\n\n        case 'at-
word':\n          this.atrule(token);\n          break;\n\n        case '{':\n          this.emptyRule(token);\n          break;\n\n
default:\n          this.other();\n          break;\n      }\n\n      this.pos += 1;\n    }\n\n    this.endFile();\n  }\n\n  comment(token) {\n    const node = new Comment();\n    this.init(node, token[2], token[3]);\n    node.source.end = {\n
line: token[4], column: token[5] };\n\n    const text = token[1].slice(2, -2);\n    if (/^\\s*$/.test(text)) {\n      node.text
= '';\n      node.raws.left = text;\n      node.raws.right = '';\n    } else {\n      const match =
text.match(/^(\\s*)([^\n]*[^\n\\s])(\\s*)$/);\n

```



```

node.text = match[2];\n node.raws.left = match[1];\n node.raws.right = match[3];\n }\n }\n\nemptyRule(token) {\n const node = new Rule();\n this.init(node, token[2], token[3]);\n node.selector = ";\n node.raws.between = ";\n this.current = node;\n }\n\n other() {\n let token;\n let end = false;\n let type = null;\n let colon = false;\n let bracket = null;\n const brackets = [];\n const start = this.pos;\n while (this.pos < this.tokens.length) {\n token = this.tokens[this.pos];\n type = token[0];\n\n if (type === '(' || type === '[') {\n if (!bracket) bracket = token;\n brackets.push(type === '(' ? ')' : ']');\n } else if (brackets.length === 0) {\n if (type === ';') {\n if (colon) {\n this.decl(this.tokens.slice(start, this.pos + 1));\n return;\n } else {\n break;\n }\n } else if (type === '{') {\n this.rule(this.tokens.slice(start, this.pos + 1));\n return;\n } else if (type === '}') {\n this.pos -= 1;\n end = true;\n break;\n } else if (type === ':') {\n colon = true;\n }\n } else if (type === brackets[brackets.length - 1]) {\n brackets.pop();\n if (brackets.length === 0) bracket = null;\n }\n\n this.pos += 1;\n }\n\n if (this.pos === this.tokens.length) {\n this.pos -= 1;\n end = true;\n }\n\n if (brackets.length > 0) this.unclosedBracket(bracket);\n\n if (end && colon) {\n while (this.pos > start) {\n token = this.tokens[this.pos][0];\n if (token !== 'space' && token !== 'comment') break;\n this.pos -= 1;\n }\n\n this.decl(this.tokens.slice(start, this.pos + 1));\n return;\n }\n\n this.unknownWord(start);\n }\n\n rule(tokens) {\n tokens.pop();\n const node = new Rule();\n this.init(node, tokens[0][2], tokens[0][3]);\n\n node.raws.between = this.spacesFromEnd(tokens);\n this.raw(node, 'selector', tokens);\n this.current = node;\n }\n\n decl(tokens) {\n const node = new Declaration();\n this.init(node);\n const last = tokens[tokens.length - 1];\n if (last[0] === ';') {\n this.semicolon = true;\n tokens.pop();\n }\n\n if (last[4]) {\n node.source.end = { line: last[4], column: last[5] }; }\n } else {\n node.source.end = { line: last[2], column: last[3] }; }\n }\n\n while (tokens[0][0] !== 'word') {\n node.raws.before += tokens.shift()[1];\n }\n\n node.source.start = { line: tokens[0][2], column: tokens[0][3] }; \n\n node.prop = ";\n while (tokens.length) {\n const type = tokens[0][0];\n if (type === ':' || type === 'space' || type === 'comment') {\n break;\n }\n\n node.prop += tokens.shift()[1];\n }\n\n node.raws.between = ";\n\n let token;\n while (tokens.length) {\n token = tokens.shift();\n\n if (token[0] === ':') {\n node.raws.between += token[1];\n break;\n } else {\n node.raws.between += token[1];\n }\n }\n\n if (node.prop[0] === '_' || node.prop[0] === '*') {\n node.raws.before += node.prop[0];\n node.prop = node.prop.slice(1);\n }\n\n node.raws.between += this.spacesFromStart(tokens);\n this.precheckMissedSemicolon(tokens);\n\n for (let i = tokens.length - 1; i > 0; i--) {\n token = tokens[i];\n if (token[1] === 'important') {\n node.important = true;\n let string = this.stringFrom(tokens, i);\n string = this.spacesFromEnd(tokens) + string;\n if (string !== 'important') node.raws.important = string;\n break;\n } else if (token[1] === 'important') {\n const cache = tokens.slice(0);\n let str = ";\n for (let j = i; j > 0; j--) {\n const type = cache[j][0];\n if (str.trim().indexOf('!') === 0 && type !== 'space') {\n break;\n }\n str = cache.pop()[1] + str;\n }\n\n if (str.trim().indexOf('!') === 0) {\n node.important = true;\n node.raws.important = str;\n tokens = cache;\n }\n }\n\n if (token[0] !== 'space' && token[0] !== 'comment') {\n break;\n }\n }\n\n this.raw(node, 'value', tokens);\n\n if (node.value.indexOf(':') !== -1) this.checkMissedSemicolon(tokens);\n }\n\n atrule(token) {\n const node = new AtRule();\n node.name = token[1].slice(1);\n if (node.name === "") {\n this unnamedAtRule(node, token);\n }\n\n this.init(node, token[2], token[3]);\n\n let last = false;\n let open = false;\n const params = [];\n\n this.pos += 1;\n while (this.pos < this.tokens.length) {\n token = this.tokens[this.pos];\n\n if (token[0] === ';') {\n node.source.end = { line: token[2], column: token[3] }; \n\n this.semicolon = true;\n break;\n } else if (token[0] === '{') {\n open = true;\n break;\n } else if (token[0] === '}') {\n this.end(token);\n break;\n } else {\n params.push(token);\n }\n\n this.pos += 1;\n }\n\n if (this.pos === this.tokens.length) {\n last = true;\n }\n\n node.raws.between = this.spacesFromEnd(params);\n\n if (params.length) {\n node.raws.afterName = this.spacesFromStart(params);\n this.raw(node, 'params', params);\n\n if (last) {\n token = params[params.length - 1];\n node.source.end

```

```

= { line: token[4], column: token[5] };
    this.spaces = node.rows.between;
    node.rows.between = ";
}
} else {
    node.rows.afterName = ";
    node.params = ";
}
if (open) {
    node.nodes = [];
    this.current = node;
}
end(token) {
    if (this.current.nodes && this.current.nodes.length) {
        this.current.rows.semicolon
        = this.semicolon;
    }
    this.semicolon = false;
    this.current.rows.after = (this.current.rows.after || "") +
    this.spaces;
    this.spaces = ";
    if (this.current.parent) {
        this.current.source.end = { line: token[2],
        column: token[3] };
        this.current = this.current.parent;
    } else {
        this.unexpectedClose(token);
    }
}
endFile() {
    if (this.current.parent) this.unclosedBlock();
    if (this.current.nodes &&
    this.current.nodes.length) {
        this.current.rows.semicolon = this.semicolon;
    }
    this.current.rows.after =
    (this.current.rows.after || "") + this.spaces;
}
// Helpers
init(node, line, column) {
    this.current.push(node);
    node.source = { start: { line, column }, input: this.input };
    node.rows.before =
    this.spaces;
    this.spaces = ";
    if (node.type !== 'comment') this.semicolon = false;
}
raw(node, prop,
tokens) {
    let token, type;
    const length
    = tokens.length;
    let value = ";
    let clean = true;
    for (let i = 0; i < length; i += 1) {
        token = tokens[i];
        type = token[0];
        if (type === 'comment' || (type === 'space' && i === length - 1)) {
            clean = false;
        } else {
            value += token[1];
        }
        if (!clean) {
            const raw = tokens.reduce((all, i) => all + i[1],
            "");
            node.rows[prop] = { value, raw };
            node[prop] = value;
        }
        spacesFromEnd(tokens) {
            let lastTokenType;
            let spaces = ";
            while (tokens.length) {
                lastTokenType = tokens[tokens.length - 1][0];
                if (lastTokenType !== 'space' && lastTokenType !== 'comment') break;
                spaces = tokens.pop()[1] + spaces;
            }
            return spaces;
        }
        spacesFromStart(tokens) {
            let next;
            let spaces = ";
            while (tokens.length) {
                next = tokens[0][0];
                if (next !== 'space' && next !== 'comment') break;
                spaces += tokens.shift()[1];
            }
            return spaces;
        }
        stringFrom(tokens, from) {
            let result = ";
            for (let i = from; i < tokens.length;
            i++) {
                result += tokens[i][1];
            }
            tokens.splice(from, tokens.length - from);
            return result;
        }
        colon(tokens) {
            let brackets = 0;
            let token, type, prev;
            for (let i = 0; i < tokens.length; i++) {
                token =
                tokens[i];
                type = token[0];
                if (type === '(') {
                    brackets += 1;
                } else if (type === ')') {
                    brackets -= 1;
                } else if (brackets === 0 && type === ':') {
                    if (!prev) {
                        this.doubleColon(token);
                    } else if (prev[0] === 'word' && prev[1] === 'progid') {
                        continue;
                    } else {
                        return i;
                    }
                }
                prev = token;
            }
            return false;
        }
        // Errors
        unclosedBracket(bracket) {
            throw
            this.input.error('Unclosed bracket', bracket[2], bracket[3]);
        }
        unknownWord(start) {
            const token
            = this.tokens[start];
            throw this.input.error('Unknown word', token[2], token[3]);
        }
        unexpectedClose(token) {
            throw this.input.error('Unexpected }', token[2], token[3]);
        }
        unclosedBlock()
        {
            const pos = this.current.source.start;
            throw this.input.error('Unclosed block', pos.line, pos.column);
        }
        doubleColon(token) {
            throw this.input.error('Double colon', token[2], token[3]);
        }
        unnamedAtrule(node,
        token) {
            throw this.input.error('At-rule without name', token[2], token[3]);
        }
        precheckMissedSemicolon(tokens) {
            // Hook for Safe Parser
            tokens;
        }
        checkMissedSemicolon(tokens) {
            const colon = this.colon(tokens);
            if (colon === false) return;
            let
            founded = 0;
            let token;
            for (let j = colon - 1; j >= 0; j--) {
                token = tokens[j];
                if (token[0] !==
                'space') {
                    founded += 1;
                    if (founded === 2) break;
                }
            }
            throw this.input.error('Missed
            semicolon',
            token[2], token[3]);
        }
}
"@flow\nimport Parser from './parser';
import Input from './input';
export
default function parse(css, opts) {
    if (opts && opts.safe) {
        throw new Error('Option safe was removed. ' +
        'Use parser: require("postcss-safe-parser");
    }
    const input = new Input(css, opts);
    const parser = new
    Parser(input);
    try {
        parser.tokenize();
        parser.loop();
    } catch (e) {
        if (e.name === 'CssSyntaxError'
        && opts && opts.from) {
            if (/\\.scss$/i.test(opts.from)) {
                e.message += "\nYou tried to parse
                SCSS with ' +
                'the standard CSS parser; ' +
                'try again with the postcss-scss parser';
            } else if
            (/\\.less$/i.test(opts.from)) {
                e.message += "\nYou tried to parse Less with ' +
                'the standard
                CSS parser; ' +
                'try again with the postcss-less parser';
            }
        }
        throw e;
    }
    return
    parser.root;
}
"@flow\nimport

```

parse from './parse';\nimport Root from './root';\nimport Rule from './rule';\nimport AtRule from './at-rule';\nimport Declaration from './declaration';\nimport warnOnce from './warn-once';\nimport Comment from './comment';\nimport Node from './node';\n\nfunction cleanSource(nodes) {\n return nodes.map(i => {\n if (i.nodes) i.nodes = cleanSource(i.nodes);\n delete i.source;\n return i;\n });\n}\n\n/**\n * @callback childCondition\n * @param {Node} node - container child\n * @param {number} index - child index\n * @param {Node[]} nodes - all container children\n * @return {boolean}\n * ^\n * @callback childIterator\n * @param {Node} node - container child\n * @param {number} index - child index\n * @return {false|undefined} returning `false` will break iteration\n * ^\n * The {@link Root}, {@link AtRule}, and {@link Rule} container nodes\n * inherit some common methods to help work with their children.\n * Note that all containers can store any content.

If you write a rule inside a rule, PostCSS will parse it.\n * @extends Node\n * @abstract\n * ^\n * class Container extends Node {\n push(child) {\n child.parent = this;\n this.nodes.push(child);\n return this;\n }\n}\n\n/**\n * Iterates through the container's immediate children,\n * calling `callback` for each child.\n * Returning `false` in the callback will break iteration.\n * This method only iterates through the container's immediate children.\n * If you need to recursively iterate through all the container's descendant nodes, use {@link Container#walk}.\n * Unlike the for `{}`-cycle or `Array#forEach` this iterator is safe\n * if you are mutating the array of child nodes during iteration.\n * PostCSS will adjust the current index to match the mutations.\n * @param {childIterator} callback - iterator receives each node and index\n * @return {false|undefined} returns `false` if iteration was broke\n * ^\n

```
* @example\n * const root = postcss.parse('a { color: black; z-index: 1 }');\n * const rule = root.first;\n * for ( let decl of rule.nodes ) {\n *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n *   // Cycle will be infinite, because cloneBefore moves the current node\n *   // to the next index\n * }\n * rule.each(decl => {\n *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n *   // Will be executed only for color and z-index\n * });\n * ^\n * each(callback) {\n *   if (!this.lastEach) this.lastEach = 0;\n *   if (!this.indexes) this.indexes = {};\n *   this.lastEach += 1;\n *   const id = this.lastEach;\n *   this.indexes[id] = 0;\n *   if (!this.nodes) return undefined;\n *   let index, result;\n *   while (this.indexes[id] < this.nodes.length) {\n *     index = this.indexes[id];\n *     result = callback(this.nodes[index], index);\n *     if (result === false) break;\n *     this.indexes[id] += 1;\n *   }\n *   delete this.indexes[id];\n * }\n\n
```

```
return result;\n }\n\n/**\n * Traverses the container's descendant nodes, calling callback\n * for each node.\n * Like container.each(), this method is safe to use\n * if you are mutating arrays during iteration.\n * If you only need to iterate through the container's immediate children,\n * use {@link Container#each}.\n * @param {childIterator} callback - iterator receives each node and index\n * @return {false|undefined} returns `false` if iteration was broke\n * ^\n * @example\n * root.walk(node => {\n *   // Traverses all descendant nodes.\n * });\n * ^\n * walk(callback) {\n *   return this.each((child, i) => {\n *     let result = callback(child, i);\n *     if (result !== false && child.walk) {\n *       result = child.walk(callback);\n *     }\n *     return result;\n *   });\n * }\n\n/**\n * Traverses the container's descendant nodes, calling callback\n * for each declaration node.\n * If you pass a filter,

```

```
iteration will only happen over declarations\n * with matching properties.\n * Like {@link Container#each}, this method is safe\n * to use if you are mutating arrays during iteration.\n * @param {string|RegExp} [prop] - string or regular expression\n * to filter declarations by property name\n * @param {childIterator} callback - iterator receives each node and index\n * @return {false|undefined} returns `false` if iteration was broke\n * ^\n * @example\n * root.walkDecls(decl => {\n *   checkPropertySupport(decl.prop);\n * });\n * root.walkDecls('border-radius', decl => {\n *   decl.remove();\n * });\n * root.walkDecls(/^background/, decl => {\n *   decl.value = takeFirstColorFromGradient(decl.value);\n * });\n * ^\n * walkDecls(prop, callback) {\n *   if (!callback) {\n *     callback = prop;\n *     return this.walk((child, i) => {\n *       if (child.type === 'decl') {\n *         return\n *         callback(child, i);\n *       }\n *     });\n *   } else if (prop instanceof RegExp) {\n *     return this.walk((child, i) => {\n *       if (child.type === 'decl' && prop.test(child.prop)) {\n *         return callback(child, i);\n *       }\n *     });\n *   } else {\n *     return this.walk((child, i) => {\n *       if (child.type === 'decl' && child.prop === prop) {\n *         return
```



```

comment\n * \n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n * \n\n prepend(...children)
{\n children = children.reverse();\n children.forEach(child => {\n const nodes = this.normalize(child,
this.first,
'prepend').reverse();\n nodes.forEach(node => this.nodes.unshift(node));\n for (const id in this.indexes) {\n
this.indexes[id] = this.indexes[id] + nodes.length;\n } \n });\n return this;\n } \n\n cleanRows(keepBetween)
{\n super.cleanRows(keepBetween);\n if (this.nodes) {\n this.nodes.forEach(node =>
node.cleanRows(keepBetween));\n } \n } \n\n /** \n * Insert new node before old node within the container.\n
*\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add
- new node\n * \n * @return {Node} this node for methods chain\n * \n * @example\n * rule.insertBefore(decl,
decl.clone({ prop: '-webkit-' + decl.prop }));\n * \n\n insertBefore(exist, add) {\n exist = this.index(exist);\n
const type = exist === 0 ? 'prepend' : false;\n const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n
nodes.forEach(node => this.nodes.splice(exist, 0, node));\n\n
let index;\n for (const id in this.indexes) {\n index = this.indexes[id];\n if (exist <= index) {\n
this.indexes[id] = index + nodes.length;\n } \n } \n\n return this;\n } \n\n /** \n * Insert new node after old
node within the container.\n * \n * @param {Node|number} exist - child or child's index\n * @param
{Node|object|string|Node[]} add - new node\n * \n * @return {Node} this node for methods chain\n * \n\n
insertAfter(exist, add) {\n exist = this.index(exist);\n const nodes = this.normalize(add,
this.nodes[exist]).reverse();\n nodes.forEach(node => this.nodes.splice(exist + 1, 0, node));\n\n let index;\n
for (const id in this.indexes) {\n index = this.indexes[id];\n if (exist < index) {\n this.indexes[id] = index +
nodes.length;\n } \n } \n\n return this;\n } \n\n remove(child) {\n if (typeof child !== 'undefined') {\n
warnOnce('Container#remove is deprecated. ' + 'Use
Container#removeChild');\n this.removeChild(child);\n } else {\n super.remove();\n } \n\n return this;\n } \n\n
/** \n * Removes node from the container and cleans the parent properties\n * from the node and its
children.\n * \n * @param {Node|number} child - child or child's index\n * \n * @return {Node} this node for
methods chain\n * \n * @example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n *
rule.nodes.length //=> 4\n * decl.parent //=> undefined\n * \n\n removeChild(child) {\n child =
this.index(child);\n this.nodes[child].parent = undefined;\n this.nodes.splice(child, 1);\n\n let index;\n
for (const id in this.indexes) {\n index = this.indexes[id];\n if (index >= child) {\n this.indexes[id] = index -
1;\n } \n } \n\n return this;\n } \n\n /** \n * Removes all children from the container\n * and cleans their
parent properties.\n * \n * @return {Node} this node for methods
chain\n * \n * @example\n * rule.removeAll();\n * rule.nodes.length //=> 0\n * \n\n removeAll() {\n
this.nodes.forEach(node => (node.parent = undefined));\n this.nodes = [];\n return this;\n } \n\n /** \n
* Passes all declaration values within the container that match pattern\n * through callback, replacing those values
with the returned result\n * of callback.\n * \n * This method is useful if you are using a custom unit or
function\n * and need to iterate through all values.\n * \n * @param {string|RegExp} pattern - replace
pattern\n * @param {object} opts - options to speed up the search\n * @param {string|string[]}
opts.props - an array of property names\n * @param {string} opts.fast - string that's used\n *
to narrow down values and speed up\n * the regexp search\n * @param
{function|string} callback
- string to replace pattern\n *
or callback that returns a new\n *
value.\n *
The callback will receive\n *
the same arguments as
those\n *
passed to a function parameter\n *
of
`String#replace`.\n * \n * @return {Node} this node for methods chain\n * \n * @example\n *
root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n * return 15 * parseInt(string) + 'px';\n * });\n * \n\n
replaceValues(pattern, opts, callback) {\n if (!callback) {\n callback = opts;\n opts = {};\n } \n\n
this.walkDecls(decl => {\n if (opts.props && opts.props.indexOf(decl.prop) === -1) return;\n if (opts.fast &&
decl.value.indexOf(opts.fast) === -1) return;\n decl.value = decl.value.replace(pattern,

```

```

callback);\n });\n\n return this;\n }\n\n /**\n * Returns `true` if callback returns `true`\n * for all of the
container's children.\n *\n * @param {childCondition} condition - iterator returns true or false.\n *\n *
@return {boolean} is every child pass condition\n *\n * @example\n * const noPrefixes = rule.every(i =>
i.prop[0] !== '-');\n *\n every(condition) {\n return this.nodes.every(condition);\n }\n\n /**\n * Returns `true`
if callback returns `true` for (at least) one\n * of the container's children.\n *\n * @param {childCondition}
condition - iterator returns true or false.\n *\n * @return {boolean} is some child pass condition\n *\n *
@example\n * const hasPrefix = rule.some(i => i.prop[0] === '-');\n *\n some(condition) {\n return
this.nodes.some(condition);\n }\n\n /**\n * Returns a `child`'s index within the {@link Container#nodes} array.\n
*\n * @param {Node} child - child of the current container.\n
*\n * @return {number} child index\n *\n * @example\n * rule.index( rule.nodes[2] ) //=> 2\n *\n
index(child) {\n if (typeof child === 'number') {\n return child;\n } else {\n return
this.nodes.indexOf(child);\n }\n }\n\n /**\n * The container's first child.\n *\n * @type {Node}\n *\n *
@example\n * rule.first == rules.nodes[0];\n *\n get first() {\n if (!this.nodes) return undefined;\n return
this.nodes[0];\n }\n\n /**\n * The container's last child.\n *\n * @type {Node}\n *\n * @example\n *
rule.last == rule.nodes[rule.nodes.length - 1];\n *\n get last() {\n if (!this.nodes) return undefined;\n return
this.nodes[this.nodes.length - 1];\n }\n\n normalize(nodes, sample) {\n if (typeof nodes === 'string') {\n nodes
= cleanSource(parse(nodes).nodes);\n } else if (!Array.isArray(nodes)) {\n if (nodes.type === 'root') {\n
nodes = nodes.nodes;\n } else if (nodes.type) {\n nodes
= [nodes];\n } else if (nodes.prop) {\n if (typeof nodes.value === 'undefined') {\n throw new
Error('Value field is missed in node creation');\n } else if (typeof nodes.value !== 'string') {\n nodes.value
= String(nodes.value);\n }\n nodes = [new Declaration(nodes)];\n } else if (nodes.selector) {\n nodes
= [new Rule(nodes)];\n } else if (nodes.name) {\n nodes = [new AtRule(nodes)];\n } else if (nodes.text)
{\n nodes = [new Comment(nodes)];\n } else {\n throw new Error('Unknown node type in node
creation');\n }\n }\n\n const processed = nodes.map(i => {\n if (typeof i.raws === 'undefined') i =
this.rebuild(i);\n\n if (i.parent) i = i.clone();\n if (typeof i.raws.before === 'undefined') {\n if (sample &&
typeof sample.raws.before !== 'undefined') {\n i.raws.before = sample.raws.before.replace(/^(\\s)/g, "");\n
}\n }\n\n i.parent
= this;\n return i;\n });\n\n return processed;\n }\n\n rebuild(node, parent) {\n let fix;\n if (node.type ===
'root') {\n fix = new Root();\n } else if (node.type === 'atrule') {\n fix = new AtRule();\n } else if
(node.type === 'rule') {\n fix = new Rule();\n } else if (node.type === 'decl') {\n fix = new Declaration();\n
} else if (node.type === 'comment') {\n fix = new Comment();\n }\n\n for (const i in node) {\n if (i ===
'nodes') {\n fix.nodes = node.nodes.map(j => this.rebuild(j, fix));\n } else if (i === 'parent' && parent) {\n
fix.parent = parent;\n } else if (node.hasOwnProperty(i)) {\n fix[i] = node[i];\n }\n }\n\n return fix;\n
}\n\n eachInside(callback) {\n warnOnce('Container#eachInside is deprecated. ' + 'Use Container#walk
instead.);\n return this.walk(callback);\n }\n\n eachDecl(prop, callback) {\n warnOnce('Container#eachDecl is
deprecated. ' + 'Use
Container#walkDecls instead.);\n return this.walkDecls(prop, callback);\n }\n\n eachRule(selector, callback) {\n
warnOnce('Container#eachRule is deprecated. ' + 'Use Container#walkRules instead.);\n return
this.walkRules(selector, callback);\n }\n\n eachAtRule(name, callback) {\n warnOnce('Container#eachAtRule is
deprecated. ' + 'Use Container#walkAtRules instead.);\n return this.walkAtRules(name, callback);\n }\n\n
eachComment(callback) {\n warnOnce('Container#eachComment is deprecated. ' + 'Use
Container#walkComments instead.);\n return this.walkComments(callback);\n }\n\n get semicolon() {\n
warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n return this.raws.semicolon;\n }\n\n set
semicolon(val) {\n warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n
this.raws.semicolon = val;\n }\n\n get after() {\n warnOnce('Node#after is deprecated. Use Node#raws.after');\n
return this.raws.after;\n }\n\n
set after(val) {\n warnOnce('Node#after is deprecated. Use Node#raws.after');\n this.raws.after = val;\n }\n\n
/**\n * @memberof Container#\n * @member {Node[]} nodes - an array containing the container's children\n

```



```

list.split(string, spaces);\n },\n\n /**\n * Safely splits comma-separated values (such as those for `transition-`\n
* and `background` properties).\n *\n * @param {string} string - comma-separated values\n *\n * @return\n
{string[]} splitted values\n *\n * @example\n * postcss.list.comma('black, linear-gradient(white, black)')\n *\n
//=> ['black', 'linear-gradient(white, black)']\n\n\n *\n comma(string) {\n  const comma = ',';\n  return list.split(string, [comma], true);\n },\n};\n\nexport default\n
list;\n", "// @flow\nimport './at-rule'; // break cyclical dependency deadlock - #87\nimport Container from\n
'./container';\nimport warnOnce from './warn-once';\nimport list from './list';\n\n/**\n * Represents a CSS rule: a\n
selector followed by a declaration block.\n *\n * @extends Container\n *\n * @example\n * const root =\n
postcss.parse('a {');\n * const rule = root.first;\n * rule.type //=> 'rule'\n * rule.toString() //=> 'a {\n *\n *\n
Rule extends Container {\n  constructor(defaults) {\n    super(defaults);\n    this.type = 'rule';\n    if (!this.nodes)\n
this.nodes = [];\n  }\n\n  /**\n   * An array containing the rule's individual selectors.\n   * Groups of selectors are\n
split at commas.\n   *\n   * @type {string[]}\n   *\n   * @example\n   * const root = postcss.parse('a, b { }');\n   *\n
const rule = root.first;\n   *\n   * rule.selector //=>\n
'a, b'\n   *\n   * rule.selectors //=> ['a', 'b']\n   *\n   * rule.selector //=> 'a, strong'\n *\n *\n
getSelectors() {\n  return list.comma(this.selector);\n }\n\n setSelectors(values) {\n  const match = this.selector ?\n
this.selector.match(/,\s*/) : null;\n  const sep = match ? match[0] : `,$${this.raw('between', 'beforeOpen')}`;\n\n
this.selector = values.join(sep);\n }\n\n getSelector() {\n  warnOnce('Rule#_selector is deprecated. Use\n
Rule#raw.selector');\n  return this.raws.selector;\n }\n\n setSelector(val) {\n  warnOnce('Rule#_selector is\n
deprecated. Use Rule#raw.selector');\n  this.raws.selector = val;\n }\n\n /**\n   * @memberof Rule#\n   * @member {string} selector - the rule's full selector represented\n   * as a string\n   *\n   * @example\n   * const root = postcss.parse('a, b { }');\n   * const rule = root.first;\n   * rule.selector //=> 'a, b'\n
*\n *\n   * @memberof Rule#\n\n   * @member {object} raws - Information to generate byte-to-byte equal\n   * node string as it was in\n
the origin input.\n   *\n   * Every parser saves its own properties,\n   * but the default CSS parser uses:\n   *\n   * `before`: the space symbols before the node. It also stores `*\n   * and ` _` symbols before the declaration (IE\n
hack).\n   * `after`: the space symbols after the last child of the node\n   * to the end of the node.\n   * `between`: the symbols between the property and value\n   * for declarations, selector and `{` for rules, or last\n
parameter\n   * and `{` for at-rules.\n   * `semicolon`: contains true if the last child has\n   * an (optional)\n
semicolon.\n   *\n   * PostCSS cleans selectors from comments and extra spaces,\n   * but it stores origin content in\n
raws properties.\n   * As such, if you don't change a declaration's value,\n   * PostCSS will use the raw value with\n
comments.\n   *\n   * @example\n   * const root\n
= postcss.parse('a {\n color:black\n}')\n   * root.first.first.raws //=> { before: ' ', between: ' ', after: '\n' }\n\n
*\n *\n\nexport default Rule;\n", "// @flow\n\n/**\n * Represents a plugin's warning. It can be created using { @link\n
Node#warn}.\n *\n * @example\n * if ( decl.important ) {\n *   decl.warn(result, 'Avoid !important', { word:\n
'!important' });\n * }\n *\n *\n
Warning {\n  /**\n   * @param {string} text - warning message\n   * @param\n
{Object} [opts] - warning options\n   * @param {Node} opts.node - CSS node that caused the warning\n   * @param {string} opts.word - word in CSS source that caused the warning\n   * @param {number} opts.index -\n
index in CSS node string that caused\n   * the warning\n   * @param {string} opts.plugin - name\n
of the plugin that created\n   * this warning. { @link Result#warn} fills\n   *\n
this property automatically.\n   *\n   * constructor(text,\n   * opts = {}) {\n   *   /**\n   *    * @member {string} - Type to filter warnings from\n   *    * { @link\n
Result#messages}. Always equal\n   *    * to `\"warning\"`.\n   *    * @example\n   *    * const\n
nonWarning = result.messages.filter(i => i.type !== 'warning')\n   *    * this.type = 'warning';\n   *    * /**\n   *    * @member {string} - The warning message.\n   *    * @example\n   *    * warning.text //=> 'Try to avoid\n
!important'\n   *    * this.text = text;\n   *    * if (opts.node && opts.node.source) {\n   *    *   const pos =\n
opts.node.positionBy(opts);\n   *    * /**\n   *    * @member {number} - Line in the input file\n   *    * with\n
this warning's source\n   *    * @example\n   *    * warning.line //=> 5\n   *    * this.line = pos.line;\n\n
*/\n   *    * @member {number} - Column in the input file\n   *    * with this warning's source.\n   *    *

```



```

Result#warn } fills\n *
                                this property automatically.\n * \n * @return {Warning} created
warning\n *\n warn(text, opts = { }) {\n if (!opts.plugin) {\n if (this.lastPlugin &&
this.lastPlugin.postcssPlugin) {\n opts.plugin = this.lastPlugin.postcssPlugin;\n } \n }\n\n const warning =
new Warning(text, opts);\n this.messages.push(warning);\n\n return warning;\n }\n\n /**\n * Returns warnings
from plugins. Filters { @link Warning } instances\n * from { @link Result#messages }.\n * \n * @example\n *
result.warnings().forEach(warn => {\n * console.warn(warn.toString());\n * });\n * \n * @return {Warning[]}\n
warnings from plugins\n *\n warnings() {\n return this.messages.filter(i
=> i.type === 'warning');\n }\n\n /**\n * An alias for the { @link Result#css } property.\n * Use it with syntaxes
that generate non-CSS output.\n * @type {string}\n * \n * @example\n * result.css === result.content;\n *\n
get content() {\n return this.css;\n }\n}\n\nexport default Result;\n", "/* @flow\nimport stringify from
'./stringify';\nimport warnOnce from './warn-once';\nimport Result from './result';\nimport parse from
'./parse';\n\nfunction isPromise(obj) {\n return typeof obj === 'object' && typeof obj.then ===
'function';\n }\n\n/**\n * @callback onFulfilled\n * @param {Result} result\n *\n\n/**\n * @callback onRejected\n
* @param {Error} error\n *\n\n/**\n * A Promise proxy for the result of PostCSS transformations.\n *\n * A
`LazyResult` instance is returned by { @link Processor#process }.\n *\n * @example\n * const lazy =
postcss([cssnext]).process(css);\n *\n\nclass LazyResult {\n constructor(processor, css, opts) {\n this.stringified
= false;\n this.processed = false;\n\n let root;\n if (typeof css === 'object' && css.type === 'root') {\n root =
css;\n } else if (css instanceof LazyResult || css instanceof Result) {\n root = css.root;\n if (css.map) {\n
if (typeof opts.map === 'undefined') opts.map = {};\n if (!opts.map.inline) opts.map.inline = false;\n
opts.map.prev = css.map;\n }\n } else {\n let parser = parse;\n if (opts.syntax) parser =
opts.syntax.parse;\n if (opts.parser) parser = opts.parser;\n if (parser.parse) parser = parser.parse;\n\n try
{\n root = parser(css, opts);\n } catch (error) {\n this.error = error;\n }\n }\n\n this.result = new
Result(processor, root, opts);\n }\n\n /**\n * Returns a { @link Processor } instance, which will be used\n * for
CSS transformations.\n * @type {Processor}\n *\n get processor() {\n return this.result.processor;\n }\n\n
/**\n * Options from
the { @link Processor#process } call.\n * @type {processOptions}\n *\n get opts() {\n return this.result.opts;\n
}\n\n /**\n * Processes input CSS through synchronous plugins, converts `Root`\n * to a CSS string and returns
{ @link Result#css }.\n * \n * This property will only work with synchronous plugins.\n * If the processor
contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for debug
purpose, you should always use { @link LazyResult#then }.\n * \n * @type {string}\n * @see Result#css\n *\n
get css() {\n return this.stringify().css;\n }\n\n /**\n * An alias for the `css` property. Use it with syntaxes\n *
that generate non-CSS output.\n * \n * This property will only work with synchronous plugins.\n * If the
processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for
debug purpose, you should always use { @link LazyResult#then }.\n * \n
* @type {string}\n * @see Result#content\n *\n get content() {\n return this.stringify().content;\n }\n\n /**\n
* Processes input CSS through synchronous plugins\n * and returns { @link Result#map }.\n * \n * This property
will only work with synchronous plugins.\n * If the processor contains any asynchronous plugins\n * it will throw
an error. This is why this method is only\n * for debug purpose, you should always use { @link
LazyResult#then }.\n * \n * @type {SourceMapGenerator}\n * @see Result#map\n *\n get map() {\n return
this.stringify().map;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and returns { @link
Result#root }.\n * \n * This property will only work with synchronous plugins. If the processor\n * contains any
asynchronous plugins it will throw an error.\n * \n * This is why this method is only for debug purpose,\n * you
should always use { @link LazyResult#then }.\n * \n * @type {Root}\n * @see Result#root\n
*\n get root() {\n return this.sync().root;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n
* and returns { @link Result#messages }.\n * \n * This property will only work with synchronous plugins. If the
processor\n * contains any asynchronous plugins it will throw an error.\n * \n * This is why this method is only
for debug purpose,\n * you should always use { @link LazyResult#then }.\n * \n * @type {Message[]}\n * @see
Result#messages\n *\n get messages() {\n return this.sync().messages;\n }\n\n /**\n * Processes input CSS

```



```

processor = postcss()\n * .use(autoprefixer)\n * .use(plugins);\n * \n * @return {Processes} current processor
to make methods chain\n * \n use(plugin) {\n this.plugins = this.plugins.concat(this.normalize([plugin]));\n
return this;\n }\n\n /**\n * Parses source CSS and returns a {@link LazyResult} Promise proxy.\n * Because
some plugins can be asynchronous it
doesn't make\n * any transformations. Transformations will be applied\n * in the {@link LazyResult}
methods.\n * \n * @param {string|toString|Result} css - String with input CSS or\n * any
object with a `toString`\n * method, like a Buffer.\n *
Optionally, send a {@link Result}\n * instance and the processor will\n *
take the {@link Root} from it.\n * @param {processOptions} [opts] - options\n * \n * @return
{LazyResult} Promise proxy\n * \n * @example\n * processor.process(css, { from: 'a.css', to: 'a.out.css' })\n *
.then(result => {\n * console.log(result.css);\n * });\n * \n process(css, opts = {}) {\n return new
LazyResult(this, css, opts);\n }\n\n normalize(plugins) {\n let normalized = [];\n plugins.forEach(i => {\n if
(i.postcss)
i = i.postcss;\n\n if (typeof i === 'object' && Array.isArray(i.plugins)) {\n normalized =
normalized.concat(i.plugins);\n } else if (typeof i === 'function') {\n normalized.push(i);\n } else {\n
throw new Error(`${i} is not a PostCSS plugin`);\n }\n });\n return normalized;\n }\n\n\nexport default
Processor;\n\n", "/* @flow\nimport './rule'; // break cyclical dependency deadlock – #87\nimport Container from
'./container';\nimport LazyResult from './lazy-result';\nimport Processor from './processor';\nimport warnOnce from
'./warn-once';\n\n/**\n * Represents a CSS file and contains all its parsed nodes.\n * \n * @extends Container\n * \n *
@example\n * const root = postcss.parse('a{color:black} b{z-index:2}');\n * root.type // => 'root'\n *
root.nodes.length // => 2\n * \n\nclass Root extends Container {\n constructor(defaults) {\n super(defaults);\n
this.type = 'root';\n if (!this.nodes) this.nodes = [];\n }\n\n removeChild(child)
{\n child = this.index(child);\n\n if (child === 0 && this.nodes.length > 1) {\n this.nodes[1].raws.before =
this.nodes[child].raws.before;\n }\n\n return super.removeChild(child);\n }\n\n normalize(child, sample, type)
{\n const nodes = super.normalize(child);\n\n if (sample) {\n if (type === 'prepend') {\n if
(this.nodes.length > 1) {\n sample.raws.before = this.nodes[1].raws.before;\n } else {\n delete
sample.raws.before;\n }\n } else if (this.first !== sample) {\n nodes.forEach(node => {\n
node.raws.before = sample.raws.before;\n });\n }\n }\n\n return nodes;\n }\n\n\n /**\n * Returns a
{@link Result} instance representing the root's CSS.\n * \n * @param {processOptions} [opts] - options with
only `to` and `map` keys\n * \n * @return {Result} result with current root's CSS\n * \n * @example\n * const
root1 = postcss.parse(css1, { from: 'a.css' });\n
* const root2 = postcss.parse(css2, { from: 'b.css' });\n * root1.append(root2);\n * const result = root1.toResult({
to: 'all.css', map: true });\n * \n toResult(opts = {}) {\n const lazy = new LazyResult(new Processor(), this,
opts);\n return lazy.stringify();\n }\n\n remove(child) {\n warnOnce('Root#remove is deprecated. Use
Root#removeChild');\n this.removeChild(child);\n }\n\n prevMap() {\n warnOnce('Root#prevMap is
deprecated. Use Root#source.input.map');\n return this.source.input.map;\n }\n\n\n /**\n * @memberof Root#\n
* @member {object} raws - Information to generate byte-to-byte equal\n * node string as it was in
the origin input.\n * \n * Every parser saves its own properties,\n * but the default CSS parser uses:\n * \n *
`after`: the space symbols after the last child to the end of file.\n * * `semicolon`: is the last child has an (optional)
semicolon.\n * \n * @example\n * postcss.parse('a {}').raws
// => { after: '\n' }\n * postcss.parse('a {}').raws // => { after: " }\n * \n\n\nexport default Root;\n\n", "/*
@flow\nimport './root'; // break cyclical dependency deadlock – #87\nimport CssSyntaxError from './css-syntax-
error';\n\nimport PreviousMap from './previous-map';\n\nlet sequence = 0;\n\n/**\n * @typedef {object}
filePosition\n * @property {string} file - path to file\n * @property {number} line - source line in file\n *
@property {number} column - source column in file\n * \n\n /**\n * Represents the source CSS.\n * \n *
@example\n * const root = postcss.parse(css, { from: file });\n * const input = root.source.input;\n * \n\nclass Input
{\n /**\n * @param {string} css - input CSS source\n * @param {object} [opts] - {@link Processor#process}
options\n * \n constructor(css, opts = {}) {\n /**\n * @member {string} - input CSS source\n * \n

```

```

@example\n    * const input = postcss.parse('a{ }', { from: file }).input;\n    * input.css
//=> \"a{ }\";\n    *^\n    this.css = css.toString();\n    if (this.css[0] === "\\uFEFF" || this.css[0] === "\\uFFFE") {\n    this.css = this.css.slice(1);\n    }\n    if (opts.from) {\n    if (/^\w+:\w+\/.test(opts.from)) {\n    /**\n    *
@member {string} - The absolute path to the CSS source file\n    * defined with the `from` option.\n    *\n    * @example\n    * const root = postcss.parse(css, { from: 'a.css' });\n    * root.source.input.file
//=> '/home/ai/a.css'\n    *^\n    this.file = opts.from;\n    } else {\n    this.file = path.resolve(opts.from);\n    }\n    }\n    /**\n    let map = new PreviousMap(this.css, opts);\n    if ( map.text ) {\n    /**\n    *
@member {PreviousMap} - The input source map passed from\n    * a compilation step before
PostCSS\n    * (for example, from Sass compiler).\n    *\n    * @example\n    * root.source.input.map.consumer().sources //=> ['a.sass']\n    *!\n    this.map = map;\n    let file = map.consumer().file;\n    if ( !this.file && file ) this.file =
this.mapResolve(file);\n    }*\n    if (!this.file) {\n    sequence += 1;\n    /**\n    * @member {string} -
The unique ID of the CSS source. It will be\n    * created if `from` option is not provided\n    *
(because PostCSS does not know the file path).\n    *\n    * @example\n    * const root =
postcss.parse(css);\n    * root.source.input.file //=> undefined\n    * root.source.input.id //=> \"<input css 1>\"\n    *\n    this.id = `<input css ${sequence}>`;\n    }\n    if (this.map) this.map.file = this.from;\n    }\n    error(message, line, column, opts = { }) {\n    let result;\n    const origin = this.origin(line, column);\n    if (origin) {\n    result =
new CssSyntaxError(\n    message,\n    origin.line,\n    origin.column,\n    origin.source,\n    origin.file,\n    opts.plugin\n    );\n    } else {\n    result = new CssSyntaxError(message, line, column, this.css,
this.file, opts.plugin);\n    }\n    result.input = { line, column, source: this.css };
if (this.file) result.input.file =
this.file;\n    return result;\n    }\n    /**\n    * Reads the input source map and returns a symbol position\n    * in the
input source (e.g., in a Sass file that was compiled\n    * to CSS before being passed to PostCSS).\n    *\n    * @param
{number} line - line in input CSS\n    * @param {number} column - column in input CSS\n    *\n    * @return
{filePosition} position in input source\n    *\n    * @example\n    * root.source.input.origin(1, 1) //=> { file: 'a.css',
line: 3, column: 1 }\n    *^\n    origin(line, column) {\n    if (!this.map) return false;\n    const consumer =
this.map.consumer();\n    const from = consumer.originalPositionFor({
line, column });\n    if (!from.source) return false;\n    const result = {\n    file: this.mapResolve(from.source),\n    line: from.line,\n    column: from.column,\n    };
const source = consumer.sourceContentFor(from.source);\n    if (source) result.source = source;\n    return result;\n    }\n    mapResolve(file) {\n    if (/^\w+:\w+\/.test(file)) {\n    return file;\n    } else {\n    return path.resolve(this.map.consumer().sourceRoot || '.', file);\n    }\n    }\n    /**\n    *
The CSS source identifier. Contains { @link Input#file } if the user\n    * set the `from` option, or { @link Input#id } if
they did not.\n    * @type {string}\n    *\n    * @example\n    * const root = postcss.parse(css, { from: 'a.css' });\n    *
root.source.input.from //=> '/home/ai/a.css'\n    *\n    * const root = postcss.parse(css);\n    * root.source.input.from
//=> \"<input css 1>\"\n    *^\n    get from() {\n    return this.file || this.id;\n    }\n    }\n    \nexport default Input;\n    \"\"/\n    @flow\nimport tokenize from './postcss/tokenize';
import Comment from './postcss/comment';
import Parser
from './postcss/parser';
\nexport default class SafeParser extends Parser {\n    tokenize() {\n    this.tokens =
tokenize(this.input, { ignoreErrors: true });\n    }\n    comment(token) {\n    const node = new Comment();\n    this.init(node, token[2], token[3]);\n    node.source.end = { line: token[4], column: token[5] };
let text =
token[1].slice(2);\n    if (text.slice(-2) === '*/') text = text.slice(0, -2);\n    if (/^\s*$/ .test(text)) {\n    node.text =
";\n    node.raws.left = text;\n    node.raws.right = ";
} else {\n    const match =
text.match(/^(\\s*)([^\s]*)(\\s*)$/);\n    node.text = match[2];\n    node.raws.left = match[1];\n    node.raws.right = match[3];
}\n    }\n    unclosedBracket() {\n    }\n    unknownWord(start) {\n    const buffer =
this.tokens.slice(start, this.pos + 1);\n    this.spaces += buffer.map(i => i[1]).join("");
}\n    unexpectedClose() {\n    this.current.raws.after += '};\n    }\n    doubleColon() {\n    }\n    unnamedAtrule(node)
{\n    node.name = ";\n    }\n    precheckMissedSemicolon(tokens) {\n    const colon = this.colon(tokens);\n    if
(colon === false) return;\n    let split;\n    for (split = colon - 1; split >= 0; split--) {\n    if (tokens[split][0] ===
'word') break;\n    }\n    for (split = 1; split >= 0; split--) {\n    if (tokens[split][0] !== 'space') {\n    split += 1;\n

```



```

return (props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n", "//
@flow\nimport type { IStyledComponent } from '../types';\n\nexport default function isTag(target:
$PropertyType<IStyledComponent, 'target'>): boolean %checks {\n  return (\n    typeof target === 'string' &&\n    (process.env.NODE_ENV !== 'production'\n      ? target.charAt(0) === target.charAt(0).toLowerCase()\n      :
true)\n  )\n};\n", "// @flow\nimport type { IStyledComponent } from '../types';\nimport getComponentName from
'./getComponentName';\nimport isTag from './isTag';\n\nexport default function generateDisplayName(\n  target:
$PropertyType<IStyledComponent, 'target'>): string {\n  return isTag(target) ? `styled.${target}` :
`Styled(${getComponentName(target)})`;\n};\n", "// @flow\nimport React, { useContext, useMemo, type Element,
type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from
'./utils/isFunction';\n\nexport type Theme = { [key: string]: mixed }; \n\nexport type ThemeArgument = Theme |
((outerTheme?: Theme) => Theme);\n\nexport type Props = {\n  children?: Element<any>,\n  theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const mergedTheme = theme(outerTheme);\n    if (\n      process.env.NODE_ENV !== 'production' &&\n      (mergedTheme === null || Array.isArray(mergedTheme) ||
typeof mergedTheme !== 'object')\n    ) {\n      return throwStyledError(7);\n    }\n    return mergedTheme;\n  }\n  if (Array.isArray(theme) || typeof theme !== 'object') {\n    return throwStyledError(8);\n  }\n  return outerTheme ?
{ ...outerTheme, ...theme } : theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n
*/\n\nexport default function ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if (!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n", "// @flow\nimport React, {
createElement, Component } from 'react';\nimport
hoist from 'hoist-non-react-statics';\nimport merge from './utils/mixinDeep';\nimport determineTheme from
'./utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\nimport
generateDisplayName from './utils/generateDisplayName';\nimport isFunction from './utils/isFunction';\nimport
isTag from './utils/isTag';\nimport isStyledComponent from './utils/isStyledComponent';\nimport {
ThemeConsumer } from './ThemeProvider';\nimport type { Theme } from './ThemeProvider';\nimport type { Attrs,
RuleSet, Target } from '../types';\n\n// NOTE: no hooks available for react-native yet;\n// if the user makes use of
ThemeProvider or StyleSheetManager things will break.\n\n// Validator defaults to true if not in HTML/DOM
env\n\nconst validAttr = () => true;\n\nclass StyledNativeComponent extends Component<*, *> {\n  root:
?Object;\n  attrs = {};\n  render() {\n    return (\n      <ThemeConsumer>\n        {(theme?: Theme) => {\n
const {\n
  $as: transientAsProp,\n      as: renderAs,\n      forwardedComponent,\n      forwardedAs,\n
forwardedRef,\n      testID,\n      style = [],\n      ...props\n    } = this.props;\n\n    const {\n
defaultProps, target, shouldForwardProp } = forwardedComponent;\n\n    const elementToBeRendered =\n      this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n\n    const generatedStyles =
this.generateAndInjectStyles(\n      determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n      this.props\n    );\n\n    const isTargetTag = isTag(elementToBeRendered);\n\n    const computedProps =
this.attrs !== props ? { ...props, ...this.attrs } : props;\n\n    const propFilterFn = shouldForwardProp || (isTargetTag
&& validAttr);\n\n    const propsForElement = {};\n\n    let key;\n\n    for (key in computedProps) {\n
if (key[0] === '$' || key
=== 'as') continue;\n      else if (key === 'forwardedAs') {\n        propsForElement.as = props[key];\n
} else if (!propFilterFn || propFilterFn(key, validAttr)) {\n        // Don't pass through filtered tags through to
native elements\n        propsForElement[key] = computedProps[key];\n      }\n    }\n\n    propsForElement.style = typeof style === 'function' ?\n      (state) => {\n        return

```



```

[generatedStyles].concat(style(state))\n      }\n      : [generatedStyles].concat(style);\n    propsForElement.testID = testID || propsForElement.testID;\n    if (forwardedRef) propsForElement.ref =\n    forwardedRef;\n    if (forwardedAs) propsForElement.as = forwardedAs;\n    return\n    createElement(elementToBeRendered, propsForElement);\n  }}\n  </ThemeConsumer>\n );\n }\n\nbuildExecutionContext(theme: ?Object, props: Object, attrs: Attrs) {\n  const context = { ...props, theme };\n  if (!attrs.length) return context;\n  this.attrs = {};\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef =\n    attrDef;\n    let attr;\n    let key;\n    if (isFunction(resolvedAttrDef)) {\n      resolvedAttrDef =\n      resolvedAttrDef(context);\n    }\n    /* eslint-disable guard-for-in */\n    for (key in resolvedAttrDef) {\n      attr = resolvedAttrDef[key];\n      this.attrs[key] = attr;\n      context[key] = attr;\n    }\n    /* eslint-enable */\n  });\n  return context;\n}\n\n generateAndInjectStyles(theme: any, props: any) {\n  const { inlineStyle } =\n  props.forwardedComponent;\n  const executionContext = this.buildExecutionContext(\n    theme,\n    props,\n    props.forwardedComponent.attrs\n  );\n  return inlineStyle.generateStyleObject(executionContext);\n}\n\nsetNativeProps(nativeProps: Object) {\n  if (this.root !== undefined) {\n    // $FlowFixMe\n    this.root.setNativeProps(nativeProps);\n  }\n  else if (process.env.NODE_ENV !== 'production') {\n    // eslint-disable-next-line no-console\n    console.warn(\n      'setNativeProps was called on a Styled Component wrapping a stateless functional\n    component.\n    );\n  }\n}\n\nexport default (InlineStyle: Function) => {\n  const\n  createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n    const {\n      attrs =\n      EMPTY_ARRAY,\n      displayName = generateDisplayName(target),\n      ParentComponent =\n      StyledNativeComponent,\n    } = options;\n    const isClass = !isTag(target);\n    const isTargetStyledComp =\n    isStyledComponent(target);\n    // $FlowFixMe\n    const WrappedStyledNativeComponent =\n    React.forwardRef((props, ref) => (\n      <ParentComponent\n        {...props}\n      forwardedComponent={ WrappedStyledNativeComponent }\n      forwardedRef={ ref }\n    />\n    ));\n    const\n    finalAttrs =\n    // $FlowFixMe\n    isTargetStyledComp && target.attrs\n    ?\n    Array.prototype.concat(target.attrs,\n    attrs).filter(Boolean)\n    : attrs;\n    // eslint-disable-next-line prefer-destructuring\n    let shouldForwardProp =\n    options.shouldForwardProp;\n    // $FlowFixMe\n    if (isTargetStyledComp && target.shouldForwardProp) {\n      if (shouldForwardProp) {\n        // compose nested shouldForwardProp calls\n        shouldForwardProp = (prop,\n        filterFn, elementToBeCreated) =>\n        // $FlowFixMe\n        target.shouldForwardProp(prop, filterFn,\n        elementToBeCreated) &&\n        options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n      } else {\n        // eslint-disable-next-line prefer-destructuring\n        shouldForwardProp = target.shouldForwardProp;\n      }\n    }\n    /**\n     * forwardRef creates a new interim component, which we'll take advantage of\n     * instead of\n     extending ParentComponent to create _another_ interim class\n     */\n    // $FlowFixMe\n    WrappedStyledNativeComponent.attrs = finalAttrs;\n    WrappedStyledNativeComponent.displayName\n    = displayName;\n    // $FlowFixMe\n    WrappedStyledNativeComponent.shouldForwardProp =\n    shouldForwardProp;\n    // $FlowFixMe\n    WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n    // $FlowFixMe\n    isTargetStyledComp ? target.inlineStyle.rules.concat(rules) : rules\n    );\n    // $FlowFixMe\n    WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n    // $FlowFixMe\n    WrappedStyledNativeComponent.target = isTargetStyledComp\n    ? // $FlowFixMe\n    target.target\n    :\n    target;\n    // $FlowFixMe\n    WrappedStyledNativeComponent.withComponent = function withComponent(tag:\n    Target) {\n      const { displayName: _, componentId: __, ...optionsToCopy } = options;\n      const newOptions =\n      {\n        ...optionsToCopy,\n        attrs: finalAttrs,\n        ParentComponent,\n      };\n      return\n      createStyledNativeComponent(tag, newOptions, rules);\n    };\n    // $FlowFixMe\n    Object.defineProperty(WrappedStyledNativeComponent,\n    'defaultProps', {\n      get() {\n        return this._foldedDefaultProps;\n      },\n      set(obj) {\n        // $FlowFixMe\n        this._foldedDefaultProps = isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n      },\n    });\n  }\n  if (isClass) {\n    hoist(WrappedStyledNativeComponent, (target: any), {\n      // all SC-specific things should not\n      be hoisted\n      attrs: true,\n      displayName: true,\n      shouldForwardProp: true,\n      inlineStyle: true,\n
```

```

    styledComponentId: true,\n    target: true,\n    withComponent: true,\n  });\n  }\n\n  return
  WrappedStyledNativeComponent;\n  });\n\n  return createStyledNativeComponent;\n  });\n"}\n", "// @flow\nimport type {
Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:
Array<Interpolation>)\n): Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len =
interpolations.length; i < len;
  i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return result;\n};\n"}\n", "// @flow\nimport interleave
from './utils/interleave';\nimport isPlainObject from './utils/isPlainObject';\nimport { EMPTY_ARRAY } from
 './utils/empties';\nimport isFunction from './utils/isFunction';\nimport flatten from './utils/flatten';\nimport type {
Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object styles to determine if we
should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-
next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles,
...interpolations: Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    //
$FlowFixMe\n    return addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if
(interpolations.length === 0 && styles.length === 1 && typeof styles[0]
=== 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  // $FlowFixMe\n  return
addTag(flatten(interleave(styles, interpolations)));\n}\n"}\n", "// @flow\nimport { isValidElementType } from 'react-
is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport { EMPTY_OBJECT } from
 './utils/empties';\nimport type { Target } from './types';\n\nexport default function constructWithOptions(\n
componentConstructor: Function,\n  tag: Target,\n  options: Object = EMPTY_OBJECT)\n){\n  if
(!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n\n  /* This is callable directly as a
template function */\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n  const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n\n  /* If config methods are called, wrap up a new
template function and merge options */\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor,
  tag, { ...options, ...config });\n\n  /* Modify/inject new props at runtime */\n  templateFunction.attrs = attrs =>\n
constructWithOptions(componentConstructor, tag, {\n    ...options,\n    attrs: Array.prototype.concat(options.attrs,
attrs).filter(Boolean),\n  });\n\n  return templateFunction;\n}\n"}\n", "// @flow\nimport React, { useContext, type
AbstractComponent } from 'react';\nimport hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext }
from './models/ThemeProvider';\nimport determineTheme from './utils/determineTheme';\nimport
getComponentName from './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export
default <Config: { theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n//\n// but the old build system
tooling doesn't support the syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  //
$FlowFixMe
  This should be React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n
const theme = useContext(ThemeContext);\n    // $FlowFixMe defaultProps isn't declared so it can be inferrable\n
const { defaultProps } = Component;\n    const themeProp = determineTheme(props, theme, defaultProps);\n\n    if
(process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-disable-next-line no-
console\n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a
theme in defaultProps in component class \`${getComponentName(\n          Component\n        )}\`\n      );\n    }\n\n
    return <Component {...props} theme={themeProp} ref={ref} />;\n  });\n\n  hoistStatics(WithTheme,
Component);\n\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)} `);\n\n  return
WithTheme;\n};\n"}\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
 './models/ThemeProvider';\n\nconst
  useTheme = () => useContext(ThemeContext);\n\nexport default useTheme;\n"}\n", "// @flow\n\n/* eslint-disable
import/no-unresolved */\nimport _InlineStyle from './models/InlineStyle';\nimport _StyledNativeComponent from
 './models/StyledNativeComponent';\nimport css from './constructors/css';\nimport constructWithOptions from
 './constructors/constructWithOptions';\nimport ThemeProvider, { ThemeConsumer, ThemeContext } from

```

```

'./models/ThemeProvider';\nimport withTheme from './hoc/withTheme';\nimport useTheme from
'./hooks/useTheme';\nimport isStyledComponent from './utils/isStyledComponent';\n\nimport type { Target } from
'./types';\n\nconst reactNative = require('react-native');\n\nconst InlineStyle =
_InlineStyle(reactNative.StyleSheet);\n\nconst StyledNativeComponent =
_StyledNativeComponent(InlineStyle);\n\nconst styled = (tag: Target) =>
constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
some reason, so let's\n *
assume it's for a good reason and not eagerly load them all *\n\nconst aliases = `ActivityIndicator
ActivityIndicatorIOS ART Button DatePickerIOS DrawerLayoutAndroid\n Image ImageBackground ImageEditor
ImageStore KeyboardAvoidingView ListView MapView Modal NavigatorIOS\n Picker PickerIOS
ProgressBarAndroid ProgressViewIOS ScrollView SegmentedControlIOS Slider\n SliderIOS SnapshotViewIOS
Switch RecyclerViewBackedScrollView RefreshControl SafeAreaView StatusBar\n SwipeableListView
SwitchAndroid SwitchIOS TabBarIOS Text TextInput ToastAndroid ToolbarAndroid\n Touchable
TouchableHighlight TouchableNativeFeedback TouchableOpacity TouchableWithoutFeedback\n View
ViewPagerAndroid WebView FlatList SectionList VirtualizedList Pressable`;\n\n/* Define a getter for each alias
which simply gets the reactNative component\n * and passes it to styled *\n\naliases.split(/\\s+/m).forEach(alias =>\n
Object.defineProperty(styled, alias, {\n  enumerable: true,\n  configurable: false,\n  get() {\n
return styled(reactNative[alias]);\n  },\n  })\n);\n\nexport { css, isStyledComponent, ThemeProvider,
ThemeConsumer, ThemeContext, withTheme, useTheme };
\nexport default
styled;\n\n], "names": ["AD_REPLACER_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "g
enerateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash"
, "str", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "isFunction", "test", "isStateless
Function", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComp
onentId", "SC_ATTR", "REACT_APP_SC_ATTR", "SC_ATTR_ACTIVE", "SC_ATTR_VERSION", "SC_VERSION", "__VERSION__", "SPLITTER", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_
SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "ERRORS
", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Erro
r", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE_SIZE", "groupSizes", "Uint32Array", "index
OfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleInd
ex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX_SMI", "g
roupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "set
GroupForId", "SELECTOR", "MARKER_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size
", "selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "part
s", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "nod
e", "getAttribute", "parentNode", "removeChild", "getNonce", "__webpack_nonce__", "ELEMENT_TYPE", "findLastSty
leTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevSt
yle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServe
r", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule",
"_error", "cssRules", "cssText", "refNode", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "StyleShe
et", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance"
, "hasNameForId", "groupNames", "Set", "add", "clearNames", "clear", "clearRules", "clearTag", "delimiter", "needle", "to
Sheet", "block", "e", "ruleSheet", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "COMMENT_REG
EX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "plugins", "stylis", "Stylis", "parsingRules", "returnR
ulesPlugin", "parsedRules", "parseRulesPlugin", "insertRulePlugin", "_componentId", "_selector", "_selectorRegex", "_
_consecutiveSelfRefRegExp", "selfReferenceReplacer", "offset", "string", "indexOf", "selfReferenceReplacementPlugi
n", "_", "lastIndexOf", "use", "stringifyRules", "prefix", "componentId", "flatCSS", "cssStr", "reduce", "acc", "plugin", "Sty
leSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "StylisConsumer", "m
asterSheet", "masterStylis", "Keyframes", "inject", "styleSheet", "stylisInstance", "resolvedName", "getName", "uppercas

```

eCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "adUnitIfNeeded", "value", "unitless", "startsWith", "isFalsish", "chunk", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "Array", "isArray", "isCss", "hyphenate", "isPlainObject", "flatten", "executionContext", "ruleSet", "result", "isElement", "console", "warn", "printed", "warnOnce", "message", "SINGLE_QUOTE", "DOUBLE_QUOTE", "BACKSLASH", "SLASH", "NEWLINE", "SPACE", "FEED", "TAB", "CR", "OPEN_SQUARE", "CLOSE_SQUARE", "OPEN_PARENTHESES", "CLOSE_PARENTHESES", "OPEN_CURLY", "CLOSE_CURLY", "SEMICOLON", "ASTERISK", "COLON", "AT", "RE_AT_END", "RE_WORD_END", "RE_BAD_BRACKET", "tokenize", "input", "tokens", "valueOf", "ignore", "ignoreErrors", "next", "quote", "lines", "last", "escape", "nextLine", "nextOffset", "escaped", "escapePos", "prev", "n", "pos", "unclosed", "what", "error", "slice", "lastIndex", "HIGHLIGHT_THEME", "brackets", "comment", "color", "terminalHighlight", "Input", "token", "map", "CssSyntaxError", "source", "file", "reason", "setMessage", "captureStackTrace", "showSourceCode", "supportsColor", "start", "max", "end", "min", "maxWidth", "number", "padded", "gutter", "spacing", "defaultRaw", "colon", "indent", "beforeDecl", "beforeRule", "beforeOpen", "beforeClose", "beforeComment", "after", "emptyBody", "commentLeft", "commentRight", "capitalize", "toUpperCase", "Stringifier", "builder", "stringify", "semicolon", "type", "root", "body", "raws", "left", "raw", "right", "text", "decl", "between", "prop", "rawValue", "important", "atrule", "params", "afterName", "before", "own", "detect", "first", "rawCache", "beforeAfter", "method", "walk", "rawSemicolon", "rawEmptyBody", "rawIndent", "p", "rawBeforeComment", "walkComments", "rawBeforeDecl", "walkDecls", "rawBeforeRule", "rawBeforeClose", "rawBeforeOpen", "rawColon", "buf", "step", "cloneNode", "cloned", "constructor", "j", "Node", "defaults", "opts", "positionBy", "data", "remove", "stringifier", "clone", "overrides", "cloneBefore", "cloneAfter", "insertAfter", "replaceWith", "moveTo", "newParent", "cleanRaws", "append", "moveBefore", "otherNode", "moveAfter", "toJSON", "fixed", "defaultType", "keepBetween", "positionInside", "word", "removeSelf", "cleanStyles", "val", "Declaration", "Comment", "Parser", "Root", "current", "spaces", "tokenizer", "loop", "emptyRule", "other", "endFile", "init", "Rule", "bracket", "pop", "unclosedBracket", "unknownWord", "spacesFromEnd", "shift", "spacesFromStart", "precheckMissedSemicolon", "stringFrom", "cache", "checkMissedSemicolon", "AtRule", "unnamedAtrule", "open", "unexpectedClose", "unclosedBlock", "clean", "all", "lastTokenType", "from", "doubleColon", "founded", "parse", "safe", "parser", "cleanSource", "Container", "each", "callback", "lastEach", "indexes", "walkRules", "walkAtRules", "children", "normalize", "prepend", "reverse", "unshift", "exist", "removeAll", "replaceValues", "pattern", "props", "fast", "every", "condition", "some", "sample", "processed", "rebuild", "fix", "eachInside", "eachDecl", "eachRule", "eachAtRule", "eachComment", "list", "separators", "array", "func", "letter", "space", "comma", "values", "sep", "Warning", "opt", "Result", "processor", "messages", "lastPlugin", "postcssPlugin", "warning", "warnings", "filter", "isPromise", "then", "LazyResult", "stringified", "inline", "syntax", "sync", "onFulfilled", "onRejected", "async", "handleError", "postcssVersion", "pluginName", "pluginVer", "runtimeVer", "version", "err", "asyncTick", "resolve", "reject", "promise", "run", "Promise", "processing", "Processor", "concat", "normalized", "postcss", "toResult", "lazy", "prevMap", "sequence", "path", "origin", "consumer", "originalPositionFor", "mapResolve", "sourceContentFor", "sourceRoot", "SafeParser", "buffer", "safeParse", "generated", "InlineStyle", "generateStyleObject", "generateComponentId", "declPairs", "styleObject", "transformDeclPairs", "styles", "create", "isObject", "isValidKey", "mixin", "mixinDeep", "rest", "providedTheme", "defaultProps", "theme", "isTag", "charAt", "generateDisplayName", "ThemeContext", "ThemeConsumer", "mergeTheme", "outerTheme", "mergedTheme", "ThemeProvider", "useContext", "themeContext", "useMemo", "validAttr", "StyledNativeComponent", "attrs", "render", "transientAsProp", "\$as", "renderAs", "as", "forwardedComponent", "forwardedAs", "forwardedRef", "testID", "shouldForwardProp", "elementToBeRendered", "generatedStyles", "generateAndInjectStyles", "determineTheme", "isTargetTag", "computedProps", "propFilterFn", "propsForElement", "state", "ref", "buildExecutionContext", "attrDef", "resolvedAttrDef", "attr", "inlineStyle", "setNativeProps", "nativeProps", "Component", "createStyledNativeComponent", "ParentComponent", "isClass", "isTargetStyledComp", "WrappedStyledNativeComponent", "forwardRef", "finalAttrs", "filterFn", "elementToBeCreated", "withComponent", "__", "optionsToCopy", "newOptions", "defineProperty", "_foldedDefaultProps", "merge", "hoist", "strings", "addTag", "arg", "interleave", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "WithTheme", "themeProp", "hoistStatics", "useTheme", "reactNative", "require", "_InlineStyle", "_StyledNativeComponent", "styled", "aliases", "alias", "enumerable", "configurable"], "mappings": ";;;;;;;;;;AAAA;;ACA;AAEA,IAAMA,aAAa,GAAG,UAAAtB;AAEA;;AAEA,IAAMC,WAAW,GAAG,EAAPB;AAEA;;ACA,IAAMC,iBAaiB,GAAG,SAApBA,iBAAoB,CAACC,IAAD;AAAA,SACxBC,MAAM,CAA

CC,YAAP,CAAoBF,IAAI,IAAIA,IAAI,GAAG,EAAP,GAAY,EEAZ,GAAiB,EAARb,CAAxB,CADwB;AAAA,C
AA1B;AAGA;;;AACe,SAASG,sBAAT,CAAgCH,IAAhC,EAAsD;AACnE,MAAII,IAAI,GAAG,EAAX;AACAM,
AAIC,CAAJ;AAEA;;ACA,OAACA,CAAC,GAAGC,IAAI,CAACC,GAAL,CAASP,IAAT,CAAT,EAAYBK,CA
AC,GAAGP,WAA7B,EAA0CO,CAAC,GAAlA,CAAC,GAAGP,WAAL,GAAoB,CAAIE,EAaqE;AACnEM,IAA
AA,IAAI,GAAGL,iBAAiB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAA5C;AACD;;AAED,SAAO,C
AACL,iBAAiB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAAtC,EAA4CI,OAA5C,CAAoDX,aAApD,
EAAmE,OAAAnE,CAAP;AACD;;ACxBD;;AACAA;AAEA,AAAO,IAAMY,IAAI,GAAG,IAAb;AAGP;AACAA;;AA
CA,AAAO,IAAMC,KAAK,GAAG,SAARA,KAAQ,CAACC,CAAD,EAAYN,CAAZ,EAakC;AACrD,MAAIO,C
AAC,GAAGP,CAAC,CAACQ,MAAV;;AAEA,SAAOD,CAAP,EAAU;AACRD,IAAAA,CAAC,GAAlA,CAAC,G
AAG,EAAL,GAAWN,CAAC,CAACS,UAAF,CAAa,EAaEF,CAAf,CAAF;AACD;;AAED,SAAOD,CAAP;AACD
,CARM;;AAWP,AAAO,IAAMI,IAAI,GAAG,SAAPA,IAAO,CAACV,CAAD,EAAuB;AACzC,SAAOK,KAAK,C
AACD,IAAD,EAAOJ,CAAP,CAAZ;AACD,CAFM;;ACnBP;AAKA,2BAAE,UACW,GAAD,EAAYB;AACtC,SA
AOB,sBAAsB,CAACY,IAAI,CAACC,GAAD,CAAJ,KAAc,CAAF,CAA7B;AACD,CAFD;;ACLA;AAGA,AAAE,S
AASC,gBAAT,CACbC,MADa,EAEL;AACR,SACE,CAACC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,Y
AAzB,GAAwC,OAAOH,MAAP,KAAkB,QAAIB,IAA8BA,MAAtE,GAA+E,KAAhF;AAEAA,EAAAA,MAAM,C
AACI,WAFP;AAIAJ,EAAAA,MAAM,CAACd,IAJP,IAKA,WANF;AAQD;;ACdD;AACAA,AAAE,SAASmB,UAA
T,CAAoBC,IAApB,EAAGD;AAC7D,SAAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACAA,AAAE,SAA
SC,mBAAT,CAA6BD,IAA7B,EAAiD;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CA
ACE,SAAL,IACGF,IAAI,CAACE,SAAL,CAAeC,gBAFjB,CAFL;AAOD;;ACTD;AACAA,AAEA,qBAAE,UACt
B,CAAD;AAAA,SACbA,CAAC,KAAK,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAA
CuB,QAAF,GAAavB,CAAC,CAACuB,QAAF,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAIbE,QAAjB,CAA0
BE,IAA1B,CAA+BzB,CAA/B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,cAAM,CAAC1B,CAAD,CAJM;AAAA
,CAAF;;ACHA;AACAA,AAAE,SAAS2B,iBAAT,CAA2Bd,MAA3B,EAAYD;AACtE,SAAOA,MAAM,IAAI,OAAO
A,MAAM,CAACe,iBAAd,KAAoC,QAARd;AACD;::ACHD;AAKA,AAAO,I
AAMC,OAAO,GACjB,OAAOf,OAAP,KAAmB,WAAAnB,IACC,OAAOA,OAAO,CAACC,GAaf,KAAuB,WADx
B,KAED,OAAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO,CAACC,GAAR,CAAYc,OAF/C,CAAD,IA
GA,aAJK;AAMP,AAAO,IAAME,cAAc,GAAG,QAAvB;ACP,AAAO,IAAMC,eAAe,GAAG,qBAAXB;ACP,A
AAO,IAAMC,UAAU,GAAGC,QAAAnB;ACP,AAAO,IAAMC,QAAQ,GAAG,WAAjB;AAEP,AAAO,IAAMC,U
AAU,GAAG,OAAOC,MAAP,KAAkB,WAAIB,IAAiC,iBAAiBA,MAArE;AAEP,AAAO,IAAMC,cAAc,GAAGC,
OAAO,CACnC,OAAOC,iBAAP,KAA6B,SAA7B,GACIA,iBADJ,GAEL,OAAO1B,OAAP,KAAmB,WAAAnB,IAA
kC,OAAOA,OAAO,CAACC,GAaf,KAAuB,WAAzD,GACA,OAAOD,OAAO,CAACC,GAAR,CAAY0B,2BAAn
B,KAAmD,WAAAnD,IACA3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EAD5C,GAEE3B,OAAO,CAA
CC,GAAR,CAAY0B,2BAAZ,KAA4C,OAA5C,GACE,KADF,GAEE3B,OAAO,CAACC,GAAR,CAAY0B,2BAJh
B,GAKE,OAAO3B,OAAO,CAACC,GAAR,CAAYyB,iBAAnB,KAAyC,WAAzC,IAAwD1B,OAAO,CAACC,GA
AR,CAAYyB,iBAAZ,KAAkC,EAA1F,GACA1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,OAAIC,GA
CE,KADF,GAEE1B,OAAO,CAACC,GAAR,CAAYyB,iBAHd,GAIA1B,OAAO,CAACC,GAAR,CAAYC,QAAZ,
KAAyB,YAV3B,GAWA,KAd+B,CAA9B;;ACIBP;AACAA,AAAO,IAAM0B,WAAW,GAAGIB,MAAM,CAACmB
,MAAP,CAAc,EAAd,CAApB;ACP,AAAO,IAAMC,YAAY,GAAGpB,MAAM,CAACmB,MAAP,CAAc,EAAd,
CAArB;;ACFP,eAAe;AAAC,OAAI,uDAAL;AAA6D,OAAI,+PAAjE;AAAIu,OAAI,qHAARu;AAA2b,OAAI,qM
AA/b;AAAqoB,OAAI,iKAAzoB;AAA2yB,OAAI,2OAA/yB;AAA2hC,OAAI,sHAA/hC;AAAspC,OAAI,+DAA1p
C;AAA0tC,OAAI,+BAA9tC;AAA8vC,QAAK,gUAAnc;AAAokD,QAAK,uNAAzkD;AAAIyD,QAAK,oWAAy
D;AAA2oE,QAAK,wLAAhpE;AAAY0E,QAAK,gDAA90E;AAA+3E,QAAK,0ZAAp4E;AAA+xF,QAAK,sQAAP
yF;AAA2iG,QAAK;AAAhjG,CAAF;;ACAA;AACAA,AAEA,IAAME,MAAM,GAAG/B,OAAO,CAACC,GAAR,C
AAYC,QAAZ,KAAyB,YAAzB,GAAwC8B,QAAxC,GAAMd,EAAlE;AAEA;;;AAGA,SAASC,MAAT,GAAYB;
AACvB,MAAIC,CAAC,mDAAL;AACAA,MAAMC,CAAC,GAAG,EAAYV;;AAEA,OAkK,IAAIC,CAAC,GAAG,C
AAR,EAAWC,GAAG,GAAG,UAAK3C,MAA3B,EAAMc0C,CAAC,GAAGC,GAAvC,EAA4CD,CAAC,IAAI,C
AAjD,EAAoD;AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBAAYA,CAAZ;AAC
D;;AAEDD,EAAAA,CAAC,CAACI,OAAF,CAAU,UAAAC,CAAC,EAAl;AACbN,IAAAA,CAAC,GAAGA,CAA

C,CAAC7C,OAAF,CAAU,QAAV,EAAoBmD,CAApB,CAAJ;AACD,GAFD;AAIA,SAAON,CAAP;AACD;AAE
D;::::;AAIA,AAAE,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,IAAAA,cACH;AA
AA;AACa,MAAI1C,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACzC,UAAM,IAAIyC
,KAAJ,kDAC2C9D,IAD3C,+BAEF6D,cAAc,CAACbD,MAAf,GAAwB,CAAxB,eAAsCgD,cAAc,CAACE,IAAf,
CAAoB,IAApB,CAAtC,GAAoE,EAFIE,EAAN;AAKD,GAND,MAMO;AACL,UAAM,IAAID,KAAJ,CAAUV,M
AAM,MAAN,UAAOF,MAAM,CAACID,IAAD,CAAb,SAAwB6D,cAAxB,GAawCG,IAAxC,EAAV,CAAN;AA
CD;AACF;ACxCD;AAOA;AACa,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GAAD,EAA0B;AA
CtD,SAAO,IAAIC,iBAAJ,CAAsBD,GAAtB,CAAP;AACD,CAFm;AAIP,IAAME,SAAS,GAAG,KAAK,CAAxB;
IAEMD;AAOJ,6BAAYD,GAAZ,EAAxB;AACpB,SAAKG,UAAL,GAakB,IAAIC,WAAJ,CAAgBF,SAAhB,CAA
IB;AACa,SAAKvD,MAAL,GAAcuD,SAAd;AACa,SAAKF,GAAL,GAAWA,GAAX;AACD;::;SAEDK,eAAA,s
BAAaC,KAAb,EAAoC;AACIC,QAAIC,KAAK,GAAG,CAAZ;AACa,SAAK,IAAI7D,CAAC,GAAG,CAAAb,EA
AgBA,CAAC,GAAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAGC;AAC9B6D,MAAAA,KAAK,IAAI,KAAKJ,
UAAL,CAAgBzD,CAAhB,CAAT;AACD;AAED,WAAO6D,KAAP;AACD;SAEDC,cAAA,qBAAyF,KAAZ,EA
A2BG,KAA3B,EAakD;AACbD,QAAIH,KAAK,IAAI,KAAKH,UAAL,CAAgBxD,MAA7B,EAAqC;AACnC,UA
AM+D,SAAS,GAAG,KAAKP,UAAvB;AACa,UAAMQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1B;AAEA,UAAI
iE,OAAO,GAAGD,OAAAd;AACa,aAAOL,KAAK,IAAIM,OAAhB,EAAyB;AACvBA,QAAAA,OAAO,KAAK,C
AAZ;AACa,YAAIA,OAAO,GAAG,CAAd,EAAiB;AACfC,UAAAA,0BAAGB,CAAC,EAAD,OAAQP,KAAR,C
AAhB;AACD;AACF;AAED,WAAKH,UAAL,GAakB,IAAIC,WAAJ,CAAgBQ,OAAhB,CAAIB;AACa,WAAK
T,UAAL,CAAgBW,GAAhB,CAAoBJ,SAApB;AACa,WAAK/D,MAAL,GAACiE,OAAAd;AAEA,WAAK,IAAIE,
CAAC,GAAGiE,OAAb,EAAxBjE,CAAC,GAAGkE,OAA1B,EAAMcIE,CAAC,EAAPC,EAAwC;AACtC,aAAKy
D,UAAL,CAAgBzD,CAAhB,IAAqB,CAArB;AACD;AACF;AAED,QAAIqE,SAAS,GAAG,KAAKV,YAAL,CA
AkBC,KAAK,GAAG,CAA1B,CAAhB;AACa,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAWsE,CAAC,GAAGP,
KAAK,CAAC9D,MAA1B,EAakCD,EAAC,GAAGsE,CAAtC,EAAYCtE,EAAC,EAA1C,EAA8C;AAC5C,UAAI,
KAAKsD,GAAL,CAASiB,UAAT,CAAoBF,SAApB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPC,CAAJ,EAA8C;A
AC5C,aAAKyD,UAAL,CAAgBG,KAAhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;SAEDG,aAAA,oBAA
WZ,KAAx,EAAgC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAjB,EAAyB;AACvB,UAAMA,MAAM,GAA
G,KAAKwD,UAAL,CAAgBG,KAAhB,CAAf;AACa,UAAMa,UAAU,GAAG,KAAKd,YAAL,CAAkBC,KAAIB,
CAAnB;AACa,UAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAL,CAAgBG,KAAh
B,IAAyB,CAAzB;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAb,EAAyBzE,CAAC,GAAG0E,QAA7B,EAAuC
IE,CAAC,EAAxC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAT,CAAoBF,UAAPB;AACD;AACF;AACF;S
AEDG,WAAA,kBAAShB,KAAT,EAAgC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;AACa,QAAIjB,KAAK,IAAI,
KAAK3D,MAAd,IAAwB,KAAKwD,UAAL,CAAgBG,KAAhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOiB,GAA
P;AACD;AAED,QAAM5E,MAAM,GAAG,KAAKwD,UAAL,CAAgBG,KAAhB,CAAf;AACa,QAAMa,UAAU,
GAAG,KAAKd,YAAL,CAAkBC,KAAIB,CAAnB;AACa,QAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;
AAEA,SAAK,IAAID,CAAC,GAAGyE,UAAb,EAAyBzE,CAAC,GAAG0E,QAA7B,EAAuCIE,CAAC,EAAxC,E
AA4C;AAC1C6E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAT,CAAiB9E,CAAjB,CAAP,GAA6B
4B,QAAhC;AACD;AAED,WAAOiD,GAAP;AACD;::::;AChGH;AAEA,AAEA,IAAME,OAAO,GAAG,KAAK,K
AAK,CAA1B;AAEA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;AACa,IAAIC,eAAe,GAAwB,IAAID,GAAJ,E
AA3C;AACa,IAAIE,aAAa,GAAG,CAApB;AAEA,AMMO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,EA
AD,EAAwB;AACnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe,
CAACO,GAAhB,CAAoBF,EAAPB,CAAR;AACD;AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAApB,CA
AP,EAA2C;AACzCA,IAAAA,aAAa;AACd;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;AAEA,MACE5
E,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CAAT,IAAc,CAAd
,IAAmBA,KAAK,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAGB,CAAC,EAAD,OAAQP,KAAR,C
AAhB;AACD;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EA
AA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACa,SAAOzB,KAAP;AACD,CARBM;AAuB
P,AAAO,IAAM4B,aAAa,GAAG,SAAhBA,aAAgB,CAAC5B,KAAD,EAakC;AAC7D,SAAOsB,eAAe,CAACK,G
AAhB,CAAoB3B,KAApB,CAAP;AACD,CAFm;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAgB,CAACJ,

EAAD,EAAazB,KAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAG
vB,KAAK,GAAG,CAAxB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KA
AxB;AACAsB,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACD,CAPM;;AC3CP;A
AEA,AAIA,IAAMK,QAAQ,cAAYpE,OAAZ,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAd;AACa,IAAMiE,SAA
S,GAAG,IAAIC,MAAJ,OAAetE,OAAf,sDAAIB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAc,CAAC
C,KAAD,EAAkB;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAZ;AAD2C,MAEnC9F,MA
FmC,GAExBqD,GAfwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;;AACa,OAAK,IAAIjB,KA
AK,GAAG,CAAjB,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAzC,EAA6C;AAC3C,QAAMyB,
EAAE,GAAGG,aAAa,CAAC5B,KAAD,CAAxB;AACa,QAAIyB,EAAE,KAAKW,SAAX,EAA5B;AAEtB,QAA
MC,KAAK,GAAGH,KAAK,CAACG,KAAN,CAAYV,GAAZ,CAAgBF,EAHhB,CAAd;AACa,QAAMtB,KAAK,
GAAGT,GAAG,CAACsB,QAAJ,CAAahB,KAAb,CAAd;AACa,QAAI,CAACqC,KAAD,IAAU,CAACIC,KAAK,
IAAoB,CAACkC,KAAK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAN,UAAkB5C,KAAIB,
cAA+ByB,EAA/B,QAAd;AAEA,QAAIe,OAAO,GAAG,EAAE;AACa,QAAIH,KAAK,KAAKD,SAAd,EAAyB;
AACvBC,MAAAA,KAAK,CAACnD,OAAN,CAAc,UAAAtD,IAAI,EAAI;AACpB,YAAIA,IAAI,CAACS,MAAL
,GAAC,CAAIB,EAAqB;AACnBmG,UAAAA,OAAO,IAAO5G,IAAP,MAAP;AACD;AACF,OAJD;AAKD,KAJB0
C;AAoB3C;;AACaQF,IAAAA,GAAG,SAAOd,KAAP,GAAeoC,QAAf,mBAaoCC,OAAPC,WAAgDxE,QAAAnD;
AACD;;AAED,SAAoiD,GAAP;AACD,CA9BM;;AAgCP,IAAMwB,yBAAyB,GAAG,SAA5BA,yBAA4B,CAAC
P,KAAD,EAAeT,EAAf,EAA2Be,OAA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OAAO,CAACE,KAAR,CA
Ac,GAAd,CAAd;AACa,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAG2
B,KAAK,CAACHG,MAA1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C;AAC
A,QAAKR,IAAI,GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAAuB;AACrB8F,MAAAA,KAAK,CAACS,YAAN
,CAAmBIB,EAAAnB,EAAuB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,GAAG,SAAxB
A,qBAawB,CAACV,KAAD,EAAeW,KAAf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,KAAK,CAACE,
WAAN,IAAqB,EAAtB,EAA0BL,KAA1B,CAAgC1E,QAAhC,CAAd;AACa,MAAMmC,KAAK,GAAa,EAAxB;;
AAEA,OAAK,IAAI/D,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAGoC,KAAK,CAACzG,MAA1B,EAAkCD,C
AAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAM4G,IAAI,GAAGF,KAAK,CAAC1G,C
AAD,CAAL,CAASoD,IAAT,EAAb;AACa,QAAI,CAACwD,IAAL,EAAW;AAEX,QAAMC,MAAM,GAAGD,IA
AI,CAACE,KAAL,CAAWnB,SAAX,CAAF;;AAEA,QAAIkB,MAAJ,EAAy;AACV,UAAmJD,KAAK,GAAGmD,
QAAQ,CAACF,MAAM,CAAC,CAAD,CAAP,EAAy,EAAZ,CAAR,GAA0B,CAAxC;AACa,UAAmxB,EAAE,G
AAGwB,MAAM,CAAC,CAAD,CAAjB;;AAEA,UAAIjD,KAAK,KAAK,CAAd,EAAiB;AACf;AACa6B,QAAAA
,aAAa,CAACJ,EAAD,EAAKzB,KAAL,CAAb,CAFe;AAIf;;AACaYc,QAAAA,yBAAyB,CAACP,KAAD,EAAQ
T,EAAR,EAAyWb,MAAM,CAAC,CAAD,CAAIB,CAAZB;AACaf,QAAAA,KAAK,CAACC,MAAN,GAAejC,
WAAf,CAA2BF,KAA3B,EAAkCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,GAAe,CAAF;A
ACD,KAdD,MAcO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;AACF,CA5BD;;
AA8BA,AAAO,IAAMI,cAAc,GAAG,SAAjBA,cAAiB,CAACIB,KAAD,EAAkB;AAC9C,MAAMmB,KAAK,GA
AGC,QAAQ,CAACC,gBAAT,CAA0BzB,QAA1B,CAAd;;AAEA,OAAK,IAAI1F,CAAC,GAAG,CAAR,EAAW5
E,CAAC,GAAG2C,KAAK,CAACHH,MAA1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EA
A8C;AAC5C,QAAMoH,IAAI,GAAKH,KAAK,CAACjH,CAAD,CAApB;;AACa,QAAIoH,IAAI,IAAIA,IAAI,CA
ACC,YAAL,CAAKB/F,OAAlB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAACV,KAAD,EAAQ
sB,IAAR,CAArB;;AAEA,UAAIA,IAAI,CAACE,UAAI,EAAqB;AACnBF,QAAAA,IAAI,CAACE,UAAI,CAAg
BC,WAAhB,CAA4BH,IAA5B;AACD;AACF;AACF;AACF,CAbM;;ACnFP;;AACa;AAIA,IAAMI,QAAQ,GAA
G,SAAXA,QAAW,GAAM;AACrB,SAAO,OAAOC,iBAAP,KAA6B,WAA7B,GAA2CA,iBAA3C,GAA+D,IAAtE
;AACD,CAFDD;;ACLA;AAEA,AAIA,IAAMC,YAAy,GAAG,CAArB;AAAwB;;AAExB;;AACa,IAAMC,gBAAg
B,GAAG,SAAnBA,gBAAmB,CAACrH,MAAD,EAAkD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH
,UADiE;;AAGzE,OAAK,IAAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAgCD,CAAC,IAAI,CAArC,E
AAwCA,CAAC,EAAzC,EAA6C;AAC3C,QAAM6H,KAAK,GAAKD,UAAU,CAAC5H,CAAD,CAA1B;;AACa,
QAAI6H,KAAK,IAAIA,KAAK,CAACC,QAAN,KAAMBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,
OAAAnB,CAAhD,EAA6E;AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;

;ACA,AAAO,IAAMgC,YAAY,GAAG,SAAfA,YAAe,CAAC1H,MAAD,EAA4C;AAcTe,MAAM2H,IAAI,GAA Kf,QAAQ,CAACe,IAAxB;ACA,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;ACA,MAAMxB,KAA K,GAAGS,QAAQ,CAACiB,aAAT,CAAuB,OAAvB,CAAd;ACA,MAAMC,SAAS,GAAGT,gBAAgB,CAACO, MAAD,CAAIc;ACA,MAAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC, GAAkD,IAAtE;AAEA5B,EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OAAAnB,EAA4BE,cAA5B;AACAiF,EA AAA,KAAK,CAAC6B,YAAN,CAAmB7G,eAAnB,EAAoCC,UAApC;AAEA,MAAM6G,KAAK,GAAGf,QAAQ, EAAiB;AAEA,MAAie,KAAJ,EAAW9B,KAAK,CAAC6B,YAAN,CAAmB,OAAAnB,EAA4BC,KAA5B;AAEXL,E AAAAA,MAAM,CAACM,YAAP,CAAoB/B,KAApB,EAA2B4B,WAA3B;AAEA,SAAO5B,KAAP;AACD,CAjBM; AAmBP;;ACA,AAAO,IAAMgC,QAAQ,GAAG,SAAXA,QAAW,CAACnF,GAAD,EAA0C;AAChE,MAAIA,G AAG,CAACwC,KAAR,EAAe;AACb,WAASxG,GAAG,CAACwC,KAAb;AACD,GAH+D;;AAAA,kBAMxCoB, QANwC;AAAA,MAMxDwB,WANwD,aAMxDA,WANwD;;AAOhE,OAAK,IAAI1I,CAAC,GAAG,CAAR,EAA WsE,CAAC,GAAGoE,WAAW,CAACzI,MAAhC,EAAwCD,CAAC,GAAGsE,CAA5C,EAA+CtE,CAAC,EAAhD, EAAoD;AACID,QAAM8F,KAAK,GAAG4C,WAAW,CAAC1I,CAAD,CAAzB;;ACA,QAAl8F,KAAK,CAAC6 C,SAAN,KAAoBrF,GAAXB,EAA6B;AAC3B,aAASwC,KAAT;AACD;AACF;;AAED3B,EAAAA,0BAAgB,CAA C,EAAD,CAAhB;ACA,SAAQ6B,SAAR;AACD,CAhBM;;AC3CP;AAMA;;ACA,AAAO,IAAM4C,OAAO,GA AG,SAAVA,OAAU,OAAgE;AAAA,MAA7DC,QAA6D,QAA7DA,QAA6D;AAAA,MAAnDC,iBAAmD,QAAnD A,iBAAmD;AAAA,MAAhCxI,MAAgC,QAAhCA,MAAgC;;AACrF,MAAIuI,QAAl,EAAC;AACZ,WAAO,IAAIE ,UAAJ,CAAEzI,MAAf,CAAP;AACD,GAfD,MAEO,IAAIwI,iBAAJ,EAAuB;AAC5B,WAAO,IAAIE,QAAl,CAA a1I,MAAb,CAAP;AACD,GAfM,MAEA;AACL,WAAO,IAAI2I,OAAJ,CAAY3I,MAAZ,CAAP;AACD;AACF,C ARM;AAUP,IAAa0I,QAAb;AAOE,oBAAY1I,MAAZ,EAAC;AACChC,QAAM4I,OAAO,GAAl,KAAKA,OAAAL, GAAe1B,YAAY,CAAC1H,MAAD,CAA5C,CADgC;;AAIhC4I,IAAAA,OAAO,CAACC,WAAR,CAAoBjC,QAA Q,CAACkC,cAAT,CAAwB,EAAXB,CAApB;AAEA,SAAKtD,KAAL,GAAa2C,QAAQ,CAACS,OAAD,CAArB;A ACA,SAAKjJ,MAAL,GAAC,CAAd;AACD;;AAfH;;AAAA,SAiBEsE,UajBF,GAiBE,oBAAWV,KAAAX,EAA0Bw F,IAA1B,EAAiD;AAC/C,QAAl;AACF,WAAKvD,KAAL,CAAWvB,UAAAX,CAAsB8E,IAAtB,EAA4Bx,F,KAA5 B;ACA,WAAK5D,MAAL;ACA,aAAO,IAAP;AACD,KAJD,CAIE,OAAOqJ,MAAP,EAAe;AACf,aAAO,KAA P;AACD;AACF,GAzBH;;AAAA,SA2BE3E,UA3BF,GA2BE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKiC,KAAL, CAAWnB,UAAAX,CAAsBd,KAAtB;ACA,SAAK5D,MAAL;AACD,GA9BH;;AAAA,SAgCE6E,OAhCF,GAgCE ,iBAAQjB,KAAR,EAA+B;AAC7B,QAAMwF,IAAI,GAAG,KAAKvD,KAAL,CAAWyD,QAAX,CAAoB1F,KAA pB,CAAAb,CAD6B;;AAG7B,QAAlwF,IAAI,KAAKrD,SAAT,IAAsB,OAAOqD,IAAI,CAACG,OAAZ,KAAwB,Q AAID,EAA4D;AAC1D,aAAOH,IAAI,CAACG,OAAZ;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF, GAxCH;;AAAA;AAAA;AA2CA;;ACA,IAAaP,OAAb;AAOE,mBAAY3I,MAAZ,EAAC;AACChC,QAAM4I,OA AO,GAAl,KAAKA,OAAAL,GAAe1B,YAAY,CAAC1H,MAAD,CAA5C;ACA,SAAK2G,KAAL,GAAaiC,OAAO, CAACtB,UAArB;ACA,SAAK3H,MAAL,GAAC,CAAd;AACD;;AAXH;;AAAA,UAAEsE,UAbF,GAaE,oBAAW V,KAAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAlxF,KAAK,IAAI,KAAK5D,MAAd,IAAwB4D,KAAK,IAAI,C AArC,EAAwC;AACtC,UAAMuD,IAAI,GAAGF,QAAQ,CAACkC,cAAT,CAAwBC,IAAxB,CAAb;ACA,UAA MI,OAAO,GAAG,KAAKxC,KAAL,CAAWpD,KAAAX,CAAhB;ACA,WAAKqF,OAAAL,CAAaV,YAAAb,CAA0B pB,IAA1B,EAAgCqC,OAAO,IAAI,IAA3C;ACA,WAAKxJ,MAAL;ACA,aAAO,IAAP;AACD,KAND,MAMO; AACL,aAAO,KAAP;AACD;AACF,GAvBH;;AAAA,UAYBE0E,UazBF,GAyBE,oBAAWd,KAAAX,EAAgC;AAC 9B,SAAKqF,OAAAL,CAAa3B,WAAAb,CAAYB,KAAKN,KAAL,CAAWpD,KAAAX,CAAzB;ACA,SAAK5D,MAA L;AACD,GA5BH;;AAAA,UA8BE6E,OA9BF,GA8BE,iBAAQjB,KAAR,EAA+B;AAC7B,QAAlA,KAAK,GAAG, KAAK5D,MAAjB,EAAyB;AACvB,aAAO,KAAKgH,KAAL,CAAWpD,KAAAX,EAAkB8C,WAAzB;AACD,KAF D,MAEO;AACL,aAAO,EAAP;AACD;AACF,GApCH;;AAAA;AAAA;AAuCA;;ACA,IAAaoC,UAAb;AAKE,s BAAYW,OAAZ,EAAMC;AACjC,SAAK3F,KAAL,GAAa,EAAb;ACA,SAAK9D,MAAL,GAAC,CAAd;AACD;; AARH;;AAAA,UAAUESE,UAVF,GAUE,oBAAWV,KAAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAlxF,KAAK,IA AI,KAAK5D,MAAIB,EAA0B;AACxB,WAAK8D,KAAL,CAAW4F,MAAX,CAAKB9F,KAAIB,EAAyB,CAAzB, EAA4BwF,IAA5B;ACA,WAAKpJ,MAAL;ACA,aAAO,IAAP;AACD,KAJD,MAIO;AACL,aAAO,KAAP;AA CD;AACF,GAIBH;;AAAA,UAOBE0E,UApBF,GAoBE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKE,KAAL,CAA W4F,MAAX,CAAKB9F,KAAIB,EAAyB,CAAzB;ACA,SAAK5D,MAAL;AACD,GAvBH;;AAAA,UAYBE6E,O

AzBF,GAyBE,iBAAQjB,KAAR,EAA+B;AAC7B,QAAIA,KAAK,GAAG,KAAK5D,MAAjB,EAAyB;AACvB,aA
AO,KAAK8D,KAAL,CAAWF,KAAx,CAAP;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GA/BH;;
AAAA;AAAA;;AC5FA,IAAI+F,gBAAgB,GAAG/H,UAAvB;AAWA,IAAMgI,cAAc,GAAiB;AACnChB,EAAAA
,QAAQ,EAAE,CAACH,UADwB;AAEnCiH,EAAAA,iBAAiB,EAAE,CAAC/G;AAFe,CAArC;AAKA;;IACqB+
H;AAWnB;aACOC,aAAP,oBAAkB1E,EAAIB,EAAc;AACpC,WAAOD,aAAa,CAACC,EAAD,CAApB;AACD;;
AAED,sBACE2E,OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OA
GA,GAHgC3H,YAGhC;AAAA;;AAAA,QAFA4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;;AA
CA,SAAKD,OAAL,gBACKH,cADL,MAEKG,OAFI;AAKA,SAAKE,EAAL,GAAUD,YAAV;AACa,SAAKhE,K
AAL,GAAa,IAAIhB,GAAJ,CAAQgB,KAAR,CAAb;AACa,SAAKkE,MAAL,GAAC,CAAC,CAACH,OAAO,CA
ACnB,QAAxB,CARA;;AAWA,QAAI,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAAiC,EAAoD;A
ACIDA,MAAAA,gBAAgB,GAAG,KAAAnB;AACa5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;;;SAE
DoD,yBAAA,gCAAuBJ,OAAvB,EAAcDK,SAAtD,EAAKF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4
B,GAAN,IAAM;AAAA;;AAChF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,
EAFA,EAGJG,SAAS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;;SAEDsE,qBAAA,4BAAmBjF,E
AAAnB,EAA+B;AAC7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAA
R,KAAe,CAAhB,IAAqB,CAA3C;AACD;AAED;;;SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,K
AAa,KAAKA,GAAL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;A
AED;;;SACAO,eAAA,sBAAaF,EAAb,EAAY7F,IAAzB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,G
AAX,CAAeD,EAaf,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAaf,CAAD,CAA0BC,GAA1B,CAA8B
9F,IAA9B,CAA7B;AACD;AAED;;;SACA+G,eAAA,sBAAaF,EAAb,EAAY7F,IAAzB,EAAC;AACrC4F,IAA
AA,aAAa,CAACC,EAAD,CAAb;;AAEA,QAAI,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAaf,CAAL,E
AAyB;AACvB,UAAmMf,UAAU,GAAG,IAAIC,GAAJ,EAAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAA
eL,IAAf;AACa,WAAKyG,KAAL,CAAW7B,GAAX,CAAeB,EAaf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;
AACJ,WAAKvE,KAAL,CAAWV,GAAX,CAAeF,EAaf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;A
ACF;AAED;;;SACAsE,cAAA,qBAAyB,EAAZ,EAawB7F,IAAxB,EAAcCuE,KAAtC,EAAuD;AACrD,SAAKw
C,YAAL,CAAKBIB,EAAIB,EAAcB7F,IAAtB;AACa,SAAKuG,MAAL,GAACjC,WAAAd,CAA0BsB,aAAa,CAAC
C,EAAD,CAAvc,EAA6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWtF,EAAX,EAAuB;AACrB,QAAI,
KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAaf,CAAJ,EAawB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAA
eF,EAaf,CAAD,CAA0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWxF,EAAX,EAAuB;AACrB,S
AAKU,MAAL,GAACvB,UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAAtC;AACa,SAAKsF,UAAAL,CAAgtBf,EAA
hB;AACD;AAED;;;SACAyF,WAAA,oBAAW;AACT;AACa;AACa,SAAKxH,GAAL,GAAW0C,SAAX;AACD;
AAED;;;SACAhF,WAAA,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAlB;AACD;;;AC/HH;:::;
:::;AAoBA;AAEA,AAAE,2BAAStB,UAAAT,EAAqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;AACa,MAAM
C,MAAM,GAAMD,SAAN,MAAZ;;AAEA,WAASE,OAAT,CAAiBC,KAAjB,EAAwB;AACtB,QAAIA,KAAJ,EA
AW;AACT,UAAI;AACF3G,QAAAA,UAAU,CAAi2G,KAAJ,OAAY;AACD,OAFD,CAEE,OAAOC,CAAP,EAA
U;AACb;AACF;;AAED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,E
AKLC,IALK,EAMLC,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;AACa,
YAAQP,OAAR;AAACE;AACa,WAAK,CAAL;AAACE;AACa,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CA
ACIG,UAAAR,CAAmB,CAAnB,MAA0B,EAA7C,EAAiD,OAAOqE,UAAU,CAAi6B,OAAJ,OAAY,EAA2B,EAAI
C;AACjD;AACF;;AACa,WAAK,CAAL;AAACE,YAAIsF,EAAE,KAAK,CAAX,EAAC,OAAOf,OAAO,GAAG2E
,SAAjB;AACd;AACF;;AACa,WAAK,CAAL;AAACE,gBAAQW,EAAR;AAACE;AACa,eAAK,GAAL;AACa,eAA
K,GAAL;AAACE,mBAAOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAAeIF,OAAhB,CAAV,EAAoC,EA
A3C;;AACF;AAACE,mBAAOA,OAAO,IAAIwF,EAAE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EAA3B,CAAd;A
ANJ;;AAQF,WAAK,CAAC,CAAN;AAACE3E,QAAAA,OAAO,CAACE,KAAAR,CAAc0E,MAAd,EAAcBII,OAAtB
,CAA8BmI,OAAY9B;AAArBJ;AAuBD,GAnCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAAtB;AACa,IAAMC,uB
AAuB,GAAG,CAAC,GAAD,EAAM,GAAN,EAAW,GAAX,EAAGb,GAAhB,CAAhC;AAOA,AAAE,SAASC,oB
AAT,QAGkC;AAAA,gCAAdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC
;AAAA,0BAD/C2J,OAC+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,I

AAIC,MAAJ,CAAWIC,OAAx,CAAf,CAD+C;AAI/C;AACa;;AAEA,MAAIImC,YAAy,GAAG,EAAnB,CAP+C;;
AAU/C,MAAMC,iBAaIB,GAAG,SAApBA,iBAaOB,CAAaf,OOAO,EAaI;AACnC,QAAIA,OOAO,KAAK,CAA
C,CAAjB,EAaOB;AACIB,UAAmGB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAy,GAAG,EAaf;AACa,a
AAOE,WAAp;AACD;AACF,GAND;;AAQA,MAAMC,gBAaGB,GAAGC,gBAaGB,CAAC,UAAaID,IAAI,EAaI
;AAChD8C,IAAAA,YAAy,CAACtJ,IAAb,CAAkBwG,IAaIB;AACD,GAFwC,CAAzC;;AAIA,MAAIImD,YAAJ;;
AACa,MAaIC,SAaJ;;AACa,MAaIC,eAAJ;;AACa,MAaIC,yBAaJ;;AAEA,MAAMC,qBAaQB,GAAG,SAAx
BA,qBAawB,CAAC9F,KAAD,EAaQ+F,MAAR,EAaGBC,MAAhB,EAa2B;AACvD;AAEE,KAACD,MAAM,K
AAK,CAAX,GAAef,uBAaAuB,CAACiB,OOAxB,CAAGCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,M
AA8D,CAAC,CAA9E,GAAkF,IAAnF;AAEA,KAAC6M,MAAM,CAACG,KAAP,CAAa6F,yBAAb,CAJH,EAK
E;AACa,mBAAWH,YAAx;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;;;;;;;;;;;;;;;AAaA,MAAMkG,
8BAa8B,GAAG,SAajCA,8BAaiC,CAAC3B,OOAD,EAaU4B,CAAV,EAa3B,SAAb,EAa2B;AAChE,QAAID,
OOAO,KAAK,CAAZ,IAaiBC,SAAS,CAACrL,MAA3B,IAaQcQL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,
CAAyBT,SAazB,IAAsC,CAA/E,EAakF;AAChF;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAAeA,SAa
S,CAAC,CAAD,CAAT,CAAa1L,OAAb,CAAqB8M,eAArB,EAAsCE,qBAaTc,CAAf;AACD;AACF,GALD;;AA
OAX,EAaaa,MAAM,CAACkB,GAAP,WAAenB,OAaf,GAAwBgB,8BAaxB,EAawDV,gBAaxD,EAa0EF,iB
AA1E;;AAEA,WAAsgB,cAAT,CAAwBvI,GAAxB,EAa6BsB,QAA7B,EAaUcKb,MAAvC,EAa+CC,WAA/C,E
AA+E;AAAA,QAaHCA,WAAgC;AAaHCA,MAAAA,WAAgC,GAAIB,GAAkB;AAAA;;AAC7E,QAAMC,OAa
O,GAAG1I,GAAG,CAACjF,OAaJ,CAAYiM,aAAZ,EAa2B,EAa3B,CAaHb;AACa,QAAM2B,MAAM,GAAGr
H,QAAQ,IAAIkH,MAAZ,GAAwBA,MAAxB,SAakCIH,QAAIC,WAAgDoH,OAaHd,UAA8DA,OAa7E,CAF6E
;AAK7E;AACa;;AACaf,IAAAA,YAAy,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IA
AAA,eAAe,GAAG,IAAI9G,MAAJ,QAAGB6G,SAaHb,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAaYB,GAA
G,IAAI/G,MAAJ,SAaiB6G,SAajB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAx,G
AAsB,EAaTb,GAA2BA,QAA5B,EAAsCqH,MAaTc,CAAb;AACD;;AAEDJ,EAaaa,cAAc,CAACjN,IAaf,GAA
sB6L,OOAO,CAAC/L,MAAR,GACIB+L,OOAO,CACjYB,MADH,CACU,UAACC,GAAD,EAAMC,MAAN,EAa
iB;AACvB,QAAI,CAACA,MAAM,CAACnO,IAAZ,EAakB;AAChB2E,MAAAA,0BAaGB,CAAC,EAAD,CAaH
B;AACD;;AAED,WAAOrE,KAAK,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EA
OKK,IAPL,EAQGmB,QARH,EADkB,GAUIB,EAVJ;AAyA,SAaOoM,cAAP;AACD;;AC5GD;AACa,AAeO,IA
AMQ,iBAaIB,GAA+BC,cAAK,CAACC,aAAN,EAaTd;AACp,AAAO,IAAMC,kBAakB,GAAGH,iBAaIB,CAA
CI,QAA7C;AACp,AAAO,IAAMC,aAAa,GAAgCJ,cAAK,CAACC,aAAN,EAAnD;AACp,AAAO,IAAMI,cAAc,G
AAGD,aAAa,CAACD,QAArC;AAEP,AAAO,IAAMG,WAAW,GAAe,IAAIrE,UAAJ,EAaHc;AACp,AAAO,IAA
MsE,YAAy,GAAGrBc,oBAaOB,EAaTd;;ACtBP;AACa;IAKqBsC;AAOnB,qBAAY7O,IAAZ,EAa0BuE,KAA1
B,EAaYc;AAAA;;AAAA,SAMzCuK,MANyC,GAMhC,UAACC,UAAD,EAaYBC,cAAzB,EAawE;AAAA,UAA/
CA,cAA+C;AAA/CA,QAAAA,cAA+C,GAAjBJ,YAAiB;AAAA;;AAC/E,UAAMK,YAAy,GAAG,KAAI,CAACj
P,IAAL,GAAYgP,cAAc,CAACrO,IAaHd;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAx,CAAwB,KAAI,CA
ACIF,EAa7B,EAaiCoJ,YAAjC,CAAL,EAaQd;AACnDF,QAAAA,UAAU,CAACzK,WAAx,CACE,KAAI,CAA
CuB,EADP,EAEEoJ,YAFF,EAGED,cAAc,CAAC,KAAI,CAACzK,KAAAN,EAa0K,YAAb,EAa2B,YAA3B,CA
HhB;AAKD;AACF,KAhBwC;;AAAA,SAkBzCzN,QAIByC,GAkB9B,YAAM;AACf,aAAOmD,0BAaGB,CAAC,
EAAD,EAaK9E,MAAM,CAAC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAA
L,GAAYA,IAAZ;AACa,SAAK6F,EAAL,qBAa0B7F,IAA1B;AACa,SAAKuE,KAAAL,GAAaA,KAAb;AACD;;;
SAkBD2K,UAAA,iBAaQF,cAAR,EAaOD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAADJ,YAAc;
AAAA;;AACID,WAAO,KAAK5O,IAAL,GAAYgP,cAAc,CAACrO,IAaIC;AACD;;;;ACrCH;;AAEA;;;AAKA,I
AAMwO,cAAc,GAAG,SAAvB;AACa,IAAMC,gBAaGB,GAAG,UAAzB;AACa,IAAMC,SAAS,GAAG,MAaIB;
;AACa,IAAMC,kBAakB,GAAG,SAArBA,kBAaQB,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAAL,E
AA9B;AAAA,CAA3B;AAEA;;;;;;;;;;;;;;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAaOD;AACjE,S
AAO6B,cAAc,CAAC/N,IAaf,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGP,gBADT,EAC2BE,
kBAD3B,EAECIP,OAFD,CAESiP,SAFT,EAEOB,MAFPB,CADK,GAIL/B,MAJF;AAKD;;ACICD;AACa;AAGA,
AAAE,SAASoC,eAAT,CAAyB1P,IAAZB,EAaUc2P,KAAvC,EAawD;AACrE;AACa;AACa,MAaIA,KAAK,IA
AI,IAAT,IAaiB,OOAOA,KAAP,KAAiB,SAaIC,IAA+CA,KAAK,KAAK,EAa7D,EAaiE;AAC/D,WAAO,EAAP

;AACD;;AAED,MAAI,OAAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAA5C,IAAmE,CAAC5P,IAAI,CAAC6P,UAAAL,CAAgB,IAAhB,CAAxE,EAA+F;AAC7F,WAAUF,KAAV,QAD6F;AAE9F;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,IAAd,EAAP;AACD;;AC hBD;AACa,AAWA;;;AAGA,IAAMkM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK;AAAA,SAAlA,KAAK,KAAKvJ,SAAV,IAAuBuJ,KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA,AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,GAAD,EAAcC,OAAAd,EAA6D;AACxF,MAAM3L,KAAK,GAAG,EAAd;;AAEA,OAAK,IAAM4L,GAAX,IAAkBF,GAAIB,EAAuB;AACrB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GAAG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;;AAErD,QAAKE,KAAK,CAACC,OAAAN,CAAcL,GAAG,CAACE,GAAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD,CAAH,CAASI,KAArC,IAA+CpP,UAAU,CAAC8O,GAAG,CAACE,GAAD,CAAJ,CAA7D,EAAyE;AACvE5L,MAAAA,KAAK,CAACIB,IAAN,CAAcMn,kBAAS,CAACL,GAAD,CAAvB,QAAiCF,GAAG,CAACE,GAAD,CAApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAACR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA6B;AACIC5L,MAAAA,KAAK,CAACIB,IAAN,OAAAkB,KAAK,EAASyL,aAAa,CAACC,GAAG,CAACE,GAAD,CAAJ,EAAWA,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA;AACL5L,MAAAA,KAAK,CAACIB,IAAN,CAAcMn,kBAAS,CAACL,GAAD,CAAvB,UAAiCT,eAAe,CAACS,GAAD,EAAMF,GAA G,CAACE,GAAD,CAAT,CAAhD;AACD;AACF;;AAED,SAAOD,OAAO,IAAOA,OAAP,gBAAuB3L,KAAvB,GAA8B,GAA9B,KAAqCA,KAAAnD;AACD,CAhBM;AAkBP,AAAE,SAASmM,OAAT,CACbX,KADa,EAEBY,gBA Fa,EAGb5B,UAHa,EAIbC,cAJa,EAKR;AACL,MAAIqB,KAAK,CAACC,OAAAN,CAAcP,KAAAd,CAAJ,EAA0B;AACxB,QAAMa,OAAO,GAAG,EAAhB;;AAEA,SAAK,IAAIpQ,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAG2M,KAAK,CAACtP,MAAvB,EAA+BoQ,MAApC,EAA4CrQ,CAAC,GAAG4C,GAAhD,EAAqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DqQ,MAAAA,MAAM,GAAGH,OAAO,CAACX,KAAK,CAACvP,CAAD,CAAN,EAAWmQ,gBAAX,EAA6B5B,UAA7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI6B,MAAM,KAAK,EAaf,EAAMb,SAAnB,KACK,IAAIR,KAAK,CAACC,OAAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAAO,CAACvN,IAAR,OAAAuN,OAAO,EAASC,MAAT,CAAP,CAA3B,KACAD,OAAO,CAACvN,IAAR,CAAawN,MAAb;AACN;;AAED,WAAOD,OAAP;AACD;;AAED,MAAIId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP;AACD;AAED;;AACa,MAAIInO,iBAAiB,CAACmO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACIO,iBAAjB;AACD;AAED;;AACa,MAAIV,UAAU,CAAC4O,KAAD,CAAd,EAAuB;AACrB,QAAIIO,mBAAMb,CAAC0O,KAAD,CAAAnB,IAA8BY,gBAAIC,EAAoD;AACID,UAME,OAAO,GAAGd,KAAK,CAACY,gBAAD,CAAPB;;AAEA,UAAI5P,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC6P,iBAAS,CAACD,OAAD,CAAtD,EAAgE;AAC9D;AACAE,QAAAA,OAAO,CAACC,IAAR,CACKnQ,gBAAgB,CACjBkP,KADiB,CADrB;AAKD;;AAED,aAAOW,OAAO,CAACG,OAAD,EAASF,gBAAT,EAA2B5B,UAA3B,EAAuCC,cAAvC,CAAd;AACD,KAbD,MAAo,OAAOe,KAAP;AACR;;AAED,MAAIA,KAAK,YAAyIB,SAArB,EAAgC;AAC9B,QAAIE,UAAJ,EAAGB;AACdGB,MAAAA,KAAK,CAACjB,MAAN,CAAaC,UAAb,EAAYBC,cAAzB;AACa,aAAOe,KAAK,CAACb,OAAAN,CAAcF,cAAAd,CAAP;AACD,KAHD,MAGO,OAAOe,KAAP;AACR;AAED;;AACa,SAAOU,aAAa,CAACV,KAAD,CAAb,GAAuBC,aAAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACvO,QAAN,EAARd;AACD;;AC3FD;AACa,IAAMyP,OAAO,GAAG,EAAhB;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAAIB,EAA2B;AACxC,MAAIF,OAAO,CAACE,OAAD,CAAX,EAAsB;AACtBF,EAAAA,OAAO,CAACE,OAAD,CAAP,GAAMb,IAAnB;AAEA,MAAI,OAAOJ,OAAP,KAAmB,WAAAnB,IAAkCA,OAAO,CAACC,IAA9C,EAAoDD,OAAO,CAACC,IAAAR,CAAaG,OAAb;AACrD;;ACRD;AACa,IAAMC,YAAY,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,YAAY,GAAG,IAAI3Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM4Q,SAAS,GAAG,KAAK5Q,UAAAL,CAAgB,CAAhB,CAAIb;AACa,IAAM6Q,KAAK,GAAG,IAAI7Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM8Q,OAAAO,GAAG,KAAK9Q,UAAAL,CAAgB,CAAhB,CAAhB;AACa,IAAM+Q,KAAK,GAAG,IAAI/Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAMgR,IAAI,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAb;AACa,IAAMiR,GAAG,GAAAG,KAAKjR,UAAAL,CAAgB,CAAhB,CAAZ;AACa,IAAMkR,EAAE,GAAG,KAAKIR,UAAAL,CAAgB,CAAhB,CAAX;AACa,IAAMmR,WAAW,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAAPB;AACa,IAAMoR,YAAY,GAAG,IAAIpR,UAAJ,CAAe,CAAf,CAArB;AACa,IAAMqR,gBAAgB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAzB;AACa,IAAMsR,iBAAiB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAIB;AACa,IAAMuR,UAAU,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAAnB;AACa,IAAMwR,WAAW,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAAPB;AACa,IAAMYR,S

AAS,GAAG,IAAIzR,UAAJ,CAAe,CAAf,CAAIB;AACa,IAAM0R,QAAQ,GAAG,IAAI1R,UAAJ,CAAe,CAAf,C
AAjB;AACa,IAAM2R,KAAK,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM4R,EAAE,GAAG,IAAI5
R,UAAJ,CAAe,CAAf,CAAX;AAEA,IAAM6R,SAAS,GAAG,+BAAIB;AACa,IAAMC,WAaw,GAAG,4CAApB;
AACa,IAAMC,cAAc,GAAG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAIB,EAAyBnI,OAazB,EAAuC
;AAAA,MAAdA,OAac;AAAdA,IAAAA,OAac,GAAJ,EAAI;AAAA;;AACpD,MAAMoI,MAAM,GAAG,EAAf;
AACa,MAAMvN,GAAG,GAAGsN,KAAK,CAACtN,GAAN,CAAUwN,OAaV,EAAZ;AAEA,MAAMC,MAAM,
GAAGtI,OAaO,CAACuI,YAAvB;AAEA,MAAIInT,IAAJ,EACEoT,IADF,EAEEC,KAFF,EAGEC,KAHF,EAIEC,I
AJF,EAKEvM,OALF,EAMEwM,MANF,EAoEC,QAPF,EAQEC,UARF,EASEC,OATF,EAUEC,SAVF,EAWEC,I
AXF,EAYEC,CAZF;AAcA,MAAMjT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;AACa,MAAI4M,MAAM,G
AAG,CAAC,CAAd;AACa,MAAIrB,IAAI,GAAG,CAAX;AACa,MAAI2H,GAAG,GAAG,CAAV;;AAEA,WAAS
C,QAAT,CAAKBC,IAAIB,EAAwB;AACtB,UAAMIB,KAAK,CAACmB,KAAAN,eAAwBD,IAAxB,EAAgC7H,IA
AhC,EAAc2H,GAAG,GAAGtG,MAA5C,CAAN;AACD;;AAED,SAAOsG,GAAG,GAAGIT,MAAb,EAAqB;AA
CnBb,IAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAeiT,GAaf,CAAP;;AAEA,QAAT,IAAI,KAAK4R,O
AAT,IAAoB5R,IAAI,KAAK8R,IAA7B,IAAsC9R,IAAI,KAAKgS,EAAT,IAAevM,GAAG,CAAC3E,UAAJ,CAAe
iT,GAAG,GAAG,CAArB,MAA4BnC,OAaRf,EAA+F;AAC7FnE,MAAAA,MAAM,GAAGsG,GAAT;AACa3H,
MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,YAAQpM,IAAR;AAcE,WAAK4R,OAAL;AACa,WAAKC,KAAL;
AACa,WAAKE,GAAL;AACa,WAAKC,EAAL;AACa,WAAKF,IAAL;AAcEsB,QAAAA,IAAI,GAAGW,GAA
P;;AACa,WAAG;AACDX,UAAAA,IAAI,IAAI,CAAR;AACApT,UAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UA
AJ,CAAesS,IAAf,CAAP;;AACa,cAAIpT,IAAI,KAAK4R,OAAb,EAAsB;AACpBnE,YAAAA,MAAM,GAAG2F,
IAAT;AACAhH,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK6R,KAAT,IACA7R,IA
AI,KAAK4R,OADT,IAEA5R,IAAI,KAAK+R,GAFT,IAGAR,IAAI,KAAKgS,EAHT,IAIAhS,IAAI,KAAK8R,IA
ZX;;AAeAkB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,OAAD,EAAUgC,GAAG,CAAC0O,KAAJ,CAAUJ
,GAaV,EAAeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAAb;AACa;;AAEF,WA
AKnB,WAAL;AAcEe,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,E
AAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAKyE,YAAL;AAcEc,QAAAA,MAAM,CAACvP,
IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;
;AAEF,WAAK4E,UAAL;AAcEW,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAA
W2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK6E,WAAL;AAcEU,QAAAA,MA
AM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,
CAAZ;AACa;;AAEF,WAAKgF,KAAL;AAcEO,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM
,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACa;;AAEF,WAAK8E,SAAL;AACES,Q
AAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB2H,GAAG,GAAGt
G,MAAvB,CAAZ;AACa;;AAEF,WAAK0E,gBAAL;AAcE0B,QAAAA,IAAI,GAAGb,MAAM,CAACnS,MAAP,
GAAgBmS,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAgB,CAAjB,CAAN,CAA0B,CAA1B,CAAhB,GAA+C
,EAAtD;AACAiT,QAAAA,CAAC,GAAGrO,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,CAAJ;;AA
CA,YACEF,IAAI,KAAK,KAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKrC,YAFN,IAGAqC,CA
AC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKIC,OAjN,IAKakC,CAAC,KAAK/B,GALN,IAMA+B,CAAC,KAAKh
C,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACAOB,UAAAA,IAAI,GAAGW,GAAP;;AACa,aAAG;AAC
DJ,YAAAA,OAaO,GAAG,KAaV;AACAP,YAAAA,IAAI,GAAG3N,GAAG,CAACKI,OAaJ,CAAY,GAaZ,EA
AiByF,IAAI,GAAG,CAAxB,CAAP;;AACa,gBAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,kBAAIF,MAAJ,
EAAy;AACVE,gBAAAA,IAAI,GAAGW,GAAP;AACa;AACD,eAHD,MAGO;AACLC,gBAAAA,QAAQ,CAAC
,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;AACa,mBAAO3N,GAAG,CAAC3E,UA
AJ,CAAe8S,SAAS,GAAG,CAA3B,MAAKcIC,SAaZC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI,CAAb;AACAD,c
AAAA,OAaO,GAAG,CAACA,OAAX;AACD;AACF,WAhBD,QAgBSA,OAhBT;;AAKBAX,UAAAA,MAAM,C
AACvP,IAAP,CAAY,CACV,UADU,EAEvGc,GAAG,CAAC0O,KAAJ,CAAUJ,GAaV,EAAeX,IAAI,GAAG,CA
AtB,CaFU,EAGVhH,IAHU,EAIV2H,GAAG,GAAGtG,MAJI,EAKVrB,IALU,EAMVgH,IAAI,GAAG3F,MANG,
CAAZ;AAQAsG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAICD,MAcCO;AACLA,UAAAA,IAAI,GAAG3N,GA
AG,CAACKI,OAaJ,CAAY,GAaZ,EAAiBoG,GAAG,GAAG,CAAvB,CAAP;AACAM,UAAAA,OAaO,GAAGv

B,GAAG,CAAC00,KAAJ,CAAUJ,GA AV,EA AeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAIA,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACrR,IAAf,CAAoBwF,OAAPB,CAAnB,EA AiD;AAC/CgM,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EA AW2I,IAAX,EA AiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AACD,WA FD,MAEO;AACLuF,YAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,UAAD,EA AuD,OAAb,EAAsBoF,IAAtB,EA A4B2H,GAAG,GAAGtG,MAAIC,EA A0CrB,IAA1C,EA AgDgH,IAAI,GAAG3F,MAAvD,CAAZ;AACAsG,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AA CEY,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EA AW2I,IAAX,EA AiB2H,GAAG,GAAGtG,MAAvB,CAAZ;AAC A;AAEF,WAAK+D,YAAL;AAC A,WAAKC,YAAL;AA CE4B,QAAAA,KAAK,GAAGrT,IAAI,KAAKwR,YAAT,GAAwB,GAAxB,GAA8B,GAATc;AAC A4B,QAAAA,IAAI,GAAGW,GAAP;;AAC A,WAAG;AACDJ,UAAAA,OA AO,GAAG,KAAV;AACAP,UAAAA,IAAI,GAAG3N,GAAG,CAACkI,OA AJ,CAAY0F,KAAZ,EA AmBD,IAAI,GAAG,CAA1B,CAAP;;AAC A,cAAIA,IAAI,KAAK,CAAC,CAAd,EA AiB;AACf,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AAC A;AACD,aAHD,MAGO;AACLC,cAAAA,QAAQ,CAAC,OA AD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;AAC A,iBAAO3N,GAAG,CAAC3E,UAAJ,CAAe8S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EA AoD;AACIDkC,YAAAA,SAAS,IAAI,CAAb;AACAD,YAAAA,OA AO,GAAG,CAACA,OA AX;AACD;AACF,SAhBD,QAgBSA,OA hBT;;AAkBA3M,QAAAA,OA AO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GA AV,EA AeX,IAAI,GAAG,CAAtB,CAAV;AACAE,QAAAA,KAAK,GAAGtM,OA AO,CAACE,KAAR,CAAc,IAAd,CAAR;AAC AqM,QAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;AAEA,YAAI0S,IAAI,GAAG,CAAX,EA Ac;AACZE,UAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAIB;AACAG,UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,SAHD,MAGO;AACL4S,UAAAA,QAAQ,GAAGrH,IAAX;AACAsH,UAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,QAAAA,MAAM,CAACvP,IAAP,CAAY,CACV,QADU,EA EVgC,GAAG,CAAC00,KAAJ,CAAUJ,GA AV,EA AeX,IAAI,GAAG,CAAtB,CAFU,EAGVhH,IAHU,EA IV2H,GAAG,GAAGtG,MAJI,EA KVgG,QALU,EAMVL,IAAI,GAAGM,UANG,CAAZ;AASAJG,QAAAA,MAAM,GAAGiG,UAAU;AACAtH,QAAAA,IAAI,GAAGqH,QAAP;AACAM,QAAAA,GAAG,GAAGX,IAAN;AAC A;;AAEF,WAAKV,EAAL;AA CE, QAAAA,SAAS,CAACyB,SAAV,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAACnR,IAAV,CA AeIE,GA Af;;AAC A,YAAIkN,SAAS,CAACyB,SAAV,KAAwB,CAA5B,EA A+B;AAC7BhB,UAAAA,IAAI,GAAG3N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,SAFD,MAEO;AACLuS,UAAAA,IAAI,GAAGT,SAAS,CAACyB,SAAV,GAAsB,CAA7B;AACD;;AACDPB,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,SAAD,EAAYgC,GAAG,CAAC00,KAAJ,CAAUJ,GA AV,EA AeX,IAAI,GAAG,CAAtB,CAAZ,EAAsChH,IAAtC,EA A4C2H,GAAG,GAAGtG,MAAID,EA A0DrB,IAA1D,EA AgEgH,IAAI,GAAG3F,MAAvE,CAAZ;AACAsG,QAAAA,GAA G,GAAGX,IAAN;AAC A;;AAEF,WAAK1B,SAAL;AA CE0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,QAAAA,MAAM,GAAG,IAAT;;AAC A,eAAO/N,GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,MAA6B1B,SAAPC,EA A+C;AAC7C0B,UAAAA,IAAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;AACD;;AACDxT,QAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAesS,IAAI,GAAG,CAAtB,CAAP;;AAC A,YACEI,MAAM,IACLxT,IAAI,KAAK2R,KAAT,IACC3R,IAAI,KAAK6R,KADV,IAEC7R,IAAI,KAAK4R,OAFV,IAGC5R,IAAI,KAAK+R,GAHV,IAIC/R,IAAI,KAAKgS,EAJV,IAKChS,IAAI,KAAK8R,IAPb,EAQE;AACAsB,UAAAA,IAAI,IAAI,CAAR;AACD;;AACDJ,QAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAAC00,KAAJ,CAAUJ,GA AV,EA AeX,IAAI,GAAG,CAAtB,CAAT,EA AmChH,IAAnC,EA AyC2H,GAAG,GAAGtG,MAA/C,EA AuDrB,IAAvD,EA A6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,QAAAA,GAAG,GAAGX,IAAN;AAC A;;AAEF;AA CE,YAAIpT,IAAI,KAAK2R,KAAT,IAAkBIM,GAAG,CAAC3E,UAAJ,CAAeiT,GAAG,GAAG,CAArB,MAA4BvB,QAAID,EA A4D;AAC1DY,UAAAA,IAAI,GAAG3N,GAAG,CAACkI,OA AJ,CAAY,IAAZ,EA AkBoG,GAAG,GAAG,CAAxB,IAA6B,CAApC;;AAC A,cAAIX,IAAI,KAAK,CAAb,EA AgB;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAG3N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;AACLmT,cAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AAEDhN,UAAAA,OA AO,GAAGvB,GAAG,CAAC00,KAAJ,CAAUJ,GA AV,EA AeX,IAAI,GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGtM,OA AO,CAACE,KAAR,CAAc,IAAd,CAAR;AAC AqM,UAAAA,IAAI,GAAGD,KAAK,CAACzS,MAAN,GAAe,CAAtB;;AAEA,cAAI0S,IAAI,GAAG,CAAX,EA Ac;AACZE,YAAAA,QAAQ,GAAGrH,IAAI,GAAGmH,IAAIB;AACAG,YAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAY1S,MAAhC;AACD,WAHD,MAGO;AACL4S,YAA

AA,QAAQ,GAAGrH,IAAX;AACAsH,YAAAA,UAAU,GAAGjG,MAAb;AACD;;AAEDuF,UAAAA,MAAM,CA
ACvP,IAAP,CAAY,CAAC,SAAD,EAAyUd,OAAZ,EAAqBoF,IAArB,EAA2B2H,GAAG,GAAGtG,MAAjC,EAA
yCgG,QAAzC,EAAmDL,IAAI,GAAGM,UAA1D,CAAZ;AAEAjG,UAAAA,MAAM,GAAGiG,UAAT;AACAtH,
UAAAA,IAAI,GAAGqH,QAAP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2BO;AACLR,UA
AAA,WAAW,CAACwB,SAAZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,CAACpR,IAAZ,C
AAiBiE,GAAjB;;ACA,cAAImN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,YAAAA,IAAI,
GAAG3N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLuS,YAAAA,IAAI,GAAGR,WA
AW,CAACwB,SAAZ,GAAwB,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACvP,IAAP,CAAY,CAAC,MAA
D,EAASgC,GAAG,CAAC0O,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAmChH,IAAnC,EA
AyC2H,GAAG,GAAGtG,MAA/C,EAAuDrB,IAAvD,EAA6DgH,IAAI,GAAG3F,MAApE,CAAZ;AACAsG,UAA
AA,GAAG,GAAGX,IAAN;AACD;;AAED;AAzOJ;;AA4OAW,IAAAA,GAAG;AACJ;;AAED,SAAOf,MAAP;AA
CD;;AC9SD;ACA,AAGA,IAAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAAD,EAAK,EAA
L,CADY;AACF;AACpB5G,EAAAA,MAAM,EAAE,CAAC,EAAD,EAAK,EAAL,CAFc;AAEJ;AACiB,aAAW,C
AAC,EAAD,EAAK,EAAL,CAHW;AAGD;AACrB6G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAAK,EAAL,CAJa;
AAIH;AACnB,OAAK,CAAC,EAAD,EAAK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EAAK,EAAL,C
ANiB;AAMP;AACf,OAAK,CAAC,CAAD,EAAI,EAAJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,EAAI,EAAJ
,CARiB;AAQR;AACd,OAAK,CAAC,CAAD,EAAI,EAAJ,CATiB;AASR;AACd,OAAK,CAAC,CAAD,EAAI,EA
AJ,CAViB;;AAAA,CAAxB;;AAaA,SAASvU,IAAT,CAAcwU,KAAAd,EAAqB;AACnB,mBAAiBA,KAAjB;AACD
;;AAED,SAASC,iBAAT,CAA2BhP,GAA3B,EAAGc;AAC9B,MAAMuN,MAAM,GAAGF,QAAQ,CAAC,IAAI4
B,KAAJ,CAAUjP,GAAV,CAAD,EAAiB;AAAE0N,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;ACA,MA
AMIC,MAAM,GAAG,EAaf;ACA+B,EAAAA,MAAM,CAACtP,OAAP,CAAe,UAAiR,KAAK,EAAI;AACtB,
QAAMH,KAAK,GAAGH,eAAe,CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;ACA,QAAlH,KAAJ,EAAW;
AACTvD,MAAAA,MAAM,CAACxN,IAAP,CACEkR,KAAK,CAAC,CAAD,CAAL,CACGzN,KADH,CACS,OA
DT,EAEG0N,GAFH,CAEO,UAAAhU,CAAC;AAAA,eAAIZ,IAAI,CAACwU,KAAK,CAAC,CAAD,CAAN,CAA
J,GAAiB5T,CAAjB,GAAqBZ,IAAI,CAACwU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAFR,EAGGzQ,IA
HH,CAGQ,IAHR,CADF;AAMD,KAPD,MAOO;AACLkN,MAAAA,MAAM,CAACxN,IAAP,CAAYkR,KAAK,C
AAC,CAAD,CAAjB;AACD;AACF,GAZD;AAaA,SAAO1D,MAAM,CAACIN,IAAP,CAAY,EAAZ,CAAP;AACD
;;AChCD;IA2BM8Q;AACJ;AAQA,0BAAYtD,OAAZ,EAAqBnF,IAArB,EAA2BC,MAA3
B,EAAmCyI,MAAnC,EAA2CC,IAA3C,EAAiDxG,MAAjD,EAAyD;AACvD;AAYA,SAAKnO,IAAL,GA
AY,gBAAZ;ACA;AAMA,SAAK4U,MAAL,GAAczD,OAAAd;AAEA,QAAIwD,IAAJ,EAU;AACR;AA
OA,WAAKA,IAAL,GAAYA,IAAZ;AACD;;AACD,QAAID,MAAJ,EAAy;AACV;AAOA,WAAKA,MAAL,
GAACa,MAAd;AACD;;AACD,QAAIvG,MAAJ,EAAy;AACV;AAMA,WAAKA,MAAL,GAAcA,MAAd;AA
CD;;AACD,QAAI,OAAOnC,IAAP,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAAkE;AChE;
;AAOA,WAAKD,IAAL,GAAYA,IAAZ;ACA;AAOA,WAAKC,MAAL,GAAcA,MAAd;AACD;;AAED,
SAAK4I,UAAAL;AAEA,QAAInR,KAAK,CAACoR,iBAAV,EAA6B;AAC3BpR,MAAAA,KAAK,CAACoR,iBAA
N,CAAwB,IAAxB,EAA8BL,cAA9B;AACD;AACF;;SAEDI,aAAA,sBAAa;AACX;AAOA,SAAK1D,OAAL,
GAAe,KAAKhD,MAAL,GAAiB,KAAKA,MAAtB,UAAmC,EAAID;ACA,SAAKgD,OAAL,IAAgB,KAAkwD,I
AAL,GAAY,KAAKA,IAAjB,GAAwB,aAAxC;;ACA,QAAI,OAAO,KAAK3I,IAAZ,KAAqB,WAAzB,EAASc;A
ACpC,WAAKmF,OAAL,UAAoB,KAAKnF,IAAzB,SAAiC,KAAKC,MAAtC;AACD;;AACD,SAAKkF,OAAL,W
AAqB,KAAKyD,MAA1B;AACD;AAED;SAqBAG,iBAAA,wBAaEX,KAAf,EAASB;AAAA;AAC
pB,QAAI,CAAC,KAAKM,MAAV,EAAkB,OAAO,EAAP;AAEIB,QAAIrP,GAAG,GAAG,KAAKqP,MAAf;AAC
A,QAAI,OAAON,KAAP,KAAiB,WAArB,EAAkCA,KAAK,GAAGY,aAAR;AACIC,QAAIZ,KAAJ,EAAW/O,GA
AG,GAAGgP,iBAAiB,CAACHp,GAAD,CAAvB;AAEX,QAAM6N,KAAK,GAAG7N,GAAG,CAACyB,KAAJ,C
AAU,OAAV,CAAd;ACA,QAAMmO,KAAK,GAAG/U,IAAI,CAACgV,GAAL,CAAS,KAAKIJ,IAAL,GAAY,C
AArB,EAawB,CAAxB,CAAd;ACA,QAAMmJ,GAAG,GAAGjV,IAAI,CAACKv,GAAL,CAAS,KAAKpJ,IAAL
,GAAY,CAArB,EAawBkH,KAAK,CAACzS,MAA9B,CAAZ;AAEA,QAAM4U,QAAQ,GAAGxV,MAAM,CAA
CsV,GAAD,CAAN,CAAY1U,MAA7B;AAEA,WAAOyS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,GADT,
EAEJX,GAFI,CAEA,UAAcXI,IAAD,EAAO3H,KAAP,EAAiB;AACpB,UAAmIR,MAAM,GAAGL,KAAK,GAA

G,CAAR,GAAY5Q,KAA3B;AACa,UAAMkR,MAAM,GAAG,OAAID,MAAJ,EAAavB,KAAb,CAAmB,CAACs
B,QAAPb,CAAF;AACa,UAAMG,MAAM,SAAOD,MAAP,QAaz;;AACa,UAAID,MAAM,KAAK,KAAI,CAAC
tJ,IAAPb,EAA0B;AACxB,YAAMyJ,OAAO,GACXD,MAAM,CAACpV,OAAP,CAAE,KAAf,EAA5B,GAAtB,IA
A6B4L,IAAI,CAAC+H,KAAAL,CAAW,CAAX,EAAC,KAAI,CAAC9H,MAAL,GAAC,CAA5B,EAA+B7L,OAA/B,
CAAuC,QAaVc,EAAiD,GAajD,CAD/B;AAEA,qBAAWoV,MAAX,GAAoBxJ,IAAPb,WAA8ByJ,OAA9B;AAC
D,OAJD,MAIO;AACL,qBAAWD,MAAX,GAAoBxJ,IAAPb;AACD;AACF,KAbI,EAcJrI,IAId,CAcC,IAAd,CAA
P;AAED;AAED;,,,,,,,,;SAUAnC,WAAA,oBAAW;AACT,QAAI5B,IAAI,GAAG,KAAKmV,cAAL,EAAx;;AAC
A,QAAInV,IAAJ,EAAU;AACRA,MAAAA,IAAI,YAAUA,IAAV,OAAJ;AACD;;AACD,WAAU,KAAKI,IAAf,U
AAwB,KAAKmR,OAA7B,GAAuCvR,IAAvC;AACD;,,,wBAEe;AACdsR,MAAAA,QAAQ,CAAC,4DAAD,CAA
R;AACa,aAAO,KAAKyB,KAAZ;AACD;AAED;,,,,,,,,;ACjNF;;AACa;AAEA,IAAM+C,UAAU,GAAG;AA
CjBC,EAAAA,KAAK,EAAE,IADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EAAE,I
AHK;AAIjBC,EAAAA,UAAU,EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAAW,
EAAE,IANI;AAOjBC,EAAAA,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,SA
AS,EAAE,EATM;AAUjBC,EAAAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAy,EAAE;AAXG,CAAnB;;A
AcA,SAASC,UAAT,CAAoB1V,GAAPb,EAAYb;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAA02V,WAA
P,KAAuB3V,GAAG,CAACmT,KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAyC,OAAZ,EAAqB;
AACnB,SAAKA,OAAL,GAaEa,OAaf;AACD;,,,SAEDC,YAAA,mBAAU9O,IAAV,EAAGb+O,SAAhB,EAA2B;
AACzB,SAAK/O,IAAI,CAACgP,IAAV,EAAGbH,IAAhB,EAA5B+O,SAAtB;AACD;;SAEDE,OAAA,cAAKjP,I
AAL,EAAW;AACT,SAAKkP,IAAL,CAAUIP,IAAV;AACa,QAAIA,IAAI,CAACmP,IAAL,CAAUb,KAAAd,EAA
qB,KAAKO,OAAL,CAAa7O,IAAI,CAACmP,IAAL,CAAUb,KAAvB;AACtB;;SAED/B,UAAA,iBAAQvM,IAAR
,EAAc;AACZ,QAAMoP,IAAI,GAAG,KAAKC,GAAL,CAASrP,IAAT,EAAe,MAAf,EAAuB,aAAvB,CAAb;AAC
A,QAAMsP,KAAK,GAAG,KAAKD,GAAL,CAASrP,IAAT,EAAe,OAaf,EAAwB,cAAxB,CAAd;AACa,SAAK6
O,OAAL,QAaKBO,IAAIB,GAAYbP,IAAI,CAACuP,IAA9B,GAAqCD,KAArC,SAAGDtP,IAAhD;AACD;;SAE
DwP,OAAA,cAAKxP,IAAL,EAAW+O,SAAX,EAA5B;AACpB,QAAMU,OAAO,GAAG,KAAKJ,GAAL,CAASrP
,IAAT,EAAe,SAaf,EAA0B,OAA1B,CAAhB;AACa,QAAI0F,MAAM,GAAG1F,IAAI,CAAC0P,IAAL,GAAYD,
OAAZ,GAASb,KAAKE,QAAL,CAAc3P,IAAd,EAAoB,OAAPb,CAAnC;;AAEA,QAAIA,IAAI,CAAC4P,SAAT,
EAAoB;AACIBIK,MAAAA,MAAM,IAAI1F,IAAI,CAACmP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;AAE
D,QAAIb,SAAJ,EAAerJ,MAAM,IAAI,GAAV;AACf,SAAKmJ,OAAL,CAAAnJ,MAAb,EAAqB1F,IAArB;AACD;
;SAEDiC,OAAA,cAAKjC,IAAL,EAAW;AACT,SAAK8D,KAAAL,CAAW9D,IAAX,EAAiB,KAAK2P,QAAL,CA
Ac3P,IAAd,EAAoB,UAAPb,CAAjB;AACD;;SAED6P,SAAA,gBAAO7P,IAAP,EAAa+O,SAAb,EAAwB;AACtB,
QAAI3W,IAAI,SAAO4H,IAAI,CAAC5H,IAAPb;AACa,QAAM0X,MAAM,GAAG9P,IAAI,CAAC8P,MAAL,G
AAc,KAAKH,QAAL,CAAc3P,IAAd,EAAoB,QAAPb,CAAd,GAA8C,EAA7D;;AAEA,QAAI,OAAOA,IAAI,CA
ACmP,IAAL,CAAUY,SAAjB,KAA+B,WAAnc,EAAGD;AAC9C3X,MAAAA,IAAI,IAAI4H,IAAI,CAACmP,IA
AL,CAAUY,SAaIB;AACD,KAFD,MAEO,IAAID,MAAJ,EAAY;AACjB1X,MAAAA,IAAI,IAAI,GAAR;AACD;;
AAED,QAAI4H,IAAI,CAACH,KAAT,EAAGb;AACd,WAAKiE,KAAAL,CAAW9D,IAAX,EAAiB5H,IAAI,GAAG
0X,MAAxB;AACD,KAFD,MAEO;AACL,UAAMvC,GAAG,GAAG,CAACvN,IAAI,CAACmP,IAAL,CAAUM,O
AAV,IAAQb,EAAtB,KAA6BV,SAAS,GAAG,GAAG,GAAS,EAA/C,CAAZ;AACa,WAAKF,OAAL,CAAazW,IA
AI,GAAG0X,MAAP,GAAGbVc,GAA7B,EAAGvN,IAAIC;AACD;AACF;;SAEDkP,OAAA,cAAKIP,IAAL,EAA
W;AACT,QAAIuL,IAAI,GAAGvL,IAAI,CAACH,KAAAL,CAAWHh,MAAX,GAAoB,CAA/B;;AACa,WAAO0S,I
AAI,GAAG,CAAd,EAAiB;AACf,UAAIvL,IAAI,CAACH,KAAAL,CAAW0L,IAAX,EAAiByD,IAAjB,KAA0B,SA
A9B,EAAyC;AACzCzD,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,
CAASrP,IAAT,EAAe,WAAf,CAaIB;;AACa,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGoH,I
AAI,CAACH,KAAAL,CAAWHh,MAA/B,EAAGCD,CAAC,EAAxC,EAA4C;AAC1C,UAAAM6H,KAAK,GAAGT,I
AAI,CAACH,KAAAL,CAAWjH,CAAX,CAAd;AACa,UAAMoX,MAAM,GAAG,KAAKX,GAAL,CAAS5O,KAA
T,EAAgB,QAAhB,CAAF;AACa,UAAIuP,MAAJ,EAAY,KAAKnB,OAAL,CAAamB,MAAb;AACZ,WAAKIB,SA
AL,CAAerO,KAAf,EAA5B8K,IAAI,KAAK3S,CAAT,IAAcMw,SAAPc;AACD;AACF;;SAEDjL,QAAA,eAAm9
D,IAAN,EAAYqN,KAAZ,EAAmB;AACjB,QAAMoC,OAAO,GAAG,KAAKJ,GAAL,CAASrP,IAAT,EAAe,SA
Af,EAA0B,YAA1B,CAAhB;AACa,SAAK6O,OAAL,CAAGbxB,KAAK,GAAGoC,OAAXB,QAAoCzP,IAAPc,EA

A0C,OAA1C;AAEA,QAAIsO,KAAJ;;ACA,QAAItO,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAA
WhH,MAA7B,EAAqC;AACnC,WAAKqW,IAAL,CAAUIP,IAAV;AACAsO,MAAAA,KAAK,GAAG,KAAKe,G
AAL,CAASrP,IAAT,EAAe,OAAf,CAAR;AACD,KAHD,MAGO;AAcLsO,MAAAA,KAAK,GAAG,KAAKe,GA
AL,CAASrP,IAAT,EAAe,OAAf,EAAwB,WAAxB,CAAR;AACD;;AAED,QAAIsO,KAAJ,EAAW,KAAKO,OAA
L,CAAaP,KAAb;AACX,SAAKO,OAAAL,CAAa,GAAb,EAAkB7O,IAAIB,EAAwB,KAAxB;AACD;;SAEDqP,MA
AA,aAAIrP,IAAJ,EAAUqG,GAAV,EAAeC,MAAf,EAAuB;AACrB,QAAInI,KAAJ;ACA,QAAI,CAACmI,MAA
L,EAAaA,MAAM,GAAGD,GAAT,CAFQ;;AAKrB,QAAIA,GAAJ,EAAS;AACPII,MAAAA,KAAK,GAAG/H,IA
AI,CAACmP,IAAL,CAAUc,GAAV,CAAR;ACA,UAAI,OAAOI,KAAP,KAAiB,WAArB,EAAkC,OAAOA,KA
AP;AACnC;;AAED,QAAMjH,MAAM,GAAGd,IAAI,CAACc,MAApB,CAVqB;;AAArB,QAAIoP,MAAM,KAAK
,QAAf,EAAyB;AACvB,UAAI,CAACpP,MAAD,IAAYA,MAAM,CAACkO,IAAP,KAAgB,MAAhB,IAA0BIO,M
AAM,CAACqP,KAAP,KAAiBnQ,IAA3D,EAAkE;AAChE,eAAO,EAAP;AACD;AACF,KAjBoB;;;AAoBrB,QAA
I,CAACc,MAAL,EAAa,OAAOgN,UAAU,CAACoC,MAAD,CAAjB,CAPBQ;;AAuBrB,QAAMjB,IAAI,GAAGjP,
IAAI,CAACiP,IAAL,EAAb;ACA,QAAI,CAACA,IAAI,CAACmB,QAaV,EAAoBnB,IAAI,CAACmB,QAAL,G
AAgB,EAAhB;;AACpB,QAAI,OAAOnB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAAkD
;AAChD,aAAOjB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAIA,MAAM,KAAK,QAAX,
IAAuBA,MAAM,KAAK,OAAtC,EAA+C;AAC7C,aAAO,KAAKG,WAAAL,CAAiBrQ,IAAjB,EAAuBkQ,MAAvB,
CAAP;AACD,KAFD,MAEO;AAcL,UAAAMI,MAAM,WAA5B,UAAU,CAACwB,MAAD,CAA/B;;ACA,UAAI
,KAAKI,MAAL,CAAJ,EAAkB;AAChvI,QAAAA,KAAK,GAAG,KAAKuI,MAAL,EAAarB,IAAb,EAAMbJP,IA
AnB,CAAR;AACD,OAFD,MAEO;AAcLiP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AAC
bmP,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOc,GAAP,CAAR;ACA,cAAI,OAAOI,KAAP,KA
AiB,WAArB,EAAkC,OAAO,KAAP;AACnC,SAHD;AAID;AACF;;AAED,QAAI,OAAOA,KAAP,KAAiB,WAAr
B,EAAkCA,KAAK,GAAG+F,UAAU,CAACoC,MAAD,CAAIB;AAEICjB,IAAAA,IAAI,CAACmB,QAAL,CAAc
F,MAAd,IAAwBnI,KAAxB;ACA,WAAOA,KAAP;AACD;;SAEDyI,eAAA,sBAAavB,IAAb,EAAMb;AACjB,Q
AAIIIH,KAAJ;AACAKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CA
ACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC2S,IAAF,CAAOyD,IA
AP,KAAgB,MAAjD,EAAyD;AACvDjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAoj,SAAf;AAC
A,YAAI,OAAOhH,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAA
P;AACD;;SAED0I,eAAA,sBAAaxB,IAAb,EAAMb;AACjB,QAAIIIH,KAAJ;AACAKH,IAAAA,IAAI,CAACsB,IA
AL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CA
AQhH,MAAR,KAAmB,CAAIC,EAAqC;AACnCkP,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOb,
KAAf;ACA,YAAI,OAAOvG,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,W
AAOA,KAAP;AACD;;SAED2I,YAAA,mBAAUzB,IAAV,EAAgB;AACd,QAAIA,IAAI,CAACE,IAAL,CAAUnB,
MAAd,EAA5B,OAAOiB,IAAI,CAACE,IAAL,CAAUnB,MAAjB;AACTB,QAAIjG,KAAJ;AACAKH,IAAAA,IAAI
,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAI;AACb,UAAm+X,CAAC,GAAG/X,CAAC,CAACKI,MAAZ;;AA
CA,UAAI6P,CAAC,IAAIA,CAAC,KAAK1B,IAAX,IAAmB0B,CAAC,CAAC7P,MAArB,IAA+B6P,CAAC,CAA
C7P,MAAF,KAAamO,IAAhD,EAA5D;AACpD,YAAI,OAAOrW,CAAC,CAACuW,IAAF,CAAoa,MAAd,KAAy
B,WAA7B,EAA0C;AACxC,cAAMIQ,KAAK,GAAG1G,CAAC,CAACuW,IAAF,CAAoa,MAAP,CAAc9Q,KAA
d,CAAoB,IAApB,CAAd;ACA6I,UAAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GAAe,C
AAhB,CAAb;AACAKP,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EAAwB,EAAxB,CAAR
;ACA,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED6I,mBAAA,0BAAi
B3B,IAAjB,EAAuBjP,IAAvB,EAA6B;AAC3B,QAAI+H,KAAJ;AACAKH,IAAAA,IAAI,CAAC4B,YAAL,CAAk
B,UAAajY,CAAC,EAAI;AACrB,UAAI,OAAOA,CAAC,CAACuW,IAAF,CAAoa,MAAd,KAAyB,WAA7B,EA
A0C;AACxCjI,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAoa,MAAf;;ACA,YAAIjI,KAAK,CAAC
pC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,
OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,
OAAOuP,KAAP,KAAiB,WAArB,EAAkC;AAChCA,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,E
AAe,IAAf,EAAqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAED+I,gBAAA,uBAAC7B,IAAd,
EAAoBjP,IAApB,EAA0B;AACxB,QAAI+H,KAAJ;AACAKH,IAAAA,IAAI,CAAC8B,SAAL,CAAe,UAAAnY,C

AAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxCjI, QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACA,YAAIjI,KAAK,CAACpC,OAAN,CA Ac,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc, SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAA P,KAAiB,WAArB,EAakC;AACChCA,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAA qB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAEDiJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB, QAAlIH,KAAJ;AACAKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAl;AACb,UAAIA,CAAC,C AACiH,KAAF,KAAyJH,CAAC,CAACKI,MAAF,KAAAmO,IAAb,IAAqBA,IAAI,CAACKb,KAAL,KAAevX,CA AhD,CAAJ,EAAwD;AACtD,YAAI,OAAOA,CAAC,CAACuW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C; AACxCjI,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOa,MAAf;;AACA,cAAIjI,KAAK,CAACpC,O AAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WA AOuP,KAAP;AACD;;SAEDkJ,iBAAA,wBAAehC,IAAf,EAAqB;AACnB,QAAlIH,KAAJ;AACAKH,IAAAA,IAA I,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAl;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAAC iH,KAAF,CAAQhH,MAAR,GAaiB,CAAhC,EAAMC;AACjC,YAAI,OAAOD,CAAC,CAACuW,IAAF,CAAOB,K AAd,KAAwB,WAA5B,EAAYC;AACvCvG,UAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOB,KAAf;;A ACA,cAAIvG,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAA K,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD; AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDmJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAA IIH,KAAJ;AACAKH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA3X,CAAC,EAAl;AACb,UAAIA,CAAC,CAAC oW,IAAF,KAAW,MAAf,EAAuB;AACrBjH,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAaf; AACA,YAAI,OAAO1H,KAAP,KAAiB,WAArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA, KAAP;AACD;;SAEDoJ,WAAA,kBAASIC,IAAT,EAAe;AACb,QAAlIH,KAAJ;AACAKH,IAAAA,IAAI,CAAC8 B,SAAL,CAAe,UAAAnY,CAAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACuW,IAAF,CAAOM,OAAd,KAA0 B,WAA9B,EAA2C;AACzC1H,QAAAA,KAAK,GAAGnP,CAAC,CAACuW,IAAF,CAAOM,OAAP,CAAejX,OA Af,CAAuB,SAAvB,EAakC,EAAlC,CAAR;AACA,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP; AACD;;SAEDsI,cAAA,qBAAYrQ,IAAZ,EAakBkQ,MAAIb,EAA0B;AACxB,QAAlnI,KAAJ;;AACA,QAAI/H,I AAI,CAACgP,IAAL,KAAc,MAAIb,EAA0B;AACxBjH,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAA T,EAAe,IAAf,EAAqB,YAArB,CAAR;AACD,KAFD,MAEO,IAAIA,IAAI,CAACgP,IAAL,KAAc,SAAIb,EAA6B ;AACICjH,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,eAArB,CAAR;AACD, KAFM,MAEA,IAAIkQ,MAAM,KAAK,QAAf,EAAyB;AAC9BnI,MAAAA,KAAK,GAAG,KAAKsH,GAAL,CA ASrP,IAAT,EAAe,IAAf,EAAqB,aAArB,CAAR;AACD;;AAED,QAAIoR,GAAG,GAAGpR,IAAI, CAACc,MAAf;AACA,QAAIyD,KAAK,GAAG,CAAZ;;AACA,WAAO6M,GAAG,IAAIA,GAAG,CAACpC,IAAJ ,KAAa,MAA3B,EAAmC;AACjCzK,MAAAA,KAAK,IAAI,CAAT;AACa6M,MAAAA,GAAG,GAAGA,GAAG, CAACtQ,MAAV;AACD;;AAED,QAAIiH,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAG C;AAC9B,UAAmqI,MAAM,GAAG,KAAKqB,GAAL,CAASrP,IAAT,EAAe,IAAf,EAAqB,QAArB,CAAf;;AAC A,UAAIgO,MAAM,CAACnV,MAAX,EAAmB;AACjB,aAAK,IAAIwY,IAAI,GAAG,CAAhB,EAAmBA,IAAI,G AAG9M,KAA1B,EAAiC8M,IAAI,EAArC;AAAYCtJ,UAAAA,KAAK,IAAIiG,MAAT;AAAZC;AACD;AACF;;A AED,WAAOjG,KAAP;AACD;;SAED4H,WAAA,kBAAS3P,IAAT,EAAe0P,IAAf,EAAqB;AACnB,QAAM3H,KAA K,GAAG/H,IAAI,CAAC0P,IAAD,CAAIB;AACA,QAAML,GAAG,GAAGrP,IAAI,CAACmP,IAAL,CAAUO,IA AV,CAAZ;;AACA,QAAIL,GAAG,IAAIA,GAAG,CAACiH,KAAJ,KAAcA,KAAzB,EAAGC;AAC9B,aAAOsH,G AAG,CAACA,GAAX;AACD,KAFD,MAEO;AACL,aAAOtH,KAAP;AACD;AACF;;;AChUH;AACA,AAEe,SA AS+G,SAAT,CAAmB9O,IAAnB,EAAYB6O,OAazB,EAakC;AAC/C,MAAM7V,GAAG,GAAG,IAAI4V,WAAJ, CAAGBC,OAAhB,CAAZ;AACa7V,EAAAA,GAAG,CAAC8V,SAAJ,CAAc9O,IAAd;AACD;;ACAD;;;AAMA; ;;;;AAOA,IAAMsR,SAAS,GAAG,SAAZA,SAAY,CAASjJ,GAAT,EAAcvH,MAAd,EAAsB;AACtC,MAAMyQ, MAAM,GAAG,IAAIJ,GAAG,CAACmJ,WAAR,EAAf;;AAEA,OAAK,IAAM5Y,CAAX,IAAGByP,GAAhB,EAA qB;AACnB,QAAL,CAACA,GAAG,CAACG,cAAJ,CAAmB5P,CAAnB,CAAL,EAA4B;AAC5B,QAAImP,KAAK,

GAAGM,GAAG,CAACzP,CAAD,CAAf;AACa,QAAMoW,IAAI,GAAG,OAAOjH,KAApB;;AAEA,QAAInP,CAAC,KAak,QAAN,IAAkBoW,IAAI,KAak,QAAB,EAAYC;AACvC,UAAIIO,MAAJ,EAAYyQ,MAAM,CAAC3Y,CAAD,CAAN,GAAYki,MAAZ;AACb,KAFD,MAEO,IAAIII,CAAC,KAak,QAaV,EAaOb;AACzB2Y,MAAA,MAAM,CAAC3Y,CAAD,CAAN,GAAYmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAak,YAAyU,KAArB,EA4B;AACjC8I,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAAYmP,KAak,CAAC6E,GAAN,CAAU,UAAA6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CAAD,EAaIF,MAAJ,CAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MAEA,IAAI3Y,CAAC,KAak,QAAN,IAAkBA,CAAC,KAak,OAxB,IAAmCA,CAAC,KAak,SAaZC,IAAsDA,CAAC,KAak,WAAhE,EAa6E;AACIF,UAAIoW,IAAI,KAak,QAAT,IAAqBjH,KAak,KAak,IAAnC,EAAYCA,KAAK,GAAGuJ,SAAS,CAACvJ,KAAD,CAAjB;AACzCwJ,MAAAA,MAAM,CAAC3Y,CAAD,CAAN,GAAYmP,KAAZ;AACD;AACF;;AAED,SAAOwJ,MAAP;AACD,CARBD;AAuBA;;;;;IAKMG;AACJ;;;AAGA,gBAAYC,QAAY,EAa2B;AAAA,QAafA,QAae;AAafA,MAAAA,QAae,GAaJ,EAaI;AAAA;;AACzB,SAAKxC,IAAL,GAAY,EAaZ;;;AACa,SAAK,IAAM/W,IAAX,IAAmBuZ,QAAnB,EAa6B;AAC3B,WAAKvZ,IAAL,IAAuZ,QAaQ,CAACvZ,IAAD,CAArB;AACD;AACF;AAED;;;;;SagCA8T,QAAA,eAAM3C,OAAN,EAaeqI,IAAf,EAa0B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAaJ,EAaI;AAAA;;AACxB,QAaI,KAak9E,MAAT,EAaiB;AACf,UAAmf,GAAG,GAAG,KAak8F,UaAL,CAAgBD,IAAhB,CAAZ;AACa,aAAO,KAAK9E,MAAL,CAAY/B,KAAZ,CAAKBmB,KAAIB,CAAwB3C,OAxB,EAaiCwC,GAAG,CAAC3H,IAArC,EAa2C2H,GAAG,CAAC1H,MAA/C,EAADuN,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAAmBtD,OAAnB,CAAP;AACD;AACF;AAED;;;;;SAyBAH,OAAA,cAAKH,MAAL,EAaasG,IAAb,EAAMbqC,IAAnB,EAAYB;AACvB,QAAME,IAAI,GAAG;AAAE9R,MAAAA,IAAI,EAaE;AAAR,KAAb;;AACA,SAAK,IAAMpH,CAAX,IAAgBgZ,IAAhB;AAAsBE,MAAAA,IAAI,CAACIZ,CAAD,CAAJ,GAaUgZ,IAAI,CAACHZ,CAAD,CAAd;AAAtB;;;AACa,WAAOqQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAakBuC,IAAIB,CAAP;AACD;AAED;;;;;SAWAC,SAAA,kBAAS;AACp,QAaI,KAakjR,MAAT,EAaiB;AACf,WAAKA,MAAL,CAAYX,WAAZ,CAAwB,IAAxB;AACD;;;AACD,SAAKW,MAAL,GAaCcl,SAAd;AACa,WAAO,IAAP;AACD;AAED;;;;;SAWAhF,WAAA,kBAASoY,WAAT,EAaKc;AAAA,QAazBA,WAAYB;AAAZBA,MAAAA,WAAYB,GAAXID,SAAW;AAAA;;;AACHC,QAaIkD,WAAW,CAACID,SAAhB,EAa2BkD,WAAW,GAAGA,WAAW,CAACID,SAAIB;AAC3B,QAaI7F,MAAM,GAAG,EAAb;AACa+I,IAAAA,WAAW,CAAC,IAAD,EAaO,UAAApZ,CAAC,EAaI;AACrBqQ,MAAAA,MAAM,IAAIrQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOqQ,MAAP;AACD;AAED;;;;;SagBAGJ,QAAA,eAAMC,SAAN,EAAsB;AAAA,QAaHBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAaJ,EAaI;AAAA;;;AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;;AACa,SAAK,IAAMIZ,IAAX,IAAmB8Z,SAAnB,EAa8B;AAC5BX,MAAAA,MAAM,CAACnZ,IAAD,CAAN,GAaE8Z,SAAAS,CAAC9Z,IAAD,CAAxB;AACD;;;AACD,WAAOmZ,MAAP;AACD;AAED;;;;;SAWAY,cAAA,qBAAYD,SAAZ,EAa4B;AAAA,QAaHBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAaJ,EAaI;AAAA;;;AACIB,QAAMX,MAAM,GAAG,KAaku,KAAL,CAAWC,SAAX,CAAf;AACa,SAAKpR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,EAa+BmQ,MAA/B;AACa,WAAOA,MAAP;AACD;AAED;;;;;SAQAa,aAAA,oBAAWF,SAAX,EAa2B;AAAA,QAaHBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAaJ,EAaI;AAAA;;;AACzB,QAAMX,MAAM,GAAG,KAaku,KAAL,CAAWC,SAAX,CAAf;AACa,SAAKpR,MAAL,CAAYuR,WAAZ,CAAwB,IAAxB,EAa8Bd,MAA9B;AACa,WAAOA,MAAP;AACD;AAED;;;;;SAYaE,cAAA,uBAAsB;AAAA;;;AACpB,QAaI,KAakxR,MAAT,EAaiB;AAAA,wCADJb,KACI;AADJA,QAAAA,KACI;AAAA;;;AACfA,MAAAA,KAak,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAaI;AACpB,QAAA,KAaI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAazB,EAa+BpB,IAA/B;AACD,OAFD;AAIA,WAAK+R,MAAL;AACD;;;AAED,WAAO,IAAP;AACD;AAED;;;;;SAiBAQ,SAAA,gBAAOC,SAAP,EAakB;AACHB,SAAKC,SAAL,CAAE,KAakxD,IAAL,OAAGBuD,SAAS,CAACvD,IAAV,EAa/B;AACa,SAAK8C,MAAL;AACAS,IAAAA,SAAS,CAACE,MAAV,CAaiB,IAAjB;AACa,WAAO,IAAP;AACD;AAED;;;;;SAWAC,aAAA,oBAAWC,SAAX,EAAsB;AACpB,SAAKH,SAAL,CAAE,KAakxD,IAAL,OAAGB2D,SAAS,CAAC3D,IAAV,EAa/B;AACa,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC9R,MAAV,CAaiBM,YAAjB,CAA8BwR,SAA9B,EAAYC,IAAZC;AACa,WAAO,IAAP;AACD;AAED;;;;;SAWAC,YAAA,mBAAUD,SAAV,EAaqB;AACnB,SAAKH,SAAL,CAAE,KAakxD,IAAL,OAAGB2D,SAAS,CAAC3D,IAAV,EAa/B;AACa,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC9R,MAAV,CAaiBuR,WAAjB,CAA6BO,SAA7B,EAawC,IAAxC;AACa,WAAO,IAAP;AACD;AAED;;;;;SACaXH,OAAA,gBAAO;AACL,QAa

M3O,KAAK,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;AACa,WAAO,KAAKqE,MAAL,CAAYjB,KAAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;AAED;,,,,,,,,,,,,;SAYaOP,OAAA,gBAAO;AA CL,QAAMpP,KAAK,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;AACa,WAAO,KAAKqE,MAAL,CAAYjB,KAAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;;SAEDqW,SAAA,kBAAS;AACp,QA AMC,KAAK,GAAG,EAAAd;;AAEA,SAAK,IAAM3a,IAAX,IAAmB,IAAnB,EAAyB;AACvB,UAAI,CAAC,KAA KoQ,cAAL,CAAoBpQ,IAApB,CAAL,EAAgC;AACChC,UAAIA,IAAI,KAAK,QAAb,EAAuB;AACvB,UAAAM2P, KAAK,GAAG,KAAK3P,IAAL,CAAd;;AAEA,UAAI2P,KAAK,YAAyU,KAArB,EAA4B;AAC1BsK,QAAAA,K AAK,CAAC3a,IAAD,CAAL,GAAc2P,KAAK,CAAC6E,GAAN,CAAU,UAAAhU,CAAC,EAAI;AAC3B,cAAI,O AAOA,CAAP,KAAa,QAAb,IAAyBA,CAAC,CAACka,MAA/B,EAAuC;AACrC,mBAAOla,CAAC,CAACka,MA AF,EAAP;AACD,WAFD,MAEO;AACL,mBAAOla,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IA AI,OAAOmP,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,CAAC+K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CA AC3a,IAAD,CAAL,GAAc2P,KAAK,CAAC+K,MAAN,EAAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,C AAC3a,IAAD,CAAL,GAAc2P,KAAd;AACD;AACF;;AAED,WAAOgL,KAAP;AACD;AAED;,,,,,,,,,,,,;SAkB AID,MAAA,aAAIK,IAAJ,EAAUsD,WAAV,EAAuB;AACrB,QAAMha,GAAG,GAAG,IAAI4V,WAAJ,EAAZ;A ACA,WAAO5V,GAAG,CAACqW,GAAJ,CAAQ,IAAR,EAAcK,IAAd,EAAoBsD,WAApB,CAAP;AACD;AAED; ;,,,,,,,,;SAQA/D,OAAA,gBAAO;AACL,QAAlhG,MAAM,GAAG,IAAb;;AACa,WAAOA,MAAM,CAACnI,MAA d;AAAsBmI,MAAAA,MAAM,GAAGA,MAAM,CAACnI,MAAhB;AAAtB;;AACa,WAAOmI,MAAP;AACD;;S AEDwJ,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACa,WAAO,KA AKb,IAAL,CAAUb,KAAjB;AACa,QAAI,CAAC2E,WAAAL,EAAkB,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;A ACnB;;SAEDyD,iBAAA,wBAEzW,KAAf,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAAf;A ACA,QAAIyK,MAAM,GAAG,KAAKyI,MAAL,CAAYO,KAAZ,CAAKBhJ,MAA/B;AACa,QAAID,IAAI,GAAG ,KAAK0I,MAAL,CAAYO,KAAZ,CAAKBjJ,IAA7B;;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAgBA,CAA C,GAAG6D,KAApB,EAA2B7D,CAAC,EAA5B,EAAgC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KA Ac,IAAIB,EAAwB;AACtByL,QAAAA,MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAH D,MAGO;AACLC,QAAAA,MAAM,IAAI,CAAV;AACD;AACF;;AAED,WAAO;AAAED,MAAAA,IAAI,EAAJA ,IAAF;AAAQC,MAAAA,MAAM,EAAANA;AAAR,KAAP;AACD;;SAEDwN,aAAA,oBAAWD,IAAX,EAAiB;AA Cf,QAAI7F,GAAG,GAAG,KAAKe,MAAL,CAAYO,KAAAtB;;AACa,QAAIuE,IAAI,CAACnV,KAAT,EAAgB;A ACdsP,MAAAA,GAAG,GAAG,KAAKmH,cAAL,CAAoBtB,IAAI,CAACnV,KAAzB,CAAN;AACD,KAFD,MAE O,IAAIImV,IAAI,CAACuB,IAAT,EAAe;AACpB,UAAAM1W,KAAK,GAAG,KAAK7C,QAAL,GAAGb+L,OAAhB ,CAAwBiM,IAAI,CAACuB,IAA7B,CAAd;AACa,UAAI1W,KAAK,KAAK,CAAC,CAAf,EAAkBsP,GAAG,GA AG,KAAKmH,cAAL,CAAoBzW,KAApB,CAAN;AACnB;;AACD,WAAOsP,GAAP;AACD;;SAEDqH,aAAA,sB AAa;AACX9J,IAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAO,KAAKyI,MAAL,EAAP;AACD;;SAEDvZ, UAAA,iBAAQqH,KAAR,EAAe;AACbyJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACa,WAAO,KAAKgJ,WAA L,CAAiBzS,KAAjB,CAAP;AACD;;SAEDR,QAAA,eAAM4Q,GAAN,EAAWC,MAAX,EAAmB;AACjB5G,IAA AA,QAAQ,CAAC,4CAAD,CAAR;AACa,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAAcC,MAAd,CAAP;AAC D;;SAEDmD,cAAA,qBAAyJ,WAAZ,EAAyB;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACa,WAAO, KAAKmJ,SAAL,CAAeQ,WAAf,CAAP;AACD;;;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AA CA,aAAO,KAAK6F,IAAL,CAAUa,MAAjB;AACD;sBAEUuL,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD ,CAAR;AACa,WAAK6F,IAAL,CAAUa,MAAV,GAAMBsD,GAAnB;AACD;;;wBAEa;AACZhK,MAAAA,QAA Q,CAAC,mDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK, MAAAA,QAAQ,CAAC,mDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUM,OAAV,GAAoB6D,GAAP;AACD;A AED;,,,,,,,,;AAUA;,,,,,,,,;AAQA;,,,,,,,,;AAqCA;,,,,,,,,;ACphBF;,,,,,,,,;IAW MC;AACJ,uBAAy5B,QAAZ,EAAsB;AAAA;;AACpB,6BAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,MAA Z;AAFoB;AAGrB;wBAEY;AACX1F,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,C AAUpH,KAAjB;AACD;sBAEUuL,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAK6F,I AAL,CAAUpH,KAAV,GAakBuL,GAAIB;AACD;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR; AACa,aAAO,KAAK6F,IAAL,CAAUS,SAAjB;AACD;sBAEc0D,KAAK;AACIBhK,MAAAA,QAAQ,CAAC,yD AAD,CAAR;AACa,WAAK6F,IAAL,CAAUS,SAAV,GAAsB0D,GAAtB;AACD;AAED;,,,,,,,,;AAUA;,,,,,,,,;AA

UA,,,,,;AAWA,,,,,;EAzDwB5B;;ACX1B,,,,,;IAQM8B;;AACJ,mBAAY7B,QAAZ,EAA5B;A
AAA;;AACpB,6BAAMA,QAAN;AACa,UAak3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;;;wBAEU;AACT1F,M
AAAA,QAAQ,CAAC,oDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;
AACZhK,MAAAA,QAAQ,CAAC,oDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUC,IAAV,GAaiBkE,GAajB;A
ACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUG,KAA
jB;AACD;sBAESgE,KAAK;AACbhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUG,
KAAV,GAakBgE,GAaiB;AACD;AAED,,,,;AKA,,,,,;EA/BoB5B;;ACZtB;AACa;IAOqB+B;AACnB,kB
AAY1I,KAAZ,EAAMb;AACjB,SAAKA,KAAAL,GAaaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AACa,
SAAKkD,IAAL,GAAY,IAAIyE,IAAJ,EAaz;AACa,SAAKC,OAAL,GAae,KAAK1E,IAApB;AACa,SAAK2E,
MAAL,GAac,EAAd;AACa,SAAK7E,SAAL,GAaiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAMb;
AAAE/B,MAAAA,KAAK,EAALA,KAAf;AAASc,MAAAA,KAAK,EAAE;AAAEjJ,QAAAA,IAAI,EAAE,CA
AR;AAAWC,QAAAA,MAAM,EAAE;AAAnB;AAAhB,KAAAnB;AACD;;;SAEDyG,WAAA,sBAAW;AACT,SA
AKE,MAAL,GAac6I,QAAS,CAAC,KAAK9I,KAAAN,CAAvB;AACD;;SAED+I,OAAA,gBAAO;AACL,QAAInH,
KAAJ;;AACa,WAAO,KAAKZ,GAAL,GAAW,KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,
KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAajB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;A
ACE,aAAK,OAAL;AACa,aAAK,GAAL;AAce,eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACa;
;AAEF,aAAK,GAAL;AAce,eAAKY,GAAL,CAASZ,KAAT;AACa;;AAEF,aAAK,SAAL;AAce,eAAKJ,OAAL,
CAAaI,KAAb;AACa;;AAEF,aAAK,SAAL;AAce,eAAKkD,MAAL,CAAYID,KAAZ;AACa;;AAEF,aAAK,GA
L;AAce,eAAKoh,SAAL,CAAepH,KAAf;AACa;;AAEF;AAce,eAAKqH,KAAAL;AACa;AAxBJ;;AA2BA,WAA
KjI,GAAL,IAAY,CAAZ;AACD;;AACD,SAAKkI,OAAL;AACD;;SAED1H,UAAA,iBAAQI,KAAAR,EAae;AACb,
QAAM3M,IAAI,GAAG,IAAIwT,OAaj,EAAb;AACa,SAAKU,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,
CAAD,CAArB,EAa0BA,KAAK,CAAC,CAAD,CAA/B;AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GA
AZ,GAakB;AAAEEnJ,MAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAb;AAAKbTi,MAAAA,MAAM,EAAEsI,
KAAK,CAAC,CAAD;AAA/B,KAAIB;AAEA,QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,K
AAT,CAAe,CAAf,EAakB,CAAC,CAAnB,CAAb;;AACa,QAAl,QAAQ3S,IAAR,CAAa+V,IAAb,CAAJ,EAawB
;AACTbVp,MAAAA,IAAI,CAACuP,IAAL,GAAY,EAaz;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IA
AV,GAaiBG,IAAjB;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,GAakB,EAaiB;AACD,KAJD,
MAIO;AACL,UAAAM5P,KAAK,GAAG6P,IAAI,CAAC7P,KAAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAA
I,CAACuP,IAAL,GAAY7P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IA
AV,GAaiBIP,KAAK,CAAC,CAAD,CAA/B;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAV,GAakB
5P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAEDqU,YAAA,mBAAUpH,KAAV,EAaiB;AACf,QAAM3M,
IAAI,GAAG,IAAIImU,IAAJ,EAAb;AACa,SAAKD,IAAL,CAAUIU,IAAV,EAAGb2M,KAAK,CAAC,CAAD,CA
ArB,EAa0BA,KAAK,CAAC,CAAD,CAA/B;AACa3M,IAAAA,IAAI,CAACjB,QAAL,GAAGb,EAahB;AACai
B,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAaV,GAaoB,EAAPB;AACa,SAAKkE,OAAL,GAae3T,IAAf;AAC
D;;SAEDgU,QAAA,iBAAQ;AACN,QAaIrH,KAAJ;AACa,QAaIY,GAAG,GAAG,KAAV;AACa,QAaIyB,IAAI
,GAAG,IAAX;AACa,QAaIjB,KAAK,GAAG,KAAZ;AACa,QAaIqG,OAaO,GAAG,IAAd;AACa,QAAM9H,Q
AAQ,GAAG,EAajB;AAEA,QAAMe,KAAK,GAAG,KAAKtB,GAAnB;;AACa,WAAO,KAAKA,GAAL,GAAW,
KAAKf,MAAL,CAAYnS,MAA9B,EAAsC;AACpC8T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe
,GAajB,CAAR;AACaiD,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,
GAAT,IAAGbA,IAAI,KAAK,GAa7B,EAakC;AAChC,YAAI,CAACoF,OAAL,EAacA,OAaO,GAAGzH,KAAV
;AACdL,QAAAA,QAAQ,CAAC7Q,IAAT,CAAcuT,IAAI,KAAK,GAAT,GAae,GAaf,GAaqB,GAAnC;AACD,O
AHD,MAGO,IAAIIC,QAAQ,CAACzT,MAAT,KAAoB,CAAxB,EAa2B;AAChC,YAAImW,IAAI,KAAK,GAAb,
EAakB;AAChB,cAAIjB,KAAJ,EAaw;AACT,iBAAKyB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CA
AkBkB,KAAIB,EAayB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,WAHD,MAGO;AACL;AACD;
AACF,SAPD,MAOO,IAAIiD,IAAI,KAAK,GAAb,EAakB;AACvB,eAAK/M,IAAL,CAAU,KAAK+I,MAAL,CA
AYmB,KAAZ,CAAKbKb,KAAIB,EAayB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,SAHM,MAG
A,IAAIiD,IAAI,KAAK,GAAb,EAakB;AACvB,eAAKjD,GAAL,IAAY,CAAZ;AACawB,UAAAA,GAAG,GAAG
,IAAN;AACa;AACD,SAJM,MAIA,IAAIyB,IAAI,KAAK,GAAb,EAakB;AACvBjB,UAAAA,KAAK,GAAG,IAA

R;AACD;AACF,OAIBM,MAkBA,IAAIb,IAAI,KAAK1C,QAAQ,CAACA,QAAQ,CAACzT,MAAT,GAakB,CAAnB,CAArB,EAA4C;AACjDyT,QAAAA,QAAQ,CAAC+H,GAAT;AACa,YAAI/H,QAAQ,CAACzT,MAAT,KA AoB,CAAxB,EAA2Bub,OOAO,GAAG,IAAV;AAC5B;;AAED,WAAKrI,GAAL,IAAY,CAAZ;AACD;;AACD,QA AI,KAAKA,GAAL,KAAa,KAAKf,MAAL,CAAYnS,MAA7B,EAAqC;AACnC,WAAKkT,GAAL,IAAY,CAAZ;A ACAwB,MAAAA,GAAG,GAAG,IAAN;AACD;;AAED,QAAIjB,QAAQ,CAACzT,MAAT,GAakB,CAAtB,EAAy B,KAAKyb,eAAL,CAAqBF,OAARb;;AAEzB,QAAI7G,GAAG,IAAIQ,KAAK,EAakB;AACbB,aAAO,KAAKhC, GAAL,GAAWsB,KAAIB,EAAyB;AACvBV,QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB, EAAsB,CAAtB,CAAR;AACa,YAAIY,KAAK,KAAK,OAaV,IAAqBA,KAAK,KAAK,SAAnC,EAA8C;AAC9C,a AAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAK BkB,KAAIB,EAAyB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD;;AAED,SAAKwI,WAAL,CAAiBl H,KAAjB;AACD;;SAEDpL,OAAA,cAAK+I,MAAL,EAAa;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QA AMrU,IAAI,GAAG,IAAIImU,IAAJ,EAAb;AACa,SAAKD,IAAL,CAAUIU,IAAV,EAAGBgL,MAAM,CAAC,CA AD,CAAN,CAAU,CAAV,CAAhB,EAA8BA,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEAhL,IA AAA,IAAI,CAACmP,IAAL,CAAUM,OAaV,GAaOB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAA KqE,GAAL,CAASrP,IAAT,EAAe,UAAf,EAA2BgL,MAA3B;AACa,SAAK2I,OAAL,GAaE3T,IAAf;AACD;;SA EDwP,OAAA,cAAKxE,MAAL,EAAa;AACX,QAAMhL,IAAI,GAAG,IAAIuT,WAAJ,EAAb;AACa,SAAKW,IA AL,CAAUIU,IAAV;AAEA,QAAMuL,IAAI,GAAGP,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGB,CAAjB, CAAnB;;AACa,QAAI0S,IAAI,CAAC,CAAD,CAAJ,KAAy,GAAhB,EAAqB;AACnB,WAAKwD,SAAL,GAaIB, IAAjB;AACa/D,MAAAA,MAAM,CAACqJ,GAAP;AACD;;AACD,QAAI9I,IAAI,CAAC,CAAD,CAAR,EAAa;A ACXvL,MAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAakB;AAAEEnJ,QAAAA,IAAI,EAAEmH,IAAI,CAA C,CAAD,CAAZ;AAAiBIH,QAAAA,MAAM,EAAEKH,IAAI,CAAC,CAAD;AAA7B,OAaIB;AACD,KAFD,MAE O;AACLvL,MAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAakB;AAAEEnJ,QAAAA,IAAI,EAAEmH,IAAI, CAAC,CAAD,CAAZ;AAAiBIH,QAAAA,MAAM,EAAEKH,IAAI,CAAC,CAAD;AAA7B,OAaIB;AACD;;AAED ,WAAOP,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,MAAiB,MAAxB,EAAgC;AAC9BhL,MAAAA,IAAI,CA ACmP,IAAL,CAAUa,MAAV,IAAoBhF,MAAM,CAACyJ,KAAP,GAaE,CAAf,CAApB;AACD;;AACDzU,IAAA A,IAAI,CAAC8M,MAAL,CAAYO,KAAZ,GAaOB;AAAEjJ,MAAAA,IAAI,EAAE4G,MAAM,CAAC,CAAD,CA AN,CAAU,CAAV,CAAR;AAAsB3G,MAAAA,MAAM,EAAE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV; AAA9B,KAAPB;AAEAhL,IAAAA,IAAI,CAAC0P,IAAL,GAAY,EAAZ;;AACa,WAAO1E,MAAM,CAACnS,M AAd,EAAsB;AACpB,UAAmW,IAAI,GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACa,U AAIgE,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK,OAazB,IAAoCA,IAAI,KAAK,SAAjD,EAA4D;AAC1D;AAC D;;AACDhP,MAAAA,IAAI,CAAC0P,IAAL,IAAa1E,MAAM,CAACyJ,KAAP,GAaE,CAAf,CAAb;AACD;;AAE DzU,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAaV,GAaOB,EAAPB;AAEA,QAAI9C,KAAJ;;AACa,WAAO3B ,MAAM,CAACnS,MAAd,EAAsB;AACpB8T,MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAE A,UAAI9H,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB3M,QAAAA,IAAI,CAACmP,IAAL,CA AUM,OAaV,IAAqB9C,KAAK,CAAC,CAAD,CAA1B;AACa;AACD,OAHD,MAGO;AACL3M,QAAAA,IAAI, CAACmP,IAAL,CAAUM,OAaV,IAAqB9C,KAAK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAI3M,IAA I,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAAjB,IAAwB1P,IAAI,CAAC0P,IAAL,CAAU,CAAV,MAAiB,GAa7 C,EAakD;AACChD1P,MAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,IAAoBhQ,IAAI,CAAC0P,IAAL,CAAU, CAAV,CAApB;AACa1P,MAAAA,IAAI,CAAC0P,IAAL,GAAY1P,IAAI,CAAC0P,IAAL,CAAUvD,KAaV,CAAg B,CAAhB,CAAZ;AACD;;AACDnM,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAaV,IAAqB,KAAKiF,eAAL,CA AqB1J,MAARb,CAARb;AACa,SAAK2J,uBAAL,CAA6B3J,MAA7B;;AAEA,SAAK,IAAIpS,CAAC,GAAGoS,M AAM,CAACnS,MAAP,GAAGB,CAA7B,EAAgCD,CAAC,GAAG,CAAPc,EAauCA,CAAC,EAaxC,EAA4C;AA C1C+T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;;AACa,UAAI+T,KAAK,CAAC,CAAD,CA AL,KAAa,YAAjB,EAA+B;AAC7B3M,QAAAA,IAAI,CAAC4P,SAAL,GAaIB,IAAjB;AACa,YAAIK,MAAM, GAAG,KAAKkP,UAAAL,CAAgB5J,MAAhB,EAawBpS,CAAxB,CAAb;AACa8M,QAAAA,MAAM,GAAG,KA AK8O,aAAL,CAAmBxJ,MAAnB,IAA6BtF,MAAtC;AACa,YAAIA,MAAM,KAAK,aAAf,EAA8B1F,IAAI,CAA CmP,IAAL,CAAUS,SAaV,GAAsBIK,MAAtB;AAC9B;AACD,OAND,MAMO,IAAIhH,KAAK,CAAC,CAAD,CA AL,KAAa,WAAjB,EAA8B;AACnC,YAAMkI,KAAK,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;A

ACA,YAAInT,GAAG,GAAG,EAAV;;ACA,aAAK,IAAIyY,CAAC,GAAG7Y,CAAAb,EAAgB6Y,CAAC,GAAG,CAApB,EAAuBA,CAAC,EAAXB,EAA4B;AAC1B,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,C AAS,CAAT,CAAAb;;ACA,cAAIzY,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAAnB,MAA4B,CAA5B ,IAAiCqJ,KAAI,KAAK,OAA9C,EAAuD;AACrD;AACD;;AACDhW,UAAAA,GAAG,GAAG6b,KAAK,CAACR, GAAN,GAAY,CAAZ,IAAiBrb,GAAvB;AACD;;AACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAm B,GAAAnB,MAA4B,CAAhC,EAAmC;AACjC3F,UAAAA,IAAI,CAAC4P,SAAL,GAAiB,IAAjB;AACa5P,UAAA A,IAAI,CAACmP,IAAL,CAAUS,SAAV,GAAsB5W,GAAtB;AACAgS,UAAAA,MAAM,GAAG6J,KAAT;AACD ;AACF;;AAED,UAAIII,KAAK,CAAC,CAAD,CAAL,KAAa,OAAAb,IAAwBA,KAAK,CAAC,CAAD,CAAL,KAA a,SAAzC,EAAoD;AACID;AACD;AACF;;AAED,SAAK0C,GAAL,CAASrP,IAAT,EAAe,OAAf,EAAwBgL,MAA xB;AAEA,QAAIhL,IAAI,CAAC+H,KAAL,CAAWpC,OAAX,CAAmB,GAAAnB,MAA4B,CAAC,CAAjC,EAAoC, KAAKmP,oBAAL,CAA0B9J,MAA1B;AACrC;;SAED6E,SAAA,gBAAOID,KAAP,EAAc;AACZ,QAAM3M,IAA I,GAAG,IAAI+U,MAAJ,EAAb;AACa/U,IAAAA,IAAI,CAAC5H,IAAL,GAAYuU,KAAK,CAAC,CAAD,CAAL, CAASR,KAAT,CAAe,CAAf,CAAZ;;ACA,QAAInM,IAAI,CAAC5H,IAAL,KAAc,EAAIB,EAA5B;AACpB,WA AK4c,aAAL,CAAmBhV,IAAnB,EAAyB2M,KAAzB;AACD;;AACD,SAAKuH,IAAL,CAAUIU,IAAV,EAAgB2M ,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAAX;AA CA,QAAI0J,IAAI,GAAG,KAAAX;AACa,QAAMnF,MAAM,GAAG,EAAf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;; AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYnS,MAA9B,EAA5C;AACpC8T,MAAAA,KAAK, GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,G AAjB,EAA5B;AACpB3M,QAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKb;AAAEEnJ,UAAAA,IAAI,EA AEuI,KAAK,CAAC,CAAD,CAAAb;AAAKbI,UAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,SAaIB;A ACA,aAAKoC,SAAL,GAAiB,IAAjB;AACa;AACD,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa, GAAjB,EAA5B;AAC3BsI,QAAAA,IAAI,GAAG,IAAP;AACa;AACD,OAHM,MAGA,IAAIiI,KAAK,CAAC,CA AD,CAAL,KAAa,GAAjB,EAA5B;AAC3B,aAAKY,GAAL,CAASZ,KAAT;AACa;AACD,OAHM,MAGA;AACL mD,QAAAA,MAAM,CAACrU,IAAP,CAAYkR,KAAZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;;A ACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MAAL,CAAYnS,MAA7B,EAAqC;AACnC0S,MAAAA,IAAI,GAAG ,IAAP;AACD;;AAEDvL,IAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,GAAoB,KAAK+E,aAAL,CAAmB1E,M AAnB,CAApB;;ACA,QAAIA,MAAM,CAACjX,MAAX,EAAmB;AACjBmH,MAAAA,IAAI,CAACmP,IAAL,C AAUY,SAAV,GAAsB,KAAK2E,eAAL,CAAqB5E,MAArB,CAAtB;AACa,WAAKT,GAAL,CAASrP,IAAT,EAA e,QAAf,EAAyB8P,MAAzB;;ACA,UAAIvE,IAAJ,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAAC A,MAAM,CAACjX,MAAP,GAAGb,CAAjB,CAAd;AACAmH,QAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ, GAaKb;AAAEEnJ,UAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAAb;AAAKbI,UAAAA,MAAM,EAAEsI,KA AK,CAAC,CAAD;AAA/B,SAaIB;AACa,aAAKiH,MAAL,GAAc5T,IAAI,CAACmP,IAAL,CAAUM,OAAxB;A ACAzP,QAAAA,IAAI,CAACmP,IAAL,CAAUM,OAAV,GAAoB,EAAPB;AACD;AACF,KATD,MASO;AACLzP ,MAAAA,IAAI,CAACmP,IAAL,CAAUY,SAAV,GAAsB,EAAtB;AACa/P,MAAAA,IAAI,CAAC8P,MAAL,GA Ac,EAAf;AACD;;AAED,QAAImF,IAAJ,EAAU;AACRjV,MAAAA,IAAI,CAACH,KAAL,GAAa,EAAb;AACa, WAAK8T,OAAL,GAAe3T,IAAf;AACD;AACF;;SAEDuN,MAAA,aAAIZ,KAAJ,EAAW;AACT,QAAI,KAAKgH ,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK 8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAaIB,GAA8B,KAAKA,SAAnC;AACD;;AACD,SAAKA,SAAL,GAAiB,KA AjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb, CAAKbB,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACa,SAAKA,MAAL,GAAC,EAAf;AAEA,QAAI, KAAKD,OAAL,CAAa7S,MAAjB,EAAyB;AACvB,WAAK6S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPB,GAA0 B;AAAEEnJ,QAAAA,IAAI,EAAEuI,KAAK,CAAC,CAAD,CAAAb;AAAKbI,QAAAA,MAAM,EAAEsI,KAAK,CA AC,CAAD;AAA/B,OAA1B;AACa,WAAKgH,OAAL,GAAe,KAAKA,OAAL,CAAa7S,MAA5B;AACD,KAHD, MAGO;AACL,WAAKoU,eAAL,CAAqBvI,KAArB;AACD;AACF;;SAEDsH,UAAA,mBAAU;AACR,QAAI,KAA KN,OAAL,CAAa7S,MAAjB,EAAyB,KAAKqU,aAAL;;AACzB,QAAI,KAAKxB,OAAL,CAAa9T,KAAb,IAAsB, KAAK8T,OAAL,CAAa9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAK BJ,SAaIB,GAA8B,KAAKA,SAAnC;AACD;;AACD,SAAK4E,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAA0B, CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACD;;SA

IDM,OAAA,cAAKIU,IAAL,EAAWoE,IAAX,EAAiBC,MAAjB,EAAYB;AACvB,SAAKsP,OAAL,CAAaY,IAAb,CAAKBuE,IAAIB;AAEAA,IAAAA,IAAI,CAAC8M,MAAL,GAAC;AAAE0,MAAAA,KAAK,EAAE;AAAEjJ,QA AAA,IAAI,EA AJA,IAAF;AAAQC,QAAAA,MAAM,EAANA;AAAR,OAAT;AAA2B0G,MAAAA,KAAK,EAAE, KAAKA;AAA vC,KAAd;AACAK,IAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,GAAMb,KAAK4D,MAAxB; AACa,SAAKA,MAAL,GAAC,EAAd;AACa,QAAI5T,IAAI,CAACgP,IAAL,KAAC,SAAIb,EAA6B,KAAKD,SA AL,GAAb,KAAjB;AAC9B;;SAEDM,MAAA,aAAIrP,IAAJ,EAAU0P,IAAV,EAAGb1E,MAAhB,EAAwB;AACt B,QAAI2B,KAAJ,EAAWqC,IAAX;AACa,QAAMnW,MAAM,GAAGmS,MAAM,CAACnS,MAAtB;AACa,QA AIkP,KAAK,GAAG,EAAZ;AACa,QAAIqN,KAAK,GAAG,IAAZ;;AACa,SAAK,IAAIxc,CAAC,GAAG,CAAb, EAAGbA,CAAC,GAAGC,MAApB,EAA4BD,CAAC,IAAI,CAAjC,EAAoC;AACIC+T,MAAAA,KAAK,GAAG3 B,MAAM,CAACpS,CAAD,CAAd;AACaOW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACa,UA AIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,OAAT,IAAoBpW,CAAC,KAAKC,MAAM,GAAG,CAA9D,EA AkE;AAChEuc,QAAAA,KAAK,GAAG,KAAR;AACD,OAFD,MAEO;AACLrN,QAAAA,KAAK,IAAI4E,KAAK, CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAI,CAACyI,KAAL,EAAY;AACV,UAAM/F,GAAG,GAAGrE,M AAM,CAAC3E,MAAP,CAAC,UAACgP,GAAD,EAAMzc,CAAN;AAAA,eAAyyc,GAAG,GAAGzc,CAAC,CAA C,CAAD,CAAnB;AAAA,OAAd,EAAsC,EAAtC,CAAZ;AACaOH,MAAAA,IAAI,CAACmP,IAAL,CAAUO,IAA V,IAAkB;AAAE3H,QAAAA,KAAK,EAALA,KA AF;AAASsH,QAAAA,GAAG,EAaha;AAAT,OAaIB;AACD;; AACDrP,IAAAA,IAAI,CAAC0P,IAAD,CAAJ,GAAa3H,KAAb;AACD;;SAEDyM,gBAAA,uBAAcxJ,MAAd,EA AsB;AACpB,QAAIsK,aAAJ;AACa,QAAI1B,MAAM,GAAG,EAAb;;AACa,WAAO5I,MAAM,CAACnS,MAAd, EAAsB;AACpByc,MAAAA,aAAa,GAAGtK,MAAM,CAACA,MAAM,CAACnS,MAAP,GAAGb,CAAjB,CAAN, CAA0B,CAA1B,CAAhB;AACa,UAAIyc,aAAa,KAAK,OAaIB,IAA6BA,aAAa,KAAK,SAAnD,EAA8D;AAC9D 1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ,GAAP,GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAO A,MAAP;AACD;;SAEDc,kBAAA,yBAAGb1J,MAAhB,EAAwB;AACtB,QAAII,IAAJ;AACa,QAAIwI,MAAM,G AAG,EAAb;;AACa,WAAO5I,MAAM,CAACnS,MAAd,EAAsB;AACpBuS,MAAAA,IAAI,GAAGJ,MAAM,CA AC,CAAD,CAAN,CAAU,CAAV,CAAP;AACa,UAAII,IAAI,KAAK,OAAT,IAAoBA,IAAI,KAAK,SAAjC,EAA4 C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,M AAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,EAAMBuK,IAAnB,EAAYB;AACvB,QAAItM,MAAM,GAAG, EAAb;;AACa,SAAK,IAAIrQ,CAAC,GAAG2c,IAAb,EAAMb3c,CAAC,GAAGoS,MAAM,CAACnS,MAA9B,EA AsCD,CAAC,EAAvC,EAA2C;AACzCqQ,MAAAA,MAAM,IAAI+B,MAAM,CAACpS,CAAD,CAAN,CAAU,CA AV,CAAV;AACD;;AACDoS,IAAAA,MAAM,CAACzI,MAAP,CAACgT,IAAd,EAABvK,MAAM,CAACnS,MA AP,GAAGb0c,IAAPc;AACa,WAAOtM,MAAP;AACD;;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAIs B,QAAQ,GAAG,CAAF;AACa,QAAIK,KAAJ,EAAWqC,IAAX,EAAiBnD,IAAjB;;AACa,SAAK,IAAIjT,CAAC, GAAG,CAAb,EAAGbA,CAAC,GAAGoS,MAAM,CAACnS,MAA3B,EAAMCD,CAAC,EAAPc,EAAwC;AACtC +T,MAAAA,KAAK,GAAG3B,MAAM,CAACpS,CAAD,CAAd;AACaOW,MAAAA,IAAI,GAAGrC,KAAK,CAA C,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAb,EAAb;AACb1C,QAAAA,QAAQ,IAAI,CAAZ;AACD, OAFD,MAEO,IAAI0C,IAAI,KAAK,GAAb,EAAb;AACvB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MA EA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,IAAI,KAAK,GAA/B,EAAoC;AACzC,YAAI,CAACnD,IAAL,EAAW ;AACT,eAAK2J,WAAL,CAAIb7I,KAAjB;AACD,SAFD,MAEO,IAAI d,IAAI,CAAC,CAAD,CAAJ,KAAy,MAA Z,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAy,QAAtC,EAAgD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOjT,C AAP;AACD;AACF;;AAEDiT,MAAAA,IAAI,GAAGc,KAAP;AACD;;AACD,WAAO,KAAP;AACD;;;SAID2H,k BAAA,yBAAGbF,OAAbB,EAAYB;AACvB,UAAM,KAAKrJ,KAAL,CAAWmB,KAAx,CAAIb,kBAAjB,EAAGc kI,OAAO,CAAC,CAAD,CAA5C,EAAiDA,OAAO,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAA YIH,KAAZ,EAAMb;AACjB,QAAMV,KAAK,GAAG,KAAK3B,MAAL,CAAYqC,KAAZ,CAAd;AACa,UAAM, KAAKtC,KAAL,CAAWmB,KAAx,CAAIb,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CA AC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,kBAAA,yBAAGbV,KAAbB,EAAB;AACrB,UAAM,KAAK5B,KA AL,CAAWmB,KAAx,CAAIb,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,C AAhD,CAAN;AACD;;SAEDwI,gBAAA,yBAAGb;AACd,QAAMpJ,GAAG,GAAG,KAAK4H,OAAL,CAAa7G,M AAb,CAAoBO,KAAhC;AACa,UAAM,KAAKtC,KAAL,CAAWmB,KAAx,CAAIb,gBAAjB,EAAMCH,GAAG, CAAC3H,IAAvC,EAA6C2H,GAAG,CAAC1H,MAAJD,CAAN;AACD;;SAEDmR,cAAA,qBAAy7I,KAAZ,EAA

mB;AACjB,UAAM,KAAK5B,KAAL,CAAWmB,KAAX,CAAiB,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDqI,gBAAA,uBAAchV,IAAd,EAAoB2M,KAAPb,EAA2B;AACzB,UAAM,KAAK5B,KAAL,CAAWmB,KAAX,CAAiB,sBAAjB,EAAyCS,KAAK,CAAC,CAAD,CAA9C,EAAmDA,KAAK,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDgI,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,AAED;;SAED8J,uBAAA,8BAAqB9J,MAArB,EAA6B;AAC3B,QAAM+C,KAAK,GAAG,KAAKA,KAAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KAAd,EAAqB;AAErB,QAAl0H,OAAO,GAAG,CAAd;AACa,QAAl9I,KAAJ;;AACa,SAAK,IAAI8E,CAAC,GAAG1D,KAAK,GAAG,CAArB,EAAwB0D,CAAC,IAAl,CAA7B,EAAgCA,CAAC,EAAjC,EAAqC;AACn9E,MAAAA,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;AACa,UAAI9E,KAAK,CAAC,CAAD,CAAL,KAAa,OAAjB,EAA0B;AACxB8I,QAAAA,OAAO,IAAI,CAAX;AACa,YAAIA,OAAO,KAAK,CAAhB,EAAmB;AACpB;AACF;;AACD,UAAM,KAAK1K,KAAL,CAAWmB,KAAK,CAAiB,kBAAjB,EAAqCS,KAAK,CAAC,CAAD,CAA1C,EAA+CA,KAAK,CAAC,CAAD,CAApD,CAAN;AACD;;;AC/cH;AACa,AAGe,SAAS+I,KAAT,CAAejY,GAaf,EAAoBmU,IAAPb,EAA0B;AACvC,MAAI,IAAI,IAAIA,IAAI,CAAC+D,IAAjB,EAAuB;AACrB,UAAM,IAAI7Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMiP,KAAK,GAAG,IAAI2B,KAAJ,CAAUjP,GAaV,EAAemU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAIInC,MAAJ,CAAW1I,KAAK,CAAF;;AACa,MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAAP;AACD,GAHD,CAGE,OAAO/P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+BwZ,IAA/B,IAAuCA,IAAI,CAAC2D,IAAhD,EAA5D;AACpD,UAAI,WAAW/b,IAAX,CAAgBoY,IAAI,CAAC2D,IAArB,CAAJ,EAAgC;AAC9BxR,QAAAA,CAAC,CAACwF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID,OALD,MAKO,IAAI,WAAW/P,IAAX,CAAgBoY,IAAI,CAAC2D,IAArB,CAAJ,EAAgC;AACrCxR,QAAAA,CAAC,CAACwF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAAMxF,CAAN;AACD;;AAED,SAAO6R,MAAM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAT,CAAqBhW,KAARb,EAA4B;AAC1B,SAAOA,KAAK,CAAC+M,GAAN,CAAU,UAAAhU,CAAC,EAAI;AACpB,QAAlA,CAAC,CAACiH,KAAH,EAAajH,CAAC,CAACiH,KAaf,GAAUgW,WAAW,CAACjd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAAC,CAACkU,MAAT;AACa,WAAOIU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;;;;;;AAQA;;;;;;AAOA;;;;;;IAUMkd;;;;;;SACJra,OAAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AACa,SAAKjB,KAAL,CAAWpE,IAAX,CAAgBgF,KAAhB;AACa,WAAO,IAAP;AACD;AAED;;;;;;SAiCAsV,OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAaV,EAAoB,KAAKA,QAAL,GAAGB,CAAhB;AACpB,QAAl,CAAC,KAAKC,QAaV,EAAmB,KAAKA,OAAL,GAAe,EAaf;AAEnB,SAAKD,QAAL,IAAIb,CAAjB;AACa,QAAMhY,EAAE,GAAG,KAAKgY,QAAhB;AACa,SAAKC,OAAL,CAAajY,EAAb,IAAmB,CAAnB;AAEA,QAAl,CAAC,KAAK4B,KAaV,EAAiB,OAaOjB,SAAP;AAEjB,QAAlInC,KAAJ,EAAWwM,MAAX;;AACa,WAAO,KAAKiN,OAAL,CAAajY,EAAb,IAAmB,KAAK4B,KAAL,CAAWH,MAArC,EAA6C;AAC3C4D,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;AACaGL,MAAAA,MAAM,GAAG+M,QAaQ,CAAC,KAAKnW,KAAL,CAAWpD,KAAK,CAAD,EAAoBA,KAAPb,CAAjB;AACa,UAAIwM,MAAM,KAAK,KAaf,EAA5B;AAEtB,WAAKiN,OAAL,CAAajY,EAAb,KAAoB,CAAPb;AACD;;AAED,WAAO,KAAKiY,OAAL,CAAajY,EAAb,CAAP;AAEA,WAAOgL,MAAP;AACD;AAED;;;;;;SAmBAsH,OAAA,cAAKyF,QAAL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAACTv,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,UAAIqQ,MAAM,GAAG+M,QAaQ,CAACvV,KAAD,EAAQ7H,CAAR,CAArB;;AACa,UAAIqQ,MAAM,KAAK,KAAX,IAAoBxI,KAAK,CAAC8P,IAA9B,EAAoC;AACICtH,QAAAA,MAAM,GAAGxI,KAAK,CAAC8P,IAAN,CAAWyF,QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;;;;;;SA6BA8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAaHb,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;AACbA,MAAAA,QAaQ,GAAGtG,IAAX;AACa,aAAO,KAAKa,IAAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAaQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI8W,IAAI,YAAyIR,MAAPb,EAA4B;AACjC,aAAO,KAAK+R,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBU,IAAI,CAACiW,IAAL,CAAUIH,KAAK,CAACiP,IAAhB,CAA7B,EAAoD;AACID,iBAAOsG,QAaQ,CAACvV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK2X,IAAL,CAAU,UAAc9P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACuO,IAAN,KAAe,MAAf,IAAyBvO,KAAK,CAA

QAwZ,cAAA,qBAAYqE,KAAZ,EAAMbPt,GAAnB,EAawB;AAAA;;AACTBoT,IAAAA,KAAK,GAAG,KAAKj
a,KAAL,CAAWia,KAAx,CAAR;AAEA,QAAM7W,KAAK,GAAG,KAAKyW,SAAL,CAAehT,GAaf,EAaoB,K
AAKzD,KAAL,CAAW6W,KAAx,CAApB,EAauCF,OAavC,EAAd;AACa3W,IAAAA,KAAK,CAACnE,OAAN
,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAkBmU,KAAK,GAAG,CAA1
B,EAa6B,CAA7B,EAAGc1W,IAAhC,CAAJ;AAAA,KAAIB;AAEA,QAAIvD,KAAJ;;ACA,SAAK,IAAMwB,E
AAX,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,KAAK,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CA
AR;;ACA,UAAIyY,KAAK,GAAGja,KAAZ,EAAMb;AACjB,aAAKyZ,OAAL,CAAajY,EAAb,IAAmBxB,KAA
K,GAAGoD,KAAK,CAACHH,MAAJC;AACD;AACF;;AAED,WAAO,IAAP;AACD;;SAEDkZ,SAAA,gBAAOtR,
KAAP,EAAC;AACZ,QAAI,OAaOA,KAAP,KAAiB,WAArB,EAakC;AAChC6I,MAAAA,QAAQ,CAAC,qCAAq
C,2BAAtC,CAAR;ACA,WAAKnJ,WAAL,CAAiBM,KAAjB;AACD,KAHD,MAGO;AACL,sBAAMsR,MAAN;
AACD;;ACD,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SACa5R,cAAA,qBAAYM,KAAZ,EAAMb;AACjBA,IAA
AA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAx,CAAR;ACA,SAAKZ,KAAL,CAAWY,KAAx,EAakBK
,MAAIB,GAA2BIC,SAA3B;ACA,SAAKiB,KAAL,CAAW0C,MAAX,CAAkB9B,KAAIB,EAAYB,CAAzB;AAE
A,QAAIhE,KAAJ;;ACA,SAAK,IAAMwB,EAAX,IAAiB,KAAKiY,OAAtB,EAA+B;AAC7BzZ,MAAAA,KAA
K,GAAG,KAAKyZ,OAAL,CAAajY,EAAb,CAAR;;ACA,UAAIxY,KAAK,IAAIgE,KAAb,EAaoB;AACIB,aAA
KyV,OAAL,CAAajY,EAAb,IAAmBxB,KAAK,GAAG,CAA3B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AA
ED;,,,,,,,,,,,,,;SAUaka,YAAA,qBAAY;AACV,SAAK9W,KAAL,CAAWnE,OAAX,CAAMb,UAAAsE,IAAI;AAAA
,aAKA,IAAI,CAACc,MAAL,GAAClC,SAANb;AAAA,KAAvB;ACA,SAAKiB,KAAL,GAAa,EAAb;ACA,W
AAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SA6BA+W,gBAAA,uBAACc,OAAd,EAauBjF,IAAvB,EAa6BoE
,QAA7B,EAauC;AACrC,QAAI,CAACA,QAAL,EAae;AACbA,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MA
AAA,IAAI,GAAG,EAAP;AACD;;AAED,SAAKb,SAAL,CAAE,UAAAvB,IAAI,EAAI;AACrB,UAAIoC,IAAI,CA
ACKF,KAAL,IAAcF,IAAI,CAACKF,KAAL,CAAWnR,OAAX,CAAMb6J,IAAI,CAACE,IAAxB,MAAKC,CAAC,
CAArD,EAawD;AACxD,UAAIkC,IAAI,CAACmF,IAAL,IAAvH,IAAI,CAACzH,KAAL,CAAWpC,OAAX,CA
AMBiM,IAAI,CAACmF,IAAxB,MAAKC,CAAC,CAApD,EAauD;AAEvDvH,MAAAA,IAAI,CAACzH,KAAL,G
AAayH,IAAI,CAACzH,KAAL,CAAWvP,OAAX,CAAMbqe,OAAnB,EAa4Bb,QAA5B,CAAb;AACD,KALD;AA
OA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,;SAWAgB,QAAA,eAAMC,SAAN,EAaiB;AACf,WAAO,KAAKpX,KA
AL,CAAWmX,KAAx,CAAiBC,SAAjB,CAAP;AACD;AAED;,,,,,,,,,,,,,;SAWAC,OAAA,cAAKD,SAAL,EAAGB;
AACd,WAAO,KAAKpX,KAAL,CAAWqX,IAAX,CAAGBD,SAAhB,CAAP;AACD;AAED;,,,,,,,,,,,,,;SAUxa,QA
AA,eAAMgE,KAN,EAaA;AACX,QAAI,OAaOA,KAAP,KAAiB,QAArB,EAA+B;AAC7B,aAAOA,KAAP;AA
CD,KAFD,MAEO;AACL,aAAO,KAAKZ,KAAL,CAAW8F,OAAX,CAAMbIF,KANb,CAAP;AACD;AACF;AA
ED;,,,,,,,,,,,,,;SA0BA6V,YAAA,mBAAUzW,KAAV,EAaiBsX,MAAJB,EAAYB;AAAA;;AAcVb,QAAI,OAaOtX,K
AAP,KAAiB,QAArB,EAA+B;AAC7BA,MAAAA,KAAK,GAAGgW,WAAW,CAACH,KAAK,CAAC7V,KAAD,
CAAL,CAAaA,KAAd,CAANb;AACD,KAFD,MAEO,IAAI,CAAC4I,KAAK,CAACC,OAAN,CAAc7I,KAAd,CA
AL,EAa2B;AAChC,UAAIA,KAAK,CAACmP,IAAN,KAAe,MAANb,EAa2B;AACzBnP,QAAAA,KAAK,GAA
GA,KAAK,CAACA,KAAd;AACD,OAFD,MAEO,IAAIA,KAAK,CAACmP,IAAV,EAAGB;AACrBnP,QAAAA,K
AAK,GAAG,CAACA,KAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAAC6P,IAAV,EAAGB;AACrB,YA
AI,OAaO7P,KAAK,CAACKI,KAAb,KAAuB,WAA3B,EAawC;AACTc,gBAAM,IAAIjM,KAAJ,CAAU,wCAAV
,CAAN;AACD,SAFD,MAEO,IAAI,OAaO+D,KAAK,CAACKI,KAAb,KAAuB,QAA3B,EAaqC;AACICII,UAA
AA,KAAK,CAACKI,KAN,GAAC9P,MAAM,CAAC4H,KAAK,CAACKI,KAAP,CAApB;AACD;;AACDII,QAA
AA,KAAK,GAAG,CAAC,IAAI0T,WAAJ,CAAGB1T,KAAhB,CAAD,CAAR;AACD,OAPM,MAOA,IAAIA,KAA
K,CAACd,QAAV,EAaoB;AACzBc,QAAAA,KAAK,GAAG,CAAC,IAAIsU,IAAJ,CAASuU,KAAT,CAAD,CAA
R;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH,IAAV,EAAGB;AACrByH,QAAAA,KAAK,GAAG,CAAC,IAA
IkV,MAAJ,CAAWIV,KAAx,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAAC0P,IAAV,EAAGB;AACr
B1P,QAAAA,KAAK,GAAG,CAAC,IAAI2T,OAaj,CAAY3T,KAAZ,CAAD,CAAR;AACD,OAFM,MAEA;AAC
L,cAAM,IAAI/D,KAAJ,CAAU,oCAAV,CAAN;AACD;AACF;;AAED,QAAMsb,SAAS,GAAGvX,KAAK,CAAC
+M,GAAN,CAAU,UAAAhU,CAAC,EAai;AAC/B,UAAI,OAaOA,CAAC,CAACuW,IAAT,KAAkB,WAAtB,EA
AMCvW,CAAC,GAAG,MAAI,CAACye,OAAL,CAAaze,CAAb,CAAJ;AAEnC,UAAIA,CAAC,CAACKI,MAAN,
EAAClI,CAAC,GAAGA,CAAC,CAACqZ,KAAF,EAaj;;AACd,UAAI,OAaOrZ,CAAC,CAACuW,IAAF,CAAoa,

MAAd,KAAyB,WAA7B,EAA0C;AACxC,YAAImH,MAAM,IAAI,OAAOA,MAAM,CAACH,I,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAYD;AACvDpX,UAAAA,CAAC,CAACuW,IAAF,CAA0a,MAAP,GAAGBmH,MAAM,CAACH,I,IAAP,CAAYa,MAAZ,CAAmBxX,OAAnB,CAA2B,QAA3B,EAAqC,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACKI,MAAF,GAAW,MAAX;AACa,aAAOI,CAAP;AACD,KAXiB,CAAIb;AAaA,WAAOwe,SAAP;AACD;;SAEDC,UAAA,iBAAQrX,IAAR,EAAcc,MAAd,EAAsB;AAAA;;AACpB,QAAIwW,GA AJ;;ACA,QAAItX,IAAI,CAACgP,IAAL,KAAC,MAAIB,EAA0B;AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAIIT,IAAI,CAACgP,IAAL,KAAC,QAAIB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,MAEA,IAAI/U,IAAI,CAACgP,IAAL,KAAC,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,EAAN;AACD,KAFM,MAEA,IAAIInU,IAAI,CAACgP,IAAL,KAAC,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAI/D,WAAJ,EAAN;AACD,KAFM,MAEA,IAAIvT,IAAI,CAACgP,IAAL,KAAC,SAIIB,EAA6B;AACICsI,MAAAA,GAAG,GAAG,IAAI9D,OAAJ,EAAN;AACD;;AAED,SAAK,IAAM5a,CAAX,IAAgBoH,IAAhB,EAAsB;AACpB,UAAIpH,CAAC,KAAK,OAAV,EAAMb;AACjB0e,QAAAA,GAAG,CAACzX,KAAJ,GAAyG,IAAI,CAACH,KAAL,CAAW+M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAI,MAAI,CAAC4F,OAAL,CAAa5F,CAAb,EAAGb6F,GAAhB,CAAJ;AAAA,SAAhB,CAAZ;AACD,OAFD,MAEO,IAAI1e,CAAC,KAAK,QAAN,IAAkBkI,MAAtB,EAA8B;AACnCWw,QAAAA,GAAG,CAACxW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAIId,IAAI,CAACwI,cAAL,CAAoB5P,CAApB,CAAJ,EAA4B;AACjC0e,QAAAA,GAAG,CAAC1e,CAAD,CAAH,GAASoH,IAAI,CAACpH,CAAD,CAAb;AACD;AACF;;AAED,WAAO0e,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,QAAx,EAAqB;AACnBIM,IAAAA,QAAQ,CAAC,yCAAYC,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,CAAUyF,QAAV,CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAsG,QAAf,EAAYB;AACvB1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAqBsG,QAArB,CAAP;AACD;;SAEDyB,WAAA,kBAAS1Y,QAAT,EAAMbIX,QAAAnB,EAA6B;AAC3B1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAepX,QAAf,EAAYBiX,QAAzB,CAAP;AACD;;SAED0B,aAAA,oBAAWtf,IAAX,EAAiB4d,QAAjB,EAA2B;AACzB1M,IAAAA,QAAQ,CAAC,yCAAYC,oCAA1C,CAAR;AACa,WAAO,KAAK8M,WAAAL,CAAiBhe,IAAJB,EAAuB4d,QAAvB,CAAP;AACD;;SAED2B,cAAA,qBAAY3B,QAAZ,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAKuH,YAAL,CAAkBMf,QAAIB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKnW,KAAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;::::::::::wBAQW;AACT,UAAI,CAAC,KAAKA,KAAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWH,MAAX,GAAoB,CAA/B,CAAP;AACD;;;wBAgGe;AACdyQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUJ,SAAJB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUuB,KAAV,GAAkBGF,GAAIB;AACD;AAED;::::::::::EAyqBsB5B;ACvCxB;::::::::::IAKBMqD;AACJ,kBAAYpD,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,QAAZ;AAFoB;AAGrB;::SAED0D,SAAA,kBAAoB;AAAA;;AACIB,QAAI,CAAC,KAAK7S,KAAV,EAAiB,KAAKA,KAAL,GAaA,EAAb;;AADc,sCAAVwW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEIB,yDAAa3D,MAAb,kDAAuB2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB,QAAI,CAAC,KAAK1W,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAAVwW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEnB,0DAAaE,OAAb,mDAwBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,aAAO,KAAK6F,IAALL,CAAUY,SAAJB;AACD;sBAEauD,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAJB;AACD;sBAEWwD,KAAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,GAAmBwD,GAAnB;AACD;AAED;::::::::::AAUA;::::::::::AAYA;::::::::::EA1DmBwC;ACtBrB;AACa;::::::::::AASA,IAAM8B,IAAI,GAAG;AACX1Y,EAAAA,KADW,iBACLwG,MADK,EACGmS,UADH,EACetM,IADf,EACqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAInE,OAAO,GAAG,EAAd;AACa,QAAIzU,KAAK,GAAG,KAAZ;AAEA,QAAI6Y,IAAI,GAAAG,CAAX;AACa,QAAIIM,KAAK,GAAG,KAAZ;AACa,QAAIG,MAAM,GAAG,KAAb;;AAEA,SAAK,IAAI5S,

CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG8M,MAAM,CAAC7M,MAA3B,EAAMCD,CAAC,EAAPC,EAAW
C;AACtC,UAMOf,MAAM,GAAGtS,MAAM,CAAC9M,CAAD,CAArB;;AAEA,UAAIyS,KAAJ,EAAW;AACT,
YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,KAAT;AACD,SAFD,MAEO,IAAIwM,MAAM,KAAK,
IAAf,EAQb;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;AACD,SAFM,MAEA,IAAIwM,MAAM,KAAK3M,KA
Af,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAR;AACD;AACF,OARD,MAQO,IAAI2M,MAAM,KAAK,GA
AX,IAAkBA,MAAM,KAAK,GAAjC,EAAsC;AAC3C3M,QAAAA,KAAK,GAAG2M,MAAR;AACD,OAFM,MA
EA,IAAIA,MAAM,KAAK,GAAf,EAaOB;AACzBD,QAAAA,IAAI,IAAI,CAAR;AACD,OAFM,MAEA,IAAIC,M
AAM,KAAK,GAAf,EAaOB;AACzB,YAAID,IAAI,GAAG,CAAX,EAAcA,IAAI,IAAI,CAAR;AACf,OAFM,MAE
A,IAAIA,IAAI,KAAK,CAAb,EAAGB;AACrB,YAAIF,UAAU,CAACIS,OAAx,CAAmBqS,MAAnB,MAA+B,CA
AC,CAAPC,EAaUc9Y,KAAK,GAAG,IAAR;AACxC;;AAED,UAAIA,KAAJ,EAAW;AACT,YAAIyU,OAAO,KA
AK,EAAbB,EAaOBmE,KAAK,CAACrc,IAAN,CAAWkY,OAAO,CAAC3X,IAAR,EAAX;AACpB2X,QAAAA,O
AAO,GAAG,EAAY;AACAzU,QAAAA,KAAK,GAAG,KAAR;AACD,OAJD,MAIO;AACLyU,QAAAA,OAAO,I
AAIqE,MAAX;AACD;AACF;;AAED,QAAIzM,IAAI,IAAIoI,OAAO,KAAK,EAAXB,EAa4BmE,KAAK,CAACrc
,IAAN,CAAWkY,OAAO,CAAC3X,IAAR,EAAX;AAC5B,WAAO8b,KAAP;AACD,GA1CU;;AA4CX;;;;;;AA
WAG,EAAAA,KAvDW,iBAuDLvS,MAvDK,EAuDG;AACZ,QAAMkO,MAAM,GAAG,CAAC,GAAD,EAAM,I
AAN,EAAY,IAAZ,CAAf;AACa,WAAOGe,IAAI,CAAC1Y,KAAL,CAAWwG,MAAX,EAAMbK,O,MAAnB,CA
AP;AACD,GA1DU;;AA4DX;;;;;;AAYAsE,EAAAA,KAxEW,iBAwELxS,MAxEK,EAwEG;AACZ,QAAMwS,
KAAK,GAAG,GAAd;AACa,WAAON,IAAI,CAAC1Y,KAAL,CAAWwG,MAAX,EAAMb,CAACwS,KAAD,CA
AnB,EAa4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;ACHA;;;;;;IAWM/D;;AACJ,gBAAYx,C,QAAZ,EAAsB;
AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,MAAZ;AACa,QAAl,CAAC,MAAKnP,KAA
V,EAaIB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;AAED;;;;;;wBAgBgB;AACd,aAAO+X,IAAI,C
AACM,KAAL,CAAW,KAAKnZ,QAaHb,CAAP;AACD;sBAEaoZ,QAaQ;AACpB,UAAmZy,KAAK,GAAG,KA
AKX,QAAL,GAAGb,KAAKA,QAAL,CAAcW,KAAd,CAAoB,MAApB,CAAhB,GAA8C,IAA5D;AACa,UAA
M0Y,GAAG,GAAG1Y,KAAK,GAAGA,KAAK,CAAC,CAAD,CAAR,SAAKb,KAAK2P,GAAL,CAAS,SAAT,EA
aOB,YAApB,CAAnC;AACa,WAAKtQ,QAAL,GAAGBoZ,MAAM,CAACpc,IAAP,CAAYqc,GAAZ,CAAhB;AAC
D;;wBAEe;AACd9O,MAAAA,QAaQ,CAAC,sDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUUpQ,QAajB;
AACD;sBAEauU,KAAK;AACjBhK,MAAAA,QAaQ,CAAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUUpQ,
QAaV,GAAqBuU,GAARb;AACD;AAED;;;;;;AAWA;;;;;;EAtdiBwC;;AClBnB;;AACa;;;;;I
AQMuC;AACJ;;;;;;AAWA,mBAAy9I,IAAZ,EAakBqC,IAAIB,EAa6B;AAAA,QAAXA,IAAW;AAAXA,MA
AAA,IAAW,GAAJ,EAAl;AAAA;;AAC3B;;;;;AAQA,SAAK5C,IAAL,GAAY,SAAZ;AACa;;;;;AAMA,SAAK
O,IAAL,GAAYA,IAAZ;;AAEA,QAAlqC,IAAI,CAAC5R,IAAL,IAAa4R,IAAI,CAAC5R,IAAL,CAAU8M,MAA3
B,EAAMC;AACjC,UAAmf,GAAG,GAAG6F,IAAI,CAAC5R,IAAL,CAAU6R,UAAV,CAAqBD,IAArB,CAAZ;A
ACA;;;;;AAOA,WAAKxN,IAAL,GAAY2H,GAAG,CAAC3H,IAAhB;AACa;;;;;AAOA,WAAKC,MAAL,GA
Ac0H,GAAG,CAAC1H,MAAIB;AACD;;AAED,SAAK,IAAMiU,GAAX,IAAkB1G,IAAIB;AAAwB,WAAK0G,G
AAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAXB;AACD;AAED;;;;;;SAQA1e,WAAA,oBAAW;AACT,
QAAl,KAAKoG,IAAT,EAaE;AACb,aAAO,KAAKA,IAAL,CAAUkM,KAAV,CAAGb,KAAKqD,IAArB,EAa2B;
AAChChJ,QAAAA,MAAM,EAaE,KAAKA,MADmB;AAEhC9J,QAAAA,KAAK,EAaE,KAAKA,KAFoB;AAG
hC0W,QAAAA,IAAI,EAaE,KAAKA;AAHqB,OAA3B,EAIJ5J,OAJH;AAKD,KAND,MAMO,IAAI,KAAKhD,M
AAT,EAaIB;AACtB,aAAU,KAAKA,MAAf,UAA0B,KAAKgJ,IAA/B;AACD,KAFM,MAEA;AACL,aAAO,KAA
KA,IAAZ;AACD;AACF;AAED;;;;;AAUA;;;;;AC3FF;;;;;AAMA;;;;;IacMgJ;AACJ;;;;;AAMA,kB
AAyC,SAAZ,EAaUvJ,IAAvB,EAa6B2C,IAA7B,EAAMC;AACjC;;;;;AAWA,SAAK4G,SAAL,GAAiBA,S
AAjB;AACa;;;;;AAkBA,SAAKC,QAAL,GAAGb,EAaHb;AACa;;;;;AAMA,SAAKxJ,IAAL,GAAYA,
IAAZ;AACa;;;;;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;AACa;;;;;AAMA,SAAKnU,GAAL,GAAWmB,SA
X;AACa;;;;;AAcA,SAAKgO,GAAL,GAAWHo,SAAX;AACD;AAED;;;;;SAQAf,WAAA,oBAAW;
AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;;;;;SagBA2L,OAAA,cAAKmG,IAAL,EAAWqC,IAAX,
EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACpB,QAAl,CAACA,IAAI,C
AACrL,MAAV,EAakB;AAChB,UAAI,KAAKmS,UAAI,IAAMb,KAAKA,UAAI,CAAGBC,aAAvC,EAAsD;AA
CpD/G,QAAAA,IAAI,CAACrL,MAAL,GAAC,KAAKmS,UAAI,CAAGBC,aAA9B;AACD;AACF;;AAED,QAA

MC,OAAO,GAAG,IAAIP,OAAJ,CAAY9I,IAAZ,EAakBqC,IAAIB,CAAhB;AACa,SAAK6G,QAAL,CAAchd,IAAd,CAAmBmd,OAAAnB;AAEA,WAAOA,OAAp;AACD;AAED;,,,,,,,,,,,,;SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAlgB,CAAC;AAAA,aAAIA,CAAC,CAACoW,IAAF,KAAW,SAf;AAAA,KAAtB,CAAP;AACD;AAED;,,,,,,,,,,,,;wBAQc;AACZ,aAAO,KAAKvR,GAAZ;AACD;,,,,;ACIKH,SAASsb,SAAT,CAAmB1Q,GAAAnB,EAAwB;AACTb,SAAO,OAAOA,GAAP,KAAe,QAAf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtD;AACD;AAED;,,,,;AACA;,,,,;AACA;,,,,;IAQMC;AACJ,sBAAYT,SAAZ,EAAuB/a,GAAvB,EAA4BmU,IAA5B,EAakC;AAChC,SAAKsH,WAAL,GAAmB,KAAAnB;AACa,SAAK9B,SAAL,GAiB,KAAjB;AAEA,QAAInI,IAAJ;AACa,QAAI,OAAOxR,GAAP,KAAe,QAAf,IAA2BA,GAAG,CAACuR,IAAJ,KAAa,MAA5C,EAAoD;AACIDC,MAAAA,IAAI,GAAGxR,GAAP;AACD,KAFD,MAEO,IAAIA,GAAG,YAAYwb,UAAf,IAA6Bxb,GAAG,YAAY8a,MAAhD,EAAwD;AAC7DfJ,MAAAA,IAAI,GAAGxR,GAAG,CAACwR,IAAX;AACa,UAAIxR,GAAG,CAACmP,GAAR,EAAa;AACX,YAAI,OAAOgF,IAAI,CAACHf,GAAZ,KAAoB,WAAXb,EAAqCgF,IAAI,CAACHf,GAAL,GAAW,EAAX;AACrC,YAAI,CAACgF,IAAI,CAACHf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACHf,GAAL,CAASuM,MAAT,GAakB,KAAIB;AACTbVH,QAAAA,IAAI,CAACHf,GAAL,CAASf,IAAT,GAAGbP,O,GAAG,CAACmP,GAAPb;AACD;AACF,KAPM,MAOA;AACL,UAAIgj,MAAM,GAAGF,KAAb;AACa,UAAI9D,IAAI,CAACwH,MAAT,EAaiBxD,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAY1D,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,EAaiBA,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAAX,EAakBE,MAAM,GAAGA,MAAM,CAACF,KAAhB;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACnY,GAAD,EAAMmU,IAAN,CAAb;AACD,OAFD,CAEE,OA AO1F,KAAP,EAAc;AACd,aAKA,KAAL,GAAaA,KAAb;AACD;AACF;AAED,SAAKjD,MAAL,GAAc,IAAIsp,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAtB,EAA4B2C,IAA5B,CAAd;AACD;AAED;,,,,,,,,,,,,;AAmGA;,,,,;SAMAiH,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAyR,QAAZ,EAAP;AACD;AAED;,,,,,,,,,,,,;SAQajf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,,,,,,,,;SakBAub,OAAA,cAAKM,WAAL,EAakBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAL,GAAaR,IAAb,CAakBM,WAAIB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,,,,,,,,;oBAiBA,gBAAMA,UAAAN,EAakB;AAChB,WAAO,KAAKC,KAAL,YAAmBD,UAAAnB,CAAP;AACD;SAEDE,cAAA,qBAAyVn,KAAZ,EAAMb3F,MAAnB,EAA2B;AACzB,QAAI;AACF,WAak2F,KAAL,GAAaA,KAAb;AACa,UAAIA,KAAK,CAAC9T,IAAN,KAAe,gBAaf,IAAmC,CAAC8T,KAAK,CAAC3F,MAA9C,EAAsD;AACpD2F,QAAAA,KAAK,CAAC3F,MAAN,GAAeA,MAAM,CAACoS,aAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHd,MAGO,IAAI1G,MAAM,CAACmT,cAAAX,EAA2B;AAChC,YAA MC,UAAU,GAAGpT,MAAM,CAACoS,aAA1B;AACa,YAAMiB,SAAS,GAAGrT,MAAM,CAACmT,cAAzB;AACa,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAAsBsB,OAAzC;AACa,YAAMze,CAAC,GAAGue,SAAS,CAAC1a,KAAV,CAAGb,GAAhB,CAAV;AACa,YAAM5D,CAAC,GAAGue,UAAU,CAAC3a,KAAAX,CAAiB,GAAjB,CAAV;AAEA,YAAI7D,CAAC,CAAC,CAAD,CAAD,KAAASC,CAAC,CAAC,CAAD,CAAV,IAAiBqE,QAAQ,CAACtE,CAAC,CAAC,CAAD,CAAF,CAAR,GAAiBsE,QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpDgO,UAAAA,QAAQ,CACN,MAAG,kCAAKC,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KApBD,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAAO,CAAC+C,KAAAR,CAAc6N,GAAd;AACB;AACF;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EAA2B;AAAA;AACzB,QAAI,KAAK3T,MAAL,IAAe,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB/L,MAA1C,EAakD;AAChD,WAAKue,SAAL,GAAiB,IAAjB;AACa,aAAO6C,OAAO,EAAd;AACD;AAED,QAAI;AACF,UAAAM1T,MAAM,GAAG,KAAKiS,SAAL,CAAe5T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACa,UAAAM4T,OAAO,GAAG,KAAKC,GAAL,CAAS7T,MAAT,CAAhB;AACa,WAAKA,MAAL,IAAe,CAAF;AAEA,UAAIwS,SAAS,CAACoB,OAAO,CAAb,EAAwB;AACTBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,CAACgB,SAAL,CAAeC,OAAf,EAAwBC,MAAXb;AACD,SAHH,WAIS,UAAAhO,KAAK,EAai;AACd,UAAA,KAAI,CAACuN,WAAL,CAAiBvN,KAAjB,EAAwB3F,MAAXb;AACa,UAAA,KAAI,CAAC6Q,SAAL,GAAiB,IAAjB;AACa8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OAVD,MAUO;AACL,aAAK8N,SAAL,CAAeC,OAAf,EAAwBC,MAAXb;AACD;AACF,KAIBD,CAkBE,OAAOhO,KAAP,EAAc;AACd,WAAKkL,SAAL,GAAiB,IAAjB;AACa8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;SAEDsN,QAAA,iBAAQ;AAAA;AACN,QAAI,KAAKpC,SAAT,EAAoB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAcJ,OAAO,EAAUC,MAAV,EAAqB;AACiC,YAAI,MAAI,C

AACHo,KAAT,EAAGb;AACdgO,UAAAA,MAAM,CAAC,MAAI,CAACHo,KAAN,CAAN;AACD,SAFD,MAE
O;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,CAAP;AACD;AACF,OANM,CAAP;AAOD;
;AACD,QAAl,KAAKwL,UAAE,EAAGb;AACnB,aAAO,KAAKA,UAAZ;AACD;;AAED,SAAKA,UAAAL,GAAK
B,IAAID,OAAJ,CAAY,UAAACJ,OAAO,EAAGC,MAAV,EAAGb;AACJd,UAAI,MAAI,CAACHo,KAAT,EAAGb,
OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAN,CAAb;AAChB,MAAA,MAAI,CAAC3F,MAAL,GAAC,CAAD
;;ACA,MAAA,MAAI,CAACyT,SAAL,CAAeC,OAAf,EAAGwBC,MAAxB;AACD,KAJiB,EAIfiB,IAJe,CAIV,Y
AAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;ACA,aAAO,MAAI,CAACtI,SAAL,EAAP;AACD,
KAPiB,CAAIb;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,OAAA,gBAAO;AAAA;;AACL,QAAl,KAAKj
C,SAAT,EAAGb,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SAAL,GAAiB,IAAjB;;AAEA,QAAl,KAAKkD,U
AAT,EAAGb;AACnB,YAAM,IAAIxe,KAAJ,CAAU,sDAAV,CAAN;AACD;;AAED,QAAl,KAAKoQ,KAAT,EA
AGb,MAAM,KAAKA,KAAX;AAEHb,SAAKjD,MAAL,CAAYuP,SAAZ,CAAsB5T,OAAtB,CAA8BIJ,OAA9B,C
AAsC,UAAA6K,MAAM,EAAl;AAC9C,UAAAM4T,OAAO,GAAG,MAAI,CAACC,GAAL,CAAS7T,MAAT,CAA
hB;;ACA,UAAIwS,SAAS,CAACoB,OAAO,CAAb,EAAGwB;AACtB,cAAM,IAAIre,KAAJ,CAAU,sDAAV,CAA
N;AACD;AACF,KALD;AAOA,WAAO,KAAKmN,MAAZ;AACD;;SAEDmR,MAAA,aAAI7T,MAAJ,EAAY;AA
CV,SAAKOC,MAAL,CAAYyP,UAAZ,GAAYBnS,MAAZB;;AAEA,QAAl;AACF,aAAOA,MAAM,CAAC,KAAK
OC,MAAL,CAAYgG,IAAb,EAAGmB,KAAKhG,MAAxB,CAAb;AACD,KAFD,CAEE,OAAOiD,KAAP,EAAG;AA
Cd,WAAKuN,WAAL,CAAIbVn,KAAjB,EAAGwB3F,MAAxB;ACA,YAAM2F,KAAN;AACD;AACF;;SAED4C,
YAAA,uBAAY;AACV,QAAl,KAAKoK,WAAT,EAAsB,OAAO,KAAKjQ,MAAZ;AACtB,SAAKiQ,WAAL,GAAG
mB,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,KAAK3I,MAAL,CAAY2I,IAAZB;ACA,QA
I5Y,GAAG,GAAG8V,SAAV;ACA,QAAl8C,IAAI,CAACwH,MAAT,EAAGiBpgB,GAAG,GAAG4Y,IAAI,CAA
CwH,MAAL,CAAYtK,SAAIb;AACjB,QAAl8C,IAAI,CAACI,WAAT,EAAsBhZ,GAAG,GAAG4Y,IAAI,CAACI,
WAAX;AACtB,QAAlhZ,GAAG,CAAC8V,SAAR,EAAGmB9V,GAAG,GAAGA,GAAG,CAAC8V,SAAV;AAEnB,
QAAl7F,MAAM,GAAG,EAAG;AACAjQ,IAAAA,GAAG,CAAC,KAAKiW,IAAN,EAAY,UAAArW,CAAC,EA
I;AACIBqQ,MAAAA,MAAM,IAAIrQ,CAAV;AACD,KAFE,CAAH;AAGA,SAAKqQ,MAAL,CAAYxL,GAAG,G
AAkBwL,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wBAnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,S
AAnB;AACD;AAED;,,,,;wBAIW;AACT,aAAO,KAAKvP,MAAL,CAAY2I,IAAnB;AACD;AAED;,,,,;wB
AYU;AACR,aAAO,KAAK9C,SAAL,GAAGiBrR,GAAG;AACD;AAED;,,,,;wBAYc;AACZ,aAAO,KAAKq
R,SAAL,GAAGiB9P,OAAxB;AACD;AAED;,,,,;wBAYU;AACR,aAAO,KAAK8P,SAAL,GAAGiBIC,GAAG;B
AACD;AAED;,,,,;wBAaW;AACT,aAAO,KAAKyM,IAAL,GAAYpK,IAAnB;AACD;AAED;,,,,;wB
Aae;AACb,aAAO,KAAKoK,IAAL,GAAGYZ,QAAnB;AACD;;AC5JH;ACA,AAEA;,,,,;AAOA;,,,,;AAUA;
,,,,;AAUA;,,,,;AAMA;,,,,;AKA;,,,,;AAMA;,,,,;AKA;,,,,;AAkCA;,,,,;IASM8B;AACJ;,,
AAIA,qBAAY3V,OAAZ,EAAG0B;AAAA,QAAdA,OAAc;AAAdA,MAAAA,OAAc,GAAG,EAAG;AAAA;AACxB;
,,,,;AAQA,SAAKkV,OAAAL,GAAG,EAAG;AACa;,,,,;AAOA,SAAKIV,OAAAL,GAAG,KAAKOR,SAAL,CAAe1
R,OAAf,CAAF;AACD;AAED;,,,,;SA6BAmB,MAAA,aAAIQ,MAAJ,EAAY;AACV,SAAK3B,O
AAL,GAAG,KAAKA,OAAAL,CAAa4V,MAAb,CAAoB,KAAKIE,SAAL,CAAe,CAAC/P,MAAD,CAAF,CAAPB,C
AAF;ACA,WAAO,IAAP;AACD;AAED;,,,,;SAsBAPn,UAAA,iBAAQsE,GAAR,EAAGmU,IAAb,E
AAwB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAG;AAAA;AACtB,WAAO,IAAIqH,UAAJ,C
AAe,IAAf,EAAGBxb,GAARb,EAAG0BmU,IAAIb,CAAP;AACD;;SAED0E,YAAA,mBAAU1R,OAAV,EAAGmB;A
ACjB,QAAl6V,UAAU,GAAG,EAAGjB;ACA7V,IAAAA,OAAO,CAACIJ,OAAAR,CAAGB,UAAA9C,CAAC,EA
I;AACnB,UAAIA,CAAC,CAAC8hB,OAAAN,EAAG9hB,CAAC,GAAGA,CAAC,CAAC8hB,OAAAN;;AAEF,UAAI,
OAAO9hB,CAAP,KAAa,QAAb,IAAYB6P,KAAK,CAACC,OAAAN,CAAG9P,CAAC,CAACgM,OAAhB,CAA7B,E
AAuD;AACrD6V,QAAAA,UAAU,GAAGA,UAAU,CAACD,MAAX,CAAGB5hB,CAAC,CAACgM,OAApB,CA
Ab;AACD,OAFD,MAEO,IAAI,OAAOhM,CAAP,KAAa,UAAjB,EAAG6B;AACIC6hB,QAAAA,UAAU,CAACHf,I
AAX,CAAGB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,IAAIkD,KAAJ,CAAAlD,CAAb,8BAAN;AACD;A
ACF,KAVD;AAWA,WAAO6hB,UAAP;AACD;,,;AC1LH;,,,,;IAUM/G;;AACJ,gBAAY/B,QAAG,EAAsB;A
AAA;;AACpB,kCAAMA,QAAN;ACA,UAAK3C,IAAL,GAAG,MAAZ;ACA,QAAl,CAAC,MAAKnP,KAAY,
EAAGiB,MAAKA,KAAL,GAAG,EAAG;AAHG;AAIrB;,,;SAEDM,cAAA,qBAAYM,KAAZ,EAAGmB;AACjBA,IAA
AA,KAAK,GAAG,KAAKhE,KAAL,CAAGwE,KAAAX,CAAR;;AAEA,QAAlA,KAAK,KAAK,CAAV,IAAG,KAA

KZ,KAAL,CAAWhH,MAAX,GAAoB,CAAvC,EAA0C;AACxC,WAAKgH,KAAL,CAAW,CAAX,EAACsP,IAAd,CAAmBa,MAAnB,GAA4B,KAAKnQ,KAAL,CAAWY,KAAx,EAAkB0O,IAAIB,CAAuBa,MAAnD;AACD;;AAED,gCAAa7P,WAAb,YAAyBM,KAAzB;AACD;;SAED6V,YAAA,mBAAU7V,KAAV,EAAiB0W,MAAjB,EAAYBnI,IAAzB,EAA+B;AAC7B,QAAMnP,KAAK,wBAASyW,SAAT,YAAmB7V,KAAAnB,CAAX;;AAEA,QAAI0W,MAAJ,EAAY;AACV,UAAInI,IAAI,KAAK,SAAb,EAAwB;AACTb,YAAI,KAAKnP,KAAL,CAAWhH,MAAX,GAAoB,CAAxB,EAA2B;AACzBse,UAAAA,MAAM,CAACHi,IAAP,CAAYa,MAAZ,GAAqB,KAAKnQ,KAAL,CAAW,CAAX,EAACsP,IAAd,CAAmBa,MAAxC;AACD,SAFD,MAEO;AACL,iBAAOmH,MAAM,CAACHi,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAKG,KAAL,KAAegH,MAAnB,EAA2B;AACChCX,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAl;AACpBA,UAAAA,IAAI,CAACmP,IAAL,CAAUa,MAAV,GAAMbMh,MAAM,CAACHi,IAAP,CAAYa,MAA/B;AACD,SAFD;AAGD;AACF;;AAED,WAAOnQ,KAAP;AACD;AAED;,,,,,,;SAA8a,WAAA,kBAAS/I,IAAT,EAAoB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACIB,QAAMgJ,IAAI,GAAG,IAAI3B,UAAJ,CAAe,IAAI5B,SAAJ,EAaf,EAAgC,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOtR,KAAP,EAAC;AACZ6I,IAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,SAAKnJ,WAAAL,CAAiBM,KAAjB;AACD;;SAEDoa,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAK6B,GAAzB;AACD;AAED;,,,,,,;EAjEiBkJ;;ACZnB,IAAIgF,QAAQ,GAAG,CAAF;AAEA;,,,,;AAOA;,,,,;IAOMpO;AACJ;,,,AAIA,iBAAYjP,GAAZ,EAAiBmU,IAAjB,EAA4B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACIB;,,,,;AAOA,SAAKnU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;;AAEA,QAAl,KAAK6D,GAAL,CAAS,CAAT,MAAgB,QAAbB,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QAAbD,EAA0D;AACxD,WAAKA,GAAL,GAAW,KAAKA,GAAL,CAAS0O,KAAT,CAAe,CAAf,CAAX;AACD;;AAED,QAAlYf,IAAI,CAAC2D,IAAT,EAAe;AACb,UAAI,YAAy/b,IAAZ,CAAiBoY,IAAI,CAAC2D,IAAtB,CAAJ,EAAlC;AAC/B;,,,,;AAQA,aAAKxI,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd,OAAL,CAAarI,IAAI,CAAC2D,IAAIB,CAAZ;AACD;AACF;AAED;,,,,,,;AAiBA,QAAl,CAAC,KAAKxI,IAAV,EAAgB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;,,,,;AAUA,WAAK7c,EAAL,mBAAwB6c,QAAXB;AACD;;AACD,QAAl,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAGB,KAAKwI,IAArB;AACf;,,,SAEDrJ,QAAA,eAAM3C,OAAN,EAaenF,IAAf,EAAqBC,MAArB,EAA6BuN,IAA7B,EAAwC;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACtC,QAAl3I,MAAJ;AACa,QAAM+R,MAAM,GAAG,KAAKA,MAAL,CAAY5W,IAAZ,EAakBC,MAAIB,CAAF;AACa,QAAl2W,MAAJ,EAAY;AACV/R,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CACPtD,OADO,EAEPyR,MAAM,CAAC5W,IAFA,EAGP4W,MAAM,CAAC3W,MAHA,EAIP2W,MAAM,CAACIO,MAJA,EAkPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACrL,MANE,CAAT;AAQD,KATD,MASO;AACL0C,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAmBtD,OAAnB,EAA4BnF,IAA5B,EAakCC,MAAIC,EAA0C,KAAK5G,GAAC/A,C,EAAoD,KAAKsP,IAAzD,EAA+D6E,IAAI,CAACrL,MAApE,CAAT;AACD;;AAED0C,IAAAA,MAAM,CAAC8B,KAAP,GAAe;AAAE3G,MAAAA,IAAI,EAAJA,IAAF;AAAQC,MAAAA,MAAM,EAANA,MAAR;AAAgByI,MAAAA,MAAM,EAAE,KAAKrP;AAA7B,KAAf;AACa,QAAl,KAAKsP,IAAT,EAae9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAAoB,KAAKA,IAAzB;AAEf,WAAO9D,MAAP;AACD;AAED;,,,,,,;SAA+R,SAAAgBAAO5W,IAAP,EAAC,MAAb,EAAqB;AACnB,QAAl,CAAC,KAAKuI,GAAV,EAae,OA AO,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT,EAajB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE9W,MAAAA,IAAI,EAAJA,IAAF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAb;AACa,QAAl,CAACkR,IAAI,CAACzI,MAAV,EAakB,OA AO,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAAE,KAAKoO,UAAAL,CAAgB5F,IAAI,CAACzI,MAArB,CADO;AAEb1I,MAAAA,IAAI,EAEmR,IAAI,CAACnR,IAFE;AAGbC,MAAAA,MAAM,EAAEkR,IAAI,CAACIR;AAHA,KAAf;AAMA,QAAMyI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,CAA0B7F,IAAI,CAACzI,MAA/B,CAAF;AACa,QAAlA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAGBA,MAAhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDkS,aAAA,oBAAWpO,IAAX,EAAlB;AACf,QAAl,YAAyvt,IAAZ,CAAiBuT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAACd,OAAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GA AoBI,UAApB,IAAkC,GAA/C,EAAoDtO,IAApD,CAAP;AACD;AACF;AAED;,,,,,,;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK9O,EAazB;AACD;,,,;ICIKkBqd;,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,

MAAL,GAACf,QAAQ,CAAC,KAAKC,KAAN,EAAa;AAAAEI,MAAAA,YAAY,EAAE;AAAhB,KAAb,CAAtB;A
ACD;;SAEDoB,UAAA,iBAAQI,KAAR,EAAe;AACb,QAAM3M,IAAI,GAAG,IAAIwT,OAAJ,EAAb;AACa,SA
AKU,IAAL,CAAUIU,IAAV,EAAgB2M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;
AACa3M,IAAAA,IAAI,CAAC8M,MAAL,CAAYS,GAAZ,GAaKb;AAAEEnJ,MAAAA,IAAI,EAAEuI,KAAK,CA
AC,CAAD,CAAb;AAAKbI,MAAAA,MAAM,EAAEsI,KAAK,CAAC,CAAD;AAA/B,KAAIB;AAEA,QAAI4C,I
AAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,CAAX;AACa,QAAIoD,IAAI,CAACp
D,KAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,IAAI,GAAGA,IAAI,CAACpD,KAAL,CAAW,CAA
X,EAAc,CAAC,CAAf,CAAP;;AAE7B,QAAI,QAAQ3S,IAAR,CAAa+V,IAAb,CAAJ,EAAbW;AACtBvP,MAAA
A,IAAI,CAACuP,IAAL,GAAY,EAAZ;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAiBG,IAAj
B;AACAvP,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAY,GAaKb,EAAIB;AACD,KAJD,MAIO;AACL,UAA
M5P,KAAK,GAAG6P,IAAI,CAAC7P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACuP,IAAL,G
AAY7P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUC,IAAV,GAAiB1P,KAA
K,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACmP,IAAL,CAAUG,KAAY,GAaKb5P,KAAK,CAAC,C
AAD,CAAxB;AACD;AACF;;SAED4U,kBAAA,2BAaKb;;SAEIBC,cAAA,qBAAYIH,KAAZ,EAAbM;AACjB,Q
AAMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,CAAKbK,KAAIB,EAAYB,KAAKtB,GAAL,GAA
W,CAApC,CAAf;AACa,SAAK6H,MAAL,IAAe2H,MAAM,CAAC3O,GAAP,CAAW,UAAAhU,CAAC;AAAA,a
AAIA,CAAC,CAAC,CAAD,CAAL;AAAA,KAAZ,EAAsBmD,IAAtB,CAA2B,EAA3B,CAAf;AACD;;SAEDmZ,k
BAAA,2BAaKb;AACbB,SAAKvB,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,IAA2B,GAA3B;AACD;;SAEDkH,c
AAA,uBAAc;;SAEdR,gBAAA,uBAAchV,IAAd,EAAoB;AACIBa,IAAAA,IAAI,CAAC5H,IAAL,GAAY,EAAZ;
AACD;;SAEDuc,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,QAAM+C,KAAK,GAAG,KAAKA,KAAL,CAA
W/C,MAAX,CAAd;AACa,QAAI+C,KAAK,KAAK,KAAd,EAAqB;AAErB,QAAI7O,KAJ;;AACa,SAAKA,KA
AK,GAAG6O,KAAK,GAAG,CAArB,EAAbW7O,KAAK,IAAI,CAAjC,EAAoCA,KAAK,EAAzC,EAA6C;AAC3
C,UAAI8L,MAAM,CAAC9L,KAAD,CAAN,CAAc,CAAd,MAAqB,MAAzB,EAAiC;AACIC;;AACD,SAAKA,K
AAK,IAAI,CAAd,EAAiBA,KAAK,IAAI,CAA1B,EAA6BA,KAAK,EAAIC,EAAsC;AACpC,UAAI8L,MAAM,C
AAC9L,KAAD,CAAN,CAAc,CAAd,MAAqB,OAazB,EAakC;AACbCA,QAAAA,KAAK,IAAI,CAAT;AACa;A
ACD;AACF;;AACD,QAAM8U,KAAK,GAAGhJ,MAAM,CAACzI,MAAP,CAACrD,KAAd,EAAqB8L,MAAM,C
AACnS,MAAP,GAAGbqG,KAARc,CAAd;AACa,SAAKsQ,IAAL,CAAUwE,KAAY;AACD;;SAEDc,uBAAA,gC
AAuB;;SAEvBb,UAAA,mBAAU;AACR,QAAI,KAAKN,OAAL,CAAa9T,KAAb,IAAsB,KAAK8T,OAAL,CAAa
9T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK8a,OAAL,CAAaxE,IAAb,CAAKBJ,SAIB,GAA8B,KA
AKA,SAAnC;AACD;;AACD,SAAK4E,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAA0B,CAAC,KAAKqF,OAAL
L,CAAaxE,IAAb,CAAKbB,KAAIB,IAA2B,EAA5B,IAAKc,KAAKsF,MAAjE;;AAEA,WAAO,KAAKD,OAAL,C
AAa7S,MAApB,EAA4B;AAC1B,WAAK6S,OAAL,GAAe,KAAKA,OAAL,CAAa7S,MAA5B;AACa,WAAK6S,
OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAA0B,EAA1B;AACD;AACF;;EAxEqCmF;;ACLxC;AACa,AAIe,SA
AS+H,SAAT,CAAmB/d,GAAnB,EAAbWmU,IAAxB,EAA8B;AAC3C,MAAM7G,KAAK,GAAG,IAAI2B,KAJ,
CAAUjP,GAAY,EAAemU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAI0F,UAAJ,CAAevQ,KAaf,CAAf;
AACa6K,EAAAA,MAAM,CAAC9K,QAAP;AACa8K,EAAAA,MAAM,CAAC9B,IAAP;AAEA,SAO8B,MAA
M,CAAC3G,IAAd;AACD;;ACbD;AAUA,IAAIwM,SAAS,GAAG,EAAbB;AAEA,AAIA;;;AAGA,oBA Ae,UAC
tU,UAAD,EAA4B;AAAA,MACnCuU,WADmC;AAIvC,yBAAY/e,KAAZ,EAA4B;AAC1B,WAAKA,KAAL,GA
AaA,KAAb;AACD;;AANsC;;AAAA,WAQvCgf,mBARuC,GAQvC,6BAAoB5S,gBAAPB,EAA8C;AAC5C,UAA
M5C,OAAO,GAAG2C,OAAO,CAAC,KAAKnM,KAAN,EAAaoM,gBAAb,CAAP,CAAsChN,IAAtC,CAA2C,EA
A3C,CAAhB;AAEA,UAAMhD,IAAI,GAAG6iB,mBAAmB,CAACzV,OAAD,CAAhC;;AACa,UAAI,CAACsV,S
AAS,CAAC1iB,IAAD,CAAd,EAAsB;AACpB,YAAMkW,IAAI,GAAGyG,SAAK,CAACvP,OAAD,CAAIB;AAC
A,YAAM0V,SAAS,GAAG,EAAIB;AACa5M,QAAAA,IAAI,CAAC8G,IAAL,CAAU,UAAA/V,IAAI,EAAI;AAC
hB,cAAIA,IAAI,CAACgP,IAAL,KAAC,MAAIB,EAA0B;AACxB6M,YAAAA,SAAS,CAACpGB,IAAV,CAAe,C
AACuE,IAAI,CAAC0P,IAAN,EAAY1P,IAAI,CAAC+H,KAJb,CAAf;AACD,WAFD,MAEO,IAAI5O,OAAO,C
AACc,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC2G,IAAI,CAACgP,IAAL,KAAC,SAa3D,EAAsE;AAC3E;
AACa7F,YAAAA,OAAO,CAACC,IAAR,mBAA6BpJ,IAAI,CAACgP,IAAIC;AACD;AACF,SAPD,EAHoB;AAY
pB;AACa;AACa;;AACa,YAAM8M,WAAW,GAAGC,kBAaKb,CAACF,SAAD,EAAY,CACHd,cADgD,EAHd

,aAFgD,EAGhD,aAHgD,EAIhD,aAJgD,CAAZ,CAAtC;AAMA,YAAMG,MAAM,GAAG7U,UAAU,CAAC8U,M
AAX,CAAkB;AAC/BR,UAAAA,SAAS,EAAEK;AADoB,SAaIB,CAAf;AAGAL,QAAAA,SAAS,CAAC1iB,IAA
D,CAAT,GAakBijB,MAAM,CAACP,SAazB;AACD;;AACD,aAAOA,SAAS,CAAC1iB,IAAD,CAAhB;AACD,K
AvCsC;;AAAA;AAAA;;AA0CzC,SAA02iB,WAAP;AACD,CA3CD;;ACnBA;;AACa;;;;;;;;;;;;;;;;;;;;AA2BA,I
AAMQ,QAAQ,GAAG,SAAXA,QAAW,CAAA5I,GAAG,EAAI;AACtB,SACE,OAAOA,GAAP,KAAe,UAAf,IAA
8B,OAAOA,GAAP,KAAe,QAAf,IAA2BA,GAAG,KAAK,IAAnC,IAA2C,CAAC7K,KAAK,CAACC,OAAAN,CAA
c4K,GAAd,CAD5E;AAGD,CAJD;;AAMA,IAAM6I,UAAU,GAAG,SAAbA,UAAa,CAAA5T,GAAG,EAAI;AACx
B,SAAOA,GAAG,KAAK,WAAR,IAAuBA,GAAG,KAAK,aAA/B,IAAgDA,GAAG,KAAK,WAA/D;AACD,CAF
D;;AAIA,SAAS6T,KAAT,CAAeljB,MAAf,EAaBoa,GAAvB,EAA4B/K,GAA5B,EAAiC;AAC/B,MAAMF,GAA
G,GAAGnP,MAAM,CAACqP,GAAD,CAAlB;;AACa,MAAI2T,QAAQ,CAAC5I,GAAD,CAAR,IAAiB4I,QAAQ,
CAAC7T,GAAD,CAA7B,EAAoC;AACICgU,IAAAA,SAAS,CAACuU,GAAD,EAAMiL,GAAN,CAAT;AACD,G
AFD,MAEO;AACLPa,IAAAA,MAAM,CAACqP,GAAD,CAAN,GAAC+K,GAAd;AACD;AACF;;AAED,AAAe,S
AAS+I,SAAT,CAAmBnjB,MAAnB,EAAoC;AAAA,oCAANojB,IAAM;AAANA,IAAAA,IAAM;AAAA;;AACjD,
2BAakBA,IAAlB,2BAawB;AAAnB,QAAMjU,GAAG,YAAT;;AACH,QAAl6T,QAAQ,CAAC7T,GAAD,CAAZ,
EAAMb;AACjB,WAAK,IAAME,GAAX,IAakBF,GAAIB,EAAuB;AACrB,YAAI8T,UAAU,CAAC5T,GAAD,CA
Ad,EAAqB;AACnB6T,UAAAA,KAAK,CAACljB,MAAD,EAASmP,GAAG,CAACE,GAAD,CAAZ,EAAMBA,G
AAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOrP,MAAP;AACD;;AC3DD;AACa,AAMA,sBA Ae,UA
AC4d,KAAD,EAAeyF,aAAf,EAAMCC,YAAnc,EAAwE;AAAA,MAArCA,YAAqC;AAArCA,IAAAA,YAAqC,G
AAjBvhB,YAAiB;AAAA;;AACrF,SAAQ6b,KAAK,CAAC2F,KAAN,KAAGBD,YAAY,CAACC,KAA7B,IAAsC3
F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAY,CAACC,KAA5F;AACD,CAFD;;ACPA;AAGA,A
AAe,SAASC,KAAT,CAAexjB,MAAf,EAAMF;AACChG,SACE,OAAOA,MAAP,KAAkB,QAAIB,KACCC,OAAO,
CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM,CAACyJb,MAAP,CAAc,CAAd,MAAQbZjB,
MAAM,CAACyJb,MAAP,CAAc,CAAd,EAAiB/U,WAAjB,EAExB,GAEG,IAHJ,CADF;AAMD;;ACVD;AAEA,
AAGe,SAASgV,mBAAT,CACb1jB,MADa,EAEL;AACR,SAAOwjB,KAAK,CAACxjB,MAAD,CAAL,eAA0BA,
MAA1B,eAA+CD,gBAAGB,CAACC,MAAD,CAA/D,MAAP;AACD;;ICKY2jB,YAAY,GAA0BpW,cAAK,CAAC
C,aAAN,EAA5C;AAEP,IAAaoW,aAAa,GAAGD,YAAY,CAACjW,QAAnc;;AAEP,SAASmW,UAAAT,CAAoBN,
KAApB,EAA0CO,UAA1C,EAAqE;AACnE,MAAI,CAACP,KAAL,EAAy;AACV,WAAO1f,0BAAGB,CAAC,EA
AD,CAAvB;AACD;;AAED,MAAIxD,UAAU,CAACkjB,KAAD,CAAd,EAAuB;AACrB,QAAMQ,WAAW,GAAG
R,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE7jB,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,K
ACC4jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAAAN,CAAcuU,WAAAd,CAAxB,IAAsD,OAAOA,
WAAP,KAAuB,QAD9E,CADF,EAGE;AACa,aAAOlgb,0BAAGB,CAAC,CAAD,CAAvB;AACD;;AAED,WAAO
kgB,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAAN,CAAc+T,KAAd,KAAwB,OAAOA,KAAP,KAAiB,
QAA7C,EAAuD;AACrD,WAAO1f,0BAAGB,CAAC,CAAD,CAAvB;AACD;;AAED,SAAOigB,UAAU,gBAAQA,
UAAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;;;;AAGA,AAAe,SAASS,aAAT,CAAuBpG,KAAvB,E
AAqC;AACID,MAAMkG,UAAU,GAAGG,gBAAU,CAACN,YAAD,CAA7B;AACa,MAAMO,YAAY,GAAGC,a
AAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,KAAP,EAAcO,UAAAd,CAAhB;AAAA,GAAD,
EAA4C,CACtEIG,KAAK,CAAC2F,KADgE,EAETEO,UAfsE,CAA5C,CAA5B;;AAKA,MAAI,CAACIG,KAAK,C
AACT,QAAAX,EAAqB;AACnB,WAAO,IAAP;AACD;;AAED,sBAAO5P,6BAAC,YAAD,CAAc,QAAAd;AAAU,B,I
AAA,KAAK,EAAE2W;AAA9B,KAA6CtG,KAAK,CAACT,QAAAnD,CAAP;AACD;;AC1CD;AAEA;;AACa,IAA
MiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CAAlB;;IAEMC;;;;;;;;UAGJC,QAAQ;;;;;SAE
RC,SAAS,kBAAS;AAAA;;ACCP,wBACEhX,6BAAC,aAAD,QACG,UAAcGw,KAAD,EAAMb;AAAA,yBAUd,
MAAI,CAAC3F,KAVS;AAAA,UAEX4G,eAFW,gBAEhBC,GAfGB;AAAA,UAGZC,QAHY,gBAGhBC,EAHgB;
AAAA,UAlhBC,kBAJgB,gBAIhBA,kBAJgB;AAAA,UAKhBC,WALgB,gBAKhBA,WALgB;AAAA,UAMhBC,Y
ANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,MAPgB;AAAA,4CAQhB5e,KARgB;AAAA,U
AQhBA,KARgB,mCAQR,EARQ;AAAA,UASbyX,KATa;;AAAA,UAYV0F,YAZU,GAYkCsB,kBAZIC,CAYVtB
,YAZU;AAAA,UAYItjB,MAZJ,GAYkC4kB,kBAZIC,CAYI5kB,MAZJ;AAAA,UAYYgIB,iBAZZ,GAYkCJ,kBA
ZIC,CAYYI,iBAZZ;AAalB,UAMC,mBAAMb,GACvB,MAAI,CAACX,KAAL,CAAWG,GAAX,IAAkB,MAAI,
CAACH,KAAL,CAAWK,EAA7B,IAAMCH,eAAnc,IAAsDE,QAAtd,IAAKE1kB,MADpE;;AAGA,UAMkIB,eA

Ae,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAAI,CAACxH,KAAN,EAAa2F,KAAb,EAAoBD,Y
AApB,CAAd,IAAmDvhB,YAD7B,EAETB,MAAI,CAAC6b,KAFiB,CAAxB;;AAKA,UAMyH,WAAW,GAAG7
B,KAAK,CAACyB,mBAAD,CAAzB;AACa,UAMK,aAAa,GAAG,MAAI,CAACHb,KAAL,KAAe1G,KAaf,gB
AA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAqD1G,KAA3E;AACa,UAM2H,YAAy,GAAGP,iBAAi
B,IAAKK,WAAW,IAAIjB,SAA1D;AACa,UAMoB,eAAe,GAAG,EAAxB;AACa,UAAInW,GAAJ;;AAEA,WA
AKA,GAAL,IAAYiW,aAAZ,EAA2B;AACzB,YAAIjW,GAAG,CAAC,CAAD,CAAH,KAAW,GAAX,IAAkBA,G
AAG,KAAK,IAA9B,EAAoC,SAApC,KACK,IAAIA,GAAG,KAAK,aAAZ,EAA2B;AAC9BmW,UAAAA,eAAe,C
AACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AACD,SAFI,MAEE,IAAI,CAACKw,YAAD,IAAiB
A,YAAy,CAACIW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;AACxD;AACaOb,UAAAA,eAAe,CAACnW,GA
AD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AACF;;AAEDmW,MAAAA,eAAe,CAACrf,KAAh
B,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UACsf,KAAD,EAAW;AACT,eAAO,CAACP,eAAD,EAA
kB5D,MAAIB,CAAyBnb,KAAK,CAACsf,KAAD,CAA9B,CAAP;AACD,OAHuB,GAItB,CAACP,eAAD,EAAk
B5D,MAAIB,CAAyBnb,KAAzB,CAJF;AAKAqf,MAAAA,eAAe,CAACT,MAAhB,GAAyBA,MAAM,IAAIS,eAAe
,CAACT,MAAnD;AAEA,UAAID,YAAJ,EAakBU,eAAe,CAACE,GAAhB,GAAsBZ,YAAtB;AACIB,UAAID,W
AAJ,EAAiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,aAAOhd,mBAAa,CAACod,mBAAD,EAAsBO,
eAAtB,CAApB;AACD,KAJDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsBpC,KAAtB,EAAsC3F,KAAtC,EAAq
D0G,KAArD,EAAMe;AAAA;;AACjE,QAAMvZ,OAAO,gBAAQ6S,KAAr;AAAE2F,MAAAA,KAAK,EAALA;
AAAf,MAAb;;AAEA,QAAl,CAACe,KAAK,CAAC3kB,MAAX,EAAMb,OAAOoL,OAAP;AAEnB,SAAKuZ,KA
AL,GAAa,EAAb;AAEA,IAAAA,KAAK,CAAC9hB,OAAN,CAAc,UAAAOjB,OAAO,EAAl;AACvB,UAAIC,eA
Ae,GAAGD,OAAtB;AACa,UAAIE,IAAJ;AACa,UAAIzW,GAAJ;;AAEA,UAAIhP,UAAU,CAACwIB,eAAD,CA
Ad,EAAiC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC9a,OAAD,CAAjC;AACD;AAED;;;AACa,WAAKsE,
GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,CAACxW,GAAD,CAAtB;AACa,QAA
A,MAAI,CAACiV,KAAL,CAAWjV,GAAX,IAAkByW,IAAIB;AACa/a,QAAAA,OAAO,CAACsE,GAAD,CAAP
,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO/a,OAAP;AACD;;SAEDoa,0BAAA,iCAAwB5B,
KAAxB,EAAoC3F,KAApC,EAAgD;AAAA,QACtCmI,WADsC,GACtBnI,KAAK,CAACgH,kBADgB,CACtCmB,
WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,CACvBpC,KADuB,EAEvB3F,KAFuB,EAGvB
A,KAAK,CAACgH,kBAAN,CAAyBN,KAHF,CAAzB;AAMA,WAAOyB,WAAW,CAACtD,mBAAZ,CAAgC5S,
gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EAAoC;AACIC,QAAl,KAAKIq,IAAL,KAAcrQ,S
AAIB,EAA6B;AAC3B;AACa,WAAKqQ,IAAL,CAAUiQ,cAAV,CAAyBC,WAAzB;AACD,KAHD,MAGO,IAAI
hmB,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACChD;AACa8P,MAAAA,OAAO,CAA
CC,IAAR,CACE,4FADF;AAGD;AACF;;;EA/GiCgW;;AAkHpC,8BAAe,UAAc1D,WAAD,EAA2B;AACxC,MA
AM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAACnmB,MAAD,EAAiB0J,OAAjB,EAACjG,KAAIC,EAAqD;A
AAA,yBAKnFiG,OALmF,CAErF4a,KAFqF;AAAA,QAerFA,KAFqF,+BAE7EziB,WAF6E;AAAA,+BAKnF6H,O
ALmF,CAGrFtJ,WAHQf;AAAA,QAGrFA,WAHQf,qCAGvEsjB,mBAAmB,CAAC1jB,MAAD,CAHoD;AAAA,g
CAKnFOJ,OALmF,CAIrF0c,eAJqF;AAAA,QAIRfA,eAJqF,sCAInE/B,qBAJmE;AAOVf,QAAMgC,OAAO,GAAG
,CAAC7C,KAAK,CAACxjB,MAAD,CAAtB;AACa,QAAMsmB,kBAAkB,GAAGx1B,iBAAiB,CAACd,MAAD,C
AA5C,CARuF;;AAWvF,QAAMumB,4BAA4B,GAAGhZ,cAAK,CAACiZ,UAAAN,CAAiB,UAAc5I,KAAD,EAA
Q8H,GAAR;AAAA,0BACpDnY,6BAAC,eAAD,eACMqQ,KADN;AAEE,QAAA,kBAAkB,EAEE2I,4BAFtB;AA
GE,QAAA,YAAy,EAEEb;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QAAMe,UAAU;AAEdH,IAAAA,kB
AAkB,IAAItmB,MAAM,CAACskB,KAA7B,GACI/U,KAAK,CAAC/O,SAAN,CAAgB8gB,MAAhB,CAAuBthB,
MAAM,CAACskB,KAA9B,EAAqCA,KAArC,EAA4C1E,MAA5C,CAAmDle,OAAnD,CADJ,GAEl4iB,KAJN,C
AnBuF;;AA0BvF,QAAlU,iBAAiB,GAAGtb,OAAO,CAACsb,iBAAhC,CA1BuF;;AA6BvF,QAAlSb,kBAAkB,IA
AltmB,MAAM,CAACgIB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,EAauB;AACrB;AACAA,QAAAA,iBAAiB,
GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA;AAElB3mB,YAAAA,MAAM,CAACgIB,iB
AAP,CAAyBxO,IAAzB,EAA+BkQ,QAA/B,EAAyCC,kBAAzC,KACAJd,OAAO,CAACsb,iBAAR,CAA0BxO,IA
A1B,EAAgCkQ,QAAhC,EAA0CC,kBAA1C;AAHkB;AAAA,SAApB;AAID,OAND,MAMO;AACL;ACA3B,Q
AAAA,iBAAiB,GAAGh1B,MAAM,CAACgIB,iBAA3B;AACD;AACF;AAED;;;AAKA;;;AACAuB,IAAAA,4BA
A4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAACnmB,WAA7B,GAA2CA,WAA3C,

CAIDuF;;AAqDvFmmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAjD,CArDuF;;AAwDvFuB,IAAAA,4BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAaKb,GAAGtmB,MAAM,CAAC+IB,WAAP,CAAmBtiB,KAAAnB,CAAyB6d,MAAzB,CAAgC7d,KAAhC,CAAH,GAA4CA,KAFrB,CAA3C,CAXDuF;;AA8DvF8iB,IAAAA,4BAA4B,CAACxIB,iBAA7B,GAAiD,uBAAjD,CA9DuF;;AAgEvFwIB,IAAAA,4BAA4B,CAACvmB,MAA7B,GAAsCsmB,kBAaKb;AAEpDtmB,IAAAA,MAAM,CAACA,MAF6C,GAGpDA,MAHJ,CAHeuF;;AAqEvFumB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAAuB5jB,GAAvB,EAAoC;AAAA,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CymB,EAD0C,GACjBnd,OADiB,CACvDsD,WADuD;AAAA,UACnC8Z,aADmC,iCACjBpd,OADiB;;AAE/E,UAAMqd,UAAU,gBACXD,aADW;AAEdxC,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAAfA;AAHc,QAaHb;;AAMA,aaaOD,2BAA2B,CAACnjB,GAAD,EAAm+jB,UAAAN,EAakBtjB,KAAiB,CAAIc;AACD,KATD,CArEuF;;AAiFvF9C,IAAAA,MAAM,CAACqmB,cAAP,CAASBT,4BAAiB,EAAoD,cAAPD,EAAoE;AACIEthB,MAAAA,GADkE,iBAC5D;AACJ,eAAO,KAAKgiB,mBAAZ;AACD,OAHIE;AAKIEnjB,MAAAA,GALkE,eAK9DqL,GAL8D,EAKzD;AACp;AACa,aAAK8X,mBAAL,GAA2BX,kBAaKb,GAAGY,SAAK,CAAC,EAAD,EAakInB,MAAM,CAACsjB,YAAZ,EAA0BnU,GAA1B,CAAR,GAAYCA,GAATf;AACD;AARIE,KAApE;;AAWA,QAaIkX,OAAJ,EAAa;AACXc,MAAAA,KAAK,CAACZ,4BAAD,EAAGCvmB,MAAhC,EAA8C;AACjD;AACaskB,QAAAA,KAAK,EAAE,IAF0C;AAGjDkIB,QAAAA,WAAW,EAAE,IAHoC;AAIjD4kIB,QAAAA,iBAAiB,EAAE,IAJ8B;AAKjDe,QAAAA,WAAW,EAAE,IALoC;AAMjDhIB,QAAAA,iBAAiB,EAAE,IAN8B;AAOjDf,QAAAA,MAAM,EAAE,IAPyC;AAQjD4mB,QAAAA,aAAa,EAAE;AARkC,OAA9C,CAAL;AAUD;;AAED,WAAOL,4BAAP;AACD,GA1GD;;AA4GA,SAAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBAaE,UACbiB,OADa,EAEBzkB,cAFa,EAGY;AACzB,MAAMoN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAf;;AAEA,OAAK,IAAI1nB,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAGK,cAAc,CAACHD,MAArC,EAA6CD,CAAC,GAAG4C,GAAjD,EAA5D5C,CAAC,IAAI,CAA3D,EAA8D;AAC5DqQ,IAAAA,MAAM,CAACxN,IAAP,CAAYI,cAAc,CAACjD,CAAD,CAA1B,EAA+B0nB,OAAO,CAAC1nB,CAAC,GAAG,CAAL,CAAtC;AACD;;AAED,SAAOqQ,MAAP;AACD,CAXD;;ACHA;AACAA,AAOA;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,EAAI;AACpB,MAAI/X,KAAK,C AACC,OAAAN,CAAc8X,GAAd,CAAJ,EAAwB;AACtB;AACAA,IAAAA,GAAG,CAAC7X,KAAJ,GAAY,IAAZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAE,SAAS/iB,GAAT,CAAaue,MAAb,EAA+E;AAAA,oCAA/CngB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU,CAACyiB,MAAD,CAAV,IAAsBnT,aAAa,CAACmT,MAAD,CAAvc,EAAiD;AAC/C;AACa,WAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAAC1IB,WAAD,GAAEihB,MAAf,SAA0BngB,cAA1B,EAAX,CAAR,CAAb;AACD;;AAED,MAAIA,cAAc,CAACHD,MAAf,KAA0B,CAA1B,IAA+BmjB,MAAM,CAACnjB,MAAP,KAAkB,CAAjD,IAAsD,OAAOmjB,MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAYf;AACvF;AACa,WAAOA,MAAP;AACD,GAT2F;;AAY5F,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EAA5ngB,cAAT,CAAX,CAAR,CAAb;AACD;;ACzBc,SAAS6kB,oBAAT,CACbC,oBADa,EAEBzkB,GAFA,EAGb0G,OAHa,EAIb;AAAA,MADAA,OACA;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;AACa,MAAI,CAAC2IB,0BAaKb,CAAC1kB,GAAD,CAAvB,EAA8B;AAC5B,WAAOa,0BAAGB,CAAC,CAAD,EAAI9E,MAAM,CAACIE,GAAD,CAAV,CAAvB;AACD;AAED;AACa;;AACa,MAAM2kB,gBAAGB,GAAG,SAAnBA,gBAAmB;AAAA,WAAaF,oBAAoB,CAACzKB,GAAD,EAAm0G,OAAAN,EAAenF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAazB;AAEA;;AACaOjB,EAAAA,gBAAGB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACICL,oBAAoB,CAACC,oBAAD,EAAuBzkB,GAAvB,eAAiC0G,OAAjC,MAA6Cme,MAA7C,EADc;AAAA,GAAPc;AAGA;;AACAF,EAAAA,gBAAGB,CAACrD,KAAjB,GAAYB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAAD,EAAuBzkB,GAAvB,eACf0G,OADe;AAEIB4a,MAAAA,KAAK,EAAE/U,KAAK,CAAC/O,SAAN,CAAGB8gB,MAAhB,CAAuB5X,OAAO,CAAC4a,KAA/B,EAA5CA,KAAiC,EAA6C1E,MAA7C,CAAoDle,OAApD;AAFW,OADQ;AAAA,GAA9B;;AAMA,SAAOimB,gBAAP;AACD;;ACzBD;AACa;AACa;AACa;AACa;;AAEA,iBAAe,UACzB,SAAD,EAAwC;AACrD;AACa,MAAM4B,SAAS,GAAGva,cAAK,CAACiZ,UAAAN,CAAiB,UAAAC5I,KAAD,EAAQ8H,GAAR,EAAgB;AACjD,QAAMnC,KAAK,GAAGU,gBAAU,CAACN,YAAD,CAAxB,CADiD;;AAAA,QAGzCL,YAHyC,GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GAAG3C,cAAc,CAACxH,KAAD,EAAQ2F,KAAAR,EAAeD,YAAf,CAAhC;;AAEA,QAAIrjB,OAAO,CAACC,GAAR,CAAYC,QAaz,KAAyB,YAAzB,IAAYC4nB,SAAS,KAAKriB,SAA3D,EAA5E;AACpE;AACAuK,MAAAA,OAAO,CAACC,IAAR,6HAC2HnQ,gBAAGB,CACvI

mmB,SADuI,CAD3I;AAKD;;AAED,wBAAO3Y,6BAAC,SAAD,eAAeqQ,KAaf;AAAsB,MAAA,KAAK,EAAEm
K,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OAAP;AACD,GAhBiB,CAAIb;AAkBasC,EAAAA,KAAY
,CAACF,SAAD,EAAY5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAAC1nB,WAAV,kBAAqCL,gBAAgB,CAA
CmmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACdA;AACa;AAGA,IAAMG,QAAQ,GAAG,SA
AXA,QAAW;AAAA,SAAMhE,gBAAU,CAACN,YAAD,CAAhB;AAAA,CAAjB;;ACJA;;AAeA,IAAMuE,WAA
W,GAAGC,OAAO,CAAC,cAAD,CAA3B;;AAEA,IAAM3F,WAAW,GAAG4F,YAAY,CAACF,WAAW,CAAC1e
,UAAb,CAAhC;;AACa,IAAM6a,uBAAqB,GAAGgE,sBAAsB,CAAC7F,WAAD,CAApD;;AACa,IAAM8F,MAA
M,GAAG,SAATA,MAAS,CAACtIB,GAAD;AAAA,SAAiBwkB,oBAAoB,CAACnD,uBAAD,EAAwBrhB,GAAX
B,CAArC;AAAA,CAAf;AAEA;;;AAEA,IAAMulB,OAAO,mpBAAb;AAQA;;;AAEAA,OAAO,CAACviB,KAAR
,CAAc,MAAd,EAAsBxD,OAAtB,CAA8B,UAAAgmB,KAAK;AAAA,SACjC7nB,MAAM,CAACqmB,cAAP,CA
AsBsB,MAAtB,EAA8BE,KAA9B,EAAqC;AACnCC,IAAAA,UAAU,EAAE,IADuB;AAEnCC,IAAAA,YAAY,E
AAE,KAFqB;AAGnCzjB,IAAAA,GAHmC,iBAG7B;AACJ,aAAOqjB,MAAM,CAACJ,WAAW,CAACM,KAAD,
CAAZ,CAAb;AACD;AALkC,GAArC,CADiC;AAAA,CAAnC;;;;;;;" }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/native/dist/styled-components.native.cjs.js.map

No license file was found, but licenses were detected in source scan.

/**

* MIT License

*

* Copyright (c) 2016 Sultan Tarimo

*

* Permission is hereby granted, free of charge, to any person obtaining a copy of

* this software and associated documentation files (the "Software"),

* to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or

* sell copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in all

* copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

* OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY,

* WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

* IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

/**

mixin-deep; <https://github.com/jonschlinkert/mixin-deep>

Inlined such that it will be consistently transpiled to an IE-compatible syntax.

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE

IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

Found in path(s):

- * /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/native/dist/styled-components.native.esm.js
- * /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/primitives/dist/styled-components-primitives.esm.js
- * /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/primitives/dist/styled-components-primitives.cjs.js
- * /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/native/dist/styled-components.native.cjs.js

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-components.browser.cjs.js","sources":["../src/utils/interleave.js","../src/utils/isPlainObject.js","../src/utils/empties.js","../src/utils/isFunction.js","../src/utils/getComponentName.js","../src/utils/isStyledComponent.js","../src/constants.js","../src/utils/error.js","../src/utils/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sheet/Rehydration.js","../src/utils/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utils/generateAlphabeticName.js","../src/utils/hash.js","../src/utils/isStaticRules.js","../src/models/ComponentStyle.js","../src/utils/stylis.js","../src/utils/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../src/models/Keyframes.js","../src/utils/hyphenateStyleName.js","../src/utils/flatten.js","../src/utils/isStatelessFunction.js","../src/utils/addUnitIfNeeded.js","../src/constructors/css.js","../src/utils/checkDynamicCreation.js","../src/utils/determineTheme.js","../src/utils/escape.js","../src/utils/generateComponentId.js","../src/utils/isTag.js","../src/utils/mixinDeep.js","../src/models/ThemeProvider.js","../src/models/StyledComponent.js","../src/utils/generateDisplayName.js","../src/utils/joinStrings.js","../src/utils/createWarnTooManyClasses.js","../src/utils/domElements.js","../src/constructors/styled.js","../src/constructors/constructWithOptions.js","../src/models/GlobalStyle.js","../src/models/ServerStyleSheet.js","../src/secretInternals.js","../src/base.js","../src/constructors/createGlobalStyle.js","../src/constructors/keyframes.js","../src/hooks/u
```


custom target that isn't mounted?
Does your document not have a valid head element?
Have you accidentally removed a style tag manually?
ThemeProvider: Please return an object from your "theme" prop function, e.g. js\ntheme={ () => ({}) }
ThemeProvider: Please make your "theme" prop an object.
Missing document <head>
Cannot find a StyleSheet instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check

out this issue for how to troubleshoot and fix the common cases where this situation can happen:

<https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021>

This error was replaced with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be rendered. Please use the component without passing children elements.
It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>
%s is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details.
ThemeProvider:

"theme" prop is required.
A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to <StyleSheetManager stylisPlugins={[]}>, please make sure each plugin is uniquely-named, e.g. js\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });
Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, as for instance in your render method then you may be running into this limitation.
CSSStyleSheet could not be found on HTMLStyleElement.
Has styled-components' style tag been unmounted or altered by another script?

```
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';

/** Create a GroupedTag with an underlying Tag implementation */
export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}

const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group: number): void {
          if (group < this.length) {
            const length = this.groupSizes[group];
            const startIndex = this.indexOfGroup(group);
            const endIndex = startIndex + length;
            this.groupSizes[group] = 0;
            for (let i = startIndex; i < endIndex; i++) {
              this.tag.deleteRule(startIndex);
            }
          }
        }
        getGroup(group: number): string {
          let css = "";
          if (group >= this.length || this.groupSizes[group] === 0) {
            return css;
          }
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          for (let i = startIndex; i < endIndex; i++) {
            css += `${this.tag.getRule(i)}${SPLITTER}`;
          }
          return css;
        }
      }
    }
  }
}

import throwStyledError from './utils/error';
const MAX_SMI = 1 << 31 - 1;
let groupIDRegister: Map<string, number> = new Map();
let reverseRegister: Map<number, string> = new Map();
let nextFreeGroup = 1;
export const resetGroupIds = () => {
  groupIDRegister = new Map();
  reverseRegister = new Map();
}
```

```

nextFreeGroup = 1;\n};\n\nexport const getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id))\n  {\n    return (groupIDRegister.get(id): any);\n  }\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n  }\n  const group = nextFreeGroup++;\n  if (\n    process.env.NODE_ENV !==\n    'production' &&\n    ((group | 0) < 0 || group > MAX_SMI)\n  ) {\n    throwStyledError(16, `${group}`);\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n  return group;\n};\n\nexport const\n  getIdForGroup = (group: number): void | string => {\n    return reverseRegister.get(group);\n  }; \n\nexport const\n  setGroupForId = (id: string, group: number) => {\n    if (group >= nextFreeGroup) {\n      nextFreeGroup = group +\n      1;\n    }\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n  }; \n\n"}\n\n@flow\n\nimport {\n  SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport\n  { getIdForGroup, setGroupForId } from './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst\n  SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\nconst\n  MARKER_RE =\n  new RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id=\\'(\\\\w\\\\d-+)'\\\\\\\\.?!\\'(\\^\\*)'`);\n\nexport const\n  outputSheet =\n  (sheet: Sheet) => {\n    const tag = sheet.getTag();\n\n    const { length } = tag;\n\n    let css = "";\n\n    for (let group = 0; group < length; group++) {\n      const id =\n        getIdForGroup(group);\n      if (id === undefined) continue;\n\n      const names = sheet.names.get(id);\n      const rules\n        = tag.getGroup(group);\n      if (!names || !rules || !names.size) continue;\n\n      const selector =\n        `${SC_ATTR}.g${group}[id=${id}]`;\n      let content = "";\n      if (names !== undefined) {\n        names.forEach(name => {\n          if (name.length > 0) {\n            content += `${name},`;\n          }\n        });\n      }\n\n      //\n      NOTE: It's easier to collect rules and have the marker\n      // after the actual rules to simplify the rehydration\n      css\n        += `${rules}${selector}{content:"${content}"}`;\n\n      SPLITTER`;\n    }\n\n    return css;\n  }; \n\nconst\n  rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n    const names = content.split(',');\n    let name;\n\n    for (let i = 0, l = names.length; i < l; i++) {\n      // eslint-disable-next-line\n      if ((name = names[i])) {\n        sheet.registerName(id, name);\n      }\n    }\n\n    const rehydrateSheetFromTag =\n      (sheet: Sheet, style: HTMLStyleElement) => {\n        const parts = (style.textContent || "").split(SPLITTER);\n        const\n          rules: string[] = [];\n        for (let i = 0, l = parts.length; i < l; i++) {\n          const part = parts[i].trim();\n          if (!part)\n            continue;\n          const marker = part.match(MARKER_RE);\n          if (marker) {\n            const group =\n              parseInt(marker[1], 10) | 0;\n            const id = marker[2];\n            if (group !== 0) {\n              // Rehydrate componentId to\n              group index mapping\n              setGroupForId(id, group);\n              // Rehydrate names and rules\n              // looks like: data-\n              styled.g11[id="idA"]{content:"nameA,"}\n              rehydrateNamesFromContent(sheet, id, marker[3]);\n            }\n            sheet.getTag().insertRules(group, rules);\n          }\n          rules.length = 0;\n        }\n        else {\n          rules.push(part);\n        }\n      }\n    }\n\n    export const rehydrateSheet = (sheet: Sheet) => {\n      const\n        nodes = document.querySelectorAll(SELECTOR);\n      for (let i = 0, l = nodes.length; i < l; i++) {\n        const node =\n          ((nodes[i]: any): HTMLStyleElement);\n        if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n          {\n            rehydrateSheetFromTag(sheet, node);\n            if (node.parentNode) {\n              node.parentNode.removeChild(node);\n            }\n          }\n      }\n\n      // @flow\n      // eslint-disable camelcase, no-undef\n      *\n      declare var __webpack_nonce__: string;\n      const\n        getNonce = () => {\n          return\n            typeof __webpack_nonce__\n            !== 'undefined' ? __webpack_nonce__ : null;\n        }; \n      export\n        default\n        getNonce;\n\n      // @flow\n      import {\n        SC_ATTR,\n        SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\n      import\n        getNonce\n        from\n        './utils/nonce';\n      import\n        throwStyledError\n        from\n        './utils/error';\n      const\n        ELEMENT_TYPE = 1; \n      /*\n      Node.ELEMENT_TYPE\n      */\n      Find last style element if any inside target\n      *\n      const\n        findLastStyleTag = (target:\n        HTMLElement): void | HTMLStyleElement => {\n          const { childNodes }\n            = target;\n          for (let i = childNodes.length; i >= 0; i--) {\n            const child = ((childNodes[i]: any):\n              ?HTMLElement);\n            if (child && child.nodeType === ELEMENT_TYPE && child.hasAttribute(SC_ATTR)) {\n              return\n                ((child: any): HTMLStyleElement);\n            }\n          }\n          return\n            undefined;\n        }; \n      /*\n      Create a style element\n      inside `target` or <head> after the last\n      *\n      export\n        const\n        makeStyleTag = (target?:\n        HTMLElement):\n        HTMLStyleElement => {\n          const\n            head = ((document.head: any):\n            HTMLElement);\n          const\n            parent = target || head;\n          const\n            style = document.createElement('style');\n          const\n            prevStyle = findLastStyleTag(parent);\n          const\n            nextSibling =\n            prevStyle !== undefined ?\n            prevStyle.nextSibling :\n            null;\n          style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n        }\n      */\n    }\n  }\n  }

```



```

style.setAttribute(SC_ATTR_VERSION, SC_VERSION);\n\n const nonce = getNonce();\n\n if (nonce)
style.setAttribute('nonce', nonce);\n\n parent.insertBefore(style, nextSibling);\n\n return style;\n};\n\n/** Get the
CSSStyleSheet instance for a
given style element */\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n if (tag.sheet) {\n
return ((tag.sheet: any): CSSStyleSheet);\n }\n\n // Avoid Firefox quirk where the style element might not have a
sheet property\n const { styleSheets } = document;\n for (let i = 0, l = styleSheets.length; i < l; i++) {\n const
sheet = styleSheets[i];\n if (sheet.ownerNode === tag) {\n return ((sheet: any): CSSStyleSheet);\n }\n }\n\n
throwStyledError(17);\n return (undefined: any);\n};\n\n", "// @flow\n/* eslint-disable no-use-before-define
*/\n\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/**
Create a CSSStyleSheet-like tag depending on the environment */\nexport const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n if (isServer) {\n return new VirtualTag(target);\n } else
if (useCSSOMInjection) {\n return new CSSOMTag(target);\n } else {\n return new
TextTag(target);\n }\n};\n\nexport class CSSOMTag implements Tag {\n element: HTMLStyleElement;\n\n sheet:
CSSStyleSheet;\n\n length: number;\n\n constructor(target?: HTMLStyleElement) {\n const element =
(this.element = makeStyleTag(target));\n\n // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("));\n\n this.sheet = getSheet(element);\n this.length = 0;\n
}\n\n insertRule(index: number, rule: string): boolean {\n try {\n this.sheet.insertRule(rule, index);\n
this.length++;\n return true;\n } catch (_error) {\n return false;\n }\n }\n\n deleteRule(index: number):
void {\n this.sheet.deleteRule(index);\n this.length--;\n }\n\n getRule(index: number): string {\n const rule =
this.sheet.cssRules[index];\n\n // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n if (rule
!== undefined && typeof rule.cssText === 'string') {\n return rule.cssText;\n
} else {\n return ";\n }\n }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes
*/\nexport class TextTag implements Tag {\n element: HTMLStyleElement;\n\n nodes: NodeList<Node>;\n\n length:
number;\n\n constructor(target?: HTMLStyleElement) {\n const element = (this.element =
makeStyleTag(target));\n this.nodes = element.childNodes;\n this.length = 0;\n }\n\n insertRule(index: number,
rule: string): boolean {\n if (index <= this.length && index >= 0) {\n const node =
document.createTextNode(rule);\n const refNode = this.nodes[index];\n this.element.insertBefore(node,
refNode || null);\n this.length++;\n return true;\n } else {\n return false;\n }\n }\n\n deleteRule(index:
number): void {\n this.element.removeChild(this.nodes[index]);\n this.length--;\n }\n\n getRule(index:
number): string {\n if (index < this.length) {\n return this.nodes[index].textContent;\n } else {\n return
";\n }\n }\n}\n\n/** A completely virtual (server-side) Tag that doesn't manipulate the DOM */\nexport class
VirtualTag implements Tag {\n rules: string[];\n\n length: number;\n\n constructor(_target?: HTMLStyleElement) {\n
this.rules = [];\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <=
this.length) {\n this.rules.splice(index, 0, rule);\n this.length++;\n return true;\n } else {\n return
false;\n }\n }\n\n deleteRule(index: number): void {\n this.rules.splice(index, 1);\n this.length--;\n }\n\n
getRule(index: number): string {\n if (index < this.length) {\n return this.rules[index];\n } else {\n return
";\n }\n }\n}\n\n", "// @flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport {
EMPTY_OBJECT } from './utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport {
getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet
} from './Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from
 './types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\n type SheetConstructorArgs = {\n isServer?:
boolean,\n useCSSOMInjection?: boolean,\n target?: HTMLStyleElement,\n};\n\n type GlobalStylesAllocationMap = {\n
[key: string]: number };\n\n type NamesAllocationMap = Map<string, Set<string>>;\n\n const defaultOptions:
SheetOptions = {\n isServer: !IS_BROWSER,\n useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains
the main stylesheet logic for stringification and caching */\nexport default class StyleSheet implements Sheet {\n
gs: GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:
boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index */\n static registerId(id:
string): number {\n return getGroupForId(id);\n }\n\n constructor(\n options: SheetConstructorArgs =

```

EMPTY_OBJECT,\n globalStyles?:

```
GlobalStylesAllocationMap = {},\n names?: NamesAllocationMap\n ) {\n this.options = {\n ...defaultOptions,\n ...options,\n };\n this.gs = globalStyles;\n this.names = new Map(names);\n this.server = !options.isServer;\n // We rehydrate only once and use the sheet that is created first\n if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n SHOULD_REHYDRATE = false;\n rehydrateSheet(this);\n }\n }\n reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean = true) {\n return new StyleSheet(\n { ...this.options, ...options },\n this.gs,\n (withNames && this.names) || undefined\n );\n }\n allocateGSInstance(id: string) {\n return (this.gs[id] = (this.gs[id] || 0) + 1);\n }\n /** Lazily initialises a GroupedTag for when it's actually needed */\n getTag(): GroupedTag {\n return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n }\n /** Check whether a name is known for caching */\n hasNameForId(id: string, name: string): boolean {\n return this.names.has(id) && (this.names.get(id): any).has(name);\n }\n /** Mark a group's name as known for caching */\n registerName(id: string, name: string) {\n getGroupForId(id);\n if (!this.names.has(id)) {\n const groupNames = new Set();\n groupNames.add(name);\n this.names.set(id, groupNames);\n } else {\n (this.names.get(id): any).add(name);\n }\n }\n /** Insert new rules which also marks the name as known */\n insertRules(id: string, name: string, rules: string[]) {\n this.registerName(id, name);\n this.getTag().insertRules(getGroupForId(id), rules);\n }\n /** Clears all cached names for a given group ID */\n clearNames(id: string) {\n if (this.names.has(id)) {\n (this.names.get(id): any).clear();\n }\n }\n /** Clears all rules for a given group ID */\n clearRules(id: string) {\n this.getTag().clearGroup(getGroupForId(id));\n this.clearNames(id);\n }\n /** Clears the entire tag which deletes all rules but not its names */\n clearTag() {\n // NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output only new rules\n this.tag = undefined;\n }\n /** Outputs the current sheet as a CSS string with markers for SSR */\n toString(): string {\n return outputSheet(this);\n }\n}\n", "// @flow\n/* eslint-disable no-bitwise */\nconst AD_REPLACER_R = /(a)(d)(g)(i)/;\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts */\nconst charsLength = 52;\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for capitalised letters */\nconst getAlphabeticChar = (code: number): string =>\n String.fromCharCode(code + (code > 25 ? 39 : 97));\n/* input a number, usually a hash and convert it to base-52 */\nexport default function generateAlphabeticName(code: number): string {\n let name = "";\n let x;\n /* get a char and divide by alphabet-length */\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n name = getAlphabeticChar(x % charsLength) + name;\n }\n return (getAlphabeticChar(x % charsLength) + name).replace(AD_REPLACER_R, '$1-$2');\n}\n", "// @flow\n/* eslint-disable */\nexport const SEED = 5381;\n/* When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that we're still looping over\n// the same string */\nexport const phash = (h: number, x: string): number => {\n let i = x.length;\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n }\n return h;\n};\n/* This is a djb2 hashing function */\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n};\n", "// @flow\nimport isFunction from './isFunction';\nimport isStyledComponent from './isStyledComponent';\nimport type { RuleSet } from './types';\nexport default function isStaticRules(rules: RuleSet): boolean {\n for (let i = 0; i < rules.length; i += 1) {\n const rule = rules[i];\n if (isFunction(rule) && !isStyledComponent(rule)) {\n // functions are allowed to be static if they're just being\n // used to get the classname of a nested styled component\n return false;\n }\n }\n return true;\n}\n", "// @flow\nimport { SC_VERSION } from './constants';\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from './types';\nimport flatten from './utils/flatten';\nimport generateName from './utils/generateAlphabeticName';\nimport { hash, phash } from './utils/hash';\nimport isStaticRules from './utils/isStaticRules';\nconst SEED = hash(SC_VERSION);\n/*\n * ComponentStyle is all the CSS-specific stuff, not the React-specific stuff.\n */\nexport default class ComponentStyle {\n baseHash: number;\n baseStyle: ?ComponentStyle;\n componentId: string;\n isStatic: boolean;\n rules: RuleSet;\n staticRulesId: string;\n constructor(rules:
```

```

RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n  this.rules = rules;\n  this.staticRulesId = ";\n  this.isStatic = process.env.NODE_ENV === 'production' &&\n    (baseStyle === undefined || baseStyle.isStatic)\n  &&\n  isStaticRules(rules);\n  this.componentId = componentId;\n\n  // SC_VERSION gives us isolation\n  between multiple runtimes on the page at once\n  // this is improved further with use of the babel plugin\n  \"namespace\" feature\n  this.baseHash = phash(SEED, componentId);\n  this.baseStyle = baseStyle;\n\n  //\n  NOTE: This registers the componentId, which ensures a consistent order\n  // for this component's styles compared\n  to others\n  StyleSheet.registerId(componentId);\n  }\n\n  /*\n  * Flattens a rule set into valid CSS\n  * Hashes it,\n  wraps the whole chunk in a .hash1234 { }\n  * Returns the hash to be injected on render()\n  * */\n  generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis:\n  Stringifier) {\n    const { componentId } = this;\n    const names = [];\n    if (this.baseStyle) {\n      names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n    }\n    // force\n    dynamic classnames if user-supplied stylis plugins are in use\n    if (this.isStatic && !stylis.hash) {\n      if\n      (this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n        names.push(this.staticRulesId);\n      } else {\n        const cssStatic = flatten(this.rules, executionContext, styleSheet,\n        stylis).join(");\n        const name = generateName(phaash(this.baseHash, cssStatic) >>> 0);\n        if\n        (!styleSheet.hasNameForId(componentId, name)) {\n          const cssStaticFormatted = stylis(cssStatic, `.${name}`,\n          undefined, componentId);\n          styleSheet.insertRules(componentId, name, cssStaticFormatted);\n        }\n        names.push(name);\n        this.staticRulesId = name;\n      } else {\n        const { length\n        } = this.rules;\n        let dynamicHash = phash(this.baseHash, stylis.hash);\n        let css = ";\n        for (let i = 0; i <\n        length; i++) {\n          const partRule = this.rules[i];\n          if (typeof partRule === 'string') {\n            css +=\n            partRule;\n            if (process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule +\n            i);\n          } else if (partRule) {\n            const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n            const partString = Array.isArray(partChunk) ? partChunk.join(") : partChunk;\n            dynamicHash =\n            phash(dynamicHash, partString + i);\n            css += partString;\n          }\n        }\n        if (css) {\n          const name =\n          generateName(dynamicHash >>> 0);\n          if (!styleSheet.hasNameForId(componentId, name)) {\n            const\n            cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n            styleSheet.insertRules(componentId, name,\n            cssFormatted);\n          }\n          names.push(name);\n        }\n      }\n    }\n    return names.join(');\n  }\n}\n\n", "import Stylin from '@emotion/stylin';\nimport { type Stringifier }\nfrom './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwStylinError from\n'./error';\nimport { phash, SEED } from './hash';\nimport insertRulePlugin from './stylinPluginInsertRule';\n\nconst\nCOMMENT_REGEX = /^\\s*\\|\\|\\. *$/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\nntype\nStylinInstanceConstructorArgs = {\n  options?: Object,\n  plugins?: Array<Function>,\n};\n\n\nexport default function\ncreateStylinInstance({\n  options = EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}):\nStylinInstanceConstructorArgs = EMPTY_OBJECT) {\n  const stylin = new Stylin(options);\n\n  // Wrap\n  `insertRulePlugin to build a list of rules,\n  // and then make our own plugin to return the rules. This\n  // makes it\n  easier to hook into the existing SSR architecture\n\n  let parsingRules = [];\n\n  // eslint-disable-next-line consistent-\n  return\n\n  const returnRulesPlugin = context => {\n    if (context === -2) {\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return parsedRules;\n    }\n  };\n\n  const parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n  });\n\n  let _componentId: string;\n  let _selector: string;\n  let _selectorRegexp:\n  RegExp;\n  let _consecutiveSelfRefRegexp: RegExp;\n\n  const selfReferenceReplacer = (match, offset, string) =>\n  {\n    if (\n      // do not replace the first occurrence if it is complex (has a modifier)\n      (offset === 0 ?\n      COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n      // no consecutive self\n      refs (.b.b); that is a precedence boost and treated differently\n      !string.match(_consecutiveSelfRefRegexp)\n    )\n    {\n      return `.${_componentId}`;\n    }\n    return match;\n  };\n\n  /**\n  * When writing a style like\n  * *\n  * & + & {\n  *   color: red;\n  * }\n  * *\n  * The second ampersand should\n  be a reference to the static component class. stylin\n  * has no knowledge of static class so we have to intelligently\n  replace the base selector.\n  * *\n  * https://github.com/thysultan/stylin.js/tree/v3.5.4#plugins <- more info about the

```

```

context phase values\n * \"2\" means this plugin is taking effect at the very end after all other processing is
complete\n *\n const selfReferenceReplacementPlugin = (context, _, selectors) => {\n if (context === 2 &&
selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n // eslint-disable-next-line no-param-reassign\n
selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n } }\n\n stylis.use([...plugins,
selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n function stringifyRules(css, selector,
prefix, componentId = '&'): Stringifier {\n const flatCSS = css.replace(COMMENT_REGEX, '');\n const cssStr
= selector && prefix ? `${prefix} ${selector} { ${flatCSS} }`\n
: flatCSS;\n\n // stylis has no concept of state to be passed to plugins\n // but since JS is single-threaded, we can
rely on that to ensure\n // these properties stay in sync with the current stylis run\n _componentId =
componentId;\n _selector = selector;\n _selectorRegexp = new RegExp(`\\${_selector}`);\n
_consecutiveSelfRefRegExp = new RegExp(`\\${_selector}`){2,}`);\n\n return stylis(prefix || !selector ? "\n
selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n .reduce((acc, plugin) => {\n
if (!plugin.name) {\n throwStyledError(15);\n }\n\n return phash(acc, plugin.name);\n },
SEED)\n .toString()\n : "";\n\n return stringifyRules;\n }\n\n /*\n * MIT License\n *\n * Copyright (c) 2016
Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the \"Software\"),\n
* to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or\n * sell copies of the Software and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission
notice shall be included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS
PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n */\n\n * eslint-disable
*/\n\nexport default function(insertRule) {\n
const delimiter = /*|*/;\n const needle = `${delimiter}`;\n\n function toSheet(block) {\n if (block) {\n try
{\n insertRule(`${block}`);\n } catch (e) {\n }\n }\n\n return function ruleSheet(\n context,\n
content,\n selectors,\n parents,\n line,\n column,\n length,\n ns,\n depth,\n at\n ) {\n switch
(context) {\n // property\n case 1:\n // @import\n if (depth === 0 && content.charCodeAt(0) === 64)\n
return insertRule(`${content};`), ";\n break;\n // selector\n case 2:\n if (ns === 0) return content +
delimiter;\n break;\n // at-rule\n case 3:\n switch (ns) {\n // @font-face, @page\n case
102:\n case 112:\n return insertRule(selectors[0] + content), ";\n default:\n return content +
(at === 0 ? delimiter : ");\n }\n case -2:\n content.split(needle).forEach(toSheet);\n }\n
};\n }\n\n /*\n @flow\nimport React, { type Context, type Node, useContext, useEffect, useMemo, useState } from
'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier }
from './types';\nimport createStylisInstance from './utils/stylis';\n\ntype Props = {\n children?: Node,\n
disableCSSOMInjection?: boolean,\n disableVendorPrefixes?: boolean,\n sheet?: StyleSheet,\n stylisPlugins?:
Array<Function>,\n target?: HTMLElement,\n};\n\nexport const StyleSheetContext: Context<StyleSheet | void> =
React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n return
useContext(StyleSheetContext) ||
masterSheet;\n }\n\nexport function useStylis(): Stringifier {\n return useContext(StylisContext) ||
masterStylis;\n }\n\nexport default function StyleSheetManager(props: Props) {\n const [plugins, setPlugins] =
useState(props.stylisPlugins);\n const contextStyleSheet = useStyleSheet();\n\n const styleSheet = useMemo(() =>

```



```

{\n  return `.${chunk.styledComponentId}`;\n }\n\n /* Either execute or defer the function *\n if\n (isFunction(chunk)) {\n  if (isStatelessFunction(chunk) && executionContext) {\n    const result =\n chunk(executionContext);\n\n    if (process.env.NODE_ENV !== 'production' && isElement(result)) {\n      //\n      eslint-disable-next-line no-console\n      console.warn(\n        `${getComponentName(\n          chunk\n        )}` is\n not a styled component and cannot be referred to via component selector. See https://www.styled-\n components.com/docs/advanced#referring-to-other-components for more details.\n\n      );\n    }\n\n    return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else return chunk;\n }\n\n if (chunk instanceof Keyframes) {\n  if (styleSheet) {\n    chunk.inject(styleSheet, stylisInstance);\n  }\n  return chunk.getName(stylisInstance);\n } else return chunk;\n }\n\n /* Handle objects *\n return\n isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n }\n\n", "// @flow\n\nexport default function\n isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      && test.prototype.isReactComponent\n    )\n  );\n }\n\n", "// @flow\n\nimport unitless from '@emotion/unitless';\n\n//\n Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-\n dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n\n // https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n  if (value == null || typeof value === 'boolean' || value === '') {\n    return "";\n  }\n  if (typeof value === 'number'\n    && value !== 0 && !(name in unitless) && !name.startsWith('--')) {\n    return `${value}px`; // Presumes implicit\n 'px' suffix for unitless numbers except for CSS variables\n  }\n  return String(value).trim();\n }\n\n", "//\n\n@flow\n\nimport interleave from './utils/interleave';\n\nimport isPlainObject from './utils/isPlainObject';\n\nimport {\n  EMPTY_ARRAY } from './utils/empties';\n\nimport isFunction from './utils/isFunction';\n\nimport flatten from\n './utils/flatten';\n\nimport type { Interpolation, RuleSet, Styles } from './types';\n\n/**\n * Used when flattening object\n styles to determine if we should\n * expand an array of styles.\n */\n\nconst addTag = arg => {\n  if\n (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return\n arg;\n};\n\nexport default function css(styles: Styles, ...interpolations: Array<Interpolation>):\n RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return\n addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if (interpolations.length === 0\n    && styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  //\n $FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n }\n\n", "// @flow\n\nimport { useRef } from\n 'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\n\nconst seen = new Set();\n\nexport const\n checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !==\n 'production') {\n    const parsedIdString = componentId ? ` with the id of \"${componentId}\"` : \";\n    const message\n =\n `The component ${displayName}${parsedIdString} has been created dynamically.\\n` +\n `\"You may see\n this warning because you've called styled inside another component.\\n\" +\n `To resolve this only create new\n StyledComponents\n outside of any render method and function component.`;\n\n    // If a hook is called outside of a component:\n    //\n    // React 17 and earlier throw an error\n    // React 18 and above use console.error\n\n    const originalConsoleError =\n console.error // eslint-disable-line no-console\n\n    try {\n      let didNotCallInvalidHook = true //*\n\n      $FlowIgnore[cannot-write] *\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => { // eslint-\n disable-line no-console\n        // The error here is expected, since we're expecting anything that uses\n `checkDynamicCreation` to\n        // be called outside of a React component.\n        if\n (invalidHookCallRe.test(consoleErrorMessage)) {\n          didNotCallInvalidHook = false\n          // This shouldn't\n happen, but resets `warningSeen` if we had this error happen intermittently\n          seen.delete(message);\n        }\n        else {\n          originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n        }\n      }\n\n      // We purposefully call `useRef` outside of a component and expect it to throw\n      // If it doesn't, then we're\n inside another component.\n      // eslint-disable-next-line react-hooks/rules-of-hooks\n      useRef();\n\n      if\n (didNotCallInvalidHook && !seen.has(message)) {\n        // eslint-disable-next-line no-console\n        console.warn(message);\n        seen.add(message);\n      }\n    } catch (error) {\n      // The error here is expected,\n since we're expecting anything that uses `checkDynamicCreation` to\n      // be called outside of a React

```



```

ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext =\n  useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if\n  (!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider\n  value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n//\n  @flow\n  import validAttr from '@emotion/is-prop-valid';\n  import hoist from 'hoist-non-react-statics';\n  import\n  React, { createElement, type Ref, useContext } from 'react';\n  import { SC_VERSION } from './constants';\n  import\n  type {\n    Attrs,\n    IStyledComponent,\n    IStyledStatics,\n    RuleSet,\n    ShouldForwardProp,\n    Target,\n  } from\n  './types';\n  import { checkDynamicCreation } from './utils/checkDynamicCreation';\n  import\n  createWarnTooManyClasses from './utils/createWarnTooManyClasses';\n  import determineTheme from\n  './utils/determineTheme';\n  import { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\n  import escape\n  from './utils/escape';\n  import generateComponentId from './utils/generateComponentId';\n  import\n  generateDisplayName from './utils/generateDisplayName';\n  import getName from\n  './utils/getComponentName';\n  import isFunction from './utils/isFunction';\n  import isStyledComponent from\n  './utils/isStyledComponent';\n  import isTag from './utils/isTag';\n  import\n  joinStrings from './utils/joinStrings';\n  import merge from './utils/mixinDeep';\n  import ComponentStyle from\n  './ComponentStyle';\n  import { useStyleSheet, useStylis } from './StyleSheetManager';\n  import { ThemeContext }\n  from './ThemeProvider';\n  const identifiers = {};\n  /* We depend on components having unique IDs */\n  function\n  generateId(displayName?: string, parentComponentId?: string) {\n    const name = typeof displayName !== 'string' ?\n    'sc' : escape(displayName);\n    // Ensure that no displayName can lead to duplicate componentIds\n    identifiers[name] = (identifiers[name] || 0) + 1;\n    const componentId = `${name}-${generateComponentId(\n    //\n    SC_VERSION gives us isolation between multiple runtimes on the page at once\n    // this is improved further with\n    use of the babel plugin "namespace" feature\n    SC_VERSION + name + identifiers[name])}`;\n    return\n    parentComponentId ? `${parentComponentId}-${componentId}` : componentId;\n  }\n  function\n  useResolvedAttrs<Config>(theme:\n  any = EMPTY_OBJECT, props: Config, attrs: Attrs) {\n    // NOTE: can't memoize this\n    // returns [context,\n    resolvedAttrs]\n    // where resolvedAttrs is only the things injected by the attrs themselves\n    const context = {\n    ...props, theme };\n    const resolvedAttrs = {};\n    attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n    let key;\n    if (isFunction(resolvedAttrDef)) {\n    resolvedAttrDef = resolvedAttrDef(context);\n    }\n    /*\n    eslint-disable guard-for-in *\n    for (key in resolvedAttrDef) {\n    context[key] = resolvedAttrs[key] =\n    key\n    === 'className'\n    ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n    : resolvedAttrDef[key];\n    }\n    /* eslint-enable guard-for-in */\n    });\n    return [context, resolvedAttrs];\n  }\n  function\n  useInjectedStyle<T>(\n  componentStyle: ComponentStyle,\n  isStatic: boolean,\n  resolvedAttrs: T,\n  warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string, string>)\n  {\n    const styleSheet = useStyleSheet();\n    const stylis = useStylis();\n    const className = isStatic\n    ?\n    componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis)\n    :\n    componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n    if (process.env.NODE_ENV !==\n    'production' && !isStatic && warnTooManyClasses) {\n    warnTooManyClasses(className);\n    }\n    return\n    className;\n  }\n  function useStyledComponentImpl(\n  forwardedComponent: IStyledComponent,\n  props:\n  Object,\n  forwardedRef: Ref<any>,\n  isStatic: boolean)\n  {\n    const {\n    attrs: componentAttrs,\n    componentStyle,\n    defaultProps,\n    foldedComponentIds,\n    shouldForwardProp,\n    styledComponentId,\n    target,\n  } = forwardedComponent;\n    // NOTE: the non-hooks version only subscribes to this when\n    !componentStyle.isStatic,\n    // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n    // should be an immutable value, but behave for now.\n    const theme = determineTheme(props, useContext(ThemeContext), defaultProps);\n    const [context, attrs] =\n    useResolvedAttrs(theme || EMPTY_OBJECT, props, componentAttrs);\n    const generatedClassName =\n    useInjectedStyle(\n    componentStyle,\n    isStatic,\n    context,\n    process.env.NODE_ENV !== 'production' ?\n    forwardedComponent.warnTooManyClasses : undefined\n    );\n    const refToForward = forwardedRef;\n    const\n    elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n    const isTargetTag =

```



```

isTag(elementToBeCreated);\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n const
propsForElement = {};\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n
: isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non HTML tags through to
HTML elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if (props.style && attrs.style
!== props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };\n }\n\n propsForElement.className
= Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n generatedClassName !==
styledComponentId ? generatedClassName : null,\n props.className,\n attrs.className\n )\n
.filter(Boolean)\n .join('');\n\n propsForElement.ref = refToForward;\n\n return
createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet\n) {\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent =
!isTag(target);\n\n const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n : attrs;\n\n // eslint-
disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if
(isTargetStyledComp && target.shouldForwardProp) {\n if (options.shouldForwardProp) {\n // compose
nested shouldForwardProp
calls\n shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n (((target: any):
IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n prop,\n filterFn,\n
elementToBeCreated\n ) &&\n ((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn,
elementToBeCreated);\n } else {\n // eslint-disable-next-line prefer-destructuring\n shouldForwardProp =
((target: any): IStyledComponent).shouldForwardProp;\n }\n }\n\n const componentStyle = new
ComponentStyle(\n rules,\n styledComponentId,\n isTargetStyledComp ? ((target: Object).componentStyle:
ComponentStyle) : undefined\n );\n\n // statically styled-components don't need to build an execution context
object,\n // and shouldn't be increasing the number of class names\n const isStatic = componentStyle.isStatic &&
attrs.length === 0;\n\n /**\n * forwardRef creates a new interim component, which we'll take advantage of\n
* instead of extending ParentComponent to create _another_ interim class\n */\n let WrappedStyledComponent:
IStyledComponent;\n\n const forwardRef = (props, ref) =>\n // eslint-disable-next-line\n
useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n forwardRef.displayName =
displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
WrappedStyledComponent.attrs = finalAttrs;\n WrappedStyledComponent.componentStyle = componentStyle;\n
WrappedStyledComponent.displayName = displayName;\n WrappedStyledComponent.shouldForwardProp =
shouldForwardProp;\n\n // this static is used to preserve the cascade of static classes for component selector\n //
purposes; this is especially important with usage of the css prop\n WrappedStyledComponent.foldedComponentIds
= isTargetStyledComp\n ? Array.prototype.concat(\n ((target: any):
IStyledComponent).foldedComponentIds,\n ((target: any): IStyledComponent).styledComponentId\n
)\n : EMPTY_ARRAY;\n\n WrappedStyledComponent.styledComponentId = styledComponentId;\n\n // fold
the underlying StyledComponent target up since we folded the styles\n WrappedStyledComponent.target =
isTargetStyledComp\n ? ((target: any): IStyledComponent).target\n : target;\n\n
WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n const { componentId:
previousComponentId, ...optionsToCopy } = options;\n\n const newComponentId =\n previousComponentId

```

```

&&\n ` ${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n const
newOptions = {\n  ...optionsToCopy,\n  attrs: finalAttrs,\n  componentId: newComponentId,\n };;\n\n return createStyledComponent(tag, newOptions, rules);\n };;\n\n Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n  get() {\n    return this._foldedDefaultProps;\n  },\n  set(obj) {\n
this._foldedDefaultProps = isTargetStyledComp\n
    ? merge({}, ((target: any): IStyledComponent).defaultProps, obj)\n    : obj;\n  },\n });;\n\n if
(process.env.NODE_ENV !== 'production') {\n  checkDynamicCreation(displayName, styledComponentId);\n\n
WrappedStyledComponent.warnTooManyClasses = createWarnTooManyClasses(\n  displayName,\n
  styledComponentId\n );;\n\n // If the Object prototype is frozen, the \"toString\" property is non-writable. This
means that any objects which inherit this property\n // cannot have the property changed using an assignment. If
using strict mode, attempting that will cause an error. If not using strict\n // mode, attempting that will be silently
ignored.\n // However, we can still explicitly shadow the prototype's \"toString\" property by defining a new
\"toString\" property on this object.\n  Object.defineProperty(WrappedStyledComponent, 'toString', { value: () =>
`.${getComponentName(styledComponentId)}` });;\n\n if (isCompositeComponent) {\n  hoist<\n
  IStyledStatics,\n  $PropertyType<IStyledComponent, 'target'>,\n  { [key: $Keys<IStyledStatics>]: true }\n
>(WrappedStyledComponent, ((target: any): $PropertyType<IStyledComponent, 'target'>), {\n  // all SC-specific
things should not be hoisted\n  attrs: true,\n  componentStyle: true,\n  displayName: true,\n
  foldedComponentIds: true,\n  shouldForwardProp: true,\n  styledComponentId: true,\n  target: true,\n
  withComponent: true,\n  });;\n\n return WrappedStyledComponent;\n};;\n\n", /* @flow\nimport type {
IStyledComponent } from './types';\nimport getComponentName from './getComponentName';\nimport isTag from
'./isTag';\n\nexport default function generateDisplayName(\n  target: $PropertyType<IStyledComponent,
'target'>): string {\n  return isTag(target) ? `styled.${getComponentName}` :
`Styled.${getComponentName(target)}`;\n};;\n\n", /***\n * Convenience function for joining strings to form
className chains\n */\nexport default function
joinStrings(a: ?String, b: ?String): ?String {\n  return a && b ? `${a} ${b}` : a || b;\n};;\n\n", /* @flow\n\nexport const
LIMIT = 200;\n\nexport default (displayName: string, componentId: string) => {\n  let generatedClasses = {};\n  let
warningSeen = false;\n\n  return (className: string) => {\n    if (!warningSeen) {\n
generatedClasses[className] = true;\n    if (Object.keys(generatedClasses).length >= LIMIT) {\n      // Unable to
find latestRule in test environment.\n      /* eslint-disable no-console, prefer-template */\n      const parsedIdString
= componentId ? `with the id of \"${componentId}\"` : \"\";\n      console.warn(\n        `Over ${LIMIT} classes
were generated for component ${displayName}${parsedIdString}.\n` +\n        `Consider using the attrs method,
together with a style object for frequently changed styles.\n` +\n        `Example:\n` +\n        ` ` const Component
= styled.div.attrs(props => ({\n          +\n          ` style: {\n` +\n
          ` background: props.background,\n` +\n          ` },\n` +\n          ` })))`width: 100%;`\n\n` +\n
` <Component />\n`);\n      warningSeen = true;\n      generatedClasses = {};\n    }\n  });;\n\n};;\n\n", /*
@flow\n// Thanks to ReactDOMFactories for this handy list!\n\nexport default [\n  'a',\n  'abbr',\n  'address',\n
'area',\n  'article',\n  'aside',\n  'audio',\n  'b',\n  'base',\n  'bdi',\n  'bdo',\n  'big',\n  'blockquote',\n
'body',\n  'br',\n  'button',\n  'canvas',\n  'caption',\n  'cite',\n  'code',\n  'col',\n  'colgroup',\n  'data',\n
'datalist',\n  'dd',\n  'del',\n  'details',\n  'dfn',\n  'dialog',\n  'div',\n  'dl',\n  'dt',\n  'em',\n  'embed',\n
'fieldset',\n  'figcaption',\n  'figure',\n  'footer',\n  'form',\n  'h1',\n  'h2',\n  'h3',\n  'h4',\n  'h5',\n  'h6',\n
'head',\n  'header',\n  'hgroup',\n  'hr',\n  'html',\n  'i',\n  'iframe',\n  'img',\n  'input',\n  'ins',\n  'kbd',\n
'keygen',\n  'label',\n  'legend',\n  'li',\n  'link',\n  'main',\n  'map',\n  'mark',\n  'marquee',\n  'menu',\n  'menuitem',\n
'meta',\n  'meter',\n  'nav',\n  'noscript',\n  'object',\n  'ol',\n  'optgroup',\n  'option',\n  'output',\n  'p',\n
'param',\n  'picture',\n  'pre',\n  'progress',\n  'q',\n  'rp',\n  'rt',\n  'ruby',\n  's',\n  'samp',\n  'script',\n
'section',\n  'select',\n  'small',\n  'source',\n  'span',\n  'strong',\n  'style',\n  'sub',\n  'summary',\n  'sup',\n
'table',\n  'tbody',\n  'td',\n  'textarea',\n  'tfoot',\n  'th',\n  'thead',\n  'time',\n  'title',\n  'tr',\n  'track',\n
'u',\n  'ul',\n  'var',\n  'video',\n  'wbr',\n\n // SVG\n  'circle',\n  'clipPath',\n  'defs',\n  'ellipse',\n
'foreignObject',\n  'g',\n  'image',\n  'line',\n  'linearGradient',\n  'marker',\n  'mask',\n  'path',\n  'pattern',\n
'polygon',\n  'polyline',\n  'radialGradient',\n  'rect',\n  'stop',\n  'svg',\n  'text',\n  'textPath',\n

```

```

'tspan',\n];\n";\n" // @flow\nimport constructWithOptions from './constructWithOptions';\nimport
StyledComponent from './models/StyledComponent';\nimport domElements from './utils/domElements';\nimport
type { Target } from './types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent,
tag);\n\n// Shorthands for all valid HTML Elements\n\nconst domElements.forEach(domElement => {\n
styled[domElement] = styled(domElement);\n});\n\nexport default styled;\n" // @flow\nimport {
isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport
{ EMPTY_OBJECT } from './utils/empties';\nimport type { Target } from './types';\n\nexport default function
constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object =
EMPTY_OBJECT\n) {\n  if (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n  /*
This is callable directly as a template function *\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n
const templateFunction
= (...args) => componentConstructor(tag, options, css(...args));\n  /* If config methods are called, wrap up a new
template function and merge options *\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n  /* Modify/inject new props at
runtime *\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n
...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n  return
templateFunction;\n}\n" // @flow\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
 './types';\nimport flatten from './utils/flatten';\nimport isStaticRules from './utils/isStaticRules';\n\nexport default
class GlobalStyle {\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n  constructor(rules:
RuleSet, componentId: string) {\n    this.rules = rules;\n    this.componentId = componentId;\n    this.isStatic
= isStaticRules(rules);\n\n    // pre-register the first instance to ensure global styles\n    // load before component
ones\n    StyleSheet.registerId(this.componentId + 1);\n  }\n\n  createStyles(\n    instance: number,\n
  executionContext: Object,\n  styleSheet: StyleSheet,\n  stylis: Stringifier\n) {\n    const flatCSS =
flatten(this.rules, executionContext, styleSheet, stylis);\n    const css = stylis(flatCSS.join(""), "");\n    const id =
this.componentId + instance;\n\n    // NOTE: We use the id as a name as well, since these rules never change\n
styleSheet.insertRules(id, id, css);\n  }\n\n  removeStyles(instance: number, styleSheet: StyleSheet) {\n
styleSheet.clearRules(this.componentId + instance);\n  }\n\n  renderStyles(\n    instance: number,\n
  executionContext: Object,\n  styleSheet: StyleSheet,\n  stylis: Stringifier\n) {\n    if (instance > 2)
StyleSheet.registerId(this.componentId + instance);\n\n    // NOTE: Remove old styles, then inject the
new ones\n    this.removeStyles(instance, styleSheet);\n    this.createStyles(instance, executionContext, styleSheet,
stylis);\n  }\n}\n" // @flow\n\n* eslint-disable no-underscore-dangle *\nimport React from 'react';\nimport {
IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwStyledError
from './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport
StyleSheetManager from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst
CLOSING_TAG_R = /^\\s*<\\[a-z]/i;\n\nexport default class ServerStyleSheet {\n  isStreaming: boolean;\n\n  instance:
StyleSheet;\n\n  sealed: boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({ isServer: true
});\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if
(!css) return "";\n\n    const nonce = getNonce();\n    const attrs = [nonce && `nonce=${`"${nonce}"`},
`${SC_ATTR}=${`true`}`, `${SC_ATTR_VERSION}=${`"${SC_VERSION}"`}`];\n
const htmlAttr = attrs.filter(Boolean).join(' ');
return `<style ${htmlAttr}>${css}</style>`;
\n  }\n\n  collectStyles(children: any) {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    return
<StyleSheetManager sheet={this.instance}>{children}</StyleSheetManager>;\n  }\n\n  getStyleTags = (): string =>
{\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    return this._emitSheetCSS();\n  }\n\n  getStyleElement = () => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    const props = {\n
[SC_ATTR]: "",\n    [SC_ATTR_VERSION]: SC_VERSION,\n    dangerouslySetInnerHTML: {\n      __html:
this.instance.toString(),\n    },\n  };
const nonce = getNonce();\n    if (nonce) {\n      (props: any).nonce =
nonce;\n    }\n\n    // v4 returned an array for this fn, so we'll do the same for v5 for backward compat\n    return
<style {...props} key="sc-0-0" />;\n

```



```

GlobalStyleComponentPropsType = Object;\n\nexport default function createGlobalStyle(\n  strings:
Array<string>,\n  ...interpolations: Array<Interpolation>)\n  {\n    const rules = css(strings, ...interpolations);\n    const
styledComponentId = `sc-global-${generateComponentId(JSON.stringify(rules))}`;\n    const globalStyle = new
GlobalStyle(rules, styledComponentId);\n\n    if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n    }\n\n    function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n      const styleSheet = useStyleSheet();\n      const stylis = useStylis();\n      const
theme = useContext(ThemeContext);\n      const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n      const instance = instanceRef.current;\n\n      if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n        // eslint-disable-next-
line no-console\n        console.warn(\n          `The global style component ${styledComponentId}
was given child JSX. createGlobalStyle does not render children.`\n        );\n      }\n\n      if (\n
process.env.NODE_ENV !== 'production' &&\n        rules.some(rule => typeof rule === 'string' &&
rule.indexOf('@import') !== -1)\n      ) {\n        // eslint-disable-next-line no-console\n        console.warn(\n          `Please
do not use @import CSS syntax in createGlobalStyle at this time, as the CSSOM APIs we use in production do not
handle it well. Instead, we recommend using a library such as react-helmet to inject a typical <link> meta tag to the
stylesheet, or simply embedding it manually in your index.html <head> section for a simpler app.`\n        );\n      }\n\n      if (styleSheet.server) {\n        renderStyles(instance, props, styleSheet, theme, stylis);\n      }\n\n      if (!__SERVER__)
{\n        // this conditional is fine because it is compiled away for the relevant builds during minification,\n        //
resulting in a single unguarded hook call\n        // eslint-disable-next-line
react-hooks/rules-of-hooks\n        useLayoutEffect(() => {\n          if (!styleSheet.server) {\n
renderStyles(instance, props, styleSheet, theme, stylis);\n          return () => globalStyle.removeStyles(instance,
styleSheet);\n        }, [instance, props, styleSheet, theme, stylis]);\n      }\n\n      return null;\n    }\n\n    function
renderStyles(instance, props, styleSheet, theme, stylis) {\n      if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n      } else {\n        const
context = {\n          ...props,\n          theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
};\n\n        globalStyle.renderStyles(instance, context, styleSheet, stylis);\n      }\n    }\n\n    // $FlowFixMe\n    return
React.memo(GlobalStyleComponent);\n  }\n\n  ,"/ @flow\n\nimport css from './css';\nimport generateComponentId
from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\nimport type
{ Interpolation, Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations:
Array<Interpolation>)\n  : Keyframes {\n    /* Warning if you've used keyframes on React Native */\n    if (\n
process.env.NODE_ENV !== 'production' &&\n      typeof navigator !== 'undefined' &&\n      navigator.product ===
'ReactNative'\n    ) {\n      // eslint-disable-next-line no-console\n      console.warn(\n        `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n      );\n    }\n\n    const rules =
css(strings, ...interpolations).join("");\n    const name = generateComponentId(rules);\n    return new Keyframes(name,
rules);\n  }\n\n  ,"/ @flow\n\nimport { useContext } from 'react';\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n\n  ,"/ @flow\n\nimport React, { useContext, type AbstractComponent } from 'react';\nimport hoistStatics
from 'hoist-non-react-statics';\nimport
{ ThemeContext } from './models/ThemeProvider';\nimport determineTheme from
'./utils/determineTheme';\nimport getComponentName from './utils/getComponentName';\n\n// NOTE: this would
be the correct signature:\n// export default <Config: { theme?: any }, Instance>(\n//   Component:
AbstractComponent<Config, Instance>\n// ): AbstractComponent<$Diff<Config, { theme?: any } & { theme?: any
}, Instance>\n//\n// but the old build system tooling doesn't support the syntax\n\nexport default (Component:
AbstractComponent<*, *>) => {\n  // $FlowFixMe This should be React.forwardRef<Config, Instance>\n  const
WithTheme = React.forwardRef((props, ref) => {\n    const theme = useContext(ThemeContext);\n    // $FlowFixMe
defaultProps isn't declared so it can be inferrable\n    const { defaultProps } = Component;\n    const themeProp =
determineTheme(props, theme, defaultProps);\n\n    if (process.env.NODE_ENV !== 'production' && themeProp
=== undefined) {\n

```

```

// eslint-disable-next-line no-console\n    console.warn(\n      `[withTheme] You are not using a ThemeProvider
nor passing a theme prop or a theme in defaultProps in component class \`${getComponentName(\n
Component(\n    )\)`\n    );\n  }\n\n  return <Component {...props} theme={themeProp} ref={ref} />;\n
);\n\n  hoistStatics(WithTheme, Component);\n\n  WithTheme.displayName =
`WithTheme(${getComponentName(Component)})`;\n\n  return
WithTheme;\n};\n], "names": ["strings", "interpolations", "result", "i", "len", "length", "push", "x", "toString", "Object", "p
rototype", "call", "typeof", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "isFunction", "test", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "name", "isStyledComponent", "styledComponentId", "S
C_ATTR", "REACT_APP_SC_ATTR", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "STATIC_EXECUTION_CONTEXT", "ERRORS", "for
mat", "a", "b", "c", "arguments", "forEach", "d", "replace", "throwStyledComponentsError", "code", "Error", "join", "trim", "DefaultGroupedTag", "tag", "groupSizes", "Uint32Array", "indexOfGroup", "group", "index", "this", "insertRules", "rules
", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER_RE", "RegExp", "rehydrateNamesFromContent", "sheet", "content", "names", "split", "registerName", "rehydrateSheetFromTag", "style", "p
arts", "textContent", "part", "marker", "match", "parseInt", "getTag", "getNonce", "__webpack_nonce__", "makeStyleTag", "head", "document", "parent", "createElement", "prevStyle", "childNodes", "child", "nodeType", "hasAttribute", "findLa
stStyleTag", "nextSibling", "undefined", "setAttribute", "__VERSION__", "nonce", "insertBefore", "CSSOMTag", "element", "appendChild", "createTextNode", "styleSheets", "ownerNode", "getSheet", "rule", "_error", "cssRules", "cssText", "TextTag", "nodes", "node", "refNode", "removeChild", "VirtualTag", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "isServer", "useCSSOMInjection", "StyleSheet", "options", "globalStyles", "gs", "server", "querySelector
All", "getAttribute", "parentNode", "rehydrateSheet", "registerId", "reconstructWithOptions", "withNames", "allocateGSInstance", "hasNameForId", "add", "groupNames", "Set", "clearNames", "clear", "clearRules", "clearTag", "size", "selecto
r", "outputSheet", "AD_REPLACER_R", "getAlphabeticChar", "String", "fromCharCode", "generateAlphabeticName", "Math", "abs", "phash", "h", "charCodeAt", "hash", "isStaticRules", "SEED", "ComponentStyle", "componentId", "baseSt
yle", "staticRulesId", "isStatic", "baseHash", "generateAndInjectStyles", "executionContext", "styleSheet", "stylis", "cssS
tatic", "flatten", "generateName", "cssStaticFormatted", "dynamicHash", "partRule", "partChunk", "partString", "Array", "isArray", "cssFormatted", "COMMENT_REGEX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "_co
mponentId", "_selector", "_selectorRegex", "_consecutiveSelfRefRegex", "plugins", "Stylis", "parsingRules", "parseR
ulesPlugin", "toSheet", "block", "e", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "delimiter", "inse
rtRulePlugin", "selfReferenceReplacer", "offset", "string", "indexOf", "stringifyRules", "prefix", "flatCSS", "cssStr", "use
", "_", "lastIndexOf", "parsedRules", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleShee
tConsumer", "Consumer", "StylisContext", "masterSheet", "masterStylis", "useStyleSheet", "useContext", "useStylis", "S
tyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "disableCSSO
MInjection", "disableVendorPrefixes", "useEffect", "shallowequal", "Provider", "value", "Children", "only", "children", "
Keyframes", "inject", "stylisInstance", "resolvedName", "_this", "getName", "uppercaseCheck", "uppercasePattern", "ms
Pattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "isFalsish", "chunk", "ruleSet", "isRea
ctComponent", "isElement", "console", "warn", "isPlainObject", "objToCssArray", "obj", "prevKey", "key", "hasOwnPro
perty", "isCss", "hyphenate", "unitless", "startsWith", "addTag", "arg", "styles", "interleave", "invalidHookCallRe", "seen"
, "checkDynamicCreation", "message", "originalConsoleError", "error", "didNotCallInvalidHook", "consoleErrorMessage", "consoleErrorArgs", "useRef", "providedTheme", "defaultProps", "theme", "escapeRegex", "dashesAtEnds", "escape
", "str", "isTag", "charAt", "isObject", "val", "isValidKey", "mixin", "mixinDeep", "rest", "ThemeContext", "ThemeConsu
mer", "identifiers", "createStyledComponent", "isTargetStyledComp", "isCompositeComponent", "attrs", "parentCompo
nentId", "generateComponentId", "generateId", "generateDisplayName", "finalAttrs", "concat", "filter", "shouldForward
Prop", "prop", "filterFn", "elementToBeCreated", "WrappedStyledComponent", "componentStyle", "forwardRef", "ref", "
forwardedComponent", "forwardedRef", "componentAttrs", "foldedComponentIds", "resolvedAttrs", "attrDef", "resolv
edAttrDef", "useResolvedAttrs", "determineTheme", "generatedClassName", "warnTooManyClasses", "className", "u

```

seInjectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","validAttr","withComponent","previousComponentId","optionsToCopy","newComponentId","defineProperty","_foldedDefaultProps","merge","generatedClasses","warningSeen","keys","parsedIdString","createWarnTooManyClasses","hoist","styled","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","StyledComponent","domElement","GlobalStyle","createStyles","instance","removeStyles","renderStyles","ServerStyleSheet","_emitSheetCSS","SC_ATTR_VERSION","getStyleTags","sealed","getStyleElement","dangerouslySetInnerHTML","__html","seal","collectStyles","interleaveWithNodeStream","input","__PRIVATE__","navigator","product","outerTheme","themeContext","mergedTheme","mergeTheme","JSON","stringify","globalStyle","GlobalStyleComponent","current","count","some","useLayoutEffect","memo","Component","WithTheme","themeProp","hoistStatics"],"mappings":":2jBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAACK,EACzDD,EAAOI,KAAKL,EAAeE,GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,SA AOL,ICNGM,EAACJ,OAAOK,OAAO,IAC5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EAAOI,aAEPJ,EAAOK,MACP,YCXW,SAASC,EAakBN,UACjCA,GAA8C,iBAA7BA,EAAOO,kBCG1B,IAAMC,EACS,oBAAZP,cACiB,IAAhBA,QAAQC,MACdD,QAAQC,IAAIO,mBAAqBR,QAAQC,IAAIM,UACHd,cAOWE,EAA+B,oBAAXC,QAA0B,gBAAiBA,OAE/DC,EAAiBC,QACC,kBAAtBC,kBACHA,kBACmB,oBAAZB,cAAkD,IAAhBA,QAAQC,WACE,IAA5CD,QAAQC,IAAIa,6BACyB,KAA5Cd,QAAQC,IAAIa,4BACKc,UAA5Cd,QAAQC,IAAIa,6BAEVd,QAAQC,IAAIa,iCAC2B,IAAICd,QAAQC,IAAIY,mBAAuE,KAAICb,QAAQC,IAAIY,kBACIC,UAAICb,QAAQC,IAAIY,mBAEVb,QAAQC,IAAIY,kBACW,eAAzBb,QAAQC,IAAIC,WAKPa,EAA2B,GCjCICC,EAAkC,eAAzBhB,QAAQC,IAAIC,SCHZ,GAACK,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAAaK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUAAaU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDG7/F,GAKIE,SAASE,YACHC,0CACEC,EAAI,GAEDC,EAAI,EAAGpC,EAAMqC,UAAKpC,OAAQmC,EAAIpC,EAAKoC,GAACK,EAC/CD,EAAEjC,KAAUkC,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAAAC,GACRL,EAAIA,EAAEM,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,EACtBC,8BACG7C,mCAA AA,yBAE0B,eAAzBmB,QAAQC,IAAIC,SACR,IAAIyB,qDACuCD,4BAC7C7C,EAAeI,OAAS,YAAcJ,EAAe+C,KAAK,MAAU,KAAIE,IAAID,MAAMV,gBAAOD,EAAOU,WAAU7C,IAAgBgD,QE9BrD,IAMDC,wBAOQC,QACLc,WAAa,IAAIC,YAVR,UAWThD,OAXS,SAYT8C,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAAQ,EACHrD,EAAI,EAAGA,EAAIoD,EAAOpD,IACzBqD,GAASC,KAAKL,WAAWjD,UAGpBqD,KAGTE,YAAA,SAA YH,EAAeI,MACrBJ,GAASE,KAAKL,WAAW/C,OAAQ,SAC7BuD,EAAYH,KAAKL,WACjBS,EAAUD,EAAU vD,OAETByD,EAAUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAAiB,MAAOR,QAIvBH,WAAa,IAAIC, YAAYS,QAC7BV,WAAWY,IAAIJ,QACfvD,OAASyD,MAET,IAAI3D,EAAI0D,EAAS1D,EAAI2D,EAAS3D,S AC5BiD,WAAWjD,GAACK,UAIrB8D,EAAYR,KAAKH,aAAaC,EAAQ,GACjCpD,EAAI,EAAG+D,EAAIP,EAA MtD,OAAQF,EAAI+D,EAAG/D,IACnCsD,KAAKN,IAAIgB,WAAWF,EAAWN,EAAMxD,WACICiD,WAAWG, KACHBU,QAKNG,WAAA,SAAWb,MACLA,EAAQE,KAAKpD,OAAQ,KACjBA,EAASoD,KAAKL,WAAWG, GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAahE,OAEB+C,WAAWG,GAAS,MAEPb,IAAIpD,EA AIkE,EAAYIE,EAAImE,EAAUnE,SACHcGd,IAAIoB,WAAWF,OAK1BG,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKpD,QAAqC,IAA3BoD,KAAKL,WAAWG,UACnCb,UAGHpE,EAASoD,KAAKL,WAA WG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAahE,EAERBF,EAAIkE,EAAYIE,EAAImE,EAAUn E,IACrCsE,GAAUhB,KAAKN,IAAIuB,QAAQvE,GH9ET,mBGiFbSE,QCFPE,EAAuC,IAAIC,IAC3CC,EAAuC, IAAID,IAC3CE,EAAgB,EAQPC,EAAgB,SAACC,MACxBL,EAAgBM,IAAID,UACdL,EAAgBO,IAAIF,QAGvB H,EAAgBI,IAAIH,IACzBA,QAGIvB,EAAQuB,UAGa,eAAzB1D,QAAQC,IAAIC,YACF,EAARiC,GAAa,GAACK A,EazBR,GAACK,KA2BjBQ,EAAiB,MAAOR,GAG1BoB,EAAGBX,IAAIgB,EAAIzB,GACxBsB,EAAGBb,IAAIT ,EAAOyB,GACpBzB,GAGI4B,EAAgB,SAAC5B,UACrBsB,EAAGBK,IAAI3B,IAGhB6B,EAAGB,SAACJ,EAAY zB,GACpCA,GAASuB,IACXA,EAAGBvB,EAAQ,GAG1BoB,EAAGBX,IAAIgB,EAAIzB,GACxBsB,EAAGBb,IA AIT,EAAOyB,IC3CvBK,WAAoB1D,oCACpB2D,EAAY,IAAIC,WAAW5D,kDAkC3B6D,EAA4B,SAACC,EAA cT,EAAYU,WAEvDIE,EADEmE,EAAQD,EAAQE,MAAM,KAGnBzF,EAAI,EAAG+D,EAAIyB,EAAMtF,OAA QF,EAAI+D,EAAG/D,KAEICqB,EAAOmE,EAAMxF,KACHBsF,EAAMI,aAAab,EAAIxD,IAKvBsE,EAawB,SA

ACL,EAACm,WACrCC,GAASD,EAAME,aAAe,IAAIL,MLxCIB,aKyChBjC,EAakB,GAefxD,EAAl,EAAG+D,EA
AAI8B,EAAM3F,OAAQF,EAAl+D,EAAG/D,IAAK,KACtC+F,EAAOF,EAAM7F,GAAG8C,UACjBiD,OAECC,
EAASD,EAAKE,MAAMd,MAEtBa,EAQ,KACJ5C,EAakC,EAA1B8C,SAASF,EAAO,GAAl,IAC5BnB,EAak
mB,EAAO,GAeJ,IAAV5C,IAEF6B,EAACj,EAAlzB,GAGIBiC,EAA0BC,EAAOT,EAAlmB,EAAO,IAC5CV,EA
AMa,SAAS5C,YAAyH,EAAlO,IAGpCA,EAAMtD,OAAS,OAefS,EAAMrD,KAAK4F,MCzEXK,EAAW,iBAC
qB,oBAAtBC,kBAaOCa,kBAaOB,MCiB3DC,EAae,SAACtF,OACrBuF,EAASC,SAASD,KACIBe,EAASzF,GA
AUuF,EACnBX,EAQY,SAASE,cAAc,SAC/BC,EAiBiB,SAAC3F,WACHb4F,EAae5F,EAaf4F,WAEC5G,EA
I4G,EAAW1G,OAAQF,GAak,EAAGA,IAAK,KACrC6G,EAAUD,EAAW5G,MACvB6G,GARa,IAQJA,EAAM
C,UAA6BD,EAAME,aAAavF,UACxDqF,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAAdP,EAA0BA,EAAMU,YA
Ac,KAETErB,EAAMuB,aAAa3F,EPnBS,UOoB5BoE,EAAMuB,aPnBuB,sBACLc,cOoBIBC,EAQjB,WAeViB,
GAAOzB,EAAMuB,aAAa,QAASE,GAevCZ,EAAOa,aAAa1B,EAAOqB,GAepBrB,GcTB12B,wBAOCvG,OACJ
wG,EAAWIE,KAAKke,QAAUIB,EAAtF,GAG7CwG,EAAQC,YAAyJb,SAASkB,eAAe,UAEvCpC,MDae,SAA
CtC,MACnBA,EAAlS,cACGtC,EAAlS,cAIPqC,EAAGbBnB,SAAhBmB,YACC3H,EAAl,EAAG+D,EAAl4D,EA
AYzH,OAAQF,EAAl+D,EAAG/D,IAAK,KAC5CsF,EAAQqC,EAAY3H,MACTbSf,EAAMsC,YAAc5E,SACbsC,
EAiB1B,EAAlB,IC3BFIE,CAASL,QACjBtH,OAAS,6BAGhB8D,WAAA,SAAWX,EAeyE,mBAEjBxC,MAAMt
B,WAAW8D,EAAMzE,QACvBnD,UACE,EACP,MAAO6H,UACA,MAIX3D,WAAA,SAAWf,QACJiC,MAAMI
B,WAAWf,QACjBnD,YAGPqE,QAAA,SAAQIB,OACAyE,EAAOxE,KAAKgC,MAAM0C,SAAS3E,eAepB6D,I
AATY,GAA8C,iBAajBA,EAAKG,QAC7BH,EAAKG,QAEL,SAMAC,wBAOCIH,OACJwG,EAAWIE,KAAKke,
QAAUIB,EAAtF,QACxCmH,MAAQX,EAAQZ,gBACHb1G,OAAS,6BAGhB8D,WAAA,SAAWX,EAeyE,MA
CpBzE,GAASC,KAAKpD,QAAUmD,GAAS,EAAG,KACChC+E,EAAO5B,SAASkB,eAAeI,GAC/BO,EAAU/E,K
AAK6E,MAAM9E,eACtBmE,QAAQF,aAAac,EAAMC,GAAW,WACtCnI,UACE,SAEA,KAIxkE,WAAA,SA
Wf,QACJmE,QAAQc,YAAyHf,KAAK6E,MAAM9E,SAC/BnD,YAGPqE,QAAA,SAAQIB,UACFA,EAAQC,KA
AKpD,OACRoD,KAAK6E,MAAM9E,GAAOyC,YAEIB,SAMAYC,wBAKCC,QACLhF,MAAQ,QACRtD,OAAS,
6BAGhB8D,WAAA,SAAWX,EAeyE,UACpBzE,GAASC,KAAKpD,cACXsD,MAAMiF,OAAOpF,EAAO,EA
GyE,QACvB5H,UACE,MAMXkE,WAAA,SAAWf,QACJG,MAAMiF,OAAOpF,EAAO,QACpBnD,YAGPqE,QA
AA,SAAQIB,UACFA,EAAQC,KAAKpD,OACRoD,KAAKE,MAAMH,GAEX,SCZHTqF,EAAMbHh,EAWjBiH,
EAA+B,CACnCC,UAAWIH,EACXmH,mBAaOBjH,GAIDkH,wBAiBjBC,EACAC,EACAxD,YAFaUD,IAAAA,
EAAgCnI,YACHCoI,IAAAA,EAA2C,SAGtCD,aACAJ,KACAI,QAGAE,GAAKD,OACLxD,MAAQ,IAAI,IAAIe,
QACHB0D,SAAWH,EAQH,UAGnBtF,KAAK4F,QAAUxH,GAACgH,IACHCA,GAAMb,EJyBK,SAACpD,WA
CvB6C,EAQ3B,SAAS2C,iBAaiBjE,GAE/BIF,EAAl,EAAG+D,EAAlOe,EAAMjI,OAAQF,EAAl+D,EAAG/D,I
AAK,KACtCoI,EAASD,EAAMnI,GACjBoI,GL7EsB,WK6EdA,EAAGkG,aAAa5H,KAC5BmE,EAAsBL,EAAO8
C,GAezBA,EAAKiB,YACPjB,EAAKiB,WAAWf,YAAyF,KIjC9BkB,CAAehG,SArBziG,WAAP,SAAKB1E,UA
CTD,EAACc,+BAwBvB2E,uBAAA,SAAuBT,EAA+BU,mBAAAA,IAAAA,GAAsB,GACnE,IAAIX,OACJxF,KA
AKyF,WAAyA,GACtBzF,KAAK2F,GACJQ,GAAanG,KAAKkC,YAAU0B,MAIjCwC,mBAAA,SAAMb7E,UA
CTvB,KAAK2F,GAAGpE,IAAOvB,KAAK2F,GAAGpE,IAAO,GAAK,KAI7CsB,OAAA,kBACS7C,KAAKN,MA
AQM,KAAKN,KDtEH4F,KCsEgCtF,KAAKyF,SDtErCH,SAAUC,IAAAA,kBAAMb7H,IAAAA,OLCxBgC,EKA
zB4F,EACK,IAAIL,EAAWvH,GACb6H,EACF,IAAIb,EAASvG,GAEB,IAAIkH,EAQIH,GLJd,IAAI+B,EAak
BC,KADD,IAACA,IKDL4F,EAAUC,EAAMb7H,KC0ErD2I,aAAA,SAAa9E,EAAYxD,UACHBiC,KAAKkC,MA
AMV,IAAID,IAAQvB,KAAKkC,MAAMT,IAAIF,GAAUC,IAAIzD,MAI7DqE,aAAA,SAAab,EAAYxD,MACvB
uD,EAACc,GAETvB,KAAKkC,MAAMV,IAAID,QAKZW,MAAMT,IAAIF,GAAU+E,IAAIvI,OALP,KACjBwI,
EAAa,IAAIC,IACvBD,EAAWD,IAAIvI,QACVmE,MAAM3B,IAAIgB,EAAIgF,OAovBtG,YAAA,SAAYsB,EA
AYxD,EAACmC,QAC/BkC,aAAab,EAAlxD,QACjB8E,SAAS5C,YAAyqB,EAACc,GAAKrB,MAI/CuG,WAAA,
SAAWIF,GACLvB,KAAKkC,MAAMV,IAAID,SACXW,MAAMT,IAAIF,GAAUmF,WAK9BC,WAAA,SAAWp
F,QACJsB,SAASIC,WAAWW,EAACc,SACICKF,WAAWIF,MAIIBqF,SAAA,gBAGOIH,SAAMkE,KAIb7G,SAA
A,kBJpHyB,SAACiF,WACpBtC,EAAMsC,EAAMa,SACVjG,EAAW8C,EAAX9C,OAEJoE,EAAM,GACDIB,EA
AQ,EAAGA,EAQID,EAQkD,IAAS,KACrCyB,EAAKG,EAAC5B,WACd8D,IAAPrC,OAEEW,EAAQF,EAAM
E,MAAMT,IAAIF,GACxBrB,EAQR,EAAlqB,SAASjB,MACTBoC,GAAUhC,GAAUgC,EAAM2E,UAEzBC,EA
Ac5I,OAAy4B,UAAayB,OAezCU,EAAU,QACA2B,IAAV1B,GACFA,EAAMjD,SAAQ,SAAAlB,GACRA,EA

KnB,OAAS,IACbBqF,GAAClE,UAOpBiD,MAAUd,EAAQ4G,eAAqB7E,yBAGlCjB,ElwFE+F,CAAy/G,YC3HjB
gH,EAAGB,WAOhBC,EAaOB,SAAC5H,UACzB6H,OAAOC,aAAa9H,GAAQA,EAAO,GAAC,GAAC,MAGhC,S
AAS+H,EAaUB/H,OAeZCvC,EADAIb,EAAO,OAINjB,EAAIuK,KAAKC,IAAIjI,GAAOVc,EAZP,GAYwBA,E
AAKA,EAZ7B,GAYgD,EACHeiB,EAAOkJ,EAakBnK,EAbT,IAa4BiB,SAGtCkJ,EAakBnK,EAhBR,IAgB2BiB,
GAAMoB,QAAQ6H,EAAe,SCpBrE,IAKMO,EAAQ,SAACC,EAAW1K,WAC3BJ,EAAII,EAAEF,OAeHF,GACL
8K,EAAS,GAAJA,EAaUIK,EAAE2K,aAAa/K,UAGzB8K,GAIE,EAAO,SAAC5K,UACZyK,EAjBW,KAIbczK
,Jcfn,SAAS6K,EAaczH,OAC/B,IAAIxD,EAAl,EAAGA,EAAlwD,EAAMtD,OAAQF,GAAC,EAAG,KACIC8H,
EAAOtE,EAAMxD,MAEfa,EAAWiH,KAAUxG,EAakBwG,UAGIC,SAIJ,ECPT,IAAMoD,EAAOF,EbIa5D,UaC
L+D,wBAaP3H,EAAGB4H,EAaQBC,QAC1C7H,MAAQA,OACR8H,cAAgB,QACbBC,SAAoC,eAAzBtK,QAAQ
C,IAAIC,gBACX+F,IAAdmE,GAA2BA,EAAUE,WACtCN,EAaczH,QACX4H,YAAcA,OAIIdI,SAAWX,EAAM
K,EAAME,QAeVBC,UAYYA,EAjBvC,EAAWS,WAAW6B,sBAQxBK,wBAAA,SAAwBC,EAA0BC,EAawBC,
OACHER,EAAGB9H,KAAhB8H,YAEF5F,EAAQ,MAEVIK,KAAC+H,WACP7F,EAAMrF,KAACmD,KAAC+H,
UAAUI,wBAawBC,EAakBC,EAAYC,IAI9EtI,KAACKi,WAAaK,EAAOZ,QACvB1H,KAACKgI,eAAiBK,EAAW
hC,aAAayB,EAaA9H,KAACKgI,eACIE9F,EAAMrF,KAACKmD,KAACKgI,mBACX,KACCO,EAAYC,GAAQxI,KA
AKE,MAAOki,EAakBC,EAAYC,GAAQ/I,KAAC,IAC3ExB,EAAO0K,EAaAlB,EAAMvH,KAACKi,SAAUk,K
AAe,OAeZDF,EAAWhC,aAAayB,EAaA/J,GAAO,KACzC2K,EAaQBJ,EAAOC,MAAexK,OAAQ6F,EAAWkE,G
AEpEO,EAAWpI,YAAy6H,EAaA/J,EAAM2K,GAG5CxG,EAAMrF,KAACKb,QACNiK,cAAgBjK,MAEIB,SAC
GnB,EAAWoD,KAAKE,MAAhBtD,OACJ+L,EAacpB,EAAMvH,KAACKi,SAAU,EAAOZ,MAC1C1G,EAAM,
GAEDtE,EAAl,EAAGA,EAAlE,EAAQF,IAAK,KACzBkM,EAAW5I,KAAKE,MAAMxD,MAEJ,iBAAbkM,EAC
T5H,GAAO4H,EAESB,eAAzBjL,QAAQC,IAAIC,WAA2B8K,EAacpB,EAAMoB,EAaAc,EAAWIM,SACIF,GA
AlkM,EAaU,KACbC,EAAYL,GAAQI,EAaUR,EAakBC,EAAYC,GAC5DQ,EAaAc,MAAMC,QAAQH,GAAa
A,EAaUtJ,KAAC,IAAMsJ,EACnEF,EAacpB,EAAMoB,EAaAg,EAaapM,GAC9CsE,GAAO8H,MAIP9H,EA
K,KACDjD,EAAO0K,EAaAE,IAAGB,OAERCN,EAAWhC,aAAayB,EAaA/J,GAAO,KACzCkL,EAaEX,EAaOtH,
MAASjD,OAAQ6F,EAAWkE,GACxDO,EAAWpI,YAAy6H,EAaA/J,EAAMkL,GAG5C/G,EAAMrF,KAACKb,
WAIRmE,EAAM3C,KAAC,WcTghB2J,EAAGB,gBACbBC,EAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,
SAyBIBC,EACAC,EACAC,EACAC,eAzB6BIM,QAFjCmI,QAAAA,aAAUnI,QACVmM,QAAAA,aAAUrM,IAEJ
kL,EAAS,IAAIoB,EAaOjE,GAMtBkE,EAaE,GAWbC,ECdR,SAAwBIJ,YAlbmJ,EAaQC,MACXA,MAEApJ,EA
AcoJ,OACd,MAAOC,YAIN,SACLC,EACA/H,EACAgI,EACAC,EACAC,EACAC,EACAxN,EACAYN,EACAC,E
ACAC,UAEQP,QAED,KAEW,IAAVM,GAAyC,KAA1BrI,EAaQwF,WAAW,GAAW,OAAO/G,EAACuB,OAAa,
cAGhF,KACQ,IAAPoI,EAaU,OAAOpI,EA/BT,mBAKCT,SACKoI,QAED,SACA,WACI3J,EAAWuJ,EAaU,GA
AKhI,GAaU,kBAEpCA,GAakB,IAAPsI,EAzCV,QAYCiC,SAEzC,EACJtI,EAaQE,MA3CIqI,UA2CUvL,QAAQ
4K,KD/BXY,EAaiB,SAaAjG,GACxCmF,EAaA9M,KAACK2H,MAQdkG,EAawB,SAAC/H,EAaOGI,EAaQC,U
AG9B,IAAXD,IAA8E,IAA/DxB,EAawB0B,QAAQD,EAAOtB,EAaU1M,UAEhEgO,EAaOjI,MAAM6G,GAKT
7G,MAHM0G,YA4BNyB,EAaE9J,EAACK8F,EAaUiE,EAaQjD,YAAAA,IAAAA,EAAC,SACrDkD,EAaUhK,EA
AI7B,QAAQ+J,EAaE,IACrC+B,EAASnE,GAAYiE,EAAYA,MAAUjE,QAACKe,OAACa,SAK7E3B,EAaevB,EA
CfwB,EAAYxC,EACZyC,EAakB,IAAlzH,YAAyW,H,QAAgB,KACIDE,EAa4B,IAAI1H,aAAawH,cAEtChB,EA
AOyC,IAAWjE,EAAW,GAACA,EAaUmE,UAdrD3C,EAAO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,
GACIC,IAAZD,GAAiBC,EAaUrN,QAaUqN,EAaU,GAAGmB,YAAy9B,GAAa,IAE7EW,EAaU,GAACA,EA
AU,GAAG9K,QAAQoK,EAaiBmB,KAIDd,EAID9B,SAAAI,OACP,IAAbA,EAAGB,KACZqB,EAAC1B,SACpB
A,EAaE,GACR0B,OA+DXP,EAaepD,KAAO+B,EAaQ7M,OAC1B6M,EACG6B,QAAO,SAACC,EAACKC,UAC
PA,EAaOzN,MACVuC,EAaiB,IAGZiH,EAAMgE,EAACKC,EAaOzN,QHnGf,MGqGXhB,WACH,GAEG+N,ME
3FIW,GAAgDC,EAAMC,gBACtDC,GAAqBH,GAakBI,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAAcD
,SAEL,IAAIrG,GAC9BwG,GAA4B5C,IAEzC,SAAGB6C,YACPC,aAAWT,KAAAsBM,GAG1C,SAAGBI,YACPD,
aAAWJ,KAakBE,GAGvB,SAASI,GAakBC,SACVC,WAASD,EAAME,eAAAtC9C,OAAS+C,OACVC,EAaOBR,
KAepB5D,EAaAQE,WAAQ,eACrB1K,EAaQyK,SAERJ,EAAMrK,MAERA,EAaQqK,EAAMrK,MACLqK,EA
M3O,SACfsE,EAaQA,EAAMkE,uBAaUB,CAAEX,I,EAaQ2O,EAAM3O,SAAU,IAG7D2O,EAAMM,wBACR3K
,EAaQA,EAAMkE,uBAaUB,CAAEX,mBAAMb,KAGrDvD,IACN,CAACqK,EAAMM,sBAaUBN,EAAMrK,M
AAOqK,EAAM3O,SAE9C4K,EAASoE,WACb,kBACEtD,EAaQB,CACnB3D,QAAS,CAAEsF,QAASsB,EAAM

O,uBAC1BnD,QAAAA,MAEJ,CAAC4C,EAAMO,sBAAuBnD,WAGhCoD,AAAU,WACHC,EAAarD,EAAS4C,E
AAME,gBAAGBC,EAAWH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,GAakBsB,UAASC,MAAO3
E,GACjCqD,gBAACI,GAAciB,UAASC,MAAO1E,GACH,eAAzB3K,QAAQC,IAAIC,SACT6N,EAAMuB,SAAS
C,KAAKb,EAAMc,UAC1Bd,EAAMc,eCjEGC,yBAOPrP,EAACmC,mBAM1BmN,OAAS,SAACHf,EAAwBiF,Y
AAAA,IAAAA,EAA8BtB,QACxDuB,EAAeC,EAAKzP,KAAOuP,EAAe5F,KAE3CW,EAAWhC,aAAamH,EAA
KjM,GAAIgM,IACpCIF,EAAWpI,YACTuN,EAAKjM,GACLgM,EACAD,EAAeE,EAAKtN,MAAOqN,EAAc,qB
AK/CxQ,SAAW,kBACFuD,EAAiB,GAAI4G,OAAOsG,EAAKzP,aAlBnCA,KAAOA,OACPwD,mBAAqBxD,OA
CrBmC,MAAQA,qBAmbFuN,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BtB,IAC7BhM,KAAKjC,KAAOuP,EAA
e5F,WC7BhCgG,GAAiB,UACjBC,GAAmB,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EAAKC,eAkB
/C,SAASC,GAAmBpD,UACIC8C,GAAelQ,KAAKoN,GACzBA,EACCzL,QAAQwO,GAakBE,IAC1B1O,QAAQ
yO,GAAW,QACpBhD,ECIBJ,IAAMqD,GAAY,SAAAC,UAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,G
AoBvF,SAAwB1F,GACtB0F,EACA9F,EACAC,EACAiF,MAEiV,E,MAAMC,QAAQkF,GAAQ,SAGYzR,EAf9B0
R,EAAU,GAEPzR,EAAI,EAAGC,EAAMuR,EAAMtR,OAAgBF,EAAIC,EAAKD,GAAK,EAGzC,MAFFD,EAAS
+L,GAAQ0F,EAAMxR,GAAI0L,EAAkBC,EAAyIF,MAGhDvE,MAAMC,QAAQvM,GAAS0R,EAAQtR,WAAR
sR,EAAgB1R,GAC3C0R,EAAQtR,KAAKJ,WAGb0R,KAGLF,GAAUC,SACL,MAILIQ,EAAkBkQ,aACTA,EAA
MjQ,qBAIFv,EAAW2Q,GAAQ,IC9DL,mBAFwB1Q,EDiEhB0Q,IC7DtB1Q,EAAKP,WACFO,EAAKP,UAAUm
R,mBD4DchG,EAa3B,OAAO8F,MAZNzR,EAASyR,EAAM9F,SAEQ,eAAzBzK,QAAQC,IAAIC,UAA6BwQ,YA
AU5R,IAErD6R,QAAQC,KACH9Q,EACDyQ,uLAKC1F,GAAQ/L,EAAQ2L,EAAkBC,EAAyIF,GC7E5C,IAA6
B9P,SDiFtC0Q,aAAiBd,GACf/E,GACF6F,EAAMb,OAAOhF,EAAyIF,GACIBY,EAAMT,QAAQH,IACTY,EAIT
M,EAAcN,GazEM,SAAhBO,EAAiBC,EAAaC,OEbH5Q,EAAciP,EFc9C9M,EAAQ,OAET,IAAM0O,KAAOF,E
ACXA,EAAIG,eAAeD,KAAQX,GAAUS,EAAIE,MAEzC7F,MAAMC,QAAQ0F,EAAIE,KAAAF,EAAIE,GAAK
E,OAAUvR,EAAWmR,EAAIE,IACHe1O,EAAMrD,KAAQkS,GAAUH,OAASF,EAAIE,GAAM,KACICJ,EAAcE
,EAAIE,IAC3B1O,EAAMrD,WAANqD,EAACuO,EAAcC,EAAIE,GAAMA,IAEtC1O,EAAMrD,KAAQkS,GAAU
H,SExBU7Q,EFwBe6Q,EErBxC,OAHuC5B,EFwBM0B,EAAIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC1C,G
AGY,iBAAVA,GAAgC,IAAVA,GAAiBjP,KAAQiR,GAAcJR,EAAKkR,WAAW,MAIjF/H,OAAO8F,GAAOXN,O
AHTwN,qBFoBL2B,GAAcA,eAAgBzO,GAAO,MAAOA,EAODrBuO,CAAcP,GAASA,EAAMnR,WG9E7D,IAA
MmS,GAAS,SAAAC,UACTpG,MAAMC,QAAQmG,KAehBA,EAIL,OAAQ,GAEPK,GAGM,SAASnO,GAAIo
O,8BAAmB5S,mCAAAA,2BACzCe,EAAW6R,IAAWZ,EAAcY,GAE/BF,GAAO1G,GAAQ6G,EAAWjS,GAAcg
S,UAAW5S,MAG9B,IAA1BA,EAAeI,QAAkC,IAAIbW,S,EAAOXs,QAAQc,iBAAdwS,EAAO,GAE/DA,EAIFF,G
AAO1G,GAAQ6G,EAAWD,EAAQ5S,KC5B3C,IAAM8S,GAAoB,qBACpBC,GAAO,IAAI/I,IAEJgJ,GAAuB,SA
AC1R,EAAqBgK,MAC3B,eAAzBnK,QAAQC,IAAIC,SAA2B,KAEnC4R,EACJ,iBAAiB3R,GAfIgK,sBAaKCA,
MAAiB,6NAUpE4H,EAAuBpB,QAAQqB,cAE/BC,GAAwB,EAE5BtB,QAAQqB,MAAQ,SAACE,MAGXP,GAA
kB9R,KAAKqS,GACzBD,GAAwB,EAEExBL,UAAyE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAAqBG,UAAw
BC,MAMjDC,WAEIH,IAA0BL,GAAK/N,IAAIiO,KAERcNB,QAAQC,KAAKkB,GACbF,GAAKjJ,IAAIImJ,IAEX
,MAAOE,GAGHL,GAakB9R,KAAKmS,EAAMF,UAE/BF,UAAyE,WAI dnB,QAAQqB,MAAQD,iBC9CnRd,E
AAc2D,EAAoBC,mBAAAA,IAAAA,EAAoB3S,GAC5D+O,EAAM6D,QAAUD,EAAaC,OAAS7D,EAAM6D,OA
AUF,GAAiBC,EAAaC,OCJxFC,GAAc,wCAEdC,GAAe,WAMN,SAASC,GAAOC,UAE3BA,EAEGnR,QAAQgR,
GAAa,KAGrBhR,QAAQiR,GAAc,ICd7B,gBAAGBE,UACPIJ,EAAuBM,EAAK4I,KAAAS,ICH/B,SAASC,GAAM7
S,SAER,iBAAXA,IACmB,eAAzBC,QAAQC,IAAIC,UACTH,EAAO8S,OAAO,KAAO9S,EAAO8S,OAAO,GAA
GzC,eCqB9C,IAAM0C,GAAW,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAiB3H,MAAM
C,QAAQ0H,IAItFC,GAAa,SAAA/B,SACF,cAARA,GAA+B,gBAARA,GAAiC,cAARA,GAGzD,SAASgC,GAA
MIT,EAAQgT,EAAK9B,OACPBF,EAAMhR,EAAOkR,GACf6B,GAASC,IAAQD,GAAS/B,GAC5BmC,GAAUn
C,EAAKgC,GAefhT,EAAOkR,GAAO8B,EAIH,SAASG,GAAUnT,8BAAWoT,mCAAAA,kCACzBa,iBAAM,K
AAbpC,UACL+B,GAAS/B,OACN,IAAME,KAAOF,EACZiC,GAAW/B,IACbgC,GAAMIT,EAAQgR,EAAIE,GA
AMA,UAMzBIR,MC5CIqT,GAAsCrF,EAAMC,gBAE5CqF,GAAgBD,GAAaIF,SCcpCoF,GAAc,GA4IpB,SAAw
BC,GACtBxT,EACA+H,EAoAvF,OAEMiR,EAAqBnT,EAAkBN,GACvC0T,GAAwBb,GAAM7S,KAMhC+H,E
AHF4L,MAAAA,aAAQjU,MAGNqI,EAFFqC,YAAAA,aAzJJ,SAAoBhK,EAAsBwT,OACICvT,EAA8B,iBAAhB
D,EAA2B,KAAOuS,GAAOvS,GAE7DmT,GAAYIT,IAASKT,GAAYIT,IAAS,GAAK,MAEzC+J,EAAiB/J,MAAQ

wT,G9BzBPzN,S8B4BT/F,EAAOkT,GAAYIT,WAG3BuT,EAAuBA,MAAqBxJ,EAAgBA,EA8InD0J,CAAW/L,EAAQ3H,YAAa2H,EAAQ6L,uBAEpD7L,EADF3H,YAAAA,aCtLW,SACbJ,UAE06S,GAAM7S,aAAoBA,YAAqBD,EAAiBC,ODmLvD+T,CAAoB/T,KAG9BO,EACJwH,EAAQ3H,aAAe2H,EAAQqC,YACxBuI,GAAO5K,EAAQ3H,iBAAGb2H,EAAQqC,YAC1CrC,EAAQqC,aAAeA,EAGvB4J,EACJP,GAAwBzT,EAAgC2T,MACpDtI,MAAM9L,UAAU0U,OAASjU,EAAgC2T,MAAOA,GAAOO,OAAOrT,SAC9E8S,EAGFQ,EAAoBpM,EAAQoM,kBAE5BV,GAAsBzT,EAAOmU,oBAG7BA,EAFepM,EAAQoM,kBAEU,SAACC,EAAMC,EAAUC,UAC/BtU,EAAGcmU,kBACICC,EACAC,EACAC,IAEAvM,EAAQoM,kBAA4CC,EAAMC,EAAUC,IAGIDtU,EAAgCmU,uBAkBTdI,EAdEC,EAAiB,IAAIrK,EACzB3H,EACAjC,EACAKT,EAAuBzT,EAAgBwU,oBAAkCtO,GAKrEqE,EA AWiK,EAAejK,UAA6B,IAAjBoJ,EAAMzU,OAQ5CuV,EAAa,SAAC9F,EAAO+F,UA7I7B,SACEC,EACAhG,EACAiG,EACArK,OAGSsK,EAOLF,EAPFhB,MACAA,eAMEG,EANFH,eACAjC,EAKEoC,EALFpC,aACAuC,EAIeH,EAJFG,mBACAX,EAGEQ,EAHFR,kBACA5T,EAEEoU,EAFFpU,kBACAP,EACE2U,EADF3U,SA7DJ,SAAkCwS,EAA2B7D,EAAegF,YAA1CnB,IAAAA,EAAa5S,OAIvC0M,OAAeqC,GAAO6D,MAAAA,IACtBuC,EAAgB,UAEtBpB,EAAMPs,SAAQ,SAAAYT,OAER9D,EErD4B/P,EAAyC,EFoDxC6T,EAakBD,MAQjB9D,KALDrR,EAAWoV,KACbA,EAakBA,EAAGb3I,IAIx2I,EACV3I,EAAQ4E,GAAO6D,EAAc7D,GACnB,cAARA,GE9D4B/P,EF+DZ4T,EAAc7D,GE/DU9P,EF+DJ6T,EAAgB/D,GE9DnD/P,GAACK,EAAOD,MAACK,EAAMD,GAACK,GF+DzB6T,EAAgB/D,MAKnB,CAAC5E,EAASyI,GA4CQG,CAFXC,GAAexG,EAAOH,aAAW6E,IAAed,IAEX3S,EAAc+O,EAAOkG,GAAjEvI,OAASqH,OAeVyb,EA3CR,SACEZ,EACAjK,EACAwK,EACAM,OAEM1K,EAAa4D,KACb3D,EAAS6D,KAET6G,EAAyK,EACdiK,EAAe/J,wBAAwB7K,EAAc+K,EAAYC,GACjE4J,EAAe/J,wBAAwBsK,EAAepK,EAAYC,SAEzC,eAAzB3K,QAAQC,IAAIC,WAA8BoK,GAAY8K,GACxDa,EAAmBC,GAGdA,EA0BoBC,CACzBf,EACAjK,EACA+B,EACyB,eAAzBrM,QAAQC,IAAIC,SAA4BwU,EAAmBU,wBAAqBnP,GAG5EsP,EAAeZ,EAefN,EAA6BX,EAAM8B,KAAO9G,EAAM8G,KAAO9B,EAAM+B,IAAM/G,EAAM+G,IAAM1V,EAE/E2V,EAAc9C,GAAMyB,GACpBsB,EAAgBjC,IAAUhF,OAAaA,KAAUgF,GAAUhF,EAC3DkH,EAakB,OAGnB,IAAM3E,KAAO0E,EACD,MAAX1E,EAALI,IAAsB,OAARA,IACL,gBAARA,EACP2E,EAAgBH,GAAKE,EAAc1E,IAEnCiD,EACIA,EAAkBjD,EAAK4E,EAAWxB,IACICqB,GACAG,EAAU5E,MAId2E,EAAgB3E,GAAO0E,EAAc1E,YAIrCvC,EAAM/J,OAAS+O,EAAM/O,QAAU+J,EAAM/J,QACvCiR,EAAgBjR,WAAa+J,EAAM/J,SAAU+O,EAAM/O,QAGrDiR,EAAgBP,UAAyJk,MAAM9L,UAC/B0U,OACCa,EACAvU,EACA6U,IAAuB7U,EAAoB6U,EAAqB,KACHEzG,EAAM2G,UACN3B,EAAM2B,WAEPpB,OAAOrT,SACPgB,KAAK,KAERgU,EAAgBnB,IAAMc,EAef9P,gBAAC4O,EAAoBuB,IAuEhBtB,EAAwB5F,EAAO+F,EA AKnK,WAE7DkK,EAAWrU,YAAcA,GAezBmU,EAA2BvG,EAAMyG,WAAWA,IACrBd,MAAQK,EAC/BO,EAAuBC,eAAiBA,EACxCD,EAAuBnU,YAAcA,EACrCmU,EAAuBJ,kBAAoBA,EA13CI,EAAuBO,mBAAqBrB,EACxCpI,MAAM9L,UAAU0U,OACZjU,EAAgC8U,mBACHc9U,EAAgCO,mBAEPcB,EAej6U,EAAuBhU,kBAAoBA,EAG3CgU,EAAuBvU,OAASyT,EAC1BzT,EAAgCA,OACICA,EAeJuU,EAAuBwB,cAAgB,SAAuB/T,OACvCgU,EAA0CjO,EAAvDqC,YAAqC6L,uIAAkBIo,mBAEzDmO,EACJF,GACGA,OAAuBnD,GAAM7Q,GAAOA,EAAM2Q,GAAO5S,EAAiBiC,YAQhEwR,GAAsBxR,OALxBiU,GACHiC,MAAOK,EACP5J,YAAa8L,IAG+B1T,IAGhDID,OAAO6W,eAAe5B,EAAwB,eAAgB,CAC5DxQ,sBACSzB,KAAK8T,qBAGdvT,aAAImO,QACGoF,oBAAsB3C,EACvB4C,GAAM,GAAMrW,EAAgCuS,aAAcvB,GAC1DA,KAIqB,eAAzB/Q,QAAQC,IAAIC,WACd2R,GAAqB1R,EAAaG,GAeICgU,EAAuBc,4BGnSXjV,EAAqBgK,OAC/BkM,EAAmB,GACnBC,GAAc,SAEX,SAACjB,OACDiB,IACHD,EAAiBhB,IAAa,EAC1BhW,OAAOkX,KAAKF,GAakBpX,QATnB,KASoC,KAG3CuX,EAAiBrM,sBAakCA,MAAiB,GAe1EwG,QAAQC,KACN,iDAAsDzQ,EAACqW,oQAUEf,GAAc,EACdD,EAAmB,KH2QqBI,CAC1CtW,EACAG,IAQJjB,OAAO6W,eAAe5B,EAAwB,WAAy,CAAEjF,MAAO,qBAAUif,EAAuBhU,qBAEHgmT,GACFiD,EAIEpC,EAA0BvU,EAA0D,CAEPf2T,OAAO,EACPa,gBAAgB,EACHBpU,aAAa,EACb0U,oBAAoB,EACpBX,mBAAmB,EACnB5T,mBAAmB,EACnBP,QAAQ,EACR+V,eAAe,IAIZxB,EIIUT,ICIMqC,GAAS,SAAC5U,mBCCQ6U,EACtBC,EACA9U,EACA+F,eAAAA,IAAAA,EAakBnI,IAEbmX,qBAAmB/U,UACfY,EAAiB,EAAG4G,OAAOxH,QAK9BgV,EAAmB,kBAAaF,EAAqB9U,EAak+F,EAASzE,oCAGzE0T,EAAiBC,WAAa,SAAAC,UAC5BL,EAAqBC,EAAsB9U,OAAU+F,KAAymP,KAGnEF,EAAiBrD,MAAQ,SAAAA,UACvBkD,EAAqBC,EAAsB9U,OACtC+F,GACH4L,MAAOiI,MAAM9L,UAAU0U,OAAOIM,EAAQ4L,MAAOA,GAAOO,OAAOrT,aAGxDmW,EDzBuBH,CAAqBM,GAAiBnV,IDJvD,CACb,IACA,OACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SACA,UACA,OAC

A,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,KACA,KACA,QA
CA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,SACA,SACA,KAC
A,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OACA,MACA,OACA
,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IACA,QACA,UACA,
MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,OACA,SACA,QA
CA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,KACA,QACA,IA
CA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,iBACA,SACA,O
ACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SCnIUT,SAAQ,SAAA6V,GA
CIBR,GAAOQ,GAAcR,GAAOQ,UELTC,yBAOP7U,EAAgB4H,QACrB5H,MAAQA,OACR4H,YAAcA,OACdG,
SAAWN,EAACzH,GAI9BsF,EAAWS,WAAWjG,KAAK8H,YAAc,8BAG3CkN,aAAA,SACEC,EACA7M,EACA
C,EACAC,OAGMtH,EAAMsH,EADIE,GAAQxI,KAAKE,MAAOki,EAakBC,EAAYC,GACvC/I,KAAK,IAAK,I
AC/BgC,EAakvB,KAAK8H,YAAcmN,EAG9B5M,EAAWpI,YAAYsB,EAAlA,EAAlP,MAGjCkU,aAAA,SAAa
D,EAakB5M,GAC7BA,EAAW1B,WAAW3G,KAAK8H,YAAcmN,MAG3CE,aAAA,SACEF,EACA7M,EACAC,
EACAC,GAEI2M,EAAW,GAAGzP,EAAWS,WAAWjG,KAAK8H,YAAcmN,QAGtDC,aAAaD,EA AU5M,QACv
B2M,aAAAc,EA AU7M,EAakBC,EAAYC,SCtCzC8M,2CA YnBC,cAAgB,eACRrU,EAAMwM,EAakYH,SAASI
Y,eACrBiE,EAak,MAAO,OAEX+C,EAQjB,oBACA,CAACiB,aAAmBA,MAAa7F,YAAqBoX,gCAC7C1D,O
AAOrT,SAASgB,KAAK,SAEfyB,mBAW/BuU,aAAe,kBACT/H,EAakgI,OACAIV,EAaiB,GAGnBkN,EAak6H
,sBAGdI,gBAakB,oBACZjI,EAakgI,cACAIV,EAaiB,OAGpB+L,UACHnO,GAAU,KtC9Cc,uBACL4F,WsC+Cp
B4R,wBAAYB,CACvBC,OAAQnI,EAakYH,SAASIY,eAIpBgH,EAQjB,WACViB,IACDsI,EAAYtI,MAAQA,G
AIhB,CAAC2H,6BAAWW,GAAOuC,IAAI,mBAsDhCgH,KAAO,WACLpI,EAakgI,QAAS,QAzGTP,SAAW,IA
AlzP,EAAW,CAAEF,UAAU,SACtCkQ,QAAS,6BAchBK,cAAA,SAAc1I,UACRnN,KAAkwV,OACAIV,EAaiB,
GAGnBoL,gBAACU,IAakBpK,MAAOhC,KAAKiV,UAAW9H,MAkCnD2I,yBAAA,SAAYBC,UAEdzV,EAaiB,
SCvEjB0V,GAAc,CACzBxQ,WAAAA,EACAuG,YAAAA,ICmByB,eAAzBpO,QAAQC,IAAIC,UACS,oBAAdo
Y,WACe,gBAAtBA,UAAUC,SAGV5H,QAAQC,KACN,wNAOyB,eAAzB5Q,QAAQC,IAAIC,UAAAsD,SAazBF,
QAAQC,IAAIC,UAAyC,oBAAXQ,SACrFA,OAAO,8BAAGCA,OAAO,+BAAiC,EAEIC,IAAzCA,OAAO,+BAET
iQ,QAAQC,KACN,4TAOJIQ,OAAO,+BAAiC,8LXP3B,SAAuBgO,OAC9B8J,EAajK,aAAW6E,IACxBqF,EA
e1J,WAAQ,kBA9B/B,SAAoBwD,EAAsBiG,OACnCjG,SACI5P,EAaiB,OAGtB/C,EA AW2S,GAAQ,KACfmG,E
AAcnG,EAAMiG,SAGC,eAAzBxY,QAAQC,IAAIC,UACK,OAAhBwY,IAAwBtN,MAAMC,QAAQqN,IAAUc,i
BAAhBA,EAKzDA,EAHE/V,EAaiB,UAMxByI,MAAMC,QAAQkH,IAA2B,iBAAVA,EAC1B5P,EAaiB,GAGn
B6V,OAAkBA,KAAejG,GAAUA,EAQfoG,CAAWjK,EAAM6D,MAAOiG,KAAa,CACtE9J,EAAM6D,MACNiG,
WAGG9J,EAAMc,SAIjzB,gBAACqF,GAAahE,UAA SC,MAAOoJ,GAAe/J,EAAMc,UAHjD,uDYtCI,SACb5Q,8B
ACGC,mCAAAA,wBAEG0D,EAQc,iBAAlzE,UAAyC,IACxByB,eAAiCsT,GAAoBgF,KAAKC,UAAUw,IAC
pEuW,EAAC,IAAI1B,GAAY7U,EAAOjC,YAMICyY,EAaqBrK,OACtBhE,EAa4D,KACb3D,EAAS6D,KACT+
D,EAQhE,aAAW6E,IAGnBkE,EAfClF,SAAO1H,EA AWjC,mBAAmBnI,IAE5B0Y,cAEA,eAAzBhZ,QAAQC,I
AAIC,UAA6B6N,EAAMuB,SAAS2J,MAAMvK,EAAMc,WAETEmB,QAAQC,mCACwBtQ,uEAKP,eAAzBN,Q
AAQC,IAAIC,UACZqC,EAAM2W,MAAK,SAAArS,SAAwB,iBAATA,IAAKD,IAA7BA,EAakqG,QAAQ,eAG5
DyD,QAAQC,qVAKNiG,EA AWzC,QACbuP,EAaAF,EA AU5I,EA AOHe,EAAY6H,EA AO5H,GAOjDwO,mBAA
gB,eACTzO,EA AWzC,cACduP,EAaAF,EA AU5I,EA AOHe,EAAY6H,EA AO5H,GAC1C,kBAAMmO,EAAYvB,a
AAaD,EA AU5M,MAEjD,CAAC4M,EA AU5I,EA AOHe,EAAY6H,EA AO5H,IAGnC,cAGA6M,EAaAF,EA AU5I,
EA AOHe,EAAY6H,EA AO5H,MACpDmO,EAAYxO,SACdwO,EAAYtB,aAAaF,EA AUvW,EA AO0B2J,EAAYC,O
ACpE,KACC0B,OACDqC,GACH6D,MAAO2C,GAAexG,EA AO6D,EA AOwG,EA AQzG,gBAG3DwG,EAAYtB
,aAAaF,EA AUjL,EAAS3B,EAAYC,UAZD/B,eAAzB3K,QAAQC,IAAIC,UACd2R,GAAqBvR,GA6DhByN,EA
MqL,KAAKL,oFC9EL,SACbna,GAK2B,eAAzBoB,QAAQC,IAAIC,UACS,oBAAdoY,WACe,gBAAtBA,UAAUC
,SAGV5H,QAAQC,KACN,8IAVD/R,mCAAAA,wBACg0D,EAQc,iBAAlzE,UAAyC,IAAgB+C,KAAK,IAC7C
xB,EA AOwT,GAAoBrR,UAC1B,IAAIkN,GAAUrP,EAAMmC,qBCtBZ,kBAAMgM,aAAW6E,qB3CSRjN,oC4C
CVKT,OAERC,EAAYvL,EAAMyG,YAAW,SAAC9F,EA AO+F,OACnClC,EAQhE,aAAW6E,IAEjBd,EAaiB+
G,EAajB/G,aACFiH,EAAYrE,GAAexG,EA AO6D,EA AOD,SAEIB,eAAzBtS,QAAQC,IAAIC,eAA2C+F,IAAdS
,GAE3C5I,QAAQC,8HACmH9Q,EACvHuZ,QAkCtL,gBAACsL,OAAC3K,GAAO6D,MAAOgH,EA AW9E,IAA

KA,eAGtD+E,EAAaF,EAAWD,GAExBC,EAAUnZ,yBAA2BL,EAAiBuZ,OAE/CC" }

Found

in path(s):

* /opt/cola/permits/1746168271_1689423272.5543272/0/styled-components-5-3-11-tgz/package/dist/styled-components.browser.cjs.js.map

1.1716 @babel/helper-replace-supers 7.22.9

1.1716.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1717 semver 6.3.1

1.1717.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1718 @babel/compat-data 7.22.9

1.1718.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1719 which-typed-array 1.1.11

1.1719.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1720 browserslist 4.21.10

1.1720.1 Available under license :

The MIT License (MIT)

Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1721 figlet 1.6.0

1.1721.1 Available under license :

The MIT License (MIT)

Copyright (C) 2014-present Patrick Gillespie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1722 browserslist 4.21.10

1.1722.1 Available under license :

The MIT License (MIT)

Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1723 @jridgewell/trace-mapping 0.3.19

1.1723.1 Available under license :

Copyright 2022 Justin Ridgewell <justin@ridgewell.name>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1724 handlebarsjs 4.7.8

1.1724.1 Available under license :

Copyright (C) 2011-2019 by Yehuda Katz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.1725 @types/react 18.2.21

1.1725.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.1726 @babel/plugin-transform-modules-systemjs 7.22.11

1.1726.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1727 @babel/code-frame 7.22.13

1.1727.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1728 @babel/highlight 7.22.13

1.1728.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1729 @babel/plugin-transform-destructuring 7.22.15

1.1729.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1730 @babel/plugin-transform-optional-chaining 7.22.15

1.1730.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1731 @babel/plugin-transform-block-scoping 7.22.15

1.1731.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1732 babel-plugin-proposal-decorators

7.22.15

1.1732.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1733 babel-plugin-transform-runtime

7.22.15

1.1733.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1734 @babel/preset-env 7.22.15

1.1734.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1735 @babel/plugin-transform-async-generator-functions 7.22.15

1.1735.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1736 immutable 4.3.4

1.1736.1 Available under license :

MIT License

Copyright (c) 2014-present, Lee Byron and other contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1737 jackson-core 2.12.7

1.1737.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.1738 swagger-annotations 2.2.9

1.1738.1 Available under license :

Swagger Core - swagger-annotations

Copyright (c) 2015. SmartBear Software Inc.

Swagger Core - swagger-annotations is licensed under Apache 2.0 license.

Copy of the Apache 2.0 license can be found in `LICENSE` file.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (c) 2015. SmartBear Software Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1739 jackson-annotations 2.12.7

1.1739.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.1740 node-fetch 1.7.3

1.1740.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.1741 @babel/helper-define-polyfill-provider

0.4.2

1.1741.1 Available under license :

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1742 @babel/plugin-transform-modules-amd 7.22.5

1.1742.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1743 whatwg-fetch 3.6.19

1.1743.1 Available under license :

Copyright (c) 2014-2023 GitHub, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1744 caniuse-lite 1.0.30001534

1.1744.1 Available under license :

Attribution 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their

terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public: wiki.creativecommons.org/Considerations_for_licensees

=====

Creative Commons Attribution
4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.

- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable

license to

exercise the Licensed Rights in the Licensed Material to:

- a. reproduce and Share the Licensed Material, in whole or in part; and
- b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public

License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a) (4) never produces Adapted Material.

5. Downstream recipients.

a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited

extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if

designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

- c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.
2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.
3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS

AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE.

WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.

c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 -- Term and Termination.

a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.

b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:

1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or

2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

c. For the avoidance of doubt, the Licensor may also offer the

Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.

d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances

will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.

1.1745 @babel/helper-validator-identifier

7.22.19

1.1745.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1746 @babel/core 7.22.19

1.1746.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1747 @babel/traverse 7.22.19

1.1747.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1748 @babel/helper-module-transforms

7.22.19

1.1748.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1749 resolve 1.22.5

1.1749.1 Available under license :

MIT License

Copyright (c) 2012 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1750 @babel/cli 7.22.15

1.1750.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1751 core-js-compat 3.32.2

1.1751.1 Available under license :

Copyright (c) 2014-2023 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1752 @babel/plugin-proposal-export-default-from 7.22.17

1.1752.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1753 @babel/helper-remap-async-to-generator 7.22.17

1.1753.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1754 @babel/helper-wrap-function 7.22.17

1.1754.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1755 electron-to-chromium 1.4.523

1.1755.1 Available under license :

Copyright 2018 Kilian Valkhof

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1756 @babel/helper-member-expression-to-functions 7.22.15

1.1756.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1757 @babel/helpers 7.22.15

1.1757.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1758 babel-helper-compilation-targets

7.22.15

1.1758.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1759 @babel/runtime 7.22.15

1.1759.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1760 @babel/generator 7.22.15

1.1760.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1761 @babel/plugin-transform-modules-commonjs 7.22.15

1.1761.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1762 types-json-schema 7.0.13

1.1762.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.1763 define-data-property 1.1.0

1.1763.1 Available under license :

MIT License

Copyright (c) 2023 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1764 @babel/helper-validator-option 7.22.15

1.1764.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1765 @babel/types 7.22.19

1.1765.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1766 @babel/parser 7.22.16

1.1766.1 Available under license :

Copyright (C) 2012-2014 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1767 babel-preset-typescript 7.22.15

1.1767.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1768 sass 1.67.0

1.1768.1 Available under license :

Dart Sass license:

Copyright (c) 2016, Google Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Dart SDK license:

Copyright 2012, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

_fe_analyzer_shared license:

Copyright 2019, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions

of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

analyzer, protobuf and protoc_plugin license:

Copyright 2013, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

archive
license:

The MIT License

Copyright (c) 2013-2021 Brendan Duncan.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

args, csslib and logging license:

Copyright 2013, the Dart project authors.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google LLC nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

async, cli_util, collection, mime, source_map_stack_trace, stream_channel and
typed_data license:

Copyright 2015, the Dart project authors.

Redistribution and

use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

boolean_selector, meta and shelf_packages_handler license:

Copyright 2016, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

charcode license:

Copyright 2014, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

checked_yaml license:

Copyright 2019, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the
following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

cli_pkg license:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted.

If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright,

patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify

the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format.

We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

cli_repl license:

Copyright (c) 2018, Jennifer Thakar.

All rights reserved.

Redistribution and use in source

and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

convert, crypto, shelf_static and vm_service license:

Copyright 2015, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

coverage, dart_style, dartdoc, glob, http, http_parser, matcher, path, pool, pub_semver, source_span, string_scanner, test and watcher license:

Copyright 2014, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ffi and package_config license:

Copyright 2019, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

file license:

Copyright 2017, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

fixnum, http_multi_server, oauth2, shelf, shelf_web_socket, source_maps and stack_trace license:

Copyright 2014, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY
THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

frontend_server_client license:

Copyright 2020, the Dart project authors.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the
following conditions are
met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

grinder and webkit_inspection_protocol license:

Copyright 2013, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

html

license:

Copyright (c) 2006-2012 The Authors

Contributors:

James Graham - jg307@cam.ac.uk

Anne van Kesteren - annevankesteren@gmail.com

Lachlan Hunt - lachlan.hunt@lachy.id.au

Matt McDonald - kanashii@kanashii.ca

Sam Ruby - rubys@intertwingly.net

Ian Hickson (Google) - ian@hixie.ch

Thomas Broyer - t.broyer@ltgt.net

Jacques Distler - distler@golem.ph.utexas.edu

Henri Sivonen - hsivonen@iki.fi

Adam Barth - abarth@webkit.org

Eric Seidel - eric@webkit.org

The Mozilla Foundation (contributions from Henri Sivonen since 2008)

David Flanagan (Mozilla) - dflanagan@mozilla.com

Google LLC (contributed the Dart port) - misc@dartlang.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

io, stream_transform and term_glyph license:

Copyright 2017, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

js license:

Copyright 2012, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

json_annotation

license:

Copyright 2017, the Dart project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

lints license:

Copyright 2021, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

markdown license:

Copyright 2012, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

native_synchronization license:

Copyright 2023, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

node_interop license:

Copyright (c) 2017, Anatoly Pulyaevskiy.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the <organization> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

node_preamble license:

The MIT License (MIT)

Copyright (c) 2015 Michael Bullington

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright 2012, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

petitparser and xml license:

The MIT License

Copyright (c) 2006-2023 Lukas Renggli.

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

pointycastle
license:

Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

pub_api_client license:

MIT License

Copyright (c) 2020 Leo Farias

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

pubspec license:

Copyright (c) 2015, Anders Holmgren.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the <organization> nor the

names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

pubspec_parse
license:

Copyright 2018, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

quiver and retry license:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

test_api and test_core license:

Copyright 2018, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

test_descriptor and web_socket_channel license:

Copyright 2016, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions

of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

test_process license:

Copyright 2017, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

uri license:

Copyright

2013, the Dart project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

yaml license:

Copyright (c) 2014, the Dart project authors.

Copyright (c) 2006, Kirill Simonov.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1769 qs 6.11.2

1.1769.1 Available under license :

BSD 3-Clause License

Copyright (c) 2014, Nathan LaFreniere and other [contributors](<https://github.com/ljharb/qs/graphs/contributors>)
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1770 @babel/helper-remap-async-to-generator 7.22.20

1.1770.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1771 @babel/helper-member-expression-to-functions 7.23.0

1.1771.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1772 @babel/helper-wrap-function 7.22.20

1.1772.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1773 assert 1.5.1

1.1773.1 Available under license :

Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

1.1774 stax-api 4.2.1

1.1774.1 Available under license :

This copy of Stax2 API is licensed under the
Simplified BSD License (also known as "2-clause BSD", or "FreeBSD License")
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.opensource.org/licenses/bsd-license.php>

with details of:

<COPYRIGHT HOLDER> = FasterXML.com

<YEAR> = 2010-

1.1775 and 0.0.3

1.1775.1 Available under license :

Copyright (c) 2018 Thomas Rasshofer <hello@thomasrasshofer.com>

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

1.1776 resolve 1.22.8

1.1776.1 Available under license :

MIT License

Copyright (c) 2012 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1777 atob 2.1.2

1.1777.1 Available under license :

Creative Commons Legal Code

Attribution 3.0 Unported

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE

COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

- a. "Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered an Adaptation for the purpose of this License.
- b. "Collection" means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.
- c. "Distribute" means to make available to the public the original and copies of the Work or Adaptation, as appropriate, through sale or other transfer of ownership.
- d. "Licensor" means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.
- e. "Original Author" means, in the case of a literary or artistic work, the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians, dancers, and other persons who act, sing, deliver, declaim,

play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.

- f. "Work" means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.
- g. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.
- h. "Publicly Perform" means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.
- i. "Reproduce" means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.

2. Fair Dealing Rights. Nothing in this License is intended to reduce,

limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

- a. to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections;
- b. to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked "The original work was translated from English to Spanish," or a modification could indicate "The original work has been modified.";
- c. to Distribute and Publicly Perform the Work including as incorporated in Collections; and,
- d. to Distribute and Publicly Perform Adaptations.
- e. For the avoidance of doubt:

- i. Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;

- ii. Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,

- iii. Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made

subject to and limited by the following restrictions:

a. You may Distribute or Publicly Perform the Work only under the terms

of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, remove from the Collection any credit as required by Section 4(b), as requested. If You create an Adaptation, upon notice from any Licensor You must, to the extent practicable, remove from the Adaptation any credit as required by Section 4(b), as requested.

b. If You Distribute, or Publicly Perform the Work or any Adaptations or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution ("Attribution

Parties") in Licensor's copyright notice,

terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and (iv) , consistent with Section 3(b), in the case of an Adaptation, a credit identifying the use of the Work in the Adaptation (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). The credit required by this Section 4 (b) may be implemented in any reasonable manner; provided, however, that in the case of a Adaptation or Collection, at a minimum such credit will appear, if a credit for all contributing authors of the Adaptation or Collection appears, then as part of these credits and in a manner

at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.

- c. Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or Publicly Perform the Work either by itself or as part of any Adaptations or Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the Work which would be prejudicial

to the Original Author's honor or reputation. Licensor agrees that in those jurisdictions (e.g. Japan), in which any exercise of the right granted in Section 3(b) of this License (the right to make Adaptations) would be deemed to be a distortion, mutilation, modification or other derogatory action prejudicial to the Original Author's honor and reputation, the Licensor will waive or not assert, as appropriate, this Section, to the fullest extent permitted by the applicable national law, to enable You to reasonably exercise Your right under Section 3(b) of this License (right to make Adaptations) but not otherwise.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

- a. This License and the rights granted hereunder will terminate

automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses.

Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

- b. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

- a. Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.
- b. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.
- c. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
- d. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.
- e. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.
- f. The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant

jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.

Creative Commons Notice

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, Creative Commons does not authorize the use by either party of the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time. For the avoidance of doubt, this trademark restriction does not form part of this License.

Creative Commons may be contacted at <http://creativecommons.org/>.
At your option you may choose either of the following licenses:

- * The MIT License (MIT)
- * The Apache License 2.0 (Apache-2.0)

The MIT License (MIT)

Copyright (c) 2015 AJ ONeal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect,

to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2015 AJ ONeal

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1778 ajv 6.12.6

1.1778.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017 Evgeny Poberezkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1779 express 4.18.2

1.1779.1 Available under license :

(The MIT License)

Copyright (c) 2009-2014 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2013-2014 Roman Shtylman <shtylman+expressjs@gmail.com>

Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1780 node-fetch 2.7.0

1.1780.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 David Frank

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1781 ramda 0.28.0

1.1781.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2020 Scott Sauyet and Michael Hurley

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1782 types-react-redux 7.1.26

1.1782.1 Available under license :

MIT

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.1783 webpack 4.47.0

1.1783.1 Available under license :

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1784 merge 1.2.1

1.1784.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 yeikos

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1785 y18n 4.0.3

1.1785.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1786 terser 4.8.1

1.1786.1 Available under license :

UglifyJS is released under the BSD license:

Copyright 2012-2018 (c) Mihai Bazon <mihai.bazon@gmail.com>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1787 netmask 2.0.2

1.1787.1 Available under license :

No license file was found, but licenses were detected in source scan.

(The MIT License)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

* /opt/cola/permits/1827336848_1697893097.8449833/0/netmask-2-0-2-6-tgz/package/README.md

1.1788 hoek 2.16.3

1.1788.1 Available under license :

Copyright (c) 2011-2014, Walmart and other contributors.

Copyright (c) 2011, Yahoo Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of any contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS AND CONTRIBUTORS BE LIABLE FOR ANY

DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* * *

The complete list of contributors can be found at: <https://github.com/hapijs/hapi/graphs/contributors>
Portions of this project were initially based on the Yahoo! Inc. Postmile project,
published at <https://github.com/yahoo/postmile>.

1.1789 @babel/plugin-syntax-do-expressions

7.22.5

1.1789.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1790 @babel/plugin-proposal-function-sent

7.22.5

1.1790.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1791 @babel/plugin-proposal-do-expressions 7.22.5

1.1791.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1792 @babel/plugin-syntax-function-sent

7.22.5

1.1792.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1793 html-minifier 3.5.21

1.1793.1 Available under license :

Copyright (c) 2010-2018 Juriy "kangax" Zaytsev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1794 is-svg 2.1.0

1.1794.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1795 color-string 0.3.0

1.1795.1 Available under license :

Copyright (c) 2011 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1796 is-core-module 2.13.1

1.1796.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Dave Justice

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1797 @babel/helper-validator-identifier

7.22.20

1.1797.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1798 @babel/helper-environment-visitor

7.22.20

1.1798.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1799 update-browserslist-db 1.0.13

1.1799.1 Available under license :

The MIT License (MIT)

Copyright 2022 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1800 @babel/helper-function-name 7.23.0

1.1800.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1801 convert-source-map 2.0.0

1.1801.1 Available under license :

Copyright 2013 Thorsten Lorenz.

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1802 word 0.3.0

1.1802.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2020-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1803 @types/scheduler 0.16.3

1.1803.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.1804 ua-parser-js 0.7.36

1.1804.1 Available under license :

MIT License

Copyright (c) 2012-2023 Faisal Salman <<f@faisalman.com>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1805 @emotion/memoize 0.8.1

1.1805.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1806 function-bind 1.1.2

1.1806.1 Available under license :

Copyright (c) 2013 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1807 janino 2.6.1

1.1807.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Janino - An embedded Java[TM] compiler

*

* Copyright (c) 2001-2010, Arno Unkrig

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the

* following disclaimer.

- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

* TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

* THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE

* POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/AstCompilationUnitGenerator.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ClassLoader.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/UnicodeUnescapeReader.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/ProducerIterator.java

*

/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/DirectoryResourceFinder.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/IteratorCollection.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/samples/DeclarationCounter.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/FilterListIterator.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Opcode.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Scanner.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ClassLoaderClassLoader.java

*

/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ResourceFinderClassLoader.java

* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/CachingJavaSourceClassLoader.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/enumerator/EnumeratorFormatException.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/UnitCompiler.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/LazyMultiResourceFinder.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/ReverseListIterator.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/MapResourceFinder.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Descriptor.java
 *
 /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/WarningHandler.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/Resource.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/FileResourceFinder.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ClassFileIClass.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/Producer.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/enumerator/Enumerator.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/JavaSourceIClassLoader.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/FilterIterator.java
 *
 /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/TransformingIterator.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/AntCompilerAdapter.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ReflectionIClass.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ScriptEvaluator.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Parser.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/CodeContext.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/TraversingIterator.java
 * /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/Traverser.java
 *

/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/IClass.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Visitor.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/tools/Disassembler.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ClassBodyEvaluator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/tools/JGrep.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/ResourceFinderClassLoader.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/iterator/DirectoryIterator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/MethodDescriptor.java
*
/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/MultiResourceFinder.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/ZipFileResourceFinder.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/FileResourceCreator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/AutoIndentWriter.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/ResourceCreator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/ExpressionEvaluator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/JaninoRuntimeException.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Java.java
*
/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/MapResourceCreator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/Benchmark.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/resource/JarDirectoriesResourceFinder.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/UnparseVisitor.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/ClassFile.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/util/TeeReader.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/SimpleCompiler.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/JavaSourceClassLoader.java

```

*
/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/tools/HprofScrubber.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/resource/FileResource.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/resource/PathResourceFinder.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/UnicodeUnescapeException.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/iterator/MultiDimensionalIterator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/Compiler.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/FilterWarningHandler.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-jar/org/codehaus/janino/Mod.java
*
/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/MultiIterator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/resource/DirectoryResourceCreator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/resource/ResourceFinder.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/ByteArrayClassLoader.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/iterator/EnumerationIterator.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/iterator/UniterableElementException.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/Access.java
*
/opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/CompilerFactory.java
* /opt/cola/permits/1835217699_1698647343.7308998/0/janino-2-6-1-sources-1-
jar/org/codehaus/janino/util/StringPattern.java

```

1.1808 is-accessor-descriptor 1.0.1

1.1808.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1809 is-data-descriptor 1.0.1

1.1809.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1810 is-descriptor 0.1.7

1.1810.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1811 punycode 2.3.1

1.1811.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1812 jackson-jaxrs-xml-provider 2.12.7

1.1812.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.1813 amqp-client 4.12.0

1.1813.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: The RabbitMQ Java client library allows Java applications to interface with RabbitMQ.

Implementation-Title: RabbitMQ Java Client

Automatic-Module-Name: com.rabbitmq.client

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>, http

s://www.gnu.org/licenses/gpl-2.0.txt, https://www.mozilla.org/MPL/MPL-1.1.txt
Bundle-SymbolicName: com.rabbitmq.client
Implementation-Version: 4.12.0
Built-By: root
Bnd-LastModified: 1586865850087
Bundle-ManifestVersion: 2
Specification-Vendor: AMQP Working Group (www.amqp.org)
Specification-Title: AMQP
Bundle-DocURL: https://www.rabbitmq.com
Bundle-Vendor: VMware, Inc. or its affiliates.
Import-Package: com.codahale.metrics;version="[3.2,4)";resolution:=optional,com.fasterxml.jackson.core;version="[2.10,3)";resolution:=optional,com.fasterxml.jackson.databind;version="[2.10,3)";resolution:=optional,com.fasterxml.jackson.databind.node;version="[2.10,3)";resolution:=optional,io.micrometer.core.instrument;resolution:=optional,javax.naming,javax.naming.directory,javax.net,javax.net.ssl,javax.security.auth.callback,javax.security.sasl,org.apache.http.conn.ssl;resolution:=optional,org.slf4j;version="[1.7,2)"
Tool: Bnd-1.50.0
Implementation-Vendor: VMware, Inc. or its affiliates.
Export-Package: com.rabbitmq.client.impl.nio;uses:="javax.net.ssl,com.rabbitmq.client.impl,com.rabbitmq.client,org.slf4j";version="4.12.0",com.rabbitmq.tools.json;uses:="org.slf4j";version="4.12.0",com.rabbitmq.client.impl;uses:="com.rabbitmq.client,com.rabbitmq.utility,org.slf4j,com.rabbitmq.client.impl.recovery,io.micrometer.core.instrument,javax.net.ssl,javax.net,com.codahale.metrics";version="4.12.0",com.rabbitmq.tools.jsonrpc;uses:="com.rabbitmq.tools.json,org.slf4j,com.fasterxml.jackson.core,com.fasterxml.jackson.databind,com.fasterxml.jackson.databind.node,com.rabbitmq.client";version="4.12.0",com.rabbitmq.client;uses:="com.rabbitmq.client.impl,org.slf4j,javax.net.ssl,org.apache.http.conn.ssl,com.rabbitmq.client.impl.nio,javax.net,com.rabbitmq.client.impl.recovery,com.rabbitmq.utility,javax.naming.directory,javax.naming,javax.security.sasl,javax.security.auth.callback";version="4.12.0",com.rabbitmq.client.impl.recovery;uses:="org.slf4j,com.rabbitmq.client.impl,com.rabbitmq.client,com.rabbitmq.utility";version="4.12.0",com.rabbitmq.utility;version="4.12.0"
Bundle-Name: RabbitMQ Java Client
Bundle-Version: 4.12.0
Created-By: Apache Maven Bundle Plugin
Build-Jdk: 1.8.0_242
Implementation-URL: https://www.rabbitmq.com
Specification-Version: 0.9.1

Found in path(s):

* /opt/cola/permits/1840850004_1699262351.607808/0/amqp-client-4-12-0-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1840850004_1699262351.607808/0/amqp-client-4-12-0-jar/com/rabbitmq/client/impl/AMQConnection.class: binary file matches
/opt/cola/permits/1840850004_1699262351.607808/0/amqp-client-4-12-0-jar/com/rabbitmq/client/impl/Copyright.class: binary file matches

Found in path(s):

* /bin/grep

1.1814 resolver 1.2.0

1.1814.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along

with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1815 spring-amqp 1.7.15.RELEASE

1.1815.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015-2016 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/ContentTypeDelegatingMessageConverter.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/ConditionalExceptionHandler.java

*

/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AmqpManagementOperations.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/event/AmqpEvent.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/ConsumerTagStrategy.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AmqpMessageReturnedException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2016 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/MessageProperties.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/AbstractJsonMessageConverter.java

*

/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/Jackson2JavaTypeMapper.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/CustomExchange.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/DirectExchange.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/ClassMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/AbstractMessageConverter.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/DefaultJavaTypeMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AbstractExchange.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/Exchange.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/Queue.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/TopicExchange.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/DefaultClassMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AmqpAdmin.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/remoting/service/AmqpInvokerServiceExporter.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AmqpTemplate.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/SimpleAmqpHeaderMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/AbstractJavaTypeMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/JavaTypeMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/FanoutExchange.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AcknowledgeMode.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/HeadersExchange.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/MessageConversionException.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/Message.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpRejectAndDontRequeueException.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/JsonMessageConverter.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/MessageDeliveryMode.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-

```
jar/org/springframework/amqp/core/Address.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/remoting/client/AmqpProxyFactoryBean.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/remoting/client/AmqpClientInterceptor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/BindingBuilder.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/AmqpConnectException.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/Declarable.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/AnonymousQueue.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/converter/DefaultJackson2JavaTypeMapper.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/converter/SerializerMessageConverter.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/Binding.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/ExchangeTypes.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/AbstractDeclarable.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/Correlation.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/CorrelationAwareMessagePostProcessor.java
```


No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/MessagePostProcessor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/UniquelyNamedQueue.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/converter/Jackson2JsonMessageConverter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2014-2020 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/converter/MessagingMessageConverter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2020 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/AmqpHeaders.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/AbstractBuilder.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/support/converter/WhiteListDeserializingMessageConverter.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
jar/org/springframework/amqp/core/QueueBuilder.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-
```

jar/org/springframework/amqp/core/AmqpReplyTimeoutException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2014 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/AmqpHeaderMapper.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/MessageConverter.java

*

/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/SimpleMessageConverter.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/converter/MarshallingMessageConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013-2016 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/ReplyToAddressCallback.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/utils/test/TestUtils.java

*

/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/ReceiveAndReplyMessageCallback.java

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpAuthenticationException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2016 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/**

* Special exception for listener implementations that want to signal that the current

* batch of messages should be acknowledged immediately (i.e. as soon as possible) without

* rollback, and without consuming any more messages within the current transaction.

*

* @author Dave Syer

* @author Gary Russell

*

*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/ImmediateAcknowledgeAmqpException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2006-2016 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/utils/SerializationUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2010 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/UncategorizedAmqpException.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpIllegalStateException.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpIOException.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpException.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpUnsupportedEncodingException.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/MessageListener.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpResourceNotAvailableException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/AmqpTimeoutException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/MessageBuilder.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/AbstractCompressingPostProcessor.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/AmqpMessageHeaderAccessor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/MessagePropertiesBuilder.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/ReceiveAndReplyCallback.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/ZipPostProcessor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/MessageBuilderSupport.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/AddressUtils.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/AbstractDeflaterPostProcessor.java
*
/opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/DelegatingDecompressingPostProcessor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/GUnzipPostProcessor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/MessagePostProcessorUtils.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/GZipPostProcessor.java
* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/AbstractDecompressingPostProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*/

* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/core/ExchangeBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840870829_1699266626.420938/0/spring-amqp-1-7-15-release-sources-jar/org/springframework/amqp/support/postprocessor/UnzipPostProcessor.java

1.1816 spring-rabbit 1.7.15.RELEASE

1.1816.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/RoutingConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/ListenerContainerAware.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/annotation/Queue.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/LocalizedQueueConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/MultiMethodRabbitListenerEndpoint.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/adapter/HandlerAdapter.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/ListenerContainerConsumerFailedEvent.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/annotation/Exchange.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/adapter/DelegatingInvocableHandler.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/PublisherCallbackChannelConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/annotation/QueueBinding.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/log4j/AmqpAppender.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/CorrelationDataPostProcessor.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014-2020 the original author or authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/logback/AmqpAppender.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/RabbitNamespaceHandler.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/AnnotationDrivenParser.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/ChannelCallback.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/RabbitListenerConfigUtils.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/RabbitMessageOperations.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/RabbitListenerContainerFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/HeadersExchangeParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/annotation/RabbitListenerConfigurer.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/ChannelAwareMessageListener.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/annotation/RabbitBootstrapConfiguration.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2016-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/log4j2/AmqpAppender.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/AutoRecoverConnectionNotCurrentlyOpenException.java
*

/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/AsyncRabbitTemplate.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* <https://www.apache.org/licenses/LICENSE-2.0>
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/RabbitListenerEndpointRegistry.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/ValueExpression.java
*

/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/annotation/RabbitListenerAnnotationBeanPostProcessor.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/RabbitNamespaceUtils.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/RabbitUtils.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/exception/ListenerExecutionFailedException.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/RabbitResourceHolder.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/adapter/MessagingMessageListenerAdapter.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/CorrelationData.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/RabbitMessagingTemplate.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/AbstractMessageListenerContainer.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/RabbitTemplate.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/RabbitConnectionFactoryBean.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/annotation/EnableRabbit.java

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/SimpleRabbitListenerEndpoint.java

*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/MessageListenerContainer.java

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/adapters/ReplyFailureException.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2018 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/ConsumeOkEvent.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2018 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/BlockingQueueConsumer.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/SimpleConnection.java
*

/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/CachingConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/ConnectionFactoryUtils.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/RabbitAdmin.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/AbstractConnectionFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2019 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/SimpleMessageListenerContainer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002-2015 the original author or authors.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/adapters/MessageListenerAdapter.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/RabbitListenerEndpoint.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/ChannelProxy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2010 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/ConnectionProxy.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/ExpressionFactoryBean.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/RabbitOperations.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/AbstractRabbitListenerEndpoint.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/annotation/RabbitHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2010-2016 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/MessageRejectedWhileStoppingException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015-2017 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/RabbitManagementTemplate.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

```
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/support/ConsumerCancelledException.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/BindingFactoryBean.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/retry/NewMessageIdentifier.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/exception/FatalListenerExecutionException.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/support/MessagePropertiesConverter.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/transaction/RabbitTransactionManager.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/connection/ConnectionListener.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/AdminParser.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/FanoutExchangeParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/QueueArgumentsParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/NamespacedUtils.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/ConnectionFactoryParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/connection/CompositeConnectionListener.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/AbstractExchangeParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/RabbitGatewaySupport.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/retry/RejectAndDontRequeueRecoverer.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/ListenerContainerParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/connection/ChannelListener.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/support/PendingConfirm.java
```

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/StatelessRetryOperationsInterceptorFactoryBean.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/retry/MessageKeyGenerator.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/ConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/RabbitExceptionTranslator.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/PublisherCallbackChannelImpl.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/ActiveObjectCounter.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/StatefulRetryOperationsInterceptorFactoryBean.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/CompositeChannelListener.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/DirectExchangeParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/AbstractRetryOperationsInterceptorFactoryBean.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/AbstractRoutingConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/retry/MessageRecoverer.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/QueueParser.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/TemplateParser.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/ConsumerChannelRegistry.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/RabbitAccessor.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/Connection.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/DefaultMessagePropertiesConverter.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/support/PublisherCallbackChannel.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/retry/MissingMessageIdAdvice.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/exception/FatalListenerStartupException.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/ConditionalRejectingErrorHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/support/ClosingRecoveryListener.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2013 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/TopicExchangeParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/MethodRabbitListenerEndpoint.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/annotation/RabbitListener.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/connection/SimpleRoutingConnectionFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/SimpleRabbitListenerContainerFactory.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/listener/RabbitListenerEndpointRegistrar.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/config/RetryInterceptorBuilder.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-jar/org/springframework/amqp/rabbit/core/support/BatchingStrategy.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-

```
jar/org/springframework/amqp/rabbit/retry/RepublishMessageRecoverer.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/FatalExceptionHandler.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/QueuesNotAvailableException.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/support/SimpleBatchingStrategy.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/adapter/AbstractAdaptableMessageListener.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/BatchingRabbitTemplate.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/support/MessageBatch.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/connection/SimpleResourceHolder.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/config/AbstractRabbitListenerContainerFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/ListenerContainerIdleEvent.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/DeclareExchangeConnectionListener.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/AsyncConsumerRestartedEvent.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/DeclarationExceptionEvent.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
```

jar/org/springframework/amqp/rabbit/annotation/RabbitListeners.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/annotation/Argument.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/AsyncConsumerStartedEvent.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/listener/AsyncConsumerStoppedEvent.java
*
/opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/support/Delivery.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/transaction/ListenerFailedRuleBasedTransactionAttribute.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/support/LogAppenderUtils.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/core/RabbitAdminEvent.java
* /opt/cola/permits/1840884476_1699266900.3376338/0/spring-rabbit-1-7-15-release-sources-
jar/org/springframework/amqp/rabbit/connection/ConnectionNameStrategy.java

1.1817 transaction 1.1.0

1.1817.1 Available under license :

Zope Public License (ZPL) Version 2.1

A copyright notice accompanies this license document that identifies the copyright holders.

This license has been certified as open source. It has also been designated as GPL compatible by the Free Software Foundation (FSF).

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. The right to distribute this software or to use it for any purpose does not give you the right to use Servicemarks (sm) or Trademarks (tm) of the

copyright holders. Use of them is covered by separate agreement with the copyright holders.

5. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Zope Foundation and Contributors

1.1818 jackson-jaxrs-base 2.12.7

1.1818.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.1819 node-sass 4.14.1

1.1819.1 Available under license :

Copyright (c) 2013-2016 Andrew Nesbitt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2012-2016 by the Sass Open Source Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The following files in the spec were taken from the original Ruby Sass project which is copyright Hampton Catlin, Nathan Weizenbaum, and Chris Eppstein and under the same license.

Copyright (C) 2012 by Hampton Catlin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The following files in the spec were taken from the original Ruby Sass project which is copyright Hampton Catlin, Nathan Weizenbaum, and Chris Eppstein and under the same license.

1.1820 copy-props 2.0.5

1.1820.1 Available under license :

MIT License

Copyright (c) 2016-2021 Gulp Team.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1821 json-schema 0.2.5

1.1821.1 Available under license :

Dojo is available under *either* the terms of the BSD 3-Clause "New" License *or* the Academic Free License version 2.1. As a recipient of Dojo, you may choose which license to receive this code under (except as noted in per-module LICENSE files). Some modules may not be the copyright of the Dojo Foundation. These modules contain explicit declarations of copyright in both the LICENSE files in the directories in which they reside and in the code itself. No external contributions are allowed under licenses which are fundamentally incompatible with the AFL-2.1 OR and BSD-3-Clause licenses that Dojo is distributed under.

The text of the AFL-2.1 and BSD-3-Clause licenses is reproduced below.

BSD 3-Clause "New" License:

Copyright (c) 2005-2015, The Dojo Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Academic Free License, v. 2.1:

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

a) to reproduce the Original Work in copies;

b) to prepare derivative works ("Derivative Works") based upon the Original Work;

c) to distribute copies of the Original Work and Derivative Works to the public;

d) to perform the Original Work publicly; and

e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or

service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims

defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein

by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License

or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section

1 herein, and any attempt

to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only

in the courts of a jurisdiction wherein the

Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination

of this

License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether

in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

1.1822 yargs-parser 5.0.1

1.1822.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1823 types-json-schema 7.0.15

1.1823.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.1824 async 3.2.5

1.1824.1 Available under license :

Copyright (c) 2010-2018 Caolan McMahon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1825 @babel/helper-module-transforms

7.23.3

1.1825.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1826 component-emitter 1.3.1

1.1826.1 Available under license :

(The MIT License)

Copyright (c) 2014 Component contributors <dev@component.io>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1827 react-window 1.8.10

1.1827.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 Brian Vaughn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1828 postgresql 42.6.0

1.1828.1 Available under license :

Copyright (c) 1997, PostgreSQL Global Development Group
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1829 @babel/plugin-transform-react-jsx

7.23.4

1.1829.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1830 validation 1.0.0.GA

1.1830.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1831 @babel/helper-validator-option 7.23.5

1.1831.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1832 jackson-jaxrs-xml-provider 2.12.7

1.1832.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.1833 jackson-jaxrs 2.12.7

1.1833.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.1834 object.assign 4.1.5

1.1834.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2014 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1835 node-releases 2.0.14

1.1835.1 Available under license :

The MIT License

Copyright (c) 2017 Sergey Rubanov (<https://github.com/chicoxyzyzy>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1836 jackson-databind 2.12.7.1

1.1836.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.1837 ua-parser-js 0.7.37

1.1837.1 Available under license :

MIT License

Copyright (c) 2012-2023 Faisal Salman <<f@faisalman.com>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1838 @babel/plugin-syntax-throw-expressions 7.22.5

1.1838.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1839 @babel/plugin-proposal-function-bind 7.22.5

1.1839.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1840 figlet 1.7.0

1.1840.1 Available under license :

The MIT License (MIT)

Copyright (C) 2014-present Patrick Gillespie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1841 @babel/plugin-proposal-throw-expressions 7.22.5

1.1841.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1842 @babel/plugin-proposal-pipeline-operator 7.22.15

1.1842.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1843 @babel/plugin-syntax-function-bind

7.22.5

1.1843.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1844 @babel/plugin-syntax-pipeline-operator 7.22.5

1.1844.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1845 babel-helper-compilation-targets

7.23.6

1.1845.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1846 whatwg-fetch 3.6.20

1.1846.1 Available under license :

Copyright (c) 2014-2023 GitHub, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1847 regenerator-runtime 0.14.1

1.1847.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1848 moment 2.30.1

1.1848.1 Available under license :

Copyright (c) JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1849 semver 6.3.1

1.1849.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.1850 @babel/plugin-syntax-unicode-sets-regex 7.18.6

1.1850.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1851 query-string 7.1.3

1.1851.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<http://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1852 babel-plugin-styled-components 2.1.4

1.1852.1 Available under license :

MIT

MIT License

Copyright (c) 2016-present Vladimir Danchenkov and Maximilian Stoiber

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1853 has-proto 1.0.1

1.1853.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1854 babel-plugin-proposal-optional-chaining 7.21.0

1.1854.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1855 @jridgewell/sourcemap-codec 1.4.15

1.1855.1 Available under license :

The MIT License

Copyright (c) 2015 Rich Harris

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1856 decode-uri-component 0.2.2

1.1856.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2017, Sam Verschueren <sam.verschueren@gmail.com> (github.com/SamVerschueren)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1857 @babel/helper-module-imports 7.22.15

1.1857.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1858 fsevents 2.3.3

1.1858.1 Available under license :

MIT License

Copyright (C) 2010-2020 by Philipp Dunkel, Ben Noordhuis, Elan Shankar, Paul Miller

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

MIT

1.1859 readable-stream 3.6.2

1.1859.1 Available under license :

MIT

Node.js is licensed for use as follows:

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to

deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1860 json5 2.2.3

1.1860.1 Available under license :

MIT
MIT License

Copyright (c) 2012-2018 Aseem Kishore, and [others].

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[others]: <https://github.com/json5/json5/contributors>

1.1861 @babel/template 7.22.15

1.1861.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1862 @babel/helper-simple-access 7.22.5

1.1862.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1863 @babel/helper-skip-transparent-expression-wrappers 7.22.5

1.1863.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1864 @babel/helper-optimise-call-expression 7.22.5

1.1864.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1865 regenerator-transform 0.15.2

1.1865.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1866 @sinonjs/fake-timers 10.3.0

1.1866.1 Available under license :

BSD-3-Clause

Copyright (c) 2010-2014, Christian Johansen, christian@cjhansen.no. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote

products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1867 semver 5.7.2

1.1867.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.1868 @babel/preset-modules 0.1.6-no-external-plugins

1.1868.1 Available under license :

MIT License

Copyright (c) 2020 Babel

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1869 @babel/helper-builder-binary-assignment-operator-visitor 7.22.15

1.1869.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1870 minimalist 1.2.8

1.1870.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1871 babel-helper-create-regexp-features-plugin 7.22.15

1.1871.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1872 graceful-fs 4.2.11

1.1872.1 Available under license :

The ISC License

Copyright (c) 2011-2022 Isaac Z. Schlueter, Ben Noordhuis, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.1873 @babel/plugin-proposal-private-property-in-object 7.21.0-placeholder-for-preset-env.2

1.1873.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1874 @babel/helper-annotate-as-pure 7.22.5

1.1874.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1875 @jridgewell/gen-mapping 0.3.3

1.1875.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1876 which-module 2.0.1

1.1876.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS

OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

1.1877 url 0.11.3

1.1877.1 Available under license :

The MIT License (MIT)

Copyright 2014 Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1878 is-typed-array 1.1.12

1.1878.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.1879 regenerate-unicode-properties 10.1.1

1.1879.1 Available under license :

MIT

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1880 @babel/plugin-transform-react-jsx-development 7.22.5

1.1880.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1881 @jridgewell/resolve-uri 3.1.1

1.1881.1 Available under license :

Copyright 2019 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1882 @babel/helper-hoist-variables 7.22.5

1.1882.1 Available under license :

MIT
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1883 @ampproject/remapping 2.2.1

1.1883.1 Available under license :

Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.1884 http-cache-semantic 4.1.1

1.1884.1 Available under license :

BSD-2-Clause

Copyright 2016-2018 Kornel Lesiski

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1885 @babel/helper-split-export-declaration

7.22.6

1.1885.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1886 @babel/plugin-transform-named-capturing-groups-regex 7.22.5

1.1886.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1887 @babel/regjsgen 0.8.0

1.1887.1 Available under license :

The MIT License (MIT)

Copyright 2014-2020 Benjamin Tan <<https://ofcr.se/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1888 @babel/helper-plugin-utils 7.22.5

1.1888.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1889 @sinonjs/commons 3.0.0

1.1889.1 Available under license :

BSD-3-Clause

BSD 3-Clause License

Copyright (c) 2018, Sinon.JS

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.1890 regexpu-core 5.3.2

1.1890.1 Available under license :

MIT

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1891 readable-stream 2.3.8

1.1891.1 Available under license :

MIT

Node.js is licensed for use as follows:

""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

This license applies to parts of Node.js originating from the
<https://github.com/joyent/node> repository:

Copyright Joyent, Inc. and other Node contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

1.1892 cookie 0.6.0

1.1892.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Roman Shtylman <shtylman@gmail.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1893 immutable 4.3.5

1.1893.1 Available under license :

MIT License

Copyright (c) 2014-present, Lee Byron and other contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1894 stream-shift 1.0.3

1.1894.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2016 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1895 es-errors 1.3.0

1.1895.1 Available under license :

MIT License

Copyright (c) 2024 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1896 get-intrinsic 1.2.4

1.1896.1 Available under license :

MIT License

Copyright (c) 2020 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1897 escalade 3.1.2

1.1897.1 Available under license :

MIT License

Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1898 webpack-hot-middleware 2.26.1

1.1898.1 Available under license :

MIT

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1899 babel-plugin-polyfill-corejs2 0.4.5

1.1899.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1900 babel-plugin-polyfill-corejs3 0.8.3

1.1900.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1901 babel-plugin-polyfill-regenerator 0.5.2

1.1901.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaldo and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.1902 browserify-sign 4.2.1

1.1902.1 Available under license :

ISC

Copyright (c) 2014-2015 Calvin Metcalf and browserify-sign contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.1903 has-property-descriptors 1.0.2

1.1903.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.1904 call-bind 1.0.7

1.1904.1 Available under license :

MIT License

Copyright (c) 2020 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1905 es-define-property 1.0.0

1.1905.1 Available under license :

MIT License

Copyright (c) 2024 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.1906 spd-license-ids 3.0.17

1.1906.1 Available under license :

[
"0BSD",
"AAL",
"ADSL",
"AFL-1.1",
"AFL-1.2",
"AFL-2.0",
"AFL-2.1",

"AFL-3.0",
"AGPL-1.0-only",
"AGPL-1.0-or-later",
"AGPL-3.0-only",
"AGPL-3.0-or-later",
"AMDPLPA",
"AML",
"AML-gslang",
"AMPAS",
"ANTLR-PD",
"ANTLR-PD-fallback",
"APAFML",
"APL-1.0",
"APSL-1.0",
"APSL-1.1",
"APSL-1.2",
"APSL-2.0",
"ASWF-Digital-Assets-1.0",
"ASWF-Digital-Assets-1.1",
"Abstyles",
"AdaCore-doc",
"Adobe-2006",
"Adobe-Display-PostScript",
"Adobe-Glyph",
"Adobe-Utopia",
"Afmparse",
"Aladdin",
"Apache-1.0",
"Apache-1.1",
"Apache-2.0",
"App-s2p",
"Arphic-1999",
"Artistic-1.0",
"Artistic-1.0-Perl",
"Artistic-1.0-cl8",
"Artistic-2.0",
"BSD-1-Clause",
"BSD-2-Clause",
"BSD-2-Clause-Darwin",
"BSD-2-Clause-Patent",
"BSD-2-Clause-Views",
"BSD-3-Clause",
"BSD-3-Clause-Attribution",
"BSD-3-Clause-Clear",
"BSD-3-Clause-HP",
"BSD-3-Clause-LBNL",
"BSD-3-Clause-Modification",
"BSD-3-Clause-No-Military-License",

"BSD-3-Clause-No-Nuclear-License",
"BSD-3-Clause-No-Nuclear-License-2014",
"BSD-3-Clause-No-Nuclear-Warranty",
"BSD-3-Clause-Open-MPI",
"BSD-3-Clause-Sun",
"BSD-3-Clause-acpica",
"BSD-3-Clause-flex",
"BSD-4-Clause",
"BSD-4-Clause-Shortened",
"BSD-4-Clause-UC",
"BSD-4.3RENO",
"BSD-4.3TAHOE",
"BSD-Advertising-Acknowledgement",
"BSD-Attribution-HPND-disclaimer",
"BSD-Inferno-Nettverk",
"BSD-Protection",
"BSD-Source-Code",
"BSD-Source-beginning-file",
"BSD-Systemics",
"BSD-Systemics-W3Works",
"BSL-1.0",
"BUSL-1.1",
"Baekmuk",
"Bahyph",
"Barr",
"Beerware",
"BitTorrent-1.0",
"BitTorrent-1.1",
"Bitstream-Charter",
"Bitstream-Vera",
"BlueOak-1.0.0",
"Boehm-GC",
"Borceux",
"Brian-Gladman-2-Clause",
"Brian-Gladman-3-Clause",
"C-UDA-1.0",
"CAL-1.0",
"CAL-1.0-Combined-Work-Exception",
"CATOSL-1.1",
"CC-BY-1.0",
"CC-BY-2.0",
"CC-BY-2.5",
"CC-BY-2.5-AU",
"CC-BY-3.0",
"CC-BY-3.0-AT",
"CC-BY-3.0-AU",
"CC-BY-3.0-DE",
"CC-BY-3.0-IGO",

"CC-BY-3.0-NL",
"CC-BY-3.0-US",
"CC-BY-4.0",
"CC-BY-NC-1.0",
"CC-BY-NC-2.0",
"CC-BY-NC-2.5",
"CC-BY-NC-3.0",
"CC-BY-NC-3.0-DE",
"CC-BY-NC-4.0",
"CC-BY-NC-ND-1.0",
"CC-BY-NC-ND-2.0",
"CC-BY-NC-ND-2.5",
"CC-BY-NC-ND-3.0",
"CC-BY-NC-ND-3.0-DE",
"CC-BY-NC-ND-3.0-IGO",
"CC-BY-NC-ND-4.0",
"CC-BY-NC-SA-1.0",
"CC-BY-NC-SA-2.0",
"CC-BY-NC-SA-2.0-DE",
"CC-BY-NC-SA-2.0-FR",
"CC-BY-NC-SA-2.0-UK",
"CC-BY-NC-SA-2.5",
"CC-BY-NC-SA-3.0",
"CC-BY-NC-SA-3.0-DE",
"CC-BY-NC-SA-3.0-IGO",
"CC-BY-NC-SA-4.0",
"CC-BY-ND-1.0",
"CC-BY-ND-2.0",
"CC-BY-ND-2.5",
"CC-BY-ND-3.0",
"CC-BY-ND-3.0-DE",
"CC-BY-ND-4.0",
"CC-BY-SA-1.0",
"CC-BY-SA-2.0",
"CC-BY-SA-2.0-UK",
"CC-BY-SA-2.1-JP",
"CC-BY-SA-2.5",
"CC-BY-SA-3.0",
"CC-BY-SA-3.0-AT",
"CC-BY-SA-3.0-DE",
"CC-BY-SA-3.0-IGO",
"CC-BY-SA-4.0",
"CC-PDDC",
"CC0-1.0",
"CDDL-1.0",
"CDDL-1.1",
"CDL-1.0",
"CDLA-Permissive-1.0",

"CDLA-Permissive-2.0",
"CDLA-Sharing-1.0",
"CECILL-1.0",
"CECILL-1.1",
"CECILL-2.0",
"CECILL-2.1",
"CECILL-B",
"CECILL-C",
"CERN-OHL-1.1",
"CERN-OHL-1.2",
"CERN-OHL-P-2.0",
"CERN-OHL-S-2.0",
"CERN-OHL-W-2.0",
"CFITSIO",
"CMU-Mach",
"CMU-Mach-nodoc",
"CNRI-Jython",
"CNRI-Python",
"CNRI-Python-GPL-Compatible",
"COIL-1.0",
"CPAL-1.0",
"CPL-1.0",
"CPOL-1.02",
"CUA-OPL-1.0",
"Caldera",
"Caldera-no-preamble",
"CIArtistic",
"Clips",
"Community-Spec-1.0",
"Condor-1.1",
"Cornell-Lossless-JPEG",
"Cronyx",
"Crossword",
"CrystalStacker",
"Cube",
"D-FSL-1.0",
"DEC-3-Clause",
"DL-DE-BY-2.0",
"DL-DE-ZERO-2.0",
"DOC",
"DRL-1.0",
"DRL-1.1",
"DSDP",
"Dotseqn",
"ECL-1.0",
"ECL-2.0",
"EFL-1.0",
"EFL-2.0",

"EPICS",
"EPL-1.0",
"EPL-2.0",
"EUDatagrid",
"EUPL-1.0",
"EUPL-1.1",
"EUPL-1.2",
"Elastic-2.0",
"Entessa",
"ErlPL-1.1",
"Eurosymb",
"FBM",
"FDK-AAC",
"FSFAP",
"FSFAP-no-warranty-disclaimer",
"FSFUL",
"FSFULLR",
"FSFULLRWD",
"FTL",
"Fair",
"Ferguson-Twofish",
"Frameworkx-1.0",
"FreeBSD-DOC",
"FreeImage",
"Furuseth",
"GCR-docs",
"GD",
"GFDL-1.1-invariants-only",
"GFDL-1.1-invariants-or-later",
"GFDL-1.1-no-invariants-only",
"GFDL-1.1-no-invariants-or-later",
"GFDL-1.1-only",
"GFDL-1.1-or-later",
"GFDL-1.2-invariants-only",
"GFDL-1.2-invariants-or-later",
"GFDL-1.2-no-invariants-only",
"GFDL-1.2-no-invariants-or-later",
"GFDL-1.2-only",
"GFDL-1.2-or-later",
"GFDL-1.3-invariants-only",
"GFDL-1.3-invariants-or-later",
"GFDL-1.3-no-invariants-only",
"GFDL-1.3-no-invariants-or-later",
"GFDL-1.3-only",
"GFDL-1.3-or-later",
"GL2PS",
"GLWTPL",
"GPL-1.0-only",

"GPL-1.0-or-later",
"GPL-2.0-only",
"GPL-2.0-or-later",
"GPL-3.0-only",
"GPL-3.0-or-later",
"Giftware",
"Glide",
"Glulxe",
"Graphics-Gems",
"HP-1986",
"HP-1989",
"HPND",
"HPND-DEC",
"HPND-Fenneberg-Livingston",
"HPND-INRIA-IMAG",
"HPND-Kevlin-Henney",
"HPND-MIT-disclaimer",
"HPND-Markus-Kuhn",
"HPND-Pbmplus",
"HPND-UC",
"HPND-doc",
"HPND-doc-sell",
"HPND-export-US",
"HPND-export-US-modify",
"HPND-sell-MIT-disclaimer-xserver",
"HPND-sell-regexpr",
"HPND-sell-variant",
"HPND-sell-variant-MIT-disclaimer",
"HTMLTIDY",
"HaskellReport",
"Hippocratic-2.1",
"IBM-pibs",
"ICU",
"IEC-Code-Components-EULA",
"IJG",
"IJG-short",
"IPA",
"IPL-1.0",
"ISC",
"ISC-Veillard",
"ImageMagick",
"Imlib2",
"Info-ZIP",
"Inner-Net-2.0",
"Intel",
"Intel-ACPI",
"Interbase-1.0",
"JPL-image",

"JPNIC",
"JSON",
"Jam",
"JasPer-2.0",
"Kastrup",
"Kazlib",
"Knuth-CTAN",
"LAL-1.2",
"LAL-1.3",
"LGPL-2.0-only",
"LGPL-2.0-or-later",
"LGPL-2.1-only",
"LGPL-2.1-or-later",
"LGPL-3.0-only",
"LGPL-3.0-or-later",
"LGPLLR",
"LOOP",
"LPD-document",
"LPL-1.0",
"LPL-1.02",
"LPPL-1.0",
"LPPL-1.1",
"LPPL-1.2",
"LPPL-1.3a",
"LPPL-1.3c",
"LZMA-SDK-9.11-to-9.20",
"LZMA-SDK-9.22",
"Latex2e",
"Latex2e-translated-notice",
"Leptonica",
"LiLiQ-P-1.1",
"LiLiQ-R-1.1",
"LiLiQ-Rplus-1.1",
"Libpng",
"Linux-OpenIB",
"Linux-man-pages-1-para",
"Linux-man-pages-copyleft",
"Linux-man-pages-copyleft-2-para",
"Linux-man-pages-copyleft-var",
"Lucida-Bitmap-Fonts",
"MIT",
"MIT-0",
"MIT-CMU",
"MIT-Festival",
"MIT-Modern-Variant",
"MIT-Wu",
"MIT-advertising",
"MIT-enna",

"MIT-feh",
"MIT-open-group",
"MIT-testregex",
"MITNFA",
"MMIXware",
"MPEG-SSG",
"MPL-1.0",
"MPL-1.1",
"MPL-2.0",
"MPL-2.0-no-copyleft-exception",
"MS-LPL",
"MS-PL",
"MS-RL",
"MTLL",
"Mackerras-3-Clause",
"Mackerras-3-Clause-acknowledgment",
"MakeIndex",
"Martin-Birgmeier",
"McPhee-slideshow",
"Minpack",
"MirOS",
"Motosoto",
"MulanPSL-1.0",
"MulanPSL-2.0",
"Multics",
"Mup",
"NAIST-2003",
"NASA-1.3",
"NBPL-1.0",
"NCGL-UK-2.0",
"NCSA",
"NGPL",
"NICTA-1.0",
"NIST-PD",
"NIST-PD-fallback",
"NIST-Software",
"NLOD-1.0",
"NLOD-2.0",
"NLPL",
"NOSL",
"NPL-1.0",
"NPL-1.1",
"NPOSL-3.0",
"NRL",
"NTP",
"NTP-0",
"Naumen",
"Net-SNMP",

"NetCDF",
"Newsletr",
"Nokia",
"Noweb",
"O-UDA-1.0",
"OCCT-PL",
"OCLC-2.0",
"ODC-By-1.0",
"ODbL-1.0",
"OFFIS",
"OFL-1.0",
"OFL-1.0-RFN",
"OFL-1.0-no-RFN",
"OFL-1.1",
"OFL-1.1-RFN",
"OFL-1.1-no-RFN",
"OGC-1.0",
"OGDL-Taiwan-1.0",
"OGL-Canada-2.0",
"OGL-UK-1.0",
"OGL-UK-2.0",
"OGL-UK-3.0",
"OGTSL",
"OLDAP-1.1",
"OLDAP-1.2",
"OLDAP-1.3",
"OLDAP-1.4",
"OLDAP-2.0",
"OLDAP-2.0.1",
"OLDAP-2.1",
"OLDAP-2.2",
"OLDAP-2.2.1",
"OLDAP-2.2.2",
"OLDAP-2.3",
"OLDAP-2.4",
"OLDAP-2.5",
"OLDAP-2.6",
"OLDAP-2.7",
"OLDAP-2.8",
"OLFL-1.3",
"OML",
"OPL-1.0",
"OPL-UK-3.0",
"OPUBL-1.0",
"OSET-PL-2.1",
"OSL-1.0",
"OSL-1.1",
"OSL-2.0",

"OSL-2.1",
"OSL-3.0",
"OpenPBS-2.3",
"OpenSSL",
"OpenSSL-standalone",
"OpenVision",
"PADL",
"PDDL-1.0",
"PHP-3.0",
"PHP-3.01",
"PSF-2.0",
"Parity-6.0.0",
"Parity-7.0.0",
"Pixar",
"Plexus",
"PolyForm-Noncommercial-1.0.0",
"PolyForm-Small-Business-1.0.0",
"PostgreSQL",
"Python-2.0",
"Python-2.0.1",
"QPL-1.0",
"QPL-1.0-INRIA-2004",
"Qhull",
"RHeCos-1.1",
"RPL-1.1",
"RPL-1.5",
"RPSL-1.0",
"RSA-MD",
"RSCPL",
"Rdisc",
"Ruby",
"SAX-PD",
"SAX-PD-2.0",
"SCEA",
"SGI-B-1.0",
"SGI-B-1.1",
"SGI-B-2.0",
"SGI-OpenGL",
"SGP4",
"SHL-0.5",
"SHL-0.51",
"SISSL",
"SISSL-1.2",
"SL",
"SMLNJ",
"SMPPL",
"SNIA",
"SPL-1.0",

"SSH-OpenSSH",
"SSH-short",
"SSLeay-standalone",
"SSPL-1.0",
"SWL",
"Saxpath",
"SchemeReport",
"Sendmail",
"Sendmail-8.23",
"SimPL-2.0",
"Sleepycat",
"Soundex",
"Spencer-86",
"Spencer-94",
"Spencer-99",
"SugarCRM-1.1.3",
"Sun-PPP",
"SunPro",
"Symlinks",
"TAPR-OHL-1.0",
"TCL",
"TCP-wrappers",
"TGPPL-1.0",
"TMate",
"TORQUE-1.1",
"TOSL",
"TPDL",
"TPL-1.0",
"TTWL",
"TTYPO",
"TU-Berlin-1.0",
"TU-Berlin-2.0",
"TermReadKey",
"UCAR",
"UCL-1.0",
"UMich-Merit",
"UPL-1.0",
"URT-RLE",
"Unicode-3.0",
"Unicode-DFS-2015",
"Unicode-DFS-2016",
"Unicode-TOU",
"UnixCrypt",
"Unlicense",
"VOSTROM",
"VSL-1.0",
"Vim",
"W3C",

"W3C-19980720",
"W3C-20150513",
"WTFPL",
"Watcom-1.0",
"Widget-Workshop",
"Wsuipa",
"X11",
"X11-distribute-modifications-variant",
"XFree86-1.1",
"XSkat",
"Xdebug-1.03",
"Xerox",
"Xfig",
"Xnet",
"YPL-1.0",
"YPL-1.1",
"ZPL-1.1",
"ZPL-2.0",
"ZPL-2.1",
"Zed",
"Zeff",
"Zend-2.0",
"Zimbra-1.3",
"Zimbra-1.4",
"Zlib",
"bcrypt-Solar-Designer",
"blessing",
"bzip2-1.0.6",
"check-cvs",
"checkmk",
"copleft-next-0.3.0",
"copleft-next-0.3.1",
"curl",
"diffmark",
"dtoa",
"dvi2pdf",
"eGenix",
"etalab-2.0",
"fwlw",
"gSOAP-1.3b",
"gnuplot",
"gtkbook",
"hdparm",
"iMatix",
"libpng-2.0",
"libselinux-1.0",
"libtiff",
"libutil-David-Nugent",

```
"Isof",
"magaz",
"mailprio",
"metamail",
"mpi-permissive",
"mpich2",
"mplus",
"pnmstitch",
"psfrag",
"psutils",
"python-ldap",
"radvd",
"snprintf",
"softSurfer",
"ssh-keyscan",
"swrule",
"ulem",
"w3m",
"xinetd",
"xkeyboard-config-Zinoviev",
"xlock",
"xpp",
"zlib-acknowledgement"
```

```
]
```

```
2bef7f8f8855848338a25032710968b9
```

```
[
```

```
"AGPL-1.0",
"AGPL-3.0",
"BSD-2-Clause-FreeBSD",
"BSD-2-Clause-NetBSD",
"GFDL-1.1",
"GFDL-1.2",
"GFDL-1.3",
"GPL-1.0",
"GPL-1.0+",
"GPL-2.0",
"GPL-2.0+",
"GPL-2.0-with-GCC-exception",
"GPL-2.0-with-autoconf-exception",
"GPL-2.0-with-bison-exception",
"GPL-2.0-with-classpath-exception",
"GPL-2.0-with-font-exception",
"GPL-3.0",
"GPL-3.0+",
"GPL-3.0-with-GCC-exception",
"GPL-3.0-with-autoconf-exception",
"LGPL-2.0",
"LGPL-2.0+",
```

```
"LGPL-2.1",
"LGPL-2.1+",
"LGPL-3.0",
"LGPL-3.0+",
"Nunit",
"StandardML-NJ",
"bzip2-1.0.5",
"eCos-2.0",
"wxWindows"
]
# spdx-license-ids
```

```
[![npm version](https://img.shields.io/npm/v/spdx-license-ids.svg)](https://www.npmjs.com/package/spdx-license-ids)
```

```
[![Github Actions](https://action-badges.now.sh/jslicense/spdx-license-ids)](https://wdp9fww0r9.execute-api.us-west-2.amazonaws.com/production/results/jslicense/spdx-license-ids)
```

A list of [\[SPDX license\]](https://spdx.org/licenses/) identifiers

Installation

[\[Download JSON directly\]](https://raw.githubusercontent.com/jslicense/spdx-license-ids/main/index.json), or [\[use\]](https://docs.npmjs.com/cli/install) `[npm]`:

```
...
```

```
npm install spdx-license-ids
```

```
...
```

[\[Node.js\]](https://nodejs.org/) API

```
### require('spdx-license-ids')
```

Type: ``string[]``

All license IDs except for the currently deprecated ones.

```
```javascript
```

```
const ids = require('spdx-license-ids');
```

```
//=> ['0BSD', 'AAL', 'ADSL', 'AFL-1.1', 'AFL-1.2', 'AFL-2.0', 'AFL-2.1', 'AFL-3.0', 'AGPL-1.0-only', ...]
```

```
ids.includes('BSD-3-Clause'); //=> true
```

```
ids.includes('CC-BY-1.0');
```

```
//=> true
```

```
ids.includes('GPL-3.0'); //=> false
```

```
...
```

```
require('spdx-license-ids/deprecated')
```

Type: `string[]`

Deprecated license IDs.

```
```javascript
const deprecatedIds = require('spdx-license-ids/deprecated');
//=> ['AGPL-1.0', 'AGPL-3.0', 'GFDL-1.1', 'GFDL-1.2', 'GFDL-1.3', 'GPL-1.0', 'GPL-2.0', ...]

deprecatedIds.includes('BSD-3-Clause'); //=> false
deprecatedIds.includes('CC-BY-1.0'); //=> false

deprecatedIds.includes('GPL-3.0'); //=> true
```

License

[Creative Commons Zero v1.0 Universal](https://creativecommons.org/publicdomain/zero/1.0/deed)
```

# 1.1907 define-data-property 1.1.4

## 1.1907.1 Available under license :

MIT

MIT License

Copyright (c) 2023 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1908 @jridgewell/resolve-uri 3.1.2

## 1.1908.1 Available under license :

Copyright 2019 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1909 browserslist 4.23.0

## 1.1909.1 Available under license :

MIT

The MIT License (MIT)

Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1910 spdx-exceptions 2.5.0

### 1.1910.1 Available under license :

9b06e0787814edfe98666e676afd12e4

## 1.1911 jackson-core 2.12.7

### 1.1911.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but



not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included

in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.1912 istack-commons-runtime 3.0.7

## 1.1912.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://oss.oracle.com/licenses/CDDL+GPL-1.1
 * or LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version
 * 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
```

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/module-info.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html) or packager/legal/LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/META-INF/maven/com.sun.istack/istack-commons-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at

\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject

to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/XMLStreamReaderToContentHandler.java

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/ByteArrayDataSource.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2015 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

\* or `packager/legal/LICENSE.txt`. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at `packager/legal/LICENSE.txt`.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject



to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/logging/Logger.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject

to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/localization/LocalizableMessageFactory.java

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/localization/Localizer.java

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/localization/LocalizableMessage.java

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Created-By: Apache Maven Bundle Plugin

Built-By: build

Build-Jdk: 9.0.4

Implementation-Build-Id: 3.0.7-c8b5e20894f565780625d6f9b018ef7c458cd68

8, 2018-08-29T05:23:37-0700

Bnd-LastModified: 1535545434210

Bundle-Description: istack common utility code

Bundle-DocURL: <http://www.oracle.com/>

Bundle-License: [https://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.java.net/public/CDDL+GPL_1_1.html), [https://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.java.net/public/CDDL+GPL_1_1.html)

Bundle-ManifestVersion: 2

Bundle-Name: istack common utility code runtime

Bundle-SymbolicName: com.sun.istack.commons-runtime

Bundle-Vendor: Oracle Corporation

Bundle-Version: 3.0.7

Export-Package: com.sun.istack;version="3.0.7";uses="javax.activation, javax.xml.stream, org.xml.sax, org.xml.sax.helpers", com.sun.istack.localization;version="3.0.7", com.sun.istack.logging;version="3.0.7"

Implementation-Title: istack common utility code runtime

Implementation-Vendor: Oracle Corporation

Implementation-Vendor-Id:

com.sun.istack

Implementation-Version: 3.0.7

Import-Package: javax.activation, javax.xml.namespace, javax.xml.stream, org.xml.sax, org.xml.sax.helpers

Originally-Created-By: Apache Maven Bundle Plugin

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-3.2.0.201605172007

Found in path(s):

\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2016 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * http://glassfish.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject
 * to such option by the copyright
 * holder.
 */
```

Found in path(s):

```
* /opt/cola/permits/1915362610_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-
jar/com/sun/istack/localization/NullLocalizable.java
* /opt/cola/permits/1915362610_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-
jar/com/sun/istack/localization/Localizable.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * http://glassfish.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject
 * to such option by the copyright
 * holder.
 */
```

Found in path(s):

```
* /opt/cola/permits/1915362610_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-
jar/com/sun/istack/Builder.java
* /opt/cola/permits/1915362610_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-
```

jar/com/sun/istack/package-info.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/Nullable.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/Interned.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/NotNull.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/SAXException2.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/SAXParseException2.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/Pool.java  
\*  
/opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/XMLStreamException2.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/FinalArrayList.java  
\* /opt/cola/permits/1915362610\_1708701479.3946006/0/istack-commons-runtime-3-0-7-java-jar/com/sun/istack/FragmentContentHandler.java

## 1.1913 esniff 2.0.1

### 1.1913.1 Available under license :

ISC License

Copyright (c) 2013-2024, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

## 1.1914 @babel/types 7.24.0

## 1.1914.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1915 @babel/template 7.24.0

### 1.1915.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1916 @emotion/is-prop-valid 1.2.2

### 1.1916.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.1917 side-channel 1.0.6

### 1.1917.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1918 @ampproject/remapping 2.3.0

## 1.1918.1 Available under license :

Apache License 2.0

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,



including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1919 @babel/helper-plugin-utils 7.24.0

## 1.1919.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1920 @jridgewell/gen-mapping 0.3.5

## 1.1920.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1921 @jridgewell/set-array 1.2.1

## 1.1921.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1922 @jridgewell/trace-mapping 0.3.25

## 1.1922.1 Available under license :

MIT

Copyright 2022 Justin Ridgewell <justin@ridgewell.name>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR  
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

# 1.1923 spd-x-correct 3.2.0

## 1.1923.1 Available under license :

Apache License 2.0

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work



or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.1924 ext 1.7.0

## 1.1924.1 Available under license :

ISC

ISC License

Copyright (c) 2011-2022, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.1925 uglify-js 3.17.4

## 1.1925.1 Available under license :

BSD-2-Clause

UglifyJS is released under the BSD license:

Copyright 2012-2019 (c) Mihai Bazon <mihai.bazon@gmail.com>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.1926 handlebarsjs 4.7.8

## 1.1926.1 Available under license :

MIT

Copyright (C) 2011-2019 by Yehuda Katz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1927 nan 2.18.0

### 1.1927.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 [NAN contributors](<https://github.com/nodejs/nan#wg-members--collaborators>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.1928 psl 1.9.0

### 1.1928.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2017 Lupo Montero [lupomontero@gmail.com](mailto:lupomontero@gmail.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1929 es5-ext 0.10.62

### 1.1929.1 Available under license :

ISC  
ISC License

Copyright (c) 2011-2022, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.1930 type 2.7.2

### 1.1930.1 Available under license :

ISC License

Copyright (c) 2019-2022, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

## 1.1931 punycode 2.3.0

### 1.1931.1 Available under license :

MIT

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1932 typed-array-buffer 1.0.0

### 1.1932.1 Available under license :

MIT

MIT License

Copyright (c) 2023 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1933 functions-have-names 1.2.3

## 1.1933.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT



# 1.1934 string-prototype-trimend 1.0.7

## 1.1934.1 Available under license :

MIT License

Copyright (c) 2017 Khaled Al-Ansari

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1935 is-array-buffer 3.0.2

## 1.1935.1 Available under license :

MIT License

Copyright (c) 2015 Chen Gengyuan, Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.1936 html-entities 2.4.0

### 1.1936.1 Available under license :

MIT

Copyright (c) 2021 Dulin Marat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1937 safe-array-concat 1.0.1

### 1.1937.1 Available under license :

MIT

MIT License

Copyright (c) 2023 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1938 json5 1.0.2

### 1.1938.1 Available under license :

MIT

MIT License

Copyright (c) 2012-2018 Aseem Kishore, and [others].

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[others]: <https://github.com/json5/json5/contributors>

## 1.1939 content-type 1.0.5

## 1.1939.1 Available under license :

(The MIT License)

Copyright (c) 2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.1940 is-number-object 1.0.7

### 1.1940.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1941 object.entries 1.1.7

### 1.1941.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1942 regexp-prototype-flags 1.5.1

### 1.1942.1 Available under license :

The MIT License (MIT)

Copyright (C) 2014 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.1943 define-properties 1.2.1

### 1.1943.1 Available under license :

The MIT License (MIT)

Copyright (C) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.1944 string-prototype-trim 1.2.8

## 1.1944.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1945 typed-array-byte-length 1.0.0

### 1.1945.1 Available under license :

MIT License

Copyright (c) 2020 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.  
MIT

# 1.1946 globalthis 1.0.3

## 1.1946.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR  
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

# 1.1947 copy-anything 2.0.6

## 1.1947.1 Available under license :

MIT  
MIT License

Copyright (c) 2018 Luca Ban - Mesqueeb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1948 set-function-name 2.0.1

### 1.1948.1 Available under license :

MIT License

Copyright (c) Jordan Harband and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.1949 clone-response 1.0.3

### 1.1949.1 Available under license :

MIT License

Copyright (c) 2017 Luke Childs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1950 typed-array-length 1.0.4

## 1.1950.1 Available under license :

MIT License

Copyright (c) 2020 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1951 arraybuffer.prototype.slice 1.0.2

## 1.1951.1 Available under license :

MIT

MIT License

Copyright (c) 2023 ECMAScript Shims

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1952 string.prototype.trimstart 1.0.7

## 1.1952.1 Available under license :

MIT License

Copyright (c) 2017 Khaled Al-Ansari

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.1953 function.prototype.name 1.1.6

### 1.1953.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.1954 safe-regex-test 1.0.0

### 1.1954.1 Available under license :

MIT License

Copyright (c) 2022 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1955 typed-array-byte-offset 1.0.0

## 1.1955.1 Available under license :

MIT License

Copyright (c) 2020 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1956 array-buffer-byte-length 1.0.0

## 1.1956.1 Available under license :

MIT License

Copyright (c) 2023 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1957 immutable 4.3.4

## 1.1957.1 Available under license :

MIT License

Copyright (c) 2014-present, Lee Byron and other contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.1958 express 4.18.2

### 1.1958.1 Available under license :

MIT  
(The MIT License)

Copyright (c) 2009-2014 TJ Holowaychuk <tj@vision-media.ca>  
Copyright (c) 2013-2014 Roman Shtylman <shtylman+expressjs@gmail.com>  
Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT

SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1959 postcss-selector-parser 6.0.13

### 1.1959.1 Available under license :

Copyright (c) Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without

restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

# 1.1960 @babel/plugin-transform-react-pure-annotations 7.22.5

## 1.1960.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,



ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1961 @babel/plugin-transform-private-methods 7.22.5

### 1.1961.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1962 @babel/plugin-transform-duplicate-keys 7.22.5

### 1.1962.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1963 @babel/plugin-bugfix-safari-id- destructuring-collision-in-function- expression 7.22.15

## 1.1963.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1964 @babel/plugin-transform-nullish-coalescing-operator 7.22.11

## 1.1964.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1965 @babel/plugin-transform-regenerator 7.22.10

## 1.1965.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1966 @babel/plugin-transform-dotall-regex

## 7.22.5

### 1.1966.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1967 babel-plugin-syntax-flow 7.22.5

## 1.1967.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1968 @babel/plugin-transform-class-properties 7.22.5

## 1.1968.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1969 @babel/plugin-transform-react-display-name 7.22.5

## 1.1969.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1970 @babel/plugin-transform-unicode-regex 7.22.5

## 1.1970.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1971 @babel/plugin-transform-arrow-functions 7.22.5

## 1.1971.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1972 babel-plugin-transform-flow-strip-types 7.22.5

## 1.1972.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.1973 @babel/preset-react 7.22.15

## 1.1973.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1974 @babel/plugin-transform-export-namespace-from 7.22.11

## 1.1974.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1975 @babel/plugin-transform-private-property-in-object 7.22.11

### 1.1975.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1976 @babel/plugin-transform-unicode-escapes 7.22.10

## 1.1976.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1977 @babel/plugin-transform-computed-properties 7.22.5

### 1.1977.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1978 @babel/plugin-transform-shorthand-properties 7.22.5

### 1.1978.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1979 babel-plugin-syntax-decorators 7.22.10

## 1.1979.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1980 babel-plugin-transform-member-expression-literals 7.22.5

### 1.1980.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1981 @babel/plugin-transform-react-jsx

### 7.22.15

#### 1.1981.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1982 regenerator-runtime 0.14.0

#### 1.1982.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1983 @babel/plugin-transform-template-literals 7.22.5

## 1.1983.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1984 @babel/plugin-syntax-import-assertions 7.22.5

### 1.1984.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1985 @babel/plugin-transform-class-static-block 7.22.11

### 1.1985.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the



"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1986 ansi-align 3.0.1

### 1.1986.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

## 1.1987 @babel/plugin-transform-block-scoped-functions 7.22.5

### 1.1987.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1988 babel-helper-create-class-features-plugin 7.22.15

## 1.1988.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1989 redux-thunk 2.4.2

### 1.1989.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1990 @babel/plugin-transform-typeof-symbol 7.22.5

### 1.1990.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1991 @babel/plugin-transform-unicode-sets-regex 7.22.5

## 1.1991.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.1992 tiny-invariant 1.3.1

## 1.1992.1 Available under license :

MIT License

Copyright (c) 2019 Alexander Reardon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.1993 @babel/plugin-transform-exponentiation-operator 7.22.5

## 1.1993.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1994 babel-plugin-transform-property-literals 7.22.5

### 1.1994.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1995 @babel/plugin-syntax-import-attributes 7.22.5

## 1.1995.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1996 @babel/plugin-transform-literals

### 7.22.5

#### 1.1996.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1997 @babel/plugin-transform-function-name 7.22.5

### 1.1997.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1998 @babel/plugin-transform-numeric-separator 7.22.11



## 1.1998.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.1999 @babel/plugin-transform-modules-umd 7.22.5

### 1.1999.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2000 babel-plugin-transform-typescript

### 7.22.15

#### 1.2000.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2001 @babel/plugin-transform-optional-catch-binding 7.22.11

## 1.2001.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2002 @babel/plugin-transform-async-to-generator 7.22.5

### 1.2002.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2003 @babel/plugin-transform-sticky-regex

### 7.22.5

#### 1.2003.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2004 babel-plugin-transform-reserved-words 7.22.5

## 1.2004.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2005 @babel/plugin-transform-dynamic-import 7.22.11

### 1.2005.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2006 @babel/plugin-transform-parameters

### 7.22.15

#### 1.2006.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2007 @babel/plugin-transform-json-strings

### 7.22.11

## 1.2007.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2008 @babel/plugin-transform-spread

### 7.22.5

#### 1.2008.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2009 @babel/plugin-syntax-jsx 7.22.5

### 1.2009.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2010 @babel/plugin-transform-new-target 7.22.5

### 1.2010.1 Available under license :

MIT

MIT License



Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2011 @babel/plugin-transform-logical-assignment-operators 7.22.11

## 1.2011.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2012 @babel/plugin-transform-object-rest-spread 7.22.15

### 1.2012.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2013 @babel/plugin-transform-classes 7.22.15

### 1.2013.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2014 @babel/plugin-transform-object-super

## 7.22.5

### 1.2014.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2015 @babel/plugin-transform-unicode-property-regex 7.22.5

### 1.2015.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2016 @babel/plugin-transform-for-of 7.22.15

### 1.2016.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2017 @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining 7.22.15

## 1.2017.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2018 babel-plugin-syntax-typescript 7.22.5

## 1.2018.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2019 internal-slot 1.0.5

## 1.2019.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2020 object-inspect 1.12.3

### 1.2020.1 Available under license :

MIT License

Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2021 csstype 3.1.2

### 1.2021.1 Available under license :

MIT

Copyright (c) 2017-2018 Fredrik Nicol

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2022 is-core-module 2.13.0

### 1.2022.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Dave Justice

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2023 @babel/helper-string-parser 7.22.5



## 1.2023.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2024 es-set-tostringtag 2.0.1

### 1.2024.1 Available under license :

MIT License

Copyright (c) 2022 ECMAScript Shims

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.  
MIT

## 1.2025 es-abstract 1.22.2

### 1.2025.1 Available under license :

The MIT License (MIT)

Copyright (C) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2026 get-intrinsic 1.2.1

### 1.2026.1 Available under license :

MIT License

Copyright (c) 2020 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.2027 fast-infoset 1.2.15

## 1.2027.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2004-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* Oracle licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\*

\* This code is subject to the freebxml License, Version 1.1

\*

\* Copyright (c) 2001 - 2005 freebxml.org. All rights reserved.

\*

\* \$Header:

/zpool01/javanet/scm/svn/tmp/cvs2svn/fi/FastInfoset/src/com/sun/xml/fastinfoset/AbstractResourceBundle.java,v

1.3.2.4 2009-05-13 08:53:01 oleksiys Exp \$

\*/

Found in path(s):

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/AbstractResourceBundle.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2004-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* Oracle licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2004 The Apache Software Foundation. All rights

\* reserved.

\*

\* Redistribution and use in source and binary forms, with

or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3. The end-user documentation included with the redistribution,

\* if any, must include the following acknowledgment:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself,

\* if and wherever such third-party acknowledgments normally appear.

\*  
\* 4. The names "Xerces" and "Apache Software Foundation" must  
\* not be used to endorse or promote products derived from this  
\*  
\* software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
\*  
\* 5. Products derived from this software may not be called "Apache",  
\* nor may "Apache" appear in their name, without prior written  
\* permission of the Apache Software Foundation.  
\*  
\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE  
\* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====  
\*  
\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.apache.org>. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.  
\*/

Found in path(s):  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
jar/com/sun/xml/fastinfoset/org/apache/xerces/util/XMLChar.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2004-2012 Oracle and/or its affiliates. All rights reserved.  
\*  
\* Oracle licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/factory/StAXOutputFactory.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/SAXEventSerializer.java  
\*

/opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/dom/DOMDocumentParser.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/TransformInputOutput.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/StartElementEvent.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/CommonResourceBundle.java

No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2004-2011 Oracle and/or its affiliates. All rights reserved.  
\*  
\* Oracle licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/FastInfosetException.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/EncodingAlgorithmException.java

\*  
/opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/ExtendedContentHandler.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/alphabet/BuiltInRestrictedAlphabets.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/FastInfosetResult.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/FastInfosetWriter.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/EncodingAlgorithm.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/SAX2StAXWriter.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/ExternalVocabulary.java  
\*  
/opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/PrintTable.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/FastInfosetSerializer.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/Encoder.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/EncodingAlgorithmIndexes.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/sax/SystemIdResolver.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/XMLConstants.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/PrimitiveTypeContentHandler.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/StAXManager.java  
\*  
/opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/stax/LowLevelFastInfosetStreamWriter.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/algorithm/LongEncodingAlgorithm.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/XML\_DOM\_SAX\_FI.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/EventLocation.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/StAXDocumentSerializer.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/CharArray.java  
\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/StAXEventAllocatorBase.java  
\*

/opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/util/StAXFilteredParser.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/XML\_SAX\_StAX\_FI.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/EncodingConstants.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/algorithm/IntegerEncodingAlgorithm.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/EmptyIterator.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/FastInfosetReader.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/CharArrayArray.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/EndElementEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/ContiguousCharArrayArray.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/XML\_SAX\_FI.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/sax/SAXDocumentSerializerWithPrefixMapping.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/EntityDeclarationImpl.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/NamespaceContextImplementation.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/FixedEntryStringIntMap.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/FastInfosetParser.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/FI\_SAX\_Or\_XML\_SAX\_SAXEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/VocabularyApplicationData.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/FI\_DOM\_Or\_XML\_DOM\_SAX\_SAXEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/vocab/ParserVocabulary.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/algorithm/ShortEncodingAlgorithm.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/EndDocumentEvent.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/CommentEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-



jar/com/sun/xml/fastinfoset/vocab/SerializerVocabulary.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/tools/FI\_SAX\_XML.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/events/AttributeBase.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/org/jvnet/fastinfoset/sax/RestrictedAlphabetContentHandler.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/org/jvnet/fastinfoset/stax/FastInfosetStreamReader.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/events/DTDEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/algorithm/DoubleEncodingAlgorithm.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/events/StartDocumentEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/util/KeyIntMap.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/util/ValueArray.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/util/StringIntMap.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/algorithm/BuiltInEncodingAlgorithmFactory.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/org/jvnet/fastinfoset/Vocabulary.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/events/EntityReferenceEvent.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/events/Util.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/util/StAXParserWrapper.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/UnparsedEntity.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/tools/FI\_SAX\_Or\_XML\_SAX\_DOM\_SAX\_SAXEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/stax/factory/StAXInputFactory.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/util/PrefixArray.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/DecoderStateTables.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/sax/Properties.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
 jar/com/sun/xml/fastinfoset/algorithm/UUIDEncodingAlgorithm.java

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/QualifiedNameArray.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/algorithm/BuiltInEncodingAlgorithmState.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/StAX2SAXReader.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/FI\_StAX\_SAX\_Or\_XML\_SAX\_SAXEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/StringArray.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/helpers/EncodingAlgorithmAttributesImpl.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/factory/StAXEventFactory.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/EventBase.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/ValueArrayResourceException.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/tools/XML\_DOM\_FI.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/dom/DOMDocumentSerializer.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/sax/Features.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/EncodingAlgorithmAttributes.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/NamespaceBase.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/LocalNameQualifiedNamesMap.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/util/CharArrayIntMap.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/algorithm/IntEncodingAlgorithm.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/org/jvnet/fastinfoset/sax/EncodingAlgorithmContentHandler.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/StAXEventReader.java  
 \*  
 /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/ProcessingInstructionEvent.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/OctetBufferListener.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/ReadIterator.java  
 \* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-

```
jar/com/sun/xml/fastinfoset/tools/VocabularyGenerator.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/algorithm/IEEE754FloatingPointEncodingAlgorithm.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/util/DuplicateAttributeVerifier.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/sax/SAXDocumentSerializer.java
*
/opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/stax/events/StAXEventWriter.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/stax/events/CharactersEvent.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/Notation.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/vocab/Vocabulary.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/org/jvnet/fastinfoset/sax/helpers/FastInfosetDefaultHandler.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/org/jvnet/fastinfoset/FastInfosetSource.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/util/CharArrayString.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/org/jvnet/fastinfoset/RestrictedAlphabet.java
*
/opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/QualifiedName.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2004-2013 Oracle and/or its affiliates. All rights reserved.
*
* Oracle licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/Decoder.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/sax/SAXDocumentParser.java
*
/opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/algorithm/BooleanEncodingAlgorithm.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/algorithm/BuiltInEncodingAlgorithm.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/sax/AttributesHolder.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/algorithm/HexadecimalEncodingAlgorithm.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/algorithm/FloatEncodingAlgorithm.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/algorithm/BASE64EncodingAlgorithm.java
* /opt/cola/permits/1924839281_1709666927.651295/0/fastinfoset-1-2-15-sources-6-
jar/com/sun/xml/fastinfoset/stax/StAXDocumentParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
```

```
* General Public License Version 2 only ("GPL") or the Common Development
```

```
* and Distribution License("CDDL") (collectively, the "License"). You
```

```
* may not use this file except in compliance with the License. You can
```

```
* obtain a copy of the License at
```

```
* https://oss.oracle.com/licenses/CDDL+GPL-1.1
```

```
* or LICENSE.txt. See the License for the specific
```

```
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
```

```
* file and include the License file at LICENSE.txt.
```

```
*
```

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
```

```
* exception as provided by Oracle in the GPL Version
```

```
2 section of the License
```

```
* file that accompanied this code.
```

```
*
```

```
* Modifications:
```

```
* If applicable, add the following below the License Header, with the fields
```

```
* enclosed by brackets [] replaced by your own identifying information:
```

```
* "Portions Copyright [year] [name of copyright owner]"
```

\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/module-info.java  
No license file was found, but licenses were detected in source scan.

# Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.  
# Oracle licenses this file to You under the Apache License, Version 2.0  
# (the "License"); you may not use this file except in compliance with  
# the License. You may obtain a copy of the License at  
# <http://www.apache.org/licenses/LICENSE-2.0>  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-  
jar/com/sun/xml/fastinfoset/resources/ResourceBundle.properties  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* Oracle licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1924839281\_1709666927.651295/0/fastinfoset-1-2-15-sources-6-jar/com/sun/xml/fastinfoset/stax/events/StAXFilteredEvent.java

# 1.2028 txw2 2.3.1

## 1.2028.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/module-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

\* holder.

\*/

// NO WARRANTY! This class is in the public domain.

Found in path(s):

\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/XMLWriter.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at <https://oss.oracle.com/licenses/CDDL+GPL-1.1> or LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.



-->

Found in path(s):

\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/annotation/package.html  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/package.html  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

```

* holder.
*/
// This class is in the Public Domain. NO WARRANTY!
/**
* Encapsulate Namespace logic for use by applications using SAX,
* or internally by SAX drivers.
*
* <blockquote>
* This module, both source code and documentation, is in the
* Public Domain, and comes with NO WARRANTY.
* See http://www.saxproject.org
* for further information.
* </blockquote>
*
* <p>This class encapsulates the logic of Namespace processing: it
* tracks the declarations currently in force for each context and
* automatically processes qualified XML names into their Namespace
* parts; it can also be used in reverse for generating XML qnames
* from Namespaces.</p>
*
* <p>Namespace support objects are reusable, but the reset method
* must be invoked between each session.</p>
*
* <p>Here is a simple session:</p>
*
* <pre>
* String parts[] = new String[3];
* NamespaceSupport support = new NamespaceSupport();
*
* support.pushContext();
* support.declarePrefix("", "http://www.w3.org/1999/xhtml");
* support.declarePrefix("dc", "http://www.purl.org/dc#");
*
* parts = support.processName("p", parts, false);
* System.out.println("Namespace URI: " + parts[0]);
* System.out.println("Local name: " + parts[1]);
* System.out.println("Raw name: " + parts[2]);
*
* parts = support.processName("dc:title", parts, false);
* System.out.println("Namespace URI: " + parts[0]);
* System.out.println("Local name: " + parts[1]);
* System.out.println("Raw name: " + parts[2]);
*
* support.popContext();
* </pre>
*
* <p>Note that this class is optimized for the use case where most
* elements do not contain Namespace declarations: if the same

```

\* prefix/URI mapping is repeated for each context (for example), this  
\* class will be somewhat less efficient.</p>  
\*  
\* <p>Although SAX drivers (parsers) may choose to use this class to  
\* implement namespace handling, they are not required to do so.  
\* Applications  
\* must track namespace information themselves if they  
\* want to use namespace information.  
\*  
\* @since SAX 2.0  
\* @author David Megginson  
\* @version 2.0.1 (sax2r2)  
\*/

Found in path(s):

\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-  
jar/com/sun/xml/txw2/NamespaceSupport.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU  
General Public License Version 2 only ("GPL") or the Common Development  
and Distribution License("CDDL") (collectively, the "License"). You  
may not use this file except in compliance with the License. You can  
obtain a copy of the License at  
<https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
or LICENSE.txt. See the License for the specific  
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each  
file and include the License file at LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the  
GPL Version 2 section of the License  
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields  
enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/META-INF/maven/org.glassfish.jaxb/txw2/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Attribute.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/StreamSerializer.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/XmlSerializer.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/StartTag.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/TxwException.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/ContentVisitor.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/IndentingXMLFilter.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/TypedXmlWriter.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/annotation/XmlValue.java  
\*  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/TXWResult.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/annotation/XmlCDATA.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/DatatypeWriter.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/IllegalAnnotationException.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/IllegalSignatureException.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Cdata.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/DumbEscapeHandler.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/DumpSerializer.java  
\*

/opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Text.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/EndTag.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/IndentingXMLStreamWriter.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Content.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/DelegatingXMLStreamWriter.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/annotation/XmlAttribute.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Document.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/DataWriter.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/DomSerializer.java  
\*  
/opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/StartDocument.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Comment.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/annotation/XmlElement.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/TXW.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/ResultFactory.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/EndDocument.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/TXWSerializer.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/NamespaceResolver.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/ContainerElement.java  
\*  
/opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/SaxSerializer.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/annotation/XMLNamespace.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/Pcdata.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/CharacterEscapeHandler.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/output/StaxSerializer.java  
\* /opt/cola/permits/1925246433\_1709710223.8825061/0/txw2-2-3-1-sources-4-jar/com/sun/xml/txw2/NamespaceDecl.java

# 1.2029 jaxb-runtime 2.3.1

## 1.2029.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://oss.oracle.com/licenses/CDDL+GPL-1.1
 * or LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version
 * 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 */
// NO WARRANTY! This class is in the public domain.
/**
```

```

* Default implementation of the Attributes interface.
*
* <blockquote>
* This module, both source code and documentation, is in the
* Public Domain, and comes with NO WARRANTY.
* See http://www.saxproject.org
* for further information.
* </blockquote>
*
* <p>This class provides a default implementation of the SAX2
* { @link org.xml.sax.Attributes Attributes } interface, with the
* addition of manipulators so that the list can be modified or
* reused.</p>
*
* <p>There are two typical uses of this class:</p>
*
*
* to take a persistent snapshot of an Attributes object
* in a { @link org.xml.sax.ContentHandler#startElement startElement } event; or
* to construct or modify an Attributes object in a SAX2 driver or filter.
*
*
* <p>This class replaces the now-deprecated SAX1 { @link
* org.xml.sax.helpers.AttributeListImpl
* AttributeListImpl }
* class; in addition to supporting the updated Attributes
* interface rather than the deprecated { @link org.xml.sax.AttributeList
* AttributeList } interface, it also includes a much more efficient
* implementation using a single array rather than a set of Vectors.</p>
*
* @since JAXB 1.0
* @since SAX 2.0
* @author David Megginson
* @version 2.0.1 (sax2r2)
*/

```

Found in path(s):

```

* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/util/AttributesImpl.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

```

```

*

```

```

* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

```

```

*

```

```

* The contents of this file are subject to the terms of either the GNU

```

```

* General Public License Version 2 only ("GPL") or the Common Development

```



```

* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://oss.oracle.com/licenses/CDDL+GPL-1.1
* or LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version
 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
/**
 * Sets the int[] data to this object.
 *
 * <p>
 * This method doesn't make a copy for a performance reason.
 * The caller is still free to modify the array it passed to this method,
 * but he should do so with a care. The unmarshalling code isn't expecting
 * the value to be changed while it's being routed.
 */

Found in path(s):
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/IntArrayData.java
No license file was found, but licenses were detected in source scan.

```

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://oss.oracle.com/licenses/CDDL+GPL-1.1
 * or LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version
 * 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 */
```

Found in path(s):

```
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/annotation/XmlIsSet.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/marshaller/NamespacePrefixMapper.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/api/package-info.java
```

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/DummyPropertyInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/XmlVisitor.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListLong.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeAttributePropertyInfo.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/SingleElementNodeProperty.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Wildcard.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/BridgeAdapter.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlElementDeclQuick.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListCharacter.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Locatable.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleRestrictionModel.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationException.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/ValuePropertyLoader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/util/QNameMap.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/FilterTransducer.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/ReferencePropertyInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Bridge.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/MarshallerImpl.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/DefaultTransducedAccessor.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/AdaptedList.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Form.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

jar/com/sun/xml/bind/v2/runtime/unmarshaller/LeafPropertyLoader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/SwaRefAdapter.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleTypeHost.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/SecureLoader.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/runtime/RuntimeNonElementRef.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/property/ArrayElementNodeProperty.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/unmarshaller/SAXConnector.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleDerivation.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/Messages.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/runtime/RuntimePropertyInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/util/SecureLoader.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/property/ValueProperty.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/AssociationMap.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/Coordinator.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/XmlAccessorFactory.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/Messages.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/runtime/RuntimeElementInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/XmlSchemaGenerator.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/output/C14nXmlOutput.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/RuntimeTypeInfoSetImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Float.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/unmarshaller/MTOMDecorator.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorExWrapper.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/XmlOutputAbstractImpl.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/NestedParticle.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/TypeReference.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Boolean.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/util/Which.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/MultiMap.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/ClassLocatable.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleExtension.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/package-info.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/Adapter.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Lister.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/TypeHost.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerByte.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Float.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ArrayERProperty.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/nav/GenericArrayTypeImpl.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/DatatypeConverterImpl.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/TypeInfoSet.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/DumbEscapeHandler.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Short.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

jar/com/sun/xml/bind/v2/runtime/unmarshaller/Receiver.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/core/EnumLeafInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/output/XMLEventWriterOutput.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlSchemaQuick.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ProxyLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexType.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Redefinable.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListShort.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/AccessorFactory.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/core/ID.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/GroupKind.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/FastInfoSetConnector.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Long.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/SchemaTop.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/ElementPropertyInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/FieldPropertySeed.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/BridgeContextImpl.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/TagAndType.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/nav/SecureLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/nav/ReflectionNavigator.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/nav/TypeVisitor.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexTypeModel.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/core/Ref.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ArrayReferenceNodeProperty.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/SAX2DOMEx.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/DOMScanner.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXConnector.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/bytecode/SecureLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Long.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/DataWriter.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/DomLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/TypeInfoImpl.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/ClassFactory.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/package-info.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlValueQuick.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/AttributesEx.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleContent.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/AccessorException.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/CompositeStructure.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Float.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/impl/NameUtil.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationsException.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleType.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/CycleRecoverable.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Double.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

jar/com/sun/xml/bind/v2/model/impl/RuntimeAttributePropertyInfoImpl.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/NameBuilder.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/InterningXmlVisitor.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Boolean.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/PropertyFactory.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/ERPropertyInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ValidatingUnmarshaller.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/RuntimeMapPropertyInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/MimeTypedTransducer.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/output/DOMOutput.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Interceptor.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/TypeDefParticle.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/SecureLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Patcher.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/DefaultIDResolver.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/Const.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/ArrayInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/XsiTypeLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/TopLevelAttribute.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/AnyTypeImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeValuePropertyInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/ArrayProperty.java



\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeAnyTypeImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListInteger.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeReferencePropertyInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/PropertySeed.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/ClassResolver.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeInfoSet.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Long.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/LeafInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/RegistryInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/PropertyImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/StAXPostInitAction.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListDouble.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Util.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/nav/ParameterizedTypeImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StructureLoader.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/FieldLocatable.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Byte.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/ArrayInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/ReferencePropertyInfoImpl.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeTypeRefImpl.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlElementQuick.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/Util.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/TransducedAccessor.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Occurs.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/SecureLoader.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Tree.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/ClassInfo.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/InlineBinaryTransducer.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/AttributePropertyInfo.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ContentModelContainer.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Property.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/UnmarshallerChain.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/MinimumEscapeHandler.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/SecureLoader.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/util/FatalAdapter.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeReferencePropertyInfoImpl.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Name.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Byte.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlElementRefQuick.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Namespactext2.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Discarder.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/DefaultValueLoaderDecorator.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

```

jar/com/sun/xml/bind/v2/schemagen/xmlschema/AttributeType.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Particle.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Boolean.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/ContentHandlerAdaptor.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlEnumQuick.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/core/ErrorHandler.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Appinfo.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/InternalAccessorFactory.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeClassInfo.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/WellKnownNamespace.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/UnmarshallingContext.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/JaxBeanInfo.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RuntimeEnumConstantImpl.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/TextLoader.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/SchemaTypeTransducer.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/XmlOutput.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/nav/WildcardTypeImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeMapPropertyInfo.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Scope.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RuntimeEnumLeafInfoImpl.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Character.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/LeafPropertyXsiLoader.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlElementRefsQuick.java

```

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/EnumConstant.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/ListIterator.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/StructureLoaderBuilder.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/AnnotationReader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerBoolean.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeEnumLeafInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/InfoSetScanner.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeValuePropertyInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ListElementProperty.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/AdaptedAccessor.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Loader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Locatable.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Integer.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Short.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/FixedOrDefault.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/util/CollisionCheckStack.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Init.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/ElementPropertyInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Ref.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/SingleTypePropertyInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/SingleMapNodeProperty.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

jar/com/sun/xml/bind/marshaller/NioEscapeHandler.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Double.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/TODO.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/core/NonElement.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ExplicitGroup.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/ElementBeanInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Double.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/util/ByteArrayOutputStreamEx.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/Quick.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/ValueListBeanInfoImpl.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Short.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/SingleElementLeafProperty.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXStreamConnector.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/ClassBeanInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/MapPropertyInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Import.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Transducer.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/marshaller/CharacterEscapeHandler.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/core/WildcardTypeInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeBuiltinLeafInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/ListTransducedAccessorImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/util/TypeCast.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/bytecode/ClassTailor.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/ChildLoader.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/StAXExStreamWriterOutput.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/InternalBridge.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/ValuePropertyInfo.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/XMLSerializer.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/annotation/OverrideAnnotationOf.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/MethodLocatable.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/PropertyInfo.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Bean.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/ValidationEventLocatorEx.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXExConnector.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeElementInfoImpl.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/ContextFactory.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/util/StackRecorder.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/NullSafeAccessor.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeInfo.java

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexContent.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/episode/package-info.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Annotation.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Any.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/util/EditDistance.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/SecureLoader.java

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

```

jar/com/sun/xml/bind/v2/runtime/reflect/Accessor.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/ModelBuilder.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Byte.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/GetterSetterPropertySeed.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RuntimeClassInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/episode/Klass.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/ArrayBeanInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/core/MaybeElement.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/core/BuiltinLeafInfo.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RuntimeElementPropertyInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Ref.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/BinderImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/core/ElementInfo.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/LocalAttribute.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/SwaRefAdapterMarker.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/core/MapPropertyInfo.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor_field_Integer.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/property/ArrayElementLeafProperty.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/UnmarshallerImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/CompositeStructureBeanInfo.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/EnumLeafInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/property/AttributeProperty.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlRootElementQuick.java

```

\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeLeafInfo.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/LifecycleMethods.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/SingleReferenceNodeProperty.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeModelBuilder.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Float.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/TagName.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Byte.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/impl/NameConverter.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/Element.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/ForkXmlOutput.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/AccessorFactoryImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RegistryInfoImpl.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexExtension.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/LocatableAnnotation.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Schema.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Documentation.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Ref.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/NoFixedFacet.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/TopLevelElement.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/RuntimeInlineAnnotationReader.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/BridgeContext.java



\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/AccessorInjector.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Location.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/List.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeBuiltinLeafInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayLISTERFloat.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/EventListener.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/WildcardLoader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/SAXOutput.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/WhiteSpaceProcessor.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Character.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/Pcdata.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/TypeInfoSetImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/LeafBeanInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/DomPostInitAction.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Integer.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/util/FlattenIterator.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeArrayInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/AttributePropertyInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/AnyTypeBeanInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Boolean.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ArrayElementProperty.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

```

jar/com/sun/xml/bind/v2/model/core/package-info.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/PropertyInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeNonElement.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/FoolProofResolver.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeElement.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/package-info.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/ElementInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlTypeQuick.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/AbstractInlineAnnotationReaderImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/MTOMXmlOutput.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/EnumConstantImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/IntData.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/api/JAXBRIContext.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlTransientQuick.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/util/DataSourceSource.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/ClassInfoImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/UTF8XmlOutput.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/Encoded.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/episode/Bindings.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/package-info.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorEx.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlSchemaTypeQuick.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/AttributesExImpl.java

```

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/NameList.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleRestriction.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Integer.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Annotated.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/TypeRefImpl.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/LeafInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ExtensionType.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/NamespaceContextImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/XsiNilLoader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Double.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/LocalElement.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Patcher.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/WildcardMode.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/TypeRef.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/JAXBContextImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/output/FastInfosetStreamWriterOutput.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Long.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/RawAccessor.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/core/TypeInfo.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/AttrDecls.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeRef.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Base64Data.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-

jar/com/sun/xml/bind/v2/schemagen/xmlschema/Element.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/annotation/XmlAttributeQuick.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/BuiltinLeafInfoImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/api/Messages.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/core/NonElementRef.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/runtime/RuntimeArrayInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/AttributeAccessor.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/annotation/AnnotationSource.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/core/PropertyKind.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexRestriction.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/AnyTypeAdapter.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/ValuePropertyInfoImpl.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/annotation/RuntimeAnnotationReader.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/RuntimeUtil.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/runtime/RuntimeElementPropertyInfo.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/util/ValidationEventLocatorExImpl.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/Util.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/Union.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/episode/SchemaBindings.java  
 \*  
 /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/output/IndentingUTF8XmlOutput.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/annotation/XmlLocation.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/model/nav/Navigator.java  
 \* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexTypeHost.java

```
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/package-info.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/BridgeImpl.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/IDResolver.java
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXEventConnector.java
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Short.java
No license file was found, but licenses were detected in source scan.
```

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2013-2018 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at <https://oss.oracle.com/licenses/CDDL+GPL-1.1> or LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under

either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/META-INF/maven/org.glassfish.jaxb/jaxb-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

```
Copyright (c) 2014-2017 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_de.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_es.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_pt\_BR.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_ko.properties

\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_zh\_CN.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_zh\_TW.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_it.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_ja.properties

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages\_fr.properties

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
\* or LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at LICENSE.txt.

\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version  
2 section of the License  
\* file that accompanied this code.

\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/module-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2013-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
\* or LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version  
2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Utils.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/util/XmlFactory.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Utils.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Utils.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Utils.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/api/Utils.java



No license file was found, but licenses were detected in source scan.

```
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

```
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_pt_BR.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_de.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/unmarshaller/Messages_ja.properties
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_it.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_fr.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/api/Messages_fr.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_zh_CN.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_zh_TW.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/api/Messages.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/marshaller/Messages_it.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_zh_CN.properties
*
/opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/Messages_pt_BR.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/Messages.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_zh_CN.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_ja.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_ko.properties
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
```

jar/com/sun/xml/bind/marshaller/Messages\_fr.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_es.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_de.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/marshaller/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_ko.properties  
\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_TW.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_it.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_CN.properties  
\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_pt\_BR.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_fr.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_pt\_BR.properties  
\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_TW.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_fr.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_de.properties  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_ja.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_de.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_it.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_it.properties  
\*

/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/marshaller/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/api/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ko.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_es.properties  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages.properties  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2011-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/episode/Package.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU  
General Public License Version 2 only ("GPL") or the Common Development  
and Distribution License("CDDL") (collectively, the "License"). You  
may not use this file except in compliance with the License. You can  
obtain a copy of the License at  
<https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
or LICENSE.txt. See the License for the specific  
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each  
file and include the License file at LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the  
GPL Version 2 section of the License  
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields  
enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or  
only the GPL Version 2, indicate your decision by adding "[Contributor]  
elects to include this software in this distribution under the [CDDL or GPL  
Version 2] license." If you don't indicate a single choice of license, a  
recipient has the option to distribute your version of this file under  
either the CDDL, the GPL Version 2 or to extend the choice of license to

its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/xmlschema-for-jaxb.rng

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to



\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/output/XMLStreamWriterOutput.java  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
\* or LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version  
2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/package-info.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/util/ArrayInfoUtil.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/package-info.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/bytecode/package-info.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/package-info.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/ModelBuilderI.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/model/nav/package-info.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/package-info.java  
\*  
/opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/marshaller/NoEscapeHandler.java  
\* /opt/cola/permits/1925246759\_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

```
2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
// NO WARRANTY! This class is in the public domain.

Found in path(s):
* /opt/cola/permits/1925246759_1709710163.882775/0/jaxb-runtime-2-3-1-sources-6-
jar/com/sun/xml/bind/marshaller/XMLWriter.java
```

# 1.2030 es5-ext 0.10.64

## 1.2030.1 Available under license :

ISC License

Copyright (c) 2011-2024, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

# 1.2031 es6-symbol 3.1.4

## 1.2031.1 Available under license :

ISC License

Copyright (c) 2013-2024, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

# 1.2032 d 1.0.2

## 1.2032.1 Available under license :

ISC License

Copyright (c) 2013-2024, Mariusz Nowak, @medikoo, medikoo.com

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

# 1.2033 browserify-sign 4.2.3

## 1.2033.1 Available under license :

ISC

Copyright (c) 2014-2015 Calvin Metcalf and browserify-sign contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.2034 html-entities 2.5.2

### 1.2034.1 Available under license :

MIT

Copyright (c) 2021 Dulin Marat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2035 parse-asn1 5.1.7

## 1.2035.1 Available under license :

Copyright (c) 2017, crypto-browserify contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

## 1.2036 elliptic 6.5.5

### 1.2036.1 Available under license :

MIT

## 1.2037 javax activation api 1.2.0

### 1.2037.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or



portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section

4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to

cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE

POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

NOTICE PURSUANT TO SECTION  
9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION  
LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this

service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you



distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs,

unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free

software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but

WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only

where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and

others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet,

for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.2038 hasown 2.0.2

### 1.2038.1 Available under license :

MIT License

Copyright (c) Jordan Harband and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.2039 set-function-length 1.2.2

### 1.2039.1 Available under license :

MIT License

Copyright (c) Jordan Harband and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.2040 follow-redirects 1.15.6

### 1.2040.1 Available under license :

Copyright 2014present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

## 1.2041 sass 1.72.0



## 1.2041.1 Available under license :

Dart Sass license:

Copyright (c) 2016, Google Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
Dart SDK license:

Copyright 2012, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
\_fe\_analyzer\_shared license:

Copyright 2019, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions

of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google LLC nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

analyzer, protobuf and protoc\_plugin license:

Copyright 2013, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
archive  
license:

The MIT License

Copyright (c) 2013-2021 Brendan Duncan.  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
args, csslib and logging license:

Copyright 2013, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
async, cli\_util, collection, mime, source\_map\_stack\_trace, stream\_channel and typed\_data license:

Copyright 2015, the Dart project authors.

Redistribution and

use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
boolean\_selector, meta and shelf\_packages\_handler license:

Copyright 2016, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
charcode license:

Copyright 2014, the Dart project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

checked\_yaml license:

Copyright 2019, the Dart project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

cli\_pkg license:

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including



the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted.

If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format.

We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
cli\_repl license:

Copyright (c) 2018, Jennifer Thakar.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
convert, crypto, shelf\_static and vm\_service license:

Copyright 2015, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
coverage, dart\_style, dartdoc, glob, http, http\_parser, matcher, path, pool, pub\_semver, source\_span, string\_scanner, test and watcher license:

Copyright 2014, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
dart\_mappable and type\_plus license:

MIT License

Copyright (c) 2021 Kilian Schulte

Permission is hereby granted,  
free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
ffi

and package\_config license:

Copyright 2019, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
file license:

Copyright 2017, the Dart project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
fixnum, http\_multi\_server, oauth2, shelf, shelf\_web\_socket, source\_maps and stack\_trace license:

Copyright 2014, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS



"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
frontend\_server\_client

license:

Copyright 2020, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

grinder and webkit\_inspection\_protocol license:

Copyright 2013, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
html license:

Copyright (c) 2006-2012 The Authors

Contributors:

James Graham - jg307@cam.ac.uk

Anne van Kesteren - anevankesteren@gmail.com

Lachlan Hunt - lachlan.hunt@lachy.id.au

Matt McDonald - kanashii@kanashii.ca

Sam Ruby - rubys@intertwingly.net

Ian Hickson (Google) - ian@hixie.ch

Thomas Broyer - t.broyer@ltgt.net

Jacques Distler - distler@golem.ph.utexas.edu  
Henri Sivonen - hsivonen@iki.fi  
Adam Barth - abarth@webkit.org  
Eric Seidel - eric@webkit.org  
The Mozilla Foundation (contributions from Henri Sivonen since 2008)  
David Flanagan (Mozilla) - dflanagan@mozilla.com  
Google LLC (contributed the Dart port) - misc@dartlang.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
io, stream\_transform  
and term\_glyph license:

Copyright 2017, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

js license:

Copyright 2012, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

json\_annotation license:

Copyright 2017, the Dart project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.
- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
lints license:

Copyright 2021, the Dart project authors.

Redistribution and use in source and binary forms, with or without  
modification, are permitted  
provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided

with the distribution.

- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
markdown license:

Copyright 2012, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided

with the distribution.

- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

native\_stack\_traces

license:

Copyright 2020, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

native\_synchronization license:

Copyright 2023, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
node\_interop license:

Copyright (c) 2017, Anatoly Pulyaevskiy.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the <organization> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED



WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
node\_preamble license:

The MIT License (MIT)

Copyright (c) 2015 Michael Bullington

Permission

is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

===

Copyright 2012, the Dart project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following

disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
petitparser and xml license:

The MIT License

Copyright (c) 2006-2023 Lukas Renggli.

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
pointycastle license:

Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
pub\_api\_client  
license:

MIT License

Copyright (c) 2020 Leo Farias

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
pubspec license:

Copyright (c) 2015, Anders Holmgren.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the <organization> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
pubspec\_parse license:

Copyright 2018, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
quiver and retry license:

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2.

Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work

to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational

purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.



8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

---

test\_api and test\_core license:

Copyright 2018, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

test\_descriptor and web\_socket\_channel license:

Copyright 2016, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following

disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

test\_process license:

Copyright 2017, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
uri license:

Copyright 2013, the Dart project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
web license:

Copyright 2023, the Dart project authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
yaml  
license:

Copyright (c) 2014, the Dart project authors.  
Copyright (c) 2006, Kirill Simonov.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2042 postcss-selector-parser 6.0.16

### 1.2042.1 Available under license :

Copyright (c) Ben Briggs <beneb.info@gmail.com> (<http://beneb.info>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2043 @babel/helper-define-polyfill-provider

### 0.6.1

### 1.2043.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2044 babel-plugin-polyfill-corejs2 0.4.10

## 1.2044.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2045 itu 1.8.0

## 1.2045.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*-
 * #L
 * Internet Time Utility
 * %%
 * Copyright (C) 2017 - 2024 Morten Haraldsen (ethlo)
 * %%
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 * #L%
 */
```

Found in path(s):

```
* /opt/cola/permits/1938377878_1710707808.5281637/0/itu-1-8-0-sources-1-
jar/com/ethlo/time/DateFormatException.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
#L
Internet Time Utility
%%
Copyright (C) 2017 Morten Haraldsen (ethlo)
%%
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
```



limitations under the License.

#L%

-->

Found in path(s):

\* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/META-

INF/maven/com.ethlo.time/itu/pom.xml

No license file was found, but licenses were detected in source scan.

/\*-

\* #L%

\* Internet Time Utility

\* %%

\* Copyright (C) 2017 - 2024 Morten Haraldsen (ethlo)

\* %%

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\* #L%

\*/

/\*\*

\* CREDIT: <a href="https://howardhinnant.github.io/date\_algorithms.html">Public domain math for converting  
between epoch and date-time</a>

\*/

Found in path(s):

\* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-

jar/com/ethlo/time/internal/DateTimeMath.java

No license file was found, but licenses were detected in source scan.

/\*-

\* #L%

\* Internet Time Utility

\* %%

\* Copyright (C) 2017 Morten Haraldsen (ethlo)

\* %%

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \* #L%
- \*/

Found in path(s):

- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/ITU.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/TimezoneOffset.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/DefaultLeapSecondHandler.java
- \*
- /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/Rfc3339.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/LeapSecondException.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/AbstractRfc3339.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/EthloITU.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/Rfc3339Parser.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/TemporalConsumer.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/DateTime.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/Rfc3339Formatter.java
- \*
- /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/TemporalType.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/TemporalHandler.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/LeapSecondHandler.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/LimitedCharArrayIntegerUtil.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/Field.java
- \* /opt/cola/permits/1938377878\_1710707808.5281637/0/itu-1-8-0-sources-1-jar/com/ethlo/time/internal/W3cDateTimeUtil.java

## 1.2046 jakarta activation api 1.2.1

## 1.2046.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Eclipse Project for JAF

This content is produced and maintained by the Eclipse Project for JAF project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.2047 json-schema-validator 1.3.3

## 1.2047.1 Available under license :

JSON Schema Validator

Copyright (c) 2016 and onwards Network New Technologies Inc.

```
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for
// -----
```

Apache Commons Validator

Copyright 2001-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

MIT

Copyright (c) 2012 Julian Berman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2048 resilience4j-timelimiter 1.7.1

### 1.2048.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Ingyu Hwang

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/Utils/MetricNames.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/Utils/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright 2019 authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*

\*/

Found in path(s):

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/event/TimeLimiterOnSuccessEvent.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/internal/TimeLimiterEventProcessor.java

\*

/opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/event/TimeLimiterOnTimeoutEvent.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/event/AbstractTimeLimiterEvent.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/event/TimeLimiterEvent.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/event/TimeLimiterOnErrorEvent.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/TimeLimiterRegistry.java

\* /opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/event/package-info.java

\*

/opt/cola/permits/1938378216\_1710707873.563395/0/resilience4j-timelimiter-1-7-1-sources-3-jar/io/github/resilience4j/timelimiter/internal/InMemoryTimeLimiterRegistry.java

# 1.2049 resilience4j-bulkhead 1.7.1

## 1.2049.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2016 Robert Winkler, Lucas Lech, Mahmoud Romeh
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/ThreadPoolBulkheadConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2017 Robert Winkler, Lucas Lech, Mahmoud Romeh
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

\*/

Found in path(s):

\* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/ThreadPoolBulkheadRegistry.java

\* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/internal/InMemoryThreadPoolBulkheadRegistry.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright 2017: Robert Winkler, Lucas Lech

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*

\*/

Found in path(s):

\* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/ThreadPoolBulkhead.java

\* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/Bulkhead.java

No license file was found, but licenses were detected in source scan.

/\*

\*

\* Copyright 2017 Robert Winkler, Lucas Lech

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \*
- \*/

Found in path(s):

- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/BulkheadFullException.java
- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/event/AbstractBulkheadEvent.java
- \*
- /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/internal/InMemoryBulkheadRegistry.java
- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/internal/SemaphoreBulkhead.java
- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/event/BulkheadOnCallRejectedEvent.java
- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/event/BulkheadOnCallPermittedEvent.java
- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/BulkheadRegistry.java
- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/event/BulkheadEvent.java

No license file was found, but licenses were detected in source scan.

- /\*
- \*
- \* Copyright 2019 Robert Winkler, Mahmoud Romeh
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \*
- \*/

Found in path(s):

- \* /opt/cola/permits/1938378212\_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-jar/io/github/resilience4j/bulkhead/internal/FixedThreadPoolBulkhead.java

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2016 Robert Winkler, Lucas Lech
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
*/opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/BulkheadConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2018: Clint Checketts
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 *
 */
```

Found in path(s):

```
*/opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/internal/package-info.java
```

```
* /opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/utils/package-info.java
```

```
*
```

```
/opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/event/package-info.java
```

```
* /opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017 Jan Sykora
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1938378212_1710707875.8654306/0/resilience4j-bulkhead-1-7-1-sources-2-
jar/io/github/resilience4j/bulkhead/event/BulkheadOnCallFinishedEvent.java
```

## 1.2050 resilience4j-retry 1.7.1

### 1.2050.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
*
```

```
* Copyright 2016 Robert Winkler
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \*
- \*/

Found in path(s):

- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/RetryConfig.java
- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/event/RetryOnErrorEvent.java
- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/event/AbstractRetryEvent.java
- \*
- /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/event/RetryOnIgnoredErrorEvent.java
- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/Retry.java
- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/event/RetryEvent.java
- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/event/RetryOnSuccessEvent.java
- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/internal/RetryImpl.java

No license file was found, but licenses were detected in source scan.

- /\*
- \*
- \* Copyright 2018: Clint Checketts
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \*
- \*/

Found in path(s):

- \* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/utis/package-info.java



\* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/package-info.java  
\* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/event/package-info.java  
\*  
/opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/internal/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 Dan Maas  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/RetryRegistry.java  
\* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/internal/InMemoryRetryRegistry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2019 Mahmoud Romeh  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*/

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1938378199\_1710707871.5853863/0/resilience4j-retry-1-7-1-sources-3-jar/io/github/resilience4j/retry/MaxRetriesExceeded.java

## 1.2051 squiggly-filter-jackson 1.3.18

### 1.2051.1 Available under license :

Copyright (c) 2016, Ryan Bohn  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.2052 resilience4j-framework-common 1.7.1

### 1.2052.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 Robert Winkler  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/CircuitBreakerEventDTO.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/monitoring/endpoint/BulkheadEventDTOFactory.java  
\*  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/CircuitBreakerEventDTOFactory.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/CircuitBreakerEventDTOBuilder.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/monitoring/endpoint/BulkheadEventDTO.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Dan Maas , Mahmoud Romeh  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/configuration/BulkheadConfigurationProperties.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 Ingyu Hwang

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/timelimiter/configuration/TimeLimiterConfigCustomizer.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/timelimiter/monitoring/endpoint/TimeLimiterEndpointResponse.java

\*

/opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/timelimiter/configuration/TimeLimiterConfigurationProperties.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/timelimiter/monitoring/endpoint/TimeLimiterEventDTO.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/timelimiter/monitoring/endpoint/TimeLimiterEventsEndpointResponse.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Mahmoud Romeh

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/retry/monitoring/endpoint/RetryEventDTOBuilder.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/retry/monitoring/endpoint/RetryEventDTO.java

\*

/opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/retry/monitoring/endpoint/RetryEventDTOFactory.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/retry/monitoring/endpoint/RetryEventsEndpointResponse.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/utils/ConfigUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Dan Maas, Mahmoud Romeh

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/configuration/ThreadPoolBulkheadConfigurationProperties.java

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/retry/configuration/RetryConfigurationProperties.java

\*

/opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/ratelimiter/configuration/RateLimiterConfigurationProperties.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Dan Maas, Mahmoud Romeh

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/circuitbreaker/configuration/CircuitBreakerConfigurationProperties.java  
No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2018: Clint Checketts  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/ratelimiter/monitoring/endpoint/package-info.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/retry/monitoring/endpoint/package-info.java  
\*  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/monitoring/endpoint/package-info.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 lespinsideg  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/monitoring/endpoint/BulkheadEndpointResponse.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/bulkhead/monitoring/endpoint/BulkheadEventsEndpointResponse.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 Bohdan Storozhuk  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/ratelimiter/monitoring/endpoint/RateLimiterEndpointResponse.java  
\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/ratelimiter/monitoring/endpoint/RateLimiterEventsEndpointResponse.java  
\*  
/opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/ratelimiter/monitoring/endpoint/RateLimiterEventDTO.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 Vijay Ram  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/CircuitBreakerHystrixStreamEventsDTO.java  
No license file was found, but licenses were detected in source scan.

/\*  
\*  
\* Copyright 2020 krnsaurabh  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1938378204\_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-jar/io/github/resilience4j/common/scheduled/threadpool/configuration/ContextAwareScheduledThreadPoolConfigurationProperties.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright Mahmoud Romeh  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>



```
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1938378204_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-
jar/io/github/resilience4j/common/CompositeCustomizer.java
* /opt/cola/permits/1938378204_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-
jar/io/github/resilience4j/common/CommonProperties.java
* /opt/cola/permits/1938378204_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-
jar/io/github/resilience4j/common/CustomizerWithName.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2020 Mahmoud Romeh
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1938378204_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-
jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/UpdateState.java
* /opt/cola/permits/1938378204_1710707878.0870883/0/resilience4j-framework-common-1-7-1-sources-1-
jar/io/github/resilience4j/common/circuitbreaker/monitoring/endpoint/CircuitBreakerUpdateStateResponse.java
```

## 1.2053 aspectjrt 1.9.6

### 1.2053.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* *****
* Copyright (c) 1999-2001 Xerox Corporation,
* 2002 Palo Alto Research Center, Incorporated (PARC),
```

\* 2004 Contributors.  
\* All rights reserved.  
\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://www.eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* Xerox/PARC initial implementation  
\* \*\*\*\*\*/

Found in path(s):  
\* /opt/cola/permits/1938394251\_1710711679.9273558/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/SoftException.java  
No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
\* Copyright (c) 1999-2001 Xerox Corporation,  
\* 2002 Palo Alto Research Center, Incorporated (PARC).  
\* All rights reserved.  
\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://www.eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* Xerox/PARC initial implementation  
\* Alex Vasseur wired up for @AJ proceeding  
\* Andy Clement 23-06-06 added extras for @AJ  
\* \*\*\*\*\*/

Found in path(s):  
\* /opt/cola/permits/1938394251\_1710711679.9273558/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/internal/AroundClosure.java  
No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
\* Copyright (c) 2006 IBM Corporation and others.  
\* All rights reserved. This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution, and is available at  
\* <http://www.eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* Andy Clement - initial implementation  
\* \*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/reflect/UnlockSignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/reflect/LockSignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/UnlockSignature.java  
\*

/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/LockSignature.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005 Contributors.  
\* All rights reserved.  
\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://eclipse.org/legal/epl-v10.html>

\* Contributors:  
\* initial implementation            Adrian Colyer

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/DeclareParents.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005 Contributors.  
\* All rights reserved.  
\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://eclipse.org/legal/epl-v10.html>

\* Contributors:  
\* Alexandre Vasseur            initial implementation

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/DeclareAnnotation.java

No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/

\* Copyright (c) 2005 Contributors.  
\* All rights reserved.

\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* Adrian Colyer Initial implementation  
\* \*\*\*\*\*/

Found in path(s):

- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/DeclareSoft.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/InterTypeDeclarationImpl.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/annotation/ajcDeclareParents.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/PerClause.java
- \*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/DeclarePrecedence.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/InterTypeMethodDeclarationImpl.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/TypePattern.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/PointcutImpl.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/DeclareWarning.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/DeclareSoftImpl.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/AjType.java
- \*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/InterTypeFieldDeclaration.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/PointcutBasedPerClauseImpl.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/PointcutExpressionImpl.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/PointcutExpression.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/annotation/ajcDeclareSoft.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/InterTypeConstructorDeclaration.java
- \* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/SignaturePatternImpl.java

\*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/annotation/ajcDeclarePrecedence.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/annotation/ajcDeclareAnnotation.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/InterTypeFieldDeclarationImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/PerClauseImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/InterTypeConstructorDeclarationImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/annotation/ajcPrivileged.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/DeclareAnnotation.java  
\*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/PerClauseKind.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/Advice.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/TypePatternBasedPerClauseImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/annotation/ajcDeclareEoW.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/DeclareErrorOrWarningImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/DeclareAnnotationImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/Pointcut.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/NoSuchAdviceException.java  
\*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/TypePatternImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/DeclareParentsImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/AjTypeImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/DeclareErrorOrWarning.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/TypePatternBasedPerClause.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/NoSuchPointcutException.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/internal/lang/reflect/AdviceImpl.java  
\*

```

/opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/AjTypeSystem.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/InterTypeDeclaration.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/PointcutBasedPerClause.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/internal/lang/reflect/StringToType.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/SignaturePattern.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/InterTypeMethodDeclaration.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/DeclareParents.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/internal/lang/reflect/DeclarePrecedenceImpl.java
*
/opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/annotation/DeclareError.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/reflect/AdviceKind.java
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/internal/lang/annotation/ajcITD.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2005 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://eclipse.org/legal/epl-v10.html
*
* Contributors:
* initial implementation Alexandre Vasseur
* generic signature update Adrian Colyer
*****/

```

```

Found in path(s):
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/Aspects.java
No license file was found, but licenses were detected in source scan.

```

```

/* ****
* Copyright (c) 2004 IBM Corporation
*
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0

```

\* which accompanies this distribution and is available at  
\* <http://www.eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* Andy Clement initial implementation  
\* Copied from bits of original CFlowStack  
\* \*\*\*\*\*/

Found in path(s):  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/cflowstack/ThreadCounterImpl11.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/cflowstack/ThreadStackImpl11.java  
No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
\* Copyright (c) 2006 Contributors.  
\* All rights reserved.  
\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* variant of Aspects in the aspectj5rt project - this one isn't Java5 - Andy Clement  
\* \*\*\*\*\*/

Found in path(s):  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/Aspects14.java  
No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
\* Copyright (c) 1999-2001 Xerox Corporation,  
\* 2002-2018 Palo Alto Research Center, Incorporated (PARC), Contributors  
\* All rights reserved.  
\* This program and the accompanying materials are made available  
\* under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution and is available at  
\* <http://www.eclipse.org/legal/epl-v10.html>  
\*  
\* Contributors:  
\* Xerox/PARC initial implementation  
\* Alex Vasseur new factory methods for variants of JP  
\* Abraham Nevado new factory methods for collapsed SJPs  
\* Andy Clement new factory methods that rely on LDC <class>  
\* \*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/reflect/Factory.java

No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*

\* Copyright (c) 2009 Contributors.

\* All rights reserved.

\* This program and the accompanying materials are made available

\* under the terms of the Eclipse Public License v1.0

\* which accompanies this distribution and is available at

\* <http://eclipse.org/legal/epl-v10.html>

\*

\* Contributors:

\* initial implementation            Andy Clement

\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/DeclareMixin.java

No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*

\* Copyright (c) 2004 IBM Corporation

\*

\* All rights reserved.

\* This program and the accompanying materials are made available

\* under the terms of the Eclipse Public License v1.0

\* which accompanies this distribution and is available at

\* <http://www.eclipse.org/legal/epl-v10.html>

\*

\* Contributors:

\*    Andy Clement    initial implementation

\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/cflowstack/ThreadStackFactory.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/CFlowCounter.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/cflowstack/ThreadStack.java

\*

/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/cflowstack/ThreadStackFactoryImpl11.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/cflowstack/ThreadStackFactoryImpl.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-



jar/org/aspectj/runtime/internal/cflowstack/ThreadCounter.java  
No license file was found, but licenses were detected in source scan.

```
/* *****
* Copyright (c) 1999-2001 Xerox Corporation,
* 2002 Palo Alto Research Center, Incorporated (PARC),
* 2006 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
* Xerox/PARC initial implementation
* *****/
```

Found in path(s):  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/reflect/InitializerSignature.java  
No license file was found, but licenses were detected in source scan.

```
/* *****
* Copyright (c) 2013 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://eclipse.org/legal/epl-v10.html
*
* Contributors:
* initial implementation Andy Clement
* *****/
```

Found in path(s):  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/annotation/control/CodeGenerationHint.java  
No license file was found, but licenses were detected in source scan.

```
/* *****
* Copyright (c) 2005 Contributors.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* Contributors:
* Adrian Colyer initial implementation
```

\*\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/AdviceName.java

No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*

\* Copyright (c) 1999-2001 Xerox Corporation,  
\* 2002 Palo Alto Research Center, Incorporated (PARC).

\* All rights reserved.

\* This program and the accompanying materials are made available

\* under the terms of the Eclipse Public License v1.0

\* which accompanies this distribution and is available at

\* <http://www.eclipse.org/legal/epl-v10.html>

\*

\* Contributors:

\* Xerox/PARC initial implementation

\*\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/Signature.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/CFlow.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/reflect/CatchClauseSignatureImpl.java

\*

/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/Conversions.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/FieldSignature.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/CFlowPlusState.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/reflect/JoinPointImpl.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/reflect/CodeSignatureImpl.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/runtime/internal/PerObjectMap.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/AdviceSignature.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/ConstructorSignature.java

\*

/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/reflect/CatchClauseSignature.java

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-

jar/org/aspectj/lang/reflect/CodeSignature.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/MemberSignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/MethodSignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/InitializerSignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/NoAspectBoundException.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/AdviceSignatureImpl.java  
\*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/SourceLocationImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/ConstructorSignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/reflect/MemberSignature.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/reflect/SourceLocation.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/SignatureImpl.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/JoinPoint.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/lang/reflect/MethodSignature.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/FieldSignatureImpl.java  
\*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/reflect/StringMaker.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-  
jar/org/aspectj/runtime/internal/CFlowStack.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2005 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://eclipse.org/legal/epl-v10.html
*
* Contributors:
* initial implementation Alexandre Vasseur
*/
```

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/Aspect.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/DeclarePrecedence.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/Around.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/Pointcut.java

\*  
/opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/AfterThrowing.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/ProceedingJoinPoint.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/After.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/AfterReturning.java  
\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/annotation/Before.java

No license file was found, but licenses were detected in source scan.

```
/* *****
* Copyright (c) 2005 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://eclipse.org/legal/epl-v10.html
*
* Contributors:
* Wes Isberg initial implementation
* *****
```

Found in path(s):

\* /opt/cola/permits/1938394251\_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-jar/org/aspectj/lang/internal/lang/Placeholder.java

No license file was found, but licenses were detected in source scan.

```
/* *****
* Copyright (c) 2014 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://eclipse.org/legal/epl-v10.html
* *****
```

Found in path(s):

```
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/annotation/RequiredTypes.java
```

No license file was found, but licenses were detected in source scan.

```
/* *****
```

```
* Copyright (c) 2005 Contributors.
* All rights reserved.
* This program and the accompanying materials are made available
* under the terms of the Eclipse Public License v1.0
* which accompanies this distribution and is available at
* http://eclipse.org/legal/epl-v10.html
```

```
*
* Contributors:
* Wes Isberg initial implementation
* Andy Clement fleshed out to match SuppressWarnings
* *****/
```

Found in path(s):

```
* /opt/cola/permits/1938394251_1710711679.9273558/0/aspectjrt-1-9-6-sources-1-
jar/org/aspectj/lang/annotation/SuppressAjWarnings.java
```

# 1.2054 jackson-dataformat-yaml 2.12.7

## 1.2054.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

```
http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
Licensing
```

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.2055 woodstox-core 6.2.4

## 1.2055.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.2056 jackson-datatype-jsr310 2.12.7

## 1.2056.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.2057 jackson-dataformat-xml 2.12.7

## 1.2057.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.2058 jackson-xc 2.12.7

## 1.2058.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.2059 jackson-datatype-hibernate 2.12.7

### 1.2059.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.2060 jackson-dataformat-smile 2.12.7

### 1.2060.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Copyright 2012 FasterXML.com
#
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
```

com.fasterxml.jackson.dataformat.smile.SmileFactory

Found in path(s):

```
* /opt/cola/permits/1938453209_1710732812.0311537/0/jackson-dataformat-smile-2-12-7-sources-2-jar/META-INF/services/com.fasterxml.jackson.core.JsonFactory
```

## 1.2061 jackson-module-jjsonschema 2.12.7

### 1.2061.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the



specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.2062 bcpjg-jdk15on 1.50

### 1.2062.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1938507598_1710739918.8169317/0/bcpjg-jdk15on-1-50-sources-3-
jar/org/bouncycastle/apache/bzip2/CBZip2InputStream.java
*
/opt/cola/permits/1938507598_1710739918.8169317/0/bcpjg-jdk15on-1-50-sources-3-
jar/org/bouncycastle/apache/bzip2/CRC.java
* /opt/cola/permits/1938507598_1710739918.8169317/0/bcpjg-jdk15on-1-50-sources-3-
jar/org/bouncycastle/apache/bzip2/BZip2Constants.java
* /opt/cola/permits/1938507598_1710739918.8169317/0/bcpjg-jdk15on-1-50-sources-3-
jar/org/bouncycastle/apache/bzip2/CBZip2OutputStream.java
```

## 1.2063 bcprov-jdk15on 1.50

### 1.2063.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// now keep space is free to use
```

Found in path(s):

\* /opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/pqc/crypto/gmss/GMSSPrivateKeyParameters.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* The Bouncy Castle License

\*

\* Copyright (c) 2000-2013 The Legion Of The Bouncy Castle (<http://www.bouncycastle.org>)

\* <p>

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to deal in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,  
\* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,  
\* subject to the following conditions:

\* <p>

\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.

\* <p>

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED,

\* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A  
\* PARTICULAR

\* PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF  
\* CONTRACT, TORT OR

\* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
\* OTHER

\* DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/LICENSE.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \*/

Found in path(s):

\* /opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/apache/bzip2/CRC.java

\*

/opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/apache/bzip2/CBZip2OutputStream.java

\* /opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/apache/bzip2/BZip2Constants.java

\* /opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/apache/bzip2/CBZip2InputStream.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Poly1305 message authentication code, designed by D. J. Bernstein.

\* <p>

\* Poly1305 computes a 128-bit (16 bytes) authenticator, using a 128 bit nonce and a 256 bit key

\* consisting of a 128 bit key applied to an underlying cipher, and a 128 bit key (with 106

\* effective key bits) used in the authenticator.

\* <p>

\* The polynomial calculation in this implementation is adapted from the public domain <a

\* href="https://github.com/floodyberry/poly1305-donna">poly1305-donna-unrolled</a> C implementation

\* by Andrew M (@floodyberry).

\* @see Poly1305KeyGenerator

\*/

Found in path(s):

\* /opt/cola/permits/1938507604\_1710739916.3197036/0/bcprov-jdk15on-1-50-sources-1-jar/org/bouncycastle/crypto/mac/Poly1305.java

## 1.2064 collections 3.2.2

### 1.2064.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

-----

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

-----

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software

patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

-----

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must

cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing

or modifying  
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all.

For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License



may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

-----

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES

OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

-----  
END OF TERMS AND CONDITIONS

# 1.2065 cas-client-core 3.2.1

## 1.2065.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Licensed to Jasig under one or more contributor license
- \* agreements. See the NOTICE file distributed with this work
- \* for additional information regarding copyright ownership.
- \* Jasig licenses this file to you under the Apache License,
- \* Version 2.0 (the "License"); you may not use this file
- \* except in compliance with the License. You may obtain a
- \* copy of the License at:
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing,
- \* software distributed under the License is distributed on
- \* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- \* KIND, either express or implied. See the License for the
- \* specific language governing permissions and limitations
- \* under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/AbstractTicketValidationFilter.java
- \*

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/authentication/AuthenticationFilter.java

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/XmlUtils.java

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/InvalidProxyChainTicketValidationException.java

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/Cas20ProxyTicketValidator.java

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/session/SingleSignOutHandler.java

- \* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/authentication/SimplePrincipal.java

```

* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/util/AssertionThreadLocalFilter.java
*
/opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/session/SessionMappingStorage.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/util/ErrorRedirectFilter.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/Cas10TicketValidationFilter.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/Cas20ProxyReceivingTicketValidationFilter.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/authentication/DefaultGatewayResolverImpl.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/TicketValidator.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/ProxyListEditor.java
*
/opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/AssertionImpl.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/Saml11TicketValidationFilter.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/jaas/AssertionPrincipal.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/authentication/Saml11AuthenticationFilter.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/session/HashMapBackedSessionMappingStorage.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/proxy/CleanUpTimerTask.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/ssl/AnyHostnameVerifier.java
*
/opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/AbstractUrlBasedTicketValidator.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/session/SingleSignOutFilter.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/util/AssertionHolder.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/authentication/AttributePrincipalImpl.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/jaas/ServiceAndTicketCallbackHandler.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/proxy/ProxyGrantingTicketStorage.java
* /opt/cola/permits/1938507872_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-
jar/org/jasig/cas/client/validation/Cas10TicketValidator.java
*

```

/opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/AbstractCasProtocolUrlBasedTicketValidator.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/ssl/RegexHostnameVerifier.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/AbstractConfigurationFilter.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/ssl/WhitelistHostnameVerifier.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/CommonUtils.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/HttpServletRequestWrapperFilter.java  
\*  
/opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/Assertion.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/TicketValidationException.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/authentication/AttributePrincipal.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/Cas20ServiceTicketValidator.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/authentication/GatewayResolver.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/ReflectUtils.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/authentication/SimpleGroup.java  
\*  
/opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/jaas/CasLoginModule.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/proxy/ProxyGrantingTicketStorageImpl.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/session/SingleSignOutHttpSessionListener.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/DelegatingFilter.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/jaas/TicketCredential.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/proxy/Cas20ProxyRetriever.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/AbstractCasFilter.java  
\*  
/opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/proxy/ProxyRetriever.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/validation/ProxyList.java  
\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-

jar/org/jasig/cas/client/validation/Saml11TicketValidator.java  
No license file was found, but licenses were detected in source scan.

<!--

Licensed to Jasig under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. Jasig licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/util/package.html

\*

/opt/cola/permits/1938507872\_1710739984.7031007/0/cas-client-core-3-2-1-sources-2-jar/org/jasig/cas/client/proxy/package.html

## 1.2066 google-http-client-xml 1.20.0

### 1.2066.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/http/xml/atom/AtomContent.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/http/xml/atom/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2010 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/http/xml/XmlHttpContent.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/http/xml/atom/AtomFeedParser.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/XmlObjectParser.java

\*

/opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/atom/AbstractAtomFeedParser.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/atom/Atom.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/package-info.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/XmlNamespaceDictionary.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/atom/package-info.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/Xml.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/http/xml/AbstractXmlHttpContent.java

\*

/opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/xml/GenericXml.java

\* /opt/cola/permits/1938508277\_1710740114.1221974/0/google-http-client-xml-1-20-0-sources-5-jar/com/google/api/client/http/xml/package-info.java

# 1.2067 easymock 3.1

## 1.2067.1 Available under license :

```
// -----
// NOTICE file corresponding to the section 4d of The Apache License,
// Version 2.0, in this case for EasyMock
// -----
```

EasyMock  
Copyright 2001-2011 OFFIS, Tammo Freese, Henri Tremblay

This product includes/uses software(s) developed by 'an unknown organization'  
- Code Generation Library (<http://cglib.sourceforge.net/>)

This product includes/uses software(s) developed by 'Joe Walnes, Henri Tremblay, Leonardo Mesquita'  
- Objenesis (<http://objenesis.googlecode.com/svn/docs/index.html>)

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the



Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2068 hazelcast-client 3.8.9

## 1.2068.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/connection/AddressTranslator.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/util/AddressHelper.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/spi/impl/listener/ClientNonSmartListenerService.java
*
/opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/connection/AddressProvider.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/proxy/NearCachedClientMapProxy.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/proxy/ClientListProxy.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/impl/querycache/subscriber/ClientSubscriberContext.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/proxy/ClientScheduledFutureProxy.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/spi/impl/ClientPartitionServiceImpl.java
*
/opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/proxy/IExecutorDelegatingFuture.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/config/ClientConfig.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/ClientExtension.java
* /opt/cola/permits/1938508256_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-
jar/com/hazelcast/client/cache/impl/ClientCacheProxy.java
```

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/cache/impl/AbstractClientInternalCacheProxy.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/map/impl/nearcache/invalidation/ClientMapMetaDataFetcher.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/package-info.java

\*

/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientTopicProxy.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientAtomicLongProxy.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/DefaultClientExtension.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/ClientPartitionService.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/nio/ClientSocketReaderInitializer.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/DefaultAddressProvider.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/config/ProxyFactoryConfig.java

\*

/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/nio/ClientConnectionManagerImpl.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientMapProxy.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/querycache/subscriber/package-info.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/ClientTransactionManagerService.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/nio/ClientConnection.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/HazelcastClientInstanceImpl.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientLockProxy.java

\*

/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientServiceNotFoundException.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/cache/impl/package-info.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/DefaultAddressTranslator.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/TransactionProxy.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/ClientLockReferenceIdGenerator.java

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-

jar/com/hazelcast/client/impl/HazelcastClientProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientProxyFactory.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/HazelcastClientNotActiveException.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/TransactionContextProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/AbstractClientCacheProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/ClientClusterServiceImpl.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientIdGeneratorProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientProxyDescriptorProvider.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/PartitionServiceProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/AbstractClientTxnCollectionProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/ClientTxnSetProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/DefaultClientConnectionFactory.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/util/RoundRobinLB.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/console/package-info.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/discovery/DiscoveryAddressProvider.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/listener/ClientEventRegistration.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/AwsAddressProvider.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/HazelcastClientManager.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/config/ClientXmlElement.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientProxyDescriptor.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/ClientTxnQueueProxy.java  
\*

/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientInvocationFuture.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/xa/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientNonSmartInvocationServiceImpl.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientExecutionServiceImpl.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/nio/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/ClientTxnProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/package-info.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/HazelcastClient.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/ClientTxnMapProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientReplicatedMapProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/ClientConnectionManager.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ConnectionHeartbeatListener.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/config/ClientSecurityConfig.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/querycache/subscriber/ClientQueryCacheEventService.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/cache/impl/HazelcastClientCacheManager.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientCardinalityEstimatorProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/ClientProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/ClientExecutionService.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/config/ClientAwsConfig.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/listener/ClientListenerServiceImpl.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-

jar/com/hazelcast/client/impl/querycache/subscriber/ClientQueryCacheEndToEndConstructor.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/ClusterListenerSupport.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/subscriber/ClientInvokerWrapper.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/ClientTxnMultiMapProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/CallIdSequence.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/ClientCacheProxyFactory.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/ClientTransactionManagerServiceImpl.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientExecutorServiceProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/HazelcastClientFactory.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/map/impl/ClientMapPartitionIterator.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/ClientQueryCacheContext.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/nearcache/invalidation/ClientCacheMetaDataFetcher.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientMultiMapProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/ClientInvocationServiceSupport.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/ClientClusterWideIterator.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/subscriber/ClientQueryCacheConfigurator.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/ClientCacheStatisticsImpl.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/ClientConnectionManagerFactory.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/properties/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/config/SocketOptions.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientQueueProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/subscriber/ClientSubscriberContextSupport.java



\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/console/ClientConsoleApp.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientConditionProxy.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/xa/XAResourceProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/discovery/DiscoveryAddressTranslator.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientCountDownLatchProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/config/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/config/QueryCacheConfigBuilderHelper.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/ClientLoggingService.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientSmartInvocationServiceImpl.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/ClientSemaphoreProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/cache/impl/HazelcastClientCachingProvider.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientInvocation.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/impl/ClientMembershipListener.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/xa/XATransactionProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/util/RandomLB.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/impl/ClientImpl.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/util/ClientDelegatingFuture.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/cache/impl/ClientCachePartitionIterator.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/spi/ClientContext.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/connection/nio/ClientSocketWriterInitializer.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/proxy/txn/ClientTxnListProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/com/hazelcast/client/cache/impl/CallbackAwareClientDelegatingFuture.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-

jar/com/hazelcast/client/spi/impl/AwsAddressTranslator.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/OneShotExecutionCallback.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/config/ClientNetworkConfig.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/listener/ClientRegistrationKey.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/util/AbstractLoadBalancer.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/PartitionSpecificClientProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/LifecycleServiceImpl.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientTransactionContext.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/subscriber/QueryCacheToListenerMapper.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/util/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientAtomicReferenceProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/package-info.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/ClientICacheManager.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/listener/ClientSmartListenerService.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/ListenerMessageCodec.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/ClientOutOfMemoryHandler.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientListenerService.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/ClientCacheHelper.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/EventHandler.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/cache/impl/AbstractClientCacheProxyBase.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/config/ClientReliableTopicConfig.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-

jar/com/hazelcast/client/proxy/ClientScheduledExecutorProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientClusterProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/subscriber/ClientQueryCacheScheduler.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ProxyManager.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientSetProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/util/StaticLB.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/config/XmlClientConfigBuilder.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientReliableTopicProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/txn/xa/XATransactionContextProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/HazelcastClientManagedContext.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientDurableExecutorServiceProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientInvocationService.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/ClientClusterService.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/impl/listener/LazyDistributedObjectEvent.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/config/XmlClientConfigLocator.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/ClientMessageDecoder.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientMapReduceProxy.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/spi/properties/ClientProperty.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/LoadBalancer.java  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/impl/querycache/subscriber/ListenerInfo.java  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-  
jar/com/hazelcast/client/proxy/ClientRingbufferProxy.java  
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright (c) 2008-2017, Hazelcast, Inc. All Rights Reserved.

~  
~ Licensed under the Apache License, Version 2.0 (the "License");  
~ you may not use this file except in compliance with the License.  
~ You may obtain a copy of the License at  
~  
~ <http://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS,  
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.6.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.8.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.4.xsd  
\*  
/opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.7.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.2.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-default.xml  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-full.xml  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.3.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.0.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.5.xsd  
\* /opt/cola/permits/1938508256\_1710740122.4995778/0/hazelcast-client-3-8-9-sources-1-jar/hazelcast-client-config-3.1.xsd

## 1.2069 hazelcast 3.8.9

### 1.2069.1 Available under license :

Apache-2.0

# 1.2070 icu4j 63.1

## 1.2070.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

1. ICU License - ICU 1.8.1 to ICU

## COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

## 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
The Google Chrome software developed by Google is licensed under
the BSD license. Other software included in this distribution is
provided under other licenses, as set forth below.
#
The BSD License
http://opensource.org/licenses/bsd-license.php
Copyright (C) 2006-2008, Google Inc.
#
All rights reserved.
#
```

```
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
#
Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with
the distribution.
Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#
The word list in cjdict.txt are generated by combining three word lists
listed below with further processing for compound word breaking. The
frequency is generated with an iterative training against Google web
corpora.
#
* Libtabe (Chinese)
- https://sourceforge.net/project/?group_id=1519
- Its license terms and conditions are shown below.
#
* IPADIC (Japanese)
- http://chasen.aist-nara.ac.jp/chasen/distribution.html
- Its license terms and conditions are shown below.
#
-----COPYING.libtabe ---- BEGIN-----
#
/*
* Copyright (c) 1999 TaBE Project.
* Copyright (c) 1999 Pai-Hsiang Hsiao.
* All rights reserved.
```

```
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the TaBE Project nor the names of its
* contributors may be used to endorse or promote products derived
* from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
/*
* Copyright (c) 1999 Computer Systems and Communication Lab,
* Institute
* of Information Science, Academia
* Sinica. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* . Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* . Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
* . Neither the name of the Computer Systems and Communication Lab
* nor the names of its contributors may be used to endorse or
```



```

* promote products derived from this software without specific
* prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*/
#
Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
University of Illinois
c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
-----COPYING.libtabe-----END-----
#
#
-----COPYING.ipadic-----BEGIN-----
#
Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
and Technology. All Rights Reserved.
#
Use, reproduction, and distribution of this software is permitted.
Any copy of this software, whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.
#
Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.
#
A large portion of the dictionary entries
originate from ICOT
Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

```

#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.

#  
# NO WARRANTY

#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program is provided without any warranty whatsoever, whether express,  
# implied,  
# statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation of  
# any right of any third party.

#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.

#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special, incidental  
# and consequential damages, arising out of or otherwise in  
# connection  
# with the use or inability to use the program or any product, material  
# or result produced or otherwise obtained by using the program,  
# regardless of whether they have been advised of, or otherwise had  
# knowledge of, the possibility of such damages at any time during the  
# project or thereafter. Each user will be deemed to have agreed to the  
# foregoing by his or her commencement of use of the program. The term  
# "use" as used herein includes, but is not limited to, the use,  
# modification, copying and distribution of the program and the  
# production of secondary products from the program.

#  
# In the case where the program, whether in its original form or  
# modified, was distributed or delivered to or received by a user from  
# any person, organization or entity other than ICOT, unless it makes or

```
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from
and not be held liable to the user for any such damages as noted
above as far as the program is concerned.
#
-----COPYING.ipadic-----END-----
```

### 3. Lao Word Break Dictionary Data (laodict.txt)

```
Copyright (c) 2013 International Business Machines Corporation
and others. All Rights Reserved.
#
Project: http://code.google.com/p/lao-dictionary/
Dictionary: http://lao-dictionary.googlecode.com/git/Lao-Dictionary.txt
License: http://lao-dictionary.googlecode.com/git/Lao-Dictionary-LICENSE.txt
(copied below)
#
This file is derived from the above dictionary, with slight
modifications.

Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification,
are permitted provided that the following conditions are met:
#
#
Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer. Redistributions in
binary form must reproduce the above copyright notice, this list of
conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
```

# OF THE POSSIBILITY OF SUCH DAMAGE.

# -----

#### 4. Burmese Word Break Dictionary Data (burmesedict.txt)

# Copyright (c) 2014 International Business Machines Corporation

# and others. All Rights Reserved.

#

# This list is part of a project hosted at:

# [github.com/kanyawtech/myanmar-karen-word-lists](https://github.com/kanyawtech/myanmar-karen-word-lists)

#

# -----

# Copyright (c) 2013, LeRoy Benjamin Sharon

# All rights reserved.

#

# Redistribution and use in source and binary forms, with or without

# modification, are permitted provided that the following conditions

# are met: Redistributions of source code must retain the above

# copyright notice, this list of conditions and the following

# disclaimer. Redistributions in binary form must reproduce the

# above copyright

notice, this list of conditions and the following

# disclaimer in the documentation and/or other materials provided

# with the distribution.

#

# Neither the name Myanmar Karen Word Lists, nor the names of its

# contributors may be used to endorse or promote products derived

# from this software without specific prior written permission.

#

# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND

# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,

# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS

# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR

# TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF

# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

# SUCH DAMAGE.

# -----

#### 5. Time Zone Database

ICU uses the public domain data and code derived from Time Zone

Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

#### # 7. Database Ownership

#

# The TZ database itself is not an IETF Contribution or an IETF document. Rather it is a pre-existing and regularly updated work that is in the public domain, and is intended to remain in the public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do not apply to the TZ Database or contributions that individuals make to it. Should any claims be made and substantiated against the TZ Database, the organization that is providing the IANA Considerations defined in this RFC, under the memorandum of understanding with the IETF, currently ICANN, may act in accordance with all competent court orders. No ownership claims will be made by ICANN or the IETF Trust on the database or the code. Any person making a contribution to the database or code waives all rights to future claims in that contribution or in the TZ Database.

#### 6. Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided

with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.2071 javax-activation 1.2.0

## 1.2071.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the

Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.



### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under

the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant

Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other

clause or provision that addresses Government rights in computer

software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara

County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of

it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:



a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software Foundation

may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version

69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then

distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.2072 jaxb-api 2.3.0

### 1.2072.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available



in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

#### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the

Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all

rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the

jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This

alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other

system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS



## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name  
and a brief idea of what it does.

### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision
```

```
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are
welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program

is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.2073 jaxb-core 2.2.11

## 1.2073.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception  
as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/nav/ReflectionNavigator.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/nav/Navigator.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/Navigator.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/Messages.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html) or [packager/legal/LICENSE.txt](http://packager/legal/LICENSE.txt). See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/META-INF/maven/com.sun.istack/istack-commons-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2013-2014 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at

[http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

or packager/legal/LICENSE.txt. See the License for the specific

language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/META-INF/maven/org.glassfish.jaxb/jaxb-core/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject  
to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/Nullable.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/SAXParseException2.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/Pool.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/Interned.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/Builder.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/SAXException2.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/NotNull.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/localization/LocalizableMessage.java  
\*  
/opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/XMLStreamException2.java

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/logging/Logger.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/FinalArrayList.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/localization/Localizable.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/FragmentContentHandler.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/localization/NullLocalizable.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/package-info.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/localization/LocalizableMessageFactory.java  
\*  
/opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/localization/Localizer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/v2/model/core/package-info.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/v2/Messages.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/Util.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:



\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject  
to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/v2/util/XmlFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception

as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/unmarshaller/DOMScanner.java

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/api/impl/NameConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\*/opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/marshaller/SAX2DOMEx.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU  
General Public License Version 2 only ("GPL") or the Common Development  
and Distribution License("CDDL") (collectively, the "License"). You  
may not use this file except in compliance with the License. You can  
obtain a copy of the License at  
[https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
or packager/legal/LICENSE.txt. See the License for the specific  
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each  
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the GPL Version 2 section of the License  
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields  
enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/nav/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

```
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/
// NO WARRANTY! This class is in the public domain.

Found in path(s):
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/XMLWriter.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
```

```

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/
// This class is in the Public Domain. NO WARRANTY!
/**
* Encapsulate Namespace logic for use by applications using SAX,
* or internally by SAX drivers.
*
* <blockquote>
* This module, both source code and documentation, is in the
* Public Domain, and comes with NO WARRANTY.
* See http://www.saxproject.org
* for further information.
* </blockquote>
*
* <p>This class encapsulates the logic of Namespace processing: it
* tracks the declarations currently in force for each context and
* automatically processes qualified XML names into their Namespace
* parts; it can also be used in reverse for generating XML qnames
* from Namespaces.</p>
*
* <p>Namespace support objects are reusable, but the reset method
* must be invoked between each session.</p>
*
* <p>Here is a simple session:</p>
*
* <pre>
* String parts[] = new String[3];
* NamespaceSupport
support = new NamespaceSupport();
*
* support.pushContext();
* support.declarePrefix("", "http://www.w3.org/1999/xhtml");
* support.declarePrefix("dc", "http://www.purl.org/dc#");
*
* parts = support.processName("p", parts, false);
* System.out.println("Namespace URI: " + parts[0]);

```

```

* System.out.println("Local name: " + parts[1]);
* System.out.println("Raw name: " + parts[2]);
*
* parts = support.processName("dc:title", parts, false);
* System.out.println("Namespace URI: " + parts[0]);
* System.out.println("Local name: " + parts[1]);
* System.out.println("Raw name: " + parts[2]);
*
* support.popContext();
* </pre>
*
* <p>Note that this class is optimized for the use case where most
* elements do not contain Namespace declarations: if the same
* prefix/URI mapping is repeated for each context (for example), this
* class will be somewhat less efficient.</p>
*
* <p>Although SAX drivers (parsers) may choose to use this class to
* implement namespace handling, they
* are not required to do so.
* Applications must track namespace information themselves if they
* want to use namespace information.
*
* @since SAX 2.0
* @author David Megginson
* @version 2.0.1 (sax2r2)
*/

```

Found in path(s):

```

* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/NamespaceSupport.java

```

No license file was found, but licenses were detected in source scan.

```

Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

```

Found in path(s):

```

* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/Messages.properties

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

```

```

*

```

\* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)  
\* or `packager/legal/LICENSE.txt`. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at `packager/legal/LICENSE.txt`.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject  
\* to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* `/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/ByteArrayDataSource.java`

\* `/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/istack/XMLStreamReaderToContentHandler.java`

No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

# The contents of this file are subject to the terms of either the GNU



# General Public License Version 2 only ("GPL") or the Common Development  
# and Distribution License("CDDL") (collectively, the "License"). You  
# may not use this file except in compliance with the License. You can  
# Oracle designates this particular file as subject to the "Classpath"  
# exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_es.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_it.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages.properties  
\*  
/opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_es.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_ja.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_ko.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_fr.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_it.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_de.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_pt\_BR.properties  
\*  
/opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_fr.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_ko.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_ja.properties  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/Messages\_de.properties

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2014 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/META-INF/maven/org.glassfish.jaxb/txw2/pom.xml

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or [packager/legal/LICENSE.txt](#). See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at [packager/legal/LICENSE.txt](#).

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/txw2/annotation/package.html

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/txw2/output/package.html

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/txw2/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made

subject to such option by the copyright

\* holder.

\*/

Found in path(s):

- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/ElementPropertyInfo.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/api/impl/NameUtil.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/annotation/XmlIsSet.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/ElementInfo.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/LeafInfo.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/nav/ParameterizedTypeImpl.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/MaybeElement.java
- \*
- /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/TODO.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/annotation/Locatable.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/marshaller/MinimumEscapeHandler.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/ClassInfo.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/Ref.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/util/Which.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/ClassFactory.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/WhiteSpaceProcessor.java
- \*
- /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/schemagen/episode/package-info.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationException.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/annotation/AnnotationReader.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/ID.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/Locatable.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/unmarshaller/InfosetScanner.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-jar/com/sun/xml/bind/v2/model/core/PropertyInfo.java
- \* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-

```

jar/com/sun/xml/bind/v2/model/core/AttributePropertyInfo.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorEx.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/EnumLeafInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/WellKnownNamespace.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/PropertyKind.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/TypeInfoSet.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/util/SecureLoader.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/util/EditDistance.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/ValuePropertyInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/annotation/AnnotationSource.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/annotation/XmlLocation.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/schemagen/episode/Klass.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/schemagen/episode/SchemaBindings.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/Adapter.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/RegistryInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/nav/WildcardTypeImpl.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/nav/TypeVisitor.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/annotation/OverrideAnnotationOf.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/BuiltinLeafInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/runtime/RuntimeUtil.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/marshaller/CharacterEscapeHandler.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/schemagen/episode/Bindings.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/EnumConstant.java

```

```

*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/Element.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/NonElementRef.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/NonElement.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/TypeRef.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/util/FlattenIterator.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/nav/SecureLoader.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/runtime/Location.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/ArrayInfo.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/MapPropertyInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/ErrorHandler.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/WildcardTypeInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/ReferencePropertyInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/nav/GenericArrayTypeImpl.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/marshaller/DataWriter.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/marshaller/DumbEscapeHandler.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/runtime/SwaRefAdapterMarker.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/TypeInfo.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/v2/model/core/WildcardMode.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/api/ErrorListener.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
*

```

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
\* subject to such option by the copyright  
\* holder.  
\*/  
// NO WARRANTY! This class is in the public domain.  
  
Found in path(s):  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/bind/marshaller/XMLWriter.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.  
\*  
\*



\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/txw2/output/IndentingXMLFilter.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/txw2/EndTag.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/txw2/Cdata.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/txw2/Content.java  
\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
jar/com/sun/xml/txw2/Text.java

```

* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/DumbEscapeHandler.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/StreamSerializer.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/CharacterEscapeHandler.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/IllegalAnnotationException.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/DatatypeWriter.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/TXWResult.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/annotation/XmlElement.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/NamespaceDecl.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/Document.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/annotation/XmlAttribute.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/DumpSerializer.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/SaxSerializer.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/Comment.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/IllegalSignatureException.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/annotation/XmlCDATA.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/ContentVisitor.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/Pcdata.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/XmlSerializer.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/ContainerElement.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/DelegatingXMLStreamWriter.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/StaxSerializer.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/annotation/XmlValue.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-

```

```
jar/com/sun/xml/txw2/NamespaceResolver.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/DataWriter.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/annotation/XmlNamespace.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/TxwException.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/ResultFactory.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/TXW.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/StartDocument.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/StartTag.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/DomSerializer.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/Attribute.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/TypedXmlWriter.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/EndDocument.java
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/IndentingXMLStreamWriter.java
*
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/txw2/output/TXWSerializer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 2011 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
```

```
* General Public License Version 2 only ("GPL") or the Common Development
```

```
* and Distribution License("CDDL") (collectively, the "License"). You
```

```
* may not use this file except in compliance with the License. You can
```

```
* obtain a copy of the License at
```

```
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
```

```
* or packager/legal/LICENSE.txt. See the License for the specific
```

```
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
```

```
* file and include the License file at packager/legal/LICENSE.txt.
```

```
*
```

\* GPL Classpath Exception:  
 \* Oracle designates this particular file as subject to the "Classpath"  
 \* exception  
 as provided by Oracle in the GPL Version 2 section of the License  
 \* file that accompanied this code.  
 \*  
 \* Modifications:  
 \* If applicable, add the following below the License Header, with the fields  
 \* enclosed by brackets [] replaced by your own identifying information:  
 \* "Portions Copyright [year] [name of copyright owner]"  
 \*  
 \* Contributor(s):  
 \* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under  
 \* either the CDDL, the GPL Version 2 or to extend the choice of license to  
 \* its licensees as provided above. However, if you add GPL Version 2 code  
 \* and therefore, elected the GPL Version 2 license, then the option applies  
 \* only if the new code is made subject  
 to such option by the copyright  
 \* holder.  
 \*/

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
 jar/com/sun/xml/bind/v2/schemagen/episode/Package.java

No license file was found, but licenses were detected in source scan.

# Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved.  
 # The contents of this file are subject to the terms of either the GNU  
 # General Public License Version 2 only ("GPL") or the Common Development  
 # and Distribution License("CDDL") (collectively, the "License"). You  
 # may not use this file except in compliance with the License. You can  
 # Oracle designates this particular file as subject to the "Classpath"  
 # exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
 jar/com/sun/xml/bind/Messages\_es.properties

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
 jar/com/sun/xml/bind/Messages\_ko.properties

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
 jar/com/sun/xml/bind/Messages\_de.properties

\* /opt/cola/permits/1938509098\_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-  
 jar/com/sun/xml/bind/Messages\_zh\_TW.properties

\*

```
/opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/Messages_fr.properties
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/Messages_ja.properties
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/Messages_it.properties
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/Messages_pt_BR.properties
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/Messages_zh_CN.properties
No license file was found, but licenses were detected in source scan.
```

```
Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

```
* /opt/cola/permits/1938509098_1710740328.6080222/0/jaxb-core-2-2-11-sources-10-
jar/com/sun/xml/bind/Messages.properties
```

# 1.2074 javax-xml-soap-api 1.4.0

## 1.2074.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.



#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH

PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather,

the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.



# 1.2075 jboss-logging 3.1.1.GA

## 1.2075.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who  
decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do  
these things.

To protect your rights, we need to make restrictions that forbid  
distributors to deny you these rights or to ask you to surrender these  
rights. These restrictions translate to certain responsibilities for  
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,  
whether gratis  
or for a fee, you must give the recipients all the rights that we gave  
you. You must make sure that they, too, receive or can get the source

code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into

another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

### 3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of

the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these

materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if



you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system

which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR

CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

# 1.2076 jaxb-runtime 2.2.11

## 1.2076.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
#
Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
#
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.
#
When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.
#
GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle
in the GPL Version 2 section of the License
file that accompanied this code.
#
Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"
#
Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
```

```
and therefore, elected the GPL Version 2 license, then the option applies
only if the new code is made subject to such option by the copyright
#
holder.
#
```

The sxd/vsd files are the master, and the gif file should be created from it.

Found in path(s):

```
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/doc-
files/readme.txt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
```

```
* and Distribution License("CDDL") (collectively, the "License"). You
```

```
* may not use this file except in compliance with the License. You can
```

```
* obtain a copy of the License at
```

```
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
```

```
* or packager/legal/LICENSE.txt. See the License for the specific
```

```
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
```

```
* file and include the License file at packager/legal/LICENSE.txt.
```

```
*
```

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
```

```
* exception
```

```
as provided by Oracle in the GPL Version 2 section of the License
```

```
* file that accompanied this code.
```

```
*
```

```
* Modifications:
```

```
* If applicable, add the following below the License Header, with the fields
```

```
* enclosed by brackets [] replaced by your own identifying information:
```

```
* "Portions Copyright [year] [name of copyright owner]"
```

```
*
```

```
* Contributor(s):
```

```
* If you wish your version of this file to be governed by only the CDDL or
```

```
* only the GPL Version 2, indicate your decision by adding "[Contributor]
```

```
* elects to include this software in this distribution under the [CDDL or GPL
```

```
* Version 2] license." If you don't indicate a single choice of license, a
```

```
* recipient has the option to distribute your version of this file under
```

```
* either the CDDL, the GPL Version 2 or to extend the choice of license to
```

- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made
- subject to such option by the copyright
- \* holder.
- \*/

Found in path(s):

- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/ClassBeanInfoImpl.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/TransducedAccessor.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ArrayERProperty.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeBuiltinLeafInfoImpl.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/LeafPropertyLoader.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Accessor.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/SingleMapNodeProperty.java
- \*
- /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/ValuePropertyLoader.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/ContentHandlerAdaptor.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeElementInfoImpl.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ArrayProperty.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/XsiTypeLoader.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/JAXBContextImpl.java
- \*
- /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/DatatypeConverterImpl.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/ModelBuilder.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StructureLoader.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/ProxyLoader.java
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Lister.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeAnyTypeImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/XMLStreamWriterOutput.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Scope.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/SAXConnector.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeTypeInfoSetImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/XsiNilLoader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/TextLoader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Loader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/LeafPropertyXsiLoader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Injector.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/UnmarshallingContext.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/DomLoader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/JaxBeanInfo.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeInfoSet.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/ElementBeanInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/ValueListBeanInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/DefaultValueLoaderDecorator.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeModelBuilder.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/ArrayBeanInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/TypeReference.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Discarder.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXStreamConnector.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-

jar/com/sun/xml/bind/api/JAXBRIContext.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or packager/legal/LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-



jar/com/sun/xml/bind/v2/runtime/reflect/package.html  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/package.html  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/package.html  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/xmlschema-for-jaxb.rng  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/package.html  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/package.html  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/bytecode/package.html  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/package.html  
No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.

\*/

/\*\*

\* Sets the int[] data to this object.

\*

\* <p>

\* This method doesn't make a copy for a performance reason.

\* The caller is still free to modify the array it passed to this method,

\* but he should do so with a care. The unmarshalling code isn't expecting

\* the value to be changed while it's being routed.

\*/

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/IntArrayData.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/SingleElementLeafProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/RuntimeClassInfoImpl.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2013-2014 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made

subject to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Utils.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Utils.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Utils.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Utils.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Utils.java

No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.

# The contents of this file are subject to the terms of either the GNU

# General Public License Version 2 only ("GPL") or the Common Development

# and Distribution License("CDDL") (collectively, the "License"). You

# may not use this file except in compliance with the License. You can

# Oracle designates this particular file as subject to the "Classpath"

# exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages.properties

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2013-2014 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/META-INF/maven/org.glassfish.jaxb/jaxb-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made
 * subject to such option by the copyright
 * holder.
 */
```

Found in path(s):

```
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexContent.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/XmlEnumQuick.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
```

jar/com/sun/xml/bind/v2/model/annotation/XmlElementDeclQuick.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/AttrDecls.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexTypeHost.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/ReferencePropertyInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlElementRefsQuick.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Schema.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ExplicitGroup.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlRootElementQuick.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Occurs.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlSchemaQuick.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexRestriction.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexType.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleTypeHost.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/package-info.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleContent.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/InternalAccessorFactory.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexExtension.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/TypeHost.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/NoFixedFacet.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlTypeQuick.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/LocalAttribute.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Union.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/TypeDefParticle.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlElementRefQuick.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlTransientQuick.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/XMLSerializer.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Element.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/TopLevelAttribute.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleExtension.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Wildcard.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/FixedOrDefault.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SchemaTop.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/ContextFactory.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexTypeModel.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/MarshallerImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/List.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Annotated.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/LocalElement.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleDerivation.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleRestriction.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Redefinable.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Init.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/XmlSchemaTypeQuick.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Annotation.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/AttributeType.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-



jar/com/sun/xml/bind/v2/schemagen/xmlschema/Documentation.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ExtensionType.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleType.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/TopLevelElement.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlValueQuick.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Import.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlAttributeQuick.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/UnmarshallerImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/NestedParticle.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/XmlElementQuick.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleRestrictionModel.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Appinfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Any.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"

```

* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/
// NO WARRANTY! This class is in the public domain.
/**
* Default implementation of the Attributes interface.
*
* <blockquote>
* This module, both source code and documentation, is in the
* Public Domain, and comes with NO WARRANTY.
* See http://www.saxproject.org
* for further information.
* </blockquote>
*
* <p>This class provides a default implementation of the SAX2
* { @link org.xml.sax.Attributes Attributes } interface, with the
* addition of manipulators so that the list can be modified or
* reused.</p>
*
* <p>There are two typical uses of this class:</p>
*
*
* to take a persistent snapshot of an Attributes object
* in a { @link org.xml.sax.ContentHandler#startElement startElement } event; or
* to construct or modify an Attributes object in a SAX2 driver or filter.
*
*
* <p>This class replaces the now-deprecated

```

SAX1 { @link  
\* org.xml.sax.helpers.AttributeListImpl AttributeListImpl}  
\* class; in addition to supporting the updated Attributes  
\* interface rather than the deprecated { @link org.xml.sax.AttributeList  
\* AttributeList} interface, it also includes a much more efficient  
\* implementation using a single array rather than a set of Vectors.</p>  
\*  
\* @since JAXB 1.0  
\* @since SAX 2.0  
\* @author David Megginson  
\* @version 2.0.1 (sax2r2)  
\*/

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/util/AttributesImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Const.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/IndentingUTF8XmlOutput.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Patcher.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/AdaptedLister.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Short.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/util/StackRecorder.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/XMLEventWriterOutput.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/marshaller/NamespacePrefixMapper.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/BinderImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeEnumLeafInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeElementPropertyInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/SecureLoader.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Integer.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Ref.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Character.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/MTOMDecorator.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-

jar/com/sun/xml/bind/v2/runtime/unmarshaller/TagName.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/SecureLoader.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/api/Messages.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/util/ValidationEventLocatorExImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayLISTERInteger.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/bytocode/SecureLoader.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Double.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/RuntimeArrayInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/AttributeAccessor.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Messages.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/AttributesEx.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/StAXPostInitAction.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/ListIterator.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/util/TypeCast.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/SwaRefAdapter.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/IntData.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/TypeRefImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/PropertyImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/MimeTypedTransducer.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/ArrayElementLeafProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/ValuePropertyInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/FilterTransducer.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Name.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Long.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationsException.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/SchemaTypeTransducer.java  
 \*  
 /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListShort.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/XmlVisitor.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Bridge.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/SAXOutput.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeClassInfo.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Byte.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Quick.java  
 \*  
 /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/UTF8XmlOutput.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/GroupKind.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeElementPropertyInfoImpl.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/EnumConstantImpl.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Boolean.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Float.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Form.java  
 \*  
 /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/NameBuilder.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Receiver.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/RuntimeInlineAnnotationReader.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-

jar/com/sun/xml/bind/v2/util/DataSourceSource.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Byte.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeElementInfo.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/Pcdata.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/FieldLocatable.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/AdaptedAccessor.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Short.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeNonElement.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/DomPostInitAction.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/BridgeContext.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/MTOMXmlOutput.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Tree.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/AccessorException.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeEnumConstantImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimePropertyInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/XmlOutput.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Base64Data.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeElement.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/ForkXmlOutput.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXExConnector.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Double.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/package-info.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeLeafInfo.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/BridgeImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Transducer.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/AttributePropertyInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/ArrayInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/LeafInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/TypeInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/package-info.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/package-info.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/AbstractInlineAnnotationReaderImpl.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Bean.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/ClassInfoImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/SecureLoader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/AccessorFactoryImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Float.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ContentModelContainer.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/util/QNameMap.java

\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/marshaller/NioEscapeHandler.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/SecureLoader.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeTypeRefImpl.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/StAXExStreamWriterOutput.java

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-



jar/com/sun/xml/bind/v2/model/runtime/RuntimeBuiltinLeafInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/DefaultTransducedAccessor.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeArrayInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/api/ClassResolver.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/SingleElementNodeProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/namespace/Context2.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/TypeInfoSetImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/PropertySeed.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Ref.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/FoolProofResolver.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/ValidationEventLocatorEx.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeMapPropertyInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/api/RawAccessor.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/ValueProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/IDResolver.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/ListTransducedAccessorImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Integer.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ValidatingUnmarshaller.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/AnyTypeAdapter.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/FastInfosetConnector.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorExWrapper.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Integer.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/TagAndType.java

```

* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/InlineBinaryTransducer.java
*
/opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor_field_Byte.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/LocatableAnnotation.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/DOMOutput.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Short.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/ElementPropertyInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/AnyTypeImpl.java
*
/opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Integer.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/schemagen/MultiMap.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ChildLoader.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/XmlAccessorFactory.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RuntimeValuePropertyInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/CycleRecoverable.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeValuePropertyInfo.java
*
/opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/BridgeAdapter.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeRef.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/util/CollisionCheckStack.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/EnumLeafInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/BuiltinLeafInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/AttributesExImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor_field_Long.java
*

```

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Util.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/AssociationMap.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeAttributePropertyInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/BridgeContextImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Property.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/FieldPropertySeed.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerBoolean.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Interceptor.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeEnumLeafInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/LifecycleMethods.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/StructureLoaderBuilder.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Patcher.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/PropertyFactory.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Double.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Boolean.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/FastInfosetStreamWriterOutput.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Boolean.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/util/ByteArrayOutputStreamEx.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/ElementInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/CompositeStructureBeanInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerCharacter.java  
\*

/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/SecureLoader.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXConnector.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/GetterSetterPropertySeed.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/property/ArrayElementProperty.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListLong.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/Util.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/output/Encoded.java  
 \*  
 /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Long.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/RuntimeReferencePropertyInfoImpl.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Byte.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Long.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeInfo.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/property/ArrayElementNodeProperty.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/package-info.java  
 \*  
 /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/property/UnmarshallerChain.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/api/CompositeStructure.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Float.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/Particle.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/model/impl/MapPropertyInfoImpl.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/output/C14nXmlOutput.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Double.java  
 \*  
 /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
 jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXEventConnector.java  
 \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-

```

jar/com/sun/xml/bind/v2/runtime/property/SingleReferenceNodeProperty.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Short.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/PropertyInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerDouble.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/InterningXmlVisitor.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/RuntimeAnnotationReader.java
*
/opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/bytecode/ClassTailor.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/ERPropertyInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RegistryInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/SingleTypePropertyInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/WildcardLoader.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/api/package-info.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/util/FatalAdapter.java
*
/opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/annotation/MethodLocatable.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeReferencePropertyInfo.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/AccessorFactory.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/DummyPropertyInfo.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/Coordinator.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/model/impl/RuntimeAttributePropertyInfoImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/NameList.java
*
/opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerByte.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/output/XmlOutputAbstractImpl.java
* /opt/cola/permits/1938509097_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Float.java

```

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/runtime/RuntimeNonElementRef.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/AttributeProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListFloat.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/OptimizedTransducedAccessorFactory.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/NullSafeAccessor.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/ClassLocatable.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/RuntimeMapPropertyInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/output/NamespaceContextImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Boolean.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/AnyTypeBeanInfo.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/DefaultIDResolver.java  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Ref.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Character.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/ArrayReferenceNodeProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/InternalBridge.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/AccessorInjector.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/XmlSchemaGenerator.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/ListElementProperty.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/LeafBeanInfoImpl.java  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/OptimizedAccessorFactory.java  
No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.  
# The contents of this file are subject to the terms of either the GNU  
# General Public License Version 2 only ("GPL") or the Common Development  
# and Distribution License("CDDL") (collectively, the "License"). You  
# may not use this file except in compliance with the License. You can  
# Oracle designates this particular file as subject to the "Classpath"  
# exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_de.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_ja.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_CN.properties
- \*
- /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_CN.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_ja.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_ko.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_ja.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_fr.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ja.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages.properties
- \*
- /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_es.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_de.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_fr.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_zh\_TW.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_it.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_it.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages.properties
- \*
- /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_pt\_BR.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_CN.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_ko.properties
- \* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-



jar/com/sun/xml/bind/api/Messages\_ja.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_it.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_fr.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_fr.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_de.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_it.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_de.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_ja.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_fr.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_es.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_de.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_de.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_it.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_ja.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_fr.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_fr.properties

\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_ja.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/api/Messages\_de.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/Messages\_it.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/unmarshaller/Messages\_fr.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_de.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_pt\_BR.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_de.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_it.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_TW.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-

jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_it.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages\_es.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_es.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_ja.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_es.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_es.properties  
\*  
/opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_ko.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_it.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_es.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_es.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_es.properties  
\* /opt/cola/permits/1938509097\_1710740349.8742912/0/jaxb-impl-2-2-11-sources-6-  
jar/com/sun/xml/bind/api/Messages\_fr.properties

# 1.2077 jax-ws-api 2.3.0

## 1.2077.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://oss.oracle.com/licenses/CDDL+GPL-1.1
 * or LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version
 * 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 */
```

Found in path(s):

- \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/soap/package-info.java
- \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/spi/package-info.java
- \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/http/package-info.java
- \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/module-info.java
- \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/package-info.java
- \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Provider.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Action.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/spi/http/HttpExchange.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebEndpoint.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/wsaddressing/W3CEndpointReference.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/ResponseWrapper.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Response.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/LogicalMessageContext.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/wsaddressing/package-info.java  
\*  
/opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceException.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceProvider.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/Addressing.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceFeature.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/PortInfo.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/MTOM.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/soap/SOAPHandler.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/AddressingFeature.java  
\*  
/opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Holder.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/BindingProvider.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/spi/Provider.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServicePermission.java

\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/SOAPFaultException.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/AsyncHandler.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/http/HTTPBinding.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/Handler.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/LogicalHandler.java  
 \*  
 /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceContext.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/spi/WebServiceFeatureAnnotation.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceClient.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Endpoint.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/HandlerResolver.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/ProtocolException.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/RespectBindingFeature.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/EndpointReference.java  
 \*  
 /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/soap/SOAPMessageContext.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/RespectBinding.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Service.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/wsaddressing/W3CEndpointReferenceBuilder.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Binding.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/RequestWrapper.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceRef.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/FaultAction.java  
 \*  
 /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebFault.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/Dispatch.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/spi/FactoryFinder.java  
 \* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/BindingType.java

\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/WebServiceRefs.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/spi/ServiceDelegate.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/LogicalMessage.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/ServiceMode.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/http/HTTPException.java  
\*  
/opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/SOAPBinding.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/handler/MessageContext.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/soap/MTOMFeature.java  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2007-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
\* or LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version  
2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):



\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javax/xml/ws/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2009-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-  
jar/javax/xml/ws/spi/Invoker.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-  
jar/javax/xml/ws/spi/http/HttpHandler.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-  
jar/javax/xml/ws/EndpointContext.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-  
jar/javax/xml/ws/spi/http/HttpContext.java  
\* /opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-  
jar/javax/xml/ws/spi/http/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2015-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
\* or LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version  
2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\*/opt/cola/permits/1938509106\_1710740343.0507119/0/jaxws-api-2-3-0-sources-3-jar/javafx/xml/ws/spi/ServiceLoaderUtil.java

## 1.2078 mime-pull 1.9.3

### 1.2078.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)  
\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided  
\* by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to  
such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/TempFiles.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at

\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception

as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.

\*

\* Modifications:

- \* If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.
- \*/

Found in path(s):

- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/ASCIIUtility.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/FileData.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/BASE64DecoderStream.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/DataFile.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/PropUtil.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/FinalArrayList.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/QPDecoderStream.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/DecodingException.java
- \*
- \*/opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/MIMEEvent.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/Chunk.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/WeakDataFile.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/ChunkInputStream.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-jar/org/jvnet/mimepull/FactoryFinder.java
- \* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-

jar/org/jvnet/mimepull/MIMEParser.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/MIMEConfig.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/MimeUtility.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/UUDecoderStream.java  
\*  
/opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/MIMEParsingException.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/CleanUpExecutorFactory.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/InternetHeaders.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/MIMEMessage.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/MIMEPart.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/Data.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/LineInputStream.java  
\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
jar/org/jvnet/mimepull/Header.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*  
 \* Modifications:  
 \* If applicable, add the following below the License Header, with the fields  
 \* enclosed by brackets [] replaced by your own identifying information:  
 \* "Portions Copyright [year] [name of copyright owner]"  
 \*  
 \* Contributor(s):  
 \* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under  
 \* either the CDDL, the GPL Version 2 or to extend the choice of license to  
 \* its licensees as provided above. However, if you add GPL Version 2 code  
 \* and therefore, elected the GPL Version 2 license, then the option applies  
 \* only if the new code is made subject  
 to such option by the copyright  
 \* holder.  
 \*/

Found in path(s):

\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
 jar/org/jvnet/mimepull/MemoryData.java

\* /opt/cola/permits/1938510116\_1710740450.2152505/0/mimepull-1-9-3-sources-7-  
 jar/org/jvnet/mimepull/DataHead.java

## 1.2079 logging 1.1.1

### 1.2079.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010 - 2016 Blue Spire Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT  
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.  
MIT

# 1.2080 lang 2.4.0

## 1.2080.1 Available under license :

Apache Commons Lang  
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but



not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2081 netty-all 4.1.49.Final

## 1.2081.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/ConstantTimeUtils.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/smtp/SmtpRequests.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/kqueue/BsdSocket.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelInboundInvoker.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/ThrowableUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2SettingsFrame.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/bootstrap/AbstractBootstrapConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/LinuxSocket.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/AbstractPooledDerivedByteBuf.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/DateFormatter.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/UnaryPromiseNotifier.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/redis/RedisClientHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/NonStickyEventExecutorGroup.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/string/LineSeparator.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/DefaultHttp2PingFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/DelegatingSslContext.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultSelectStrategy.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/kqueue/KQueueChannelOption.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/helloworld/multiplex/server/Http2ServerInitializer.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/UnorderedThreadPoolEventExecutor.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/DatagramPacketEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/PreferHeapByteBufAllocator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2FrameStreamVisitor.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/PemValue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/smtp/LastSmtpContent.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/CodecOutputList.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/Java8SslUtils.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultSelectStrategyFactory.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/kqueue/AbstractKQueueChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/HAProxyTLV.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2Frame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/WrappedCompositeByteBuf.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/kqueue/KQueueDatagramChannel.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/NoopDnsCache.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2PingFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/util/concurrent/OrderedEventExecutor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/BooleanSupplier.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/RejectedExecutionHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DnsOptEcsRecord.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/MacAddressUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/NativeLibraryUtil.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2DataFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/internal/tcnative/CertificateRequestedCallback.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/PromiseCombiner.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/Native.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/DefaultSmtpRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2HeadersFrame.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/flush/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/SmtpResponseDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/AbstractUnpooledSlicedByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/unix/Limits.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/OpenSslCertificateException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameStream.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueServerSocketChannelConfig.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/SocketUtils.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/EventExecutorChooserFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DefaultDnsOptEcsRecord.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2StreamFrameToHttpObjectCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueServerDomainSocketChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DefaultDnsPtrRecord.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/bootstrap/ServerBootstrapConfig.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/RejectedExecutionHandlers.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueSocketChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/ReadOnlyHttp2Headers.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/PemEncoded.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/haproxy/HAProxySSLTLV.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2ResetFrame.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueServerSocketChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2GoAwayFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueSocketChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/DefaultDnsCache.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueue.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/PemX509Certificate.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PooledDuplicatedByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```



jar/io/netty/handler/codec/smtp/DefaultLastSmtpContent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/smtp/SmtpResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/smtp/DefaultSmtpResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/smtp/SmtpRequest.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/unix/PeerCredentials.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/Log4J2Logger.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/smtp/SmtpContent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/kqueue/KQueueEventArray.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/DefaultHttp2WindowUpdateFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/ByteBufChecksum.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/AbstractHttp2StreamFrame.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/PromiseNotificationUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/IntSupplier.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/kqueue/KQueueStaticallyReferencedJniMethods.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/RoundRobinDnsAddressResolverGroup.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/SelectStrategy.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/DefaultHttp2SettingsFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/AdvancedLeakAwareCompositeByteBuf.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/ResourceLeakDetectorFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/Log4J2LoggerFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/PooledSlicedByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/WrappedUnpooledUnsafeDirectByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/frame/server/Http2Server.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/InflightNameResolver.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/AbstractDnsOptPseudoRrRecord.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ResetFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueEventLoopGroup.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/AbstractKQueueStreamChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueDatagramChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueRecvByteAllocatorHandle.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/CompressionUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/DefaultSmtpContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2WindowUpdateFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/AbstractKQueueServerChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2MultiplexCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/internal/tcnative/SessionTicketKey.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/flush/FlushConsolidationHandler.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameStreamException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/RoundRobinInetAddressResolver.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/group/VoidChannelGroupFuture.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2HeadersFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/PemPrivateKey.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

```

jar/io/netty/example/http2/helloworld/frame/server/Http2ServerInitializer.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/bootstrap/BootstrapConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueDomainSocketChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueEventLoop.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DnsOptPseudoRecord.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/SmtpUtils.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/multiplex/server/Http2Server.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2StreamFrame.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/AcceptFilter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2DataFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/SimpleLeakAwareCompositeByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/InboundHttpToHttp2Adapter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/DomainNameMappingBuilder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/UnstableApi.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/flow/package-info.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/UnpooledUnsafeNoCleanerDirectByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelOutboundInvoker.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/WriteBufferWaterMark.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueServerChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DnsPtrRecord.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/string/LineEncoder.java

```

```
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/ResourceLeakTracker.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/DnsCache.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/KQueueDomainSocketChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ChannelDuplexHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/kqueue/NativeLongArray.java
```

```
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/DuplexChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2GoAwayFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/SmtpCommand.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/DatagramPacketDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/DefaultEventExecutorChooserFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/smtp/SmtpRequestEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/OutOfDirectMemoryError.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpNotificationHandler.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpChannel.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/worldclock/WorldClockProtocol.proto
- \*
- /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpServerChannel.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/nio/NioSctpChannel.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/DefaultSctpChannelConfig.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpServerChannelConfig.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/nio/NioSctpServerChannel.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpChannelConfig.java
- \*
- /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpMessage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/StreamBufferingEncoder.java
- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2StreamVisitor.java

```

*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/StreamByteDistributor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/AbstractInboundHttp2ToHttpAdapterBuilder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/InboundHttp2ToHttpAdapterBuilder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/ValueConverter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/MathUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/ByteProcessor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2PromisedRequestVerifier.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DecoratingHttp2ConnectionEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DecoratingHttp2ConnectionDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DecoratingHttp2FrameWriter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/WeightedFairQueueByteDistributor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/CoalescingBufferQueue.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/DefaultHeadersImpl.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/CharSequenceValueConverter.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/UniformStreamByteDistributor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations

```

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

//The MIT License

//Permission is hereby granted, free of charge, to any person obtaining a copy  
//of this software and associated documentation files (the "Software"), to deal  
//to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
//furnished to do so, subject to the following

conditions:

//The above copyright notice and this permission notice shall be included in  
//all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/client/WebSocketClientHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*/
/**
* Utility class for { @link ByteBuf } that encodes and decodes to and from
* Base64 notation.
* <p>
*
* The encoding and decoding algorithm in this class has been derived from
* Robert Harder's Public Domain
* Base64 Encoder/Decoder.
*/
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/base64/Base64.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/CharSequenceMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/pool/AbstractChannelPoolHandler.java
*
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/epoll/EpollEventArray.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
```



jar/io/netty/handler/codec/dns/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/SingletonDnsServerAddresses.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/HashingStrategy.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DatagramDnsQueryEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/UnsafeByteBufUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PooledUnsafeHeapByteBuf.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/DefaultNameResolver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/ServerDomainSocketChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DnsResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/RotationalDnsServerAddresses.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/rtsp/RtspEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/AbstractDnsRecord.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/PriorityQueueNode.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/UnpooledUnsafeHeapByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/DomainSocketReadMode.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/tiles/Html.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/package-info.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DnsQuestion.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DnsMessageUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/UnpooledDuplicatedByteBuf.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/tiles/FallbackRequestHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsNameResolverBuilder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/DomainSocketAddress.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/DatagramSocketAddress.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpScheme.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/tiles/ImageCache.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/CompositeNameResolver.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/AbstractDnsMessage.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/helloworld/server/HelloWorldHttp2HandlerBuilder.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/TcpMd5Util.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollChannelConfig.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/DefaultPriorityQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ApplicationProtocolNames.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/DomainMappingBuilder.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DnsRecordEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/InetSocketAddressResolver.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/channel/unix/FileDescriptor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/DnsNameResolverException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DnsResponseCode.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/DnsServerAddressStream.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/tiles/HttpServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PoolChunkMetric.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/pool/ChannelPoolHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DefaultDnsRecordEncoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DefaultDnsRawRecord.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PoolChunkListMetric.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/pool/ChannelPoolMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/HostsFileEntriesResolver.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DefaultDnsResponse.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DefaultDnsQuestion.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ConnectionHandlerBuilder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/SslContextBuilder.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/tiles/Http2OrHttpHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/InetAddressResolver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollMode.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PoolSubpageMetric.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/UnpooledSlicedByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/LongCounter.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/tiles/Launcher.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codecs/ProtocolDetectionState.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/AbstractScheduledEventExecutor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/pool/ChannelHealthChecker.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/DomainSocketChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codecs/dns/DatagramDnsQuery.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ClientAuth.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codecs/http/cookie/ClientCookieEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/AsyncMapping.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/HeapByteBufUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codecs/dns/DefaultDnsRecordDecoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/tiles/Http2Server.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PoolArenaMetric.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/sctp/multihoming/SctpMultiHomingEchoServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/ssl/OpenSslJavaxX509Certificate.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http2/tiles/HttpRequestHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DatagramDnsResponseEncoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/unix/Socket.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/cookie/Cookie.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DatagramDnsResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/unix/NativeInetAddress.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DatagramDnsQueryDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsRawRecord.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsRecordType.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/rtsp/RtspDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/AbstractAddressResolver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/AbstractUnsafeSwappedByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsOpCode.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/UnsupportedValueConverter.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsRecord.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsQuery.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsRecordDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsSection.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/DefaultAddressResolverGroup.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DefaultDnsServerAddresses.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/DomainSocketChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/UnixChannel.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/pool/SimpleChannelPool.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/HeadersUtils.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/CookieUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/sctp/multihoming/SctpMultiHomingEchoClient.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/ShuffledDnsServerAddressStream.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/AbstractHttp2ConnectionHandlerBuilder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/pool/FixedChannelPool.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollServerChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DefaultDnsQuery.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socks/v5/Socks5AddressDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```
jar/io/netty/handler/codec/http/CookieUtil.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/tiles/Http2RequestHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/pool/AbstractChannelPoolMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/pool/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DnsMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/DnsQueryContextManager.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/dns/DatagramDnsResponseDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/pool/ChannelPool.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/ProtocolDetectionResult.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/EmptyHttpHeaders.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/SequentialDnsServerAddressStream.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/HttpToHttp2ConnectionHandlerBuilder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/ThreadProperties.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2013 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/AddressedEnvelope.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/FullHttpRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/ProgressiveFuture.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/MemcacheMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/DefaultUdtServerChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/MessageSizeEstimator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ConnectTimeoutException.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelId.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/MemcacheObject.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/ProgressivePromise.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/ByteBufHolder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/UdtChannelOption.java  
\*



/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/ScheduledFuture.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/Future.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/ChannelMatchers.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ReferenceCounted.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/RecyclableArrayList.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/DefaultProgressivePromise.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/bootstrap/ChannelFactory.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/GenericFutureListener.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/AdvancedLeakAwareByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/UnreleasableByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelProgressiveFuture.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaders.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ResourceLeak.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ResourceLeakDetector.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ReferenceCountUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java  
\*

```

/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/ConcurrentSet.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/Crc32c.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/helloworld/HttpHelloWorldServerHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/AbstractReferenceCountedByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/ByteBufProcessor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/CompleteFuture.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectAggregator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseEncoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/AppendableCharSequence.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/PlatformDependent0.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/GenericProgressiveFutureListener.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseStatus.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksProtocolVersion.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

```

jar/io/netty/handler/codec/memcache/DefaultLastMemcacheContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/MemcacheContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/ReadOnlyIterator.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/DefaultThreadFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/PendingWrite.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheObjectAggregator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/SimpleLeakAwareByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequest.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/rxtx/RxtxClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksRequestType.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/AbstractDerivedByteBuf.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelProgressiveFutureListener.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/LastMemcacheContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheRequest.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/FullMemcacheMessage.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheServerCodec.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/AbstractEventExecutorGroup.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ConstantPool.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/ChannelMatcher.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/Promise.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/ChannelGroup.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/PromiseTask.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/ImmediateEventExecutor.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/FutureListener.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/worldclock/WorldClockProtocol.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheResponse.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/Native.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ResourceLeakException.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/ReadOnlyUnsafeDirectByteBuf.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/DefaultFutureListeners.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/ScheduledFutureTask.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/DefaultByteBufHolder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/ImmediateExecutor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/rxtx/RxtxClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/AbstractReferenceCounted.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/ThreadPoolExecutor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/NoOpTypeParameterMatcher.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/udt/UdtServerChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socks/SocksAddressType.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/memcache/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/group/DefaultChannelGroup.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/ChannelProgressivePromise.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/ComposedLastHttpContent.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/AbstractEventExecutor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/FullHttpRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/DefaultPromise.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/Recycler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/logging/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/TypeParameterMatcher.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/EmptyByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultChannelProgressivePromise.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultChannelId.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/ChannelGroupException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/EmptyArrays.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheDecoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/memcache/DefaultMemcacheContent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyPingFrame.java  
\*

```

/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksAuthScheme.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PooledUnsafeDirectByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyVersion.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/WrappedByteBuf.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/SimpleChannelInboundHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheOpcodes.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObject.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelHandlerAdapter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/DefaultAddressedEnvelope.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/FixedCompositeByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/SocksVersion.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksAuthStatus.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/helloworld/HttpHelloWorldServerInitializer.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

```
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/Version.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/ReadOnlyByteBufferBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksMessageType.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/nio/SelectedSelectionKeySet.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/DefaultMessageSizeEstimator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelOutboundBuffer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheClientCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2014 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
```

```
* "License"); you may not use this file except in compliance with the License. You may obtain a
```

```
* copy of the License at:
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
```



express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/DelegatingDecompressorFrameListener.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/collection/IntCollections.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/collection/ByteObjectMap.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/collection/LongObjectHashMap.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/collection/ByteObjectHashMap.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/DefaultHttp2FrameReader.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2Connection.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/collection/ShortCollections.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2Settings.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/DefaultHttp2LocalFlowController.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HttpToHttp2ConnectionHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2FrameTypes.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2ConnectionHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/CompressorHttp2ConnectionEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/DefaultHttp2HeadersEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2Exception.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2FrameAdapter.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2RemoteFlowController.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2NoMoreStreamIdsException.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/handler/codec/http2/Http2FrameWriter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/CharCollections.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/LongCollections.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/ObjectUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameListenerDecorator.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/mqtt/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2Headers.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2DataWriter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/ShortObjectHashMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2LocalFlowController.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2HeadersEncoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2FrameWriter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/server/Http2OrHttpHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2CodecUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FlowController.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/CharObjectMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/server/HelloWorldHttp2Handler.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/DefaultHeaders.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameSizePolicy.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/EmptyHeaders.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/mqtt/MqttQoS.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2RemoteFlowController.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2ConnectionEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ServerUpgradeCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/CharObjectHashMap.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/IntObjectMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2LifecycleManager.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/LongObjectMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/client/HttpResponseHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2EventAdapter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2Flags.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2Headers.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/ByteCollections.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/InboundHttp2ToHttpAdapter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2ConnectionDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2Connection.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2HeadersDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/Headers.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ConnectionDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/client/Http2SettingsHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ConnectionAdapter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameListener.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

```
jar/io/netty/example/http2/helloworld/client/Http2ClientInitializer.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2Stream.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/Http2ExampleUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ConnectionEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/ShortObjectMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/EmptyHttp2Headers.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2Error.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2FrameReader.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/client/Http2Client.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/DefaultHttp2HeadersDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http2/Http2ClientUpgradeCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/collection/IntObjectHashMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
```

\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/SSLContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/Library.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/SSL.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/Buffer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/oio/OioByteStreamChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/UdtServerChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/rxtx/RxtxChannelOption.java  
\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/SctpChannelOption.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/rxtx/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/rxtx/DefaultRxtxChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/rxtx/RxtxChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/rxtx/RxtxDeviceAddress.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/rxtx/RxtxChannelConfig.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*  
\* Written by Robert Harder and released to the public domain, as explained at  
\* <http://creativecommons.org/licenses/publicdomain>  
\*/  
/\*\*  
\* Enumeration of supported Base64 dialects.  
\* <p>  
\* The internal lookup tables in this class has been derived from  
\* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert  
Harder's Public Domain  
\* Base64 Encoder/Decoder</a>.  
\*/

Found in path(s):  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/base64/Base64Dialect.java  
No license file was found, but licenses were detected in source scan.

/\*

```

* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without
* limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

```

Found in path(s):

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/logging/InternalLogger.java
*
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/logging/JdkLogger.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/logging/Log4JLogger.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/logging/CommonsLogger.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddChunk.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCChunkedArrayQueue.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscChunkedArrayQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMap.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/SupportsIterator.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCLinkedQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/util/Pow2.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscGrowArrayQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddArrayQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscAtomicArrayQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-



jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentCircularArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedArrayQueue.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeJvmInfo.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddChunk.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueueUtil.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseMpscLinkedArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/util/InternalAPI.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Preference.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseSpSCLinkedArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/util/RangeUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/QueueFactory.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMapLong.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeRefArrayAccess.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeLongArrayAccess.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/MpscCompoundQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCUnboundedArrayQueue.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/MpscLinkedQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashSet.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/util/PortableJvmInfo.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/maps/ConcurrentAutoTable.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/BaseLinkedQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Ordering.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingIdentityHashMap.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/LinkedListNode.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCArrayQueue.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeAccess.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/maps/AbstractEntry.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/spec/ConcurrentQueueSpec.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/SpMCArrayQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
 jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
 \*

```
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingSetInt.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCGrowArrayQueue.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscArrayQueue.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/cors/CorsConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/cors/CorsHandler.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/cors/OkResponseHandler.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/ResourcesUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/ByteProcessorUtils.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

/\*

\* Copyright 2014 Twitter, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable  
law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackHeaderField.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackStaticTable.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackDynamicTable.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackEncoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackHuffmanDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/HpackHuffmanEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/NoopDnsCnameCache.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsAddressDecoder.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DefaultDnsCnameCache.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslSession.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslTlsv13X509ExtendedTrustManager.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsAddressResolveContext.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/Cache.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DefaultAuthoritativeDnsServerCache.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/AuthoritativeDnsServerCacheAdapter.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslPrivateKey.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/NoopAuthoritativeDnsServerCache.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/unix/Buffer.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/ExtendedOpenSslSession.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/AuthoritativeDnsServerCache.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DnsRecordResolveContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DirContextUtils.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/SimpleUserEventChannelHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DnsCnameCache.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/SuppressJava6Requirement.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/socket/nio/NioChannelOption.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/NameServerComparator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/internal/tcnative/CertificateCallback.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: http://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/uptime/UptimeServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
```



jar/io/netty/resolver/dns/DnsCacheEntry.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/PriorityQueue.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/ByteBufAllocatorMetric.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/ReflectionUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/mqtt/MqttMessageBuilders.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/unix/UnixChannelUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/EmptyPriorityQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/PendingBytesTracker.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/Http2FrameStreamEvent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/ResolvedAddressTypes.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/Http2UnknownFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DnsQueryLifecycleObserver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/UncheckedBooleanSupplier.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/internal/tcnative/NativeStaticallyReferencedJniMethods.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/internal/tcnative/SniHostNameMatcher.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/TraceDnsQueryLifecycleObserver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/UnixResolverDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/SslCloseCompletionEvent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/Http2FrameCodecBuilder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/SingletonDnsServerAddressStreamProvider.java

\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsServerAddressStreamProviders.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsNameResolverTimeoutException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserverFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslCompletionEvent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2StreamChannelId.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/Conscrypt.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DefaultDnsServerAddressStreamProvider.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/AbstractSniHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/UniSequentialDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/internal/ChannelUtils.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/NettyRuntime.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PooledByteBufAllocatorMetric.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/internal/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/SuppressForbidden.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/logging/LocationAwareSlf4JLogger.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2StreamChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OptionalSslHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SniCompletionEvent.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/ByteBufAllocatorMetricProvider.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/HostsFileEntries.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/LongAdderCounter.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2StreamChannelBootstrap.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslClientHelloHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/ChannelOutputShutdownException.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/bootstrap/FailedChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/uptime/UptimeServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/CleartextHttp2ServerUpgradeHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/TraceDnsQueryLifeCycleObserverFactory.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/SequentialDnsServerAddressStreamProvider.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ocsp/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/DefaultHttp2UnknownFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserverFactory.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/ObjectCleaner.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2MultiplexCodecBuilder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DnsQueryLifecycleObserverFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/MultiDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/Cleaner.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/CleanerJava9.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/FastThreadLocalRunnable.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2EmptyDataFrameConnectionDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2SettingsReceivedConsumer.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2ControlFrameLimitEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2EmptyDataFrameListener.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/sctp/DefaultSctpServerChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* Set the { @code TCP\_MD5SIG } option on the socket. See { @code linux/tcp.h } for more details.  
\* Keys can only be set on, not read to prevent a potential leak, as they are confidential.  
\* Allowing them being read would mean anyone with access to the channel could get them.

\*/

/\*\*

\* Set the { @code TCP\_QUICKACK } option on the socket. See <a  
href="http://linux.die.net/man/7/tcp">TCP\_QUICKACK</a>  
\* for more details.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/epoll/EpollSocketChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/ocsp/OcspClientExample.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/ocsp/Digester.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/ocsp/OcspServerExample.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/ocsp/OcspUtils.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/ocsp/OcspRequestBuilder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/ReferenceCountUpdater.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/MaxCapacityQueue.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatClient.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ExtendedClosedChannelException.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DnsQueryEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatBrokerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/address/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/SSLTask.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelHandlerMask.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/PseudoRandomFunction.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2SettingsAckFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatBroker.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/SSLPrivateKeyMethodTask.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/ObjectPool.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/KeyManagerFactoryWrapper.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/TrustManagerFactoryWrapper.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/DnsCodecUtil.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-



jar/io/netty/handler/codec/http2/Http2MultiplexHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/AbstractHttp2StreamChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DatagramDnsQueryContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/macos/DnsResolver.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/DnsResponseDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/Hidden.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/EventLoopTaskQueueFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/macos/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/TcpDnsQueryContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/dns/TcpDnsQueryEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http2/DefaultHttp2SettingsAckFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/svm/UnsafeRefArrayAccessSubstitution.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/svm/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/ThreadExecutorMap.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/address/DynamicAddressConnectHandler.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/internal/tcnative/SSLPrivateKeyMethod.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/internal/tcnative/CertificateVerifierTask.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/internal/tcnative/SSLPrivateKeyMethodSignTask.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Lz4XXHash32.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/mqtt/heartBeat/MqttHeartBeatClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/svm/PlatformDependent0Substitution.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/PreferredAddressTypeComparator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/SSLPrivateKeyMethodDecryptTask.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/CertificateCallbackTask.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/svm/CleanerJava6Substitution.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/svm/PlatformDependentSubstitution.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslMasterKeyHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/dns/TcpDnsResponseDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*  
\* Adaptation of <http://bjoern.hoehrmann.de/utf-8/decoder/dfa/>  
\*  
\* Copyright (c) 2008-2009 Bjoern Hoehrmann <[bjoern@hoehrmann.de](mailto:bjoern@hoehrmann.de)>  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to deal  
\* in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute,  
\* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or  
\* substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING  
\* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
\* PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE  
\* FOR ANY CLAIM,  
\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
\* ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
  - \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
  - \* License for the specific language governing permissions and limitations
  - \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtMessageRendezvousChannel.java
  - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/sctp/SctpInboundByteStreamHandler.java
  - \*
    - /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/sctp/SctpMessageCompletionHandler.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtAcceptorChannel.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtByteAcceptorChannel.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtByteRendezvousChannel.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtMessageAcceptorChannel.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/sctp/SctpMessageToMessageDecoder.java
  - \*
    - /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/TrafficCounter.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/package-info.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtByteConnectorChannel.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtProvider.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/NioUdtMessageConnectorChannel.java
    - \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/UdtChannel.java
  - \*
    - /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/sctp/package-info.java
- No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
// (BSD License: http://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
```

\* under the License.  
\*/  
/\*\*  
\* Copyright (c) 2004-2011 QOS.ch  
\* All rights reserved.  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining  
\* a copy of this software and associated documentation files (the  
\* "Software"), to deal in the Software without restriction, including  
\* without  
\* limitation the rights to use, copy, modify, merge, publish,  
\* distribute, sublicense, and/or sell copies of the Software, and to  
\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/FormattingTuple.java  
\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/MessageFormatter.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

```
* License for the specific language governing permissions and limitations
* under the License.
*/
// Try the OpenJDK's proprietary implementation.
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
Stomp Over WebSocket http://www.jmesnil.net/stomp-websocket/doc/ | Apache License V2.0
Copyright (C) 2010-2013 [Jeff Mesnil](http://jmesnil.net/)
Copyright (C) 2012 [FuseSource, Inc.](http://fusesource.com)
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/stomp.js
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

```
/**
```

```
* Set the { @code TCP_MD5SIG } option on the socket. See { @code linux/tcp.h } for more details.
* Keys can only be set on, not read to prevent a potential leak, as they are confidential.
* Allowing them being read would mean anyone with access to the channel could get them.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/epoll/EpollServerSocketChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/StompWebSocketChatServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/search/package-info.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/logging/ByteBufFormat.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/StompWebSocketChatServerInitializer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/haproxy/HAProxyMessageEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/haproxy/HAProxyServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/StompSubscription.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/StompWebSocketClientPageHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/StompChatHandler.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/stomp/websocket/StompWebSocketProtocolCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/address/ResolveAddressHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/DomainWildcardMappingBuilder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/haproxy/HAProxyHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
```



jar/io/netty/example/stomp/websocket/StompVersion.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/example/haproxy/HAProxyClient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

/\*\*

\* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in

\* its { @link ChannelPipeline }.

\*

\* <h3>Sub-types</h3>

\* <p>

\* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its subtypes:

\* <ul>

\* <li>{ @link

ChannelInboundHandler } to handle inbound I/O events, and</li>

\* <li>{ @link ChannelOutboundHandler } to handle outbound I/O operations.</li>

\* </ul>

\* </p>

\* <p>

\* Alternatively, the following adapter classes are provided for your convenience:

\* <ul>

\* <li>{ @link ChannelInboundHandlerAdapter } to handle inbound I/O events,</li>

\* <li>{ @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and</li>

\* <li>{ @link ChannelDuplexHandler } to handle both inbound and outbound events</li>

\* </ul>

\* </p>

\* <p>

\* For more information, please refer to the documentation of each subtype.

\* </p>

\*

\* <h3>The context object</h3>

\* <p>

\* A [{@link ChannelHandler}](#) is provided with a [{@link ChannelHandlerContext}](#) object. A [{@link ChannelHandler}](#) is supposed to interact with the [{@link ChannelPipeline}](#) it belongs to via a context object. Using the context object, the [{@link ChannelHandler}](#) can pass events upstream or downstream, modify the pipeline dynamically, or store the information (using [{@link AttributeKey}](#)s) which is specific to the handler.

\*

### \* <h3>State management</h3>

\*

\* A [{@link ChannelHandler}](#) often needs to store some stateful information.

\* The simplest and recommended approach is to use member variables:

\* <pre>

```
* public interface Message {
* // your methods here
* }
```

\*

```
* public class DataServerHandler extends {@link SimpleChannelInboundHandler}<Message> {
```

\*

```
* private boolean loggedIn;
```

\*

```
* {@code @Override}
```

```
* public void channelRead0({@link ChannelHandlerContext} ctx, Message message) {
```

```
* if (message instanceof LoginMessage) {
```

```
* authenticate((LoginMessage) message);
```

```
* loggedIn = true;
```

```
* } else (message instanceof GetDataMessage) {
```

```
* if (loggedIn) {
```

```
* ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
```

```
* } else {
```

```
* fail();
```

```
* }
```

```
* }
```

```
* }
```

```
* ...
```

```
* }
```

```
* </pre>
```

\* Because the handler instance has a state variable which is dedicated to

\* one connection, you have to create a new handler instance for each new

\* channel to avoid a race condition where a unauthenticated client can get

\* the confidential information:

\* <pre>

```
* // Create a new handler instance per channel.
```

```
* // See {@link ChannelInitializer#initChannel(Channel)}.
```

```
* public class DataServerInitializer extends {@link ChannelInitializer}<{@link Channel}> {
```

```
* {@code @Override}
```

```
* public void initChannel({@link Channel} channel) {
```

```
* channel.pipeline().addLast("handler", new DataServerHandler());
```

```

* }
* }
*
* </pre>
*
* <h4>Using { @link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use { @link AttributeKey}s which is provided by
* { @link ChannelHandlerContext}:
* <pre>
* public interface Message {
* // your methods here
* }
*
* { @code @Sharable}
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}<Message> {
* private final { @link AttributeKey}<Boolean> auth =
* { @link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
* { @code @Override}
* public void channelRead({ @link ChannelHandlerContext} ctx, Message message) {
* { @link Attribute}<Boolean> attr = ctx.attr(auth);
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) o);
* attr.set(true);
* } else (message instanceof GetDataMessage) {
* if (Boolean.TRUE.equals(attr.get())) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
* } else {
* fail();
* }
* }
* }
* }
* ...
* </pre>
*
* Now that the state
* of the handler is attached to the { @link ChannelHandlerContext}, you can add the
* same handler instance to different pipelines:
* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer}<Channel> {
*
* private static final DataServerHandler SHARED = new DataServerHandler();
*
* { @code @Override}
* public void initChannel({ @link Channel} channel) {

```

```
* channel.pipeline().addLast("handler", SHARED;
* }
* }
* </pre>
```

\* <h4>The { @code @Sharable } annotation</h4>

\* <p>

\* In the example above which used an { @link AttributeKey },

\* you might have noticed the { @code @Sharable } annotation.

\* <p>

\* If a { @link ChannelHandler } is annotated with the { @code @Sharable }

\* annotation, it means you can create an instance of the handler just once and

\* add it to one or more { @link ChannelPipeline }s multiple times without

\* a race condition.

\* <p>

\* If this annotation is not specified, you have to create

a new handler

\* instance every time you add it to a pipeline because it has unshared state

\* such as member variables.

\* <p>

\* This annotation is provided for documentation purpose, just like

\* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.

\*

\* <h3>Additional resources worth reading</h3>

\* <p>

\* Please refer to the { @link ChannelHandler }, and

\* { @link ChannelPipeline } to find out more about inbound and outbound operations,

\* what fundamental differences they have, how they flow in a pipeline, and how to handle

\* the operation in your application.

\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/UnsafeDirectSwappedByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/CleanerJava6.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/DefaultChannelHandlerContext.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/concurrent/FastThreadLocalThread.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/UnsafeHeapSwappedByteBuf.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

/\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/ThreadLocalRandom.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 The Netty Project  
\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http2/helloworld/frame/client/Http2ClientStreamFrameResponseHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/KmpSearchProcessorFactory.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/MultiSearchProcessor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/SearchProcessor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/AbstractSearchProcessorFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/MultiSearchProcessorFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/AbstractMultiSearchProcessorFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http2/helloworld/frame/client/Http2FrameClient.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/BitapSearchProcessorFactory.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http2/helloworld/frame/client/Http2ClientFrameInitializer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/AhoCorasicSearchProcessorFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/search/SearchProcessorFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/ResourceLeakHint.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2Decoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpHeaderNames.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollServerSocketChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/stomp/StompClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/package-info.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttUnacceptableProtocolVersionException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/AsciiHeadersEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompConstants.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/CipherSuiteConverter.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/AddressResolverGroup.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/AbstractEventLoop.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/NameResolver.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsServerAddresses.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/internal/tcnative/CertificateVerifier.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/UnpaddedInternalThreadLocalMap.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/proxy/ProxyHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/proxy/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/HAProxyProtocolVersion.java



\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/spdy/client/SpdyClientStreamIdHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/SimpleNameResolver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollEventLoop.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlCharacters.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SniHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollSocketChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttCodecUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttTopicSubscription.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/DefaultLastStompContentSubframe.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslServerContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttSubscribeMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslUtils.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollTcpInfo.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/example/http2/helloworld/server/Http2Server.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/unix/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/spdy/client/HttpResponseClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/ClientCookieEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/stomp/DefaultStompHeaders.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/xml/XmlContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/OpenSslEngine.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/spdy/server/SpdyOrHttpHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/FastLz.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/LzfEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/PromiseNotifier.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/stomp/StompContentSubframe.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/haproxy/HAProxyMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/xml/XmlDocumentStart.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/AsciiString.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/mqtt/MqttPublishVariableHeader.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/json/package-info.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/Epoll.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2Constants.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/spdy/client/SpdyClientInitializer.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/client/WebSocketClient.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/DefaultStompContentSubframe.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/package-info.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/NoopAddressResolver.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ipfilter/UniqueIpFilter.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttIdentifierRejectedException.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttSubscribePayload.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttUnsubAckMessage.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/LzfDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttUnsubscribePayload.java

\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/DefaultStompHeadersSubframe.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Lz4Constants.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslEngineMap.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/DefaultStompFrame.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompHeadersSubframe.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http2/helloworld/server/HelloWorldHttp1Handler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/stomp/StompClient.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2FrameLogger.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/benchmarkserver/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompSubframeAggregator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2InboundFrameLogger.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttMessage.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollEventLoopGroup.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/DomainNameMapping.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/FastThreadLocal.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpStatusClass.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompHeaders.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/file/FileServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/PendingWriteQueue.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/HAProxyConstants.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/ServerCookieEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/MessageAggregationException.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttMessageIdVariableHeader.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttMessageType.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/NoopAddressResolverGroup.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlElement.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttFixedHeader.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/handler/codec/socksx/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/stomp/StompSubframe.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ReflectiveChannelFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/OpenSslSessionStats.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ipfilter/IpFilterRuleType.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/spdy/server/SpdyServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/mqtt/MqttMessageFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/Mapping.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpChunkedInput.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/xml/XmlElementStart.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/stomp/StompCommand.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/embedded/EmbeddedChannelId.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/proxy/HttpProxyHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/server/Http2ServerInitializer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsAddressResolverGroup.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlElementEnd.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlComment.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlNamespace.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/spdy/client/SpdyClient.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/proxy/ProxyConnectionEvent.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/JdkSslEngine.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompSubframeEncoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/IntegerHolder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSslClientContext.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlDTD.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttSubAckPayload.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttConnectMessage.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/spdy/client/SpdyFrameLogger.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/spdy/server/SpdyServerInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlProcessingInstruction.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/codec/mqtt/MqttConnAckMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/memcache/binary/MemcacheClient.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/mqtt/MqttVersion.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/proxy/Socks5ProxyHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/JdkSslServerContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpHeadersEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/spdy/server/SpdyServerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/resolver/dns/DnsNameResolver.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/JettyNpnSslEngine.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/haproxy/HAProxyCommand.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/Http2OutboundFrameLogger.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslSessionContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/spdy/server/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/Crc32.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslX509Certificate.java



\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttPubAckMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/proxy/ProxyConnectException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/StompSubframeDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollDatagramChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/stomp/LastStompContentSubframe.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttUnsubscribeMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/HAProxyMessageDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/PromiseAggregator.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/IovArray.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/resolver/dns/DnsResolveContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttSubAckMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlCdata.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/memcache/binary/MemcacheClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/HAProxyProxiedProtocol.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ipfilter/IpFilterRule.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java  
\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpHeaderValues.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/InternalThreadLocalMap.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/AbstractEpollChannel.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/unix/UnixChannelOption.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/spdy/client/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/haproxy/HAProxyProtocolException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttConnAckVariableHeader.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2SecurityUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/mqtt/MqttConnectVariableHeader.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/epoll/EpollChannelOption.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/xml/XmlDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/CipherSuiteFilter.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/PemReader.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/codec/http/HttpMessageUtil.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/xml/XmlSpace.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/mqtt/MqttPublishMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/mqtt/MqttConnectPayload.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/mqtt/MqttConnectReturnCode.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServerBenchmarkPage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/proxy/Socks4ProxyHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/epoll/NativeDatagramPacketArray.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/xml/XmlEntityReference.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/JdkSslContext.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/DecoderResultProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/ipfilter/package-info.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/ThreadDeathWatcher.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/websocketx/benchmarkserver/WebSocketServerInitializer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/xml/XmlDocumentEnd.java

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/JdkSslClientContext.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/NativeLibraryLoader.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/xml/XmlAttribute.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/resolver/dns/DnsQueryContext.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

```
/**
```

```
* A decoder that splits the received {@link ByteBuf}s dynamically by the
* value of the length field in the message. It is particularly useful when you
* decode a binary message which has an integer header field that represents the
* length of the message body or the whole message.
```

```
*
```

```
<p>
```

```
* {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
* that it can decode any message with a length field, which is often seen in
* proprietary client-server protocols. Here are some example that will give
* you the basic idea on which option does what.
```

```
*
```

```
* <h3>2 bytes length field at offset 0, do not strip header</h3>
```

```
*
```

\* The value of the length field in this example is `<tt>12 (0x0C)</tt>` which  
 \* represents the length of "HELLO, WORLD". By default, the decoder assumes  
 \* that the length field represents the number of the bytes that follows the  
 \* length field. Therefore, it can be decoded with the simplistic parameter  
 \* combination.

```
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 0 (= do not strip header)
```

```
*
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content
* |---->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
```

\* `<h3>2 bytes length field at offset 0, strip header</h3>`

\* Because we can get the length of the content by calling  
 \* `{ @link ByteBuf#readableBytes() }`, you might want to strip the length  
 \* field by specifying `<tt>initialBytesToStrip</tt>`. In this example, we  
 \* specified `<tt>2</tt>`, that is same with the length of the length field, to  
 \* strip the first two bytes.

```
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 2 (= the length of the Length field)
```

```
*
* BEFORE DECODE (14 bytes) AFTER DECODE (12 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" | | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
```

\* `<h3>2 bytes length field at offset 0, do not strip header, the length field  
 * represents the length of the whole message</h3>`

\* In most cases, the length field represents the length of the message body  
 \* only, as shown in the previous examples. However, in some protocols, the  
 \* length field represents the length of the whole message, including the  
 \* message header. In such a case, we specify a non-zero  
 \* `<tt>lengthAdjustment</tt>`. Because the length value in this example message  
 \* is always greater than the body length by `<tt>2</tt>`, we specify `<tt>-2</tt>`

\* as `<tt>lengthAdjustment</tt>` for compensation.  
 \* `<pre>`  
 \* `lengthFieldOffset = 0`  
 \* `lengthFieldLength = 2`  
 \* `<b>lengthAdjustment</b> = <b>-2</b>` (= the length of the Length field)  
 \* `initialBytesToStrip = 0`

\*  
 \* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)  
 \* +-----+-----+      +-----+-----+  
 \* | Length | Actual Content |----->| Length | Actual  
 Content |  
 \* | 0x000E | "HELLO, WORLD" |      | 0x000E | "HELLO, WORLD" |  
 \* +-----+-----+      +-----+-----+  
 \* `</pre>`

\* `<h3>`3 bytes length field at the end of 5 bytes header, do not strip header`</h3>`  
 \*

\* The following message is a simple variation of the first example. An extra  
 \* header value is prepended to the message. `<tt>lengthAdjustment</tt>` is zero  
 \* again because the decoder always takes the length of the prepended data into  
 \* account during frame length calculation.

\* `<pre>`  
 \* `<b>lengthFieldOffset</b> = <b>2</b>` (= the length of Header 1)  
 \* `<b>lengthFieldLength</b> = <b>3</b>`  
 \* `lengthAdjustment = 0`  
 \* `initialBytesToStrip = 0`

\*  
 \* BEFORE DECODE (17 bytes)      AFTER DECODE (17 bytes)  
 \* +-----+-----+-----+      +-----+-----+-----+  
 \* | Header 1 | Length | Actual Content |----->| Header 1 | Length | Actual Content |  
 \* | 0xCAFE | 0x00000C | "HELLO, WORLD" |      |  
 0xCAFE | 0x00000C | "HELLO, WORLD" |  
 \* +-----+-----+-----+      +-----+-----+-----+  
 \* `</pre>`

\* `<h3>`3 bytes length field at the beginning of 5 bytes header, do not strip header`</h3>`  
 \*

\* This is an advanced example that shows the case where there is an extra  
 \* header between the length field and the message body. You have to specify a  
 \* positive `<tt>lengthAdjustment</tt>` so that the decoder counts the extra  
 \* header into the frame length calculation.

\* `<pre>`  
 \* `lengthFieldOffset = 0`  
 \* `lengthFieldLength = 3`  
 \* `<b>lengthAdjustment</b> = <b>2</b>` (= the length of Header 1)  
 \* `initialBytesToStrip = 0`

\*  
 \* BEFORE DECODE (17 bytes)      AFTER DECODE (17 bytes)

```
* +-----+-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |----->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO,
WORLD" |
```

\* </pre>

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,  
\* strip the first header field and the length field</h3>

\* This is a combination of all the examples above. There are the prepended  
\* header before the length field and the extra header after the length field.  
\* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra  
\* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero  
\* <tt>initialBytesToStrip</tt> to strip the length field and the prepended  
\* header from the frame. If you don't want to strip the prepended header, you  
\* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.

\* <pre>

```
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* lengthAdjustment = 1 (= the length of HDR2)
* initialBytesToStrip = 3 (= the length of HDR1 + LEN)
```

```
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |----->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
```

\* </pre>

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,  
\* strip the first header field and the length field, the length field  
\* represents the length of the whole message</h3>

\* Let's give another twist to the previous example. The only difference from  
\* the previous example is that the length field represents the length of the  
\* whole message instead of the message body, just like the third example.  
\* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.  
\* Please note that we don't need to take the length of HDR2 into account  
\* because  
the length field already includes the whole header length.

\* <pre>

```
* lengthFieldOffset = 1
* lengthFieldLength = 2
* lengthAdjustment = -3 (= the length of HDR1 + LEN, negative)
* initialBytesToStrip = 3
```

```
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
```

```

* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |----->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpRequest.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java

```

\*

```

/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/logging/package-info.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/UnpooledByteBufAllocator.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpRequestEncoder.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/epoll/EpollDatagramChannelConfig.java

```

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```



```

jar/io/netty/handler/codec/ByteToMessageDecoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/factorial/FactorialClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/bytes/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksCmdResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/objectecho/ObjectEchoServerHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/HttpData.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelFlushPromiseNotifier.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/nio/NioDatagramChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/BlockingOperationException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/JZlibDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/UnpooledUnsafeDirectByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/socksproxy/SocksServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/base64/package-info.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksCmdRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/ByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/stream/ChunkedInput.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/Signal.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java

```

\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/server/WebSocketFrameHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/echo/EchoServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/server/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/nio/NioEventLoop.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/websocketx/server/WebSocketServerIndexPage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/logging/InternalLoggerFactory.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/Channel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/stream/ChunkedNioStream.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/DefaultHttpHeaders.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpObjectDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/qotm/QuoteOfTheMomentClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/Attribute.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpServerCodec.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/nio/NioEventLoopGroup.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socks/SocksRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/snoop/HttpSnoopServerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/DecoderException.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/RecvByteBufAllocator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/logging/Slf4JLoggerFactory.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/FixedRecvByteBufAllocator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/helloworld/HttpHelloWorldServer.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/localecho/LocalEchoServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/oio/OioEventLoopGroup.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/StringUtil.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/FailedFuture.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpResponseDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelOutboundHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/UdtMessage.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/cors/HttpCorsServerInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/qotm/QuoteOfTheMomentServer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/oio/AbstractOioChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/example/http/websocketx/server/WebSocketIndexPageHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/message/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/stream/ChunkedStream.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/securechat/SecureChatClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelPipelineException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/bytes/ByteEchoServer.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/UnpooledDirectByteBuffer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/portunification/PortUnificationServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpHeaders.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpClientCodec.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultHttpRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/GlobalEventExecutor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/bootstrap/AbstractBootstrap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultHttpMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/PlatformDependent.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/CompleteChannelFuture.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/DefaultEventLoop.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/EventLoop.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/CharsetUtil.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/SocksMessage.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/nio/package-info.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerOne.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/VoidChannelPromise.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/Delimiters.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/timeout/WriteTimeoutException.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/Timer.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/oio/OioDatagramChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PooledByteBufAllocator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/DatagramChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/udt/echo/bytes/ByteEchoServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/factorial/FactorialServerInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/AttributeKey.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/DefaultAttributeMap.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/securechat/SecureChatServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/snoop/HttpSnoopClientHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/timeout/TimeoutException.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/protobuf/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/nio/AbstractNioByteChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/telnet/TelnetServer.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/nio/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/oio/AbstractOioByteChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/uptime/UptimeClient.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/ssl/SslHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/CodecException.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/marshalling/MarshallerProvider.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/sctp/SctpEchoServer.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/socksproxy/SocksServerConnectHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/snoop/HttpSnoopClientInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/logging/InternalLogLevel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/socksproxy/SocksServerUtils.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/stream/ChunkedNioFile.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/udt/echo/rendezvous/Config.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/marshalling/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/file/HttpStaticFileServerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/securechat/SecureChatServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/factorial/BigIntegerDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/qotm/QuoteOfTheMomentServerHandler.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/QueryStringDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/objectecho/ObjectEchoServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerTwo.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/Cookie.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/sctp/SctpOutboundByteStreamHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/discard/DiscardClient.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/Slf4JLogger.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/socket/SocketChannelConfig.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/oio/AbstractOioMessageChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/embedded/EmbeddedChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/ZlibDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java

```

* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/upload/HttpUploadServerInitializer.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksAuthRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/nio/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpObjectAggregator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/SwappedByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/local/LocalServerChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/LastHttpContent.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelPipeline.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/serialization/ClassResolvers.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/serialization/ObjectDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelMetadata.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/local/package-info.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/telnet/TelnetServerHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/serialization/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/EventExecutorGroup.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
*

```



```

/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/serialization/ReferenceMap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/logging/CommonsLoggerFactory.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/stream/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/Unpooled.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerTwo.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelInboundHandler.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ThreadPerChannelEventLoop.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/telnet/TelnetClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/worldclock/WorldClockServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/nio/AbstractNioMessageChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/ServerSocketChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpResponseEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/LineBasedFrameDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/Attribute.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ServerChannel.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

```

jar/io/netty/example/http/upload/HttpUploadServerHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelFuture.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelDuplexHandler.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/message/MsgEchoServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspMethods.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/sctp/oio/OioSctpChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/echo/EchoServerHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/bytes/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/telnet/TelnetServerInitializer.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/worldclock/WorldClockClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/serialization/ClassResolver.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/embedded/EmbeddedSocketAddress.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/upload/HttpUploadServer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/qotm/QuoteOfTheMomentClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpHeaderDateFormat.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/proxy/HexDumpProxyFrontendHandler.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/telnet/TelnetClientHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/timeout/ReadTimeoutException.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/ByteBufUtil.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/upload/HttpUploadClientInitializer.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/echo/EchoClient.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/oio/package-info.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/EncoderException.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/FailedChannelFuture.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/stream/ChunkedFile.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/package-info.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/ChannelGroupFuture.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/AttributeMap.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/DatagramChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/udt/package-info.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/ByteBufInputStream.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/DefaultUdtChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpMethod.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/factorial/FactorialServerHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/SucceededChannelFuture.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksAuthResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/EventExecutor.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/SingleThreadEventLoop.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/InternetProtocolFamily.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/proxy/HexDumpProxy.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/package-info.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/upload/HttpUploadClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/sctp/SctpEchoClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/timeout/IdleStateHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/oio/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/DuplicatedByteBuf.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PooledDirectByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/sctp/SctpEchoServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpResponseStatus.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/LengthFieldPrepender.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/Timeout.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/internal/SystemPropertyUtil.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/logging/LogLevel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/bootstrap/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PoolChunk.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/nio/NioSocketChannel.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/AbstractChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/sctp/nio/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/CombinedIterator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/worldclock/WorldClockServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/oio/OioSocketChannel.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpConstants.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/proxy/HexDumpProxyInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/worldclock/WorldClockServerInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/channel/DefaultFileRegion.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/HttpVersion.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/DefaultEventExecutorGroup.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/timeout/IdleStateEvent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/UnknownSocksRequest.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/sctp/SctpEchoClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PoolArena.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/objectecho/ObjectEchoClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/string/StringDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/message/MsgEchoClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/SucceededFuture.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/rendezvousBytes/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/PrematureChannelClosureException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/MessageAggregator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/embedded/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultCookie.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/AbstractByteBuf.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultEventLoopGroup.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/MessageToMessageEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/timeout/IdleState.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/file/HttpStaticFileServer.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/DefaultSocketChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/snoop/HttpSnoopServerInitializer.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/ServerSocketChannel.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/ObjectEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpRequestDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpContentDecompressor.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PoolChunkList.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/package-info.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/local/LocalEventLoopGroup.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/spdy/SpdySession.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelFutureListener.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/ByteToMessageCodec.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/channel/DefaultChannelPromise.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpContent.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/TooLongFrameException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/package-  
info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/CompositeByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/discard/DiscardServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socks/v5/DefaultSocks5PasswordAuthRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/Log4JLoggerFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/factorial/NumberEncoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/Snappy.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/Constant.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/cors/HttpCorsServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/AbstractByteBufAllocator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/local/LocalChannel.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socks/SocksInitRequest.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/embedded/EmbeddedEventLoop.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/EventLoopException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/MessageToMessageCodec.java



```

*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/concurrent/MultithreadEventExecutorGroup.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/securechat/SecureChatClientInitializer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/worldclock/WorldClockClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksCommonUtils.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/MessageToMessageDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelPromiseNotifier.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerBase.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/string/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/timeout/ReadTimeoutHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/IllegalReferenceCountException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/MessageToByteEncoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/nio/AbstractNioChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/NotSslRecordException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/ChannelPromise.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/sctp/oio/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/ssl/util/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/internal/logging/AbstractInternalLogger.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/locaecho/LocalEcho.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/DefaultChannelPipeline.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/local/LocalChannelRegistry.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/CachingClassResolver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/CorruptedFrameException.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/package-info.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/socksproxy/SocksServerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpObjectEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/EventLoopGroup.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/factorial/FactorialServer.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/ZlibEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpContentCompressor.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socks/SocksResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PoolSubpage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/http/snoop/HttpSnoopServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PoolThreadCache.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

```

jar/io/netty/buffer/ByteBufAllocator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/file/HttpStaticFileServerInitializer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/NetUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/localecho/LocalEchoClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/ZlibUtil.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/ByteBufOutputStream.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/buffer/PooledByteBuf.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/socket/SocketChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http/websocketx/server/WebSocketServerInitializer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/sctp/oio/OioSctpServerChannel.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/compression/DecompressionException.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksInitResponse.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/UnsupportedMessageTypeException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/bootstrap/ServerBootstrap.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/util/HashedWheelTimer.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/channel/group/ChannelGroupFutureListener.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/udt/echo/bytes/ByteEchoClientHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/socks/SocksMessageEncoder.java

```

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/discard/DiscardServerHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/factorial/FactorialClientInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/base64/Base64Decoder.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/DefaultEventExecutor.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/discard/DiscardClientHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/CombinedChannelDuplexHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/securechat/SecureChatServerInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelOption.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/telnet/TelnetClientInitializer.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/ReadOnlyByteBuf.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/CompressionException.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/socksproxy/SocksServerInitializer.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/uptime/UptimeClientHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelPromiseAggregator.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/nio/NioTask.java  
 \*  
 /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/socksproxy/RelayHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/logging/LoggingHandler.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/group/package-info.java  
 \* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/example/udt/echo/rendezvous/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/AbstractChannelHandlerContext.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpContentDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socks/SocksMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/socket/DatagramPacket.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/timeout/package-info.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/bootstrap/Bootstrap.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/base64/Base64Encoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpMessage.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/rtsp/package-info.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/group/DefaultChannelGroupFuture.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/TimerTask.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/upload/HttpUploadClient.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/websocketx/server/WebSocketServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/http/snoop/HttpSnoopClient.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/udt/echo/message/MsgEchoClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/udt/echo/rendezvous/MsgEchoPeerBase.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/rtp/RtpHeaders.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/udt/UdtChannelConfig.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/MultithreadEventLoopGroup.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/socksproxy/DirectClientHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/udt/echo/bytes/ByteEchoClient.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/HttpContentEncoder.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/UnpooledHeapByteBuf.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/local/LocalAddress.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/AbstractServerChannel.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/portunification/PortUnificationServerHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/objectecho/ObjectEchoClientHandler.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/worldclock/WorldClockClientInitializer.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelHandlerContext.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/ZlibWrapper.java

\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/util/concurrent/SingleThreadEventExecutor.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/multipart/MixedAttribute.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/example/securechat/SecureChatClient.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/ChannelConfig.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/compression/ZlibCodecFactory.java

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-

jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/string/StringEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/HttpObject.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/AbstractConstant.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/util/internal/logging/JdkLoggerFactory.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/factorial/FactorialClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/udt/echo/rendezvousBytes/ByteEchoPeerOne.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/file/FileServer.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/buffer/SlicedByteBuf.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/ChannelException.java  
\*  
/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/echo/EchoClientHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/timeout/WriteTimeoutHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/udt/echo/message/MsgEchoServerHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/example/proxy/HexDumpProxyBackendHandler.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/handler/codec/compression/JZlibEncoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-  
jar/io/netty/channel/FileRegion.java  
\*

/opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http/CookieDecoder.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/channel/AbstractCoalescingBufferQueue.java  
\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/handler/codec/http2/Http2ConnectionPrefaceAndSettingsFrameWrittenEvent.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io/netty/buffer/PooledHeapByteBuf.java  
No license file was found, but licenses were detected in source scan.



```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisMessageType.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/redis/RedisClient.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisDecoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/IntegerRedisMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/multiplex/server/Http2OrHttpHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/BulkStringRedisContent.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/multiplex/server/HelloWorldHttp2Handler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisArrayAggregator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/ArrayRedisMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
```

```
jar/io/netty/handler/codec/redis/package-info.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/ErrorMessage.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisConstants.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/frame/server/Http2OrHttpHandler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisCodecUtil.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisMessagePool.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/example/http2/helloworld/frame/server/HelloWorldHttp2Handler.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java
*
/opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisEncoder.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisCodecException.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java
* /opt/cola/permits/1938510357_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-
jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/META-INF/maven/io.netty/netty-all/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

// <https://tools.ietf.org/html/rfc7540#section-8.1.2.2> makes a special exception for TE

Found in path(s):

\* /opt/cola/permits/1938510357\_1710740533.6229436/0/netty-all-4-1-49-final-sources-3-jar/io.netty.handler.codec/http2/HttpConversionUtil.java

# 1.2082 nimbus-jose-jwt 8.9

## 1.2082.1 Available under license :

Nimbus JOSE + JWT

Copyright 2012 - 2020, Connect2id Ltd.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.2083 pool 1.5.3

### 1.2083.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2013 Diogo Resende and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2084 shiro-config-ogdl 1.6.0



## 1.2084.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.2085 shiro-cache 1.6.0

## 1.2085.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,



WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.2086 shiro-core 1.6.0

## 1.2086.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro  
Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based  
on initial ideas from Dr. Heinz Kabutz's publicly posted version  
available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source  
code for this product was copied for simplicity and to reduce  
dependencies from the source code developed by the Spring Framework  
Project (<http://www.springframework.org>).

# 1.2087 shiro-config-core 1.6.0

## 1.2087.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of



this  
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.2088 shiro-crypto-hash 1.6.0

## 1.2088.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).



# 1.2089 shiro-event 1.6.0

## 1.2089.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org/>).

# 1.2090 shiro-crypto-cipher 1.6.0

## 1.2090.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.



7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based  
on initial ideas from Dr. Heinz Kabutz's publicly posted version  
available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source  
code for this product was copied for simplicity and to reduce  
dependencies from the source code developed by the Spring Framework  
Project (<http://www.springframework.org>).

# 1.2091 shiro-lang 1.6.0

## 1.2091.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org/>).

# 1.2092 shiro-crypto-core 1.6.0

## 1.2092.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.



3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for org.apache.shiro.util.SoftHashMap is based on initial ideas from Dr. Heinz Kabutz's publicly posted version

available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.2093 camel-jackson 2.15.2

## 1.2093.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Camel :: Jackson  
Copyright 2007-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



# 1.2094 log4javascript 1.4.16

## 1.2094.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.2095 object-inspect 1.13.1

### 1.2095.1 Available under license :

MIT License

Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.  
MIT

## 1.2096 has-proto 1.0.3

### 1.2096.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

MIT

## 1.2097 ip-address 9.0.5

### 1.2097.1 Available under license :

Copyright (C) 2011 by Beau Gunderson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

MIT

## 1.2098 duplexer3 0.1.5

### 1.2098.1 Available under license :

Copyright (c) 2022, Sindre Sorhus.

Copyright (c) 2020, Vsevolod Strukchinsky.

Copyright (c) 2013, Deoxxa Development.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD-3-Clause

## 1.2099 autoprefixer 9.8.8

### 1.2099.1 Available under license :

MIT

The MIT License (MIT)

Copyright 2013 Andrey Sitnik <andrey@sitnik.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2100 express-http-proxy 1.6.3

### 1.2100.1 Available under license :

MIT

Copyright (c) 2013 villadora <jky239@gmail.com>, contributors

<http://kael.me/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.2101 readdirp 3.2.0

## 1.2101.1 Available under license :

MIT License

Copyright (c) 2012-2019 Thorsten Lorenz, Paul Miller (<https://paulmillr.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.2102 babel-loader 8.3.0

## 1.2102.1 Available under license :

Copyright (c) 2014-2019 Lus Couto <[hello@luiscouto.pt](mailto:hello@luiscouto.pt)>

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2103 webpack-hot-middleware 2.25.4

### 1.2103.1 Available under license :

MIT

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2104 amdi18n-loader 0.9.4

### 1.2104.1 Available under license :

MIT

## 1.2105 less 3.13.1

## 1.2105.1 Available under license :

Apache License 2.0

# 1.2106 handlebars-loader 1.7.3

## 1.2106.1 Available under license :

MIT

# 1.2107 chokidar 3.3.0

## 1.2107.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2012-2019 Paul Miller (<https://paulmillr.com>), Elan Shanker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2108 schema-utils 2.7.1

## 1.2108.1 Available under license :

MIT

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2109 @babel/preset-react 7.24.1

## 1.2109.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2110 @babel/plugin-transform-object-rest-spread 7.24.1

## 1.2110.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2111 @babel/highlight 7.24.2

## 1.2111.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2112 @babel/plugin-transform-unicode-escapes 7.24.1

### 1.2112.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2113 @babel/plugin-transform-json-strings 7.24.1

## 1.2113.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2114 @babel/plugin-transform-destructuring 7.24.1

### 1.2114.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2115 @babel/plugin-transform-private-methods 7.24.1

### 1.2115.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2116 @babel/plugin-transform-dotall-regex 7.24.1



## 1.2116.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2117 @babel/compat-data 7.24.1

### 1.2117.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2118 @babel/plugin-transform-export-namespace-from 7.24.1

### 1.2118.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2119 @babel/plugin-bugfix-v8-static-class-fields-define-readonly 7.24.1

### 1.2119.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2120 @babel/plugin-transform-classes

### 7.24.1

#### 1.2120.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2121 babel-plugin-transform-member-expression-literals 7.24.1

### 1.2121.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2122 @babel/plugin-transform-typeof-symbol 7.24.1

### 1.2122.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2123 @babel/plugin-transform-sticky-regex

### 7.24.1

#### 1.2123.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2124 @babel/plugin-transform-modules-commonjs 7.24.1

## 1.2124.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2125 @babel/plugin-transform-regenerator 7.24.1

## 1.2125.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2126 @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining 7.24.1

## 1.2126.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2127 @babel/plugin-transform-shorthand-properties 7.24.1

## 1.2127.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2128 core-js-compat 3.36.1

## 1.2128.1 Available under license :

Copyright (c) 2014-2024 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR



IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2129 @babel/helpers 7.24.1

### 1.2129.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2130 babel-plugin-transform-typescript

### 7.24.1

### 1.2130.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2131 @babel/plugin-transform-arrow-functions 7.24.1

## 1.2131.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2132 @babel/plugin-transform-private-property-in-object 7.24.1

### 1.2132.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2133 @babel/plugin-transform-unicode-sets-regex 7.24.1

### 1.2133.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2134 @babel/runtime 7.24.1

## 1.2134.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2135 @babel/plugin-transform-async-to-generator 7.24.1

## 1.2135.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2136 @babel/plugin-transform-modules-systemjs 7.24.1

## 1.2136.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2137 @babel/plugin-transform-computed-properties 7.24.1

## 1.2137.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2138 @babel/plugin-transform-spread

## 7.24.1

### 1.2138.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2139 @babel/plugin-syntax-import-attributes

## 7.24.1

### 1.2139.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2140 @babel/plugin-transform-template-literals 7.24.1

## 1.2140.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.2141 @babel/plugin-transform-numeric-separator 7.24.1

## 1.2141.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2142 @babel/plugin-transform-literals

## 7.24.1

### 1.2142.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2143 @babel/plugin-transform-unicode-regex 7.24.1

## 1.2143.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2144 @babel/plugin-transform-dynamic-import 7.24.1

## 1.2144.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2145 @babel/plugin-transform-unicode-property-regex 7.24.1

## 1.2145.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2146 @babel/code-frame 7.24.2

### 1.2146.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2147 @babel/plugin-bugfix-safari-id-destructuring-collision-in-function-

# expression 7.24.1

## 1.2147.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2148 @babel/plugin-transform-optional-chaining 7.24.1

## 1.2148.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2149 babel-plugin-transform-property-literals 7.24.1

### 1.2149.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2150 @babel/plugin-transform-nullish-coalescing-operator 7.24.1

## 1.2150.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2151 babel-helper-create-class-features-plugin 7.24.1

## 1.2151.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2152 @babel/plugin-transform-logical-assignment-operators 7.24.1

### 1.2152.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2153 @babel/plugin-transform-parameters 7.24.1



## 1.2153.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2154 @babel/helper-string-parser 7.24.1

### 1.2154.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2155 @babel/plugin-transform-new-target

### 7.24.1

#### 1.2155.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Software, and to  
permit persons to whom the Software is furnished to do so, subject to  
the following conditions:

The above copyright notice and this permission notice shall be  
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2156 @babel/plugin-transform-object-super

### 7.24.1

#### 1.2156.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2157 babel-plugin-syntax-typescript 7.24.1

## 1.2157.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2158 @babel/generator 7.24.1

### 1.2158.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2159 @babel/plugin-transform-modules-amd 7.24.1

### 1.2159.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2160 @babel/plugin-transform-block-scoping 7.24.1

## 1.2160.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2161 @babel/plugin-transform-duplicate-keys 7.24.1

## 1.2161.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2162 @babel/plugin-transform-function-name 7.24.1

## 1.2162.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2163 @babel/plugin-transform-block-scoped-functions 7.24.1

## 1.2163.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2164 @babel/plugin-transform-exponentiation-operator 7.24.1

## 1.2164.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2165 @babel/plugin-transform-for-of 7.24.1

## 1.2165.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2166 babel-plugin-transform-reserved-words 7.24.1

### 1.2166.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2167 @babel/helper-replace-supers 7.24.1

## 1.2167.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2168 @babel/plugin-syntax-import-assertions 7.24.1

### 1.2168.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2169 @babel/plugin-transform-optional-catch-binding 7.24.1

### 1.2169.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2170 @babel/parser 7.24.1

### 1.2170.1 Available under license :

Copyright (C) 2012-2014 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

# 1.2171 @babel/plugin-transform-modules-umd 7.24.1

## 1.2171.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2172 @babel/plugin-transform-class-properties 7.24.1

### 1.2172.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2173 @babel/traverse 7.24.1

### 1.2173.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2174 @babel/plugin-transform-class-static-block 7.24.1

## 1.2174.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2175 @babel/core 7.24.3

## 1.2175.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2176 @babel/preset-env 7.24.3

## 1.2176.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2177 express 4.19.1

### 1.2177.1 Available under license :

MIT

(The MIT License)

Copyright (c) 2009-2014 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2013-2014 Roman Shtylman <shtylman+expressjs@gmail.com>

Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT

SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2178 @babel/plugin-transform-async-generator-functions 7.24.3



## 1.2178.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2179 @babel/helper-module-imports 7.24.3

### 1.2179.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2180 source-map-js 1.2.0

### 1.2180.1 Available under license :

BSD-3-Clause

Copyright (c) 2009-2011, Mozilla Foundation and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of the Mozilla Foundation nor the names of project contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.2181 webpack 4.47.0

## 1.2181.1 Available under license :

MIT

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2182 babel-plugin-polyfill-regenerator 0.5.2

### 1.2182.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2183 codepage 1.15.0

## 1.2183.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2013-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License 2.0

# 1.2184 arr-union 2.1.0

## 1.2184.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR



IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2185 styled-components 4.4.1

### 1.2185.1 Available under license :

MIT

## 1.2186 gulp-cli 2.3.0

### 1.2186.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Blaine Bublitz, Eric Schoffstall and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2187 jsbn 1.1.0

## 1.2187.1 Available under license :

Licensing

-----

This software is covered under the following copyright:

/\*

\* Copyright (c) 2003-2005 Tom Wu

\* All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY

\* WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

\*

\* IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL,

INCIDENTAL,

\* INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER

\* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF

\* THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT

\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* In addition, the following condition applies:

\*

\* All redistributions must retain an intact copy of this copyright notice

\* and disclaimer.

\*/

Address all questions regarding this license to:

Tom Wu

tjw@cs.Stanford.EDU

MIT

# 1.2188 wmf 1.0.2

## 1.2188.1 Available under license :

Apache License 2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2020-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2189 xlsx 0.17.5

## 1.2189.1 Available under license :

Apache License 2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of



this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2012-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2190 word 0.3.0

## 1.2190.1 Available under license :

Apache License 2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2020-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2191 ssf 0.11.2

## 1.2191.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership



of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2013-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License 2.0

# 1.2192 native-request 1.1.0

## 1.2192.1 Available under license :

MIT

# 1.2193 test 1.0.0

## 1.2193.1 Available under license :

MIT License

Copyright (c) 2021 David Evans

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.2194 adler-32 1.3.1

## 1.2194.1 Available under license :

Apache License 2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or



implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2014-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.2195 extend-shallow 1.1.4

### 1.2195.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2196 babel-plugin-polyfill-corejs3 0.8.3

### 1.2196.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2197 babel-plugin-polyfill-corejs2 0.4.5

### 1.2197.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2198 object-assign 3.0.0

## 1.2198.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

# 1.2199 yargs 7.1.2

## 1.2199.1 Available under license :

Copyright 2010 James Halliday (mail@substack.net)

Modified work Copyright 2014 Contributors (ben@npmjs.com)

This project is free software released under the MIT/X11 license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2200 replace-ext 0.0.1

### 1.2200.1 Available under license :

Copyright (c) 2014 Fractal <contact@wearefractal.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2201 copy-props 2.0.5

### 1.2201.1 Available under license :

MIT  
MIT License

Copyright (c) 2016-2021 Gulp Team.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2202 ramda 0.27.2

### 1.2202.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2013-2018 Scott Sauyet and Michael Hurley

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2203 arr-diff 1.1.0

## 1.2203.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2014-2015 Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2204 ssri 6.0.2

### 1.2204.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.2205 ejs 2.7.4

## 1.2205.1 Available under license :

Apache License 2.0

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).



"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.2206 cfb 1.2.2

## 1.2206.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (C) 2013-present SheetJS LLC

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



# 1.2207 ua-parser-js 0.7.36

## 1.2207.1 Available under license :

MIT License

Copyright (c) 2012-2023 Faisal Salman <<f@faisalman.com>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.2208 node-notifier 5.4.5

## 1.2208.1 Available under license :

MIT License

Copyright (c) 2017 Mikael Brevik

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the

Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this

License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

All the works are available under the MIT license. Except for Terminal.icns, which is a copy of Apples Terminal.app icon and as such is copyright of Apple.

Copyright (C) 2012-2016 Eloy Durn eloy.de.enige@gmail.com, Julien Blanchard julien@sideburns.eu

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2209 fsevents 2.1.3

### 1.2209.1 Available under license :

MIT License  
-----

Copyright (C) 2010-2020 by Philipp Dunkel, Ben Noordhuis, Elan Shankar, Paul Miller

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2210 sprintf-js 1.1.3

### 1.2210.1 Available under license :

BSD-3-Clause

Alexander Rose [@arose](<https://github.com/arose>)

Alexandru Mrteanu [@alexei](<https://github.com/alexei>)

Andras [@andrasq](<https://github.com/andrasq>)

Benoit Giannangeli [@giann](<https://github.com/giann>)

Branden Visser [@mrvisser](<https://github.com/mrvisser>)

David Baird  
daurnimator [[@daurnimator](https://github.com/daurnimator)](https://github.com/daurnimator)  
Doug Beck [[@beck](https://github.com/beck)](https://github.com/beck)  
Dzmitry Litskalau [[@litmit](https://github.com/litmit)](https://github.com/litmit)  
Fred Ludlow [[@fredludlow](https://github.com/fredludlow)](https://github.com/fredludlow)  
Hans Pufal  
Henry [[@alograg](https://github.com/alograg)](https://github.com/alograg)  
Johnny Shields [[@johnnyshields](https://github.com/johnnyshields)](https://github.com/johnnyshields)  
Kamal Abdali  
Matt Simerson [[@msimerson](https://github.com/msimerson)](https://github.com/msimerson)  
Maxime Robert [[@marob](https://github.com/marob)](https://github.com/marob)  
MeriemKhelifi [[@MeriemKhelifi](https://github.com/MeriemKhelifi)](https://github.com/MeriemKhelifi)  
Michael Schramm [[@wodka](https://github.com/wodka)](https://github.com/wodka)  
Nazar Mokrynskyi [[@nazar-pc](https://github.com/nazar-pc)](https://github.com/nazar-pc)  
Oliver Salzburg [[@oliversalzburg](https://github.com/oliversalzburg)](https://github.com/oliversalzburg)  
Pablo [[@ppollono](https://github.com/ppollono)](https://github.com/ppollono)  
Rabehaja  
Stevens [[@RABEHAJA-STEVEN](https://github.com/RABEHAJA-STEVEN)](https://github.com/RABEHAJA-STEVEN)  
Raphael Pigulla [[@pigulla](https://github.com/pigulla)](https://github.com/pigulla)  
rebeccapeltz [[@rebeccapeltz](https://github.com/rebeccapeltz)](https://github.com/rebeccapeltz)  
Stefan Tingstrm [[@stingstrom](https://github.com/stingstrom)](https://github.com/stingstrom)  
Tim Gates [[@timgates42](https://github.com/timgates42)](https://github.com/timgates42)  
Copyright (c) 2007-present, Alexandru Mrteanu <hello@alexei.ro>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of this software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.2211 terser 4.8.1

## 1.2211.1 Available under license :

BSD-2-Clause

UglifyJS is released under the BSD license:

Copyright 2012-2018 (c) Mihai Bazon <mihai.bazon@gmail.com>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.2212 adler-32 1.2.0

## 1.2212.1 Available under license :

Apache License 2.0

Copyright (C) 2014-present SheetJS

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.2213 kind-of 1.1.0

### 1.2213.1 Available under license :

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2214 json-schema 0.2.5

### 1.2214.1 Available under license :

757f158e6c73795dfa18b397289466ae

Dojo is available under \*either\* the terms of the BSD 3-Clause "New" License \*or\* the Academic Free License version 2.1. As a recipient of Dojo, you may choose which license to receive this code under (except as noted in per-module LICENSE files). Some modules may not be the copyright of the Dojo Foundation. These modules contain explicit declarations of copyright in both the LICENSE files in the directories in which they reside and in the code itself. No external contributions are allowed under licenses which are fundamentally incompatible with the AFL-2.1 OR and BSD-3-Clause licenses that Dojo is distributed under.

The text of the AFL-2.1 and BSD-3-Clause licenses is reproduced below.

-----  
BSD 3-Clause "New" License:

\*\*\*\*\*

Copyright (c) 2005-2015, The Dojo Foundation  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided  
that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
The Academic Free License, v. 2.1:

\*\*\*\*\*

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

a) to reproduce the Original Work in copies;

b) to prepare

derivative works ("Derivative Works") based upon the Original Work;

c) to distribute copies of the Original Work and Derivative Works to the public;

d) to perform the Original Work publicly; and

e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the

Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim,

against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written

permission of its copyright owner.

## 1.2215 sinon 11.1.2

### 1.2215.1 Available under license :

(The BSD License)

Copyright (c) 2010-2017, Christian Johansen, christian@cjhansen.no  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Christian Johansen nor the names of his contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD-3-Clause

## 1.2216 inquirer 0.11.0

### 1.2216.1 Available under license :

MIT

## 1.2217 yargs-parser 5.0.1

## 1.2217.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
ISC

## 1.2218 babel-preset-typescript 7.24.1

### 1.2218.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2219 react-vtree 3.0.0-beta.3

## 1.2219.1 Available under license :

MIT License

Copyright (c) 2018-present Vladimir Rindevich

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

# 1.2220 es-object-atoms 1.0.0

## 1.2220.1 Available under license :

MIT License

Copyright (c) 2024 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,



FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
MIT

## 1.2221 babel-plugin-polyfill-regenerator 0.6.1

### 1.2221.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2222 @babel/plugin-syntax-jsx 7.24.1

### 1.2222.1 Available under license :

MIT  
MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2223 @babel/plugin-transform-react-display-name 7.24.1

## 1.2223.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2224 @babel/plugin-transform-react-pure-annotations 7.24.1

## 1.2224.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2225 object.entries 1.1.8

## 1.2225.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.2226 caniuise-lite 1.0.30001600

## 1.2226.1 Available under license :

Attribution 4.0 International

=====

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

### Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations

are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the

material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: [wiki.creativecommons.org/Considerations\\_for\\_licensors](http://wiki.creativecommons.org/Considerations_for_licensors)

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public: [wiki.creativecommons.org/Considerations\\_for\\_licensees](http://wiki.creativecommons.org/Considerations_for_licensees)

=====

## Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

### Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License,

where the Licensed

Material is a musical work, performance, or sound recording,

Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.

- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.

- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

## Section 2 -- Scope.

### a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable

license to

exercise the Licensed Rights in the Licensed Material to:

- a. reproduce and Share the Licensed Material, in whole or in part; and
- b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a) (4) never produces Adapted Material.

5. Downstream recipients.

- a. Offer from the Licensor -- Licensed Material. Every

recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed

Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.



1. If You Share the Licensed Material (including in modified form), You must:
  - a. retain the following if it is supplied by the Licensor with the Licensed Material:
    - i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);
    - ii. a copyright notice;
    - iii. a notice that refers to this Public License;
    - iv. a notice that refers to the disclaimer of warranties;
    - v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;
  - b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and
  - c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.
2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.
3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

#### Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

#### Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE.

WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.

- c. The disclaimer of warranties and limitation of liability provided

above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

#### Section 6 -- Term and Termination.

a. This Public License

applies for the term of the Copyright and

Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.

b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:

1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.

d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

#### Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

#### Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at [creativecommons.org/policies](http://creativecommons.org/policies), Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at [creativecommons.org](http://creativecommons.org).  
ef25201c425f255cbab6242cedcf1fbf

# 1.2227 electron-to-chromium 1.4.715

## 1.2227.1 Available under license :

Copyright 2018 Kilian Valkhof

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ISC

# 1.2228 babel-plugin-polyfill-corejs3 0.10.4

## 1.2228.1 Available under license :

MIT

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.